



Open Source Used In Cisco AppDynamics Cloud Business Metric Config Service 23.6.0

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-1701207069

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-1701207069

Contents

1.1 j2objc-annotations 1.3

1.1.1 Available under license

1.2 okio 1.17.5

1.2.1 Available under license

1.3 micronaut-core 3.9.2

1.3.1 Available under license

1.4 netty-resolver 4.1.91.Final

1.4.1 Available under license

1.5 okhttp 2.7.4

1.5.1 Available under license

1.6 opentelemetry-sdk-extension-autoconfigure-spi 1.13.0

1.6.1 Available under license

1.7 paranamer 2.5.1

1.7.1 Available under license

1.8 netty-codec-http 4.1.91.Final

1.8.1 Available under license

1.9 disruptor 2.11.2.3

1.9.1 Available under license

1.10 slf4j 1.6.6

1.10.1 Available under license

1.11 libssl3 3.1.0-r4

1.11.1 Available under license

1.12 protobuf-java 3.19.4

1.12.1 Available under license

1.13 micronaut-validation 3.9.2

1.13.1 Available under license

- 1.14 slf4j 1.7.36**
 - 1.14.1 Available under license
- 1.15 openssl 3.1.0-r4**
 - 1.15.1 Available under license
- 1.16 jackson-datatype-jdk8 2.14.2**
 - 1.16.1 Available under license
- 1.17 opentelemetry-semconv 1.13.0-alpha**
 - 1.17.1 Available under license
- 1.18 netty-transport-native-unix-common 4.1.91.Final**
 - 1.18.1 Available under license
- 1.19 jackson-databind 2.14.2**
 - 1.19.1 Available under license
- 1.20 libc-utils 0.7.2-r5**
 - 1.20.1 Available under license
- 1.21 avro 1.11.0**
 - 1.21.1 Available under license
- 1.22 busybox 1.36.0**
 - 1.22.1 Available under license
- 1.23 giflib 5.2.1**
 - 1.23.1 Available under license
- 1.24 micronaut-http 3.9.2**
 - 1.24.1 Available under license
- 1.25 apk-tools 2.14.0-r2**
 - 1.25.1 Available under license
- 1.26 swagger-annotations 2.2.8**
 - 1.26.1 Available under license
- 1.27 commons-fileupload 1.4**
 - 1.27.1 Available under license
- 1.28 commons-io 2.8.0**
 - 1.28.1 Available under license
- 1.29 jackson-annotations 2.13.2**
 - 1.29.1 Available under license
- 1.30 commons-math 2.1**
 - 1.30.1 Available under license
- 1.31 jackson 2.13.3**
 - 1.31.1 Available under license
- 1.32 jackson 2.14.2**
 - 1.32.1 Available under license
- 1.33 libcrypto3 3.1.0-r4**

- 1.33.1 Available under license
- 1.34 micronaut-aop 3.9.2**
 - 1.34.1 Available under license
- 1.35 logback-core 1.2.11**
 - 1.35.1 Available under license
- 1.36 zlib 1.2.13-r1**
 - 1.36.1 Available under license
- 1.37 gson 2.10**
 - 1.37.1 Available under license
- 1.38 snake-yaml 2.0**
 - 1.38.1 Available under license
- 1.39 commons-logging 1.2**
 - 1.39.1 Available under license
- 1.40 lcms 2.12**
 - 1.40.1 Available under license
- 1.41 netty-handler-proxy 4.1.91.Final**
 - 1.41.1 Available under license
- 1.42 micronaut-http-netty 3.9.2**
 - 1.42.1 Available under license
- 1.43 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**
- 1.44 apache-log4j 2.17.1**
 - 1.44.1 Available under license
- 1.45 micronaut-jackson-core 3.9.2**
 - 1.45.1 Available under license
- 1.46 micronaut-jackson-databind 3.9.2**
 - 1.46.1 Available under license
- 1.47 jakarta-inject-api 2.0.1**
 - 1.47.1 Available under license
- 1.48 jctools-core 3.3.0**
 - 1.48.1 Available under license
- 1.49 ca-certificates 20230506-r0**
 - 1.49.1 Available under license
- 1.50 zt 1.14**
 - 1.50.1 Available under license
- 1.51 xerces-j 2.12.2**
 - 1.51.1 Available under license
- 1.52 gson 2.8.9**
 - 1.52.1 Available under license
- 1.53 jackson-annotations 2.14.2**

- 1.53.1 Available under license
- 1.54 commons-codec 1.15**
 - 1.54.1 Available under license
- 1.55 annotations 13.0**
- 1.56 dagger 2.4**
 - 1.56.1 Available under license
- 1.57 kotlin 1.4.20**
 - 1.57.1 Available under license
- 1.58 scanelf 1.3.7-r1**
 - 1.58.1 Available under license
- 1.59 micronaut-http-client-core 3.9.2**
 - 1.59.1 Available under license
- 1.60 failureaccess 1.0.1**
- 1.61 ssl-client 1.36.0-r9**
 - 1.61.1 Available under license
- 1.62 xorg-randr 1.0.7**
 - 1.62.1 Available under license
- 1.63 animal-sniffer-annotation 1.19**
 - 1.63.1 Available under license
- 1.64 musl 1.2.4-r0**
 - 1.64.1 Available under license
- 1.65 musl-utils 1.2.4-r0**
 - 1.65.1 Available under license
- 1.66 httpcomponents-client 4.5.13**
 - 1.66.1 Available under license
- 1.67 commons-compress 1.21**
 - 1.67.1 Available under license
- 1.68 jackson 2.13.2**
 - 1.68.1 Available under license
- 1.69 busybox 1.36.0-r9**
 - 1.69.1 Available under license
- 1.70 micronaut-json-core 3.9.2**
 - 1.70.1 Available under license
- 1.71 micronaut-router 3.9.2**
 - 1.71.1 Available under license
- 1.72 httpcore-nio 4.4.13**
 - 1.72.1 Available under license
- 1.73 pax-utils 1.3.7-r1**
 - 1.73.1 Available under license

- 1.74 lombok 1.18.24**
 - 1.74.1 Available under license
- 1.75 error_prone_annotations 2.3.4**
 - 1.75.1 Available under license
- 1.76 micronaut-buffer-netty 3.9.2**
 - 1.76.1 Available under license
- 1.77 micronaut-http-server 3.9.2**
 - 1.77.1 Available under license
- 1.78 jackson-dataformat-yaml 2.13.2**
 - 1.78.1 Available under license
- 1.79 servlet-api 3.0.1**
 - 1.79.1 Available under license
- 1.80 httpcomponents-mime 4.5.12**
 - 1.80.1 Available under license
- 1.81 openjdk 17.0.4**
 - 1.81.1 Available under license
- 1.82 javax-inject 1**
 - 1.82.1 Available under license
- 1.83 javassist 3.27.0-GA**
 - 1.83.1 Available under license
- 1.84 guava 30.1.1-android**
 - 1.84.1 Available under license
- 1.85 jackson-databind 2.13.3**
 - 1.85.1 Available under license
- 1.86 alpine-keys 2.4-r1**
 - 1.86.1 Available under license
- 1.87 openjdk-jre 17.0.4u1**
 - 1.87.1 Available under license
- 1.88 bean-validation-api 2.0.1.Final**
 - 1.88.1 Available under license
- 1.89 httpcomponents-core 4.4.13**
 - 1.89.1 Available under license
- 1.90 netty 4.1.91.Final**
 - 1.90.1 Available under license
- 1.91 jsr305 3.0.2**
 - 1.91.1 Available under license
- 1.92 micronaut-context 3.9.2**
 - 1.92.1 Available under license
- 1.93 okhttp 4.9.3**

- 1.93.1 Available under license
- 1.94 jackson-dataformat-yaml 2.13.3**
 - 1.94.1 Available under license
- 1.95 log4j-api 2.17.1**
 - 1.95.1 Available under license
- 1.96 commons-codec 1.14**
 - 1.96.1 Available under license
- 1.97 alpine-baselayout-data 3.4.3-r1**
 - 1.97.1 Available under license
- 1.98 perfmark-api 0.17.0**
 - 1.98.1 Available under license
- 1.99 jackson-databind 2.13.2.2**
 - 1.99.1 Available under license
- 1.100 opentelemetry-proto 0.11.0**
 - 1.100.1 Available under license
- 1.101 guava 30.1-jre**
 - 1.101.1 Available under license
- 1.102 asm 3.2**
 - 1.102.1 Available under license
- 1.103 httpclient-cache 4.5.13**
 - 1.103.1 Available under license
- 1.104 log4j-jcl 2.17.1**
 - 1.104.1 Available under license
- 1.105 jeromq 0.3.5**
 - 1.105.1 Available under license
- 1.106 namespace 1.4.01**
 - 1.106.1 Available under license
- 1.107 dom 1.0**
 - 1.107.1 Available under license
- 1.108 error_prone_annotations 2.3.3**
 - 1.108.1 Available under license
- 1.109 netty-codec-socks 4.1.91.Final**
 - 1.109.1 Available under license
- 1.110 netty-handler 4.1.91.Final**
 - 1.110.1 Available under license
- 1.111 picocontainer 2.15**
 - 1.111.1 Available under license
- 1.112 opentelemetry-sdk 1.13.0**
 - 1.112.1 Available under license

- 1.113 micronaut-inject 3.9.2**
 - 1.113.1 Available under license
- 1.114 auto-value-annotations 1.4**
 - 1.114.1 Available under license
- 1.115 jctools-core 3.1.0**
 - 1.115.1 Available under license
- 1.116 jackson-dataformat-yaml 2.14.2**
 - 1.116.1 Available under license
- 1.117 micronaut-http-server-netty 3.9.2**
 - 1.117.1 Available under license
- 1.118 bridgeutils 1.7.1-r2**
 - 1.118.1 Available under license
- 1.119 jackson-datatype-jsr310 2.14.2**
 - 1.119.1 Available under license
- 1.120 micronaut-http-client 3.9.2**
 - 1.120.1 Available under license
- 1.121 annotations 4.1.1.4**
 - 1.121.1 Available under license
- 1.122 jre 17.0.4.1+1-LTS**
 - 1.122.1 Available under license
- 1.123 netty-transport 4.1.91.Final**
 - 1.123.1 Available under license
- 1.124 micronaut-runtime 3.9.2**
 - 1.124.1 Available under license
- 1.125 micronaut-core-reactive 3.9.2**
 - 1.125.1 Available under license
- 1.126 ca-certificates-bundle 20230506-r0**
 - 1.126.1 Available under license
- 1.127 xml-apis 1.4.01**
 - 1.127.1 Available under license
- 1.128 micronaut-websocket 3.9.2**
 - 1.128.1 Available under license
- 1.129 free-type 2.12.0**
 - 1.129.1 Available under license
- 1.130 opentelemetry-api-metrics 1.10.0-rc.1**
 - 1.130.1 Available under license
- 1.131 alpine-baselayout 3.4.3-r1**
 - 1.131.1 Available under license
- 1.132 libpng 1.6.37**

- 1.132.1 Available under license
- 1.133 tre 1.2.4-r0**
- 1.133.1 Available under license
- 1.134 jackson-annotations 2.13.3**
- 1.134.1 Available under license
- 1.135 netty-codec 4.1.91.Final**
- 1.135.1 Available under license
- 1.136 javax-annotation-api 1.3.2**
- 1.136.1 Available under license
- 1.137 libjpeg 6b**
- 1.137.1 Notifications
- 1.137.2 Available under license
- 1.138 error_prone_annotations 2.9.0**
- 1.138.1 Available under license

1.1 j2objc-annotations 1.3

1.1.1 Available under license :

For org.w3c.dom code.

See <<http://www.w3.org/Consortium/Legal/>>.

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2007-2009, JSR305 expert group

All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the JSR305 expert group nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

- * Licensed to the Apache Software Foundation (ASF) under one or more
- * contributor license agreements. See the NOTICE file distributed with
- * this work for additional information regarding copyright ownership.
- * The ASF licenses this file to You under the Apache License, Version 2.0
- * (the "License"); you may not use this file except in compliance with
- * the License. You may obtain a copy of the License at
- * <http://www.apache.org/licenses/LICENSE-2.0>
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

```
package java.security;
```

```
import java.io.Serializable;
```

```
/**
```

```

* Legacy security code; do not use.
*/
public abstract class Permission implements Guard, Serializable {
    public Permission(String name) { }

    public final String getName() { return null; }

    public void checkGuard(Object obj) throws SecurityException { }

    public PermissionCollection newPermissionCollection() {
        return new AllPermissionCollection();
    }

    public abstract String getActions();

    public abstract boolean implies(Permission permission);
}

```

```

=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                      ==
== in this case for the Android-specific code.           ==
=====

```

Android Code

Copyright 2005-2008 The Android Open Source Project

This product includes software developed as part of
The Android Open Source Project (<http://source.android.com>).

```

=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                      ==
== in this case for the Apache Harmony distribution.     ==
=====

```

Apache Harmony

Copyright 2006 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of Harmony were originally developed by
Intel Corporation and are licensed to the Apache Software
Foundation under the "Software Grant and Corporate Contribution
License Agreement", informally known as the "Intel Harmony CLA".

```

=====

```

== NOTICE file for the ICU License.

==

Copyright (c) 1995-2014 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

== NOTICE file for the KXML License.

==

Copyright (c) 2002,2003, Stefan Haustein, Oberhausen, Rhld., Germany

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
== NOTICE file for the W3C License. ==
=====

Copyright (c) 2000 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. This program is distributed under the W3C's Software Intellectual Property License. This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

See W3C License <http://www.w3.org/Consortium/Legal/> for more details.

=====
== NOTICE file for the fdlibm License. ==
=====

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business. Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice is preserved.

Copyright (C) 2003, International Business Machines Corporation and *
others. All Rights Reserved. *

Created on May 2, 2003

To change the template for this generated file go to
Window>Preferences>Java>Code Generation>Code and Comments

(C) Copyright IBM Corp. 1996-2005 - All Rights Reserved *
*
The original version of this source code and documentation is copyrighted *
and owned by IBM, These materials are provided under terms of a License *
Agreement between IBM and Sun. This technology is protected by multiple *
US and International patents. This notice and attribution to IBM may not *
to removed. *

(C) Copyright IBM Corp. and others, 1996-2009 - All Rights Reserved *
*
The original version of this source code and documentation is copyrighted *
and owned by IBM, These materials are provided under terms of a License *
Agreement between IBM and Sun. This technology is protected by multiple *
US and International patents. This notice and attribution to IBM may not *
to removed. *

(C) Copyright IBM Corp. and others, 1996-2009 - All Rights Reserved *
*
The original version of this source code and documentation is copyrighted *
and owned by IBM, These materials are provided under terms of a License *
Agreement between IBM and Sun. This technology is protected by multiple *
US and International patents. This notice and attribution to IBM may not *
to removed. *

- * file name: UBiDiProps.java
- * encoding: US-ASCII
- * tab size: 8 (not used)
- * indentation:4
- *
- * created on: 2005jan16
- * created by: Markus W. Scherer
- *
- * Low-level Unicode bidi/shaping properties access.
- * Java port of ubidi_props.h/c.

Copyright (C) 2003-2004, International Business Machines Corporation and *
others. All Rights Reserved. *

Copyright (C) 2003-2004, International Business Machines Corporation and *
others. All Rights Reserved. *

Copyright (C) 2004, International Business Machines Corporation and *
others. All Rights Reserved. *

Copyright (C) 2009, International Business Machines Corporation and *
others. All Rights Reserved. *

Copyright (C) 2009-2010, International Business Machines Corporation and *
others. All Rights Reserved. *

Copyright (C) 2010, International Business Machines Corporation and *
others. All Rights Reserved. *

(C) Copyright IBM Corp. 1996-2003 - All Rights Reserved *
*

The original version of this source code and documentation is copyrighted *
and owned by IBM, These materials are provided under terms of a License *
Agreement between IBM and Sun. This technology is protected by multiple *
US and International patents. This notice and attribution to IBM may not *

to removed.

*

#####

This locale data is based on the ICU's Vietnamese locale data (rev. 1.38)
found at:

<http://oss.software.ibm.com/cvs/icu/icu/source/data/locales/vi.txt?rev=1.38>

(C) Copyright IBM Corp. 1999-2003 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by IBM. These materials are provided under terms of a License Agreement between IBM and Sun. This technology is protected by multiple US and International patents. This notice and attribution to IBM may not be removed.

(C) Copyright Taligent, Inc. 1996 - 1997, All Rights Reserved
(C) Copyright IBM Corp. 1996 - 1998, All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996 - All Rights Reserved
(C) Copyright IBM Corp. 1996 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996 - All Rights Reserved
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - 1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - 1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - 1999 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996 - 2002 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996, 1997 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996,1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996, 1997 - All Rights Reserved

(C) Copyright Taligent, Inc. 1996-1998 - All Rights Reserved
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed. Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996-1998 - All Rights Reserved
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed. Taligent is a registered trademark of Taligent, Inc.

* Copyright (C) 1996-2004, International Business Machines Corporation and *
* others. All Rights Reserved. *

Oracle designates certain files in this repository as subject to the "Classpath" exception. The designated files include the following notices. In the following notices, the LICENSE file referred to is:

START LICENSE file

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice

placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many

people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free

software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

END LICENSE file

<!--

Copyright (c) 1998, 1999, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 1998, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 1999, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<?xml version="1.0" encoding="UTF-8"?>

<!--

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

<?xml version="1.0"?>

<!--

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

`Replaceable` is an interface representing a string of characters that supports the replacement of a range of itself with a new string of characters. It is used by APIs that change a piece of text while retaining metadata. Metadata is data other than the Unicode characters returned by `char32At()`. One example of metadata is style attributes; another is an edit history, marking each character with an author and revision number.

An implicit aspect of the `Replaceable` API is that during a replace operation, new characters take on the metadata of the old characters. For example, if the string "the **font**" has range (4, 8) replaced with "strong", then it becomes "the **strong** font".

`Replaceable` specifies ranges using a start offset and a limit offset. The range of characters thus specified includes the characters at offset `start..limit-1`. That is, the start offset is inclusive, and the limit offset is exclusive.

`Replaceable` also includes API to access characters in the string: `length()`, `charAt()`, `char32At()`, and `extractBetween()`.

For a subclass to support metadata, typical behavior of `replace()` is the following:

-

- Set the metadata of the new text to the metadata of the first character replaced

- If no characters are replaced, use the metadata of the previous character

- If there is no previous character (i.e. `start == 0`), use the following character

- If there is no following character (i.e. the replaceable was empty), use default metadata

- If the code point U+FFFF is seen, it should be interpreted as a special marker having no metadata

-

If this is not the behavior, the subclass should document any differences.

<p>Copyright © IBM Corporation 1999. All rights reserved.

@author Alan Liu

@stable ICU 2.0

<code>ReplaceableString</code> is an adapter class that implements the <code>Replaceable</code> API around an ordinary <code>StringBuffer</code>.

<p>Note: This class does not support attributes and is not intended for general use. Most clients will need to implement { @link Replaceable } in their text representation class.

<p>Copyright © IBM Corporation 1999. All rights reserved.

@see Replaceable

@author Alan Liu

@stable ICU 2.0

Copyright (C) 1991-2007 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER

TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Generated automatically from the Common Locale Data Repository. DO NOT EDIT!

Copyright (C) 1991-2011 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project

Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1999, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project

Copyright (c) 1999, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1999, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2001, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2001, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2001, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2002, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2002, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2003, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2003, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2003, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2003, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2013 Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2009, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 1995, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1994, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1994, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 1996, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 1997, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 1999, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any

questions.

Copyright (c) 1995, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1995, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1995, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1995, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 1997, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 1999, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2010, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 1999, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1997, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1997, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any

questions.

Copyright (c) 1998, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1998, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2000, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2000, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2002, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2002, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003,2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2004, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2004, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any

questions.

Copyright (c) 2004, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2004, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2004, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2004, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2005, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.

Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - 1999 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

Copyright (c) 2005, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2005, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2005, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2005, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.

Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2006, 2007, Oracle and/or its affiliates. All rights reserved.

Copyright (c) 2006, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2006, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2006, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.

Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2009, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2009, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2009, 2013, Oracle and/or its affiliates. All rights reserved.
Copyright 2009 Google Inc. All Rights Reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2010, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2010, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2010, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2012, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any

questions.

Copyright (c) 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright 2015 Google Inc.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Google designates this
particular file as subject to the "Classpath" exception as provided
by Google in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Licensed Materials - Property of IBM

(C) Copyright IBM Corp. 1999 All Rights Reserved.
(C) IBM Corp. 1997-1998. All Rights Reserved.

The program is provided "as is" without any warranty express or
implied, including the warranty of non-infringement and the implied
warranties of merchantability and fitness for a particular purpose.
IBM will not be liable for any damages suffered by you as a result
of using the Program. In no event will IBM be liable for any
special, indirect or consequential damages or lost profits even if
IBM has been advised of the possibility of their occurrence. IBM
will not be liable for any third party claims against you.

is licensed under the same terms. The copyright and license information
for `java/net/Inet4AddressImpl.java` follows.

Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

licensed under the same terms. The copyright and license information for `java/net/PlainDatagramSocketImpl.java` follows.

Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

licensed under the same terms. The copyright and license information for
java/net/PlainSocketImpl.java follows.

Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

licensed under the same terms. The copyright and license information for
sun/nio/ch/FileChannelImpl.java follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

licensed under the same terms. The copyright and license information for `sun/nio/ch/FileDispatcherImpl.java` follows.

Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

licensed under the same terms. The copyright and license information for `sun/nio/ch/InheritedChannel.java` follows.

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

licensed under the same terms. The copyright and license information for `sun/nio/ch/ServerSocketChannelImpl.java` follows.

Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

same terms. The copyright and license information for `sun/nio/ch/Net.java` follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

the same terms. The copyright and license information for `java/io/FileSystem.java` follows.

Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

the same terms. The copyright and license information for
java/lang/Long.java follows.

Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

the same terms. The copyright and license information for
sun/nio/ch/IOStatus.java follows.

Copyright (c) 2002, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

under the same terms. The copyright and license information for `java/io/UnixFileSystem.java` follows.

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

under the same terms. The copyright and license information for `java/lang/Integer.java` follows.

Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

under the same terms. The copyright and license information for `java/net/NetworkInterface.java` follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

under the same terms. The copyright and license information for
java/net/SocketOptions.java follows.

Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

under the same terms. The copyright and license information for
java/util/zip/ZipFile.java follows.

Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
=====

Apache Xalan (Xalan XSLT processor)
Copyright 1999-2006 The Apache Software Foundation

Apache Xalan (Xalan serializer)
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

=====
Portions of this software was originally based on the following:
- software copyright (c) 1999-2002, Lotus Development Corporation.,
 <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems.,
 <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation.,
 <http://www.ibm.com>.
=====

The binary distribution package (ie. jars, samples and documentation) of
this product includes software developed by the following:

- The Apache Software Foundation
 - Xerces Java - see LICENSE.txt
 - JAXP 1.3 APIs - see LICENSE.txt
 - Bytecode Engineering Library - see LICENSE.txt
 - Regular Expression - see LICENSE.txt

- Scott Hudson, Frank Flannery, C. Scott Ananian
 - CUP Parser Generator runtime (javacup/runtime) - see LICENSE.txt

=====
The source distribution package (ie. all source and tools required to build
Xalan Java) of this product includes software developed by the following:

- The Apache Software Foundation
 - Xerces Java - see LICENSE.txt
 - JAXP 1.3 APIs - see LICENSE.txt
 - Bytecode Engineering Library - see LICENSE.txt
 - Regular Expression - see LICENSE.txt
 - Ant - see LICENSE.txt
 - Stylebook doc tool - see LICENSE.txt

- Elliot Joel Berk and C. Scott Ananian
 - Lexical Analyzer Generator (JLex) - see LICENSE.txt

Apache Xerces Java
 Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at
 The Apache Software Foundation (<http://www.apache.org/>).

Portions of Apache Xerces Java in xercesImpl.jar and xml-apis.jar
 were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the
 Apache Software Foundation that were originally developed at iClick, Inc.,
 software copyright (c) 1999.

Apache xml-commons xml-apis (redistribution of xml-apis.jar)

Apache XML Commons
 Copyright 2001-2003,2006 The Apache Software Foundation.

This product includes software developed at
 The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license

document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy

of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code

distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it

starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent

module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

ICU

There are two licenses here:

- ICU license
- Unicode Terms of Use

ICU License - ICU 1.8.1 and later

From <http://source.icu-project.org/repos/icu/icu/trunk/license.html>

X License (old version). For license pedigree see the

ICU FAQ at <http://icu-project.org/userguide/icufaq.html>

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2014 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

Unicode Terms of Use, from <http://www.unicode.org/copyright.html>

For the general privacy policy governing access to this site, see the Unicode Privacy Policy. For trademark usage, see the Unicode Consortium Name and Trademark Usage Policy.

Notice to End User: Terms of Use

Carefully read the following legal agreement ("Agreement"). Use or copying of the software and/or codes provided with this agreement (The "Software") constitutes your acceptance of these terms. If you have any questions about these terms of use, please contact the Unicode Consortium.

A. Unicode Copyright.

1. Copyright 1991-2014 Unicode, Inc. All rights reserved.
2. Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.
3. Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files solely for informational purposes in the creation of products supporting the Unicode Standard, subject to the Terms and Conditions herein.
4. Further specifications of rights and restrictions pertaining to the use of the particular set of data files known as the "Unicode Character Database" can be found in Exhibit 1.
5. Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page. The online code charts carry specific restrictions. All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.
6. No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.
7. Modification is not permitted with respect to this document. All copies of this document must be verbatim.

B. Restricted Rights Legend. Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

C. Warranties and Disclaimers.

1. This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the

information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

2. If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.
3. EXCEPT AS PROVIDED IN SECTION C.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

D. Waiver of Damages. In no event shall Unicode or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

E. Trademarks & Logos.

1. The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.
2. The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.
3. All third party trademarks referenced herein are the property of their respective owners.

F. Miscellaneous.

1. Jurisdiction and Venue. This server is operated from a location in the State of California, United States of America. Unicode makes no representation that the materials are appropriate for use in other locations. If you access this server from other locations, you are responsible for compliance with local laws. This Agreement, all use of this site and any claims and damages resulting from use of this site are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this site shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.
2. Modification by Unicode Unicode shall have the right to modify this Agreement at any time by posting it to this site. The user may not assign any part of this Agreement without Unicode's prior written consent.

3. Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.
4. Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.
5. Entire Agreement. This Agreement constitutes the entire agreement between the parties.

EXHIBIT 1

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2014 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in
<http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that

- (a) this copyright and permission notice appear with all copies of the Data Files or Software,
- (b) this copyright and permission notice appear in associated documentation, and
- (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

JUnit

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when

combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses

relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to

a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and
<http://www.unicode.org/cldr/data/> . Unicode Software includes any source code
published in the Unicode Standard or under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and
<http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY
DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES
("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND
AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU
DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES
OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2006 Unicode, Inc. All rights reserved. Distributed under
the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy
of the Unicode data files and any associated documentation (the "Data Files") or
Unicode software and any associated documentation (the "Software") to deal in
the Data Files or Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files or
Software are furnished to do so, provided that (a) the above copyright notice(s)
and this permission notice appear with all copies of the Data Files or Software,
(b) both the above copyright notice(s) and this permission notice appear in
associated documentation, and (c) there is clear notice in each modified Data
File or in the Software as well as in the documentation associated with the Data
File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD
PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR
SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not

be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

1.2 okio 1.17.5

1.2.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the

Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.3 micronaut-core 3.9.2

1.3.1 Available under license :

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.4 netty-resolver 4.1.91.Final

1.4.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2016 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-  
jar/io/netty/resolver/RoundRobinInetAddressResolver.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2014 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-  
jar/io/netty/resolver/package-info.java
```

```
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-  
jar/io/netty/resolver/NoopAddressResolverGroup.java
```

```
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-
jar/io/netty/resolver/NameResolver.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-
jar/io/netty/resolver/SimpleNameResolver.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-
jar/io/netty/resolver/AddressResolverGroup.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-
jar/io/netty/resolver/NoopAddressResolver.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2021 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-
jar/io/netty/resolver/HostsFileEntriesProvider.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2015 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

Found in path(s):

* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/DefaultAddressResolverGroup.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/CompositeNameResolver.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/DefaultNameResolver.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/AddressResolver.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/AbstractAddressResolver.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/HostsFileParser.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/InetSocketAddressResolver.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/InetNameResolver.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/HostsFileEntriesResolver.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/HostsFileEntries.java
* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/io/netty/resolver/ResolvedAddressTypes.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ <https://www.apache.org/licenses/LICENSE-2.0>
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/1629578930_1681819823.8194368/0/netty-resolver-4-1-91-final-sources-jar/META-INF/maven/io.netty/netty-resolver/pom.xml

1.5 okhttp 2.7.4

1.5.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Licensed to the Apache Software Foundation (ASF) under one or more  
* contributor license agreements. See the NOTICE file distributed with  
* this work for additional information regarding copyright ownership.  
* The ASF licenses this file to You under the Apache License, Version 2.0  
* (the "License"); you may not use this file except in compliance with  
* the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/ConnectionPool.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Headers.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/OkHostnameVerifier.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/HttpEngine.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/CertificateChainCleaner.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/DistinguishedNameParser.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/OptionalMethod.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/io/RealConnection.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Connection.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/TrustRootIndex.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/RealTrustRootIndex.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/AndroidTrustRootIndex.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/RouteException.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/HttpUrl.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/StreamAllocation.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/io/FileSystem.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/ConnectionSpecSelector.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/RequestException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/HeadersMode.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/ErrorCode.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/NamedRunnable.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Handshake.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Response.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/RouteDatabase.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Authenticator.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/MediaType.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/NameValuePairReader.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/InternalCache.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Http2.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Hpack.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Dispatcher.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Route.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Request.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/AuthenticatorAdapter.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Variant.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/FrameReader.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Spdy3.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/FramedStream.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/FramedConnection.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/HeaderParser.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/FrameWriter.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/HttpDate.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/DiskLruCache.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 Square, Inc.

* Copyright (C) 2012 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/Platform.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/Util.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Address.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/HttpStream.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/Http1xStream.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/Http2xStream.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Ping.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Settings.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Dns.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/OkHttpClient.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/RouteSelector.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/RetryableSink.java

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Cache.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 Twitter, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Huffman.java

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Credentials.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Interceptor.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/PushObserver.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/RequestBody.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Protocol.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/ConnectionSpec.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/HttpMethod.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/RealResponseBody.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/CipherSuite.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/Internal.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/FormEncodingBuilder.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Challenge.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Callback.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/CertificatePinner.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Call.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/ResponseBody.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/CacheRequest.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/TlsVersion.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/MultipartBuilder.java
- * /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/Version.java

1.6 opentelemetry-sdk-extension-autoconfigure-spi 1.13.0

1.6.1 Available under license :

Apache-2.0

1.7 paranamer 2.5.1

1.7.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
*
```

```
* Portions Copyright (c) 2007 Paul Hammant
```

```
* Portions copyright (c) 2000-2007 INRIA, France Telecom
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. Neither the name of the copyright holders nor the names of its
```

```
* contributors may be used to endorse or promote products derived from
```

```
* this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
```

```
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
```

```
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
```

```
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
```

```
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
```

```
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
```

```
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
```

```
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
```

```
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
```

```
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
```

```
* THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
```

```
jar/com/thoughtworks/paranamer/BytecodeReadingParanamer.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
*
```

```
* Copyright (c) 2007 Paul Hammant
```


* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*
*/

Found in path(s):

* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
jar/com/thoughtworks/paranamer/Paranamer.java

No license file was found, but licenses were detected in source scan.

/**

*

* Copyright (c) 2009 Paul Hammant

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
jar/com/thoughtworks/paranamer/AnnotationParanamer.java

No license file was found, but licenses were detected in source scan.

/***

*

* Copyright (c) 2007 Paul Hammant

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.
*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/NullParanamer.java
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/AdaptiveParanamer.java
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/ParameterNamesNotFoundException.java
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/CachingParanamer.java
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/DefaultParanamer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2007 Paul Hammant

* Copyright 2007 ThinkTank Maths Limited

*

* ThinkTank Maths Limited grants a non-revocable, perpetual licence
* to Paul Hammant for unlimited use, relicensing and redistribution. No
* explicit permission is required from ThinkTank Maths Limited for
* any future decisions made with regard to this file.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

- * 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/JavadocParanamer.java

1.8 netty-codec-http 4.1.91.Final

1.8.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cors/CorsConfigBuilder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaders.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-

jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdySessionStatus.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/cors/package-info.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/FullHttpRequest.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyDataFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/ComposedLastHttpContent.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyPingFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdySessionHandler.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-

```
jar/io/netty/handler/codec/spdy/SpdyFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/FullHttpResponse.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/FullHttpRequest.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyVersion.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: https://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions in binary form must reproduce the above
// following disclaimer in the documentation and/or other
```

// * Neither the name of the Webbit nor the names of

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version

* 2.0 (the "License"); you may not use this file except in compliance with the

* License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cors/CorsConfig.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cors/CorsHandler.java

No license file was found, but licenses were detected in source scan.

The Netty Project licenses this file to you under the Apache License,

version 2.0 (the "License"); you may not use this file except in compliance

with the License. You may obtain a copy of the License at:

distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/META-INF/native-image/io.netty/netty-codec-http/native-image.properties

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2022 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,


```
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpHeaderValidationUtil.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/TooLongHttpHeaderException.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/AbstractMixedHttpData.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/TooLongHttpLineException.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/TooLongHttpContentException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: https://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions in binary form must reproduce the above
// following disclaimer in the documentation and/or other
```

// * Neither the name of the Webbit nor the names of

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2021 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/CompressionEncoderFactory.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpMessageDecoderResult.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2019 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolConfig.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketDecoderConfig.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketCloseStatus.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilter.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilterProvider.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolConfig.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/CorruptedWebSocketFrameException.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- * License for the specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpMessageUtil.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/ClientCookieEncoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-

jar/io/netty/handler/codec/http/HTTPHeaderValues.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpHeadersEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HTTPHeaderNames.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpStatusClass.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.
java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpChunkedInput.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyProtocolException.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/ServerCookieEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cookie/CookieUtil.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cookie/CookieDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/CookieUtil.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/rtsp/RtspDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/EmptyHttpHeaders.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cookie/DefaultCookie.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cookie/CookieEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpScheme.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpUtil.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cookie/Cookie.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cookie/package-info.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/CombinedHttpHeaders.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/rtsp/RtspEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

* "License"); you may not use this file except in compliance with the License. You may obtain a

* copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2020 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/multipart/DeleteFileOnExitHook.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakeException.java

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakeException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- * License for the specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpContentCompressor.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/DefaultHttpMessage.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpClientCodec.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/rtsp/RtspMethods.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpMessage.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/multipart/Attribute.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/HttpObjectEncoder.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/package-info.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/spdy/SpdySession.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java
- * /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-

jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/package-info.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/QueryStringDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpContent.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpContent.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpHeaderDateFormat.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/MixedAttribute.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/InternalAttribute.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpRequestDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpObject.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpResponse.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpObjectDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/rtsp/package-info.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpServerCodec.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/CookieDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-

jar/io/netty/handler/codec/http/DefaultCookie.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpRequestEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpMethod.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpObject.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpContentDecompressor.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/Cookie.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/QueryStringEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpHeaders.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/DefaultLastHttpContent.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpContentEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/spdy/package-info.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-

jar/io/netty/handler/codec/http/HttpRequest.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpResponseStatus.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpResponseDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/DiskAttribute.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpData.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpResponseEncoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpObjectAggregator.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpResponse.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/package-info.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpHeaders.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpContentDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpConstants.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/LastHttpContent.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/HttpVersion.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/rtsp/RtspVersions.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/rtsp/RtspHeaders.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-

```
jar/io/netty/handler/codec/http/multipart/FileUpload.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpRequest.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

```
Found in path(s):
* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-jar/META-
INF/maven/io.netty/netty-codec-http/pom.xml
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Adaptation of https://bjoern.hoehrmann.de/utf-8/decoder/dfa/
*
*/
```

* Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>
*
* Permission is hereby granted, free of charge, to any person obtaining a copy of this software
* and associated documentation files (the "Software"), to deal in the Software without restriction,
* including without limitation the rights to use, copy, modify, merge, publish, distribute,
* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all copies or
* substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING
* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR
PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM,
* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1629578949_1680777667.5129566/0/netty-codec-http-4-1-91-final-sources-
jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java

1.9 disruptor 2.11.2.3

1.9.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

1.10 slf4j 1.6.6

1.10.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/IMarkerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-
jar/org/slf4j/helpers/BasicMDCAdapter.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-
jar/org/slf4j/helpers/MarkerIgnoringBase.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/MDCAdapter.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-
jar/org/slf4j/helpers/SubstituteLoggerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/LoggerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-
jar/org/slf4j/impl/StaticLoggerBinder.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-
jar/org/slf4j/helpers/NOPMDCAdapter.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/MarkerFactory.java
```

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/impl/StaticMDCBinder.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/LocationAwareLogger.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/FormattingTuple.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/MessageFormatter.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NamedLoggerBase.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/LoggerFactoryBinder.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/MDC.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/Util.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NOPLogger.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/ILoggerFactory.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/Logger.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NOPLoggerFactory.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/BasicMarker.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/Marker.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/impl/StaticMarkerBinder.java

1.11 libssl3 3.1.0-r4

1.11.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free

software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these

conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based

on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY

YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the

commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media

cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
 - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
 - a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
 - b) accompany the distribution with the machine-readable source of the Package with your modifications.
 - c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or

equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.12 protobuf-java 3.19.4

1.12.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer  
// in the documentation and/or other materials provided with the  
// * Neither the name of Google Inc. nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/wrappers.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/descriptor.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/timestamp.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/duration.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/field_mask.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/source_context.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/type.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/compiler/plugin.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/empty.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/struct.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/api.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/any.proto
```


No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Automatic-Module-Name: com.google.protobuf
Bnd-LastModified: 1643389670477
Build-Jdk: 1.8.0_181-google-v7
Built-By: acozzette
Bundle-Description: Core Protocol Buffers library. Protocol Buffers are a way of encoding structured data in an efficient yet extensible format.
Bundle-DocURL: <https://developers.google.com/protocol-buffers/>
Bundle-License: <https://opensource.org/licenses/BSD-3-Clause>
Bundle-ManifestVersion: 2
Bundle-Name: Protocol Buffers [Core]
Bundle-SymbolicName: com.google.protobuf
Bundle-Version: 3.19.4
Created-By: Apache Maven Bundle Plugin
Export-Package: com.google.protobuf;version="3.19.4"
Import-Package: sun.misc;resolution:=optional,com.google.protobuf;version="[3.19,4)"
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"
Tool: Bnd-3.0.0.201509101326

Found in path(s):

* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/META-INF/MANIFEST.MF

1.13 micronaut-validation 3.9.2

1.13.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/META-INF/native-image/io.micronaut.validation/micronaut-validation/native-image.properties

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2020 original authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

```
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* Hibernate Validator, declare and validate application constraints
*
* License: Apache License, Version 2.0
* See the license.txt file in the root directory or <https://www.apache.org/licenses/LICENSE-2.0>.
*/
```

Found in path(s):

```
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-
jar/io/micronaut/validation/validator/constraints/EmailValidator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-
jar/io/micronaut/validation/executable/package-info.java
```

```
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-
jar/io/micronaut/validation/validator/DefaultValidatorFactory.java
```

```
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-
jar/io/micronaut/validation/async/AsyncTypeElementVisitor.java
```

```
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-
jar/io/micronaut/validation/validator/ExecutableMethodValidator.java
```

```
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-
jar/io/micronaut/validation/validator/extractors/SimpleValueReceiver.java
```

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/constraints/DefaultConstraintValidators.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/constraints/AbstractPatternValidator.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/DefaultClockProvider.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/resolver/CompositeTraversableResolver.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/executable/ExecutableVisitor.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/async/package-info.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/Validated.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/constraints/PatternValidator.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/ReactiveValidator.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/DefaultConstraintDescriptor.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/constraints/ConstraintValidatorContext.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/DefaultAnnotatedElementValidator.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/constraints/DecimalMaxValidator.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/constraints/DigitsValidator.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/DefaultValidator.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/constraints/SizeValidator.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/internal/InternalApiTypeElementVisitor.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/package-info.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/constraints/DecimalMinValidator.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/constraints/ConstraintValidatorRegistry.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/DefaultValidatorConfiguration.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/ValidatingInterceptor.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/exceptions/ConstraintExceptionHandler.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/messages/DefaultValidationMessages.java

* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/Validator.java
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/constraints/DomainNameUtil.java
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/InspectedBeanDescriptor.java
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/extractors/UnwrapByDefaultValueExtractor.java
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/constraints/ConstraintValidator.java
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/exceptions/package-info.java
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/extractors/ValueExtractorRegistry.java
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/internal/package-info.java
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/ValidatorConfiguration.java
* /opt/cola/permits/1701214165_1685496836.029067/0/micronaut-validation-3-9-2-sources-jar/io/micronaut/validation/validator/extractors/DefaultValueExtractors.java

1.14 slf4j 1.7.36

1.14.1 Available under license :

Copyright (c) 2004-2022 QOS.ch Sarl
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

- 5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
- 6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
- 7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2004-2007 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2013 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).
Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2004-2022 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.15 openssl 3.1.0-r4

1.15.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE

Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain

that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a

warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED

TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the

appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.

- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

- a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
- b) use the modified Package only within your corporation or organization.
- c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

- a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
- b) accompany the distribution with the machine-readable source of the Package with your modifications.
- c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard

names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.16 jackson-datatype-jdk8 2.14.2

1.16.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.17 opentelemetry-semconv 1.13.0-alpha

1.17.1 Available under license :

Apache-2.0

1.18 netty-transport-native-unix-common

4.1.91.Final

1.18.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/netty_unix_limits.c
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/netty_unix_util.c
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/netty_unix_util.h
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/io/netty/channel/unix/SocketWritableByteChannel.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/io/netty/channel/unix/Limits.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/netty_unix_limits.h
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/io/netty/channel/unix/PeerCredentials.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
```

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/DomainSocketChannel.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/NativeInetAddress.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/Errors.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/DomainSocketChannelConfig.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/netty_unix_errors.h
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/netty_unix_filedescriptor.h
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/netty_unix_errors.c
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/netty_unix_socket.h
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/netty_unix_socket.c
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/ServerDomainSocketChannel.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/Socket.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/UnixChannel.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/netty_unix_filedescriptor.c
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/DomainSocketReadMode.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/DatagramSocketAddress.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/DomainSocketAddress.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/FileDescriptor.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/DomainDatagramChannelConfig.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/DomainDatagramSocketAddress.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/DomainDatagramPacket.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/DomainDatagramChannel.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/SegmentedDatagramPacket.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/io/netty/channel/unix/UnixChannelUtil.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-jar/netty_unix_jni.h

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/netty_unix_buffer.c
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/netty_unix_buffer.h
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/io/netty/channel/unix/PreferredDirectByteBufAllocator.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/io/netty/channel/unix/Buffer.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/io/netty/channel/unix/UnixChannelOption.java
```

```
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/io/netty/channel/unix/Unix.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/io/netty/channel/unix/package-info.java
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/io/netty/channel/unix/IovArray.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/netty_unix.h
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-
jar/netty_unix.c
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-  
jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2022 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

```
* version 2.0 (the "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

```
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
* License for the specific language governing permissions and limitations
```

```
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-  
jar/io/netty/channel/unix/IntegerUnixChannelOption.java
```

```
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-  
jar/io/netty/channel/unix/GenericUnixChannelOption.java
```

```
* /opt/cola/permits/1629578825_1681819594.8488796/0/netty-transport-native-unix-common-4-1-91-final-sources-  
jar/io/netty/channel/unix/RawUnixChannelOption.java
```

1.19 jackson-databind 2.14.2

1.19.1 Available under license :

FasterXML, LLC

Software Grant and Corporate Contributor License Agreement ("Agreement")

<https://github.com/FasterXML/jackson/blob/master/contributor-agreement-corporate.txt>

(v1)

Thank you for your interest in FasterXML, LLC ("FasterXML"). In order to clarify the intellectual property license granted with Contributions from any person or entity, FasterXML must have a Contributor License Agreement (CLA) on file that has been signed by each Contributor, indicating agreement to the license terms below. This license is for your protection as a Contributor as well as the protection of FasterXML and its users; it does not change your rights to use your own Contributions for any other purpose.

This version of the Agreement allows an entity (the "Corporation") to submit Contributions to the FasterXML, to authorize Contributions submitted by its designated employees to FasterXML, and to grant copyright and patent licenses thereto.

If you have not already done so, please complete and sign, then scan and email a pdf file of this Agreement to clas@fasterxml.com. If necessary, send an original signed Agreement to FasterXML, LLC, 600 N 36th Ave, Suite 409, Seattle, WA 98103.

Please read this document carefully before signing and keep a copy for your records.

Corporation name: _____

Corporation address: _____

Point of Contact: _____

E-Mail: _____

Telephone: _____ Fax: _____

You accept and agree to the following terms and conditions for Your present and future Contributions submitted to FasterXML. Except for the license granted herein to FasterXML and recipients of software distributed by FasterXML, You reserve all right, title, and interest in and to Your Contributions.

1. Definitions.

"You" (or "Your") shall mean the copyright owner or legal entity authorized by the copyright owner that is making this Agreement with FasterXML. For legal entities, the entity making a Contribution and all other entities that control, are controlled by, or are under common control with that entity are considered to be a single Contributor. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"Contribution" shall mean the code, documentation or other original works of authorship expressly identified in Schedule B, as well as any original work of authorship, including any modifications or additions to an existing work, that is intentionally submitted by You to FasterXML for inclusion in, or documentation of, any of the products owned or managed by FasterXML (the "Work"). For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to FasterXML or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, FasterXML for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by You as "Not a Contribution."

2. Grant of Copyright License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, sublicense, and distribute Your Contributions and such derivative works.
3. Grant of Patent License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by You that are necessarily infringed by Your Contribution(s) alone or by combination of Your Contribution(s) with the Work to which such Contribution(s) were submitted. If any entity institutes patent litigation against You or any other entity (including a cross-claim or counterclaim in a lawsuit) alleging that your Contribution, or the Work to which you have contributed, constitutes direct or contributory patent infringement, then any patent licenses granted to that entity under this Agreement for that Contribution or Work shall terminate as of the date such litigation is filed.
4. You represent that You are legally entitled to grant the above license. You represent further that each employee of the Corporation designated on Schedule A below (or in a subsequent written modification to that Schedule) is authorized to submit Contributions on behalf of the Corporation.

5. You represent that each of Your Contributions is Your original creation (see section 7 for submissions on behalf of others).

6. You are not expected to provide support for Your Contributions, except to the extent You desire to provide support. You may provide support for free, for a fee, or not at all. Unless required by applicable law or agreed to in writing, You provide Your Contributions on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.

7. Should You wish to submit work that is not Your original creation, You may submit it to FasterXML separately from any Contribution, identifying the complete details of its source and of any license or other restriction (including, but not limited to, related patents, trademarks, and license agreements) of which you are personally aware, and conspicuously marking the work as "Submitted on behalf of a third-party: [named here]".

8. It is your responsibility to notify FasterXML when any change is required to the list of designated employees authorized to submit Contributions on behalf of the Corporation, or to the Corporation's Point of Contact with FasterXML.

Please sign: _____ Date: _____

Title: _____

Corporation: _____

Schedule A

[Initial list of designated employees. NB: authorization is not tied to particular Contributions.]

Schedule B

[Identification of optional concurrent software grant. Would be left blank or omitted if there is no concurrent software grant.]

1.20 libc-utils 0.7.2-r5

1.20.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

* without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*

* @(#)queue.h 8.5 (Berkeley) 8/20/94

*/

Found in path(s):

* /opt/cola/permits/1686513755_1685082238.691036/0/aports-master-main-libc-dev-zip/aports-master-main-libc-dev/main/libc-dev/sys-queue.h

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

- * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/1686513755_1685082238.691036/0/aports-master-main-libc-dev-zip/aports-master-main-libc-dev/main/libc-dev/sys-tree.h

1.21 avro 1.11.0

1.21.1 Available under license :

Trevni Java Avro
Copyright 2009-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.22 busybox 1.36.0

1.22.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source
of bzip2 version 1.0.4. bzip2 source is distributed
under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2006 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must
not claim that you wrote the original software. If you use this
software in a product, an acknowledgment in the product
documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must
not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.
jseward@bzip.org
bzip2/libbzip2 version 1.0.4 of 20 December 2006
--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included

in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain

that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and

distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections

1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.23 giflib 5.2.1

1.23.1 Available under license :

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.24 micronaut-http 3.9.2

1.24.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2023 original authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/CaseInsensitiveMutableHttpHeaders.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/uri/QueryStringDecoder.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/cookie/SameSiteConverter.java
- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/PushCapableHttpRequest.java
- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/HttpCoroutineContextFactory.kt
- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/FilterPatternStyle.java
- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/util/HttpTypeInformationProvider.java
- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/ssl/AbstractClientSslConfiguration.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright 2017-2020 original authors
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <https://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/multipart/package-info.java
- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpAttributes.java
- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/package-info.java
- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/uri/UriTypeMatchTemplate.java
- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/CookieValue.java
- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/DefaultFilterEntry.java
- * /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Part.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/exceptions/HttpStatusException.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpResponse.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/util/HttpUtil.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/context/ServerRequestTracingPublisher.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Head.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/simple/SimpleHttpHeaders.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpStatus.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Patch.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/simple/SimpleHttpResponse.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpResponseWrapper.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/MutableHttpHeaders.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/HttpMethodMapping.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/converters/HttpConverterRegistrar.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/util/package-info.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/PathVariableAnnotationBinder.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/RequestAttributes.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/ssl/DefaultSslConfiguration.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpRequestFactory.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/HttpFilter.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/CookieAnnotationBinder.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/QueryValueArgumentBinder.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/package-info.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/cookie/SameSite.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/hateoas/Resource.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/UriMapping.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/hateoas/VndError.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/context/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/cookie/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Consumes.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/HeaderAnnotationBinder.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/ServerFilterChain.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Delete.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Controller.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/codec/MediaTypeCodecRegistry.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/MutableHttpRequest.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpMessage.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpMessageWrapper.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/context/event/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/ServerFilterPhase.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/hateoas/AbstractResource.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/sse/DefaultEvent.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/ssl/ClientAuthentication.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/uri/UriMatchTemplate.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/BodyArgumentBinder.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpResponseFactory.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/uri/DefaultUriBuilder.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpVersion.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpMethod.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/DefaultHttpFactories.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/multipart/CompletedFileUpload.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/cookie/Cookie.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/multipart/MultipartException.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/HttpFilterResolver.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/FilterMatcher.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/util/OutgoingHttpRequestProcessorImpl.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/MutableHttpParameters.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Body.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/sse/Event.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/simple/cookies/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/hateoas/JsonError.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/FilterChain.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/simple/cookies/SimpleCookie.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/HttpClientFilter.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Filter.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/HttpClientFilterResolver.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/uri/UriMatcher.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Error.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/exceptions/ConnectionClosedException.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/uri/UriMatchVariable.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/HttpServerFilter.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Trace.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/uri/UriMatchInfo.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/converters/package-info.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/multipart/PartData.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/resource/ResourceLoaderFactory.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/simple/cookies/SimpleCookies.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpHeaders.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Produces.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/simple/SimpleHttpRequestFactory.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/DefaultRequestBinderRegistry.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/ParameterAnnotationBinder.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/AnnotatedRequestArgumentBinder.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/TypedRequestArgumentBinder.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/QueryValue.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/RequestAttribute.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/util/OutgoingRequestProcessorMatcher.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/PathVariable.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/context/ServerContextPathProvider.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/RequestBinderRegistry.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/FilterOrderProvider.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Get.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HTTPHeaderValues.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/MutableHttpMessage.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/context/ServerRequestContext.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/HttpServerFilterResolver.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/MediaType.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/ssl/SslConfigurationException.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/context/ClientContextPathProvider.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/exceptions/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/CustomHttpMethod.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/uri/UriTemplate.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/hateoas/Link.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/ssl/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/hateoas/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/context/event/HttpRequestReceivedEvent.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/ssl/SslBuilder.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/RequestArgumentBinder.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/multipart/FileUpload.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Headers.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/BasicAuth.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/MutableHttpResponse.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/cookie/CookieConfiguration.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Options.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Post.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/codec/MediaTypeCodec.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/multipart/CompletedPart.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/uri/package-info.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/FullHttpRequest.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/exceptions/ContentLengthExceededException.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/RequestAttributeAnnotationBinder.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/resource/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/uri/UriBuilder.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpResponseProvider.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/ContinuationArgumentBinder.kt
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/cookie/CookieFactory.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/sse/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpParameters.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/filter/ClientFilterChain.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/bind/binders/RequestBeanAnnotationBinder.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/Header.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/HttpRequest.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/annotation/RequestBean.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/hateoas/DefaultLink.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/simple/SimpleHttpParameters.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/codec/CodecConfiguration.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/simple/cookies/SimpleCookieFactory.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/simple/SimpleHttpResponseFactory.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/codec/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/cookie/Cookies.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/simple/SimpleHttpRequest.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/exceptions/UriSyntaxException.java

```

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/annotation/Put.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/filter/OncePerRequestHttpServerFilter.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/util/OutgoingHttpRequestProcessor.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/multipart/StreamingFileUpload.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/simple/package-info.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/codec/CodecException.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/annotation/Status.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/bind/binders/NonBlockingBodyArgumentBinder.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/HttpRequestWrapper.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/context/event/HttpRequestTerminatedEvent.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/exceptions/HttpException.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/bind/binders/DefaultBodyAnnotationBinder.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/codec/DefaultMediaTypeCodecRegistry.java
No license file was found, but licenses were detected in source scan.

```

```

# This file maps Internet media types to unique file extension(s).
# Although created for httpd, this file is used by many software systems
# and has been placed in the public domain for unlimited redistribution.
#
# The table below contains both registered and (common) unregistered types.
# A type that has no unique extension can be ignored -- they are listed
# here to guide configurations toward known types and to make it easier to
# identify "new" types. File extensions are also commonly used to indicate
# content languages and encodings, so choose them carefully.
#
# Internet media types should be registered as described in RFC 4288.
# The registry is at <https://www.iana.org/assignments/media-types/>.
#
# https://svn.apache.org/viewvc/httpd/httpd/trunk/docs/conf/mime.types?revision=1810121&view=co
#
# MIME type (lowercased) Extensions
# =====
# application/1d-interleaved-parityfec
# application/3gpdash-qoe-report+xml
# application/3gpp-ims+xml

```

application/a2l
application/activemessage
application/alto-costmap+json
application/alto-costmapfilter+json
application/alto-directory+json
application/alto-endpointcost+json
application/alto-endpointcostparams+json
application/alto-endpointprop+json
application/alto-endpointpropparams+json
application/alto-error+json
application/alto-networkmap+json
application/alto-networkmapfilter+json
application/aml
application/andrew-inset ez
application/applefile
application/applixware aw
application/atf
application/atfx
application/atom+xml atom
application/atomcat+xml atomcat
application/atomdeleted+xml
application/atomicmail
application/atomsvc+xml atomsvc
application/atxml
application/auth-policy+xml
application/bacnet-xdd+zip
application/batch-smtp
application/beep+xml
application/calendar+json
application/calendar+xml
application/call-completion
application/cals-1840
application/cbor
application/ccmp+xml
application/ccxml+xml ccxml
application/cdfx+xml
application/cdmi-capability cdmia
application/cdmi-container cdmic
application/cdmi-domain cdmid
application/cdmi-object cdmio
application/cdmi-queue cdmiq
application/cdni
application/cea
application/cea-2018+xml
application/cellml+xml
application/cfw
application/cms
application/cnrp+xml

application/coap-group+json
application/commonground
application/conference-info+xml
application/cpl+xml
application/csrattrs
application/csta+xml
application/cstadata+xml
application/csvm+json
application/cu-seeme cu
application/cybercash
application/dash+xml
application/dashdelta
application/davmount+xml davmount
application/dca-rft
application/dcd
application/dec-dx
application/dialog-info+xml
application/dicom
application/dii
application/dit
application/dns
application/docbook+xml dbk
application/dskpp+xml
application/dssc+der dssc
application/dssc+xml xdssc
application/dvcs
application/ecmascript ecma
application/edi-consent
application/edi-x12
application/edifact
application/efi
application/emergencycalldata.comment+xml
application/emergencycalldata.deviceinfo+xml
application/emergencycalldata.providerinfo+xml
application/emergencycalldata.serviceinfo+xml
application/emergencycalldata.subscriberinfo+xml
application/emma+xml emma
application/emotionml+xml
application/encaprtp
application/epp+xml
application/epub+zip epub
application/eshop
application/example
application/exi exi
application/fastinfoset
application/fastsoap
application/fdt+xml
application/fits

application/font-tdpfr pfr
application/framework-attributes+xml
application/geo+json
application/gml+xml gml
application/gpx+xml gpx
application/gxf gxf
application/gzip
application/h224
application/held+xml
application/http
application/hyperstudio stk
application/ibe-key-request+xml
application/ibe-pkg-reply+xml
application/ibe-pp-data
application/iges
application/im-iscomposing+xml
application/index
application/index.cmd
application/index.obj
application/index.response
application/index.vnd
application/inkml+xml ink inkml
application/iotp
application/ipfix ipfix
application/ipp
application/isup
application/its+xml
application/java-archive jar
application/java-serialized-object ser
application/java-vm class
application/javascript js
application/javascript mjs
application/jose
application/jose+json
application/jrd+json
application/json json
application/json-patch+json
application/json-seq
application/jsonml+json jsonml
application/jwk+json
application/jwk-set+json
application/jwt
application/kpml-request+xml
application/kpml-response+xml
application/ld+json
application/lgr+xml
application/link-format
application/load-control+xml

application/lost+xml lostxml
application/lostsync+xml
application/lxf
application/mac-binhex40 hqx
application/mac-compactpro cpt
application/macwriteii
application/mads+xml mads
application/marc mrc
application/marcxml+xml mrcx
application/mathematica ma nb mb
application/mathml+xml mathml
application/mathml-content+xml
application/mathml-presentation+xml
application/mbms-associated-procedure-description+xml
application/mbms-deregister+xml
application/mbms-envelope+xml
application/mbms-msk+xml
application/mbms-msk-response+xml
application/mbms-protection-description+xml
application/mbms-reception-report+xml
application/mbms-register+xml
application/mbms-register-response+xml
application/mbms-schedule+xml
application/mbms-user-service-description+xml
application/mbox mbox
application/media-policy-dataset+xml
application/media_control+xml
application/mediaservercontrol+xml mscml
application/merge-patch+json
application/metalink+xml metalink
application/metalink4+xml meta4
application/mets+xml mets
application/mf4
application/mikey
application/mods+xml mods
application/moss-keys
application/moss-signature
application/mosskey-data
application/mosskey-request
application/mp21 m21 mp21
application/mp4 mp4s
application/mpeg4-generic
application/mpeg4-iod
application/mpeg4-iod-xmt
application/mrb-consumer+xml
application/mrb-publish+xml
application/msc-ivr+xml
application/msc-mixer+xml

application/msword doc dot
application/mxf mxf
application/nasdata
application/news-checkgroups
application/news-groupinfo
application/news-transmission
application/nlsml+xml
application/nss
application/ocsp-request
application/ocsp-response
application/octet-stream bin dms lrf mar so dist distz pkg bpk dump elc deploy
application/oda oda
application/odx
application/oebps-package+xml opf
application/ogg ogx
application/omdoc+xml omdoc
application/onenote onetoc onetoc2 onetmp onepkg
application/oxps oxps
application/p2p-overlay+xml
application/parityfec
application/patch-ops-error+xml xer
application/pdf pdf
application/pdx
application/pgp-encrypted pgp
application/pgp-keys
application/pgp-signature asc sig
application/pics-rules prf
application/pidf+xml
application/pidf-diff+xml
application/pkcs10 p10
application/pkcs12
application/pkcs7-mime p7m p7c
application/pkcs7-signature p7s
application/pkcs8 p8
application/pkix-attr-cert ac
application/pkix-cert cer
application/pkix-crl crl
application/pkix-pkipath pkipath
application/pkixcmp pki
application/pls+xml pls
application/poc-settings+xml
application/postscript ai eps ps
application/ppsp-tracker+json
application/problem+json
application/problem+xml
application/provenance+xml
application/prs.alvestrand.titrax-sheet
application/prs.cww cww

application/prs.hpub+zip
application/prs.nprend
application/prs.plucker
application/prs.rdf+xml-crypt
application/prs.xsf+xml
application/pskc+xml pskcxml
application/qsig
application/raptorfec
application/rdap+json
application/rdf+xml rdf
application/reginfo+xml rif
application/relax-ng-compact-syntax rnc
application/remote-printing
application/reputon+json
application/resource-lists+xml rl
application/resource-lists-diff+xml rld
application/rfc+xml
application/riscos
application/rlmi+xml
application/rls-services+xml rs
application/rpki-ghostbusters gbr
application/rpki-manifest mft
application/rpki-roa roa
application/rpki-updown
application/rsd+xml rsd
application/rss+xml rss
application/rtf rtf
application/rtploopback
application/rtx
application/samlassertion+xml
application/samlmetadata+xml
application/sbml+xml sbml
application/scaip+xml
application/scim+json
application/scvp-cv-request scq
application/scvp-cv-response scs
application/scvp-vp-request spq
application/scvp-vp-response spp
application/sdp sdp
application/sep+xml
application/sep-exi
application/session-info
application/set-payment
application/set-payment-initiation setpay
application/set-registration
application/set-registration-initiation setreg
application/sgml
application/sgml-open-catalog

application/shf+xml shf
application/sieve
application/simple-filter+xml
application/simple-message-summary
application/simplesymbolcontainer
application/slate
application/smil
application/smil+xml smi smil
application/smpite336m
application/soap+fastinfoset
application/soap+xml
application/sparql-query rq
application/sparql-results+xml srx
application/spirits-event+xml
application/sql
application/srgs gram
application/srgs+xml grxml
application/sru+xml sru
application/ssdl+xml ssdl
application/ssml+xml ssml
application/tamp-apex-update
application/tamp-apex-update-confirm
application/tamp-community-update
application/tamp-community-update-confirm
application/tamp-error
application/tamp-sequence-adjust
application/tamp-sequence-adjust-confirm
application/tamp-status-query
application/tamp-status-response
application/tamp-update
application/tamp-update-confirm
application/tei+xml tei teicorpus
application/thraud+xml tfi
application/timestamp-query
application/timestamp-reply
application/timestamped-data tsd
application/ttml+xml
application/tve-trigger
application/ulpfec
application/urc-grpsheet+xml
application/urc-ressheet+xml
application/urc-targetdesc+xml
application/urc-uisocketdesc+xml
application/vcard+json
application/vcard+xml
application/vemmi
application/vividence.scriptfile
application/vnd.3gpp-prose+xml

application/vnd.3gpp-prose-pc3ch+xml
application/vnd.3gpp.access-transfer-events+xml
application/vnd.3gpp.bsf+xml
application/vnd.3gpp.mid-call+xml
application/vnd.3gpp.pic-bw-large plb
application/vnd.3gpp.pic-bw-small psb
application/vnd.3gpp.pic-bw-var pvb
application/vnd.3gpp.sms
application/vnd.3gpp.sms+xml
application/vnd.3gpp.srvcc-ext+xml
application/vnd.3gpp.srvcc-info+xml
application/vnd.3gpp.state-and-event-info+xml
application/vnd.3gpp.ussd+xml
application/vnd.3gpp2.bcmcsinfo+xml
application/vnd.3gpp2.sms
application/vnd.3gpp2.tcap tcap
application/vnd.3lightssoftware.imagescal
application/vnd.3m.post-it-notes pwn
application/vnd.accpac.simply.aso aso
application/vnd.accpac.simply.imp imp
application/vnd.acucobol acu
application/vnd.acucorp atc acutc
application/vnd.adobe.air-application-installer-package+zip air
application/vnd.adobe.flash.movie
application/vnd.adobe.formscentral.fcdt fcdt
application/vnd.adobe.fxp fxp fxpl
application/vnd.adobe.partial-upload
application/vnd.adobe.xdp+xml xdp
application/vnd.adobe.xfdf xfdf
application/vnd.aether.imp
application/vnd.ah-barcode
application/vnd.ahead.space ahead
application/vnd.airzip.filesecure.azf azf
application/vnd.airzip.filesecure.azs azs
application/vnd.amazon.ebook azw
application/vnd.amazon.mobi8-ebook
application/vnd.americandynamics.acc acc
application/vnd.amiga.ami ami
application/vnd.amundsen.maze+xml
application/vnd.android.package-archive apk
application/vnd.anki
application/vnd.anser-web-certificate-issue-initiation cii
application/vnd.anser-web-funds-transfer-initiation fti
application/vnd.antix.game-component atx
application/vnd.apache.thrift.binary
application/vnd.apache.thrift.compact
application/vnd.apache.thrift.json
application/vnd.api+json

application/vnd.apple.installer+xml mpkg
application/vnd.apple.mpegurl m3u8
application/vnd.arastra.swi
application/vnd.aristanetworks.swi swi
application/vnd.artsquare
application/vnd.astraea-software.iota iota
application/vnd.audiograph aep
application/vnd.autopackage
application/vnd.avistar+xml
application/vnd.balsamiq.bmml+xml
application/vnd.balsamiq.bmpr
application/vnd.bekitzur-stech+json
application/vnd.biopax.rdf+xml
application/vnd.blueice.multipass mpm
application/vnd.bluetooth.ep.oob
application/vnd.bluetooth.le.oob
application/vnd.bmi bmi
application/vnd.businessobjects rep
application/vnd.cab-jscript
application/vnd.canon-cpdl
application/vnd.canon-lips
application/vnd.cendio.thinlinc.clientconf
application/vnd.century-systems.tcp_stream
application/vnd.chemdraw+xml cdxml
application/vnd.chess-pgn
application/vnd.chipnuts.karaoke-mmd mmd
application/vnd.cinderella cdy
application/vnd.cirpack.isdn-ext
application/vnd.citationstyles.style+xml
application/vnd.claymore cla
application/vnd.cloanto.rp9 rp9
application/vnd.clonk.c4group c4g c4d c4f c4p c4u
application/vnd.cluetrust.cartomobile-config c11amc
application/vnd.cluetrust.cartomobile-config-pkg c11amz
application/vnd.coffeescript
application/vnd.collection+json
application/vnd.collection.doc+json
application/vnd.collection.next+json
application/vnd.comicbook+zip
application/vnd.commerce-battelle
application/vnd.commonspace csp
application/vnd.contact.cmsg cdbcmg
application/vnd.coreos.ignition+json
application/vnd.cosmocaller cmc
application/vnd.crick.clicker clkx
application/vnd.crick.clicker.keyboard clkk
application/vnd.crick.clicker.palette clkp
application/vnd.crick.clicker.template clkt

application/vnd.crick.clicker.wordbank clkw
application/vnd.criticaltools.wbs+xml wbs
application/vnd.ctc-posml pml
application/vnd.ctct.ws+xml
application/vnd.cups-pdf
application/vnd.cups-postscript
application/vnd.cups-ppd ppd
application/vnd.cups-raster
application/vnd.cups-raw
application/vnd.curl
application/vnd.curl.car car
application/vnd.curl.pcurl pcurl
application/vnd.cyan.dean.root+xml
application/vnd.cybank
application/vnd.dart dart
application/vnd.data-vision.rdz rdz
application/vnd.debian.binary-package
application/vnd.dece.data uvf uvvf uvd uvvd
application/vnd.dece.ttml+xml uvt uvvt
application/vnd.dece.unspecified uvx uvvx
application/vnd.dece.zip uvz uvvz
application/vnd.denovo.fcselayout-link fe_launch
application/vnd.desmume.movie
application/vnd.dir-bi.plate-dl-nosuffix
application/vnd.dm.delegation+xml
application/vnd.dna dna
application/vnd.document+json
application/vnd.dolby.mlp mlp
application/vnd.dolby.mobile.1
application/vnd.dolby.mobile.2
application/vnd.doremir.scorecloud-binary-document
application/vnd.dpgraph dpg
application/vnd.dreamfactory dfac
application/vnd.drive+json
application/vnd.ds-keypoint kpxx
application/vnd.dtg.local
application/vnd.dtg.local.flash
application/vnd.dtg.local.html
application/vnd.dvb.ait ait
application/vnd.dvb.dvbj
application/vnd.dvb.esgcontainer
application/vnd.dvb.ipdcdftnotifaccess
application/vnd.dvb.ipdcesgaccess
application/vnd.dvb.ipdcesgaccess2
application/vnd.dvb.ipdcesgpdd
application/vnd.dvb.ipdcroaming
application/vnd.dvb.iptv.alfec-base
application/vnd.dvb.iptv.alfec-enhancement

application/vnd.dvb.notif-aggregate-root+xml
application/vnd.dvb.notif-container+xml
application/vnd.dvb.notif-generic+xml
application/vnd.dvb.notif-ia-msglist+xml
application/vnd.dvb.notif-ia-registration-request+xml
application/vnd.dvb.notif-ia-registration-response+xml
application/vnd.dvb.notif-init+xml
application/vnd.dvb.pfr
application/vnd.dvb.service svc
application/vnd.dxr
application/vnd.dynageo geo
application/vnd.dzr
application/vnd.easykaraoke.cdgdownload
application/vnd.ecdis-update
application/vnd.ecowin.chart mag
application/vnd.ecowin.filerequest
application/vnd.ecowin.fileupdate
application/vnd.ecowin.series
application/vnd.ecowin.seriesrequest
application/vnd.ecowin.seriesupdate
application/vnd.emclient.accessrequest+xml
application/vnd.enliven nml
application/vnd.enphase.envoy
application/vnd.eprints.data+xml
application/vnd.epson.esf esf
application/vnd.epson.msf msf
application/vnd.epson.quickanime qam
application/vnd.epson.salt slt
application/vnd.epson.ssf ssf
application/vnd.ericsson.quickcall
application/vnd.eszigno3+xml es3 et3
application/vnd.etsi.aoc+xml
application/vnd.etsi.asic-e+zip
application/vnd.etsi.asic-s+zip
application/vnd.etsi.cug+xml
application/vnd.etsi.iptvcommand+xml
application/vnd.etsi.iptvdiscovery+xml
application/vnd.etsi.iptvprofile+xml
application/vnd.etsi.iptvsad-bc+xml
application/vnd.etsi.iptvsad-cod+xml
application/vnd.etsi.iptvsad-npvr+xml
application/vnd.etsi.iptvservice+xml
application/vnd.etsi.iptvsync+xml
application/vnd.etsi.iptvueprofile+xml
application/vnd.etsi.mcid+xml
application/vnd.etsi.mheg5
application/vnd.etsi.overload-control-policy-dataset+xml
application/vnd.etsi.pstn+xml

```
# application/vnd.etsi.sci+xml
# application/vnd.etsi.simserv+xml
# application/vnd.etsi.timestamp-token
# application/vnd.etsi.tsl+xml
# application/vnd.etsi.tsl.der
# application/vnd.eudora.data
application/vnd.ezpix-album ez2
application/vnd.ezpix-package ez3
# application/vnd.f-secure.mobile
# application/vnd.fastcopy-disk-image
application/vnd.fdf fdf
application/vnd.fdsn.mseed mseed
application/vnd.fdsn.seed seed dataless
# application/vnd.ffmpeg
# application/vnd.filmit.zfc
# application/vnd.fints
# application/vnd.firemonkeys.cloudcell
application/vnd.flographit gph
application/vnd.fluxtime.clip ftc
# application/vnd.font-fontforge-sfd
application/vnd.frame-maker fm frame maker book
application/vnd.frogans.fnc fnc
application/vnd.frogans.ltf ltf
application/vnd.fsc.weblaunch fsc
application/vnd.fujitsu.oasys oas
application/vnd.fujitsu.oasys2 oa2
application/vnd.fujitsu.oasys3 oa3
application/vnd.fujitsu.oasysgp fg5
application/vnd.fujitsu.oasysprs bh2
# application/vnd.fujixerox.art-ex
# application/vnd.fujixerox.art4
application/vnd.fujixerox.ddd ddd
application/vnd.fujixerox.docuworks xdw
application/vnd.fujixerox.docuworks.binder xbd
# application/vnd.fujixerox.docuworks.container
# application/vnd.fujixerox.hbpl
# application/vnd.fut-misnet
application/vnd.fuzzysheet fzs
application/vnd.genomatix.tuxedo txd
# application/vnd.geo+json
# application/vnd.geocube+xml
application/vnd.geogebra.file ggb
application/vnd.geogebra.tool ggt
application/vnd.geometry-explorer gex gre
application/vnd.geonext gxt
application/vnd.geoplan g2w
application/vnd.geospace g3w
# application/vnd.gerber
```

```
# application/vnd.globalplatform.card-content-mgt
# application/vnd.globalplatform.card-content-mgt-response
application/vnd.gmx gmx
application/vnd.google-earth.kml+xml kml
application/vnd.google-earth.kmz kmz
# application/vnd.gov.sk.e-form+xml
# application/vnd.gov.sk.e-form+zip
# application/vnd.gov.sk.xmldatacontainer+xml
application/vnd.grafeq gqf gqs
# application/vnd.gridmp
application/vnd.groove-account gac
application/vnd.groove-help ghf
application/vnd.groove-identity-message gim
application/vnd.groove-injector grv
application/vnd.groove-tool-message gtm
application/vnd.groove-tool-template tpl
application/vnd.groove-vcard vcg
# application/vnd.hal+json
application/vnd.hal+xml hal
application/vnd.handheld-entertainment+xml zmm
application/vnd.hbci hbci
# application/vnd.hcl-bireports
# application/vnd.hdt
# application/vnd.heroku+json
application/vnd.hhe.lesson-player les
application/vnd.hp-hpgl hpgl
application/vnd.hp-hpid hpid
application/vnd.hp-hps hps
application/vnd.hp-jlyt jlt
application/vnd.hp-pcl pcl
application/vnd.hp-pclxl pclxl
# application/vnd.httpphone
application/vnd.hydrostatix.sof-data sfd-hdstx
# application/vnd.hyperdrive+json
# application/vnd.hzn-3d-crossword
# application/vnd.ibm.afplinedata
# application/vnd.ibm.electronic-media
application/vnd.ibm.minipay mpy
application/vnd.ibm.modcap afp listafp list3820
application/vnd.ibm.rights-management irm
application/vnd.ibm.secure-container sc
application/vnd.iccprofile icc icm
# application/vnd.ieee.1905
application/vnd.igloader igl
application/vnd.immervision-ivp ivp
application/vnd.immervision-ivu ivu
# application/vnd.ims.imsccv1p1
# application/vnd.ims.imsccv1p2
```

application/vnd.ims.imsccv1p3
application/vnd.ims.lis.v2.result+json
application/vnd.ims.lti.v2.toolconsumerprofile+json
application/vnd.ims.lti.v2.toolproxy+json
application/vnd.ims.lti.v2.toolproxy.id+json
application/vnd.ims.lti.v2.toolsettings+json
application/vnd.ims.lti.v2.toolsettings.simple+json
application/vnd.informedcontrol.rms+xml
application/vnd.informix-visionary
application/vnd.infotech.project
application/vnd.infotech.project+xml
application/vnd.innopath.wamp.notification
application/vnd.insors.igm igm
application/vnd.intercon.formnet xpw xpx
application/vnd.intergeo i2g
application/vnd.intertrust.digibox
application/vnd.intertrust.nncp
application/vnd.intu.qbo qbo
application/vnd.intu.qfx qfx
application/vnd.iptc.g2.catalogitem+xml
application/vnd.iptc.g2.conceptitem+xml
application/vnd.iptc.g2.knowledgeitem+xml
application/vnd.iptc.g2.newsitem+xml
application/vnd.iptc.g2.newsmessage+xml
application/vnd.iptc.g2.packageitem+xml
application/vnd.iptc.g2.planningitem+xml
application/vnd.ipunplugged.rcprofile rcprofile
application/vnd.irepository.package+xml irp
application/vnd.is-xpr xpr
application/vnd.isac.fcs fcs
application/vnd.jam jam
application/vnd.japannet-directory-service
application/vnd.japannet-jpnstore-wakeup
application/vnd.japannet-payment-wakeup
application/vnd.japannet-registration
application/vnd.japannet-registration-wakeup
application/vnd.japannet-setstore-wakeup
application/vnd.japannet-verification
application/vnd.japannet-verification-wakeup
application/vnd.jcp.javame.midlet-rms rms
application/vnd.jisp jisp
application/vnd.joost.joda-archive joda
application/vnd.jsk.isdn-ngn
application/vnd.kahootz ktz ktr
application/vnd.kde.karbon karbon
application/vnd.kde.kchart chrt
application/vnd.kde.kformula kfo
application/vnd.kde.kivio flw

application/vnd.kde.kontour kon
application/vnd.kde.kpresenter kpr kpt
application/vnd.kde.kspread ksp
application/vnd.kde.kword kwd kwt
application/vnd.kenameaapp htke
application/vnd.kidspiration kia
application/vnd.kinar kne knp
application/vnd.koan skp skd skt skm
application/vnd.kodak-descriptor sse
application/vnd.las.las+xml lasxml
application/vnd.liberty-request+xml
application/vnd.llamagraphics.life-balance.desktop lbd
application/vnd.llamagraphics.life-balance.exchange+xml lbe
application/vnd.lotus-1-2-3 123
application/vnd.lotus-approach apr
application/vnd.lotus-freelance pre
application/vnd.lotus-notes nsf
application/vnd.lotus-organizer org
application/vnd.lotus-screencam scm
application/vnd.lotus-wordpro lwp
application/vnd.macports.portpkg portpkg
application/vnd.mapbox-vector-tile
application/vnd.marlin.drm.actiontoken+xml
application/vnd.marlin.drm.conftoken+xml
application/vnd.marlin.drm.license+xml
application/vnd.marlin.drm.mdcf
application/vnd.mason+json
application/vnd.maxmind.maxmind-db
application/vnd.mcd mcd
application/vnd.medcalldata mc1
application/vnd.mediastation.cdkey cdkey
application/vnd.meridian-slideshow
application/vnd.mfer mwf
application/vnd.mfmp mfm
application/vnd.micro+json
application/vnd.micrografx.flo flo
application/vnd.micrografx.igx igx
application/vnd.microsoft.portable-executable
application/vnd.miele+json
application/vnd.mif mif
application/vnd.minisoft-hp3000-save
application/vnd.mitsubishi.misty-guard.trustweb
application/vnd.mobius.daf daf
application/vnd.mobius.dis dis
application/vnd.mobius.mbk mbk
application/vnd.mobius.mqy mqy
application/vnd.mobius.msl msl
application/vnd.mobius.plc plc

application/vnd.mobius.txf txf
application/vnd.mophun.application mpn
application/vnd.mophun.certificate mpc
application/vnd.motorola.flexsuite
application/vnd.motorola.flexsuite.adi
application/vnd.motorola.flexsuite.fis
application/vnd.motorola.flexsuite.gotap
application/vnd.motorola.flexsuite.kmr
application/vnd.motorola.flexsuite.ttc
application/vnd.motorola.flexsuite.wem
application/vnd.motorola.iprm
application/vnd.mozilla.xul+xml xul
application/vnd.ms-3mfdocument
application/vnd.ms-artgalry cil
application/vnd.ms-asf
application/vnd.ms-cab-compressed cab
application/vnd.ms-color.iccprofile
application/vnd.ms-excel xls xlm xla xlc xlt xlw
application/vnd.ms-excel.addin.macroenabled.12 xlam
application/vnd.ms-excel.sheet.binary.macroenabled.12 xlsb
application/vnd.ms-excel.sheet.macroenabled.12 xlsm
application/vnd.ms-excel.template.macroenabled.12 xltm
application/vnd.ms-fontobject eot
application/vnd.ms-htmlhelp chm
application/vnd.ms-ims ims
application/vnd.ms-lrm lrm
application/vnd.ms-office.activex+xml
application/vnd.ms-officetheme thmx
application/vnd.ms-opentype
application/vnd.ms-package.obfuscated-opentype
application/vnd.ms-pki.seccat cat
application/vnd.ms-pki.stl stl
application/vnd.ms-playready.initiator+xml
application/vnd.ms-powerpoint ppt pps pot
application/vnd.ms-powerpoint.addin.macroenabled.12 ppam
application/vnd.ms-powerpoint.presentation.macroenabled.12 pptm
application/vnd.ms-powerpoint.slide.macroenabled.12 sldm
application/vnd.ms-powerpoint.slideshow.macroenabled.12 ppsm
application/vnd.ms-powerpoint.template.macroenabled.12 potm
application/vnd.ms-printdevicecapabilities+xml
application/vnd.ms-printing.printticket+xml
application/vnd.ms-printschematicket+xml
application/vnd.ms-project mpp mpt
application/vnd.ms-tnef
application/vnd.ms-windows.devicepairing
application/vnd.ms-windows.nwprinting.oob
application/vnd.ms-windows.printerpairing
application/vnd.ms-windows.wsd.oob

application/vnd.ms-wmdrm.lic-chlg-req
application/vnd.ms-wmdrm.lic-resp
application/vnd.ms-wmdrm.meter-chlg-req
application/vnd.ms-wmdrm.meter-resp
application/vnd.ms-word.document.macroenabled.12 docm
application/vnd.ms-word.template.macroenabled.12 dotm
application/vnd.ms-works wps wks wcm wdb
application/vnd.ms-wpl wpl
application/vnd.ms-xpsdocument xps
application/vnd.msa-disk-image
application/vnd.mseq mseq
application/vnd.msign
application/vnd.multiad.creator
application/vnd.multiad.creator.cif
application/vnd.music-niff
application/vnd.musician mus
application/vnd.muvee.style msty
application/vnd.mynfc taglet
application/vnd.ncd.control
application/vnd.ncd.reference
application/vnd.nervana
application/vnd.netfpx
application/vnd.neurolanguage.nlu nlu
application/vnd.nintendo.nitro.rom
application/vnd.nintendo.snes.rom
application/vnd.nitf ntf nitf
application/vnd.noblenet-directory nnd
application/vnd.noblenet-sealer nns
application/vnd.noblenet-web nnw
application/vnd.nokia.catalogs
application/vnd.nokia.conml+wxml
application/vnd.nokia.conml+xml
application/vnd.nokia.iptv.config+xml
application/vnd.nokia.isds-radio-presets
application/vnd.nokia.landmark+wxml
application/vnd.nokia.landmark+xml
application/vnd.nokia.landmarkcollection+xml
application/vnd.nokia.n-gage.ac+xml
application/vnd.nokia.n-gage.data ngdat
application/vnd.nokia.n-gage.symbian.install n-gage
application/vnd.nokia.ncd
application/vnd.nokia.pcd+wxml
application/vnd.nokia.pcd+xml
application/vnd.nokia.radio-preset rpst
application/vnd.nokia.radio-presets rpss
application/vnd.novadigm.edm edm
application/vnd.novadigm.edx edx
application/vnd.novadigm.ext ext


```
# application/vnd.ntt-local.content-share
# application/vnd.ntt-local.file-transfer
# application/vnd.ntt-local.ogw_remote-access
# application/vnd.ntt-local.sip-ta_remote
# application/vnd.ntt-local.sip-ta_tcp_stream
application/vnd.oasis.opendocument.chart odc
application/vnd.oasis.opendocument.chart-template otc
application/vnd.oasis.opendocument.database odb
application/vnd.oasis.opendocument.formula odf
application/vnd.oasis.opendocument.formula-template odft
application/vnd.oasis.opendocument.graphics odg
application/vnd.oasis.opendocument.graphics-template otg
application/vnd.oasis.opendocument.image odi
application/vnd.oasis.opendocument.image-template oti
application/vnd.oasis.opendocument.presentation odp
application/vnd.oasis.opendocument.presentation-template otp
application/vnd.oasis.opendocument.spreadsheet ods
application/vnd.oasis.opendocument.spreadsheet-template ots
application/vnd.oasis.opendocument.text odt
application/vnd.oasis.opendocument.text-master odm
application/vnd.oasis.opendocument.text-template ott
application/vnd.oasis.opendocument.text-web oth
# application/vnd.obn
# application/vnd.ofn.l10n+json
# application/vnd.oipf.contentaccessdownload+xml
# application/vnd.oipf.contentaccessstreaming+xml
# application/vnd.oipf.cspg-hexbinary
# application/vnd.oipf.dae.svg+xml
# application/vnd.oipf.dae.xhtml+xml
# application/vnd.oipf.mippvcontrolmessage+xml
# application/vnd.oipf.pae.gem
# application/vnd.oipf.spdiscovery+xml
# application/vnd.oipf.spdlist+xml
# application/vnd.oipf.ueprofile+xml
# application/vnd.oipf.userprofile+xml
application/vnd.olpc-sugar xo
# application/vnd.oma-scws-config
# application/vnd.oma-scws-http-request
# application/vnd.oma-scws-http-response
# application/vnd.oma.bcast.associated-procedure-parameter+xml
# application/vnd.oma.bcast.drm-trigger+xml
# application/vnd.oma.bcast.imd+xml
# application/vnd.oma.bcast.ltkm
# application/vnd.oma.bcast.notification+xml
# application/vnd.oma.bcast.provisioningtrigger
# application/vnd.oma.bcast.sgboot
# application/vnd.oma.bcast.sgdd+xml
# application/vnd.oma.bcast.sgdu
```

application/vnd.oma.bcast.simple-symbol-container
application/vnd.oma.bcast.smartcard-trigger+xml
application/vnd.oma.bcast.sprov+xml
application/vnd.oma.bcast.stkm
application/vnd.oma.cab-address-book+xml
application/vnd.oma.cab-feature-handler+xml
application/vnd.oma.cab-pcc+xml
application/vnd.oma.cab-sub-invite+xml
application/vnd.oma.cab-user-prefs+xml
application/vnd.oma.dcd
application/vnd.oma.dcdc
application/vnd.oma.dd2+xml dd2
application/vnd.oma.drm.risd+xml
application/vnd.oma.group-usage-list+xml
application/vnd.oma.lwm2m+json
application/vnd.oma.lwm2m+tlv
application/vnd.oma.pal+xml
application/vnd.oma.poc.detailed-progress-report+xml
application/vnd.oma.poc.final-report+xml
application/vnd.oma.poc.groups+xml
application/vnd.oma.poc.invocation-descriptor+xml
application/vnd.oma.poc.optimized-progress-report+xml
application/vnd.oma.push
application/vnd.oma.scidm.messages+xml
application/vnd.oma.xcap-directory+xml
application/vnd.omads-email+xml
application/vnd.omads-file+xml
application/vnd.omads-folder+xml
application/vnd.omaloc-supl-init
application/vnd.onepager
application/vnd.openblox.game+xml
application/vnd.openblox.game-binary
application/vnd.openeye.oeb
application/vnd.openofficeorg.extension oxt
application/vnd.openxmlformats-officedocument.custom-properties+xml
application/vnd.openxmlformats-officedocument.customxmlproperties+xml
application/vnd.openxmlformats-officedocument.drawing+xml
application/vnd.openxmlformats-officedocument.drawingml.chart+xml
application/vnd.openxmlformats-officedocument.drawingml.chartshapes+xml
application/vnd.openxmlformats-officedocument.drawingml.diagramcolors+xml
application/vnd.openxmlformats-officedocument.drawingml.diagramdata+xml
application/vnd.openxmlformats-officedocument.drawingml.diagramlayout+xml
application/vnd.openxmlformats-officedocument.drawingml.diagramstyle+xml
application/vnd.openxmlformats-officedocument.extended-properties+xml
application/vnd.openxmlformats-officedocument.presentationml.commentauthors+xml
application/vnd.openxmlformats-officedocument.presentationml.comments+xml
application/vnd.openxmlformats-officedocument.presentationml.handoutmaster+xml
application/vnd.openxmlformats-officedocument.presentationml.notesmaster+xml

application/vnd.openxmlformats-officedocument.presentationml.noteslide+xml
application/vnd.openxmlformats-officedocument.presentationml.presentation pptx
application/vnd.openxmlformats-officedocument.presentationml.presentation.main+xml
application/vnd.openxmlformats-officedocument.presentationml.presprops+xml
application/vnd.openxmlformats-officedocument.presentationml.slide sldx
application/vnd.openxmlformats-officedocument.presentationml.slide+xml
application/vnd.openxmlformats-officedocument.presentationml.slidelayout+xml
application/vnd.openxmlformats-officedocument.presentationml.slidemaster+xml
application/vnd.openxmlformats-officedocument.presentationml.slideshow ppsx
application/vnd.openxmlformats-officedocument.presentationml.slideshow.main+xml
application/vnd.openxmlformats-officedocument.presentationml.slideupdateinfo+xml
application/vnd.openxmlformats-officedocument.presentationml.tablestyles+xml
application/vnd.openxmlformats-officedocument.presentationml.tags+xml
application/vnd.openxmlformats-officedocument.presentationml.template potx
application/vnd.openxmlformats-officedocument.presentationml.template.main+xml
application/vnd.openxmlformats-officedocument.presentationml.viewprops+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.calcchain+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.chartsheet+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.comments+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.connections+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.dialogsheet+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.externallink+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.pivotcachedefinition+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.pivotcacherecords+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.pivottable+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.querytable+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.revisionheaders+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.revisionlog+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.sharedstrings+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.sheet.xlsx
application/vnd.openxmlformats-officedocument.spreadsheetml.sheet.main+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.sheetmetadata+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.styles+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.table+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.tablesinglecells+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.template xltx
application/vnd.openxmlformats-officedocument.spreadsheetml.template.main+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.usernames+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.volatiledependencies+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.worksheet+xml
application/vnd.openxmlformats-officedocument.theme+xml
application/vnd.openxmlformats-officedocument.themeoverride+xml
application/vnd.openxmlformats-officedocument.vmldrawing
application/vnd.openxmlformats-officedocument.wordprocessingml.comments+xml
application/vnd.openxmlformats-officedocument.wordprocessingml.document docx
application/vnd.openxmlformats-officedocument.wordprocessingml.document.glossary+xml
application/vnd.openxmlformats-officedocument.wordprocessingml.document.main+xml
application/vnd.openxmlformats-officedocument.wordprocessingml.endnotes+xml

```

# application/vnd.openxmlformats-officedocument.wordprocessingml.fonttable+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.footer+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.footnotes+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.numbering+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.settings+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.styles+xml
application/vnd.openxmlformats-officedocument.wordprocessingml.template dotx
# application/vnd.openxmlformats-officedocument.wordprocessingml.template.main+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.websettings+xml
# application/vnd.openxmlformats-package.core-properties+xml
# application/vnd.openxmlformats-package.digital-signature-xmlsignature+xml
# application/vnd.openxmlformats-package.relationships+xml
# application/vnd.oracle.resource+json
# application/vnd.orange.indata
# application/vnd.osa.netdeploy
application/vnd.osgeo.mapguide.package mgp
# application/vnd.osgi.bundle
application/vnd.osgi.dp dp
application/vnd.osgi.subsystem esa
# application/vnd.otp.ct-kip+xml
# application/vnd.oxli.countgraph
# application/vnd.pagerduty+json
application/vnd.palm pdb pqa oprc
# application/vnd.panoply
# application/vnd.paos.xml
application/vnd.pawaafire paw
# application/vnd.pcos
application/vnd.pg.format str
application/vnd.pg.asasli ei6
# application/vnd.piaccess.application-licence
application/vnd.picsel efif
application/vnd.pmi.widget wg
# application/vnd.poc.group-advertisement+xml
application/vnd.pocketlearn plf
application/vnd.powerbuilder6 pbd
# application/vnd.powerbuilder6-s
# application/vnd.powerbuilder7
# application/vnd.powerbuilder7-s
# application/vnd.powerbuilder75
# application/vnd.powerbuilder75-s
# application/vnd.preminet
application/vnd.previewsystems.box box
application/vnd.proteus.magazine mgz
application/vnd.publishare-delta-tree qps
application/vnd.pvi.ptid1 ptid
# application/vnd.pwg-multiplexed
# application/vnd.pwg-xml-print+xml
# application/vnd.qualcomm.brew-app-res

```

application/vnd.quarantainenet
application/vnd.quark.quarkxpress qxd qxt qwd qwt qxl qxb
application/vnd.quobject-quoxdocument
application/vnd.radisys.moml+xml
application/vnd.radisys.msml+xml
application/vnd.radisys.msml-audit+xml
application/vnd.radisys.msml-audit-conf+xml
application/vnd.radisys.msml-audit-conn+xml
application/vnd.radisys.msml-audit-dialog+xml
application/vnd.radisys.msml-audit-stream+xml
application/vnd.radisys.msml-conf+xml
application/vnd.radisys.msml-dialog+xml
application/vnd.radisys.msml-dialog-base+xml
application/vnd.radisys.msml-dialog-fax-detect+xml
application/vnd.radisys.msml-dialog-fax-sendrecv+xml
application/vnd.radisys.msml-dialog-group+xml
application/vnd.radisys.msml-dialog-speech+xml
application/vnd.radisys.msml-dialog-transform+xml
application/vnd.rainstor.data
application/vnd.rapid
application/vnd.rar
application/vnd.realvnc.bed bed
application/vnd.recordare.musicxml mxl
application/vnd.recordare.musicxml+xml musicxml
application/vnd.renlearn.rlprint
application/vnd.rig.cryptonote cryptonote
application/vnd.rim.cod cod
application/vnd.rn-realmedia rm
application/vnd.rn-realmedia-vbr rmvb
application/vnd.route66.link66+xml link66
application/vnd.rs-274x
application/vnd.ruckus.download
application/vnd.s3sms
application/vnd.sailingtracker.track st
application/vnd.sbm.cid
application/vnd.sbm.mid2
application/vnd.scribus
application/vnd.sealed.3df
application/vnd.sealed.csf
application/vnd.sealed.doc
application/vnd.sealed.eml
application/vnd.sealed.mht
application/vnd.sealed.net
application/vnd.sealed.ppt
application/vnd.sealed.tiff
application/vnd.sealed.xls
application/vnd.sealedmedia.softseal.html
application/vnd.sealedmedia.softseal.pdf

application/vnd.seemail see
application/vnd.sema sema
application/vnd.semd semd
application/vnd.semf semf
application/vnd.shana.informed.formdata ifm
application/vnd.shana.informed.formtemplate itp
application/vnd.shana.informed.interchange iif
application/vnd.shana.informed.package ipk
application/vnd.simtech-mindmapper twd twds
application/vnd.siren+json
application/vnd.smaf mmf
application/vnd.smart.notebook
application/vnd.smart.teacher teacher
application/vnd.software602.filler.form+xml
application/vnd.software602.filler.form-xml-zip
application/vnd.solent.sdkm+xml sdkm sdkd
application/vnd.spotfire.dxp dxp
application/vnd.spotfire.sfs sfs
application/vnd.sss-cod
application/vnd.sss-dtf
application/vnd.sss-ntf
application/vnd.stardivision.calc sdc
application/vnd.stardivision.draw sda
application/vnd.stardivision.impress sdd
application/vnd.stardivision.math smf
application/vnd.stardivision.writer sdw vor
application/vnd.stardivision.writer-global sgl
application/vnd.stepmania.package smzip
application/vnd.stepmania.stepchart sm
application/vnd.street-stream
application/vnd.sun.wadl+xml
application/vnd.sun.xml.calc sxc
application/vnd.sun.xml.calc.template stc
application/vnd.sun.xml.draw sxd
application/vnd.sun.xml.draw.template std
application/vnd.sun.xml.impress sxi
application/vnd.sun.xml.impress.template sti
application/vnd.sun.xml.math sxm
application/vnd.sun.xml.writer sxw
application/vnd.sun.xml.writer.global sxg
application/vnd.sun.xml.writer.template stw
application/vnd.sus-calendar sus susp
application/vnd.svd svd
application/vnd.swiftview-ics
application/vnd.symbian.install sis six
application/vnd.syncml+xml xsm
application/vnd.syncml.dm+wbxml bdm
application/vnd.syncml.dm+xml xdm

```
# application/vnd.syncml.dm.notification
# application/vnd.syncml.dmddf+wbxml
# application/vnd.syncml.dmddf+xml
# application/vnd.syncml.dmtnds+wbxml
# application/vnd.syncml.dmtnds+xml
# application/vnd.syncml.ds.notification
application/vnd.tao.intent-module-archive tao
application/vnd.tcpdump.pcap pcap cap dmp
# application/vnd.tmd.mediaflex.api+xml
# application/vnd.tml
application/vnd.tmobile-livetv tmo
application/vnd.trid.tpt tpt
application/vnd.triscape.mxs mxs
application/vnd.trueapp tra
# application/vnd.truedoc
# application/vnd.ubisoft.webplayer
application/vnd.ufdl ufd ufdl
application/vnd.uiq.theme utz
application/vnd.umajin umj
application/vnd.unity unityweb
application/vnd.uoml+xml uoml
# application/vnd.uplanet.alert
# application/vnd.uplanet.alert-wbxml
# application/vnd.uplanet.bearer-choice
# application/vnd.uplanet.bearer-choice-wbxml
# application/vnd.uplanet.cacheop
# application/vnd.uplanet.cacheop-wbxml
# application/vnd.uplanet.channel
# application/vnd.uplanet.channel-wbxml
# application/vnd.uplanet.list
# application/vnd.uplanet.list-wbxml
# application/vnd.uplanet.listcmd
# application/vnd.uplanet.listcmd-wbxml
# application/vnd.uplanet.signal
# application/vnd.uri-map
# application/vnd.valve.source.material
application/vnd.vcx vcx
# application/vnd.vd-study
# application/vnd.vectorworks
# application/vnd.vel+json
# application/vnd.verimatrix.vcas
# application/vnd.vidsoft.vidconference
application/vnd.visio vsd vst vss vsw
application/vnd.visionary vis
# application/vnd.vividence.scriptfile
application/vnd.vsf vsf
# application/vnd.wap.sic
# application/vnd.wap.slc
```

application/vnd.wap.wbxml wbxml
application/vnd.wap.wmlc wmlc
application/vnd.wap.wmlscriptc wmlsc
application/vnd.webturbo wtb
application/vnd.wfa.p2p
application/vnd.wfa.wsc
application/vnd.windows.devicepairing
application/vnd.wmc
application/vnd.wmf.bootstrap
application/vnd.wolfram.mathematica
application/vnd.wolfram.mathematica.package
application/vnd.wolfram.player nbp
application/vnd.wordperfect wpd
application/vnd.wqd wqd
application/vnd.wrq-hp3000-labelled
application/vnd.wt.stf stf
application/vnd.wv.csp+wbxml
application/vnd.wv.csp+xml
application/vnd.wv.ssp+xml
application/vnd.xacml+json
application/vnd.xara xar
application/vnd.xfdl xfdl
application/vnd.xfdl.webform
application/vnd.xmi+xml
application/vnd.xmpie.cpkg
application/vnd.xmpie.dpkg
application/vnd.xmpie.plan
application/vnd.xmpie.ppkg
application/vnd.xmpie.xlim
application/vnd.yamaha.hv-dic hvd
application/vnd.yamaha.hv-script hvs
application/vnd.yamaha.hv-voice hvp
application/vnd.yamaha.openscoreformat osf
application/vnd.yamaha.openscoreformat.osfpvg+xml osfpvg
application/vnd.yamaha.remote-setup
application/vnd.yamaha.smaf-audio saf
application/vnd.yamaha.smaf-phrase spf
application/vnd.yamaha.through-ngn
application/vnd.yamaha.tunnel-udpencap
application/vnd.yaoweme
application/vnd.yellowriver-custom-menu cmp
application/vnd.zul zir zirz
application/vnd.zzazz.deck+xml zaz
application/voicexml+xml vxml
application/vq-rtcpvr
application/watcherinfo+xml
application/whoispp-query
application/whoispp-response

application/widget wgt
application/winhelp hlp
application/wita
application/wordperfect5.1
application/wsdl+xml wsdl
application/wspolicy+xml wspolicy
application/x-7z-compressed 7z
application/x-abiword abw
application/x-ace-compressed ace
application/x-amf
application/x-apple-diskimage dmg
application/x-authorware-bin aab x32 u32 vox
application/x-authorware-map aam
application/x-authorware-seg aas
application/x-bcpio bcpio
application/x-bittorrent torrent
application/x-blorb blb blorb
application/x-bzip bz
application/x-bzip2 bz2 boz
application/x-cbr cbr cba cbt cbz cb7
application/x-cdlink vcd
application/x-cfs-compressed cfs
application/x-chat chat
application/x-chess-pgn pgn
application/x-compress
application/x-conference nsc
application/x-cpio cpio
application/x-csh csh
application/x-debian-package deb udeb
application/x-dgc-compressed dgc
application/x-director dir dcr dxr cst cct ext w3d fgd swa
application/x-doom wad
application/x-dtbnex+xml ncx
application/x-dtbook+xml dtb
application/x-dtbresource+xml res
application/x-dvi dvi
application/x-envoy evy
application/x-eva eva
application/x-font-bdf bdf
application/x-font-dos
application/x-font-framemaker
application/x-font-ghostscript gsf
application/x-font-libgrx
application/x-font-linux-psf psf
application/x-font-pcf pcf
application/x-font-snf snf
application/x-font-speedo
application/x-font-sunos-news

application/x-font-type1 pfa pfb pfm afm
application/x-font-vfont
application/x-freearc arc
application/x-futuresplash spl
application/x-gca-compressed gca
application/x-glulx ulx
application/x-gnumeric gnumeric
application/x-gramps-xml gramps
application/x-gtar gtar
application/x-gzip
application/x-hdf hdf
application/x-install-instructions install
application/x-iso9660-image iso
application/x-java-jnlp-file jnlp
application/x-latex latex
application/x-lzh-compressed lzh lha
application/x-mie mie
application/x-mobipocket-ebook prc mobi
application/x-ms-application application
application/x-ms-shortcut lnk
application/x-ms-wmd wmd
application/x-ms-wmz wmz
application/x-ms-xbap xbap
application/x-msaccess mdb
application/x-msbinder obd
application/x-mscardfile crd
application/x-msclip clp
application/x-msdownload exe dll com bat msi
application/x-msmediaview mvb m13 m14
application/x-msmetafile wmf wmz emf emz
application/x-msmoney mny
application/x-mspublisher pub
application/x-msschedule scd
application/x-msterminal trm
application/x-mswrite wri
application/x-netcdf nc cdf
application/x-nzb nzb
application/x-pkcs12 p12 pfx
application/x-pkcs7-certificates p7b spc
application/x-pkcs7-certreqresp p7r
application/x-rar-compressed rar
application/x-research-info-systems ris
application/x-sh sh
application/x-shar shar
application/x-shockwave-flash swf
application/x-silverlight-app xap
application/x-sql sql
application/x-stuffit sit

application/x-stuffitx sitx
application/x-subrip srt
application/x-sv4cpio sv4cpio
application/x-sv4crc sv4crc
application/x-t3vm-image t3
application/x-tads gam
application/x-tar tar
application/x-tcl tcl
application/x-tex tex
application/x-tex-tfm tfm
application/x-texinfo texinfo texi
application/x-tgif obj
application/x-ustar ustar
application/x-wais-source src
application/x-www-form-urlencoded
application/x-x509-ca-cert der crt
application/x-xfig fig
application/x-xliff+xml xlf
application/x-xpinstall xpi
application/x-xz xz
application/x-zmachine z1 z2 z3 z4 z5 z6 z7 z8
application/x400-bp
application/xacml+xml
application/xaml+xml xaml
application/xcap-att+xml
application/xcap-caps+xml
application/xcap-diff+xml xdf
application/xcap-el+xml
application/xcap-error+xml
application/xcap-ns+xml
application/xcon-conference-info+xml
application/xcon-conference-info-diff+xml
application/xenc+xml xenc
application/xhtml+xml xhtml xht
application/xhtml-voice+xml
application/xml xml xsl
application/xml-dtd dtd
application/xml-external-parsed-entity
application/xml-patch+xml
application/xmpp+xml
application/xop+xml xop
application/xproc+xml xpl
application/xslt+xml xslt
application/xspf+xml xspf
application/xv+xml mxml xhvm xvm xvm
application/yang yang
application/yin+xml yin
application/zip zip

application/zlib
audio/1d-interleaved-parityfec
audio/32kadpcm
audio/3gpp
audio/3gpp2
audio/ac3
audio/adpcm adp
audio/amr
audio/amr-wb
audio/amr-wb+
audio/aptx
audio/asc
audio/atrac-advanced-lossless
audio/atrac-x
audio/atrac3
audio/basic au snd
audio/bv16
audio/bv32
audio/clearmode
audio/cn
audio/dat12
audio/dls
audio/dsr-es201108
audio/dsr-es202050
audio/dsr-es202211
audio/dsr-es202212
audio/dv
audio/dvi4
audio/eac3
audio/encaprtsp
audio/evrc
audio/evrc-qcp
audio/evrc0
audio/evrc1
audio/evrcb
audio/evrcb0
audio/evrcb1
audio/evrcnw
audio/evrcnw0
audio/evrcnw1
audio/evrcwb
audio/evrcwb0
audio/evrcwb1
audio/evs
audio/example
audio/fwdred
audio/g711-0
audio/g719

audio/g722
audio/g7221
audio/g723
audio/g726-16
audio/g726-24
audio/g726-32
audio/g726-40
audio/g728
audio/g729
audio/g7291
audio/g729d
audio/g729e
audio/gsm
audio/gsm-efr
audio/gsm-hr-08
audio/ilbc
audio/ip-mr_v2.5
audio/isac
audio/l16
audio/l20
audio/l24
audio/l8
audio/lpc
audio/midi mid midi kar rmi
audio/mobile-xmf
audio/mp4 m4a mp4a
audio/mp4a-latm
audio/mpa
audio/mpa-robust
audio/mpeg mpga mp2 mp2a mp3 m2a m3a
audio/mpeg4-generic
audio/musepack
audio/ogg oga ogg spx
audio/opus
audio/parityfec
audio/pcma
audio/pcma-wb
audio/pcmu
audio/pcmu-wb
audio/prs.sid
audio/qcelp
audio/raptorfec
audio/red
audio/rtp-enc-aescm128
audio/rtp-midi
audio/rtploopback
audio/rtx
audio/s3m s3m

audio/silk sil
audio/smv
audio/smv-qcp
audio/smv0
audio/sp-midi
audio/speex
audio/t140c
audio/t38
audio/telephone-event
audio/tone
audio/uemclip
audio/ulpfec
audio/vdvi
audio/vmr-wb
audio/vnd.3gpp.iufp
audio/vnd.4sb
audio/vnd.audiokoz
audio/vnd.celp
audio/vnd.cisco.nse
audio/vnd.cmles.radio-events
audio/vnd.cns.anp1
audio/vnd.cns.infl
audio/vnd.dece.audio uva uvva
audio/vnd.digital-winds eol
audio/vnd.dlna.adts
audio/vnd.dolby.heaac.1
audio/vnd.dolby.heaac.2
audio/vnd.dolby.mlp
audio/vnd.dolby.mps
audio/vnd.dolby.pl2
audio/vnd.dolby.pl2x
audio/vnd.dolby.pl2z
audio/vnd.dolby.pulse.1
audio/vnd.dra dra
audio/vnd.dts dts
audio/vnd.dts.hd dtshd
audio/vnd.dvb.file
audio/vnd.everad.plj
audio/vnd.hns.audio
audio/vnd.lucent.voice lvp
audio/vnd.ms-playready.media.pya pya
audio/vnd.nokia.mobile-xmf
audio/vnd.nortel.vbk
audio/vnd.nuera.ecelp4800 ecelp4800
audio/vnd.nuera.ecelp7470 ecelp7470
audio/vnd.nuera.ecelp9600 ecelp9600
audio/vnd.octel.sbc
audio/vnd.qcelp

```
# audio/vnd.rhetorex.32kadpcm
audio/vnd.rip rip
# audio/vnd.sealedmedia.softseal.mpeg
# audio/vnd.vmx.cvsd
# audio/vorbis
# audio/vorbis-config
audio/webm weba
audio/x-aac aac
audio/x-aiff aif aiff aifc
audio/x-caf caf
audio/x-flac flac
audio/x-matroska mka
audio/x-mpegurl m3u
audio/x-ms-wax wax
audio/x-ms-wma wma
audio/x-pn-realaudio ram ra
audio/x-pn-realaudio-plugin rmp
# audio/x-tta
audio/x-wav wav
audio/xm xm
chemical/x-cdx cdx
chemical/x-cif cif
chemical/x-cmdf cmdf
chemical/x-cml cml
chemical/x-csml csml
# chemical/x-pdb
chemical/x-xyz xyz
font/collection ttc
font/otf otf
# font/sfnt
font/ttf ttf
font/woff woff
font/woff2 woff2
image/bmp bmp
image/cgm cgm
# image/dicom-rle
# image/emf
# image/example
# image/fits
image/g3fax g3
image/gif gif
image/ief ief
# image/jls
# image/jp2
image/jpeg jpeg jpg jpe
# image/jpm
# image/jpx
image/ktx ktx
```

```
# image/naplps
image/png png
image/prs.btif btif
# image/prs.pti
# image/pwg-raster
image/sgi sgi
image/svg+xml svg svgz
# image/t38
image/tiff tiff tif
# image/tiff-fx
image/vnd.adobe.photoshop psd
# image/vnd.airzip.accelerator.azv
# image/vnd.cns.inf2
image/vnd.dece.graphic uvi uvvi uvg uvvg
image/vnd.djvu djvu djv
image/vnd.dvb.subtitle sub
image/vnd.dwg dwg
image/vnd.dxf dxf
image/vnd.fastbidsheet fbs
image/vnd.fpx fpx
image/vnd.fst fst
image/vnd.fujixerox.edmics-mmr mmr
image/vnd.fujixerox.edmics-rlc rlc
# image/vnd.globalgraphics.pgb
# image/vnd.microsoft.icon
# image/vnd.mix
# image/vnd.mozilla.apng
image/vnd.ms-modi mdi
image/vnd.ms-photo wdp
image/vnd.net-fpx npx
# image/vnd.radiance
# image/vnd.sealed.png
# image/vnd.sealedmedia.softseal.gif
# image/vnd.sealedmedia.softseal.jpg
# image/vnd.svf
# image/vnd.tencent.tap
# image/vnd.valve.source.texture
image/vnd.wap.wbmp wbmp
image/vnd.xiff xif
# image/vnd.zbrush.pcx
image/webp webp
# image/wmf
image/x-3ds 3ds
image/x-cmu-raster ras
image/x-cmx cmx
image/x-freehand fh fhc fh4 fh5 fh7
image/x-icon ico
image/x-mrsid-image sid
```


image/x-pcx pcx
image/x-pict pic pct
image/x-portable-anymap pnm
image/x-portable-bitmap pbm
image/x-portable-graymap pgm
image/x-portable-pixmap ppm
image/x-rgb rgb
image/x-tga tga
image/x-xbitmap xbm
image/x-xpixmap xpm
image/x-xwindowdump xwd
message/cpim
message/delivery-status
message/disposition-notification
message/example
message/external-body
message/feedback-report
message/global
message/global-delivery-status
message/global-disposition-notification
message/global-headers
message/http
message/imdn+xml
message/news
message/partial
message/rfc822 eml mime
message/s-http
message/sip
message/sipfrag
message/tracking-status
message/vnd.si.simp
message/vnd.wfa.wsc
model/example
model/gltf+json
model/iges igs iges
model/mesh msh mesh silo
model/vnd.collada+xml dae
model/vnd.dwf dwf
model/vnd.flatland.3dml
model/vnd.gdl gdl
model/vnd.gs-gdl
model/vnd.gs.gdl
model/vnd.gtw gtw
model/vnd.moml+xml
model/vnd.mts mts
model/vnd.opengex
model/vnd.parasolid.transmit.binary
model/vnd.parasolid.transmit.text

```
# model/vnd.rosette.annotated-data-model
# model/vnd.valve.source.compiled-map
model/vnd.vtu    vtu
model/vrml     wrl vrml
model/x3d+binary  x3db x3dbz
# model/x3d+fastinfoset
model/x3d+vrml  x3dv x3dvz
model/x3d+xml   x3d x3dz
# model/x3d-vrml
# multipart/alternative
# multipart/appledouble
# multipart/byteranges
# multipart/digest
# multipart/encrypted
# multipart/example
# multipart/form-data
# multipart/header-set
# multipart/mixed
# multipart/parallel
# multipart/related
# multipart/report
# multipart/signed
# multipart/voice-message
# multipart/x-mixed-replace
# text/1d-interleaved-parityfec
text/cache-manifest  appcache
text/calendar    ics ifb
text/css         css
text/csv         csv
# text/csv-schema
# text/directory
# text/dns
# text/ecmascript
# text/encaprtf
# text/enriched
# text/example
# text/fwdred
# text/grammar-ref-list
text/html       html htm
# text/javascript
# text/jcr-cnd
# text/markdown
# text/mizar
text/n3         n3
# text/parameters
# text/parityfec
text/plain     txt text conf def list log in
# text/provenance-notation
```

```
# text/prs.fallenstein.rst
text/prs.lines.tag dsc
# text/prs.prop.logic
# text/raptorfec
# text/red
# text/rfc822-headers
text/richtext rtx
# text/rtf
# text/rtp-enc-aescm128
# text/rtploopback
# text/rtx
text/sgml sgml sgm
# text/t140
text/tab-separated-values tsv
text/troff t tr roff man me ms
text/turtle ttl
# text/ulpfec
text/uri-list uri uris urls
text/vcard vcard
# text/vnd.a
# text/vnd.abc
text/vnd.curl curl
text/vnd.curl.dcurl dcurl
text/vnd.curl.mcurl mcurl
text/vnd.curl.scurl scurl
# text/vnd.debian.copyright
# text/vnd.dmclientscript
text/vnd.dvb.subtitle sub
# text/vnd.esmertec.theme-descriptor
text/vnd.fly fly
text/vnd.fmi.flexstor flx
text/vnd.graphviz gv
text/vnd.in3d.3dml 3dml
text/vnd.in3d.spot spot
# text/vnd.ipdc.newsml
# text/vnd.ipdc.nitf
# text/vnd.latex-z
# text/vnd.motorola.reflex
# text/vnd.ms-mediapackage
# text/vnd.net2phone.commcenter.command
# text/vnd.radisys.msml-basic-layout
# text/vnd.si.uricatalogue
text/vnd.sun.j2me.app-descriptor jad
# text/vnd.trolltech.linguist
# text/vnd.wap.si
# text/vnd.wap.sl
text/vnd.wap.wml wml
text/vnd.wap.wmlscript wmls
```

```
text/x-asm    s asm
text/x-c     c cc cxx cpp h hh dic
text/x-fortran  f for f77 f90
text/x-java-source  java
text/x-nfo    nfo
text/x-opml   opml
text/x-pascal p pas
text/x-setext etx
text/x-sfv    sfv
text/x-uuencode uu
text/x-vcalendar vcs
text/x-vcard  vcf
# text/xml
# text/xml-external-parsed-entity
# video/1d-interleaved-parityfec
video/3gpp    3gp
# video/3gpp-tt
video/3gpp2   3g2
# video/bmpeg
# video/bt656
# video/celb
# video/dv
# video/encaprtsp
# video/example
video/h261    h261
video/h263    h263
# video/h263-1998
# video/h263-2000
video/h264    h264
# video/h264-rcdo
# video/h264-svc
# video/h265
# video/iso.segment
video/jpeg    jpegv
# video/jpeg2000
video/jpm     jpm jpgm
video/mj2     mj2 mjp2
# video/mp1s
# video/mp2p
# video/mp2t
video/mp4     mp4 mp4v mpg4
# video/mp4v-es
video/mpeg    mpeg mpg mpe m1v m2v
# video/mpeg4-generic
# video/mpv
# video/nv
video/ogg     ogv
# video/parityfec
```

```
# video/pointer
video/quicktime qt mov
# video/raptorfec
# video/raw
# video/rtp-enc-aescm128
# video/rtploopback
# video/rtx
# video/smp292m
# video/ulpfec
# video/vc1
# video/vnd.cctv
video/vnd.dece.hd uvh uvvh
video/vnd.dece.mobile uvm uvvm
# video/vnd.dece.mp4
video/vnd.dece.pd uvp uvvp
video/vnd.dece.sd uvs uvvs
video/vnd.dece.video uvv uvvv
# video/vnd.directv.mpeg
# video/vnd.directv.mpeg-tts
# video/vnd.dlna.mpeg-tts
video/vnd.dvb.file dvb
video/vnd.fvt fvt
# video/vnd.hns.video
# video/vnd.iptvforum.1dparityfec-1010
# video/vnd.iptvforum.1dparityfec-2005
# video/vnd.iptvforum.2dparityfec-1010
# video/vnd.iptvforum.2dparityfec-2005
# video/vnd.iptvforum.ttsavc
# video/vnd.iptvforum.ttsmpeg2
# video/vnd.motorola.video
# video/vnd.motorola.videop
video/vnd.mpegurl mxu m4u
video/vnd.ms-playready.media.pyv pyv
# video/vnd.nokia.interleaved-multimedia
# video/vnd.nokia.videovoip
# video/vnd.objectvideo
# video/vnd.radgamettools.bink
# video/vnd.radgamettools.smacker
# video/vnd.sealed.mpeg1
# video/vnd.sealed.mpeg4
# video/vnd.sealed.swf
# video/vnd.sealedmedia.softseal.mov
video/vnd.uvu.mp4 uvu uvvu
video/vnd.vivo viv
# video/vp8
video/webm webm
video/x-f4v f4v
video/x-fli fli
```

video/x-flv flv
video/x-m4v m4v
video/x-matroska mkv mk3d mks
video/x-mng mng
video/x-ms-asf asf asx
video/x-ms-vob vob
video/x-ms-wm wm
video/x-ms-wmv wmv
video/x-ms-wmx wmx
video/x-ms-wvx wvx
video/x-msvideo avi
video/x-smv smv
x-conference/x-cooltalk ice

Found in path(s):

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/META-INF/http/mime.types

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2022 original authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/ssl/SslConfiguration.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/util/HttpHeadersUtil.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/hateoas/GenericResource.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/ssl/ServerSslConfiguration.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/io/micronaut/http/ssl/ClientSslConfiguration.java

* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-

```
jar/io/micronaut/http/MediaTypeConvertersRegistrar.java
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-
jar/io/micronaut/http/bind/binders/PartAnnotationBinder.java
No license file was found, but licenses were detected in source scan.
```

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# distributed under the License is distributed on an "AS IS" BASIS,
```

```
Found in path(s):
* /opt/cola/permits/1701214100_1685496818.7779105/0/micronaut-http-3-9-2-sources-jar/META-INF/native-
image/io.micronaut.http/micronaut-http/native-image.properties
```

1.25 apk-tools 2.14.0-r2

1.25.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to

deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage

or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you

do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C)< yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon >, 1 April 1989 Ty Coon, President of Vice This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this

is what you want to do, use the GNU Lesser General Public License instead of this License.

1.26 swagger-annotations 2.2.8

1.26.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright (c) 2015. SmartBear Software Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Swagger Core - swagger-annotations

Copyright (c) 2015. SmartBear Software Inc.

Swagger Core - swagger-annotations is licensed under Apache 2.0 license.

Copy of the Apache 2.0 license can be found in `LICENSE` file.

1.27 commons-fileupload 1.4

1.27.1 Available under license :

Apache Commons FileUpload

Copyright 2002-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.28 commons-io 2.8.0

1.28.1 Available under license :

Apache Commons IO
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.29 jackson-annotations 2.13.2

1.29.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.30 commons-math 2.1

1.30.1 Available under license :

Apache Commons Math
Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

=====
The LinearConstraint, LinearObjectiveFunction, LinearOptimizer, Relationship, SimplexSolver and SimplexTableau classes in package org.apache.commons.math.optimization.linear include software developed by Benjamin McCann (<http://www.benmccann.com>) and distributed with the following copyright: Copyright 2009 Google Inc.

=====
This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.
The LevenbergMarquardtOptimizer class in package
org.apache.commons.math.optimization.general includes software
translated from the lmdcr, lmpar and qrsolv Fortran routines
from the Minpack package
Minpack Copyright Notice (1999) University of Chicago. All rights reserved
=====

The GraggBulirschStoerIntegrator class in package
org.apache.commons.math.ode.nonstiff includes software translated
from the odex Fortran routine developed by E. Hairer and G. Wanner.
Original source copyright:
Copyright (c) 2004, Ernst Hairer
=====

The EigenDecompositionImpl class in package
org.apache.commons.math.linear includes software translated
from some LAPACK Fortran routines. Original source copyright:
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.
=====

The MersenneTwister class in package org.apache.commons.math.random
includes software translated from the 2002-01-26 version of
the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji
Nishimura. Original source copyright:
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved
=====

The complete text of licenses and disclaimers associated with the the original
sources enumerated above at the time of code translation are in the LICENSE.txt
file.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents whose implementation is derived from original sources written in C or Fortran. License terms of the original sources are reproduced below.

=====
For the lmdcr, lmpar and qrsolv Fortran routine from minpack and translated in the LevenbergMarquardtOptimizer class in package org.apache.commons.math.optimization.general
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by the University of Chicago, as Operator of Argonne National Laboratory.

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. **WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS" WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, AND THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR**

USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4) DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE, EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES.

=====

Copyright and license statement for the odex Fortran routine developed by E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original lapack fortran routines translated in EigenDecompositionImpl class in package org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

\$COPYRIGHT\$

Additional copyrights may follow

\$HEADERS\$

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer listed in this license in the documentation and/or other materials provided with the distribution.
- Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original Mersenne twister C routines translated in MersenneTwister class in package org.apache.commons.math.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura, All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of its contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.31 jackson 2.13.3

1.31.1 Available under license :

Camel :: Jackson
Copyright 2007-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                      ==
== in this case for the Apache Camel distribution.        ==
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of this distribution.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.32 jackson 2.14.2

1.32.1 Available under license :

FasterXML, LLC

Software Grant and Corporate Contributor License Agreement ("Agreement")

<https://github.com/FasterXML/jackson/blob/master/contributor-agreement-corporate.txt>

(v1)

Thank you for your interest in FasterXML, LLC ("FasterXML"). In order to clarify the intellectual property license granted with Contributions from any person or entity, FasterXML must have a Contributor License Agreement (CLA) on file that has been signed by each Contributor, indicating agreement to the license terms below. This license is for your protection as a Contributor as well as the protection of FasterXML and its users; it does not change your rights to use your own Contributions for any other purpose.

This version of the Agreement allows an entity (the "Corporation") to submit Contributions to the FasterXML, to authorize Contributions submitted by its designated employees to FasterXML, and to grant copyright and patent licenses thereto.

If you have not already done so, please complete and sign, then scan and email a pdf file of this Agreement to clas@fasterxml.com. If necessary, send an original signed Agreement to FasterXML, LLC, 600 N 36th Ave, Suite 409, Seattle, WA 98103.

Please read this document carefully before signing and keep a copy for your records.

Corporation name: _____

Corporation address: _____

Point of Contact: _____

E-Mail: _____

Telephone: _____ Fax: _____

You accept and agree to the following terms and conditions for Your present and future Contributions submitted to FasterXML. Except for the license granted herein to FasterXML and recipients of software distributed by FasterXML, You reserve all right, title, and interest in and to Your Contributions.

1. Definitions.

"You" (or "Your") shall mean the copyright owner or legal entity authorized by the copyright owner that is making this Agreement with FasterXML. For legal entities, the entity making a Contribution and all other entities that control, are controlled by, or are under common control with that entity are considered to be a single Contributor. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"Contribution" shall mean the code, documentation or other original works of authorship expressly identified in Schedule B, as well as any original work of authorship, including any modifications or additions to an existing work, that is intentionally submitted by You to FasterXML for inclusion in, or documentation of, any of the products owned or managed by FasterXML (the "Work"). For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to FasterXML or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, FasterXML for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by You as "Not a Contribution."

2. Grant of Copyright License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, sublicense, and distribute Your Contributions and such derivative works.
3. Grant of Patent License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by You that are necessarily infringed by Your Contribution(s) alone or by combination of Your Contribution(s) with the Work to which such Contribution(s) were submitted. If any entity institutes patent litigation against You or any other entity (including a cross-claim or counterclaim in a lawsuit) alleging that your Contribution, or the Work to which you have contributed, constitutes direct or contributory patent infringement, then any patent licenses granted to that entity under this Agreement for that Contribution or Work shall terminate as of the date such litigation is filed.
4. You represent that You are legally entitled to grant the above license. You represent further that each employee of the Corporation designated on Schedule A below (or in a subsequent written modification to that Schedule) is authorized to submit Contributions on behalf of the Corporation.
5. You represent that each of Your Contributions is Your original creation (see section 7 for submissions on behalf of others).
6. You are not expected to provide support for Your Contributions, except to the extent You desire to provide support. You may provide support for free, for a fee, or not at all. Unless required by applicable law or agreed to in writing, You provide Your Contributions on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.
7. Should You wish to submit work that is not Your original creation, You may submit it to FasterXML separately from any Contribution, identifying the complete details of its source and

of any license or other restriction (including, but not limited to, related patents, trademarks, and license agreements) of which you are personally aware, and conspicuously marking the work as "Submitted on behalf of a third-party: [named here]".

8. It is your responsibility to notify FasterXML when any change is required to the list of designated employees authorized to submit Contributions on behalf of the Corporation, or to the Corporation's Point of Contact with FasterXML.

Please sign: _____ Date: _____

Title: _____

Corporation: _____

Schedule A

[Initial list of designated employees. NB: authorization is not tied to particular Contributions.]

Schedule B

[Identification of optional concurrent software grant. Would be left blank or omitted if there is no concurrent software grant.]

1.33 libcrypto3 3.1.0-r4

1.33.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE

Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice

that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING

OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>
```

```
This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 1, or (at your option)  
any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program ``Gnomovision'` (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.

- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

- a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
- b) use the modified Package only within your corporation or organization.
- c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

- a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
- b) accompany the distribution with the machine-readable source of the Package with your modifications.
- c) accompany any non-standard executables with their corresponding Standard

Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.34 micronaut-aop 3.9.2

1.34.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2021 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/internal/InterceptorRegistryBean.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/chain/AbstractInterceptorChain.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/internal/InterceptorBeanMapper.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/AroundConstruct.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
```

jar/io/micronaut/aop/InterceptorBinding.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/InterceptorKind.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/InterceptorRegistry.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/ConstructorInvocationContext.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/chain/ConstructorInterceptorChain.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/ConstructorInterceptor.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/kotlin/KotlinInterceptedMethod.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/InterceptorBean.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/InterceptorBindingDefinitions.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/chain/DefaultInterceptorRegistry.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/chain/InterceptorChain.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/chain/AdapterIntroduction.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/internal/intercepted/KotlinInterceptedMethod.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/internal/intercepted/PublisherInterceptedMethod.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-
jar/io/micronaut/aop/exceptions/UnimplementedAdviceException.java

* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/internal/intercepted/CompletionStageInterceptedMethod.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/util/DelegatingContextContinuation.kt
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/util/KotlinInterceptedMethodHelper.kt
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/util/CompletableFutureContinuation.kt
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/package-info.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/MethodInterceptor.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/InterceptedProxy.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/Introduction.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/chain/MethodInterceptorChain.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/Introduced.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/exceptions/package-info.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/InterceptedMethod.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/writer/package-info.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/InterceptPhase.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/HotSwappableInterceptedProxy.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/Around.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/Intercepted.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/internal/intercepted/SynchronousInterceptedMethod.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/chain/package-info.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/writer/AopProxyWriter.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/MethodInvocationContext.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/internal/intercepted/InterceptedMethodUtil.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/Interceptor.java
* /opt/cola/permits/1701214190_1685496820.5211856/0/micronaut-aop-3-9-2-sources-jar/io/micronaut/aop/InvocationContext.java

1.35 logback-core 1.2.11

1.35.1 Available under license :

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the

combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such

provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Found license 'Eclipse Public License 1.0' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

1.36 zlib 1.2.13-r1

1.36.1 Available under license :

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the

Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

1.37 gson 2.10

1.37.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 The Android Open Source Project

* Copyright (C) 2012 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/LinkedTreeMap.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/DateTypeAdapter.java

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/LazilyParsedNumber.java

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/TreeTypeAdapter.java

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/ConstructorConstructor.java

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-

jar/com/google/gson/internal/UnsafeAllocator.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2014 Google Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/annotations/JsonAdapter.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2011 Google Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-

jar/com/google/gson/TypeAdapterFactory.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/JsonReaderInternalAccess.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/TypeAdapterFactory.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/TypeAdapters.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/JsonTreeReader.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/ArrayTypeAdapter.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/JsonTreeWriter.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Gson authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/JavaVersion.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/PreJava9DateFormatProvider.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 Google Inc.
*
*/

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/Streams.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/JsonSyntaxException.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/annotations/Since.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/FieldNamingPolicy.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/Primitives.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/FieldNamingStrategy.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/annotations/Expose.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
```

jar/com/google/gson/internal/ObjectConstructor.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/annotations/Until.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/JsonSerializationContext.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/ExclusionStrategy.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/\$Gson\$Preconditions.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/JsonElement.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/JsonPrimitive.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/JsonSerializer.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/InstanceCreator.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/internal/Excluder.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/JsonDeserializationContext.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/JsonIOException.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/JsonArray.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/JsonObject.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/JsonDeserializer.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/GsonBuilder.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/JsonParseException.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/annotations/SerializedName.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/Gson.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-
jar/com/google/gson/reflect/TypeToken.java
* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/JsonNull.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright (C) 2008 Google Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/internal/\$Gson\$Types.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (C) 2021 Google Inc.

*

- * Licensed under the Apache License, Version 2.0 (the "License");

- * you may not use this file except in compliance with the License.

- * You may obtain a copy of the License at

*

- * <http://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS,

- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- * See the License for the specific language governing permissions and

- * limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/ToNumberPolicy.java

- * /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/ToNumberStrategy.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (C) 2020 Google Inc.

*

- * Licensed under the Apache License, Version 2.0 (the "License");

- * you may not use this file except in compliance with the License.

- * You may obtain a copy of the License at

*

- * <http://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS,

- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- * See the License for the specific language governing permissions and

- * limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/internal/bind/NumberTypeAdapter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 Google Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/FieldAttributes.java

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/JsonStreamParser.java

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/LongSerializationPolicy.java

* /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/JsonParser.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 Google Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/stream/JsonReader.java
- * /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/stream/JsonScope.java
- * /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/stream/JsonToken.java
- * /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/stream/MalformedJsonException.java
- * /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/stream/JsonWriter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2018 The Gson authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1455481167_1667022567.4713087/0/gson-2-10-sources-jar/com/google/gson/internal/GsonBuildConfig.java

1.38 snake-yaml 2.0

1.38.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* Copyright (c) 2008, SnakeYAML

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/representer/SafeRepresenter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/parser/Parser.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/env/EnvScalarConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/nodes/ScalarNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/ValueToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/StreamEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/constructor/AbstractConstruct.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/CollectionEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/emitter/ScalarAnalysis.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/AliasEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/ScalarEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/emitter/EmitterState.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/DirectiveToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/StreamStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/CommentEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/AliasToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/constructor/Construct.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/ImplicitTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/constructor/CustomClassLoaderConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/introspector/Property.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/Production.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/resolver/ResolverTuple.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Scanner.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/composer/ComposerException.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/MappingNode.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/Emitable.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingEndToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/DumperOptions.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowSequenceEndToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/AnchorNode.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/Represent.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/Node.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingStartToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/ReaderException.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/SafeConstructor.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Constant.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/NodeId.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/AnchorGenerator.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DocumentEndToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/ParserImpl.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/ScalarToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/MethodProperty.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/CollectionStartEvent.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/UriEncoder.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/UnicodeReader.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockMappingStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/CollectionNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/StreamStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DocumentStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockSequenceStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/ConstructorException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/SequenceStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/BaseRepresenter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/SequenceEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/PlatformFeatureDetector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/VersionTagsTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/Yaml.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/UnTrustedTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/ParserException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/MarkedYAMLEException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/Representer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/NodeTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TrustedTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/Serializer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/EmitterException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/FieldProperty.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/BeanAccess.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentLine.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/LoaderOptions.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/CommentToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/extensions/compactnotation/PackageCompactConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/inspector/TrustedPrefixesTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/BlockEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/serializer/SerializerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/error/Mark.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/util/ArrayUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/error/YAMLException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/DocumentEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/emitter/Emitter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/MappingEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/util/ArrayStack.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/util/EnumUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/TypeDescription.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/scanner/ScannerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/FlowSequenceStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/nodes/SequenceNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/resolver/Resolver.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/inspector/TagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/constructor/Constructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/scanner/SimpleKey.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/DocumentStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/FlowEntryToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/comments/CommentEventsCollector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/TagToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/Token.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/serializer/NumberAnchorGenerator.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/AnchorToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/error/MissingEnvironmentVariableException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/constructor/BaseConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/StreamEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/composer/Composer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/extensions/compactnotation/CompactData.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/introspector/PropertyUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/nodes/Tag.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/NodeEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/introspector/PropertySubstitute.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/reader/StreamReader.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/internal/Logger.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/MappingStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/scanner/ScannerImpl.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/KeyToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/TagTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/BlockEntryToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/introspector/MissingProperty.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/Event.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/constructor/DuplicateKeyException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-


```
jar/org/yaml/snakeyaml/extensions/compactnotation/CompactConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/comments/CommentType.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/introspector/GenericProperty.java
No license file was found, but licenses were detected in source scan.
```

```
<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
```

```
Found in path(s):
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/META-
INF/maven/org.yaml/snakeyaml/pom.xml
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (c) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/Escaper.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/PercentEscaper.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/UnicodeEscaper.java
No license file was found, but licenses were detected in source scan.
```

```
// This module is multi-licensed and may be used under the terms
// EPL, Eclipse Public License, V1.0 or later, http://www.eclipse.org/legal
// LGPL, GNU Lesser General Public License, V2.1 or later, http://www.gnu.org/licenses/lgpl.html
// GPL, GNU General Public License, V2 or later, http://www.gnu.org/licenses/gpl.html
// AL, Apache License, V2.0 or later, http://www.apache.org/licenses
// BSD, BSD License, http://www.opensource.org/licenses/bsd-license.php
/**
* A Base64 encoder/decoder.
*

```

* <p>
* This class is used to encode and decode data in Base64 format as described in RFC 1521.
*
* <p>
* Project home page: www.
* source-code.biz/base64coder/java

* Author: Christian d'Heureuse, Inventec Informatik AG, Zurich, Switzerland

* Multi-licensed: EPL / LGPL / GPL / AL / BSD.
*/

Found in path(s):

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/external/biz/base64Coder/Base64Coder.java

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.39 commons-logging 1.2

1.39.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2001-2006 The Apache Software Foundation.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
```

jar/org/apache/commons/logging/LogFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2001-2004,2006 The Apache Software Foundation.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-

jar/org/apache/commons/logging/impl/AvalonLogger.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2004 The Apache Software Foundation.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-

jar/org/apache/commons/logging/impl/WeakHashtable.java

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/package.html

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/package.html

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2001-2004 The Apache Software Foundation.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogConfigurationException.java

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Log4JLogger.java

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogFactoryImpl.java

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk13LumberjackLogger.java

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/SimpleLog.java

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk14Logger.java


```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/LogSource.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/LogKitLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/Log.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2005 The Apache Software Foundation.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/ServletContextCleaner.java
```

1.40 Icms 2.12

1.40.1 Available under license :

Little CMS

Copyright (c) 1998-2011 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

THIS LICENSE APPLIES ONLY TO iccjpeg.c file

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2013, Thomas G. Lane, Guido Vollbeding. All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltmain.sh). Another support script, install-sh, is copyright by X Consortium but is also freely distributable.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

1.41 netty-handler-proxy 4.1.91.Final

1.41.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

* /opt/cola/permits/1629578931_1680777684.3678513/0/netty-handler-proxy-4-1-91-final-sources-jar/META-INF/maven/io.netty/netty-handler-proxy/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1629578931_1680777684.3678513/0/netty-handler-proxy-4-1-91-final-sources-
jar/io/netty/handler/proxy/package-info.java
* /opt/cola/permits/1629578931_1680777684.3678513/0/netty-handler-proxy-4-1-91-final-sources-
jar/io/netty/handler/proxy/ProxyConnectException.java
* /opt/cola/permits/1629578931_1680777684.3678513/0/netty-handler-proxy-4-1-91-final-sources-
jar/io/netty/handler/proxy/ProxyHandler.java
* /opt/cola/permits/1629578931_1680777684.3678513/0/netty-handler-proxy-4-1-91-final-sources-
jar/io/netty/handler/proxy/Socks4ProxyHandler.java
* /opt/cola/permits/1629578931_1680777684.3678513/0/netty-handler-proxy-4-1-91-final-sources-
jar/io/netty/handler/proxy/Socks5ProxyHandler.java
* /opt/cola/permits/1629578931_1680777684.3678513/0/netty-handler-proxy-4-1-91-final-sources-
jar/io/netty/handler/proxy/ProxyConnectionEvent.java
* /opt/cola/permits/1629578931_1680777684.3678513/0/netty-handler-proxy-4-1-91-final-sources-
jar/io/netty/handler/proxy/HttpProxyHandler.java
```

1.42 micronaut-http-netty 3.9.2

1.42.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
```

- *
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-jar/io/micronaut/http/netty/reactive/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2022 original authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-jar/io/micronaut/http/netty/AbstractCompositeCustomizer.java

No license file was found, but licenses were detected in source scan.

/*

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-jar/io/micronaut/http/netty/stream/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2020 original authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-jar/io/micronaut/http/netty/channel/converters/EpollChannelOptionFactory.java

* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-jar/io/micronaut/http/netty/stream/DefaultLastHttp2Content.java

* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-jar/io/micronaut/http/netty/stream/DelegateHttpResponse.java

* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-jar/io/micronaut/http/netty/NettyHttpHeaders.java

* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-jar/io/micronaut/http/netty/channel/EpollAvailabilityCondition.java

* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-jar/io/micronaut/http/netty/channel/converters/ChannelOptionFactory.java

* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-jar/io/micronaut/http/netty/content/package-info.java

* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-

jar/io/micronaut/http/netty/websocket/NettyWebSocketSession.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/websocket/WebSocketMessageEncoder.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/graal/HttpNettyFeature.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/content/HttpContentUtil.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/EmptyHttpRequest.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/StreamedHttpMessage.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/ChannelPipelineCustomizer.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/DelegateHttpMessage.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/websocket/NettyServerWebSocketBroadcaster.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/package-info.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/websocket/AbstractNettyWebSocketHandler.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/HttpStreamsServerHandler.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/reactive/CancelledSubscriber.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/DefaultStreamedHttpResponse.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/LastHttp2Content.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/HttpStreamsClientHandler.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/graal/MicronautSubstitutions.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/EventLoopGroupConfiguration.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/Http2Content.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/KQueueEventLoopGroupFactory.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/NettyHttpRequestBuilder.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/converters/DefaultChannelOptionFactory.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/cookies/NettyCookieFactory.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/DefaultWebSocketHttpResponse.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-

jar/io/micronaut/http/netty/websocket/WebSocketSessionRepository.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/configuration/NettyGlobalConfiguration.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/reactive/HandlerPublisher.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/EventLoopGroupFactory.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/JsonSubscriber.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/StreamedHttpRequest.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/DefaultHttp2Content.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/package-info.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/DefaultEventLoopGroupRegistry.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/EpollEventLoopGroupFactory.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/DelegateHttpRequest.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/WebSocketHttpResponse.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/NettyMutableHttpResponse.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/KQueueAvailabilityCondition.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/DelegateStreamedHttpRequest.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/HttpStreamsHandler.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/NettyThreadFactory.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/reactive/HotObservable.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/DefaultStreamedHttpRequest.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/StreamingInboundHttp2ToHttpAdapter.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/cookies/package-info.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/cookies/NettyCookies.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/EmptyHttpResponse.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/NettyHttpParameters.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-

jar/io/micronaut/http/netty/NettyHttpResponseBodyBuilder.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/EventLoopGroupRegistry.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/ChannelPipelineListener.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/StreamedHttpResponse.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/DefaultEventLoopGroupConfiguration.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/websocket/package-info.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/stream/DelegateStreamedHttpResponse.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/reactive/HandlerSubscriber.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/cookies/NettyCookie.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/AbstractNettyHttpRequest.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/NioEventLoopGroupFactory.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/DefaultEventLoopGroupFactory.java
* /opt/cola/permits/1701214186_1685496828.8386283/0/micronaut-http-netty-3-9-2-sources-
jar/io/micronaut/http/netty/channel/converters/KQueueChannelOptionFactory.java

1.43 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

1.44 apache-log4j 2.17.1

1.44.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache license, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the license for the specific language governing permissions and
* limitations under the license.

*/

1.45 micronaut-jackson-core 3.9.2

1.45.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1701214158_1685496827.3399737/0/micronaut-jackson-core-3-9-2-sources-jar/META-  
INF/native-image/io.micronaut/micronaut-jackson-core/native-image.properties
```

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2021 original authors

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1701214158_1685496827.3399737/0/micronaut-jackson-core-3-9-2-sources-jar/io/micronaut/jackson/core/tree/JsonStreamTransfer.java
* /opt/cola/permits/1701214158_1685496827.3399737/0/micronaut-jackson-core-3-9-2-sources-jar/io/micronaut/jackson/core/tree/JsonNodeTraversingParser.java
* /opt/cola/permits/1701214158_1685496827.3399737/0/micronaut-jackson-core-3-9-2-sources-jar/io/micronaut/jackson/core/tree/JsonNodeTreeCodec.java
* /opt/cola/permits/1701214158_1685496827.3399737/0/micronaut-jackson-core-3-9-2-sources-jar/io/micronaut/jackson/core/tree/TreeGenerator.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1701214158_1685496827.3399737/0/micronaut-jackson-core-3-9-2-sources-jar/io/micronaut/jackson/core/env/EnvJsonPropertySourceLoader.java
* /opt/cola/permits/1701214158_1685496827.3399737/0/micronaut-jackson-core-3-9-2-sources-jar/io/micronaut/jackson/core/env/JsonPropertySourceLoader.java
* /opt/cola/permits/1701214158_1685496827.3399737/0/micronaut-jackson-core-3-9-2-sources-jar/io/micronaut/jackson/core/env/CloudFoundryVcapApplicationPropertySourceLoader.java
* /opt/cola/permits/1701214158_1685496827.3399737/0/micronaut-jackson-core-3-9-2-sources-jar/io/micronaut/jackson/core/env/package-info.java
* /opt/cola/permits/1701214158_1685496827.3399737/0/micronaut-jackson-core-3-9-2-sources-jar/io/micronaut/jackson/core/parser/JacksonCoreProcessor.java
* /opt/cola/permits/1701214158_1685496827.3399737/0/micronaut-jackson-core-3-9-2-sources-jar/io/micronaut/jackson/core/env/CloudFoundryVcapServicesPropertySourceLoader.java

1.46 micronaut-jackson-databind 3.9.2

1.46.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/serialize/OptionalValuesSerializer.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/serialize/ConvertibleMultiValuesSerializer.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/databind/convert/JacksonConverterRegistrar.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/codec/JsonMediaTypeCodec.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/serialize/package-info.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/serialize/ResourceSerializerModifier.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/codec/JsonStreamMediaTypeCodec.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/parser/JacksonProcessor.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/serialize/ResourceModule.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/serialize/ResourceDeserializerModifier.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/package-info.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-
jar/io/micronaut/jackson/serialize/ConvertibleValuesSerializer.java
```


* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/codecs/JacksonFeatures.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/modules/BeanIntrospectionModule.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/serialize/JacksonObjectSerializer.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/annotation/package-info.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/annotation/JacksonFeatures.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/databind/convert/package-info.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/modules/package-info.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/codecs/package-info.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/databind/convert/ObjectNodeConvertibleValues.java
* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/env/JsonPropertySourceLoader.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2022 original authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/ResilientBeanDeserializerFactory.java

* /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/JacksonDatabindFeature.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2021 original authors

*

- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <https://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/serialize/JsonNodeDeserializer.java
- * /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/serialize/JsonNodeSerializer.java
- * /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/JacksonConfiguration.java
- * /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/codec/JacksonMediaTypeCodec.java
- * /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/databind/JacksonDatabindMapper.java
- * /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/ObjectMapperFactory.java
- * /opt/cola/permits/1701214188_1685496845.0529134/0/micronaut-jackson-databind-3-9-2-sources-jar/io/micronaut/jackson/databind/DatabindPropertyBinderExceptionHandler.java

1.47 jakarta-inject-api 2.0.1

1.47.1 Available under license :

Notices for Eclipse Jakarta Dependency Injection

This content is produced and maintained by the Eclipse Jakarta Dependency Injection project.

* Project home: <https://projects.eclipse.org/projects/cdi.batch>

Trademarks

Jakarta Dependency Injection is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Apache License, Version 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

SPDX-License-Identifier: Apache-2.0

Source Code

The project maintains the following source code repositories:

<https://github.com/eclipse-ee4j/injection-api>
<https://github.com/eclipse-ee4j/injection-spec>
<https://github.com/eclipse-ee4j/injection-tck>

Third-party Content

This project leverages the following third party content.

None

Cryptography

None

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.48 jctools-core 3.3.0

1.48.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/META-

INF/maven/org.jctools/jctools-core/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/AtomicQueueFactory.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/ConcurrentCircularArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/spec/Preference.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/package-info.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/spec/Ordering.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/IndexedQueueSizeUtil.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpSCChunkedAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MPMCUnboundedXaddChunk.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/RangeUtil.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/PaddedAtomicLong.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/QueueFactory.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/LinkedQueueNode.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-

jar/org/jctools/queues/atomic/MpscAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MpscUnboundedXaddArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MessagePassingQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MpscBlockingConsumerArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MpscLinkedQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MpscChunkedArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/SpSCArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/util/UnsafeRefArrayAccess.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/maps/AbstractEntry.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/maps/NonBlockingSetInt.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/SpMCArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/BaseSpSCLinkedArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/BaseLinkedQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/maps/NonBlockingHashSet.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/util/UnsafeJvmInfo.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MessagePassingQueueUtil.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MpscCompoundQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/maps/NonBlockingIdentityHashMap.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-

jar/org/jctools/queues/MpscUnboundedXaddChunk.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/maps/ConcurrentAutoTable.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/LinkedQueueAtomicNode.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/SpSCLinkedAtomicQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/SpSCLinkedQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MpscGrowArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/spec/ConcurrentQueueSpec.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/UnsafeAccess.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MpscUnboundedArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MpmcArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/SupportsIterator.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MpscArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/SpSCChunkedArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/util/UnsafeLongArrayAccess.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/BaseSpSCLinkedAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/SpSCUnboundedArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/InternalAPI.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/maps/NonBlockingHashMap.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/MpscGrowArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/SpSCGrowArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/SpSCGrowArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/util/PortableJvmInfo.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-

```
jar/org/jctools/queues/BaseMpscLinkedListArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/maps/NonBlockingHashMapLong.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/Pow2.java
```

1.49 ca-certificates 20230506-r0

1.49.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
#
# This Source Code Form is subject to the terms of the Mozilla Public
# License, v. 2.0. If a copy of the MPL was not distributed with this
# file, You can obtain one at http://mozilla.org/MPL/2.0/.
#
# certdata.txt
#
# This file contains the object definitions for the certs and other
# information "built into" NSS.
#
# Object definitions:
#
# Certificates
#
# -- Attribute --      -- type --      -- value --
# CKA_CLASS            CK_OBJECT_CLASS   CKO_CERTIFICATE
# CKA_TOKEN            CK_BBOOL         CK_TRUE
# CKA_PRIVATE          CK_BBOOL         CK_FALSE
# CKA_MODIFIABLE       CK_BBOOL         CK_FALSE
# CKA_LABEL            UTF8             (varies)
# CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
# CKA_SUBJECT          DER+base64      (varies)
# CKA_ID               byte array     (varies)
# CKA_ISSUER           DER+base64      (varies)
# CKA_SERIAL_NUMBER    DER+base64      (varies)
# CKA_VALUE            DER+base64      (varies)
# CKA_NSS_EMAIL        ASCII7         (unused here)
# CKA_NSS_SERVER_DISTRUST_AFTER DER+base64      (varies)
# CKA_NSS_EMAIL_DISTRUST_AFTER DER+base64      (varies)
#
# Trust
#
# -- Attribute --      -- type --      -- value --
# CKA_CLASS            CK_OBJECT_CLASS   CKO_TRUST
```

```

# CKA_TOKEN          CK_BBOOL      CK_TRUE
# CKA_PRIVATE        CK_BBOOL      CK_FALSE
# CKA_MODIFIABLE     CK_BBOOL      CK_FALSE
# CKA_LABEL          UTF8          (varies)
# CKA_ISSUER         DER+base64    (varies)
# CKA_SERIAL_NUMBER  DER+base64    (varies)
# CKA_CERT_HASH      binary+base64 (varies)
# CKA_EXPIRES        CK_DATE       (not used here)
# CKA_TRUST_DIGITAL_SIGNATURE CK_TRUST      (varies)
# CKA_TRUST_NON_REPUDIATION CK_TRUST      (varies)
# CKA_TRUST_KEY_ENCIPHERMENT CK_TRUST      (varies)
# CKA_TRUST_DATA_ENCIPHERMENT CK_TRUST      (varies)
# CKA_TRUST_KEY_AGREEMENT CK_TRUST      (varies)
# CKA_TRUST_KEY_CERT_SIGN CK_TRUST      (varies)
# CKA_TRUST_CRL_SIGN CK_TRUST      (varies)
# CKA_TRUST_SERVER_AUTH CK_TRUST      (varies)
# CKA_TRUST_CLIENT_AUTH CK_TRUST      (varies)
# CKA_TRUST_CODE_SIGNING CK_TRUST      (varies)
# CKA_TRUST_EMAIL_PROTECTION CK_TRUST      (varies)
# CKA_TRUST_IPSEC_END_SYSTEM CK_TRUST      (varies)
# CKA_TRUST_IPSEC_TUNNEL CK_TRUST      (varies)
# CKA_TRUST_IPSEC_USER CK_TRUST      (varies)
# CKA_TRUST_TIME_STAMPING CK_TRUST      (varies)
# CKA_TRUST_STEP_UP_APPROVED CK_BBOOL      (varies)
# (other trust attributes can be defined)
#

```

```
#
```

```
# The object to tell NSS that this is a root list and we don't
# have to go looking for others.
```

```
#
```

```
BEGINDATA
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_BUILTIN_ROOT_LIST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Mozilla Builtin Roots"
```

```
#
```

```
# Certificate "GlobalSign Root CA"
```

```
#
```

```
# Issuer: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE
```

```
# Serial Number:04:00:00:00:00:01:15:4b:5a:c3:94
```

```
# Subject: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE
```

```
# Not Valid Before: Tue Sep 01 12:00:00 1998
```

```
# Not Valid After : Fri Jan 28 12:00:00 2028
```

```
# Fingerprint (SHA-256):
```

```
EB:D4:10:40:E4:BB:3E:C7:42:C9:E3:81:D3:1E:F2:A4:1A:48:B6:68:5C:96:E7:CE:F3:C1:DF:6C:D4:33:1C:99
```

Fingerprint (SHA1): B1:BC:96:8B:D4:F4:9D:62:2A:A8:9A:81:F2:15:01:52:A4:1D:82:9C

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\127\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\020\060\016\006\003
\125\004\013\023\007\122\157\157\164\040\103\101\061\033\060\031
\006\003\125\004\003\023\022\107\154\157\142\141\154\123\151\147
\156\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\127\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\020\060\016\006\003
\125\004\013\023\007\122\157\157\164\040\103\101\061\033\060\031
\006\003\125\004\003\023\022\107\154\157\142\141\154\123\151\147
\156\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\004\000\000\000\000\001\025\113\132\303\224
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\165\060\202\002\135\240\003\002\001\002\002\013\004
\000\000\000\000\001\025\113\132\303\224\060\015\006\011\052\206
\110\206\367\015\001\001\005\005\000\060\127\061\013\060\011\006
\003\125\004\006\023\002\102\105\061\031\060\027\006\003\125\004
\012\023\020\107\154\157\142\141\154\123\151\147\156\040\156\166
\055\163\141\061\020\060\016\006\003\125\004\013\023\007\122\157
\157\164\040\103\101\061\033\060\031\006\003\125\004\003\023\022
\107\154\157\142\141\154\123\151\147\156\040\122\157\157\164\040
\103\101\060\036\027\015\071\070\060\071\060\061\061\062\060\060
\060\060\132\027\015\062\070\060\061\062\070\061\062\060\060\060
\060\132\060\127\061\013\060\011\006\003\125\004\006\023\002\102
\105\061\031\060\027\006\003\125\004\012\023\020\107\154\157\142
\141\154\123\151\147\156\040\156\166\055\163\141\061\020\060\016
\006\003\125\004\013\023\007\122\157\157\164\040\103\101\061\033
\060\031\006\003\125\004\003\023\022\107\154\157\142\141\154\123
\151\147\156\040\122\157\157\164\040\103\101\060\202\001\042\060
\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202
\001\017\000\060\202\001\012\002\202\001\001\000\332\016\346\231
\215\316\243\343\117\212\176\373\361\213\203\045\153\352\110\037
\361\052\260\271\225\021\004\275\360\143\321\342\147\146\317\034
```

\335\317\033\110\053\356\215\211\216\232\257\051\200\145\253\351
\307\055\022\313\253\034\114\160\007\241\075\012\060\315\025\215
\117\370\335\324\214\120\025\034\357\120\356\304\056\367\374\351
\122\362\221\175\340\155\325\065\060\216\136\103\163\362\101\351
\325\152\343\262\211\072\126\071\070\157\006\074\210\151\133\052
\115\305\247\124\270\154\211\314\233\371\074\312\345\375\211\365
\022\074\222\170\226\326\334\164\156\223\104\141\321\215\307\106
\262\165\016\206\350\031\212\325\155\154\325\170\026\225\242\351
\310\012\070\353\362\044\023\117\163\124\223\023\205\072\033\274
\036\064\265\213\005\214\271\167\213\261\333\037\040\221\253\011
\123\156\220\316\173\067\164\271\160\107\221\042\121\143\026\171
\256\261\256\101\046\010\310\031\053\321\106\252\110\326\144\052
\327\203\064\377\054\052\301\154\031\103\112\007\205\347\323\174
\366\041\150\357\352\362\122\237\177\223\220\317\002\003\001\000
\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004
\024\140\173\146\032\105\015\227\312\211\120\057\175\004\315\064
\250\377\374\375\113\060\015\006\011\052\206\110\206\367\015\001
\001\005\005\000\003\202\001\001\000\326\163\347\174\117\166\320
\215\277\354\272\242\276\064\305\050\062\265\174\374\154\234\054
\053\275\011\236\123\277\153\136\252\021\110\266\345\010\243\263
\312\075\141\115\323\106\011\263\076\303\240\343\143\125\033\362
\272\357\255\071\341\103\271\070\243\346\057\212\046\073\357\240
\120\126\371\306\012\375\070\315\304\013\160\121\224\227\230\004
\337\303\137\224\325\025\311\024\101\234\304\135\165\144\025\015
\377\125\060\354\206\217\377\015\357\054\271\143\106\366\252\374
\337\274\151\375\056\022\110\144\232\340\225\360\246\357\051\217
\001\261\025\265\014\035\245\376\151\054\151\044\170\036\263\247
\034\161\142\356\312\310\227\254\027\135\212\302\370\107\206\156
\052\304\126\061\225\320\147\211\205\053\371\154\246\135\106\235
\014\252\202\344\231\121\335\160\267\333\126\075\141\344\152\341
\134\326\366\376\075\336\101\314\007\256\143\122\277\123\123\364
\053\351\307\375\266\367\202\137\205\322\101\030\333\201\263\004
\034\305\037\244\200\157\025\040\311\336\014\210\012\035\326\146
\125\342\374\110\311\051\046\151\340

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "GlobalSign Root CA"
Issuer: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE
Serial Number:04:00:00:00:01:15:4b:5a:c3:94
Subject: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE
Not Valid Before: Tue Sep 01 12:00:00 1998
Not Valid After : Fri Jan 28 12:00:00 2028
Fingerprint (SHA-256):

```

EB:D4:10:40:E4:BB:3E:C7:42:C9:E3:81:D3:1E:F2:A4:1A:48:B6:68:5C:96:E7:CE:F3:C1:DF:6C:D4:33:1C:99
# Fingerprint (SHA1): B1:BC:96:8B:D4:F4:9D:62:2A:A8:9A:81:F2:15:01:52:A4:1D:82:9C
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\261\274\226\213\324\364\235\142\052\250\232\201\362\025\001\122
\244\035\202\234
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\076\105\122\025\011\121\222\341\267\135\067\237\261\207\051\212
END
CKA_ISSUER MULTILINE_OCTAL
\060\127\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\020\060\016\006\003
\125\004\013\023\007\122\157\157\164\040\103\101\061\033\060\031
\006\003\125\004\003\023\022\107\154\157\142\141\154\123\151\147
\156\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\004\000\000\000\000\001\025\113\132\303\224
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Verisign Class 1 Public Primary Certification Authority - G3"
#
# Issuer: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
# Serial Number:00:8b:5b:75:56:84:54:85:0b:00:cf:af:38:48:ce:b1:a4
# Subject: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
# Not Valid Before: Fri Oct 01 00:00:00 1999
# Not Valid After : Wed Jul 16 23:59:59 2036
# Fingerprint (SHA-256):
CB:B5:AF:18:5E:94:2A:24:02:F9:EA:CB:C0:ED:5B:B8:76:EE:A3:C1:22:36:23:D0:04:47:E4:F3:BA:55:4B:65
# Fingerprint (SHA1): 20:42:85:DC:F7:EB:76:41:95:57:8E:13:6B:D4:B7:D1:E9:8E:46:A5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Verisign Class 1 Public Primary Certification Authority - G3"

```

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\061\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\061\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\021\000\213\133\165\126\204\124\205\013\000\317\257\070\110
\316\261\244

END

CKA_VALUE MULTILINE_OCTAL

\060\202\004\032\060\202\003\002\002\021\000\213\133\165\126\204
\124\205\013\000\317\257\070\110\316\261\244\060\015\006\011\052
\206\110\206\367\015\001\001\005\005\000\060\201\312\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003
\125\004\012\023\016\126\145\162\151\123\151\147\156\054\040\111
\156\143\056\061\037\060\035\006\003\125\004\013\023\026\126\145
\162\151\123\151\147\156\040\124\162\165\163\164\040\116\145\164
\167\157\162\153\061\072\060\070\006\003\125\004\013\023\061\050
\143\051\040\061\071\071\071\040\126\145\162\151\123\151\147\156
\054\040\111\156\143\056\040\055\040\106\157\162\040\141\165\164
\150\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171

\061\105\060\103\006\003\125\004\003\023\074\126\145\162\151\123
\151\147\156\040\103\154\141\163\163\040\061\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\063\060\036\027\015\071\071\061\060\060
\061\060\060\060\060\060\060\132\027\015\063\066\060\067\061\066
\062\063\065\071\065\071\132\060\201\312\061\013\060\011\006\003
\125\004\006\023\002\125\123\061\027\060\025\006\003\125\004\012
\023\016\126\145\162\151\123\151\147\156\054\040\111\156\143\056
\061\037\060\035\006\003\125\004\013\023\026\126\145\162\151\123
\151\147\156\040\124\162\165\163\164\040\116\145\164\167\157\162
\153\061\072\060\070\006\003\125\004\013\023\061\050\143\051\040
\061\071\071\071\040\126\145\162\151\123\151\147\156\054\040\111
\156\143\056\040\055\040\106\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\105\060
\103\006\003\125\004\003\023\074\126\145\162\151\123\151\147\156
\040\103\154\141\163\163\040\061\040\120\165\142\154\151\143\040
\120\162\151\155\141\162\171\040\103\145\162\164\151\146\151\143
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040
\055\040\107\063\060\202\001\042\060\015\006\011\052\206\110\206
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012
\002\202\001\001\000\335\204\324\271\264\371\247\330\363\004\170
\234\336\075\334\154\023\026\331\172\335\044\121\146\300\307\046
\131\015\254\006\010\302\224\321\063\037\360\203\065\037\156\033
\310\336\252\156\025\116\124\047\357\304\155\032\354\013\343\016
\360\104\245\127\307\100\130\036\243\107\037\161\354\140\366\155
\224\310\030\071\355\376\102\030\126\337\344\114\111\020\170\116
\001\166\065\143\022\066\335\146\274\001\004\066\243\125\150\325
\242\066\011\254\253\041\046\124\006\255\077\312\024\340\254\312
\255\006\035\225\342\370\235\361\340\140\377\302\177\165\053\114
\314\332\376\207\231\041\352\272\376\076\124\327\322\131\170\333
\074\156\317\240\023\000\032\270\047\241\344\276\147\226\312\240
\305\263\234\335\311\165\236\353\060\232\137\243\315\331\256\170
\031\077\043\351\134\333\051\275\255\125\310\033\124\214\143\366
\350\246\352\307\067\022\134\243\051\036\002\331\333\037\073\264
\327\017\126\107\201\025\004\112\257\203\047\321\305\130\210\301
\335\366\252\247\243\030\332\150\252\155\021\121\341\277\145\153
\237\226\166\321\075\002\003\001\000\001\060\015\006\011\052\206
\110\206\367\015\001\001\005\005\000\003\202\001\001\000\253\146
\215\327\263\272\307\232\266\346\125\320\005\361\237\061\215\132
\252\331\252\106\046\017\161\355\245\255\123\126\142\001\107\052
\104\351\376\077\164\013\023\233\271\364\115\033\262\321\137\262
\266\322\210\134\263\237\315\313\324\247\331\140\225\204\072\370
\301\067\035\141\312\347\260\305\345\221\332\124\246\254\061\201
\256\227\336\315\010\254\270\300\227\200\177\156\162\244\347\151
\023\225\145\037\304\223\074\375\171\217\004\324\076\117\352\367
\236\316\315\147\174\117\145\002\377\221\205\124\163\307\377\066
\367\206\055\354\320\136\117\377\021\237\162\006\326\270\032\361

```
\114\015\046\145\342\104\200\036\307\237\343\335\350\012\332\354
\245\040\200\151\150\241\117\176\341\153\317\007\101\372\203\216
\274\070\335\260\056\021\261\153\262\102\314\232\274\371\110\042
\171\112\031\017\262\034\076\040\164\331\152\303\276\362\050\170
\023\126\171\117\155\120\352\033\260\265\127\261\067\146\130\043
\363\334\017\337\012\207\304\357\206\005\325\070\024\140\231\243
\113\336\006\226\161\054\362\333\266\037\244\357\077\356
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# For Email Distrust After: Wed Aug 31 00:00:00 2022
```

```
CKA_NSS_EMAIL_DISTRICT_AFTER MULTILINE_OCTAL
```

```
\062\062\060\070\063\061\060\060\060\060\060\060\132
```

END

```
# Trust for "Verisign Class 1 Public Primary Certification Authority - G3"
```

```
# Issuer: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
```

```
# Serial Number:00:8b:5b:75:56:84:54:85:0b:00:cf:af:38:48:ce:b1:a4
```

```
# Subject: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
```

```
# Not Valid Before: Fri Oct 01 00:00:00 1999
```

```
# Not Valid After : Wed Jul 16 23:59:59 2036
```

```
# Fingerprint (SHA-256):
```

```
CB:B5:AF:18:5E:94:2A:24:02:F9:EA:CB:C0:ED:5B:B8:76:EE:A3:C1:22:36:23:D0:04:47:E4:F3:BA:55:4B:65
```

```
# Fingerprint (SHA1): 20:42:85:DC:F7:EB:76:41:95:57:8E:13:6B:D4:B7:D1:E9:8E:46:A5
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Verisign Class 1 Public Primary Certification Authority - G3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\040\102\205\334\367\353\166\101\225\127\216\023\153\324\267\321
\351\216\106\245
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\261\107\274\030\127\321\030\240\170\055\354\161\350\052\225\163
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
```

```
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\061\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\021\000\213\133\165\126\204\124\205\013\000\317\257\070\110
\316\261\244
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "Verisign Class 2 Public Primary Certification Authority - G3"

#

Issuer: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US

Serial Number:61:70:cb:49:8c:5f:98:45:29:e7:b0:a6:d9:50:5b:7a

Subject: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US

Not Valid Before: Fri Oct 01 00:00:00 1999

Not Valid After : Wed Jul 16 23:59:59 2036

Fingerprint (SHA-256):

92:A9:D9:83:3F:E1:94:4D:B3:66:E8:BF:AE:7A:95:B6:48:0C:2D:6C:6C:2A:1B:E6:5D:42:36:B6:08:FC:A1:BB

Fingerprint (SHA1): 61:EF:43:D7:7F:CA:D4:61:51:BC:98:E0:C3:59:12:AF:9F:EB:63:11

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Verisign Class 2 Public Primary Certification Authority - G3"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\062\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\062\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\141\160\313\111\214\137\230\105\051\347\260\246\331\120
\133\172

END

CKA_VALUE MULTILINE_OCTAL

\060\202\004\031\060\202\003\001\002\020\141\160\313\111\214\137
\230\105\051\347\260\246\331\120\133\172\060\015\006\011\052\206
\110\206\367\015\001\001\005\005\000\060\201\312\061\013\060\011
\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003\125
\004\012\023\016\126\145\162\151\123\151\147\156\054\040\111\156
\143\056\061\037\060\035\006\003\125\004\013\023\026\126\145\162
\151\123\151\147\156\040\124\162\165\163\164\040\116\145\164\167
\157\162\153\061\072\060\070\006\003\125\004\013\023\061\050\143
\051\040\061\071\071\071\040\126\145\162\151\123\151\147\156\054
\040\111\156\143\056\040\055\040\106\157\162\040\141\165\164\150
\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171\061
\105\060\103\006\003\125\004\003\023\074\126\145\162\151\123\151
\147\156\040\103\154\141\163\163\040\062\040\120\165\142\154\151
\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\040\055\040\107\063\060\036\027\015\071\071\061\060\060\061
\060\060\060\060\060\060\132\027\015\063\066\060\067\061\066\062
\063\065\071\065\071\132\060\201\312\061\013\060\011\006\003\125
\004\006\023\002\125\123\061\027\060\025\006\003\125\004\012\023
\016\126\145\162\151\123\151\147\156\054\040\111\156\143\056\061
\037\060\035\006\003\125\004\013\023\026\126\145\162\151\123\151
\147\156\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\072\060\070\006\003\125\004\013\023\061\050\143\051\040\061
\071\071\071\040\126\145\162\151\123\151\147\156\054\040\111\156
\143\056\040\055\040\106\157\162\040\141\165\164\150\157\162\151
\172\145\144\040\165\163\145\040\157\156\154\171\061\105\060\103
\006\003\125\004\003\023\074\126\145\162\151\123\151\147\156\040

\103\154\141\163\163\040\062\040\120\165\142\154\151\143\040\120
\162\151\155\141\162\171\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\055
\040\107\063\060\202\001\042\060\015\006\011\052\206\110\206\367
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002
\202\001\001\000\257\012\015\302\325\054\333\147\271\055\345\224
\047\335\245\276\340\260\115\217\263\141\126\074\326\174\303\364
\315\076\206\313\242\210\342\341\330\244\151\305\265\342\277\301
\246\107\120\136\106\071\213\325\226\272\265\157\024\277\020\316
\047\023\236\005\107\233\061\172\023\330\037\331\323\002\067\213
\255\054\107\360\216\201\006\247\015\060\014\353\367\074\017\040
\035\334\162\106\356\245\002\310\133\303\311\126\151\114\305\030
\301\221\173\013\325\023\000\233\274\357\303\110\076\106\140\040
\205\052\325\220\266\315\213\240\314\062\335\267\375\100\125\262
\120\034\126\256\314\215\167\115\307\040\115\247\061\166\357\150
\222\212\220\036\010\201\126\262\255\151\243\122\320\313\034\304
\043\075\037\231\376\114\350\026\143\216\306\010\216\366\061\366
\322\372\345\166\335\265\034\222\243\111\315\315\001\315\150\315
\251\151\272\243\353\035\015\234\244\040\246\301\240\305\321\106
\114\027\155\322\254\146\077\226\214\340\204\324\066\377\042\131
\305\371\021\140\250\137\004\175\362\032\366\045\102\141\017\304
\112\270\076\211\002\003\001\000\001\060\015\006\011\052\206\110
\206\367\015\001\001\005\005\000\003\202\001\001\000\064\046\025
\074\300\215\115\103\111\035\275\351\041\222\327\146\234\267\336
\305\270\320\344\135\137\166\042\300\046\371\204\072\072\371\214
\265\373\354\140\361\350\316\004\260\310\335\247\003\217\060\363
\230\337\244\346\244\061\337\323\034\013\106\334\162\040\077\256
\356\005\074\244\063\077\013\071\254\160\170\163\113\231\053\337
\060\302\124\260\250\073\125\241\376\026\050\315\102\275\164\156
\200\333\047\104\247\316\104\135\324\033\220\230\015\036\102\224
\261\000\054\004\320\164\243\002\005\042\143\143\315\203\265\373
\301\155\142\153\151\165\375\135\160\101\271\365\277\174\337\276
\301\062\163\042\041\213\130\201\173\025\221\172\272\343\144\110
\260\177\373\066\045\332\225\320\361\044\024\027\335\030\200\153
\106\043\071\124\365\216\142\011\004\035\224\220\246\233\346\045
\342\102\105\252\270\220\255\276\010\217\251\013\102\030\224\317
\162\071\341\261\103\340\050\317\267\347\132\154\023\153\111\263
\377\343\030\174\211\213\063\135\254\063\327\247\371\332\072\125
\311\130\020\371\252\357\132\266\317\113\113\337\052

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

For Email Distrust After: Wed Aug 31 00:00:00 2022

CKA_NSS_EMAIL_DISTRICT_AFTER MULTILINE_OCTAL

\062\062\060\070\063\061\060\060\060\060\060\060\132

END

Trust for "Verisign Class 2 Public Primary Certification Authority - G3"

```

# Issuer: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
# Serial Number:61:70:cb:49:8c:5f:98:45:29:e7:b0:a6:d9:50:5b:7a
# Subject: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
# Not Valid Before: Fri Oct 01 00:00:00 1999
# Not Valid After : Wed Jul 16 23:59:59 2036
# Fingerprint (SHA-256):
92:A9:D9:83:3F:E1:94:4D:B3:66:E8:BF:AE:7A:95:B6:48:0C:2D:6C:6C:2A:1B:E6:5D:42:36:B6:08:FC:A1:BB
# Fingerprint (SHA1): 61:EF:43:D7:7F:CA:D4:61:51:BC:98:E0:C3:59:12:AF:9F:EB:63:11
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Verisign Class 2 Public Primary Certification Authority - G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\141\357\103\327\177\312\324\141\121\274\230\340\303\131\022\257
\237\353\143\021
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\370\276\304\143\042\311\250\106\164\213\270\035\036\112\053\366
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\062\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\141\160\313\111\214\137\230\105\051\347\260\246\331\120
\133\172
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Entrust.net Premium 2048 Secure Server CA"

```

```

#
# Issuer: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net
Limited,OU=www.entrust.net/CPS_2048 incorp. by ref. (limits liab.),O=Entrust.net
# Serial Number: 946069240 (0x3863def8)
# Subject: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net
Limited,OU=www.entrust.net/CPS_2048 incorp. by ref. (limits liab.),O=Entrust.net
# Not Valid Before: Fri Dec 24 17:50:51 1999
# Not Valid After : Tue Jul 24 14:15:12 2029
# Fingerprint (SHA-256):
6D:C4:71:72:E0:1C:BC:B0:BF:62:58:0D:89:5F:E2:B8:AC:9A:D4:F8:73:80:1E:0C:10:B9:C8:37:D2:1E:B1:77
# Fingerprint (SHA1): 50:30:06:09:1D:97:D4:F5:AE:39:F7:CB:E7:92:7D:7D:65:2D:34:31
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust.net Premium 2048 Secure Server CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\264\061\024\060\022\006\003\125\004\012\023\013\105\156
\164\162\165\163\164\056\156\145\164\061\100\060\076\006\003\125
\004\013\024\067\167\167\167\056\145\156\164\162\165\163\164\056
\156\145\164\057\103\120\123\137\062\060\064\070\040\151\156\143
\157\162\160\056\040\142\171\040\162\145\146\056\040\050\154\151
\155\151\164\163\040\154\151\141\142\056\051\061\045\060\043\006
\003\125\004\013\023\034\050\143\051\040\061\071\071\071\040\105
\156\164\162\165\163\164\056\156\145\164\040\114\151\155\151\164
\145\144\061\063\060\061\006\003\125\004\003\023\052\105\156\164
\162\165\163\164\056\156\145\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\050\062\060\064\070\051
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\264\061\024\060\022\006\003\125\004\012\023\013\105\156
\164\162\165\163\164\056\156\145\164\061\100\060\076\006\003\125
\004\013\024\067\167\167\167\056\145\156\164\162\165\163\164\056
\156\145\164\057\103\120\123\137\062\060\064\070\040\151\156\143
\157\162\160\056\040\142\171\040\162\145\146\056\040\050\154\151
\155\151\164\163\040\154\151\141\142\056\051\061\045\060\043\006
\003\125\004\013\023\034\050\143\051\040\061\071\071\071\040\105
\156\164\162\165\163\164\056\156\145\164\040\114\151\155\151\164
\145\144\061\063\060\061\006\003\125\004\003\023\052\105\156\164
\162\165\163\164\056\156\145\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\050\062\060\064\070\051
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\070\143\336\370

```

END

CKA_VALUE MULTILINE_OCTAL

\060\202\004\052\060\202\003\022\240\003\002\001\002\002\004\070
\143\336\370\060\015\006\011\052\206\110\206\367\015\001\001\005
\005\000\060\201\264\061\024\060\022\006\003\125\004\012\023\013
\105\156\164\162\165\163\164\056\156\145\164\061\100\060\076\006
\003\125\004\013\024\067\167\167\167\056\145\156\164\162\165\163
\164\056\156\145\164\057\103\120\123\137\062\060\064\070\040\151
\156\143\157\162\160\056\040\142\171\040\162\145\146\056\040\050
\154\151\155\151\164\163\040\154\151\141\142\056\051\061\045\060
\043\006\003\125\004\013\023\034\050\143\051\040\061\071\071\071
\040\105\156\164\162\165\163\164\056\156\145\164\040\114\151\155
\151\164\145\144\061\063\060\061\006\003\125\004\003\023\052\105
\156\164\162\165\163\164\056\156\145\164\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\050\062\060\064\070\051\060\036\027\015\071\071\061
\062\062\064\061\067\065\060\065\061\132\027\015\062\071\060\067
\062\064\061\064\061\065\061\062\132\060\201\264\061\024\060\022
\006\003\125\004\012\023\013\105\156\164\162\165\163\164\056\156
\145\164\061\100\060\076\006\003\125\004\013\024\067\167\167\167
\056\145\156\164\162\165\163\164\056\156\145\164\057\103\120\123
\137\062\060\064\070\040\151\156\143\157\162\160\056\040\142\171
\040\162\145\146\056\040\050\154\151\155\151\164\163\040\154\151
\141\142\056\051\061\045\060\043\006\003\125\004\013\023\034\050
\143\051\040\061\071\071\071\040\105\156\164\162\165\163\164\056
\156\145\164\040\114\151\155\151\164\145\144\061\063\060\061\006
\003\125\004\003\023\052\105\156\164\162\165\163\164\056\156\145
\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040
\101\165\164\150\157\162\151\164\171\040\050\062\060\064\070\051
\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001\001
\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001\001
\000\255\115\113\251\022\206\262\352\243\040\007\025\026\144\052
\053\113\321\277\013\112\115\216\355\200\166\245\147\267\170\100
\300\163\102\310\150\300\333\123\053\335\136\270\166\230\065\223
\213\032\235\174\023\072\016\037\133\267\036\317\345\044\024\036
\261\201\251\215\175\270\314\153\113\003\361\002\014\334\253\245
\100\044\000\177\164\224\241\235\010\051\263\210\013\365\207\167
\235\125\315\344\303\176\327\152\144\253\205\024\206\225\133\227
\062\120\157\075\310\272\146\014\343\374\275\270\111\301\166\211
\111\031\375\300\250\275\211\243\147\057\306\237\274\161\031\140
\270\055\351\054\311\220\166\146\173\224\342\257\170\326\145\123
\135\074\326\234\262\317\051\003\371\057\244\120\262\324\110\316
\005\062\125\212\375\262\144\114\016\344\230\007\165\333\177\337
\271\010\125\140\205\060\051\371\173\110\244\151\206\343\065\077
\036\206\135\172\172\025\275\357\000\216\025\042\124\027\000\220
\046\223\274\016\111\150\221\277\370\107\323\235\225\102\301\016
\115\337\157\046\317\303\030\041\142\146\103\160\326\325\300\007
\341\002\003\001\000\001\243\102\060\100\060\016\006\003\125\035


```
\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125\035
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125
\035\016\004\026\004\024\125\344\201\321\021\200\276\330\211\271
\010\243\061\371\241\044\011\026\271\160\060\015\006\011\052\206
\110\206\367\015\001\001\005\005\000\003\202\001\001\000\073\233
\217\126\233\060\347\123\231\174\172\171\247\115\227\327\031\225
\220\373\006\037\312\063\174\106\143\217\226\146\044\372\100\033
\041\047\312\346\162\163\362\117\376\061\231\375\310\014\114\150
\123\306\200\202\023\230\372\266\255\332\135\075\361\316\156\366
\025\021\224\202\014\356\077\225\257\021\253\017\327\057\336\037
\003\217\127\054\036\311\273\232\032\104\225\353\030\117\246\037
\315\175\127\020\057\233\004\011\132\204\265\156\330\035\072\341
\326\236\321\154\171\136\171\034\024\305\343\320\114\223\073\145
\074\355\337\075\276\246\345\225\032\303\265\031\303\275\136\133
\273\377\043\357\150\031\313\022\223\047\134\003\055\157\060\320
\036\266\032\254\336\132\367\321\252\250\047\246\376\171\201\304
\171\231\063\127\272\022\260\251\340\102\154\223\312\126\336\376
\155\204\013\010\213\176\215\352\327\230\041\306\363\347\074\171
\057\136\234\321\114\025\215\341\354\042\067\314\232\103\013\227
\334\200\220\215\263\147\233\157\110\010\025\126\317\277\361\053
\174\136\232\166\351\131\220\305\174\203\065\021\145\121
```

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Entrust.net Premium 2048 Secure Server CA"

Issuer: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net
Limited,OU=www.entrust.net/CPS_2048 incorp. by ref. (limits liab.),O=Entrust.net
Serial Number: 946069240 (0x3863def8)

Subject: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net
Limited,OU=www.entrust.net/CPS_2048 incorp. by ref. (limits liab.),O=Entrust.net

Not Valid Before: Fri Dec 24 17:50:51 1999

Not Valid After : Tue Jul 24 14:15:12 2029

Fingerprint (SHA-256):

6D:C4:71:72:E0:1C:BC:B0:BF:62:58:0D:89:5F:E2:B8:AC:9A:D4:F8:73:80:1E:0C:10:B9:C8:37:D2:1E:B1:77

Fingerprint (SHA1): 50:30:06:09:1D:97:D4:F5:AE:39:F7:CB:E7:92:7D:7D:65:2D:34:31

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Entrust.net Premium 2048 Secure Server CA"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

```
\120\060\006\011\035\227\324\365\256\071\367\313\347\222\175\175
\145\055\064\061
```

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

```
\356\051\061\274\062\176\232\346\350\265\367\121\264\064\161\220
```

END

CKA_ISSUER MULTILINE_OCTAL

\060\201\264\061\024\060\022\006\003\125\004\012\023\013\105\156
\164\162\165\163\164\056\156\145\164\061\100\060\076\006\003\125
\004\013\024\067\167\167\167\056\145\156\164\162\165\163\164\056
\156\145\164\057\103\120\123\137\062\060\064\070\040\151\156\143
\157\162\160\056\040\142\171\040\162\145\146\056\040\050\154\151
\155\151\164\163\040\154\151\141\142\056\051\061\045\060\043\006
\003\125\004\013\023\034\050\143\051\040\061\071\071\071\040\105
\156\164\162\165\163\164\056\156\145\164\040\114\151\155\151\164
\145\144\061\063\060\061\006\003\125\004\003\023\052\105\156\164
\162\165\163\164\056\156\145\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\050\062\060\064\070\051

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\004\070\143\336\370

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "Baltimore CyberTrust Root"

#

Issuer: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE

Serial Number: 33554617 (0x20000b9)

Subject: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE

Not Valid Before: Fri May 12 18:46:00 2000

Not Valid After : Mon May 12 23:59:00 2025

Fingerprint (SHA-256):

16:AF:57:A9:F6:76:B0:AB:12:60:95:AA:5E:BA:DE:F2:2A:B3:11:19:D6:44:AC:95:CD:4B:93:DB:F3:F2:6A:EB

Fingerprint (SHA1): D4:DE:20:D0:5E:66:FC:53:FE:1A:50:88:2C:78:DB:28:52:CA:E4:74

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Baltimore CyberTrust Root"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\132\061\013\060\011\006\003\125\004\006\023\002\111\105\061
\022\060\020\006\003\125\004\012\023\011\102\141\154\164\151\155
\157\162\145\061\023\060\021\006\003\125\004\013\023\012\103\171
\142\145\162\124\162\165\163\164\061\042\060\040\006\003\125\004
\003\023\031\102\141\154\164\151\155\157\162\145\040\103\171\142
\145\162\124\162\165\163\164\040\122\157\157\164

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\132\061\013\060\011\006\003\125\004\006\023\002\111\105\061
\022\060\020\006\003\125\004\012\023\011\102\141\154\164\151\155
\157\162\145\061\023\060\021\006\003\125\004\013\023\012\103\171
\142\145\162\124\162\165\163\164\061\042\060\040\006\003\125\004
\003\023\031\102\141\154\164\151\155\157\162\145\040\103\171\142
\145\162\124\162\165\163\164\040\122\157\157\164

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\004\002\000\000\271

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\167\060\202\002\137\240\003\002\001\002\002\004\002
\000\000\271\060\015\006\011\052\206\110\206\367\015\001\001\005
\005\000\060\132\061\013\060\011\006\003\125\004\006\023\002\111
\105\061\022\060\020\006\003\125\004\012\023\011\102\141\154\164
\151\155\157\162\145\061\023\060\021\006\003\125\004\013\023\012
\103\171\142\145\162\124\162\165\163\164\061\042\060\040\006\003
\125\004\003\023\031\102\141\154\164\151\155\157\162\145\040\103
\171\142\145\162\124\162\165\163\164\040\122\157\157\164\060\036
\027\015\060\060\060\065\061\062\061\070\064\066\060\060\132\027
\015\062\065\060\065\061\062\062\063\065\071\060\060\132\060\132
\061\013\060\011\006\003\125\004\006\023\002\111\105\061\022\060
\020\006\003\125\004\012\023\011\102\141\154\164\151\155\157\162
\145\061\023\060\021\006\003\125\004\013\023\012\103\171\142\145
\162\124\162\165\163\164\061\042\060\040\006\003\125\004\003\023
\031\102\141\154\164\151\155\157\162\145\040\103\171\142\145\162
\124\162\165\163\164\040\122\157\157\164\060\202\001\042\060\015
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001
\017\000\060\202\001\012\002\202\001\001\000\243\004\273\042\253
\230\075\127\350\046\162\232\265\171\324\051\342\341\350\225\200
\261\260\343\133\216\053\051\232\144\337\241\135\355\260\011\005
\155\333\050\056\316\142\242\142\376\264\210\332\022\353\070\353
\041\235\300\101\053\001\122\173\210\167\323\034\217\307\272\271
\210\265\152\011\347\163\350\021\100\247\321\314\312\142\215\055
\345\217\013\246\120\322\250\120\303\050\352\365\253\045\207\212
\232\226\034\251\147\270\077\014\325\367\371\122\023\057\302\033
\325\160\160\360\217\300\022\312\006\313\232\341\331\312\063\172
\167\326\370\354\271\361\150\104\102\110\023\322\300\302\244\256
\136\140\376\266\246\005\374\264\335\007\131\002\324\131\030\230
\143\365\245\143\340\220\014\175\135\262\006\172\363\205\352\353
\324\003\256\136\204\076\137\377\025\355\151\274\371\071\066\162
\165\317\167\122\115\363\311\220\054\271\075\345\311\043\123\077
\037\044\230\041\134\007\231\051\275\306\072\354\347\156\206\072
\153\227\164\143\063\275\150\030\061\360\170\215\166\277\374\236
\216\135\052\206\247\115\220\334\047\032\071\002\003\001\000\001
\243\105\060\103\060\035\006\003\125\035\016\004\026\004\024\345

```
\235\131\060\202\107\130\314\254\372\010\124\066\206\173\072\265
\004\115\360\060\022\006\003\125\035\023\001\001\377\004\010\060
\006\001\001\377\002\001\003\060\016\006\003\125\035\017\001\001
\377\004\004\003\002\001\006\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\003\202\001\001\000\205\014\135\216\344
\157\121\150\102\005\240\335\273\117\047\045\204\003\275\367\144
\375\055\327\060\343\244\020\027\353\332\051\051\266\171\077\166
\366\031\023\043\270\020\012\371\130\244\324\141\160\275\004\141
\152\022\212\027\325\012\275\305\274\060\174\326\351\014\045\215
\206\100\117\354\314\243\176\070\306\067\021\117\355\335\150\061
\216\114\322\263\001\164\356\276\165\136\007\110\032\177\160\377
\026\134\204\300\171\205\270\005\375\177\276\145\021\243\017\300
\002\264\370\122\067\071\004\325\251\061\172\030\277\240\052\364
\022\231\367\243\105\202\343\074\136\365\235\236\265\310\236\174
\056\310\244\236\116\010\024\113\155\375\160\155\153\032\143\275
\144\346\037\267\316\360\362\237\056\273\033\267\362\120\210\163
\222\302\342\343\026\215\232\062\002\253\216\030\335\351\020\021
\356\176\065\253\220\257\076\060\224\172\320\063\075\247\145\017
\365\374\216\236\142\317\107\104\054\001\135\273\035\265\062\322
\107\322\070\056\320\376\201\334\062\152\036\265\356\074\325\374
\347\201\035\031\303\044\102\352\143\071\251
```

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Baltimore CyberTrust Root"

Issuer: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE

Serial Number: 33554617 (0x20000b9)

Subject: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE

Not Valid Before: Fri May 12 18:46:00 2000

Not Valid After : Mon May 12 23:59:00 2025

Fingerprint (SHA-256):

16:AF:57:A9:F6:76:B0:AB:12:60:95:AA:5E:BA:DE:F2:2A:B3:11:19:D6:44:AC:95:CD:4B:93:DB:F3:F2:6A:EB

Fingerprint (SHA1): D4:DE:20:D0:5E:66:FC:53:FE:1A:50:88:2C:78:DB:28:52:CA:E4:74

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Baltimore CyberTrust Root"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

```
\324\336\040\320\136\146\374\123\376\032\120\210\054\170\333\050
\122\312\344\164
```

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

```
\254\266\224\245\234\027\340\327\221\122\233\261\227\006\246\344
```

END

CKA_ISSUER MULTILINE_OCTAL

```
\060\132\061\013\060\011\006\003\125\004\006\023\002\111\105\061
\022\060\020\006\003\125\004\012\023\011\102\141\154\164\151\155
\157\162\145\061\023\060\021\006\003\125\004\013\023\012\103\171
\142\145\162\124\162\165\163\164\061\042\060\040\006\003\125\004
\003\023\031\102\141\154\164\151\155\157\162\145\040\103\171\142
\145\162\124\162\165\163\164\040\122\157\157\164
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\004\002\000\000\271
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "Entrust Root Certification Authority"

#

Issuer: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is incorporated by reference,O="Entrust, Inc.",C=US

Serial Number: 1164660820 (0x456b5054)

Subject: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is incorporated by reference,O="Entrust, Inc.",C=US

Not Valid Before: Mon Nov 27 20:23:42 2006

Not Valid After : Fri Nov 27 20:53:42 2026

Fingerprint (SHA-256):

73:C1:76:43:4F:1B:C6:D5:AD:F4:5B:0E:76:E7:27:28:7C:8D:E5:76:16:C1:E6:E6:14:1A:2B:2C:BC:7D:8E:4C

Fingerprint (SHA1): B3:1E:B1:B7:40:E3:6C:84:02:DA:DC:37:D4:4D:F5:D4:67:49:52:F9

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Entrust Root Certification Authority"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\201\260\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\071\060\067\006\003\125\004
\013\023\060\167\167\167\056\145\156\164\162\165\163\164\056\156
\145\164\057\103\120\123\040\151\163\040\151\156\143\157\162\160
\157\162\141\164\145\144\040\142\171\040\162\145\146\145\162\145
\156\143\145\061\037\060\035\006\003\125\004\013\023\026\050\143
\051\040\062\060\060\066\040\105\156\164\162\165\163\164\054\040
\111\156\143\056\061\055\060\053\006\003\125\004\003\023\044\105
\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162
\151\164\171
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\260\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\071\060\067\006\003\125\004
\013\023\060\167\167\167\056\145\156\164\162\165\163\164\056\156
\145\164\057\103\120\123\040\151\163\040\151\156\143\157\162\160
\157\162\141\164\145\144\040\142\171\040\162\145\146\145\162\145
\156\143\145\061\037\060\035\006\003\125\004\013\023\026\050\143
\051\040\062\060\060\066\040\105\156\164\162\165\163\164\054\040
\111\156\143\056\061\055\060\053\006\003\125\004\003\023\044\105
\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162
\151\164\171

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\004\105\153\120\124

END

CKA_VALUE MULTILINE_OCTAL

\060\202\004\221\060\202\003\171\240\003\002\001\002\002\004\105
\153\120\124\060\015\006\011\052\206\110\206\367\015\001\001\005
\005\000\060\201\260\061\013\060\011\006\003\125\004\006\023\002
\125\123\061\026\060\024\006\003\125\004\012\023\015\105\156\164
\162\165\163\164\054\040\111\156\143\056\061\071\060\067\006\003
\125\004\013\023\060\167\167\167\056\145\156\164\162\165\163\164
\056\156\145\164\057\103\120\123\040\151\163\040\151\156\143\157
\162\160\157\162\141\164\145\144\040\142\171\040\162\145\146\145
\162\145\156\143\145\061\037\060\035\006\003\125\004\013\023\026
\050\143\051\040\062\060\060\066\040\105\156\164\162\165\163\164
\054\040\111\156\143\056\061\055\060\053\006\003\125\004\003\023
\044\105\156\164\162\165\163\164\040\122\157\157\164\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171\060\036\027\015\060\066\061\061\062\067\062
\060\062\063\064\062\132\027\015\062\066\061\061\062\067\062\060
\065\063\064\062\132\060\201\260\061\013\060\011\006\003\125\004
\006\023\002\125\123\061\026\060\024\006\003\125\004\012\023\015
\105\156\164\162\165\163\164\054\040\111\156\143\056\061\071\060
\067\006\003\125\004\013\023\060\167\167\167\056\145\156\164\162
\165\163\164\056\156\145\164\057\103\120\123\040\151\163\040\151
\156\143\157\162\160\157\162\141\164\145\144\040\142\171\040\162
\145\146\145\162\145\156\143\145\061\037\060\035\006\003\125\004
\013\023\026\050\143\051\040\062\060\060\066\040\105\156\164\162
\165\163\164\054\040\111\156\143\056\061\055\060\053\006\003\125
\004\003\023\044\105\156\164\162\165\163\164\040\122\157\157\164
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\060\202\001\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000
\060\202\001\012\002\202\001\001\000\266\225\266\103\102\372\306

\155\052\157\110\337\224\114\071\127\005\356\303\171\021\101\150
\066\355\354\376\232\001\217\241\070\050\374\367\020\106\146\056
\115\036\032\261\032\116\306\321\300\225\210\260\311\377\061\213
\063\003\333\267\203\173\076\040\204\136\355\262\126\050\247\370
\340\271\100\161\067\305\313\107\016\227\052\150\300\042\225\142
\025\333\107\331\365\320\053\377\202\113\311\255\076\336\114\333
\220\200\120\077\011\212\204\000\354\060\012\075\030\315\373\375
\052\131\232\043\225\027\054\105\236\037\156\103\171\155\014\134
\230\376\110\247\305\043\107\134\136\375\156\347\036\264\366\150
\105\321\206\203\133\242\212\215\261\343\051\200\376\045\161\210
\255\276\274\217\254\122\226\113\252\121\215\344\023\061\031\350
\116\115\237\333\254\263\152\325\274\071\124\161\312\172\172\177
\220\335\175\035\200\331\201\273\131\046\302\021\376\346\223\342
\367\200\344\145\373\064\067\016\051\200\160\115\257\070\206\056
\236\177\127\257\236\027\256\353\034\313\050\041\137\266\034\330
\347\242\004\042\371\323\332\330\313\002\003\001\000\001\243\201
\260\060\201\255\060\016\006\003\125\035\017\001\001\377\004\004
\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005
\060\003\001\001\377\060\053\006\003\125\035\020\004\044\060\042
\200\017\062\060\060\066\061\061\062\067\062\060\062\063\064\062
\132\201\017\062\060\062\066\061\061\062\067\062\060\065\063\064
\062\132\060\037\006\003\125\035\043\004\030\060\026\200\024\150
\220\344\147\244\246\123\200\307\206\146\244\361\367\113\103\373
\204\275\155\060\035\006\003\125\035\016\004\026\004\024\150\220
\344\147\244\246\123\200\307\206\146\244\361\367\113\103\373\204
\275\155\060\035\006\011\052\206\110\206\366\175\007\101\000\004
\020\060\016\033\010\126\067\056\061\072\064\056\060\003\002\004
\220\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000
\003\202\001\001\000\223\324\060\260\327\003\040\052\320\371\143
\350\221\014\005\040\251\137\031\312\173\162\116\324\261\333\320
\226\373\124\132\031\054\014\010\367\262\274\205\250\235\177\155
\073\122\263\052\333\347\324\204\214\143\366\017\313\046\001\221
\120\154\364\137\024\342\223\164\300\023\236\060\072\120\343\264
\140\305\034\360\042\104\215\161\107\254\310\032\311\351\233\232
\000\140\023\377\160\176\137\021\115\111\033\263\025\122\173\311
\124\332\277\235\225\257\153\232\330\236\351\361\344\103\215\342
\021\104\072\277\257\275\203\102\163\122\213\252\273\247\051\317
\365\144\034\012\115\321\274\252\254\237\052\320\377\177\177\332
\175\352\261\355\060\045\301\204\332\064\322\133\170\203\126\354
\234\066\303\046\342\021\366\147\111\035\222\253\214\373\353\377
\172\356\205\112\247\120\200\360\247\134\112\224\056\137\005\231
\074\122\101\340\315\264\143\317\001\103\272\234\203\334\217\140
\073\363\132\264\264\173\256\332\013\220\070\165\357\201\035\146
\322\367\127\160\066\263\277\374\050\257\161\045\205\133\023\376
\036\177\132\264\074

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Entrust Root Certification Authority"

Issuer: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is incorporated by reference,O="Entrust, Inc.",C=US

Serial Number: 1164660820 (0x456b5054)

Subject: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is incorporated by reference,O="Entrust, Inc.",C=US

Not Valid Before: Mon Nov 27 20:23:42 2006

Not Valid After : Fri Nov 27 20:53:42 2026

Fingerprint (SHA-256):

73:C1:76:43:4F:1B:C6:D5:AD:F4:5B:0E:76:E7:27:28:7C:8D:E5:76:16:C1:E6:E6:14:1A:2B:2C:BC:7D:8E:4C

Fingerprint (SHA1): B3:1E:B1:B7:40:E3:6C:84:02:DA:DC:37:D4:4D:F5:D4:67:49:52:F9

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Entrust Root Certification Authority"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\263\036\261\267\100\343\154\204\002\332\334\067\324\115\365\324

\147\111\122\371

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\326\245\303\355\135\335\076\000\301\075\207\222\037\035\077\344

END

CKA_ISSUER MULTILINE_OCTAL

\060\201\260\061\013\060\011\006\003\125\004\006\023\002\125\123

\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165

\163\164\054\040\111\156\143\056\061\071\060\067\006\003\125\004

\013\023\060\167\167\167\056\145\156\164\162\165\163\164\056\156

\145\164\057\103\120\123\040\151\163\040\151\156\143\157\162\160

\157\162\141\164\145\144\040\142\171\040\162\145\146\145\162\145

\156\143\145\061\037\060\035\006\003\125\004\013\023\026\050\143

\051\040\062\060\060\066\040\105\156\164\162\165\163\164\054\040

\111\156\143\056\061\055\060\053\006\003\125\004\003\023\044\105

\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162\164

\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162

\151\164\171

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\004\105\153\120\124

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#


```

# Certificate "Certum Root CA"
#
# Issuer: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL
# Serial Number: 65568 (0x10020)
# Subject: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL
# Not Valid Before: Tue Jun 11 10:46:39 2002
# Not Valid After : Fri Jun 11 10:46:39 2027
# Fingerprint (SHA-256):
D8:E0:FE:BC:1D:B2:E3:8D:00:94:0F:37:D2:7D:41:34:4D:99:3E:73:4B:99:D5:65:6D:97:78:D4:D8:14:36:24
# Fingerprint (SHA1): 62:52:DC:40:F7:11:43:A2:2F:DE:9E:F7:34:8E:06:42:51:B1:81:18
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145\164
\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060\020
\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145\164
\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060\020
\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\001\000\040
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\014\060\202\001\364\240\003\002\001\002\002\003\001
\000\040\060\015\006\011\052\206\110\206\367\015\001\001\005\005
\000\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145
\164\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060
\020\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103
\101\060\036\027\015\060\062\060\066\061\061\061\060\064\066\063
\071\132\027\015\062\067\060\066\061\061\061\060\064\066\063\071
\132\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145
\164\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060
\020\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103
\101\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001
\001\000\316\261\301\056\323\117\174\315\045\316\030\076\117\304

```

\214\157\200\152\163\310\133\121\370\233\322\334\273\000\134\261
\240\374\165\003\356\201\360\210\356\043\122\351\346\025\063\215
\254\055\011\305\166\371\053\071\200\211\344\227\113\220\245\250
\170\370\163\103\173\244\141\260\330\130\314\341\154\146\176\234
\363\011\136\125\143\204\325\250\357\363\261\056\060\150\263\304
\074\330\254\156\215\231\132\220\116\064\334\066\232\217\201\210
\120\267\155\226\102\011\363\327\225\203\015\101\113\260\152\153
\370\374\017\176\142\237\147\304\355\046\137\020\046\017\010\117
\360\244\127\050\316\217\270\355\105\366\156\356\045\135\252\156
\071\276\344\223\057\331\107\240\162\353\372\246\133\257\312\123
\077\342\016\306\226\126\021\156\367\351\146\251\046\330\177\225
\123\355\012\205\210\272\117\051\245\102\214\136\266\374\205\040
\000\252\150\013\241\032\205\001\234\304\106\143\202\210\266\042
\261\356\376\252\106\131\176\317\065\054\325\266\332\135\367\110
\063\024\124\266\353\331\157\316\315\210\326\253\033\332\226\073
\035\131\002\003\001\000\001\243\023\060\021\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\015\006\011
\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000
\270\215\316\357\347\024\272\317\356\260\104\222\154\264\071\076
\242\204\156\255\270\041\167\322\324\167\202\207\346\040\101\201
\356\342\370\021\267\143\321\027\067\276\031\166\044\034\004\032
\114\353\075\252\147\157\055\324\315\376\145\061\160\305\033\246
\002\012\272\140\173\155\130\302\232\111\376\143\062\013\153\343
\072\300\254\253\073\260\350\323\011\121\214\020\203\306\064\340
\305\053\340\032\266\140\024\047\154\062\167\214\274\262\162\230
\317\315\314\077\271\310\044\102\024\326\127\374\346\046\103\251
\035\345\200\220\316\003\124\050\076\367\077\323\370\115\355\152
\012\072\223\023\233\073\024\043\023\143\234\077\321\207\047\171
\345\114\121\343\001\255\205\135\032\073\261\325\163\020\244\323
\362\274\156\144\365\132\126\220\250\307\016\114\164\017\056\161
\073\367\310\107\364\151\157\025\362\021\136\203\036\234\174\122
\256\375\002\332\022\250\131\147\030\333\274\160\335\233\261\151
\355\200\316\211\100\110\152\016\065\312\051\146\025\041\224\054
\350\140\052\233\205\112\100\363\153\212\044\354\006\026\054\163
END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Certum Root CA"

Issuer: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL

Serial Number: 65568 (0x10020)

Subject: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL

Not Valid Before: Tue Jun 11 10:46:39 2002

Not Valid After : Fri Jun 11 10:46:39 2027

Fingerprint (SHA-256):

D8:E0:FE:BC:1D:B2:E3:8D:00:94:0F:37:D2:7D:41:34:4D:99:3E:73:4B:99:D5:65:6D:97:78:D4:D8:14:36:24

Fingerprint (SHA1): 62:52:DC:40:F7:11:43:A2:2F:DE:9E:F7:34:8E:06:42:51:B1:81:18

```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\142\122\334\100\367\021\103\242\057\336\236\367\064\216\006\102
\121\261\201\030
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\054\217\237\146\035\030\220\261\107\046\235\216\206\202\214\251
END
CKA_ISSUER MULTILINE_OCTAL
\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145\164
\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060\020
\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\001\000\040
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Comodo AAA Services root"
#
# Issuer: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB
# Serial Number: 1 (0x1)
# Subject: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB
# Not Valid Before: Thu Jan 01 00:00:00 2004
# Not Valid After : Sun Dec 31 23:59:59 2028
# Fingerprint (SHA-256):
D7:A7:A0:FB:5D:7E:27:31:D7:71:E9:48:4E:BC:DE:F7:1D:5F:0C:3E:0A:29:48:78:2B:C8:3E:E0:EA:69:9E:F4
# Fingerprint (SHA1): D1:EB:23:A4:6D:17:D6:8F:D9:25:64:C2:F1:F1:60:17:64:D8:E3:49
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Comodo AAA Services root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061
\033\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145
\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016
\006\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032

```

\060\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040
\103\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003
\125\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151
\143\141\164\145\040\123\145\162\166\151\143\145\163

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061
\033\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145
\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016
\006\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032
\060\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040
\103\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003
\125\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151
\143\141\164\145\040\123\145\162\166\151\143\145\163

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\001\001

END

CKA_VALUE MULTILINE_OCTAL

\060\202\004\062\060\202\003\032\240\003\002\001\002\002\001\001
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061\033
\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145\162
\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016\006
\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032\060
\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040\103
\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003\125
\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151\143
\141\164\145\040\123\145\162\166\151\143\145\163\060\036\027\015
\060\064\060\061\060\061\060\060\060\060\060\132\027\015\062
\070\061\062\063\061\062\063\065\071\065\071\132\060\173\061\013
\060\011\006\003\125\004\006\023\002\107\102\061\033\060\031\006
\003\125\004\010\014\022\107\162\145\141\164\145\162\040\115\141
\156\143\150\145\163\164\145\162\061\020\060\016\006\003\125\004
\007\014\007\123\141\154\146\157\162\144\061\032\060\030\006\003
\125\004\012\014\021\103\157\155\157\144\157\040\103\101\040\114
\151\155\151\164\145\144\061\041\060\037\006\003\125\004\003\014
\030\101\101\101\040\103\145\162\164\151\146\151\143\141\164\145
\040\123\145\162\166\151\143\145\163\060\202\001\042\060\015\006
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017
\000\060\202\001\012\002\202\001\001\000\276\100\235\364\156\341
\352\166\207\034\115\105\104\216\276\106\310\203\006\235\301\052
\376\030\037\216\344\002\372\363\253\135\120\212\026\061\013\232
\006\320\305\160\042\315\111\055\124\143\314\266\156\150\106\013
\123\352\313\114\044\300\274\162\116\352\361\025\256\364\124\232
\022\012\303\172\262\063\140\342\332\211\125\363\042\130\363\336
\334\317\357\203\206\242\214\224\117\237\150\362\230\220\106\204

\047\307\166\277\343\314\065\054\213\136\007\144\145\202\300\110
\260\250\221\371\141\237\166\040\120\250\221\307\146\265\353\170
\142\003\126\360\212\032\023\352\061\243\036\240\231\375\070\366
\366\047\062\130\157\007\365\153\270\373\024\053\257\267\252\314
\326\143\137\163\214\332\005\231\250\070\250\313\027\170\066\121
\254\351\236\364\170\072\215\317\017\331\102\342\230\014\253\057
\237\016\001\336\357\237\231\111\361\055\337\254\164\115\033\230
\265\107\305\345\051\321\371\220\030\307\142\234\276\203\307\046
\173\076\212\045\307\300\335\235\346\065\150\020\040\235\217\330
\336\322\303\204\234\015\136\350\057\311\002\003\001\000\001\243
\201\300\060\201\275\060\035\006\003\125\035\016\004\026\004\024
\240\021\012\043\076\226\361\007\354\342\257\051\357\202\245\177
\320\060\244\264\060\016\006\003\125\035\017\001\001\377\004\004
\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005
\060\003\001\001\377\060\173\006\003\125\035\037\004\164\060\162
\060\070\240\066\240\064\206\062\150\164\164\160\072\057\057\143
\162\154\056\143\157\155\157\144\157\143\141\056\143\157\155\057
\101\101\101\103\145\162\164\151\146\151\143\141\164\145\123\145
\162\166\151\143\145\163\056\143\162\154\060\066\240\064\240\062
\206\060\150\164\164\160\072\057\057\143\162\154\056\143\157\155
\157\144\157\056\156\145\164\057\101\101\101\103\145\162\164\151
\146\151\143\141\164\145\123\145\162\166\151\143\145\163\056\143
\162\154\060\015\006\011\052\206\110\206\367\015\001\001\005\005
\000\003\202\001\001\000\010\126\374\002\360\233\350\377\244\372
\326\173\306\104\200\316\117\304\305\366\000\130\314\246\266\274
\024\111\150\004\166\350\346\356\135\354\002\017\140\326\215\120
\030\117\046\116\001\343\346\260\245\356\277\274\164\124\101\277
\375\374\022\270\307\117\132\364\211\140\005\177\140\267\005\112
\363\366\361\302\277\304\271\164\206\266\055\175\153\314\322\363
\106\335\057\306\340\152\303\303\064\003\054\175\226\335\132\302
\016\247\012\231\301\005\213\253\014\057\363\134\072\317\154\067
\125\011\207\336\123\100\154\130\357\374\266\253\145\156\004\366
\033\334\074\340\132\025\306\236\331\361\131\110\060\041\145\003
\154\354\351\041\163\354\233\003\241\340\067\255\240\025\030\217
\372\272\002\316\247\054\251\020\023\054\324\345\010\046\253\042
\227\140\370\220\136\164\324\242\232\123\275\362\251\150\340\242
\156\302\327\154\261\243\017\236\277\353\150\347\126\362\256\362
\343\053\070\072\011\201\265\153\205\327\276\055\355\077\032\267
\262\143\342\365\142\054\202\324\152\000\101\120\361\071\203\237
\225\351\066\226\230\156

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Comodo AAA Services root"

Issuer: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB

Serial Number: 1 (0x1)

```

# Subject: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB
# Not Valid Before: Thu Jan 01 00:00:00 2004
# Not Valid After : Sun Dec 31 23:59:59 2028
# Fingerprint (SHA-256):
D7:A7:A0:FB:5D:7E:27:31:D7:71:E9:48:4E:BC:DE:F7:1D:5F:0C:3E:0A:29:48:78:2B:C8:3E:E0:EA:69:9E:F4
# Fingerprint (SHA1): D1:EB:23:A4:6D:17:D6:8F:D9:25:64:C2:F1:F1:60:17:64:D8:E3:49
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Comodo AAA Services root"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\321\353\043\244\155\027\326\217\331\045\144\302\361\361\140\027
\144\330\343\111
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\111\171\004\260\353\207\031\254\107\260\274\021\121\233\164\320
END
CKA_ISSUER MULTILINE_OCTAL
\060\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061
\033\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145
\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016
\006\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032
\060\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040
\103\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003
\125\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151
\143\141\164\145\040\123\145\162\166\151\143\145\163
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "QuoVadis Root CA 2"
#
# Issuer: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM
# Serial Number: 1289 (0x509)
# Subject: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM
# Not Valid Before: Fri Nov 24 18:27:00 2006
# Not Valid After : Mon Nov 24 18:23:33 2031
# Fingerprint (SHA-256):
85:A0:DD:7D:D7:20:AD:B7:FF:05:F8:3D:54:2B:20:9D:C7:FF:45:28:F7:D6:77:B1:83:89:FE:A5:E5:C4:9E:86
# Fingerprint (SHA1): CA:3A:FB:CF:12:40:36:4B:44:B2:16:20:88:80:48:39:19:93:7C:F7
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\002\005\011
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\267\060\202\003\237\240\003\002\001\002\002\002\005
\011\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\060\036\027\015\060\066\061\061\062
\064\061\070\062\067\060\060\132\027\015\063\061\061\061\062\064
\061\070\062\063\063\063\132\060\105\061\013\060\011\006\003\125
\004\006\023\002\102\115\061\031\060\027\006\003\125\004\012\023
\020\121\165\157\126\141\144\151\163\040\114\151\155\151\164\145
\144\061\033\060\031\006\003\125\004\003\023\022\121\165\157\126
\141\144\151\163\040\122\157\157\164\040\103\101\040\062\060\202
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\232
\030\312\113\224\015\000\055\257\003\051\212\360\017\201\310\256
\114\031\205\035\010\237\253\051\104\205\363\057\201\255\062\036
\220\106\277\243\206\046\032\036\376\176\034\030\072\134\234\140
\027\052\072\164\203\063\060\175\141\124\021\313\355\253\340\346
\322\242\176\365\153\157\030\267\012\013\055\375\351\076\357\012
\306\263\020\351\334\302\106\027\370\135\375\244\332\377\236\111
\132\234\346\063\346\044\226\367\077\272\133\053\034\172\065\302
\326\147\376\253\146\120\213\155\050\140\053\357\327\140\303\307
\223\274\215\066\221\363\177\370\333\021\023\304\234\167\166\301
```

\256\267\002\152\201\172\251\105\203\342\005\346\271\126\301\224
\067\217\110\161\143\042\354\027\145\007\225\212\113\337\217\306
\132\012\345\260\343\137\136\153\021\253\014\371\205\353\104\351
\370\004\163\362\351\376\134\230\214\365\163\257\153\264\176\315
\324\134\002\053\114\071\341\262\225\225\055\102\207\327\325\263
\220\103\267\154\023\361\336\335\366\304\370\211\077\321\165\365
\222\303\221\325\212\210\320\220\354\334\155\336\211\302\145\161
\226\213\015\003\375\234\277\133\026\254\222\333\352\376\171\174
\255\353\257\367\026\313\333\315\045\053\345\037\373\232\237\342
\121\314\072\123\014\110\346\016\275\311\264\166\006\122\346\021
\023\205\162\143\003\004\340\004\066\053\040\031\002\350\164\247
\037\266\311\126\146\360\165\045\334\147\301\016\141\140\210\263
\076\321\250\374\243\332\035\260\321\261\043\124\337\104\166\155
\355\101\330\301\262\042\266\123\034\337\065\035\334\241\167\052
\061\344\055\365\345\345\333\310\340\377\345\200\327\013\143\240
\377\063\241\017\272\054\025\025\352\227\263\322\242\265\276\362
\214\226\036\032\217\035\154\244\141\067\271\206\163\063\327\227
\226\236\043\175\202\244\114\201\342\241\321\272\147\137\225\007
\243\047\021\356\026\020\173\274\105\112\114\262\004\322\253\357
\325\375\014\121\316\120\152\010\061\371\221\332\014\217\144\134
\003\303\072\213\040\077\156\215\147\075\072\326\376\175\133\210
\311\136\373\314\141\334\213\063\167\323\104\062\065\011\142\004
\222\026\020\330\236\047\107\373\073\041\343\370\353\035\133\002
\003\001\000\001\243\201\260\060\201\255\060\017\006\003\125\035
\023\001\001\377\004\005\060\003\001\001\377\060\013\006\003\125
\035\017\004\004\003\002\001\006\060\035\006\003\125\035\016\004
\026\004\024\032\204\142\274\110\114\063\045\004\324\356\320\366
\003\304\031\106\321\224\153\060\156\006\003\125\035\043\004\147
\060\145\200\024\032\204\142\274\110\114\063\045\004\324\356\320
\366\003\304\031\106\321\224\153\241\111\244\107\060\105\061\013
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006
\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114
\151\155\151\164\145\144\061\033\060\031\006\003\125\004\003\023
\022\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103
\101\040\062\202\002\005\011\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\003\202\002\001\000\076\012\026\115\237
\006\133\250\256\161\135\057\005\057\147\346\023\105\203\304\066
\366\363\300\046\014\015\265\107\144\135\370\264\162\311\106\245
\003\030\047\125\211\170\175\166\352\226\064\200\027\040\334\347
\203\370\215\374\007\270\332\137\115\056\147\262\204\375\331\104
\374\167\120\201\346\174\264\311\015\013\162\123\370\166\007\007
\101\107\226\014\373\340\202\046\223\125\214\376\042\037\140\145
\174\137\347\046\263\367\062\220\230\120\324\067\161\125\366\222
\041\170\367\225\171\372\370\055\046\207\146\126\060\167\246\067
\170\063\122\020\130\256\077\141\216\362\152\261\357\030\176\112
\131\143\312\215\242\126\325\247\057\274\126\037\317\071\301\342
\373\012\250\025\054\175\115\172\143\306\154\227\104\074\322\157
\303\112\027\012\370\220\322\127\242\031\121\245\055\227\101\332


```
\007\117\251\120\332\220\215\224\106\341\076\360\224\375\020\000
\070\365\073\350\100\341\264\156\126\032\040\314\157\130\215\355
\056\105\217\326\351\223\077\347\261\054\337\072\326\042\214\334
\204\273\042\157\320\370\344\306\071\351\004\210\074\303\272\353
\125\172\155\200\231\044\365\154\001\373\370\227\260\224\133\353
\375\322\157\361\167\150\015\065\144\043\254\270\125\241\003\321
\115\102\031\334\370\165\131\126\243\371\250\111\171\370\257\016
\271\021\240\174\267\152\355\064\320\266\046\142\070\032\207\014
\370\350\375\056\323\220\177\007\221\052\035\326\176\134\205\203
\231\260\070\010\077\351\136\371\065\007\344\311\142\156\127\177
\247\120\225\367\272\310\233\346\216\242\001\305\326\146\277\171
\141\363\074\034\341\271\202\134\135\240\303\351\330\110\275\031
\242\021\024\031\156\262\206\033\150\076\110\067\032\210\267\135
\226\136\234\307\357\047\142\010\342\221\031\134\322\361\041\335
\272\027\102\202\227\161\201\123\061\251\237\366\175\142\277\162
\341\243\223\035\314\212\046\132\011\070\320\316\327\015\200\026
\264\170\245\072\207\114\215\212\245\325\106\227\362\054\020\271
\274\124\042\300\001\120\151\103\236\364\262\357\155\370\354\332
\361\343\261\357\337\221\217\124\052\013\045\301\046\031\304\122
\020\005\145\325\202\020\352\302\061\315\056
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "QuoVadis Root CA 2"
```

```
# Issuer: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM
```

```
# Serial Number: 1289 (0x509)
```

```
# Subject: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM
```

```
# Not Valid Before: Fri Nov 24 18:27:00 2006
```

```
# Not Valid After : Mon Nov 24 18:23:33 2031
```

```
# Fingerprint (SHA-256):
```

```
85:A0:DD:7D:D7:20:AD:B7:FF:05:F8:3D:54:2B:20:9D:C7:FF:45:28:F7:D6:77:B1:83:89:FE:A5:E5:C4:9E:86
```

```
# Fingerprint (SHA1): CA:3A:FB:CF:12:40:36:4B:44:B2:16:20:88:80:48:39:19:93:7C:F7
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "QuoVadis Root CA 2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\312\072\373\317\022\100\066\113\104\262\026\040\210\200\110\071
\031\223\174\367
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\136\071\173\335\370\272\354\202\351\254\142\272\014\124\000\053
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
```

```
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\002\005\011
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "QuoVadis Root CA 3"

#

Issuer: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM

Serial Number: 1478 (0x5c6)

Subject: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM

Not Valid Before: Fri Nov 24 19:11:23 2006

Not Valid After : Mon Nov 24 19:06:44 2031

Fingerprint (SHA-256):

18:F1:FC:7F:20:5D:F8:AD:DD:EB:7F:E0:07:DD:57:E3:AF:37:5A:9C:4D:8D:73:54:6B:F4:F1:FE:D1:E1:8D:35

Fingerprint (SHA1): 1F:49:14:F7:D8:74:95:1D:DD:AE:02:C0:BE:FD:3A:2D:82:75:51:85

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "QuoVadis Root CA 3"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\002\005\306
```

END

CKA_VALUE MULTILINE_OCTAL

\060\202\006\235\060\202\004\205\240\003\002\001\002\002\002\005
\306\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063\060\036\027\015\060\066\061\061\062
\064\061\071\061\061\062\063\132\027\015\063\061\061\061\062\064
\061\071\060\066\064\064\132\060\105\061\013\060\011\006\003\125
\004\006\023\002\102\115\061\031\060\027\006\003\125\004\012\023
\020\121\165\157\126\141\144\151\163\040\114\151\155\151\164\145
\144\061\033\060\031\006\003\125\004\003\023\022\121\165\157\126
\141\144\151\163\040\122\157\157\164\040\103\101\040\063\060\202
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\314
\127\102\026\124\234\346\230\323\323\115\356\376\355\307\237\103
\071\112\145\263\350\026\210\064\333\015\131\221\164\317\222\270
\004\100\255\002\113\061\253\274\215\221\150\330\040\016\032\001
\342\032\173\116\027\135\342\212\267\077\231\032\315\353\141\253
\302\145\246\037\267\267\275\267\217\374\375\160\217\013\240\147
\276\001\242\131\317\161\346\017\051\166\377\261\126\171\105\053
\037\236\172\124\350\243\051\065\150\244\001\117\017\244\056\067
\357\033\277\343\217\020\250\162\253\130\127\347\124\206\310\311
\363\133\332\054\332\135\216\156\074\243\076\332\373\202\345\335
\362\134\262\005\063\157\212\066\316\320\023\116\377\277\112\014
\064\114\246\303\041\275\120\004\125\353\261\273\235\373\105\036
\144\025\336\125\001\214\002\166\265\313\241\077\102\151\274\057
\275\150\103\026\126\211\052\067\141\221\375\246\256\116\300\313
\024\145\224\067\113\222\006\357\004\320\310\234\210\333\013\173
\201\257\261\075\052\304\145\072\170\266\356\334\200\261\322\323
\231\234\072\356\153\132\153\263\215\267\325\316\234\302\276\245
\113\057\026\261\236\150\073\006\157\256\175\237\370\336\354\314
\051\247\230\243\045\103\057\357\361\137\046\341\210\115\370\136
\156\327\331\024\156\031\063\151\247\073\204\211\223\304\123\125
\023\241\121\170\100\370\270\311\242\356\173\272\122\102\203\236
\024\355\005\122\132\131\126\247\227\374\235\077\012\051\330\334
\117\221\016\023\274\336\225\244\337\213\231\276\254\233\063\210
\357\265\201\257\033\306\042\123\310\366\307\356\227\024\260\305
\174\170\122\310\360\316\156\167\140\204\246\351\052\166\040\355
\130\001\027\060\223\351\032\213\340\163\143\331\152\222\224\111
\116\264\255\112\205\304\243\042\060\374\011\355\150\042\163\246
\210\014\125\041\130\305\341\072\237\052\335\312\341\220\340\331
\163\253\154\200\270\350\013\144\223\240\234\214\031\377\263\322
\014\354\221\046\207\212\263\242\341\160\217\054\012\345\315\155
\150\121\353\332\077\005\177\213\062\346\023\134\153\376\137\100
\342\042\310\264\264\144\117\326\272\175\110\076\250\151\014\327
\273\206\161\311\163\270\077\073\235\045\113\332\377\100\353\002

\003\001\000\001\243\202\001\225\060\202\001\221\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\201\341
\006\003\125\035\040\004\201\331\060\201\326\060\201\323\006\011
\053\006\001\004\001\276\130\000\003\060\201\305\060\201\223\006
\010\053\006\001\005\005\007\002\002\060\201\206\032\201\203\101
\156\171\040\165\163\145\040\157\146\040\164\150\151\163\040\103
\145\162\164\151\146\151\143\141\164\145\040\143\157\156\163\164
\151\164\165\164\145\163\040\141\143\143\145\160\164\141\156\143
\145\040\157\146\040\164\150\145\040\121\165\157\126\141\144\151
\163\040\122\157\157\164\040\103\101\040\063\040\103\145\162\164
\151\146\151\143\141\164\145\040\120\157\154\151\143\171\040\057
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\120
\162\141\143\164\151\143\145\040\123\164\141\164\145\155\145\156
\164\056\060\055\006\010\053\006\001\005\005\007\002\001\026\041
\150\164\164\160\072\057\057\167\167\167\056\161\165\157\166\141
\144\151\163\147\154\157\142\141\154\056\143\157\155\057\143\160
\163\060\013\006\003\125\035\017\004\004\003\002\001\006\060\035
\006\003\125\035\016\004\026\004\024\362\300\023\340\202\103\076
\373\356\057\147\062\226\065\134\333\270\313\002\320\060\156\006
\003\125\035\043\004\147\060\145\200\024\362\300\023\340\202\103
\076\373\356\057\147\062\226\065\134\333\270\313\002\320\241\111
\244\107\060\105\061\013\060\011\006\003\125\004\006\023\002\102
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126
\141\144\151\163\040\114\151\155\151\164\145\144\061\033\060\031
\006\003\125\004\003\023\022\121\165\157\126\141\144\151\163\040
\122\157\157\164\040\103\101\040\063\202\002\005\306\060\015\006
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\002\001
\000\117\255\240\054\114\372\300\362\157\367\146\125\253\043\064
\356\347\051\332\303\133\266\260\203\331\320\320\342\041\373\363
\140\247\073\135\140\123\047\242\233\366\010\042\052\347\277\240
\162\345\234\044\152\061\261\220\172\047\333\204\021\211\047\246
\167\132\070\327\277\254\206\374\356\135\203\274\006\306\321\167
\153\017\155\044\057\113\172\154\247\007\226\312\343\204\237\255
\210\213\035\253\026\215\133\146\027\331\026\364\213\200\322\335
\370\262\166\303\374\070\023\252\014\336\102\151\053\156\363\074
\353\200\047\333\365\246\104\015\237\132\125\131\013\325\015\122
\110\305\256\237\362\057\200\305\352\062\120\065\022\227\056\301
\341\377\361\043\210\121\070\237\362\146\126\166\347\017\121\227
\245\122\014\115\111\121\225\066\075\277\242\113\014\020\035\206
\231\114\252\363\162\021\223\344\352\366\233\332\250\135\247\115
\267\236\002\256\163\000\310\332\043\003\350\371\352\031\164\142
\000\224\313\042\040\276\224\247\131\265\202\152\276\231\171\172
\251\362\112\044\122\367\164\375\272\116\346\250\035\002\156\261
\015\200\104\301\256\323\043\067\137\273\205\174\053\222\056\350
\176\245\213\335\231\341\277\047\157\055\135\252\173\207\376\012
\335\113\374\216\365\046\344\156\160\102\156\063\354\061\236\173
\223\301\344\311\151\032\075\300\153\116\042\155\356\253\130\115
\306\320\101\301\053\352\117\022\207\136\353\105\330\154\365\230

```
\002\323\240\330\125\212\006\231\031\242\240\167\321\060\236\254
\314\165\356\203\365\260\142\071\317\154\127\342\114\322\221\013
\016\165\050\033\232\277\375\032\103\361\312\167\373\073\217\141
\270\151\050\026\102\004\136\160\052\034\041\330\217\341\275\043
\133\055\164\100\222\331\143\031\015\163\335\151\274\142\107\274
\340\164\053\262\353\175\276\101\033\265\300\106\305\241\042\313
\137\116\301\050\222\336\030\272\325\052\050\273\021\213\027\223
\230\231\140\224\134\043\317\132\047\227\136\013\005\006\223\067
\036\073\151\066\353\251\236\141\035\217\062\332\216\014\326\164
\076\173\011\044\332\001\167\107\304\073\315\064\214\231\365\312
\341\045\141\063\262\131\033\342\156\327\067\127\266\015\251\022
\332
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "QuoVadis Root CA 3"
```

```
# Issuer: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM
```

```
# Serial Number: 1478 (0x5c6)
```

```
# Subject: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM
```

```
# Not Valid Before: Fri Nov 24 19:11:23 2006
```

```
# Not Valid After : Mon Nov 24 19:06:44 2031
```

```
# Fingerprint (SHA-256):
```

```
18:F1:FC:7F:20:5D:F8:AD:DD:EB:7F:E0:07:DD:57:E3:AF:37:5A:9C:4D:8D:73:54:6B:F4:F1:FE:D1:E1:8D:35
```

```
# Fingerprint (SHA1): 1F:49:14:F7:D8:74:95:1D:DD:AE:02:C0:BE:FD:3A:2D:82:75:51:85
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "QuoVadis Root CA 3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\037\111\024\367\330\164\225\035\335\256\002\300\276\375\072\055
\202\165\121\205
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\061\205\074\142\224\227\143\271\252\375\211\116\257\157\340\317
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\002\005\306
```

END

```

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Security Communication Root CA"
#
# Issuer: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
# Serial Number: 0 (0x0)
# Subject: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
# Not Valid Before: Tue Sep 30 04:20:49 2003
# Not Valid After : Sat Sep 30 04:20:49 2023
# Fingerprint (SHA-256):
E7:5E:72:ED:9F:56:0E:EC:6E:B4:80:00:73:A4:3F:C3:AD:19:19:5A:39:22:82:01:78:95:97:4A:99:02:6B:6C
# Fingerprint (SHA1): 36:B1:2B:49:F9:81:9E:D7:4C:9E:BC:38:0F:C6:56:8F:5D:AC:B2:F7
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040
\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125
\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155
\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103
\101\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040
\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125
\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155
\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103
\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\132\060\202\002\102\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061\030
\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040\124
\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125\004

```

\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155\155
\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103\101
\061\060\036\027\015\060\063\060\071\063\060\060\064\062\060\064
\071\132\027\015\062\063\060\071\063\060\060\064\062\060\064\071
\132\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120
\061\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115
\040\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003
\125\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157
\155\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164
\103\101\061\060\202\001\042\060\015\006\011\052\206\110\206\367
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002
\202\001\001\000\263\263\376\177\323\155\261\357\026\174\127\245
\014\155\166\212\057\113\277\144\373\114\356\212\360\363\051\174
\365\377\356\052\340\351\351\272\133\144\042\232\232\157\054\072
\046\151\121\005\231\046\334\325\034\152\161\306\232\175\036\235
\335\174\154\306\214\147\147\112\076\370\161\260\031\047\251\011
\014\246\225\277\113\214\014\372\125\230\073\330\350\042\241\113
\161\070\171\254\227\222\151\263\211\176\352\041\150\006\230\024
\226\207\322\141\066\274\155\047\126\236\127\356\300\300\126\375
\062\317\244\331\216\302\043\327\215\250\363\330\045\254\227\344
\160\070\364\266\072\264\235\073\227\046\103\243\241\274\111\131
\162\114\043\060\207\001\130\366\116\276\034\150\126\146\257\315
\101\135\310\263\115\052\125\106\253\037\332\036\342\100\075\333
\315\175\271\222\200\234\067\335\014\226\144\235\334\042\367\144
\213\337\141\336\025\224\122\025\240\175\122\311\113\250\041\311
\306\261\355\313\303\225\140\321\017\360\253\160\370\337\313\115
\176\354\326\372\253\331\275\177\124\362\245\351\171\372\331\326
\166\044\050\163\002\003\001\000\001\243\077\060\075\060\035\006
\003\125\035\016\004\026\004\024\240\163\111\231\150\334\205\133
\145\343\233\050\057\127\237\275\063\274\007\110\060\013\006\003
\125\035\017\004\004\003\002\001\006\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\015\006\011\052\206
\110\206\367\015\001\001\005\005\000\003\202\001\001\000\150\100
\251\250\273\344\117\135\171\263\005\265\027\263\140\023\353\306
\222\135\340\321\323\152\376\373\276\233\155\277\307\005\155\131
\040\304\034\360\267\332\204\130\002\143\372\110\026\357\117\245
\013\367\112\230\362\077\236\033\255\107\153\143\316\010\107\353
\122\077\170\234\257\115\256\370\325\117\317\232\230\052\020\101
\071\122\304\335\331\233\016\357\223\001\256\262\056\312\150\102
\044\102\154\260\263\072\076\315\351\332\110\304\025\313\351\371
\007\017\222\120\111\212\335\061\227\137\311\351\067\252\073\131
\145\227\224\062\311\263\237\076\072\142\130\305\111\255\142\016
\161\245\062\252\057\306\211\166\103\100\023\023\147\075\242\124
\045\020\313\361\072\362\331\372\333\111\126\273\246\376\247\101
\065\303\340\210\141\311\210\307\337\066\020\042\230\131\352\260
\112\373\126\026\163\156\254\115\367\042\241\117\255\035\172\055
\105\047\345\060\301\136\362\332\023\313\045\102\121\225\107\003
\214\154\041\314\164\102\355\123\377\063\213\217\017\127\001\026

```

\057\317\246\356\311\160\042\024\275\375\276\154\013\003
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "Security Communication Root CA"
# Issuer: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
# Serial Number: 0 (0x0)
# Subject: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
# Not Valid Before: Tue Sep 30 04:20:49 2003
# Not Valid After : Sat Sep 30 04:20:49 2023
# Fingerprint (SHA-256):
E7:5E:72:ED:9F:56:0E:EC:6E:B4:80:00:73:A4:3F:C3:AD:19:19:5A:39:22:82:01:78:95:97:4A:99:02:6B:6C
# Fingerprint (SHA1): 36:B1:2B:49:F9:81:9E:D7:4C:9E:BC:38:0F:C6:56:8F:5D:AC:B2:F7
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\066\261\053\111\371\201\236\327\114\236\274\070\017\306\126\217
\135\254\262\367
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\361\274\143\152\124\340\265\047\365\315\347\032\343\115\156\112
END
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040
\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125
\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155
\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103
\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Camerfirma Chambers of Commerce Root"
#
# Issuer: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
A82743287,C=EU

```



```
# Serial Number: 0 (0x0)
# Subject: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
A82743287,C=EU
# Not Valid Before: Tue Sep 30 16:13:43 2003
# Not Valid After : Wed Sep 30 16:13:44 2037
# Fingerprint (SHA-256):
0C:25:8A:12:A5:67:4A:EF:25:F2:8B:A7:DC:FA:EC:EE:A3:48:E5:41:E6:F5:CC:4E:E6:3B:71:B3:61:60:6A:C3
# Fingerprint (SHA1): 6E:3A:55:A4:19:0C:19:5C:93:84:3C:C0:DB:72:2E:31:30:61:F0:B1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Camerfirma Chambers of Commerce Root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157
\164
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157
\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\275\060\202\003\245\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061\047
\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155\145
\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101\070
\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004\013
\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150\141
```

\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060\040
\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163\040
\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157\164
\060\036\027\015\060\063\060\071\063\060\061\066\061\063\064\063
\132\027\015\063\067\060\071\063\060\061\066\061\063\064\064\132
\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157
\164\060\202\001\040\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\001\015\000\060\202\001\010\002\202\001
\001\000\267\066\125\345\245\135\030\060\340\332\211\124\221\374
\310\307\122\370\057\120\331\357\261\165\163\145\107\175\033\133
\272\165\305\374\241\210\044\372\057\355\312\010\112\071\124\304
\121\172\265\332\140\352\070\074\201\262\313\361\273\331\221\043
\077\110\001\160\165\251\005\052\255\037\161\363\311\124\075\035
\006\152\100\076\263\014\205\356\134\033\171\302\142\304\270\066
\216\065\135\001\014\043\004\107\065\252\233\140\116\240\146\075
\313\046\012\234\100\241\364\135\230\277\161\253\245\000\150\052
\355\203\172\017\242\024\265\324\042\263\200\260\074\014\132\121
\151\055\130\030\217\355\231\236\361\256\342\225\346\366\107\250
\326\014\017\260\130\130\333\303\146\067\236\233\221\124\063\067
\322\224\034\152\110\311\311\362\245\332\245\014\043\367\043\016
\234\062\125\136\161\234\204\005\121\232\055\375\346\116\052\064
\132\336\312\100\067\147\014\124\041\125\167\332\012\014\314\227
\256\200\334\224\066\112\364\076\316\066\023\036\123\344\254\116
\072\005\354\333\256\162\234\070\213\320\071\073\211\012\076\167
\376\165\002\001\003\243\202\001\104\060\202\001\100\060\022\006
\003\125\035\023\001\001\377\004\010\060\006\001\001\377\002\001
\014\060\074\006\003\125\035\037\004\065\060\063\060\061\240\057
\240\055\206\053\150\164\164\160\072\057\057\143\162\154\056\143
\150\141\155\142\145\162\163\162\157\157\164\056\143\162\154\060
\035\006\003\125\035\016\004\026\004\024\343\224\365\261\115\351
\333\241\051\133\127\213\115\166\006\166\341\321\242\212\060\016
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\021
\006\011\140\206\110\001\206\370\102\001\001\004\004\003\002\000
\007\060\047\006\003\125\035\021\004\040\060\036\201\034\143\150
\141\155\142\145\162\163\162\157\157\164\100\143\150\141\155\142
\145\162\163\151\147\156\056\157\162\147\060\047\006\003\125\035
\022\004\040\060\036\201\034\143\150\141\155\142\145\162\163\162
\157\157\164\100\143\150\141\155\142\145\162\163\151\147\156\056
\157\162\147\060\130\006\003\125\035\040\004\121\060\117\060\115
\006\013\053\006\001\004\001\201\207\056\012\003\001\060\076\060

\074\006\010\053\006\001\005\005\007\002\001\026\060\150\164\164
\160\072\057\057\143\160\163\056\143\150\141\155\142\145\162\163
\151\147\156\056\157\162\147\057\143\160\163\057\143\150\141\155
\142\145\162\163\162\157\157\164\056\150\164\155\154\060\015\006
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001
\000\014\101\227\302\032\206\300\042\174\237\373\220\363\032\321
\003\261\357\023\371\041\137\004\234\332\311\245\215\047\154\226
\207\221\276\101\220\001\162\223\347\036\175\137\366\211\306\135
\247\100\011\075\254\111\105\105\334\056\215\060\150\262\011\272
\373\303\057\314\272\013\337\077\167\173\106\175\072\022\044\216
\226\217\074\005\012\157\322\224\050\035\155\014\300\056\210\042
\325\330\317\035\023\307\360\110\327\327\005\247\317\307\107\236
\073\074\064\310\200\117\324\024\273\374\015\120\367\372\263\354
\102\137\251\335\155\310\364\165\317\173\301\162\046\261\001\034
\134\054\375\172\116\264\001\305\005\127\271\347\074\252\005\331
\210\351\007\106\101\316\357\101\201\256\130\337\203\242\256\312
\327\167\037\347\000\074\235\157\216\344\062\011\035\115\170\064
\170\064\074\224\233\046\355\117\161\306\031\172\275\040\042\110
\132\376\113\175\003\267\347\130\276\306\062\116\164\036\150\335
\250\150\133\263\076\356\142\175\331\200\350\012\165\172\267\356
\264\145\232\041\220\340\252\320\230\274\070\265\163\074\213\370
\334

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
For Email Distrust After: Mon Mar 01 00:00:00 2021
CKA_NSS_EMAIL_DISTRICT_AFTER MULTILINE_OCTAL
\062\061\060\063\060\061\060\060\060\060\060\060\132
END

Trust for "Camerfirma Chambers of Commerce Root"
Issuer: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
A82743287,C=EU
Serial Number: 0 (0x0)
Subject: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
A82743287,C=EU
Not Valid Before: Tue Sep 30 16:13:43 2003
Not Valid After : Wed Sep 30 16:13:44 2037
Fingerprint (SHA-256):
0C:25:8A:12:A5:67:4A:EF:25:F2:8B:A7:DC:FA:EC:EE:A3:48:E5:41:E6:F5:CC:4E:E6:3B:71:B3:61:60:6A:C3
Fingerprint (SHA1): 6E:3A:55:A4:19:0C:19:5C:93:84:3C:C0:DB:72:2E:31:30:61:F0:B1
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Camerfirma Chambers of Commerce Root"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\156\072\125\244\031\014\031\134\223\204\074\300\333\162\056\061

```

\060\141\360\261
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\260\001\356\024\331\257\051\030\224\166\216\361\151\063\052\204
END
CKA_ISSUER MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157
\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "XRamp Global CA Root"
#
# Issuer: CN=XRamp Global Certification Authority,O=XRamp Security Services
Inc,OU=www.xrampsecurity.com,C=US
# Serial Number:50:94:6c:ec:18:ea:d5:9c:4d:d5:97:ef:75:8f:a0:ad
# Subject: CN=XRamp Global Certification Authority,O=XRamp Security Services
Inc,OU=www.xrampsecurity.com,C=US
# Not Valid Before: Mon Nov 01 17:14:04 2004
# Not Valid After : Mon Jan 01 05:37:19 2035
# Fingerprint (SHA-256):
CE:CD:DC:90:50:99:D8:DA:DF:C5:B1:D2:09:B7:37:CB:E2:C1:8C:FB:2C:10:C0:FF:0B:CF:0D:32:86:FC:1A:A2
# Fingerprint (SHA1): B8:01:86:D1:EB:9C:86:A5:41:04:CF:30:54:F3:4C:52:B7:E5:58:C6
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "XRamp Global CA Root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\036\060\034\006\003\125\004\013\023\025\167\167\167\056\170
\162\141\155\160\163\145\143\165\162\151\164\171\056\143\157\155
\061\044\060\042\006\003\125\004\012\023\033\130\122\141\155\160

```

\040\123\145\143\165\162\151\164\171\040\123\145\162\166\151\143
\145\163\040\111\156\143\061\055\060\053\006\003\125\004\003\023
\044\130\122\141\155\160\040\107\154\157\142\141\154\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\036\060\034\006\003\125\004\013\023\025\167\167\167\056\170
\162\141\155\160\163\145\143\165\162\151\164\171\056\143\157\155
\061\044\060\042\006\003\125\004\012\023\033\130\122\141\155\160
\040\123\145\143\165\162\151\164\171\040\123\145\162\166\151\143
\145\163\040\111\156\143\061\055\060\053\006\003\125\004\003\023
\044\130\122\141\155\160\040\107\154\157\142\141\154\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\120\224\154\354\030\352\325\234\115\325\227\357\165\217
\240\255

END

CKA_VALUE MULTILINE_OCTAL

\060\202\004\060\060\202\003\030\240\003\002\001\002\002\020\120
\224\154\354\030\352\325\234\115\325\227\357\165\217\240\255\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\201
\202\061\013\060\011\006\003\125\004\006\023\002\125\123\061\036
\060\034\006\003\125\004\013\023\025\167\167\167\056\170\162\141
\155\160\163\145\143\165\162\151\164\171\056\143\157\155\061\044
\060\042\006\003\125\004\012\023\033\130\122\141\155\160\040\123
\145\143\165\162\151\164\171\040\123\145\162\166\151\143\145\163
\040\111\156\143\061\055\060\053\006\003\125\004\003\023\044\130
\122\141\155\160\040\107\154\157\142\141\154\040\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162
\151\164\171\060\036\027\015\060\064\061\061\060\061\061\067\061
\064\060\064\132\027\015\063\065\060\061\060\061\060\065\063\067
\061\071\132\060\201\202\061\013\060\011\006\003\125\004\006\023
\002\125\123\061\036\060\034\006\003\125\004\013\023\025\167\167
\167\056\170\162\141\155\160\163\145\143\165\162\151\164\171\056
\143\157\155\061\044\060\042\006\003\125\004\012\023\033\130\122
\141\155\160\040\123\145\143\165\162\151\164\171\040\123\145\162
\166\151\143\145\163\040\111\156\143\061\055\060\053\006\003\125
\004\003\023\044\130\122\141\155\160\040\107\154\157\142\141\154
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\060\202\001\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000
\060\202\001\012\002\202\001\001\000\230\044\036\275\025\264\272
\337\307\214\245\047\266\070\013\151\363\266\116\250\054\056\041

\035\134\104\337\041\135\176\043\164\376\136\176\264\112\267\246
\255\037\256\340\006\026\342\233\133\331\147\164\153\135\200\217
\051\235\206\033\331\234\015\230\155\166\020\050\130\344\145\260
\177\112\230\171\237\340\303\061\176\200\053\265\214\300\100\073
\021\206\320\313\242\206\066\140\244\325\060\202\155\331\156\320
\017\022\004\063\227\137\117\141\132\360\344\371\221\253\347\035
\073\274\350\317\364\153\055\064\174\342\110\141\034\216\363\141
\104\314\157\240\112\251\224\260\115\332\347\251\064\172\162\070
\250\101\314\074\224\021\175\353\310\246\214\267\206\313\312\063
\073\331\075\067\213\373\172\076\206\054\347\163\327\012\127\254
\144\233\031\353\364\017\004\010\212\254\003\027\031\144\364\132
\045\042\215\064\054\262\366\150\035\022\155\323\212\036\024\332
\304\217\246\342\043\205\325\172\015\275\152\340\351\354\354\027
\273\102\033\147\252\045\355\105\203\041\374\301\311\174\325\142
\076\372\362\305\055\323\375\324\145\002\003\001\000\001\243\201
\237\060\201\234\060\023\006\011\053\006\001\004\001\202\067\024
\002\004\006\036\004\000\103\000\101\060\013\006\003\125\035\017
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\306\117\242\075\006\143\204\011\234\316\142\344\004\254
\215\134\265\351\266\033\060\066\006\003\125\035\037\004\057\060
\055\060\053\240\051\240\047\206\045\150\164\164\160\072\057\057
\143\162\154\056\170\162\141\155\160\163\145\143\165\162\151\164
\171\056\143\157\155\057\130\107\103\101\056\143\162\154\060\020
\006\011\053\006\001\004\001\202\067\025\001\004\003\002\001\001
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003
\202\001\001\000\221\025\071\003\001\033\147\373\112\034\371\012
\140\133\241\332\115\227\142\371\044\123\047\327\202\144\116\220
\056\303\111\033\053\232\334\374\250\170\147\065\361\035\360\021
\275\267\110\343\020\366\015\337\077\322\311\266\252\125\244\110
\272\002\333\336\131\056\025\133\073\235\026\175\107\327\067\352
\137\115\166\022\066\273\037\327\241\201\004\106\040\243\054\155
\251\236\001\176\077\051\316\000\223\337\375\311\222\163\211\211
\144\236\347\053\344\034\221\054\322\271\316\175\316\157\061\231
\323\346\276\322\036\220\360\011\024\171\134\043\253\115\322\332
\041\037\115\231\171\235\341\317\047\237\020\233\034\210\015\260
\212\144\101\061\270\016\154\220\044\244\233\134\161\217\272\273
\176\034\033\333\152\200\017\041\274\351\333\246\267\100\364\262
\213\251\261\344\357\232\032\320\075\151\231\356\250\050\243\341
\074\263\360\262\021\234\317\174\100\346\335\347\103\175\242\330
\072\265\251\215\362\064\231\304\324\020\341\006\375\011\204\020
\073\356\304\114\364\354\047\174\102\302\164\174\202\212\011\311
\264\003\045\274

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

```

# Trust for "XRamp Global CA Root"
# Issuer: CN=XRamp Global Certification Authority,O=XRamp Security Services
Inc,OU=www.xrampsecurity.com,C=US
# Serial Number:50:94:6c:ec:18:ea:d5:9c:4d:d5:97:ef:75:8f:a0:ad
# Subject: CN=XRamp Global Certification Authority,O=XRamp Security Services
Inc,OU=www.xrampsecurity.com,C=US
# Not Valid Before: Mon Nov 01 17:14:04 2004
# Not Valid After : Mon Jan 01 05:37:19 2035
# Fingerprint (SHA-256):
CE:CD:DC:90:50:99:D8:DA:DF:C5:B1:D2:09:B7:37:CB:E2:C1:8C:FB:2C:10:C0:FF:0B:CF:0D:32:86:FC:1A:A2
# Fingerprint (SHA1): B8:01:86:D1:EB:9C:86:A5:41:04:CF:30:54:F3:4C:52:B7:E5:58:C6
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "XRamp Global CA Root"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\270\001\206\321\353\234\206\245\101\004\317\060\124\363\114\122
\267\345\130\306
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\241\013\104\263\312\020\330\000\156\235\017\330\017\222\012\321
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\036\060\034\006\003\125\004\013\023\025\167\167\167\056\170
\162\141\155\160\163\145\143\165\162\151\164\171\056\143\157\155
\061\044\060\042\006\003\125\004\012\023\033\130\122\141\155\160
\040\123\145\143\165\162\151\164\171\040\123\145\162\166\151\143
\145\163\040\111\156\143\061\055\060\053\006\003\125\004\003\023
\044\130\122\141\155\160\040\107\154\157\142\141\154\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\120\224\154\354\030\352\325\234\115\325\227\357\165\217
\240\255
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Go Daddy Class 2 CA"
#
# Issuer: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US
# Serial Number: 0 (0x0)

```

```
# Subject: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US
# Not Valid Before: Tue Jun 29 17:06:20 2004
# Not Valid After : Thu Jun 29 17:06:20 2034
# Fingerprint (SHA-256):
C3:84:6B:F2:4B:9E:93:CA:64:27:4C:0E:C6:7C:1E:CC:5E:02:4F:FC:AC:D2:D7:40:19:35:0E:81:FE:54:6A:E4
# Fingerprint (SHA1): 27:96:BA:E6:3F:18:01:E2:77:26:1B:A0:D7:77:70:02:8F:20:EE:E4
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Go Daddy Class 2 CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\041\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157
\040\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156
\143\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040
\104\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\041\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157
\040\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156
\143\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040
\104\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\000\060\202\002\350\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061\041
\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157\040
\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156\143
\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040\104
\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171\060\036\027\015\060\064\060\066\062\071\061\067
\060\066\062\060\132\027\015\063\064\060\066\062\071\061\067\060
\066\062\060\132\060\143\061\013\060\011\006\003\125\004\006\023
\002\125\123\061\041\060\037\006\003\125\004\012\023\030\124\150
\145\040\107\157\040\104\141\144\144\171\040\107\162\157\165\160
```


\054\040\111\156\143\056\061\061\060\057\006\003\125\004\013\023
\050\107\157\040\104\141\144\144\171\040\103\154\141\163\163\040
\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040
\101\165\164\150\157\162\151\164\171\060\202\001\040\060\015\006
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\015
\000\060\202\001\010\002\202\001\001\000\336\235\327\352\127\030
\111\241\133\353\327\137\110\206\352\276\335\377\344\357\147\034
\364\145\150\263\127\161\240\136\167\273\355\233\111\351\160\200
\075\126\030\143\010\157\332\362\314\320\077\177\002\124\042\124
\020\330\262\201\324\300\165\075\113\177\307\167\303\076\170\253
\032\003\265\040\153\057\152\053\261\305\210\176\304\273\036\260
\301\330\105\047\157\252\067\130\367\207\046\327\330\055\366\251
\027\267\037\162\066\116\246\027\077\145\230\222\333\052\156\135
\242\376\210\340\013\336\177\345\215\025\341\353\313\072\325\342
\022\242\023\055\330\216\257\137\022\075\240\010\005\010\266\134
\245\145\070\004\105\231\036\243\140\140\164\305\101\245\162\142
\033\142\305\037\157\137\032\102\276\002\121\145\250\256\043\030
\152\374\170\003\251\115\177\200\303\372\253\132\374\241\100\244
\312\031\026\376\262\310\357\136\163\015\356\167\275\232\366\171
\230\274\261\007\147\242\025\015\335\240\130\306\104\173\012\076
\142\050\137\272\101\007\123\130\317\021\176\070\164\305\370\377
\265\151\220\217\204\164\352\227\033\257\002\001\003\243\201\300
\060\201\275\060\035\006\003\125\035\016\004\026\004\024\322\304
\260\322\221\324\114\021\161\263\141\313\075\241\376\335\250\152
\324\343\060\201\215\006\003\125\035\043\004\201\205\060\201\202
\200\024\322\304\260\322\221\324\114\021\161\263\141\313\075\241
\376\335\250\152\324\343\241\147\244\145\060\143\061\013\060\011
\006\003\125\004\006\023\002\125\123\061\041\060\037\006\003\125
\004\012\023\030\124\150\145\040\107\157\040\104\141\144\144\171
\040\107\162\157\165\160\054\040\111\156\143\056\061\061\060\057
\006\003\125\004\013\023\050\107\157\040\104\141\144\144\171\040
\103\154\141\163\163\040\062\040\103\145\162\164\151\146\151\143
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\202
\001\000\060\014\006\003\125\035\023\004\005\060\003\001\001\377
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003
\202\001\001\000\062\113\363\262\312\076\221\374\022\306\241\007
\214\216\167\240\063\006\024\134\220\036\030\367\010\246\075\012
\031\371\207\200\021\156\151\344\226\027\060\377\064\221\143\162
\070\356\314\034\001\243\035\224\050\244\061\366\172\304\124\327
\366\345\061\130\003\242\314\316\142\333\224\105\163\265\277\105
\311\044\265\325\202\002\255\043\171\151\215\270\266\115\316\317
\114\312\063\043\350\034\210\252\235\213\101\156\026\311\040\345
\211\236\315\073\332\160\367\176\231\046\040\024\124\045\253\156
\163\205\346\233\041\235\012\154\202\016\250\370\302\014\372\020
\036\154\226\357\207\015\304\017\141\213\255\356\203\053\225\370
\216\222\204\162\071\353\040\352\203\355\203\315\227\156\010\274
\353\116\046\266\163\053\344\323\366\114\376\046\161\342\141\021
\164\112\377\127\032\207\017\165\110\056\317\121\151\027\240\002

```
\022\141\225\325\321\100\262\020\114\356\304\254\020\103\246\245
\236\012\325\225\142\232\015\317\210\202\305\062\014\344\053\237
\105\346\015\237\050\234\261\271\052\132\127\255\067\017\257\035
\177\333\275\237
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "Go Daddy Class 2 CA"

Issuer: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US

Serial Number: 0 (0x0)

Subject: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US

Not Valid Before: Tue Jun 29 17:06:20 2004

Not Valid After : Thu Jun 29 17:06:20 2034

Fingerprint (SHA-256):

C3:84:6B:F2:4B:9E:93:CA:64:27:4C:0E:C6:7C:1E:CC:5E:02:4F:FC:AC:D2:D7:40:19:35:0E:81:FE:54:6A:E4

Fingerprint (SHA1): 27:96:BA:E6:3F:18:01:E2:77:26:1B:A0:D7:77:70:02:8F:20:EE:E4

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Go Daddy Class 2 CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\047\226\272\346\077\030\001\342\167\046\033\240\327\167\160\002
\217\040\356\344
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\221\336\006\045\253\332\375\062\027\014\273\045\027\052\204\147
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\041\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157
\040\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156
\143\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040
\104\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\001\000
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

```

# Certificate "Starfield Class 2 CA"
#
# Issuer: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US
# Serial Number: 0 (0x0)
# Subject: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US
# Not Valid Before: Tue Jun 29 17:39:16 2004
# Not Valid After : Thu Jun 29 17:39:16 2034
# Fingerprint (SHA-256):
14:65:FA:20:53:97:B8:76:FA:A6:F0:A9:95:8E:55:90:E4:0F:CC:7F:AA:4F:B7:C2:C8:67:75:21:FB:5F:B6:58
# Fingerprint (SHA1): AD:7E:1C:28:B0:64:EF:8F:60:03:40:20:14:C3:D0:E3:37:0E:B5:8A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Class 2 CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\045\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151
\145\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163
\054\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023
\051\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163
\040\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\045\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151
\145\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163
\054\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023
\051\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163
\040\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\017\060\202\002\367\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061\045
\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151\145
\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163\054
\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023\051
\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163\040
\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040
\101\165\164\150\157\162\151\164\171\060\036\027\015\060\064\060

```

\066\062\071\061\067\063\071\061\066\132\027\015\063\064\060\066
\062\071\061\067\063\071\061\066\132\060\150\061\013\060\011\006
\003\125\004\006\023\002\125\123\061\045\060\043\006\003\125\004
\012\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143
\150\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061
\062\060\060\006\003\125\004\013\023\051\123\164\141\162\146\151
\145\154\144\040\103\154\141\163\163\040\062\040\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162
\151\164\171\060\202\001\040\060\015\006\011\052\206\110\206\367
\015\001\001\001\005\000\003\202\001\015\000\060\202\001\010\002
\202\001\001\000\267\062\310\376\351\161\246\004\205\255\014\021
\144\337\316\115\357\310\003\030\207\077\241\253\373\074\246\237
\360\303\241\332\324\330\156\053\123\220\373\044\244\076\204\360
\236\350\137\354\345\047\104\365\050\246\077\173\336\340\052\360
\310\257\123\057\236\312\005\001\223\036\217\146\034\071\247\115
\372\132\266\163\004\045\146\353\167\177\347\131\306\112\231\045
\024\124\353\046\307\363\177\031\325\060\160\217\257\260\106\052
\377\255\353\051\355\327\237\252\004\207\243\324\371\211\245\064
\137\333\103\221\202\066\331\146\074\261\270\271\202\375\234\072
\076\020\310\073\357\006\145\146\172\233\031\030\075\377\161\121
\074\060\056\137\276\075\167\163\262\135\006\154\303\043\126\232
\053\205\046\222\034\247\002\263\344\077\015\257\010\171\202\270
\066\075\352\234\323\065\263\274\151\312\365\314\235\350\375\144
\215\027\200\063\156\136\112\135\231\311\036\207\264\235\032\300
\325\156\023\065\043\136\337\233\137\075\357\326\367\166\302\352
\076\273\170\015\034\102\147\153\004\330\370\326\332\157\213\362
\104\240\001\253\002\001\003\243\201\305\060\201\302\060\035\006
\003\125\035\016\004\026\004\024\277\137\267\321\316\335\037\206
\364\133\125\254\334\327\020\302\016\251\210\347\060\201\222\006
\003\125\035\043\004\201\212\060\201\207\200\024\277\137\267\321
\316\335\037\206\364\133\125\254\334\327\020\302\016\251\210\347
\241\154\244\152\060\150\061\013\060\011\006\003\125\004\006\023
\002\125\123\061\045\060\043\006\003\125\004\012\023\034\123\164
\141\162\146\151\145\154\144\040\124\145\143\150\156\157\154\157
\147\151\145\163\054\040\111\156\143\056\061\062\060\060\006\003
\125\004\013\023\051\123\164\141\162\146\151\145\154\144\040\103
\154\141\163\163\040\062\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\202\001
\000\060\014\006\003\125\035\023\004\005\060\003\001\001\377\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003\202
\001\001\000\005\235\077\210\235\321\311\032\125\241\254\151\363
\363\131\332\233\001\207\032\117\127\251\241\171\011\052\333\367
\057\262\036\314\307\136\152\330\203\207\241\227\357\111\065\076
\167\006\101\130\142\277\216\130\270\012\147\077\354\263\335\041
\146\037\311\124\372\162\314\075\114\100\330\201\257\167\236\203
\172\273\242\307\365\064\027\216\331\021\100\364\374\054\052\115
\025\177\247\142\135\056\045\323\000\013\040\032\035\150\371\027
\270\364\275\213\355\050\131\335\115\026\213\027\203\310\262\145

```
\307\055\172\245\252\274\123\206\155\335\127\244\312\370\040\101
\013\150\360\364\373\164\276\126\135\172\171\365\371\035\205\343
\055\225\276\365\161\220\103\314\215\037\232\000\012\207\051\351
\125\042\130\000\043\352\343\022\103\051\133\107\010\335\214\101
\152\145\006\250\345\041\252\101\264\225\041\225\271\175\321\064
\253\023\326\255\274\334\342\075\071\315\275\076\165\160\241\030
\131\003\311\042\264\217\234\325\136\052\327\245\266\324\012\155
\370\267\100\021\106\232\037\171\016\142\277\017\227\354\340\057
\037\027\224
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Starfield Class 2 CA"
```

```
# Issuer: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US
```

```
# Serial Number: 0 (0x0)
```

```
# Subject: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US
```

```
# Not Valid Before: Tue Jun 29 17:39:16 2004
```

```
# Not Valid After : Thu Jun 29 17:39:16 2034
```

```
# Fingerprint (SHA-256):
```

```
14:65:FA:20:53:97:B8:76:FA:A6:F0:A9:95:8E:55:90:E4:0F:CC:7F:AA:4F:B7:C2:C8:67:75:21:FB:5F:B6:58
```

```
# Fingerprint (SHA1): AD:7E:1C:28:B0:64:EF:8F:60:03:40:20:14:C3:D0:E3:37:0E:B5:8A
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Starfield Class 2 CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\255\176\034\050\260\144\357\217\140\003\100\040\024\303\320\343
\067\016\265\212
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\062\112\113\273\310\143\151\233\276\164\232\306\335\035\106\044
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\045\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151
\145\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163
\054\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023
\051\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163
\040\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\001\000
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "DigiCert Assured ID Root CA"

#

Issuer: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

Serial Number:0c:e7:e0:e5:17:d8:46:fe:8f:e5:60:fc:1b:f0:30:39

Subject: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

Not Valid Before: Fri Nov 10 00:00:00 2006

Not Valid After : Mon Nov 10 00:00:00 2031

Fingerprint (SHA-256):

3E:90:99:B5:01:5E:8F:48:6C:00:BC:EA:9D:11:1E:E7:21:FA:BA:35:5A:89:BC:F1:DF:69:56:1E:3D:C6:32:5C

Fingerprint (SHA1): 05:63:B8:63:0D:62:D7:5A:BB:C8:AB:1E:4B:DF:B5:A8:99:B2:4D:43

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "DigiCert Assured ID Root CA"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\103\101

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\103\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\014\347\340\345\027\330\106\376\217\345\140\374\033\360
\060\071

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\267\060\202\002\237\240\003\002\001\002\002\020\014
\347\340\345\027\330\106\376\217\345\140\374\033\360\060\071\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\145

\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\044\060\042\006\003\125\004\003\023\033\104\151\147\151\103\145
\162\164\040\101\163\163\165\162\145\144\040\111\104\040\122\157
\157\164\040\103\101\060\036\027\015\060\066\061\061\061\060\060
\060\060\060\060\060\132\027\015\063\061\061\061\061\060\060\060
\060\060\060\060\132\060\145\061\013\060\011\006\003\125\004\006
\023\002\125\123\061\025\060\023\006\003\125\004\012\023\014\104
\151\147\151\103\145\162\164\040\111\156\143\061\031\060\027\006
\003\125\004\013\023\020\167\167\167\056\144\151\147\151\143\145
\162\164\056\143\157\155\061\044\060\042\006\003\125\004\003\023
\033\104\151\147\151\103\145\162\164\040\101\163\163\165\162\145
\144\040\111\104\040\122\157\157\164\040\103\101\060\202\001\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\001\017\000\060\202\001\012\002\202\001\001\000\255\016\025
\316\344\103\200\134\261\207\363\267\140\371\161\022\245\256\334
\046\224\210\252\364\316\365\040\071\050\130\140\014\370\200\332
\251\025\225\062\141\074\265\261\050\204\212\212\334\237\012\014
\203\027\172\217\220\254\212\347\171\123\134\061\204\052\366\017
\230\062\066\166\314\336\335\074\250\242\357\152\373\041\362\122
\141\337\237\040\327\037\342\261\331\376\030\144\322\022\133\137
\371\130\030\065\274\107\315\241\066\371\153\177\324\260\070\076
\301\033\303\214\063\331\330\057\030\376\050\017\263\247\203\326
\303\156\104\300\141\065\226\026\376\131\234\213\166\155\327\361
\242\113\015\053\377\013\162\332\236\140\320\216\220\065\306\170
\125\207\040\241\317\345\155\012\310\111\174\061\230\063\154\042
\351\207\320\062\132\242\272\023\202\021\355\071\027\235\231\072
\162\241\346\372\244\331\325\027\061\165\256\205\175\042\256\077
\001\106\206\366\050\171\310\261\332\344\127\027\304\176\034\016
\260\264\222\246\126\263\275\262\227\355\252\247\360\267\305\250
\077\225\026\320\377\241\226\353\010\137\030\167\117\002\003\001
\000\001\243\143\060\141\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\105\353\242\257\364\222\313\202\061\055\121\213\247\247
\041\235\363\155\310\017\060\037\006\003\125\035\043\004\030\060
\026\200\024\105\353\242\257\364\222\313\202\061\055\121\213\247
\247\041\235\363\155\310\017\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\003\202\001\001\000\242\016\274\337\342
\355\360\343\162\163\172\144\224\277\367\162\146\330\062\344\102
\165\142\256\207\353\362\325\331\336\126\263\237\314\316\024\050
\271\015\227\140\134\022\114\130\344\323\075\203\111\105\130\227
\065\151\032\250\107\352\126\306\171\253\022\330\147\201\204\337
\177\011\074\224\346\270\046\054\040\275\075\263\050\211\367\137
\377\042\342\227\204\037\351\145\357\207\340\337\301\147\111\263
\135\353\262\011\052\353\046\355\170\276\175\077\053\363\267\046

```
\065\155\137\211\001\266\111\133\237\001\005\233\253\075\045\301
\314\266\177\302\361\157\206\306\372\144\150\353\201\055\224\353
\102\267\372\214\036\335\142\361\276\120\147\267\154\275\363\361
\037\153\014\066\007\026\177\067\174\251\133\155\172\361\022\106
\140\203\327\047\004\276\113\316\227\276\303\147\052\150\021\337
\200\347\014\063\146\277\023\015\024\156\363\177\037\143\020\036
\372\215\033\045\155\154\217\245\267\141\001\261\322\243\046\241
\020\161\235\255\342\303\371\303\231\121\267\053\007\010\316\056
\346\120\262\247\372\012\105\057\242\360\362
```

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "DigiCert Assured ID Root CA"

Issuer: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

Serial Number:0c:e7:e0:e5:17:d8:46:fe:8f:e5:60:fc:1b:f0:30:39

Subject: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

Not Valid Before: Fri Nov 10 00:00:00 2006

Not Valid After : Mon Nov 10 00:00:00 2031

Fingerprint (SHA-256):

3E:90:99:B5:01:5E:8F:48:6C:00:BC:EA:9D:11:1E:E7:21:FA:BA:35:5A:89:BC:F1:DF:69:56:1E:3D:C6:32:5C

Fingerprint (SHA1): 05:63:B8:63:0D:62:D7:5A:BB:C8:AB:1E:4B:DF:B5:A8:99:B2:4D:43

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "DigiCert Assured ID Root CA"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

```
\005\143\270\143\015\142\327\132\273\310\253\036\113\337\265\250
\231\262\115\103
```

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

```
\207\316\013\173\052\016\111\000\341\130\161\233\067\250\223\162
```

CKA_ISSUER MULTILINE_OCTAL

```
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\103\101
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\020\014\347\340\345\027\330\106\376\217\345\140\374\033\360
\060\071
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "DigiCert Global Root CA"

#

Issuer: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

Serial Number:08:3b:e0:56:90:42:46:b1:a1:75:6a:c9:59:91:c7:4a

Subject: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

Not Valid Before: Fri Nov 10 00:00:00 2006

Not Valid After : Mon Nov 10 00:00:00 2031

Fingerprint (SHA-256):

43:48:A0:E9:44:4C:78:CB:26:5E:05:8D:5E:89:44:B4:D8:4F:96:62:BD:26:DB:25:7F:89:34:A4:43:C7:01:61

Fingerprint (SHA1): A8:98:5D:3A:65:E5:E5:C4:B2:D7:D6:6D:40:C6:DD:2F:B1:9C:54:36

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "DigiCert Global Root CA"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\010\073\340\126\220\102\106\261\241\165\152\311\131\221
\307\112

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\257\060\202\002\227\240\003\002\001\002\002\020\010
\073\340\126\220\102\106\261\241\165\152\311\131\221\307\112\060

\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\141
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\040\060\036\006\003\125\004\003\023\027\104\151\147\151\103\145
\162\164\040\107\154\157\142\141\154\040\122\157\157\164\040\103
\101\060\036\027\015\060\066\061\061\061\060\060\060\060\060\060
\060\132\027\015\063\061\061\061\061\060\060\060\060\060\060\060
\132\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103
\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013
\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143
\157\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147
\151\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157
\164\040\103\101\060\202\001\042\060\015\006\011\052\206\110\206
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012
\002\202\001\001\000\342\073\341\021\162\336\250\244\323\243\127
\252\120\242\217\013\167\220\311\242\245\356\022\316\226\133\001
\011\040\314\001\223\247\116\060\267\123\367\103\304\151\000\127
\235\342\215\042\335\207\006\100\000\201\011\316\316\033\203\277
\337\315\073\161\106\342\326\146\307\005\263\166\047\026\217\173
\236\036\225\175\356\267\110\243\010\332\326\257\172\014\071\006
\145\177\112\135\037\274\027\370\253\276\356\050\327\164\177\172
\170\231\131\205\150\156\134\043\062\113\277\116\300\350\132\155
\343\160\277\167\020\277\374\001\366\205\331\250\104\020\130\062
\251\165\030\325\321\242\276\107\342\047\152\364\232\063\370\111
\010\140\213\324\137\264\072\204\277\241\252\112\114\175\076\317
\117\137\154\166\136\240\113\067\221\236\334\042\346\155\316\024
\032\216\152\313\376\315\263\024\144\027\307\133\051\236\062\277
\362\356\372\323\013\102\324\253\267\101\062\332\014\324\357\370
\201\325\273\215\130\077\265\033\350\111\050\242\160\332\061\004
\335\367\262\026\362\114\012\116\007\250\355\112\075\136\265\177
\243\220\303\257\047\002\003\001\000\001\243\143\060\141\060\016
\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060\017
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060
\035\006\003\125\035\016\004\026\004\024\003\336\120\065\126\321
\114\273\146\360\243\342\033\033\303\227\262\075\321\125\060\037
\006\003\125\035\043\004\030\060\026\200\024\003\336\120\065\126
\321\114\273\146\360\243\342\033\033\303\227\262\075\321\125\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003\202
\001\001\000\313\234\067\252\110\023\022\012\372\335\104\234\117
\122\260\364\337\256\004\365\171\171\010\243\044\030\374\113\053
\204\300\055\271\325\307\376\364\301\037\130\313\270\155\234\172
\164\347\230\051\253\021\265\343\160\240\241\315\114\210\231\223
\214\221\160\342\253\017\034\276\223\251\377\143\325\344\007\140
\323\243\277\235\133\011\361\325\216\343\123\364\216\143\372\077
\247\333\264\146\337\142\146\326\321\156\101\215\362\055\265\352

```
\167\112\237\235\130\342\053\131\300\100\043\355\055\050\202\105
\076\171\124\222\046\230\340\200\110\250\067\357\360\326\171\140
\026\336\254\350\016\315\156\254\104\027\070\057\111\332\341\105
\076\052\271\066\123\317\072\120\006\367\056\350\304\127\111\154
\141\041\030\325\004\255\170\074\054\072\200\153\247\353\257\025
\024\351\330\211\301\271\070\154\342\221\154\212\377\144\271\167
\045\127\060\300\033\044\243\341\334\351\337\107\174\265\264\044
\010\005\060\354\055\275\013\277\105\277\120\271\251\363\353\230
\001\022\255\310\210\306\230\064\137\215\012\074\306\351\325\225
\225\155\336
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "DigiCert Global Root CA"
```

```
# Issuer: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Serial Number:08:3b:e0:56:90:42:46:b1:a1:75:6a:c9:59:91:c7:4a
```

```
# Subject: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Not Valid Before: Fri Nov 10 00:00:00 2006
```

```
# Not Valid After : Mon Nov 10 00:00:00 2031
```

```
# Fingerprint (SHA-256):
```

```
43:48:A0:E9:44:4C:78:CB:26:5E:05:8D:5E:89:44:B4:D8:4F:96:62:BD:26:DB:25:7F:89:34:A4:43:C7:01:61
```

```
# Fingerprint (SHA1): A8:98:5D:3A:65:E5:E5:C4:B2:D7:D6:6D:40:C6:DD:2F:B1:9C:54:36
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert Global Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\250\230\135\072\145\345\345\304\262\327\326\155\100\306\335\057
\261\234\124\066
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\171\344\251\204\015\175\072\226\327\300\117\342\103\114\211\056
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\010\073\340\126\220\102\106\261\241\165\152\311\131\221
\307\112
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DigiCert High Assurance EV Root CA"
#
# Issuer: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:02:ac:5c:26:6a:0b:40:9b:8f:0b:79:f2:ae:46:25:77
# Subject: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Fri Nov 10 00:00:00 2006
# Not Valid After : Mon Nov 10 00:00:00 2031
# Fingerprint (SHA-256):
74:31:E5:F4:C3:C1:CE:46:90:77:4F:0B:61:E0:54:40:88:3B:A9:A0:1E:D0:0B:A6:AB:D7:80:6E:D3:B1:18:CF
# Fingerprint (SHA1): 5F:B7:EE:06:33:E2:59:DB:AD:0C:4C:9A:E6:D3:8F:1A:61:C7:DC:25
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert High Assurance EV Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\053\060\051\006\003\125\004\003\023\042\104\151\147\151
\103\145\162\164\040\110\151\147\150\040\101\163\163\165\162\141
\156\143\145\040\105\126\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\053\060\051\006\003\125\004\003\023\042\104\151\147\151
\103\145\162\164\040\110\151\147\150\040\101\163\163\165\162\141
\156\143\145\040\105\126\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\002\254\134\046\152\013\100\233\217\013\171\362\256\106
\045\167
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\305\060\202\002\255\240\003\002\001\002\002\020\002

```

\254\134\046\152\013\100\233\217\013\171\362\256\106\045\167\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\154
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\053\060\051\006\003\125\004\003\023\042\104\151\147\151\103\145
\162\164\040\110\151\147\150\040\101\163\163\165\162\141\156\143
\145\040\105\126\040\122\157\157\164\040\103\101\060\036\027\015
\060\066\061\061\061\060\060\060\060\060\060\060\132\027\015\063
\061\061\061\061\060\060\060\060\060\060\060\132\060\154\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\025\060\023\006
\003\125\004\012\023\014\104\151\147\151\103\145\162\164\040\111
\156\143\061\031\060\027\006\003\125\004\013\023\020\167\167\167
\056\144\151\147\151\143\145\162\164\056\143\157\155\061\053\060
\051\006\003\125\004\003\023\042\104\151\147\151\103\145\162\164
\040\110\151\147\150\040\101\163\163\165\162\141\156\143\145\040
\105\126\040\122\157\157\164\040\103\101\060\202\001\042\060\015
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001
\017\000\060\202\001\012\002\202\001\001\000\306\314\345\163\346
\373\324\273\345\055\055\062\246\337\345\201\077\311\315\045\111
\266\161\052\303\325\224\064\147\242\012\034\260\137\151\246\100
\261\304\267\262\217\320\230\244\251\101\131\072\323\334\224\326
\074\333\164\070\244\112\314\115\045\202\367\112\245\123\022\070
\356\363\111\155\161\221\176\143\266\253\246\137\303\244\204\370
\117\142\121\276\370\305\354\333\070\222\343\006\345\010\221\014
\304\050\101\125\373\313\132\211\025\176\161\350\065\277\115\162
\011\075\276\072\070\120\133\167\061\033\215\263\307\044\105\232
\247\254\155\000\024\132\004\267\272\023\353\121\012\230\101\101
\042\116\145\141\207\201\101\120\246\171\134\211\336\031\112\127
\325\056\346\135\034\123\054\176\230\315\032\006\026\244\150\163
\320\064\004\023\134\241\161\323\132\174\125\333\136\144\341\067
\207\060\126\004\345\021\264\051\200\022\361\171\071\210\242\002
\021\174\047\146\267\210\267\170\362\312\012\250\070\253\012\144
\302\277\146\135\225\204\301\241\045\036\207\135\032\120\013\040
\022\314\101\273\156\013\121\070\270\113\313\002\003\001\000\001
\243\143\060\141\060\016\006\003\125\035\017\001\001\377\004\004
\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004\005
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024
\261\076\303\151\003\370\277\107\001\324\230\046\032\010\002\357
\143\144\053\303\060\037\006\003\125\035\043\004\030\060\026\200
\024\261\076\303\151\003\370\277\107\001\324\230\046\032\010\002
\357\143\144\053\303\060\015\006\011\052\206\110\206\367\015\001
\001\005\005\000\003\202\001\001\000\034\032\006\227\334\327\234
\237\074\210\146\006\010\127\041\333\041\107\370\052\147\252\277
\030\062\166\100\020\127\301\212\363\172\331\021\145\216\065\372
\236\374\105\265\236\331\114\061\113\270\221\350\103\054\216\263
\170\316\333\343\123\171\161\326\345\041\224\001\332\125\207\232

```
\044\144\366\212\146\314\336\234\067\315\250\064\261\151\233\043
\310\236\170\042\053\160\103\343\125\107\061\141\031\357\130\305
\205\057\116\060\366\240\061\026\043\310\347\342\145\026\063\313
\277\032\033\240\075\370\312\136\213\061\213\140\010\211\055\014
\006\134\122\267\304\371\012\230\321\025\137\237\022\276\174\066
\143\070\275\104\244\177\344\046\053\012\304\227\151\015\351\214
\342\300\020\127\270\310\166\022\221\125\362\110\151\330\274\052
\002\133\017\104\324\040\061\333\364\272\160\046\135\220\140\236
\274\113\027\011\057\264\313\036\103\150\311\007\047\301\322\134
\367\352\041\271\150\022\234\074\234\277\236\374\200\134\233\143
\315\354\107\252\045\047\147\240\067\363\000\202\175\124\327\251
\370\351\056\023\243\167\350\037\112
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "DigiCert High Assurance EV Root CA"
```

```
# Issuer: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Serial Number:02:ac:5c:26:6a:0b:40:9b:8f:0b:79:f2:ae:46:25:77
```

```
# Subject: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Not Valid Before: Fri Nov 10 00:00:00 2006
```

```
# Not Valid After : Mon Nov 10 00:00:00 2031
```

```
# Fingerprint (SHA-256):
```

```
74:31:E5:F4:C3:C1:CE:46:90:77:4F:0B:61:E0:54:40:88:3B:A9:A0:1E:D0:0B:A6:AB:D7:80:6E:D3:B1:18:CF
```

```
# Fingerprint (SHA1): 5F:B7:EE:06:33:E2:59:DB:AD:0C:4C:9A:E6:D3:8F:1A:61:C7:DC:25
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert High Assurance EV Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\137\267\356\006\063\342\131\333\255\014\114\232\346\323\217\032
```

```
\141\307\334\045
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\324\164\336\127\134\071\262\323\234\205\203\305\300\145\111\212
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\154\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
```

```
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
```

```
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
```

```
\155\061\053\060\051\006\003\125\004\003\023\042\104\151\147\151
```

```
\103\145\162\164\040\110\151\147\150\040\101\163\163\165\162\141
```

```
\156\143\145\040\105\126\040\122\157\157\164\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

\002\020\002\254\134\046\152\013\100\233\217\013\171\362\256\106
\045\167

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "SwissSign Gold CA - G2"

#

Issuer: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH

Serial Number:00:bb:40:1c:43:f5:5e:4f:b0

Subject: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH

Not Valid Before: Wed Oct 25 08:30:35 2006

Not Valid After : Sat Oct 25 08:30:35 2036

Fingerprint (SHA-256):

62:DD:0B:E9:B9:F5:0A:16:3E:A0:F8:E7:5C:05:3B:1E:CA:57:EA:55:C8:68:8F:64:7C:68:81:F2:C8:35:7B:95

Fingerprint (SHA1): D8:C5:38:8A:B7:30:1B:1B:6E:D4:7A:E6:45:25:3A:6F:9F:1A:27:61

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "SwissSign Gold CA - G2"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\105\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\037\060\035\006\003\125\004\003\023
\026\123\167\151\163\163\123\151\147\156\040\107\157\154\144\040
\103\101\040\055\040\107\062

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\105\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\037\060\035\006\003\125\004\003\023
\026\123\167\151\163\163\123\151\147\156\040\107\157\154\144\040
\103\101\040\055\040\107\062

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\011\000\273\100\034\103\365\136\117\260

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\272\060\202\003\242\240\003\002\001\002\002\011\000
\273\100\034\103\365\136\117\260\060\015\006\011\052\206\110\206
\367\015\001\001\005\005\000\060\105\061\013\060\011\006\003\125
\004\006\023\002\103\110\061\025\060\023\006\003\125\004\012\023

\014\123\167\151\163\163\123\151\147\156\040\101\107\061\037\060
\035\006\003\125\004\003\023\026\123\167\151\163\163\123\151\147
\156\040\107\157\154\144\040\103\101\040\055\040\107\062\060\036
\027\015\060\066\061\060\062\065\060\070\063\060\063\065\132\027
\015\063\066\061\060\062\065\060\070\063\060\063\065\132\060\105
\061\013\060\011\006\003\125\004\006\023\002\103\110\061\025\060
\023\006\003\125\004\012\023\014\123\167\151\163\163\123\151\147
\156\040\101\107\061\037\060\035\006\003\125\004\003\023\026\123
\167\151\163\163\123\151\147\156\040\107\157\154\144\040\103\101
\040\055\040\107\062\060\202\002\042\060\015\006\011\052\206\110
\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002
\012\002\202\002\001\000\257\344\356\176\213\044\016\022\156\251
\120\055\026\104\073\222\222\134\312\270\135\204\222\102\023\052
\274\145\127\202\100\076\127\044\315\120\213\045\052\267\157\374
\357\242\320\300\037\002\044\112\023\226\217\043\023\346\050\130
\000\243\107\307\006\247\204\043\053\273\275\226\053\177\125\314
\213\301\127\037\016\142\145\017\335\075\126\212\163\332\256\176
\155\272\201\034\176\102\214\040\065\331\103\115\204\372\204\333
\122\054\363\016\047\167\013\153\277\021\057\162\170\237\056\330
\076\346\030\067\132\052\162\371\332\142\220\222\225\312\037\234
\351\263\074\053\313\363\001\023\277\132\317\301\265\012\140\275
\335\265\231\144\123\270\240\226\263\157\342\046\167\221\214\340
\142\020\002\237\064\017\244\325\222\063\121\336\276\215\272\204
\172\140\074\152\333\237\053\354\336\336\001\077\156\115\345\120
\206\313\264\257\355\104\100\305\312\132\214\332\322\053\174\250
\356\276\246\345\012\252\016\245\337\005\122\267\125\307\042\135
\062\152\227\227\143\023\333\311\333\171\066\173\205\072\112\305
\122\211\371\044\347\235\167\251\202\377\125\034\245\161\151\053
\321\002\044\362\263\046\324\153\332\004\125\345\301\012\307\155
\060\067\220\052\344\236\024\063\136\026\027\125\305\133\265\313
\064\211\222\361\235\046\217\241\007\324\306\262\170\120\333\014
\014\013\174\013\214\101\327\271\351\335\214\210\367\243\115\262
\062\314\330\027\332\315\267\316\146\235\324\375\136\377\275\227
\076\051\165\347\176\247\142\130\257\045\064\245\101\307\075\274
\015\120\312\003\003\017\010\132\037\225\163\170\142\277\257\162
\024\151\016\245\345\003\016\170\216\046\050\102\360\007\013\142
\040\020\147\071\106\372\251\003\314\004\070\172\146\357\040\203
\265\214\112\126\216\221\000\374\216\134\202\336\210\240\303\342
\150\156\175\215\357\074\335\145\364\135\254\121\357\044\200\256
\252\126\227\157\371\255\175\332\141\077\230\167\074\245\221\266
\034\214\046\332\145\242\011\155\301\342\124\343\271\312\114\114
\200\217\167\173\140\232\036\337\266\362\110\036\016\272\116\124
\155\230\340\341\242\032\242\167\120\317\304\143\222\354\107\031
\235\353\346\153\316\301\002\003\001\000\001\243\201\254\060\201
\251\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001
\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001
\001\377\060\035\006\003\125\035\016\004\026\004\024\133\045\173
\226\244\145\121\176\270\071\363\300\170\146\136\350\072\347\360

\356\060\037\006\003\125\035\043\004\030\060\026\200\024\133\045
\173\226\244\145\121\176\270\071\363\300\170\146\136\350\072\347
\360\356\060\106\006\003\125\035\040\004\077\060\075\060\073\006
\011\140\205\164\001\131\001\002\001\001\060\056\060\054\006\010
\053\006\001\005\005\007\002\001\026\040\150\164\164\160\072\057
\057\162\145\160\157\163\151\164\157\162\171\056\163\167\151\163
\163\163\151\147\156\056\143\157\155\057\060\015\006\011\052\206
\110\206\367\015\001\001\005\005\000\003\202\002\001\000\047\272
\343\224\174\361\256\300\336\027\346\345\330\325\365\124\260\203
\364\273\315\136\005\173\117\237\165\146\257\074\350\126\176\374
\162\170\070\003\331\053\142\033\000\271\370\351\140\315\314\316
\121\212\307\120\061\156\341\112\176\030\057\151\131\266\075\144
\201\053\343\203\204\346\042\207\216\175\340\356\002\231\141\270
\036\364\270\053\210\022\026\204\302\061\223\070\226\061\246\271
\073\123\077\303\044\223\126\133\151\222\354\305\301\273\070\000
\343\354\027\251\270\334\307\174\001\203\237\062\107\272\122\042
\064\035\062\172\011\126\247\174\045\066\251\075\113\332\300\202
\157\012\273\022\310\207\113\047\021\371\036\055\307\223\077\236
\333\137\046\153\122\331\056\212\361\024\306\104\215\025\251\267
\277\275\336\246\032\356\256\055\373\110\167\027\376\273\354\257
\030\365\052\121\360\071\204\227\225\154\156\033\303\053\304\164
\140\171\045\260\012\047\337\337\136\322\071\317\105\175\102\113
\337\263\054\036\305\306\135\312\125\072\240\234\151\232\217\332
\357\262\260\074\237\207\154\022\053\145\160\025\122\061\032\044
\317\157\061\043\120\037\214\117\217\043\303\164\101\143\034\125
\250\024\335\076\340\121\120\317\361\033\060\126\016\222\260\202
\205\330\203\313\042\144\274\055\270\045\325\124\242\270\006\352
\255\222\244\044\240\301\206\265\112\023\152\107\317\056\013\126
\225\124\313\316\232\333\152\264\246\262\333\101\010\206\047\167
\367\152\240\102\154\013\070\316\327\165\120\062\222\302\337\053
\060\042\110\320\325\101\070\045\135\244\351\135\237\306\224\165
\320\105\375\060\227\103\217\220\253\012\307\206\163\140\112\151
\055\336\245\170\327\006\332\152\236\113\076\167\072\040\023\042
\001\320\277\150\236\143\140\153\065\115\013\155\272\241\075\300
\223\340\177\043\263\125\255\162\045\116\106\371\322\026\357\260
\144\301\001\236\351\312\240\152\230\016\317\330\140\362\057\111
\270\344\102\341\070\065\026\364\310\156\117\367\201\126\350\272
\243\276\043\257\256\375\157\003\340\002\073\060\166\372\033\155
\101\317\001\261\351\270\311\146\364\333\046\363\072\244\164\362
\111\044\133\311\260\320\127\301\372\076\172\341\227\311

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "SwissSign Gold CA - G2"
Issuer: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH
Serial Number:00:bb:40:1c:43:f5:5e:4f:b0

```
# Subject: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH
# Not Valid Before: Wed Oct 25 08:30:35 2006
# Not Valid After : Sat Oct 25 08:30:35 2036
# Fingerprint (SHA-256):
62:DD:0B:E9:B9:F5:0A:16:3E:A0:F8:E7:5C:05:3B:1E:CA:57:EA:55:C8:68:8F:64:7C:68:81:F2:C8:35:7B:95
# Fingerprint (SHA1): D8:C5:38:8A:B7:30:1B:1B:6E:D4:7A:E6:45:25:3A:6F:9F:1A:27:61
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SwissSign Gold CA - G2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\330\305\070\212\267\060\033\033\156\324\172\346\105\045\072\157
\237\032\047\141
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\044\167\331\250\221\321\073\372\210\055\302\377\370\315\063\223
END
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\037\060\035\006\003\125\004\003\023
\026\123\167\151\163\163\123\151\147\156\040\107\157\154\144\040
\103\101\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\273\100\034\103\365\136\117\260
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
# Certificate "SwissSign Silver CA - G2"
#
# Issuer: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH
# Serial Number:4f:1b:d4:2f:54:bb:2f:4b
# Subject: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH
# Not Valid Before: Wed Oct 25 08:32:46 2006
# Not Valid After : Sat Oct 25 08:32:46 2036
# Fingerprint (SHA-256):
BE:6C:4D:A2:BB:B9:BA:59:B6:F3:93:97:68:37:42:46:C3:C0:05:99:3F:A9:8F:02:0D:1D:ED:BE:D4:8A:81:D5
# Fingerprint (SHA1): 9B:AA:E5:9F:56:EE:21:CB:43:5A:BE:25:93:DF:A7:F0:40:D1:1D:CB
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "SwissSign Silver CA - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023
\030\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145
\162\040\103\101\040\055\040\107\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023
\030\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145
\162\040\103\101\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\117\033\324\057\124\273\057\113
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\275\060\202\003\245\240\003\002\001\002\002\010\117
\033\324\057\124\273\057\113\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\060\107\061\013\060\011\006\003\125\004
\006\023\002\103\110\061\025\060\023\006\003\125\004\012\023\014
\123\167\151\163\163\123\151\147\156\040\101\107\061\041\060\037
\006\003\125\004\003\023\030\123\167\151\163\163\123\151\147\156
\040\123\151\154\166\145\162\040\103\101\040\055\040\107\062\060
\036\027\015\060\066\061\060\062\065\060\070\063\062\064\066\132
\027\015\063\066\061\060\062\065\060\070\063\062\064\066\132\060
\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061\025
\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123\151
\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023\030
\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145\162
\040\103\101\040\055\040\107\062\060\202\002\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000
\060\202\002\012\002\202\002\001\000\304\361\207\177\323\170\061
\367\070\311\370\303\231\103\274\307\367\274\067\347\116\161\272
\113\217\245\163\035\134\156\230\256\003\127\256\070\067\103\057
\027\075\037\310\316\150\020\301\170\256\031\003\053\020\372\054
\171\203\366\350\271\150\271\125\362\004\104\247\071\371\374\004
\213\036\361\242\115\047\371\141\173\272\267\345\242\023\266\353
\141\076\320\154\321\346\373\372\136\355\035\264\236\240\065\133
\241\222\313\360\111\222\376\205\012\005\076\346\331\013\342\117
\273\334\225\067\374\221\351\062\065\042\321\037\072\116\047\205
\235\260\025\224\062\332\141\015\107\115\140\102\256\222\107\350
\203\132\120\130\351\212\213\271\135\241\334\335\231\112\037\066
\147\273\110\344\203\266\067\353\110\072\257\017\147\217\027\007
```

\350\004\312\357\152\061\207\324\300\266\371\224\161\173\147\144
\270\266\221\112\102\173\145\056\060\152\014\365\220\356\225\346
\362\315\202\354\331\241\112\354\366\262\113\345\105\205\346\155
\170\223\004\056\234\202\155\066\251\304\061\144\037\206\203\013
\052\364\065\012\170\311\125\317\101\260\107\351\060\237\231\276
\141\250\006\204\271\050\172\137\070\331\033\251\070\260\203\177
\163\301\303\073\110\052\202\017\041\233\270\314\250\065\303\204
\033\203\263\076\276\244\225\151\001\072\211\000\170\004\331\311
\364\231\031\253\126\176\133\213\206\071\025\221\244\020\054\011
\062\200\140\263\223\300\052\266\030\013\235\176\215\111\362\020
\112\177\371\325\106\057\031\222\243\231\247\046\254\273\214\074
\346\016\274\107\007\334\163\121\361\160\144\057\010\371\264\107
\035\060\154\104\352\051\067\205\222\150\146\274\203\070\376\173
\071\056\323\120\360\037\373\136\140\266\251\246\372\047\101\361
\233\030\162\362\365\204\164\112\311\147\304\124\256\110\144\337
\214\321\156\260\035\341\007\217\010\036\231\234\161\351\114\330
\245\367\107\022\037\164\321\121\236\206\363\302\242\043\100\013
\163\333\113\246\347\163\006\214\301\240\351\301\131\254\106\372
\346\057\370\317\161\234\106\155\271\304\025\215\070\171\003\105
\110\357\304\135\327\010\356\207\071\042\206\262\015\017\130\103
\367\161\251\110\056\375\352\326\037\002\003\001\000\001\243\201
\254\060\201\251\060\016\006\003\125\035\017\001\001\377\004\004
\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024
\027\240\315\301\344\101\266\072\133\073\313\105\235\275\034\302
\230\372\206\130\060\037\006\003\125\035\043\004\030\060\026\200
\024\027\240\315\301\344\101\266\072\133\073\313\105\235\275\034
\302\230\372\206\130\060\106\006\003\125\035\040\004\077\060\075
\060\073\006\011\140\205\164\001\131\001\003\001\001\060\056\060
\054\006\010\053\006\001\005\005\007\002\001\026\040\150\164\164
\160\072\057\057\162\145\160\157\163\151\164\157\162\171\056\163
\167\151\163\163\163\151\147\156\056\143\157\155\057\060\015\006
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\002\001
\000\163\306\201\340\047\322\055\017\340\225\060\342\232\101\177
\120\054\137\137\142\141\251\206\152\151\030\014\164\111\326\135
\204\352\101\122\030\157\130\255\120\126\040\152\306\275\050\151
\130\221\334\221\021\065\251\072\035\274\032\245\140\236\330\037
\177\105\221\151\331\176\273\170\162\301\006\017\052\316\217\205
\160\141\254\240\315\013\270\071\051\126\204\062\116\206\273\075
\304\052\331\327\037\162\356\376\121\241\042\101\261\161\002\143
\032\202\260\142\253\136\127\022\037\337\313\335\165\240\300\135
\171\220\214\033\340\120\346\336\061\376\230\173\160\137\245\220
\330\255\370\002\266\157\323\140\335\100\113\042\305\075\255\072
\172\237\032\032\107\221\171\063\272\202\334\062\151\003\226\156
\037\113\360\161\376\343\147\162\240\261\277\134\213\344\372\231
\042\307\204\271\033\215\043\227\077\355\045\340\317\145\273\365
\141\004\357\335\036\262\132\101\042\132\241\237\135\054\350\133
\311\155\251\014\014\170\252\140\306\126\217\001\132\014\150\274

```
\151\031\171\304\037\176\227\005\277\305\351\044\121\136\324\325
\113\123\355\331\043\132\066\003\145\243\301\003\255\101\060\363
\106\033\205\220\257\145\265\325\261\344\026\133\170\165\035\227
\172\155\131\251\052\217\173\336\303\207\211\020\231\111\163\170
\310\075\275\121\065\164\052\325\361\176\151\033\052\273\073\275
\045\270\232\132\075\162\141\220\146\207\356\014\326\115\324\021
\164\013\152\376\013\003\374\243\125\127\211\376\112\313\256\133
\027\005\310\362\215\043\061\123\070\322\055\152\077\202\271\215
\010\152\367\136\101\164\156\303\021\176\007\254\051\140\221\077
\070\312\127\020\015\275\060\057\307\245\346\101\240\332\256\005
\207\232\240\244\145\154\114\011\014\211\272\270\323\271\300\223
\212\060\372\215\345\232\153\025\001\116\147\252\332\142\126\076
\204\010\146\322\304\066\175\247\076\020\374\210\340\324\200\345
\000\275\252\363\116\006\243\172\152\371\142\162\343\011\117\353
\233\016\001\043\361\237\273\174\334\334\154\021\227\045\262\362
\264\143\024\322\006\052\147\214\203\365\316\352\007\330\232\152
\036\354\344\012\273\052\114\353\011\140\071\316\312\142\330\056
\156
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "SwissSign Silver CA - G2"
```

```
# Issuer: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH
```

```
# Serial Number:4f:1b:d4:2f:54:bb:2f:4b
```

```
# Subject: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH
```

```
# Not Valid Before: Wed Oct 25 08:32:46 2006
```

```
# Not Valid After : Sat Oct 25 08:32:46 2036
```

```
# Fingerprint (SHA-256):
```

```
BE:6C:4D:A2:BB:B9:BA:59:B6:F3:93:97:68:37:42:46:C3:C0:05:99:3F:A9:8F:02:0D:1D:ED:BE:D4:8A:81:D5
```

```
# Fingerprint (SHA1): 9B:AA:E5:9F:56:EE:21:CB:43:5A:BE:25:93:DF:A7:F0:40:D1:1D:CB
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "SwissSign Silver CA - G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\233\252\345\237\126\356\041\313\103\132\276\045\223\337\247\360
```

```
\100\321\035\313
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\340\006\241\311\175\317\311\374\015\300\126\165\226\330\142\023
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061
```

```
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
```

```
\151\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023
```

```

\030\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145
\162\040\103\101\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\117\033\324\057\124\273\057\113
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "SecureTrust CA"
#
# Issuer: CN=SecureTrust CA,O=SecureTrust Corporation,C=US
# Serial Number:0c:f0:8e:5c:08:16:a5:ad:42:7f:f0:eb:27:18:59:d0
# Subject: CN=SecureTrust CA,O=SecureTrust Corporation,C=US
# Not Valid Before: Tue Nov 07 19:31:18 2006
# Not Valid After : Mon Dec 31 19:40:55 2029
# Fingerprint (SHA-256):
F1:C1:B5:0A:E5:A2:0D:D8:03:0E:C9:F6:BC:24:82:3D:D3:67:B5:25:57:59:B4:E7:1B:61:FC:E9:F7:37:5D:73
# Fingerprint (SHA1): 87:82:C6:C3:04:35:3B:CF:D2:96:92:D2:59:3E:7D:44:D9:34:FF:11
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SecureTrust CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\027\060\025\006\003\125\004\003\023\016\123\145\143\165
\162\145\124\162\165\163\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\027\060\025\006\003\125\004\003\023\016\123\145\143\165
\162\145\124\162\165\163\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\014\360\216\134\010\026\245\255\102\177\360\353\047\030
\131\320
END
CKA_VALUE MULTILINE_OCTAL

```

\060\202\003\270\060\202\002\240\240\003\002\001\002\002\020\014
\360\216\134\010\026\245\255\102\177\360\353\047\030\131\320\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\110
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\040\060
\036\006\003\125\004\012\023\027\123\145\143\165\162\145\124\162
\165\163\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\027\060\025\006\003\125\004\003\023\016\123\145\143\165\162\145
\124\162\165\163\164\040\103\101\060\036\027\015\060\066\061\061
\060\067\061\071\063\061\061\070\132\027\015\062\071\061\062\063
\061\061\071\064\060\065\065\132\060\110\061\013\060\011\006\003
\125\004\006\023\002\125\123\061\040\060\036\006\003\125\004\012
\023\027\123\145\143\165\162\145\124\162\165\163\164\040\103\157
\162\160\157\162\141\164\151\157\156\061\027\060\025\006\003\125
\004\003\023\016\123\145\143\165\162\145\124\162\165\163\164\040
\103\101\060\202\001\042\060\015\006\011\052\206\110\206\367\015
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202
\001\001\000\253\244\201\345\225\315\365\366\024\216\302\117\312
\324\342\170\225\130\234\101\341\015\231\100\044\027\071\221\063
\146\351\276\341\203\257\142\134\211\321\374\044\133\141\263\340
\021\021\101\034\035\156\360\270\273\370\336\247\201\272\246\110
\306\237\035\275\276\216\251\101\076\270\224\355\051\032\324\216
\322\003\035\003\357\155\015\147\034\127\327\006\255\312\310\365
\376\016\257\146\045\110\004\226\013\135\243\272\026\303\010\117
\321\106\370\024\134\362\310\136\001\231\155\375\210\314\206\250
\301\157\061\102\154\122\076\150\313\363\031\064\337\273\207\030
\126\200\046\304\320\334\300\157\337\336\240\302\221\026\240\144
\021\113\104\274\036\366\347\372\143\336\146\254\166\244\161\243
\354\066\224\150\172\167\244\261\347\016\057\201\172\342\265\162
\206\357\242\153\213\360\017\333\323\131\077\272\162\274\104\044
\234\343\163\263\367\257\127\057\102\046\235\251\164\272\000\122
\362\113\315\123\174\107\013\066\205\016\146\251\010\227\026\064
\127\301\146\367\200\343\355\160\124\307\223\340\056\050\025\131
\207\272\273\002\003\001\000\001\243\201\235\060\201\232\060\023
\006\011\053\006\001\004\001\202\067\024\002\004\006\036\004\000
\103\000\101\060\013\006\003\125\035\017\004\004\003\002\001\206
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\035\006\003\125\035\016\004\026\004\024\102\062\266\026
\372\004\375\376\135\113\172\303\375\367\114\100\035\132\103\257
\060\064\006\003\125\035\037\004\055\060\053\060\051\240\047\240
\045\206\043\150\164\164\160\072\057\057\143\162\154\056\163\145
\143\165\162\145\164\162\165\163\164\056\143\157\155\057\123\124
\103\101\056\143\162\154\060\020\006\011\053\006\001\004\001\202
\067\025\001\004\003\002\001\000\060\015\006\011\052\206\110\206
\367\015\001\001\005\005\000\003\202\001\001\000\060\355\117\112
\341\130\072\122\162\133\265\246\243\145\030\246\273\121\073\167
\351\235\352\323\237\134\340\105\145\173\015\312\133\342\160\120
\262\224\005\024\256\111\307\215\101\007\022\163\224\176\014\043
\041\375\274\020\177\140\020\132\162\365\230\016\254\354\271\177

```
\335\172\157\135\323\034\364\377\210\005\151\102\251\005\161\310
\267\254\046\350\056\264\214\152\377\161\334\270\261\337\231\274
\174\041\124\053\344\130\242\273\127\051\256\236\251\243\031\046
\017\231\056\010\260\357\375\151\317\231\032\011\215\343\247\237
\053\311\066\064\173\044\263\170\114\225\027\244\006\046\036\266
\144\122\066\137\140\147\331\234\305\005\164\013\347\147\043\322
\010\374\210\351\256\213\177\341\060\364\067\176\375\306\062\332
\055\236\104\060\060\154\356\007\336\322\064\374\322\377\100\366
\113\364\146\106\006\124\246\362\062\012\143\046\060\153\233\321
\334\213\107\272\341\271\325\142\320\242\240\364\147\005\170\051
\143\032\157\004\326\370\306\114\243\232\261\067\264\215\345\050
\113\035\236\054\302\270\150\274\355\002\356\061
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "SecureTrust CA"
```

```
# Issuer: CN=SecureTrust CA,O=SecureTrust Corporation,C=US
```

```
# Serial Number:0c:f0:8e:5c:08:16:a5:ad:42:7f:f0:eb:27:18:59:d0
```

```
# Subject: CN=SecureTrust CA,O=SecureTrust Corporation,C=US
```

```
# Not Valid Before: Tue Nov 07 19:31:18 2006
```

```
# Not Valid After : Mon Dec 31 19:40:55 2029
```

```
# Fingerprint (SHA-256):
```

```
F1:C1:B5:0A:E5:A2:0D:D8:03:0E:C9:F6:BC:24:82:3D:D3:67:B5:25:57:59:B4:E7:1B:61:FC:E9:F7:37:5D:73
```

```
# Fingerprint (SHA1): 87:82:C6:C3:04:35:3B:CF:D2:96:92:D2:59:3E:7D:44:D9:34:FF:11
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "SecureTrust CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\207\202\306\303\004\065\073\317\322\226\222\322\131\076\175\104
\331\064\377\021
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\334\062\303\247\155\045\127\307\150\011\235\352\055\251\242\321
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\110\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\027\060\025\006\003\125\004\003\023\016\123\145\143\165
\162\145\124\162\165\163\164\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\014\360\216\134\010\026\245\255\102\177\360\353\047\030
\131\320
```



```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Secure Global CA"
#
# Issuer: CN=Secure Global CA,O=SecureTrust Corporation,C=US
# Serial Number:07:56:22:a4:e8:d4:8a:89:4d:f4:13:c8:f0:f8:ea:a5
# Subject: CN=Secure Global CA,O=SecureTrust Corporation,C=US
# Not Valid Before: Tue Nov 07 19:42:28 2006
# Not Valid After : Mon Dec 31 19:52:06 2029
# Fingerprint (SHA-256):
42:00:F5:04:3A:C8:59:0E:BB:52:7D:20:9E:D1:50:30:29:FB:CB:D4:1C:A1:B5:06:EC:27:F1:5A:DE:7D:AC:69
# Fingerprint (SHA1): 3A:44:73:5A:E5:81:90:1F:24:86:61:46:1E:3B:9C:C4:5F:F5:3A:1B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Secure Global CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\031\060\027\006\003\125\004\003\023\020\123\145\143\165
\162\145\040\107\154\157\142\141\154\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\031\060\027\006\003\125\004\003\023\020\123\145\143\165
\162\145\040\107\154\157\142\141\154\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\007\126\042\244\350\324\212\211\115\364\023\310\360\370
\352\245
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\274\060\202\002\244\240\003\002\001\002\002\020\007
\126\042\244\350\324\212\211\115\364\023\310\360\370\352\245\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\112
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\040\060
\036\006\003\125\004\012\023\027\123\145\143\165\162\145\124\162

```

\165\163\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\031\060\027\006\003\125\004\003\023\020\123\145\143\165\162\145
\040\107\154\157\142\141\154\040\103\101\060\036\027\015\060\066
\061\061\060\067\061\071\064\062\062\070\132\027\015\062\071\061
\062\063\061\061\071\065\062\060\066\132\060\112\061\013\060\011
\006\003\125\004\006\023\002\125\123\061\040\060\036\006\003\125
\004\012\023\027\123\145\143\165\162\145\124\162\165\163\164\040
\103\157\162\160\157\162\141\164\151\157\156\061\031\060\027\006
\003\125\004\003\023\020\123\145\143\165\162\145\040\107\154\157
\142\141\154\040\103\101\060\202\001\042\060\015\006\011\052\206
\110\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202
\001\012\002\202\001\001\000\257\065\056\330\254\154\125\151\006
\161\345\023\150\044\263\117\330\314\041\107\370\361\140\070\211
\211\003\351\275\352\136\106\123\011\334\134\365\132\350\367\105
\052\002\353\061\141\327\051\063\114\316\307\174\012\067\176\017
\272\062\230\341\035\227\257\217\307\334\311\070\226\363\333\032
\374\121\355\150\306\320\156\244\174\044\321\256\102\310\226\120
\143\056\340\376\165\376\230\247\137\111\056\225\343\071\063\144
\216\036\244\137\220\322\147\074\262\331\376\101\271\125\247\011
\216\162\005\036\213\335\104\205\202\102\320\111\300\035\140\360
\321\027\054\225\353\366\245\301\222\243\305\302\247\010\140\015
\140\004\020\226\171\236\026\064\346\251\266\372\045\105\071\310
\036\145\371\223\365\252\361\122\334\231\230\075\245\206\032\014
\065\063\372\113\245\004\006\025\034\061\200\357\252\030\153\302
\173\327\332\316\371\063\040\325\365\275\152\063\055\201\004\373
\260\134\324\234\243\342\134\035\343\251\102\165\136\173\324\167
\357\071\124\272\311\012\030\033\022\231\111\057\210\113\375\120
\142\321\163\347\217\172\103\002\003\001\000\001\243\201\235\060
\201\232\060\023\006\011\053\006\001\004\001\202\067\024\002\004
\006\036\004\000\103\000\101\060\013\006\003\125\035\017\004\004
\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004\005
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024
\257\104\004\302\101\176\110\203\333\116\071\002\354\354\204\172
\346\316\311\244\060\064\006\003\125\035\037\004\055\060\053\060
\051\240\047\240\045\206\043\150\164\164\160\072\057\057\143\162
\154\056\163\145\143\165\162\145\164\162\165\163\164\056\143\157
\155\057\123\107\103\101\056\143\162\154\060\020\006\011\053\006
\001\004\001\202\067\025\001\004\003\002\001\000\060\015\006\011
\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000
\143\032\010\100\175\244\136\123\015\167\330\172\256\037\015\013
\121\026\003\357\030\174\310\343\257\152\130\223\024\140\221\262
\204\334\210\116\276\071\212\072\363\346\202\211\135\001\067\263
\253\044\244\025\016\222\065\132\112\104\136\116\127\372\165\316
\037\110\316\146\364\074\100\046\222\230\154\033\356\044\106\014
\027\263\122\245\333\245\221\221\317\067\323\157\347\047\010\072
\116\031\037\072\247\130\134\027\317\171\077\213\344\247\323\046
\043\235\046\017\130\151\374\107\176\262\320\215\213\223\277\051
\117\103\151\164\166\147\113\317\007\214\346\002\367\265\341\264

```
\103\265\113\055\024\237\371\334\046\015\277\246\107\164\006\330
\210\321\072\051\060\204\316\322\071\200\142\033\250\307\127\111
\274\152\125\121\147\025\112\276\065\007\344\325\165\230\067\171
\060\024\333\051\235\154\305\151\314\107\125\242\060\367\314\134
\177\302\303\230\034\153\116\026\200\353\172\170\145\105\242\000
\032\257\014\015\125\144\064\110\270\222\271\361\264\120\051\362
\117\043\037\332\154\254\037\104\341\335\043\170\121\133\307\026
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Secure Global CA"
```

```
# Issuer: CN=Secure Global CA,O=SecureTrust Corporation,C=US
```

```
# Serial Number:07:56:22:a4:e8:d4:8a:89:4d:f4:13:c8:f0:f8:ea:a5
```

```
# Subject: CN=Secure Global CA,O=SecureTrust Corporation,C=US
```

```
# Not Valid Before: Tue Nov 07 19:42:28 2006
```

```
# Not Valid After : Mon Dec 31 19:52:06 2029
```

```
# Fingerprint (SHA-256):
```

```
42:00:F5:04:3A:C8:59:0E:BB:52:7D:20:9E:D1:50:30:29:FB:CB:D4:1C:A1:B5:06:EC:27:F1:5A:DE:7D:AC:69
```

```
# Fingerprint (SHA1): 3A:44:73:5A:E5:81:90:1F:24:86:61:46:1E:3B:9C:C4:5F:F5:3A:1B
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Secure Global CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\072\104\163\132\345\201\220\037\044\206\141\106\036\073\234\304
\137\365\072\033
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\317\364\047\015\324\355\334\145\026\111\155\075\332\277\156\336
```

```
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\031\060\027\006\003\125\004\003\023\020\123\145\143\165
\162\145\040\107\154\157\142\141\154\040\103\101
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\007\126\042\244\350\324\212\211\115\364\023\310\360\370
\352\245
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```

#
# Certificate "COMODO Certification Authority"
#
# Issuer: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
# Serial Number:4e:81:2d:8a:82:65:e0:0b:02:ee:3e:35:02:46:e5:3d
# Subject: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
# Not Valid Before: Fri Dec 01 00:00:00 2006
# Not Valid After : Mon Dec 31 23:59:59 2029
# Fingerprint (SHA-256):
0C:2C:D6:3D:F7:80:6F:A3:99:ED:E8:09:11:6B:57:5B:F8:79:89:F0:65:18:F9:80:8C:86:05:03:17:8B:AF:66
# Fingerprint (SHA1): 66:31:BF:9E:F7:4F:9E:B6:C9:D5:A6:0C:BA:6A:BE:D1:F7:BD:EF:7B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "COMODO Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\201\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\047\060\045\006
\003\125\004\003\023\036\103\117\115\117\104\117\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\201\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\047\060\045\006
\003\125\004\003\023\036\103\117\115\117\104\117\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\116\201\055\212\202\145\340\013\002\356\076\065\002\106
\345\075
END
CKA_VALUE MULTILINE_OCTAL

```

\060\202\004\035\060\202\003\005\240\003\002\001\002\002\020\116
\201\055\212\202\145\340\013\002\356\076\065\002\106\345\075\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\201
\201\061\013\060\011\006\003\125\004\006\023\002\107\102\061\033
\060\031\006\003\125\004\010\023\022\107\162\145\141\164\145\162
\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016\006
\003\125\004\007\023\007\123\141\154\146\157\162\144\061\032\060
\030\006\003\125\004\012\023\021\103\117\115\117\104\117\040\103
\101\040\114\151\155\151\164\145\144\061\047\060\045\006\003\125
\004\003\023\036\103\117\115\117\104\117\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\060\036\027\015\060\066\061\062\060\061\060\060\060\060
\060\060\132\027\015\062\071\061\062\063\061\062\063\065\071\065
\071\132\060\201\201\061\013\060\011\006\003\125\004\006\023\002
\107\102\061\033\060\031\006\003\125\004\010\023\022\107\162\145
\141\164\145\162\040\115\141\156\143\150\145\163\164\145\162\061
\020\060\016\006\003\125\004\007\023\007\123\141\154\146\157\162
\144\061\032\060\030\006\003\125\004\012\023\021\103\117\115\117
\104\117\040\103\101\040\114\151\155\151\164\145\144\061\047\060
\045\006\003\125\004\003\023\036\103\117\115\117\104\117\040\103
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164
\150\157\162\151\164\171\060\202\001\042\060\015\006\011\052\206
\110\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202
\001\012\002\202\001\001\000\320\100\213\213\162\343\221\033\367
\121\301\033\124\004\230\323\251\277\301\346\212\135\073\207\373
\273\210\316\015\343\057\077\006\226\360\242\051\120\231\256\333
\073\241\127\260\164\121\161\315\355\102\221\115\101\376\251\310
\330\152\206\167\104\273\131\146\227\120\136\264\324\054\160\104
\317\332\067\225\102\151\074\060\304\161\263\122\360\041\115\241
\330\272\071\174\034\236\243\044\235\362\203\026\230\252\026\174
\103\233\025\133\267\256\064\221\376\324\142\046\030\106\232\077
\353\301\371\361\220\127\353\254\172\015\213\333\162\060\152\146
\325\340\106\243\160\334\150\331\377\004\110\211\167\336\265\351
\373\147\155\101\351\274\071\275\062\331\142\002\361\261\250\075
\156\067\234\342\057\342\323\242\046\213\306\270\125\103\210\341
\043\076\245\322\044\071\152\107\253\000\324\241\263\251\045\376
\015\077\247\035\272\323\121\301\013\244\332\254\070\357\125\120
\044\005\145\106\223\064\117\055\215\255\306\324\041\031\322\216
\312\005\141\161\007\163\107\345\212\031\022\275\004\115\316\116
\234\245\110\254\273\046\367\002\003\001\000\001\243\201\216\060
\201\213\060\035\006\003\125\035\016\004\026\004\024\013\130\345
\213\306\114\025\067\244\100\251\060\251\041\276\107\066\132\126
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001
\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001
\001\377\060\111\006\003\125\035\037\004\102\060\100\060\076\240
\074\240\072\206\070\150\164\164\160\072\057\057\143\162\154\056
\143\157\155\157\144\157\143\141\056\143\157\155\057\103\117\115
\117\104\117\103\145\162\164\151\146\151\143\141\164\151\157\156

\101\165\164\150\157\162\151\164\171\056\143\162\154\060\015\006
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001
\000\076\230\236\233\366\033\351\327\071\267\170\256\035\162\030
\111\323\207\344\103\202\353\077\311\252\365\250\265\357\125\174
\041\122\145\371\325\015\341\154\364\076\214\223\163\221\056\002
\304\116\007\161\157\300\217\070\141\010\250\036\201\012\300\057
\040\057\101\213\221\334\110\105\274\361\306\336\272\166\153\063
\310\000\055\061\106\114\355\347\235\317\210\224\377\063\300\126
\350\044\206\046\270\330\070\070\337\052\153\335\022\314\307\077
\107\027\114\242\302\006\226\011\326\333\376\077\074\106\101\337
\130\342\126\017\074\073\301\034\223\065\331\070\122\254\356\310
\354\056\060\116\224\065\264\044\037\113\170\151\332\362\002\070
\314\225\122\223\360\160\045\131\234\040\147\304\356\371\213\127
\141\364\222\166\175\077\204\215\125\267\350\345\254\325\361\365
\031\126\246\132\373\220\034\257\223\353\345\034\324\147\227\135
\004\016\276\013\203\246\027\203\271\060\022\240\305\063\025\005
\271\015\373\307\005\166\343\330\112\215\374\064\027\243\306\041
\050\276\060\105\061\036\307\170\276\130\141\070\254\073\342\001
\145

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "COMODO Certification Authority"

Issuer: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB

Serial Number:4e:81:2d:8a:82:65:e0:0b:02:ee:3e:35:02:46:e5:3d

Subject: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB

Not Valid Before: Fri Dec 01 00:00:00 2006

Not Valid After : Mon Dec 31 23:59:59 2029

Fingerprint (SHA-256):

0C:2C:D6:3D:F7:80:6F:A3:99:ED:E8:09:11:6B:57:5B:F8:79:89:F0:65:18:F9:80:8C:86:05:03:17:8B:AF:66

Fingerprint (SHA1): 66:31:BF:9E:F7:4F:9E:B6:C9:D5:A6:0C:BA:6A:BE:D1:F7:BD:EF:7B

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "COMODO Certification Authority"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\146\061\277\236\367\117\236\266\311\325\246\014\272\152\276\321
\367\275\357\173

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\134\110\334\367\102\162\354\126\224\155\034\314\161\065\200\165

END

CKA_ISSUER MULTILINE_OCTAL

```
\060\201\201\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\047\060\045\006
\003\125\004\003\023\036\103\117\115\117\104\117\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\020\116\201\055\212\202\145\340\013\002\356\076\065\002\106
\345\075
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "COMODO ECC Certification Authority"

#

Issuer: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater Manchester,C=GB

Serial Number:1f:47:af:aa:62:00:70:50:54:4c:01:9e:9b:63:99:2a

Subject: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater Manchester,C=GB

Not Valid Before: Thu Mar 06 00:00:00 2008

Not Valid After : Mon Jan 18 23:59:59 2038

Fingerprint (SHA-256):

17:93:92:7A:06:14:54:97:89:AD:CE:2F:8F:34:F7:F0:B6:6D:0F:3A:E3:A3:B8:4D:21:EC:15:DB:BA:4F:AD:C7

Fingerprint (SHA1): 9F:74:4E:9F:2B:4D:BA:EC:0F:31:2C:50:B6:56:3B:8E:2D:93:C3:11

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "COMODO ECC Certification Authority"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\105\103\103
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\105\103\103
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\037\107\257\252\142\000\160\120\124\114\001\236\233\143
\231\052

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\211\060\202\002\017\240\003\002\001\002\002\020\037
\107\257\252\142\000\160\120\124\114\001\236\233\143\231\052\060
\012\006\010\052\206\110\316\075\004\003\003\060\201\205\061\013
\060\011\006\003\125\004\006\023\002\107\102\061\033\060\031\006
\003\125\004\010\023\022\107\162\145\141\164\145\162\040\115\141
\156\143\150\145\163\164\145\162\061\020\060\016\006\003\125\004
\007\023\007\123\141\154\146\157\162\144\061\032\060\030\006\003
\125\004\012\023\021\103\117\115\117\104\117\040\103\101\040\114
\151\155\151\164\145\144\061\053\060\051\006\003\125\004\003\023
\042\103\117\115\117\104\117\040\105\103\103\040\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162
\151\164\171\060\036\027\015\060\070\060\063\060\066\060\060\060
\060\060\060\132\027\015\063\070\060\061\061\070\062\063\065\071
\065\071\132\060\201\205\061\013\060\011\006\003\125\004\006\023
\002\107\102\061\033\060\031\006\003\125\004\010\023\022\107\162
\145\141\164\145\162\040\115\141\156\143\150\145\163\164\145\162
\061\020\060\016\006\003\125\004\007\023\007\123\141\154\146\157
\162\144\061\032\060\030\006\003\125\004\012\023\021\103\117\115
\117\104\117\040\103\101\040\114\151\155\151\164\145\144\061\053
\060\051\006\003\125\004\003\023\042\103\117\115\117\104\117\040
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\060\166\060\020\006
\007\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003
\142\000\004\003\107\173\057\165\311\202\025\205\373\165\344\221
\026\324\253\142\231\365\076\122\013\006\316\101\000\177\227\341
\012\044\074\035\001\004\356\075\322\215\011\227\014\340\165\344
\372\373\167\212\052\365\003\140\113\066\213\026\043\026\255\011
\161\364\112\364\050\120\264\376\210\034\156\077\154\057\057\011
\131\133\245\133\013\063\231\342\303\075\211\371\152\054\357\262
\323\006\351\243\102\060\100\060\035\006\003\125\035\016\004\026


```
\004\024\165\161\247\031\110\031\274\235\235\352\101\107\337\224
\304\110\167\231\323\171\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\012\006\010\052\206\110\316\075
\004\003\003\003\150\000\060\145\002\061\000\357\003\133\172\254
\267\170\012\162\267\210\337\377\265\106\024\011\012\372\240\346
\175\010\306\032\207\275\030\250\163\275\046\312\140\014\235\316
\231\237\317\134\017\060\341\276\024\061\352\002\060\024\364\223
\074\111\247\063\172\220\106\107\263\143\175\023\233\116\267\157
\030\067\200\123\376\335\040\340\065\232\066\321\307\001\271\346
\334\335\363\377\035\054\072\026\127\331\222\071\326
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "COMODO ECC Certification Authority"
```

```
# Issuer: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
```

```
# Serial Number: 1f:47:af:aa:62:00:70:50:54:4c:01:9e:9b:63:99:2a
```

```
# Subject: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
```

```
# Not Valid Before: Thu Mar 06 00:00:00 2008
```

```
# Not Valid After : Mon Jan 18 23:59:59 2038
```

```
# Fingerprint (SHA-256):
```

```
17:93:92:7A:06:14:54:97:89:AD:CE:2F:8F:34:F7:F0:B6:6D:0F:3A:E3:A3:B8:4D:21:EC:15:DB:BA:4F:AD:C7
```

```
# Fingerprint (SHA1): 9F:74:4E:9F:2B:4D:BA:EC:0F:31:2C:50:B6:56:3B:8E:2D:93:C3:11
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "COMODO ECC Certification Authority"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\237\164\116\237\053\115\272\354\017\061\054\120\266\126\073\216
\055\223\303\021
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\174\142\377\164\235\061\123\136\150\112\325\170\252\036\277\043
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\105\103\103
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
```

```

\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\037\107\257\252\142\000\160\120\124\114\001\236\233\143
\231\052
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "OISTE WISeKey Global Root GA CA"
#
# Issuer: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)
2005,O=WISeKey,C=CH
# Serial Number:41:3d:72:c7:f4:6b:1f:81:43:7d:f1:d2:28:54:df:9a
# Subject: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)
2005,O=WISeKey,C=CH
# Not Valid Before: Sun Dec 11 16:03:44 2005
# Not Valid After : Fri Dec 11 16:09:51 2037
# Fingerprint (SHA-256):
41:C9:23:86:6A:B4:CA:D6:B7:AD:57:80:81:58:2E:02:07:97:A6:CB:DF:4F:FF:78:CE:83:96:B3:89:37:D7:F5
# Fingerprint (SHA1): 59:22:A1:E1:5A:EA:16:35:21:F8:98:39:6A:46:46:B0:44:1B:0F:A9
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "OISTE WISeKey Global Root GA CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\212\061\013\060\011\006\003\125\004\006\023\002\103\110
\061\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113
\145\171\061\033\060\031\006\003\125\004\013\023\022\103\157\160
\171\162\151\147\150\164\040\050\143\051\040\062\060\060\065\061
\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040
\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162
\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111
\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142
\141\154\040\122\157\157\164\040\107\101\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\212\061\013\060\011\006\003\125\004\006\023\002\103\110
\061\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113
\145\171\061\033\060\031\006\003\125\004\013\023\022\103\157\160
\171\162\151\147\150\164\040\050\143\051\040\062\060\060\065\061
\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040

```

\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162
\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111
\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142
\141\154\040\122\157\157\164\040\107\101\040\103\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\101\075\162\307\364\153\037\201\103\175\361\322\050\124
\337\232

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\361\060\202\002\331\240\003\002\001\002\002\020\101
\075\162\307\364\153\037\201\103\175\361\322\050\124\337\232\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\201
\212\061\013\060\011\006\003\125\004\006\023\002\103\110\061\020
\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145\171
\061\033\060\031\006\003\125\004\013\023\022\103\157\160\171\162
\151\147\150\164\040\050\143\051\040\062\060\060\065\061\042\060
\040\006\003\125\004\013\023\031\117\111\123\124\105\040\106\157
\165\156\144\141\164\151\157\156\040\105\156\144\157\162\163\145
\144\061\050\060\046\006\003\125\004\003\023\037\117\111\123\124
\105\040\127\111\123\145\113\145\171\040\107\154\157\142\141\154
\040\122\157\157\164\040\107\101\040\103\101\060\036\027\015\060
\065\061\062\061\061\061\066\060\063\064\064\132\027\015\063\067
\061\062\061\061\061\066\060\071\065\061\132\060\201\212\061\013
\060\011\006\003\125\004\006\023\002\103\110\061\020\060\016\006
\003\125\004\012\023\007\127\111\123\145\113\145\171\061\033\060
\031\006\003\125\004\013\023\022\103\157\160\171\162\151\147\150
\164\040\050\143\051\040\062\060\060\065\061\042\060\040\006\003
\125\004\013\023\031\117\111\123\124\105\040\106\157\165\156\144
\141\164\151\157\156\040\105\156\144\157\162\163\145\144\061\050
\060\046\006\003\125\004\003\023\037\117\111\123\124\105\040\127
\111\123\145\113\145\171\040\107\154\157\142\141\154\040\122\157
\157\164\040\107\101\040\103\101\060\202\001\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000
\060\202\001\012\002\202\001\001\000\313\117\263\000\233\075\066
\335\371\321\111\152\153\020\111\037\354\330\053\262\306\370\062
\201\051\103\225\114\232\031\043\041\025\105\336\343\310\034\121
\125\133\256\223\350\067\377\053\153\351\324\352\276\052\335\250
\121\053\327\146\303\141\134\140\002\310\365\316\162\173\073\270
\362\116\145\010\232\315\244\152\031\301\001\273\163\246\327\366
\303\335\315\274\244\213\265\231\141\270\001\242\243\324\115\324
\005\075\221\255\370\264\010\161\144\257\160\361\034\153\176\366
\303\167\235\044\163\173\344\014\214\341\331\066\341\231\213\005
\231\013\355\105\061\011\312\302\000\333\367\162\240\226\252\225
\207\320\216\307\266\141\163\015\166\146\214\334\033\264\143\242
\237\177\223\023\060\361\241\047\333\331\377\054\125\210\221\240
\340\117\007\260\050\126\214\030\033\227\104\216\211\335\340\027
\156\347\052\357\217\071\012\061\204\202\330\100\024\111\056\172

\101\344\247\376\343\144\314\301\131\161\113\054\041\247\133\175
\340\035\321\056\201\233\303\330\150\367\275\226\033\254\160\261
\026\024\013\333\140\271\046\001\005\002\003\001\000\001\243\121
\060\117\060\013\006\003\125\035\017\004\004\003\002\001\206\060
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\035\006\003\125\035\016\004\026\004\024\263\003\176\256\066
\274\260\171\321\334\224\046\266\021\276\041\262\151\206\224\060
\020\006\011\053\006\001\004\001\202\067\025\001\004\003\002\001
\000\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000
\003\202\001\001\000\113\241\377\013\207\156\263\371\301\103\261
\110\363\050\300\035\056\311\011\101\372\224\000\034\244\244\253
\111\117\217\075\036\357\115\157\275\274\244\366\362\046\060\311
\020\312\035\210\373\164\031\037\205\105\275\260\154\121\371\066
\176\333\365\114\062\072\101\117\133\107\317\350\013\055\266\304
\031\235\164\305\107\306\073\152\017\254\024\333\074\364\163\234
\251\005\337\000\334\164\170\372\370\065\140\131\002\023\030\174
\274\373\115\260\040\155\103\273\140\060\172\147\063\134\305\231
\321\370\055\071\122\163\373\214\252\227\045\134\162\331\010\036
\253\116\074\343\201\061\237\003\246\373\300\376\051\210\125\332
\204\325\120\003\266\342\204\243\246\066\252\021\072\001\341\030
\113\326\104\150\263\075\371\123\164\204\263\106\221\106\226\000
\267\200\054\266\341\343\020\342\333\242\347\050\217\001\226\142
\026\076\000\343\034\245\066\201\030\242\114\122\166\300\021\243
\156\346\035\272\343\132\276\066\123\305\076\165\217\206\151\051
\130\123\265\234\273\157\237\134\305\030\354\335\057\341\230\311
\374\276\337\012\015

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "OISTE WISeKey Global Root GA CA"

Issuer: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)
2005,O=WISeKey,C=CH

Serial Number:41:3d:72:c7:f4:6b:1f:81:43:7d:f1:d2:28:54:df:9a

Subject: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)
2005,O=WISeKey,C=CH

Not Valid Before: Sun Dec 11 16:03:44 2005

Not Valid After : Fri Dec 11 16:09:51 2037

Fingerprint (SHA-256):

41:C9:23:86:6A:B4:CA:D6:B7:AD:57:80:81:58:2E:02:07:97:A6:CB:DF:4F:FF:78:CE:83:96:B3:89:37:D7:F5

Fingerprint (SHA1): 59:22:A1:E1:5A:EA:16:35:21:F8:98:39:6A:46:46:B0:44:1B:0F:A9

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "OISTE WISeKey Global Root GA CA"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\131\042\241\341\132\352\026\065\041\370\230\071\152\106\106\260
\104\033\017\251

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\274\154\121\063\247\351\323\146\143\124\025\162\033\041\222\223

END

CKA_ISSUER MULTILINE_OCTAL

\060\201\212\061\013\060\011\006\003\125\004\006\023\002\103\110
\061\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113
\145\171\061\033\060\031\006\003\125\004\013\023\022\103\157\160
\171\162\151\147\150\164\040\050\143\051\040\062\060\060\065\061
\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040
\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162
\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111
\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142
\141\154\040\122\157\157\164\040\107\101\040\103\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\101\075\162\307\364\153\037\201\103\175\361\322\050\124
\337\232

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "Certigna"

#

Issuer: CN=Certigna,O=Dhimyotis,C=FR

Serial Number:00:fe:dc:e3:01:0f:c9:48:ff

Subject: CN=Certigna,O=Dhimyotis,C=FR

Not Valid Before: Fri Jun 29 15:13:05 2007

Not Valid After : Tue Jun 29 15:13:05 2027

Fingerprint (SHA-256):

E3:B6:A2:DB:2E:D7:CE:48:84:2F:7A:C5:32:41:C7:B7:1D:54:14:4B:FB:40:C1:1F:3F:1D:0B:42:F5:EE:A1:2D

Fingerprint (SHA1): B1:2E:13:63:45:86:A4:6F:1A:B2:60:68:37:58:2D:C4:AC:FD:94:97

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Certigna"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\064\061\013\060\011\006\003\125\004\006\023\002\106\122\061
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\021\060\017\006\003\125\004\003\014\010\103\145
\162\164\151\147\156\141

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\064\061\013\060\011\006\003\125\004\006\023\002\106\122\061
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\021\060\017\006\003\125\004\003\014\010\103\145
\162\164\151\147\156\141

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\011\000\376\334\343\001\017\311\110\377

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\250\060\202\002\220\240\003\002\001\002\002\011\000
\376\334\343\001\017\311\110\377\060\015\006\011\052\206\110\206
\367\015\001\001\005\005\000\060\064\061\013\060\011\006\003\125
\004\006\023\002\106\122\061\022\060\020\006\003\125\004\012\014
\011\104\150\151\155\171\157\164\151\163\061\021\060\017\006\003
\125\004\003\014\010\103\145\162\164\151\147\156\141\060\036\027
\015\060\067\060\066\062\071\061\065\061\063\060\065\132\027\015
\062\067\060\066\062\071\061\065\061\063\060\065\132\060\064\061
\013\060\011\006\003\125\004\006\023\002\106\122\061\022\060\020
\006\003\125\004\012\014\011\104\150\151\155\171\157\164\151\163
\061\021\060\017\006\003\125\004\003\014\010\103\145\162\164\151
\147\156\141\060\202\001\042\060\015\006\011\052\206\110\206\367
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002
\202\001\001\000\310\150\361\311\326\326\263\064\165\046\202\036
\354\264\276\352\134\341\046\355\021\107\141\341\242\174\026\170
\100\041\344\140\236\132\310\143\341\304\261\226\222\377\030\155
\151\043\341\053\142\367\335\342\066\057\221\007\271\110\317\016
\354\171\266\054\347\064\113\160\010\045\243\074\207\033\031\362
\201\007\017\070\220\031\323\021\376\206\264\362\321\136\036\036
\226\315\200\154\316\073\061\223\266\362\240\320\251\225\022\175
\245\232\314\153\310\204\126\212\063\251\347\042\025\123\026\360
\314\027\354\127\137\351\242\012\230\011\336\343\137\234\157\334
\110\343\205\013\025\132\246\272\237\254\110\343\011\262\367\364
\062\336\136\064\276\034\170\135\102\133\316\016\042\217\115\220
\327\175\062\030\263\013\054\152\277\216\077\024\021\211\040\016
\167\024\265\075\224\010\207\367\045\036\325\262\140\000\354\157
\052\050\045\156\052\076\030\143\027\045\077\076\104\040\026\366
\046\310\045\256\005\112\264\347\143\054\363\214\026\123\176\134
\373\021\032\010\301\106\142\237\042\270\361\302\215\151\334\372
\072\130\006\337\002\003\001\000\001\243\201\274\060\201\271\060
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\035\006\003\125\035\016\004\026\004\024\032\355\376\101\071
\220\264\044\131\276\001\362\122\325\105\366\132\071\334\021\060
\144\006\003\125\035\043\004\135\060\133\200\024\032\355\376\101
\071\220\264\044\131\276\001\362\122\325\105\366\132\071\334\021
\241\070\244\066\060\064\061\013\060\011\006\003\125\004\006\023

```
\002\106\122\061\022\060\020\006\003\125\004\012\014\011\104\150
\151\155\171\157\164\151\163\061\021\060\017\006\003\125\004\003
\014\010\103\145\162\164\151\147\156\141\202\011\000\376\334\343
\001\017\311\110\377\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\006\060\021\006\011\140\206\110\001\206\370\102
\001\001\004\004\003\002\000\007\060\015\006\011\052\206\110\206
\367\015\001\001\005\005\000\003\202\001\001\000\205\003\036\222
\161\366\102\257\341\243\141\236\353\363\300\017\362\245\324\332
\225\346\326\276\150\066\075\176\156\037\114\212\357\321\017\041
\155\136\245\122\143\316\022\370\357\052\332\157\353\067\376\023
\002\307\313\073\076\042\153\332\141\056\177\324\162\075\335\060
\341\036\114\100\031\214\017\327\234\321\203\060\173\230\131\334
\175\306\271\014\051\114\241\063\242\353\147\072\145\204\323\226
\342\355\166\105\160\217\265\053\336\371\043\326\111\156\074\024
\265\306\237\065\036\120\320\301\217\152\160\104\002\142\313\256
\035\150\101\247\252\127\350\123\252\007\322\006\366\325\024\006
\013\221\003\165\054\154\162\265\141\225\232\015\213\271\015\347
\365\337\124\315\336\346\330\326\011\010\227\143\345\301\056\260
\267\104\046\300\046\300\257\125\060\236\073\325\066\052\031\004
\364\134\036\377\317\054\267\377\320\375\207\100\021\325\021\043
\273\110\300\041\251\244\050\055\375\025\370\260\116\053\364\060
\133\041\374\021\221\064\276\101\357\173\235\227\165\377\227\225
\300\226\130\057\352\273\106\327\273\344\331\056
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "Certigna"

Issuer: CN=Certigna,O=Dhimyotis,C=FR

Serial Number:00:fe:dc:e3:01:0f:c9:48:ff

Subject: CN=Certigna,O=Dhimyotis,C=FR

Not Valid Before: Fri Jun 29 15:13:05 2007

Not Valid After : Tue Jun 29 15:13:05 2027

Fingerprint (SHA-256):

E3:B6:A2:DB:2E:D7:CE:48:84:2F:7A:C5:32:41:C7:B7:1D:54:14:4B:FB:40:C1:1F:3F:1D:0B:42:F5:EE:A1:2D

Fingerprint (SHA1): B1:2E:13:63:45:86:A4:6F:1A:B2:60:68:37:58:2D:C4:AC:FD:94:97

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certigna"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\261\056\023\143\105\206\244\157\032\262\140\150\067\130\055\304
\254\375\224\227
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\253\127\246\133\175\102\202\031\265\330\130\046\050\136\375\377
```

```

END
CKA_ISSUER MULTILINE_OCTAL
\060\064\061\013\060\011\006\003\125\004\006\023\002\106\122\061
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\021\060\017\006\003\125\004\003\014\010\103\145
\162\164\151\147\156\141
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\376\334\343\001\017\311\110\377
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "ePKI Root Certification Authority"
#
# Issuer: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW
# Serial Number: 15:c8:bd:65:47:5c:af:b8:97:00:5e:e4:06:d2:bc:9d
# Subject: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW
# Not Valid Before: Mon Dec 20 02:31:27 2004
# Not Valid After : Wed Dec 20 02:31:27 2034
# Fingerprint (SHA-256):
C0:A6:F4:DC:63:A2:4B:FD:CF:54:EF:2A:6A:08:2A:0A:72:DE:35:80:3E:2F:F5:FF:52:7A:E5:D8:72:06:DF:D5
# Fingerprint (SHA1): 67:65:0D:F1:7E:8E:7E:5B:82:40:A4:F4:56:4B:CF:E2:3D:69:C6:F0
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ePKI Root Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\136\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\052\060\050\006\003\125\004\013\014\041\145
\120\113\111\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\136\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\052\060\050\006\003\125\004\013\014\041\145
\120\113\111\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171

```


END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\025\310\275\145\107\134\257\270\227\000\136\344\006\322
\274\235

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\260\060\202\003\230\240\003\002\001\002\002\020\025
\310\275\145\107\134\257\270\227\000\136\344\006\322\274\235\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\136
\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043\060
\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167\141
\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114\164
\144\056\061\052\060\050\006\003\125\004\013\014\041\145\120\113
\111\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060\036
\027\015\060\064\061\062\062\060\060\062\063\061\062\067\132\027
\015\063\064\061\062\062\060\060\062\063\061\062\067\132\060\136
\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043\060
\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167\141
\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114\164
\144\056\061\052\060\050\006\003\125\004\013\014\041\145\120\113
\111\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060\202
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\341
\045\017\356\215\333\210\063\165\147\315\255\037\175\072\116\155
\235\323\057\024\363\143\164\313\001\041\152\067\352\204\120\007
\113\046\133\011\103\154\041\236\152\310\325\003\365\140\151\217
\314\360\042\344\037\347\367\152\042\061\267\054\025\362\340\376
\000\152\103\377\207\145\306\265\032\301\247\114\155\042\160\041
\212\061\362\227\164\211\011\022\046\034\236\312\331\022\242\225
\074\332\351\147\277\010\240\144\343\326\102\267\105\357\227\364
\366\365\327\265\112\025\002\130\175\230\130\113\140\274\315\327
\015\232\023\063\123\321\141\371\172\325\327\170\263\232\063\367
\000\206\316\035\115\224\070\257\250\354\170\121\160\212\134\020
\203\121\041\367\021\075\064\206\136\345\110\315\227\201\202\065
\114\031\354\145\366\153\305\005\241\356\107\023\326\263\041\047
\224\020\012\331\044\073\272\276\104\023\106\060\077\227\074\330
\327\327\152\356\073\070\343\053\324\227\016\271\033\347\007\111
\177\067\052\371\167\170\317\124\355\133\106\235\243\200\016\221
\103\301\326\133\137\024\272\237\246\215\044\107\100\131\277\162
\070\262\066\154\067\377\231\321\135\016\131\012\253\151\367\300
\262\004\105\172\124\000\256\276\123\366\265\347\341\370\074\243
\061\322\251\376\041\122\144\305\246\147\360\165\007\006\224\024
\201\125\306\047\344\001\217\027\301\152\161\327\276\113\373\224
\130\175\176\021\063\261\102\367\142\154\030\326\317\011\150\076
\177\154\366\036\217\142\255\245\143\333\011\247\037\042\102\101
\036\157\231\212\076\327\371\077\100\172\171\260\245\001\222\322

\235\075\010\025\245\020\001\055\263\062\166\250\225\015\263\172
\232\373\007\020\170\021\157\341\217\307\272\017\045\032\164\052
\345\034\230\101\231\337\041\207\350\225\006\152\012\263\152\107
\166\145\366\072\317\217\142\027\031\173\012\050\315\032\322\203
\036\041\307\054\277\276\377\141\150\267\147\033\273\170\115\215
\316\147\345\344\301\216\267\043\146\342\235\220\165\064\230\251
\066\053\212\232\224\271\235\354\314\212\261\370\045\211\134\132
\266\057\214\037\155\171\044\247\122\150\303\204\065\342\146\215
\143\016\045\115\325\031\262\346\171\067\247\042\235\124\061\002
\003\001\000\001\243\152\060\150\060\035\006\003\125\035\016\004
\026\004\024\036\014\367\266\147\362\341\222\046\011\105\300\125
\071\056\167\077\102\112\242\060\014\006\003\125\035\023\004\005
\060\003\001\001\377\060\071\006\004\147\052\007\000\004\061\060
\057\060\055\002\001\000\060\011\006\005\053\016\003\002\032\005
\000\060\007\006\005\147\052\003\000\000\004\024\105\260\302\307
\012\126\174\356\133\170\014\225\371\030\123\301\246\034\330\020
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003
\202\002\001\000\011\263\203\123\131\001\076\225\111\271\361\201
\272\371\166\040\043\265\047\140\164\324\152\231\064\136\154\000
\123\331\237\362\246\261\044\007\104\152\052\306\245\216\170\022
\350\107\331\130\033\023\052\136\171\233\237\012\052\147\246\045
\077\006\151\126\163\303\212\146\110\373\051\201\127\164\006\312
\234\352\050\350\070\147\046\053\361\325\265\077\145\223\370\066
\135\216\215\215\100\040\207\031\352\357\047\300\075\264\071\017
\045\173\150\120\164\125\234\014\131\175\132\075\101\224\045\122
\010\340\107\054\025\061\031\325\277\007\125\306\273\022\265\227
\364\137\203\205\272\161\301\331\154\201\021\166\012\012\260\277
\202\227\367\352\075\372\372\354\055\251\050\224\073\126\335\322
\121\056\256\300\275\010\025\214\167\122\064\226\326\233\254\323
\035\216\141\017\065\173\233\256\071\151\013\142\140\100\040\066
\217\257\373\066\356\055\010\112\035\270\277\233\134\370\352\245
\033\240\163\246\330\370\156\340\063\004\137\150\252\047\207\355
\331\301\220\234\355\275\343\152\065\257\143\337\253\030\331\272
\346\351\112\352\120\212\017\141\223\036\342\055\031\342\060\224
\065\222\135\016\266\007\257\031\200\217\107\220\121\113\056\115
\335\205\342\322\012\122\012\027\232\374\032\260\120\002\345\001
\243\143\067\041\114\104\304\233\121\231\021\016\163\234\006\217
\124\056\247\050\136\104\071\207\126\055\067\275\205\104\224\341
\014\113\054\234\303\222\205\064\141\313\017\270\233\112\103\122
\376\064\072\175\270\351\051\334\166\251\310\060\370\024\161\200
\306\036\066\110\164\042\101\134\207\202\350\030\161\213\101\211
\104\347\176\130\133\250\270\215\023\351\247\154\303\107\355\263
\032\235\142\256\215\202\352\224\236\335\131\020\303\255\335\342
\115\343\061\325\307\354\350\362\260\376\222\036\026\012\032\374
\331\363\370\047\266\311\276\035\264\154\144\220\177\364\344\304
\133\327\067\256\102\016\335\244\032\157\174\210\124\305\026\156
\341\172\150\056\370\072\277\015\244\074\211\073\170\247\116\143
\203\004\041\010\147\215\362\202\111\320\133\375\261\315\017\203

```

\204\324\076\040\205\367\112\075\053\234\375\052\012\011\115\352
\201\370\021\234
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "ePKI Root Certification Authority"
# Issuer: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW
# Serial Number:15:c8:bd:65:47:5c:af:b8:97:00:5e:e4:06:d2:bc:9d
# Subject: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW
# Not Valid Before: Mon Dec 20 02:31:27 2004
# Not Valid After : Wed Dec 20 02:31:27 2034
# Fingerprint (SHA-256):
C0:A6:F4:DC:63:A2:4B:FD:CF:54:EF:2A:6A:08:2A:0A:72:DE:35:80:3E:2F:F5:FF:52:7A:E5:D8:72:06:DF:D5
# Fingerprint (SHA1): 67:65:0D:F1:7E:8E:7E:5B:82:40:A4:F4:56:4B:CF:E2:3D:69:C6:F0
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ePKI Root Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\147\145\015\361\176\216\176\133\202\100\244\364\126\113\317\342
\075\151\306\360
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\033\056\000\312\046\006\220\075\255\376\157\025\150\323\153\263
END
CKA_ISSUER MULTILINE_OCTAL
\060\136\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\052\060\050\006\003\125\004\013\014\041\145
\120\113\111\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\025\310\275\145\107\134\257\270\227\000\136\344\006\322
\274\235
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "certSIGN ROOT CA"
#

```

```

# Issuer: OU=certSIGN ROOT CA,O=certSIGN,C=RO
# Serial Number:20:06:05:16:70:02
# Subject: OU=certSIGN ROOT CA,O=certSIGN,C=RO
# Not Valid Before: Tue Jul 04 17:20:04 2006
# Not Valid After : Fri Jul 04 17:20:04 2031
# Fingerprint (SHA-256):
EA:A9:62:C4:FA:4A:6B:AF:EB:E4:15:19:6D:35:1C:CD:88:8D:4F:53:F3:FA:8A:E6:D7:C4:66:A9:4E:60:42:BB
# Fingerprint (SHA1): FA:B7:EE:36:97:26:62:FB:2D:B0:2A:F6:BF:03:FD:E8:7C:4B:2F:9B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "certSIGN ROOT CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123\111
\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145\162
\164\123\111\107\116\040\122\117\117\124\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123\111
\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145\162
\164\123\111\107\116\040\122\117\117\124\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\006\040\006\005\026\160\002
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\070\060\202\002\040\240\003\002\001\002\002\006\040
\006\005\026\160\002\060\015\006\011\052\206\110\206\367\015\001
\001\005\005\000\060\073\061\013\060\011\006\003\125\004\006\023
\002\122\117\061\021\060\017\006\003\125\004\012\023\010\143\145
\162\164\123\111\107\116\061\031\060\027\006\003\125\004\013\023
\020\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103
\101\060\036\027\015\060\066\060\067\060\064\061\067\062\060\060
\064\132\027\015\063\061\060\067\060\064\061\067\062\060\060\064
\132\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117
\061\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123
\111\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145
\162\164\123\111\107\116\040\122\117\117\124\040\103\101\060\202
\001\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005
\000\003\202\001\017\000\060\202\001\012\002\202\001\001\000\267
\063\271\176\310\045\112\216\265\333\264\050\033\252\127\220\350
\321\042\323\144\272\323\223\350\324\254\206\141\100\152\140\127
\150\124\204\115\274\152\124\002\005\377\337\233\232\052\256\135

```

\007\217\112\303\050\177\357\373\053\372\171\361\307\255\360\020
\123\044\220\213\146\311\250\210\253\257\132\243\000\351\276\272
\106\356\133\163\173\054\027\202\201\136\142\054\241\002\145\263
\275\305\053\000\176\304\374\003\063\127\015\355\342\372\316\135
\105\326\070\315\065\266\262\301\320\234\201\112\252\344\262\001
\134\035\217\137\231\304\261\255\333\210\041\353\220\010\202\200
\363\060\243\103\346\220\202\256\125\050\111\355\133\327\251\020
\070\016\376\217\114\133\233\106\352\101\365\260\010\164\303\320
\210\063\266\174\327\164\337\334\204\321\103\016\165\071\241\045
\100\050\352\170\313\016\054\056\071\235\214\213\156\026\034\057
\046\202\020\342\343\145\224\012\004\300\136\367\135\133\370\020
\342\320\272\172\113\373\336\067\000\000\032\133\050\343\322\234
\163\076\062\207\230\241\311\121\057\327\336\254\063\263\117\002
\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023\001
\001\377\004\005\060\003\001\001\377\060\016\006\003\125\035\017
\001\001\377\004\004\003\002\001\306\060\035\006\003\125\035\016
\004\026\004\024\340\214\233\333\045\111\263\361\174\206\326\262
\102\207\013\320\153\240\331\344\060\015\006\011\052\206\110\206
\367\015\001\001\005\005\000\003\202\001\001\000\076\322\034\211
\056\065\374\370\165\335\346\177\145\210\364\162\114\311\054\327
\062\116\363\335\031\171\107\275\216\073\133\223\017\120\111\044
\023\153\024\006\162\357\011\323\241\241\343\100\204\311\347\030
\062\164\074\110\156\017\237\113\324\367\036\323\223\206\144\124
\227\143\162\120\325\125\317\372\040\223\002\242\233\303\043\223
\116\026\125\166\240\160\171\155\315\041\037\317\057\055\274\031
\343\210\061\370\131\032\201\011\310\227\246\164\307\140\304\133
\314\127\216\262\165\375\033\002\011\333\131\157\162\223\151\367
\061\101\326\210\070\277\207\262\275\026\171\371\252\344\276\210
\045\335\141\047\043\034\265\061\007\004\066\264\032\220\275\240
\164\161\120\211\155\274\024\343\017\206\256\361\253\076\307\240
\011\314\243\110\321\340\333\144\347\222\265\317\257\162\103\160
\213\371\303\204\074\023\252\176\222\233\127\123\223\372\160\302
\221\016\061\371\233\147\135\351\226\070\136\137\263\163\116\210
\025\147\336\236\166\020\142\040\276\125\151\225\103\000\071\115
\366\356\260\132\116\111\104\124\130\137\102\203

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "certSIGN ROOT CA"

Issuer: OU=certSIGN ROOT CA,O=certSIGN,C=RO

Serial Number:20:06:05:16:70:02

Subject: OU=certSIGN ROOT CA,O=certSIGN,C=RO

Not Valid Before: Tue Jul 04 17:20:04 2006

Not Valid After : Fri Jul 04 17:20:04 2031

Fingerprint (SHA-256):

EA:A9:62:C4:FA:4A:6B:AF:EB:E4:15:19:6D:35:1C:CD:88:8D:4F:53:F3:FA:8A:E6:D7:C4:66:A9:4E:60:42:BB

```

# Fingerprint (SHA1): FA:B7:EE:36:97:26:62:FB:2D:B0:2A:F6:BF:03:FD:E8:7C:4B:2F:9B
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "certSIGN ROOT CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\372\267\356\066\227\046\142\373\055\260\052\366\277\003\375\350
\174\113\057\233
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\030\230\300\326\351\072\374\371\260\365\014\367\113\001\104\027
END
CKA_ISSUER MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123\111
\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145\162
\164\123\111\107\116\040\122\117\117\124\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\006\040\006\005\026\160\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "NetLock Arany (Class Gold) Ftanúsítvány"
#
# Issuer: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification
Services),O=NetLock Kft.,L=Budapest,C=HU
# Serial Number:49:41:2c:e4:00:10
# Subject: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification
Services),O=NetLock Kft.,L=Budapest,C=HU
# Not Valid Before: Thu Dec 11 15:08:21 2008
# Not Valid After : Wed Dec 06 15:08:21 2028
# Fingerprint (SHA-256):
6C:61:DA:C3:A2:DE:F0:31:50:6B:E0:36:D2:A6:FE:40:19:94:FB:D1:3D:F9:C8:D4:66:59:92:74:C4:46:EC:98
# Fingerprint (SHA1): 06:08:3F:59:3F:15:A1:04:A0:69:A4:6B:A9:03:D0:06:B7:97:09:91
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "NetLock Arany (Class Gold) Ftanúsítvány"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\247\061\013\060\011\006\003\125\004\006\023\002\110\125

```

```
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160
\145\163\164\061\025\060\023\006\003\125\004\012\014\014\116\145
\164\114\157\143\153\040\113\146\164\056\061\067\060\065\006\003
\125\004\013\014\056\124\141\156\303\272\163\303\255\164\166\303
\241\156\171\153\151\141\144\303\263\153\040\050\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\123\145\162\166\151\143
\145\163\051\061\065\060\063\006\003\125\004\003\014\054\116\145
\164\114\157\143\153\040\101\162\141\156\171\040\050\103\154\141
\163\163\040\107\157\154\144\051\040\106\305\221\164\141\156\303
\272\163\303\255\164\166\303\241\156\171
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

```
\060\201\247\061\013\060\011\006\003\125\004\006\023\002\110\125
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160
\145\163\164\061\025\060\023\006\003\125\004\012\014\014\116\145
\164\114\157\143\153\040\113\146\164\056\061\067\060\065\006\003
\125\004\013\014\056\124\141\156\303\272\163\303\255\164\166\303
\241\156\171\153\151\141\144\303\263\153\040\050\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\123\145\162\166\151\143
\145\163\051\061\065\060\063\006\003\125\004\003\014\054\116\145
\164\114\157\143\153\040\101\162\141\156\171\040\050\103\154\141
\163\163\040\107\157\154\144\051\040\106\305\221\164\141\156\303
\272\163\303\255\164\166\303\241\156\171
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\006\111\101\054\344\000\020
```

END

CKA_VALUE MULTILINE_OCTAL

```
\060\202\004\025\060\202\002\375\240\003\002\001\002\002\006\111
\101\054\344\000\020\060\015\006\011\052\206\110\206\367\015\001
\001\013\005\000\060\201\247\061\013\060\011\006\003\125\004\006
\023\002\110\125\061\021\060\017\006\003\125\004\007\014\010\102
\165\144\141\160\145\163\164\061\025\060\023\006\003\125\004\012
\014\014\116\145\164\114\157\143\153\040\113\146\164\056\061\067
\060\065\006\003\125\004\013\014\056\124\141\156\303\272\163\303
\255\164\166\303\241\156\171\153\151\141\144\303\263\153\040\050
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145
\162\166\151\143\145\163\051\061\065\060\063\006\003\125\004\003
\014\054\116\145\164\114\157\143\153\040\101\162\141\156\171\040
\050\103\154\141\163\163\040\107\157\154\144\051\040\106\305\221
\164\141\156\303\272\163\303\255\164\166\303\241\156\171\060\036
\027\015\060\070\061\062\061\061\061\065\060\070\062\061\132\027
\015\062\070\061\062\060\066\061\065\060\070\062\061\132\060\201
\247\061\013\060\011\006\003\125\004\006\023\002\110\125\061\021
\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145\163
\164\061\025\060\023\006\003\125\004\012\014\014\116\145\164\114
\157\143\153\040\113\146\164\056\061\067\060\065\006\003\125\004
```

\013\014\056\124\141\156\303\272\163\303\255\164\166\303\241\156
\171\153\151\141\144\303\263\153\040\050\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\123\145\162\166\151\143\145\163
\051\061\065\060\063\006\003\125\004\003\014\054\116\145\164\114
\157\143\153\040\101\162\141\156\171\040\050\103\154\141\163\163
\040\107\157\154\144\051\040\106\305\221\164\141\156\303\272\163
\303\255\164\166\303\241\156\171\060\202\001\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000
\060\202\001\012\002\202\001\001\000\304\044\136\163\276\113\155
\024\303\241\364\343\227\220\156\322\060\105\036\074\356\147\331
\144\340\032\212\177\312\060\312\203\343\040\301\343\364\072\323
\224\137\032\174\133\155\277\060\117\204\047\366\237\037\111\274
\306\231\012\220\362\017\365\177\103\204\067\143\121\213\172\245
\160\374\172\130\315\216\233\355\303\106\154\204\160\135\332\363
\001\220\043\374\116\060\251\176\341\047\143\347\355\144\074\240
\270\311\063\143\376\026\220\377\260\270\375\327\250\300\300\224
\103\013\266\325\131\246\236\126\320\044\037\160\171\257\333\071
\124\015\145\165\331\025\101\224\001\257\136\354\366\215\361\377
\255\144\376\040\232\327\134\353\376\246\037\010\144\243\213\166
\125\255\036\073\050\140\056\207\045\350\252\257\037\306\144\106
\040\267\160\177\074\336\110\333\226\123\267\071\167\344\032\342
\307\026\204\166\227\133\057\273\031\025\205\370\151\205\365\231
\247\251\362\064\247\251\266\246\003\374\157\206\075\124\174\166
\004\233\153\371\100\135\000\064\307\056\231\165\235\345\210\003
\252\115\370\003\322\102\166\300\033\002\003\000\250\213\243\105
\060\103\060\022\006\003\125\035\023\001\001\377\004\010\060\006
\001\001\377\002\001\004\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004
\024\314\372\147\223\360\266\270\320\245\300\036\363\123\375\214
\123\337\203\327\226\060\015\006\011\052\206\110\206\367\015\001
\001\013\005\000\003\202\001\001\000\253\177\356\034\026\251\234
\074\121\000\240\300\021\010\005\247\231\346\157\001\210\124\141
\156\361\271\030\255\112\255\376\201\100\043\224\057\373\165\174
\057\050\113\142\044\201\202\013\365\141\361\034\156\270\141\070
\353\201\372\142\241\073\132\142\323\224\145\304\341\346\155\202
\370\057\045\160\262\041\046\301\162\121\037\214\054\303\204\220
\303\132\217\272\317\364\247\145\245\353\230\321\373\005\262\106
\165\025\043\152\157\205\143\060\200\360\325\236\037\051\034\302
\154\260\120\131\135\220\133\073\250\015\060\317\277\175\177\316
\361\235\203\275\311\106\156\040\246\371\141\121\272\041\057\173
\276\245\025\143\241\324\225\207\361\236\271\363\211\363\075\205
\270\270\333\276\265\271\051\371\332\067\005\000\111\224\003\204
\104\347\277\103\061\317\165\213\045\321\364\246\144\365\222\366
\253\005\353\075\351\245\013\066\142\332\314\006\137\066\213\266
\136\061\270\052\373\136\366\161\337\104\046\236\304\346\015\221
\264\056\165\225\200\121\152\113\060\246\260\142\241\223\361\233
\330\316\304\143\165\077\131\107\261

END


```

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "NetLock Arany (Class Gold) Ftanúsítvány"
# Issuer: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification
Services),O=NetLock Kft.,L=Budapest,C=HU
# Serial Number:49:41:2c:e4:00:10
# Subject: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification
Services),O=NetLock Kft.,L=Budapest,C=HU
# Not Valid Before: Thu Dec 11 15:08:21 2008
# Not Valid After : Wed Dec 06 15:08:21 2028
# Fingerprint (SHA-256):
6C:61:DA:C3:A2:DE:F0:31:50:6B:E0:36:D2:A6:FE:40:19:94:FB:D1:3D:F9:C8:D4:66:59:92:74:C4:46:EC:98
# Fingerprint (SHA1): 06:08:3F:59:3F:15:A1:04:A0:69:A4:6B:A9:03:D0:06:B7:97:09:91
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "NetLock Arany (Class Gold) Ftanúsítvány"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\006\010\077\131\077\025\241\004\240\151\244\153\251\003\320\006
\267\227\011\221
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\305\241\267\377\163\335\326\327\064\062\030\337\374\074\255\210
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\247\061\013\060\011\006\003\125\004\006\023\002\110\125
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160
\145\163\164\061\025\060\023\006\003\125\004\012\014\014\116\145
\164\114\157\143\153\040\113\146\164\056\061\067\060\065\006\003
\125\004\013\014\056\124\141\156\303\272\163\303\255\164\166\303
\241\156\171\153\151\141\144\303\263\153\040\050\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\123\145\162\166\151\143
\145\163\051\061\065\060\063\006\003\125\004\003\014\054\116\145
\164\114\157\143\153\040\101\162\141\156\171\040\050\103\154\141
\163\163\040\107\157\154\144\051\040\106\305\221\164\141\156\303
\272\163\303\255\164\166\303\241\156\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\006\111\101\054\344\000\020
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

```

```

#
# Certificate "Hongkong Post Root CA 1"
#
# Issuer: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK
# Serial Number: 1000 (0x3e8)
# Subject: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK
# Not Valid Before: Thu May 15 05:13:14 2003
# Not Valid After : Mon May 15 04:52:29 2023
# Fingerprint (SHA-256):
F9:E6:7D:33:6C:51:00:2A:C0:54:C6:32:02:2D:66:DD:A2:E7:E3:FF:F1:0A:D0:61:ED:31:D8:BB:B4:10:CF:B2
# Fingerprint (SHA1): D6:DA:A8:20:8D:09:D2:15:4D:24:B5:2F:CB:34:6E:B2:58:B2:8A:58
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hongkong Post Root CA 1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040
\122\157\157\164\040\103\101\040\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040
\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\002\003\350
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\060\060\202\002\030\240\003\002\001\002\002\002\003
\350\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000
\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040
\122\157\157\164\040\103\101\040\061\060\036\027\015\060\063\060
\065\061\065\060\065\061\063\061\064\132\027\015\062\063\060\065
\061\065\060\064\065\062\062\071\132\060\107\061\013\060\011\006
\003\125\004\006\023\002\110\113\061\026\060\024\006\003\125\004
\012\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164
\061\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153

```

\157\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101
\040\061\060\202\001\042\060\015\006\011\052\206\110\206\367\015
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202
\001\001\000\254\377\070\266\351\146\002\111\343\242\264\341\220
\371\100\217\171\371\342\275\171\376\002\275\356\044\222\035\042
\366\332\205\162\151\376\327\077\011\324\335\221\265\002\234\320
\215\132\341\125\303\120\206\271\051\046\302\343\331\240\361\151
\003\050\040\200\105\042\055\126\247\073\124\225\126\042\131\037
\050\337\037\040\075\155\242\066\276\043\240\261\156\265\261\047
\077\071\123\011\352\253\152\350\164\262\302\145\134\216\277\174
\303\170\204\315\236\026\374\365\056\117\040\052\010\237\167\363
\305\036\304\232\122\146\036\110\136\343\020\006\217\042\230\341
\145\216\033\135\043\146\073\270\245\062\121\310\206\252\241\251
\236\177\166\224\302\246\154\267\101\360\325\310\006\070\346\324
\014\342\363\073\114\155\120\214\304\203\047\301\023\204\131\075
\236\165\164\266\330\002\136\072\220\172\300\102\066\162\354\152
\115\334\357\304\000\337\023\030\127\137\046\170\310\326\012\171
\167\277\367\257\267\166\271\245\013\204\027\135\020\352\157\341
\253\225\021\137\155\074\243\134\115\203\133\362\263\031\212\200
\213\013\207\002\003\001\000\001\243\046\060\044\060\022\006\003
\125\035\023\001\001\377\004\010\060\006\001\001\377\002\001\003
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\306
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003
\202\001\001\000\016\106\325\074\256\342\207\331\136\201\213\002
\230\101\010\214\114\274\332\333\356\047\033\202\347\152\105\354
\026\213\117\205\240\363\262\160\275\132\226\272\312\156\155\356
\106\213\156\347\052\056\226\263\031\063\353\264\237\250\262\067
\356\230\250\227\266\056\266\147\047\324\246\111\375\034\223\145
\166\236\102\057\334\042\154\232\117\362\132\025\071\261\161\327
\053\121\350\155\034\230\300\331\052\364\241\202\173\325\311\101
\242\043\001\164\070\125\213\017\271\056\147\242\040\004\067\332
\234\013\323\027\041\340\217\227\171\064\157\204\110\002\040\063
\033\346\064\104\237\221\160\364\200\136\204\103\302\051\322\154
\022\024\344\141\215\254\020\220\236\204\120\273\360\226\157\105
\237\212\363\312\154\117\372\021\072\025\025\106\303\315\037\203
\133\055\101\022\355\120\147\101\023\075\041\253\224\212\252\116
\174\301\261\373\247\326\265\047\057\227\253\156\340\035\342\321
\034\054\037\104\342\374\276\221\241\234\373\326\051\123\163\206
\237\123\330\103\016\135\326\143\202\161\035\200\164\312\366\342
\002\153\331\132

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Hongkong Post Root CA 1"
Issuer: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK
Serial Number: 1000 (0x3e8)

```

# Subject: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK
# Not Valid Before: Thu May 15 05:13:14 2003
# Not Valid After : Mon May 15 04:52:29 2023
# Fingerprint (SHA-256):
F9:E6:7D:33:6C:51:00:2A:C0:54:C6:32:02:2D:66:DD:A2:E7:E3:FF:F1:0A:D0:61:ED:31:D8:BB:B4:10:CF:B2
# Fingerprint (SHA1): D6:DA:A8:20:8D:09:D2:15:4D:24:B5:2F:CB:34:6E:B2:58:B2:8A:58
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hongkong Post Root CA 1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\326\332\250\040\215\011\322\025\115\044\265\057\313\064\156\262
\130\262\212\130
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\250\015\157\071\170\271\103\155\167\102\155\230\132\314\043\312
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040
\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\002\003\350
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "SecureSign RootCA11"
#
# Issuer: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP
# Serial Number: 1 (0x1)
# Subject: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP
# Not Valid Before: Wed Apr 08 04:56:47 2009
# Not Valid After : Sun Apr 08 04:56:47 2029
# Fingerprint (SHA-256):
BF:0F:EE:FB:9E:3A:58:1A:D5:F9:E9:DB:75:89:98:57:43:D2:61:08:5C:4D:31:4F:6F:5D:72:59:AA:42:16:12
# Fingerprint (SHA1): 3B:C4:9F:48:F8:F3:73:A0:9C:1E:BD:F8:5B:B1:C3:65:C7:D8:11:B3
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE

```

```
CKA_LABEL UTF8 "SecureSign RootCA11"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\053\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145
\162\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032
\006\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147
\156\040\122\157\157\164\103\101\061\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\053\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145
\162\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032
\006\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147
\156\040\122\157\157\164\103\101\061\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\155\060\202\002\125\240\003\002\001\002\002\001\001
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061\053
\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040\103
\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145\162
\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032\006
\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147\156
\040\122\157\157\164\103\101\061\061\060\036\027\015\060\071\060
\064\060\070\060\064\065\066\064\067\132\027\015\062\071\060\064
\060\070\060\064\065\066\064\067\132\060\130\061\013\060\011\006
\003\125\004\006\023\002\112\120\061\053\060\051\006\003\125\004
\012\023\042\112\141\160\141\156\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\123\145\162\166\151\143\145\163\054
\040\111\156\143\056\061\034\060\032\006\003\125\004\003\023\023
\123\145\143\165\162\145\123\151\147\156\040\122\157\157\164\103
\101\061\061\060\202\001\042\060\015\006\011\052\206\110\206\367
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002
\202\001\001\000\375\167\252\245\034\220\005\073\313\114\233\063
\213\132\024\105\244\347\220\026\321\337\127\322\041\020\244\027
\375\337\254\326\037\247\344\333\174\367\354\337\270\003\332\224
\130\375\135\162\174\214\077\137\001\147\164\025\226\343\002\074
\207\333\256\313\001\216\302\363\146\306\205\105\364\002\306\072
\265\142\262\257\372\234\277\244\346\324\200\060\230\363\015\266
\223\217\251\324\330\066\362\260\374\212\312\054\241\025\063\225
\061\332\300\033\362\356\142\231\206\143\077\277\335\223\052\203
```

\250\166\271\023\037\267\316\116\102\205\217\042\347\056\032\362
\225\011\262\005\265\104\116\167\241\040\275\251\362\116\012\175
\120\255\365\005\015\105\117\106\161\375\050\076\123\373\004\330
\055\327\145\035\112\033\372\317\073\260\061\232\065\156\310\213
\006\323\000\221\362\224\010\145\114\261\064\006\000\172\211\342
\360\307\003\131\317\325\326\350\247\062\263\346\230\100\206\305
\315\047\022\213\314\173\316\267\021\074\142\140\007\043\076\053
\100\156\224\200\011\155\266\263\157\167\157\065\010\120\373\002
\207\305\076\211\002\003\001\000\001\243\102\060\100\060\035\006
\003\125\035\016\004\026\004\024\133\370\115\117\262\245\206\324
\072\322\361\143\232\240\276\011\366\127\267\336\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\015\006
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001
\000\240\241\070\026\146\056\247\126\037\041\234\006\372\035\355
\271\042\305\070\046\330\116\117\354\243\177\171\336\106\041\241
\207\167\217\007\010\232\262\244\305\257\017\062\230\013\174\146
\051\266\233\175\045\122\111\103\253\114\056\053\156\172\160\257
\026\016\343\002\154\373\102\346\030\235\105\330\125\310\350\073
\335\347\341\364\056\013\034\064\134\154\130\112\373\214\210\120
\137\225\034\277\355\253\042\265\145\263\205\272\236\017\270\255
\345\172\033\212\120\072\035\275\015\274\173\124\120\013\271\102
\257\125\240\030\201\255\145\231\357\276\344\234\277\304\205\253
\101\262\124\157\334\045\315\355\170\342\216\014\215\011\111\335
\143\173\132\151\226\002\041\250\275\122\131\351\175\065\313\310
\122\312\177\201\376\331\153\323\367\021\355\045\337\370\347\371
\244\372\162\227\204\123\015\245\320\062\030\121\166\131\024\154
\017\353\354\137\200\214\165\103\203\303\205\230\377\114\236\055
\015\344\167\203\223\116\265\226\007\213\050\023\233\214\031\215
\101\047\111\100\356\336\346\043\104\071\334\241\042\326\272\003
\362

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "SecureSign RootCA11"

Issuer: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP

Serial Number: 1 (0x1)

Subject: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP

Not Valid Before: Wed Apr 08 04:56:47 2009

Not Valid After : Sun Apr 08 04:56:47 2029

Fingerprint (SHA-256):

BF:0F:EE:FB:9E:3A:58:1A:D5:F9:E9:DB:75:89:98:57:43:D2:61:08:5C:4D:31:4F:6F:5D:72:59:AA:42:16:12

Fingerprint (SHA1): 3B:C4:9F:48:F8:F3:73:A0:9C:1E:BD:F8:5B:B1:C3:65:C7:D8:11:B3

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

```

CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SecureSign RootCA11"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\073\304\237\110\370\363\163\240\234\036\275\370\133\261\303\145
\307\330\021\263
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\267\122\164\342\222\264\200\223\362\165\344\314\327\362\352\046
END
CKA_ISSUER MULTILINE_OCTAL
\060\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\053\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145
\162\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032
\006\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147
\156\040\122\157\157\164\103\101\061\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Microsec e-Szigno Root CA 2009"
#
# Issuer: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU
# Serial Number:00:c2:7e:43:04:4e:47:3f:19
# Subject: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU
# Not Valid Before: Tue Jun 16 11:30:18 2009
# Not Valid After : Sun Dec 30 11:30:18 2029
# Fingerprint (SHA-256):
3C:5F:81:FE:A5:FA:B8:2C:64:BF:A2:EA:EC:AF:CD:E8:E0:77:FC:86:20:A7:CA:E5:37:16:3D:F3:6E:DB:F3:78
# Fingerprint (SHA1): 89:DF:74:FE:5C:F4:0F:4A:80:F9:E3:37:7D:54:DA:91:E1:01:31:8E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsec e-Szigno Root CA 2009"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\110\125
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160
\145\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151
\143\162\157\163\145\143\040\114\164\144\056\061\047\060\045\006
\003\125\004\003\014\036\115\151\143\162\157\163\145\143\040\145

```

\055\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040
\062\060\060\071\061\037\060\035\006\011\052\206\110\206\367\015
\001\011\001\026\020\151\156\146\157\100\145\055\163\172\151\147
\156\157\056\150\165

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\110\125
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160
\145\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151
\143\162\157\163\145\143\040\114\164\144\056\061\047\060\045\006
\003\125\004\003\014\036\115\151\143\162\157\163\145\143\040\145
\055\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040
\062\060\060\071\061\037\060\035\006\011\052\206\110\206\367\015
\001\011\001\026\020\151\156\146\157\100\145\055\163\172\151\147
\156\157\056\150\165

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\011\000\302\176\103\004\116\107\077\031

END

CKA_VALUE MULTILINE_OCTAL

\060\202\004\012\060\202\002\362\240\003\002\001\002\002\011\000
\302\176\103\004\116\107\077\031\060\015\006\011\052\206\110\206
\367\015\001\001\013\005\000\060\201\202\061\013\060\011\006\003
\125\004\006\023\002\110\125\061\021\060\017\006\003\125\004\007
\014\010\102\165\144\141\160\145\163\164\061\026\060\024\006\003
\125\004\012\014\015\115\151\143\162\157\163\145\143\040\114\164
\144\056\061\047\060\045\006\003\125\004\003\014\036\115\151\143
\162\157\163\145\143\040\145\055\123\172\151\147\156\157\040\122
\157\157\164\040\103\101\040\062\060\060\071\061\037\060\035\006
\011\052\206\110\206\367\015\001\011\001\026\020\151\156\146\157
\100\145\055\163\172\151\147\156\157\056\150\165\060\036\027\015
\060\071\060\066\061\066\061\061\063\060\061\070\132\027\015\062
\071\061\062\063\060\061\061\063\060\061\070\132\060\201\202\061
\013\060\011\006\003\125\004\006\023\002\110\125\061\021\060\017
\006\003\125\004\007\014\010\102\165\144\141\160\145\163\164\061
\026\060\024\006\003\125\004\012\014\015\115\151\143\162\157\163
\145\143\040\114\164\144\056\061\047\060\045\006\003\125\004\003
\014\036\115\151\143\162\157\163\145\143\040\145\055\123\172\151
\147\156\157\040\122\157\157\164\040\103\101\040\062\060\060\071
\061\037\060\035\006\011\052\206\110\206\367\015\001\011\001\026
\020\151\156\146\157\100\145\055\163\172\151\147\156\157\056\150
\165\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001
\001\000\351\370\217\363\143\255\332\206\330\247\340\102\373\317
\221\336\246\046\370\231\245\143\160\255\233\256\312\063\100\175
\155\226\156\241\016\104\356\341\023\235\224\102\122\232\275\165
\205\164\054\250\016\035\223\266\030\267\214\054\250\317\373\134

\161\271\332\354\376\350\176\217\344\057\035\262\250\165\207\330
\267\241\345\073\317\231\112\106\320\203\031\175\300\241\022\034
\225\155\112\364\330\307\245\115\063\056\205\071\100\165\176\024
\174\200\022\230\120\307\101\147\270\240\200\141\124\246\154\116
\037\340\235\016\007\351\311\272\063\347\376\300\125\050\054\002
\200\247\031\365\236\334\125\123\003\227\173\007\110\377\231\373
\067\212\044\304\131\314\120\020\143\216\252\251\032\260\204\032
\206\371\137\273\261\120\156\244\321\012\314\325\161\176\037\247
\033\174\365\123\156\042\137\313\053\346\324\174\135\256\326\302
\306\114\345\005\001\331\355\127\374\301\043\171\374\372\310\044
\203\225\363\265\152\121\001\320\167\326\351\022\241\371\032\203
\373\202\033\271\260\227\364\166\006\063\103\111\240\377\013\265
\372\265\002\003\001\000\001\243\201\200\060\176\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006
\003\125\035\016\004\026\004\024\313\017\306\337\102\103\314\075
\313\265\110\043\241\032\172\246\052\273\064\150\060\037\006\003
\125\035\043\004\030\060\026\200\024\313\017\306\337\102\103\314
\075\313\265\110\043\241\032\172\246\052\273\064\150\060\033\006
\003\125\035\021\004\024\060\022\201\020\151\156\146\157\100\145
\055\163\172\151\147\156\157\056\150\165\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\003\202\001\001\000\311\321
\016\136\056\325\314\263\174\076\313\374\075\377\015\050\225\223
\004\310\277\332\315\171\270\103\220\360\244\276\357\362\357\041
\230\274\324\324\135\006\366\356\102\354\060\154\240\252\251\312
\361\257\212\372\077\013\163\152\076\352\056\100\176\037\256\124
\141\171\353\056\010\067\327\043\363\214\237\276\035\261\341\244
\165\333\240\342\124\024\261\272\034\051\244\030\366\022\272\242
\024\024\343\061\065\310\100\377\267\340\005\166\127\301\034\131
\362\370\277\344\355\045\142\134\204\360\176\176\037\263\276\371
\267\041\021\314\003\001\126\160\247\020\222\036\033\064\201\036
\255\234\032\303\004\074\355\002\141\326\036\006\363\137\072\207
\362\053\361\105\207\345\075\254\321\307\127\204\275\153\256\334
\330\371\266\033\142\160\013\075\066\311\102\362\062\327\172\141
\346\322\333\075\317\310\251\311\233\334\333\130\104\327\157\070
\257\177\170\323\243\255\032\165\272\034\301\066\174\217\036\155
\034\303\165\106\256\065\005\246\366\134\075\041\356\126\360\311
\202\042\055\172\124\253\160\303\175\042\145\202\160\226

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE

Trust for "Microsec e-Szigno Root CA 2009"

Issuer: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU

Serial Number:00:c2:7e:43:04:4e:47:3f:19

Subject: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU

Not Valid Before: Tue Jun 16 11:30:18 2009

```

# Not Valid After : Sun Dec 30 11:30:18 2029
# Fingerprint (SHA-256):
3C:5F:81:FE:A5:FA:B8:2C:64:BF:A2:EA:EC:AF:CD:E8:E0:77:FC:86:20:A7:CA:E5:37:16:3D:F3:6E:DB:F3:78
# Fingerprint (SHA1): 89:DF:74:FE:5C:F4:0F:4A:80:F9:E3:37:7D:54:DA:91:E1:01:31:8E
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsec e-Szigno Root CA 2009"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\211\337\164\376\134\364\017\112\200\371\343\067\175\124\332\221
\341\001\061\216
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\370\111\364\003\274\104\055\203\276\110\151\175\051\144\374\261
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\110\125
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160
\145\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151
\143\162\157\163\145\143\040\114\164\144\056\061\047\060\045\006
\003\125\004\003\014\036\115\151\143\162\157\163\145\143\040\145
\055\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040
\062\060\060\071\061\037\060\035\006\011\052\206\110\206\367\015
\001\011\001\026\020\151\156\146\157\100\145\055\163\172\151\147
\156\157\056\150\165
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\302\176\103\004\116\107\077\031
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Root CA - R3"
#
# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3
# Serial Number:04:00:00:00:00:01:21:58:53:08:a2
# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3
# Not Valid Before: Wed Mar 18 10:00:00 2009
# Not Valid After : Sun Mar 18 10:00:00 2029
# Fingerprint (SHA-256):
CB:B5:22:D7:B7:F1:27:AD:6A:01:13:86:5B:DF:1C:D4:10:2E:7D:07:59:AF:63:5A:7C:F4:72:0D:C9:63:C5:3B
# Fingerprint (SHA1): D6:9B:56:11:48:F0:1C:77:C5:45:78:C1:09:26:DF:5B:85:69:76:AD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE

```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root CA - R3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\063\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\063\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\004\000\000\000\000\001\041\130\123\010\242
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\137\060\202\002\107\240\003\002\001\002\002\013\004
\000\000\000\000\001\041\130\123\010\242\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\060\114\061\040\060\036\006
\003\125\004\013\023\027\107\154\157\142\141\154\123\151\147\156
\040\122\157\157\164\040\103\101\040\055\040\122\063\061\023\060
\021\006\003\125\004\012\023\012\107\154\157\142\141\154\123\151
\147\156\061\023\060\021\006\003\125\004\003\023\012\107\154\157
\142\141\154\123\151\147\156\060\036\027\015\060\071\060\063\061\070
\070\061\060\060\060\060\060\132\027\015\062\071\060\063\061\070
\061\060\060\060\060\060\132\060\114\061\040\060\036\006\003\125
\004\013\023\027\107\154\157\142\141\154\123\151\147\156\040\122
\157\157\164\040\103\101\040\055\040\122\063\061\023\060\021\006
\003\125\004\012\023\012\107\154\157\142\141\154\123\151\147\156
\061\023\060\021\006\003\125\004\003\023\012\107\154\157\142\141
\154\123\151\147\156\060\202\001\042\060\015\006\011\052\206\110
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001
\012\002\202\001\001\000\314\045\166\220\171\006\170\042\026\365
\300\203\266\204\312\050\236\375\005\166\021\305\255\210\162\374
\106\002\103\307\262\212\235\004\137\044\313\056\113\341\140\202
\106\341\122\253\014\201\107\160\154\335\144\321\353\365\054\243
\017\202\075\014\053\256\227\327\266\024\206\020\171\273\073\023
\200\167\214\010\341\111\322\152\142\057\037\136\372\226\150\337
\211\047\225\070\237\006\327\076\311\313\046\131\015\163\336\260
\310\351\046\016\203\025\306\357\133\213\322\004\140\312\111\246
\050\366\151\073\366\313\310\050\221\345\235\212\141\127\067\254
```

\164\024\334\164\340\072\356\162\057\056\234\373\320\273\277\365
\075\000\341\006\063\350\202\053\256\123\246\072\026\163\214\335
\101\016\040\072\300\264\247\241\351\262\117\220\056\062\140\351
\127\313\271\004\222\150\150\345\070\046\140\165\262\237\167\377
\221\024\357\256\040\111\374\255\100\025\110\321\002\061\141\031
\136\270\227\357\255\167\267\144\232\172\277\137\301\023\357\233
\142\373\015\154\340\124\151\026\251\003\332\156\351\203\223\161
\166\306\151\205\202\027\002\003\001\000\001\243\102\060\100\060
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\035\006\003\125\035\016\004\026\004\024\217\360\113\177\250
\056\105\044\256\115\120\372\143\232\213\336\342\335\033\274\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202
\001\001\000\113\100\333\300\120\252\376\310\014\357\367\226\124
\105\111\273\226\000\011\101\254\263\023\206\206\050\007\063\312
\153\346\164\271\272\000\055\256\244\012\323\365\361\361\017\212
\277\163\147\112\203\307\104\173\170\340\257\156\154\157\003\051
\216\063\071\105\303\216\344\271\127\154\252\374\022\226\354\123
\306\055\344\044\154\271\224\143\373\334\123\150\147\126\076\203
\270\317\065\041\303\311\150\376\316\332\302\123\252\314\220\212
\351\360\135\106\214\225\335\172\130\050\032\057\035\336\315\000
\067\101\217\355\104\155\327\123\050\227\176\363\147\004\036\025
\327\212\226\264\323\336\114\047\244\114\033\163\163\166\364\027
\231\302\037\172\016\343\055\010\255\012\034\054\377\074\253\125
\016\017\221\176\066\353\303\127\111\276\341\056\055\174\140\213
\303\101\121\023\043\235\316\367\062\153\224\001\250\231\347\054
\063\037\072\073\045\322\206\100\316\073\054\206\170\311\141\057
\024\272\356\333\125\157\337\204\356\005\011\115\275\050\330\162
\316\323\142\120\145\036\353\222\227\203\061\331\263\265\312\107
\130\077\137

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "GlobalSign Root CA - R3"

Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3

Serial Number:04:00:00:00:00:01:21:58:53:08:a2

Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3

Not Valid Before: Wed Mar 18 10:00:00 2009

Not Valid After : Sun Mar 18 10:00:00 2029

Fingerprint (SHA-256):

CB:B5:22:D7:B7:F1:27:AD:6A:01:13:86:5B:DF:1C:D4:10:2E:7D:07:59:AF:63:5A:7C:F4:72:0D:C9:63:C5:3B

Fingerprint (SHA1): D6:9B:56:11:48:F0:1C:77:C5:45:78:C1:09:26:DF:5B:85:69:76:AD

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

```

CKA_LABEL UTF8 "GlobalSign Root CA - R3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\326\233\126\021\110\360\034\167\305\105\170\301\011\046\337\133
\205\151\166\255
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\305\337\270\111\312\005\023\125\356\055\272\032\303\076\260\050
END
CKA_ISSUER MULTILINE_OCTAL
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\063\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\004\000\000\000\000\001\041\130\123\010\242
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Autoridad de Certificacion Firmaprofesional CIF A62634068"
#
# Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
# Serial Number:53:ec:3b:ee:fb:b2:48:5f
# Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
# Not Valid Before: Wed May 20 08:38:15 2009
# Not Valid After : Tue Dec 31 08:38:15 2030
# Fingerprint (SHA-256):
04:04:80:28:BF:1F:28:64:D4:8F:9A:D4:D8:32:94:36:6A:82:88:56:55:3F:3B:14:30:3F:90:14:7F:5D:40:EF
# Fingerprint (SHA1): AE:C5:FB:3F:C8:E1:BF:C4:E5:4F:03:07:5A:9A:E8:00:B7:F7:B6:FA
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070
END

```

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\010\123\354\073\356\373\262\110\137

END

CKA_VALUE MULTILINE_OCTAL

\060\202\006\024\060\202\003\374\240\003\002\001\002\002\010\123
\354\073\356\373\262\110\137\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\060\121\061\013\060\011\006\003\125\004
\006\023\002\105\123\061\102\060\100\006\003\125\004\003\014\071
\101\165\164\157\162\151\144\141\144\040\144\145\040\103\145\162
\164\151\146\151\143\141\143\151\157\156\040\106\151\162\155\141
\160\162\157\146\145\163\151\157\156\141\154\040\103\111\106\040
\101\066\062\066\063\064\060\066\070\060\036\027\015\060\071\060
\065\062\060\060\070\063\070\061\065\132\027\015\063\060\061\062
\063\061\060\070\063\070\061\065\132\060\121\061\013\060\011\006
\003\125\004\006\023\002\105\123\061\102\060\100\006\003\125\004
\003\014\071\101\165\164\157\162\151\144\141\144\040\144\145\040
\103\145\162\164\151\146\151\143\141\143\151\157\156\040\106\151
\162\155\141\160\162\157\146\145\163\151\157\156\141\154\040\103
\111\106\040\101\066\062\066\063\064\060\066\070\060\202\002\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\002\017\000\060\202\002\012\002\202\002\001\000\312\226\153
\216\352\370\373\361\242\065\340\177\114\332\340\303\122\327\175
\266\020\310\002\136\263\103\052\304\117\152\262\312\034\135\050
\232\170\021\032\151\131\127\257\265\040\102\344\213\017\346\337
\133\246\003\222\057\365\021\344\142\327\062\161\070\331\004\014
\161\253\075\121\176\017\007\337\143\005\134\351\277\224\157\301
\051\202\300\264\332\121\260\301\074\273\255\067\112\134\312\361
\113\066\016\044\253\277\303\204\167\375\250\120\364\261\347\306
\057\322\055\131\215\172\012\116\226\151\122\002\252\066\230\354
\374\372\024\203\014\067\037\311\222\067\177\327\201\055\345\304
\271\340\076\064\376\147\364\076\146\321\323\364\100\317\136\142
\064\017\160\006\076\040\030\132\316\367\162\033\045\154\223\164
\024\223\243\163\261\016\252\207\020\043\131\137\040\005\031\107
\355\150\216\222\022\312\135\374\326\053\262\222\074\040\317\341
\137\257\040\276\240\166\177\166\345\354\032\206\141\063\076\347
\173\264\077\240\017\216\242\271\152\157\271\207\046\157\101\154
\210\246\120\375\152\143\013\365\223\026\033\031\217\262\355\233
\233\311\220\365\001\014\337\031\075\017\076\070\043\311\057\217
\014\321\002\376\033\125\326\116\320\215\074\257\117\244\363\376

\257\052\323\005\235\171\010\241\313\127\061\264\234\310\220\262
\147\364\030\026\223\072\374\107\330\321\170\226\061\037\272\053
\014\137\135\231\255\143\211\132\044\040\166\330\337\375\253\116
\246\042\252\235\136\346\047\212\175\150\051\243\347\212\270\332
\021\273\027\055\231\235\023\044\106\367\305\342\330\237\216\177
\307\217\164\155\132\262\350\162\365\254\356\044\020\255\057\024
\332\377\055\232\106\161\107\276\102\337\273\001\333\364\177\323
\050\217\061\131\133\323\311\002\246\264\122\312\156\227\373\103
\305\010\046\157\212\364\273\375\237\050\252\015\325\105\363\023
\072\035\330\300\170\217\101\147\074\036\224\144\256\173\013\305
\350\331\001\210\071\032\227\206\144\101\325\073\207\014\156\372
\017\306\275\110\024\277\071\115\324\236\101\266\217\226\035\143
\226\223\331\225\006\170\061\150\236\067\006\073\200\211\105\141
\071\043\307\033\104\243\025\345\034\370\222\060\273\002\003\001
\000\001\243\201\357\060\201\354\060\022\006\003\125\035\023\001
\001\377\004\010\060\006\001\001\377\002\001\001\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003
\125\035\016\004\026\004\024\145\315\353\253\065\036\000\076\176
\325\164\300\034\264\163\107\016\032\144\057\060\201\246\006\003
\125\035\040\004\201\236\060\201\233\060\201\230\006\004\125\035
\040\000\060\201\217\060\057\006\010\053\006\001\005\005\007\002
\001\026\043\150\164\164\160\072\057\057\167\167\167\056\146\151
\162\155\141\160\162\157\146\145\163\151\157\156\141\154\056\143
\157\155\057\143\160\163\060\134\006\010\053\006\001\005\005\007
\002\002\060\120\036\116\000\120\000\141\000\163\000\145\000\157
\000\040\000\144\000\145\000\040\000\154\000\141\000\040\000\102
\000\157\000\156\000\141\000\156\000\157\000\166\000\141\000\040
\000\064\000\067\000\040\000\102\000\141\000\162\000\143\000\145
\000\154\000\157\000\156\000\141\000\040\000\060\000\070\000\060
\000\061\000\067\060\015\006\011\052\206\110\206\367\015\001\001
\005\005\000\003\202\002\001\000\027\175\240\371\264\335\305\305
\353\255\113\044\265\241\002\253\335\245\210\112\262\017\125\113
\053\127\214\073\345\061\335\376\304\062\361\347\133\144\226\066
\062\030\354\245\062\167\327\343\104\266\300\021\052\200\271\075
\152\156\174\233\323\255\374\303\326\243\346\144\051\174\321\341
\070\036\202\053\377\047\145\257\373\026\025\304\056\161\204\345
\265\377\372\244\107\275\144\062\273\366\045\204\242\047\102\365
\040\260\302\023\020\021\315\020\025\272\102\220\052\322\104\341
\226\046\353\061\110\022\375\052\332\311\006\317\164\036\251\113
\325\207\050\371\171\064\222\076\056\104\350\366\217\117\217\065
\077\045\263\071\334\143\052\220\153\040\137\304\122\022\116\227
\054\052\254\235\227\336\110\362\243\146\333\302\322\203\225\246
\146\247\236\045\017\351\013\063\221\145\012\132\303\331\124\022
\335\257\303\116\016\037\046\136\015\334\263\215\354\325\201\160
\336\322\117\044\005\363\154\116\365\114\111\146\215\321\377\322
\013\045\101\110\376\121\204\306\102\257\200\004\317\320\176\144
\111\344\362\337\242\354\261\114\300\052\035\347\264\261\145\242
\304\274\361\230\364\252\160\007\143\264\270\332\073\114\372\100

```
\042\060\133\021\246\360\005\016\306\002\003\110\253\206\233\205
\335\333\335\352\242\166\200\163\175\365\234\004\304\105\215\347
\271\034\213\236\352\327\165\321\162\261\336\165\104\347\102\175
\342\127\153\175\334\231\274\075\203\050\352\200\223\215\305\114
\145\301\160\201\270\070\374\103\061\262\366\003\064\107\262\254
\373\042\006\313\036\335\027\107\034\137\146\271\323\032\242\332
\021\261\244\274\043\311\344\276\207\377\271\224\266\370\135\040
\112\324\137\347\275\150\173\145\362\025\036\322\072\251\055\351
\330\153\044\254\227\130\104\107\255\131\030\361\041\145\160\336
\316\064\140\250\100\361\363\074\244\303\050\043\214\376\047\063
\103\100\240\027\074\353\352\073\260\162\246\243\271\112\113\136
\026\110\364\262\274\310\214\222\305\235\237\254\162\066\274\064
\200\064\153\251\213\222\300\270\027\355\354\166\123\365\044\001
\214\263\042\350\113\174\125\306\235\372\243\024\273\145\205\156
\156\117\022\176\012\074\235\225
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Autoridad de Certificacion Firmaprofesional CIF A62634068"
# Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
# Serial Number:53:ec:3b:ee:fb:b2:48:5f
# Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
# Not Valid Before: Wed May 20 08:38:15 2009
# Not Valid After : Tue Dec 31 08:38:15 2030
# Fingerprint (SHA-256):
04:04:80:28:BF:1F:28:64:D4:8F:9A:D4:D8:32:94:36:6A:82:88:56:55:3F:3B:14:30:3F:90:14:7F:5D:40:EF
# Fingerprint (SHA1): AE:C5:FB:3F:C8:E1:BF:C4:E5:4F:03:07:5A:9A:E8:00:B7:F7:B6:FA
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\256\305\373\077\310\341\277\304\345\117\003\007\132\232\350\000
\267\367\266\372
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\163\072\164\172\354\273\243\226\246\302\344\342\310\233\300\303
```

END

```
CKA_ISSUER MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070
```



```

END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\123\354\073\356\373\262\110\137
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Izenpe.com"
#
# Issuer: CN=Izenpe.com,O=IZENPE S.A.,C=ES
# Serial Number:00:b0:b7:5a:16:48:5f:bf:e1:cb:f5:8b:d7:19:e6:7d
# Subject: CN=Izenpe.com,O=IZENPE S.A.,C=ES
# Not Valid Before: Thu Dec 13 13:08:28 2007
# Not Valid After : Sun Dec 13 08:27:25 2037
# Fingerprint (SHA-256):
25:30:CC:8E:98:32:15:02:BA:D9:6F:9B:1F:BA:1B:09:9E:2D:29:9E:0F:45:48:BB:91:4F:36:3B:C0:D4:53:1F
# Fingerprint (SHA1): 2F:78:3D:25:52:18:A7:4A:65:39:71:B5:2C:A2:9C:45:15:6F:E9:19
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Izenpe.com"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\070\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\024\060\022\006\003\125\004\012\014\013\111\132\105\116\120\105
\040\123\056\101\056\061\023\060\021\006\003\125\004\003\014\012
\111\172\145\156\160\145\056\143\157\155
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\070\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\024\060\022\006\003\125\004\012\014\013\111\132\105\116\120\105
\040\123\056\101\056\061\023\060\021\006\003\125\004\003\014\012
\111\172\145\156\160\145\056\143\157\155
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\000\260\267\132\026\110\137\277\341\313\365\213\327\031
\346\175
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\361\060\202\003\331\240\003\002\001\002\002\020\000
\260\267\132\026\110\137\277\341\313\365\213\327\031\346\175\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\070
\061\013\060\011\006\003\125\004\006\023\002\105\123\061\024\060

```

\022\006\003\125\004\012\014\013\111\132\105\116\120\105\040\123
\056\101\056\061\023\060\021\006\003\125\004\003\014\012\111\172
\145\156\160\145\056\143\157\155\060\036\027\015\060\067\061\062
\061\063\061\063\060\070\062\070\132\027\015\063\067\061\062\061
\063\060\070\062\067\062\065\132\060\070\061\013\060\011\006\003
\125\004\006\023\002\105\123\061\024\060\022\006\003\125\004\012
\014\013\111\132\105\116\120\105\040\123\056\101\056\061\023\060
\021\006\003\125\004\003\014\012\111\172\145\156\160\145\056\143
\157\155\060\202\002\042\060\015\006\011\052\206\110\206\367\015
\001\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202
\002\001\000\311\323\172\312\017\036\254\247\206\350\026\145\152
\261\302\033\105\062\161\225\331\376\020\133\314\257\347\245\171
\001\217\211\303\312\362\125\161\367\167\276\167\224\363\162\244
\054\104\330\236\222\233\024\072\241\347\044\220\012\012\126\216
\305\330\046\224\341\331\110\341\055\076\332\012\162\335\243\231
\025\332\201\242\207\364\173\156\046\167\211\130\255\326\353\014
\262\101\172\163\156\155\333\172\170\101\351\010\210\022\176\207
\056\146\021\143\154\124\373\074\235\162\300\274\056\377\302\267
\335\015\166\343\072\327\367\264\150\276\242\365\343\201\156\301
\106\157\135\215\340\115\306\124\125\211\032\063\061\012\261\127
\271\243\212\230\303\354\073\064\305\225\101\151\176\165\302\074
\040\305\141\272\121\107\240\040\220\223\241\220\113\363\116\174
\205\105\124\232\321\005\046\101\260\265\115\035\063\276\304\003
\310\045\174\301\160\333\073\364\011\055\124\047\110\254\057\341
\304\254\076\310\313\222\114\123\071\067\043\354\323\001\371\340
\011\104\115\115\144\300\341\015\132\207\042\274\255\033\243\376
\046\265\025\363\247\374\204\031\351\354\241\210\264\104\151\204
\203\363\211\321\164\006\251\314\013\326\302\336\047\205\120\046
\312\027\270\311\172\207\126\054\032\001\036\154\276\023\255\020
\254\265\044\365\070\221\241\326\113\332\361\273\322\336\107\265
\361\274\201\366\131\153\317\031\123\351\215\025\313\112\313\251
\157\104\345\033\101\317\341\206\247\312\320\152\237\274\114\215
\006\063\132\242\205\345\220\065\240\142\134\026\116\360\343\242
\372\003\032\264\054\161\263\130\054\336\173\013\333\032\017\353
\336\041\037\006\167\006\003\260\311\357\231\374\300\271\117\013
\206\050\376\322\271\352\343\332\245\303\107\151\022\340\333\360
\366\031\213\355\173\160\327\002\326\355\207\030\050\054\004\044
\114\167\344\110\212\032\306\073\232\324\017\312\372\165\322\001
\100\132\215\171\277\213\317\113\317\252\026\301\225\344\255\114
\212\076\027\221\324\261\142\345\202\345\200\004\244\003\176\215
\277\332\177\242\017\227\117\014\323\015\373\327\321\345\162\176
\034\310\167\377\133\232\017\267\256\005\106\345\361\250\026\354
\107\244\027\002\003\001\000\001\243\201\366\060\201\363\060\201
\260\006\003\125\035\021\004\201\250\060\201\245\201\017\151\156
\146\157\100\151\172\145\156\160\145\056\143\157\155\244\201\221
\060\201\216\061\107\060\105\006\003\125\004\012\014\076\111\132
\105\116\120\105\040\123\056\101\056\040\055\040\103\111\106\040
\101\060\061\063\063\067\062\066\060\055\122\115\145\162\143\056

\126\151\164\157\162\151\141\055\107\141\163\164\145\151\172\040
\124\061\060\065\065\040\106\066\062\040\123\070\061\103\060\101
\006\003\125\004\011\014\072\101\166\144\141\040\144\145\154\040
\115\145\144\151\164\145\162\162\141\156\145\157\040\105\164\157
\162\142\151\144\145\141\040\061\064\040\055\040\060\061\060\061
\060\040\126\151\164\157\162\151\141\055\107\141\163\164\145\151
\172\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002
\001\006\060\035\006\003\125\035\016\004\026\004\024\035\034\145
\016\250\362\045\173\264\221\317\344\261\261\346\275\125\164\154
\005\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000
\003\202\002\001\000\170\246\014\026\112\237\114\210\072\300\313
\016\245\026\175\237\271\110\137\030\217\015\142\066\366\315\031
\153\254\253\325\366\221\175\256\161\363\077\263\016\170\205\233
\225\244\047\041\107\102\112\174\110\072\365\105\174\263\014\216
\121\170\254\225\023\336\306\375\175\270\032\220\114\253\222\003
\307\355\102\001\316\017\330\261\372\242\222\341\140\155\256\172
\153\011\252\306\051\356\150\111\147\060\200\044\172\061\026\071
\133\176\361\034\056\335\154\011\255\362\061\301\202\116\271\273
\371\276\277\052\205\077\300\100\243\072\131\374\131\113\074\050
\044\333\264\025\165\256\015\210\272\056\163\300\275\130\207\345
\102\362\353\136\356\036\060\042\231\313\067\321\304\041\154\201
\354\276\155\046\346\034\344\102\040\236\107\260\254\203\131\160
\054\065\326\257\066\064\264\315\073\370\062\250\357\343\170\211
\373\215\105\054\332\234\270\176\100\034\141\347\076\242\222\054
\113\362\315\372\230\266\051\377\363\362\173\251\037\056\240\223
\127\053\336\205\003\371\151\067\313\236\170\152\005\264\305\061
\170\211\354\172\247\205\341\271\173\074\336\276\036\171\204\316
\237\160\016\131\302\065\056\220\052\061\331\344\105\172\101\244
\056\023\233\064\016\146\173\111\253\144\227\320\106\303\171\235
\162\120\143\246\230\133\006\275\110\155\330\071\203\160\350\065
\360\005\321\252\274\343\333\310\002\352\174\375\202\332\302\133
\122\065\256\230\072\255\272\065\223\043\247\037\110\335\065\106
\230\262\020\150\344\245\061\302\012\130\056\031\201\020\311\120
\165\374\352\132\026\316\021\327\356\357\120\210\055\141\377\077
\102\163\005\224\103\325\216\074\116\001\072\031\245\037\106\116
\167\320\135\345\201\042\041\207\376\224\175\204\330\223\255\326
\150\103\110\262\333\353\163\044\347\221\177\124\244\266\200\076
\235\243\074\114\162\302\127\304\240\324\314\070\047\316\325\006
\236\242\110\331\351\237\316\202\160\066\223\232\073\337\226\041
\343\131\267\014\332\221\067\360\375\131\132\263\231\310\151\154
\103\046\001\065\143\140\125\211\003\072\165\330\272\112\331\124
\377\356\336\200\330\055\321\070\325\136\055\013\230\175\076\154
\333\374\046\210\307

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

```

# Trust for "Izenpe.com"
# Issuer: CN=Izenpe.com,O=IZENPE S.A.,C=ES
# Serial Number:00:b0:b7:5a:16:48:5f:bf:e1:cb:f5:8b:d7:19:e6:7d
# Subject: CN=Izenpe.com,O=IZENPE S.A.,C=ES
# Not Valid Before: Thu Dec 13 13:08:28 2007
# Not Valid After : Sun Dec 13 08:27:25 2037
# Fingerprint (SHA-256):
25:30:CC:8E:98:32:15:02:BA:D9:6F:9B:1F:BA:1B:09:9E:2D:29:9E:0F:45:48:BB:91:4F:36:3B:C0:D4:53:1F
# Fingerprint (SHA1): 2F:78:3D:25:52:18:A7:4A:65:39:71:B5:2C:A2:9C:45:15:6F:E9:19
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Izenpe.com"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\057\170\075\045\122\030\247\112\145\071\161\265\054\242\234\105
\025\157\351\031
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\246\260\315\205\200\332\134\120\064\243\071\220\057\125\147\163
END
CKA_ISSUER MULTILINE_OCTAL
\060\070\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\024\060\022\006\003\125\004\012\014\013\111\132\105\116\120\105
\040\123\056\101\056\061\023\060\021\006\003\125\004\003\014\012
\111\172\145\156\160\145\056\143\157\155
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\000\260\267\132\026\110\137\277\341\313\365\213\327\031
\346\175
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Chambers of Commerce Root - 2008"
#
# Issuer: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid
(see current address at www.camerfirma.com/address),C=EU
# Serial Number:00:a3:da:42:7e:a4:b1:ae:da
# Subject: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid
(see current address at www.camerfirma.com/address),C=EU
# Not Valid Before: Fri Aug 01 12:29:50 2008
# Not Valid After : Sat Jul 31 12:29:50 2038
# Fingerprint (SHA-256):

```

```
06:3E:4A:FA:C4:91:DF:D3:32:F3:08:9B:85:42:E9:46:17:D8:93:D7:FE:94:4E:10:A7:93:7E:E2:9D:96:93:C0
# Fingerprint (SHA1): 78:6A:74:AC:76:AB:14:7F:9C:6A:30:50:BA:9E:A8:7E:FE:9A:CE:3C
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Chambers of Commerce Root - 2008"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\256\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\051\060\047\006\003\125\004\003\023
\040\103\150\141\155\142\145\162\163\040\157\146\040\103\157\155
\155\145\162\143\145\040\122\157\157\164\040\055\040\062\060\060
\070
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\256\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\051\060\047\006\003\125\004\003\023
\040\103\150\141\155\142\145\162\163\040\157\146\040\103\157\155
\155\145\162\143\145\040\122\157\157\164\040\055\040\062\060\060
\070
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\243\332\102\176\244\261\256\332
END
CKA_VALUE MULTILINE_OCTAL
\060\202\007\117\060\202\005\067\240\003\002\001\002\002\011\000
\243\332\102\176\244\261\256\332\060\015\006\011\052\206\110\206
\367\015\001\001\005\005\000\060\201\256\061\013\060\011\006\003
\125\004\006\023\002\105\125\061\103\060\101\006\003\125\004\007
\023\072\115\141\144\162\151\144\040\050\163\145\145\040\143\165
\162\162\145\156\164\040\141\144\144\162\145\163\163\040\141\164
\040\167\167\167\056\143\141\155\145\162\146\151\162\155\141\056
```

\143\157\155\057\141\144\144\162\145\163\163\051\061\022\060\020
\006\003\125\004\005\023\011\101\070\062\067\064\063\062\070\067
\061\033\060\031\006\003\125\004\012\023\022\101\103\040\103\141
\155\145\162\146\151\162\155\141\040\123\056\101\056\061\051\060
\047\006\003\125\004\003\023\040\103\150\141\155\142\145\162\163
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157
\164\040\055\040\062\060\060\070\060\036\027\015\060\070\060\070
\060\061\061\062\062\071\065\060\132\027\015\063\070\060\067\063
\061\061\062\062\071\065\060\132\060\201\256\061\013\060\011\006
\003\125\004\006\023\002\105\125\061\103\060\101\006\003\125\004
\007\023\072\115\141\144\162\151\144\040\050\163\145\145\040\143
\165\162\162\145\156\164\040\141\144\144\162\145\163\163\040\141
\164\040\167\167\167\056\143\141\155\145\162\146\151\162\155\141
\056\143\157\155\057\141\144\144\162\145\163\163\051\061\022\060
\020\006\003\125\004\005\023\011\101\070\062\067\064\063\062\070
\067\061\033\060\031\006\003\125\004\012\023\022\101\103\040\103
\141\155\145\162\146\151\162\155\141\040\123\056\101\056\061\051
\060\047\006\003\125\004\003\023\040\103\150\141\155\142\145\162
\163\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157
\157\164\040\055\040\062\060\060\070\060\202\002\042\060\015\006
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017
\000\060\202\002\012\002\202\002\001\000\257\000\313\160\067\053
\200\132\112\072\154\170\224\175\243\177\032\037\366\065\325\275
\333\313\015\104\162\076\046\262\220\122\272\143\073\050\130\157
\245\263\155\224\246\363\335\144\014\125\366\366\347\362\042\042
\200\136\341\142\306\266\051\341\201\154\362\277\345\175\062\152
\124\240\062\031\131\376\037\213\327\075\140\206\205\044\157\343
\021\263\167\076\040\226\065\041\153\263\010\331\160\056\144\367
\204\222\123\326\016\260\220\212\212\343\207\215\006\323\275\220
\016\342\231\241\033\206\016\332\232\012\273\013\141\120\006\122
\361\236\177\166\354\313\017\320\036\015\317\231\060\075\034\304
\105\020\130\254\326\323\350\327\345\352\305\001\007\167\326\121
\346\003\177\212\110\245\115\150\165\271\351\274\236\116\031\161
\365\062\113\234\155\140\031\013\373\314\235\165\334\277\046\315
\217\223\170\071\171\163\136\045\016\312\134\353\167\022\007\313
\144\101\107\162\223\253\120\303\353\011\166\144\064\322\071\267
\166\021\011\015\166\105\304\251\256\075\152\257\265\175\145\057
\224\130\020\354\134\174\257\176\342\266\030\331\320\233\116\132
\111\337\251\146\013\314\074\306\170\174\247\234\035\343\316\216
\123\276\005\336\140\017\153\345\032\333\077\343\341\041\311\051
\301\361\353\007\234\122\033\001\104\121\074\173\045\327\304\345
\122\124\135\045\007\312\026\040\270\255\344\101\356\172\010\376
\231\157\203\246\221\002\260\154\066\125\152\347\175\365\226\346
\312\201\326\227\361\224\203\351\355\260\261\153\022\151\036\254
\373\135\251\305\230\351\264\133\130\172\276\075\242\104\072\143
\131\324\013\045\336\033\117\275\345\001\236\315\322\051\325\237
\027\031\012\157\277\014\220\323\011\137\331\343\212\065\314\171
\132\115\031\067\222\267\304\301\255\257\364\171\044\232\262\001

\013\261\257\134\226\363\200\062\373\134\075\230\361\240\077\112
\336\276\257\224\056\331\125\232\027\156\140\235\143\154\270\143
\311\256\201\134\030\065\340\220\273\276\074\117\067\042\271\176
\353\317\236\167\041\246\075\070\201\373\110\332\061\075\053\343
\211\365\320\265\275\176\340\120\304\022\211\263\043\232\020\061
\205\333\256\157\357\070\063\030\166\021\002\003\001\000\001\243
\202\001\154\060\202\001\150\060\022\006\003\125\035\023\001\001
\377\004\010\060\006\001\001\377\002\001\014\060\035\006\003\125
\035\016\004\026\004\024\371\044\254\017\262\265\370\171\300\372
\140\210\033\304\331\115\002\236\027\031\060\201\343\006\003\125
\035\043\004\201\333\060\201\330\200\024\371\044\254\017\262\265
\370\171\300\372\140\210\033\304\331\115\002\236\027\031\241\201
\264\244\201\261\060\201\256\061\013\060\011\006\003\125\004\006
\023\002\105\125\061\103\060\101\006\003\125\004\007\023\072\115
\141\144\162\151\144\040\050\163\145\145\040\143\165\162\162\145
\156\164\040\141\144\144\162\145\163\163\040\141\164\040\167\167
\167\056\143\141\155\145\162\146\151\162\155\141\056\143\157\155
\057\141\144\144\162\145\163\163\051\061\022\060\020\006\003\125
\004\005\023\011\101\070\062\067\064\063\062\070\067\061\033\060
\031\006\003\125\004\012\023\022\101\103\040\103\141\155\145\162
\146\151\162\155\141\040\123\056\101\056\061\051\060\047\006\003
\125\004\003\023\040\103\150\141\155\142\145\162\163\040\157\146
\040\103\157\155\155\145\162\143\145\040\122\157\157\164\040\055
\040\062\060\060\070\202\011\000\243\332\102\176\244\261\256\332
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006
\060\075\006\003\125\035\040\004\066\060\064\060\062\006\004\125
\035\040\000\060\052\060\050\006\010\053\006\001\005\005\007\002
\001\026\034\150\164\164\160\072\057\057\160\157\154\151\143\171
\056\143\141\155\145\162\146\151\162\155\141\056\143\157\155\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003\202
\002\001\000\220\022\257\042\065\302\243\071\360\056\336\351\265
\351\170\174\110\276\077\175\105\222\136\351\332\261\031\374\026
\074\237\264\133\146\236\152\347\303\271\135\210\350\017\255\317
\043\017\336\045\072\136\314\117\245\301\265\055\254\044\322\130
\007\336\242\317\151\204\140\063\350\020\015\023\251\043\320\205
\345\216\173\246\236\075\162\023\162\063\365\252\175\306\143\037
\010\364\376\001\177\044\317\053\054\124\011\336\342\053\155\222
\306\071\117\026\352\074\176\172\106\324\105\152\106\250\353\165
\202\126\247\253\240\174\150\023\063\366\235\060\360\157\047\071
\044\043\052\220\375\220\051\065\362\223\337\064\245\306\367\370
\357\214\017\142\112\174\256\323\365\124\370\215\266\232\126\207
\026\202\072\063\253\132\042\010\367\202\272\352\056\340\107\232
\264\265\105\243\005\073\331\334\056\105\100\073\352\334\177\350
\073\353\321\354\046\330\065\244\060\305\072\254\127\236\263\166
\245\040\173\371\036\112\005\142\001\246\050\165\140\227\222\015
\156\076\115\067\103\015\222\025\234\030\042\315\121\231\240\051
\032\074\137\212\062\063\133\060\307\211\057\107\230\017\243\003
\306\366\361\254\337\062\360\331\201\032\344\234\275\366\200\024

```
\360\321\054\271\205\365\330\243\261\310\245\041\345\034\023\227
\356\016\275\337\051\251\357\064\123\133\323\344\152\023\204\006
\266\062\002\304\122\256\042\322\334\262\041\102\032\332\100\360
\051\311\354\012\014\134\342\320\272\314\110\323\067\012\314\022
\012\212\171\260\075\003\177\151\113\364\064\040\175\263\064\352
\216\113\144\365\076\375\263\043\147\025\015\004\270\360\055\301
\011\121\074\262\154\025\360\245\043\327\203\164\344\345\056\311
\376\230\047\102\306\253\306\236\260\320\133\070\245\233\120\336
\176\030\230\265\105\073\366\171\264\350\367\032\173\006\203\373
\320\213\332\273\307\275\030\253\010\157\074\200\153\100\077\031
\031\272\145\212\346\276\325\134\323\066\327\357\100\122\044\140
\070\147\004\061\354\217\363\202\306\336\271\125\363\073\061\221
\132\334\265\010\025\255\166\045\012\015\173\056\207\342\014\246
\006\274\046\020\155\067\235\354\335\170\214\174\200\305\360\331
\167\110\320
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "Chambers of Commerce Root - 2008"

Issuer: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid
(see current address at www.camerfirma.com/address),C=EU

Serial Number:00:a3:da:42:7e:a4:b1:ae:da

Subject: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid
(see current address at www.camerfirma.com/address),C=EU

Not Valid Before: Fri Aug 01 12:29:50 2008

Not Valid After : Sat Jul 31 12:29:50 2038

Fingerprint (SHA-256):

06:3E:4A:FA:C4:91:DF:D3:32:F3:08:9B:85:42:E9:46:17:D8:93:D7:FE:94:4E:10:A7:93:7E:E2:9D:96:93:C0

Fingerprint (SHA1): 78:6A:74:AC:76:AB:14:7F:9C:6A:30:50:BA:9E:A8:7E:FE:9A:CE:3C

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Chambers of Commerce Root - 2008"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\170\152\164\254\166\253\024\177\234\152\060\120\272\236\250\176
\376\232\316\074
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\136\200\236\204\132\016\145\013\027\002\363\125\030\052\076\327
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\256\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
```



```
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\051\060\047\006\003\125\004\003\023
\040\103\150\141\155\142\145\162\163\040\157\146\040\103\157\155
\155\145\162\143\145\040\122\157\157\164\040\055\040\062\060\060
\070
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\011\000\243\332\102\176\244\261\256\332
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "Global Chambersign Root - 2008"

#

Issuer: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid (see current address at www.camerfirma.com/address),C=EU

Serial Number:00:c9:cd:d3:e9:d5:7d:23:ce

Subject: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid (see current address at www.camerfirma.com/address),C=EU

Not Valid Before: Fri Aug 01 12:31:40 2008

Not Valid After : Sat Jul 31 12:31:40 2038

Fingerprint (SHA-256):

13:63:35:43:93:34:A7:69:80:16:A0:D3:24:DE:72:28:4E:07:9D:7B:52:20:BB:8F:BD:74:78:16:EE:BE:BA:CA

Fingerprint (SHA1): 4A:BD:EE:EC:95:0D:35:9C:89:AE:C7:52:A1:2C:5B:29:F6:D6:AA:0C

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Global Chambersign Root - 2008"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163
\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163
\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\011\000\311\315\323\351\325\175\043\316

END

CKA_VALUE MULTILINE_OCTAL

\060\202\007\111\060\202\005\061\240\003\002\001\002\002\011\000
\311\315\323\351\325\175\043\316\060\015\006\011\052\206\110\206
\367\015\001\001\005\005\000\060\201\254\061\013\060\011\006\003
\125\004\006\023\002\105\125\061\103\060\101\006\003\125\004\007
\023\072\115\141\144\162\151\144\040\050\163\145\145\040\143\165
\162\162\145\156\164\040\141\144\144\162\145\163\163\040\141\164
\040\167\167\167\056\143\141\155\145\162\146\151\162\155\141\056
\143\157\155\057\141\144\144\162\145\163\163\051\061\022\060\020
\006\003\125\004\005\023\011\101\070\062\067\064\063\062\070\067
\061\033\060\031\006\003\125\004\012\023\022\101\103\040\103\141
\155\145\162\146\151\162\155\141\040\123\056\101\056\061\047\060
\045\006\003\125\004\003\023\036\107\154\157\142\141\154\040\103
\150\141\155\142\145\162\163\151\147\156\040\122\157\157\164\040
\055\040\062\060\060\070\060\036\027\015\060\070\060\070\060\061
\061\062\063\061\064\060\132\027\015\063\070\060\067\063\061\061
\062\063\061\064\060\132\060\201\254\061\013\060\011\006\003\125
\004\006\023\002\105\125\061\103\060\101\006\003\125\004\007\023
\072\115\141\144\162\151\144\040\050\163\145\145\040\143\165\162
\162\145\156\164\040\141\144\144\162\145\163\163\040\141\164\040
\167\167\167\056\143\141\155\145\162\146\151\162\155\141\056\143
\157\155\057\141\144\144\162\145\163\163\051\061\022\060\020\006
\003\125\004\005\023\011\101\070\062\067\064\063\062\070\067\061
\033\060\031\006\003\125\004\012\023\022\101\103\040\103\141\155
\145\162\146\151\162\155\141\040\123\056\101\056\061\047\060\045
\006\003\125\004\003\023\036\107\154\157\142\141\154\040\103\150
\141\155\142\145\162\163\151\147\156\040\122\157\157\164\040\055
\040\062\060\060\070\060\202\002\042\060\015\006\011\052\206\110
\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002
\012\002\202\002\001\000\300\337\126\323\344\072\233\166\105\264

\023\333\377\301\266\031\213\067\101\030\225\122\107\353\027\235
\051\210\216\065\154\006\062\056\107\142\363\111\004\277\175\104
\066\261\161\314\275\132\011\163\325\331\205\104\377\221\127\045
\337\136\066\216\160\321\134\161\103\035\331\332\357\134\322\373
\033\275\072\265\313\255\243\314\104\247\015\256\041\025\077\271
\172\133\222\165\330\244\022\070\211\031\212\267\200\322\342\062
\157\126\234\221\326\210\020\013\263\164\144\222\164\140\363\366
\317\030\117\140\262\043\320\307\073\316\141\113\231\217\302\014
\320\100\262\230\334\015\250\116\243\271\012\256\140\240\255\105
\122\143\272\146\275\150\340\371\276\032\250\201\273\036\101\170
\165\323\301\376\000\125\260\207\124\350\047\220\065\035\114\063
\255\227\374\227\056\230\204\277\054\311\243\277\321\230\021\024
\355\143\370\312\230\210\130\027\231\355\105\003\227\176\074\206
\036\210\214\276\362\221\204\217\145\064\330\000\114\175\267\061
\027\132\051\172\012\030\044\060\243\067\265\172\251\001\175\046
\326\371\016\216\131\361\375\033\063\265\051\073\027\073\101\266
\041\335\324\300\075\245\237\237\037\103\120\311\273\274\154\172
\227\230\356\315\214\037\373\234\121\256\213\160\275\047\237\161
\300\153\254\175\220\146\350\327\135\072\015\260\325\302\215\325
\310\235\235\301\155\320\320\277\121\344\343\370\303\070\066\256
\326\247\165\346\257\204\103\135\223\222\014\152\007\336\073\035
\230\042\326\254\301\065\333\243\240\045\377\162\265\166\035\336
\155\351\054\146\054\122\204\320\105\222\316\034\345\345\063\035
\334\007\123\124\243\252\202\073\232\067\057\334\335\240\144\351
\346\335\275\256\374\144\205\035\074\247\311\006\336\204\377\153
\350\153\032\074\305\242\263\102\373\213\011\076\137\010\122\307
\142\304\324\005\161\277\304\144\344\370\241\203\350\076\022\233
\250\036\324\066\115\057\161\366\215\050\366\203\251\023\322\141
\301\221\273\110\300\064\217\101\214\113\114\333\151\022\377\120
\224\234\040\203\131\163\355\174\241\362\361\375\335\367\111\323
\103\130\240\126\143\312\075\075\345\065\126\131\351\016\312\040
\314\053\113\223\051\017\002\003\001\000\001\243\202\001\152\060
\202\001\146\060\022\006\003\125\035\023\001\001\377\004\010\060
\006\001\001\377\002\001\014\060\035\006\003\125\035\016\004\026
\004\024\271\011\312\234\036\333\323\154\072\153\256\355\124\361
\133\223\006\065\056\136\060\201\341\006\003\125\035\043\004\201
\331\060\201\326\200\024\271\011\312\234\036\333\323\154\072\153
\256\355\124\361\133\223\006\065\056\136\241\201\262\244\201\257
\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163

\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070\202
\011\000\311\315\323\351\325\175\043\316\060\016\006\003\125\035
\017\001\001\377\004\004\003\002\001\006\060\075\006\003\125\035
\040\004\066\060\064\060\062\006\004\125\035\040\000\060\052\060
\050\006\010\053\006\001\005\005\007\002\001\026\034\150\164\164
\160\072\057\057\160\157\154\151\143\171\056\143\141\155\145\162
\146\151\162\155\141\056\143\157\155\060\015\006\011\052\206\110
\206\367\015\001\001\005\005\000\003\202\002\001\000\200\210\177
\160\336\222\050\331\005\224\106\377\220\127\251\361\057\337\032
\015\153\372\174\016\034\111\044\171\047\330\106\252\157\051\131
\122\210\160\022\352\335\075\365\233\123\124\157\341\140\242\250
\011\271\354\353\131\174\306\065\361\334\030\351\361\147\345\257
\272\105\340\011\336\312\104\017\302\027\016\167\221\105\172\063
\137\137\226\054\150\213\301\107\217\230\233\075\300\354\313\365
\325\202\222\204\065\321\276\066\070\126\162\061\133\107\055\252
\027\244\143\121\353\012\001\255\177\354\165\236\313\241\037\361
\177\022\261\271\344\144\177\147\326\043\052\364\270\071\135\230
\350\041\247\341\275\075\102\032\164\232\160\257\150\154\120\135
\111\317\377\373\016\135\346\054\107\327\201\072\131\000\265\163
\153\143\040\366\061\105\010\071\016\364\160\176\100\160\132\077
\320\153\102\251\164\075\050\057\002\155\165\162\225\011\215\110
\143\306\306\043\127\222\223\136\065\301\215\371\012\367\054\235
\142\034\366\255\174\335\246\061\036\266\261\307\176\205\046\372
\244\152\265\332\143\060\321\357\223\067\262\146\057\175\005\367
\347\267\113\230\224\065\300\331\072\051\301\235\262\120\063\035
\112\251\132\246\311\003\357\355\364\347\250\156\212\264\127\204
\353\244\077\320\356\252\252\207\133\143\350\223\342\153\250\324
\270\162\170\153\033\355\071\344\135\313\233\252\207\325\117\116
\000\376\331\152\237\074\061\017\050\002\001\175\230\350\247\260
\242\144\236\171\370\110\362\025\251\314\346\310\104\353\077\170
\231\362\173\161\076\074\361\230\247\305\030\022\077\346\273\050
\063\102\351\105\012\174\155\362\206\171\057\305\202\031\175\011
\211\174\262\124\166\210\256\336\301\363\314\341\156\333\061\326
\223\256\231\240\357\045\152\163\230\211\133\072\056\023\210\036
\277\300\222\224\064\033\343\047\267\213\036\157\102\377\347\351
\067\233\120\035\055\242\371\002\356\313\130\130\072\161\274\150
\343\252\301\257\034\050\037\242\334\043\145\077\201\352\256\231
\323\330\060\317\023\015\117\025\311\204\274\247\110\055\370\060
\043\167\330\106\113\171\155\366\214\355\072\177\140\021\170\364
\351\233\256\325\124\300\164\200\321\013\102\237\301

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Global Chambersign Root - 2008"

Issuer: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid (see
current address at www.camerfirma.com/address),C=EU

```

# Serial Number:00:c9:cd:d3:e9:d5:7d:23:ce
# Subject: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid
(see current address at www.camerfirma.com/address),C=EU
# Not Valid Before: Fri Aug 01 12:31:40 2008
# Not Valid After : Sat Jul 31 12:31:40 2038
# Fingerprint (SHA-256):
13:63:35:43:93:34:A7:69:80:16:A0:D3:24:DE:72:28:4E:07:9D:7B:52:20:BB:8F:BD:74:78:16:EE:BE:BA:CA
# Fingerprint (SHA1): 4A:BD:EE:EC:95:0D:35:9C:89:AE:C7:52:A1:2C:5B:29:F6:D6:AA:0C
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Global Chambersign Root - 2008"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\112\275\356\354\225\015\065\234\211\256\307\122\241\054\133\051
\366\326\252\014
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\236\200\377\170\001\014\056\301\066\275\376\226\220\156\010\363
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163
\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\311\315\323\351\325\175\043\316
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Go Daddy Root Certificate Authority - G2"
#
# Issuer: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com, Inc.",L=Scottsdale,ST=Arizona,C=US
# Serial Number: 0 (0x0)
# Subject: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com,
Inc.",L=Scottsdale,ST=Arizona,C=US

```

```

# Not Valid Before: Tue Sep 01 00:00:00 2009
# Not Valid After : Thu Dec 31 23:59:59 2037
# Fingerprint (SHA-256):
45:14:0B:32:47:EB:9C:C8:C5:B4:F0:D7:B5:30:91:F7:32:92:08:9E:6E:5A:63:E2:74:9D:D3:AC:A9:19:8E:DA
# Fingerprint (SHA1): 47:BE:AB:C9:22:EA:E8:0E:78:78:34:62:A7:9F:45:C2:54:FD:E6:8B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Go Daddy Root Certificate Authority - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012
\023\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111
\156\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157
\040\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164
\171\040\055\040\107\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012
\023\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111
\156\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157
\040\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164
\171\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\305\060\202\002\255\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157\156
\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157\164
\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012\023
\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111\156
\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157\040
\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164\151
\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164\171

```

\040\055\040\107\062\060\036\027\015\060\071\060\071\060\061\060
\060\060\060\060\060\060\132\027\015\063\067\061\062\063\061\062\063
\065\071\065\071\132\060\201\203\061\013\060\011\006\003\125\004
\006\023\002\125\123\061\020\060\016\006\003\125\004\010\023\007
\101\162\151\172\157\156\141\061\023\060\021\006\003\125\004\007
\023\012\123\143\157\164\164\163\144\141\154\145\061\032\060\030
\006\003\125\004\012\023\021\107\157\104\141\144\144\171\056\143
\157\155\054\040\111\156\143\056\061\061\060\057\006\003\125\004
\003\023\050\107\157\040\104\141\144\144\171\040\122\157\157\164
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\040\055\040\107\062\060\202\001\042\060
\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202
\001\017\000\060\202\001\012\002\202\001\001\000\277\161\142\010
\361\372\131\064\367\033\311\030\243\367\200\111\130\351\042\203
\023\246\305\040\103\001\073\204\361\346\205\111\237\047\352\366
\204\033\116\240\264\333\160\230\307\062\001\261\005\076\007\116
\356\364\372\117\057\131\060\042\347\253\031\126\153\342\200\007
\374\363\026\165\200\071\121\173\345\371\065\266\164\116\251\215
\202\023\344\266\077\251\003\203\372\242\276\212\025\152\177\336
\013\303\266\031\024\005\312\352\303\250\004\224\073\106\174\062
\015\363\000\146\042\310\215\151\155\066\214\021\030\267\323\262
\034\140\264\070\372\002\214\316\323\335\106\007\336\012\076\353
\135\174\310\174\373\260\053\123\244\222\142\151\121\045\005\141
\032\104\201\214\054\251\103\226\043\337\254\072\201\232\016\051
\305\034\251\351\135\036\266\236\236\060\012\071\316\361\210\200
\373\113\135\314\062\354\205\142\103\045\064\002\126\047\001\221
\264\073\160\052\077\156\261\350\234\210\001\175\237\324\371\333
\123\155\140\235\277\054\347\130\253\270\137\106\374\316\304\033
\003\074\011\353\111\061\134\151\106\263\340\107\002\003\001\000
\001\243\102\060\100\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004
\024\072\232\205\007\020\147\050\266\357\366\275\005\101\156\040
\301\224\332\017\336\060\015\006\011\052\206\110\206\367\015\001
\001\013\005\000\003\202\001\001\000\231\333\135\171\325\371\227
\131\147\003\141\361\176\073\006\061\165\055\241\040\216\117\145
\207\264\367\246\234\274\330\351\057\320\333\132\356\317\164\214
\163\264\070\102\332\005\173\370\002\165\270\375\245\261\327\256
\366\327\336\023\313\123\020\176\212\106\321\227\372\267\056\053
\021\253\220\260\047\200\371\350\237\132\351\067\237\253\344\337
\154\263\205\027\235\075\331\044\117\171\221\065\326\137\004\353
\200\203\253\232\002\055\265\020\364\330\220\307\004\163\100\355
\162\045\240\251\237\354\236\253\150\022\231\127\306\217\022\072
\011\244\275\104\375\006\025\067\301\233\344\062\243\355\070\350
\330\144\363\054\176\024\374\002\352\237\315\377\007\150\027\333
\042\220\070\055\172\215\321\124\361\151\343\137\063\312\172\075
\173\012\343\312\177\137\071\345\342\165\272\305\166\030\063\316
\054\360\057\114\255\367\261\347\316\117\250\304\233\112\124\006

```
\305\177\175\325\010\017\342\034\376\176\027\270\254\136\366\324
\026\262\103\011\014\115\366\247\153\264\231\204\145\312\172\210
\342\342\104\276\134\367\352\034\365
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "Go Daddy Root Certificate Authority - G2"

Issuer: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com, Inc.",L=Scottsdale,ST=Arizona,C=US

Serial Number: 0 (0x0)

Subject: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com, Inc.",L=Scottsdale,ST=Arizona,C=US

Not Valid Before: Tue Sep 01 00:00:00 2009

Not Valid After : Thu Dec 31 23:59:59 2037

Fingerprint (SHA-256):

45:14:0B:32:47:EB:9C:C8:C5:B4:F0:D7:B5:30:91:F7:32:92:08:9E:6E:5A:63:E2:74:9D:D3:AC:A9:19:8E:DA

Fingerprint (SHA1): 47:BE:AB:C9:22:EA:E8:0E:78:78:34:62:A7:9F:45:C2:54:FD:E6:8B

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Go Daddy Root Certificate Authority - G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\107\276\253\311\042\352\350\016\170\170\064\142\247\237\105\302
\124\375\346\213
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\200\072\274\042\301\346\373\215\233\073\047\112\062\033\232\001
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012
\023\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111
\156\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157
\040\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164
\171\040\055\040\107\062
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\001\000
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```



```

#
# Certificate "Starfield Root Certificate Authority - G2"
#
# Issuer: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
# Serial Number: 0 (0x0)
# Subject: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
# Not Valid Before: Tue Sep 01 00:00:00 2009
# Not Valid After : Thu Dec 31 23:59:59 2037
# Fingerprint (SHA-256):
2C:E1:CB:0B:F9:D2:F9:E1:02:99:3F:BE:21:51:52:C3:B2:DD:0C:AB:DE:1C:68:E5:31:9B:83:91:54:DB:B7:F5
# Fingerprint (SHA1): B5:1C:06:7C:EE:2B:0C:3D:F8:55:AB:2D:92:F4:FE:39:D4:E7:0F:0E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Root Certificate Authority - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062
\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145
\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040
\107\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062
\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145
\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040
\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END

```

CKA_VALUE MULTILINE_OCTAL

\060\202\003\335\060\202\002\305\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157\156
\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157\164
\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012\023
\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150\156
\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062\060
\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145\154
\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\062\060\036\027\015\060\071\060\071\060\061\060\060\060\060\060
\060\132\027\015\063\067\061\062\063\061\062\063\065\071\065\071
\132\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125
\123\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172
\157\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143
\157\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004
\012\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143
\150\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061
\062\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151
\145\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055
\040\107\062\060\202\001\042\060\015\006\011\052\206\110\206\367
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002
\202\001\001\000\275\355\301\003\374\366\217\374\002\261\157\133
\237\110\331\235\171\342\242\267\003\141\126\030\303\107\266\327
\312\075\065\056\211\103\367\241\151\233\336\212\032\375\023\040
\234\264\111\167\062\051\126\375\271\354\214\335\042\372\162\334
\047\141\227\356\366\132\204\354\156\031\271\211\054\334\204\133
\325\164\373\153\137\305\211\245\020\122\211\106\125\364\270\165
\034\346\177\344\124\256\113\370\125\162\127\002\031\370\027\161
\131\353\036\050\007\164\305\235\110\276\154\264\364\244\260\363
\144\067\171\222\300\354\106\136\177\341\155\123\114\142\257\315
\037\013\143\273\072\235\373\374\171\000\230\141\164\317\046\202
\100\143\363\262\162\152\031\015\231\312\324\016\165\314\067\373
\213\211\301\131\361\142\177\137\263\137\145\060\370\247\267\115
\166\132\036\166\136\064\300\350\226\126\231\212\263\360\177\244
\315\275\334\062\061\174\221\317\340\137\021\370\153\252\111\134
\321\231\224\321\242\343\143\133\011\166\265\126\142\341\113\164
\035\226\324\046\324\010\004\131\320\230\016\016\346\336\374\303
\354\037\220\361\002\003\001\000\001\243\102\060\100\060\017\006
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035
\006\003\125\035\016\004\026\004\024\174\014\062\037\247\331\060
\177\304\175\150\243\142\250\241\316\253\007\133\047\060\015\006
\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001\001
\000\021\131\372\045\117\003\157\224\231\073\232\037\202\205\071

```
\324\166\005\224\136\341\050\223\155\142\135\011\302\240\250\324
\260\165\070\361\064\152\235\344\237\212\206\046\121\346\054\321
\306\055\156\225\040\112\222\001\354\270\212\147\173\061\342\147
\056\214\225\003\046\056\103\235\112\061\366\016\265\014\273\267
\342\067\177\042\272\000\243\016\173\122\373\153\273\073\304\323
\171\121\116\315\220\364\147\007\031\310\074\106\172\015\001\175
\305\130\347\155\346\205\060\027\232\044\304\020\340\004\367\340
\362\177\324\252\012\377\102\035\067\355\224\345\144\131\022\040
\167\070\323\062\076\070\201\165\226\163\372\150\217\261\313\316
\037\305\354\372\234\176\317\176\261\361\007\055\266\374\277\312
\244\277\320\227\005\112\274\352\030\050\002\220\275\124\170\011
\041\161\323\321\175\035\331\026\260\251\141\075\320\012\000\042
\374\307\173\313\011\144\105\013\073\100\201\367\175\174\062\365
\230\312\130\216\175\052\356\220\131\163\144\371\066\164\136\045
\241\365\146\005\056\177\071\025\251\052\373\120\213\216\205\151
\364
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Starfield Root Certificate Authority - G2"
```

```
# Issuer: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
```

```
# Serial Number: 0 (0x0)
```

```
# Subject: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
```

```
# Not Valid Before: Tue Sep 01 00:00:00 2009
```

```
# Not Valid After : Thu Dec 31 23:59:59 2037
```

```
# Fingerprint (SHA-256):
```

```
2C:E1:CB:0B:F9:D2:F9:E1:02:99:3F:BE:21:51:52:C3:B2:DD:0C:AB:DE:1C:68:E5:31:9B:83:91:54:DB:B7:F5
```

```
# Fingerprint (SHA1): B5:1C:06:7C:EE:2B:0C:3D:F8:55:AB:2D:92:F4:FE:39:D4:E7:0F:0E
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Starfield Root Certificate Authority - G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\265\034\006\174\356\053\014\075\370\125\253\055\222\364\376\071
\324\347\017\016
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\326\071\201\306\122\176\226\151\374\374\312\146\355\005\362\226
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
```

```

\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062
\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145
\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040
\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Starfield Services Root Certificate Authority - G2"
#
# Issuer: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
# Serial Number: 0 (0x0)
# Subject: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
# Not Valid Before: Tue Sep 01 00:00:00 2009
# Not Valid After : Thu Dec 31 23:59:59 2037
# Fingerprint (SHA-256):
56:8D:69:05:A2:C8:87:08:A4:B3:02:51:90:ED:CF:ED:B1:97:4A:60:6A:13:C6:E5:29:0F:CB:2A:E6:3E:DA:B5
# Fingerprint (SHA1): 92:5A:8F:8D:2C:6D:04:E0:66:5F:59:6A:FF:22:D8:63:E8:25:6F:3F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Services Root Certificate Authority - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073
\060\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145
\154\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\040\055\040\107\062
END
CKA_ID UTF8 "0"

```

CKA_ISSUER MULTILINE_OCTAL

\060\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073
\060\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145
\154\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\040\055\040\107\062

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\001\000

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\357\060\202\002\327\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157\156
\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157\164
\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012\023
\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150\156
\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073\060
\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145\154
\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164\040
\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150
\157\162\151\164\171\040\055\040\107\062\060\036\027\015\060\071
\060\071\060\061\060\060\060\060\060\060\132\027\015\063\067\061
\062\063\061\062\063\065\071\065\071\132\060\201\230\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\020\060\016\006\003
\125\004\010\023\007\101\162\151\172\157\156\141\061\023\060\021
\006\003\125\004\007\023\012\123\143\157\164\164\163\144\141\154
\145\061\045\060\043\006\003\125\004\012\023\034\123\164\141\162
\146\151\145\154\144\040\124\145\143\150\156\157\154\157\147\151
\145\163\054\040\111\156\143\056\061\073\060\071\006\003\125\004
\003\023\062\123\164\141\162\146\151\145\154\144\040\123\145\162
\166\151\143\145\163\040\122\157\157\164\040\103\145\162\164\151
\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164\171
\040\055\040\107\062\060\202\001\042\060\015\006\011\052\206\110
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001
\012\002\202\001\001\000\325\014\072\304\052\371\116\342\365\276
\031\227\137\216\210\123\261\037\077\313\317\237\040\023\155\051
\072\310\017\175\074\367\153\166\070\143\331\066\140\250\233\136
\134\000\200\262\057\131\177\366\207\371\045\103\206\347\151\033
\122\232\220\341\161\343\330\055\015\116\157\366\310\111\331\266
\363\032\126\256\053\266\164\024\353\317\373\046\343\032\272\035
\226\056\152\073\130\224\211\107\126\377\045\240\223\160\123\203

\332\204\164\024\303\147\236\004\150\072\337\216\100\132\035\112
\116\317\103\221\073\347\126\326\000\160\313\122\356\173\175\256
\072\347\274\061\371\105\366\302\140\317\023\131\002\053\200\314
\064\107\337\271\336\220\145\155\002\317\054\221\246\246\347\336
\205\030\111\174\146\116\243\072\155\251\265\356\064\056\272\015
\003\270\063\337\107\353\261\153\215\045\331\233\316\201\321\105
\106\062\226\160\207\336\002\016\111\103\205\266\154\163\273\144
\352\141\101\254\311\324\124\337\207\057\307\042\262\046\314\237
\131\124\150\237\374\276\052\057\304\125\034\165\100\140\027\205
\002\125\071\213\177\005\002\003\001\000\001\243\102\060\100\060
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006
\060\035\006\003\125\035\016\004\026\004\024\234\137\000\337\252
\001\327\060\053\070\210\242\270\155\112\234\362\021\221\203\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202
\001\001\000\113\066\246\204\167\151\335\073\031\237\147\043\010
\157\016\141\311\375\204\334\137\330\066\201\315\330\033\101\055
\237\140\335\307\032\150\331\321\156\206\341\210\043\317\023\336
\103\317\342\064\263\004\235\037\051\325\277\370\136\310\325\301
\275\356\222\157\062\164\362\221\202\057\275\202\102\172\255\052
\267\040\175\115\274\172\125\022\302\025\352\275\367\152\225\056
\154\164\237\317\034\264\362\305\001\243\205\320\162\076\255\163
\253\013\233\165\014\155\105\267\216\224\254\226\067\265\240\320
\217\025\107\016\343\350\203\335\217\375\357\101\001\167\314\047
\251\142\205\063\362\067\010\357\161\317\167\006\336\310\031\035
\210\100\317\175\106\035\377\036\307\341\316\377\043\333\306\372
\215\125\116\251\002\347\107\021\106\076\364\375\275\173\051\046
\273\251\141\142\067\050\266\055\052\366\020\206\144\311\160\247
\322\255\267\051\160\171\352\074\332\143\045\237\375\150\267\060
\354\160\373\165\212\267\155\140\147\262\036\310\271\351\330\250
\157\002\213\147\015\115\046\127\161\332\040\374\301\112\120\215
\261\050\272

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Starfield Services Root Certificate Authority - G2"
Issuer: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
Serial Number: 0 (0x0)
Subject: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
Not Valid Before: Tue Sep 01 00:00:00 2009
Not Valid After : Thu Dec 31 23:59:59 2037
Fingerprint (SHA-256):
56:8D:69:05:A2:C8:87:08:A4:B3:02:51:90:ED:CF:ED:B1:97:4A:60:6A:13:C6:E5:29:0F:CB:2A:E6:3E:DA:B5
Fingerprint (SHA1): 92:5A:8F:8D:2C:6D:04:E0:66:5F:59:6A:FF:22:D8:63:E8:25:6F:3F

```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Services Root Certificate Authority - G2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\222\132\217\215\054\155\004\340\146\137\131\152\377\042\330\143
\350\045\157\077
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\027\065\164\257\173\141\034\353\364\371\074\342\356\100\371\242
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073
\060\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145
\154\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "AffirmTrust Commercial"
#
# Issuer: CN=AffirmTrust Commercial,O=AffirmTrust,C=US
# Serial Number:77:77:06:27:26:a9:b1:7c
# Subject: CN=AffirmTrust Commercial,O=AffirmTrust,C=US
# Not Valid Before: Fri Jan 29 14:06:06 2010
# Not Valid After : Tue Dec 31 14:06:06 2030
# Fingerprint (SHA-256):
03:76:AB:1D:54:C5:F9:80:3C:E4:B2:E2:01:A0:EE:7E:EF:7B:57:B6:36:E8:A9:3C:9B:8D:48:60:C9:6F:5F:A7
# Fingerprint (SHA1): F9:B5:B6:32:45:5F:9C:BE:EC:57:5F:80:DC:E9:6E:2C:C7:B2:78:B7
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Commercial"

```

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\103\157\155\155
\145\162\143\151\141\154

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\103\157\155\155
\145\162\143\151\141\154

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\010\167\167\006\047\046\251\261\174

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\114\060\202\002\064\240\003\002\001\002\002\010\167
\167\006\047\046\251\261\174\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\104\061\013\060\011\006\003\125\004
\006\023\002\125\123\061\024\060\022\006\003\125\004\012\014\013
\101\146\146\151\162\155\124\162\165\163\164\061\037\060\035\006
\003\125\004\003\014\026\101\146\146\151\162\155\124\162\165\163
\164\040\103\157\155\155\145\162\143\151\141\154\060\036\027\015
\061\060\060\061\062\071\061\064\060\066\060\066\132\027\015\063
\060\061\062\063\061\061\064\060\066\060\066\132\060\104\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\024\060\022\006
\003\125\004\012\014\013\101\146\146\151\162\155\124\162\165\163
\164\061\037\060\035\006\003\125\004\003\014\026\101\146\146\151
\162\155\124\162\165\163\164\040\103\157\155\155\145\162\143\151
\141\154\060\202\001\042\060\015\006\011\052\206\110\206\367\015
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202
\001\001\000\366\033\117\147\007\053\241\025\365\006\042\313\037
\001\262\343\163\105\006\104\111\054\273\111\045\024\326\316\303
\267\253\054\117\306\101\062\224\127\372\022\247\133\016\342\217
\037\036\206\031\247\252\265\055\271\137\015\212\302\257\205\065
\171\062\055\273\034\142\067\362\261\133\112\075\312\315\161\137
\351\102\276\224\350\310\336\371\042\110\144\306\345\253\306\053
\155\255\005\360\372\325\013\317\232\345\360\120\244\213\073\107
\245\043\133\172\172\370\063\077\270\357\231\227\343\040\301\326
\050\211\317\224\373\271\105\355\343\100\027\021\324\164\360\013
\061\342\053\046\152\233\114\127\256\254\040\076\272\105\172\005
\363\275\233\151\025\256\175\116\040\143\304\065\166\072\007\002
\311\067\375\307\107\356\350\361\166\035\163\025\362\227\244\265
\310\172\171\331\102\252\053\177\134\376\316\046\117\243\146\201


```
\065\257\104\272\124\036\034\060\062\145\235\346\074\223\136\120
\116\172\343\072\324\156\314\032\373\371\322\067\256\044\052\253
\127\003\042\050\015\111\165\177\267\050\332\165\277\216\343\334
\016\171\061\002\003\001\000\001\243\102\060\100\060\035\006\003
\125\035\016\004\026\004\024\235\223\306\123\213\136\312\257\077
\237\036\017\345\231\225\274\044\366\224\217\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011
\052\206\110\206\367\015\001\001\013\005\000\003\202\001\001\000
\130\254\364\004\016\315\300\015\377\012\375\324\272\026\137\051
\275\173\150\231\130\111\322\264\035\067\115\177\047\175\106\006
\135\103\306\206\056\076\163\262\046\175\117\223\251\266\304\052
\232\253\041\227\024\261\336\214\323\253\211\025\330\153\044\324
\361\026\256\330\244\134\324\177\121\216\355\030\001\261\223\143
\275\274\370\141\200\232\236\261\316\102\160\342\251\175\006\045
\175\047\241\376\157\354\263\036\044\332\343\113\125\032\000\073
\065\264\073\331\327\135\060\375\201\023\211\362\302\006\053\355
\147\304\216\311\103\262\134\153\025\211\002\274\142\374\116\362
\265\063\252\262\157\323\012\242\120\343\366\073\350\056\104\302
\333\146\070\251\063\126\110\361\155\033\063\215\015\214\077\140
\067\235\323\312\155\176\064\176\015\237\162\166\213\033\237\162
\375\122\065\101\105\002\226\057\034\262\232\163\111\041\261\111
\107\105\107\264\357\152\064\021\311\115\232\314\131\267\326\002
\236\132\116\145\265\224\256\033\337\051\260\026\361\277\000\236
\007\072\027\144\265\004\265\043\041\231\012\225\073\227\174\357
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "AffirmTrust Commercial"
```

```
# Issuer: CN=AffirmTrust Commercial,O=AffirmTrust,C=US
```

```
# Serial Number:77:77:06:27:26:a9:b1:7c
```

```
# Subject: CN=AffirmTrust Commercial,O=AffirmTrust,C=US
```

```
# Not Valid Before: Fri Jan 29 14:06:06 2010
```

```
# Not Valid After : Tue Dec 31 14:06:06 2030
```

```
# Fingerprint (SHA-256):
```

```
03:76:AB:1D:54:C5:F9:80:3C:E4:B2:E2:01:A0:EE:7E:EF:7B:57:B6:36:E8:A9:3C:9B:8D:48:60:C9:6F:5F:A7
```

```
# Fingerprint (SHA1): F9:B5:B6:32:45:5F:9C:BE:EC:57:5F:80:DC:E9:6E:2C:C7:B2:78:B7
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "AffirmTrust Commercial"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\371\265\266\062\105\137\234\276\354\127\137\200\334\351\156\054
\307\262\170\267
```

```
END
```

```

CKA_CERT_MD5_HASH MULTILINE_OCTAL
\202\222\272\133\357\315\212\157\246\075\125\371\204\366\326\267
END
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\103\157\155\155
\145\162\143\151\141\154
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\167\167\006\047\046\251\261\174
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "AffirmTrust Networking"
#
# Issuer: CN=AffirmTrust Networking,O=AffirmTrust,C=US
# Serial Number:7c:4f:04:39:1c:d4:99:2d
# Subject: CN=AffirmTrust Networking,O=AffirmTrust,C=US
# Not Valid Before: Fri Jan 29 14:08:24 2010
# Not Valid After : Tue Dec 31 14:08:24 2030
# Fingerprint (SHA-256):
0A:81:EC:5A:92:97:77:F1:45:90:4A:F3:8D:5D:50:9F:66:B5:E2:C5:8F:CD:B5:31:05:8B:0E:17:F3:F0:B4:1B
# Fingerprint (SHA1): 29:36:21:02:8B:20:ED:02:F5:66:C5:32:D1:D6:ED:90:9F:45:00:2F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Networking"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\116\145\164\167
\157\162\153\151\156\147
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\116\145\164\167

```

\157\162\153\151\156\147

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\010\174\117\004\071\034\324\231\055

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\114\060\202\002\064\240\003\002\001\002\002\010\174
\117\004\071\034\324\231\055\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\060\104\061\013\060\011\006\003\125\004
\006\023\002\125\123\061\024\060\022\006\003\125\004\012\014\013
\101\146\146\151\162\155\124\162\165\163\164\061\037\060\035\006
\003\125\004\003\014\026\101\146\146\151\162\155\124\162\165\163
\164\040\116\145\164\167\157\162\153\151\156\147\060\036\027\015
\061\060\060\061\062\071\061\064\060\070\062\064\132\027\015\063
\060\061\062\063\061\061\064\060\070\062\064\132\060\104\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\024\060\022\006
\003\125\004\012\014\013\101\146\146\151\162\155\124\162\165\163
\164\061\037\060\035\006\003\125\004\003\014\026\101\146\146\151
\162\155\124\162\165\163\164\040\116\145\164\167\157\162\153\151
\156\147\060\202\001\042\060\015\006\011\052\206\110\206\367\015
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202
\001\001\000\264\204\314\063\027\056\153\224\154\153\141\122\240
\353\243\317\171\224\114\345\224\200\231\313\125\144\104\145\217
\147\144\342\006\343\134\067\111\366\057\233\204\204\036\055\362
\140\235\060\116\314\204\205\342\054\317\036\236\376\066\253\063
\167\065\104\330\065\226\032\075\066\350\172\016\330\325\107\241
\152\151\213\331\374\273\072\256\171\132\325\364\326\161\273\232
\220\043\153\232\267\210\164\207\014\036\137\271\236\055\372\253
\123\053\334\273\166\076\223\114\010\010\214\036\242\043\034\324
\152\255\042\272\231\001\056\155\145\313\276\044\146\125\044\113
\100\104\261\033\327\341\302\205\300\336\020\077\075\355\270\374
\361\361\043\123\334\277\145\227\157\331\371\100\161\215\175\275
\225\324\316\276\240\136\047\043\336\375\246\320\046\016\000\051
\353\074\106\360\075\140\277\077\120\322\334\046\101\121\236\024
\067\102\004\243\160\127\250\033\207\355\055\372\173\356\214\012
\343\251\146\211\031\313\101\371\335\104\066\141\317\342\167\106
\310\175\366\364\222\201\066\375\333\064\361\162\176\363\014\026
\275\264\025\002\003\001\000\001\243\102\060\100\060\035\006\003
\125\035\016\004\026\004\024\007\037\322\347\234\332\302\156\242
\100\264\260\172\120\020\120\164\304\310\275\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011
\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000
\211\127\262\026\172\250\302\375\326\331\233\233\064\302\234\264
\062\024\115\247\244\337\354\276\247\276\370\103\333\221\067\316
\264\062\056\120\125\032\065\116\166\103\161\040\357\223\167\116
\025\160\056\207\303\301\035\155\334\313\265\047\324\054\126\321
\122\123\072\104\322\163\310\304\033\005\145\132\142\222\234\356

```
\101\215\061\333\347\064\352\131\041\325\001\172\327\144\270\144
\071\315\311\355\257\355\113\003\110\247\240\231\001\200\334\145
\243\066\256\145\131\110\117\202\113\310\145\361\127\035\345\131
\056\012\077\154\330\321\365\345\011\264\154\124\000\012\340\025
\115\207\165\155\267\130\226\132\335\155\322\000\240\364\233\110
\276\303\067\244\272\066\340\174\207\205\227\032\025\242\336\056
\242\133\275\257\030\371\220\120\315\160\131\370\047\147\107\313
\307\240\007\072\175\321\054\135\154\031\072\146\265\175\375\221
\157\202\261\276\010\223\333\024\107\361\242\067\307\105\236\074
\307\167\257\144\250\223\337\366\151\203\202\140\362\111\102\064
\355\132\000\124\205\034\026\066\222\014\134\372\246\255\277\333
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "AffirmTrust Networking"
```

```
# Issuer: CN=AffirmTrust Networking,O=AffirmTrust,C=US
```

```
# Serial Number:7c:4f:04:39:1c:d4:99:2d
```

```
# Subject: CN=AffirmTrust Networking,O=AffirmTrust,C=US
```

```
# Not Valid Before: Fri Jan 29 14:08:24 2010
```

```
# Not Valid After : Tue Dec 31 14:08:24 2030
```

```
# Fingerprint (SHA-256):
```

```
0A:81:EC:5A:92:97:77:F1:45:90:4A:F3:8D:5D:50:9F:66:B5:E2:C5:8F:CD:B5:31:05:8B:0E:17:F3:F0:B4:1B
```

```
# Fingerprint (SHA1): 29:36:21:02:8B:20:ED:02:F5:66:C5:32:D1:D6:ED:90:9F:45:00:2F
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "AffirmTrust Networking"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\051\066\041\002\213\040\355\002\365\146\305\062\321\326\355\220
\237\105\000\057
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\102\145\312\276\001\232\232\114\251\214\101\111\315\300\325\177
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\116\145\164\167
\157\162\153\151\156\147
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\010\174\117\004\071\034\324\231\055
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "AffirmTrust Premium"
#
# Issuer: CN=AffirmTrust Premium,O=AffirmTrust,C=US
# Serial Number:6d:8c:14:46:b1:a6:0a:ee
# Subject: CN=AffirmTrust Premium,O=AffirmTrust,C=US
# Not Valid Before: Fri Jan 29 14:10:36 2010
# Not Valid After : Mon Dec 31 14:10:36 2040
# Fingerprint (SHA-256):
70:A7:3F:7F:37:6B:60:07:42:48:90:45:34:B1:14:82:D5:BF:0E:69:8E:CC:49:8D:F5:25:77:EB:F2:E9:3B:9A
# Fingerprint (SHA1): D8:A6:33:2C:E0:03:6F:B1:85:F6:63:4F:7D:6A:06:65:26:32:28:27
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Premium"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\101\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\034\060\032\006\003\125\004\003\014\023
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\101\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\034\060\032\006\003\125\004\003\014\023
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\155\214\024\106\261\246\012\356
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\106\060\202\003\056\240\003\002\001\002\002\010\155
\214\024\106\261\246\012\356\060\015\006\011\052\206\110\206\367
\015\001\001\014\005\000\060\101\061\013\060\011\006\003\125\004
\006\023\002\125\123\061\024\060\022\006\003\125\004\012\014\013
\101\146\146\151\162\155\124\162\165\163\164\061\034\060\032\006
\003\125\004\003\014\023\101\146\146\151\162\155\124\162\165\163
\164\040\120\162\145\155\151\165\155\060\036\027\015\061\060\060
\061\062\071\061\064\061\060\063\066\132\027\015\064\060\061\062

```

\063\061\061\064\061\060\063\066\132\060\101\061\013\060\011\006
\003\125\004\006\023\002\125\123\061\024\060\022\006\003\125\004
\012\014\013\101\146\146\151\162\155\124\162\165\163\164\061\034
\060\032\006\003\125\004\003\014\023\101\146\146\151\162\155\124
\162\165\163\164\040\120\162\145\155\151\165\155\060\202\002\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\002\017\000\060\202\002\012\002\202\002\001\000\304\022\337
\251\137\376\101\335\335\365\237\212\343\366\254\341\074\170\232
\274\330\360\177\172\240\063\052\334\215\040\133\256\055\157\347
\223\331\066\160\152\150\317\216\121\243\205\133\147\004\240\020
\044\157\135\050\202\301\227\127\330\110\051\023\266\341\276\221
\115\337\205\014\123\030\232\036\044\242\117\217\360\242\205\013
\313\364\051\177\322\244\130\356\046\115\311\252\250\173\232\331
\372\070\336\104\127\025\345\370\214\310\331\110\342\015\026\047
\035\036\310\203\205\045\267\272\252\125\101\314\003\042\113\055
\221\215\213\346\211\257\146\307\351\377\053\351\074\254\332\322
\263\303\341\150\234\211\370\172\000\126\336\364\125\225\154\373
\272\144\335\142\213\337\013\167\062\353\142\314\046\232\233\273
\252\142\203\114\264\006\172\060\310\051\277\355\006\115\227\271
\034\304\061\053\325\137\274\123\022\027\234\231\127\051\146\167
\141\041\061\007\056\045\111\235\030\362\356\363\053\161\214\265
\272\071\007\111\167\374\357\056\222\220\005\215\055\057\167\173
\357\103\277\065\273\232\330\371\163\247\054\362\320\127\356\050
\116\046\137\217\220\150\011\057\270\370\334\006\351\056\232\076
\121\247\321\042\304\012\247\070\110\154\263\371\377\175\253\206
\127\343\272\326\205\170\167\272\103\352\110\177\366\330\276\043
\155\036\277\321\066\154\130\134\361\356\244\031\124\032\365\003
\322\166\346\341\214\275\074\263\323\110\113\342\310\370\177\222
\250\166\106\234\102\145\076\244\036\301\007\003\132\106\055\270
\227\363\267\325\262\125\041\357\272\334\114\000\227\373\024\225
\047\063\277\350\103\107\106\322\010\231\026\140\073\232\176\322
\346\355\070\352\354\001\036\074\110\126\111\011\307\114\067\000
\236\210\016\300\163\341\157\146\351\162\107\060\076\020\345\013
\003\311\232\102\000\154\305\224\176\141\304\212\337\177\202\032
\013\131\304\131\062\167\263\274\140\151\126\071\375\264\006\173
\054\326\144\066\331\275\110\355\204\037\176\245\042\217\052\270
\102\364\202\267\324\123\220\170\116\055\032\375\201\157\104\327
\073\001\164\226\102\340\000\342\056\153\352\305\356\162\254\273
\277\376\352\252\250\370\334\366\262\171\212\266\147\002\003\001
\000\001\243\102\060\100\060\035\006\003\125\035\016\004\026\004
\024\235\300\147\246\014\042\331\046\365\105\253\246\145\122\021
\047\330\105\254\143\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\015\006\011\052\206\110\206\367\015
\001\001\014\005\000\003\202\002\001\000\263\127\115\020\142\116
\072\344\254\352\270\034\257\062\043\310\263\111\132\121\234\166
\050\215\171\252\127\106\027\325\365\122\366\267\104\350\010\104
\277\030\204\322\013\200\315\305\022\375\000\125\005\141\207\101

\334\265\044\236\074\304\330\310\373\160\236\057\170\226\203\040
\066\336\174\017\151\023\210\245\165\066\230\010\246\306\337\254
\316\343\130\326\267\076\336\272\363\353\064\100\330\242\201\365
\170\077\057\325\245\374\331\242\324\136\004\016\027\255\376\101
\360\345\262\162\372\104\202\063\102\350\055\130\367\126\214\142
\077\272\102\260\234\014\134\176\056\145\046\134\123\117\000\262
\170\176\241\015\231\055\215\270\035\216\242\304\260\375\140\320
\060\244\216\310\004\142\251\304\355\065\336\172\227\355\016\070
\136\222\057\223\160\245\251\234\157\247\175\023\035\176\306\010
\110\261\136\147\353\121\010\045\351\346\045\153\122\051\221\234
\322\071\163\010\127\336\231\006\264\133\235\020\006\341\302\000
\250\270\034\112\002\012\024\320\301\101\312\373\214\065\041\175
\202\070\362\251\124\221\031\065\223\224\155\152\072\305\262\320
\273\211\206\223\350\233\311\017\072\247\172\270\241\360\170\106
\372\374\067\057\345\212\204\363\337\376\004\331\241\150\240\057
\044\342\011\225\006\325\225\312\341\044\226\353\174\366\223\005
\273\355\163\351\055\321\165\071\327\347\044\333\330\116\137\103
\217\236\320\024\071\277\125\160\110\231\127\061\264\234\356\112
\230\003\226\060\037\140\006\356\033\043\376\201\140\043\032\107
\142\205\245\314\031\064\200\157\263\254\032\343\237\360\173\110
\255\325\001\331\147\266\251\162\223\352\055\146\265\262\270\344
\075\074\262\357\114\214\352\353\007\277\253\065\232\125\206\274
\030\246\265\250\136\264\203\154\153\151\100\323\237\334\361\303
\151\153\271\341\155\011\364\361\252\120\166\012\172\175\172\027
\241\125\226\102\231\061\011\335\140\021\215\005\060\176\346\216
\106\321\235\024\332\307\027\344\005\226\214\304\044\265\033\317
\024\007\262\100\370\243\236\101\206\274\004\320\153\226\310\052
\200\064\375\277\357\006\243\335\130\305\205\075\076\217\376\236
\051\340\266\270\011\150\031\034\030\103

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "AffirmTrust Premium"

Issuer: CN=AffirmTrust Premium,O=AffirmTrust,C=US

Serial Number:6d:8c:14:46:b1:a6:0a:ee

Subject: CN=AffirmTrust Premium,O=AffirmTrust,C=US

Not Valid Before: Fri Jan 29 14:10:36 2010

Not Valid After : Mon Dec 31 14:10:36 2040

Fingerprint (SHA-256):

70:A7:3F:7F:37:6B:60:07:42:48:90:45:34:B1:14:82:D5:BF:0E:69:8E:CC:49:8D:F5:25:77:EB:F2:E9:3B:9A

Fingerprint (SHA1): D8:A6:33:2C:E0:03:6F:B1:85:F6:63:4F:7D:6A:06:65:26:32:28:27

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "AffirmTrust Premium"

```

CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\330\246\063\054\340\003\157\261\205\366\143\117\175\152\006\145
\046\062\050\047
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\304\135\016\110\266\254\050\060\116\012\274\371\070\026\207\127
END
CKA_ISSUER MULTILINE_OCTAL
\060\101\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\034\060\032\006\003\125\004\003\014\023
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\155\214\024\106\261\246\012\356
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "AffirmTrust Premium ECC"
#
# Issuer: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
# Serial Number:74:97:25:8a:c7:3f:7a:54
# Subject: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
# Not Valid Before: Fri Jan 29 14:20:24 2010
# Not Valid After : Mon Dec 31 14:20:24 2040
# Fingerprint (SHA-256):
BD:71:FD:F6:DA:97:E4:CF:62:D1:64:7A:DD:25:81:B0:7D:79:AD:F8:39:7E:B4:EC:BA:9C:5E:84:88:82:14:23
# Fingerprint (SHA1): B8:23:6B:00:2F:1D:16:86:53:01:55:6C:11:A4:37:CA:EB:FF:C3:BB
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Premium ECC"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\040\060\036\006\003\125\004\003\014\027
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155\040\105\103\103
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL

```


\060\105\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\040\060\036\006\003\125\004\003\014\027
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155\040\105\103\103

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\010\164\227\045\212\307\077\172\124

END

CKA_VALUE MULTILINE_OCTAL

\060\202\001\376\060\202\001\205\240\003\002\001\002\002\010\164
\227\045\212\307\077\172\124\060\012\006\010\052\206\110\316\075
\004\003\003\060\105\061\013\060\011\006\003\125\004\006\023\002
\125\123\061\024\060\022\006\003\125\004\012\014\013\101\146\146
\151\162\155\124\162\165\163\164\061\040\060\036\006\003\125\004
\003\014\027\101\146\146\151\162\155\124\162\165\163\164\040\120
\162\145\155\151\165\155\040\105\103\103\060\036\027\015\061\060
\060\061\062\071\061\064\062\060\062\064\132\027\015\064\060\061
\062\063\061\061\064\062\060\062\064\132\060\105\061\013\060\011
\006\003\125\004\006\023\002\125\123\061\024\060\022\006\003\125
\004\012\014\013\101\146\146\151\162\155\124\162\165\163\164\061
\040\060\036\006\003\125\004\003\014\027\101\146\146\151\162\155
\124\162\165\163\164\040\120\162\145\155\151\165\155\040\105\103
\103\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005
\053\201\004\000\042\003\142\000\004\015\060\136\033\025\235\003
\320\241\171\065\267\072\074\222\172\312\025\034\315\142\363\234
\046\134\007\075\345\124\372\243\326\314\022\352\364\024\137\350
\216\031\253\057\056\110\346\254\030\103\170\254\320\067\303\275
\262\315\054\346\107\342\032\346\143\270\075\056\057\170\304\117
\333\364\017\244\150\114\125\162\153\225\035\116\030\102\225\170
\314\067\074\221\342\233\145\053\051\243\102\060\100\060\035\006
\003\125\035\016\004\026\004\024\232\257\051\172\300\021\065\065
\046\121\060\000\303\152\376\100\325\256\326\074\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\012\006
\010\052\206\110\316\075\004\003\003\003\147\000\060\144\002\060
\027\011\363\207\210\120\132\257\310\300\102\277\107\137\365\154
\152\206\340\304\047\164\344\070\123\327\005\177\033\064\343\306
\057\263\312\011\074\067\235\327\347\270\106\361\375\241\342\161
\002\060\102\131\207\103\324\121\337\272\323\011\062\132\316\210
\176\127\075\234\137\102\153\365\007\055\265\360\202\223\371\131
\157\256\144\372\130\345\213\036\343\143\276\265\201\315\157\002
\214\171

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

```

# Trust for "AffirmTrust Premium ECC"
# Issuer: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
# Serial Number:74:97:25:8a:c7:3f:7a:54
# Subject: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
# Not Valid Before: Fri Jan 29 14:20:24 2010
# Not Valid After : Mon Dec 31 14:20:24 2040
# Fingerprint (SHA-256):
BD:71:FD:F6:DA:97:E4:CF:62:D1:64:7A:DD:25:81:B0:7D:79:AD:F8:39:7E:B4:EC:BA:9C:5E:84:88:82:14:23
# Fingerprint (SHA1): B8:23:6B:00:2F:1D:16:86:53:01:55:6C:11:A4:37:CA:EB:FF:C3:BB
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Premium ECC"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\270\043\153\000\057\035\026\206\123\001\125\154\021\244\067\312
\353\377\303\273
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\144\260\011\125\317\261\325\231\342\276\023\253\246\135\352\115
END
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\040\060\036\006\003\125\004\003\014\027
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155\040\105\103\103
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\164\227\045\212\307\077\172\124
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Certum Trusted Network CA"
#
# Issuer: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
# Serial Number: 279744 (0x444c0)
# Subject: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
# Not Valid Before: Wed Oct 22 12:07:37 2008
# Not Valid After : Mon Dec 31 12:07:37 2029
# Fingerprint (SHA-256):
5C:58:46:8D:55:F5:8E:49:7E:74:39:82:D2:B5:00:10:B6:D1:65:37:4A:CF:83:A7:D4:A3:2D:B7:68:C4:40:8E

```

Fingerprint (SHA1): 07:E0:32:E0:20:B7:2C:3F:19:2F:06:28:A2:59:3A:19:A7:0F:06:9E

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Network CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164
\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145
\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060\040
\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124\162
\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164
\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145
\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060\040
\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124\162
\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\004\104\300
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\273\060\202\002\243\240\003\002\001\002\002\003\004
\104\300\060\015\006\011\052\206\110\206\367\015\001\001\005\005
\000\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060
\040\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\060\036\027\015\060\070\061\060\062\062\061\062\060\067\063
\067\132\027\015\062\071\061\062\063\061\061\062\060\067\063\067
\132\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
```

\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060
\040\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001
\001\000\343\373\175\243\162\272\302\360\311\024\207\365\153\001
\116\341\156\100\007\272\155\047\135\177\367\133\055\263\132\307
\121\137\253\244\062\246\141\207\266\156\017\206\322\060\002\227
\370\327\151\127\241\030\071\135\152\144\171\306\001\131\254\074
\061\112\070\174\322\004\322\113\050\350\040\137\073\007\242\314
\115\163\333\363\256\117\307\126\325\132\247\226\211\372\363\253
\150\324\043\206\131\047\317\011\047\274\254\156\162\203\034\060
\162\337\340\242\351\322\341\164\165\031\275\052\236\173\025\124
\004\033\327\103\071\255\125\050\305\342\032\273\364\300\344\256
\070\111\063\314\166\205\237\071\105\322\244\236\362\022\214\121
\370\174\344\055\177\365\254\137\353\026\237\261\055\321\272\314
\221\102\167\114\045\311\220\070\157\333\360\314\373\216\036\227
\131\076\325\140\116\346\005\050\355\111\171\023\113\272\110\333
\057\371\162\323\071\312\376\037\330\064\162\365\264\100\317\061
\001\303\354\336\021\055\027\135\037\270\120\321\136\031\247\151
\336\007\063\050\312\120\225\371\247\124\313\124\206\120\105\251
\371\111\002\003\001\000\001\243\102\060\100\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003
\125\035\016\004\026\004\024\010\166\315\313\007\377\044\366\305
\315\355\273\220\274\342\204\067\106\165\367\060\016\006\003\125
\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052
\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000\246
\250\255\042\316\001\075\246\243\377\142\320\110\235\213\136\162
\260\170\104\343\334\034\257\011\375\043\110\372\275\052\304\271
\125\004\265\020\243\215\047\336\013\202\143\320\356\336\014\067
\171\101\133\042\262\260\232\101\134\246\160\340\324\320\167\313
\043\323\000\340\154\126\057\341\151\015\015\331\252\277\041\201
\120\331\006\245\250\377\225\067\320\252\376\342\263\365\231\055
\105\204\212\345\102\011\327\164\002\057\367\211\330\231\351\274
\047\324\107\215\272\015\106\034\167\317\024\244\034\271\244\061
\304\234\050\164\003\064\377\063\031\046\245\351\015\164\267\076
\227\306\166\350\047\226\243\146\335\341\256\362\101\133\312\230
\126\203\163\160\344\206\032\322\061\101\272\057\276\055\023\132
\166\157\116\350\116\201\016\077\133\003\042\240\022\276\146\130
\021\112\313\003\304\264\052\052\055\226\027\340\071\124\274\110
\323\166\047\235\232\055\006\246\311\354\071\322\253\333\237\232
\013\047\002\065\051\261\100\225\347\371\350\234\125\210\031\106
\326\267\064\365\176\316\071\232\331\070\361\121\367\117\054

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

```

# Trust for "Certum Trusted Network CA"
# Issuer: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
# Serial Number: 279744 (0x444c0)
# Subject: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
# Not Valid Before: Wed Oct 22 12:07:37 2008
# Not Valid After : Mon Dec 31 12:07:37 2029
# Fingerprint (SHA-256):
5C:58:46:8D:55:F5:8E:49:7E:74:39:82:D2:B5:00:10:B6:D1:65:37:4A:CF:83:A7:D4:A3:2D:B7:68:C4:40:8E
# Fingerprint (SHA1): 07:E0:32:E0:20:B7:2C:3F:19:2F:06:28:A2:59:3A:19:A7:0F:06:9E
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Network CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\007\340\062\340\040\267\054\077\031\057\006\050\242\131\072\031
\247\017\006\236
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\325\351\201\100\305\030\151\374\106\054\211\165\142\017\252\170
END
CKA_ISSUER MULTILINE_OCTAL
\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164
\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145
\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060\040
\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124\162
\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\004\104\300
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "TWCA Root Certification Authority"
#
# Issuer: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW
# Serial Number: 1 (0x1)
# Subject: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW

```

```
# Not Valid Before: Thu Aug 28 07:24:33 2008
# Not Valid After : Tue Dec 31 15:59:59 2030
# Fingerprint (SHA-256):
BF:D8:8F:E1:10:1C:41:AE:3E:80:1B:F8:BE:56:35:0E:E9:BA:D1:A6:B9:BD:51:5E:DC:5C:6D:5B:87:11:AC:44
# Fingerprint (SHA1): CF:9E:87:6D:D3:EB:FC:42:26:97:A3:B5:A3:7A:A0:76:A9:06:23:48
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TWCA Root Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041
\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041
\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\173\060\202\002\143\240\003\002\001\002\002\001\001
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061\022
\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116\055
\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157\157
\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041\124
\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\060\036\027\015\060\070\060\070\062\070\060\067\062\064\063\063
\132\027\015\063\060\061\062\063\061\061\065\065\071\065\071\132
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041
```

\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001
\001\000\260\176\162\270\244\003\224\346\247\336\011\070\221\112
\021\100\207\247\174\131\144\024\173\265\021\020\335\376\277\325
\300\273\126\342\205\045\364\065\162\017\370\123\320\101\341\104
\001\302\264\034\303\061\102\026\107\205\063\042\166\262\012\157
\017\345\045\120\117\205\206\276\277\230\056\020\147\036\276\021
\005\206\005\220\304\131\320\174\170\020\260\200\134\267\341\307
\053\165\313\174\237\256\265\321\235\043\067\143\247\334\102\242
\055\222\004\033\120\301\173\270\076\033\311\126\004\213\057\122
\233\255\251\126\351\301\377\255\251\130\207\060\266\201\367\227
\105\374\031\127\073\053\157\344\107\364\231\105\376\035\361\370
\227\243\210\035\067\034\134\217\340\166\045\232\120\370\240\124
\377\104\220\166\043\322\062\306\303\253\006\277\374\373\277\363
\255\175\222\142\002\133\051\323\065\243\223\232\103\144\140\135
\262\372\062\377\073\004\257\115\100\152\371\307\343\357\043\375
\153\313\345\017\213\070\015\356\012\374\376\017\230\237\060\061
\335\154\122\145\371\213\201\276\042\341\034\130\003\272\221\033
\211\007\002\003\001\000\001\243\102\060\100\060\016\006\003\125
\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003
\125\035\016\004\026\004\024\152\070\133\046\215\336\213\132\362
\117\172\124\203\031\030\343\010\065\246\272\060\015\006\011\052
\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000\074
\325\167\075\332\337\211\272\207\014\010\124\152\040\120\222\276
\260\101\075\271\046\144\203\012\057\350\100\300\227\050\047\202
\060\112\311\223\377\152\347\246\000\177\211\102\232\326\021\345
\123\316\057\314\362\332\005\304\376\342\120\304\072\206\175\314
\332\176\020\011\073\222\065\052\123\262\376\353\053\005\331\154
\135\346\320\357\323\152\146\236\025\050\205\172\350\202\000\254
\036\247\011\151\126\102\323\150\121\030\276\124\232\277\104\101
\272\111\276\040\272\151\134\356\270\167\315\316\154\037\255\203
\226\030\175\016\265\024\071\204\361\050\351\055\243\236\173\036
\172\162\132\203\263\171\157\357\264\374\320\012\245\130\117\106
\337\373\155\171\131\362\204\042\122\256\017\314\373\174\073\347
\152\312\107\141\303\172\370\323\222\004\037\270\040\204\341\066
\124\026\307\100\336\073\212\163\334\337\306\011\114\337\354\332
\377\324\123\102\241\311\362\142\035\042\203\074\227\305\371\031
\142\047\254\145\042\327\323\074\306\345\216\262\123\314\111\316
\274\060\376\173\016\063\220\373\355\322\024\221\037\007\257

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "TWCA Root Certification Authority"

```

# Issuer: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW
# Serial Number: 1 (0x1)
# Subject: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW
# Not Valid Before: Thu Aug 28 07:24:33 2008
# Not Valid After : Tue Dec 31 15:59:59 2030
# Fingerprint (SHA-256):
BF:D8:8F:E1:10:1C:41:AE:3E:80:1B:F8:BE:56:35:0E:E9:BA:D1:A6:B9:BD:51:5E:DC:5C:6D:5B:87:11:AC:44
# Fingerprint (SHA1): CF:9E:87:6D:D3:EB:FC:42:26:97:A3:B5:A3:7A:A0:76:A9:06:23:48
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TWCA Root Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\317\236\207\155\323\353\374\102\046\227\243\265\243\172\240\166
\251\006\043\110
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\252\010\217\366\371\173\267\362\261\247\036\233\352\352\275\171
END
CKA_ISSUER MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041
\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Explicitly Distrust DigiNotar Root CA"
#
# Issuer: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL
# Serial Number:0f:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff
# Subject: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL
# Not Valid Before: Fri Jul 27 17:19:37 2007
# Not Valid After : Mon Mar 31 18:19:22 2025
# Fingerprint (MD5): 0A:A4:D5:CC:BA:B4:FB:A3:59:E3:E6:01:DD:53:D9:4E
# Fingerprint (SHA1): C1:77:CB:4B:E0:B4:26:8E:F5:C7:CF:45:99:22:B9:B0:CE:BA:21:2F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```



```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Explicitly Distrust DigiNotar Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\022\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157
\164\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151
\147\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061
\040\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021
\151\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156
\154
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\022\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157
\164\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151
\147\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061
\040\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021
\151\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156
\154
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\017\377\377\377\377\377\377\377\377\377\377\377\377\377
\377\377
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\212\060\202\003\162\240\003\002\001\002\002\020\017
\377\377\377\377\377\377\377\377\377\377\377\377\377\377\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\137
\061\013\060\011\006\003\125\004\006\023\002\116\114\061\022\060
\020\006\003\125\004\012\023\011\104\151\147\151\116\157\164\141
\162\061\032\060\030\006\003\125\004\003\023\021\104\151\147\151
\116\157\164\141\162\040\122\157\157\164\040\103\101\061\040\060
\036\006\011\052\206\110\206\367\015\001\011\001\026\021\151\156
\146\157\100\144\151\147\151\156\157\164\141\162\056\156\154\060
\036\027\015\060\067\060\067\062\067\061\067\061\071\063\067\132
\027\015\062\065\060\063\063\061\061\070\061\071\062\062\132\060
\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061\022
\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157\164
\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151\147
\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061\040
\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021\151
\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156\154
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001
```

\000\254\260\130\301\000\275\330\041\010\013\053\232\376\156\126
\060\005\237\033\167\220\020\101\134\303\015\207\021\167\216\201
\361\312\174\351\214\152\355\070\164\065\273\332\337\371\273\300
\011\067\264\226\163\201\175\063\032\230\071\367\223\157\225\177
\075\271\261\165\207\272\121\110\350\213\160\076\225\004\305\330
\266\303\026\331\210\260\261\207\035\160\332\206\264\017\024\213
\172\317\020\321\164\066\242\022\173\167\206\112\171\346\173\337
\002\021\150\245\116\206\256\064\130\233\044\023\170\126\042\045
\036\001\213\113\121\161\373\202\314\131\226\151\210\132\150\123
\305\271\015\002\067\313\113\274\146\112\220\176\052\013\005\007
\355\026\137\125\220\165\330\106\311\033\203\342\010\276\361\043
\314\231\035\326\052\017\203\040\025\130\047\202\056\372\342\042
\302\111\261\271\001\201\152\235\155\235\100\167\150\166\116\041
\052\155\204\100\205\116\166\231\174\202\363\363\267\002\131\324
\046\001\033\216\337\255\123\006\321\256\030\335\342\262\072\313
\327\210\070\216\254\133\051\271\031\323\230\371\030\003\317\110
\202\206\146\013\033\151\017\311\353\070\210\172\046\032\005\114
\222\327\044\324\226\362\254\122\055\243\107\325\122\366\077\376
\316\204\006\160\246\252\076\242\362\266\126\064\030\127\242\344
\201\155\347\312\360\152\323\307\221\153\002\203\101\174\025\357
\153\232\144\136\343\320\074\345\261\353\173\135\206\373\313\346
\167\111\315\243\145\334\367\271\234\270\344\013\137\223\317\314
\060\032\062\034\316\034\143\225\245\371\352\341\164\213\236\351
\053\251\060\173\240\030\037\016\030\013\345\133\251\323\321\154
\036\007\147\217\221\113\251\212\274\322\146\252\223\001\210\262
\221\372\061\134\325\246\301\122\010\011\315\012\143\242\323\042
\246\350\241\331\071\006\227\365\156\215\002\220\214\024\173\077
\200\315\033\234\272\304\130\162\043\257\266\126\237\306\172\102
\063\051\007\077\202\311\346\037\005\015\315\114\050\066\213\323
\310\076\034\306\210\357\136\356\211\144\351\035\353\332\211\176
\062\246\151\321\335\314\210\237\321\320\311\146\041\334\006\147
\305\224\172\232\155\142\114\175\314\340\144\200\262\236\107\216
\243\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035
\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003\125
\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003\125
\035\016\004\026\004\024\210\150\277\340\216\065\304\073\070\153
\142\367\050\073\204\201\310\014\327\115\060\015\006\011\052\206
\110\206\367\015\001\001\005\005\000\003\202\002\001\000\073\002
\215\313\074\060\350\156\240\255\362\163\263\137\236\045\023\004
\005\323\366\343\213\273\013\171\316\123\336\344\226\305\321\257
\163\274\325\303\320\100\125\174\100\177\315\033\137\011\325\362
\174\237\150\035\273\135\316\172\071\302\214\326\230\173\305\203
\125\250\325\175\100\312\340\036\367\211\136\143\135\241\023\302
\135\212\266\212\174\000\363\043\303\355\205\137\161\166\360\150
\143\252\105\041\071\110\141\170\066\334\361\103\223\324\045\307
\362\200\145\341\123\002\165\121\374\172\072\357\067\253\204\050
\127\014\330\324\324\231\126\154\343\242\376\131\204\264\061\350
\063\370\144\224\224\121\227\253\071\305\113\355\332\335\200\013

\157\174\051\015\304\216\212\162\015\347\123\024\262\140\101\075
\204\221\061\150\075\047\104\333\345\336\364\372\143\105\310\114
\076\230\365\077\101\272\116\313\067\015\272\146\230\361\335\313
\237\134\367\124\066\202\153\054\274\023\141\227\102\370\170\273
\314\310\242\237\312\360\150\275\153\035\262\337\215\157\007\235
\332\216\147\307\107\036\312\271\277\052\102\221\267\143\123\146
\361\102\243\341\364\132\115\130\153\265\344\244\063\255\134\160
\035\334\340\362\353\163\024\221\232\003\301\352\000\145\274\007
\374\317\022\021\042\054\256\240\275\072\340\242\052\330\131\351
\051\323\030\065\244\254\021\137\031\265\265\033\377\042\112\134
\306\172\344\027\357\040\251\247\364\077\255\212\247\232\004\045
\235\016\312\067\346\120\375\214\102\051\004\232\354\271\317\113
\162\275\342\010\066\257\043\057\142\345\312\001\323\160\333\174
\202\043\054\026\061\014\306\066\007\220\172\261\037\147\130\304
\073\130\131\211\260\214\214\120\263\330\206\313\150\243\304\012
\347\151\113\040\316\301\036\126\113\225\251\043\150\330\060\330
\303\353\260\125\121\315\345\375\053\270\365\273\021\237\123\124
\366\064\031\214\171\011\066\312\141\027\045\027\013\202\230\163
\014\167\164\303\325\015\307\250\022\114\307\247\124\161\107\056
\054\032\175\311\343\053\073\110\336\047\204\247\143\066\263\175
\217\240\144\071\044\015\075\173\207\257\146\134\164\033\113\163
\262\345\214\360\206\231\270\345\305\337\204\301\267\353

END

Trust for Certificate "Explicitly Distrust DigiNotar Root CA"

Issuer: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL

Serial Number:0f:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff

Subject: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL

Not Valid Before: Fri Jul 27 17:19:37 2007

Not Valid After : Mon Mar 31 18:19:22 2025

Fingerprint (MD5): 0A:A4:D5:CC:BA:B4:FB:A3:59:E3:E6:01:DD:53:D9:4E

Fingerprint (SHA1): C1:77:CB:4B:E0:B4:26:8E:F5:C7:CF:45:99:22:B9:B0:CE:BA:21:2F

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Explicitly Distrust DigiNotar Root CA"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\301\167\313\113\340\264\046\216\365\307\317\105\231\042\271\260
\316\272\041\057

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\012\244\325\314\272\264\373\243\131\343\346\001\335\123\331\116
END

CKA_ISSUER MULTILINE_OCTAL

\060\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\022\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157
\164\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151

```
\147\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061
\040\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021
\151\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156
\154
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\020\017\377\377\377\377\377\377\377\377\377\377\377\377\377\377
\377\377
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_NOT_TRUSTED

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_NOT_TRUSTED

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_NOT_TRUSTED

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "Security Communication RootCA2"

#

Issuer: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP

Serial Number: 0 (0x0)

Subject: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP

Not Valid Before: Fri May 29 05:00:39 2009

Not Valid After : Tue May 29 05:00:39 2029

Fingerprint (SHA-256):

51:3B:2C:EC:B8:10:D4:CD:E5:DD:85:39:1A:DF:C6:C2:DD:60:D8:7B:B7:36:D2:B5:21:48:4A:A4:7A:0E:BE:F6

Fingerprint (SHA1): 5F:3B:8C:F2:F8:10:B3:7D:78:B4:CE:EC:19:19:C3:73:34:B9:C7:74

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Security Communication RootCA2"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\062
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

```
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\062
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\001\000

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\167\060\202\002\137\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061\045
\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040\124
\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117\056
\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023\036
\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156\151
\143\141\164\151\157\156\040\122\157\157\164\103\101\062\060\036
\027\015\060\071\060\065\062\071\060\065\060\060\063\071\132\027
\015\062\071\060\065\062\071\060\065\060\060\063\071\132\060\135
\061\013\060\011\006\003\125\004\006\023\002\112\120\061\045\060
\043\006\003\125\004\012\023\034\123\105\103\117\115\040\124\162
\165\163\164\040\123\171\163\164\145\155\163\040\103\117\056\054
\114\124\104\056\061\047\060\045\006\003\125\004\013\023\036\123
\145\143\165\162\151\164\171\040\103\157\155\155\165\156\151\143
\141\164\151\157\156\040\122\157\157\164\103\101\062\060\202\001
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000
\003\202\001\017\000\060\202\001\012\002\202\001\001\000\320\025
\071\122\261\122\263\272\305\131\202\304\135\122\256\072\103\145
\200\113\307\362\226\274\333\066\227\326\246\144\214\250\136\360
\343\012\034\367\337\227\075\113\256\366\135\354\041\265\101\253
\315\271\176\166\237\276\371\076\066\064\240\073\301\366\061\021
\105\164\223\075\127\200\305\371\211\231\312\345\253\152\324\265
\332\101\220\020\301\326\326\102\211\302\277\364\070\022\225\114
\124\005\367\066\344\105\203\173\024\145\326\334\014\115\321\336
\176\014\253\073\304\025\276\072\126\246\132\157\166\151\122\251
\172\271\310\353\152\232\135\122\320\055\012\153\065\026\011\020
\204\320\152\312\072\006\000\067\107\344\176\127\117\077\213\353
\147\270\210\252\305\276\123\125\262\221\304\175\271\260\205\031
\006\170\056\333\141\032\372\205\365\112\221\241\347\026\325\216
\242\071\337\224\270\160\037\050\077\213\374\100\136\143\203\074
\203\052\032\231\153\317\336\131\152\073\374\157\026\327\037\375
\112\020\353\116\202\026\072\254\047\014\123\361\255\325\044\260
\153\003\120\301\055\074\026\335\104\064\047\032\165\373\002\003
\001\000\001\243\102\060\100\060\035\006\003\125\035\016\004\026
\004\024\012\205\251\167\145\005\230\174\100\201\370\017\227\054
\070\361\012\354\074\317\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\003\202\001\001\000\114\072\243\104\254
\271\105\261\307\223\176\310\013\012\102\337\144\352\034\356\131
\154\010\272\211\137\152\312\112\225\236\172\217\007\305\332\105
\162\202\161\016\072\322\314\157\247\264\241\043\273\366\044\237
\313\027\376\214\246\316\302\322\333\314\215\374\161\374\003\051

```
\301\154\135\063\137\144\266\145\073\211\157\030\166\170\365\334
\242\110\037\031\077\216\223\353\361\372\027\356\315\116\343\004
\022\125\326\345\344\335\373\076\005\174\342\035\136\306\247\274
\227\117\150\072\365\351\056\012\103\266\257\127\134\142\150\174
\267\375\243\212\204\240\254\142\276\053\011\207\064\360\152\001
\273\233\051\126\074\376\000\067\317\043\154\361\116\252\266\164
\106\022\154\221\356\064\325\354\232\221\347\104\276\220\061\162
\325\111\002\366\002\345\364\037\353\174\331\226\125\251\377\354
\212\371\231\107\377\065\132\002\252\004\313\212\133\207\161\051
\221\275\244\264\172\015\275\232\365\127\043\000\007\041\027\077
\112\071\321\005\111\013\247\266\067\201\245\135\214\252\063\136
\201\050\174\247\175\047\353\000\256\215\067
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Security Communication RootCA2"
```

```
# Issuer: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP
```

```
# Serial Number: 0 (0x0)
```

```
# Subject: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP
```

```
# Not Valid Before: Fri May 29 05:00:39 2009
```

```
# Not Valid After : Tue May 29 05:00:39 2029
```

```
# Fingerprint (SHA-256):
```

```
51:3B:2C:EC:B8:10:D4:CD:E5:DD:85:39:1A:DF:C6:C2:DD:60:D8:7B:B7:36:D2:B5:21:48:4A:A4:7A:0E:BE:F6
```

```
# Fingerprint (SHA1): 5F:3B:8C:F2:F8:10:B3:7D:78:B4:CE:EC:19:19:C3:73:34:B9:C7:74
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Security Communication RootCA2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\137\073\214\362\370\020\263\175\170\264\316\354\031\031\303\163
\064\271\307\164
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\154\071\175\244\016\125\131\262\077\326\101\261\022\120\336\103
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\062
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\001\000
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Actalis Authentication Root CA"
#
# Issuer: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT
# Serial Number:57:0a:11:97:42:c4:e3:cc
# Subject: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT
# Not Valid Before: Thu Sep 22 11:22:02 2011
# Not Valid After : Sun Sep 22 11:22:02 2030
# Fingerprint (SHA-256):
55:92:60:84:EC:96:3A:64:B9:6E:2A:BE:01:CE:0B:A8:6A:64:FB:FE:BC:C7:AA:B5:AF:C1:55:B3:7F:D7:60:66
# Fingerprint (SHA1): F3:73:B3:87:06:5A:28:84:8A:F2:F3:4A:CE:19:2B:DD:C7:8E:9C:AC
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Actalis Authentication Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\124\061
\016\060\014\006\003\125\004\007\014\005\115\151\154\141\156\061
\043\060\041\006\003\125\004\012\014\032\101\143\164\141\154\151
\163\040\123\056\160\056\101\056\057\060\063\063\065\070\065\062
\060\071\066\067\061\047\060\045\006\003\125\004\003\014\036\101
\143\164\141\154\151\163\040\101\165\164\150\145\156\164\151\143
\141\164\151\157\156\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\124\061
\016\060\014\006\003\125\004\007\014\005\115\151\154\141\156\061
\043\060\041\006\003\125\004\012\014\032\101\143\164\141\154\151
\163\040\123\056\160\056\101\056\057\060\063\063\065\070\065\062
\060\071\066\067\061\047\060\045\006\003\125\004\003\014\036\101
\143\164\141\154\151\163\040\101\165\164\150\145\156\164\151\143
\141\164\151\157\156\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\127\012\021\227\102\304\343\314
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\273\060\202\003\243\240\003\002\001\002\002\010\127
\012\021\227\102\304\343\314\060\015\006\011\052\206\110\206\367

```

\015\001\001\013\005\000\060\153\061\013\060\011\006\003\125\004
\006\023\002\111\124\061\016\060\014\006\003\125\004\007\014\005
\115\151\154\141\156\061\043\060\041\006\003\125\004\012\014\032
\101\143\164\141\154\151\163\040\123\056\160\056\101\056\057\060
\063\063\065\070\065\062\060\071\066\067\061\047\060\045\006\003
\125\004\003\014\036\101\143\164\141\154\151\163\040\101\165\164
\150\145\156\164\151\143\141\164\151\157\156\040\122\157\157\164
\040\103\101\060\036\027\015\061\061\060\071\062\062\061\061\062
\062\060\062\132\027\015\063\060\060\071\062\062\061\061\062\062
\060\062\132\060\153\061\013\060\011\006\003\125\004\006\023\002
\111\124\061\016\060\014\006\003\125\004\007\014\005\115\151\154
\141\156\061\043\060\041\006\003\125\004\012\014\032\101\143\164
\141\154\151\163\040\123\056\160\056\101\056\057\060\063\063\065
\070\065\062\060\071\066\067\061\047\060\045\006\003\125\004\003
\014\036\101\143\164\141\154\151\163\040\101\165\164\150\145\156
\164\151\143\141\164\151\157\156\040\122\157\157\164\040\103\101
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001
\000\247\306\304\245\051\244\054\357\345\030\305\260\120\243\157
\121\073\237\012\132\311\302\110\070\012\302\034\240\030\177\221
\265\207\271\100\077\335\035\150\037\010\203\325\055\036\210\240
\370\217\126\217\155\231\002\222\220\026\325\137\010\154\211\327
\341\254\274\040\302\261\340\203\121\212\151\115\000\226\132\157
\057\300\104\176\243\016\344\221\315\130\356\334\373\307\036\105
\107\335\047\271\010\001\237\246\041\035\365\101\055\057\114\375
\050\255\340\212\255\042\264\126\145\216\206\124\217\223\103\051
\336\071\106\170\243\060\043\272\315\360\175\023\127\300\135\322
\203\153\110\114\304\253\237\200\132\133\072\275\311\247\042\077
\200\047\063\133\016\267\212\014\135\007\067\010\313\154\322\172
\107\042\104\065\305\314\314\056\216\335\052\355\267\175\146\015
\137\141\121\042\125\033\343\106\343\343\075\320\065\142\232\333
\257\024\310\133\241\314\211\033\341\060\046\374\240\233\037\201
\247\107\037\004\353\243\071\222\006\237\231\323\277\323\352\117
\120\234\031\376\226\207\036\074\145\366\243\030\044\203\206\020
\347\124\076\250\072\166\044\117\201\041\305\343\017\002\370\223
\224\107\040\273\376\324\016\323\150\271\335\304\172\204\202\343
\123\124\171\335\333\234\322\362\007\233\056\266\274\076\355\205
\155\357\045\021\362\227\032\102\141\367\112\227\350\213\261\020
\007\372\145\201\262\242\071\317\367\074\377\030\373\306\361\132
\213\131\342\002\254\173\222\320\116\024\117\131\105\366\014\136
\050\137\260\350\077\105\317\317\257\233\157\373\204\323\167\132
\225\157\254\224\204\236\356\274\300\112\217\112\223\370\104\041
\342\061\105\141\120\116\020\330\343\065\174\114\031\264\336\005
\277\243\006\237\310\265\315\344\037\327\027\006\015\172\225\164
\125\015\150\032\374\020\033\142\144\235\155\340\225\240\303\224
\007\127\015\024\346\275\005\373\270\237\346\337\213\342\306\347
\176\226\366\123\305\200\064\120\050\130\360\022\120\161\027\060
\272\346\170\143\274\364\262\255\233\053\262\376\341\071\214\136

\272\013\040\224\336\173\203\270\377\343\126\215\267\021\351\073
\214\362\261\301\135\235\244\013\114\053\331\262\030\365\265\237
\113\002\003\001\000\001\243\143\060\141\060\035\006\003\125\035
\016\004\026\004\024\122\330\210\072\310\237\170\146\355\211\363
\173\070\160\224\311\002\002\066\320\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125\035
\043\004\030\060\026\200\024\122\330\210\072\310\237\170\146\355
\211\363\173\070\160\224\311\002\002\066\320\060\016\006\003\125
\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\013
\173\162\207\300\140\246\111\114\210\130\346\035\210\367\024\144
\110\246\330\130\012\016\117\023\065\337\065\035\324\355\006\061
\310\201\076\152\325\335\073\032\062\356\220\075\021\322\056\364
\216\303\143\056\043\146\260\147\276\157\266\300\023\071\140\252
\242\064\045\223\165\122\336\247\235\255\016\207\211\122\161\152
\026\074\031\035\203\370\232\051\145\276\364\077\232\331\360\363
\132\207\041\161\200\115\313\340\070\233\077\273\372\340\060\115
\317\206\323\145\020\031\030\321\227\002\261\053\162\102\150\254
\240\275\116\132\332\030\277\153\230\201\320\375\232\276\136\025
\110\315\021\025\271\300\051\134\264\350\210\367\076\066\256\267
\142\375\036\142\336\160\170\020\034\110\133\332\274\244\070\272
\147\355\125\076\136\127\337\324\003\100\114\201\244\322\117\143
\247\011\102\011\024\374\000\251\302\200\163\117\056\300\100\331
\021\173\110\352\172\002\300\323\353\050\001\046\130\164\301\300
\163\042\155\223\225\375\071\175\273\052\343\366\202\343\054\227
\137\116\037\221\224\372\376\054\243\330\166\032\270\115\262\070
\117\233\372\035\110\140\171\046\342\363\375\251\320\232\350\160
\217\111\172\326\345\275\012\016\333\055\363\215\277\353\343\244
\175\313\307\225\161\350\332\243\174\305\302\370\164\222\004\033
\206\254\244\042\123\100\266\254\376\114\166\317\373\224\062\300
\065\237\166\077\156\345\220\156\240\246\046\242\270\054\276\321
\053\205\375\247\150\310\272\001\053\261\154\164\035\270\163\225
\347\356\267\307\045\360\000\114\000\262\176\266\013\213\034\363
\300\120\236\045\271\340\010\336\066\146\377\067\245\321\273\124
\144\054\311\047\265\113\222\176\145\377\323\055\341\271\116\274
\177\244\101\041\220\101\167\246\071\037\352\236\343\237\320\146
\157\005\354\252\166\176\277\153\026\240\353\265\307\374\222\124
\057\053\021\047\045\067\170\114\121\152\260\363\314\130\135\024
\361\152\110\025\377\302\007\266\261\215\017\216\134\120\106\263
\075\277\001\230\117\262\131\124\107\076\064\173\170\155\126\223
\056\163\352\146\050\170\315\035\024\277\240\217\057\056\270\056
\216\362\024\212\314\351\265\174\373\154\235\014\245\341\226

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Actalis Authentication Root CA"

```

# Issuer: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT
# Serial Number:57:0a:11:97:42:c4:e3:cc
# Subject: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT
# Not Valid Before: Thu Sep 22 11:22:02 2011
# Not Valid After : Sun Sep 22 11:22:02 2030
# Fingerprint (SHA-256):
55:92:60:84:EC:96:3A:64:B9:6E:2A:BE:01:CE:0B:A8:6A:64:FB:FE:BC:C7:AA:B5:AF:C1:55:B3:7F:D7:60:66
# Fingerprint (SHA1): F3:73:B3:87:06:5A:28:84:8A:F2:F3:4A:CE:19:2B:DD:C7:8E:9C:AC
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Actalis Authentication Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\363\163\263\207\006\132\050\204\212\362\363\112\316\031\053\335
\307\216\234\254
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\151\301\015\117\007\243\033\303\376\126\075\004\274\021\366\246
END
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\124\061
\016\060\014\006\003\125\004\007\014\005\115\151\154\141\156\061
\043\060\041\006\003\125\004\012\014\032\101\143\164\141\154\151
\163\040\123\056\160\056\101\056\057\060\063\063\065\070\065\062
\060\071\066\067\061\047\060\045\006\003\125\004\003\014\036\101
\143\164\141\154\151\163\040\101\165\164\150\145\156\164\151\143
\141\164\151\157\156\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\127\012\021\227\102\304\343\314
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Buypass Class 2 Root CA"
#
# Issuer: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO
# Serial Number: 2 (0x2)
# Subject: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO
# Not Valid Before: Tue Oct 26 08:38:03 2010
# Not Valid After : Fri Oct 26 08:38:03 2040
# Fingerprint (SHA-256):
9A:11:40:25:19:7C:5B:B9:5D:94:E6:3D:55:CD:43:79:08:47:B6:46:B2:3C:DF:11:AD:A4:A0:0E:FF:15:FB:48
# Fingerprint (SHA1): 49:0A:75:74:DE:87:0A:47:FE:58:EE:F6:C7:6B:EB:C6:0B:12:40:99

```

```

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Bypass Class 2 Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\002
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\131\060\202\003\101\240\003\002\001\002\002\001\002
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163
\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040
\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101\060
\036\027\015\061\060\061\060\062\066\060\070\063\070\060\063\132
\027\015\064\060\061\060\062\066\060\070\063\070\060\063\132\060
\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163
\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040
\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101\060
\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001
\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000
\327\307\136\367\301\007\324\167\373\103\041\364\364\365\151\344
\356\062\001\333\243\206\037\344\131\015\272\347\165\203\122\353
\352\034\141\025\110\273\035\007\312\214\256\260\334\226\235\352
\303\140\222\206\202\050\163\234\126\006\377\113\144\360\014\052
\067\111\265\345\317\014\174\356\361\112\273\163\060\145\363\325
\057\203\266\176\343\347\365\236\253\140\371\323\361\235\222\164
\212\344\034\226\254\133\200\351\265\364\061\207\243\121\374\307

```

\176\241\157\216\123\167\324\227\301\125\063\222\076\030\057\165
\324\255\206\111\313\225\257\124\006\154\330\006\023\215\133\377
\341\046\031\131\300\044\272\201\161\171\220\104\120\150\044\224
\137\270\263\021\361\051\101\141\243\101\313\043\066\325\301\361
\062\120\020\116\177\364\206\223\354\204\323\216\274\113\277\134
\001\116\007\075\334\024\212\224\012\244\352\163\373\013\121\350
\023\007\030\372\016\361\053\321\124\025\175\074\341\367\264\031
\102\147\142\136\167\340\242\125\354\266\331\151\027\325\072\257
\104\355\112\305\236\344\172\047\174\345\165\327\252\313\045\347
\337\153\012\333\017\115\223\116\250\240\315\173\056\362\131\001
\152\267\015\270\007\201\176\213\070\033\070\346\012\127\231\075
\356\041\350\243\365\014\026\335\213\354\064\216\234\052\034\000
\025\027\215\150\203\322\160\237\030\010\315\021\150\325\311\153
\122\315\304\106\217\334\265\363\330\127\163\036\351\224\071\004
\277\323\336\070\336\264\123\354\151\034\242\176\304\217\344\033
\160\255\362\242\371\373\367\026\144\146\151\237\111\121\242\342
\025\030\147\006\112\177\325\154\265\115\263\063\340\141\353\135
\276\351\230\017\062\327\035\113\074\056\132\001\122\221\011\362
\337\352\215\330\006\100\143\252\021\344\376\303\067\236\024\122
\077\364\342\314\362\141\223\321\375\147\153\327\122\256\277\150
\253\100\103\240\127\065\123\170\360\123\370\141\102\007\144\306
\327\157\233\114\070\015\143\254\142\257\066\213\242\163\012\015
\365\041\275\164\252\115\352\162\003\111\333\307\137\035\142\143
\307\375\335\221\354\063\356\365\155\264\156\060\150\336\310\326
\046\260\165\136\173\264\007\040\230\241\166\062\270\115\154\117
\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035
\016\004\026\004\024\311\200\167\340\142\222\202\365\106\234\363
\272\367\114\303\336\270\243\255\071\060\016\006\003\125\035\017
\001\001\377\004\004\003\002\001\006\060\015\006\011\052\206\110
\206\367\015\001\001\013\005\000\003\202\002\001\000\123\137\041
\365\272\260\072\122\071\054\222\260\154\000\311\357\316\040\357
\006\362\226\236\351\244\164\177\172\026\374\267\365\266\373\025
\033\077\253\246\300\162\135\020\261\161\356\274\117\343\255\254
\003\155\056\161\056\257\304\343\255\243\275\014\021\247\264\377
\112\262\173\020\020\037\247\127\101\262\300\256\364\054\131\326
\107\020\210\363\041\121\051\060\312\140\206\257\106\253\035\355
\072\133\260\224\336\104\343\101\010\242\301\354\035\326\375\117
\266\326\107\320\024\013\312\346\312\265\173\167\176\101\037\136
\203\307\266\214\071\226\260\077\226\201\101\157\140\220\342\350
\371\373\042\161\331\175\263\075\106\277\264\204\257\220\034\017
\217\022\152\257\357\356\036\172\256\002\112\212\027\053\166\376
\254\124\211\044\054\117\077\266\262\247\116\214\250\221\227\373
\051\306\173\134\055\271\313\146\266\267\250\133\022\121\205\265
\011\176\142\170\160\376\251\152\140\266\035\016\171\014\375\312
\352\044\200\162\303\227\077\362\167\253\103\042\012\307\353\266
\014\204\202\054\200\153\101\212\010\300\353\245\153\337\231\022
\313\212\325\136\200\014\221\340\046\010\066\110\305\372\070\021

```
\065\377\045\203\055\362\172\277\332\375\216\376\245\313\105\054
\037\304\210\123\256\167\016\331\232\166\305\216\054\035\243\272
\325\354\062\256\300\252\254\367\321\172\115\353\324\007\342\110
\367\042\216\260\244\237\152\316\216\262\262\140\364\243\042\320
\043\353\224\132\172\151\335\017\277\100\127\254\153\131\120\331
\243\231\341\156\376\215\001\171\047\043\025\336\222\235\173\011
\115\132\347\113\110\060\132\030\346\012\155\346\217\340\322\273
\346\337\174\156\041\202\301\150\071\115\264\230\130\146\142\314
\112\220\136\303\372\047\004\261\171\025\164\231\314\276\255\040
\336\046\140\034\353\126\121\246\243\352\344\243\077\247\377\141
\334\361\132\115\154\062\043\103\356\254\250\356\356\112\022\011
\074\135\161\302\276\171\372\302\207\150\035\013\375\134\151\314
\006\320\232\175\124\231\052\311\071\032\031\257\113\052\103\363
\143\135\132\130\342\057\343\035\344\251\326\320\012\320\236\277
\327\201\011\361\311\307\046\015\254\230\026\126\240
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "Buypass Class 2 Root CA"

Issuer: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO

Serial Number: 2 (0x2)

Subject: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO

Not Valid Before: Tue Oct 26 08:38:03 2010

Not Valid After : Fri Oct 26 08:38:03 2040

Fingerprint (SHA-256):

9A:11:40:25:19:7C:5B:B9:5D:94:E6:3D:55:CD:43:79:08:47:B6:46:B2:3C:DF:11:AD:A4:A0:0E:FF:15:FB:48

Fingerprint (SHA1): 49:0A:75:74:DE:87:0A:47:FE:58:EE:F6:C7:6B:EB:C6:0B:12:40:99

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Buypass Class 2 Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\111\012\165\164\336\207\012\107\376\130\356\366\307\153\353\306
\013\022\100\231
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\106\247\322\376\105\373\144\132\250\131\220\233\170\104\233\051
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Buypass Class 3 Root CA"
#
# Issuer: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO
# Serial Number: 2 (0x2)
# Subject: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO
# Not Valid Before: Tue Oct 26 08:28:58 2010
# Not Valid After : Fri Oct 26 08:28:58 2040
# Fingerprint (SHA-256):
ED:F7:EB:BC:A2:7A:2A:38:4D:38:7B:7D:40:10:C6:66:E2:ED:B4:84:3E:4C:29:B4:AE:1D:5B:93:32:E6:B2:4D
# Fingerprint (SHA1): DA:FA:F7:FA:66:84:EC:06:8F:14:50:BD:C7:C2:81:A5:BC:A9:64:57
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Buypass Class 3 Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\002
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\131\060\202\003\101\240\003\002\001\002\002\001\002
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163

```

\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040
\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101\060
\036\027\015\061\060\061\060\062\066\060\070\062\070\065\070\132
\027\015\064\060\061\060\062\066\060\070\062\070\065\070\132\060
\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163
\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040
\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101\060
\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001
\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000
\245\332\012\225\026\120\343\225\362\136\235\166\061\006\062\172
\233\361\020\166\270\000\232\265\122\066\315\044\107\260\237\030
\144\274\232\366\372\325\171\330\220\142\114\042\057\336\070\075
\326\340\250\351\034\054\333\170\021\351\216\150\121\025\162\307
\363\063\207\344\240\135\013\134\340\127\007\052\060\365\315\304
\067\167\050\115\030\221\346\277\325\122\375\161\055\160\076\347
\306\304\212\343\360\050\013\364\166\230\241\213\207\125\262\072
\023\374\267\076\047\067\216\042\343\250\117\052\357\140\273\075
\267\071\303\016\001\107\231\135\022\117\333\103\372\127\241\355
\371\235\276\021\107\046\133\023\230\253\135\026\212\260\067\034
\127\235\105\377\210\226\066\277\273\312\007\173\157\207\143\327
\320\062\152\326\135\154\014\361\263\156\071\342\153\061\056\071
\000\047\024\336\070\300\354\031\146\206\022\350\235\162\026\023
\144\122\307\251\067\034\375\202\060\355\204\030\035\364\256\134
\377\160\023\000\353\261\365\063\172\113\326\125\370\005\215\113
\151\260\365\263\050\066\134\024\304\121\163\115\153\013\361\064
\007\333\027\071\327\334\050\173\153\365\237\363\056\301\117\027
\052\020\363\314\312\350\353\375\153\253\056\232\237\055\202\156
\004\324\122\001\223\055\075\206\374\176\374\337\357\102\035\246
\153\357\271\040\306\367\275\240\247\225\375\247\346\211\044\330
\314\214\064\154\342\043\057\331\022\032\041\271\125\221\157\013
\221\171\031\014\255\100\210\013\160\342\172\322\016\330\150\110
\273\202\023\071\020\130\351\330\052\007\306\022\333\130\333\322
\073\125\020\107\005\025\147\142\176\030\143\246\106\077\011\016
\124\062\136\277\015\142\172\047\357\200\350\333\331\113\006\132
\067\132\045\320\010\022\167\324\157\011\120\227\075\310\035\303
\337\214\105\060\126\306\323\144\253\146\363\300\136\226\234\303
\304\357\303\174\153\213\072\171\177\263\111\317\075\342\211\237
\240\060\113\205\271\234\224\044\171\217\175\153\251\105\150\017
\053\320\361\332\034\313\151\270\312\111\142\155\310\320\143\142
\335\140\017\130\252\217\241\274\005\245\146\242\317\033\166\262
\204\144\261\114\071\122\300\060\272\360\214\113\002\260\266\267
\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035
\016\004\026\004\024\107\270\315\377\345\157\356\370\262\354\057
\116\016\371\045\260\216\074\153\303\060\016\006\003\125\035\017

\001\001\377\004\004\003\002\001\006\060\015\006\011\052\206\110
\206\367\015\001\001\013\005\000\003\202\002\001\000\000\040\043
\101\065\004\220\302\100\142\140\357\342\065\114\327\077\254\342
\064\220\270\241\157\166\372\026\026\244\110\067\054\351\220\302
\362\074\370\012\237\330\201\345\273\133\332\045\054\244\247\125
\161\044\062\366\310\013\362\274\152\370\223\254\262\007\302\137
\237\333\314\310\212\252\276\152\157\341\111\020\314\061\327\200
\273\273\310\330\242\016\144\127\352\242\365\302\251\061\025\322
\040\152\354\374\042\001\050\317\206\270\200\036\251\314\021\245
\074\362\026\263\107\235\374\322\200\041\304\313\320\107\160\101
\241\312\203\031\010\054\155\362\135\167\234\212\024\023\324\066
\034\222\360\345\006\067\334\246\346\220\233\070\217\134\153\033
\106\206\103\102\137\076\001\007\123\124\135\145\175\367\212\163
\241\232\124\132\037\051\103\024\047\302\205\017\265\210\173\032
\073\224\267\035\140\247\265\234\347\051\151\127\132\233\223\172
\103\060\033\003\327\142\310\100\246\252\374\144\344\112\327\221
\123\001\250\040\210\156\234\137\104\271\313\140\201\064\354\157
\323\175\332\110\137\353\264\220\274\055\251\034\013\254\034\325
\242\150\040\200\004\326\374\261\217\057\273\112\061\015\112\206
\034\353\342\066\051\046\365\332\330\304\362\165\141\317\176\256
\166\143\112\172\100\145\223\207\370\036\200\214\206\345\206\326
\217\016\374\123\054\140\350\026\141\032\242\076\103\173\315\071
\140\124\152\365\362\211\046\001\150\203\110\242\063\350\311\004
\221\262\021\064\021\076\352\320\103\031\037\003\223\220\014\377
\121\075\127\364\101\156\341\313\240\276\353\311\143\315\155\314
\344\370\066\252\150\235\355\275\135\227\160\104\015\266\016\065
\334\341\014\135\273\240\121\224\313\176\026\353\021\057\243\222
\105\310\114\161\331\274\311\231\122\127\106\057\120\317\275\065
\151\364\075\025\316\006\245\054\017\076\366\201\272\224\273\303
\273\277\145\170\322\206\171\377\111\073\032\203\014\360\336\170
\354\310\362\115\114\032\336\202\051\370\301\132\332\355\356\346
\047\136\350\105\320\235\034\121\250\150\253\104\343\320\213\152
\343\370\073\273\334\115\327\144\362\121\276\346\252\253\132\351
\061\356\006\274\163\277\023\142\012\237\307\271\227

END

CKA_NSS_Mozilla_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE

Trust for "Buypass Class 3 Root CA"

Issuer: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO

Serial Number: 2 (0x2)

Subject: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO

Not Valid Before: Tue Oct 26 08:28:58 2010

Not Valid After : Fri Oct 26 08:28:58 2040

Fingerprint (SHA-256):

ED:F7:EB:BC:A2:7A:2A:38:4D:38:7B:7D:40:10:C6:66:E2:ED:B4:84:3E:4C:29:B4:AE:1D:5B:93:32:E6:B2:4D

Fingerprint (SHA1): DA:FA:F7:FA:66:84:EC:06:8F:14:50:BD:C7:C2:81:A5:BC:A9:64:57


```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Bypass Class 3 Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\332\372\367\372\146\204\354\006\217\024\120\275\307\302\201\245
\274\251\144\127
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\075\073\030\236\054\144\132\350\325\210\316\016\371\067\302\354
END
CKA_ISSUER MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "T-TeleSec GlobalRoot Class 3"
#
# Issuer: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services
GmbH,C=DE
# Serial Number: 1 (0x1)
# Subject: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services
GmbH,C=DE
# Not Valid Before: Wed Oct 01 10:29:56 2008
# Not Valid After : Sat Oct 01 23:59:59 2033
# Fingerprint (SHA-256):
FD:73:DA:D3:1C:64:4F:F1:B4:3B:EF:0C:CD:DA:96:71:0B:9C:D9:87:5E:CA:7E:31:70:7A:F3:E9:6D:52:2B:BD
# Fingerprint (SHA1): 55:A6:72:3E:CB:F2:EC:CD:C3:23:74:70:19:9D:2A:BE:11:E3:81:D1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "T-TeleSec GlobalRoot Class 3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105

```

\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154
\141\163\163\040\063

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154
\141\163\163\040\063

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\001\001

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\303\060\202\002\253\240\003\002\001\002\002\001\001
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163\164
\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040\123
\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060\035
\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155\163
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045\060
\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123\145
\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154\141
\163\163\040\063\060\036\027\015\060\070\061\060\060\061\061\060
\062\071\065\066\132\027\015\063\063\061\060\060\061\062\063\065
\071\065\071\132\060\201\202\061\013\060\011\006\003\125\004\006
\023\002\104\105\061\053\060\051\006\003\125\004\012\014\042\124
\055\123\171\163\164\145\155\163\040\105\156\164\145\162\160\162
\151\163\145\040\123\145\162\166\151\143\145\163\040\107\155\142
\110\061\037\060\035\006\003\125\004\013\014\026\124\055\123\171
\163\164\145\155\163\040\124\162\165\163\164\040\103\145\156\164
\145\162\061\045\060\043\006\003\125\004\003\014\034\124\055\124
\145\154\145\123\145\143\040\107\154\157\142\141\154\122\157\157
\164\040\103\154\141\163\163\040\063\060\202\001\042\060\015\006
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017
\000\060\202\001\012\002\202\001\001\000\275\165\223\360\142\042

\157\044\256\340\172\166\254\175\275\331\044\325\270\267\374\315
\360\102\340\353\170\210\126\136\233\232\124\035\115\014\212\366
\323\317\160\364\122\265\330\223\004\343\106\206\161\101\112\053
\360\052\054\125\003\326\110\303\340\071\070\355\362\134\074\077
\104\274\223\075\141\253\116\315\015\276\360\040\047\130\016\104
\177\004\032\207\245\327\226\024\066\220\320\111\173\241\165\373
\032\153\163\261\370\316\251\011\054\362\123\325\303\024\104\270
\206\245\366\213\053\071\332\243\063\124\331\372\162\032\367\042
\025\034\210\221\153\177\146\345\303\152\200\260\044\363\337\206
\105\210\375\031\177\165\207\037\037\261\033\012\163\044\133\271
\145\340\054\124\310\140\323\146\027\077\341\314\124\063\163\221
\002\072\246\177\173\166\071\242\037\226\266\070\256\265\310\223
\164\035\236\271\264\345\140\235\057\126\321\340\353\136\133\114
\022\160\014\154\104\040\253\021\330\364\031\366\322\234\122\067
\347\372\266\302\061\073\112\324\024\231\255\307\032\365\135\137
\372\007\270\174\015\037\326\203\036\263\002\003\001\000\001\243
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004
\003\002\001\006\060\035\006\003\125\035\016\004\026\004\024\265
\003\367\166\073\141\202\152\022\252\030\123\353\003\041\224\277
\376\316\312\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\003\202\001\001\000\126\075\357\224\325\275\332\163\262
\130\276\256\220\255\230\047\227\376\001\261\260\122\000\270\115
\344\033\041\164\033\176\300\356\136\151\052\045\257\134\326\035
\332\322\171\311\363\227\051\340\206\207\336\004\131\017\361\131
\324\144\205\113\231\257\045\004\036\311\106\251\227\336\202\262
\033\160\237\234\366\257\161\061\335\173\005\245\054\323\271\312
\107\366\312\362\366\347\255\271\110\077\274\026\267\301\155\364
\352\011\257\354\363\265\347\005\236\246\036\212\123\121\326\223
\201\314\164\223\366\271\332\246\045\005\164\171\132\176\100\076
\202\113\046\021\060\156\341\077\101\307\107\000\065\325\365\323
\367\124\076\201\075\332\111\152\232\263\357\020\075\346\353\157
\321\310\042\107\313\314\317\001\061\222\331\030\343\042\276\011
\036\032\076\132\262\344\153\014\124\172\175\103\116\270\211\245
\173\327\242\075\226\206\314\362\046\064\055\152\222\235\232\032
\320\060\342\135\116\004\260\137\213\040\176\167\301\075\225\202
\321\106\232\073\074\170\270\157\241\320\015\144\242\170\036\051
\116\223\303\244\124\024\133

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "T-TeleSec GlobalRoot Class 3"

Issuer: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services GmbH,C=DE

Serial Number: 1 (0x1)

Subject: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services

```

GmbH,C=DE
# Not Valid Before: Wed Oct 01 10:29:56 2008
# Not Valid After : Sat Oct 01 23:59:59 2033
# Fingerprint (SHA-256):
FD:73:DA:D3:1C:64:4F:F1:B4:3B:EF:0C:CD:DA:96:71:0B:9C:D9:87:5E:CA:7E:31:70:7A:F3:E9:6D:52:2B:BD
# Fingerprint (SHA1): 55:A6:72:3E:CB:F2:EC:CD:C3:23:74:70:19:9D:2A:BE:11:E3:81:D1
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "T-TeleSec GlobalRoot Class 3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\125\246\162\076\313\362\354\315\303\043\164\160\031\235\052\276
\021\343\201\321
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\312\373\100\250\116\071\222\212\035\376\216\057\304\047\352\357
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154
\141\163\163\040\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "D-TRUST Root Class 3 CA 2 2009"
#
# Issuer: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE
# Serial Number: 623603 (0x983f3)
# Subject: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE
# Not Valid Before: Thu Nov 05 08:35:58 2009
# Not Valid After : Mon Nov 05 08:35:58 2029
# Fingerprint (SHA-256):
49:E7:A4:42:AC:F0:EA:62:87:05:00:54:B5:25:64:B6:50:E4:F4:9E:42:E3:48:D6:AA:38:E0:39:E9:57:B1:C1
# Fingerprint (SHA1): 58:E8:AB:B0:36:15:33:FB:80:F7:9B:1B:6D:29:D3:FF:8D:5F:00:F0

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root Class 3 CA 2 2009"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\011\203\363
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\063\060\202\003\033\240\003\002\001\002\002\003\011
\203\363\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165
\163\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003
\014\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103
\154\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071
\060\036\027\015\060\071\061\061\060\065\060\070\063\065\065\070
\132\027\015\062\071\061\061\060\065\060\070\063\065\065\070\132
\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071\060
\202\001\042\060\015\006\011\052\206\110\206\367\015\001\001\001
\005\000\003\202\001\017\000\060\202\001\012\002\202\001\001\000
\323\262\112\317\172\107\357\165\233\043\372\072\057\326\120\105
\211\065\072\306\153\333\376\333\000\150\250\340\003\021\035\067
\120\010\237\115\112\150\224\065\263\123\321\224\143\247\040\126
\257\336\121\170\354\052\075\363\110\110\120\076\012\337\106\125
\213\047\155\303\020\115\015\221\122\103\330\207\340\135\116\066
\265\041\312\137\071\100\004\137\133\176\314\243\306\053\251\100
\036\331\066\204\326\110\363\222\036\064\106\040\044\301\244\121
```

\216\112\032\357\120\077\151\135\031\177\105\303\307\001\217\121
\311\043\350\162\256\264\274\126\011\177\022\313\034\261\257\051
\220\012\311\125\314\017\323\264\032\355\107\065\132\112\355\234
\163\004\041\320\252\275\014\023\265\000\312\046\154\304\153\014
\224\132\225\224\332\120\232\361\377\245\053\146\061\244\311\070
\240\337\035\037\270\011\056\363\247\350\147\122\253\225\037\340
\106\076\330\244\303\312\132\305\061\200\350\110\232\237\224\151
\376\031\335\330\163\174\201\312\226\336\216\355\263\062\005\145
\204\064\346\346\375\127\020\265\137\166\277\057\260\020\015\305
\002\003\001\000\001\243\202\001\032\060\202\001\026\060\017\006
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\035
\006\003\125\035\016\004\026\004\024\375\332\024\304\237\060\336
\041\275\036\102\071\374\253\143\043\111\340\361\204\060\016\006
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\201\323
\006\003\125\035\037\004\201\313\060\201\310\060\201\200\240\176
\240\174\206\172\154\144\141\160\072\057\057\144\151\162\145\143
\164\157\162\171\056\144\055\164\162\165\163\164\056\156\145\164
\057\103\116\075\104\055\124\122\125\123\124\045\062\060\122\157
\157\164\045\062\060\103\154\141\163\163\045\062\060\063\045\062
\060\103\101\045\062\060\062\045\062\060\062\060\060\071\054\117
\075\104\055\124\162\165\163\164\045\062\060\107\155\142\110\054
\103\075\104\105\077\143\145\162\164\151\146\151\143\141\164\145
\162\145\166\157\143\141\164\151\157\156\154\151\163\164\060\103
\240\101\240\077\206\075\150\164\164\160\072\057\057\167\167\167
\056\144\055\164\162\165\163\164\056\156\145\164\057\143\162\154
\057\144\055\164\162\165\163\164\137\162\157\157\164\137\143\154
\141\163\163\137\063\137\143\141\137\062\137\062\060\060\071\056
\143\162\154\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\003\202\001\001\000\177\227\333\060\310\337\244\234\175
\041\172\200\160\316\024\022\151\210\024\225\140\104\001\254\262
\351\060\117\233\120\302\146\330\176\215\060\265\160\061\351\342
\151\307\363\160\333\040\025\206\320\015\360\276\254\001\165\204
\316\176\237\115\277\267\140\073\234\363\312\035\342\136\150\330
\243\235\227\345\100\140\322\066\041\376\320\264\270\027\332\164
\243\177\324\337\260\230\002\254\157\153\153\054\045\044\162\241
\145\356\045\132\345\346\062\347\362\337\253\111\372\363\220\151
\043\333\004\331\347\134\130\374\145\324\227\276\314\374\056\012
\314\045\052\065\004\370\140\221\025\165\075\101\377\043\037\031
\310\154\353\202\123\004\246\344\114\042\115\215\214\272\316\133
\163\354\144\124\120\155\321\234\125\373\151\303\066\303\214\274
\074\205\246\153\012\046\015\340\223\230\140\256\176\306\044\227
\212\141\137\221\216\146\222\011\207\066\315\213\233\055\076\366
\121\324\120\324\131\050\275\203\362\314\050\173\123\206\155\330
\046\210\160\327\352\221\315\076\271\312\300\220\156\132\306\136
\164\145\327\134\376\243\342

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE

Trust for "D-TRUST Root Class 3 CA 2 2009"

Issuer: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE

Serial Number: 623603 (0x983f3)

Subject: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE

Not Valid Before: Thu Nov 05 08:35:58 2009

Not Valid After : Mon Nov 05 08:35:58 2029

Fingerprint (SHA-256):

49:E7:A4:42:AC:F0:EA:62:87:05:00:54:B5:25:64:B6:50:E4:F4:9E:42:E3:48:D6:AA:38:E0:39:E9:57:B1:C1

Fingerprint (SHA1): 58:E8:AB:B0:36:15:33:FB:80:F7:9B:1B:6D:29:D3:FF:8D:5F:00:F0

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "D-TRUST Root Class 3 CA 2 2009"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\130\350\253\260\066\025\063\373\200\367\233\033\155\051\323\377
\215\137\000\360

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\315\340\045\151\215\107\254\234\211\065\220\367\375\121\075\057

END

CKA_ISSUER MULTILINE_OCTAL

\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\003\011\203\363

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "D-TRUST Root Class 3 CA 2 EV 2009"

#

Issuer: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE

Serial Number: 623604 (0x983f4)

Subject: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE

Not Valid Before: Thu Nov 05 08:50:46 2009

Not Valid After : Mon Nov 05 08:50:46 2029

Fingerprint (SHA-256):

EE:C5:49:6B:98:8C:E9:86:25:B9:34:09:2E:EC:29:08:BE:D0:B0:F3:16:C2:D4:73:0C:84:EA:F1:F3:D3:48:81

Fingerprint (SHA1): 96:C9:1B:0B:95:B4:10:98:42:FA:D0:D8:22:79:FE:60:FA:B9:16:83

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root Class 3 CA 2 EV 2009"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003\014
\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062\060
\060\071
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003\014
\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062\060
\060\071
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\011\203\364
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\103\060\202\003\053\240\003\002\001\002\002\003\011
\203\364\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165
\163\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003
\014\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103
\154\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062
\060\060\071\060\036\027\015\060\071\061\061\060\065\060\070\065
\060\064\066\132\027\015\062\071\061\061\060\065\060\070\065\060
\064\066\132\060\120\061\013\060\011\006\003\125\004\006\023\002
\104\105\061\025\060\023\006\003\125\004\012\014\014\104\055\124
\162\165\163\164\040\107\155\142\110\061\052\060\050\006\003\125
\004\003\014\041\104\055\124\122\125\123\124\040\122\157\157\164
\040\103\154\141\163\163\040\063\040\103\101\040\062\040\105\126
\040\062\060\060\071\060\202\001\042\060\015\006\011\052\206\110
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001
\012\002\202\001\001\000\231\361\204\064\160\272\057\267\060\240
\216\275\174\004\317\276\142\274\231\375\202\227\322\172\012\147
\226\070\011\366\020\116\225\042\163\231\215\332\025\055\347\005
\374\031\163\042\267\216\230\000\274\074\075\254\241\154\373\326
```


\171\045\113\255\360\314\144\332\210\076\051\270\017\011\323\064
\335\063\365\142\321\341\315\031\351\356\030\117\114\130\256\342
\036\326\014\133\025\132\330\072\270\304\030\144\036\343\063\262
\265\211\167\116\014\277\331\224\153\023\227\157\022\243\376\231
\251\004\314\025\354\140\150\066\355\010\173\267\365\277\223\355
\146\061\203\214\306\161\064\207\116\027\352\257\213\221\215\034
\126\101\256\042\067\136\067\362\035\331\321\055\015\057\151\121
\247\276\146\246\212\072\052\275\307\032\261\341\024\360\276\072
\035\271\317\133\261\152\376\264\261\106\040\242\373\036\073\160
\357\223\230\175\214\163\226\362\305\357\205\160\255\051\046\374
\036\004\076\034\240\330\017\313\122\203\142\174\356\213\123\225
\220\251\127\242\352\141\005\330\371\115\304\047\372\156\255\355
\371\327\121\367\153\245\002\003\001\000\001\243\202\001\044\060
\202\001\040\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\323
\224\212\114\142\023\052\031\056\314\257\162\212\175\066\327\232
\034\334\147\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\006\060\201\335\006\003\125\035\037\004\201\325\060\201
\322\060\201\207\240\201\204\240\201\201\206\177\154\144\141\160
\072\057\057\144\151\162\145\143\164\157\162\171\056\144\055\164
\162\165\163\164\056\156\145\164\057\103\116\075\104\055\124\122
\125\123\124\045\062\060\122\157\157\164\045\062\060\103\154\141
\163\163\045\062\060\063\045\062\060\103\101\045\062\060\062\045
\062\060\105\126\045\062\060\062\060\060\071\054\117\075\104\055
\124\162\165\163\164\045\062\060\107\155\142\110\054\103\075\104
\105\077\143\145\162\164\151\146\151\143\141\164\145\162\145\166
\157\143\141\164\151\157\156\154\151\163\164\060\106\240\104\240
\102\206\100\150\164\164\160\072\057\057\167\167\167\056\144\055
\164\162\165\163\164\056\156\145\164\057\143\162\154\057\144\055
\164\162\165\163\164\137\162\157\157\164\137\143\154\141\163\163
\137\063\137\143\141\137\062\137\145\166\137\062\060\060\071\056
\143\162\154\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\003\202\001\001\000\064\355\173\132\074\244\224\210\357
\032\021\165\007\057\263\376\074\372\036\121\046\353\207\366\051
\336\340\361\324\306\044\011\351\301\317\125\033\264\060\331\316
\032\376\006\121\246\025\244\055\357\262\113\277\040\050\045\111
\321\246\066\167\064\350\144\337\122\261\021\307\163\172\315\071
\236\302\255\214\161\041\362\132\153\257\337\074\116\125\257\262
\204\145\024\211\271\167\313\052\061\276\317\243\155\317\157\110
\224\062\106\157\347\161\214\240\246\204\031\067\007\362\003\105
\011\053\206\165\174\337\137\151\127\000\333\156\330\246\162\042
\113\120\324\165\230\126\337\267\030\377\103\103\120\256\172\104
\173\360\171\121\327\103\075\247\323\201\323\360\311\117\271\332
\306\227\206\320\202\303\344\102\155\376\260\342\144\116\016\046
\347\100\064\046\265\010\211\327\010\143\143\070\047\165\036\063
\352\156\250\335\237\231\117\164\115\201\211\200\113\335\232\227
\051\134\057\276\201\101\271\214\377\352\175\140\006\236\315\327
\075\323\056\243\025\274\250\346\046\345\157\303\334\270\003\041

\352\237\026\361\054\124\265

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "D-TRUST Root Class 3 CA 2 EV 2009"

Issuer: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE

Serial Number: 623604 (0x983f4)

Subject: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE

Not Valid Before: Thu Nov 05 08:50:46 2009

Not Valid After : Mon Nov 05 08:50:46 2029

Fingerprint (SHA-256):

EE:C5:49:6B:98:8C:E9:86:25:B9:34:09:2E:EC:29:08:BE:D0:B0:F3:16:C2:D4:73:0C:84:EA:F1:F3:D3:48:81

Fingerprint (SHA1): 96:C9:1B:0B:95:B4:10:98:42:FA:D0:D8:22:79:FE:60:FA:B9:16:83

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "D-TRUST Root Class 3 CA 2 EV 2009"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\226\311\033\013\225\264\020\230\102\372\320\330\042\171\376\140

\372\271\026\203

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\252\306\103\054\136\055\315\304\064\300\120\117\021\002\117\266

END

CKA_ISSUER MULTILINE_OCTAL

\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105\061

\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163

\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003\014

\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154

\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062\060

\060\071

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\003\011\203\364

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "CA Disig Root R2"

#

Issuer: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK

Serial Number:00:92:b8:88:db:b0:8a:c1:63

```
# Subject: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK
# Not Valid Before: Thu Jul 19 09:15:30 2012
# Not Valid After : Sat Jul 19 09:15:30 2042
# Fingerprint (SHA-256):
E2:3D:4A:03:6D:7B:70:E9:F5:95:B1:42:20:79:D2:B9:1E:DF:BB:1F:B6:51:A0:63:3E:AA:8A:9D:C5:F8:07:03
# Fingerprint (SHA1): B5:61:EB:EA:A4:DE:E4:25:4B:69:1A:98:A5:57:47:C2:34:C7:D9:71
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "CA Disig Root R2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\123\113\061
\023\060\021\006\003\125\004\007\023\012\102\162\141\164\151\163
\154\141\166\141\061\023\060\021\006\003\125\004\012\023\012\104
\151\163\151\147\040\141\056\163\056\061\031\060\027\006\003\125
\004\003\023\020\103\101\040\104\151\163\151\147\040\122\157\157
\164\040\122\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\123\113\061
\023\060\021\006\003\125\004\007\023\012\102\162\141\164\151\163
\154\141\166\141\061\023\060\021\006\003\125\004\012\023\012\104
\151\163\151\147\040\141\056\163\056\061\031\060\027\006\003\125
\004\003\023\020\103\101\040\104\151\163\151\147\040\122\157\157
\164\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\222\270\210\333\260\212\301\143
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\151\060\202\003\121\240\003\002\001\002\002\011\000
\222\270\210\333\260\212\301\143\060\015\006\011\052\206\110\206
\367\015\001\001\013\005\000\060\122\061\013\060\011\006\003\125
\004\006\023\002\123\113\061\023\060\021\006\003\125\004\007\023
\012\102\162\141\164\151\163\154\141\166\141\061\023\060\021\006
\003\125\004\012\023\012\104\151\163\151\147\040\141\056\163\056
\061\031\060\027\006\003\125\004\003\023\020\103\101\040\104\151
\163\151\147\040\122\157\157\164\040\122\062\060\036\027\015\061
\062\060\067\061\071\060\071\061\065\063\060\132\027\015\064\062
\060\067\061\071\060\071\061\065\063\060\132\060\122\061\013\060
\011\006\003\125\004\006\023\002\123\113\061\023\060\021\006\003
\125\004\007\023\012\102\162\141\164\151\163\154\141\166\141\061
\023\060\021\006\003\125\004\012\023\012\104\151\163\151\147\040
\141\056\163\056\061\031\060\027\006\003\125\004\003\023\020\103
\101\040\104\151\163\151\147\040\122\157\157\164\040\122\062\060
```

\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001
\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000
\242\243\304\000\011\326\205\135\055\155\024\366\302\303\163\236
\065\302\161\125\176\201\373\253\106\120\340\301\174\111\170\346
\253\171\130\074\332\377\174\034\237\330\227\002\170\076\153\101
\004\351\101\275\276\003\054\105\366\057\144\324\253\135\243\107
\075\144\233\351\150\232\306\314\033\077\272\276\262\213\064\002
\056\230\125\031\374\214\157\252\137\332\114\316\115\003\041\243
\330\322\064\223\126\226\313\114\014\000\026\074\137\032\315\310
\307\154\246\255\323\061\247\274\350\345\341\146\326\322\373\003
\264\101\145\311\020\256\016\005\143\306\200\152\151\060\375\322
\356\220\357\015\047\337\237\225\163\364\341\045\332\154\026\336
\101\070\064\352\213\374\321\350\004\024\141\055\101\176\254\307
\167\116\313\121\124\373\136\222\030\033\004\132\150\306\311\304
\372\267\023\240\230\267\021\053\267\326\127\314\174\236\027\321
\313\045\376\206\116\044\056\126\014\170\115\236\001\022\246\053
\247\001\145\156\174\142\035\204\204\337\352\300\153\265\245\052
\225\203\303\123\021\014\163\035\013\262\106\220\321\102\072\316
\100\156\225\255\377\306\224\255\156\227\204\216\175\157\236\212
\200\015\111\155\163\342\173\222\036\303\363\301\363\353\056\005
\157\331\033\317\067\166\004\310\264\132\344\027\247\313\335\166
\037\320\031\166\350\054\005\263\326\234\064\330\226\334\141\207
\221\005\344\104\010\063\301\332\271\010\145\324\256\262\066\015
\353\272\070\272\014\345\233\236\353\215\146\335\231\317\326\211
\101\366\004\222\212\051\051\155\153\072\034\347\165\175\002\161
\016\363\300\347\275\313\031\335\235\140\262\302\146\140\266\261
\004\356\311\346\206\271\232\146\100\250\347\021\355\201\105\003
\213\366\147\131\350\301\006\021\275\335\317\200\002\117\145\100
\170\134\107\120\310\233\346\037\201\173\344\104\250\133\205\232
\342\336\132\325\307\371\072\104\146\113\344\062\124\174\344\154
\234\263\016\075\027\242\262\064\022\326\176\262\250\111\273\321
\172\050\100\276\242\026\037\337\344\067\037\021\163\373\220\012
\145\103\242\015\174\370\006\001\125\063\175\260\015\270\364\365
\256\245\102\127\174\066\021\214\173\136\304\003\235\214\171\235
\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\016\006\003\125\035
\017\001\001\377\004\004\003\002\001\006\060\035\006\003\125\035
\016\004\026\004\024\265\231\370\257\260\224\365\343\040\326\012
\255\316\116\126\244\056\156\102\355\060\015\006\011\052\206\110
\206\367\015\001\001\013\005\000\003\202\002\001\000\046\006\136
\160\347\145\063\310\202\156\331\234\027\072\033\172\146\262\001
\366\170\073\151\136\057\352\377\116\371\050\303\230\052\141\114
\264\044\022\212\175\155\021\024\367\234\265\312\346\274\236\047
\216\114\031\310\251\275\172\300\327\066\016\155\205\162\156\250
\306\242\155\366\372\163\143\177\274\156\171\010\034\235\212\237
\032\212\123\246\330\273\331\065\125\261\021\305\251\003\263\126
\073\271\204\223\042\136\176\301\366\022\122\213\352\054\147\274
\376\066\114\365\270\317\321\263\111\222\073\323\051\016\231\033

```
\226\367\141\270\073\304\053\266\170\154\264\043\157\360\375\323
\262\136\165\037\231\225\250\254\366\332\341\305\061\173\373\321
\106\263\322\274\147\264\142\124\272\011\367\143\260\223\242\232
\371\351\122\056\213\140\022\253\374\365\140\126\357\020\134\213
\304\032\102\334\203\133\144\016\313\265\274\326\117\301\174\074
\156\215\023\155\373\173\353\060\320\334\115\257\305\325\266\245
\114\133\161\311\350\061\276\350\070\006\110\241\032\342\352\322
\336\022\071\130\032\377\200\016\202\165\346\267\311\007\154\016
\357\377\070\361\230\161\304\267\177\016\025\320\045\151\275\042
\235\053\355\005\366\106\107\254\355\300\360\324\073\342\354\356
\226\133\220\023\116\036\126\072\353\260\357\226\273\226\043\021
\272\362\103\206\164\144\225\310\050\165\337\035\065\272\322\067
\203\070\123\070\066\073\317\154\351\371\153\016\320\373\004\350
\117\167\327\145\001\170\206\014\172\076\041\142\361\177\143\161
\014\311\237\104\333\250\047\242\165\276\156\201\076\327\300\353
\033\230\017\160\134\064\262\212\314\300\205\030\353\156\172\263
\367\132\241\007\277\251\102\222\363\140\042\227\344\024\241\007
\233\116\166\300\216\175\375\244\045\307\107\355\377\037\163\254
\314\303\245\351\157\012\216\233\145\302\120\205\265\243\240\123
\022\314\125\207\141\363\201\256\020\106\141\275\104\041\270\302
\075\164\317\176\044\065\372\034\007\016\233\075\042\312\357\061
\057\214\254\022\275\357\100\050\374\051\147\237\262\023\117\146
\044\304\123\031\351\036\051\025\357\346\155\260\177\055\147\375
\363\154\033\165\106\243\345\112\027\351\244\327\013
```

END

```
CKA_NSS_Mozilla_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "CA Disig Root R2"

Issuer: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK

Serial Number:00:92:b8:88:db:b0:8a:c1:63

Subject: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK

Not Valid Before: Thu Jul 19 09:15:30 2012

Not Valid After : Sat Jul 19 09:15:30 2042

Fingerprint (SHA-256):

E2:3D:4A:03:6D:7B:70:E9:F5:95:B1:42:20:79:D2:B9:1E:DF:BB:1F:B6:51:A0:63:3E:AA:8A:9D:C5:F8:07:03

Fingerprint (SHA1): B5:61:EB:EA:A4:DE:E4:25:4B:69:1A:98:A5:57:47:C2:34:C7:D9:71

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "CA Disig Root R2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\265\141\353\352\244\336\344\045\113\151\032\230\245\127\107\302
\064\307\331\161
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

\046\001\373\330\047\247\027\232\105\124\070\032\103\001\073\003

END

CKA_ISSUER MULTILINE_OCTAL

\060\122\061\013\060\011\006\003\125\004\006\023\002\123\113\061
\023\060\021\006\003\125\004\007\023\012\102\162\141\164\151\163
\154\141\166\141\061\023\060\021\006\003\125\004\012\023\012\104
\151\163\151\147\040\141\056\163\056\061\031\060\027\006\003\125
\004\003\023\020\103\101\040\104\151\163\151\147\040\122\157\157
\164\040\122\062

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\011\000\222\270\210\333\260\212\301\143

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "ACCVRAIZ1"

#

Issuer: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1

Serial Number:5e:c3:b7:a6:43:7f:a4:e0

Subject: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1

Not Valid Before: Thu May 05 09:37:37 2011

Not Valid After : Tue Dec 31 09:37:37 2030

Fingerprint (SHA-256):

9A:6E:C0:12:E1:A7:DA:9D:BE:34:19:4D:47:8A:D7:C0:DB:18:22:FB:07:1D:F1:29:81:49:6E:D1:04:38:41:13

Fingerprint (SHA1): 93:05:7A:88:15:C6:4F:CE:88:2F:FA:91:16:52:28:78:BC:53:64:17

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "ACCVRAIZ1"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\102\061\022\060\020\006\003\125\004\003\014\011\101\103\103
\126\122\101\111\132\061\061\020\060\016\006\003\125\004\013\014
\007\120\113\111\101\103\103\126\061\015\060\013\006\003\125\004
\012\014\004\101\103\103\126\061\013\060\011\006\003\125\004\006
\023\002\105\123

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\102\061\022\060\020\006\003\125\004\003\014\011\101\103\103
\126\122\101\111\132\061\061\020\060\016\006\003\125\004\013\014
\007\120\113\111\101\103\103\126\061\015\060\013\006\003\125\004
\012\014\004\101\103\103\126\061\013\060\011\006\003\125\004\006

\023\002\105\123

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\010\136\303\267\246\103\177\244\340

END

CKA_VALUE MULTILINE_OCTAL

\060\202\007\323\060\202\005\273\240\003\002\001\002\002\010\136
\303\267\246\103\177\244\340\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\060\102\061\022\060\020\006\003\125\004
\003\014\011\101\103\103\126\122\101\111\132\061\061\020\060\016
\006\003\125\004\013\014\007\120\113\111\101\103\103\126\061\015
\060\013\006\003\125\004\012\014\004\101\103\103\126\061\013\060
\011\006\003\125\004\006\023\002\105\123\060\036\027\015\061\061
\060\065\060\065\060\071\063\067\063\067\132\027\015\063\060\061
\062\063\061\060\071\063\067\063\067\132\060\102\061\022\060\020
\006\003\125\004\003\014\011\101\103\103\126\122\101\111\132\061
\061\020\060\016\006\003\125\004\013\014\007\120\113\111\101\103
\103\126\061\015\060\013\006\003\125\004\012\014\004\101\103\103
\126\061\013\060\011\006\003\125\004\006\023\002\105\123\060\202
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\233
\251\253\277\141\112\227\257\057\227\146\232\164\137\320\331\226
\375\317\342\344\146\357\037\037\107\063\302\104\243\337\232\336
\037\265\124\335\025\174\151\065\021\157\273\310\014\216\152\030
\036\330\217\331\026\274\020\110\066\134\360\143\263\220\132\134
\044\067\327\243\326\313\011\161\271\361\001\162\204\260\175\333
\115\200\315\374\323\157\311\370\332\266\016\202\322\105\205\250
\033\150\250\075\350\364\104\154\275\241\302\313\003\276\214\076
\023\000\204\337\112\110\300\343\042\012\350\351\067\247\030\114
\261\011\015\043\126\177\004\115\331\027\204\030\245\310\332\100
\224\163\353\316\016\127\074\003\201\072\235\012\241\127\103\151
\254\127\155\171\220\170\345\265\264\073\330\274\114\215\050\241
\247\243\247\272\002\116\045\321\052\256\355\256\003\042\270\153
\040\017\060\050\124\225\177\340\356\316\012\146\235\321\100\055
\156\042\257\235\032\301\005\031\322\157\300\362\237\370\173\263
\002\102\373\120\251\035\055\223\017\043\253\306\301\017\222\377
\320\242\025\365\123\011\161\034\377\105\023\204\346\046\136\370
\340\210\034\012\374\026\266\250\163\006\270\360\143\204\002\240
\306\132\354\347\164\337\160\256\243\203\045\352\326\307\227\207
\223\247\306\212\212\063\227\140\067\020\076\227\076\156\051\025
\326\241\017\321\210\054\022\237\157\252\244\306\102\353\101\242
\343\225\103\323\001\205\155\216\273\073\363\043\066\307\376\073
\340\241\045\007\110\253\311\211\164\377\010\217\200\277\300\226
\145\363\356\354\113\150\275\235\210\303\061\263\100\361\350\317
\366\070\273\234\344\321\177\324\345\130\233\174\372\324\363\016
\233\165\221\344\272\122\056\031\176\321\365\315\132\031\374\272
\006\366\373\122\250\113\231\004\335\370\371\264\213\120\243\116
\142\211\360\207\044\372\203\102\301\207\372\325\055\051\052\132

\161\172\144\152\327\047\140\143\015\333\316\111\365\215\037\220
\211\062\027\370\163\103\270\322\132\223\206\141\326\341\165\012
\352\171\146\166\210\117\161\353\004\045\326\012\132\172\223\345
\271\113\027\100\017\261\266\271\365\336\117\334\340\263\254\073
\021\160\140\204\112\103\156\231\040\300\051\161\012\300\145\002
\003\001\000\001\243\202\002\313\060\202\002\307\060\175\006\010
\053\006\001\005\005\007\001\001\004\161\060\157\060\114\006\010
\053\006\001\005\005\007\060\002\206\100\150\164\164\160\072\057
\057\167\167\167\056\141\143\143\166\056\145\163\057\146\151\154
\145\141\144\155\151\156\057\101\162\143\150\151\166\157\163\057
\143\145\162\164\151\146\151\143\141\144\157\163\057\162\141\151
\172\141\143\143\166\061\056\143\162\164\060\037\006\010\053\006
\001\005\005\007\060\001\206\023\150\164\164\160\072\057\057\157
\143\163\160\056\141\143\143\166\056\145\163\060\035\006\003\125
\035\016\004\026\004\024\322\207\264\343\337\067\047\223\125\366
\126\352\201\345\066\314\214\036\077\275\060\017\006\003\125\035
\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125
\035\043\004\030\060\026\200\024\322\207\264\343\337\067\047\223
\125\366\126\352\201\345\066\314\214\036\077\275\060\202\001\163
\006\003\125\035\040\004\202\001\152\060\202\001\146\060\202\001
\142\006\004\125\035\040\000\060\202\001\130\060\202\001\042\006
\010\053\006\001\005\005\007\002\002\060\202\001\024\036\202\001
\020\000\101\000\165\000\164\000\157\000\162\000\151\000\144\000
\141\000\144\000\040\000\144\000\145\000\040\000\103\000\145\000
\162\000\164\000\151\000\146\000\151\000\143\000\141\000\143\000
\151\000\363\000\156\000\040\000\122\000\141\000\355\000\172\000
\040\000\144\000\145\000\040\000\154\000\141\000\040\000\101\000
\103\000\103\000\126\000\040\000\050\000\101\000\147\000\145\000
\156\000\143\000\151\000\141\000\040\000\144\000\145\000\040\000
\124\000\145\000\143\000\156\000\157\000\154\000\157\000\147\000
\355\000\141\000\040\000\171\000\040\000\103\000\145\000\162\000
\164\000\151\000\146\000\151\000\143\000\141\000\143\000\151\000
\363\000\156\000\040\000\105\000\154\000\145\000\143\000\164\000
\162\000\363\000\156\000\151\000\143\000\141\000\054\000\040\000
\103\000\111\000\106\000\040\000\121\000\064\000\066\000\060\000
\061\000\061\000\065\000\066\000\105\000\051\000\056\000\040\000
\103\000\120\000\123\000\040\000\145\000\156\000\040\000\150\000
\164\000\164\000\160\000\072\000\057\000\057\000\167\000\167\000
\167\000\056\000\141\000\143\000\143\000\166\000\056\000\145\000
\163\060\060\006\010\053\006\001\005\005\007\002\001\026\044\150
\164\164\160\072\057\057\167\167\167\056\141\143\143\166\056\145
\163\057\154\145\147\151\163\154\141\143\151\157\156\137\143\056
\150\164\155\060\125\006\003\125\035\037\004\116\060\114\060\112
\240\110\240\106\206\104\150\164\164\160\072\057\057\167\167\167
\056\141\143\143\166\056\145\163\057\146\151\154\145\141\144\155
\151\156\057\101\162\143\150\151\166\157\163\057\143\145\162\164
\151\146\151\143\141\144\157\163\057\162\141\151\172\141\143\143
\166\061\137\144\145\162\056\143\162\154\060\016\006\003\125\035

\017\001\001\377\004\004\003\002\001\006\060\027\006\003\125\035
\021\004\020\060\016\201\014\141\143\143\166\100\141\143\143\166
\056\145\163\060\015\006\011\052\206\110\206\367\015\001\001\005
\005\000\003\202\002\001\000\227\061\002\237\347\375\103\147\110
\104\024\344\051\207\355\114\050\146\320\217\065\332\115\141\267
\112\227\115\265\333\220\340\005\056\016\306\171\320\362\227\151
\017\275\004\107\331\276\333\265\051\332\233\331\256\251\231\325
\323\074\060\223\365\215\241\250\374\006\215\104\364\312\026\225
\174\063\334\142\213\250\067\370\047\330\011\055\033\357\310\024
\047\040\251\144\104\377\056\326\165\252\154\115\140\100\031\111
\103\124\143\332\342\314\272\146\345\117\104\172\133\331\152\201
\053\100\325\177\371\001\047\130\054\310\355\110\221\174\077\246
\000\317\304\051\163\021\066\336\206\031\076\235\356\031\212\033
\325\260\355\216\075\234\052\300\015\330\075\146\343\074\015\275
\325\224\134\342\342\247\065\033\004\000\366\077\132\215\352\103
\275\137\211\035\251\301\260\314\231\342\115\000\012\332\311\047
\133\347\023\220\134\344\365\063\242\125\155\334\340\011\115\057
\261\046\133\047\165\000\011\304\142\167\051\010\137\236\131\254
\266\176\255\237\124\060\042\003\301\036\161\144\376\371\070\012
\226\030\335\002\024\254\043\313\006\034\036\244\175\215\015\336
\047\101\350\255\332\025\267\260\043\335\053\250\323\332\045\207
\355\350\125\104\115\210\364\066\176\204\232\170\254\367\016\126
\111\016\326\063\045\326\204\120\102\154\040\022\035\052\325\276
\274\362\160\201\244\160\140\276\005\265\233\236\004\104\276\141
\043\254\351\245\044\214\021\200\224\132\242\242\271\111\322\301
\334\321\247\355\061\021\054\236\031\246\356\341\125\341\300\352
\317\015\204\344\027\267\242\174\245\336\125\045\006\356\314\300
\207\134\100\332\314\225\077\125\340\065\307\270\204\276\264\135
\315\172\203\001\162\356\207\346\137\035\256\265\205\306\046\337
\346\301\232\351\036\002\107\237\052\250\155\251\133\317\354\105
\167\177\230\047\232\062\135\052\343\204\356\305\230\146\057\226
\040\035\335\330\303\047\327\260\371\376\331\175\315\320\237\217
\013\024\130\121\237\057\213\303\070\055\336\350\217\326\215\207
\244\365\126\103\026\231\054\364\244\126\264\064\270\141\067\311
\302\130\200\033\240\227\241\374\131\215\351\021\366\321\017\113
\125\064\106\052\213\206\073

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "ACCVRAIZ1"
Issuer: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1
Serial Number:5e:c3:b7:a6:43:7f:a4:e0
Subject: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1
Not Valid Before: Thu May 05 09:37:37 2011
Not Valid After : Tue Dec 31 09:37:37 2030
Fingerprint (SHA-256):

```

9A:6E:C0:12:E1:A7:DA:9D:BE:34:19:4D:47:8A:D7:C0:DB:18:22:FB:07:1D:F1:29:81:49:6E:D1:04:38:41:13
# Fingerprint (SHA1): 93:05:7A:88:15:C6:4F:CE:88:2F:FA:91:16:52:28:78:BC:53:64:17
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ACCVRAIZ1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\223\005\172\210\025\306\117\316\210\057\372\221\026\122\050\170
\274\123\144\027
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\320\240\132\356\005\266\011\224\041\241\175\361\262\051\202\002
END
CKA_ISSUER MULTILINE_OCTAL
\060\102\061\022\060\020\006\003\125\004\003\014\011\101\103\103
\126\122\101\111\132\061\061\020\060\016\006\003\125\004\013\014
\007\120\113\111\101\103\103\126\061\015\060\013\006\003\125\004
\012\014\004\101\103\103\126\061\013\060\011\006\003\125\004\006
\023\002\105\123
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\136\303\267\246\103\177\244\340
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "TWCA Global Root CA"
#
# Issuer: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW
# Serial Number: 3262 (0xcbe)
# Subject: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW
# Not Valid Before: Wed Jun 27 06:28:33 2012
# Not Valid After : Tue Dec 31 15:59:59 2030
# Fingerprint (SHA-256):
59:76:90:07:F7:68:5D:0F:CD:50:87:2F:9F:95:D5:75:5A:5B:2B:45:7D:81:F3:69:2B:61:0A:98:67:2F:0E:1B
# Fingerprint (SHA1): 9C:BB:48:53:F6:A4:F6:D3:52:A4:E8:32:52:55:60:13:F5:AD:AF:65
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TWCA Global Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061

```

\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\002\014\276

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\101\060\202\003\051\240\003\002\001\002\002\002\014
\276\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000
\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101\060\036\027\015\061\062\060\066\062\067\060\066\062
\070\063\063\132\027\015\063\060\061\062\063\061\061\065\065\071
\065\071\132\060\121\061\013\060\011\006\003\125\004\006\023\002
\124\127\061\022\060\020\006\003\125\004\012\023\011\124\101\111
\127\101\116\055\103\101\061\020\060\016\006\003\125\004\013\023
\007\122\157\157\164\040\103\101\061\034\060\032\006\003\125\004
\003\023\023\124\127\103\101\040\107\154\157\142\141\154\040\122
\157\157\164\040\103\101\060\202\002\042\060\015\006\011\052\206
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202
\002\012\002\202\002\001\000\260\005\333\310\353\214\304\156\212
\041\357\216\115\234\161\012\037\122\160\355\155\202\234\227\305
\327\114\116\105\111\313\100\102\265\022\064\154\031\302\164\244
\061\137\205\002\227\354\103\063\012\123\322\234\214\216\267\270
\171\333\053\325\152\362\216\146\304\356\053\001\007\222\324\263
\320\002\337\120\366\125\257\146\016\313\340\107\140\057\053\062
\071\065\122\072\050\203\370\173\026\306\030\270\142\326\107\045
\221\316\360\031\022\115\255\143\365\323\077\165\137\051\360\241
\060\034\052\240\230\246\025\275\356\375\031\066\360\342\221\103
\217\372\312\326\020\047\111\114\357\335\301\361\205\160\233\312
\352\250\132\103\374\155\206\157\163\351\067\105\251\360\066\307
\314\210\165\036\273\154\006\377\233\153\076\027\354\141\252\161
\174\306\035\242\367\111\351\025\265\074\326\241\141\365\021\367

\005\157\035\375\021\276\320\060\007\302\051\260\011\116\046\334
\343\242\250\221\152\037\302\221\105\210\134\345\230\270\161\245
\025\031\311\174\165\021\314\160\164\117\055\233\035\221\104\375
\126\050\240\376\273\206\152\310\372\134\013\130\334\306\113\166
\310\253\042\331\163\017\245\364\132\002\211\077\117\236\042\202
\356\242\164\123\052\075\123\047\151\035\154\216\062\054\144\000
\046\143\141\066\116\243\106\267\077\175\263\055\254\155\220\242
\225\242\316\317\332\202\347\007\064\031\226\351\270\041\252\051
\176\246\070\276\216\051\112\041\146\171\037\263\303\265\011\147
\336\326\324\007\106\363\052\332\346\042\067\140\313\201\266\017
\240\017\351\310\225\177\277\125\221\005\172\317\075\025\300\157
\336\011\224\001\203\327\064\033\314\100\245\360\270\233\147\325
\230\221\073\247\204\170\225\046\244\132\010\370\053\164\264\000
\004\074\337\270\024\216\350\337\251\215\154\147\222\063\035\300
\267\322\354\222\310\276\011\277\054\051\005\157\002\153\236\357
\274\277\052\274\133\300\120\217\101\160\161\207\262\115\267\004
\251\204\243\062\257\256\356\153\027\213\262\261\376\154\341\220
\214\210\250\227\110\316\310\115\313\363\006\317\137\152\012\102
\261\036\036\167\057\216\240\346\222\016\006\374\005\042\322\046
\341\061\121\175\062\334\017\002\003\001\000\001\243\043\060\041
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000
\003\202\002\001\000\137\064\201\166\357\226\035\325\345\265\331
\002\143\204\026\301\256\240\160\121\247\367\114\107\065\310\013
\327\050\075\211\161\331\252\063\101\352\024\033\154\041\000\300
\154\102\031\176\237\151\133\040\102\337\242\322\332\304\174\227
\113\215\260\350\254\310\356\245\151\004\231\012\222\246\253\047
\056\032\115\201\277\204\324\160\036\255\107\376\375\112\235\063
\340\362\271\304\105\010\041\012\332\151\151\163\162\015\276\064
\376\224\213\255\303\036\065\327\242\203\357\345\070\307\245\205
\037\253\317\064\354\077\050\376\014\361\127\206\116\311\125\367
\034\324\330\245\175\006\172\157\325\337\020\337\201\116\041\145
\261\266\341\027\171\225\105\006\316\137\314\334\106\211\143\150
\104\215\223\364\144\160\240\075\235\050\005\303\071\160\270\142
\173\040\375\344\333\351\010\241\270\236\075\011\307\117\373\054
\370\223\166\101\336\122\340\341\127\322\235\003\274\167\236\376
\236\051\136\367\301\121\140\037\336\332\013\262\055\165\267\103
\110\223\347\366\171\306\204\135\200\131\140\224\374\170\230\217
\074\223\121\355\100\220\007\337\144\143\044\313\116\161\005\241
\327\224\032\210\062\361\042\164\042\256\245\246\330\022\151\114
\140\243\002\356\053\354\324\143\222\013\136\276\057\166\153\243
\266\046\274\217\003\330\012\362\114\144\106\275\071\142\345\226
\353\064\143\021\050\314\225\361\255\357\357\334\200\130\110\351
\113\270\352\145\254\351\374\200\265\265\310\105\371\254\301\237
\331\271\352\142\210\216\304\361\113\203\022\255\346\213\204\326
\236\302\353\203\030\237\152\273\033\044\140\063\160\314\354\367
\062\363\134\331\171\175\357\236\244\376\311\043\303\044\356\025

```
\222\261\075\221\117\046\206\275\146\163\044\023\352\244\256\143
\301\255\175\204\003\074\020\170\206\033\171\343\304\363\362\004
\225\040\256\043\202\304\263\072\000\142\277\346\066\044\341\127
\272\307\036\220\165\325\137\077\225\141\053\301\073\315\345\263
\150\141\320\106\046\251\041\122\151\055\353\056\307\353\167\316
\246\072\265\003\063\117\166\321\347\134\124\001\135\313\170\364
\311\014\277\317\022\216\027\055\043\150\224\347\253\376\251\262
\053\006\320\004\315
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "TWCA Global Root CA"

Issuer: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW

Serial Number: 3262 (0xcbe)

Subject: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW

Not Valid Before: Wed Jun 27 06:28:33 2012

Not Valid After : Tue Dec 31 15:59:59 2030

Fingerprint (SHA-256):

59:76:90:07:F7:68:5D:0F:CD:50:87:2F:9F:95:D5:75:5A:5B:2B:45:7D:81:F3:69:2B:61:0A:98:67:2F:0E:1B

Fingerprint (SHA1): 9C:BB:48:53:F6:A4:F6:D3:52:A4:E8:32:52:55:60:13:F5:AD:AF:65

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "TWCA Global Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\234\273\110\123\366\244\366\323\122\244\350\062\122\125\140\023
\365\255\257\145
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\371\003\176\317\346\236\074\163\172\052\220\007\151\377\053\226
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\002\014\276
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "TeliaSonera Root CA v1"

#

Issuer: CN=TeliaSonera Root CA v1,O=TeliaSonera

Serial Number:00:95:be:16:a0:f7:2e:46:f1:7b:39:82:72:fa:8b:cd:96

Subject: CN=TeliaSonera Root CA v1,O=TeliaSonera

Not Valid Before: Thu Oct 18 12:00:50 2007

Not Valid After : Mon Oct 18 12:00:50 2032

Fingerprint (SHA-256):

DD:69:36:FE:21:F8:F0:77:C1:23:A1:A5:21:C1:22:24:F7:22:55:B7:3E:03:A7:26:06:93:E8:A2:4B:0F:A3:89

Fingerprint (SHA1): 43:13:BB:96:F1:D5:86:9B:C1:4E:6A:92:F6:CF:F6:34:69:87:82:37

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "TeliaSonera Root CA v1"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154
\151\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004
\003\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122
\157\157\164\040\103\101\040\166\061

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154
\151\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004
\003\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122
\157\157\164\040\103\101\040\166\061

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\021\000\225\276\026\240\367\056\106\361\173\071\202\162\372
\213\315\226

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\070\060\202\003\040\240\003\002\001\002\002\021\000
\225\276\026\240\367\056\106\361\173\071\202\162\372\213\315\226
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154\151
\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004\003
\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122\157
\157\164\040\103\101\040\166\061\060\036\027\015\060\067\061\060
\061\070\061\062\060\060\065\060\132\027\015\063\062\061\060\061
\070\061\062\060\060\065\060\132\060\067\061\024\060\022\006\003
\125\004\012\014\013\124\145\154\151\141\123\157\156\145\162\141
\061\037\060\035\006\003\125\004\003\014\026\124\145\154\151\141

\123\157\156\145\162\141\040\122\157\157\164\040\103\101\040\166
\061\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002
\001\000\302\276\353\047\360\041\243\363\151\046\125\176\235\305
\125\026\221\134\375\357\041\277\123\200\172\055\322\221\214\143
\061\360\354\044\360\303\245\322\162\174\020\155\364\067\267\345
\346\174\171\352\214\265\202\213\256\110\266\254\000\334\145\165
\354\052\115\137\301\207\365\040\145\053\201\250\107\076\211\043
\225\060\026\220\177\350\127\007\110\347\031\256\277\105\147\261
\067\033\006\052\376\336\371\254\175\203\373\136\272\344\217\227
\147\276\113\216\215\144\007\127\070\125\151\064\066\075\023\110
\357\117\342\323\146\036\244\317\032\267\136\066\063\324\264\006
\275\030\001\375\167\204\120\000\105\365\214\135\350\043\274\176
\376\065\341\355\120\173\251\060\215\031\323\011\216\150\147\135
\277\074\227\030\123\273\051\142\305\312\136\162\301\307\226\324
\333\055\240\264\037\151\003\354\352\342\120\361\014\074\360\254
\363\123\055\360\034\365\355\154\071\071\163\200\026\310\122\260
\043\315\340\076\334\335\074\107\240\273\065\212\342\230\150\213
\276\345\277\162\356\322\372\245\355\022\355\374\230\030\251\046
\166\334\050\113\020\040\034\323\177\026\167\055\355\157\200\367
\111\273\123\005\273\135\150\307\324\310\165\026\077\211\132\213
\367\027\107\324\114\361\322\211\171\076\115\075\230\250\141\336
\072\036\322\370\136\003\340\301\311\034\214\323\215\115\323\225
\066\263\067\137\143\143\233\063\024\360\055\046\153\123\174\211
\214\062\302\156\354\075\041\000\071\311\241\150\342\120\203\056
\260\072\053\363\066\240\254\057\344\157\141\302\121\011\071\076
\213\123\271\273\147\332\334\123\271\166\131\066\235\103\345\040
\340\075\062\140\205\042\121\267\307\063\273\335\025\057\244\170
\246\007\173\201\106\066\004\206\335\171\065\307\225\054\073\260
\243\027\065\345\163\037\264\134\131\357\332\352\020\145\173\172
\320\177\237\263\264\052\067\073\160\213\233\133\271\053\267\354
\262\121\022\227\123\051\132\324\360\022\020\334\117\002\273\022
\222\057\142\324\077\151\103\174\015\326\374\130\165\001\210\235
\130\026\113\336\272\220\377\107\001\211\006\152\366\137\262\220
\152\263\002\246\002\210\277\263\107\176\052\331\325\372\150\170
\065\115\002\003\001\000\001\243\077\060\075\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\013\006\003
\125\035\017\004\004\003\002\001\006\060\035\006\003\125\035\016
\004\026\004\024\360\217\131\070\000\263\365\217\232\226\014\325
\353\372\173\252\027\350\023\022\060\015\006\011\052\206\110\206
\367\015\001\001\005\005\000\003\202\002\001\000\276\344\134\142
\116\044\364\014\010\377\360\323\014\150\344\223\111\042\077\104
\047\157\273\155\336\203\146\316\250\314\015\374\365\232\006\345
\167\024\221\353\235\101\173\231\052\204\345\377\374\041\301\135
\360\344\037\127\267\165\251\241\137\002\046\377\327\307\367\116
\336\117\370\367\034\106\300\172\117\100\054\042\065\360\031\261
\320\153\147\054\260\250\340\300\100\067\065\366\204\134\134\343
\257\102\170\376\247\311\015\120\352\015\204\166\366\121\357\203

```
\123\306\172\377\016\126\111\056\217\172\326\014\346\047\124\343
\115\012\140\162\142\315\221\007\326\245\277\310\231\153\355\304
\031\346\253\114\021\070\305\157\061\342\156\111\310\077\166\200
\046\003\046\051\340\066\366\366\040\123\343\027\160\064\027\235
\143\150\036\153\354\303\115\206\270\023\060\057\135\106\015\107
\103\325\033\252\131\016\271\134\215\006\110\255\164\207\137\307
\374\061\124\101\023\342\307\041\016\236\340\036\015\341\300\173
\103\205\220\305\212\130\306\145\012\170\127\362\306\043\017\001
\331\040\113\336\017\373\222\205\165\052\134\163\215\155\173\045
\221\312\356\105\256\006\113\000\314\323\261\131\120\332\072\210
\073\051\103\106\136\227\053\124\316\123\157\215\112\347\226\372
\277\161\016\102\213\174\375\050\240\320\110\312\332\304\201\114
\273\242\163\223\046\310\353\014\326\046\210\266\300\044\317\273
\275\133\353\165\175\351\010\216\206\063\054\171\167\011\151\245
\211\374\263\160\220\207\166\217\323\042\273\102\316\275\163\013
\040\046\052\320\233\075\160\036\044\154\315\207\166\251\027\226
\267\317\015\222\373\216\030\251\230\111\321\236\376\140\104\162
\041\271\031\355\302\365\061\361\071\110\210\220\044\165\124\026
\255\316\364\370\151\024\144\071\373\243\270\272\160\100\307\047
\034\277\304\126\123\372\143\145\320\363\034\016\026\365\153\206
\130\115\030\324\344\015\216\245\235\133\221\334\166\044\120\077
\306\052\373\331\267\234\265\326\346\320\331\350\031\213\025\161
\110\255\267\352\330\131\210\324\220\277\026\263\331\351\254\131
\141\124\310\034\272\312\301\312\341\271\040\114\217\072\223\211
\245\240\314\277\323\366\165\244\165\226\155\126
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "TeliaSonera Root CA v1"
```

```
# Issuer: CN=TeliaSonera Root CA v1,O=TeliaSonera
```

```
# Serial Number:00:95:be:16:a0:f7:2e:46:f1:7b:39:82:72:fa:8b:cd:96
```

```
# Subject: CN=TeliaSonera Root CA v1,O=TeliaSonera
```

```
# Not Valid Before: Thu Oct 18 12:00:50 2007
```

```
# Not Valid After : Mon Oct 18 12:00:50 2032
```

```
# Fingerprint (SHA-256):
```

```
DD:69:36:FE:21:F8:F0:77:C1:23:A1:A5:21:C1:22:24:F7:22:55:B7:3E:03:A7:26:06:93:E8:A2:4B:0F:A3:89
```

```
# Fingerprint (SHA1): 43:13:BB:96:F1:D5:86:9B:C1:4E:6A:92:F6:CF:F6:34:69:87:82:37
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "TeliaSonera Root CA v1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\103\023\273\226\361\325\206\233\301\116\152\222\366\317\366\064
\151\207\202\067
```

END


```

CKA_CERT_MD5_HASH MULTILINE_OCTAL
\067\101\111\033\030\126\232\046\365\255\302\146\373\100\245\114
END
CKA_ISSUER MULTILINE_OCTAL
\060\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154
\151\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004
\003\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122
\157\157\164\040\103\101\040\166\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\000\225\276\026\240\367\056\106\361\173\071\202\162\372
\213\315\226
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "E-Tugra Certification Authority"
#
# Issuer: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im
Teknolojileri ve Hizmetleri A....,L=Ankara,C=TR
# Serial Number:6a:68:3e:9c:51:9b:cb:53
# Subject: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im
Teknolojileri ve Hizmetleri A....,L=Ankara,C=TR
# Not Valid Before: Tue Mar 05 12:09:48 2013
# Not Valid After : Fri Mar 03 12:09:48 2023
# Fingerprint (SHA-256):
B0:BF:D5:2B:B0:D7:D9:BD:92:BF:5D:4D:C1:3D:A2:55:C0:2C:54:2F:37:83:65:EA:89:39:11:F5:5E:55:F2:3C
# Fingerprint (SHA1): 51:C6:E7:08:49:06:6E:F3:92:D4:5C:A0:0D:6D:A3:62:8F:C3:52:39
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "E-Tugra Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\262\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\014\006\101\156\153\141\162
\141\061\100\060\076\006\003\125\004\012\014\067\105\055\124\165
\304\237\162\141\040\105\102\107\040\102\151\154\151\305\237\151
\155\040\124\145\153\156\157\154\157\152\151\154\145\162\151\040
\166\145\040\110\151\172\155\145\164\154\145\162\151\040\101\056
\305\236\056\061\046\060\044\006\003\125\004\013\014\035\105\055
\124\165\147\162\141\040\123\145\162\164\151\146\151\153\141\163
\171\157\156\040\115\145\162\153\145\172\151\061\050\060\046\006
\003\125\004\003\014\037\105\055\124\165\147\162\141\040\103\145

```

```
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\262\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\014\006\101\156\153\141\162
\141\061\100\060\076\006\003\125\004\012\014\067\105\055\124\165
\304\237\162\141\040\105\102\107\040\102\151\154\151\305\237\151
\155\040\124\145\153\156\157\154\157\152\151\154\145\162\151\040
\166\145\040\110\151\172\155\145\164\154\145\162\151\040\101\056
\305\236\056\061\046\060\044\006\003\125\004\013\014\035\105\055
\124\165\147\162\141\040\123\145\162\164\151\146\151\153\141\163
\171\157\156\040\115\145\162\153\145\172\151\061\050\060\046\006
\003\125\004\003\014\037\105\055\124\165\147\162\141\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\152\150\076\234\121\233\313\123
END
CKA_VALUE MULTILINE_OCTAL
\060\202\006\113\060\202\004\063\240\003\002\001\002\002\010\152
\150\076\234\121\233\313\123\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\201\262\061\013\060\011\006\003\125
\004\006\023\002\124\122\061\017\060\015\006\003\125\004\007\014
\006\101\156\153\141\162\141\061\100\060\076\006\003\125\004\012
\014\067\105\055\124\165\304\237\162\141\040\105\102\107\040\102
\151\154\151\305\237\151\155\040\124\145\153\156\157\154\157\152
\151\154\145\162\151\040\166\145\040\110\151\172\155\145\164\154
\145\162\151\040\101\056\305\236\056\061\046\060\044\006\003\125
\004\013\014\035\105\055\124\165\147\162\141\040\123\145\162\164
\151\146\151\153\141\163\171\157\156\040\115\145\162\153\145\172
\151\061\050\060\046\006\003\125\004\003\014\037\105\055\124\165
\147\162\141\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\060\036\027\015\061
\063\060\063\060\065\061\062\060\071\064\070\132\027\015\062\063
\060\063\060\063\061\062\060\071\064\070\132\060\201\262\061\013
\060\011\006\003\125\004\006\023\002\124\122\061\017\060\015\006
\003\125\004\007\014\006\101\156\153\141\162\141\061\100\060\076
\006\003\125\004\012\014\067\105\055\124\165\304\237\162\141\040
\105\102\107\040\102\151\154\151\305\237\151\155\040\124\145\153
\156\157\154\157\152\151\154\145\162\151\040\166\145\040\110\151
\172\155\145\164\154\145\162\151\040\101\056\305\236\056\061\046
\060\044\006\003\125\004\013\014\035\105\055\124\165\147\162\141
\040\123\145\162\164\151\146\151\153\141\163\171\157\156\040\115
\145\162\153\145\172\151\061\050\060\046\006\003\125\004\003\014
\037\105\055\124\165\147\162\141\040\103\145\162\164\151\146\151
```

\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001
\000\342\365\077\223\005\121\036\205\142\124\136\172\013\365\030
\007\203\256\176\257\174\367\324\212\153\245\143\103\071\271\113
\367\303\306\144\211\075\224\056\124\200\122\071\071\007\113\113
\335\205\007\166\207\314\277\057\225\114\314\175\247\075\274\107
\017\230\160\370\214\205\036\164\216\222\155\033\100\321\231\015
\273\165\156\310\251\153\232\300\204\061\257\312\103\313\353\053
\064\350\217\227\153\001\233\325\016\112\010\252\133\222\164\205
\103\323\200\256\241\210\133\256\263\352\136\313\026\232\167\104
\310\241\366\124\150\316\336\217\227\053\272\133\100\002\014\144
\027\300\265\223\315\341\361\023\146\316\014\171\357\321\221\050
\253\137\240\022\122\060\163\031\216\217\341\214\007\242\303\273
\112\360\352\037\025\250\356\045\314\244\106\370\033\042\357\263
\016\103\272\054\044\270\305\054\134\324\034\370\135\144\275\303
\223\136\050\247\077\047\361\216\036\323\052\120\005\243\125\331
\313\347\071\123\300\230\236\214\124\142\213\046\260\367\175\215
\174\344\306\236\146\102\125\202\107\347\262\130\215\146\367\007
\174\056\066\346\120\034\077\333\103\044\305\277\206\107\171\263
\171\034\367\132\364\023\354\154\370\077\342\131\037\225\356\102
\076\271\255\250\062\205\111\227\106\376\113\061\217\132\313\255
\164\107\037\351\221\267\337\050\004\042\240\324\017\135\342\171
\117\352\154\205\206\275\250\246\316\344\372\303\341\263\256\336
\074\121\356\313\023\174\001\177\204\016\135\121\224\236\023\014
\266\056\245\114\371\071\160\066\157\226\312\056\014\104\125\305
\312\372\135\002\243\337\326\144\214\132\263\001\012\251\265\012
\107\027\377\357\221\100\052\216\241\106\072\061\230\345\021\374
\314\273\111\126\212\374\271\320\141\232\157\145\154\346\303\313
\076\165\111\376\217\247\342\211\305\147\327\235\106\023\116\061
\166\073\044\263\236\021\145\206\253\177\357\035\324\370\274\347
\254\132\134\267\132\107\134\125\316\125\264\042\161\133\133\013
\360\317\334\240\141\144\352\251\327\150\012\143\247\340\015\077
\240\257\323\252\322\176\357\121\240\346\121\053\125\222\025\027
\123\313\267\146\016\146\114\370\371\165\114\220\347\022\160\307
\105\002\003\001\000\001\243\143\060\141\060\035\006\003\125\035
\016\004\026\004\024\056\343\333\262\111\320\234\124\171\134\372
\047\052\376\314\116\322\350\116\124\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125\035
\043\004\030\060\026\200\024\056\343\333\262\111\320\234\124\171
\134\372\047\052\376\314\116\322\350\116\124\060\016\006\003\125
\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\005
\067\072\364\115\267\105\342\105\165\044\217\266\167\122\350\034
\330\020\223\145\363\362\131\006\244\076\036\051\354\135\321\320
\253\174\340\012\220\110\170\355\116\230\003\231\376\050\140\221
\035\060\035\270\143\174\250\346\065\265\372\323\141\166\346\326
\007\113\312\151\232\262\204\172\167\223\105\027\025\237\044\320

\230\023\022\377\273\240\056\375\116\114\207\370\316\134\252\230
\033\005\340\000\106\112\202\200\245\063\213\050\334\355\070\323
\337\345\076\351\376\373\131\335\141\204\117\322\124\226\023\141
\023\076\217\200\151\276\223\107\265\065\103\322\132\273\075\134
\357\263\102\107\315\073\125\023\006\260\011\333\375\143\366\072
\210\012\231\157\176\341\316\033\123\152\104\146\043\121\010\173
\274\133\122\242\375\006\067\070\100\141\217\112\226\270\220\067
\370\146\307\170\220\000\025\056\213\255\121\065\123\007\250\153
\150\256\371\116\074\007\046\315\010\005\160\314\071\077\166\275
\245\323\147\046\001\206\246\123\322\140\073\174\103\177\125\212
\274\225\032\301\050\071\114\037\103\322\221\364\162\131\212\271
\126\374\077\264\235\332\160\234\166\132\214\103\120\356\216\060
\162\115\337\377\111\367\306\251\147\331\155\254\002\021\342\072
\026\045\247\130\010\313\157\123\101\234\110\070\107\150\063\321
\327\307\217\324\164\041\324\303\005\220\172\377\316\226\210\261
\025\051\135\043\253\320\140\241\022\117\336\364\027\315\062\345
\311\277\310\103\255\375\056\216\361\257\342\364\230\372\022\037
\040\330\300\247\014\205\305\220\364\073\055\226\046\261\054\276
\114\253\353\261\322\212\311\333\170\023\017\036\011\235\155\217
\000\237\002\332\301\372\037\172\172\011\304\112\346\210\052\227
\237\211\213\375\067\137\137\072\316\070\131\206\113\257\161\013
\264\330\362\160\117\237\062\023\343\260\247\127\345\332\332\103
\313\204\064\362\050\304\352\155\364\052\357\301\153\166\332\373
\176\273\205\074\322\123\302\115\276\161\341\105\321\375\043\147
\015\023\165\373\317\145\147\042\235\256\260\011\321\011\377\035
\064\277\376\043\227\067\322\071\372\075\015\006\013\264\333\073
\243\253\157\134\035\266\176\350\263\202\064\355\006\134\044

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "E-Tugra Certification Authority"

Issuer: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im
Teknolojileri ve Hizmetleri A....,L=Ankara,C=TR

Serial Number:6a:68:3e:9c:51:9b:cb:53

Subject: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im
Teknolojileri ve Hizmetleri A....,L=Ankara,C=TR

Not Valid Before: Tue Mar 05 12:09:48 2013

Not Valid After : Fri Mar 03 12:09:48 2023

Fingerprint (SHA-256):

B0:BF:D5:2B:B0:D7:D9:BD:92:BF:5D:4D:C1:3D:A2:55:C0:2C:54:2F:37:83:65:EA:89:39:11:F5:5E:55:F2:3C

Fingerprint (SHA1): 51:C6:E7:08:49:06:6E:F3:92:D4:5C:A0:0D:6D:A3:62:8F:C3:52:39

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "E-Tugra Certification Authority"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\
121\306\347\010\111\006\156\363\222\324\134\240\015\155\243\142
\
217\303\122\071
END

CKA_CERT_MD5_HASH MULTILINE_OCTAL
\
270\241\003\143\260\275\041\161\160\212\157\023\072\273\171\111
END

CKA_ISSUER MULTILINE_OCTAL
\
060\201\262\061\013\060\011\006\003\125\004\006\023\002\124\122
\
061\017\060\015\006\003\125\004\007\014\006\101\156\153\141\162
\
141\061\100\060\076\006\003\125\004\012\014\067\105\055\124\165
\
304\237\162\141\040\105\102\107\040\102\151\154\151\305\237\151
\
155\040\124\145\153\156\157\154\157\152\151\154\145\162\151\040
\
166\145\040\110\151\172\155\145\164\154\145\162\151\040\101\056
\
305\236\056\061\046\060\044\006\003\125\004\013\014\035\105\055
\
124\165\147\162\141\040\123\145\162\164\151\146\151\153\141\163
\
171\157\156\040\115\145\162\153\145\172\151\061\050\060\046\006
\
003\125\004\003\014\037\105\055\124\165\147\162\141\040\103\145
\
162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\
157\162\151\164\171
END

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\
002\010\152\150\076\234\121\233\313\123
END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

Certificate "T-TeleSec GlobalRoot Class 2"

Issuer: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services GmbH,C=DE
Serial Number: 1 (0x1)
Subject: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services GmbH,C=DE
Not Valid Before: Wed Oct 01 10:40:14 2008
Not Valid After : Sat Oct 01 23:59:59 2033
Fingerprint (SHA-256):
91:E2:F5:78:8D:58:10:EB:A7:BA:58:73:7D:E1:54:8A:8E:CA:CD:01:45:98:BC:0B:14:3E:04:1B:17:05:25:52
Fingerprint (SHA1): 59:0D:2D:7D:88:4F:40:2E:61:7E:A5:62:32:17:65:CF:17:D8:94:E9
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "T-TeleSec GlobalRoot Class 2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154
\141\163\163\040\062

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154
\141\163\163\040\062

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\001\001

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\303\060\202\002\253\240\003\002\001\002\002\001\001
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163\164
\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040\123
\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060\035
\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155\163
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045\060
\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123\145
\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154\141
\163\163\040\062\060\036\027\015\060\070\061\060\060\061\061\060
\064\060\061\064\132\027\015\063\063\061\060\060\061\062\063\065
\071\065\071\132\060\201\202\061\013\060\011\006\003\125\004\006
\023\002\104\105\061\053\060\051\006\003\125\004\012\014\042\124
\055\123\171\163\164\145\155\163\040\105\156\164\145\162\160\162
\151\163\145\040\123\145\162\166\151\143\145\163\040\107\155\142
\110\061\037\060\035\006\003\125\004\013\014\026\124\055\123\171
\163\164\145\155\163\040\124\162\165\163\164\040\103\145\156\164
\145\162\061\045\060\043\006\003\125\004\003\014\034\124\055\124
\145\154\145\123\145\143\040\107\154\157\142\141\154\122\157\157
\164\040\103\154\141\163\163\040\062\060\202\001\042\060\015\006

\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017
\000\060\202\001\012\002\202\001\001\000\252\137\332\033\137\350
\163\221\345\332\134\364\242\346\107\345\363\150\125\140\005\035
\002\244\263\233\131\363\036\212\257\064\255\374\015\302\331\110
\031\356\151\217\311\040\374\041\252\007\031\355\260\134\254\145
\307\137\355\002\174\173\174\055\033\326\272\271\200\302\030\202
\026\204\372\146\260\010\306\124\043\201\344\315\271\111\077\366
\117\156\067\110\050\070\017\305\276\347\150\160\375\071\227\115
\322\307\230\221\120\252\304\104\263\043\175\071\107\351\122\142
\326\022\223\136\267\061\226\102\005\373\166\247\036\243\365\302
\374\351\172\305\154\251\161\117\352\313\170\274\140\257\307\336
\364\331\313\276\176\063\245\156\224\203\360\064\372\041\253\352
\216\162\240\077\244\336\060\133\357\206\115\152\225\133\103\104
\250\020\025\034\345\001\127\305\230\361\346\006\050\221\252\040
\305\267\123\046\121\103\262\013\021\225\130\341\300\017\166\331
\300\215\174\201\363\162\160\236\157\376\032\216\331\137\065\306
\262\157\064\174\276\110\117\342\132\071\327\330\235\170\236\237
\206\076\003\136\031\213\104\242\325\307\002\003\001\000\001\243
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004
\003\002\001\006\060\035\006\003\125\035\016\004\026\004\024\277
\131\040\066\000\171\240\240\042\153\214\325\362\141\322\270\054
\313\202\112\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\003\202\001\001\000\061\003\242\141\013\037\164\350\162
\066\306\155\371\115\236\372\042\250\341\201\126\317\315\273\237
\352\253\221\031\070\257\252\174\025\115\363\266\243\215\245\364
\216\366\104\251\247\350\041\225\255\076\000\142\026\210\360\002
\272\374\141\043\346\063\233\060\172\153\066\142\173\255\004\043
\204\130\145\342\333\053\212\347\045\123\067\142\123\137\274\332
\001\142\051\242\246\047\161\346\072\042\176\301\157\035\225\160
\040\112\007\064\337\352\377\025\200\345\272\327\172\330\133\165
\174\005\172\051\107\176\100\250\061\023\167\315\100\073\264\121
\107\172\056\021\343\107\021\336\235\146\320\213\325\124\146\372
\203\125\352\174\302\051\211\033\351\157\263\316\342\005\204\311
\057\076\170\205\142\156\311\137\301\170\143\164\130\300\110\030
\014\231\071\353\244\314\032\265\171\132\215\025\234\330\024\015
\366\172\007\127\307\042\203\005\055\074\233\045\046\075\030\263
\251\103\174\310\310\253\144\217\016\243\277\234\033\235\060\333
\332\320\031\056\252\074\361\373\063\200\166\344\315\255\031\117
\005\047\216\023\241\156\302

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "T-TeleSec GlobalRoot Class 2"

Issuer: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services GmbH,C=DE

```

# Serial Number: 1 (0x1)
# Subject: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services
GmbH,C=DE
# Not Valid Before: Wed Oct 01 10:40:14 2008
# Not Valid After : Sat Oct 01 23:59:59 2033
# Fingerprint (SHA-256):
91:E2:F5:78:8D:58:10:EB:A7:BA:58:73:7D:E1:54:8A:8E:CA:CD:01:45:98:BC:0B:14:3E:04:1B:17:05:25:52
# Fingerprint (SHA1): 59:0D:2D:7D:88:4F:40:2E:61:7E:A5:62:32:17:65:CF:17:D8:94:E9
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "T-TeleSec GlobalRoot Class 2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\131\015\055\175\210\117\100\056\141\176\245\142\062\027\145\317
\027\330\224\351
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\053\233\236\344\173\154\037\000\162\032\314\301\167\171\337\152
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154
\141\163\163\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Atos TrustedRoot 2011"
#
# Issuer: C=DE,O=Atos,CN=Atos TrustedRoot 2011
# Serial Number:5c:33:cb:62:2c:5f:b3:32
# Subject: C=DE,O=Atos,CN=Atos TrustedRoot 2011
# Not Valid Before: Thu Jul 07 14:58:30 2011
# Not Valid After : Tue Dec 31 23:59:59 2030
# Fingerprint (SHA-256):

```


F3:56:BE:A2:44:B7:A9:1E:B3:5D:53:CA:9A:D7:86:4A:CE:01:8E:2D:35:D5:F8:F9:6D:DF:68:A6:F4:1A:A4:74
Fingerprint (SHA1): 2B:B1:F5:3E:55:0C:1D:C5:F1:D4:E6:B7:6A:46:4B:55:06:02:AC:21
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Atos TrustedRoot 2011"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\074\061\036\060\034\006\003\125\004\003\014\025\101\164\157
\163\040\124\162\165\163\164\145\144\122\157\157\164\040\062\060
\061\061\061\015\060\013\006\003\125\004\012\014\004\101\164\157
\163\061\013\060\011\006\003\125\004\006\023\002\104\105
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\074\061\036\060\034\006\003\125\004\003\014\025\101\164\157
\163\040\124\162\165\163\164\145\144\122\157\157\164\040\062\060
\061\061\061\015\060\013\006\003\125\004\012\014\004\101\164\157
\163\061\013\060\011\006\003\125\004\006\023\002\104\105
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\134\063\313\142\054\137\263\062
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\167\060\202\002\137\240\003\002\001\002\002\010\134
\063\313\142\054\137\263\062\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\074\061\036\060\034\006\003\125\004
\003\014\025\101\164\157\163\040\124\162\165\163\164\145\144\122
\157\157\164\040\062\060\061\061\061\015\060\013\006\003\125\004
\012\014\004\101\164\157\163\061\013\060\011\006\003\125\004\006
\023\002\104\105\060\036\027\015\061\061\060\067\060\067\061\064
\065\070\063\060\132\027\015\063\060\061\062\063\061\062\063\065
\071\065\071\132\060\074\061\036\060\034\006\003\125\004\003\014
\025\101\164\157\163\040\124\162\165\163\164\145\144\122\157\157
\164\040\062\060\061\061\061\015\060\013\006\003\125\004\012\014
\004\101\164\157\163\061\013\060\011\006\003\125\004\006\023\002
\104\105\060\202\001\042\060\015\006\011\052\206\110\206\367\015
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202
\001\001\000\225\205\073\227\157\052\073\056\073\317\246\363\051
\065\276\317\030\254\076\252\331\370\115\240\076\032\107\271\274
\232\337\362\376\314\076\107\350\172\226\302\044\216\065\364\251
\014\374\202\375\155\301\162\142\047\275\352\153\353\347\212\314
\124\076\220\120\317\200\324\225\373\350\265\202\324\024\305\266
\251\125\045\127\333\261\120\366\260\140\144\131\172\151\317\003
\267\157\015\276\312\076\157\164\162\352\252\060\052\163\142\276
\111\221\141\310\021\376\016\003\052\367\152\040\334\002\025\015
\136\025\152\374\343\202\301\265\305\235\144\011\154\243\131\230

\007\047\307\033\226\053\141\164\161\154\103\361\367\065\211\020
\340\236\354\125\241\067\042\242\207\004\005\054\107\175\264\034
\271\142\051\146\050\312\267\341\223\365\244\224\003\231\271\160
\205\265\346\110\352\215\120\374\331\336\314\157\007\016\335\013
\162\235\200\060\026\007\225\077\050\016\375\305\165\117\123\326
\164\232\264\044\056\216\002\221\317\166\305\233\036\125\164\234
\170\041\261\360\055\361\013\237\302\325\226\030\037\360\124\042
\172\214\007\002\003\001\000\001\243\175\060\173\060\035\006\003
\125\035\016\004\026\004\024\247\245\006\261\054\246\011\140\356
\321\227\351\160\256\274\073\031\154\333\041\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003
\125\035\043\004\030\060\026\200\024\247\245\006\261\054\246\011
\140\356\321\227\351\160\256\274\073\031\154\333\041\060\030\006
\003\125\035\040\004\021\060\017\060\015\006\013\053\006\001\004
\001\260\055\003\004\001\001\060\016\006\003\125\035\017\001\001
\377\004\004\003\002\001\206\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\003\202\001\001\000\046\167\064\333\224
\110\206\052\101\235\054\076\006\220\140\304\214\254\013\124\270
\037\271\173\323\007\071\344\372\076\173\262\075\116\355\237\043
\275\227\363\153\134\357\356\375\100\246\337\241\223\241\012\206
\254\357\040\320\171\001\275\170\367\031\330\044\061\064\004\001
\246\272\025\232\303\047\334\330\117\017\314\030\143\377\231\017
\016\221\153\165\026\341\041\374\330\046\307\107\267\246\317\130
\162\161\176\272\341\115\225\107\073\311\257\155\241\264\301\354
\211\366\264\017\070\265\342\144\334\045\317\246\333\353\232\134
\231\241\305\010\336\375\346\332\325\326\132\105\014\304\267\302
\265\024\357\264\021\377\016\025\265\365\365\333\306\275\353\132
\247\360\126\042\251\074\145\124\306\025\250\275\206\236\315\203
\226\150\172\161\201\211\341\013\341\352\021\033\150\010\314\151
\236\354\236\101\236\104\062\046\172\342\207\012\161\075\353\344
\132\244\322\333\305\315\306\336\140\177\271\363\117\104\222\357
\052\267\030\076\247\031\331\013\175\261\067\101\102\260\272\140
\035\362\376\011\021\260\360\207\173\247\235

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Atos TrustedRoot 2011"

Issuer: C=DE,O=Atos,CN=Atos TrustedRoot 2011

Serial Number:5c:33:cb:62:2c:5f:b3:32

Subject: C=DE,O=Atos,CN=Atos TrustedRoot 2011

Not Valid Before: Thu Jul 07 14:58:30 2011

Not Valid After : Tue Dec 31 23:59:59 2030

Fingerprint (SHA-256):

F3:56:BE:A2:44:B7:A9:1E:B3:5D:53:CA:9A:D7:86:4A:CE:01:8E:2D:35:D5:F8:F9:6D:DF:68:A6:F4:1A:A4:74

Fingerprint (SHA1): 2B:B1:F5:3E:55:0C:1D:C5:F1:D4:E6:B7:6A:46:4B:55:06:02:AC:21

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

```

CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Atos TrustedRoot 2011"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\053\261\365\076\125\014\035\305\361\324\346\267\152\106\113\125
\006\002\254\041
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\256\271\304\062\113\254\177\135\146\314\167\224\273\052\167\126
END
CKA_ISSUER MULTILINE_OCTAL
\060\074\061\036\060\034\006\003\125\004\003\014\025\101\164\157
\163\040\124\162\165\163\164\145\144\122\157\157\164\040\062\060
\061\061\061\015\060\013\006\003\125\004\012\014\004\101\164\157
\163\061\013\060\011\006\003\125\004\006\023\002\104\105
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\134\063\313\142\054\137\263\062
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "QuoVadis Root CA 1 G3"
#
# Issuer: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM
# Serial Number:78:58:5f:2e:ad:2c:19:4b:e3:37:07:35:34:13:28:b5:96:d4:65:93
# Subject: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM
# Not Valid Before: Thu Jan 12 17:27:44 2012
# Not Valid After : Sun Jan 12 17:27:44 2042
# Fingerprint (SHA-256):
8A:86:6F:D1:B2:76:B5:7E:57:8E:92:1C:65:82:8A:2B:ED:58:E9:F2:F2:88:05:41:34:B7:F1:F4:BF:C9:CC:74
# Fingerprint (SHA1): 1B:8E:EA:57:96:29:1A:C9:39:EA:B8:0A:81:1A:73:73:C0:93:79:67
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 1 G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\061\040\107\063

```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\061\040\107\063

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\024\170\130\137\056\255\054\031\113\343\067\007\065\064\023
\050\265\226\324\145\223

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\140\060\202\003\110\240\003\002\001\002\002\024\170
\130\137\056\255\054\031\113\343\067\007\065\064\023\050\265\226
\324\145\223\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\110\061\013\060\011\006\003\125\004\006\023\002\102
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126
\141\144\151\163\040\114\151\155\151\164\145\144\061\036\060\034
\006\003\125\004\003\023\025\121\165\157\126\141\144\151\163\040
\122\157\157\164\040\103\101\040\061\040\107\063\060\036\027\015
\061\062\060\061\061\062\061\067\062\067\064\064\132\027\015\064
\062\060\061\061\062\061\067\062\067\064\064\132\060\110\061\013
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006
\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114
\151\155\151\164\145\144\061\036\060\034\006\003\125\004\003\023
\025\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103
\101\040\061\040\107\063\060\202\002\042\060\015\006\011\052\206
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202
\002\012\002\202\002\001\000\240\276\120\020\216\351\362\154\100
\264\004\234\205\271\061\312\334\055\344\021\251\004\074\033\125
\301\347\130\060\035\044\264\303\357\205\336\214\054\341\301\075
\337\202\346\117\255\107\207\154\354\133\111\301\112\325\273\217
\354\207\254\177\202\232\206\354\075\003\231\122\001\322\065\236
\254\332\360\123\311\146\074\324\254\002\001\332\044\323\073\250
\002\106\257\244\034\343\370\163\130\166\267\366\016\220\015\265
\360\317\314\372\371\306\114\345\303\206\060\012\215\027\176\065
\353\305\337\273\016\234\300\215\207\343\210\070\205\147\372\076
\307\253\340\023\234\005\030\230\317\223\365\261\222\264\374\043
\323\317\325\304\047\111\340\236\074\233\010\243\213\135\052\041
\340\374\071\252\123\332\175\176\317\032\011\123\274\135\005\004
\317\241\112\217\213\166\202\015\241\370\322\307\024\167\133\220
\066\007\201\233\076\006\372\122\136\143\305\246\000\376\245\351
\122\033\122\265\222\071\162\003\011\142\275\260\140\026\156\246
\335\045\302\003\146\335\363\004\321\100\342\116\213\206\364\157
\345\203\240\047\204\136\004\301\365\220\275\060\075\304\357\250
\151\274\070\233\244\244\226\321\142\332\151\300\001\226\256\313

\304\121\064\352\014\252\377\041\216\131\217\112\134\344\141\232
\247\322\351\052\170\215\121\075\072\025\356\242\131\216\251\134
\336\305\371\220\042\345\210\105\161\335\221\231\154\172\237\075
\075\230\174\136\366\276\026\150\240\136\256\013\043\374\132\017
\252\042\166\055\311\241\020\035\344\323\104\043\220\210\237\306
\052\346\327\365\232\263\130\036\057\060\211\010\033\124\242\265
\230\043\354\010\167\034\225\135\141\321\313\211\234\137\242\112
\221\232\357\041\252\111\026\010\250\275\141\050\061\311\164\255
\205\366\331\305\261\213\321\345\020\062\115\137\213\040\072\074
\111\037\063\205\131\015\333\313\011\165\103\151\163\373\153\161
\175\360\337\304\114\175\306\243\056\310\225\171\313\163\242\216
\116\115\044\373\136\344\004\276\162\033\246\047\055\111\132\231
\172\327\134\011\040\267\177\224\271\117\361\015\034\136\210\102
\033\021\267\347\221\333\236\154\364\152\337\214\006\230\003\255
\314\050\357\245\107\363\123\002\003\001\000\001\243\102\060\100
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001
\006\060\035\006\003\125\035\016\004\026\004\024\243\227\326\363
\136\242\020\341\253\105\237\074\027\144\074\356\001\160\234\314
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003
\202\002\001\000\030\372\133\165\374\076\172\307\137\167\307\312
\337\317\137\303\022\304\100\135\324\062\252\270\152\327\325\025
\025\106\230\043\245\346\220\133\030\231\114\343\255\102\243\202
\061\066\210\315\351\373\304\004\226\110\213\001\307\215\001\317
\133\063\006\226\106\146\164\035\117\355\301\266\271\264\015\141
\314\143\176\327\056\167\214\226\034\052\043\150\153\205\127\166
\160\063\023\376\341\117\246\043\167\030\372\032\214\350\275\145
\311\317\077\364\311\027\334\353\307\274\300\004\056\055\106\057
\151\146\303\033\217\376\354\076\323\312\224\277\166\012\045\015
\251\173\002\034\251\320\073\137\013\300\201\072\075\144\341\277
\247\055\116\275\115\304\330\051\306\042\030\320\305\254\162\002
\202\077\252\072\242\072\042\227\061\335\010\143\303\165\024\271
\140\050\055\133\150\340\026\251\146\202\043\121\365\353\123\330
\061\233\173\351\267\235\113\353\210\026\317\371\135\070\212\111
\060\217\355\361\353\031\364\167\032\061\030\115\147\124\154\057
\157\145\371\333\075\354\041\354\136\364\364\213\312\140\145\124
\321\161\144\364\371\246\243\201\063\066\063\161\360\244\170\137
\116\255\203\041\336\064\111\215\350\131\254\235\362\166\132\066
\362\023\364\257\340\011\307\141\052\154\367\340\235\256\273\206
\112\050\157\056\356\264\171\315\220\063\303\263\166\372\365\360
\154\235\001\220\372\236\220\366\234\162\317\107\332\303\037\344
\065\040\123\362\124\321\337\141\203\246\002\342\045\070\336\205
\062\055\136\163\220\122\135\102\304\316\075\113\341\371\031\204
\035\325\242\120\314\101\373\101\024\303\275\326\311\132\243\143
\146\002\200\275\005\072\073\107\234\354\000\046\114\365\210\121
\277\250\043\177\030\007\260\013\355\213\046\241\144\323\141\112
\353\134\237\336\263\257\147\003\263\037\335\155\135\151\150\151
\253\136\072\354\174\151\274\307\073\205\116\236\025\271\264\025

```
\117\303\225\172\130\327\311\154\351\154\271\363\051\143\136\264
\054\360\055\075\355\132\145\340\251\133\100\302\110\231\201\155
\236\037\006\052\074\022\264\213\017\233\242\044\360\246\215\326
\172\340\113\266\144\226\143\225\204\302\112\315\034\056\044\207
\063\140\345\303
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "QuoVadis Root CA 1 G3"
```

```
# Issuer: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM
```

```
# Serial Number:78:58:5f:2e:ad:2c:19:4b:e3:37:07:35:34:13:28:b5:96:d4:65:93
```

```
# Subject: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM
```

```
# Not Valid Before: Thu Jan 12 17:27:44 2012
```

```
# Not Valid After : Sun Jan 12 17:27:44 2042
```

```
# Fingerprint (SHA-256):
```

```
8A:86:6F:D1:B2:76:B5:7E:57:8E:92:1C:65:82:8A:2B:ED:58:E9:F2:F2:88:05:41:34:B7:F1:F4:BF:C9:CC:74
```

```
# Fingerprint (SHA1): 1B:8E:EA:57:96:29:1A:C9:39:EA:B8:0A:81:1A:73:73:C0:93:79:67
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "QuoVadis Root CA 1 G3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\033\216\352\127\226\051\032\311\071\352\270\012\201\032\163\163
\300\223\171\147
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\244\274\133\077\376\067\232\372\144\360\342\372\005\075\013\253
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\061\040\107\063
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\024\170\130\137\056\255\054\031\113\343\067\007\065\064\023
\050\265\226\324\145\223
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```

# Certificate "QuoVadis Root CA 2 G3"
#
# Issuer: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM
# Serial Number:44:57:34:24:5b:81:89:9b:35:f2:ce:b8:2b:3b:5b:a7:26:f0:75:28
# Subject: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM
# Not Valid Before: Thu Jan 12 18:59:32 2012
# Not Valid After : Sun Jan 12 18:59:32 2042
# Fingerprint (SHA-256):
8F:E4:FB:0A:F9:3A:4D:0D:67:DB:0B:EB:B2:3E:37:C7:1B:F3:25:DC:BC:DD:24:0E:A0:4D:AF:58:B4:7E:18:40
# Fingerprint (SHA1): 09:3C:61:F3:8B:8B:DC:7D:55:DF:75:38:02:05:00:E1:25:F5:C8:36
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 2 G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\104\127\064\044\133\201\211\233\065\362\316\270\053\073
\133\247\046\360\165\050
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\140\060\202\003\110\240\003\002\001\002\002\024\104
\127\064\044\133\201\211\233\065\362\316\270\053\073\133\247\046
\360\165\050\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\110\061\013\060\011\006\003\125\004\006\023\002\102
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126
\141\144\151\163\040\114\151\155\151\164\145\144\061\036\060\034
\006\003\125\004\003\023\025\121\165\157\126\141\144\151\163\040
\122\157\157\164\040\103\101\040\062\040\107\063\060\036\027\015
\061\062\060\061\061\062\061\070\065\071\063\062\132\027\015\064
\062\060\061\061\062\061\070\065\071\063\062\132\060\110\061\013
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006
\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114

```

\151\155\151\164\145\144\061\036\060\034\006\003\125\004\003\023
\025\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103
\101\040\062\040\107\063\060\202\002\042\060\015\006\011\052\206
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202
\002\012\002\202\002\001\000\241\256\045\262\001\030\334\127\210
\077\106\353\371\257\342\353\043\161\342\232\321\141\146\041\137
\252\257\047\121\345\156\033\026\324\055\175\120\260\123\167\275
\170\072\140\342\144\002\233\174\206\233\326\032\216\255\377\037
\025\177\325\225\036\022\313\346\024\204\004\301\337\066\263\026
\237\212\343\311\333\230\064\316\330\063\027\050\106\374\247\311
\360\322\264\325\115\011\162\111\371\362\207\343\251\332\175\241
\175\153\262\072\045\251\155\122\104\254\370\276\156\373\334\246
\163\221\220\141\246\003\024\040\362\347\207\243\210\255\255\240
\214\377\246\013\045\122\045\347\026\001\325\313\270\065\201\014
\243\073\360\341\341\374\132\135\316\200\161\155\370\111\253\076
\073\272\270\327\200\001\373\245\353\133\263\305\136\140\052\061
\240\257\067\350\040\072\237\250\062\054\014\314\011\035\323\236
\216\135\274\114\230\356\305\032\150\173\354\123\246\351\024\065
\243\337\315\200\237\014\110\373\034\364\361\277\112\270\372\325
\214\161\112\307\037\255\376\101\232\263\203\135\362\204\126\357
\245\127\103\316\051\255\214\253\125\277\304\373\133\001\335\043
\041\241\130\000\216\303\320\152\023\355\023\343\022\053\200\334
\147\346\225\262\315\036\042\156\052\370\101\324\362\312\024\007
\215\212\125\022\306\151\365\270\206\150\057\123\136\260\322\252
\041\301\230\346\060\343\147\125\307\233\156\254\031\250\125\246
\105\006\320\043\072\333\353\145\135\052\021\021\360\073\117\312
\155\364\064\304\161\344\377\000\132\366\134\256\043\140\205\163
\361\344\020\261\045\256\325\222\273\023\301\014\340\071\332\264
\071\127\265\253\065\252\162\041\073\203\065\347\061\337\172\041
\156\270\062\010\175\035\062\221\025\112\142\162\317\343\167\241
\274\325\021\033\166\001\147\010\340\101\013\303\353\025\156\370
\244\031\331\242\253\257\342\047\122\126\053\002\212\054\024\044
\371\277\102\002\277\046\310\306\217\340\156\070\175\123\055\345
\355\230\263\225\143\150\177\371\065\364\337\210\305\140\065\222
\300\174\151\034\141\225\026\320\353\336\013\257\076\004\020\105
\145\130\120\070\257\110\362\131\266\026\362\074\015\220\002\306
\160\056\001\255\074\025\327\002\003\001\000\001\243\102\060\100
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001
\006\060\035\006\003\125\035\016\004\026\004\024\355\347\157\166
\132\277\140\354\111\133\306\245\167\273\162\026\161\233\304\075
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003
\202\002\001\000\221\337\200\077\103\011\176\161\302\367\353\263
\210\217\341\121\262\274\075\165\371\050\135\310\274\231\233\173
\135\252\345\312\341\012\367\350\262\323\237\335\147\061\176\272
\001\252\307\152\101\073\220\324\010\134\262\140\152\220\360\310
\316\003\142\371\213\355\373\156\052\334\006\115\074\051\017\211
\026\212\130\114\110\017\350\204\141\352\074\162\246\167\344\102

\256\210\243\103\130\171\176\256\312\245\123\015\251\075\160\275
\040\031\141\244\154\070\374\103\062\341\301\107\377\370\354\361
\021\042\062\226\234\302\366\133\151\226\173\040\014\103\101\232
\133\366\131\031\210\336\125\210\067\121\013\170\134\012\036\243
\102\375\307\235\210\017\300\362\170\002\044\124\223\257\211\207
\210\311\112\200\035\352\320\156\076\141\056\066\273\065\016\047
\226\375\146\064\073\141\162\163\361\026\134\107\006\124\111\000
\172\130\022\260\012\357\205\375\261\270\063\165\152\223\034\022
\346\140\136\157\035\177\311\037\043\313\204\141\237\036\202\104
\371\137\255\142\125\044\232\122\230\355\121\347\241\176\227\072
\346\057\037\021\332\123\200\054\205\236\253\065\020\333\042\137
\152\305\136\227\123\362\062\002\011\060\243\130\360\015\001\325
\162\306\261\174\151\173\303\365\066\105\314\141\156\136\114\224
\305\136\256\350\016\136\213\277\367\315\340\355\241\016\033\063
\356\124\030\376\017\276\357\176\204\153\103\343\160\230\333\135
\165\262\015\131\007\205\025\043\071\326\361\337\251\046\017\326
\110\307\263\246\042\365\063\067\132\225\107\237\173\272\030\025
\157\377\326\024\144\203\111\322\012\147\041\333\017\065\143\140
\050\042\343\261\225\203\315\205\246\335\057\017\347\147\122\156
\273\057\205\174\365\112\163\347\305\076\300\275\041\022\005\077
\374\267\003\111\002\133\310\045\346\342\124\070\365\171\207\214
\035\123\262\116\205\173\006\070\307\054\370\370\260\162\215\045
\345\167\122\364\003\034\110\246\120\137\210\040\060\156\362\202
\103\253\075\227\204\347\123\373\041\301\117\017\042\232\206\270
\131\052\366\107\075\031\210\055\350\205\341\236\354\205\010\152
\261\154\064\311\035\354\110\053\073\170\355\146\304\216\171\151
\203\336\177\214

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "QuoVadis Root CA 2 G3"

Issuer: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM

Serial Number:44:57:34:24:5b:81:89:9b:35:f2:ce:b8:2b:3b:5b:a7:26:f0:75:28

Subject: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM

Not Valid Before: Thu Jan 12 18:59:32 2012

Not Valid After : Sun Jan 12 18:59:32 2042

Fingerprint (SHA-256):

8F:E4:FB:0A:F9:3A:4D:0D:67:DB:0B:EB:B2:3E:37:C7:1B:F3:25:DC:BC:DD:24:0E:A0:4D:AF:58:B4:7E:18:40

Fingerprint (SHA1): 09:3C:61:F3:8B:8B:DC:7D:55:DF:75:38:02:05:00:E1:25:F5:C8:36

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "QuoVadis Root CA 2 G3"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\011\074\141\363\213\213\334\175\125\337\165\070\002\005\000\341

```

\045\365\310\066
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\257\014\206\156\277\100\055\177\013\076\022\120\272\022\075\006
END
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\104\127\064\044\133\201\211\233\065\362\316\270\053\073
\133\247\046\360\165\050
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "QuoVadis Root CA 3 G3"
#
# Issuer: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
# Serial Number:2e:f5:9b:02:28:a7:db:7a:ff:d5:a3:a9:ee:bd:03:a0:cf:12:6a:1d
# Subject: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
# Not Valid Before: Thu Jan 12 20:26:32 2012
# Not Valid After : Sun Jan 12 20:26:32 2042
# Fingerprint (SHA-256):
88:EF:81:DE:20:2E:B0:18:45:2E:43:F8:64:72:5C:EA:5F:BD:1F:C2:D9:D2:05:73:07:09:C5:D8:B8:69:0F:46
# Fingerprint (SHA1): 48:12:BD:92:3C:A8:C4:39:06:E7:30:6D:27:96:E6:A4:CF:22:2E:7D
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 3 G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061

```

\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063\040\107\063

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\024\056\365\233\002\050\247\333\172\377\325\243\251\356\275
\003\240\317\022\152\035

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\140\060\202\003\110\240\003\002\001\002\002\024\056
\365\233\002\050\247\333\172\377\325\243\251\356\275\003\240\317
\022\152\035\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\110\061\013\060\011\006\003\125\004\006\023\002\102
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126
\141\144\151\163\040\114\151\155\151\164\145\144\061\036\060\034
\006\003\125\004\003\023\025\121\165\157\126\141\144\151\163\040
\122\157\157\164\040\103\101\040\063\040\107\063\060\036\027\015
\061\062\060\061\061\062\062\060\062\066\063\062\132\027\015\064
\062\060\061\061\062\062\060\062\066\063\062\132\060\110\061\013
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006
\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114
\151\155\151\164\145\144\061\036\060\034\006\003\125\004\003\023
\025\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103
\101\040\063\040\107\063\060\202\002\042\060\015\006\011\052\206
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202
\002\012\002\202\002\001\000\263\313\016\020\147\216\352\024\227
\247\062\052\012\126\066\177\150\114\307\263\157\072\043\024\221
\377\031\177\245\312\254\356\263\166\235\172\351\213\033\253\153
\061\333\372\013\123\114\257\305\245\032\171\074\212\114\377\254
\337\045\336\116\331\202\062\013\104\336\312\333\214\254\243\156
\026\203\073\246\144\113\062\211\373\026\026\070\176\353\103\342
\323\164\112\302\142\012\163\012\335\111\263\127\322\260\012\205
\235\161\074\336\243\313\300\062\363\001\071\040\103\033\065\321
\123\263\261\356\305\223\151\202\076\026\265\050\106\241\336\352
\211\011\355\103\270\005\106\212\206\365\131\107\276\033\157\001
\041\020\271\375\251\322\050\312\020\071\011\312\023\066\317\234
\255\255\100\164\171\053\002\077\064\377\372\040\151\175\323\356
\141\365\272\263\347\060\320\067\043\206\162\141\105\051\110\131
\150\157\167\246\056\201\276\007\115\157\257\316\304\105\023\221
\024\160\006\217\037\237\370\207\151\261\016\357\303\211\031\353
\352\034\141\374\172\154\212\334\326\003\013\236\046\272\022\335
\324\124\071\253\046\243\063\352\165\201\332\055\315\017\117\344
\003\321\357\025\227\033\153\220\305\002\220\223\146\002\041\261
\107\336\213\232\112\200\271\125\217\265\242\057\300\326\063\147
\332\176\304\247\264\004\104\353\107\373\346\130\271\367\014\360
\173\053\261\300\160\051\303\100\142\055\073\110\151\334\043\074
\110\353\173\011\171\251\155\332\250\060\230\317\200\162\003\210

\246\133\106\256\162\171\174\010\003\041\145\256\267\341\034\245
\261\052\242\061\336\146\004\367\300\164\350\161\336\377\075\131
\314\226\046\022\213\205\225\127\032\253\153\165\013\104\075\021
\050\074\173\141\267\342\217\147\117\345\354\074\114\140\200\151
\127\070\036\001\133\215\125\350\307\337\300\314\167\043\064\111
\165\174\366\230\021\353\055\336\355\101\056\024\005\002\177\340
\376\040\353\065\347\021\254\042\316\127\075\336\311\060\155\020
\003\205\315\361\377\214\026\265\301\262\076\210\154\140\177\220
\117\225\367\366\055\255\001\071\007\004\372\165\200\175\277\111
\120\355\357\311\304\174\034\353\200\176\333\266\320\335\023\376
\311\323\234\327\262\227\251\002\003\001\000\001\243\102\060\100
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001
\006\060\035\006\003\125\035\016\004\026\004\024\306\027\320\274
\250\352\002\103\362\033\006\231\135\053\220\040\271\327\234\344
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003
\202\002\001\000\064\141\331\126\265\022\207\125\115\335\243\065
\061\106\273\244\007\162\274\137\141\142\350\245\373\013\067\261
\074\266\263\372\051\235\177\002\365\244\311\250\223\267\172\161
\050\151\217\163\341\122\220\332\325\276\072\345\267\166\152\126
\200\041\337\135\346\351\072\236\345\076\366\242\151\307\052\012
\260\030\107\334\040\160\175\122\243\076\131\174\301\272\311\310
\025\100\141\312\162\326\160\254\322\267\360\034\344\206\051\360
\316\357\150\143\320\265\040\212\025\141\232\176\206\230\264\311
\302\166\373\314\272\060\026\314\243\141\306\164\023\345\153\357
\243\025\352\003\376\023\213\144\344\323\301\322\350\204\373\111
\321\020\115\171\146\353\252\375\364\215\061\036\160\024\255\334
\336\147\023\114\201\025\141\274\267\331\221\167\161\031\201\140
\273\360\130\245\265\234\013\367\217\042\125\047\300\113\001\155
\073\231\015\324\035\233\143\147\057\320\356\015\312\146\274\224
\117\246\255\355\374\356\143\254\127\077\145\045\317\262\206\217
\320\010\377\270\166\024\156\336\345\047\354\253\170\265\123\271
\266\077\350\040\371\322\250\276\141\106\312\207\214\204\363\371
\361\240\150\233\042\036\201\046\233\020\004\221\161\300\006\037
\334\240\323\271\126\247\343\230\055\177\203\235\337\214\053\234
\062\216\062\224\360\001\074\042\052\237\103\302\056\303\230\071
\007\070\173\374\136\000\102\037\363\062\046\171\203\204\366\345
\360\301\121\022\300\013\036\004\043\014\124\245\114\057\111\305
\112\321\266\156\140\015\153\374\153\213\205\044\144\267\211\016
\253\045\107\133\074\317\176\111\275\307\351\012\306\332\367\176
\016\027\010\323\110\227\320\161\222\360\017\071\076\064\152\034
\175\330\362\042\256\273\151\364\063\264\246\110\125\321\017\016
\046\350\354\266\013\055\247\205\065\315\375\131\310\237\321\315
\076\132\051\064\271\075\204\316\261\145\324\131\221\221\126\165
\041\301\167\236\371\172\341\140\235\323\255\004\030\364\174\353
\136\223\217\123\112\042\051\370\110\053\076\115\206\254\133\177
\313\006\231\131\140\330\130\145\225\215\104\321\367\177\176\047
\177\175\256\200\365\007\114\266\076\234\161\124\231\004\113\375

```

\130\371\230\364
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "QuoVadis Root CA 3 G3"
# Issuer: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
# Serial Number:2e:f5:9b:02:28:a7:db:7a:ff:d5:a3:a9:ee:bd:03:a0:cf:12:6a:1d
# Subject: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
# Not Valid Before: Thu Jan 12 20:26:32 2012
# Not Valid After : Sun Jan 12 20:26:32 2042
# Fingerprint (SHA-256):
88:EF:81:DE:20:2E:B0:18:45:2E:43:F8:64:72:5C:EA:5F:BD:1F:C2:D9:D2:05:73:07:09:C5:D8:B8:69:0F:46
# Fingerprint (SHA1): 48:12:BD:92:3C:A8:C4:39:06:E7:30:6D:27:96:E6:A4:CF:22:2E:7D
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 3 G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\110\022\275\222\074\250\304\071\006\347\060\155\047\226\346\244
\317\042\056\175
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\337\175\271\255\124\157\150\241\337\211\127\003\227\103\260\327
END
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\056\365\233\002\050\247\333\172\377\325\243\251\356\275
\003\240\317\022\152\035
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DigiCert Assured ID Root G2"
#
# Issuer: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:0b:93:1c:3a:d6:39:67:ea:67:23:bf:c3:af:9a:f4:4b

```

```
# Subject: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Thu Aug 01 12:00:00 2013
# Not Valid After : Fri Jan 15 12:00:00 2038
# Fingerprint (SHA-256):
7D:05:EB:B6:82:33:9F:8C:94:51:EE:09:4E:EB:FE:FA:79:53:A1:14:ED:B2:F4:49:49:45:2F:AB:7D:2F:C1:85
# Fingerprint (SHA1): A1:4B:48:D9:43:EE:0A:0E:40:90:4F:3C:E0:A4:C0:91:93:51:5D:3F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Assured ID Root G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\013\223\034\072\326\071\147\352\147\043\277\303\257\232
\364\113
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\226\060\202\002\176\240\003\002\001\002\002\020\013
\223\034\072\326\071\147\352\147\043\277\303\257\232\364\113\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\145
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\044\060\042\006\003\125\004\003\023\033\104\151\147\151\103\145
\162\164\040\101\163\163\165\162\145\144\040\111\104\040\122\157
\157\164\040\107\062\060\036\027\015\061\063\060\070\060\061\061\062
\062\060\060\060\060\132\027\015\063\070\060\061\061\065\061\062
\060\060\060\060\132\060\145\061\013\060\011\006\003\125\004\006
```

\023\002\125\123\061\025\060\023\006\003\125\004\012\023\014\104
\151\147\151\103\145\162\164\040\111\156\143\061\031\060\027\006
\003\125\004\013\023\020\167\167\167\056\144\151\147\151\143\145
\162\164\056\143\157\155\061\044\060\042\006\003\125\004\003\023
\033\104\151\147\151\103\145\162\164\040\101\163\163\165\162\145
\144\040\111\104\040\122\157\157\164\040\107\062\060\202\001\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\001\017\000\060\202\001\012\002\202\001\001\000\331\347\050
\057\122\077\066\162\111\210\223\064\363\370\152\036\061\124\200
\237\255\124\101\265\107\337\226\250\324\257\200\055\271\012\317
\165\375\211\245\175\044\372\343\042\014\053\274\225\027\013\063
\277\031\115\101\006\220\000\275\014\115\020\376\007\265\347\034
\156\042\125\061\145\227\275\323\027\322\036\142\363\333\352\154
\120\214\077\204\014\226\317\267\313\003\340\312\155\241\024\114
\033\211\335\355\000\260\122\174\257\221\154\261\070\023\321\351
\022\010\300\000\260\034\053\021\332\167\160\066\233\256\316\171
\207\334\202\160\346\011\164\160\125\151\257\243\150\237\277\335
\266\171\263\362\235\160\051\125\364\253\377\225\141\363\311\100
\157\035\321\276\223\273\323\210\052\273\235\277\162\132\126\161
\073\077\324\363\321\012\376\050\357\243\356\331\231\257\003\323
\217\140\267\362\222\241\261\275\211\211\037\060\315\303\246\056
\142\063\256\026\002\167\104\132\347\201\012\074\247\104\056\171
\270\077\004\274\134\240\207\341\033\257\121\216\315\354\054\372
\370\376\155\360\072\174\252\213\344\147\225\061\215\002\003\001
\000\001\243\102\060\100\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001
\377\004\004\003\002\001\206\060\035\006\003\125\035\016\004\026
\004\024\316\303\112\271\231\125\362\270\333\140\277\251\176\275
\126\265\227\066\247\326\060\015\006\011\052\206\110\206\367\015
\001\001\013\005\000\003\202\001\001\000\312\245\125\214\343\310
\101\156\151\047\247\165\021\357\074\206\066\157\322\235\306\170
\070\035\151\226\242\222\151\056\070\154\233\175\004\324\211\245
\261\061\067\212\311\041\314\253\154\315\213\034\232\326\277\110
\322\062\146\301\212\300\363\057\072\357\300\343\324\221\206\321
\120\343\003\333\163\167\157\112\071\123\355\336\046\307\265\175
\257\053\102\321\165\142\343\112\053\002\307\120\113\340\151\342
\226\154\016\104\146\020\104\217\255\005\353\370\171\254\246\033
\350\067\064\235\123\311\141\252\242\122\257\112\160\026\206\302
\072\310\261\023\160\066\330\317\356\364\012\064\325\133\114\375
\007\234\242\272\331\001\162\134\363\115\301\335\016\261\034\015
\304\143\276\255\364\024\373\211\354\242\101\016\114\314\310\127
\100\320\156\003\252\315\014\216\211\231\231\154\360\074\060\257
\070\337\157\274\243\276\051\040\047\253\164\377\023\042\170\336
\227\122\125\036\203\265\124\040\003\356\256\300\117\126\336\067
\314\303\177\252\004\047\273\323\167\270\142\333\027\174\234\050
\042\023\163\154\317\046\365\212\051\347

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "DigiCert Assured ID Root G2"

Issuer: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US

Serial Number:0b:93:1c:3a:d6:39:67:ea:67:23:bf:c3:af:9a:f4:4b

Subject: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US

Not Valid Before: Thu Aug 01 12:00:00 2013

Not Valid After : Fri Jan 15 12:00:00 2038

Fingerprint (SHA-256):

7D:05:EB:B6:82:33:9F:8C:94:51:EE:09:4E:EB:FE:FA:79:53:A1:14:ED:B2:F4:49:49:45:2F:AB:7D:2F:C1:85

Fingerprint (SHA1): A1:4B:48:D9:43:EE:0A:0E:40:90:4F:3C:E0:A4:C0:91:93:51:5D:3F

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "DigiCert Assured ID Root G2"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\241\113\110\331\103\356\012\016\100\220\117\074\340\244\300\221

\223\121\135\077

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\222\070\271\370\143\044\202\145\054\127\063\346\376\201\217\235

END

CKA_ISSUER MULTILINE_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061

\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145

\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023

\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157

\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151

\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040

\122\157\157\164\040\107\062

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\013\223\034\072\326\071\147\352\147\043\277\303\257\232

\364\113

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "DigiCert Assured ID Root G3"

#

Issuer: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

Serial Number:0b:a1:5a:fa:1d:df:a0:b5:49:44:af:cd:24:a0:6c:ec

Subject: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US


```
# Not Valid Before: Thu Aug 01 12:00:00 2013
# Not Valid After : Fri Jan 15 12:00:00 2038
# Fingerprint (SHA-256):
7E:37:CB:8B:4C:47:09:0C:AB:36:55:1B:A6:F4:5D:B8:40:68:0F:BA:16:6A:95:2D:B1:00:71:7F:43:05:3F:C2
# Fingerprint (SHA1): F5:17:A2:4F:9A:48:C6:C9:F8:A2:00:26:9F:DC:0F:48:2C:AB:30:89
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Assured ID Root G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\013\241\132\372\035\337\240\265\111\104\257\315\044\240
\154\354
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\106\060\202\001\315\240\003\002\001\002\002\020\013
\241\132\372\035\337\240\265\111\104\257\315\044\240\154\354\060
\012\006\010\052\206\110\316\075\004\003\003\060\145\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\025\060\023\006\003
\125\004\012\023\014\104\151\147\151\103\145\162\164\040\111\156
\143\061\031\060\027\006\003\125\004\013\023\020\167\167\167\056
\144\151\147\151\143\145\162\164\056\143\157\155\061\044\060\042
\006\003\125\004\003\023\033\104\151\147\151\103\145\162\164\040
\101\163\163\165\162\145\144\040\111\104\040\122\157\157\164\040
\107\063\060\036\027\015\061\063\060\070\060\061\061\062\060\060
\060\060\132\027\015\063\070\060\061\061\065\061\062\060\060\060
\060\132\060\145\061\013\060\011\006\003\125\004\006\023\002\125
\123\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151
```

\103\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004
\013\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056
\143\157\155\061\044\060\042\006\003\125\004\003\023\033\104\151
\147\151\103\145\162\164\040\101\163\163\165\162\145\144\040\111
\104\040\122\157\157\164\040\107\063\060\166\060\020\006\007\052
\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000
\004\031\347\274\254\104\145\355\315\270\077\130\373\215\261\127
\251\104\055\005\025\362\357\013\377\020\164\237\265\142\122\137
\146\176\037\345\334\033\105\171\013\314\306\123\012\235\215\135
\002\331\251\131\336\002\132\366\225\052\016\215\070\112\212\111
\306\274\306\003\070\007\137\125\332\176\011\156\342\177\136\320
\105\040\017\131\166\020\326\240\044\360\055\336\066\362\154\051
\071\243\102\060\100\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\206\060\035\006\003\125\035\016\004\026\004
\024\313\320\275\251\341\230\005\121\241\115\067\242\203\171\316
\215\035\052\344\204\060\012\006\010\052\206\110\316\075\004\003
\003\003\147\000\060\144\002\060\045\244\201\105\002\153\022\113
\165\164\117\310\043\343\160\362\165\162\336\174\211\360\317\221
\162\141\236\136\020\222\131\126\271\203\307\020\347\070\351\130
\046\066\175\325\344\064\206\071\002\060\174\066\123\360\060\345
\142\143\072\231\342\266\243\073\233\064\372\036\332\020\222\161
\136\221\023\247\335\244\156\222\314\062\326\365\041\146\307\057
\352\226\143\152\145\105\222\225\001\264

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "DigiCert Assured ID Root G3"

Issuer: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

Serial Number:0b:a1:5a:fa:1d:df:a0:b5:49:44:af:cd:24:a0:6c:ec

Subject: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

Not Valid Before: Thu Aug 01 12:00:00 2013

Not Valid After : Fri Jan 15 12:00:00 2038

Fingerprint (SHA-256):

7E:37:CB:8B:4C:47:09:0C:AB:36:55:1B:A6:F4:5D:B8:40:68:0F:BA:16:6A:95:2D:B1:00:71:7F:43:05:3F:C2

Fingerprint (SHA1): F5:17:A2:4F:9A:48:C6:C9:F8:A2:00:26:9F:DC:0F:48:2C:AB:30:89

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "DigiCert Assured ID Root G3"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\365\027\242\117\232\110\306\311\370\242\000\046\237\334\017\110
\054\253\060\211

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\174\177\145\061\014\201\337\215\272\076\231\342\134\255\156\373

END

CKA_ISSUER MULTILINE_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\063

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\013\241\132\372\035\337\240\265\111\104\257\315\044\240
\154\354

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "DigiCert Global Root G2"

#

Issuer: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US

Serial Number:03:3a:f1:e6:a7:11:a9:a0:bb:28:64:b1:1d:09:fa:e5

Subject: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US

Not Valid Before: Thu Aug 01 12:00:00 2013

Not Valid After : Fri Jan 15 12:00:00 2038

Fingerprint (SHA-256):

CB:3C:CB:B7:60:31:E5:E0:13:8F:8D:D3:9A:23:F9:DE:47:FF:C3:5E:43:C1:14:4C:EA:27:D4:6A:5A:B1:CB:5F

Fingerprint (SHA1): DF:3C:24:F9:BF:D6:66:76:1B:26:80:73:FE:06:D1:CC:8D:4F:82:A4

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "DigiCert Global Root G2"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\107\062

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\107\062

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\003\072\361\346\247\021\251\240\273\050\144\261\035\011
\372\345

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\216\060\202\002\166\240\003\002\001\002\002\020\003
\072\361\346\247\021\251\240\273\050\144\261\035\011\372\345\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\141
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\040\060\036\006\003\125\004\003\023\027\104\151\147\151\103\145
\162\164\040\107\154\157\142\141\154\040\122\157\157\164\040\107
\062\060\036\027\015\061\063\060\070\060\061\061\062\060\060\060
\060\132\027\015\063\070\060\061\061\065\061\062\060\060\060\060
\132\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103
\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013
\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143
\157\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147
\151\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157
\164\040\107\062\060\202\001\042\060\015\006\011\052\206\110\206
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012
\002\202\001\001\000\273\067\315\064\334\173\153\311\262\150\220
\255\112\165\377\106\272\041\012\010\215\365\031\124\311\373\210
\333\363\256\362\072\211\221\074\172\346\253\006\032\153\317\254
\055\350\136\011\044\104\272\142\232\176\326\243\250\176\340\124
\165\040\005\254\120\267\234\143\032\154\060\334\332\037\031\261
\327\036\336\375\327\340\313\224\203\067\256\354\037\103\116\335
\173\054\322\275\056\245\057\344\251\270\255\072\324\231\244\266
\045\351\233\153\000\140\222\140\377\117\041\111\030\367\147\220
\253\141\006\234\217\362\272\351\264\351\222\062\153\265\363\127
\350\135\033\315\214\035\253\225\004\225\111\363\065\055\226\343
\111\155\335\167\343\373\111\113\264\254\125\007\251\217\225\263
\264\043\273\114\155\105\360\366\251\262\225\060\264\375\114\125
\214\047\112\127\024\174\202\235\315\163\222\323\026\112\006\014
\214\120\321\217\036\011\276\027\241\346\041\312\375\203\345\020
\274\203\245\012\304\147\050\366\163\024\024\075\106\166\303\207
\024\211\041\064\115\257\017\105\014\246\111\241\272\273\234\305

```
\261\063\203\051\205\002\003\001\000\001\243\102\060\100\060\017
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060
\035\006\003\125\035\016\004\026\004\024\116\042\124\040\030\225
\346\343\156\346\017\372\372\271\022\355\006\027\217\071\060\015
\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001
\001\000\140\147\050\224\157\016\110\143\353\061\335\352\147\030
\325\211\175\074\305\213\112\177\351\276\333\053\027\337\260\137
\163\167\052\062\023\071\201\147\102\204\043\362\105\147\065\354
\210\277\370\217\260\141\014\064\244\256\040\114\204\306\333\370
\065\341\166\331\337\246\102\273\307\104\010\206\177\066\164\044
\132\332\154\015\024\131\065\275\362\111\335\266\037\311\263\015
\107\052\075\231\057\273\134\273\265\324\040\341\231\137\123\106
\025\333\150\233\360\363\060\325\076\061\342\215\204\236\343\212
\332\332\226\076\065\023\245\137\360\371\160\120\160\107\101\021
\127\031\116\300\217\256\006\304\225\023\027\057\033\045\237\165
\362\261\216\231\241\157\023\261\101\161\376\210\052\310\117\020
\040\125\327\363\024\105\345\340\104\364\352\207\225\062\223\016
\376\123\106\372\054\235\377\213\042\271\113\331\011\105\244\336
\244\270\232\130\335\033\175\122\237\216\131\103\210\201\244\236
\046\325\157\255\335\015\306\067\175\355\003\222\033\345\167\137
\166\356\074\215\304\135\126\133\242\331\146\156\263\065\067\345
\062\266
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "DigiCert Global Root G2"
```

```
# Issuer: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Serial Number:03:3a:f1:e6:a7:11:a9:a0:bb:28:64:b1:1d:09:fa:e5
```

```
# Subject: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Not Valid Before: Thu Aug 01 12:00:00 2013
```

```
# Not Valid After : Fri Jan 15 12:00:00 2038
```

```
# Fingerprint (SHA-256):
```

```
CB:3C:CB:B7:60:31:E5:E0:13:8F:8D:D3:9A:23:F9:DE:47:FF:C3:5E:43:C1:14:4C:EA:27:D4:6A:5A:B1:CB:5F
```

```
# Fingerprint (SHA1): DF:3C:24:F9:BF:D6:66:76:1B:26:80:73:FE:06:D1:CC:8D:4F:82:A4
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert Global Root G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\337\074\044\371\277\326\146\166\033\046\200\163\376\006\321\314
\215\117\202\244
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\344\246\212\310\124\254\122\102\106\012\375\162\110\033\052\104
```

```

END
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\003\072\361\346\247\021\251\240\273\050\144\261\035\011
\372\345
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DigiCert Global Root G3"
#
# Issuer: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:05:55:56:bc:f2:5e:a4:35:35:c3:a4:0f:d5:ab:45:72
# Subject: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Thu Aug 01 12:00:00 2013
# Not Valid After : Fri Jan 15 12:00:00 2038
# Fingerprint (SHA-256):
31:AD:66:48:F8:10:41:38:C7:38:F3:9E:A4:32:01:33:39:3E:3A:18:CC:02:29:6E:F9:7C:2A:C9:EF:67:31:DO
# Fingerprint (SHA1): 7E:04:DE:89:6A:3E:66:6D:00:E6:87:D3:3F:FA:D9:3B:E8:3D:34:9E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Global Root G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061

```

\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\107\063

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\005\125\126\274\362\136\244\065\065\303\244\017\325\253
\105\162

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\077\060\202\001\305\240\003\002\001\002\002\020\005
\125\126\274\362\136\244\065\065\303\244\017\325\253\105\162\060
\012\006\010\052\206\110\316\075\004\003\003\060\141\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\025\060\023\006\003
\125\004\012\023\014\104\151\147\151\103\145\162\164\040\111\156
\143\061\031\060\027\006\003\125\004\013\023\020\167\167\167\056
\144\151\147\151\143\145\162\164\056\143\157\155\061\040\060\036
\006\003\125\004\003\023\027\104\151\147\151\103\145\162\164\040
\107\154\157\142\141\154\040\122\157\157\164\040\107\063\060\036
\027\015\061\063\060\070\060\061\061\062\060\060\060\060\132\027
\015\063\070\060\061\061\065\061\062\060\060\060\060\132\060\141
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\040\060\036\006\003\125\004\003\023\027\104\151\147\151\103\145
\162\164\040\107\154\157\142\141\154\040\122\157\157\164\040\107
\063\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005
\053\201\004\000\042\003\142\000\004\335\247\331\273\212\270\013
\373\013\177\041\322\360\276\276\163\363\063\135\032\274\064\352
\336\306\233\274\320\225\366\360\314\320\013\272\141\133\121\106
\176\236\055\237\356\216\143\014\027\354\007\160\365\317\204\056
\100\203\234\350\077\101\155\073\255\323\244\024\131\066\170\235
\003\103\356\020\023\154\162\336\256\210\247\241\153\265\103\316
\147\334\043\377\003\034\243\342\076\243\102\060\100\060\017\006
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016
\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060\035
\006\003\125\035\016\004\026\004\024\263\333\110\244\371\241\305
\330\256\066\101\314\021\143\151\142\051\274\113\306\060\012\006
\010\052\206\110\316\075\004\003\003\003\150\000\060\145\002\061
\000\255\274\362\154\077\022\112\321\055\071\303\012\011\227\163
\364\210\066\214\210\047\273\346\210\215\120\205\247\143\371\236
\062\336\146\223\017\361\314\261\011\217\335\154\253\372\153\177
\240\002\060\071\146\133\302\144\215\270\236\120\334\250\325\111
\242\355\307\334\321\111\177\027\001\270\310\206\217\116\214\210
\053\250\232\251\212\305\321\000\275\370\124\342\232\345\133\174

```

\263\047\027
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "DigiCert Global Root G3"
# Issuer: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:05:55:56:bc:f2:5e:a4:35:35:c3:a4:0f:d5:ab:45:72
# Subject: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Thu Aug 01 12:00:00 2013
# Not Valid After : Fri Jan 15 12:00:00 2038
# Fingerprint (SHA-256):
31:AD:66:48:F8:10:41:38:C7:38:F3:9E:A4:32:01:33:39:3E:3A:18:CC:02:29:6E:F9:7C:2A:C9:EF:67:31:D0
# Fingerprint (SHA1): 7E:04:DE:89:6A:3E:66:6D:00:E6:87:D3:3F:FA:D9:3B:E8:3D:34:9E
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Global Root G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\176\004\336\211\152\076\146\155\000\346\207\323\077\372\331\073
\350\075\064\236
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\365\135\244\120\245\373\050\176\036\017\015\314\226\127\126\312
END
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\125\126\274\362\136\244\065\065\303\244\017\325\253
\105\162
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DigiCert Trusted Root G4"
#

```



```

# Issuer: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:05:9b:1b:57:9e:8e:21:32:e2:39:07:bd:a7:77:75:5c
# Subject: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Thu Aug 01 12:00:00 2013
# Not Valid After : Fri Jan 15 12:00:00 2038
# Fingerprint (SHA-256):
55:2F:7B:DC:F1:A7:AF:9E:6C:E6:72:01:7F:4F:12:AB:F7:72:40:C7:8E:76:1A:C2:03:D1:D9:D2:0A:C8:99:88
# Fingerprint (SHA1): DD:FB:16:CD:49:31:C9:73:A2:03:7D:3F:C8:3A:4D:7D:77:5D:05:E4
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Trusted Root G4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\041\060\037\006\003\125\004\003\023\030\104\151\147\151
\103\145\162\164\040\124\162\165\163\164\145\144\040\122\157\157
\164\040\107\064
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\041\060\037\006\003\125\004\003\023\030\104\151\147\151
\103\145\162\164\040\124\162\165\163\164\145\144\040\122\157\157
\164\040\107\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\233\033\127\236\216\041\062\342\071\007\275\247\167
\165\134
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\220\060\202\003\170\240\003\002\001\002\002\020\005
\233\033\127\236\216\041\062\342\071\007\275\247\167\165\134\060
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\142
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\041\060\037\006\003\125\004\003\023\030\104\151\147\151\103\145
\162\164\040\124\162\165\163\164\145\144\040\122\157\157\164\040
\107\064\060\036\027\015\061\063\060\070\060\061\061\062\060\060

```

\060\060\132\027\015\063\070\060\061\061\065\061\062\060\060\060
\060\132\060\142\061\013\060\011\006\003\125\004\006\023\002\125
\123\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151
\103\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004
\013\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056
\143\157\155\061\041\060\037\006\003\125\004\003\023\030\104\151
\147\151\103\145\162\164\040\124\162\165\163\164\145\144\040\122
\157\157\164\040\107\064\060\202\002\042\060\015\006\011\052\206
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202
\002\012\002\202\002\001\000\277\346\220\163\150\336\273\344\135
\112\074\060\042\060\151\063\354\302\247\045\056\311\041\075\362
\212\330\131\302\341\051\247\075\130\253\166\232\315\256\173\033
\204\015\304\060\037\363\033\244\070\026\353\126\306\227\155\035
\253\262\171\362\312\021\322\344\137\326\005\074\122\017\122\037
\306\236\025\245\176\276\237\251\127\026\131\125\162\257\150\223
\160\302\262\272\165\231\152\163\062\224\321\020\104\020\056\337
\202\363\007\204\346\164\073\155\161\342\055\014\033\356\040\325
\311\040\035\143\051\055\316\354\136\116\310\223\370\041\141\233
\064\353\005\306\136\354\133\032\274\353\311\317\315\254\064\100
\137\261\172\146\356\167\310\110\250\146\127\127\237\124\130\216
\014\053\267\117\247\060\331\126\356\312\173\135\343\255\311\117
\136\345\065\347\061\313\332\223\136\334\216\217\200\332\266\221
\230\100\220\171\303\170\307\266\261\304\265\152\030\070\003\020
\215\330\324\067\244\056\005\175\210\365\202\076\020\221\160\253
\125\202\101\062\327\333\004\163\052\156\221\001\174\041\114\324
\274\256\033\003\165\135\170\146\331\072\061\104\232\063\100\277
\010\327\132\111\244\302\346\251\240\147\335\244\047\274\241\117
\071\265\021\130\027\367\044\134\106\217\144\367\301\151\210\166
\230\166\075\131\135\102\166\207\211\227\151\172\110\360\340\242
\022\033\146\232\164\312\336\113\036\347\016\143\256\346\324\357
\222\222\072\236\075\334\000\344\105\045\211\266\232\104\031\053
\176\300\224\264\322\141\155\353\063\331\305\337\113\004\000\314
\175\034\225\303\217\367\041\262\262\021\267\273\177\362\325\214
\160\054\101\140\252\261\143\030\104\225\032\166\142\176\366\200
\260\373\350\144\246\063\321\211\007\341\275\267\346\103\244\030
\270\246\167\001\341\017\224\014\041\035\262\124\051\045\211\154
\345\016\122\121\107\164\276\046\254\266\101\165\336\172\254\137
\215\077\311\274\323\101\021\022\133\345\020\120\353\061\305\312
\162\026\042\011\337\174\114\165\077\143\354\041\137\304\040\121
\153\157\261\253\206\213\117\302\326\105\137\235\040\374\241\036
\305\300\217\242\261\176\012\046\231\365\344\151\057\230\035\055
\365\331\251\262\035\345\033\002\003\001\000\001\243\102\060\100
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001
\206\060\035\006\003\125\035\016\004\026\004\024\354\327\343\202
\322\161\135\144\114\337\056\147\077\347\272\230\256\034\017\117
\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000\003
\202\002\001\000\273\141\331\175\251\154\276\027\304\221\033\303

\241\242\000\215\343\144\150\017\126\317\167\256\160\371\375\232
\112\231\271\311\170\134\014\014\137\344\346\024\051\126\013\066
\111\135\104\143\340\255\234\226\030\146\033\043\015\075\171\351
\155\153\326\124\370\322\074\301\103\100\256\035\120\365\122\374
\220\073\273\230\231\151\153\307\301\247\250\150\244\047\334\235
\371\047\256\060\205\271\366\147\115\072\076\217\131\071\042\123
\104\353\310\135\003\312\355\120\172\175\142\041\012\200\310\163
\146\321\240\005\140\137\350\245\264\247\257\250\367\155\065\234
\174\132\212\326\242\070\231\363\170\213\364\115\322\040\013\336
\004\356\214\233\107\201\162\015\300\024\062\357\060\131\056\256
\340\161\362\126\344\152\227\157\222\120\155\226\215\150\172\232
\262\066\024\172\006\362\044\271\011\021\120\327\010\261\270\211
\172\204\043\141\102\051\345\243\315\242\040\101\327\321\234\144
\331\352\046\241\213\024\327\114\031\262\120\101\161\075\077\115
\160\043\206\014\112\334\201\322\314\062\224\204\015\010\011\227
\034\117\300\356\153\040\164\060\322\340\071\064\020\205\041\025
\001\010\350\125\062\336\161\111\331\050\027\120\115\346\276\115
\321\165\254\320\312\373\101\270\103\245\252\323\303\005\104\117
\054\066\233\342\372\342\105\270\043\123\154\006\157\147\125\177
\106\265\114\077\156\050\132\171\046\322\244\250\142\227\322\036
\342\355\112\213\274\033\375\107\112\015\337\147\146\176\262\133
\101\320\073\344\364\073\364\004\143\351\357\302\124\000\121\240
\212\052\311\316\170\314\325\352\207\004\030\263\316\257\111\210
\257\363\222\231\266\263\346\141\017\322\205\000\347\120\032\344
\033\225\235\031\241\271\234\261\233\261\000\036\357\320\017\117
\102\154\311\012\274\356\103\372\072\161\245\310\115\046\245\065
\375\211\135\274\205\142\035\062\322\240\053\124\355\232\127\301
\333\372\020\317\031\267\213\112\033\217\001\266\047\225\123\350
\266\211\155\133\274\150\324\043\350\213\121\242\126\371\360\246
\200\240\326\036\263\274\017\017\123\165\051\252\352\023\167\344
\336\214\201\041\255\007\020\107\021\255\207\075\007\321\165\274
\317\363\146\176

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "DigiCert Trusted Root G4"

Issuer: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US

Serial Number:05:9b:1b:57:9e:8e:21:32:e2:39:07:bd:a7:77:75:5c

Subject: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US

Not Valid Before: Thu Aug 01 12:00:00 2013

Not Valid After : Fri Jan 15 12:00:00 2038

Fingerprint (SHA-256):

55:2F:7B:DC:F1:A7:AF:9E:6C:E6:72:01:7F:4F:12:AB:F7:72:40:C7:8E:76:1A:C2:03:D1:D9:D2:0A:C8:99:88

Fingerprint (SHA1): DD:FB:16:CD:49:31:C9:73:A2:03:7D:3F:C8:3A:4D:7D:77:5D:05:E4

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Trusted Root G4"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\335\373\026\315\111\061\311\163\242\003\175\077\310\072\115\175
\167\135\005\344
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\170\362\374\252\140\037\057\264\353\311\067\272\123\056\165\111
END
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\041\060\037\006\003\125\004\003\023\030\104\151\147\151
\103\145\162\164\040\124\162\165\163\164\145\144\040\122\157\157
\164\040\107\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\233\033\127\236\216\041\062\342\071\007\275\247\167
\165\134
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "COMODO RSA Certification Authority"
#
# Issuer: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
# Serial Number:4c:aa:f9:ca:db:63:6f:e0:1f:f7:4e:d8:5b:03:86:9d
# Subject: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
# Not Valid Before: Tue Jan 19 00:00:00 2010
# Not Valid After : Mon Jan 18 23:59:59 2038
# Fingerprint (SHA-256):
52:F0:E1:C4:E5:8E:C6:29:29:1B:60:31:7F:07:46:71:B8:5D:7E:A8:0D:5B:07:27:34:63:53:4B:32:B4:02:34
# Fingerprint (SHA1): AF:E5:D2:44:A8:D1:19:42:30:FF:47:9F:E2:F8:97:BB:CD:7A:8C:B4
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "COMODO RSA Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\122\123\101
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\122\123\101
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\114\252\371\312\333\143\157\340\037\367\116\330\133\003
\206\235

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\330\060\202\003\300\240\003\002\001\002\002\020\114
\252\371\312\333\143\157\340\037\367\116\330\133\003\206\235\060
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\201
\205\061\013\060\011\006\003\125\004\006\023\002\107\102\061\033
\060\031\006\003\125\004\010\023\022\107\162\145\141\164\145\162
\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016\006
\003\125\004\007\023\007\123\141\154\146\157\162\144\061\032\060
\030\006\003\125\004\012\023\021\103\117\115\117\104\117\040\103
\101\040\114\151\155\151\164\145\144\061\053\060\051\006\003\125
\004\003\023\042\103\117\115\117\104\117\040\122\123\101\040\103
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164
\150\157\162\151\164\171\060\036\027\015\061\060\060\061\061\071
\060\060\060\060\060\060\132\027\015\063\070\060\061\061\070\062
\063\065\071\065\071\132\060\201\205\061\013\060\011\006\003\125
\004\006\023\002\107\102\061\033\060\031\006\003\125\004\010\023
\022\107\162\145\141\164\145\162\040\115\141\156\143\150\145\163
\164\145\162\061\020\060\016\006\003\125\004\007\023\007\123\141
\154\146\157\162\144\061\032\060\030\006\003\125\004\012\023\021
\103\117\115\117\104\117\040\103\101\040\114\151\155\151\164\145
\144\061\053\060\051\006\003\125\004\003\023\042\103\117\115\117
\104\117\040\122\123\101\040\103\145\162\164\151\146\151\143\141

\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060\202
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\221
\350\124\222\322\012\126\261\254\015\044\335\305\317\104\147\164
\231\053\067\243\175\043\160\000\161\274\123\337\304\372\052\022
\217\113\177\020\126\275\237\160\162\267\141\177\311\113\017\027
\247\075\343\260\004\141\356\377\021\227\307\364\206\076\012\372
\076\134\371\223\346\064\172\331\024\153\347\234\263\205\240\202
\172\166\257\161\220\327\354\375\015\372\234\154\372\337\260\202
\364\024\176\371\276\304\246\057\117\177\231\177\265\374\147\103
\162\275\014\000\326\211\353\153\054\323\355\217\230\034\024\253
\176\345\343\156\374\330\250\344\222\044\332\103\153\142\270\125
\375\352\301\274\154\266\213\363\016\215\232\344\233\154\151\231
\370\170\110\060\105\325\255\341\015\074\105\140\374\062\226\121
\047\274\147\303\312\056\266\153\352\106\307\307\040\240\261\037
\145\336\110\010\272\244\116\251\362\203\106\067\204\353\350\314
\201\110\103\147\116\162\052\233\134\275\114\033\050\212\134\042
\173\264\253\230\331\356\340\121\203\303\011\106\116\155\076\231
\372\225\027\332\174\063\127\101\074\215\121\355\013\266\134\257
\054\143\032\337\127\310\077\274\351\135\304\233\257\105\231\342
\243\132\044\264\272\251\126\075\317\157\252\377\111\130\276\360
\250\377\364\270\255\351\067\373\272\270\364\013\072\371\350\103
\102\036\211\330\204\313\023\361\331\273\341\211\140\270\214\050
\126\254\024\035\234\012\347\161\353\317\016\335\075\251\226\241
\110\275\074\367\257\265\015\042\114\300\021\201\354\126\073\366
\323\242\342\133\267\262\004\042\122\225\200\223\151\350\216\114
\145\361\221\003\055\160\164\002\352\213\147\025\051\151\122\002
\273\327\337\120\152\125\106\277\240\243\050\141\177\160\320\303
\242\252\054\041\252\107\316\050\234\006\105\166\277\202\030\047
\264\325\256\264\313\120\346\153\364\114\206\161\060\351\246\337
\026\206\340\330\377\100\335\373\320\102\210\177\243\063\072\056
\134\036\101\021\201\143\316\030\161\153\053\354\246\212\267\061
\134\072\152\107\340\303\171\131\326\040\032\257\362\152\230\252
\162\274\127\112\322\113\235\273\020\374\260\114\101\345\355\035
\075\136\050\235\234\314\277\263\121\332\247\107\345\204\123\002
\003\001\000\001\243\102\060\100\060\035\006\003\125\035\016\004
\026\004\024\273\257\176\002\075\372\246\361\074\204\216\255\356
\070\230\354\331\062\062\324\060\016\006\003\125\035\017\001\001
\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001
\377\004\005\060\003\001\001\377\060\015\006\011\052\206\110\206
\367\015\001\001\014\005\000\003\202\002\001\000\012\361\325\106
\204\267\256\121\273\154\262\115\101\024\000\223\114\234\313\345
\300\124\317\240\045\216\002\371\375\260\242\015\365\040\230\074
\023\055\254\126\242\260\326\176\021\222\351\056\272\236\056\232
\162\261\275\031\104\154\141\065\242\232\264\026\022\151\132\214
\341\327\076\244\032\350\057\003\364\256\141\035\020\033\052\244
\213\172\305\376\005\246\341\300\326\310\376\236\256\217\053\272
\075\231\370\330\163\011\130\106\156\246\234\364\327\047\323\225

\332\067\203\162\034\323\163\340\242\107\231\003\070\135\325\111
\171\000\051\034\307\354\233\040\034\007\044\151\127\170\262\071
\374\072\204\240\265\234\174\215\277\056\223\142\047\267\071\332
\027\030\256\275\074\011\150\377\204\233\074\325\326\013\003\343
\127\236\024\367\321\353\117\310\275\207\043\267\266\111\103\171
\205\134\272\353\222\013\241\306\350\150\250\114\026\261\032\231
\012\350\123\054\222\273\241\011\030\165\014\145\250\173\313\043
\267\032\302\050\205\303\033\377\320\053\142\357\244\173\011\221
\230\147\214\024\001\315\150\006\152\143\041\165\003\200\210\212
\156\201\306\205\362\251\244\055\347\364\245\044\020\107\203\312
\315\364\215\171\130\261\006\233\347\032\052\331\235\001\327\224
\175\355\003\112\312\360\333\350\251\001\076\365\126\231\311\036
\216\111\075\273\345\011\271\340\117\111\222\075\026\202\100\314
\314\131\306\346\072\355\022\056\151\074\154\225\261\375\252\035
\173\177\206\276\036\016\062\106\373\373\023\217\165\177\114\213
\113\106\143\376\000\064\100\160\301\303\271\241\335\246\160\342
\004\263\101\274\351\200\221\352\144\234\172\341\042\003\251\234
\156\157\016\145\117\154\207\207\136\363\156\240\371\165\245\233
\100\350\123\262\047\235\112\271\300\167\041\215\377\207\362\336
\274\214\357\027\337\267\111\013\321\362\156\060\013\032\016\116
\166\355\021\374\365\351\126\262\175\277\307\155\012\223\214\245
\320\300\266\035\276\072\116\224\242\327\156\154\013\302\212\174
\372\040\363\304\344\345\315\015\250\313\221\222\261\174\205\354
\265\024\151\146\016\202\347\315\316\310\055\246\121\177\041\301
\065\123\205\006\112\135\237\255\273\033\137\164

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "COMODO RSA Certification Authority"

Issuer: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB

Serial Number:4c:aa:f9:ca:db:63:6f:e0:1f:f7:4e:d8:5b:03:86:9d

Subject: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB

Not Valid Before: Tue Jan 19 00:00:00 2010

Not Valid After : Mon Jan 18 23:59:59 2038

Fingerprint (SHA-256):

52:F0:E1:C4:E5:8E:C6:29:29:1B:60:31:7F:07:46:71:B8:5D:7E:A8:0D:5B:07:27:34:63:53:4B:32:B4:02:34

Fingerprint (SHA1): AF:E5:D2:44:A8:D1:19:42:30:FF:47:9F:E2:F8:97:BB:CD:7A:8C:B4

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "COMODO RSA Certification Authority"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\257\345\322\104\250\321\031\102\060\377\107\237\342\370\227\273

```

\315\172\214\264
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\033\061\260\161\100\066\314\024\066\221\255\304\076\375\354\030
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\122\123\101
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\114\252\371\312\333\143\157\340\037\367\116\330\133\003
\206\235
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "USERTrust RSA Certification Authority"
#
# Issuer: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New
Jersey,C=US
# Serial Number:01:fd:6d:30:fc:a3:ca:51:a8:1b:bc:64:0e:35:03:2d
# Subject: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New
Jersey,C=US
# Not Valid Before: Mon Feb 01 00:00:00 2010
# Not Valid After : Mon Jan 18 23:59:59 2038
# Fingerprint (SHA-256):
E7:93:C9:B0:2F:D8:AA:13:E2:1C:31:22:8A:CC:B0:81:19:64:3B:74:9C:89:89:64:B1:74:6D:46:C3:D4:CB:D2
# Fingerprint (SHA1): 2B:8F:1B:57:33:0D:BB:A2:D0:7A:6C:51:F7:0E:E9:0D:DA:B9:AD:8E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "USERTrust RSA Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013

```


\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\122\123\101\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\122\123\101\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\001\375\155\060\374\243\312\121\250\033\274\144\016\065
\003\055

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\336\060\202\003\306\240\003\002\001\002\002\020\001
\375\155\060\374\243\312\121\250\033\274\144\016\065\003\055\060
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\201
\210\061\013\060\011\006\003\125\004\006\023\002\125\123\061\023
\060\021\006\003\125\004\010\023\012\116\145\167\040\112\145\162
\163\145\171\061\024\060\022\006\003\125\004\007\023\013\112\145
\162\163\145\171\040\103\151\164\171\061\036\060\034\006\003\125
\004\012\023\025\124\150\145\040\125\123\105\122\124\122\125\123
\124\040\116\145\164\167\157\162\153\061\056\060\054\006\003\125
\004\003\023\045\125\123\105\122\124\162\165\163\164\040\122\123
\101\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040
\101\165\164\150\157\162\151\164\171\060\036\027\015\061\060\060
\062\060\061\060\060\060\060\060\060\132\027\015\063\070\060\061
\061\070\062\063\065\071\065\071\132\060\201\210\061\013\060\011
\006\003\125\004\006\023\002\125\123\061\023\060\021\006\003\125
\004\010\023\012\116\145\167\040\112\145\162\163\145\171\061\024
\060\022\006\003\125\004\007\023\013\112\145\162\163\145\171\040
\103\151\164\171\061\036\060\034\006\003\125\004\012\023\025\124
\150\145\040\125\123\105\122\124\122\125\123\124\040\116\145\164
\167\157\162\153\061\056\060\054\006\003\125\004\003\023\045\125
\123\105\122\124\162\165\163\164\040\122\123\101\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171\060\202\002\042\060\015\006\011\052\206\110\206
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012

\002\202\002\001\000\200\022\145\027\066\016\303\333\010\263\320
\254\127\015\166\355\315\047\323\114\255\120\203\141\342\252\040
\115\011\055\144\011\334\316\211\237\314\075\251\354\366\317\301
\334\361\323\261\326\173\067\050\021\053\107\332\071\306\274\072
\031\264\137\246\275\175\235\243\143\102\266\166\362\251\073\053
\221\370\342\157\320\354\026\040\220\011\076\342\350\164\311\030
\264\221\324\142\144\333\177\243\006\361\210\030\152\220\042\074
\274\376\023\360\207\024\173\366\344\037\216\324\344\121\306\021
\147\106\010\121\313\206\024\124\077\274\063\376\176\154\234\377
\026\235\030\275\121\216\065\246\247\146\310\162\147\333\041\146
\261\324\233\170\003\300\120\072\350\314\360\334\274\236\114\376
\257\005\226\065\037\127\132\267\377\316\371\075\267\054\266\366
\124\335\310\347\022\072\115\256\114\212\267\134\232\264\267\040
\075\312\177\042\064\256\176\073\150\146\001\104\347\001\116\106
\123\233\063\140\367\224\276\123\067\220\163\103\363\062\303\123
\357\333\252\376\164\116\151\307\153\214\140\223\336\304\307\014
\337\341\062\256\314\223\073\121\170\225\147\213\356\075\126\376
\014\320\151\017\033\017\363\045\046\153\063\155\367\156\107\372
\163\103\345\176\016\245\146\261\051\174\062\204\143\125\211\304
\015\301\223\124\060\031\023\254\323\175\067\247\353\135\072\154
\065\134\333\101\327\022\332\251\111\013\337\330\200\212\011\223
\142\216\265\146\317\045\210\315\204\270\261\077\244\071\017\331
\002\236\353\022\114\225\174\363\153\005\251\136\026\203\314\270
\147\342\350\023\235\314\133\202\323\114\263\355\133\377\336\345
\163\254\043\073\055\000\277\065\125\164\011\111\330\111\130\032
\177\222\066\346\121\222\016\363\046\175\034\115\027\274\311\354
\103\046\320\277\101\137\100\251\104\104\364\231\347\127\207\236
\120\037\127\124\250\076\375\164\143\057\261\120\145\011\346\130
\102\056\103\032\114\264\360\045\107\131\372\004\036\223\324\046
\106\112\120\201\262\336\276\170\267\374\147\025\341\311\127\204
\036\017\143\326\351\142\272\326\137\125\056\352\134\306\050\010
\004\045\071\270\016\053\251\362\114\227\034\007\077\015\122\365
\355\357\057\202\017\002\003\001\000\001\243\102\060\100\060\035
\006\003\125\035\016\004\026\004\024\123\171\277\132\252\053\112
\317\124\200\341\330\233\300\235\362\262\003\146\313\060\016\006
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\015
\006\011\052\206\110\206\367\015\001\001\014\005\000\003\202\002
\001\000\134\324\174\015\317\367\001\175\101\231\145\014\163\305
\122\237\313\370\317\231\006\177\033\332\103\025\237\236\002\125
\127\226\024\361\122\074\047\207\224\050\355\037\072\001\067\242
\166\374\123\120\300\204\233\306\153\116\272\214\041\117\242\216
\125\142\221\363\151\025\330\274\210\343\304\252\013\375\357\250
\351\113\125\052\006\040\155\125\170\051\031\356\137\060\134\113
\044\021\125\377\044\232\156\136\052\053\356\013\115\237\177\367
\001\070\224\024\225\103\007\011\373\140\251\356\034\253\022\214
\240\232\136\247\230\152\131\155\213\077\010\373\310\321\105\257
\030\025\144\220\022\017\163\050\056\305\342\044\116\374\130\354

\360\364\105\376\042\263\353\057\216\322\331\105\141\005\301\227
\157\250\166\162\217\213\214\066\257\277\015\005\316\161\215\346
\246\157\037\154\246\161\142\305\330\320\203\162\014\361\147\021
\211\014\234\023\114\162\064\337\274\325\161\337\252\161\335\341
\271\154\214\074\022\135\145\332\275\127\022\266\103\153\377\345
\336\115\146\021\121\317\231\256\354\027\266\350\161\221\214\336
\111\376\335\065\161\242\025\047\224\034\317\141\343\046\273\157
\243\147\045\041\135\346\335\035\013\056\150\033\073\202\257\354
\203\147\205\324\230\121\164\261\271\231\200\211\377\177\170\031
\134\171\112\140\056\222\100\256\114\067\052\054\311\307\142\310
\016\135\367\066\133\312\340\045\045\001\264\335\032\007\234\167
\000\077\320\334\325\354\075\324\372\273\077\314\205\326\157\177
\251\055\337\271\002\367\365\227\232\265\065\332\303\147\260\207
\112\251\050\236\043\216\377\134\047\153\341\260\117\363\007\356
\000\056\324\131\207\313\122\101\225\352\364\107\327\356\144\101
\125\174\215\131\002\225\335\142\235\302\271\356\132\050\164\204
\245\233\267\220\307\014\007\337\365\211\066\164\062\326\050\301
\260\260\013\340\234\114\303\034\326\374\343\151\265\107\106\201
\057\242\202\253\323\143\104\160\304\215\377\055\063\272\255\217
\173\265\160\210\256\076\031\317\100\050\330\374\310\220\273\135
\231\042\365\122\346\130\305\037\210\061\103\356\210\035\327\306
\216\074\103\152\035\247\030\336\175\075\026\361\142\371\312\220
\250\375

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "USERTrust RSA Certification Authority"

Issuer: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

Serial Number:01:fd:6d:30:fc:a3:ca:51:a8:1b:bc:64:0e:35:03:2d

Subject: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

Not Valid Before: Mon Feb 01 00:00:00 2010

Not Valid After : Mon Jan 18 23:59:59 2038

Fingerprint (SHA-256):

E7:93:C9:B0:2F:D8:AA:13:E2:1C:31:22:8A:CC:B0:81:19:64:3B:74:9C:89:89:64:B1:74:6D:46:C3:D4:CB:D2

Fingerprint (SHA1): 2B:8F:1B:57:33:0D:BB:A2:D0:7A:6C:51:F7:0E:E9:0D:DA:B9:AD:8E

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "USERTrust RSA Certification Authority"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\053\217\033\127\063\015\273\242\320\172\154\121\367\016\351\015
\332\271\255\216

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL
\033\376\151\321\221\267\031\063\243\162\250\017\341\125\345\265
END

CKA_ISSUER MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\122\123\101\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
END

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\001\375\155\060\374\243\312\121\250\033\274\144\016\065
\003\055
END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

Certificate "USERTrust ECC Certification Authority"

Issuer: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US
Serial Number:5c:8b:99:c5:5a:94:c5:d2:71:56:de:cd:89:80:cc:26
Subject: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US
Not Valid Before: Mon Feb 01 00:00:00 2010
Not Valid After : Mon Jan 18 23:59:59 2038
Fingerprint (SHA-256):
4F:F4:60:D5:4B:9C:86:DA:BF:BC:FC:57:12:E0:40:0D:2B:ED:3F:BC:4D:4F:BD:AA:86:E0:6A:DC:D2:A9:AD:7A
Fingerprint (SHA1): D1:CB:CA:5D:B2:D5:2A:7F:69:3B:67:4D:E5:F0:5A:1D:0C:95:7D:F0

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "USERTrust ECC Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122

\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\134\213\231\305\132\224\305\322\161\126\336\315\211\200
\314\046

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\217\060\202\002\025\240\003\002\001\002\002\020\134
\213\231\305\132\224\305\322\161\126\336\315\211\200\314\046\060
\012\006\010\052\206\110\316\075\004\003\003\060\201\210\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\023\060\021\006
\003\125\004\010\023\012\116\145\167\040\112\145\162\163\145\171
\061\024\060\022\006\003\125\004\007\023\013\112\145\162\163\145
\171\040\103\151\164\171\061\036\060\034\006\003\125\004\012\023
\025\124\150\145\040\125\123\105\122\124\122\125\123\124\040\116
\145\164\167\157\162\153\061\056\060\054\006\003\125\004\003\023
\045\125\123\105\122\124\162\165\163\164\040\105\103\103\040\103
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164
\150\157\162\151\164\171\060\036\027\015\061\060\060\062\060\061
\060\060\060\060\060\060\132\027\015\063\070\060\061\061\070\062
\063\065\071\065\071\132\060\201\210\061\013\060\011\006\003\125
\004\006\023\002\125\123\061\023\060\021\006\003\125\004\010\023
\012\116\145\167\040\112\145\162\163\145\171\061\024\060\022\006
\003\125\004\007\023\013\112\145\162\163\145\171\040\103\151\164
\171\061\036\060\034\006\003\125\004\012\023\025\124\150\145\040
\125\123\105\122\124\122\125\123\124\040\116\145\164\167\157\162
\153\061\056\060\054\006\003\125\004\003\023\045\125\123\105\122
\124\162\165\163\164\040\105\103\103\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005
\053\201\004\000\042\003\142\000\004\032\254\124\132\251\371\150
\043\347\172\325\044\157\123\306\132\330\113\253\306\325\266\321
\346\163\161\256\335\234\326\014\141\375\333\240\211\003\270\005

```
\024\354\127\316\356\135\077\342\041\263\316\367\324\212\171\340
\243\203\176\055\227\320\141\304\361\231\334\045\221\143\253\177
\060\243\264\160\342\307\241\063\234\363\277\056\134\123\261\137
\263\175\062\177\212\064\343\171\171\243\102\060\100\060\035\006
\003\125\035\016\004\026\004\024\072\341\011\206\324\317\031\302
\226\166\164\111\166\334\340\065\306\143\143\232\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\012\006
\010\052\206\110\316\075\004\003\003\003\150\000\060\145\002\060
\066\147\241\026\010\334\344\227\000\101\035\116\276\341\143\001
\317\073\252\102\021\144\240\235\224\071\002\021\171\134\173\035
\372\144\271\356\026\102\263\277\212\302\011\304\354\344\261\115
\002\061\000\351\052\141\107\214\122\112\113\116\030\160\366\326
\104\326\156\365\203\272\155\130\275\044\331\126\110\352\357\304
\242\106\201\210\152\072\106\321\251\233\115\311\141\332\321\135
\127\152\030
```

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "USERTrust ECC Certification Authority"

Issuer: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

Serial Number:5c:8b:99:c5:5a:94:c5:d2:71:56:de:cd:89:80:cc:26

Subject: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

Not Valid Before: Mon Feb 01 00:00:00 2010

Not Valid After : Mon Jan 18 23:59:59 2038

Fingerprint (SHA-256):

4F:F4:60:D5:4B:9C:86:DA:BF:BC:FC:57:12:E0:40:0D:2B:ED:3F:BC:4D:4F:BD:AA:86:E0:6A:DC:D2:A9:AD:7A

Fingerprint (SHA1): D1:CB:CA:5D:B2:D5:2A:7F:69:3B:67:4D:E5:F0:5A:1D:0C:95:7D:F0

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "USERTrust ECC Certification Authority"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

```
\321\313\312\135\262\325\052\177\151\073\147\115\345\360\132\035
\014\225\175\360
```

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

```
\372\150\274\331\265\177\255\375\311\035\006\203\050\314\044\301
```

END

CKA_ISSUER MULTILINE_OCTAL

```
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
```

```
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\020\134\213\231\305\132\224\305\322\161\126\336\315\211\200
\314\046
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "GlobalSign ECC Root CA - R5"

#

Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5

Serial Number:60:59:49:e0:26:2e:bb:55:f9:0a:77:8a:71:f9:4a:d8:6c

Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5

Not Valid Before: Tue Nov 13 00:00:00 2012

Not Valid After : Tue Jan 19 03:14:07 2038

Fingerprint (SHA-256):

17:9F:BC:14:8A:3D:D0:0F:D2:4E:A1:34:58:CC:43:BF:A7:F5:9C:81:82:D7:83:A5:13:F6:EB:EC:10:0C:89:24

Fingerprint (SHA1): 1F:24:C6:30:CD:A4:18:EF:20:69:FF:AD:4F:DD:5F:46:3A:1B:69:AA

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "GlobalSign ECC Root CA - R5"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\065\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

```
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\065\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
```

```
\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\140\131\111\340\046\056\273\125\371\012\167\212\161\371
\112\330\154
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\036\060\202\001\244\240\003\002\001\002\002\021\140
\131\111\340\046\056\273\125\371\012\167\212\161\371\112\330\154
\060\012\006\010\052\206\110\316\075\004\003\003\060\120\061\044
\060\042\006\003\125\004\013\023\033\107\154\157\142\141\154\123
\151\147\156\040\105\103\103\040\122\157\157\164\040\103\101\040
\055\040\122\065\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156\060\036
\027\015\061\062\061\061\061\063\060\060\060\060\060\132\027
\015\063\070\060\061\061\071\060\063\061\064\060\067\132\060\120
\061\044\060\042\006\003\125\004\013\023\033\107\154\157\142\141
\154\123\151\147\156\040\105\103\103\040\122\157\157\164\040\103
\101\040\055\040\122\065\061\023\060\021\006\003\125\004\012\023
\012\107\154\157\142\141\154\123\151\147\156\061\023\060\021\006
\003\125\004\003\023\012\107\154\157\142\141\154\123\151\147\156
\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053
\201\004\000\042\003\142\000\004\107\105\016\226\373\175\135\277
\351\071\321\041\370\237\013\266\325\173\036\222\072\110\131\034
\360\142\061\055\300\172\050\376\032\247\134\263\266\314\227\347
\105\324\130\372\321\167\155\103\242\300\207\145\064\012\037\172
\335\353\074\063\241\305\235\115\244\157\101\225\070\177\311\036
\204\353\321\236\111\222\207\224\207\014\072\205\112\146\237\235
\131\223\115\227\141\006\206\112\243\102\060\100\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006
\003\125\035\016\004\026\004\024\075\346\051\110\233\352\007\312
\041\104\112\046\336\156\336\322\203\320\237\131\060\012\006\010
\052\206\110\316\075\004\003\003\003\150\000\060\145\002\061\000
\345\151\022\311\156\333\306\061\272\011\101\341\227\370\373\375
\232\342\175\022\311\355\174\144\323\313\005\045\213\126\331\240
\347\136\135\116\013\203\234\133\166\051\240\011\046\041\152\142
\002\060\161\322\265\217\134\352\073\341\170\011\205\250\165\222
\073\310\134\375\110\357\015\164\042\250\010\342\156\305\111\316
\307\014\274\247\141\151\361\367\073\341\052\313\371\053\363\146
\220\067
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "GlobalSign ECC Root CA - R5"
```



```

# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5
# Serial Number:60:59:49:e0:26:2e:bb:55:f9:0a:77:8a:71:f9:4a:d8:6c
# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5
# Not Valid Before: Tue Nov 13 00:00:00 2012
# Not Valid After : Tue Jan 19 03:14:07 2038
# Fingerprint (SHA-256):
17:9F:BC:14:8A:3D:D0:0F:D2:4E:A1:34:58:CC:43:BF:A7:F5:9C:81:82:D7:83:A5:13:F6:EB:EC:10:0C:89:24
# Fingerprint (SHA1): 1F:24:C6:30:CD:A4:18:EF:20:69:FF:AD:4F:DD:5F:46:3A:1B:69:AA
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign ECC Root CA - R5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\037\044\306\060\315\244\030\357\040\151\377\255\117\335\137\106
\072\033\151\252
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\237\255\073\034\002\036\212\272\027\164\070\201\014\242\274\010
END
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\065\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\140\131\111\340\046\056\273\125\371\012\167\212\161\371
\112\330\154
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Staat der Nederlanden Root CA - G3"
#
# Issuer: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
# Serial Number: 10003001 (0x98a239)
# Subject: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
# Not Valid Before: Thu Nov 14 11:28:42 2013
# Not Valid After : Mon Nov 13 23:00:00 2028
# Fingerprint (SHA-256):
3C:4F:B0:B9:5A:B8:B3:00:32:F4:32:B8:6F:53:5F:E1:72:C1:85:D0:FD:39:86:58:37:CF:36:18:7F:A6:F4:28
# Fingerprint (SHA1): D8:EB:6B:41:51:92:59:E0:F3:E7:85:00:C0:3D:B6:88:97:C9:EE:FC

```

```

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Staat der Nederlanden Root CA - G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061
\053\060\051\006\003\125\004\003\014\042\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040
\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061
\053\060\051\006\003\125\004\003\014\042\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040
\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\000\230\242\071
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\164\060\202\003\134\240\003\002\001\002\002\004\000
\230\242\071\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\132\061\013\060\011\006\003\125\004\006\023\002\116
\114\061\036\060\034\006\003\125\004\012\014\025\123\164\141\141
\164\040\144\145\162\040\116\145\144\145\162\154\141\156\144\145
\156\061\053\060\051\006\003\125\004\003\014\042\123\164\141\141
\164\040\144\145\162\040\116\145\144\145\162\154\141\156\144\145
\156\040\122\157\157\164\040\103\101\040\055\040\107\063\060\036
\027\015\061\063\061\061\061\064\061\061\062\070\064\062\132\027
\015\062\070\061\061\061\063\062\063\060\060\060\060\132\060\132
\061\013\060\011\006\003\125\004\006\023\002\116\114\061\036\060
\034\006\003\125\004\012\014\025\123\164\141\141\164\040\144\145
\162\040\116\145\144\145\162\154\141\156\144\145\156\061\053\060
\051\006\003\125\004\003\014\042\123\164\141\141\164\040\144\145
\162\040\116\145\144\145\162\154\141\156\144\145\156\040\122\157
\157\164\040\103\101\040\055\040\107\063\060\202\002\042\060\015
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002
\017\000\060\202\002\012\002\202\002\001\000\276\062\242\124\017
\160\373\054\134\131\353\154\304\244\121\350\205\052\263\314\112
\064\362\260\137\363\016\307\034\075\123\036\210\010\150\330\157
\075\255\302\236\314\202\147\007\047\207\150\161\072\237\165\226

```

|042|106|005|260|355|255|307|133|236|052|336|234|374|072|306|225
|247|365|027|147|030|347|057|111|010|014|134|317|346|314|064|355
|170|373|120|261|334|153|062|360|242|376|266|074|344|354|132|227
|307|077|036|160|010|060|240|334|305|263|155|157|320|202|162|021
|253|322|201|150|131|202|027|267|170|222|140|372|314|336|077|204
|353|215|070|063|220|012|162|043|372|065|314|046|161|061|321|162
|050|222|331|133|043|155|146|265|155|007|102|353|246|063|316|222
|333|300|366|154|143|170|315|312|116|075|265|345|122|233|361|276
|073|346|124|140|260|146|036|011|253|007|376|124|211|021|102|321
|367|044|272|140|170|032|230|367|311|021|375|026|301|065|032|124
|165|357|103|323|345|256|116|316|347|173|303|306|116|141|121|113
|253|232|105|113|241|037|101|275|110|123|025|161|144|013|206|263
|345|056|276|316|244|033|301|051|204|242|265|313|010|043|166|103
|042|044|037|027|004|324|156|234|306|374|177|053|146|032|354|212
|345|326|317|115|365|143|011|267|025|071|326|173|254|353|343|174
|351|116|374|165|102|310|355|130|225|014|006|102|242|234|367|344
|160|263|337|162|157|132|067|100|211|330|205|244|327|361|013|336
|103|031|324|112|130|054|214|212|071|236|277|204|207|361|026|073
|066|014|351|323|264|312|154|031|101|122|011|241|035|260|152|277
|202|357|160|121|041|062|334|005|166|214|313|367|144|344|003|120
|257|214|221|147|253|305|362|356|130|330|336|276|367|347|061|317
|154|311|073|161|301|325|210|265|145|274|300|350|027|027|007|022
|265|134|322|253|040|223|264|346|202|203|160|066|305|315|243|215
|255|213|354|243|301|103|207|346|103|342|064|276|225|213|065|355
|007|071|332|250|035|172|237|066|236|022|260|014|145|022|220|025
|140|331|046|100|104|343|126|140|245|020|324|152|074|375|101|334
|016|132|107|266|357|227|141|165|117|331|376|307|262|035|324|355
|135|111|263|251|152|313|146|204|023|325|134|240|334|337|156|167
|006|321|161|165|310|127|157|257|017|167|133|002|003|001|000|001
|243|102|060|100|060|017|006|003|125|035|023|001|001|377|004|005
|060|003|001|001|377|060|016|006|003|125|035|017|001|001|377|004
|004|003|002|001|006|060|035|006|003|125|035|016|004|026|004|024
|124|255|372|307|222|127|256|312|065|234|056|022|373|344|272|135
|040|334|224|127|060|015|006|011|052|206|110|206|367|015|001|001
|013|005|000|003|202|002|001|000|060|231|235|005|062|310|136|016
|073|230|001|072|212|244|347|007|367|172|370|347|232|337|120|103
|123|227|052|075|312|074|107|230|056|341|025|173|361|222|363|141
|332|220|045|026|145|300|237|124|135|016|003|073|133|167|002|234
|204|266|015|230|137|064|335|073|143|302|303|050|201|302|234|051
|056|051|342|310|303|001|362|063|352|052|252|314|011|010|367|145
|147|306|315|337|323|266|053|247|275|314|321|016|160|137|270|043
|321|313|221|116|012|364|310|172|345|331|143|066|301|324|337|374
|042|227|367|140|135|352|051|057|130|262|275|130|275|215|226|117
|020|165|277|110|173|075|121|207|241|074|164|042|302|374|007|177
|200|334|304|254|376|152|301|160|060|260|351|216|151|342|054|151
|201|224|011|272|335|376|115|300|203|214|224|130|300|106|040|257
|234|037|002|370|065|125|111|057|106|324|300|360|240|226|002|017
|063|305|161|363|236|043|175|224|267|375|072|323|011|203|006|041

```
\375\140\075\256\062\300\322\356\215\246\360\347\264\202\174\012
\314\160\311\171\200\370\376\114\367\065\204\031\212\061\373\012
\331\327\177\233\360\242\232\153\303\005\112\355\101\140\024\060
\321\252\021\102\156\323\043\002\004\013\306\145\335\335\122\167
\332\201\153\262\250\372\001\070\271\226\352\052\154\147\227\211
\224\236\274\341\124\325\344\152\170\357\112\275\053\232\075\100
\176\306\300\165\322\156\373\150\060\354\354\213\235\371\111\065
\232\032\054\331\263\225\071\325\036\222\367\246\271\145\057\345
\075\155\072\110\114\010\334\344\050\022\050\276\175\065\134\352
\340\026\176\023\033\152\327\076\327\236\374\055\165\262\301\024
\325\043\003\333\133\157\013\076\170\057\015\336\063\215\026\267
\110\347\203\232\201\017\173\301\103\115\125\004\027\070\112\121
\325\131\242\211\164\323\237\276\036\113\327\306\155\267\210\044
\157\140\221\244\202\205\133\126\101\274\320\104\253\152\023\276
\321\054\130\267\022\063\130\262\067\143\334\023\365\224\035\077
\100\121\365\117\365\072\355\310\305\353\302\036\035\026\225\172
\307\176\102\161\223\156\113\025\267\060\337\252\355\127\205\110
\254\035\152\335\071\151\344\341\171\170\276\316\005\277\241\014
\367\200\173\041\147\047\060\131
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Staat der Nederlanden Root CA - G3"
```

```
# Issuer: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
```

```
# Serial Number: 10003001 (0x98a239)
```

```
# Subject: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
```

```
# Not Valid Before: Thu Nov 14 11:28:42 2013
```

```
# Not Valid After : Mon Nov 13 23:00:00 2028
```

```
# Fingerprint (SHA-256):
```

```
3C:4F:B0:B9:5A:B8:B3:00:32:F4:32:B8:6F:53:5F:E1:72:C1:85:D0:FD:39:86:58:37:CF:36:18:7F:A6:F4:28
```

```
# Fingerprint (SHA1): D8:EB:6B:41:51:92:59:E0:F3:E7:85:00:C0:3D:B6:88:97:C9:EE:FC
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Staat der Nederlanden Root CA - G3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\330\353\153\101\121\222\131\340\363\347\205\000\300\075\266\210
\227\311\356\374
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\013\106\147\007\333\020\057\031\214\065\120\140\321\013\364\067
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\132\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040
```

```
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061
\053\060\051\006\003\125\004\003\014\042\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040
\122\157\157\164\040\103\101\040\055\040\107\063
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\004\000\230\242\071
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "IdenTrust Commercial Root CA 1"

#

Issuer: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US

Serial Number:0a:01:42:80:00:00:01:45:23:c8:44:b5:00:00:00:02

Subject: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US

Not Valid Before: Thu Jan 16 18:12:23 2014

Not Valid After : Mon Jan 16 18:12:23 2034

Fingerprint (SHA-256):

```
5D:56:49:9B:E4:D2:E0:8B:CF:CA:D0:8A:3E:38:72:3D:50:50:3B:DE:70:69:48:E4:2F:55:60:30:19:E5:28:AE
```

Fingerprint (SHA1): DF:71:7E:AA:4A:D9:4E:C9:55:84:99:60:2D:48:DE:5F:BC:F0:3A:25

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "IdenTrust Commercial Root CA 1"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\047\060\045\006\003\125\004\003\023\036\111\144
\145\156\124\162\165\163\164\040\103\157\155\155\145\162\143\151
\141\154\040\122\157\157\164\040\103\101\040\061
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

```
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\047\060\045\006\003\125\004\003\023\036\111\144
\145\156\124\162\165\163\164\040\103\157\155\155\145\162\143\151
\141\154\040\122\157\157\164\040\103\101\040\061
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\020\012\001\102\200\000\000\001\105\043\310\104\265\000\000
\000\002
```

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\140\060\202\003\110\240\003\002\001\002\002\020\012
\001\102\200\000\000\001\105\043\310\104\265\000\000\000\002\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\112
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060
\020\006\003\125\004\012\023\011\111\144\145\156\124\162\165\163
\164\061\047\060\045\006\003\125\004\003\023\036\111\144\145\156
\124\162\165\163\164\040\103\157\155\155\145\162\143\151\141\154
\040\122\157\157\164\040\103\101\040\061\060\036\027\015\061\064
\060\061\061\066\061\070\061\062\062\063\132\027\015\063\064\060
\061\061\066\061\070\061\062\062\063\132\060\112\061\013\060\011
\006\003\125\004\006\023\002\125\123\061\022\060\020\006\003\125
\004\012\023\011\111\144\145\156\124\162\165\163\164\061\047\060
\045\006\003\125\004\003\023\036\111\144\145\156\124\162\165\163
\164\040\103\157\155\155\145\162\143\151\141\154\040\122\157\157
\164\040\103\101\040\061\060\202\002\042\060\015\006\011\052\206
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202
\002\012\002\202\002\001\000\247\120\031\336\077\231\075\324\063
\106\361\157\121\141\202\262\251\117\217\147\211\135\204\331\123
\335\014\050\331\327\360\377\256\225\103\162\231\371\265\135\174
\212\301\102\341\061\120\164\321\201\015\174\315\233\041\253\103
\342\254\255\136\206\156\363\011\212\037\132\062\275\242\353\224
\371\350\134\012\354\377\230\322\257\161\263\264\123\237\116\207
\357\222\274\275\354\117\062\060\210\113\027\136\127\304\123\302
\366\002\227\215\331\142\053\277\044\037\142\215\337\303\270\051
\113\111\170\074\223\140\210\042\374\231\332\066\310\302\242\324
\054\124\000\147\065\156\163\277\002\130\360\244\335\345\260\242
\046\172\312\340\066\245\031\026\365\375\267\357\256\077\100\365
\155\132\004\375\316\064\312\044\334\164\043\033\135\063\023\022
\135\304\001\045\366\060\335\002\135\237\340\325\107\275\264\353
\033\241\273\111\111\330\237\133\002\363\212\344\044\220\344\142
\117\117\301\257\213\016\164\027\250\321\162\210\152\172\001\111
\314\264\106\171\306\027\261\332\230\036\007\131\372\165\041\205
\145\335\220\126\316\373\253\245\140\235\304\235\371\122\260\213
\275\207\371\217\053\043\012\043\166\073\367\063\341\311\000\363
\151\371\113\242\340\116\274\176\223\071\204\007\367\104\160\176
\376\007\132\345\261\254\321\030\314\362\065\345\111\111\010\312
\126\311\075\373\017\030\175\213\073\301\023\302\115\217\311\117
\016\067\351\037\241\016\152\337\142\056\313\065\006\121\171\054
\310\045\070\364\372\113\247\211\134\234\322\343\015\071\206\112
\164\174\325\131\207\302\077\116\014\134\122\364\075\367\122\202
\361\352\243\254\375\111\064\032\050\363\101\210\072\023\356\350
\336\377\231\035\137\272\313\350\036\362\271\120\140\300\061\323
\163\345\357\276\240\355\063\013\164\276\040\040\304\147\154\360
\010\003\172\125\200\177\106\116\226\247\364\036\076\341\366\330
\011\341\063\144\053\143\327\062\136\237\371\300\173\017\170\157
\227\274\223\232\371\234\022\220\170\172\200\207\025\327\162\164

\234\125\164\170\261\272\341\156\160\004\272\117\240\272\150\303
\173\377\061\360\163\075\075\224\052\261\013\101\016\240\376\115
\210\145\153\171\063\264\327\002\003\001\000\001\243\102\060\100
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\035\006\003\125\035\016\004\026\004\024\355\104\031\300
\323\360\006\213\356\244\173\276\102\347\046\124\310\216\066\166
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003
\202\002\001\000\015\256\220\062\366\246\113\174\104\166\031\141
\036\047\050\315\136\124\357\045\274\343\010\220\371\051\327\256
\150\010\341\224\000\130\357\056\056\176\123\122\214\266\134\007
\352\210\272\231\213\120\224\327\202\200\337\141\011\000\223\255
\015\024\346\316\301\362\067\224\170\260\137\234\263\242\163\270
\217\005\223\070\315\215\076\260\270\373\300\317\261\362\354\055
\055\033\314\354\252\232\263\252\140\202\033\055\073\303\204\075
\127\212\226\036\234\165\270\323\060\315\140\010\203\220\323\216
\124\361\115\146\300\135\164\003\100\243\356\205\176\302\037\167
\234\006\350\301\247\030\135\122\225\355\311\335\045\236\155\372
\251\355\243\072\064\320\131\173\332\355\120\363\065\277\355\353
\024\115\061\307\140\364\332\361\207\234\342\110\342\306\305\067
\373\006\020\372\165\131\146\061\107\051\332\166\232\034\351\202
\256\357\232\271\121\367\210\043\232\151\225\142\074\345\125\200
\066\327\124\002\377\361\271\135\316\324\043\157\330\105\204\112
\133\145\357\211\014\335\024\247\040\313\030\245\045\264\015\371
\001\360\242\322\364\000\310\164\216\241\052\110\216\145\333\023
\304\342\045\027\175\353\276\207\133\027\040\124\121\223\112\123
\003\013\354\135\312\063\355\142\375\105\307\057\133\334\130\240
\200\071\346\372\327\376\023\024\246\355\075\224\112\102\164\324
\303\167\131\163\315\217\106\276\125\070\357\372\350\221\062\352
\227\130\004\042\336\070\303\314\274\155\311\063\072\152\012\151
\077\240\310\352\162\217\214\143\206\043\275\155\074\226\236\225
\340\111\114\252\242\271\052\033\234\066\201\170\355\303\350\106
\342\046\131\104\165\036\331\165\211\121\315\020\204\235\141\140
\313\135\371\227\042\115\216\230\346\343\177\366\133\273\256\315
\312\112\201\153\136\013\363\121\341\164\053\351\176\047\247\331
\231\111\116\370\245\200\333\045\017\034\143\142\212\311\063\147
\153\074\020\203\306\255\336\250\315\026\216\215\360\007\067\161
\237\362\253\374\101\365\301\213\354\000\067\135\011\345\116\200
\357\372\261\134\070\006\245\033\112\341\334\070\055\074\334\253
\037\220\032\325\112\234\356\321\160\154\314\356\364\127\370\030
\272\204\156\207

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "IdenTrust Commercial Root CA 1"
Issuer: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US

```

# Serial Number:0a:01:42:80:00:00:01:45:23:c8:44:b5:00:00:00:02
# Subject: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US
# Not Valid Before: Thu Jan 16 18:12:23 2014
# Not Valid After : Mon Jan 16 18:12:23 2034
# Fingerprint (SHA-256):
5D:56:49:9B:E4:D2:E0:8B:CF:CA:D0:8A:3E:38:72:3D:50:50:3B:DE:70:69:48:E4:2F:55:60:30:19:E5:28:AE
# Fingerprint (SHA1): DF:71:7E:AA:4A:D9:4E:C9:55:84:99:60:2D:48:DE:5F:BC:F0:3A:25
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "IdenTrust Commercial Root CA 1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\337\161\176\252\112\331\116\311\125\204\231\140\055\110\336\137
\274\360\072\045
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\263\076\167\163\165\356\240\323\343\176\111\143\111\131\273\307
END
CKA_ISSUER MULTILINE_OCTAL
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\047\060\045\006\003\125\004\003\023\036\111\144
\145\156\124\162\165\163\164\040\103\157\155\155\145\162\143\151
\141\154\040\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\012\001\102\200\000\000\001\105\043\310\104\265\000\000
\000\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "IdenTrust Public Sector Root CA 1"
#
# Issuer: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US
# Serial Number:0a:01:42:80:00:00:01:45:23:cf:46:7c:00:00:00:02
# Subject: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US
# Not Valid Before: Thu Jan 16 17:53:32 2014
# Not Valid After : Mon Jan 16 17:53:32 2034
# Fingerprint (SHA-256):
30:D0:89:5A:9A:44:8A:26:20:91:63:55:22:D1:F5:20:10:B5:86:7A:CA:E1:2C:78:EF:95:8F:D4:F4:38:9F:2F
# Fingerprint (SHA1): BA:29:41:60:77:98:3F:F4:F3:EF:F2:31:05:3B:2E:EA:6D:4D:45:FD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE

```



```
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "IdenTrust Public Sector Root CA 1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\052\060\050\006\003\125\004\003\023\041\111\144
\145\156\124\162\165\163\164\040\120\165\142\154\151\143\040\123
\145\143\164\157\162\040\122\157\157\164\040\103\101\040\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\052\060\050\006\003\125\004\003\023\041\111\144
\145\156\124\162\165\163\164\040\120\165\142\154\151\143\040\123
\145\143\164\157\162\040\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\012\001\102\200\000\000\001\105\043\317\106\174\000\000
\000\002
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\146\060\202\003\116\240\003\002\001\002\002\020\012
\001\102\200\000\000\001\105\043\317\106\174\000\000\000\002\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\115
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060
\020\006\003\125\004\012\023\011\111\144\145\156\124\162\165\163
\164\061\052\060\050\006\003\125\004\003\023\041\111\144\145\156
\124\162\165\163\164\040\120\165\142\154\151\143\040\123\145\143
\164\157\162\040\122\157\157\164\040\103\101\040\061\060\036\027
\015\061\064\060\061\061\066\061\067\065\063\063\062\132\027\015
\063\064\060\061\061\066\061\067\065\063\063\062\132\060\115\061
\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060\020
\006\003\125\004\012\023\011\111\144\145\156\124\162\165\163\164
\061\052\060\050\006\003\125\004\003\023\041\111\144\145\156\124
\162\165\163\164\040\120\165\142\154\151\143\040\123\145\143\164
\157\162\040\122\157\157\164\040\103\101\040\061\060\202\002\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\002\017\000\060\202\002\012\002\202\002\001\000\266\042\224
\374\244\110\257\350\107\153\012\373\047\166\344\362\077\212\073
\172\112\054\061\052\214\215\260\251\303\061\153\250\167\166\204
\046\266\254\201\102\015\010\353\125\130\273\172\370\274\145\175
\362\240\155\213\250\107\351\142\166\036\021\356\010\024\321\262
\104\026\364\352\320\372\036\057\136\333\313\163\101\256\274\000
\260\112\053\100\262\254\341\073\113\302\055\235\344\241\233\354
\032\072\036\360\010\263\320\344\044\065\007\237\234\264\311\122
```

\155\333\007\312\217\265\133\360\203\363\117\307\055\245\310\255
\313\225\040\244\061\050\127\130\132\344\215\033\232\253\236\015
\014\362\012\063\071\042\071\012\227\056\363\123\167\271\104\105
\375\204\313\066\040\201\131\055\232\157\155\110\110\141\312\114
\337\123\321\257\122\274\104\237\253\057\153\203\162\357\165\200
\332\006\063\033\135\310\332\143\306\115\315\254\146\061\315\321
\336\076\207\020\066\341\271\244\172\357\140\120\262\313\312\246
\126\340\067\257\253\064\023\071\045\350\071\146\344\230\172\252
\022\230\234\131\146\206\076\255\361\260\312\076\006\017\173\360
\021\113\067\240\104\155\173\313\250\214\161\364\325\265\221\066
\314\360\025\306\053\336\121\027\261\227\114\120\075\261\225\131
\174\005\175\055\041\325\000\277\001\147\242\136\173\246\134\362
\367\042\361\220\015\223\333\252\104\121\146\314\175\166\003\353
\152\250\052\070\031\227\166\015\153\212\141\371\274\366\356\166
\375\160\053\335\051\074\370\012\036\133\102\034\213\126\057\125
\033\034\241\056\265\307\026\346\370\252\074\222\216\151\266\001
\301\265\206\235\211\017\013\070\224\124\350\352\334\236\075\045
\274\123\046\355\325\253\071\252\305\100\114\124\253\262\264\331
\331\370\327\162\333\034\274\155\275\145\137\357\210\065\052\146
\057\356\366\263\145\360\063\215\174\230\101\151\106\017\103\034
\151\372\233\265\320\141\152\315\312\113\331\114\220\106\253\025
\131\241\107\124\051\056\203\050\137\034\302\242\253\162\027\000
\006\216\105\354\213\342\063\075\177\332\031\104\344\142\162\303
\337\042\306\362\126\324\335\137\225\162\355\155\137\367\110\003
\133\375\305\052\240\366\163\043\204\020\033\001\347\002\003\001
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\343\161\340\236\330\247\102\331\333\161\221\153\224\223
\353\303\243\321\024\243\060\015\006\011\052\206\110\206\367\015
\001\001\013\005\000\003\202\002\001\000\107\372\335\012\260\021
\221\070\255\115\135\367\345\016\227\124\031\202\110\207\124\214
\252\144\231\330\132\376\210\001\305\130\245\231\261\043\124\043
\267\152\035\040\127\345\001\142\101\027\323\011\333\165\313\156
\124\220\165\376\032\237\201\012\302\335\327\367\011\320\133\162
\025\344\036\011\152\075\063\363\041\232\346\025\176\255\121\325
\015\020\355\175\102\300\217\356\300\232\010\325\101\326\134\016
\041\151\156\200\141\016\025\300\270\317\305\111\022\122\314\276
\072\314\324\056\070\005\336\065\375\037\157\270\200\150\230\075
\115\240\312\100\145\322\163\174\365\213\331\012\225\077\330\077
\043\155\032\321\052\044\031\331\205\263\027\357\170\156\251\130
\321\043\323\307\023\355\162\045\177\135\261\163\160\320\177\006
\227\011\204\051\200\141\035\372\136\377\163\254\240\343\211\270
\034\161\025\306\336\061\177\022\334\341\155\233\257\347\350\237
\165\170\114\253\106\073\232\316\277\005\030\135\115\025\074\026
\232\031\120\004\232\262\232\157\145\213\122\137\074\130\004\050
\045\300\146\141\061\176\271\340\165\271\032\250\201\326\162\027
\263\305\003\061\065\021\170\170\242\340\351\060\214\177\200\337

```
\130\337\074\272\047\226\342\200\064\155\343\230\323\144\047\254
\110\176\050\167\134\306\045\141\045\370\205\014\145\372\304\062
\057\245\230\005\344\370\013\147\026\026\306\202\270\062\031\371
\371\271\171\334\037\315\353\257\253\016\335\033\333\105\344\172
\347\002\342\225\135\374\151\360\123\151\141\225\165\171\013\136
\125\346\070\034\224\251\131\063\236\310\161\164\171\177\121\211
\266\310\152\270\060\310\152\070\303\156\236\341\067\026\352\005
\142\114\133\022\107\355\247\264\263\130\126\307\111\363\177\022
\150\011\061\161\360\155\370\116\107\373\326\205\356\305\130\100
\031\244\035\247\371\113\103\067\334\150\132\117\317\353\302\144
\164\336\264\025\331\364\124\124\032\057\034\327\227\161\124\220
\216\331\040\235\123\053\177\253\217\342\352\060\274\120\067\357
\361\107\265\175\174\054\004\354\150\235\264\111\104\020\364\162
\113\034\144\347\374\346\153\220\335\151\175\151\375\000\126\245
\267\254\266\255\267\312\076\001\357\234
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "IdenTrust Public Sector Root CA 1"
```

```
# Issuer: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US
```

```
# Serial Number:0a:01:42:80:00:00:01:45:23:cf:46:7c:00:00:00:02
```

```
# Subject: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US
```

```
# Not Valid Before: Thu Jan 16 17:53:32 2014
```

```
# Not Valid After : Mon Jan 16 17:53:32 2034
```

```
# Fingerprint (SHA-256):
```

```
30:D0:89:5A:9A:44:8A:26:20:91:63:55:22:D1:F5:20:10:B5:86:7A:CA:E1:2C:78:EF:95:8F:D4:F4:38:9F:2F
```

```
# Fingerprint (SHA1): BA:29:41:60:77:98:3F:F4:F3:EF:F2:31:05:3B:2E:EA:6D:4D:45:FD
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "IdenTrust Public Sector Root CA 1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\272\051\101\140\167\230\077\364\363\357\362\061\005\073\056\352
```

```
\155\115\105\375
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\067\006\245\260\374\211\235\272\364\153\214\032\144\315\325\272
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
```

```
\165\163\164\061\052\060\050\006\003\125\004\003\023\041\111\144
```

```
\145\156\124\162\165\163\164\040\120\165\142\154\151\143\040\123
```

```
\145\143\164\157\162\040\122\157\157\164\040\103\101\040\061
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\012\001\102\200\000\000\001\105\043\317\106\174\000\000
\000\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Entrust Root Certification Authority - G2"
#
# Issuer: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Serial Number: 1246989352 (0x4a538c28)
# Subject: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Not Valid Before: Tue Jul 07 17:25:54 2009
# Not Valid After : Sat Dec 07 17:55:54 2030
# Fingerprint (SHA-256):
43:DF:57:74:B0:3E:7F:EF:5F:E4:0D:93:1A:7B:ED:F1:BB:2E:6B:42:73:8C:4E:6D:38:41:10:3D:3A:A7:F3:39
# Fingerprint (SHA1): 8C:F4:27:FD:79:0C:3A:D1:66:06:8D:E8:1E:57:EF:BB:93:22:72:D4
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\060\071\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004

```

\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\060\071\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\062

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\004\112\123\214\050

END

CKA_VALUE MULTILINE_OCTAL

\060\202\004\076\060\202\003\046\240\003\002\001\002\002\004\112
\123\214\050\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\201\276\061\013\060\011\006\003\125\004\006\023\002
\125\123\061\026\060\024\006\003\125\004\012\023\015\105\156\164
\162\165\163\164\054\040\111\156\143\056\061\050\060\046\006\003
\125\004\013\023\037\123\145\145\040\167\167\167\056\145\156\164
\162\165\163\164\056\156\145\164\057\154\145\147\141\154\055\164
\145\162\155\163\061\071\060\067\006\003\125\004\013\023\060\050
\143\051\040\062\060\060\071\040\105\156\164\162\165\163\164\054
\040\111\156\143\056\040\055\040\146\157\162\040\141\165\164\150
\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171\061
\062\060\060\006\003\125\004\003\023\051\105\156\164\162\165\163
\164\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\055
\040\107\062\060\036\027\015\060\071\060\067\060\067\061\067\062
\065\065\064\132\027\015\063\060\061\062\060\067\061\067\065\065
\065\064\132\060\201\276\061\013\060\011\006\003\125\004\006\023
\002\125\123\061\026\060\024\006\003\125\004\012\023\015\105\156
\164\162\165\163\164\054\040\111\156\143\056\061\050\060\046\006
\003\125\004\013\023\037\123\145\145\040\167\167\167\056\145\156
\164\162\165\163\164\056\156\145\164\057\154\145\147\141\154\055
\164\145\162\155\163\061\071\060\067\006\003\125\004\013\023\060
\050\143\051\040\062\060\060\071\040\105\156\164\162\165\163\164
\054\040\111\156\143\056\040\055\040\146\157\162\040\141\165\164
\150\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171
\061\062\060\060\006\003\125\004\003\023\051\105\156\164\162\165
\163\164\040\122\157\157\164\040\103\145\162\164\151\146\151\143
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040
\055\040\107\062\060\202\001\042\060\015\006\011\052\206\110\206
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012
\002\202\001\001\000\272\204\266\162\333\236\014\153\342\231\351
\060\001\247\166\352\062\270\225\101\032\311\332\141\116\130\162
\317\376\366\202\171\277\163\141\006\012\245\047\330\263\137\323

\105\116\034\162\326\116\062\362\162\212\017\367\203\031\320\152
\200\200\000\105\036\260\307\347\232\277\022\127\047\034\243\150
\057\012\207\275\152\153\016\136\145\363\034\167\325\324\205\215
\160\041\264\263\062\347\213\242\325\206\071\002\261\270\322\107
\316\344\311\111\304\073\247\336\373\124\175\127\276\360\350\156
\302\171\262\072\013\125\342\120\230\026\062\023\134\057\170\126
\301\302\224\263\362\132\344\047\232\237\044\327\306\354\320\233
\045\202\343\314\302\304\105\305\214\227\172\006\153\052\021\237
\251\012\156\110\073\157\333\324\021\031\102\367\217\007\277\365
\123\137\234\076\364\027\054\346\151\254\116\062\114\142\167\352
\267\350\345\273\064\274\031\213\256\234\121\347\267\176\265\123
\261\063\042\345\155\317\160\074\032\372\342\233\147\266\203\364
\215\245\257\142\114\115\340\130\254\144\064\022\003\370\266\215
\224\143\044\244\161\002\003\001\000\001\243\102\060\100\060\016
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\017
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060
\035\006\003\125\035\016\004\026\004\024\152\162\046\172\320\036
\357\175\347\073\151\121\324\154\215\237\220\022\146\253\060\015
\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001
\001\000\171\237\035\226\306\266\171\077\042\215\207\323\207\003
\004\140\152\153\232\056\131\211\163\021\254\103\321\365\023\377
\215\071\053\300\362\275\117\160\214\251\057\352\027\304\013\124
\236\324\033\226\230\063\074\250\255\142\242\000\166\253\131\151
\156\006\035\176\304\271\104\215\230\257\022\324\141\333\012\031
\106\107\363\353\367\143\301\100\005\100\245\322\267\364\265\232
\066\277\251\210\166\210\004\125\004\053\234\207\177\032\067\074
\176\055\245\032\330\324\211\136\312\275\254\075\154\330\155\257
\325\363\166\017\315\073\210\070\042\235\154\223\232\304\075\277
\202\033\145\077\246\017\135\252\374\345\262\025\312\265\255\306
\274\075\320\204\350\352\006\162\260\115\071\062\170\277\076\021
\234\013\244\235\232\041\363\360\233\013\060\170\333\301\334\207
\103\376\274\143\232\312\305\302\034\311\307\215\377\073\022\130
\010\346\266\075\354\172\054\116\373\203\226\316\014\074\151\207
\124\163\244\163\302\223\377\121\020\254\025\124\001\330\374\005
\261\211\241\177\164\203\232\111\327\334\116\173\212\110\157\213
\105\366

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Entrust Root Certification Authority - G2"
Issuer: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
Serial Number: 1246989352 (0x4a538c28)
Subject: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
Not Valid Before: Tue Jul 07 17:25:54 2009

```

# Not Valid After : Sat Dec 07 17:55:54 2030
# Fingerprint (SHA-256):
43:DF:57:74:B0:3E:7F:EF:5F:E4:0D:93:1A:7B:ED:F1:BB:2E:6B:42:73:8C:4E:6D:38:41:10:3D:3A:A7:F3:39
# Fingerprint (SHA1): 8C:F4:27:FD:79:0C:3A:D1:66:06:8D:E8:1E:57:EF:BB:93:22:72:D4
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority - G2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\214\364\047\375\171\014\072\321\146\006\215\350\036\127\357\273
\223\042\162\324
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\113\342\311\221\226\145\014\364\016\132\223\222\240\012\376\262
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\060\071\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\112\123\214\050
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Entrust Root Certification Authority - EC1"
#
# Issuer: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Serial Number:00:a6:8b:79:29:00:00:00:00:50:d0:91:f9
# Subject: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Not Valid Before: Tue Dec 18 15:25:36 2012

```

```
# Not Valid After : Fri Dec 18 15:55:36 2037
# Fingerprint (SHA-256):
02:ED:0E:B2:8C:14:DA:45:16:5C:56:67:91:70:0D:64:51:D7:FB:56:F0:B2:AB:1D:3B:8E:B0:70:E5:6E:DF:F5
# Fingerprint (SHA1): 20:D8:06:40:DF:9B:25:F5:12:25:3A:11:EA:F7:59:8A:EB:14:B5:47
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority - EC1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\277\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\062\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\063\060
\061\006\003\125\004\003\023\052\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\105
\103\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\277\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\062\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\063\060
\061\006\003\125\004\003\023\052\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\105
\103\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\000\246\213\171\051\000\000\000\000\120\320\221\371
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\371\060\202\002\200\240\003\002\001\002\002\015\000
\246\213\171\051\000\000\000\000\120\320\221\371\060\012\006\010
\052\206\110\316\075\004\003\003\060\201\277\061\013\060\011\006
```


\003\125\004\006\023\002\125\123\061\026\060\024\006\003\125\004
\012\023\015\105\156\164\162\165\163\164\054\040\111\156\143\056
\061\050\060\046\006\003\125\004\013\023\037\123\145\145\040\167
\167\167\056\145\156\164\162\165\163\164\056\156\145\164\057\154
\145\147\141\154\055\164\145\162\155\163\061\071\060\067\006\003
\125\004\013\023\060\050\143\051\040\062\060\061\062\040\105\156
\164\162\165\163\164\054\040\111\156\143\056\040\055\040\146\157
\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163\145
\040\157\156\154\171\061\063\060\061\006\003\125\004\003\023\052
\105\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171\040\055\040\105\103\061\060\036\027\015\061\062
\061\062\061\070\061\065\062\065\063\066\132\027\015\063\067\061
\062\061\070\061\065\065\065\063\066\132\060\201\277\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\026\060\024\006\003
\125\004\012\023\015\105\156\164\162\165\163\164\054\040\111\156
\143\056\061\050\060\046\006\003\125\004\013\023\037\123\145\145
\040\167\167\167\056\145\156\164\162\165\163\164\056\156\145\164
\057\154\145\147\141\154\055\164\145\162\155\163\061\071\060\067
\006\003\125\004\013\023\060\050\143\051\040\062\060\061\062\040
\105\156\164\162\165\163\164\054\040\111\156\143\056\040\055\040
\146\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165
\163\145\040\157\156\154\171\061\063\060\061\006\003\125\004\003
\023\052\105\156\164\162\165\163\164\040\122\157\157\164\040\103
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164
\150\157\162\151\164\171\040\055\040\105\103\061\060\166\060\020
\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000\042
\003\142\000\004\204\023\311\320\272\155\101\173\342\154\320\353
\125\137\146\002\032\044\364\133\211\151\107\343\270\302\175\361
\362\002\305\237\240\366\133\325\213\006\031\206\117\123\020\155
\007\044\047\241\240\370\325\107\031\141\114\175\312\223\047\352
\164\014\357\157\226\011\376\143\354\160\135\066\255\147\167\256
\311\235\174\125\104\072\242\143\121\037\365\343\142\324\251\107
\007\076\314\040\243\102\060\100\060\016\006\003\125\035\017\001
\001\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001
\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016
\004\026\004\024\267\143\347\032\335\215\351\010\246\125\203\244
\340\152\120\101\145\021\102\111\060\012\006\010\052\206\110\316
\075\004\003\003\003\147\000\060\144\002\060\141\171\330\345\102
\107\337\034\256\123\231\027\266\157\034\175\341\277\021\224\321
\003\210\165\344\215\211\244\212\167\106\336\155\141\357\002\365
\373\265\337\314\376\116\377\376\251\346\247\002\060\133\231\327
\205\067\006\265\173\010\375\353\047\213\112\224\371\341\372\247
\216\046\010\350\174\222\150\155\163\330\157\046\254\041\002\270
\231\267\046\101\133\045\140\256\320\110\032\356\006

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Entrust Root Certification Authority - EC1"

Issuer: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

Serial Number:00:a6:8b:79:29:00:00:00:50:d0:91:f9

Subject: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

Not Valid Before: Tue Dec 18 15:25:36 2012

Not Valid After : Fri Dec 18 15:55:36 2037

Fingerprint (SHA-256):

02:ED:0E:B2:8C:14:DA:45:16:5C:56:67:91:70:0D:64:51:D7:FB:56:F0:B2:AB:1D:3B:8E:B0:70:E5:6E:DF:F5

Fingerprint (SHA1): 20:D8:06:40:DF:9B:25:F5:12:25:3A:11:EA:F7:59:8A:EB:14:B5:47

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Entrust Root Certification Authority - EC1"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\040\330\006\100\337\233\045\365\022\045\072\021\352\367\131\212

\353\024\265\107

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\266\176\035\360\130\305\111\154\044\073\075\355\230\030\355\274

END

CKA_ISSUER MULTILINE_OCTAL

\060\201\277\061\013\060\011\006\003\125\004\006\023\002\125\123

\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165

\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004

\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165

\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162

\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051

\040\062\060\061\062\040\105\156\164\162\165\163\164\054\040\111

\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162

\151\172\145\144\040\165\163\145\040\157\156\154\171\061\063\060

\061\006\003\125\004\003\023\052\105\156\164\162\165\163\164\040

\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151

\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\105

\103\061

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\015\000\246\213\171\051\000\000\000\000\120\320\221\371

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

```

#
# Certificate "CFCA EV ROOT"
#
# Issuer: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN
# Serial Number: 407555286 (0x184accd6)
# Subject: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN
# Not Valid Before: Wed Aug 08 03:07:01 2012
# Not Valid After : Mon Dec 31 03:07:01 2029
# Fingerprint (SHA-256):
5C:C3:D7:8E:4E:1D:5E:45:54:7A:04:E6:87:3E:64:F9:0C:F9:53:6D:1C:CC:2E:F8:00:F3:55:C4:C5:FD:70:FD
# Fingerprint (SHA1): E2:B8:29:4B:55:84:AB:6B:58:C2:90:46:6C:AC:3F:B8:39:8F:84:83
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "CFCA EV ROOT"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\060\060\056\006\003\125\004\012\014\047\103\150\151\156\141\040
\106\151\156\141\156\143\151\141\154\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\061\025\060\023\006\003\125\004\003\014\014\103\106\103\101
\040\105\126\040\122\117\117\124
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\060\060\056\006\003\125\004\012\014\047\103\150\151\156\141\040
\106\151\156\141\156\143\151\141\154\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\061\025\060\023\006\003\125\004\003\014\014\103\106\103\101
\040\105\126\040\122\117\117\124
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\030\112\314\326
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\215\060\202\003\165\240\003\002\001\002\002\004\030
\112\314\326\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\126\061\013\060\011\006\003\125\004\006\023\002\103
\116\061\060\060\056\006\003\125\004\012\014\047\103\150\151\156
\141\040\106\151\156\141\156\143\151\141\154\040\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162
\151\164\171\061\025\060\023\006\003\125\004\003\014\014\103\106
\103\101\040\105\126\040\122\117\117\124\060\036\027\015\061\062
\060\070\060\070\060\063\060\067\060\061\132\027\015\062\071\061
\062\063\061\060\063\060\067\060\061\132\060\126\061\013\060\011

```

\006\003\125\004\006\023\002\103\116\061\060\060\056\006\003\125
\004\012\014\047\103\150\151\156\141\040\106\151\156\141\156\143
\151\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\025\060\023\006
\003\125\004\003\014\014\103\106\103\101\040\105\126\040\122\117
\117\124\060\202\002\042\060\015\006\011\052\206\110\206\367\015
\001\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202
\002\001\000\327\135\153\315\020\077\037\005\131\325\005\115\067
\261\016\354\230\053\216\025\035\372\223\113\027\202\041\161\020
\122\327\121\144\160\026\302\125\151\115\216\025\155\237\277\014
\033\302\340\243\147\326\014\254\317\042\256\257\167\124\052\113
\114\212\123\122\172\303\356\056\336\263\161\045\301\351\135\075
\356\241\057\243\367\052\074\311\043\035\152\253\035\241\247\361
\363\354\240\325\104\317\025\317\162\057\035\143\227\350\231\371
\375\223\244\124\200\114\122\324\122\253\056\111\337\220\315\270
\137\276\077\336\241\312\115\040\324\045\350\204\051\123\267\261
\210\037\377\372\332\220\237\012\251\055\101\077\261\361\030\051
\356\026\131\054\064\111\032\250\006\327\250\210\322\003\162\172
\062\342\352\150\115\156\054\226\145\173\312\131\372\362\342\335
\356\060\054\373\314\106\254\304\143\353\157\177\066\053\064\163
\022\224\177\337\314\046\236\361\162\135\120\145\131\217\151\263
\207\136\062\157\303\030\212\265\225\217\260\172\067\336\132\105
\073\307\066\341\357\147\321\071\323\227\133\163\142\031\110\055
\207\034\006\373\164\230\040\111\163\360\005\322\033\261\240\243
\267\033\160\323\210\151\271\132\326\070\364\142\334\045\213\170
\277\370\350\176\270\134\311\225\117\137\247\055\271\040\153\317
\153\335\365\015\364\202\267\364\262\146\056\020\050\366\227\132
\173\226\026\217\001\031\055\154\156\177\071\130\006\144\203\001
\203\203\303\115\222\335\062\306\207\244\067\351\026\316\252\055
\150\257\012\201\145\072\160\301\233\255\115\155\124\312\052\055
\113\205\033\263\200\346\160\105\015\153\136\065\360\177\073\270
\234\344\004\160\211\022\045\223\332\012\231\042\140\152\143\140
\116\166\006\230\116\275\203\255\035\130\212\045\205\322\307\145
\036\055\216\306\337\266\306\341\177\212\004\041\025\051\164\360
\076\234\220\235\014\056\361\212\076\132\252\014\011\036\307\325
\074\243\355\227\303\036\064\372\070\371\010\016\343\300\135\053
\203\321\126\152\311\266\250\124\123\056\170\062\147\075\202\177
\164\320\373\341\266\005\140\271\160\333\216\013\371\023\130\157
\161\140\020\122\020\271\301\101\011\357\162\037\147\061\170\377
\226\005\215\002\003\001\000\001\243\143\060\141\060\037\006\003
\125\035\043\004\030\060\026\200\024\343\376\055\375\050\320\013
\265\272\266\242\304\277\006\252\005\214\223\373\057\060\017\006
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035
\006\003\125\035\016\004\026\004\024\343\376\055\375\050\320\013
\265\272\266\242\304\277\006\252\005\214\223\373\057\060\015\006
\011\052\206\110\206\367\015\001\001\013\005\000\003\202\002\001
\000\045\306\272\153\353\207\313\336\202\071\226\075\360\104\247

\153\204\163\003\336\235\053\117\272\040\177\274\170\262\317\227
\260\033\234\363\327\171\056\365\110\266\322\373\027\210\346\323
\172\077\355\123\023\320\342\057\152\171\313\000\043\050\346\036
\067\127\065\211\204\302\166\117\064\066\255\147\303\316\101\006
\210\305\367\356\330\032\270\326\013\177\120\377\223\252\027\113
\214\354\355\122\140\262\244\006\352\116\353\364\153\031\375\353
\365\032\340\045\052\232\334\307\101\066\367\310\164\005\204\071
\225\071\326\013\073\244\047\372\010\330\134\036\370\004\140\122
\021\050\050\003\377\357\123\146\000\245\112\064\026\146\174\375
\011\244\256\236\147\032\157\101\013\153\006\023\233\217\206\161
\005\264\057\215\211\146\063\051\166\124\232\021\370\047\372\262
\077\221\340\316\015\033\363\060\032\255\277\042\135\033\323\277
\045\005\115\341\222\032\177\231\237\074\104\223\312\324\100\111
\154\200\207\327\004\072\303\062\122\065\016\126\370\245\335\175
\304\213\015\021\037\123\313\036\262\027\266\150\167\132\340\324
\313\310\007\256\365\072\056\216\067\267\320\001\113\103\051\167
\214\071\227\217\202\132\370\121\345\211\240\030\347\150\177\135
\012\056\373\243\107\016\075\246\043\172\306\001\307\217\310\136
\277\155\200\126\276\212\044\272\063\352\237\341\062\021\236\361
\322\117\200\366\033\100\257\070\236\021\120\171\163\022\022\315
\346\154\235\054\210\162\074\060\201\006\221\042\352\131\255\332
\031\056\042\302\215\271\214\207\340\146\274\163\043\137\041\144
\143\200\110\365\240\074\030\075\224\310\110\101\035\100\272\136
\376\376\126\071\241\310\317\136\236\031\144\106\020\332\027\221
\267\005\200\254\213\231\222\175\347\242\330\007\013\066\047\347
\110\171\140\212\303\327\023\134\370\162\100\337\112\313\317\231
\000\012\000\013\021\225\332\126\105\003\210\012\237\147\320\325
\171\261\250\215\100\155\015\302\172\100\372\363\137\144\107\222
\313\123\271\273\131\316\117\375\320\025\123\001\330\337\353\331
\346\166\357\320\043\273\073\251\171\263\325\002\051\315\211\243
\226\017\112\065\347\116\102\300\165\315\007\317\346\054\353\173
\056

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "CFCA EV ROOT"

Issuer: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN

Serial Number: 407555286 (0x184accd6)

Subject: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN

Not Valid Before: Wed Aug 08 03:07:01 2012

Not Valid After : Mon Dec 31 03:07:01 2029

Fingerprint (SHA-256):

5C:C3:D7:8E:4E:1D:5E:45:54:7A:04:E6:87:3E:64:F9:0C:F9:53:6D:1C:CC:2E:F8:00:F3:55:C4:C5:FD:70:FD

Fingerprint (SHA1): E2:B8:29:4B:55:84:AB:6B:58:C2:90:46:6C:AC:3F:B8:39:8F:84:83

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "CFCA EV ROOT"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\342\270\051\113\125\204\253\153\130\302\220\106\154\254\077\270
\071\217\204\203
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\164\341\266\355\046\172\172\104\060\063\224\253\173\047\201\060
END
CKA_ISSUER MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\060\060\056\006\003\125\004\012\014\047\103\150\151\156\141\040
\106\151\156\141\156\143\151\141\154\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\061\025\060\023\006\003\125\004\003\014\014\103\106\103\101
\040\105\126\040\122\117\117\124
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\030\112\314\326
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "OISTE WISeKey Global Root GB CA"
#
# Issuer: CN=OISTE WISeKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH
# Serial Number:76:b1:20:52:74:f0:85:87:46:b3:f8:23:1a:f6:c2:c0
# Subject: CN=OISTE WISeKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH
# Not Valid Before: Mon Dec 01 15:00:32 2014
# Not Valid After : Thu Dec 01 15:10:31 2039
# Fingerprint (SHA-256):
6B:9C:08:E8:6E:B0:F7:67:CF:AD:65:CD:98:B6:21:49:E5:49:4A:67:F5:84:5E:7B:D1:ED:01:9F:27:B8:6B:D6
# Fingerprint (SHA1): 0F:F9:40:76:18:D3:D7:6A:4B:98:F0:A8:35:9E:0C:FD:27:AC:CC:ED
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "OISTE WISeKey Global Root GB CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144

```

\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\102\040\103\101
END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\102\040\103\101
END

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\166\261\040\122\164\360\205\207\106\263\370\043\032\366
\302\300
END

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\265\060\202\002\235\240\003\002\001\002\002\020\166
\261\040\122\164\360\205\207\106\263\370\043\032\366\302\300\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\155
\061\013\060\011\006\003\125\004\006\023\002\103\110\061\020\060
\016\006\003\125\004\012\023\007\127\111\123\145\113\145\171\061
\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040
\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162
\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111
\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142
\141\154\040\122\157\157\164\040\107\102\040\103\101\060\036\027
\015\061\064\061\062\060\061\061\065\061\060\063\061\132\027\015
\063\071\061\062\060\061\061\065\061\060\063\061\132\060\155\061
\013\060\011\006\003\125\004\006\023\002\103\110\061\020\060\016
\006\003\125\004\012\023\007\127\111\123\145\113\145\171\061\042
\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040\106
\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162\163
\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111\123
\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142\141
\154\040\122\157\157\164\040\107\102\040\103\101\060\202\001\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\001\017\000\060\202\001\012\002\202\001\001\000\330\027\267
\034\112\044\052\326\227\261\312\342\036\373\175\070\357\230\365
\262\071\230\116\047\270\021\135\173\322\045\224\210\202\025\046
\152\033\061\273\250\133\041\041\053\330\017\116\237\132\361\261
\132\344\171\326\062\043\053\341\123\314\231\105\134\173\117\255
\274\277\207\112\013\113\227\132\250\366\110\354\175\173\015\315
\041\006\337\236\025\375\101\212\110\267\040\364\241\172\033\127
\324\135\120\377\272\147\330\043\231\037\310\077\343\336\377\157
\133\167\261\153\156\270\311\144\367\341\312\101\106\016\051\161

\320\271\043\374\311\201\137\116\367\157\337\277\204\255\163\144
\273\267\102\216\151\366\324\166\035\176\235\247\270\127\212\121
\147\162\327\324\250\270\225\124\100\163\003\366\352\364\353\376
\050\102\167\077\235\043\033\262\266\075\200\024\007\114\056\117
\367\325\012\026\015\275\146\103\067\176\043\103\171\303\100\206
\365\114\051\332\216\232\255\015\245\004\207\210\036\205\343\351
\123\325\233\310\213\003\143\170\353\340\031\112\156\273\057\153
\063\144\130\223\255\151\277\217\033\357\202\110\307\002\003\001
\000\001\243\121\060\117\060\013\006\003\125\035\017\004\004\003
\002\001\206\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\065
\017\310\066\143\136\342\243\354\371\073\146\025\316\121\122\343
\221\232\075\060\020\006\011\053\006\001\004\001\202\067\025\001
\004\003\002\001\000\060\015\006\011\052\206\110\206\367\015\001
\001\013\005\000\003\202\001\001\000\100\114\373\207\262\231\201
\220\176\235\305\260\260\046\315\210\173\053\062\215\156\270\041
\161\130\227\175\256\067\024\257\076\347\367\232\342\175\366\161
\230\231\004\252\103\164\170\243\343\111\141\076\163\214\115\224
\340\371\161\304\266\026\016\123\170\037\326\242\207\057\002\071
\201\051\074\257\025\230\041\060\376\050\220\000\214\321\341\313
\372\136\310\375\370\020\106\073\242\170\102\221\027\164\125\012
\336\120\147\115\146\321\247\377\375\331\300\265\250\243\212\316
\146\365\017\103\315\247\053\127\173\143\106\152\252\056\122\330
\364\355\341\155\255\051\220\170\110\272\341\043\252\243\211\354
\265\253\226\300\264\113\242\035\227\236\172\362\156\100\161\337
\150\361\145\115\316\174\005\337\123\145\251\245\360\261\227\004
\160\025\106\003\230\324\322\277\124\264\240\130\175\122\157\332
\126\046\142\324\330\333\211\061\157\034\360\042\302\323\142\034
\065\315\114\151\025\124\032\220\230\336\353\036\137\312\167\307
\313\216\075\103\151\234\232\130\320\044\073\337\033\100\226\176
\065\255\201\307\116\161\272\210\023

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "OISTE WISeKey Global Root GB CA"

Issuer: CN=OISTE WISeKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH

Serial Number:76:b1:20:52:74:f0:85:87:46:b3:f8:23:1a:f6:c2:c0

Subject: CN=OISTE WISeKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH

Not Valid Before: Mon Dec 01 15:00:32 2014

Not Valid After : Thu Dec 01 15:10:31 2039

Fingerprint (SHA-256):

6B:9C:08:E8:6E:B0:F7:67:CF:AD:65:CD:98:B6:21:49:E5:49:4A:67:F5:84:5E:7B:D1:ED:01:9F:27:B8:6B:D6

Fingerprint (SHA1): 0F:F9:40:76:18:D3:D7:6A:4B:98:F0:A8:35:9E:0C:FD:27:AC:CC:ED

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE


```

CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "OISTE WISeKey Global Root GB CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\017\371\100\166\030\323\327\152\113\230\360\250\065\236\014\375
\047\254\314\355
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\244\353\271\141\050\056\267\057\230\260\065\046\220\231\121\035
END
CKA_ISSUER MULTILINE_OCTAL
\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\102\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\261\040\122\164\360\205\207\106\263\370\043\032\366
\302\300
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "SZAFIR ROOT CA2"
#
# Issuer: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL
# Serial Number:3e:8a:5d:07:ec:55:d2:32:d5:b7:e3:b6:5f:01:eb:2d:dc:e4:d6:e4
# Subject: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL
# Not Valid Before: Mon Oct 19 07:43:30 2015
# Not Valid After : Fri Oct 19 07:43:30 2035
# Fingerprint (SHA-256):
A1:33:9D:33:28:1A:0B:56:E5:57:D3:D3:2B:1C:E7:F9:36:7E:B0:94:BD:5F:A7:2A:7E:50:04:C8:DE:D7:CA:FE
# Fingerprint (SHA1): E2:52:FA:95:3F:ED:DB:24:60:BD:6E:28:F3:9C:CC:CF:5E:B3:3F:DE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SZAFIR ROOT CA2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\050\060\046\006\003\125\004\012\014\037\113\162\141\152\157\167
\141\040\111\172\142\141\040\122\157\172\154\151\143\172\145\156

```

```
\151\157\167\141\040\123\056\101\056\061\030\060\026\006\003\125
\004\003\014\017\123\132\101\106\111\122\040\122\117\117\124\040
\103\101\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\050\060\046\006\003\125\004\012\014\037\113\162\141\152\157\167
\141\040\111\172\142\141\040\122\157\172\154\151\143\172\145\156
\151\157\167\141\040\123\056\101\056\061\030\060\026\006\003\125
\004\003\014\017\123\132\101\106\111\122\040\122\117\117\124\040
\103\101\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\076\212\135\007\354\125\322\062\325\267\343\266\137\001
\353\055\334\344\326\344
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\162\060\202\002\132\240\003\002\001\002\002\024\076
\212\135\007\354\125\322\062\325\267\343\266\137\001\353\055\334
\344\326\344\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\121\061\013\060\011\006\003\125\004\006\023\002\120
\114\061\050\060\046\006\003\125\004\012\014\037\113\162\141\152
\157\167\141\040\111\172\142\141\040\122\157\172\154\151\143\172
\145\156\151\157\167\141\040\123\056\101\056\061\030\060\026\006
\003\125\004\003\014\017\123\132\101\106\111\122\040\122\117\117
\124\040\103\101\062\060\036\027\015\061\065\061\060\061\071\060
\067\064\063\063\060\132\027\015\063\065\061\060\061\071\060\067
\064\063\063\060\132\060\121\061\013\060\011\006\003\125\004\006
\023\002\120\114\061\050\060\046\006\003\125\004\012\014\037\113
\162\141\152\157\167\141\040\111\172\142\141\040\122\157\172\154
\151\143\172\145\156\151\157\167\141\040\123\056\101\056\061\030
\060\026\006\003\125\004\003\014\017\123\132\101\106\111\122\040
\122\117\117\124\040\103\101\062\060\202\001\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000
\060\202\001\012\002\202\001\001\000\267\274\076\120\250\113\315
\100\265\316\141\347\226\312\264\241\332\014\042\260\372\265\173
\166\000\167\214\013\317\175\250\206\314\046\121\344\040\075\205
\014\326\130\343\347\364\052\030\235\332\321\256\046\356\353\123
\334\364\220\326\023\112\014\220\074\303\364\332\322\216\015\222
\072\334\261\261\377\070\336\303\272\055\137\200\271\002\275\112
\235\033\017\264\303\302\301\147\003\335\334\033\234\075\263\260
\336\000\036\250\064\107\273\232\353\376\013\024\275\066\204\332
\015\040\277\372\133\313\251\026\040\255\071\140\356\057\165\266
\347\227\234\371\076\375\176\115\157\115\057\357\210\015\152\372
\335\361\075\156\040\245\240\022\264\115\160\271\316\327\162\073
\211\223\247\200\204\034\047\111\162\111\265\377\073\225\236\301
\314\310\001\354\350\016\212\012\226\347\263\246\207\345\326\371
```

\005\053\015\227\100\160\074\272\254\165\132\234\325\115\235\002
\012\322\113\233\146\113\106\007\027\145\255\237\154\210\000\334
\042\211\340\341\144\324\147\274\061\171\141\074\273\312\101\315
\134\152\000\310\074\070\216\130\257\002\003\001\000\001\243\102
\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003
\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\006\060\035\006\003\125\035\016\004\026\004\024\056\026
\251\112\030\265\313\314\365\157\120\363\043\137\370\135\347\254
\360\310\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\003\202\001\001\000\265\163\370\003\334\131\133\035\166\351
\243\052\173\220\050\262\115\300\063\117\252\232\261\324\270\344
\047\377\251\226\231\316\106\340\155\174\114\242\070\244\006\160
\360\364\101\021\354\077\107\215\077\162\207\371\073\375\244\157
\053\123\000\340\377\071\271\152\007\016\353\035\034\366\242\162
\220\313\202\075\021\202\213\322\273\237\052\257\041\346\143\206
\235\171\031\357\367\273\014\065\220\303\212\355\117\017\365\314
\022\331\244\076\273\240\374\040\225\137\117\046\057\021\043\203
\116\165\007\017\277\233\321\264\035\351\020\004\376\312\140\217
\242\114\270\255\317\341\220\017\315\256\012\307\135\173\267\120
\322\324\141\372\325\025\333\327\237\207\121\124\353\245\343\353
\311\205\240\045\040\067\373\216\316\014\064\204\341\074\201\262
\167\116\103\245\210\137\206\147\241\075\346\264\134\141\266\076
\333\376\267\050\305\242\007\256\265\312\312\215\052\022\357\227
\355\302\060\244\311\052\172\373\363\115\043\033\231\063\064\240
\056\365\251\013\077\324\135\341\317\204\237\342\031\302\137\212
\326\040\036\343\163\267

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE

Trust for "SZAFIR ROOT CA2"

Issuer: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL

Serial Number:3e:8a:5d:07:ec:55:d2:32:d5:b7:e3:b6:5f:01:eb:2d:dc:e4:d6:e4

Subject: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL

Not Valid Before: Mon Oct 19 07:43:30 2015

Not Valid After : Fri Oct 19 07:43:30 2035

Fingerprint (SHA-256):

A1:33:9D:33:28:1A:0B:56:E5:57:D3:D3:2B:1C:E7:F9:36:7E:B0:94:BD:5F:A7:2A:7E:50:04:C8:DE:D7:CA:FE

Fingerprint (SHA1): E2:52:FA:95:3F:ED:DB:24:60:BD:6E:28:F3:9C:CC:CF:5E:B3:3F:DE

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "SZAFIR ROOT CA2"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\342\122\372\225\077\355\333\044\140\275\156\050\363\234\314\317

\136\263\077\336

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\021\144\301\211\260\044\261\214\261\007\176\211\236\121\236\231
END
CKA_ISSUER MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\050\060\046\006\003\125\004\012\014\037\113\162\141\152\157\167
\141\040\111\172\142\141\040\122\157\172\154\151\143\172\145\156
\151\157\167\141\040\123\056\101\056\061\030\060\026\006\003\125
\004\003\014\017\123\132\101\106\111\122\040\122\117\117\124\040
\103\101\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\076\212\135\007\354\125\322\062\325\267\343\266\137\001
\353\055\334\344\326\344
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Certum Trusted Network CA 2"
#
# Issuer: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
# Serial Number:21:d6:d0:4a:4f:25:0f:c9:32:37:fc:aa:5e:12:8d:e9
# Subject: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
# Not Valid Before: Thu Oct 06 08:39:56 2011
# Not Valid After : Sat Oct 06 08:39:56 2046
# Fingerprint (SHA-256):
B6:76:F2:ED:DA:E8:77:5C:D3:6C:B0:F6:3C:D1:D4:60:39:61:F4:9E:62:65:BA:01:3A:2F:03:07:B6:D0:B8:04
# Fingerprint (SHA1): D3:DD:48:3E:2B:BF:4C:05:E8:AF:10:F5:FA:76:26:CF:D3:DC:30:92
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Network CA 2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\044\060
\042\006\003\125\004\003\023\033\103\145\162\164\165\155\040\124

```

```
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\040\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\044\060
\042\006\003\125\004\003\023\033\103\145\162\164\165\155\040\124
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\041\326\320\112\117\045\017\311\062\067\374\252\136\022
\215\351
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\322\060\202\003\272\240\003\002\001\002\002\020\041
\326\320\112\117\045\017\311\062\067\374\252\136\022\215\351\060
\015\006\011\052\206\110\206\367\015\001\001\015\005\000\060\201
\200\061\013\060\011\006\003\125\004\006\023\002\120\114\061\042
\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164\157
\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\044\060\042\006
\003\125\004\003\023\033\103\145\162\164\165\155\040\124\162\165
\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101\040
\062\060\042\030\017\062\060\061\061\061\060\060\066\060\070\063
\071\065\066\132\030\017\062\060\064\066\061\060\060\066\060\070
\063\071\065\066\132\060\201\200\061\013\060\011\006\003\125\004
\006\023\002\120\114\061\042\060\040\006\003\125\004\012\023\031
\125\156\151\172\145\164\157\040\124\145\143\150\156\157\154\157
\147\151\145\163\040\123\056\101\056\061\047\060\045\006\003\125
\004\013\023\036\103\145\162\164\165\155\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\061\044\060\042\006\003\125\004\003\023\033\103\145\162
\164\165\155\040\124\162\165\163\164\145\144\040\116\145\164\167
\157\162\153\040\103\101\040\062\060\202\002\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000
\060\202\002\012\002\202\002\001\000\275\371\170\370\346\325\200
\014\144\235\206\033\226\144\147\077\042\072\036\165\001\175\357
\373\134\147\214\311\314\134\153\251\221\346\271\102\345\040\113
\233\332\233\173\271\231\135\331\233\200\113\327\204\100\053\047
\323\350\272\060\273\076\011\032\247\111\225\357\053\100\044\302
```

\227\307\247\356\233\045\357\250\012\000\227\205\132\252\235\334
\051\311\342\065\007\353\160\115\112\326\301\263\126\270\241\101
\070\233\321\373\061\177\217\340\137\341\261\077\017\216\026\111
\140\327\006\215\030\371\252\046\020\253\052\323\320\321\147\215
\033\106\276\107\060\325\056\162\321\305\143\332\347\143\171\104
\176\113\143\044\211\206\056\064\077\051\114\122\213\052\247\300
\342\221\050\211\271\300\133\371\035\331\347\047\255\377\232\002
\227\301\306\120\222\233\002\054\275\251\271\064\131\012\277\204
\112\377\337\376\263\237\353\331\236\340\230\043\354\246\153\167
\026\052\333\314\255\073\034\244\207\334\106\163\136\031\142\150
\105\127\344\220\202\102\273\102\326\360\141\340\301\243\075\146
\243\135\364\030\356\210\311\215\027\105\051\231\062\165\002\061
\356\051\046\310\153\002\346\265\142\105\177\067\025\132\043\150
\211\324\076\336\116\047\260\360\100\014\274\115\027\313\115\242
\263\036\320\006\132\335\366\223\317\127\165\231\365\372\206\032
\147\170\263\277\226\376\064\334\275\347\122\126\345\263\345\165
\173\327\101\221\005\334\135\151\343\225\015\103\271\374\203\226
\071\225\173\154\200\132\117\023\162\306\327\175\051\172\104\272
\122\244\052\325\101\106\011\040\376\042\240\266\133\060\215\274
\211\014\325\327\160\370\207\122\375\332\357\254\121\056\007\263
\116\376\320\011\332\160\357\230\372\126\346\155\333\265\127\113
\334\345\054\045\025\310\236\056\170\116\370\332\234\236\206\054
\312\127\363\032\345\310\222\213\032\202\226\172\303\274\120\022
\151\330\016\132\106\213\072\353\046\372\043\311\266\260\201\276
\102\000\244\370\326\376\060\056\307\322\106\366\345\216\165\375
\362\314\271\320\207\133\314\006\020\140\273\203\065\267\136\147
\336\107\354\231\110\361\244\241\025\376\255\214\142\216\071\125
\117\071\026\271\261\143\235\377\267\002\003\001\000\001\243\102
\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003
\001\001\377\060\035\006\003\125\035\016\004\026\004\024\266\241
\124\071\002\303\240\077\216\212\274\372\324\370\034\246\321\072
\016\375\060\016\006\003\125\035\017\001\001\377\004\004\003\002
\001\006\060\015\006\011\052\206\110\206\367\015\001\001\015\005
\000\003\202\002\001\000\161\245\016\316\344\351\277\077\070\325
\211\132\304\002\141\373\114\305\024\027\055\213\117\123\153\020
\027\374\145\204\307\020\111\220\336\333\307\046\223\210\046\157
\160\326\002\136\071\240\367\217\253\226\265\245\023\134\201\024
\155\016\201\202\021\033\212\116\306\117\245\335\142\036\104\337
\011\131\364\133\167\013\067\351\213\040\306\370\012\116\056\130
\034\353\063\320\317\206\140\311\332\373\200\057\236\114\140\204
\170\075\041\144\326\373\101\037\030\017\347\311\165\161\275\275
\134\336\064\207\076\101\260\016\366\271\326\077\011\023\226\024
\057\336\232\035\132\271\126\316\065\072\260\137\160\115\136\343
\051\361\043\050\162\131\266\253\302\214\146\046\034\167\054\046
\166\065\213\050\247\151\240\371\073\365\043\335\205\020\164\311
\220\003\126\221\347\257\272\107\324\022\227\021\042\343\242\111
\224\154\347\267\224\113\272\055\244\332\063\213\114\246\104\377
\132\074\306\035\144\330\265\061\344\246\074\172\250\127\013\333

\355\141\032\313\361\316\163\167\143\244\207\157\114\121\070\326
\344\137\307\237\266\201\052\344\205\110\171\130\136\073\370\333
\002\202\147\301\071\333\303\164\113\075\066\036\371\051\223\210
\150\133\250\104\031\041\360\247\350\201\015\054\350\223\066\264
\067\262\312\260\033\046\172\232\045\037\232\232\200\236\113\052
\077\373\243\232\376\163\062\161\302\236\306\162\341\212\150\047
\361\344\017\264\304\114\245\141\223\370\227\020\007\052\060\045
\251\271\310\161\270\357\150\314\055\176\365\340\176\017\202\250
\157\266\272\154\203\103\167\315\212\222\027\241\236\133\170\026
\075\105\342\063\162\335\341\146\312\231\323\311\305\046\375\015
\150\004\106\256\266\331\233\214\276\031\276\261\306\362\031\343
\134\002\312\054\330\157\112\007\331\311\065\332\100\165\362\304
\247\031\157\236\102\020\230\165\346\225\213\140\274\355\305\022
\327\212\316\325\230\134\126\226\003\305\356\167\006\065\377\317
\344\356\077\023\141\356\333\332\055\205\360\315\256\235\262\030
\011\105\303\222\241\162\027\374\107\266\240\013\054\361\304\336
\103\150\010\152\137\073\360\166\143\373\314\006\054\246\306\342
\016\265\271\276\044\217

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Certum Trusted Network CA 2"

Issuer: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL

Serial Number:21:d6:d0:4a:4f:25:0f:c9:32:37:fc:aa:5e:12:8d:e9

Subject: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL

Not Valid Before: Thu Oct 06 08:39:56 2011

Not Valid After : Sat Oct 06 08:39:56 2046

Fingerprint (SHA-256):

B6:76:F2:ED:DA:E8:77:5C:D3:6C:B0:F6:3C:D1:D4:60:39:61:F4:9E:62:65:BA:01:3A:2F:03:07:B6:D0:B8:04

Fingerprint (SHA1): D3:DD:48:3E:2B:BF:4C:05:E8:AF:10:F5:FA:76:26:CF:D3:DC:30:92

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Certum Trusted Network CA 2"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\323\335\110\076\053\277\114\005\350\257\020\365\372\166\046\317
\323\334\060\222

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\155\106\236\331\045\155\010\043\133\136\164\175\036\047\333\362

END

CKA_ISSUER MULTILINE_OCTAL

\060\201\200\061\013\060\011\006\003\125\004\006\023\002\120\114

```
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\044\060
\042\006\003\125\004\003\023\033\103\145\162\164\165\155\040\124
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\040\062
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\020\041\326\320\112\117\045\017\311\062\067\374\252\136\022
\215\351
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "Hellenic Academic and Research Institutions RootCA 2015"

#

Issuer: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research
Institutions Cert. Authority,L=Athens,C=GR

Serial Number: 0 (0x0)

Subject: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research
Institutions Cert. Authority,L=Athens,C=GR

Not Valid Before: Tue Jul 07 10:11:21 2015

Not Valid After : Sat Jun 30 10:11:21 2040

Fingerprint (SHA-256):

A0:40:92:9A:02:CE:53:B4:AC:F4:F2:FF:C6:98:1C:E4:49:6F:75:5E:6D:45:FE:0B:2A:69:2B:CD:52:52:3F:36

Fingerprint (SHA1): 01:0C:06:95:A6:98:19:14:FF:BF:5F:C6:B0:B6:95:EA:29:E9:12:A6

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Hellenic Academic and Research Institutions RootCA 2015"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165
\164\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003
\023\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157
```



```
\157\164\103\101\040\062\060\061\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165
\164\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003
\023\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157
\157\164\103\101\040\062\060\061\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\006\013\060\202\003\363\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156\163
\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154\145
\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144
\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164
\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165\164
\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003\023
\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145\155
\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150\040
\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157\157
\164\103\101\040\062\060\061\065\060\036\027\015\061\065\060\067
\060\067\061\060\061\061\062\061\132\027\015\064\060\060\066\063
\060\061\060\061\061\062\061\132\060\201\246\061\013\060\011\006
\003\125\004\006\023\002\107\122\061\017\060\015\006\003\125\004
\007\023\006\101\164\150\145\156\163\061\104\060\102\006\003\125
\004\012\023\073\110\145\154\154\145\156\151\143\040\101\143\141
\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141\162
\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163\040
\103\145\162\164\056\040\101\165\164\150\157\162\151\164\171\061
\100\060\076\006\003\125\004\003\023\067\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\122\157\157\164\103\101\040\062\060\061
\065\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002
\001\000\302\370\251\077\033\211\374\074\074\004\135\075\220\066
```

\260\221\072\171\074\146\132\357\155\071\001\111\032\264\267\317
\177\115\043\123\267\220\000\343\023\052\050\246\061\361\221\000
\343\050\354\256\041\101\316\037\332\375\175\022\133\001\203\017
\271\260\137\231\341\362\022\203\200\115\006\076\337\254\257\347
\241\210\153\061\257\360\213\320\030\063\270\333\105\152\064\364
\002\200\044\050\012\002\025\225\136\166\052\015\231\072\024\133
\366\313\313\123\274\023\115\001\210\067\224\045\033\102\274\042
\330\216\243\226\136\072\331\062\333\076\350\360\020\145\355\164
\341\057\247\174\257\047\064\273\051\175\233\266\317\011\310\345
\323\012\374\210\145\145\164\012\334\163\034\134\315\100\261\034
\324\266\204\214\114\120\317\150\216\250\131\256\302\047\116\202
\242\065\335\024\364\037\377\262\167\325\207\057\252\156\175\044
\047\347\306\313\046\346\345\376\147\007\143\330\105\015\335\072
\131\145\071\130\172\222\231\162\075\234\204\136\210\041\270\325
\364\054\374\331\160\122\117\170\270\275\074\053\213\225\230\365
\263\321\150\317\040\024\176\114\134\137\347\213\345\365\065\201
\031\067\327\021\010\267\146\276\323\112\316\203\127\000\072\303
\201\370\027\313\222\066\135\321\243\330\165\033\341\213\047\352
\172\110\101\375\105\031\006\255\047\231\116\301\160\107\335\265
\237\201\123\022\345\261\214\110\135\061\103\027\343\214\306\172
\143\226\113\051\060\116\204\116\142\031\136\074\316\227\220\245
\177\001\353\235\340\370\213\211\335\045\230\075\222\266\176\357
\331\361\121\121\175\055\046\310\151\131\141\340\254\152\270\052
\066\021\004\172\120\275\062\204\276\057\334\162\325\327\035\026
\107\344\107\146\040\077\364\226\305\257\216\001\172\245\017\172
\144\365\015\030\207\331\256\210\325\372\204\301\072\300\151\050
\055\362\015\150\121\252\343\245\167\306\244\220\016\241\067\213
\061\043\107\301\011\010\353\156\367\170\233\327\202\374\204\040
\231\111\031\266\022\106\261\373\105\125\026\251\243\145\254\234
\007\017\352\153\334\037\056\006\162\354\206\210\022\344\055\333
\137\005\057\344\360\003\323\046\063\347\200\302\315\102\241\027
\064\013\002\003\001\000\001\243\102\060\100\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003
\125\035\016\004\026\004\024\161\025\147\310\310\311\275\165\135
\162\320\070\030\152\235\363\161\044\124\013\060\015\006\011\052
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\165
\273\155\124\113\252\020\130\106\064\362\142\327\026\066\135\010
\136\325\154\310\207\275\264\056\106\362\061\370\174\352\102\265
\223\026\125\334\241\014\022\240\332\141\176\017\130\130\163\144
\162\307\350\105\216\334\251\362\046\077\306\171\214\261\123\010
\063\201\260\126\023\276\346\121\134\330\233\012\117\113\234\126
\123\002\351\117\366\015\140\352\115\102\125\350\174\033\041\041
\323\033\072\314\167\362\270\220\361\150\307\371\132\376\372\055
\364\277\311\365\105\033\316\070\020\052\067\212\171\243\264\343
\011\154\205\206\223\377\211\226\047\170\201\217\147\343\106\164
\124\216\331\015\151\342\112\364\115\164\003\377\262\167\355\225
\147\227\344\261\305\253\277\152\043\350\324\224\342\104\050\142

```
\304\113\342\360\330\342\051\153\032\160\176\044\141\223\173\117
\003\062\045\015\105\044\053\226\264\106\152\277\112\013\367\232
\217\301\254\032\305\147\363\157\064\322\372\163\143\214\357\026
\260\250\244\106\052\370\353\022\354\162\264\357\370\053\176\214
\122\300\213\204\124\371\057\076\343\125\250\334\146\261\331\341
\137\330\263\214\131\064\131\244\253\117\154\273\037\030\333\165
\253\330\313\222\315\224\070\141\016\007\006\037\113\106\020\361
\025\276\215\205\134\073\112\053\201\171\017\264\151\237\111\120
\227\115\367\016\126\135\300\225\152\302\066\303\033\150\311\365
\052\334\107\232\276\262\316\305\045\350\372\003\271\332\371\026
\156\221\204\365\034\050\310\374\046\314\327\034\220\126\247\137
\157\072\004\274\315\170\211\013\216\017\057\243\252\117\242\033
\022\075\026\010\100\017\361\106\114\327\252\173\010\301\012\365
\155\047\336\002\217\312\303\265\053\312\351\353\310\041\123\070
\245\314\073\330\167\067\060\242\117\331\157\321\362\100\255\101
\172\027\305\326\112\065\211\267\101\325\174\206\177\125\115\203
\112\245\163\040\300\072\257\220\361\232\044\216\331\216\161\312
\173\270\206\332\262\217\231\076\035\023\015\022\021\356\324\253
\360\351\025\166\002\344\340\337\252\040\036\133\141\205\144\100
\251\220\227\015\255\123\322\132\035\207\152\000\227\145\142\264
\276\157\152\247\365\054\102\355\062\255\266\041\236\276\274
```

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Hellenic Academic and Research Institutions RootCA 2015"

Issuer: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research
Institutions Cert. Authority,L=Athens,C=GR

Serial Number: 0 (0x0)

Subject: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research
Institutions Cert. Authority,L=Athens,C=GR

Not Valid Before: Tue Jul 07 10:11:21 2015

Not Valid After : Sat Jun 30 10:11:21 2040

Fingerprint (SHA-256):

A0:40:92:9A:02:CE:53:B4:AC:F4:F2:FF:C6:98:1C:E4:49:6F:75:5E:6D:45:FE:0B:2A:69:2B:CD:52:52:3F:36

Fingerprint (SHA1): 01:0C:06:95:A6:98:19:14:FF:BF:5F:C6:B0:B6:95:EA:29:E9:12:A6

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Hellenic Academic and Research Institutions RootCA 2015"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

```
\001\014\006\225\246\230\031\024\377\277\137\306\260\266\225\352
\051\351\022\246
```

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

```
\312\377\342\333\003\331\313\113\351\017\255\204\375\173\030\316
```

END

CKA_ISSUER MULTILINE_OCTAL

\060\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165
\164\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003
\023\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157
\157\164\103\101\040\062\060\061\065

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\001\000

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "Hellenic Academic and Research Institutions ECC RootCA 2015"

#

Issuer: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and Research
Institutions Cert. Authority,L=Athens,C=GR

Serial Number: 0 (0x0)

Subject: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and
Research Institutions Cert. Authority,L=Athens,C=GR

Not Valid Before: Tue Jul 07 10:37:12 2015

Not Valid After : Sat Jun 30 10:37:12 2040

Fingerprint (SHA-256):

44:B5:45:AA:8A:25:E6:5A:73:CA:15:DC:27:FC:36:D2:4C:1C:B9:95:3A:06:65:39:B1:15:82:DC:48:7B:48:33

Fingerprint (SHA1): 9F:F1:71:8D:92:D5:9A:F3:7D:74:97:B4:BC:6F:84:68:0B:BA:B6:66

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Hellenic Academic and Research Institutions ECC RootCA 2015"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\201\252\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165

\164\150\157\162\151\164\171\061\104\060\102\006\003\125\004\003
\023\073\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\105\103
\103\040\122\157\157\164\103\101\040\062\060\061\065

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\252\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165
\164\150\157\162\151\164\171\061\104\060\102\006\003\125\004\003
\023\073\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\105\103
\103\040\122\157\157\164\103\101\040\062\060\061\065

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\001\000

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\303\060\202\002\112\240\003\002\001\002\002\001\000
\060\012\006\010\052\206\110\316\075\004\003\002\060\201\252\061
\013\060\011\006\003\125\004\006\023\002\107\122\061\017\060\015
\006\003\125\004\007\023\006\101\164\150\145\156\163\061\104\060
\102\006\003\125\004\012\023\073\110\145\154\154\145\156\151\143
\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122\145
\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164\151
\157\156\163\040\103\145\162\164\056\040\101\165\164\150\157\162
\151\164\171\061\104\060\102\006\003\125\004\003\023\073\110\145
\154\154\145\156\151\143\040\101\143\141\144\145\155\151\143\040
\141\156\144\040\122\145\163\145\141\162\143\150\040\111\156\163
\164\151\164\165\164\151\157\156\163\040\105\103\103\040\122\157
\157\164\103\101\040\062\060\061\065\060\036\027\015\061\065\060
\067\060\067\061\060\063\067\061\062\132\027\015\064\060\060\066
\063\060\061\060\063\067\061\062\132\060\201\252\061\013\060\011
\006\003\125\004\006\023\002\107\122\061\017\060\015\006\003\125
\004\007\023\006\101\164\150\145\156\163\061\104\060\102\006\003
\125\004\012\023\073\110\145\154\154\145\156\151\143\040\101\143
\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141
\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163
\040\103\145\162\164\056\040\101\165\164\150\157\162\151\164\171
\061\104\060\102\006\003\125\004\003\023\073\110\145\154\154\145
\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144
\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164

```
\165\164\151\157\156\163\040\105\103\103\040\122\157\157\164\103
\101\040\062\060\061\065\060\166\060\020\006\007\052\206\110\316
\075\002\001\006\005\053\201\004\000\042\003\142\000\004\222\240
\101\350\113\202\204\134\342\370\061\021\231\206\144\116\011\045
\057\235\101\057\012\256\065\117\164\225\262\121\144\153\215\153
\346\077\160\225\360\005\104\107\246\162\070\120\166\225\002\132
\216\256\050\236\371\055\116\231\357\054\110\157\114\045\051\350
\321\161\133\337\035\301\165\067\264\327\372\173\172\102\234\152
\012\126\132\174\151\013\252\200\011\044\154\176\301\106\243\102
\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003
\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\006\060\035\006\003\125\035\016\004\026\004\024\264\042
\013\202\231\044\001\016\234\273\344\016\375\277\373\227\040\223
\231\052\060\012\006\010\052\206\110\316\075\004\003\002\003\147
\000\060\144\002\060\147\316\026\142\070\242\254\142\105\247\251
\225\044\300\032\047\234\062\073\300\300\325\272\251\347\370\004
\103\123\205\356\122\041\336\235\365\045\203\076\236\130\113\057
\327\147\023\016\041\002\060\005\341\165\001\336\150\355\052\037
\115\114\011\010\015\354\113\255\144\027\050\347\165\316\105\145
\162\041\027\313\042\101\016\214\023\230\070\232\124\155\233\312
\342\174\352\002\130\042\221
```

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Hellenic Academic and Research Institutions ECC RootCA 2015"

Issuer: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and Research
Institutions Cert. Authority,L=Athens,C=GR

Serial Number: 0 (0x0)

Subject: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and
Research Institutions Cert. Authority,L=Athens,C=GR

Not Valid Before: Tue Jul 07 10:37:12 2015

Not Valid After : Sat Jun 30 10:37:12 2040

Fingerprint (SHA-256):

44:B5:45:AA:8A:25:E6:5A:73:CA:15:DC:27:FC:36:D2:4C:1C:B9:95:3A:06:65:39:B1:15:82:DC:48:7B:48:33

Fingerprint (SHA1): 9F:F1:71:8D:92:D5:9A:F3:7D:74:97:B4:BC:6F:84:68:0B:BA:B6:66

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Hellenic Academic and Research Institutions ECC RootCA 2015"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

```
\237\361\161\215\222\325\232\363\175\164\227\264\274\157\204\150
\013\272\266\146
```

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

```
\201\345\264\027\353\302\365\341\113\015\101\173\111\222\376\357
```

END

CKA_ISSUER MULTILINE_OCTAL

\060\201\252\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165
\164\150\157\162\151\164\171\061\104\060\102\006\003\125\004\003
\023\073\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\105\103
\103\040\122\157\157\164\103\101\040\062\060\061\065

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\001\000

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "ISRG Root X1"

#

Issuer: CN=ISRG Root X1,O=Internet Security Research Group,C=US

Serial Number:00:82:10:cf:b0:d2:40:e3:59:44:63:e0:bb:63:82:8b:00

Subject: CN=ISRG Root X1,O=Internet Security Research Group,C=US

Not Valid Before: Thu Jun 04 11:04:38 2015

Not Valid After : Mon Jun 04 11:04:38 2035

Fingerprint (SHA-256):

96:BC:EC:06:26:49:76:F3:74:60:77:9A:CF:28:C5:A7:CF:E8:A3:C0:AA:E1:1A:8F:FC:EE:05:C0:BD:DF:08:C6

Fingerprint (SHA1): CA:BD:2A:79:A1:07:6A:31:F2:1D:25:36:35:CB:03:9D:43:29:A5:E8

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "ISRG Root X1"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\061

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\061
END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\021\000\202\020\317\260\322\100\343\131\104\143\340\273\143
\202\213\000
END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\153\060\202\003\123\240\003\002\001\002\002\021\000
\202\020\317\260\322\100\343\131\104\143\340\273\143\202\213\000
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061\051
\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156\145
\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145\141
\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003\125
\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130\061
\060\036\027\015\061\065\060\066\060\064\061\061\060\064\063\070
\132\027\015\063\065\060\066\060\064\061\061\060\064\063\070\132
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\061\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002
\001\000\255\350\044\163\364\024\067\363\233\236\053\127\050\034
\207\276\334\267\337\070\220\214\156\074\346\127\240\170\367\165
\302\242\376\365\152\156\366\000\117\050\333\336\150\206\154\104
\223\266\261\143\375\024\022\153\277\037\322\352\061\233\041\176
\321\063\074\272\110\365\335\171\337\263\270\377\022\361\041\232
\113\301\212\206\161\151\112\146\146\154\217\176\074\160\277\255
\051\042\006\363\344\300\346\200\256\342\113\217\267\231\176\224
\003\237\323\107\227\174\231\110\043\123\350\070\256\117\012\157
\203\056\321\111\127\214\200\164\266\332\057\320\070\215\173\003
\160\041\033\165\362\060\074\372\217\256\335\332\143\253\353\026
\117\302\216\021\113\176\317\013\350\377\265\167\056\364\262\173
\112\340\114\022\045\014\160\215\003\051\240\341\123\044\354\023
\331\356\031\277\020\263\112\214\077\211\243\141\121\336\254\207
\007\224\364\143\161\354\056\342\157\133\230\201\341\211\134\064
\171\154\166\357\073\220\142\171\346\333\244\232\057\046\305\320
\020\341\016\336\331\020\216\026\373\267\367\250\367\307\345\002
\007\230\217\066\010\225\347\342\067\226\015\066\165\236\373\016
\162\261\035\233\274\003\371\111\005\330\201\335\005\264\052\326

\101\351\254\001\166\225\012\017\330\337\325\275\022\037\065\057
\050\027\154\322\230\301\250\011\144\167\156\107\067\272\316\254
\131\136\150\235\177\162\326\211\305\006\101\051\076\131\076\335
\046\365\044\311\021\247\132\243\114\100\037\106\241\231\265\247
\072\121\156\206\073\236\175\162\247\022\005\170\131\355\076\121
\170\025\013\003\217\215\320\057\005\262\076\173\112\034\113\163
\005\022\374\306\352\340\120\023\174\103\223\164\263\312\164\347
\216\037\001\010\320\060\324\133\161\066\264\007\272\301\060\060
\134\110\267\202\073\230\246\175\140\212\242\243\051\202\314\272
\275\203\004\033\242\203\003\101\241\326\005\361\033\302\266\360
\250\174\206\073\106\250\110\052\210\334\166\232\166\277\037\152
\245\075\031\217\353\070\363\144\336\310\053\015\012\050\377\367
\333\342\025\102\324\042\320\047\135\341\171\376\030\347\160\210
\255\116\346\331\213\072\306\335\047\121\156\377\274\144\365\063
\103\117\002\003\001\000\001\243\102\060\100\060\016\006\003\125
\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003
\125\035\016\004\026\004\024\171\264\131\346\173\266\345\344\001
\163\200\010\210\310\032\130\366\351\233\156\060\015\006\011\052
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\125
\037\130\251\274\262\250\120\320\014\261\330\032\151\040\047\051
\010\254\141\165\134\212\156\370\202\345\151\057\325\366\126\113
\271\270\163\020\131\323\041\227\176\347\114\161\373\262\322\140
\255\071\250\013\352\027\041\126\205\361\120\016\131\353\316\340
\131\351\272\311\025\357\206\235\217\204\200\366\344\351\221\220
\334\027\233\142\033\105\360\146\225\322\174\157\302\352\073\357
\037\317\313\326\256\047\361\251\260\310\256\375\175\176\232\372
\042\004\353\377\331\177\352\221\053\042\261\027\016\217\362\212
\064\133\130\330\374\001\311\124\271\270\046\314\212\210\063\211
\114\055\204\074\202\337\356\226\127\005\272\054\273\367\304\267
\307\116\073\202\276\061\310\042\163\163\222\321\302\200\244\071
\071\020\063\043\202\114\074\237\206\262\125\230\035\276\051\206
\214\042\233\236\342\153\073\127\072\202\160\115\334\011\307\211
\313\012\007\115\154\350\135\216\311\357\316\253\307\273\265\053
\116\105\326\112\320\046\314\345\162\312\010\152\245\225\343\025
\241\367\244\355\311\054\137\245\373\377\254\050\002\056\276\327
\173\273\343\161\173\220\026\323\007\136\106\123\174\067\007\102
\214\323\304\226\234\325\231\265\052\340\225\032\200\110\256\114
\071\007\316\314\107\244\122\225\053\272\270\373\255\322\063\123
\175\345\035\115\155\325\241\261\307\102\157\346\100\047\065\134
\243\050\267\007\215\347\215\063\220\347\043\237\373\120\234\171
\154\106\325\264\025\263\226\156\176\233\014\226\072\270\122\055
\077\326\133\341\373\010\302\204\376\044\250\243\211\332\254\152
\341\030\052\261\250\103\141\133\323\037\334\073\215\166\362\055
\350\215\165\337\027\063\154\075\123\373\173\313\101\137\377\334
\242\320\141\070\341\226\270\254\135\213\067\327\165\325\063\300
\231\021\256\235\101\301\162\165\204\276\002\101\102\137\147\044
\110\224\321\233\047\276\007\077\271\270\117\201\164\121\341\172

```
\267\355\235\043\342\276\340\325\050\004\023\074\061\003\236\335
\172\154\217\306\007\030\306\177\336\107\216\077\050\236\004\006
\317\245\124\064\167\275\354\211\233\351\027\103\337\133\333\137
\376\216\036\127\242\315\100\235\176\142\042\332\336\030\047
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "ISRG Root X1"

Issuer: CN=ISRG Root X1,O=Internet Security Research Group,C=US

Serial Number:00:82:10:cf:b0:d2:40:e3:59:44:63:e0:bb:63:82:8b:00

Subject: CN=ISRG Root X1,O=Internet Security Research Group,C=US

Not Valid Before: Thu Jun 04 11:04:38 2015

Not Valid After : Mon Jun 04 11:04:38 2035

Fingerprint (SHA-256):

96:BC:EC:06:26:49:76:F3:74:60:77:9A:CF:28:C5:A7:CF:E8:A3:C0:AA:E1:1A:8F:FC:EE:05:C0:BD:DF:08:C6

Fingerprint (SHA1): CA:BD:2A:79:A1:07:6A:31:F2:1D:25:36:35:CB:03:9D:43:29:A5:E8

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "ISRG Root X1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\312\275\052\171\241\007\152\061\362\035\045\066\065\313\003\235
\103\051\245\350
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\014\322\371\340\332\027\163\351\355\206\115\245\343\160\347\116
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\021\000\202\020\317\260\322\100\343\131\104\143\340\273\143
\202\213\000
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

```
# Certificate "AC RAIZ FNMT-RCM"
#
# Issuer: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES
# Serial Number:5d:93:8d:30:67:36:c8:06:1d:1a:c7:54:84:69:07
# Subject: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES
# Not Valid Before: Wed Oct 29 15:59:56 2008
# Not Valid After : Tue Jan 01 00:00:00 2030
# Fingerprint (SHA-256):
EB:C5:57:0C:29:01:8C:4D:67:B1:AA:12:7B:AF:12:F7:03:B4:61:1E:BC:17:B7:DA:B5:57:38:94:17:9B:93:FA
# Fingerprint (SHA1): EC:50:35:07:B2:15:C4:95:62:19:E2:A8:9A:5B:42:99:2C:4C:2C:20
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AC RAIZ FNMT-RCM"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\031\060\027\006\003\125\004\013\014\020\101\103\040
\122\101\111\132\040\106\116\115\124\055\122\103\115
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\031\060\027\006\003\125\004\013\014\020\101\103\040
\122\101\111\132\040\106\116\115\124\055\122\103\115
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\017\135\223\215\060\147\066\310\006\035\032\307\124\204\151
\007
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\203\060\202\003\153\240\003\002\001\002\002\017\135
\223\215\060\147\066\310\006\035\032\307\124\204\151\007\060\015
\006\011\052\206\110\206\367\015\001\001\013\005\000\060\073\061
\013\060\011\006\003\125\004\006\023\002\105\123\061\021\060\017
\006\003\125\004\012\014\010\106\116\115\124\055\122\103\115\061
\031\060\027\006\003\125\004\013\014\020\101\103\040\122\101\111
\132\040\106\116\115\124\055\122\103\115\060\036\027\015\060\070
\061\060\062\071\061\065\065\071\065\066\132\027\015\063\060\060
\061\060\061\060\060\060\060\060\132\060\073\061\013\060\011
\006\003\125\004\006\023\002\105\123\061\021\060\017\006\003\125
\004\012\014\010\106\116\115\124\055\122\103\115\061\031\060\027
\006\003\125\004\013\014\020\101\103\040\122\101\111\132\040\106
\116\115\124\055\122\103\115\060\202\002\042\060\015\006\011\052
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060
```

\202\002\012\002\202\002\001\000\272\161\200\172\114\206\156\177
\310\023\155\300\306\175\034\000\227\217\054\014\043\273\020\232
\100\251\032\267\207\210\370\233\126\152\373\346\173\216\213\222
\216\247\045\135\131\021\333\066\056\267\121\027\037\251\010\037
\004\027\044\130\252\067\112\030\337\345\071\324\127\375\327\301
\054\221\001\221\342\042\324\003\300\130\374\167\107\354\217\076
\164\103\272\254\064\215\115\070\166\147\216\260\310\157\060\063
\130\161\134\264\365\153\156\324\001\120\270\023\176\154\112\243
\111\321\040\031\356\274\300\051\030\145\247\336\376\357\335\012
\220\041\347\032\147\222\102\020\230\137\117\060\274\076\034\105
\264\020\327\150\100\024\300\100\372\347\167\027\172\346\013\217
\145\133\074\331\232\122\333\265\275\236\106\317\075\353\221\005
\002\300\226\262\166\114\115\020\226\073\222\372\234\177\017\231
\337\276\043\065\105\036\002\134\376\265\250\233\231\045\332\136
\363\042\303\071\365\344\052\056\323\306\037\304\154\252\305\034
\152\001\005\112\057\322\305\301\250\064\046\135\146\245\322\002
\041\371\030\267\006\365\116\231\157\250\253\114\121\350\317\120
\030\305\167\310\071\011\054\111\222\062\231\250\273\027\027\171
\260\132\305\346\243\304\131\145\107\065\203\136\251\350\065\013
\231\273\344\315\040\306\233\112\006\071\265\150\374\042\272\356
\125\214\053\116\352\363\261\343\374\266\231\232\325\102\372\161
\115\010\317\207\036\152\161\175\371\323\264\351\245\161\201\173
\302\116\107\226\245\366\166\205\243\050\217\351\200\156\201\123
\245\155\137\270\110\371\302\371\066\246\056\111\377\270\226\302
\214\007\263\233\210\130\374\353\033\034\336\055\160\342\227\222
\060\241\211\343\274\125\250\047\326\113\355\220\255\213\372\143
\045\131\055\250\065\335\312\227\063\274\345\315\307\235\321\354
\357\136\016\112\220\006\046\143\255\271\331\065\055\007\272\166
\145\054\254\127\217\175\364\007\224\327\201\002\226\135\243\007
\111\325\172\320\127\371\033\347\123\106\165\252\260\171\102\313
\150\161\010\351\140\275\071\151\316\364\257\303\126\100\307\255
\122\242\011\344\157\206\107\212\037\353\050\047\135\203\040\257
\004\311\154\126\232\213\106\365\002\003\001\000\001\243\201\203
\060\201\200\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004
\003\002\001\006\060\035\006\003\125\035\016\004\026\004\024\367
\175\305\375\304\350\232\033\167\144\247\365\035\240\314\277\207
\140\232\155\060\076\006\003\125\035\040\004\067\060\065\060\063
\006\004\125\035\040\000\060\053\060\051\006\010\053\006\001\005
\005\007\002\001\026\035\150\164\164\160\072\057\057\167\167\167
\056\143\145\162\164\056\146\156\155\164\056\145\163\057\144\160
\143\163\057\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\003\202\002\001\000\007\220\112\337\363\043\116\360\303
\234\121\145\233\234\042\242\212\014\205\363\163\051\153\115\376
\001\342\251\014\143\001\277\004\147\245\235\230\137\375\001\023
\372\354\232\142\351\206\376\266\142\322\156\114\224\373\300\165
\105\174\145\014\370\262\067\317\254\017\317\215\157\371\031\367
\217\354\036\362\160\236\360\312\270\357\267\377\166\067\166\133

\366\156\210\363\257\142\062\042\223\015\072\152\216\024\146\014
\055\123\164\127\145\036\325\262\335\043\201\073\245\146\043\047
\147\011\217\341\167\252\103\315\145\121\010\355\121\130\376\346
\071\371\313\107\204\244\025\361\166\273\244\356\244\073\304\137
\357\262\063\226\021\030\267\311\145\276\030\341\243\244\334\372
\030\371\323\274\023\233\071\172\064\272\323\101\373\372\062\212
\052\267\053\206\013\151\203\070\276\315\212\056\013\160\255\215
\046\222\356\036\365\001\053\012\331\326\227\233\156\340\250\031
\034\072\041\213\014\036\100\255\003\347\335\146\176\365\271\040
\015\003\350\226\371\202\105\324\071\340\240\000\135\327\230\346
\175\236\147\163\303\232\052\367\253\213\241\072\024\357\064\274
\122\016\211\230\232\004\100\204\035\176\105\151\223\127\316\353
\316\370\120\174\117\034\156\004\103\233\371\326\073\043\030\351
\352\216\321\115\106\215\361\073\344\152\312\272\373\043\267\233
\372\231\001\051\132\130\132\055\343\371\324\155\016\046\255\301
\156\064\274\062\370\014\005\372\145\243\333\073\067\203\042\351
\326\334\162\063\375\135\362\040\275\166\074\043\332\050\367\371
\033\353\131\144\325\334\137\162\176\040\374\315\211\265\220\147
\115\142\172\077\116\255\035\303\071\376\172\364\050\026\337\101
\366\110\200\005\327\017\121\171\254\020\253\324\354\003\146\346
\152\260\272\061\222\102\100\152\276\072\323\162\341\152\067\125
\274\254\035\225\267\151\141\362\103\221\164\346\240\323\012\044
\106\241\010\257\326\332\105\031\226\324\123\035\133\204\171\360
\300\367\107\357\213\217\305\006\256\235\114\142\235\377\106\004
\370\323\311\266\020\045\100\165\376\026\252\311\112\140\206\057
\272\357\060\167\344\124\342\270\204\231\130\200\252\023\213\121
\072\117\110\366\213\266\263

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "AC RAIZ FNMT-RCM"

Issuer: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES

Serial Number:5d:93:8d:30:67:36:c8:06:1d:1a:c7:54:84:69:07

Subject: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES

Not Valid Before: Wed Oct 29 15:59:56 2008

Not Valid After : Tue Jan 01 00:00:00 2030

Fingerprint (SHA-256):

EB:C5:57:0C:29:01:8C:4D:67:B1:AA:12:7B:AF:12:F7:03:B4:61:1E:BC:17:B7:DA:B5:57:38:94:17:9B:93:FA

Fingerprint (SHA1): EC:50:35:07:B2:15:C4:95:62:19:E2:A8:9A:5B:42:99:2C:4C:2C:20

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "AC RAIZ FNMT-RCM"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\354\120\065\007\262\025\304\225\142\031\342\250\232\133\102\231

```

\054\114\054\040
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\342\011\004\264\323\275\321\240\024\375\032\322\107\304\127\035
END
CKA_ISSUER MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\031\060\027\006\003\125\004\013\014\020\101\103\040
\122\101\111\132\040\106\116\115\124\055\122\103\115
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\017\135\223\215\060\147\066\310\006\035\032\307\124\204\151
\007
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Amazon Root CA 1"
#
# Issuer: CN=Amazon Root CA 1,O=Amazon,C=US
# Serial Number:06:6c:9f:cf:99:bf:8c:0a:39:e2:f0:78:8a:43:e6:96:36:5b:ca
# Subject: CN=Amazon Root CA 1,O=Amazon,C=US
# Not Valid Before: Tue May 26 00:00:00 2015
# Not Valid After : Sun Jan 17 00:00:00 2038
# Fingerprint (SHA-256):
8E:CD:E6:88:4F:3D:87:B1:12:5B:A3:1A:C3:FC:B1:3D:70:16:DE:7F:57:CC:90:4F:E1:CB:97:C6:AE:98:19:6E
# Fingerprint (SHA1): 8D:A7:F9:65:EC:5E:FC:37:91:0F:1C:6E:59:FD:C1:CC:6A:6E:DE:16
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157

```

\156\040\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\317\231\277\214\012\071\342\360\170\212\103
\346\226\066\133\312
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\101\060\202\002\051\240\003\002\001\002\002\023\006
\154\237\317\231\277\214\012\071\342\360\170\212\103\346\226\066
\133\312\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157
\156\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172
\157\156\040\122\157\157\164\040\103\101\040\061\060\036\027\015
\061\065\060\065\062\066\060\060\060\060\060\132\027\015\063
\070\060\061\061\067\060\060\060\060\060\132\060\071\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\017\060\015\006
\003\125\004\012\023\006\101\155\141\172\157\156\061\031\060\027
\006\003\125\004\003\023\020\101\155\141\172\157\156\040\122\157
\157\164\040\103\101\040\061\060\202\001\042\060\015\006\011\052
\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000\060
\202\001\012\002\202\001\001\000\262\170\200\161\312\170\325\343
\161\257\107\200\120\164\175\156\330\327\210\166\364\231\150\367
\130\041\140\371\164\204\001\057\254\002\055\206\323\240\103\172
\116\262\244\320\066\272\001\276\215\333\110\310\007\027\066\114
\364\356\210\043\307\076\353\067\365\265\031\370\111\150\260\336
\327\271\166\070\035\141\236\244\376\202\066\245\345\112\126\344
\105\341\371\375\264\026\372\164\332\234\233\065\071\057\372\260
\040\120\006\154\172\320\200\262\246\371\257\354\107\031\217\120
\070\007\334\242\207\071\130\370\272\325\251\371\110\147\060\226
\356\224\170\136\157\211\243\121\300\060\206\146\241\105\146\272
\124\353\243\303\221\371\110\334\377\321\350\060\055\175\055\164
\160\065\327\210\044\367\236\304\131\156\273\163\207\027\362\062
\106\050\270\103\372\267\035\252\312\264\362\237\044\016\055\113
\367\161\134\136\151\377\352\225\002\313\070\212\256\120\070\157
\333\373\055\142\033\305\307\036\124\341\167\340\147\310\017\234
\207\043\326\077\100\040\177\040\200\304\200\114\076\073\044\046
\216\004\256\154\232\310\252\015\002\003\001\000\001\243\102\060
\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002
\001\206\060\035\006\003\125\035\016\004\026\004\024\204\030\314
\205\064\354\274\014\224\224\056\010\131\234\307\262\020\116\012
\010\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000
\003\202\001\001\000\230\362\067\132\101\220\241\032\305\166\121
\050\040\066\043\016\256\346\050\273\252\370\224\256\110\244\060
\177\033\374\044\215\113\264\310\241\227\366\266\361\172\160\310
\123\223\314\010\050\343\230\045\317\043\244\371\336\041\323\174
\205\011\255\116\232\165\072\302\013\152\211\170\166\104\107\030

```
\145\154\215\101\216\073\177\232\313\364\265\247\120\327\005\054
\067\350\003\113\255\351\141\240\002\156\365\362\360\305\262\355
\133\267\334\372\224\134\167\236\023\245\177\122\255\225\362\370
\223\073\336\213\134\133\312\132\122\133\140\257\024\367\113\357
\243\373\237\100\225\155\061\124\374\102\323\307\106\037\043\255
\331\017\110\160\232\331\165\170\161\321\162\103\064\165\156\127
\131\302\002\134\046\140\051\317\043\031\026\216\210\103\245\324
\344\313\010\373\043\021\103\350\103\051\162\142\241\251\135\136
\010\324\220\256\270\330\316\024\302\320\125\362\206\366\304\223
\103\167\146\141\300\271\350\101\327\227\170\140\003\156\112\162
\256\245\321\175\272\020\236\206\154\033\212\271\131\063\370\353
\304\220\276\361\271
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Amazon Root CA 1"
```

```
# Issuer: CN=Amazon Root CA 1,O=Amazon,C=US
```

```
# Serial Number:06:6c:9f:cf:99:bf:8c:0a:39:e2:f0:78:8a:43:e6:96:36:5b:ca
```

```
# Subject: CN=Amazon Root CA 1,O=Amazon,C=US
```

```
# Not Valid Before: Tue May 26 00:00:00 2015
```

```
# Not Valid After : Sun Jan 17 00:00:00 2038
```

```
# Fingerprint (SHA-256):
```

```
8E:CD:E6:88:4F:3D:87:B1:12:5B:A3:1A:C3:FC:B1:3D:70:16:DE:7F:57:CC:90:4F:E1:CB:97:C6:AE:98:19:6E
```

```
# Fingerprint (SHA1): 8D:A7:F9:65:EC:5E:FC:37:91:0F:1C:6E:59:FD:C1:CC:6A:6E:DE:16
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Amazon Root CA 1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\215\247\371\145\354\136\374\067\221\017\034\156\131\375\301\314
\152\156\336\026
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\103\306\277\256\354\376\255\057\030\306\210\150\060\374\310\346
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\023\006\154\237\317\231\277\214\012\071\342\360\170\212\103
\346\226\066\133\312
```

END


```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "Amazon Root CA 2"
```

```
#
```

```
# Issuer: CN=Amazon Root CA 2,O=Amazon,C=US
```

```
# Serial Number:06:6c:9f:d2:96:35:86:9f:0a:0f:e5:86:78:f8:5b:26:bb:8a:37
```

```
# Subject: CN=Amazon Root CA 2,O=Amazon,C=US
```

```
# Not Valid Before: Tue May 26 00:00:00 2015
```

```
# Not Valid After : Sat May 26 00:00:00 2040
```

```
# Fingerprint (SHA-256):
```

```
1B:A5:B2:AA:8C:65:40:1A:82:96:01:18:F8:0B:EC:4F:62:30:4D:83:CE:C4:71:3A:19:C3:9C:01:1E:A4:6D:B4
```

```
# Fingerprint (SHA1): 5A:8C:EF:45:D7:A6:98:59:76:7A:8C:8B:44:96:B5:78:CF:47:4B:1A
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Amazon Root CA 2"
```

```
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
```

```
CKA_SUBJECT MULTILINE_OCTAL
```

```
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
```

```
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
```

```
\156\040\122\157\157\164\040\103\101\040\062
```

```
END
```

```
CKA_ID UTF8 "0"
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
```

```
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
```

```
\156\040\122\157\157\164\040\103\101\040\062
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\023\006\154\237\322\226\065\206\237\012\017\345\206\170\370
```

```
\133\046\273\212\067
```

```
END
```

```
CKA_VALUE MULTILINE_OCTAL
```

```
\060\202\005\101\060\202\003\051\240\003\002\001\002\002\023\006
```

```
\154\237\322\226\065\206\237\012\017\345\206\170\370\133\046\273
```

```
\212\067\060\015\006\011\052\206\110\206\367\015\001\001\014\005
```

```
\000\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123
```

```
\061\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157
```

```
\156\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172
```

```
\157\156\040\122\157\157\164\040\103\101\040\062\060\036\027\015
```

```
\061\065\060\065\062\066\060\060\060\060\060\060\132\027\015\064
```

\060\060\065\062\066\060\060\060\060\060\060\132\060\071\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\017\060\015\006
\003\125\004\012\023\006\101\155\141\172\157\156\061\031\060\027
\006\003\125\004\003\023\020\101\155\141\172\157\156\040\122\157
\157\164\040\103\101\040\062\060\202\002\042\060\015\006\011\052
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060
\202\002\012\002\202\002\001\000\255\226\237\055\234\112\114\112
\201\171\121\231\354\212\313\153\140\121\023\274\115\155\006\374
\260\010\215\335\031\020\152\307\046\014\065\330\300\157\040\204
\351\224\261\233\205\003\303\133\333\112\350\310\370\220\166\331
\133\117\343\114\350\006\066\115\314\232\254\075\014\220\053\222
\324\006\031\140\254\067\104\171\205\201\202\255\132\067\340\015
\314\235\246\114\122\166\352\103\235\267\004\321\120\366\125\340
\325\322\246\111\205\351\067\351\312\176\256\134\225\115\110\232
\077\256\040\132\155\210\225\331\064\270\122\032\103\220\260\277
\154\005\271\266\170\267\352\320\344\072\074\022\123\142\377\112
\362\173\276\065\005\251\022\064\343\363\144\164\142\054\075\000
\111\132\050\376\062\104\273\207\335\145\047\002\161\073\332\112
\367\037\332\315\367\041\125\220\117\017\354\256\202\341\237\153
\331\105\323\273\360\137\207\355\074\054\071\206\332\077\336\354
\162\125\353\171\243\255\333\335\174\260\272\034\316\374\336\117
\065\166\317\017\370\170\037\152\066\121\106\047\141\133\351\236
\317\360\242\125\175\174\045\212\157\057\264\305\317\204\056\053
\375\015\121\020\154\373\137\033\274\033\176\305\256\073\230\001
\061\222\377\013\127\364\232\262\271\127\351\253\357\015\166\321
\360\356\364\316\206\247\340\156\351\264\151\241\337\151\366\063
\306\151\056\227\023\236\245\207\260\127\020\201\067\311\123\263
\273\177\366\222\321\234\320\030\364\222\156\332\203\117\246\143
\231\114\245\373\136\357\041\144\172\040\137\154\144\205\025\313
\067\351\142\014\013\052\026\334\001\056\062\332\076\113\365\236
\072\366\027\100\224\357\236\221\010\206\372\276\143\250\132\063
\354\313\164\103\225\371\154\151\122\066\307\051\157\374\125\003
\134\037\373\237\275\107\353\347\111\107\225\013\116\211\042\011
\111\340\365\141\036\361\277\056\212\162\156\200\131\377\127\072
\371\165\062\243\116\137\354\355\050\142\331\115\163\362\314\201
\027\140\355\315\353\334\333\247\312\305\176\002\275\362\124\010
\124\375\264\055\011\054\027\124\112\230\321\124\341\121\147\010
\322\355\156\176\157\077\322\055\201\131\051\146\313\220\071\225
\021\036\164\047\376\335\353\257\002\003\001\000\001\243\102\060
\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002
\001\206\060\035\006\003\125\035\016\004\026\004\024\260\014\360
\114\060\364\005\130\002\110\375\063\345\122\257\113\204\343\146
\122\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000
\003\202\002\001\000\252\250\200\217\016\170\243\340\242\324\315
\346\365\230\172\073\352\000\003\260\227\016\223\274\132\250\366
\054\214\162\207\251\261\374\177\163\375\143\161\170\245\207\131
\317\060\341\015\020\262\023\132\155\202\365\152\346\200\237\240

\005\013\150\344\107\153\307\152\337\266\375\167\062\162\345\030
\372\011\364\240\223\054\135\322\214\165\205\166\145\220\014\003
\171\267\061\043\143\255\170\203\011\206\150\204\312\377\371\317
\046\232\222\171\347\315\113\305\347\141\247\027\313\363\251\022
\223\223\153\247\350\057\123\222\304\140\130\260\314\002\121\030
\133\205\215\142\131\143\266\255\264\336\232\373\046\367\000\047
\300\135\125\067\164\231\311\120\177\343\131\056\104\343\054\045
\356\354\114\062\167\264\237\032\351\113\135\040\305\332\375\034
\207\026\306\103\350\324\273\046\232\105\160\136\251\013\067\123
\342\106\173\047\375\340\106\362\211\267\314\102\266\313\050\046
\156\331\245\311\072\310\101\023\140\367\120\214\025\256\262\155
\032\025\032\127\170\346\222\052\331\145\220\202\077\154\002\257
\256\022\072\047\226\066\004\327\035\242\200\143\251\233\361\345
\272\264\174\024\260\116\311\261\037\164\137\070\366\121\352\233
\372\054\242\021\324\251\055\047\032\105\261\257\262\116\161\015
\300\130\106\326\151\006\313\123\313\263\376\153\101\315\101\176
\175\114\017\174\162\171\172\131\315\136\112\016\254\233\251\230
\163\171\174\264\364\314\271\270\007\014\262\164\134\270\307\157
\210\241\220\247\364\252\371\277\147\072\364\032\025\142\036\267
\237\276\075\261\051\257\147\241\022\362\130\020\031\123\003\060
\033\270\032\211\366\234\275\227\003\216\243\011\363\035\213\041
\361\264\337\344\034\321\237\145\002\006\352\134\326\023\263\204
\357\242\245\134\214\167\051\247\150\300\153\256\100\322\250\264
\352\315\360\215\113\070\234\031\232\033\050\124\270\211\220\357
\312\165\201\076\036\362\144\044\307\030\257\116\377\107\236\007
\366\065\145\244\323\012\126\377\365\027\144\154\357\250\042\045
\111\223\266\337\000\027\332\130\176\135\356\305\033\260\321\321
\137\041\020\307\371\363\272\002\012\047\007\305\361\326\307\323
\340\373\011\140\154

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Amazon Root CA 2"

Issuer: CN=Amazon Root CA 2,O=Amazon,C=US

Serial Number:06:6c:9f:d2:96:35:86:9f:0a:0f:e5:86:78:f8:5b:26:bb:8a:37

Subject: CN=Amazon Root CA 2,O=Amazon,C=US

Not Valid Before: Tue May 26 00:00:00 2015

Not Valid After : Sat May 26 00:00:00 2040

Fingerprint (SHA-256):

1B:A5:B2:AA:8C:65:40:1A:82:96:01:18:F8:0B:EC:4F:62:30:4D:83:CE:C4:71:3A:19:C3:9C:01:1E:A4:6D:B4

Fingerprint (SHA1): 5A:8C:EF:45:D7:A6:98:59:76:7A:8C:8B:44:96:B5:78:CF:47:4B:1A

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Amazon Root CA 2"

```

CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\132\214\357\105\327\246\230\131\166\172\214\213\104\226\265\170
\317\107\113\032
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\310\345\215\316\250\102\342\172\300\052\134\174\236\046\277\146
END
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\322\226\065\206\237\012\017\345\206\170\370
\133\046\273\212\067
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Amazon Root CA 3"
#
# Issuer: CN=Amazon Root CA 3,O=Amazon,C=US
# Serial Number:06:6c:9f:d5:74:97:36:66:3f:3b:0b:9a:d9:e8:9e:76:03:f2:4a
# Subject: CN=Amazon Root CA 3,O=Amazon,C=US
# Not Valid Before: Tue May 26 00:00:00 2015
# Not Valid After : Sat May 26 00:00:00 2040
# Fingerprint (SHA-256):
18:CE:6C:FE:7B:F1:4E:60:B2:E3:47:B8:DF:E8:68:CB:31:D0:2E:BB:3A:DA:27:15:69:F5:03:43:B4:6D:B3:A4
# Fingerprint (SHA1): 0D:44:DD:8C:3C:8C:1A:1A:58:75:64:81:E9:0F:2E:2A:FF:B3:D2:6E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061

```

\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\063

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\023\006\154\237\325\164\227\066\146\077\073\013\232\331\350
\236\166\003\362\112

END

CKA_VALUE MULTILINE_OCTAL

\060\202\001\266\060\202\001\133\240\003\002\001\002\002\023\006
\154\237\325\164\227\066\146\077\073\013\232\331\350\236\166\003
\362\112\060\012\006\010\052\206\110\316\075\004\003\002\060\071
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\017\060
\015\006\003\125\004\012\023\006\101\155\141\172\157\156\061\031
\060\027\006\003\125\004\003\023\020\101\155\141\172\157\156\040
\122\157\157\164\040\103\101\040\063\060\036\027\015\061\065\060
\065\062\066\060\060\060\060\060\132\027\015\064\060\060\065
\062\066\060\060\060\060\060\132\060\071\061\013\060\011\006
\003\125\004\006\023\002\125\123\061\017\060\015\006\003\125\004
\012\023\006\101\155\141\172\157\156\061\031\060\027\006\003\125
\004\003\023\020\101\155\141\172\157\156\040\122\157\157\164\040
\103\101\040\063\060\131\060\023\006\007\052\206\110\316\075\002
\001\006\010\052\206\110\316\075\003\001\007\003\102\000\004\051
\227\247\306\101\177\300\015\233\350\001\033\126\306\362\122\245
\272\055\262\022\350\322\056\327\372\311\305\330\252\155\037\163
\201\073\073\230\153\071\174\063\245\305\116\206\216\200\027\150
\142\105\127\175\104\130\035\263\067\345\147\010\353\146\336\243
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004
\003\002\001\206\060\035\006\003\125\035\016\004\026\004\024\253
\266\333\327\006\236\067\254\060\206\007\221\160\307\234\304\031
\261\170\300\060\012\006\010\052\206\110\316\075\004\003\002\003
\111\000\060\106\002\041\000\340\205\222\243\027\267\215\371\053
\006\245\223\254\032\230\150\141\162\372\341\241\320\373\034\170
\140\246\103\231\305\270\304\002\041\000\234\002\357\361\224\234
\263\226\371\353\306\052\370\266\054\376\072\220\024\026\327\214
\143\044\110\034\337\060\175\325\150\073

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Amazon Root CA 3"

Issuer: CN=Amazon Root CA 3,O=Amazon,C=US

Serial Number:06:6c:9f:d5:74:97:36:66:3f:3b:0b:9a:d9:e8:9e:76:03:f2:4a

Subject: CN=Amazon Root CA 3,O=Amazon,C=US

Not Valid Before: Tue May 26 00:00:00 2015

Not Valid After : Sat May 26 00:00:00 2040

```

# Fingerprint (SHA-256):
18:CE:6C:FE:7B:F1:4E:60:B2:E3:47:B8:DF:E8:68:CB:31:D0:2E:BB:3A:DA:27:15:69:F5:03:43:B4:6D:B3:A4
# Fingerprint (SHA1): 0D:44:DD:8C:3C:8C:1A:1A:58:75:64:81:E9:0F:2E:2A:FF:B3:D2:6E
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\015\104\335\214\074\214\032\032\130\165\144\201\351\017\056\052
\377\263\322\156
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\240\324\357\013\367\265\330\111\225\052\354\365\304\374\201\207
END
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\325\164\227\066\146\077\073\013\232\331\350
\236\166\003\362\112
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Amazon Root CA 4"
#
# Issuer: CN=Amazon Root CA 4,O=Amazon,C=US
# Serial Number:06:6c:9f:d7:c1:bb:10:4c:29:43:e5:71:7b:7b:2c:c8:1a:c1:0e
# Subject: CN=Amazon Root CA 4,O=Amazon,C=US
# Not Valid Before: Tue May 26 00:00:00 2015
# Not Valid After : Sat May 26 00:00:00 2040
# Fingerprint (SHA-256):
E3:5D:28:41:9E:D0:20:25:CF:A6:90:38:CD:62:39:62:45:8D:A5:C6:95:FB:DE:A3:C2:2B:0B:FB:25:89:70:92
# Fingerprint (SHA1): F6:10:84:07:D6:F8:BB:67:98:0C:C2:E2:44:C2:EB:AE:1C:EF:63:BE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\064

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\064

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\023\006\154\237\327\301\273\020\114\051\103\345\161\173\173
\054\310\032\301\016

END

CKA_VALUE MULTILINE_OCTAL

\060\202\001\362\060\202\001\170\240\003\002\001\002\002\023\006
\154\237\327\301\273\020\114\051\103\345\161\173\173\054\310\032
\301\016\060\012\006\010\052\206\110\316\075\004\003\003\060\071
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\017\060
\015\006\003\125\004\012\023\006\101\155\141\172\157\156\061\031
\060\027\006\003\125\004\003\023\020\101\155\141\172\157\156\040
\122\157\157\164\040\103\101\040\064\060\036\027\015\061\065\060
\065\062\066\060\060\060\060\060\132\027\015\064\060\060\065
\062\066\060\060\060\060\060\132\060\071\061\013\060\011\006
\003\125\004\006\023\002\125\123\061\017\060\015\006\003\125\004
\012\023\006\101\155\141\172\157\156\061\031\060\027\006\003\125
\004\003\023\020\101\155\141\172\157\156\040\122\157\157\164\040
\103\101\040\064\060\166\060\020\006\007\052\206\110\316\075\002
\001\006\005\053\201\004\000\042\003\142\000\004\322\253\212\067
\117\243\123\015\376\301\212\173\113\250\173\106\113\143\260\142
\366\055\033\333\010\161\041\322\000\350\143\275\232\047\373\360
\071\156\135\352\075\245\311\201\252\243\133\040\230\105\135\026
\333\375\350\020\155\343\234\340\343\275\137\204\142\363\160\144
\063\240\313\044\057\160\272\210\241\052\240\165\370\201\256\142
\006\304\201\333\071\156\051\260\036\372\056\134\243\102\060\100
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001
\206\060\035\006\003\125\035\016\004\026\004\024\323\354\307\072
\145\156\314\341\332\166\232\126\373\234\363\206\155\127\345\201
\060\012\006\010\052\206\110\316\075\004\003\003\003\150\000\060
\145\002\060\072\213\041\361\275\176\021\255\320\357\130\226\057
\326\353\235\176\220\215\053\317\146\125\303\054\343\050\251\160
\012\107\016\360\067\131\022\377\055\231\224\050\116\052\117\065
\115\063\132\002\061\000\352\165\000\116\073\304\072\224\022\221
\311\130\106\235\041\023\162\247\210\234\212\344\114\112\333\226
\324\254\213\153\153\111\022\123\063\255\327\344\276\044\374\265

```

\012\166\324\245\274\020
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "Amazon Root CA 4"
# Issuer: CN=Amazon Root CA 4,O=Amazon,C=US
# Serial Number:06:6c:9f:d7:c1:bb:10:4c:29:43:e5:71:7b:7b:2c:c8:1a:c1:0e
# Subject: CN=Amazon Root CA 4,O=Amazon,C=US
# Not Valid Before: Tue May 26 00:00:00 2015
# Not Valid After : Sat May 26 00:00:00 2040
# Fingerprint (SHA-256):
E3:5D:28:41:9E:D0:20:25:CF:A6:90:38:CD:62:39:62:45:8D:A5:C6:95:FB:DE:A3:C2:2B:0B:FB:25:89:70:92
# Fingerprint (SHA1): F6:10:84:07:D6:F8:BB:67:98:0C:C2:E2:44:C2:EB:AE:1C:EF:63:BE
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 4"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\366\020\204\007\326\370\273\147\230\014\302\342\104\302\353\256
\034\357\143\276
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\211\274\047\325\353\027\215\006\152\151\325\375\211\107\264\315
END
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\327\301\273\020\114\051\103\345\161\173\173
\054\310\032\301\016
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Symantec Class 1 Public Primary Certification Authority - G6"
#
# Issuer: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Serial Number:24:32:75:f2:1d:2f:d2:09:33:f7:b4:6a:ca:d0:f3:98

```



```
# Subject: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Not Valid Before: Tue Oct 18 00:00:00 2011
# Not Valid After : Tue Dec 01 23:59:59 2037
# Fingerprint (SHA-256):
9D:19:0B:2E:31:45:66:68:5B:E8:A8:89:E2:7A:A8:C7:D7:AE:1D:8A:AD:DB:A3:C1:EC:F9:D2:48:63:CD:34:B9
# Fingerprint (SHA1): 51:7F:61:1E:29:91:6B:53:82:FB:72:E7:44:D9:8D:C3:CC:53:6D:64
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Symantec Class 1 Public Primary Certification Authority - G6"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\061\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\061\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\044\062\165\362\035\057\322\011\063\367\264\152\312\320
\363\230
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\366\060\202\002\336\240\003\002\001\002\002\020\044
\062\165\362\035\057\322\011\063\367\264\152\312\320\363\230\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\201
\224\061\013\060\011\006\003\125\004\006\023\002\125\123\061\035
\060\033\006\003\125\004\012\023\024\123\171\155\141\156\164\145
```

\143\040\103\157\162\160\157\162\141\164\151\157\156\061\037\060
\035\006\003\125\004\013\023\026\123\171\155\141\156\164\145\143
\040\124\162\165\163\164\040\116\145\164\167\157\162\153\061\105
\060\103\006\003\125\004\003\023\074\123\171\155\141\156\164\145
\143\040\103\154\141\163\163\040\061\040\120\165\142\154\151\143
\040\120\162\151\155\141\162\171\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\055\040\107\066\060\036\027\015\061\061\061\060\061\070\060
\060\060\060\060\060\132\027\015\063\067\061\062\060\061\062\063
\065\071\065\071\132\060\201\224\061\013\060\011\006\003\125\004
\006\023\002\125\123\061\035\060\033\006\003\125\004\012\023\024
\123\171\155\141\156\164\145\143\040\103\157\162\160\157\162\141
\164\151\157\156\061\037\060\035\006\003\125\004\013\023\026\123
\171\155\141\156\164\145\143\040\124\162\165\163\164\040\116\145
\164\167\157\162\153\061\105\060\103\006\003\125\004\003\023\074
\123\171\155\141\156\164\145\143\040\103\154\141\163\163\040\061
\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165
\164\150\157\162\151\164\171\040\055\040\107\066\060\202\001\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\001\017\000\060\202\001\012\002\202\001\001\000\307\071\327
\111\144\251\231\202\042\114\352\105\331\007\026\343\173\364\203
\350\231\163\372\153\261\066\340\232\167\240\100\302\201\215\001
\307\314\214\275\217\175\367\171\343\172\114\003\115\331\373\375
\207\070\050\054\335\232\213\124\010\333\147\373\033\214\376\050
\222\057\276\267\262\110\247\201\241\330\136\210\303\314\071\100
\101\132\321\334\345\332\020\237\057\332\001\115\375\056\106\174
\371\056\047\012\151\067\356\221\243\033\152\314\104\277\033\307
\303\324\021\262\120\140\227\011\275\056\042\365\101\204\146\237
\315\100\246\251\000\200\301\037\225\222\237\336\363\110\357\333
\035\167\141\374\177\337\356\226\244\162\320\266\076\377\170\047
\257\313\222\025\151\010\333\143\020\342\346\227\254\156\334\254
\366\242\316\036\107\231\271\211\267\022\346\241\324\315\131\021
\147\303\157\205\330\102\116\050\276\131\125\131\004\225\253\217
\067\200\277\015\360\374\037\072\144\061\130\201\170\327\342\065
\366\040\077\051\270\217\026\156\076\110\334\265\114\007\341\362
\032\352\176\012\171\326\250\275\353\135\206\053\115\002\003\001
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\063\101\350\310\071\022\025\223\110\362\226\062\056\132
\365\332\224\137\123\140\060\015\006\011\052\206\110\206\367\015
\001\001\013\005\000\003\202\001\001\000\025\343\163\127\261\027
\266\137\111\151\104\246\366\136\172\147\254\322\336\165\111\253
\376\045\125\307\072\311\104\025\020\156\277\061\153\313\331\007
\223\177\034\205\143\000\343\062\022\340\314\313\373\071\154\217
\342\123\342\074\100\063\331\244\214\107\346\255\130\373\211\257
\343\336\206\051\126\064\054\105\270\022\372\104\211\156\055\024

```
\045\050\044\001\145\326\352\122\254\005\156\126\022\011\075\320
\164\364\327\275\006\312\250\072\215\126\102\372\215\162\076\164
\361\003\162\337\207\033\136\016\172\125\226\054\070\267\230\205
\315\115\063\104\311\224\217\132\061\060\067\113\243\072\022\263
\347\066\321\041\150\113\055\070\346\123\256\034\045\126\010\126
\003\147\204\235\306\303\316\044\142\307\114\066\317\260\006\104
\267\365\137\002\335\331\124\351\057\220\116\172\310\116\203\100
\014\232\227\074\067\277\277\354\366\360\264\205\167\050\301\013
\310\147\202\020\027\070\242\267\006\352\233\277\072\370\351\043
\007\277\164\340\230\070\025\125\170\356\162\000\134\031\243\364
\322\063\340\377\275\321\124\071\051\017
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
# For Email Distrust After: Wed Aug 31 00:00:00 2022
CKA_NSS_EMAIL_DISTRICT_AFTER MULTILINE_OCTAL
\062\062\060\070\063\061\060\060\060\060\060\060\132
```

END

```
# Trust for "Symantec Class 1 Public Primary Certification Authority - G6"
# Issuer: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Serial Number:24:32:75:f2:1d:2f:d2:09:33:f7:b4:6a:ca:d0:f3:98
# Subject: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Not Valid Before: Tue Oct 18 00:00:00 2011
# Not Valid After : Tue Dec 01 23:59:59 2037
# Fingerprint (SHA-256):
9D:19:0B:2E:31:45:66:68:5B:E8:A8:89:E2:7A:A8:C7:D7:AE:1D:8A:AD:DB:A3:C1:EC:F9:D2:48:63:CD:34:B9
# Fingerprint (SHA1): 51:7F:61:1E:29:91:6B:53:82:FB:72:E7:44:D9:8D:C3:CC:53:6D:64
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Symantec Class 1 Public Primary Certification Authority - G6"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\121\177\141\036\051\221\153\123\202\373\162\347\104\331\215\303
\314\123\155\144
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\057\250\264\332\366\144\113\036\202\371\106\075\124\032\174\260
```

END

```
CKA_ISSUER MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
```

```

\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\061\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\044\062\165\362\035\057\322\011\063\367\264\152\312\320
\363\230
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Symantec Class 2 Public Primary Certification Authority - G6"
#
# Issuer: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Serial Number:64:82:9e:fc:37:1e:74:5d:fc:97:ff:97:c8:b1:ff:41
# Subject: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Not Valid Before: Tue Oct 18 00:00:00 2011
# Not Valid After : Tue Dec 01 23:59:59 2037
# Fingerprint (SHA-256):
CB:62:7D:18:B5:8A:D5:6D:DE:33:1A:30:45:6B:C6:5C:60:1A:4E:9B:18:DE:DC:EA:08:E7:DA:AA:07:81:5F:F0
# Fingerprint (SHA1): 40:B3:31:A0:E9:BF:E8:55:BC:39:93:CA:70:4F:4E:C2:51:D4:1D:8F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Symantec Class 2 Public Primary Certification Authority - G6"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\062\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL

```

\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\062\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\144\202\236\374\067\036\164\135\374\227\377\227\310\261
\377\101

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\366\060\202\002\336\240\003\002\001\002\002\020\144
\202\236\374\067\036\164\135\374\227\377\227\310\261\377\101\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\201
\224\061\013\060\011\006\003\125\004\006\023\002\125\123\061\035
\060\033\006\003\125\004\012\023\024\123\171\155\141\156\164\145
\143\040\103\157\162\160\157\162\141\164\151\157\156\061\037\060
\035\006\003\125\004\013\023\026\123\171\155\141\156\164\145\143
\040\124\162\165\163\164\040\116\145\164\167\157\162\153\061\105
\060\103\006\003\125\004\003\023\074\123\171\155\141\156\164\145
\143\040\103\154\141\163\163\040\062\040\120\165\142\154\151\143
\040\120\162\151\155\141\162\171\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\055\040\107\066\060\036\027\015\061\061\061\060\061\070\060
\060\060\060\060\060\132\027\015\063\067\061\062\060\061\062\063
\065\071\065\071\132\060\201\224\061\013\060\011\006\003\125\004
\006\023\002\125\123\061\035\060\033\006\003\125\004\012\023\024
\123\171\155\141\156\164\145\143\040\103\157\162\160\157\162\141
\164\151\157\156\061\037\060\035\006\003\125\004\013\023\026\123
\171\155\141\156\164\145\143\040\124\162\165\163\164\040\116\145
\164\167\157\162\153\061\105\060\103\006\003\125\004\003\023\074
\123\171\155\141\156\164\145\143\040\103\154\141\163\163\040\062
\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165
\164\150\157\162\151\164\171\040\055\040\107\066\060\202\001\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\001\017\000\060\202\001\012\002\202\001\001\000\315\314\351
\005\310\143\205\313\077\100\143\027\275\030\372\065\346\004\147
\127\145\230\051\244\117\311\134\217\017\064\322\370\332\250\023
\142\252\270\036\120\147\170\260\026\114\240\071\251\025\172\256
\355\322\242\300\360\220\067\051\030\046\134\350\015\074\266\154
\111\077\301\340\334\331\113\266\024\031\013\246\323\226\341\326
\011\343\031\046\034\371\037\145\113\371\032\103\034\000\203\326

\320\252\111\242\324\333\346\142\070\272\120\024\103\155\371\061
\370\126\026\331\070\002\221\317\353\154\335\273\071\116\231\341
\060\147\105\361\324\360\215\303\337\376\362\070\007\041\175\000
\136\126\104\263\344\140\275\221\053\234\253\133\004\162\017\262
\050\331\162\253\005\040\102\045\251\133\003\152\040\020\314\061
\360\053\332\065\054\320\373\232\227\116\360\202\113\053\330\137
\066\243\013\055\257\143\015\035\045\177\241\156\134\142\241\215
\050\076\241\374\034\040\370\001\057\272\125\232\021\260\031\322
\310\120\171\153\016\152\005\327\252\004\066\262\243\362\341\137
\167\247\167\234\345\036\334\351\337\152\301\145\135\002\003\001
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\207\214\040\225\310\230\112\321\326\200\006\112\220\064
\104\337\034\115\277\260\060\015\006\011\052\206\110\206\367\015
\001\001\013\005\000\003\202\001\001\000\201\216\262\245\146\226
\267\041\245\266\357\157\043\132\137\333\201\305\102\245\170\301
\151\375\364\074\327\371\134\153\160\162\032\374\132\227\115\000
\200\210\210\202\212\303\161\015\216\305\211\233\054\355\215\013
\322\162\124\365\175\324\134\103\127\351\363\256\245\002\021\366
\166\053\201\127\335\175\332\164\060\375\124\107\366\340\026\156
\246\264\012\110\346\347\165\007\017\051\031\071\316\171\364\266
\154\305\137\231\325\037\113\372\337\155\054\074\015\124\200\160
\360\210\013\200\317\306\150\242\270\035\160\331\166\214\374\356
\245\311\317\255\035\317\231\045\127\132\142\105\313\026\153\275
\111\315\245\243\214\151\171\045\256\270\114\154\213\100\146\113
\026\077\317\002\032\335\341\154\153\007\141\152\166\025\051\231
\177\033\335\210\200\301\277\265\217\163\305\246\226\043\204\246
\050\206\044\063\152\001\056\127\163\045\266\136\277\217\346\035
\141\250\100\051\147\035\207\233\035\177\233\237\231\315\061\326
\124\276\142\273\071\254\150\022\110\221\040\245\313\261\335\376
\157\374\132\344\202\125\131\257\061\251

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
For Email Distrust After: Wed Aug 31 00:00:00 2022
CKA_NSS_EMAIL_DISTRICT_AFTER MULTILINE_OCTAL
\062\062\060\070\063\061\060\060\060\060\060\060\132

END

Trust for "Symantec Class 2 Public Primary Certification Authority - G6"
Issuer: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
Serial Number:64:82:9e:fc:37:1e:74:5d:fc:97:ff:97:c8:b1:ff:41
Subject: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
Not Valid Before: Tue Oct 18 00:00:00 2011
Not Valid After : Tue Dec 01 23:59:59 2037

```

# Fingerprint (SHA-256):
CB:62:7D:18:B5:8A:D5:6D:DE:33:1A:30:45:6B:C6:5C:60:1A:4E:9B:18:DE:DC:EA:08:E7:DA:AA:07:81:5F:F0
# Fingerprint (SHA1): 40:B3:31:A0:E9:BF:E8:55:BC:39:93:CA:70:4F:4E:C2:51:D4:1D:8F
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Symantec Class 2 Public Primary Certification Authority - G6"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\100\263\061\240\351\277\350\125\274\071\223\312\160\117\116\302
\121\324\035\217
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\175\013\203\345\373\174\255\007\117\040\251\265\337\143\355\171
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\062\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\144\202\236\374\067\036\164\135\374\227\377\227\310\261
\377\101
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "D-TRUST Root CA 3 2013"
#
# Issuer: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
# Serial Number: 1039788 (0xfddac)
# Subject: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
# Not Valid Before: Fri Sep 20 08:25:51 2013
# Not Valid After : Wed Sep 20 08:25:51 2028
# Fingerprint (SHA-256):
A1:A8:6D:04:12:1E:B8:7F:02:7C:66:F5:33:03:C2:8E:57:39:F9:43:FC:84:B3:8A:D6:AF:00:90:35:DD:94:57
# Fingerprint (SHA1): 6C:7C:CC:E7:D4:AE:51:5F:99:08:CD:3F:F6:E8:C3:78:DF:6F:EF:97
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root CA 3 2013"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003\014
\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103\101
\040\063\040\062\060\061\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003\014
\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103\101
\040\063\040\062\060\061\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\017\335\254
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\016\060\202\002\366\240\003\002\001\002\002\003\017
\335\254\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165
\163\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003
\014\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103
\101\040\063\040\062\060\061\063\060\036\027\015\061\063\060\071
\062\060\060\070\062\065\065\061\132\027\015\062\070\060\071\062
\060\060\070\062\065\065\061\132\060\105\061\013\060\011\006\003
\125\004\006\023\002\104\105\061\025\060\023\006\003\125\004\012
\014\014\104\055\124\162\165\163\164\040\107\155\142\110\061\037
\060\035\006\003\125\004\003\014\026\104\055\124\122\125\123\124
\040\122\157\157\164\040\103\101\040\063\040\062\060\061\063\060
\202\001\042\060\015\006\011\052\206\110\206\367\015\001\001\001
\005\000\003\202\001\017\000\060\202\001\012\002\202\001\001\000
\304\173\102\222\202\037\354\355\124\230\216\022\300\312\011\337
\223\156\072\223\134\033\344\020\167\236\116\151\210\154\366\341
\151\362\366\233\242\141\261\275\007\040\164\230\145\361\214\046
\010\315\250\065\312\200\066\321\143\155\350\104\172\202\303\154
\136\336\273\350\066\322\304\150\066\214\237\062\275\204\042\340
\334\302\356\020\106\071\155\257\223\071\256\207\346\303\274\011
\311\054\153\147\133\331\233\166\165\114\013\340\273\305\327\274
\076\171\362\137\276\321\220\127\371\256\366\146\137\061\277\323
\155\217\247\272\112\363\043\145\273\267\357\243\045\327\012\352
```


\130\266\357\210\372\372\171\262\122\130\325\360\254\214\241\121
\164\051\225\252\121\073\220\062\003\237\034\162\164\220\336\075
\355\141\322\345\343\375\144\107\345\271\267\112\251\367\037\256
\226\206\004\254\057\343\244\201\167\267\132\026\377\330\017\077
\366\267\170\314\244\257\372\133\074\022\133\250\122\211\162\357
\210\363\325\104\201\206\225\043\237\173\335\274\331\064\357\174
\224\074\252\300\101\302\343\235\120\032\300\344\031\042\374\263
\002\003\001\000\001\243\202\001\005\060\202\001\001\060\017\006
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\035
\006\003\125\035\016\004\026\004\024\077\220\310\175\307\025\157
\363\044\217\251\303\057\113\242\017\041\262\057\347\060\016\006
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\201\276
\006\003\125\035\037\004\201\266\060\201\263\060\164\240\162\240
\160\206\156\154\144\141\160\072\057\057\144\151\162\145\143\164
\157\162\171\056\144\055\164\162\165\163\164\056\156\145\164\057
\103\116\075\104\055\124\122\125\123\124\045\062\060\122\157\157
\164\045\062\060\103\101\045\062\060\063\045\062\060\062\060\061
\063\054\117\075\104\055\124\162\165\163\164\045\062\060\107\155
\142\110\054\103\075\104\105\077\143\145\162\164\151\146\151\143
\141\164\145\162\145\166\157\143\141\164\151\157\156\154\151\163
\164\060\073\240\071\240\067\206\065\150\164\164\160\072\057\057
\143\162\154\056\144\055\164\162\165\163\164\056\156\145\164\057
\143\162\154\057\144\055\164\162\165\163\164\137\162\157\157\164
\137\143\141\137\063\137\062\060\061\063\056\143\162\154\060\015
\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001
\001\000\016\131\016\130\344\164\110\043\104\317\064\041\265\234
\024\032\255\232\113\267\263\210\155\134\251\027\160\360\052\237
\215\173\371\173\205\372\307\071\350\020\010\260\065\053\137\317
\002\322\323\234\310\013\036\356\005\124\256\067\223\004\011\175
\154\217\302\164\274\370\034\224\276\061\001\100\055\363\044\040
\267\204\125\054\134\310\365\164\112\020\031\213\243\307\355\065
\326\011\110\323\016\300\272\071\250\260\106\002\260\333\306\210
\131\302\276\374\173\261\053\317\176\142\207\125\226\314\001\157
\233\147\041\225\065\213\370\020\374\161\033\267\113\067\151\246
\073\326\354\213\356\301\260\363\045\311\217\222\175\241\352\303
\312\104\277\046\245\164\222\234\343\164\353\235\164\331\313\115
\207\330\374\264\151\154\213\240\103\007\140\170\227\351\331\223
\174\302\106\274\233\067\122\243\355\212\074\023\251\173\123\113
\111\232\021\005\054\013\156\126\254\037\056\202\154\340\151\147
\265\016\155\055\331\344\300\025\361\077\372\030\162\341\025\155
\047\133\055\060\050\053\237\110\232\144\053\231\357\362\165\111
\137\134

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "D-TRUST Root CA 3 2013"

```

# Issuer: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
# Serial Number: 1039788 (0xfddac)
# Subject: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
# Not Valid Before: Fri Sep 20 08:25:51 2013
# Not Valid After : Wed Sep 20 08:25:51 2028
# Fingerprint (SHA-256):
A1:A8:6D:04:12:1E:B8:7F:02:7C:66:F5:33:03:C2:8E:57:39:F9:43:FC:84:B3:8A:D6:AF:00:90:35:DD:94:57
# Fingerprint (SHA1): 6C:7C:CC:E7:D4:AE:51:5F:99:08:CD:3F:F6:E8:C3:78:DF:6F:EF:97
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root CA 3 2013"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\154\174\314\347\324\256\121\137\231\010\315\077\366\350\303\170
\337\157\357\227
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\267\042\146\230\176\326\003\340\301\161\346\165\315\126\105\277
END
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003\014
\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103\101
\040\063\040\062\060\061\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\017\335\254
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"
#
# Issuer: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu
SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR
# Serial Number: 1 (0x1)
# Subject: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu
SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR
# Not Valid Before: Mon Nov 25 08:25:55 2013
# Not Valid After : Sun Oct 25 08:25:55 2043
# Fingerprint (SHA-256):
46:ED:C3:68:90:46:D5:3A:45:3F:B3:10:4A:B8:0D:CA:EC:65:8B:26:60:EA:16:29:DD:7E:86:79:90:64:87:16
# Fingerprint (SHA1): 31:43:64:9B:EC:CE:27:EC:ED:3A:3F:0B:8F:0D:E4:E8:91:DD:EE:CA

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145
\040\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003
\125\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154
\151\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157
\152\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165
\162\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055
\060\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145
\162\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153
\145\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060
\064\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040
\113\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040
\123\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165
\162\165\155\040\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145
\040\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003
\125\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154
\151\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157
\152\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165
\162\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055
\060\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145
\162\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153
\145\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060
\064\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040
\113\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040
\123\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165
\162\165\155\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\143\060\202\003\113\240\003\002\001\002\002\001\001
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122\061
\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145\040
\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003\125
```

\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154\151
\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157\152
\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165\162
\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055\060
\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145\162
\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153\145
\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060\064
\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040\113
\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040\123
\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165\162
\165\155\040\061\060\036\027\015\061\063\061\061\062\065\060\070
\062\065\065\065\132\027\015\064\063\061\060\062\065\060\070\062
\065\065\065\132\060\201\322\061\013\060\011\006\003\125\004\006
\023\002\124\122\061\030\060\026\006\003\125\004\007\023\017\107
\145\142\172\145\040\055\040\113\157\143\141\145\154\151\061\102
\060\100\006\003\125\004\012\023\071\124\165\162\153\151\171\145
\040\102\151\154\151\155\163\145\154\040\166\145\040\124\145\153
\156\157\154\157\152\151\153\040\101\162\141\163\164\151\162\155
\141\040\113\165\162\165\155\165\040\055\040\124\125\102\111\124
\101\113\061\055\060\053\006\003\125\004\013\023\044\113\141\155
\165\040\123\145\162\164\151\146\151\153\141\163\171\157\156\040
\115\145\162\153\145\172\151\040\055\040\113\141\155\165\040\123
\115\061\066\060\064\006\003\125\004\003\023\055\124\125\102\111
\124\101\113\040\113\141\155\165\040\123\115\040\123\123\114\040
\113\157\153\040\123\145\162\164\151\146\151\153\141\163\151\040
\055\040\123\165\162\165\155\040\061\060\202\001\042\060\015\006
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017
\000\060\202\001\012\002\202\001\001\000\257\165\060\063\252\273
\153\323\231\054\022\067\204\331\215\173\227\200\323\156\347\377
\233\120\225\076\220\225\126\102\327\031\174\046\204\215\222\372
\001\035\072\017\342\144\070\267\214\274\350\210\371\213\044\253
\056\243\365\067\344\100\216\030\045\171\203\165\037\073\377\154
\250\305\306\126\370\264\355\212\104\243\253\154\114\374\035\320
\334\357\150\275\317\344\252\316\360\125\367\242\064\324\203\153
\067\174\034\302\376\265\003\354\127\316\274\264\265\305\355\000
\017\123\067\052\115\364\117\014\203\373\206\317\313\376\214\116
\275\207\371\247\213\041\127\234\172\337\003\147\211\054\235\227
\141\247\020\270\125\220\177\016\055\047\070\164\337\347\375\332
\116\022\343\115\025\042\002\310\340\340\374\017\255\212\327\311
\124\120\314\073\017\312\026\200\204\320\121\126\303\216\126\177
\211\042\063\057\346\205\012\275\245\250\033\066\336\323\334\054
\155\073\307\023\275\131\043\054\346\345\244\367\330\013\355\352
\220\100\104\250\225\273\223\325\320\200\064\266\106\170\016\037
\000\223\106\341\356\351\371\354\117\027\002\003\001\000\001\243
\102\060\100\060\035\006\003\125\035\016\004\026\004\024\145\077
\307\212\206\306\074\335\074\124\134\065\370\072\355\122\014\107
\127\310\060\016\006\003\125\035\017\001\001\377\004\004\003\002
\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003

```
\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\003\202\001\001\000\052\077\341\361\062\216\256\341\230
\134\113\136\317\153\036\152\011\322\042\251\022\307\136\127\175
\163\126\144\200\204\172\223\344\011\271\020\315\237\052\047\341
\000\167\276\110\310\065\250\201\237\344\270\054\311\177\016\260
\322\113\067\135\352\271\325\013\136\064\275\364\163\051\303\355
\046\025\234\176\010\123\212\130\215\320\113\050\337\301\263\337
\040\363\371\343\343\072\337\314\234\224\330\116\117\303\153\027
\267\367\162\350\255\146\063\265\045\123\253\340\370\114\251\235
\375\362\015\272\256\271\331\252\306\153\371\223\273\256\253\270
\227\074\003\032\272\103\306\226\271\105\162\070\263\247\241\226
\075\221\173\176\300\041\123\114\207\355\362\013\124\225\121\223
\325\042\245\015\212\361\223\016\076\124\016\260\330\311\116\334
\362\061\062\126\352\144\371\352\265\235\026\146\102\162\363\177
\323\261\061\103\374\244\216\027\361\155\043\253\224\146\370\255
\373\017\010\156\046\055\177\027\007\011\262\214\373\120\300\237
\226\215\317\266\375\000\235\132\024\232\277\002\104\365\301\302
\237\042\136\242\017\241\343
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"
```

```
# Issuer: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu
SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR
```

```
# Serial Number: 1 (0x1)
```

```
# Subject: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu
SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR
```

```
# Not Valid Before: Mon Nov 25 08:25:55 2013
```

```
# Not Valid After : Sun Oct 25 08:25:55 2014
```

```
# Fingerprint (SHA-256):
```

```
46:ED:C3:68:90:46:D5:3A:45:3F:B3:10:4A:B8:0D:CA:EC:65:8B:26:60:EA:16:29:DD:7E:86:79:90:64:87:16
```

```
# Fingerprint (SHA1): 31:43:64:9B:EC:CE:27:EC:ED:3A:3F:0B:8F:0D:E4:E8:91:DD:EE:CA
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\061\103\144\233\354\316\047\354\355\072\077\013\217\015\344\350
\221\335\356\312
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\334\000\201\334\151\057\076\057\260\073\366\075\132\221\216\111
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122
```

```
\061\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145
\040\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003
\125\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154
\151\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157
\152\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165
\162\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055
\060\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145
\162\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153
\145\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060
\064\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040
\113\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040
\123\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165
\162\165\155\040\061
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\001\001
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "GDCA TrustAUTH R5 ROOT"

#

Issuer: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY
CO.,LTD.",C=CN

Serial Number:7d:09:97:fe:f0:47:ea:7a

Subject: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY
CO.,LTD.",C=CN

Not Valid Before: Wed Nov 26 05:13:15 2014

Not Valid After : Mon Dec 31 15:59:59 2040

Fingerprint (SHA-256):

BF:FF:8F:D0:44:33:48:7D:6A:8A:A6:0C:1A:29:76:7A:9F:C2:BB:B0:5E:42:0F:71:3A:13:B9:92:89:1D:38:93

Fingerprint (SHA1): 0F:36:38:5B:81:1A:25:C3:9B:31:4E:83:CA:E9:34:66:70:CC:74:B4

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "GDCA TrustAUTH R5 ROOT"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\142\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\062\060\060\006\003\125\004\012\014\051\107\125\101\116\107\040
\104\117\116\107\040\103\105\122\124\111\106\111\103\101\124\105
\040\101\125\124\110\117\122\111\124\131\040\103\117\056\054\114
\124\104\056\061\037\060\035\006\003\125\004\003\014\026\107\104
\103\101\040\124\162\165\163\164\101\125\124\110\040\122\065\040
```

\122\117\117\124

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\142\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\062\060\060\006\003\125\004\012\014\051\107\125\101\116\107\040
\104\117\116\107\040\103\105\122\124\111\106\111\103\101\124\105
\040\101\125\124\110\117\122\111\124\131\040\103\117\056\054\114
\124\104\056\061\037\060\035\006\003\125\004\003\014\026\107\104
\103\101\040\124\162\165\163\164\101\125\124\110\040\122\065\040
\122\117\117\124

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\010\175\011\227\376\360\107\352\172

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\210\060\202\003\160\240\003\002\001\002\002\010\175
\011\227\376\360\107\352\172\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\142\061\013\060\011\006\003\125\004
\006\023\002\103\116\061\062\060\060\006\003\125\004\012\014\051
\107\125\101\116\107\040\104\117\116\107\040\103\105\122\124\111
\106\111\103\101\124\105\040\101\125\124\110\117\122\111\124\131
\040\103\117\056\054\114\124\104\056\061\037\060\035\006\003\125
\004\003\014\026\107\104\103\101\040\124\162\165\163\164\101\125
\124\110\040\122\065\040\122\117\117\124\060\036\027\015\061\064
\061\061\062\066\060\065\061\063\061\065\132\027\015\064\060\061
\062\063\061\061\065\065\071\065\071\132\060\142\061\013\060\011
\006\003\125\004\006\023\002\103\116\061\062\060\060\006\003\125
\004\012\014\051\107\125\101\116\107\040\104\117\116\107\040\103
\105\122\124\111\106\111\103\101\124\105\040\101\125\124\110\117
\122\111\124\131\040\103\117\056\054\114\124\104\056\061\037\060
\035\006\003\125\004\003\014\026\107\104\103\101\040\124\162\165
\163\164\101\125\124\110\040\122\065\040\122\117\117\124\060\202
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\331
\243\026\360\310\164\164\167\233\357\063\015\073\006\176\125\374
\265\140\217\166\206\022\102\175\126\146\076\210\202\355\162\143
\016\236\213\335\064\054\002\121\121\303\031\375\131\124\204\311
\361\153\263\114\260\351\350\106\135\070\306\242\247\056\021\127
\272\202\025\242\234\217\155\260\231\112\012\362\353\211\160\143
\116\171\304\267\133\275\242\135\261\362\101\002\053\255\251\072
\243\354\171\012\354\137\072\343\375\357\200\074\255\064\233\032
\253\210\046\173\126\242\202\206\037\353\065\211\203\177\137\256
\051\116\075\266\156\354\256\301\360\047\233\256\343\364\354\357
\256\177\367\206\075\162\172\353\245\373\131\116\247\353\225\214
\042\071\171\341\055\010\217\314\274\221\270\101\367\024\301\043
\251\303\255\232\105\104\263\262\327\054\315\306\051\342\120\020
\256\134\313\202\216\027\030\066\175\227\346\210\232\260\115\064

\011\364\054\271\132\146\052\260\027\233\236\036\166\235\112\146
\061\101\337\077\373\305\006\357\033\266\176\032\106\066\367\144
\143\073\343\071\030\043\347\147\165\024\325\165\127\222\067\275
\276\152\033\046\120\362\066\046\006\220\305\160\001\144\155\166
\146\341\221\333\156\007\300\141\200\056\262\056\057\214\160\247
\321\073\074\263\221\344\156\266\304\073\160\362\154\222\227\011
\315\107\175\030\300\363\273\236\017\326\213\256\007\266\132\017
\316\013\014\107\247\345\076\270\275\175\307\233\065\240\141\227
\072\101\165\027\314\053\226\167\052\222\041\036\331\225\166\040
\147\150\317\015\275\337\326\037\011\152\232\342\314\163\161\244
\057\175\022\200\267\123\060\106\136\113\124\231\017\147\311\245
\310\362\040\301\202\354\235\021\337\302\002\373\032\073\321\355
\040\232\357\145\144\222\020\015\052\342\336\160\361\030\147\202
\214\141\336\270\274\321\057\234\373\017\320\053\355\033\166\271
\344\071\125\370\370\241\035\270\252\200\000\114\202\347\262\177
\011\270\274\060\240\057\015\365\122\236\216\367\222\263\012\000
\035\000\124\227\006\340\261\007\331\307\017\134\145\175\074\155
\131\127\344\355\245\215\351\100\123\237\025\113\240\161\366\032
\041\343\332\160\006\041\130\024\207\205\167\171\252\202\171\002
\003\001\000\001\243\102\060\100\060\035\006\003\125\035\016\004
\026\004\024\342\311\100\237\115\316\350\232\241\174\317\016\077
\145\305\051\210\152\031\121\060\017\006\003\125\035\023\001\001
\377\004\005\060\003\001\001\377\060\016\006\003\125\035\017\001
\001\377\004\004\003\002\001\206\060\015\006\011\052\206\110\206
\367\015\001\001\013\005\000\003\202\002\001\000\321\111\127\340
\247\314\150\130\272\001\017\053\031\315\215\260\141\105\254\021
\355\143\120\151\370\037\177\276\026\217\375\235\353\013\252\062
\107\166\322\147\044\355\275\174\063\062\227\052\307\005\206\146
\015\027\175\024\025\033\324\353\375\037\232\366\136\227\151\267
\032\045\244\012\263\221\077\137\066\254\213\354\127\250\076\347
\201\212\030\127\071\205\164\032\102\307\351\133\023\137\217\371
\010\351\222\164\215\365\107\322\253\073\326\373\170\146\116\066
\175\371\351\222\351\004\336\375\111\143\374\155\373\024\161\223
\147\057\107\112\267\271\377\036\052\163\160\106\060\277\132\362
\057\171\245\341\215\014\331\371\262\143\067\214\067\145\205\160
\152\134\133\011\162\271\255\143\074\261\335\370\374\062\277\067
\206\344\273\216\230\047\176\272\037\026\341\160\021\362\003\337
\045\142\062\047\046\030\062\204\237\377\000\072\023\272\232\115
\364\117\270\024\160\042\261\312\053\220\316\051\301\160\364\057
\235\177\362\220\036\326\132\337\267\106\374\346\206\372\313\340
\040\166\172\272\246\313\365\174\336\142\245\261\213\356\336\202
\146\212\116\072\060\037\077\200\313\255\047\272\014\136\327\320
\261\126\312\167\161\262\265\165\241\120\251\100\103\027\302\050
\331\317\122\213\133\310\143\324\102\076\240\063\172\106\056\367
\012\040\106\124\176\152\117\061\361\201\176\102\164\070\145\163
\047\356\306\174\270\216\327\245\072\327\230\241\234\214\020\125
\323\333\113\354\100\220\362\315\156\127\322\142\016\174\127\223
\261\247\155\315\235\203\273\052\347\345\266\073\161\130\255\375


```
\321\105\274\132\221\356\123\025\157\323\105\011\165\156\272\220
\135\036\004\317\067\337\036\250\146\261\214\346\040\152\357\374
\110\116\164\230\102\257\051\157\056\152\307\373\175\321\146\061
\042\314\206\000\176\146\203\014\102\364\275\064\222\303\032\352
\117\312\176\162\115\013\160\214\246\110\273\246\241\024\366\373
\130\104\231\024\256\252\013\223\151\240\051\045\112\245\313\053
\335\212\146\007\026\170\025\127\161\033\354\365\107\204\363\236
\061\067\172\325\177\044\255\344\274\375\375\314\156\203\350\014
\250\267\101\154\007\335\275\074\206\227\057\322
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "GDCA TrustAUTH R5 ROOT"
```

```
# Issuer: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY
CO.,LTD.",C=CN
```

```
# Serial Number:7d:09:97:fe:f0:47:ea:7a
```

```
# Subject: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY
CO.,LTD.",C=CN
```

```
# Not Valid Before: Wed Nov 26 05:13:15 2014
```

```
# Not Valid After : Mon Dec 31 15:59:59 2040
```

```
# Fingerprint (SHA-256):
```

```
BF:FF:8F:D0:44:33:48:7D:6A:8A:A6:0C:1A:29:76:7A:9F:C2:BB:B0:5E:42:0F:71:3A:13:B9:92:89:1D:38:93
```

```
# Fingerprint (SHA1): 0F:36:38:5B:81:1A:25:C3:9B:31:4E:83:CA:E9:34:66:70:CC:74:B4
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GDCA TrustAUTH R5 ROOT"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\017\066\070\133\201\032\045\303\233\061\116\203\312\351\064\146
\160\314\164\264
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\143\314\331\075\064\065\134\157\123\243\342\010\160\110\037\264
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\142\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\062\060\060\006\003\125\004\012\014\051\107\125\101\116\107\040
\104\117\116\107\040\103\105\122\124\111\106\111\103\101\124\105
\040\101\125\124\110\117\122\111\124\131\040\103\117\056\054\114
\124\104\056\061\037\060\035\006\003\125\004\003\014\026\107\104
\103\101\040\124\162\165\163\164\101\125\124\110\040\122\065\040
\122\117\117\124
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\010\175\011\227\376\360\107\352\172
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "TrustCor RootCert CA-1"
#
# Issuer: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
# Serial Number:00:da:9b:ec:71:f3:03:b0:19
# Subject: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
# Not Valid Before: Thu Feb 04 12:32:16 2016
# Not Valid After : Mon Dec 31 17:23:16 2029
# Fingerprint (SHA-256):
D4:0E:9C:86:CD:8F:E4:68:C1:77:69:59:F4:9E:A7:74:FA:54:86:84:B6:C4:06:F3:90:92:61:F4:DC:E2:57:5C
# Fingerprint (SHA1): FF:BD:CD:E7:82:C8:43:5E:3C:6F:26:86:5C:CA:A8:3A:45:5B:C3:0A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TrustCor RootCert CA-1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164

```

\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\061

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\011\000\332\233\354\161\363\003\260\031

END

CKA_VALUE MULTILINE_OCTAL

\060\202\004\060\060\202\003\030\240\003\002\001\002\002\011\000
\332\233\354\161\363\003\260\031\060\015\006\011\052\206\110\206
\367\015\001\001\013\005\000\060\201\244\061\013\060\011\006\003
\125\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010
\014\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004
\007\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044
\060\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157
\162\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040
\122\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124
\162\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143
\141\164\145\040\101\165\164\150\157\162\151\164\171\061\037\060
\035\006\003\125\004\003\014\026\124\162\165\163\164\103\157\162
\040\122\157\157\164\103\145\162\164\040\103\101\055\061\060\036
\027\015\061\066\060\062\060\064\061\062\063\062\061\066\132\027
\015\062\071\061\062\063\061\061\067\062\063\061\066\132\060\201
\244\061\013\060\011\006\003\125\004\006\023\002\120\101\061\017
\060\015\006\003\125\004\010\014\006\120\141\156\141\155\141\061
\024\060\022\006\003\125\004\007\014\013\120\141\156\141\155\141
\040\103\151\164\171\061\044\060\042\006\003\125\004\012\014\033
\124\162\165\163\164\103\157\162\040\123\171\163\164\145\155\163
\040\123\056\040\144\145\040\122\056\114\056\061\047\060\045\006
\003\125\004\013\014\036\124\162\165\163\164\103\157\162\040\103
\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157
\162\151\164\171\061\037\060\035\006\003\125\004\003\014\026\124
\162\165\163\164\103\157\162\040\122\157\157\164\103\145\162\164
\040\103\101\055\061\060\202\001\042\060\015\006\011\052\206\110
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001
\012\002\202\001\001\000\277\216\267\225\342\302\046\022\153\063
\031\307\100\130\012\253\131\252\215\000\243\374\200\307\120\173
\216\324\040\046\272\062\022\330\043\124\111\045\020\042\230\235
\106\322\301\311\236\116\033\056\054\016\070\363\032\045\150\034
\246\132\005\346\036\213\110\277\230\226\164\076\151\312\351\265
\170\245\006\274\325\000\136\011\012\362\047\172\122\374\055\325
\261\352\264\211\141\044\363\032\023\333\251\317\122\355\014\044
\272\271\236\354\176\000\164\372\223\255\154\051\222\256\121\264
\273\323\127\277\263\363\250\215\234\364\044\113\052\326\231\236
\364\236\376\300\176\102\072\347\013\225\123\332\267\150\016\220
\114\373\160\077\217\112\054\224\363\046\335\143\151\251\224\330
\020\116\305\107\010\220\231\033\027\115\271\154\156\357\140\225
\021\216\041\200\265\275\240\163\330\320\262\167\304\105\352\132

\046\373\146\166\166\370\006\037\141\155\017\125\305\203\267\020
\126\162\006\007\245\363\261\032\003\005\144\016\235\132\212\326
\206\160\033\044\336\376\050\212\053\320\152\260\374\172\242\334
\262\171\016\213\145\017\002\003\001\000\001\243\143\060\141\060
\035\006\003\125\035\016\004\026\004\024\356\153\111\074\172\077
\015\343\261\011\267\212\310\253\031\237\163\063\120\347\060\037
\006\003\125\035\043\004\030\060\026\200\024\356\153\111\074\172
\077\015\343\261\011\267\212\310\253\031\237\163\063\120\347\060
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003
\202\001\001\000\045\030\324\221\217\023\356\217\036\035\021\123
\332\055\104\051\031\240\036\153\061\236\115\016\236\255\075\134
\101\157\225\053\044\241\171\230\072\070\066\373\273\146\236\110
\377\220\220\357\075\324\270\233\264\207\165\077\040\233\316\162
\317\241\125\301\115\144\242\031\006\241\007\063\014\013\051\345
\361\352\253\243\354\265\012\164\220\307\175\162\362\327\134\237
\221\357\221\213\267\334\355\146\242\317\216\146\073\274\237\072
\002\340\047\335\026\230\300\225\324\012\244\344\201\232\165\224
\065\234\220\137\210\067\006\255\131\225\012\260\321\147\323\031
\312\211\347\062\132\066\034\076\202\250\132\223\276\306\320\144
\221\266\317\331\266\030\317\333\176\322\145\243\246\304\216\027
\061\301\373\176\166\333\323\205\343\130\262\167\172\166\073\154
\057\120\034\347\333\366\147\171\037\365\202\225\232\007\247\024
\257\217\334\050\041\147\011\322\326\115\132\034\031\034\216\167
\134\303\224\044\075\062\153\113\176\324\170\224\203\276\067\115
\316\137\307\036\116\074\340\211\063\225\013\017\245\062\326\074
\132\171\054\031

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

For Server Distrust After: Wed Nov 30 00:00:00 2022

CKA_NSS_SERVER_DISTRUSTRUST_AFTER MULTILINE_OCTAL

\062\062\061\061\063\060\060\060\060\060\060\132

END

For Email Distrust After: Wed Nov 30 00:00:00 2022

CKA_NSS_EMAIL_DISTRUSTRUST_AFTER MULTILINE_OCTAL

\062\062\061\061\063\060\060\060\060\060\060\132

END

Trust for "TrustCor RootCert CA-1"

Issuer: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA

Serial Number:00:da:9b:ec:71:f3:03:b0:19

Subject: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA

Not Valid Before: Thu Feb 04 12:32:16 2016

Not Valid After : Mon Dec 31 17:23:16 2029

Fingerprint (SHA-256):

D4:0E:9C:86:CD:8F:E4:68:C1:77:69:59:F4:9E:A7:74:FA:54:86:84:B6:C4:06:F3:90:92:61:F4:DC:E2:57:5C

Fingerprint (SHA1): FF:BD:CD:E7:82:C8:43:5E:3C:6F:26:86:5C:CA:A8:3A:45:5B:C3:0A

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "TrustCor RootCert CA-1"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\377\275\315\347\202\310\103\136\074\157\046\206\134\312\250\072
\105\133\303\012

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\156\205\361\334\032\000\323\042\325\262\262\254\153\067\005\105
END

CKA_ISSUER MULTILINE_OCTAL

\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\061

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\011\000\332\233\354\161\363\003\260\031

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "TrustCor RootCert CA-2"

#

Issuer: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA

Serial Number:25:a1:df:ca:33:cb:59:02

Subject: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA

Not Valid Before: Thu Feb 04 12:32:23 2016

Not Valid After : Sun Dec 31 17:26:39 2034

Fingerprint (SHA-256):

07:53:E9:40:37:8C:1B:D5:E3:83:6E:39:5D:AE:A5:CB:83:9E:50:46:F1:BD:0E:AE:19:51:CF:10:FE:C7:C9:65

Fingerprint (SHA1): B8:BE:6D:CB:56:F1:55:B9:63:D4:12:CA:4E:06:34:C7:94:B2:1C:C0

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TrustCor RootCert CA-2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\045\241\337\312\063\313\131\002
END
CKA_VALUE MULTILINE_OCTAL
\060\202\006\057\060\202\004\027\240\003\002\001\002\002\010\045
\241\337\312\063\313\131\002\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\201\244\061\013\060\011\006\003\125
\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010\014
\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004\007
\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044\060
\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157\162
\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040\122
\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124\162
\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143\141
\164\145\040\101\165\164\150\157\162\151\164\171\061\037\060\035
```

\006\003\125\004\003\014\026\124\162\165\163\164\103\157\162\040
\122\157\157\164\103\145\162\164\040\103\101\055\062\060\036\027
\015\061\066\060\062\060\064\061\062\063\062\062\063\132\027\015
\063\064\061\062\063\061\061\067\062\066\063\071\132\060\201\244
\061\013\060\011\006\003\125\004\006\023\002\120\101\061\017\060
\015\006\003\125\004\010\014\006\120\141\156\141\155\141\061\024
\060\022\006\003\125\004\007\014\013\120\141\156\141\155\141\040
\103\151\164\171\061\044\060\042\006\003\125\004\012\014\033\124
\162\165\163\164\103\157\162\040\123\171\163\164\145\155\163\040
\123\056\040\144\145\040\122\056\114\056\061\047\060\045\006\003
\125\004\013\014\036\124\162\165\163\164\103\157\162\040\103\145
\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162
\151\164\171\061\037\060\035\006\003\125\004\003\014\026\124\162
\165\163\164\103\157\162\040\122\157\157\164\103\145\162\164\040
\103\101\055\062\060\202\002\042\060\015\006\011\052\206\110\206
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012
\002\202\002\001\000\247\040\156\302\052\242\142\044\225\220\166
\310\070\176\200\322\253\301\233\145\005\224\364\301\012\020\325
\002\254\355\237\223\307\207\310\260\047\053\102\014\075\012\076
\101\132\236\165\335\215\312\340\233\354\150\062\244\151\222\150
\214\013\201\016\126\240\076\032\335\054\045\024\202\057\227\323
\144\106\364\124\251\334\072\124\055\061\053\231\202\362\331\052
\327\357\161\000\270\061\244\276\172\044\007\303\102\040\362\212
\324\222\004\033\145\126\114\154\324\373\266\141\132\107\043\264
\330\151\264\267\072\320\164\074\014\165\241\214\116\166\241\351
\333\052\245\073\372\316\260\377\176\152\050\375\047\034\310\261
\351\051\361\127\156\144\264\320\301\025\155\016\276\056\016\106
\310\136\364\121\376\357\016\143\072\073\161\272\317\157\131\312
\014\343\233\135\111\270\114\342\127\261\230\212\102\127\234\166
\357\357\275\321\150\250\322\364\011\273\167\065\276\045\202\010
\304\026\054\104\040\126\251\104\021\167\357\135\264\035\252\136
\153\076\213\062\366\007\057\127\004\222\312\365\376\235\302\351
\350\263\216\114\113\002\061\331\344\074\110\202\047\367\030\202
\166\110\072\161\261\023\241\071\325\056\305\064\302\035\142\205
\337\003\376\115\364\257\075\337\134\133\215\372\160\341\245\176
\047\307\206\056\152\217\022\306\204\136\103\121\120\234\031\233
\170\346\374\366\355\107\176\173\075\146\357\023\023\210\137\074
\241\143\373\371\254\207\065\237\363\202\236\244\077\012\234\061
\151\213\231\244\210\112\216\156\146\115\357\026\304\017\171\050
\041\140\015\205\026\175\327\124\070\361\222\126\375\265\063\114
\203\334\327\020\237\113\375\306\370\102\275\272\174\163\002\340
\377\175\315\133\341\324\254\141\173\127\325\112\173\133\324\205
\130\047\135\277\370\053\140\254\240\046\256\024\041\047\306\167
\232\063\200\074\136\106\077\367\303\261\243\206\063\306\350\136
\015\271\065\054\252\106\301\205\002\165\200\240\353\044\373\025
\252\344\147\177\156\167\077\364\004\212\057\174\173\343\027\141
\360\335\011\251\040\310\276\011\244\320\176\104\303\262\060\112
\070\252\251\354\030\232\007\202\053\333\270\234\030\255\332\340

\106\027\254\317\135\002\003\001\000\001\243\143\060\141\060\035
\006\003\125\035\016\004\026\004\024\331\376\041\100\156\224\236
\274\233\075\234\175\230\040\031\345\214\060\142\262\060\037\006
\003\125\035\043\004\030\060\026\200\024\331\376\041\100\156\224
\236\274\233\075\234\175\230\040\031\345\214\060\142\262\060\017
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202
\002\001\000\236\105\236\014\073\266\357\341\072\310\174\321\000
\075\317\342\352\006\265\262\072\273\006\113\150\172\320\043\227
\164\247\054\360\010\330\171\132\327\132\204\212\330\022\232\033
\331\175\134\115\160\305\245\371\253\345\243\211\211\335\001\372
\354\335\371\351\222\227\333\260\106\102\363\323\142\252\225\376
\061\147\024\151\130\220\012\252\013\356\067\043\307\120\121\264
\365\176\236\343\173\367\344\314\102\062\055\111\014\313\377\111
\014\233\036\064\375\156\156\226\212\171\003\266\157\333\011\313
\375\137\145\024\067\341\070\365\363\141\026\130\344\265\155\015
\013\004\033\077\120\055\177\263\307\172\032\026\200\140\370\212
\037\351\033\052\306\371\272\001\032\151\277\322\130\307\124\127
\010\217\341\071\140\167\113\254\131\204\032\210\361\335\313\117
\170\327\347\341\063\055\374\356\101\372\040\260\276\313\367\070
\224\300\341\320\205\017\273\355\054\163\253\355\376\222\166\032
\144\177\133\015\063\011\007\063\173\006\077\021\244\134\160\074
\205\300\317\343\220\250\203\167\372\333\346\305\214\150\147\020
\147\245\122\055\360\304\231\217\177\277\321\153\342\265\107\326
\331\320\205\231\115\224\233\017\113\215\356\000\132\107\035\021
\003\254\101\030\257\207\267\157\014\072\217\312\317\334\003\301
\242\011\310\345\375\200\136\310\140\102\001\033\032\123\132\273
\067\246\267\274\272\204\351\036\154\032\324\144\332\324\103\376
\223\213\113\362\054\171\026\020\324\223\013\210\217\241\330\206
\024\106\221\107\233\050\044\357\127\122\116\134\102\234\252\367
\111\354\047\350\100\036\263\246\211\042\162\234\365\015\063\264
\130\243\060\073\335\324\152\124\223\276\032\115\363\223\224\367
\374\204\013\077\204\040\134\064\003\104\305\332\255\274\012\301
\002\317\036\345\224\331\363\216\133\330\114\360\235\354\141\027
\273\024\062\124\014\002\051\223\036\222\206\366\177\357\347\222
\005\016\131\335\231\010\056\056\372\234\000\122\323\305\146\051
\344\247\227\104\244\016\050\201\023\065\305\366\157\144\346\101
\304\325\057\314\064\105\045\317\101\000\226\075\112\056\302\226
\230\117\116\112\234\227\267\333\037\222\062\310\377\017\121\156
\326\354\011

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

For Server Distrust After: Wed Nov 30 00:00:00 2022

CKA_NSS_SERVER_DISTRUSTRUST_AFTER MULTILINE_OCTAL

\062\062\061\061\063\060\060\060\060\060\060\060\132

END

For Email Distrust After: Wed Nov 30 00:00:00 2022

CKA_NSS_EMAIL_DISTRICT_AFTER_MULTILINE_OCTAL

\062\062\061\061\063\060\060\060\060\060\060\060\132

END

Trust for "TrustCor RootCert CA-2"

Issuer: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama City,ST=Panama,C=PA

Serial Number:25:a1:df:ca:33:cb:59:02

Subject: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama City,ST=Panama,C=PA

Not Valid Before: Thu Feb 04 12:32:23 2016

Not Valid After : Sun Dec 31 17:26:39 2034

Fingerprint (SHA-256):

07:53:E9:40:37:8C:1B:D5:E3:83:6E:39:5D:AE:A5:CB:83:9E:50:46:F1:BD:0E:AE:19:51:CF:10:FE:C7:C9:65

Fingerprint (SHA1): B8:BE:6D:CB:56:F1:55:B9:63:D4:12:CA:4E:06:34:C7:94:B2:1C:C0

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "TrustCor RootCert CA-2"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\270\276\155\313\126\361\125\271\143\324\022\312\116\006\064\307

\224\262\034\300

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\242\341\370\030\013\272\105\325\307\101\052\273\067\122\105\144

END

CKA_ISSUER MULTILINE_OCTAL

\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101

\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155

\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141

\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012

\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145

\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060

\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162

\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164

\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014

\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145

\162\164\040\103\101\055\062

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\010\045\241\337\312\063\313\131\002

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

```

#
# Certificate "TrustCor ECA-1"
#
# Issuer: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama
City,ST=Panama,C=PA
# Serial Number:00:84:82:2c:5f:1c:62:d0:40
# Subject: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama
City,ST=Panama,C=PA
# Not Valid Before: Thu Feb 04 12:32:33 2016
# Not Valid After : Mon Dec 31 17:28:07 2029
# Fingerprint (SHA-256):
5A:88:5D:B1:9C:01:D9:12:C5:75:93:88:93:8C:AF:BB:DF:03:1A:B2:D4:8E:91:EE:15:58:9B:42:97:1D:03:9C
# Fingerprint (SHA1): 58:D1:DF:95:95:67:6B:63:C0:F0:5B:1C:17:4D:8B:84:0B:C8:78:BD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TrustCor ECA-1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\234\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\027\060\025\006\003\125\004\003\014
\016\124\162\165\163\164\103\157\162\040\105\103\101\055\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\234\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\027\060\025\006\003\125\004\003\014
\016\124\162\165\163\164\103\157\162\040\105\103\101\055\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\204\202\054\137\034\142\320\100
END

```

CKA_VALUE MULTILINE_OCTAL

\060\202\004\040\060\202\003\010\240\003\002\001\002\002\011\000
\204\202\054\137\034\142\320\100\060\015\006\011\052\206\110\206
\367\015\001\001\013\005\000\060\201\234\061\013\060\011\006\003
\125\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010
\014\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004
\007\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044
\060\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157
\162\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040
\122\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124
\162\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143
\141\164\145\040\101\165\164\150\157\162\151\164\171\061\027\060
\025\006\003\125\004\003\014\016\124\162\165\163\164\103\157\162
\040\105\103\101\055\061\060\036\027\015\061\066\060\062\060\064
\061\062\063\062\063\063\132\027\015\062\071\061\062\063\061\061
\067\062\070\060\067\132\060\201\234\061\013\060\011\006\003\125
\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010\014
\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004\007
\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044\060
\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157\162
\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040\122
\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124\162
\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143\141
\164\145\040\101\165\164\150\157\162\151\164\171\061\027\060\025
\006\003\125\004\003\014\016\124\162\165\163\164\103\157\162\040
\105\103\101\055\061\060\202\001\042\060\015\006\011\052\206\110
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001
\012\002\202\001\001\000\317\217\340\021\265\237\250\166\166\333
\337\017\124\357\163\143\051\202\255\107\306\243\153\355\376\137
\063\370\103\121\351\032\063\221\061\027\240\164\304\324\247\001
\346\262\222\076\152\235\355\016\371\164\230\100\323\077\003\200
\006\202\100\350\261\342\247\121\247\035\203\046\153\253\336\372
\027\221\053\330\306\254\036\261\236\031\001\325\227\246\352\015
\267\304\125\037\047\174\322\010\325\166\037\051\025\207\100\071
\335\070\105\021\165\320\232\247\064\340\277\315\310\122\035\271
\107\176\015\270\273\306\014\366\163\127\026\132\176\103\221\037
\125\072\306\155\104\004\252\234\251\234\247\114\211\027\203\256
\243\004\136\122\200\213\036\022\045\021\031\327\014\175\175\061
\104\101\352\333\257\260\034\357\201\320\054\305\232\041\233\075
\355\102\073\120\046\362\354\316\161\141\006\142\041\124\116\177
\301\235\076\177\040\214\200\313\052\330\227\142\310\203\063\221
\175\260\242\132\017\127\350\073\314\362\045\262\324\174\057\354
\115\306\241\072\025\172\347\266\135\065\365\366\110\112\066\105
\146\324\272\230\130\301\002\003\001\000\001\243\143\060\141\060
\035\006\003\125\035\016\004\026\004\024\104\236\110\365\314\155
\110\324\240\113\177\376\131\044\057\203\227\231\232\206\060\037
\006\003\125\035\043\004\030\060\026\200\024\104\236\110\365\314
\155\110\324\240\113\177\376\131\044\057\203\227\231\232\206\060

```
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003
\202\001\001\000\005\076\065\134\025\160\233\311\307\163\141\157
\162\053\324\302\217\362\103\135\002\316\304\224\271\224\021\203
\147\135\342\147\154\165\166\277\273\014\252\066\306\255\107\223
\143\334\036\176\326\336\056\376\351\031\062\070\003\177\024\366
\000\163\054\131\261\041\006\341\373\254\030\225\014\243\377\231
\226\367\053\047\233\325\044\314\035\335\301\072\340\230\104\260
\304\344\076\167\261\163\251\144\054\366\034\001\174\077\135\105
\205\300\205\347\045\217\225\334\027\363\074\237\032\156\260\312
\343\035\052\351\114\143\372\044\141\142\326\332\176\266\034\154
\365\002\035\324\052\335\125\220\353\052\021\107\074\056\136\164
\262\202\042\245\175\123\037\105\354\047\221\175\347\042\026\350
\300\150\066\330\306\361\117\200\104\062\371\341\321\321\035\252
\336\250\253\234\004\257\255\040\016\144\230\115\245\153\300\110
\130\226\151\115\334\007\214\121\223\242\337\237\017\075\213\140
\264\202\215\252\010\116\142\105\340\371\013\322\340\340\074\133
\336\134\161\047\045\302\346\003\201\213\020\123\343\307\125\242
\264\237\327\346
```

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

For Server Distrust After: Wed Nov 30 00:00:00 2022

CKA_NSS_SERVER_DISTRICT_AFTER MULTILINE_OCTAL

```
\062\062\061\061\063\060\060\060\060\060\060\132
```

END

For Email Distrust After: Wed Nov 30 00:00:00 2022

CKA_NSS_EMAIL_DISTRICT_AFTER MULTILINE_OCTAL

```
\062\062\061\061\063\060\060\060\060\060\060\132
```

END

Trust for "TrustCor ECA-1"

Issuer: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama City,ST=Panama,C=PA

Serial Number:00:84:82:2c:5f:1c:62:d0:40

Subject: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama City,ST=Panama,C=PA

Not Valid Before: Thu Feb 04 12:32:33 2016

Not Valid After : Mon Dec 31 17:28:07 2029

Fingerprint (SHA-256):

5A:88:5D:B1:9C:01:D9:12:C5:75:93:88:93:8C:AF:BB:DF:03:1A:B2:D4:8E:91:EE:15:58:9B:42:97:1D:03:9C

Fingerprint (SHA1): 58:D1:DF:95:95:67:6B:63:C0:F0:5B:1C:17:4D:8B:84:0B:C8:78:BD

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "TrustCor ECA-1"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\130\321\337\225\225\147\153\143\300\360\133\034\027\115\213\204
\013\310\170\275

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\047\222\043\035\012\365\100\174\351\346\153\235\330\365\347\154

END

CKA_ISSUER MULTILINE_OCTAL

\060\201\234\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\027\060\025\006\003\125\004\003\014
\016\124\162\165\163\164\103\157\162\040\105\103\101\055\061

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\011\000\204\202\054\137\034\142\320\100

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "SSL.com Root Certification Authority RSA"

#

Issuer: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US

Serial Number:7b:2c:9b:d3:16:80:32:99

Subject: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US

Not Valid Before: Fri Feb 12 17:39:39 2016

Not Valid After : Tue Feb 12 17:39:39 2041

Fingerprint (SHA-256):

85:66:6A:56:2E:E0:BE:5C:E9:25:C1:D8:89:0A:6F:76:A8:7E:C1:6D:4D:7D:5F:29:EA:74:19:CF:20:12:3B:69

Fingerprint (SHA1): B7:AB:33:08:D1:EA:44:77:BA:14:80:12:5A:6F:BD:A9:36:49:0C:BB

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "SSL.com Root Certification Authority RSA"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040

\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\122\123\101

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\122\123\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\010\173\054\233\323\026\200\062\231

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\335\060\202\003\305\240\003\002\001\002\002\010\173
\054\233\323\026\200\062\231\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\174\061\013\060\011\006\003\125\004
\006\023\002\125\123\061\016\060\014\006\003\125\004\010\014\005
\124\145\170\141\163\061\020\060\016\006\003\125\004\007\014\007
\110\157\165\163\164\157\156\061\030\060\026\006\003\125\004\012
\014\017\123\123\114\040\103\157\162\160\157\162\141\164\151\157
\156\061\061\060\057\006\003\125\004\003\014\050\123\123\114\056
\143\157\155\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\122\123\101\060\036\027\015\061\066\060\062\061\062\061\067
\063\071\063\071\132\027\015\064\061\060\062\061\062\061\067\063
\071\063\071\132\060\174\061\013\060\011\006\003\125\004\006\023
\002\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145
\170\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157
\165\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017
\123\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061
\061\060\057\006\003\125\004\003\014\050\123\123\114\056\143\157
\155\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122
\123\101\060\202\002\042\060\015\006\011\052\206\110\206\367\015
\001\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202
\002\001\000\371\017\335\243\053\175\313\320\052\376\354\147\205
\246\347\056\033\272\167\341\343\365\257\244\354\372\112\135\221
\304\127\107\153\030\167\153\166\362\375\223\344\075\017\302\026
\236\013\146\303\126\224\236\027\203\205\316\126\357\362\026\375
\000\142\365\042\011\124\350\145\027\116\101\271\340\117\106\227
\252\033\310\270\156\142\136\151\261\137\333\052\002\176\374\154

|312|363|101|330|355|320|350|374|077|141|110|355|260|003|024|035
|020|016|113|031|340|273|116|354|206|145|377|066|363|136|147|002
|013|235|206|125|141|375|172|070|355|376|342|031|000|267|157|241
|120|142|165|164|074|240|372|310|045|222|264|156|172|042|307|370
|036|241|343|262|335|221|061|253|053|035|004|377|245|112|004|067
|351|205|244|063|053|375|342|326|125|064|174|031|244|112|150|307
|262|250|323|267|312|241|223|210|353|301|227|274|214|371|035|331
|042|204|044|164|307|004|075|152|251|051|223|314|353|270|133|341
|376|137|045|252|064|130|310|301|043|124|235|033|230|021|303|070
|234|176|075|206|154|245|017|100|206|174|002|364|134|002|117|050
|313|256|161|237|017|072|310|063|376|021|045|065|352|374|272|305
|140|075|331|174|030|325|262|251|323|165|170|003|162|042|312|072
|303|037|357|054|345|056|251|372|236|054|266|121|106|375|257|003
|326|352|140|150|352|205|026|066|153|205|351|036|300|263|335|304
|044|334|200|052|201|101|155|224|076|310|340|311|201|101|000|236
|136|277|177|305|010|230|242|030|054|102|100|263|371|157|070|047
|113|116|200|364|075|201|107|340|210|174|352|034|316|265|165|134
|121|056|034|053|177|032|162|050|347|000|265|321|164|306|327|344
|237|255|007|223|266|123|065|065|374|067|344|303|366|135|026|276
|041|163|336|222|012|370|240|143|152|274|226|222|152|076|370|274
|145|125|233|336|365|015|211|046|004|374|045|032|246|045|151|313
|302|155|312|174|342|131|137|227|254|353|357|056|310|274|327|033
|131|074|053|314|362|031|310|223|153|047|143|031|317|374|351|046
|370|312|161|233|177|223|376|064|147|204|116|231|353|374|263|170
|011|063|160|272|146|246|166|355|033|163|353|032|245|015|304|042
|023|040|224|126|012|116|054|154|116|261|375|317|234|011|272|242
|063|355|207|002|003|001|000|001|243|143|060|141|060|035|006|003
|125|035|016|004|026|004|024|335|004|011|007|242|365|172|175|122
|123|022|222|225|356|070|200|045|015|246|131|060|017|006|003|125
|035|023|001|001|377|004|005|060|003|001|001|377|060|037|006|003
|125|035|043|004|030|060|026|200|024|335|004|011|007|242|365|172
|175|122|123|022|222|225|356|070|200|045|015|246|131|060|016|006
|003|125|035|017|001|001|377|004|004|003|002|001|206|060|015|006
|011|052|206|110|206|367|015|001|001|013|005|000|003|202|002|001
|000|040|030|021|224|051|373|046|235|034|036|036|160|141|361|225
|162|223|161|044|255|150|223|130|216|062|257|033|263|160|003|374
|045|053|164|205|220|075|170|152|364|271|213|245|227|073|265|030
|221|273|036|247|371|100|133|221|371|125|231|257|036|021|320|134
|035|247|146|343|261|224|007|014|062|071|246|352|033|260|171|330
|035|234|160|104|343|212|335|304|371|225|037|212|070|103|077|001
|205|245|107|247|075|106|262|274|345|042|150|367|173|234|330|054
|076|012|041|310|055|063|254|277|305|201|231|061|164|301|165|161
|305|276|261|360|043|105|364|235|153|374|031|143|235|243|274|004
|306|030|013|045|273|123|211|017|263|200|120|336|105|356|104|177
|253|224|170|144|230|323|366|050|335|207|330|160|145|164|373|016
|271|023|353|247|017|141|251|062|226|314|336|273|355|143|114|030
|273|251|100|367|240|124|156|040|210|161|165|030|352|172|264|064
|162|340|043|047|167|134|266|220|352|206|045|100|253|357|063|017

```
\313\237\202\276\242\040\373\366\265\055\032\346\302\205\261\164
\017\373\310\145\002\244\122\001\107\335\111\042\301\277\330\353
\153\254\176\336\354\143\063\025\267\043\010\217\306\017\215\101
\132\335\216\305\271\217\345\105\077\170\333\272\322\033\100\261
\376\161\115\077\340\201\242\272\136\264\354\025\340\223\335\010
\037\176\341\125\231\013\041\336\223\236\012\373\346\243\111\275
\066\060\376\347\167\262\240\165\227\265\055\201\210\027\145\040
\367\332\220\000\237\311\122\314\062\312\065\174\365\075\017\330
\053\327\365\046\154\311\006\064\226\026\352\160\131\032\062\171
\171\013\266\210\177\017\122\110\075\277\154\330\242\104\056\321
\116\267\162\130\323\211\023\225\376\104\253\370\327\213\033\156
\234\274\054\240\133\325\152\000\257\137\067\341\325\372\020\013
\230\234\206\347\046\217\316\360\354\156\212\127\013\200\343\116
\262\300\240\143\141\220\272\125\150\067\164\152\266\222\333\237
\241\206\042\266\145\047\016\354\266\237\102\140\344\147\302\265
\332\101\013\304\323\213\141\033\274\372\037\221\053\327\104\007
\136\272\051\254\331\305\351\357\123\110\132\353\200\361\050\130
\041\315\260\006\125\373\047\077\123\220\160\251\004\036\127\047
\271
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "SSL.com Root Certification Authority RSA"
```

```
# Issuer: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US
```

```
# Serial Number:7b:2c:9b:d3:16:80:32:99
```

```
# Subject: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US
```

```
# Not Valid Before: Fri Feb 12 17:39:39 2016
```

```
# Not Valid After : Tue Feb 12 17:39:39 2041
```

```
# Fingerprint (SHA-256):
```

```
85:66:6A:56:2E:E0:BE:5C:E9:25:C1:D8:89:0A:6F:76:A8:7E:C1:6D:4D:7D:5F:29:EA:74:19:CF:20:12:3B:69
```

```
# Fingerprint (SHA1): B7:AB:33:08:D1:EA:44:77:BA:14:80:12:5A:6F:BD:A9:36:49:0C:BB
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "SSL.com Root Certification Authority RSA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\267\253\063\010\321\352\104\167\272\024\200\022\132\157\275\251
\066\111\014\273
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\206\151\022\300\160\361\354\254\254\302\325\274\245\133\241\051
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
```



```
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\122\123\101
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\010\173\054\233\323\026\200\062\231
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "SSL.com Root Certification Authority ECC"

#

Issuer: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US

Serial Number:75:e6:df:cb:c1:68:5b:a8

Subject: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US

Not Valid Before: Fri Feb 12 18:14:03 2016

Not Valid After : Tue Feb 12 18:14:03 2041

Fingerprint (SHA-256):

34:17:BB:06:CC:60:07:DA:1B:96:1C:92:0B:8A:B4:CE:3F:AD:82:0E:4A:A3:0B:9A:CB:C4:A7:4E:BD:CE:BC:65

Fingerprint (SHA1): C3:19:7C:39:24:E6:54:AF:1B:C4:AB:20:95:7A:E2:C3:0E:13:02:6A

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "SSL.com Root Certification Authority ECC"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\105\103\103
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

```
\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
```

\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\105\103\103

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\010\165\346\337\313\301\150\133\250

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\215\060\202\002\024\240\003\002\001\002\002\010\165
\346\337\313\301\150\133\250\060\012\006\010\052\206\110\316\075
\004\003\002\060\174\061\013\060\011\006\003\125\004\006\023\002
\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145\170
\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157\165
\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017\123
\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061\061
\060\057\006\003\125\004\003\014\050\123\123\114\056\143\157\155
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103
\103\060\036\027\015\061\066\060\062\061\062\061\070\061\064\060\063
\063\132\027\015\064\061\060\062\061\062\061\070\061\064\060\063
\132\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114
\040\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057
\006\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\040\105\103\103\060
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201
\004\000\042\003\142\000\004\105\156\251\120\304\246\043\066\236
\137\050\215\027\313\226\042\144\077\334\172\216\035\314\010\263
\242\161\044\272\216\111\271\004\033\107\226\130\253\055\225\310
\355\236\010\065\310\047\353\211\214\123\130\353\142\212\376\360
\133\017\153\061\122\143\101\073\211\315\354\354\266\215\031\323
\064\007\334\273\306\006\177\302\105\225\354\313\177\250\043\340
\011\351\201\372\363\107\323\243\143\060\141\060\035\006\003\125
\035\016\004\026\004\024\202\321\205\163\060\347\065\004\323\216
\002\222\373\345\244\321\304\041\350\315\060\017\006\003\125\035
\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125
\035\043\004\030\060\026\200\024\202\321\205\163\060\347\065\004
\323\216\002\222\373\345\244\321\304\041\350\315\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\206\060\012\006\010
\052\206\110\316\075\004\003\002\003\147\000\060\144\002\060\157
\347\353\131\021\244\140\317\141\260\226\173\355\005\371\057\023
\221\334\355\345\374\120\153\021\106\106\263\034\041\000\142\273
\276\303\347\350\315\007\231\371\015\013\135\162\076\304\252\002
\060\037\274\272\013\342\060\044\373\174\155\200\125\012\231\076

```
\200\015\063\345\146\243\263\243\273\245\325\213\217\011\054\246
\135\176\342\360\007\010\150\155\322\174\151\156\137\337\345\152
\145
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "SSL.com Root Certification Authority ECC"
# Issuer: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Serial Number:75:e6:df:cb:c1:68:5b:a8
# Subject: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Not Valid Before: Fri Feb 12 18:14:03 2016
# Not Valid After : Tue Feb 12 18:14:03 2041
# Fingerprint (SHA-256):
34:17:BB:06:CC:60:07:DA:1B:96:1C:92:0B:8A:B4:CE:3F:AD:82:0E:4A:A3:0B:9A:CB:C4:A7:4E:BD:CE:BC:65
# Fingerprint (SHA1): C3:19:7C:39:24:E6:54:AF:1B:C4:AB:20:95:7A:E2:C3:0E:13:02:6A
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com Root Certification Authority ECC"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\303\031\174\071\044\346\124\257\033\304\253\040\225\172\342\303
\016\023\002\152
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\056\332\344\071\177\234\217\067\321\160\237\046\027\121\072\216
END
```

```
CKA_ISSUER MULTILINE_OCTAL
\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\105\103\103
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\165\346\337\313\301\150\133\250
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```

# Certificate "SSL.com EV Root Certification Authority RSA R2"
#
# Issuer: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Serial Number:56:b6:29:cd:34:bc:78:f6
# Subject: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL
Corporation,L=Houston,ST=Texas,C=US
# Not Valid Before: Wed May 31 18:14:37 2017
# Not Valid After : Fri May 30 18:14:37 2042
# Fingerprint (SHA-256):
2E:7B:F1:6C:C2:24:85:A7:BB:E2:AA:86:96:75:07:61:B0:AE:39:BE:3B:2F:E9:D0:CC:6D:4E:F7:34:91:42:5C
# Fingerprint (SHA1): 74:3A:F0:52:9B:D0:32:A0:F4:4A:83:CD:D4:BA:A9:7B:7C:2E:C4:9A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority RSA R2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114
\040\103\157\162\160\157\162\141\164\151\157\156\061\067\060\065
\006\003\125\004\003\014\056\123\123\114\056\143\157\155\040\105
\126\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122
\123\101\040\122\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114
\040\103\157\162\160\157\162\141\164\151\157\156\061\067\060\065
\006\003\125\004\003\014\056\123\123\114\056\143\157\155\040\105
\126\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122
\123\101\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\126\266\051\315\064\274\170\366
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\353\060\202\003\323\240\003\002\001\002\002\010\126
\266\051\315\064\274\170\366\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\201\202\061\013\060\011\006\003\125
\004\006\023\002\125\123\061\016\060\014\006\003\125\004\010\014

```

\005\124\145\170\141\163\061\020\060\016\006\003\125\004\007\014
\007\110\157\165\163\164\157\156\061\030\060\026\006\003\125\004
\012\014\017\123\123\114\040\103\157\162\160\157\162\141\164\151
\157\156\061\067\060\065\006\003\125\004\003\014\056\123\123\114
\056\143\157\155\040\105\126\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171\040\122\123\101\040\122\062\060\036\027\015\061
\067\060\065\063\061\061\070\061\064\063\067\132\027\015\064\062
\060\065\063\060\061\070\061\064\063\067\132\060\201\202\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\016\060\014\006
\003\125\004\010\014\005\124\145\170\141\163\061\020\060\016\006
\003\125\004\007\014\007\110\157\165\163\164\157\156\061\030\060
\026\006\003\125\004\012\014\017\123\123\114\040\103\157\162\160
\157\162\141\164\151\157\156\061\067\060\065\006\003\125\004\003
\014\056\123\123\114\056\143\157\155\040\105\126\040\122\157\157
\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040
\101\165\164\150\157\162\151\164\171\040\122\123\101\040\122\062
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001
\000\217\066\145\100\341\326\115\300\327\264\351\106\332\153\352
\063\107\315\114\371\175\175\276\275\055\075\360\333\170\341\206
\245\331\272\011\127\150\355\127\076\240\320\010\101\203\347\050
\101\044\037\343\162\025\320\001\032\373\136\160\043\262\313\237
\071\343\317\305\116\306\222\155\046\306\173\273\263\332\047\235
\012\206\351\201\067\005\376\360\161\161\354\303\034\351\143\242
\027\024\235\357\033\147\323\205\125\002\002\326\111\311\314\132
\341\261\367\157\062\237\311\324\073\210\101\250\234\275\313\253
\333\155\173\011\037\242\114\162\220\332\053\010\374\317\074\124
\316\147\017\250\317\135\226\031\013\304\343\162\353\255\321\175
\035\047\357\222\353\020\277\133\353\073\257\317\200\335\301\322
\226\004\133\172\176\244\251\074\070\166\244\142\216\240\071\136
\352\167\317\135\000\131\217\146\054\076\007\242\243\005\046\021
\151\227\352\205\267\017\226\013\113\310\100\341\120\272\056\212
\313\367\017\232\042\347\177\232\067\023\315\362\115\023\153\041
\321\300\314\042\362\241\106\366\104\151\234\312\141\065\007\000
\157\326\141\010\021\352\272\270\366\351\263\140\345\115\271\354
\237\024\146\311\127\130\333\315\207\151\370\212\206\022\003\107
\277\146\023\166\254\167\175\064\044\205\203\315\327\252\234\220
\032\237\041\054\177\170\267\144\270\330\350\246\364\170\263\125
\313\204\322\062\304\170\256\243\217\141\335\316\010\123\255\354
\210\374\025\344\232\015\346\237\032\167\316\114\217\270\024\025
\075\142\234\206\070\006\000\146\022\344\131\166\132\123\300\002
\230\242\020\053\150\104\173\216\171\316\063\112\166\252\133\201
\026\033\265\212\330\320\000\173\136\142\264\011\326\206\143\016
\246\005\225\111\272\050\213\210\223\262\064\034\330\244\125\156
\267\034\320\336\231\125\073\043\364\042\340\371\051\146\046\354
\040\120\167\333\112\013\217\276\345\002\140\160\101\136\324\256
\120\071\042\024\046\313\262\073\163\164\125\107\007\171\201\071

\250\060\023\104\345\004\212\256\226\023\045\102\017\271\123\304
\233\374\315\344\034\336\074\372\253\326\006\112\037\147\246\230
\060\034\335\054\333\334\030\225\127\146\306\377\134\213\126\365
\167\002\003\001\000\001\243\143\060\141\060\017\006\003\125\035
\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125
\035\043\004\030\060\026\200\024\371\140\273\324\343\325\064\366
\270\365\006\200\045\247\163\333\106\151\250\236\060\035\006\003
\125\035\016\004\026\004\024\371\140\273\324\343\325\064\366\270
\365\006\200\045\247\163\333\106\151\250\236\060\016\006\003\125
\035\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\126
\263\216\313\012\235\111\216\277\244\304\221\273\146\027\005\121
\230\165\373\345\120\054\172\236\361\024\372\253\323\212\076\377
\221\051\217\143\213\330\264\251\124\001\015\276\223\206\057\371
\112\155\307\136\365\127\371\312\125\034\022\276\107\017\066\305
\337\152\267\333\165\302\107\045\177\271\361\143\370\150\055\125
\004\321\362\215\260\244\317\274\074\136\037\170\347\245\240\040
\160\260\004\305\267\367\162\247\336\042\015\275\063\045\106\214
\144\222\046\343\076\056\143\226\332\233\214\075\370\030\011\327
\003\314\175\206\202\340\312\004\007\121\120\327\377\222\325\014
\357\332\206\237\231\327\353\267\257\150\342\071\046\224\272\150
\267\277\203\323\352\172\147\075\142\147\256\045\345\162\350\342
\344\354\256\022\366\113\053\074\237\351\260\100\363\070\124\263
\375\267\150\310\332\306\217\121\074\262\373\221\334\034\347\233
\235\341\267\015\162\217\342\244\304\251\170\371\353\024\254\306
\103\005\302\145\071\050\030\002\303\202\262\235\005\276\145\355
\226\137\145\164\074\373\011\065\056\173\234\023\375\033\017\135
\307\155\201\072\126\017\314\073\341\257\002\057\042\254\106\312
\106\074\240\034\114\326\104\264\136\056\134\025\146\011\341\046
\051\376\306\122\141\272\261\163\377\303\014\234\345\154\152\224
\077\024\312\100\026\225\204\363\131\251\254\137\114\141\223\155
\321\073\314\242\225\014\042\246\147\147\104\056\271\331\322\212
\101\263\146\013\132\373\175\043\245\362\032\260\377\336\233\203
\224\056\321\077\337\222\267\221\257\005\073\145\307\240\154\261
\315\142\022\303\220\033\343\045\316\064\274\157\167\166\261\020
\303\367\005\032\300\326\257\164\142\110\027\167\222\151\220\141
\034\336\225\200\164\124\217\030\034\303\363\003\320\277\244\103
\165\206\123\030\172\012\056\011\034\066\237\221\375\202\212\042
\113\321\016\120\045\335\313\003\014\027\311\203\000\010\116\065
\115\212\213\355\360\002\224\146\054\104\177\313\225\047\226\027
\255\011\060\254\266\161\027\156\213\027\366\034\011\324\055\073
\230\245\161\323\124\023\331\140\363\365\113\146\117\372\361\356
\040\022\215\264\254\127\261\105\143\241\254\166\251\302\373

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

```

# Trust for "SSL.com EV Root Certification Authority RSA R2"
# Issuer: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Serial Number:56:b6:29:cd:34:bc:78:f6
# Subject: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL
Corporation,L=Houston,ST=Texas,C=US
# Not Valid Before: Wed May 31 18:14:37 2017
# Not Valid After : Fri May 30 18:14:37 2042
# Fingerprint (SHA-256):
2E:7B:F1:6C:C2:24:85:A7:BB:E2:AA:86:96:75:07:61:B0:AE:39:BE:3B:2F:E9:D0:CC:6D:4E:F7:34:91:42:5C
# Fingerprint (SHA1): 74:3A:F0:52:9B:D0:32:A0:F4:4A:83:CD:D4:BA:A9:7B:7C:2E:C4:9A
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority RSA R2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\164\072\360\122\233\320\062\240\364\112\203\315\324\272\251\173
\174\056\304\232
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\341\036\061\130\032\256\124\123\002\366\027\152\021\173\115\225
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114
\040\103\157\162\160\157\162\141\164\151\157\156\061\067\060\065
\006\003\125\004\003\014\056\123\123\114\056\143\157\155\040\105
\126\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122
\123\101\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\126\266\051\315\064\274\170\366
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "SSL.com EV Root Certification Authority ECC"
#
# Issuer: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Serial Number:2c:29:9c:5b:16:ed:05:95
# Subject: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Not Valid Before: Fri Feb 12 18:15:23 2016

```

```
# Not Valid After : Tue Feb 12 18:15:23 2041
# Fingerprint (SHA-256):
22:A2:C1:F7:BD:ED:70:4C:C1:E7:01:B5:F4:08:C3:10:88:0F:E9:56:B5:DE:2A:4A:44:F9:9C:87:3A:25:A7:C8
# Fingerprint (SHA1): 4C:DD:51:A3:D1:F5:20:32:14:B0:C6:C5:32:23:03:91:C7:46:42:6D
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority ECC"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\064\060\062\006
\003\125\004\003\014\053\123\123\114\056\143\157\155\040\105\126
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103
\103
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\064\060\062\006
\003\125\004\003\014\053\123\123\114\056\143\157\155\040\105\126
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103
\103
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\054\051\234\133\026\355\005\225
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\224\060\202\002\032\240\003\002\001\002\002\010\054
\051\234\133\026\355\005\225\060\012\006\010\052\206\110\316\075
\004\003\002\060\177\061\013\060\011\006\003\125\004\006\023\002
\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145\170
\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157\165
\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017\123
\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061\064
\060\062\006\003\125\004\003\014\053\123\123\114\056\143\157\155
\040\105\126\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\105\103\103\060\036\027\015\061\066\060\062\061\062\061\070
```


\061\065\062\063\132\027\015\064\061\060\062\061\062\061\070\061
\065\062\063\132\060\177\061\013\060\011\006\003\125\004\006\023
\002\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145
\170\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157
\165\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017
\123\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061
\064\060\062\006\003\125\004\003\014\053\123\123\114\056\143\157
\155\040\105\126\040\122\157\157\164\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\040\105\103\103\060\166\060\020\006\007\052\206\110\316\075
\002\001\006\005\053\201\004\000\042\003\142\000\004\252\022\107
\220\230\033\373\357\303\100\007\203\040\116\361\060\202\242\006
\321\362\222\206\141\362\366\041\150\312\000\304\307\352\103\000
\124\206\334\375\037\337\000\270\101\142\134\334\160\026\062\336
\037\231\324\314\305\007\310\010\037\141\026\007\121\075\175\134
\007\123\343\065\070\214\337\315\237\331\056\015\112\266\031\056
\132\160\132\006\355\276\360\241\260\312\320\011\051\243\143\060
\141\060\035\006\003\125\035\016\004\026\004\024\133\312\136\345
\336\322\201\252\315\250\055\144\121\266\331\162\233\227\346\117
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\037\006\003\125\035\043\004\030\060\026\200\024\133\312
\136\345\336\322\201\252\315\250\055\144\121\266\331\162\233\227
\346\117\060\016\006\003\125\035\017\001\001\377\004\004\003\002
\001\206\060\012\006\010\052\206\110\316\075\004\003\002\003\150
\000\060\145\002\061\000\212\346\100\211\067\353\351\325\023\331
\312\324\153\044\363\260\075\207\106\130\032\354\261\337\157\373
\126\272\160\153\307\070\314\350\261\214\117\017\367\361\147\166
\016\203\320\036\121\217\002\060\075\366\043\050\046\114\306\140
\207\223\046\233\262\065\036\272\326\367\074\321\034\316\372\045
\074\246\032\201\025\133\363\022\017\154\356\145\212\311\207\250
\371\007\340\142\232\214\134\112

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "SSL.com EV Root Certification Authority ECC"
Issuer: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
Serial Number:2c:29:9c:5b:16:ed:05:95
Subject: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
Not Valid Before: Fri Feb 12 18:15:23 2016
Not Valid After : Tue Feb 12 18:15:23 2041
Fingerprint (SHA-256):
22:A2:C1:F7:BD:ED:70:4C:C1:E7:01:B5:F4:08:C3:10:88:0F:E9:56:B5:DE:2A:4A:44:F9:9C:87:3A:25:A7:C8
Fingerprint (SHA1): 4C:DD:51:A3:D1:F5:20:32:14:B0:C6:C5:32:23:03:91:C7:46:42:6D
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE

```

CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority ECC"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\114\335\121\243\321\365\040\062\024\260\306\305\062\043\003\221
\307\106\102\155
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\131\123\042\145\203\102\001\124\300\316\102\271\132\174\362\220
END
CKA_ISSUER MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\064\060\062\006
\003\125\004\003\014\053\123\123\114\056\143\157\155\040\105\126
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103
\103
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\054\051\234\133\026\355\005\225
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Root CA - R6"
#
# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
# Serial Number:45:e6:bb:03:83:33:c3:85:65:48:e6:ff:45:51
# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
# Not Valid Before: Wed Dec 10 00:00:00 2014
# Not Valid After : Sun Dec 10 00:00:00 2034
# Fingerprint (SHA-256):
2C:AB:EA:FE:37:D0:6C:A2:2A:BA:73:91:C0:03:3D:25:98:29:52:C4:53:64:73:49:76:3A:3A:B5:AD:6C:CF:69
# Fingerprint (SHA1): 80:94:64:0E:B5:A7:A1:CA:11:9C:1F:DD:D5:9F:81:02:63:A7:FB:D1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root CA - R6"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040

```

\055\040\122\066\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\066\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\016\105\346\273\003\203\063\303\205\145\110\346\377\105\121

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\203\060\202\003\153\240\003\002\001\002\002\016\105
\346\273\003\203\063\303\205\145\110\346\377\105\121\060\015\006
\011\052\206\110\206\367\015\001\001\014\005\000\060\114\061\040
\060\036\006\003\125\004\013\023\027\107\154\157\142\141\154\123
\151\147\156\040\122\157\157\164\040\103\101\040\055\040\122\066
\061\023\060\021\006\003\125\004\012\023\012\107\154\157\142\141
\154\123\151\147\156\061\023\060\021\006\003\125\004\003\023\012
\107\154\157\142\141\154\123\151\147\156\060\036\027\015\061\064
\061\062\061\060\060\060\060\060\060\060\132\027\015\063\064\061
\062\061\060\060\060\060\060\060\060\132\060\114\061\040\060\036
\006\003\125\004\013\023\027\107\154\157\142\141\154\123\151\147
\156\040\122\157\157\164\040\103\101\040\055\040\122\066\061\023
\060\021\006\003\125\004\012\023\012\107\154\157\142\141\154\123
\151\147\156\061\023\060\021\006\003\125\004\003\023\012\107\154
\157\142\141\154\123\151\147\156\060\202\002\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000
\060\202\002\012\002\202\002\001\000\225\007\350\163\312\146\371
\354\024\312\173\074\367\015\010\361\264\105\013\054\202\264\110
\306\353\133\074\256\203\270\101\222\063\024\244\157\177\351\052
\314\306\260\210\153\305\266\211\321\306\262\377\024\316\121\024
\041\354\112\335\033\132\306\326\207\356\115\072\025\006\355\144
\146\013\222\200\312\104\336\163\224\116\363\247\211\177\117\170
\143\010\310\022\120\155\102\146\057\115\271\171\050\115\122\032
\212\032\200\267\031\201\016\176\304\212\274\144\114\041\034\103
\150\327\075\074\212\305\262\146\325\220\232\267\061\006\305\276
\342\155\062\006\246\036\371\271\353\252\243\270\277\276\202\143
\120\320\360\030\211\337\344\017\171\365\352\242\037\052\322\160
\056\173\347\274\223\273\155\123\342\110\174\214\020\007\070\377
\146\262\167\141\176\340\352\214\074\252\264\244\366\363\225\112
\022\007\155\375\214\262\211\317\320\240\141\167\310\130\164\260
\324\043\072\367\135\072\312\242\333\235\011\336\135\104\055\220
\361\201\315\127\222\372\176\274\120\004\143\064\337\153\223\030

\276\153\066\262\071\344\254\044\066\267\360\357\266\034\023\127
\223\266\336\262\370\342\205\267\163\242\270\065\252\105\362\340
\235\066\241\157\124\212\361\162\126\156\056\210\305\121\102\104
\025\224\356\243\305\070\226\233\116\116\132\013\107\363\006\066
\111\167\060\274\161\067\345\246\354\041\010\165\374\346\141\026
\077\167\325\331\221\227\204\012\154\324\002\115\164\300\024\355
\375\071\373\203\362\136\024\241\004\260\013\351\376\356\217\341
\156\013\262\010\263\141\146\011\152\261\006\072\145\226\131\300
\360\065\375\311\332\050\215\032\021\207\160\201\012\250\232\165
\035\236\072\206\005\000\236\333\200\326\045\371\334\005\236\047
\131\114\166\071\133\352\371\245\241\330\203\017\321\377\337\060
\021\371\205\317\063\110\365\312\155\144\024\054\172\130\117\323
\113\010\111\305\225\144\032\143\016\171\075\365\263\214\312\130
\255\234\102\105\171\156\016\207\031\134\124\261\145\266\277\214
\233\334\023\351\015\157\270\056\334\147\156\311\213\021\265\204
\024\212\000\031\160\203\171\221\227\221\324\032\047\277\067\036
\062\007\330\024\143\074\050\114\257\002\003\001\000\001\243\143
\060\141\060\016\006\003\125\035\017\001\001\377\004\004\003\002
\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003
\001\001\377\060\035\006\003\125\035\016\004\026\004\024\256\154
\005\243\223\023\342\242\347\342\327\034\326\307\360\177\310\147
\123\240\060\037\006\003\125\035\043\004\030\060\026\200\024\256
\154\005\243\223\023\342\242\347\342\327\034\326\307\360\177\310
\147\123\240\060\015\006\011\052\206\110\206\367\015\001\001\014
\005\000\003\202\002\001\000\203\045\355\350\321\375\225\122\315
\236\300\004\240\221\151\346\134\320\204\336\334\255\242\117\350
\107\170\326\145\230\251\133\250\074\207\174\002\212\321\156\267
\026\163\346\137\300\124\230\325\164\276\301\315\342\021\221\255
\043\030\075\335\341\162\104\226\264\225\136\300\173\216\231\170
\026\103\023\126\127\263\242\263\073\265\167\334\100\162\254\243
\353\233\065\076\261\010\041\241\347\304\103\067\171\062\276\265
\347\234\054\114\274\103\051\231\216\060\323\254\041\340\343\035
\372\330\007\063\166\124\000\042\052\271\115\040\056\160\150\332
\345\123\374\203\134\323\235\362\377\104\014\104\146\362\322\343
\275\106\000\032\155\002\272\045\135\215\241\061\121\335\124\106
\034\115\333\231\226\357\032\034\004\134\246\025\357\170\340\171
\376\135\333\076\252\114\125\375\232\025\251\157\341\246\373\337
\160\060\351\303\356\102\106\355\302\223\005\211\372\175\143\173
\077\320\161\201\174\000\350\230\256\016\170\064\303\045\373\257
\012\237\040\153\335\073\023\217\022\214\342\101\032\110\172\163
\240\167\151\307\266\134\177\202\310\036\376\130\033\050\053\250
\154\255\136\155\300\005\322\173\267\353\200\376\045\067\376\002
\233\150\254\102\135\303\356\365\314\334\360\120\165\322\066\151
\234\346\173\004\337\156\006\151\266\336\012\011\110\131\207\353
\173\024\140\172\144\252\151\103\357\221\307\114\354\030\335\154
\357\123\055\214\231\341\136\362\162\076\317\124\310\275\147\354
\244\017\114\105\377\323\271\060\043\007\114\217\020\277\206\226
\331\231\132\264\231\127\034\244\314\273\025\211\123\272\054\005

```
\017\344\304\236\031\261\030\064\325\114\235\272\355\367\037\257
\044\225\004\170\250\003\273\356\201\345\332\137\174\213\112\241
\220\164\045\247\263\076\113\310\054\126\275\307\310\357\070\342
\134\222\360\171\367\234\204\272\164\055\141\001\040\176\176\321
\362\117\007\131\137\213\055\103\122\353\106\014\224\341\365\146
\107\171\167\325\124\133\037\255\044\067\313\105\132\116\240\104
\110\310\330\260\231\305\025\204\011\366\326\111\111\300\145\270
\346\032\161\156\240\250\361\202\350\105\076\154\326\002\327\012
\147\203\005\132\311\244\020
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "GlobalSign Root CA - R6"
```

```
# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
```

```
# Serial Number:45:e6:bb:03:83:33:c3:85:65:48:e6:ff:45:51
```

```
# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
```

```
# Not Valid Before: Wed Dec 10 00:00:00 2014
```

```
# Not Valid After : Sun Dec 10 00:00:00 2034
```

```
# Fingerprint (SHA-256):
```

```
2C:AB:EA:FE:37:D0:6C:A2:2A:BA:73:91:C0:03:3D:25:98:29:52:C4:53:64:73:49:76:3A:3A:B5:AD:6C:CF:69
```

```
# Fingerprint (SHA1): 80:94:64:0E:B5:A7:A1:CA:11:9C:1F:DD:D5:9F:81:02:63:A7:FB:D1
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GlobalSign Root CA - R6"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\200\224\144\016\265\247\241\312\021\234\037\335\325\237\201\002
\143\247\373\321
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\117\335\007\344\324\042\144\071\036\014\067\102\352\321\306\256
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\066\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\016\105\346\273\003\203\063\303\205\145\110\346\377\105\121
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "OISTE WISeKey Global Root GC CA"

#

Issuer: CN=OISTE WISeKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH

Serial Number:21:2a:56:0c:ae:da:0c:ab:40:45:bf:2b:a2:2d:3a:ea

Subject: CN=OISTE WISeKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH

Not Valid Before: Tue May 09 09:48:34 2017

Not Valid After : Fri May 09 09:58:33 2042

Fingerprint (SHA-256):

85:60:F9:1C:36:24:DA:BA:95:70:B5:FE:A0:DB:E3:6F:F1:1A:83:23:BE:94:86:85:4F:B3:F3:4A:55:71:19:8D

Fingerprint (SHA1): E0:11:84:5E:34:DE:BE:88:81:B9:9C:F6:16:26:D1:96:1F:C3:B9:31

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "OISTE WISeKey Global Root GC CA"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\103\040\103\101

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\103\040\103\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\041\052\126\014\256\332\014\253\100\105\277\053\242\055
\072\352

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\151\060\202\001\357\240\003\002\001\002\002\020\041
\052\126\014\256\332\014\253\100\105\277\053\242\055\072\352\060
\012\006\010\052\206\110\316\075\004\003\003\060\155\061\013\060
\011\006\003\125\004\006\023\002\103\110\061\020\060\016\006\003
\125\004\012\023\007\127\111\123\145\113\145\171\061\042\060\040

\006\003\125\004\013\023\031\117\111\123\124\105\040\106\157\165
\156\144\141\164\151\157\156\040\105\156\144\157\162\163\145\144
\061\050\060\046\006\003\125\004\003\023\037\117\111\123\124\105
\040\127\111\123\145\113\145\171\040\107\154\157\142\141\154\040
\122\157\157\164\040\107\103\040\103\101\060\036\027\015\061\067
\060\065\060\071\060\071\064\070\063\064\132\027\015\064\062\060
\065\060\071\060\071\065\070\063\063\132\060\155\061\013\060\011
\006\003\125\004\006\023\002\103\110\061\020\060\016\006\003\125
\004\012\023\007\127\111\123\145\113\145\171\061\042\060\040\006
\003\125\004\013\023\031\117\111\123\124\105\040\106\157\165\156
\144\141\164\151\157\156\040\105\156\144\157\162\163\145\144\061
\050\060\046\006\003\125\004\003\023\037\117\111\123\124\105\040
\127\111\123\145\113\145\171\040\107\154\157\142\141\154\040\122
\157\157\164\040\107\103\040\103\101\060\166\060\020\006\007\052
\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000
\004\114\351\120\300\306\017\162\030\274\330\361\272\263\211\342
\171\112\243\026\247\153\124\044\333\121\377\352\364\011\044\303
\013\042\237\313\152\047\202\201\015\322\300\257\061\344\164\202
\156\312\045\331\214\165\235\361\333\320\232\242\113\041\176\026
\247\143\220\322\071\324\261\207\170\137\030\226\017\120\033\065
\067\017\152\306\334\331\023\115\244\216\220\067\346\275\133\061
\221\243\124\060\122\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004
\024\110\207\024\254\343\303\236\220\140\072\327\312\211\356\323
\255\214\264\120\146\060\020\006\011\053\006\001\004\001\202\067
\025\001\004\003\002\001\000\060\012\006\010\052\206\110\316\075
\004\003\003\003\150\000\060\145\002\060\046\307\151\133\334\325
\347\262\347\310\014\214\214\303\335\171\214\033\143\325\311\122
\224\116\115\202\112\163\036\262\200\204\251\045\300\114\132\155
\111\051\140\170\023\342\176\110\353\144\002\061\000\333\064\040
\062\010\377\232\111\002\266\210\336\024\257\135\154\231\161\215
\032\077\213\327\340\242\066\206\034\007\202\072\166\123\375\302
\242\355\357\173\260\200\117\130\017\113\123\071\275

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "OISTE WISEKey Global Root GC CA"

Issuer: CN=OISTE WISEKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISEKey,C=CH

Serial Number:21:2a:56:0c:ae:da:0c:ab:40:45:bf:2b:a2:2d:3a:ea

Subject: CN=OISTE WISEKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISEKey,C=CH

Not Valid Before: Tue May 09 09:48:34 2017

Not Valid After : Fri May 09 09:58:33 2042

Fingerprint (SHA-256):

85:60:F9:1C:36:24:DA:BA:95:70:B5:FE:A0:DB:E3:6F:F1:1A:83:23:BE:94:86:85:4F:B3:F3:4A:55:71:19:8D

Fingerprint (SHA1): E0:11:84:5E:34:DE:BE:88:81:B9:9C:F6:16:26:D1:96:1F:C3:B9:31

```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "OISTE WISeKey Global Root GC CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\340\021\204\136\064\336\276\210\201\271\234\366\026\046\321\226
\037\303\271\061
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\251\326\271\055\057\223\144\370\245\151\312\221\351\150\007\043
END
CKA_ISSUER MULTILINE_OCTAL
\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\103\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\041\052\126\014\256\332\014\253\100\105\277\053\242\055
\072\352
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "UCA Global G2 Root"
#
# Issuer: CN=UCA Global G2 Root,O=UniTrust,C=CN
# Serial Number:5d:df:b1:da:5a:a3:ed:5d:be:5a:65:20:65:03:90:ef
# Subject: CN=UCA Global G2 Root,O=UniTrust,C=CN
# Not Valid Before: Fri Mar 11 00:00:00 2016
# Not Valid After : Mon Dec 31 00:00:00 2040
# Fingerprint (SHA-256):
9B:EA:11:C9:76:FE:01:47:64:C1:BE:56:A6:F9:14:B5:A5:60:31:7A:BD:99:88:39:33:82:E5:16:1A:A0:49:3C
# Fingerprint (SHA1): 28:F9:78:16:19:7A:FF:18:25:18:AA:44:FE:C1:A0:CE:5C:B6:4C:8A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "UCA Global G2 Root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```



```
\060\075\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\033\060\031\006\003\125\004\003\014\022\125\103\101
\040\107\154\157\142\141\154\040\107\062\040\122\157\157\164
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

```
\060\075\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\033\060\031\006\003\125\004\003\014\022\125\103\101
\040\107\154\157\142\141\154\040\107\062\040\122\157\157\164
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\020\135\337\261\332\132\243\355\135\276\132\145\040\145\003
\220\357
```

END

CKA_VALUE MULTILINE_OCTAL

```
\060\202\005\106\060\202\003\056\240\003\002\001\002\002\020\135
\337\261\332\132\243\355\135\276\132\145\040\145\003\220\357\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\075
\061\013\060\011\006\003\125\004\006\023\002\103\116\061\021\060
\017\006\003\125\004\012\014\010\125\156\151\124\162\165\163\164
\061\033\060\031\006\003\125\004\003\014\022\125\103\101\040\107
\154\157\142\141\154\040\107\062\040\122\157\157\164\060\036\027
\015\061\066\060\063\061\061\060\060\060\060\060\060\132\027\015
\064\060\061\062\063\061\060\060\060\060\060\060\132\060\075\061
\013\060\011\006\003\125\004\006\023\002\103\116\061\021\060\017
\006\003\125\004\012\014\010\125\156\151\124\162\165\163\164\061
\033\060\031\006\003\125\004\003\014\022\125\103\101\040\107\154
\157\142\141\154\040\107\062\040\122\157\157\164\060\202\002\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\002\017\000\060\202\002\012\002\202\002\001\000\305\346\053
\157\174\357\046\005\047\243\201\044\332\157\313\001\371\231\232
\251\062\302\042\207\141\101\221\073\313\303\150\033\006\305\114
\251\053\301\147\027\042\035\053\355\371\051\211\223\242\170\275
\222\153\240\243\015\242\176\312\223\263\246\321\214\065\325\165
\371\027\366\317\105\305\345\172\354\167\223\240\217\043\256\016
\032\003\177\276\324\320\355\056\173\253\106\043\133\377\054\346
\124\172\224\300\052\025\360\311\215\260\172\073\044\341\327\150
\342\061\074\006\063\106\266\124\021\246\245\057\042\124\052\130
\015\001\002\361\372\025\121\147\154\300\372\327\266\033\177\321
\126\210\057\032\072\215\073\273\202\021\340\107\000\320\122\207
\253\373\206\176\017\044\153\100\235\064\147\274\215\307\055\206
\157\171\076\216\251\074\027\113\177\260\231\343\260\161\140\334
\013\365\144\303\316\103\274\155\161\271\322\336\047\133\212\350
\330\306\256\341\131\175\317\050\055\065\270\225\126\032\361\262
\130\113\267\022\067\310\174\263\355\113\200\341\215\372\062\043
\266\157\267\110\225\010\261\104\116\205\214\072\002\124\040\057
```

\337\277\127\117\073\072\220\041\327\301\046\065\124\040\354\307
\077\107\354\357\132\277\113\172\301\255\073\027\120\134\142\330
\017\113\112\334\053\372\156\274\163\222\315\354\307\120\350\101
\226\327\251\176\155\330\351\035\217\212\265\271\130\222\272\112
\222\053\014\126\375\200\353\010\360\136\051\156\033\034\014\257
\217\223\211\255\333\275\243\236\041\312\211\031\354\337\265\303
\032\353\026\376\170\066\114\326\156\320\076\027\034\220\027\153
\046\272\373\172\057\277\021\034\030\016\055\163\003\217\240\345
\065\240\132\342\114\165\035\161\341\071\070\123\170\100\314\203
\223\327\012\236\235\133\217\212\344\345\340\110\344\110\262\107
\315\116\052\165\052\173\362\042\366\311\276\011\221\226\127\172
\210\210\254\356\160\254\371\334\051\343\014\034\073\022\116\104
\326\247\116\260\046\310\363\331\032\227\221\150\352\357\215\106
\006\322\126\105\130\232\074\014\017\203\270\005\045\303\071\317
\073\244\064\211\267\171\022\057\107\305\347\251\227\151\374\246
\167\147\265\337\173\361\172\145\025\344\141\126\145\002\003\001
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\201\304\214\314\365\344\060\377\245\014\010\137\214\025
\147\041\164\001\337\337\060\015\006\011\052\206\110\206\367\015
\001\001\013\005\000\003\202\002\001\000\023\145\042\365\216\053
\255\104\344\313\377\271\150\346\303\200\110\075\004\173\372\043
\057\172\355\066\332\262\316\155\366\346\236\345\137\130\217\313
\067\062\241\310\145\266\256\070\075\065\033\076\274\073\266\004
\320\274\371\111\365\233\367\205\305\066\266\313\274\370\310\071
\325\344\137\007\275\025\124\227\164\312\312\355\117\272\272\144
\166\237\201\270\204\105\111\114\215\157\242\353\261\314\321\303
\224\332\104\302\346\342\352\030\350\242\037\047\005\272\327\345
\326\251\315\335\357\166\230\215\000\016\315\033\372\003\267\216
\200\130\016\047\077\122\373\224\242\312\136\145\311\326\204\332
\271\065\161\363\046\300\117\167\346\201\047\322\167\073\232\024
\157\171\364\366\320\341\323\224\272\320\127\121\275\047\005\015
\301\375\310\022\060\356\157\215\021\053\010\235\324\324\277\200
\105\024\232\210\104\332\060\352\264\247\343\356\357\133\202\325
\076\326\255\170\222\333\134\074\363\330\255\372\270\153\177\304
\066\050\266\002\025\212\124\054\234\260\027\163\216\320\067\243
\024\074\230\225\000\014\051\005\133\236\111\111\261\137\307\343
\313\317\047\145\216\065\027\267\127\310\060\331\101\133\271\024
\266\350\302\017\224\061\247\224\230\314\152\353\265\341\047\365
\020\250\001\350\216\022\142\350\210\314\265\177\106\227\300\233
\020\146\070\032\066\106\137\042\150\075\337\311\306\023\047\253
\123\006\254\242\074\206\006\145\157\261\176\261\051\104\232\243
\272\111\151\050\151\217\327\345\137\255\004\206\144\157\032\240
\014\305\010\142\316\200\243\320\363\354\150\336\276\063\307\027
\133\177\200\304\114\114\261\246\204\212\303\073\270\011\315\024
\201\272\030\343\124\127\066\376\333\057\174\107\241\072\063\310
\371\130\073\104\117\261\312\002\211\004\226\050\150\305\113\270

```
\046\211\273\326\063\057\120\325\376\232\211\272\030\062\222\124
\306\133\340\235\371\136\345\015\042\233\366\332\342\310\041\262
\142\041\252\206\100\262\056\144\323\137\310\343\176\021\147\105
\037\005\376\343\242\357\263\250\263\363\175\217\370\014\037\042
\037\055\160\264\270\001\064\166\060\000\345\043\170\247\126\327
\120\037\212\373\006\365\302\031\360\320
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "UCA Global G2 Root"

Issuer: CN=UCA Global G2 Root,O=UniTrust,C=CN

Serial Number:5d:df:b1:da:5a:a3:ed:5d:be:5a:65:20:65:03:90:ef

Subject: CN=UCA Global G2 Root,O=UniTrust,C=CN

Not Valid Before: Fri Mar 11 00:00:00 2016

Not Valid After : Mon Dec 31 00:00:00 2040

Fingerprint (SHA-256):

9B:EA:11:C9:76:FE:01:47:64:C1:BE:56:A6:F9:14:B5:A5:60:31:7A:BD:99:88:39:33:82:E5:16:1A:A0:49:3C

Fingerprint (SHA1): 28:F9:78:16:19:7A:FF:18:25:18:AA:44:FE:C1:A0:CE:5C:B6:4C:8A

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "UCA Global G2 Root"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\050\371\170\026\031\172\377\030\045\030\252\104\376\301\240\316
\134\266\114\212
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\200\376\360\304\112\360\134\142\062\237\034\272\170\251\120\370
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\075\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\033\060\031\006\003\125\004\003\014\022\125\103\101
\040\107\154\157\142\141\154\040\107\062\040\122\157\157\164
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\135\337\261\332\132\243\355\135\276\132\145\040\145\003
\220\357
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

```

# Certificate "UCA Extended Validation Root"
#
# Issuer: CN=UCA Extended Validation Root,O=UniTrust,C=CN
# Serial Number:4f:d2:2b:8f:f5:64:c8:33:9e:4f:34:58:66:23:70:60
# Subject: CN=UCA Extended Validation Root,O=UniTrust,C=CN
# Not Valid Before: Fri Mar 13 00:00:00 2015
# Not Valid After : Fri Dec 31 00:00:00 2038
# Fingerprint (SHA-256):
D4:3A:F9:B3:54:73:75:5C:96:84:FC:06:D7:D8:CB:70:EE:5C:28:E7:73:FB:29:4E:B4:1E:E7:17:22:92:4D:24
# Fingerprint (SHA1): A3:A1:B0:6F:24:61:23:4A:E3:36:A5:C2:37:FC:A6:FF:DD:F0:D7:3A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "UCA Extended Validation Root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\045\060\043\006\003\125\004\003\014\034\125\103\101
\040\105\170\164\145\156\144\145\144\040\126\141\154\151\144\141
\164\151\157\156\040\122\157\157\164
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\045\060\043\006\003\125\004\003\014\034\125\103\101
\040\105\170\164\145\156\144\145\144\040\126\141\154\151\144\141
\164\151\157\156\040\122\157\157\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\117\322\053\217\365\144\310\063\236\117\064\130\146\043
\160\140
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\132\060\202\003\102\240\003\002\001\002\002\020\117
\322\053\217\365\144\310\063\236\117\064\130\146\043\160\140\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\107
\061\013\060\011\006\003\125\004\006\023\002\103\116\061\021\060
\017\006\003\125\004\012\014\010\125\156\151\124\162\165\163\164
\061\045\060\043\006\003\125\004\003\014\034\125\103\101\040\105
\170\164\145\156\144\145\144\040\126\141\154\151\144\141\164\151
\157\156\040\122\157\157\164\060\036\027\015\061\065\060\063\061
\063\060\060\060\060\060\132\027\015\063\070\061\062\063\061
\060\060\060\060\060\060\132\060\107\061\013\060\011\006\003\125
\004\006\023\002\103\116\061\021\060\017\006\003\125\004\012\014
\010\125\156\151\124\162\165\163\164\061\045\060\043\006\003\125

```

\004\003\014\034\125\103\101\040\105\170\164\145\156\144\145\144
\040\126\141\154\151\144\141\164\151\157\156\040\122\157\157\164
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001
\000\251\011\007\050\023\002\260\231\340\144\252\036\103\026\172
\163\261\221\240\165\076\250\372\343\070\000\172\354\211\152\040
\017\213\305\260\233\063\003\132\206\306\130\206\325\301\205\273
\117\306\234\100\115\312\276\356\151\226\270\255\201\060\232\174
\222\005\353\005\053\232\110\320\270\166\076\226\310\040\273\322
\260\361\217\330\254\105\106\377\252\147\140\264\167\176\152\037
\074\032\122\172\004\075\007\074\205\015\204\320\037\166\012\367
\152\024\337\162\343\064\174\127\116\126\001\076\171\361\252\051
\073\154\372\370\217\155\115\310\065\337\256\353\334\044\356\171
\105\247\205\266\005\210\336\210\135\045\174\227\144\147\011\331
\277\132\025\005\206\363\011\036\354\130\062\063\021\363\167\144
\260\166\037\344\020\065\027\033\362\016\261\154\244\052\243\163
\374\011\037\036\062\031\123\021\347\331\263\054\056\166\056\241
\243\336\176\152\210\011\350\362\007\212\370\262\315\020\347\342
\163\100\223\273\010\321\077\341\374\013\224\263\045\357\174\246
\327\321\257\237\377\226\232\365\221\173\230\013\167\324\176\350
\007\322\142\265\225\071\343\363\361\155\017\016\145\204\212\143
\124\305\200\266\340\236\113\175\107\046\247\001\010\135\321\210
\236\327\303\062\104\372\202\112\012\150\124\177\070\123\003\314
\244\000\063\144\121\131\013\243\202\221\172\136\354\026\302\363
\052\346\142\332\052\333\131\142\020\045\112\052\201\013\107\007
\103\006\160\207\322\372\223\021\051\172\110\115\353\224\307\160
\115\257\147\325\121\261\200\040\001\001\264\172\010\246\220\177
\116\340\357\007\101\207\257\152\245\136\213\373\317\120\262\232
\124\257\303\211\272\130\055\365\060\230\261\066\162\071\176\111
\004\375\051\247\114\171\344\005\127\333\224\271\026\123\215\106
\263\035\225\141\127\126\177\257\360\026\133\141\130\157\066\120
\021\013\330\254\053\225\026\032\016\037\010\315\066\064\145\020
\142\146\325\200\137\024\040\137\055\014\240\170\012\150\326\054
\327\351\157\053\322\112\005\223\374\236\157\153\147\377\210\361
\116\245\151\112\122\067\005\352\306\026\215\322\304\231\321\202
\053\073\272\065\165\367\121\121\130\363\310\007\335\344\264\003
\177\002\003\001\000\001\243\102\060\100\060\035\006\003\125\035
\016\004\026\004\024\331\164\072\344\060\075\015\367\022\334\176
\132\005\237\036\064\232\367\341\024\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\016\006\003\125\035
\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\066\215
\227\314\102\025\144\051\067\233\046\054\326\373\256\025\151\054
\153\032\032\367\137\266\371\007\114\131\352\363\311\310\271\256
\314\272\056\172\334\300\365\260\055\300\073\257\237\160\005\021
\152\237\045\117\001\051\160\343\345\014\341\352\132\174\334\111
\273\301\036\052\201\365\026\113\162\221\310\242\061\271\252\332
\374\235\037\363\135\100\002\023\374\116\034\006\312\263\024\220

\124\027\031\022\032\361\037\327\014\151\132\366\161\170\364\224
\175\221\013\216\354\220\124\216\274\157\241\114\253\374\164\144
\375\161\232\370\101\007\241\315\221\344\074\232\340\233\062\071
\163\253\052\325\151\310\170\221\046\061\175\342\307\060\361\374
\024\170\167\022\016\023\364\335\026\224\277\113\147\173\160\123
\205\312\260\273\363\070\115\054\220\071\300\015\302\135\153\351
\342\345\325\210\215\326\054\277\253\033\276\265\050\207\022\027
\164\156\374\175\374\217\320\207\046\260\033\373\271\154\253\342
\236\075\025\301\073\056\147\002\130\221\237\357\370\102\037\054
\267\150\365\165\255\317\265\366\377\021\175\302\360\044\245\255
\323\372\240\074\251\372\135\334\245\240\357\104\244\276\326\350
\345\344\023\226\027\173\006\076\062\355\307\267\102\274\166\243
\330\145\070\053\070\065\121\041\016\016\157\056\064\023\100\341
\053\147\014\155\112\101\060\030\043\132\062\125\231\311\027\340
\074\336\366\354\171\255\053\130\031\242\255\054\042\032\225\216
\276\226\220\135\102\127\304\371\024\003\065\053\034\055\121\127
\010\247\072\336\077\344\310\264\003\163\302\301\046\200\273\013
\102\037\255\015\257\046\162\332\314\276\263\243\203\130\015\202
\305\037\106\121\343\234\030\314\215\233\215\354\111\353\165\120
\325\214\050\131\312\164\064\332\214\013\041\253\036\352\033\345
\307\375\025\076\300\027\252\373\043\156\046\106\313\372\371\261
\162\153\151\317\042\204\013\142\017\254\331\031\000\224\242\166
\074\324\055\232\355\004\236\055\006\142\020\067\122\034\205\162
\033\047\345\314\306\061\354\067\354\143\131\233\013\035\166\314
\176\062\232\210\225\010\066\122\273\336\166\137\166\111\111\255
\177\275\145\040\262\311\301\053\166\030\166\237\126\261

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "UCA Extended Validation Root"

Issuer: CN=UCA Extended Validation Root,O=UniTrust,C=CN

Serial Number:4f:d2:2b:8f:f5:64:c8:33:9e:4f:34:58:66:23:70:60

Subject: CN=UCA Extended Validation Root,O=UniTrust,C=CN

Not Valid Before: Fri Mar 13 00:00:00 2015

Not Valid After : Fri Dec 31 00:00:00 2038

Fingerprint (SHA-256):

D4:3A:F9:B3:54:73:75:5C:96:84:FC:06:D7:D8:CB:70:EE:5C:28:E7:73:FB:29:4E:B4:1E:E7:17:22:92:4D:24

Fingerprint (SHA1): A3:A1:B0:6F:24:61:23:4A:E3:36:A5:C2:37:FC:A6:FF:DD:F0:D7:3A

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "UCA Extended Validation Root"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\243\241\260\157\044\141\043\112\343\066\245\302\067\374\246\377

\335\360\327\072

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\241\363\137\103\306\064\233\332\277\214\176\005\123\255\226\342
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\045\060\043\006\003\125\004\003\014\034\125\103\101
\040\105\170\164\145\156\144\145\144\040\126\141\154\151\144\141
\164\151\157\156\040\122\157\157\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\117\322\053\217\365\144\310\063\236\117\064\130\146\043
\160\140
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Certigna Root CA"
#
# Issuer: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
# Serial Number:00:ca:e9:1b:89:f1:55:03:0d:a3:e6:41:6d:c4:e3:a6:e1
# Subject: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
# Not Valid Before: Tue Oct 01 08:32:27 2013
# Not Valid After : Sat Oct 01 08:32:27 2033
# Fingerprint (SHA-256):
D4:8D:3D:23:EE:DB:50:A4:59:E5:51:97:60:1C:27:77:4B:9D:7B:18:C9:4D:5A:05:95:11:A1:02:50:B9:31:68
# Fingerprint (SHA1): 2D:0D:52:14:FF:9E:AD:99:24:01:74:20:47:6E:6C:85:27:27:F5:43
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certigna Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060
\060\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063
\066\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164
\151\147\156\141\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061

```

\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060
\060\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063
\066\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164
\151\147\156\141\040\122\157\157\164\040\103\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\021\000\312\351\033\211\361\125\003\015\243\346\101\155\304
\343\246\341

END

CKA_VALUE MULTILINE_OCTAL

\060\202\006\133\060\202\004\103\240\003\002\001\002\002\021\000
\312\351\033\211\361\125\003\015\243\346\101\155\304\343\246\341
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061\022
\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157\164
\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060\060
\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063\066
\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164\151
\147\156\141\040\122\157\157\164\040\103\101\060\036\027\015\061
\063\061\060\060\061\060\070\063\062\062\067\132\027\015\063\063
\061\060\060\061\060\070\063\062\062\067\132\060\132\061\013\060
\011\006\003\125\004\006\023\002\106\122\061\022\060\020\006\003
\125\004\012\014\011\104\150\151\155\171\157\164\151\163\061\034
\060\032\006\003\125\004\013\014\023\060\060\060\062\040\064\070
\061\064\066\063\060\070\061\060\060\060\063\066\061\031\060\027
\006\003\125\004\003\014\020\103\145\162\164\151\147\156\141\040
\122\157\157\164\040\103\101\060\202\002\042\060\015\006\011\052
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060
\202\002\012\002\202\002\001\000\315\030\071\145\032\131\261\352
\144\026\016\214\224\044\225\174\203\323\305\071\046\334\014\357
\026\127\215\327\330\254\243\102\177\202\312\355\315\133\333\016
\267\055\355\105\010\027\262\331\263\313\326\027\122\162\050\333
\216\116\236\212\266\013\371\236\204\232\115\166\336\042\051\134
\322\263\322\006\076\060\071\251\164\243\222\126\034\241\157\114
\012\040\155\237\043\172\264\306\332\054\344\035\054\334\263\050
\320\023\362\114\116\002\111\241\124\100\236\346\345\005\240\055
\204\310\377\230\154\320\353\212\032\204\010\036\267\150\043\356
\043\325\160\316\155\121\151\020\356\241\172\302\321\042\061\302
\202\205\322\362\125\166\120\174\045\172\311\204\134\013\254\335
\102\116\053\347\202\242\044\211\313\220\262\320\356\043\272\146
\114\273\142\244\371\123\132\144\173\174\230\372\243\110\236\017
\225\256\247\030\364\152\354\056\003\105\257\360\164\370\052\315
\172\135\321\276\104\046\062\051\361\361\365\154\314\176\002\041
\013\237\157\244\077\276\235\123\342\317\175\251\054\174\130\032
\227\341\075\067\067\030\146\050\322\100\305\121\212\214\303\055
\316\123\210\044\130\144\060\026\305\252\340\326\012\246\100\337
\170\366\365\004\174\151\023\204\274\321\321\247\006\317\001\367

\150\300\250\127\273\072\141\255\004\214\223\343\255\374\360\333
\104\155\131\334\111\131\256\254\232\231\066\060\101\173\166\063
\042\207\243\302\222\206\156\371\160\356\256\207\207\225\033\304
\172\275\061\363\324\322\345\231\377\276\110\354\165\365\170\026
\035\246\160\301\177\074\033\241\222\373\317\310\074\326\305\223
\012\217\365\125\072\166\225\316\131\230\212\011\225\167\062\232
\203\272\054\004\072\227\275\324\057\276\327\154\233\242\312\175
\155\046\311\125\325\317\303\171\122\010\011\231\007\044\055\144
\045\153\246\041\151\233\152\335\164\115\153\227\172\101\275\253
\027\371\220\027\110\217\066\371\055\325\305\333\356\252\205\105
\101\372\315\072\105\261\150\346\066\114\233\220\127\354\043\271
\207\010\302\304\011\361\227\206\052\050\115\342\164\300\332\304
\214\333\337\342\241\027\131\316\044\131\164\061\332\177\375\060
\155\331\334\341\152\341\374\137\002\003\001\000\001\243\202\001
\032\060\202\001\026\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004
\024\030\207\126\340\156\167\356\044\065\074\116\163\232\037\326
\341\342\171\176\053\060\037\006\003\125\035\043\004\030\060\026
\200\024\030\207\126\340\156\167\356\044\065\074\116\163\232\037
\326\341\342\171\176\053\060\104\006\003\125\035\040\004\075\060
\073\060\071\006\004\125\035\040\000\060\061\060\057\006\010\053
\006\001\005\005\007\002\001\026\043\150\164\164\160\163\072\057
\057\167\167\167\167\056\143\145\162\164\151\147\156\141\056\146
\162\057\141\165\164\157\162\151\164\145\163\057\060\155\006\003
\125\035\037\004\146\060\144\060\057\240\055\240\053\206\051\150
\164\164\160\072\057\057\143\162\154\056\143\145\162\164\151\147
\156\141\056\146\162\057\143\145\162\164\151\147\156\141\162\157
\157\164\143\141\056\143\162\154\060\061\240\057\240\055\206\053
\150\164\164\160\072\057\057\143\162\154\056\144\150\151\155\171
\157\164\151\163\056\143\157\155\057\143\145\162\164\151\147\156
\141\162\157\157\164\143\141\056\143\162\154\060\015\006\011\052
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\224
\270\236\117\360\343\225\010\042\347\315\150\101\367\034\125\325
\174\000\342\055\072\211\135\150\070\057\121\042\013\112\215\313
\351\273\135\076\273\134\075\261\050\376\344\123\125\023\317\241
\220\033\002\035\137\146\106\011\063\050\341\015\044\227\160\323
\020\037\352\144\127\226\273\135\332\347\304\214\117\114\144\106
\035\134\207\343\131\336\102\321\233\250\176\246\211\335\217\034
\311\060\202\355\073\234\315\300\351\031\340\152\330\002\165\067
\253\367\064\050\050\221\362\004\012\117\065\343\140\046\001\372
\320\021\214\371\021\152\356\257\075\303\120\323\217\137\063\171
\074\206\250\163\105\220\214\040\266\162\163\027\043\276\007\145
\345\170\222\015\272\001\300\353\214\034\146\277\254\206\167\001
\224\015\234\346\351\071\215\037\246\121\214\231\014\071\167\341
\264\233\372\034\147\127\157\152\152\216\251\053\114\127\171\172
\127\042\317\315\137\143\106\215\134\131\072\206\370\062\107\142
\243\147\015\030\221\334\373\246\153\365\110\141\163\043\131\216

```
\002\247\274\104\352\364\111\235\361\124\130\371\140\257\332\030
\244\057\050\105\334\172\240\210\206\135\363\073\347\377\051\065
\200\374\144\103\224\346\343\034\157\276\255\016\052\143\231\053
\311\176\205\366\161\350\006\003\225\376\336\217\110\034\132\324
\222\350\053\356\347\061\333\272\004\152\207\230\347\305\137\357
\175\247\042\367\001\330\115\371\211\320\016\232\005\131\244\236
\230\331\157\053\312\160\276\144\302\125\243\364\351\257\303\222
\051\334\210\026\044\231\074\215\046\230\266\133\267\314\316\267
\067\007\375\046\331\230\205\044\377\131\043\003\232\355\235\235
\250\344\136\070\316\327\122\015\157\322\077\155\261\005\153\111
\316\212\221\106\163\364\366\057\360\250\163\167\016\145\254\241
\215\146\122\151\176\113\150\014\307\036\067\047\203\245\214\307
\002\344\024\315\111\001\260\163\263\375\306\220\072\157\322\154
\355\073\356\354\221\276\242\103\135\213\000\112\146\045\104\160
\336\100\017\370\174\025\367\242\316\074\327\136\023\214\201\027
\030\027\321\275\361\167\020\072\324\145\071\301\047\254\127\054
\045\124\377\242\332\117\212\141\071\136\256\075\112\214\275
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Certigna Root CA"
```

```
# Issuer: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
```

```
# Serial Number:00:ca:e9:1b:89:f1:55:03:0d:a3:e6:41:6d:c4:e3:a6:e1
```

```
# Subject: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
```

```
# Not Valid Before: Tue Oct 01 08:32:27 2013
```

```
# Not Valid After : Sat Oct 01 08:32:27 2033
```

```
# Fingerprint (SHA-256):
```

```
D4:8D:3D:23:EE:DB:50:A4:59:E5:51:97:60:1C:27:77:4B:9D:7B:18:C9:4D:5A:05:95:11:A1:02:50:B9:31:68
```

```
# Fingerprint (SHA1): 2D:0D:52:14:FF:9E:AD:99:24:01:74:20:47:6E:6C:85:27:27:F5:43
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certigna Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\055\015\122\024\377\236\255\231\044\001\164\040\107\156\154\205
\047\047\365\103
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\016\134\060\142\047\353\133\274\327\256\142\272\351\325\337\167
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060
\060\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063
```

\066\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164

\151\147\156\141\040\122\157\157\164\040\103\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\021\000\312\351\033\211\361\125\003\015\243\346\101\155\304

\343\246\341

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "emSign Root CA - G1"

#

Issuer: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN

Serial Number:31:f5:e4:62:0c:6c:58:ed:d6:d8

Subject: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN

Not Valid Before: Sun Feb 18 18:30:00 2018

Not Valid After : Wed Feb 18 18:30:00 2043

Fingerprint (SHA-256):

40:F6:AF:03:46:A9:9A:A1:CD:1D:55:5A:4E:9C:CE:62:C7:F9:63:46:03:EE:40:66:15:83:3D:C8:C8:D0:03:67

Fingerprint (SHA1): 8A:C7:AD:8F:73:AC:4E:C1:B5:75:4D:A5:40:F4:FC:CF:7C:B5:8E:8C

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "emSign Root CA - G1"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116\061

\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156

\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145

\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147

\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032\006

\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157

\164\040\103\101\040\055\040\107\061

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116\061

\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156

\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145

\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147

\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032\006

\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157

\164\040\103\101\040\055\040\107\061

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\012\061\365\344\142\014\154\130\355\326\330

END

CKA_VALUE MULTILINE_OCTAL

\060\202\003\224\060\202\002\174\240\003\002\001\002\002\012\061
\365\344\142\014\154\130\355\326\330\060\015\006\011\052\206\110
\206\367\015\001\001\013\005\000\060\147\061\013\060\011\006\003
\125\004\006\023\002\111\116\061\023\060\021\006\003\125\004\013
\023\012\145\155\123\151\147\156\040\120\113\111\061\045\060\043
\006\003\125\004\012\023\034\145\115\165\144\150\162\141\040\124
\145\143\150\156\157\154\157\147\151\145\163\040\114\151\155\151
\164\145\144\061\034\060\032\006\003\125\004\003\023\023\145\155
\123\151\147\156\040\122\157\157\164\040\103\101\040\055\040\107
\061\060\036\027\015\061\070\060\062\061\070\061\070\063\060\060\060
\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060\060
\132\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116
\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147
\156\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034
\145\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157
\147\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032
\006\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157
\157\164\040\103\101\040\055\040\107\061\060\202\001\042\060\015
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001
\017\000\060\202\001\012\002\202\001\001\000\223\113\273\351\146
\212\356\235\133\325\064\223\320\033\036\303\347\236\270\144\063
\177\143\170\150\264\315\056\161\165\327\233\040\306\115\051\274
\266\150\140\212\367\041\232\126\065\132\363\166\275\330\315\232
\377\223\126\113\245\131\006\241\223\064\051\335\026\064\165\116
\362\201\264\307\226\116\255\031\025\122\112\376\074\160\165\160
\315\257\053\253\025\232\063\074\252\263\213\252\315\103\375\365
\352\160\377\355\317\021\073\224\316\116\062\026\323\043\100\052
\167\263\257\074\001\054\154\355\231\054\213\331\116\151\230\262
\367\217\101\260\062\170\141\326\015\137\303\372\242\100\222\035
\134\027\346\160\076\065\347\242\267\302\142\342\253\244\070\114
\265\071\065\157\352\003\151\372\072\124\150\205\155\326\362\057
\103\125\036\221\015\016\330\325\152\244\226\321\023\074\054\170
\120\350\072\222\322\027\126\345\065\032\100\034\076\215\054\355
\071\337\102\340\203\101\164\337\243\315\302\206\140\110\150\343
\151\013\124\000\213\344\166\151\041\015\171\116\064\010\136\024
\302\314\261\267\255\327\174\160\212\307\205\002\003\001\000\001
\243\102\060\100\060\035\006\003\125\035\016\004\026\004\024\373
\357\015\206\236\260\343\335\251\271\361\041\027\177\076\374\360
\167\053\032\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001
\013\005\000\003\202\001\001\000\131\377\362\214\365\207\175\161
\075\243\237\033\133\321\332\370\323\234\153\066\275\233\251\141
\353\336\026\054\164\075\236\346\165\332\327\272\247\274\102\027

```
\347\075\221\353\345\175\335\076\234\361\317\222\254\154\110\314
\302\042\077\151\073\305\266\025\057\243\065\306\150\052\034\127
\257\071\357\215\320\065\303\030\014\173\000\126\034\315\213\031
\164\336\276\017\022\340\320\252\241\077\002\064\261\160\316\235
\030\326\010\003\011\106\356\140\340\176\266\304\111\004\121\175
\160\140\274\252\262\377\171\162\172\246\035\075\137\052\370\312
\342\375\071\267\107\271\353\176\337\004\043\257\372\234\006\007
\351\373\143\223\200\100\265\306\154\012\061\050\316\014\237\317
\263\043\065\200\101\215\154\304\067\173\201\057\200\241\100\102
\205\351\331\070\215\350\241\123\315\001\277\151\350\132\006\362
\105\013\220\372\256\341\277\235\362\256\127\074\245\256\262\126
\364\213\145\100\351\375\061\201\054\364\071\011\330\356\153\247
\264\246\035\025\245\230\367\001\201\330\205\175\363\121\134\161
\210\336\272\314\037\200\176\112
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "emSign Root CA - G1"
```

```
# Issuer: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
```

```
# Serial Number:31:f5:e4:62:0c:6c:58:ed:d6:d8
```

```
# Subject: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
```

```
# Not Valid Before: Sun Feb 18 18:30:00 2018
```

```
# Not Valid After : Wed Feb 18 18:30:00 2043
```

```
# Fingerprint (SHA-256):
```

```
40:F6:AF:03:46:A9:9A:A1:CD:1D:55:5A:4E:9C:CE:62:C7:F9:63:46:03:EE:40:66:15:83:3D:C8:C8:D0:03:67
```

```
# Fingerprint (SHA1): 8A:C7:AD:8F:73:AC:4E:C1:B5:75:4D:A5:40:F4:FC:CF:7C:B5:8E:8C
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "emSign Root CA - G1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\212\307\255\217\163\254\116\301\265\165\115\245\100\364\374\317
\174\265\216\214
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\234\102\204\127\335\313\013\247\056\225\255\266\363\332\274\254
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032\006
\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157
\164\040\103\101\040\055\040\107\061
```

```

END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\061\365\344\142\014\154\130\355\326\330
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "emSign ECC Root CA - G3"
#
# Issuer: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
# Serial Number:3c:f6:07:a9:68:70:0e:da:8b:84
# Subject: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
# Not Valid Before: Sun Feb 18 18:30:00 2018
# Not Valid After : Wed Feb 18 18:30:00 2043
# Fingerprint (SHA-256):
86:A1:EC:BA:08:9C:4A:8D:3B:BE:27:34:C6:12:BA:34:1D:81:3E:04:3C:F9:E8:A8:62:CD:5C:57:A3:6B:BE:6B
# Fingerprint (SHA1): 30:43:FA:4F:F2:57:DC:A0:C3:80:EE:2E:58:EA:78:B2:3F:E6:BB:C1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign ECC Root CA - G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\074\366\007\251\150\160\016\332\213\204
END

```

CKA_VALUE MULTILINE_OCTAL

\060\202\002\116\060\202\001\323\240\003\002\001\002\002\012\074
\366\007\251\150\160\016\332\213\204\060\012\006\010\052\206\110
\316\075\004\003\003\060\153\061\013\060\011\006\003\125\004\006
\023\002\111\116\061\023\060\021\006\003\125\004\013\023\012\145
\155\123\151\147\156\040\120\113\111\061\045\060\043\006\003\125
\004\012\023\034\145\115\165\144\150\162\141\040\124\145\143\150
\156\157\154\157\147\151\145\163\040\114\151\155\151\164\145\144
\061\040\060\036\006\003\125\004\003\023\027\145\155\123\151\147
\156\040\105\103\103\040\122\157\157\164\040\103\101\040\055\040
\107\063\060\036\027\015\061\070\060\062\061\070\061\070\063\060
\060\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060
\060\132\060\153\061\013\060\011\006\003\125\004\006\023\002\111
\116\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151
\147\156\040\120\113\111\061\045\060\043\006\003\125\004\012\023
\034\145\115\165\144\150\162\141\040\124\145\143\150\156\157\154
\157\147\151\145\163\040\114\151\155\151\164\145\144\061\040\060
\036\006\003\125\004\003\023\027\145\155\123\151\147\156\040\105
\103\103\040\122\157\157\164\040\103\101\040\055\040\107\063\060
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201
\004\000\042\003\142\000\004\043\245\014\270\055\022\365\050\363
\261\262\335\342\002\022\200\236\071\137\111\115\237\311\045\064
\131\164\354\273\006\034\347\300\162\257\350\256\057\341\101\124
\207\024\250\112\262\350\174\202\346\133\152\265\334\263\165\316
\213\006\320\206\043\277\106\325\216\017\077\004\364\327\034\222
\176\366\245\143\302\365\137\216\056\117\241\030\031\002\053\062
\012\202\144\175\026\223\321\243\102\060\100\060\035\006\003\125
\035\016\004\026\004\024\174\135\002\204\023\324\314\212\233\201
\316\027\034\056\051\036\234\110\143\102\060\016\006\003\125\035
\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125\035
\023\001\001\377\004\005\060\003\001\001\377\060\012\006\010\052
\206\110\316\075\004\003\003\003\151\000\060\146\002\061\000\276
\363\141\317\002\020\035\144\225\007\270\030\156\210\205\005\057
\203\010\027\220\312\037\212\114\350\015\033\172\261\255\325\201
\011\107\357\073\254\010\004\174\134\231\261\355\107\007\322\002
\061\000\235\272\125\374\251\112\350\355\355\346\166\001\102\173
\310\370\140\331\215\121\213\125\073\373\214\173\353\145\011\303
\370\226\315\107\250\202\362\026\125\167\044\176\022\020\225\004
\054\243

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "emSign ECC Root CA - G3"
Issuer: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
Serial Number:3c:f6:07:a9:68:70:0e:da:8b:84
Subject: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN

```

# Not Valid Before: Sun Feb 18 18:30:00 2018
# Not Valid After : Wed Feb 18 18:30:00 2043
# Fingerprint (SHA-256):
86:A1:EC:BA:08:9C:4A:8D:3B:BE:27:34:C6:12:BA:34:1D:81:3E:04:3C:F9:E8:A8:62:CD:5C:57:A3:6B:BE:6B
# Fingerprint (SHA1): 30:43:FA:4F:F2:57:DC:A0:C3:80:EE:2E:58:EA:78:B2:3F:E6:BB:C1
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign ECC Root CA - G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\060\103\372\117\362\127\334\240\303\200\356\056\130\352\170\262
\077\346\273\301
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\316\013\162\321\237\210\216\320\120\003\350\343\270\213\147\100
END
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\074\366\007\251\150\160\016\332\213\204
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "emSign Root CA - C1"
#
# Issuer: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US
# Serial Number:00:ae:cf:00:ba:c4:cf:32:f8:43:b2
# Subject: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US
# Not Valid Before: Sun Feb 18 18:30:00 2018
# Not Valid After : Wed Feb 18 18:30:00 2043
# Fingerprint (SHA-256):
12:56:09:AA:30:1D:A0:A2:49:B9:7A:82:39:CB:6A:34:21:6F:44:DC:AC:9F:39:54:B1:42:92:F2:E8:C8:60:8F
# Fingerprint (SHA1): E7:2E:F1:DF:FC:B2:09:28:CF:5D:D4:D5:67:37:B1:51:CB:86:4F:01
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE

```



```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign Root CA - C1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006\003
\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157\164
\040\103\101\040\055\040\103\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006\003
\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157\164
\040\103\101\040\055\040\103\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\000\256\317\000\272\304\317\062\370\103\262
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\163\060\202\002\133\240\003\002\001\002\002\013\000
\256\317\000\272\304\317\062\370\103\262\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\060\126\061\013\060\011\006
\003\125\004\006\023\002\125\123\061\023\060\021\006\003\125\004
\013\023\012\145\155\123\151\147\156\040\120\113\111\061\024\060
\022\006\003\125\004\012\023\013\145\115\165\144\150\162\141\040
\111\156\143\061\034\060\032\006\003\125\004\003\023\023\145\155
\123\151\147\156\040\122\157\157\164\040\103\101\040\055\040\103
\061\060\036\027\015\061\070\060\062\061\070\061\070\063\060\060
\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060\060
\132\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147
\156\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013
\145\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006
\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157
\164\040\103\101\040\055\040\103\061\060\202\001\042\060\015\006
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017
\000\060\202\001\012\002\202\001\001\000\317\353\251\271\361\231
\005\314\330\050\041\112\363\163\064\121\204\126\020\365\240\117
\054\022\343\372\023\232\047\320\317\371\171\032\164\137\035\171
\071\374\133\370\160\216\340\222\122\367\344\045\371\124\203\331
\035\323\310\132\205\077\136\307\266\007\356\076\300\316\232\257
\254\126\102\052\071\045\160\326\277\265\173\066\255\254\366\163
\334\315\327\035\212\203\245\373\053\220\025\067\153\034\046\107
```

\334\073\051\126\223\152\263\301\152\072\235\075\365\301\227\070
\130\005\213\034\021\343\344\264\270\135\205\035\203\376\170\137
\013\105\150\030\110\245\106\163\064\073\376\017\310\166\273\307
\030\363\005\321\206\363\205\355\347\271\331\062\255\125\210\316
\246\266\221\260\117\254\176\025\043\226\366\077\360\040\064\026
\336\012\306\304\004\105\171\177\247\375\276\322\251\245\257\234
\305\043\052\367\074\041\154\275\257\217\116\305\072\262\363\064
\022\374\337\200\032\111\244\324\251\225\367\236\211\136\242\211
\254\224\313\250\150\233\257\212\145\047\315\211\356\335\214\265
\153\051\160\103\240\151\013\344\271\017\002\003\001\000\001\243
\102\060\100\060\035\006\003\125\035\016\004\026\004\024\376\241
\340\160\036\052\003\071\122\132\102\276\134\221\205\172\030\252
\115\265\060\016\006\003\125\035\017\001\001\377\004\004\003\002
\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003
\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\003\202\001\001\000\302\112\126\372\025\041\173\050\242
\351\345\035\373\370\055\304\071\226\101\114\073\047\054\304\154
\030\025\200\306\254\257\107\131\057\046\013\343\066\260\357\073
\376\103\227\111\062\231\022\025\133\337\021\051\377\253\123\370
\273\301\170\017\254\234\123\257\127\275\150\214\075\151\063\360
\243\240\043\143\073\144\147\042\104\255\325\161\313\126\052\170
\222\243\117\022\061\066\066\342\336\376\000\304\243\140\017\047
\255\240\260\212\265\066\172\122\241\275\047\364\040\047\142\350
\115\224\044\023\344\012\004\351\074\253\056\310\103\011\112\306
\141\004\345\111\064\176\323\304\310\365\017\300\252\351\272\124
\136\363\143\053\117\117\120\324\376\271\173\231\214\075\300\056
\274\002\053\323\304\100\344\212\007\061\036\233\316\046\231\023
\373\021\352\232\042\014\021\031\307\136\033\201\120\060\310\226
\022\156\347\313\101\177\221\073\242\107\267\124\200\033\334\000
\314\232\220\352\303\303\120\006\142\014\060\300\025\110\247\250
\131\174\341\256\042\242\342\012\172\017\372\142\253\122\114\341
\361\337\312\276\203\015\102

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "emSign Root CA - C1"

Issuer: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US

Serial Number:00:ae:cf:00:ba:c4:cf:32:f8:43:b2

Subject: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US

Not Valid Before: Sun Feb 18 18:30:00 2018

Not Valid After : Wed Feb 18 18:30:00 2043

Fingerprint (SHA-256):

12:56:09:AA:30:1D:A0:A2:49:B9:7A:82:39:CB:6A:34:21:6F:44:DC:AC:9F:39:54:B1:42:92:F2:E8:C8:60:8F

Fingerprint (SHA1): E7:2E:F1:DF:FC:B2:09:28:CF:5D:D4:D5:67:37:B1:51:CB:86:4F:01

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign Root CA - C1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\347\056\361\337\374\262\011\050\317\135\324\325\147\067\261\121
\313\206\117\001
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\330\343\135\001\041\372\170\132\260\337\272\322\356\052\137\150
END
CKA_ISSUER MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006\003
\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157\164
\040\103\101\040\055\040\103\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\000\256\317\000\272\304\317\062\370\103\262
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "emSign ECC Root CA - C3"
#
# Issuer: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
# Serial Number:7b:71:b6:82:56:b8:12:7c:9c:a8
# Subject: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
# Not Valid Before: Sun Feb 18 18:30:00 2018
# Not Valid After : Wed Feb 18 18:30:00 2043
# Fingerprint (SHA-256):
BC:4D:80:9B:15:18:9D:78:DB:3E:1D:8C:F4:F9:72:6A:79:5D:A1:64:3C:A5:F1:35:8E:1D:DB:0E:DC:0D:7E:B3
# Fingerprint (SHA1): B6:AF:43:C2:9B:81:53:7D:F6:EF:6B:C3:1F:1F:60:15:0C:EE:48:66
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign ECC Root CA - C3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006\003

```

```
\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103\040
\122\157\157\164\040\103\101\040\055\040\103\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006\003
\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103\040
\122\157\157\164\040\103\101\040\055\040\103\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\173\161\266\202\126\270\022\174\234\250
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\053\060\202\001\261\240\003\002\001\002\002\012\173
\161\266\202\126\270\022\174\234\250\060\012\006\010\052\206\110
\316\075\004\003\003\060\132\061\013\060\011\006\003\125\004\006
\023\002\125\123\061\023\060\021\006\003\125\004\013\023\012\145
\155\123\151\147\156\040\120\113\111\061\024\060\022\006\003\125
\004\012\023\013\145\115\165\144\150\162\141\040\111\156\143\061
\040\060\036\006\003\125\004\003\023\027\145\155\123\151\147\156
\040\105\103\103\040\122\157\157\164\040\103\101\040\055\040\103
\063\060\036\027\015\061\070\060\062\061\070\061\070\063\060\060
\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060\060
\132\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147
\156\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013
\145\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\103\063\060\166\060
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000
\042\003\142\000\004\375\245\141\256\173\046\020\035\351\267\042
\060\256\006\364\201\263\261\102\161\225\071\274\323\122\343\257
\257\371\362\227\065\222\066\106\016\207\225\215\271\071\132\351
\273\337\320\376\310\007\101\074\273\125\157\203\243\152\373\142
\260\201\211\002\160\175\110\305\112\343\351\042\124\042\115\223
\273\102\014\257\167\234\043\246\175\327\141\021\316\145\307\370
\177\376\365\362\251\243\102\060\100\060\035\006\003\125\035\016
\004\026\004\024\373\132\110\320\200\040\100\362\250\351\000\007
\151\031\167\247\346\303\364\317\060\016\006\003\125\035\017\001
\001\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001
\001\377\004\005\060\003\001\001\377\060\012\006\010\052\206\110
\316\075\004\003\003\003\150\000\060\145\002\061\000\264\330\057
\002\211\375\266\114\142\272\103\116\023\204\162\265\256\335\034
\336\326\265\334\126\217\130\100\132\055\336\040\114\042\203\312
\223\250\176\356\022\100\307\326\207\117\370\337\205\002\060\034
```

```
\024\144\344\174\226\203\021\234\260\321\132\141\113\246\017\111
\323\000\374\241\374\344\245\377\177\255\327\060\320\307\167\177
\276\201\007\125\060\120\040\024\365\127\070\012\250\061\121
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "emSign ECC Root CA - C3"
```

```
# Issuer: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
```

```
# Serial Number:7b:71:b6:82:56:b8:12:7c:9c:a8
```

```
# Subject: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
```

```
# Not Valid Before: Sun Feb 18 18:30:00 2018
```

```
# Not Valid After : Wed Feb 18 18:30:00 2043
```

```
# Fingerprint (SHA-256):
```

```
BC:4D:80:9B:15:18:9D:78:DB:3E:1D:8C:F4:F9:72:6A:79:5D:A1:64:3C:A5:F1:35:8E:1D:DB:0E:DC:0D:7E:B3
```

```
# Fingerprint (SHA1): B6:AF:43:C2:9B:81:53:7D:F6:EF:6B:C3:1F:1F:60:15:0C:EE:48:66
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "emSign ECC Root CA - C3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\266\257\103\302\233\201\123\175\366\357\153\303\037\037\140\025
\014\356\110\146
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\076\123\263\243\201\356\327\020\370\323\260\035\027\222\365\325
```

```
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006\003
\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103\040
\122\157\157\164\040\103\101\040\055\040\103\063
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\012\173\161\266\202\126\270\022\174\234\250
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "Hongkong Post Root CA 3"
```

```
#
```

```
# Issuer: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK
# Serial Number:08:16:5f:8a:4c:a5:ec:00:c9:93:40:df:c4:c6:ae:23:b8:1c:5a:a4
# Subject: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK
# Not Valid Before: Sat Jun 03 02:29:46 2017
# Not Valid After : Tue Jun 03 02:29:46 2042
# Fingerprint (SHA-256):
5A:2F:C0:3F:0C:83:B0:90:BB:FA:40:60:4B:09:88:44:6C:76:36:18:3D:F9:84:6E:17:10:1A:44:7F:B8:EF:D6
# Fingerprint (SHA1): 58:A2:D0:EC:20:52:81:5B:C1:F3:F8:64:02:24:4E:C2:8E:02:4B:02
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hongkong Post Root CA 3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\022\060\020\006\003\125\004\010\023\011\110\157\156\147\040\113
\157\156\147\061\022\060\020\006\003\125\004\007\023\011\110\157
\156\147\040\113\157\156\147\061\026\060\024\006\003\125\004\012
\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164\061
\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153\157
\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101\040
\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\022\060\020\006\003\125\004\010\023\011\110\157\156\147\040\113
\157\156\147\061\022\060\020\006\003\125\004\007\023\011\110\157
\156\147\040\113\157\156\147\061\026\060\024\006\003\125\004\012
\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164\061
\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153\157
\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101\040
\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\010\026\137\212\114\245\354\000\311\223\100\337\304\306
\256\043\270\034\132\244
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\317\060\202\003\267\240\003\002\001\002\002\024\010
\026\137\212\114\245\354\000\311\223\100\337\304\306\256\043\270
\034\132\244\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\157\061\013\060\011\006\003\125\004\006\023\002\110
\113\061\022\060\020\006\003\125\004\010\023\011\110\157\156\147
\040\113\157\156\147\061\022\060\020\006\003\125\004\007\023\011
\110\157\156\147\040\113\157\156\147\061\026\060\024\006\003\125
\004\012\023\015\110\157\156\147\153\157\156\147\040\120\157\163
```

\164\061\040\060\036\006\003\125\004\003\023\027\110\157\156\147
\153\157\156\147\040\120\157\163\164\040\122\157\157\164\040\103
\101\040\063\060\036\027\015\061\067\060\066\060\063\060\062\062
\071\064\066\132\027\015\064\062\060\066\060\063\060\062\062\071
\064\066\132\060\157\061\013\060\011\006\003\125\004\006\023\002
\110\113\061\022\060\020\006\003\125\004\010\023\011\110\157\156
\147\040\113\157\156\147\061\022\060\020\006\003\125\004\007\023
\011\110\157\156\147\040\113\157\156\147\061\026\060\024\006\003
\125\004\012\023\015\110\157\156\147\153\157\156\147\040\120\157
\163\164\061\040\060\036\006\003\125\004\003\023\027\110\157\156
\147\153\157\156\147\040\120\157\163\164\040\122\157\157\164\040
\103\101\040\063\060\202\002\042\060\015\006\011\052\206\110\206
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012
\002\202\002\001\000\263\210\327\352\316\017\040\116\276\346\326
\003\155\356\131\374\302\127\337\051\150\241\203\016\076\150\307
\150\130\234\034\140\113\211\103\014\271\324\025\262\356\301\116
\165\351\265\247\357\345\351\065\231\344\314\034\347\113\137\215
\063\060\040\063\123\331\246\273\325\076\023\216\351\037\207\111
\255\120\055\120\312\030\276\001\130\242\023\160\226\273\211\210
\126\200\134\370\275\054\074\341\114\127\210\273\323\271\225\357
\313\307\366\332\061\164\050\246\346\124\211\365\101\061\312\345
\046\032\315\202\340\160\332\073\051\273\325\003\365\231\272\125
\365\144\321\140\016\263\211\111\270\212\057\005\322\204\105\050
\174\217\150\120\022\170\374\013\265\123\313\302\230\034\204\243
\236\260\276\043\244\332\334\310\053\036\332\156\105\036\211\230
\332\371\000\056\006\351\014\073\160\325\120\045\210\231\313\315
\163\140\367\325\377\065\147\305\241\274\136\253\315\112\270\105
\353\310\150\036\015\015\024\106\022\343\322\144\142\212\102\230
\274\264\306\010\010\370\375\250\114\144\234\166\001\275\057\251
\154\063\017\330\077\050\270\074\151\001\102\206\176\151\301\311
\006\312\345\172\106\145\351\302\326\120\101\056\077\267\344\355
\154\327\277\046\001\021\242\026\051\112\153\064\006\220\354\023
\322\266\373\152\166\322\074\355\360\326\055\335\341\025\354\243
\233\057\054\311\076\053\344\151\073\377\162\045\261\066\206\133
\307\177\153\213\125\033\112\305\040\141\075\256\313\120\341\010
\072\276\260\217\143\101\123\060\010\131\074\230\035\167\272\143
\221\172\312\020\120\140\277\360\327\274\225\207\217\227\305\376
\227\152\001\224\243\174\133\205\035\052\071\072\320\124\241\321
\071\161\235\375\041\371\265\173\360\342\340\002\217\156\226\044
\045\054\240\036\054\250\304\211\247\357\355\231\006\057\266\012
\114\117\333\242\314\067\032\257\107\205\055\212\137\304\064\064
\114\000\375\030\223\147\023\321\067\346\110\264\213\006\305\127
\173\031\206\012\171\313\000\311\122\257\102\377\067\217\341\243
\036\172\075\120\253\143\006\347\025\265\077\266\105\067\224\067
\261\176\362\110\303\177\305\165\376\227\215\105\217\032\247\032
\162\050\032\100\017\002\003\001\000\001\243\143\060\141\060\017
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060

\037\006\003\125\035\043\004\030\060\026\200\024\027\235\315\036
\213\326\071\053\160\323\134\324\240\270\037\260\000\374\305\141
\060\035\006\003\125\035\016\004\026\004\024\027\235\315\036\213
\326\071\053\160\323\134\324\240\270\037\260\000\374\305\141\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202
\002\001\000\126\325\173\156\346\042\001\322\102\233\030\325\016
\327\146\043\134\343\376\240\307\222\322\351\224\255\113\242\306
\354\022\174\164\325\110\322\131\024\231\300\353\271\321\353\364
\110\060\133\255\247\127\163\231\251\323\345\267\321\056\131\044
\130\334\150\056\056\142\330\152\344\160\013\055\040\120\040\244
\062\225\321\000\230\273\323\375\367\062\362\111\256\306\172\340
\107\276\156\316\313\243\162\072\055\151\135\313\310\350\105\071
\324\372\102\301\021\114\167\135\222\373\152\377\130\104\345\353
\201\236\257\240\231\255\276\251\001\146\313\070\035\074\337\103
\037\364\115\156\264\272\027\106\374\175\375\207\201\171\152\015
\063\017\372\057\370\024\271\200\263\135\115\252\227\341\371\344
\030\305\370\325\070\214\046\074\375\362\050\342\356\132\111\210
\054\337\171\075\216\236\220\074\275\101\112\072\335\133\366\232
\264\316\077\045\060\177\062\175\242\003\224\320\334\172\241\122
\336\156\223\215\030\046\375\125\254\275\217\233\322\317\257\347
\206\054\313\037\011\157\243\157\251\204\324\163\277\115\241\164
\033\116\043\140\362\314\016\252\177\244\234\114\045\250\262\146
\073\070\377\331\224\060\366\162\204\276\150\125\020\017\306\163
\054\026\151\223\007\376\261\105\355\273\242\125\152\260\332\265
\112\002\045\047\205\327\267\267\206\104\026\211\154\200\053\076
\227\251\234\325\176\125\114\306\336\105\020\034\352\351\073\237
\003\123\356\356\172\001\002\026\170\324\350\302\276\106\166\210
\023\077\042\273\110\022\035\122\000\264\002\176\041\032\036\234
\045\364\363\075\136\036\322\034\371\263\055\266\367\067\134\306
\313\041\116\260\367\231\107\030\205\301\053\272\125\256\006\352
\320\007\262\334\253\320\202\226\165\316\322\120\376\231\347\317
\057\237\347\166\321\141\052\373\041\273\061\320\252\237\107\244
\262\042\312\026\072\120\127\304\133\103\147\305\145\142\003\111
\001\353\103\331\330\370\236\255\317\261\143\016\105\364\240\132
\054\233\055\305\246\300\255\250\107\364\047\114\070\015\056\033
\111\073\122\364\350\210\203\053\124\050\324\362\065\122\264\062
\203\142\151\144\014\221\234\237\227\352\164\026\375\037\021\006
\232\233\364

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE

Trust for "Hongkong Post Root CA 3"

Issuer: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK

Serial Number:08:16:5f:8a:4c:a5:ec:00:c9:93:40:df:c4:c6:ae:23:b8:1c:5a:a4

Subject: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK

Not Valid Before: Sat Jun 03 02:29:46 2017


```

# Not Valid After : Tue Jun 03 02:29:46 2042
# Fingerprint (SHA-256):
5A:2F:C0:3F:0C:83:B0:90:BB:FA:40:60:4B:09:88:44:6C:76:36:18:3D:F9:84:6E:17:10:1A:44:7F:B8:EF:D6
# Fingerprint (SHA1): 58:A2:D0:EC:20:52:81:5B:C1:F3:F8:64:02:24:4E:C2:8E:02:4B:02
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hongkong Post Root CA 3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\130\242\320\354\040\122\201\133\301\363\370\144\002\044\116\302
\216\002\113\002
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\021\374\237\275\163\060\002\212\375\077\363\130\271\313\040\360
END
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\022\060\020\006\003\125\004\010\023\011\110\157\156\147\040\113
\157\156\147\061\022\060\020\006\003\125\004\007\023\011\110\157
\156\147\040\113\157\156\147\061\026\060\024\006\003\125\004\012
\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164\061
\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153\157
\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101\040
\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\010\026\137\212\114\245\354\000\311\223\100\337\304\306
\256\043\270\034\132\244
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Entrust Root Certification Authority - G4"
#
# Issuer: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Serial Number:00:d9:b5:43:7f:af:a9:39:0f:00:00:00:00:55:65:ad:58
# Subject: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Not Valid Before: Wed May 27 11:11:16 2015
# Not Valid After : Sun Dec 27 11:41:16 2037
# Fingerprint (SHA-256):
DB:35:17:D1:F6:73:2A:2D:5A:B9:7C:53:3E:C7:07:79:EE:32:70:A6:2F:B4:AC:42:38:37:24:60:E6:F0:1E:88
# Fingerprint (SHA1): 14:88:4E:86:26:37:B0:26:AF:59:62:5C:40:77:EC:35:29:BA:96:01

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority - G4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\064
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\000\331\265\103\177\257\251\071\017\000\000\000\000\125
\145\255\130
END
CKA_VALUE MULTILINE_OCTAL
\060\202\006\113\060\202\004\063\240\003\002\001\002\002\021\000
\331\265\103\177\257\251\071\017\000\000\000\000\125\145\255\130
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165\163
\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004\013
```

\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165\163
\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162\155
\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051\040
\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111\156
\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162\151
\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060\060
\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040\122
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107\064
\060\036\027\015\061\065\060\065\062\067\061\061\061\061\061\066
\132\027\015\063\067\061\062\062\067\061\061\064\061\061\066\132
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\064\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002
\001\000\261\354\054\102\356\342\321\060\377\245\222\107\342\055
\303\272\144\227\155\312\367\015\265\131\301\263\313\250\150\031
\330\257\204\155\060\160\135\176\363\056\322\123\231\341\376\037
\136\331\110\257\135\023\215\333\377\143\063\115\323\000\002\274
\304\370\321\006\010\224\171\130\212\025\336\051\263\375\375\304
\117\350\252\342\240\073\171\315\277\153\103\062\335\331\164\020
\271\367\364\150\324\273\320\207\325\252\113\212\052\157\052\004
\265\262\246\307\240\172\346\110\253\322\321\131\314\326\176\043
\346\227\154\360\102\345\334\121\113\025\101\355\111\112\311\336
\020\227\326\166\301\357\245\265\066\024\227\065\330\170\042\065
\122\357\103\275\333\047\333\141\126\202\064\334\313\210\140\014
\013\132\345\054\001\306\124\257\327\252\301\020\173\322\005\132
\270\100\236\206\247\303\220\206\002\126\122\011\172\234\322\047
\202\123\112\145\122\152\365\074\347\250\362\234\257\213\275\323
\016\324\324\136\156\207\236\152\075\105\035\321\135\033\364\351
\012\254\140\231\373\211\264\377\230\054\317\174\035\351\002\252
\004\232\036\270\334\210\156\045\263\154\146\367\074\220\363\127
\301\263\057\365\155\362\373\312\241\370\051\235\106\213\263\152
\366\346\147\007\276\054\147\012\052\037\132\262\076\127\304\323
\041\041\143\145\122\221\033\261\231\216\171\176\346\353\215\000
\331\132\252\352\163\350\244\202\002\107\226\376\133\216\124\141
\243\353\057\113\060\260\213\043\165\162\174\041\074\310\366\361
\164\324\034\173\243\005\125\356\273\115\073\062\276\232\167\146

\236\254\151\220\042\007\037\141\072\226\276\345\232\117\314\005
\074\050\131\323\301\014\124\250\131\141\275\310\162\114\350\334
\237\207\177\275\234\110\066\136\225\243\016\271\070\044\125\374
\165\146\353\002\343\010\064\051\112\306\343\053\057\063\240\332
\243\206\245\022\227\375\200\053\332\024\102\343\222\275\076\362
\135\136\147\164\056\034\210\107\051\064\137\342\062\250\234\045
\067\214\272\230\000\227\213\111\226\036\375\045\212\254\334\332
\330\135\164\156\146\260\377\104\337\241\030\306\276\110\057\067
\224\170\370\225\112\077\177\023\136\135\131\375\164\206\103\143
\163\111\002\003\001\000\001\243\102\060\100\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003
\125\035\016\004\026\004\024\237\070\304\126\043\303\071\350\240
\161\154\350\124\114\344\350\072\261\277\147\060\015\006\011\052
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\022
\345\102\246\173\213\017\014\344\106\245\266\140\100\207\214\045
\176\255\270\150\056\133\306\100\166\074\003\370\311\131\364\363
\253\142\316\020\215\264\132\144\214\150\300\260\162\103\064\322
\033\013\366\054\123\322\312\220\113\206\146\374\252\203\042\364
\213\032\157\046\110\254\166\167\010\277\305\230\134\364\046\211
\236\173\303\271\144\062\001\177\323\303\335\130\155\354\261\253
\204\125\164\167\204\004\047\122\153\206\114\316\335\271\145\377
\326\306\136\237\232\020\231\113\165\152\376\152\351\227\040\344
\344\166\172\306\320\044\252\220\315\040\220\272\107\144\373\177
\007\263\123\170\265\012\142\362\163\103\316\101\053\201\152\056
\205\026\224\123\324\153\137\162\042\253\121\055\102\325\000\234
\231\277\336\273\224\073\127\375\232\365\206\313\126\073\133\210
\001\345\174\050\113\003\371\111\203\174\262\177\174\343\355\216
\241\177\140\123\216\125\235\120\064\022\017\267\227\173\154\207
\112\104\347\365\155\354\200\067\360\130\031\156\112\150\166\360
\037\222\344\352\265\222\323\141\121\020\013\255\247\331\137\307
\137\334\037\243\134\214\241\176\233\267\236\323\126\157\146\136
\007\226\040\355\013\164\373\146\116\213\021\025\351\201\111\176
\157\260\324\120\177\042\327\137\145\002\015\246\364\205\036\330
\256\006\113\112\247\322\061\146\302\370\316\345\010\246\244\002
\226\104\150\127\304\325\063\317\031\057\024\304\224\034\173\244
\331\360\237\016\261\200\342\321\236\021\144\251\210\021\072\166
\202\345\142\302\200\330\244\203\355\223\357\174\057\220\260\062
\114\226\025\150\110\122\324\231\010\300\044\350\034\343\263\245
\041\016\222\300\220\037\317\040\137\312\073\070\307\267\155\072
\363\346\104\270\016\061\153\210\216\160\353\234\027\122\250\101
\224\056\207\266\347\246\022\305\165\337\133\300\012\156\173\244
\344\136\206\371\066\224\337\167\303\351\015\300\071\361\171\273
\106\216\253\103\131\047\267\040\273\043\351\126\100\041\354\061
\075\145\252\103\362\075\337\160\104\341\272\115\046\020\073\230
\237\363\310\216\033\070\126\041\152\121\223\323\221\312\106\332
\211\267\075\123\203\054\010\037\213\217\123\335\377\254\037

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

Trust for "Entrust Root Certification Authority - G4"

Issuer: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

Serial Number:00:d9:b5:43:7f:af:a9:39:0f:00:00:00:00:55:65:ad:58

Subject: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

Not Valid Before: Wed May 27 11:11:16 2015

Not Valid After : Sun Dec 27 11:41:16 2037

Fingerprint (SHA-256):

DB:35:17:D1:F6:73:2A:2D:5A:B9:7C:53:3E:C7:07:79:EE:32:70:A6:2F:B4:AC:42:38:37:24:60:E6:F0:1E:88

Fingerprint (SHA1): 14:88:4E:86:26:37:B0:26:AF:59:62:5C:40:77:EC:35:29:BA:96:01

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Entrust Root Certification Authority - G4"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\024\210\116\206\046\067\260\046\257\131\142\134\100\167\354\065
\051\272\226\001

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\211\123\361\203\043\267\174\216\005\361\214\161\070\116\037\210

END

CKA_ISSUER MULTILINE_OCTAL

\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\064

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\021\000\331\265\103\177\257\251\071\017\000\000\000\000\125
\145\255\130

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

```

#
# Certificate "Microsoft ECC Root Certificate Authority 2017"
#
# Issuer: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US
# Serial Number:66:f2:3d:af:87:de:8b:b1:4a:ea:0c:57:31:01:c2:ec
# Subject: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US
# Not Valid Before: Wed Dec 18 23:06:45 2019
# Not Valid After : Fri Jul 18 23:16:04 2042
# Fingerprint (SHA-256):
35:8D:F3:9D:76:4A:F9:E1:B7:66:E9:C9:72:DF:35:2E:E1:5C:FA:C2:27:AF:6A:D1:D7:0E:8E:4A:6E:DC:BA:02
# Fingerprint (SHA1): 99:9A:64:C3:7F:F4:7D:9F:AB:95:F1:47:69:89:14:60:EE:C4:C3:C5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsoft ECC Root Certificate Authority 2017"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\105\103\103\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\105\103\103\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\146\362\075\257\207\336\213\261\112\352\014\127\061\001
\302\354
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\131\060\202\001\337\240\003\002\001\002\002\020\146
\362\075\257\207\336\213\261\112\352\014\127\061\001\302\354\060
\012\006\010\052\206\110\316\075\004\003\003\060\145\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\036\060\034\006\003
\125\004\012\023\025\115\151\143\162\157\163\157\146\164\040\103
\157\162\160\157\162\141\164\151\157\156\061\066\060\064\006\003

```

\125\004\003\023\055\115\151\143\162\157\163\157\146\164\040\105
\103\103\040\122\157\157\164\040\103\145\162\164\151\146\151\143
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\062\060
\061\067\060\036\027\015\061\071\061\062\061\070\062\063\060\066
\064\065\132\027\015\064\062\060\067\061\070\062\063\061\066\060
\064\132\060\145\061\013\060\011\006\003\125\004\006\023\002\125
\123\061\036\060\034\006\003\125\004\012\023\025\115\151\143\162
\157\163\157\146\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\066\060\064\006\003\125\004\003\023\055\115\151\143\162
\157\163\157\146\164\040\105\103\103\040\122\157\157\164\040\103
\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157
\162\151\164\171\040\062\060\061\067\060\166\060\020\006\007\052
\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000
\004\324\274\075\002\102\165\101\023\043\315\200\004\206\002\121
\057\152\250\201\142\013\145\314\366\312\235\036\157\112\146\121
\242\003\331\235\221\372\266\026\261\214\156\336\174\315\333\171
\246\057\316\273\316\161\057\345\245\253\050\354\143\004\146\231
\370\372\362\223\020\005\341\201\050\102\343\306\150\364\346\033
\204\140\112\211\257\355\171\017\073\316\361\366\104\365\001\170
\300\243\124\060\122\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004
\024\310\313\231\162\160\122\014\370\346\276\262\004\127\051\052
\317\102\020\355\065\060\020\006\011\053\006\001\004\001\202\067
\025\001\004\003\002\001\000\060\012\006\010\052\206\110\316\075
\004\003\003\003\150\000\060\145\002\060\130\362\115\352\014\371
\137\136\356\140\051\313\072\362\333\326\062\204\031\077\174\325
\057\302\261\314\223\256\120\273\011\062\306\306\355\176\311\066
\224\022\344\150\205\006\242\033\320\057\002\061\000\231\351\026
\264\016\372\126\110\324\244\060\026\221\170\333\124\214\145\001
\212\347\120\146\302\061\267\071\272\270\032\042\007\116\374\153
\124\026\040\377\053\265\347\114\014\115\246\117\163

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Microsoft ECC Root Certificate Authority 2017"
Issuer: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US
Serial Number:66:f2:3d:af:87:de:8b:b1:4a:ea:0c:57:31:01:c2:ec
Subject: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US
Not Valid Before: Wed Dec 18 23:06:45 2019
Not Valid After : Fri Jul 18 23:16:04 2042
Fingerprint (SHA-256):
35:8D:F3:9D:76:4A:F9:E1:B7:66:E9:C9:72:DF:35:2E:E1:5C:FA:C2:27:AF:6A:D1:D7:0E:8E:4A:6E:DC:BA:02
Fingerprint (SHA1): 99:9A:64:C3:7F:F4:7D:9F:AB:95:F1:47:69:89:14:60:EE:C4:C3:C5
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsoft ECC Root Certificate Authority 2017"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\231\232\144\303\177\364\175\237\253\225\361\107\151\211\024\140
\356\304\303\305
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\335\241\003\346\112\223\020\321\277\360\031\102\313\376\355\147
END
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\105\103\103\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\146\362\075\257\207\336\213\261\112\352\014\127\061\001
\302\354
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Microsoft RSA Root Certificate Authority 2017"
#
# Issuer: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
# Serial Number:1e:d3:97:09:5f:d8:b4:b3:47:70:1e:aa:be:7f:45:b3
# Subject: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
# Not Valid Before: Wed Dec 18 22:51:22 2019
# Not Valid After : Fri Jul 18 23:00:23 2042
# Fingerprint (SHA-256):
C7:41:F7:0F:4B:2A:8D:88:BF:2E:71:C1:41:22:EF:53:EF:10:EB:A0:CF:A5:E6:4C:FA:20:F4:18:85:30:73:E0
# Fingerprint (SHA1): 73:A5:E6:4A:3B:FF:83:16:FF:0E:DC:CC:61:8A:90:6E:4E:AE:4D:74
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsoft RSA Root Certificate Authority 2017"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163

```


\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\122\123\101\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\122\123\101\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\036\323\227\011\137\330\264\263\107\160\036\252\276\177
\105\263

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\250\060\202\003\220\240\003\002\001\002\002\020\036
\323\227\011\137\330\264\263\107\160\036\252\276\177\105\263\060
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\145
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\036\060
\034\006\003\125\004\012\023\025\115\151\143\162\157\163\157\146
\164\040\103\157\162\160\157\162\141\164\151\157\156\061\066\060
\064\006\003\125\004\003\023\055\115\151\143\162\157\163\157\146
\164\040\122\123\101\040\122\157\157\164\040\103\145\162\164\151
\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164\171
\040\062\060\061\067\060\036\027\015\061\071\061\062\061\070\062
\062\065\061\062\062\132\027\015\064\062\060\067\061\070\062\063
\060\060\062\063\132\060\145\061\013\060\011\006\003\125\004\006
\023\002\125\123\061\036\060\034\006\003\125\004\012\023\025\115
\151\143\162\157\163\157\146\164\040\103\157\162\160\157\162\141
\164\151\157\156\061\066\060\064\006\003\125\004\003\023\055\115
\151\143\162\157\163\157\146\164\040\122\123\101\040\122\157\157
\164\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165
\164\150\157\162\151\164\171\040\062\060\061\067\060\202\002\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\002\017\000\060\202\002\012\002\202\002\001\000\312\133\276
\224\063\214\051\225\221\026\012\225\275\107\142\301\211\363\231
\066\337\106\220\311\245\355\170\152\157\107\221\150\370\047\147
\120\063\035\241\246\373\340\345\103\243\204\002\127\001\135\234
\110\100\202\123\020\274\277\307\073\150\220\266\202\055\345\364
\145\320\314\155\031\314\225\371\173\254\112\224\255\016\336\113
\103\035\207\007\222\023\220\200\203\144\065\071\004\374\345\351
\154\263\266\037\120\224\070\145\120\134\027\106\271\266\205\265

\034\265\027\350\326\105\235\330\262\046\260\312\304\160\112\256
\140\244\335\263\331\354\374\073\325\127\162\274\077\310\311\262
\336\113\153\370\043\154\003\300\005\275\225\307\315\163\073\146
\200\144\343\032\254\056\371\107\005\362\006\266\233\163\365\170
\063\133\307\241\373\047\052\241\264\232\221\214\221\323\072\202
\076\166\100\264\315\122\141\121\160\050\077\305\305\132\362\311
\214\111\273\024\133\115\310\377\147\115\114\022\226\255\365\376
\170\250\227\207\327\375\136\040\200\334\241\113\042\373\324\211
\255\272\316\107\227\107\125\173\217\105\310\147\050\204\225\034
\150\060\357\357\111\340\065\173\144\347\230\260\224\332\115\205
\073\076\125\304\050\257\127\363\236\023\333\106\047\237\036\242
\136\104\203\244\245\312\325\023\263\113\077\304\343\302\346\206
\141\244\122\060\271\172\040\117\157\017\070\123\313\063\014\023
\053\217\326\232\275\052\310\055\261\034\175\113\121\312\107\321
\110\047\162\135\207\353\325\105\346\110\145\235\257\122\220\272
\133\242\030\145\127\022\237\150\271\324\025\153\224\304\151\042
\230\364\063\340\355\371\121\216\101\120\311\064\117\166\220\254
\374\070\301\330\341\173\271\343\343\224\341\106\151\313\016\012
\120\153\023\272\254\017\067\132\267\022\265\220\201\036\126\256
\127\042\206\331\311\322\321\327\121\343\253\073\306\125\375\036
\016\323\164\012\321\332\252\352\151\270\227\050\217\110\304\007
\370\122\103\072\364\312\125\065\054\260\246\152\300\234\371\362
\201\341\022\152\300\105\331\147\263\316\377\043\242\211\012\124
\324\024\271\052\250\327\354\371\253\315\045\130\062\171\217\220
\133\230\071\304\010\006\301\254\177\016\075\000\245\002\003\001
\000\001\243\124\060\122\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\011\313\131\177\206\262\160\217\032\303\071\343\300\331
\351\277\273\115\262\043\060\020\006\011\053\006\001\004\001\202
\067\025\001\004\003\002\001\000\060\015\006\011\052\206\110\206
\367\015\001\001\014\005\000\003\202\002\001\000\254\257\076\135
\302\021\226\211\216\243\347\222\326\227\025\270\023\242\246\102
\056\002\315\026\005\131\047\312\040\350\272\270\350\032\354\115
\250\227\126\256\145\103\261\217\000\233\122\315\125\315\123\071
\155\142\114\213\015\133\174\056\104\277\203\020\217\363\123\202
\200\303\117\072\307\156\021\077\346\343\026\221\204\373\155\204
\177\064\164\255\211\247\316\271\327\327\237\204\144\222\276\225
\241\255\011\123\063\335\356\012\352\112\121\216\157\125\253\272
\265\224\106\256\214\177\330\242\120\045\145\140\200\106\333\063
\004\256\154\265\230\164\124\045\334\223\344\370\343\125\025\075
\270\155\303\012\244\022\301\151\205\156\337\144\361\123\231\341
\112\165\040\235\225\017\344\326\334\003\361\131\030\350\107\211
\262\127\132\224\266\251\330\027\053\027\111\345\166\313\301\126
\231\072\067\261\377\151\054\221\221\223\341\337\114\243\067\166
\115\241\237\370\155\036\035\323\372\354\373\364\105\035\023\155
\317\367\131\345\042\047\162\053\206\363\127\273\060\355\044\115
\334\175\126\273\243\263\370\064\171\211\301\340\362\002\141\367

```
\246\374\017\273\034\027\013\256\101\331\174\275\047\243\375\056
\072\321\223\224\261\163\035\044\213\257\133\040\211\255\267\147
\146\171\365\072\306\246\226\063\376\123\222\310\106\261\021\221
\306\231\177\217\311\326\146\061\040\101\020\207\055\014\326\301
\257\064\230\312\144\203\373\023\127\321\301\360\074\172\214\245
\301\375\225\041\240\161\301\223\147\161\022\352\217\210\012\151
\031\144\231\043\126\373\254\052\056\160\276\146\304\014\204\357
\345\213\363\223\001\370\152\220\223\147\113\262\150\243\265\142
\217\351\077\214\172\073\136\017\347\214\270\306\174\357\067\375
\164\342\310\117\063\162\341\224\071\155\275\022\257\276\014\116
\160\174\033\157\215\263\062\223\163\104\026\155\350\364\367\340
\225\200\217\226\135\070\244\364\253\336\012\060\207\223\330\115
\000\161\142\105\047\113\072\102\204\133\177\145\267\147\064\122
\055\234\026\153\252\250\330\173\243\102\114\161\307\014\312\076
\203\344\246\357\267\001\060\136\121\243\171\365\160\151\246\101
\104\017\206\260\054\221\306\075\352\256\017\204
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Microsoft RSA Root Certificate Authority 2017"
```

```
# Issuer: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
```

```
# Serial Number: 1e:d3:97:09:5f:d8:b4:b3:47:70:1e:aa:be:7f:45:b3
```

```
# Subject: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
```

```
# Not Valid Before: Wed Dec 18 22:51:22 2019
```

```
# Not Valid After : Fri Jul 18 23:00:23 2042
```

```
# Fingerprint (SHA-256):
```

```
C7:41:F7:0F:4B:2A:8D:88:BF:2E:71:C1:41:22:EF:53:EF:10:EB:A0:CF:A5:E6:4C:FA:20:F4:18:85:30:73:E0
```

```
# Fingerprint (SHA1): 73:A5:E6:4A:3B:FF:83:16:FF:0E:DC:CC:61:8A:90:6E:4E:AE:4D:74
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Microsoft RSA Root Certificate Authority 2017"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\163\245\346\112\073\377\203\026\377\016\334\314\141\212\220\156
\116\256\115\164
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\020\377\000\377\317\311\370\307\172\300\356\065\216\311\017\107
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\122\123\101\040\122\157\157\164\040\103\145\162
```

```
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151  
\164\171\040\062\060\061\067
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\020\036\323\227\011\137\330\264\263\107\160\036\252\276\177  
\105\263
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "e-Szigno Root CA 2017"

#

Issuer: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU

Serial Number:01:54:48:ef:21:fd:97:59:0d:f5:04:0a

Subject: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU

Not Valid Before: Tue Aug 22 12:07:06 2017

Not Valid After : Fri Aug 22 12:07:06 2042

Fingerprint (SHA-256):

BE:B0:0B:30:83:9B:9B:C3:2C:32:E4:44:79:05:95:06:41:F2:64:21:B1:5E:D0:89:19:8B:51:8A:E2:EA:1B:99

Fingerprint (SHA1): 89:D4:83:03:4F:9E:9A:48:80:5F:72:37:D4:A9:A6:EF:CB:7C:1F:D1

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "e-Szigno Root CA 2017"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\161\061\013\060\011\006\003\125\004\006\023\002\110\125\061  
\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145  
\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151\143  
\162\157\163\145\143\040\114\164\144\056\061\027\060\025\006\003  
\125\004\141\014\016\126\101\124\110\125\055\062\063\065\070\064  
\064\071\067\061\036\060\034\006\003\125\004\003\014\025\145\055  
\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040\062  
\060\061\067
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

```
\060\161\061\013\060\011\006\003\125\004\006\023\002\110\125\061  
\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145  
\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151\143  
\162\157\163\145\143\040\114\164\144\056\061\027\060\025\006\003  
\125\004\141\014\016\126\101\124\110\125\055\062\063\065\070\064  
\064\071\067\061\036\060\034\006\003\125\004\003\014\025\145\055  
\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040\062
```

\060\061\067

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\014\001\124\110\357\041\375\227\131\015\365\004\012

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\100\060\202\001\345\240\003\002\001\002\002\014\001
\124\110\357\041\375\227\131\015\365\004\012\060\012\006\010\052
\206\110\316\075\004\003\002\060\161\061\013\060\011\006\003\125
\004\006\023\002\110\125\061\021\060\017\006\003\125\004\007\014
\010\102\165\144\141\160\145\163\164\061\026\060\024\006\003\125
\004\012\014\015\115\151\143\162\157\163\145\143\040\114\164\144
\056\061\027\060\025\006\003\125\004\141\014\016\126\101\124\110
\125\055\062\063\065\070\064\064\071\067\061\036\060\034\006\003
\125\004\003\014\025\145\055\123\172\151\147\156\157\040\122\157
\157\164\040\103\101\040\062\060\061\067\060\036\027\015\061\067
\060\070\062\062\061\062\060\067\060\066\132\027\015\064\062\060
\070\062\062\061\062\060\067\060\066\132\060\161\061\013\060\011
\006\003\125\004\006\023\002\110\125\061\021\060\017\006\003\125
\004\007\014\010\102\165\144\141\160\145\163\164\061\026\060\024
\006\003\125\004\012\014\015\115\151\143\162\157\163\145\143\040
\114\164\144\056\061\027\060\025\006\003\125\004\141\014\016\126
\101\124\110\125\055\062\063\065\070\064\064\071\067\061\036\060
\034\006\003\125\004\003\014\025\145\055\123\172\151\147\156\157
\040\122\157\157\164\040\103\101\040\062\060\061\067\060\131\060
\023\006\007\052\206\110\316\075\002\001\006\010\052\206\110\316
\075\003\001\007\003\102\000\004\226\334\075\212\330\260\173\157
\306\047\276\104\220\261\263\126\025\173\216\103\044\175\032\204
\131\356\143\150\262\306\136\207\320\025\110\036\250\220\255\275
\123\242\332\336\072\220\246\140\137\150\062\265\206\101\337\207
\133\054\173\305\376\174\172\332\243\143\060\141\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006
\003\125\035\016\004\026\004\024\207\021\025\010\321\252\301\170
\014\261\257\316\306\311\220\357\277\060\004\300\060\037\006\003
\125\035\043\004\030\060\026\200\024\207\021\025\010\321\252\301
\170\014\261\257\316\306\311\220\357\277\060\004\300\060\012\006
\010\052\206\110\316\075\004\003\002\003\111\000\060\106\002\041
\000\265\127\335\327\212\125\013\066\341\206\104\372\324\331\150
\215\270\334\043\212\212\015\324\057\175\352\163\354\277\115\154
\250\002\041\000\313\245\264\022\372\347\265\350\317\176\223\374
\363\065\217\157\116\132\174\264\274\116\262\374\162\252\133\131
\371\347\334\061

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

```

# Trust for "e-Szigno Root CA 2017"
# Issuer: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU
# Serial Number:01:54:48:ef:21:fd:97:59:0d:f5:04:0a
# Subject: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU
# Not Valid Before: Tue Aug 22 12:07:06 2017
# Not Valid After : Fri Aug 22 12:07:06 2042
# Fingerprint (SHA-256):
BE:B0:0B:30:83:9B:9B:C3:2C:32:E4:44:79:05:95:06:41:F2:64:21:B1:5E:D0:89:19:8B:51:8A:E2:EA:1B:99
# Fingerprint (SHA1): 89:D4:83:03:4F:9E:9A:48:80:5F:72:37:D4:A9:A6:EF:CB:7C:1F:D1
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "e-Szigno Root CA 2017"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\211\324\203\003\117\236\232\110\200\137\162\067\324\251\246\357
\313\174\037\321
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\336\037\366\236\204\256\247\264\041\316\036\130\175\321\204\230
END
CKA_ISSUER MULTILINE_OCTAL
\060\161\061\013\060\011\006\003\125\004\006\023\002\110\125\061
\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145
\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151\143
\162\157\163\145\143\040\114\164\144\056\061\027\060\025\006\003
\125\004\141\014\016\126\101\124\110\125\055\062\063\065\070\064
\064\071\067\061\036\060\034\006\003\125\004\003\014\025\145\055
\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040\062
\060\061\067
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\001\124\110\357\041\375\227\131\015\365\004\012
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "certSIGN Root CA G2"
#
# Issuer: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
# Serial Number:11:00:34:b6:4e:c6:36:2d:36
# Subject: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
# Not Valid Before: Mon Feb 06 09:27:35 2017
# Not Valid After : Thu Feb 06 09:27:35 2042
# Fingerprint (SHA-256):

```

65:7C:FE:2F:A7:3F:AA:38:46:25:71:F3:32:A2:36:3A:46:FC:E7:02:09:51:71:07:02:CD:FB:B6:EE:DA:33:05

Fingerprint (SHA1): 26:F9:93:B4:ED:3D:28:27:B0:B9:4B:A7:E9:15:1D:A3:8D:92:E5:32

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "certSIGN Root CA G2"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\101\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\024\060\022\006\003\125\004\012\023\013\103\105\122\124\123\111
\107\116\040\123\101\061\034\060\032\006\003\125\004\013\023\023
\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103\101
\040\107\062

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\101\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\024\060\022\006\003\125\004\012\023\013\103\105\122\124\123\111
\107\116\040\123\101\061\034\060\032\006\003\125\004\013\023\023
\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103\101
\040\107\062

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\011\021\000\064\266\116\306\066\055\066

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\107\060\202\003\057\240\003\002\001\002\002\011\021
\000\064\266\116\306\066\055\066\060\015\006\011\052\206\110\206
\367\015\001\001\013\005\000\060\101\061\013\060\011\006\003\125
\004\006\023\002\122\117\061\024\060\022\006\003\125\004\012\023
\013\103\105\122\124\123\111\107\116\040\123\101\061\034\060\032
\006\003\125\004\013\023\023\143\145\162\164\123\111\107\116\040
\122\117\117\124\040\103\101\040\107\062\060\036\027\015\061\067
\060\062\060\066\060\071\062\067\063\065\132\027\015\064\062\060
\062\060\066\060\071\062\067\063\065\132\060\101\061\013\060\011
\006\003\125\004\006\023\002\122\117\061\024\060\022\006\003\125
\004\012\023\013\103\105\122\124\123\111\107\116\040\123\101\061
\034\060\032\006\003\125\004\013\023\023\143\145\162\164\123\111
\107\116\040\122\117\117\124\040\103\101\040\107\062\060\202\002
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\300\305
\165\031\221\175\104\164\164\207\376\016\073\226\334\330\001\026
\314\356\143\221\347\013\157\316\073\012\151\032\174\302\343\257
\202\216\206\327\136\217\127\353\323\041\131\375\071\067\102\060
\276\120\352\266\017\251\210\330\056\055\151\041\347\321\067\030
\116\175\221\325\026\137\153\133\000\302\071\103\015\066\205\122
\271\123\145\017\035\102\345\217\317\005\323\356\334\014\032\331

\270\213\170\042\147\344\151\260\150\305\074\344\154\132\106\347
\315\307\372\357\304\354\113\275\152\244\254\375\314\050\121\357
\222\264\051\253\253\065\232\114\344\304\010\306\046\314\370\151
\237\344\234\360\051\323\134\371\306\026\045\236\043\303\040\301
\075\017\077\070\100\260\376\202\104\070\252\132\032\212\153\143
\130\070\264\025\323\266\021\151\173\036\124\356\214\032\042\254
\162\227\077\043\131\233\311\042\204\301\007\117\314\177\342\127
\312\022\160\273\246\145\363\151\165\143\275\225\373\033\227\315
\344\250\257\366\321\116\250\331\212\161\044\315\066\075\274\226
\304\361\154\251\256\345\317\015\156\050\015\260\016\265\312\121
\173\170\024\303\040\057\177\373\024\125\341\021\231\375\325\012
\241\236\002\343\142\137\353\065\113\054\270\162\350\076\075\117
\254\054\273\056\206\342\243\166\217\345\223\052\317\245\253\310
\134\215\113\006\377\022\106\254\170\313\024\007\065\340\251\337
\213\351\257\025\117\026\211\133\275\366\215\306\131\256\210\205
\016\301\211\353\037\147\305\105\216\377\155\067\066\053\170\146
\203\221\121\053\075\377\121\167\166\142\241\354\147\076\076\201
\203\340\126\251\120\037\037\172\231\253\143\277\204\027\167\361
\015\073\337\367\234\141\263\065\230\212\072\262\354\074\032\067
\077\176\217\222\317\331\022\024\144\332\020\002\025\101\377\117
\304\353\034\243\311\372\231\367\106\351\341\030\331\261\270\062
\055\313\024\014\120\330\203\145\203\356\271\134\317\313\005\132
\114\372\031\227\153\326\135\023\323\302\134\124\274\062\163\240
\170\365\361\155\036\313\237\245\246\237\042\334\321\121\236\202
\171\144\140\051\023\076\243\375\117\162\152\253\342\324\345\270
\044\125\054\104\113\212\210\104\234\312\204\323\052\073\002\003
\001\000\001\243\102\060\100\060\017\006\003\125\035\023\001\001
\377\004\005\060\003\001\001\377\060\016\006\003\125\035\017\001
\001\377\004\004\003\002\001\006\060\035\006\003\125\035\016\004
\026\004\024\202\041\055\146\306\327\240\340\025\353\316\114\011
\167\304\140\236\124\156\003\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\003\202\002\001\000\140\336\032\270\347
\362\140\202\325\003\063\201\313\006\212\361\042\111\351\350\352
\221\177\306\063\136\150\031\003\206\073\103\001\317\007\160\344
\010\036\145\205\221\346\021\042\267\365\002\043\216\256\271\036
\175\037\176\154\346\275\045\325\225\032\362\005\246\257\205\002
\157\256\370\326\061\377\045\311\112\310\307\212\251\331\237\113
\111\233\021\127\231\222\103\021\336\266\063\244\314\327\215\144
\175\324\315\074\050\054\264\232\226\352\115\365\304\104\304\045
\252\040\200\330\051\125\367\340\101\374\006\046\377\271\066\365
\103\024\003\146\170\341\021\261\332\040\137\106\000\170\000\041
\245\036\000\050\141\170\157\250\001\001\217\235\064\232\377\364
\070\220\373\270\321\263\162\006\311\161\346\201\305\171\355\013
\246\171\362\023\013\234\367\135\016\173\044\223\264\110\333\206
\137\336\120\206\170\347\100\346\061\250\220\166\160\141\257\234
\067\054\021\265\202\267\252\256\044\064\133\162\014\151\015\315
\131\237\366\161\257\234\013\321\012\070\371\006\042\203\123\045
\014\374\121\304\346\276\342\071\225\013\044\255\257\321\225\344


```
\226\327\164\144\153\161\116\002\074\252\205\363\040\243\103\071
\166\133\154\120\376\232\234\024\036\145\024\212\025\275\243\202
\105\132\111\126\152\322\234\261\143\062\345\141\340\123\042\016
\247\012\111\352\313\176\037\250\342\142\200\366\020\105\122\230
\006\030\336\245\315\057\177\252\324\351\076\010\162\354\043\003
\002\074\246\252\330\274\147\164\075\024\027\373\124\113\027\343
\323\171\075\155\153\111\311\050\016\056\164\120\277\014\331\106
\072\020\206\311\247\077\351\240\354\177\353\245\167\130\151\161
\346\203\012\067\362\206\111\152\276\171\010\220\366\002\026\144
\076\345\332\114\176\014\064\311\371\137\266\263\050\121\247\247
\053\252\111\372\215\145\051\116\343\153\023\247\224\243\055\121
\155\170\014\104\313\337\336\010\157\316\243\144\253\323\225\204
\324\271\122\124\162\173\226\045\314\274\151\343\110\156\015\320
\307\235\047\232\252\370\023\222\335\036\337\143\237\065\251\026
\066\354\214\270\203\364\075\211\217\315\264\027\136\327\263\027
\101\020\135\047\163\140\205\127\111\042\007
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "certSIGN Root CA G2"
```

```
# Issuer: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
```

```
# Serial Number:11:00:34:b6:4e:c6:36:2d:36
```

```
# Subject: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
```

```
# Not Valid Before: Mon Feb 06 09:27:35 2017
```

```
# Not Valid After : Thu Feb 06 09:27:35 2042
```

```
# Fingerprint (SHA-256):
```

```
65:7C:FE:2F:A7:3F:AA:38:46:25:71:F3:32:A2:36:3A:46:FC:E7:02:09:51:71:07:02:CD:FB:B6:EE:DA:33:05
```

```
# Fingerprint (SHA1): 26:F9:93:B4:ED:3D:28:27:B0:B9:4B:A7:E9:15:1D:A3:8D:92:E5:32
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "certSIGN Root CA G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\046\371\223\264\355\075\050\047\260\271\113\247\351\025\035\243
\215\222\345\062
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\214\361\165\212\306\031\317\224\267\367\145\040\207\303\227\307
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\101\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\024\060\022\006\003\125\004\012\023\013\103\105\122\124\123\111
\107\116\040\123\101\061\034\060\032\006\003\125\004\013\023\023
\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103\101
\040\107\062
```

```

END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\021\000\064\266\116\306\066\055\066
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Trustwave Global Certification Authority"
#
# Issuer: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Serial Number:05:f7:0e:86:da:49:f3:46:35:2e:ba:b2
# Subject: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Not Valid Before: Wed Aug 23 19:34:12 2017
# Not Valid After : Sat Aug 23 19:34:12 2042
# Fingerprint (SHA-256):
97:55:20:15:F5:DD:FC:3C:87:88:C0:06:94:45:55:40:88:94:45:00:84:F1:00:86:70:86:BC:1A:2B:B5:8D:C8
# Fingerprint (SHA1): 2F:8F:36:4F:E1:58:97:44:21:59:87:A5:2A:9A:D0:69:95:26:7F:B5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\014\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\014\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\014\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\061\060\057\006\003\125\004
\003\014\050\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\014\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\014\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\014\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\061\060\057\006\003\125\004
\003\014\050\124\162\165\163\164\167\141\166\145\040\107\154\157

```

\142\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\005\367\016\206\332\111\363\106\065\056\272\262
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\332\060\202\003\302\240\003\002\001\002\002\014\005
\367\016\206\332\111\363\106\065\056\272\262\060\015\006\011\052
\206\110\206\367\015\001\001\013\005\000\060\201\210\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\021\060\017\006\003
\125\004\010\014\010\111\154\154\151\156\157\151\163\061\020\060
\016\006\003\125\004\007\014\007\103\150\151\143\141\147\157\061
\041\060\037\006\003\125\004\012\014\030\124\162\165\163\164\167
\141\166\145\040\110\157\154\144\151\156\147\163\054\040\111\156
\143\056\061\061\060\057\006\003\125\004\003\014\050\124\162\165
\163\164\167\141\166\145\040\107\154\157\142\141\154\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171\060\036\027\015\061\067\060\070\062\063\061
\071\063\064\061\062\132\027\015\064\062\060\070\062\063\061\071
\063\064\061\062\132\060\201\210\061\013\060\011\006\003\125\004
\006\023\002\125\123\061\021\060\017\006\003\125\004\010\014\010
\111\154\154\151\156\157\151\163\061\020\060\016\006\003\125\004
\007\014\007\103\150\151\143\141\147\157\061\041\060\037\006\003
\125\004\012\014\030\124\162\165\163\164\167\141\166\145\040\110
\157\154\144\151\156\147\163\054\040\111\156\143\056\061\061\060
\057\006\003\125\004\003\014\050\124\162\165\163\164\167\141\166
\145\040\107\154\157\142\141\154\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001
\000\271\135\121\050\113\074\067\222\321\202\316\275\035\275\315
\335\270\253\317\012\076\341\135\345\334\252\011\271\127\002\076
\346\143\141\337\362\017\202\143\256\243\367\254\163\321\174\347
\263\013\257\010\000\011\131\177\315\051\052\210\223\207\027\030
\200\355\210\262\264\266\020\037\055\326\137\125\242\023\135\321
\306\353\006\126\211\210\376\254\062\235\375\134\303\005\307\156
\356\206\211\272\210\003\235\162\041\206\220\256\217\003\245\334
\237\210\050\313\243\222\111\017\354\320\017\342\155\104\117\200
\152\262\324\347\240\012\123\001\272\216\227\221\166\156\274\374
\325\153\066\346\100\210\326\173\057\137\005\350\054\155\021\363
\347\262\276\222\104\114\322\227\244\376\322\162\201\103\007\234
\351\021\076\365\213\032\131\175\037\150\130\335\004\000\054\226
\363\103\263\176\230\031\164\331\234\163\331\030\276\101\307\064
\171\331\364\142\302\103\271\263\047\260\042\313\371\075\122\307
\060\107\263\311\076\270\152\342\347\350\201\160\136\102\213\117
\046\245\376\072\302\040\156\273\370\026\216\315\014\251\264\033
\154\166\020\341\130\171\106\076\124\316\200\250\127\011\067\051

\033\231\023\217\014\310\326\054\034\373\005\350\010\225\075\145
\106\334\356\315\151\342\115\217\207\050\116\064\013\076\317\024
\331\273\335\266\120\232\255\167\324\031\326\332\032\210\310\116
\033\047\165\330\262\010\361\256\203\060\271\021\016\315\207\360
\204\215\025\162\174\241\357\314\362\210\141\272\364\151\273\014
\214\013\165\127\004\270\116\052\024\056\075\017\034\036\062\246
\142\066\356\146\342\042\270\005\100\143\020\042\363\063\035\164
\162\212\054\365\071\051\240\323\347\033\200\204\055\305\075\343
\115\261\375\032\157\272\145\007\073\130\354\102\105\046\373\330
\332\045\162\304\366\000\261\042\171\275\343\174\131\142\112\234
\005\157\075\316\346\326\107\143\231\306\044\157\162\022\310\254
\177\220\264\013\221\160\350\267\346\026\020\161\027\316\336\006
\117\110\101\175\065\112\243\211\362\311\113\173\101\021\155\147
\267\010\230\114\345\021\031\256\102\200\334\373\220\005\324\370
\120\312\276\344\255\307\302\224\327\026\235\346\027\217\257\066
\373\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125
\035\016\004\026\004\024\231\340\031\147\015\142\333\166\263\332
\075\270\133\350\375\102\322\061\016\207\060\016\006\003\125\035
\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\230\163
\160\342\260\323\355\071\354\114\140\331\251\022\206\027\036\226
\320\350\124\050\073\144\055\041\246\370\235\126\023\152\110\075
\117\307\076\051\333\155\130\203\124\075\207\175\043\005\324\344
\034\334\350\070\145\206\305\165\247\132\333\065\005\275\167\336
\273\051\067\100\005\007\303\224\122\237\312\144\335\361\033\053
\334\106\012\020\002\061\375\112\150\015\007\144\220\346\036\365
\052\241\250\273\074\135\371\243\010\013\021\014\361\077\055\020
\224\157\376\342\064\207\203\326\317\345\033\065\155\322\003\341
\260\015\250\240\252\106\047\202\066\247\025\266\010\246\102\124
\127\266\231\132\342\013\171\220\327\127\022\121\065\031\210\101
\150\045\324\067\027\204\025\373\001\162\334\225\336\122\046\040
\230\046\342\166\365\047\157\372\000\073\112\141\331\015\313\121
\223\052\375\026\006\226\247\043\232\043\110\376\121\275\266\304
\260\261\124\316\336\154\101\255\026\147\176\333\375\070\315\271
\070\116\262\301\140\313\235\027\337\130\236\172\142\262\046\217
\164\225\233\344\133\035\322\017\335\230\034\233\131\271\043\323
\061\240\246\377\070\335\317\040\117\351\130\126\072\147\303\321
\366\231\231\235\272\066\266\200\057\210\107\117\206\277\104\072
\200\344\067\034\246\272\352\227\230\021\320\204\142\107\144\036
\252\356\100\277\064\261\234\217\116\341\362\222\117\037\216\363
\236\227\336\363\246\171\152\211\161\117\113\047\027\110\376\354
\364\120\017\117\111\175\314\105\343\275\172\100\305\101\334\141
\126\047\006\151\345\162\101\201\323\266\001\211\240\057\072\162
\171\376\072\060\277\101\354\307\142\076\221\113\307\331\061\166
\102\371\367\074\143\354\046\214\163\014\175\032\035\352\250\174
\207\250\302\047\174\341\063\101\017\317\317\374\000\240\042\200
\236\112\247\157\000\260\101\105\267\042\312\150\110\305\102\242

```

\256\335\035\362\340\156\116\005\130\261\300\220\026\052\244\075
\020\100\276\217\142\143\203\251\234\202\175\055\002\351\203\060
\174\313\047\311\375\036\146\000\260\056\323\041\057\216\063\026
\154\230\355\020\250\007\326\314\223\317\333\321\151\034\344\312
\311\340\266\234\351\316\161\161\336\154\077\026\244\171
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "Trustwave Global Certification Authority"
# Issuer: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Serial Number:05:f7:0e:86:da:49:f3:46:35:2e:ba:b2
# Subject: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Not Valid Before: Wed Aug 23 19:34:12 2017
# Not Valid After : Sat Aug 23 19:34:12 2042
# Fingerprint (SHA-256):
97:55:20:15:F5:DD:FC:3C:87:88:C0:06:94:45:55:40:88:94:45:00:84:F1:00:86:70:86:BC:1A:2B:B5:8D:C8
# Fingerprint (SHA1): 2F:8F:36:4F:E1:58:97:44:21:59:87:A5:2A:9A:D0:69:95:26:7F:B5
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\057\217\066\117\341\130\227\104\041\131\207\245\052\232\320\151
\225\046\177\265
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\370\034\030\055\057\272\137\155\241\154\274\307\253\221\307\016
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\014\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\014\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\014\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\061\060\057\006\003\125\004
\003\014\050\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\005\367\016\206\332\111\363\106\065\056\272\262
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

```

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

```
#  
# Certificate "Trustwave Global ECC P256 Certification Authority"  
#  
# Issuer: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,  
Inc.",L=Chicago,ST=Illinois,C=US  
# Serial Number:0d:6a:5f:08:3f:28:5c:3e:51:95:df:5d  
# Subject: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,  
Inc.",L=Chicago,ST=Illinois,C=US  
# Not Valid Before: Wed Aug 23 19:35:10 2017  
# Not Valid After : Sat Aug 23 19:35:10 2042  
# Fingerprint (SHA-256):  
94:5B:BC:82:5E:A5:54:F4:89:D1:FD:51:A7:3D:DF:2E:A6:24:AC:70:19:A0:52:05:22:5C:22:A7:8C:CF:A8:B4  
# Fingerprint (SHA1): B4:90:82:DD:45:0C:BE:8B:5B:B1:66:D3:E2:A4:08:26:CD:ED:42:CF  
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE  
CKA_TOKEN CK_BBOOL CK_TRUE  
CKA_PRIVATE CK_BBOOL CK_FALSE  
CKA_MODIFIABLE CK_BBOOL CK_FALSE  
CKA_LABEL UTF8 "Trustwave Global ECC P256 Certification Authority"  
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509  
CKA_SUBJECT MULTILINE_OCTAL  
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156  
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150  
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030  
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156  
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004  
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157  
\142\141\154\040\105\103\103\040\120\062\065\066\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171  
END  
CKA_ID UTF8 "0"  
CKA_ISSUER MULTILINE_OCTAL  
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156  
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150  
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030  
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156  
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004  
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157  
\142\141\154\040\105\103\103\040\120\062\065\066\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171  
END
```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\015\152\137\010\077\050\134\076\121\225\337\135

END

CKA_VALUE MULTILINE_OCTAL
\060\202\002\140\060\202\002\007\240\003\002\001\002\002\014\015
\152\137\010\077\050\134\076\121\225\337\135\060\012\006\010\052
\206\110\316\075\004\003\002\060\201\221\061\013\060\011\006\003
\125\004\006\023\002\125\123\061\021\060\017\006\003\125\004\010
\023\010\111\154\154\151\156\157\151\163\061\020\060\016\006\003
\125\004\007\023\007\103\150\151\143\141\147\157\061\041\060\037
\006\003\125\004\012\023\030\124\162\165\163\164\167\141\166\145
\040\110\157\154\144\151\156\147\163\054\040\111\156\143\056\061
\072\060\070\006\003\125\004\003\023\061\124\162\165\163\164\167
\141\166\145\040\107\154\157\142\141\154\040\105\103\103\040\120
\062\065\066\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\060\036\027\015\061
\067\060\070\062\063\061\071\063\065\061\060\132\027\015\064\062
\060\070\062\063\061\071\063\065\061\060\132\060\201\221\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\021\060\017\006
\003\125\004\010\023\010\111\154\154\151\156\157\151\163\061\020
\060\016\006\003\125\004\007\023\007\103\150\151\143\141\147\157
\061\041\060\037\006\003\125\004\012\023\030\124\162\165\163\164
\167\141\166\145\040\110\157\154\144\151\156\147\163\054\040\111
\156\143\056\061\072\060\070\006\003\125\004\003\023\061\124\162
\165\163\164\167\141\166\145\040\107\154\157\142\141\154\040\105
\103\103\040\120\062\065\066\040\103\145\162\164\151\146\151\143
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060
\131\060\023\006\007\052\206\110\316\075\002\001\006\010\052\206
\110\316\075\003\001\007\003\102\000\004\176\373\154\346\043\343
\163\062\010\312\140\346\123\234\272\164\215\030\260\170\220\122
\200\335\070\300\112\035\321\250\314\223\244\227\006\070\312\015
\025\142\306\216\001\052\145\235\252\337\064\221\056\201\301\344
\063\222\061\304\375\011\072\246\077\255\243\103\060\101\060\017
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060
\017\006\003\125\035\017\001\001\377\004\005\003\003\007\006\000
\060\035\006\003\125\035\016\004\026\004\024\243\101\006\254\220
\155\321\112\353\165\245\112\020\231\263\261\241\213\112\367\060
\012\006\010\052\206\110\316\075\004\003\002\003\107\000\060\104
\002\040\007\346\124\332\016\240\132\262\256\021\237\207\305\266
\377\151\336\045\276\370\240\267\010\363\104\316\052\337\010\041
\014\067\002\040\055\046\003\240\005\275\153\321\366\134\370\145
\314\206\155\263\234\064\110\143\204\011\305\215\167\032\342\314
\234\341\164\173

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

```

# Trust for "Trustwave Global ECC P256 Certification Authority"
# Issuer: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Serial Number:0d:6a:5f:08:3f:28:5c:3e:51:95:df:5d
# Subject: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Not Valid Before: Wed Aug 23 19:35:10 2017
# Not Valid After : Sat Aug 23 19:35:10 2042
# Fingerprint (SHA-256):
94:5B:BC:82:5E:A5:54:F4:89:D1:FD:51:A7:3D:DF:2E:A6:24:AC:70:19:A0:52:05:22:5C:22:A7:8C:CF:A8:B4
# Fingerprint (SHA1): B4:90:82:DD:45:0C:BE:8B:5B:B1:66:D3:E2:A4:08:26:CD:ED:42:CF
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global ECC P256 Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\264\220\202\335\105\014\276\213\133\261\146\323\342\244\010\046
\315\355\102\317
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\133\104\343\215\135\066\206\046\350\015\005\322\131\247\203\124
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\062\065\066\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\015\152\137\010\077\050\134\076\121\225\337\135
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Trustwave Global ECC P384 Certification Authority"
#
# Issuer: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US

```



```
# Serial Number:08:bd:85:97:6c:99:27:a4:80:68:47:3b
# Subject: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Not Valid Before: Wed Aug 23 19:36:43 2017
# Not Valid After : Sat Aug 23 19:36:43 2042
# Fingerprint (SHA-256):
55:90:38:59:C8:C0:C3:EB:B8:75:9E:CE:4E:25:57:22:5F:F5:75:8B:BD:38:EB:D4:82:76:60:1E:1B:D5:80:97
# Fingerprint (SHA1): E7:F3:A3:C8:CF:6F:C3:04:2E:6D:0E:67:32:C5:9E:68:95:0D:5E:D2
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global ECC P384 Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\063\070\064\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\063\070\064\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\010\275\205\227\154\231\047\244\200\150\107\073
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\235\060\202\002\044\240\003\002\001\002\002\014\010
\275\205\227\154\231\047\244\200\150\107\073\060\012\006\010\052
\206\110\316\075\004\003\003\060\201\221\061\013\060\011\006\003
\125\004\006\023\002\125\123\061\021\060\017\006\003\125\004\010
\023\010\111\154\154\151\156\157\151\163\061\020\060\016\006\003
```

\125\004\007\023\007\103\150\151\143\141\147\157\061\041\060\037
\006\003\125\004\012\023\030\124\162\165\163\164\167\141\166\145
\040\110\157\154\144\151\156\147\163\054\040\111\156\143\056\061
\072\060\070\006\003\125\004\003\023\061\124\162\165\163\164\167
\141\166\145\040\107\154\157\142\141\154\040\105\103\103\040\120
\063\070\064\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\060\036\027\015\061
\067\060\070\062\063\061\071\063\066\064\063\132\027\015\064\062
\060\070\062\063\061\071\063\066\064\063\132\060\201\221\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\021\060\017\006
\003\125\004\010\023\010\111\154\154\151\156\157\151\163\061\020
\060\016\006\003\125\004\007\023\007\103\150\151\143\141\147\157
\061\041\060\037\006\003\125\004\012\023\030\124\162\165\163\164
\167\141\166\145\040\110\157\154\144\151\156\147\163\054\040\111
\156\143\056\061\072\060\070\006\003\125\004\003\023\061\124\162
\165\163\164\167\141\166\145\040\107\154\157\142\141\154\040\105
\103\103\040\120\063\070\064\040\103\145\162\164\151\146\151\143
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201
\004\000\042\003\142\000\004\153\332\015\165\065\010\061\107\005
\256\105\231\125\361\021\023\056\112\370\020\061\043\243\176\203
\323\177\050\010\072\046\032\072\317\227\202\037\200\267\047\011
\217\321\216\060\304\012\233\016\254\130\004\253\367\066\175\224
\043\244\233\012\212\213\253\353\375\071\045\146\361\136\376\214
\256\215\101\171\235\011\140\316\050\251\323\212\155\363\326\105
\324\362\230\204\070\145\240\243\103\060\101\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\017\006\003
\125\035\017\001\001\377\004\005\003\003\007\006\000\060\035\006
\003\125\035\016\004\026\004\024\125\251\204\211\322\301\062\275
\030\313\154\246\007\116\310\347\235\276\202\220\060\012\006\010
\052\206\110\316\075\004\003\003\003\147\000\060\144\002\060\067
\001\222\227\105\022\176\240\363\076\255\031\072\162\335\364\120
\223\003\022\276\104\322\117\101\244\214\234\235\037\243\366\302
\222\347\110\024\376\116\233\245\221\127\256\306\067\162\273\002
\060\147\045\012\261\014\136\356\251\143\222\157\345\220\013\376
\146\042\312\107\375\212\061\367\203\376\172\277\020\276\030\053
\036\217\366\051\036\224\131\357\216\041\067\313\121\230\245\156
\113

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Trustwave Global ECC P384 Certification Authority"
Issuer: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
Serial Number:08:bd:85:97:6c:99:27:a4:80:68:47:3b
Subject: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,

```

Inc.",L=Chicago,ST=Illinois,C=US
# Not Valid Before: Wed Aug 23 19:36:43 2017
# Not Valid After : Sat Aug 23 19:36:43 2042
# Fingerprint (SHA-256):
55:90:38:59:C8:C0:C3:EB:B8:75:9E:CE:4E:25:57:22:5F:F5:75:8B:BD:38:EB:D4:82:76:60:1E:1B:D5:80:97
# Fingerprint (SHA1): E7:F3:A3:C8:CF:6F:C3:04:2E:6D:0E:67:32:C5:9E:68:95:0D:5E:D2
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global ECC P384 Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\347\363\243\310\317\157\303\004\056\155\016\147\062\305\236\150
\225\015\136\322
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\352\317\140\304\073\271\025\051\100\241\227\355\170\047\223\326
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\063\070\064\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\010\275\205\227\154\231\047\244\200\150\107\073
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "NAVER Global Root Certification Authority"
#
# Issuer: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR
# Serial Number:01:94:30:1e:a2:0b:dd:f5:c5:33:2a:b1:43:44:71:f8:d6:50:4d:0d
# Subject: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR
# Not Valid Before: Fri Aug 18 08:58:42 2017
# Not Valid After : Tue Aug 18 23:59:59 2037
# Fingerprint (SHA-256):
88:F4:38:DC:F8:FF:D1:FA:8F:42:91:15:FF:E5:F8:2A:E1:E0:6E:0C:70:C3:75:FA:AD:71:7B:34:A4:9E:72:65

```

Fingerprint (SHA1): 8F:6B:F2:A9:27:4A:DA:14:A0:C4:F4:8E:61:27:F9:C0:1E:78:5D:D1

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "NAVER Global Root Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\151\061\013\060\011\006\003\125\004\006\023\002\113\122\061
\046\060\044\006\003\125\004\012\014\035\116\101\126\105\122\040
\102\125\123\111\116\105\123\123\040\120\114\101\124\106\117\122
\115\040\103\157\162\160\056\061\062\060\060\006\003\125\004\003
\014\051\116\101\126\105\122\040\107\154\157\142\141\154\040\122
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL
\060\151\061\013\060\011\006\003\125\004\006\023\002\113\122\061
\046\060\044\006\003\125\004\012\014\035\116\101\126\105\122\040
\102\125\123\111\116\105\123\123\040\120\114\101\124\106\117\122
\115\040\103\157\162\160\056\061\062\060\060\006\003\125\004\003
\014\051\116\101\126\105\122\040\107\154\157\142\141\154\040\122
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\001\224\060\036\242\013\335\365\305\063\052\261\103\104
\161\370\326\120\115\015

END

CKA_VALUE MULTILINE_OCTAL
\060\202\005\242\060\202\003\212\240\003\002\001\002\002\024\001
\224\060\036\242\013\335\365\305\063\052\261\103\104\161\370\326
\120\115\015\060\015\006\011\052\206\110\206\367\015\001\001\014
\005\000\060\151\061\013\060\011\006\003\125\004\006\023\002\113
\122\061\046\060\044\006\003\125\004\012\014\035\116\101\126\105
\122\040\102\125\123\111\116\105\123\123\040\120\114\101\124\106
\117\122\115\040\103\157\162\160\056\061\062\060\060\006\003\125
\004\003\014\051\116\101\126\105\122\040\107\154\157\142\141\154
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\060\036\027
\015\061\067\060\070\061\070\060\070\065\070\064\062\132\027\015
\063\067\060\070\061\070\062\063\065\071\065\071\132\060\151\061
\013\060\011\006\003\125\004\006\023\002\113\122\061\046\060\044
\006\003\125\004\012\014\035\116\101\126\105\122\040\102\125\123
\111\116\105\123\123\040\120\114\101\124\106\117\122\115\040\103
\157\162\160\056\061\062\060\060\006\003\125\004\003\014\051\116
\101\126\105\122\040\107\154\157\142\141\154\040\122\157\157\164

\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\060\202\002\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000
\060\202\002\012\002\202\002\001\000\266\324\361\223\134\265\100
\211\012\253\015\220\133\120\143\256\220\224\164\027\105\162\326
\173\145\132\051\113\247\126\240\113\270\057\102\165\351\331\173
\044\132\061\145\253\027\027\321\063\072\331\021\334\100\066\207
\337\307\152\351\046\136\131\212\167\343\350\110\234\061\026\372
\076\221\261\312\311\243\342\237\316\041\123\243\002\066\060\313
\122\002\345\332\062\135\303\305\346\371\356\021\307\213\311\104
\036\204\223\030\112\264\237\345\022\144\151\320\046\205\142\001
\266\311\002\035\276\203\121\273\134\332\370\255\025\152\231\367
\222\124\367\064\133\351\277\352\051\201\022\324\123\221\226\263
\221\132\335\376\220\163\050\373\060\106\265\312\010\007\307\161
\162\311\146\323\064\227\366\214\364\030\112\341\320\075\132\105
\266\151\247\051\373\043\316\210\330\022\234\000\110\250\246\017
\263\073\222\215\161\016\164\305\213\310\114\371\364\233\216\270
\074\151\355\157\073\120\057\130\355\304\260\320\034\033\152\014
\342\274\104\252\330\315\024\135\224\170\141\277\016\156\332\052
\274\057\014\013\161\246\263\026\077\234\346\371\314\237\123\065
\342\003\240\240\030\277\273\361\276\364\326\214\207\015\102\367
\006\271\361\155\355\004\224\250\376\266\323\006\306\100\141\337
\235\235\363\124\166\316\123\072\001\246\222\101\354\004\243\217
\015\242\325\011\312\326\313\232\361\357\103\135\300\253\245\101
\317\134\123\160\160\311\210\246\055\324\153\141\163\120\046\206
\141\016\137\033\302\053\342\214\325\273\235\301\003\102\272\224
\332\137\251\260\312\314\115\012\357\107\151\003\057\042\373\361
\050\316\277\135\120\145\250\220\155\263\164\260\010\307\254\250
\321\353\076\234\374\135\032\203\056\053\313\265\363\104\235\072
\247\027\141\226\242\161\323\160\226\025\115\267\114\163\356\031
\134\305\133\076\101\376\254\165\140\073\033\143\316\000\335\332
\010\220\142\264\345\055\356\110\247\153\027\231\124\276\207\112
\343\251\136\004\114\353\020\155\124\326\357\361\350\362\142\026
\313\200\153\355\075\355\365\037\060\245\256\113\311\023\355\212
\001\001\311\270\121\130\300\146\072\261\146\113\304\325\061\002
\142\351\164\204\014\333\115\106\055\002\003\001\000\001\243\102
\060\100\060\035\006\003\125\035\016\004\026\004\024\322\237\210
\337\241\315\054\275\354\365\073\001\001\223\063\047\262\353\140
\113\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001
\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001
\001\377\060\015\006\011\052\206\110\206\367\015\001\001\014\005
\000\003\202\002\001\000\062\312\200\263\235\075\124\006\335\322
\322\056\360\244\001\041\013\147\110\312\155\216\340\310\252\015
\252\215\041\127\217\306\076\172\312\333\121\324\122\263\324\226
\204\245\130\140\177\345\013\216\037\365\334\012\025\201\345\073
\266\267\042\057\011\234\023\026\261\154\014\065\010\155\253\143
\162\355\334\276\354\307\127\346\060\040\161\326\327\020\301\023
\125\001\214\052\103\344\101\361\317\072\172\123\222\316\242\003

\005\015\070\337\002\273\020\056\331\073\322\233\172\300\241\246
\370\265\061\346\364\165\311\271\123\231\165\107\042\132\024\025
\307\170\033\266\235\351\014\370\033\166\361\205\204\336\241\332
\022\357\244\342\020\227\172\170\336\014\121\227\250\041\100\213
\206\275\015\360\136\116\113\066\273\073\040\037\212\102\126\341
\013\032\277\173\320\042\103\054\104\214\373\345\052\264\154\034
\034\272\224\340\023\176\041\346\232\302\313\305\102\144\264\036
\224\173\010\045\310\161\314\207\105\127\205\323\237\051\142\042
\203\121\227\000\030\227\167\152\230\222\311\174\140\154\337\154
\175\112\344\160\114\302\236\270\035\367\320\064\307\017\314\373
\247\377\003\276\255\160\220\332\013\335\310\155\227\137\232\177
\011\062\101\375\315\242\314\132\155\114\362\252\111\376\146\370
\351\330\065\353\016\050\036\356\110\057\072\320\171\011\070\174
\246\042\202\223\225\320\003\276\276\002\240\005\335\040\042\343
\157\035\210\064\140\306\346\012\271\011\165\013\360\007\350\151
\226\065\307\373\043\201\216\070\071\270\105\053\103\170\242\321
\054\024\377\015\050\162\162\225\233\136\011\333\211\104\230\252
\241\111\273\161\122\362\277\366\377\047\241\066\257\270\266\167
\210\335\072\244\155\233\064\220\334\024\135\060\277\267\353\027
\344\207\267\161\320\241\327\167\025\324\102\327\362\363\061\231
\135\233\335\026\155\077\352\006\043\370\106\242\042\355\223\366
\335\232\346\052\207\261\230\124\361\042\367\153\105\343\342\216
\166\035\232\215\304\006\215\066\267\024\363\235\124\151\267\216
\074\325\244\155\223\201\267\255\366\275\144\173\302\311\150\071
\240\222\234\315\064\206\221\220\372\144\121\235\376\376\353\245
\365\165\336\211\367\162

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "NAVER Global Root Certification Authority"

Issuer: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR

Serial Number:01:94:30:1e:a2:0b:dd:f5:c5:33:2a:b1:43:44:71:f8:d6:50:4d:0d

Subject: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR

Not Valid Before: Fri Aug 18 08:58:42 2017

Not Valid After : Tue Aug 18 23:59:59 2037

Fingerprint (SHA-256):

88:F4:38:DC:F8:FF:D1:FA:8F:42:91:15:FF:E5:F8:2A:E1:E0:6E:0C:70:C3:75:FA:AD:71:7B:34:A4:9E:72:65

Fingerprint (SHA1): 8F:6B:F2:A9:27:4A:DA:14:A0:C4:F4:8E:61:27:F9:C0:1E:78:5D:D1

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "NAVER Global Root Certification Authority"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\217\153\362\251\047\112\332\024\240\304\364\216\141\047\371\300

\036\170\135\321

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\310\176\101\366\045\073\365\011\263\027\350\106\075\277\320\233
END
CKA_ISSUER MULTILINE_OCTAL
\060\151\061\013\060\011\006\003\125\004\006\023\002\113\122\061
\046\060\044\006\003\125\004\012\014\035\116\101\126\105\122\040
\102\125\123\111\116\105\123\123\040\120\114\101\124\106\117\122
\115\040\103\157\162\160\056\061\062\060\060\006\003\125\004\003
\014\051\116\101\126\105\122\040\107\154\157\142\141\154\040\122
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\001\224\060\036\242\013\335\365\305\063\052\261\103\104
\161\370\326\120\115\015
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
#
# Issuer: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
# Serial Number:62:f6:32:6c:e5:c4:e3:68:5c:1b:62:dd:9c:2e:9d:95
# Subject: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
# Not Valid Before: Thu Dec 20 09:37:33 2018
# Not Valid After : Sun Dec 20 09:37:33 2043
# Fingerprint (SHA-256):
55:41:53:B1:3D:2C:F9:DD:B7:53:BF:BE:1A:4E:0A:E0:8D:0A:A4:18:70:58:FE:60:A2:B8:62:B2:E4:B8:7B:CB
# Fingerprint (SHA1): 62:FF:D9:9E:C0:65:0D:03:CE:75:93:D2:ED:3F:2D:32:C9:E3:E5:4A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\170\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\016\060\014\006\003\125\004\013\014\005\103\145\162
\145\163\061\030\060\026\006\003\125\004\141\014\017\126\101\124
\105\123\055\121\062\070\062\066\060\060\064\112\061\054\060\052
\006\003\125\004\003\014\043\101\103\040\122\101\111\132\040\106

```

```
\116\115\124\055\122\103\115\040\123\105\122\126\111\104\117\122
\105\123\040\123\105\107\125\122\117\123
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\170\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\016\060\014\006\003\125\004\013\014\005\103\145\162
\145\163\061\030\060\026\006\003\125\004\141\014\017\126\101\124
\105\123\055\121\062\070\062\066\060\060\064\112\061\054\060\052
\006\003\125\004\003\014\043\101\103\040\122\101\111\132\040\106
\116\115\124\055\122\103\115\040\123\105\122\126\111\104\117\122
\105\123\040\123\105\107\125\122\117\123
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\142\366\062\154\345\304\343\150\134\033\142\335\234\056
\235\225
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\156\060\202\001\363\240\003\002\001\002\002\020\142
\366\062\154\345\304\343\150\134\033\142\335\234\056\235\225\060
\012\006\010\052\206\110\316\075\004\003\003\060\170\061\013\060
\011\006\003\125\004\006\023\002\105\123\061\021\060\017\006\003
\125\004\012\014\010\106\116\115\124\055\122\103\115\061\016\060
\014\006\003\125\004\013\014\005\103\145\162\145\163\061\030\060
\026\006\003\125\004\141\014\017\126\101\124\105\123\055\121\062
\070\062\066\060\060\064\112\061\054\060\052\006\003\125\004\003
\014\043\101\103\040\122\101\111\132\040\106\116\115\124\055\122
\103\115\040\123\105\122\126\111\104\117\122\105\123\040\123\105
\107\125\122\117\123\060\036\027\015\061\070\061\062\062\060\060
\071\063\067\063\063\132\027\015\064\063\061\062\062\060\060\071
\063\067\063\063\132\060\170\061\013\060\011\006\003\125\004\006
\023\002\105\123\061\021\060\017\006\003\125\004\012\014\010\106
\116\115\124\055\122\103\115\061\016\060\014\006\003\125\004\013
\014\005\103\145\162\145\163\061\030\060\026\006\003\125\004\141
\014\017\126\101\124\105\123\055\121\062\070\062\066\060\060\064
\112\061\054\060\052\006\003\125\004\003\014\043\101\103\040\122
\101\111\132\040\106\116\115\124\055\122\103\115\040\123\105\122
\126\111\104\117\122\105\123\040\123\105\107\125\122\117\123\060
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201
\004\000\042\003\142\000\004\366\272\127\123\310\312\253\337\066
\112\122\041\344\227\322\203\147\236\360\145\121\320\136\207\307
\107\261\131\362\127\107\233\000\002\223\104\027\151\333\102\307
\261\262\072\030\016\264\135\214\263\146\135\241\064\371\066\054
\111\333\363\106\374\263\104\151\104\023\146\375\327\305\375\257
\066\115\316\003\115\007\161\317\257\152\005\322\242\103\132\012
\122\157\001\003\116\216\213\243\102\060\100\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003
```



```
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003
\125\035\016\004\026\004\024\001\271\057\357\277\021\206\140\362
\117\320\101\156\253\163\037\347\322\156\111\060\012\006\010\052
\206\110\316\075\004\003\003\003\151\000\060\146\002\061\000\256
\112\343\053\100\303\164\021\362\225\255\026\043\336\116\014\032
\346\135\245\044\136\153\104\173\374\070\342\117\313\234\105\027
\021\114\024\047\046\125\071\165\112\003\314\023\220\237\222\002
\061\000\372\112\154\140\210\163\363\356\270\230\142\251\316\053
\302\331\212\246\160\061\035\257\260\224\114\353\117\306\343\321
\363\142\247\074\377\223\056\007\134\111\001\147\151\022\002\162
\277\347
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
```

```
# Issuer: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
```

```
# Serial Number:62:f6:32:6c:e5:c4:e3:68:5c:1b:62:dd:9c:2e:9d:95
```

```
# Subject: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
```

```
# Not Valid Before: Thu Dec 20 09:37:33 2018
```

```
# Not Valid After : Sun Dec 20 09:37:33 2043
```

```
# Fingerprint (SHA-256):
```

```
55:41:53:B1:3D:2C:F9:DD:B7:53:BF:BE:1A:4E:0A:E0:8D:0A:A4:18:70:58:FE:60:A2:B8:62:B2:E4:B8:7B:CB
```

```
# Fingerprint (SHA1): 62:FF:D9:9E:C0:65:0D:03:CE:75:93:D2:ED:3F:2D:32:C9:E3:E5:4A
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\142\377\331\236\300\145\015\003\316\165\223\322\355\077\055\062
\311\343\345\112
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\031\066\234\122\003\057\322\321\273\043\314\335\036\022\125\273
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\170\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\016\060\014\006\003\125\004\013\014\005\103\145\162
\145\163\061\030\060\026\006\003\125\004\141\014\017\126\101\124
\105\123\055\121\062\070\062\066\060\060\064\112\061\054\060\052
\006\003\125\004\003\014\043\101\103\040\122\101\111\132\040\106
\116\115\124\055\122\103\115\040\123\105\122\126\111\104\117\122
\105\123\040\123\105\107\125\122\117\123
```

```

END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\142\366\062\154\345\304\343\150\134\033\142\335\234\056
\235\225
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Secure Mail Root R45"
#
# Issuer: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE
# Serial Number:76:53:fe:a8:4c:50:ab:9f:8d:32:b5:1d:03:8f:57:dc
# Subject: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE
# Not Valid Before: Wed Mar 18 00:00:00 2020
# Not Valid After : Sat Mar 18 00:00:00 2045
# Fingerprint (SHA-256):
31:9A:F0:A7:72:9E:6F:89:26:9C:13:1E:A6:A3:A1:6F:CD:86:38:9F:DC:AB:3C:47:A4:A6:75:C1:61:A3:F9:74
# Fingerprint (SHA1): 76:18:D1:F3:80:24:3D:52:40:C6:11:6A:AD:57:77:09:7D:81:30:A0
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Secure Mail Root R45"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\122\064\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\122\064\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\250\114\120\253\237\215\062\265\035\003\217
\127\334
END

```

CKA_VALUE MULTILINE_OCTAL

\060\202\005\160\060\202\003\130\240\003\002\001\002\002\020\166
\123\376\250\114\120\253\237\215\062\265\035\003\217\127\334\060
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\122
\061\013\060\011\006\003\125\004\006\023\002\102\105\061\031\060
\027\006\003\125\004\012\023\020\107\154\157\142\141\154\123\151
\147\156\040\156\166\055\163\141\061\050\060\046\006\003\125\004
\003\023\037\107\154\157\142\141\154\123\151\147\156\040\123\145
\143\165\162\145\040\115\141\151\154\040\122\157\157\164\040\122
\064\065\060\036\027\015\062\060\060\063\061\070\060\060\060\060
\060\060\132\027\015\064\065\060\063\061\070\060\060\060\060\060
\060\132\060\122\061\013\060\011\006\003\125\004\006\023\002\102
\105\061\031\060\027\006\003\125\004\012\023\020\107\154\157\142
\141\154\123\151\147\156\040\156\166\055\163\141\061\050\060\046
\006\003\125\004\003\023\037\107\154\157\142\141\154\123\151\147
\156\040\123\145\143\165\162\145\040\115\141\151\154\040\122\157
\157\164\040\122\064\065\060\202\002\042\060\015\006\011\052\206
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202
\002\012\002\202\002\001\000\334\171\314\155\006\371\155\273\340
\126\004\154\177\340\165\314\055\005\111\350\113\334\124\354\133
\167\225\162\277\177\142\235\205\251\212\044\120\137\123\345\333
\164\157\244\051\133\023\052\011\255\232\305\057\302\367\166\073
\241\105\106\252\103\346\044\376\053\260\157\062\160\031\106\132
\171\046\057\374\075\175\137\144\313\127\314\141\141\250\331\225
\156\343\225\240\156\177\107\022\030\326\357\003\311\373\212\372
\232\275\202\025\251\125\167\113\021\117\131\340\153\303\161\363
\014\330\124\325\201\150\076\023\271\025\056\207\212\074\104\047
\066\142\044\156\370\054\005\162\060\141\275\102\221\043\304\235
\045\247\331\124\232\024\243\061\255\200\171\014\247\143\154\230
\243\254\127\107\063\037\145\226\341\320\322\065\332\371\161\367
\241\246\045\265\101\135\337\076\140\330\321\366\237\245\362\270
\314\023\252\217\371\262\156\341\203\055\223\335\076\205\032\335
\350\261\134\046\001\313\111\205\374\374\322\324\177\205\142\206
\164\371\313\354\065\042\242\014\060\217\073\253\171\353\126\362
\372\102\363\355\371\037\105\211\100\051\255\352\222\164\352\122
\375\126\264\053\332\242\355\165\302\156\253\316\122\220\113\366
\336\360\111\217\232\110\324\210\031\155\105\346\314\214\271\335
\144\140\140\002\100\370\271\317\274\130\353\075\205\271\306\012
\323\234\007\146\217\307\030\071\043\106\341\074\036\243\057\120
\141\222\013\075\053\154\361\243\107\070\127\221\253\015\217\306
\235\115\004\322\046\122\134\345\245\375\052\055\026\052\001\151
\347\251\175\341\066\267\261\052\305\331\261\215\275\271\213\316
\314\213\241\076\013\110\315\120\225\064\304\330\010\131\330\153
\046\364\276\365\324\042\027\000\127\311\256\233\004\060\063\237
\013\373\337\126\242\311\156\124\166\332\261\227\142\047\131\017
\021\212\042\033\144\226\077\250\361\267\044\112\215\074\123\174
\155\203\166\075\262\046\110\163\365\104\026\001\055\011\052\216
\026\226\120\320\163\006\135\273\042\110\202\114\012\106\132\077

\200\377\134\362\362\232\254\054\010\340\326\352\360\022\070\201
\117\246\020\355\106\253\314\026\234\013\317\144\246\231\002\205
\104\147\106\255\375\115\347\002\003\001\000\001\243\102\060\100
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\035\006\003\125\035\016\004\026\004\024\240\223\025\050
\156\356\217\010\262\065\306\236\142\171\164\247\261\016\053\173
\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000\003
\202\002\001\000\105\012\370\321\134\254\142\201\320\004\327\266
\377\127\121\211\013\014\313\336\044\145\067\373\253\236\355\146
\364\352\014\031\151\211\270\031\261\060\126\264\331\366\367\276
\306\256\227\313\105\366\021\214\072\060\144\114\301\237\131\300
\106\102\010\006\107\144\027\170\340\225\007\006\326\214\242\254
\251\331\077\323\173\126\117\374\304\207\050\337\266\053\026\043
\300\237\037\133\343\326\104\136\042\117\043\004\214\065\026\265
\171\007\206\134\057\227\342\366\010\144\246\334\333\250\212\343
\244\173\167\015\321\051\223\050\040\264\123\243\113\116\137\336
\301\366\165\043\374\037\074\170\117\160\061\170\057\242\065\124
\161\004\254\310\304\155\303\366\221\261\376\315\356\104\156\201
\366\100\305\076\052\001\277\253\114\261\003\077\015\021\344\017
\322\044\343\042\210\233\237\137\107\075\121\111\340\011\067\176
\027\041\061\166\267\147\161\110\050\113\045\327\020\350\237\141
\131\026\305\076\062\116\037\014\316\243\314\017\344\307\021\007
\042\057\070\010\335\133\227\353\102\154\131\232\232\356\172\320
\235\337\305\333\011\103\056\012\252\031\075\153\350\152\060\172
\127\346\277\263\152\071\251\217\343\361\117\145\150\266\275\237
\050\217\241\026\132\011\120\072\062\056\035\057\104\021\102\246
\000\346\061\230\377\055\241\017\346\244\140\126\317\171\327\262
\116\327\260\372\156\014\127\043\307\316\037\245\261\114\155\031
\111\236\016\177\160\217\161\077\130\050\237\165\335\141\340\072
\267\071\266\356\227\324\065\121\373\213\111\140\310\074\146\256
\227\356\215\046\131\127\273\170\360\172\120\060\011\260\140\252
\237\116\334\311\076\036\072\334\142\223\063\260\072\124\164\157
\054\061\105\321\153\021\062\152\150\166\366\075\366\152\023\136
\044\230\347\352\035\232\317\170\202\007\140\367\115\020\323\201
\232\105\215\236\257\233\334\200\307\103\262\225\150\244\303\016
\350\012\107\025\277\124\063\334\001\347\325\246\036\163\330\172
\262\277\057\255\343\125\060\236\337\016\101\274\340\021\365\241
\014\250\042\341\343\000\243\116\160\174\222\343\004\321\172\102
\212\165\220\131\343\233\321\114\242\144\275\163\171\233\157\362
\263\301\366\074

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "GlobalSign Secure Mail Root R45"

Issuer: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE

```
# Serial Number:76:53:fe:a8:4c:50:ab:9f:8d:32:b5:1d:03:8f:57:dc
# Subject: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE
# Not Valid Before: Wed Mar 18 00:00:00 2020
# Not Valid After : Sat Mar 18 00:00:00 2045
# Fingerprint (SHA-256):
31:9A:F0:A7:72:9E:6F:89:26:9C:13:1E:A6:A3:A1:6F:CD:86:38:9F:DC:AB:3C:47:A4:A6:75:C1:61:A3:F9:74
# Fingerprint (SHA1): 76:18:D1:F3:80:24:3D:52:40:C6:11:6A:AD:57:77:09:7D:81:30:A0
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Secure Mail Root R45"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\166\030\321\363\200\044\075\122\100\306\021\152\255\127\167\011
\175\201\060\240
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\223\304\173\263\016\124\107\034\103\054\213\276\160\205\142\051
END
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\122\064\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\250\114\120\253\237\215\062\265\035\003\217
\127\334
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Secure Mail Root E45"
#
# Issuer: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE
# Serial Number:76:53:fe:aa:27:1d:95:46:5d:d6:f1:9e:e5:b8:90:0a
# Subject: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE
# Not Valid Before: Wed Mar 18 00:00:00 2020
# Not Valid After : Sat Mar 18 00:00:00 2045
# Fingerprint (SHA-256):
5C:BF:6F:B8:1F:D4:17:EA:41:28:CD:6F:81:72:A3:C9:40:20:94:F7:4A:B2:ED:3A:06:B4:40:5D:04:F3:0B:19
# Fingerprint (SHA1): 18:2E:1F:32:4F:89:DF:BE:FE:88:89:F0:93:C2:C4:A0:2B:67:75:21
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Secure Mail Root E45"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\105\064\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\105\064\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\252\047\035\225\106\135\326\361\236\345\270
\220\012
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\041\060\202\001\247\240\003\002\001\002\002\020\166
\123\376\252\047\035\225\106\135\326\361\236\345\270\220\012\060
\012\006\010\052\206\110\316\075\004\003\003\060\122\061\013\060
\011\006\003\125\004\006\023\002\102\105\061\031\060\027\006\003
\125\004\012\023\020\107\154\157\142\141\154\123\151\147\156\040
\156\166\055\163\141\061\050\060\046\006\003\125\004\003\023\037
\107\154\157\142\141\154\123\151\147\156\040\123\145\143\165\162
\145\040\115\141\151\154\040\122\157\157\164\040\105\064\065\060
\036\027\015\062\060\060\063\061\070\060\060\060\060\060\060\132
\027\015\064\065\060\063\061\070\060\060\060\060\060\060\132\060
\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061\031
\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154\123
\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003\125
\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040\123
\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164\040
\105\064\065\060\166\060\020\006\007\052\206\110\316\075\002\001
\006\005\053\201\004\000\042\003\142\000\004\371\171\213\201\107
\067\211\226\077\105\111\120\177\032\046\013\223\062\176\056\300
\300\247\010\232\303\156\217\233\076\013\042\354\067\123\267\157
\212\260\274\047\067\113\155\251\106\073\331\037\377\245\241\104
\273\055\163\277\236\101\007\134\123\233\121\010\072\132\273\157
```

```
\070\307\026\221\170\302\112\023\151\035\202\337\132\057\000\210
\226\242\056\034\164\371\235\176\146\067\212\243\102\060\100\060
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\035\006\003\125\035\016\004\026\004\024\337\023\136\213\137
\302\100\002\375\126\267\224\114\266\036\325\246\261\024\226\060
\012\006\010\052\206\110\316\075\004\003\003\003\150\000\060\145
\002\060\023\260\276\327\161\040\076\344\253\234\316\066\022\175
\137\114\037\052\265\151\105\063\137\323\055\132\262\344\210\307
\336\012\066\102\062\171\235\246\153\272\341\371\104\052\173\212
\303\022\002\061\000\240\146\034\116\207\235\207\311\355\231\114
\033\012\356\055\140\303\067\307\035\315\265\162\260\331\306\357
\274\362\377\077\360\122\335\010\347\252\144\171\303\344\151\127
\221\057\244\313\174
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "GlobalSign Secure Mail Root E45"

Issuer: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE

Serial Number:76:53:fe:aa:27:1d:95:46:5d:d6:f1:9e:e5:b8:90:0a

Subject: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE

Not Valid Before: Wed Mar 18 00:00:00 2020

Not Valid After : Sat Mar 18 00:00:00 2045

Fingerprint (SHA-256):

5C:BF:6F:B8:1F:D4:17:EA:41:28:CD:6F:81:72:A3:C9:40:20:94:F7:4A:B2:ED:3A:06:B4:40:5D:04:F3:0B:19

Fingerprint (SHA1): 18:2E:1F:32:4F:89:DF:BE:FE:88:89:F0:93:C2:C4:A0:2B:67:75:21

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GlobalSign Secure Mail Root E45"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\030\056\037\062\117\211\337\276\376\210\211\360\223\302\304\240
\053\147\165\041
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\305\374\306\056\237\364\122\055\052\250\244\272\373\147\062\377
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\105\064\065
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\252\047\035\225\106\135\326\361\236\345\270
\220\012
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Root R46"
#
# Issuer: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE
# Serial Number:11:d2:bb:b9:d7:23:18:9e:40:5f:0a:9d:2d:d0:df:25:67:d1
# Subject: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE
# Not Valid Before: Wed Mar 20 00:00:00 2019
# Not Valid After : Tue Mar 20 00:00:00 2046
# Fingerprint (SHA-256):
4F:A3:12:6D:8D:3A:11:D1:C4:85:5A:4F:80:7C:BA:D6:CF:91:9D:3A:5A:88:B0:3B:EA:2C:63:72:D9:3C:40:C9
# Fingerprint (SHA1): 53:A2:B0:4B:CA:6B:D6:45:E6:39:8A:8E:C4:0D:D2:BF:77:C3:A2:90
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root R46"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\122\064\066
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\122\064\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\022\021\322\273\271\327\043\030\236\100\137\012\235\055\320
\337\045\147\321
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\132\060\202\003\102\240\003\002\001\002\002\022\021
\322\273\271\327\043\030\236\100\137\012\235\055\320\337\045\147

```


\321\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\122\064\066\060\036\027\015\061\071\060\063
\062\060\060\060\060\060\060\060\132\027\015\064\066\060\063\062
\060\060\060\060\060\060\060\132\060\106\061\013\060\011\006\003
\125\004\006\023\002\102\105\061\031\060\027\006\003\125\004\012
\023\020\107\154\157\142\141\154\123\151\147\156\040\156\166\055
\163\141\061\034\060\032\006\003\125\004\003\023\023\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\122\064\066
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001
\000\254\254\164\062\350\263\145\345\272\355\103\046\035\246\211
\015\105\272\051\210\262\244\035\143\335\323\301\054\011\127\211
\071\241\125\351\147\064\167\014\156\344\125\035\122\045\322\023
\153\136\341\035\251\267\175\211\062\137\015\236\237\054\172\143
\140\100\037\246\260\266\170\217\231\124\226\010\130\256\344\006
\274\142\005\002\026\277\257\250\043\003\266\224\017\274\156\154
\302\313\325\246\273\014\351\366\301\002\373\041\336\146\335\027
\253\164\102\357\360\164\057\045\364\352\153\125\133\220\333\235
\337\136\207\012\100\373\255\031\153\373\367\312\140\210\336\332
\301\217\326\256\325\177\324\074\203\356\327\026\114\203\105\063
\153\047\320\206\320\034\055\153\363\253\175\361\205\251\365\050
\322\255\357\363\204\113\034\207\374\023\243\072\162\242\132\021
\053\326\047\161\047\355\201\055\155\146\201\222\207\264\033\130
\172\314\077\012\372\106\117\115\170\134\370\053\110\343\004\204
\313\135\366\264\152\263\145\374\102\236\121\046\043\040\313\075
\024\371\201\355\145\026\000\117\032\144\227\146\010\317\214\173
\343\053\300\235\371\024\362\033\361\126\152\026\277\054\205\205
\315\170\070\232\353\102\152\002\064\030\203\027\116\224\126\370
\266\202\265\363\226\335\075\363\276\177\040\167\076\173\031\043
\153\054\324\162\163\103\127\175\340\370\327\151\117\027\066\004
\371\300\220\140\067\105\336\346\014\330\164\215\256\234\242\155
\164\135\102\276\006\365\331\144\156\002\020\254\211\260\114\073
\007\115\100\176\044\305\212\230\202\171\216\244\247\202\040\215
\043\372\047\161\311\337\306\101\164\240\115\366\221\026\334\106
\214\137\051\143\061\131\161\014\330\157\302\266\062\175\373\346
\135\123\246\176\025\374\273\165\174\135\354\370\366\027\034\354
\307\153\031\313\363\173\360\053\007\245\331\154\171\124\166\154
\235\034\246\156\016\351\171\014\250\043\152\243\337\033\060\061
\237\261\124\173\376\152\313\146\252\334\145\320\242\236\112\232
\007\041\153\201\217\333\304\131\372\336\042\300\004\234\343\252
\133\066\223\350\075\275\172\241\235\013\166\261\013\307\235\375
\317\230\250\006\302\370\052\243\241\203\240\267\045\162\245\002
\343\002\003\001\000\001\243\102\060\100\060\016\006\003\125\035
\017\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035

\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125
\035\016\004\026\004\024\003\134\253\163\201\207\250\314\260\246
\325\224\342\066\226\111\377\005\231\054\060\015\006\011\052\206
\110\206\367\015\001\001\014\005\000\003\202\002\001\000\174\170
\354\366\002\054\273\133\176\222\053\135\071\334\276\330\035\242
\102\063\115\371\357\244\052\073\104\151\036\254\331\105\243\116
\074\247\330\044\121\262\124\034\223\116\304\357\173\223\205\140
\046\352\011\110\340\365\273\307\351\150\322\273\152\061\161\314
\171\256\021\250\360\231\375\345\037\274\057\250\314\127\353\166
\304\041\246\107\123\125\115\150\277\005\244\356\327\046\253\142
\332\103\067\113\342\306\265\345\262\203\031\072\307\323\333\115
\236\010\172\363\356\317\076\142\373\254\350\140\314\321\307\241
\134\203\105\304\105\314\363\027\153\024\311\004\002\076\322\044
\246\171\351\036\316\242\347\301\131\025\237\035\342\113\232\076
\237\166\010\055\153\330\272\127\024\332\203\352\376\214\125\351
\320\116\251\314\167\061\261\104\021\172\134\261\076\323\024\105
\025\030\142\044\023\322\313\115\316\134\203\301\066\362\020\265
\016\210\155\270\341\126\237\211\336\226\146\071\107\144\054\156
\115\256\142\173\277\140\164\031\270\126\254\222\254\026\062\355
\255\150\125\376\230\272\323\064\336\364\311\141\303\016\206\366
\113\204\140\356\015\173\265\062\130\171\221\125\054\201\103\263
\164\037\172\252\045\236\035\327\241\213\271\315\102\056\004\244
\146\203\115\211\065\266\154\250\066\112\171\041\170\042\320\102
\274\321\100\061\220\241\276\004\317\312\147\355\365\360\200\323
\140\311\203\052\042\005\320\007\073\122\277\014\236\252\053\371
\273\346\037\217\045\272\205\215\027\036\002\376\135\120\004\127
\317\376\055\274\357\134\300\032\253\266\237\044\306\337\163\150
\110\220\054\024\364\077\122\032\344\322\313\024\303\141\151\317
\342\371\030\305\272\063\237\024\243\004\135\271\161\367\265\224
\330\366\063\301\132\301\064\213\174\233\335\223\072\347\023\242
\160\141\237\257\217\353\330\305\165\370\063\146\324\164\147\072
\067\167\234\347\335\244\017\166\103\146\212\103\362\237\373\014
\102\170\143\321\342\017\157\173\324\241\075\164\227\205\267\110
\071\101\326\040\374\320\072\263\372\350\157\304\212\272\161\067
\276\213\227\261\170\061\117\263\347\266\003\023\316\124\235\256
\045\131\314\177\065\137\010\367\100\105\061\170\052\172

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "GlobalSign Root R46"
Issuer: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE
Serial Number: 11:d2:bb:b9:d7:23:18:9e:40:5f:0a:9d:2d:d0:df:25:67:d1
Subject: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE
Not Valid Before: Wed Mar 20 00:00:00 2019
Not Valid After : Tue Mar 20 00:00:00 2046
Fingerprint (SHA-256):

```

4F:A3:12:6D:8D:3A:11:D1:C4:85:5A:4F:80:7C:BA:D6:CF:91:9D:3A:5A:88:B0:3B:EA:2C:63:72:D9:3C:40:C9
# Fingerprint (SHA1): 53:A2:B0:4B:CA:6B:D6:45:E6:39:8A:8E:C4:0D:D2:BF:77:C3:A2:90
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root R46"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\123\242\260\113\312\153\326\105\346\071\212\216\304\015\322\277
\167\303\242\220
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\304\024\060\344\372\146\103\224\052\152\033\044\137\031\320\357
END
CKA_ISSUER MULTILINE_OCTAL
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\122\064\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\022\021\322\273\271\327\043\030\236\100\137\012\235\055\320
\337\045\147\321
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Root E46"
#
# Issuer: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE
# Serial Number:11:d2:bb:ba:33:6e:d4:bc:e6:24:68:c5:0d:84:1d:98:e8:43
# Subject: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE
# Not Valid Before: Wed Mar 20 00:00:00 2019
# Not Valid After : Tue Mar 20 00:00:00 2046
# Fingerprint (SHA-256):
CB:B9:C4:4D:84:B8:04:3E:10:50:EA:31:A6:9F:51:49:55:D7:BF:D2:E2:C6:B4:93:01:01:9A:D6:1D:9F:50:58
# Fingerprint (SHA1): 39:B4:6C:D5:FE:80:06:EB:E2:2F:4A:BB:08:33:A0:AF:DB:B9:DD:84
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root E46"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\105\064\066

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\105\064\066

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\022\021\322\273\272\063\156\324\274\346\044\150\305\015\204
\035\230\350\103

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\013\060\202\001\221\240\003\002\001\002\002\022\021
\322\273\272\063\156\324\274\346\044\150\305\015\204\035\230\350
\103\060\012\006\010\052\206\110\316\075\004\003\003\060\106\061
\013\060\011\006\003\125\004\006\023\002\102\105\061\031\060\027
\006\003\125\004\012\023\020\107\154\157\142\141\154\123\151\147
\156\040\156\166\055\163\141\061\034\060\032\006\003\125\004\003
\023\023\107\154\157\142\141\154\123\151\147\156\040\122\157\157
\164\040\105\064\066\060\036\027\015\061\071\060\063\062\060\060
\060\060\060\060\060\132\027\015\064\066\060\063\062\060\060\060
\060\060\060\060\132\060\106\061\013\060\011\006\003\125\004\006
\023\002\102\105\061\031\060\027\006\003\125\004\012\023\020\107
\154\157\142\141\154\123\151\147\156\040\156\166\055\163\141\061
\034\060\032\006\003\125\004\003\023\023\107\154\157\142\141\154
\123\151\147\156\040\122\157\157\164\040\105\064\066\060\166\060
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000
\042\003\142\000\004\234\016\261\317\267\350\236\122\167\165\064
\372\245\106\247\255\062\031\062\264\007\251\047\312\224\273\014
\322\012\020\307\332\211\260\227\014\160\023\011\001\216\330\352
\107\352\276\262\200\053\315\374\050\015\333\254\274\244\206\067
\355\160\010\000\165\352\223\013\173\056\122\234\043\150\043\006
\103\354\222\057\123\204\333\373\107\024\007\350\137\224\147\135
\311\172\201\074\040\243\102\060\100\060\016\006\003\125\035\017
\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035
\016\004\026\004\024\061\012\220\217\266\306\235\322\104\113\200
\265\242\346\037\261\022\117\033\225\060\012\006\010\052\206\110
\316\075\004\003\003\003\150\000\060\145\002\061\000\337\124\220
\355\233\357\213\224\002\223\027\202\231\276\263\236\054\366\013
\221\214\237\112\024\261\366\144\274\273\150\121\023\014\003\367

```
\025\213\204\140\271\213\377\122\216\347\214\274\034\002\060\074
\371\021\324\214\116\300\301\141\302\025\114\252\253\035\013\061
\137\073\034\342\000\227\104\061\346\376\163\226\057\332\226\323
\376\010\007\263\064\211\274\005\237\367\036\206\356\213\160
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "GlobalSign Root E46"

Issuer: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE

Serial Number:11:d2:bb:ba:33:6e:d4:bc:e6:24:68:c5:0d:84:1d:98:e8:43

Subject: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE

Not Valid Before: Wed Mar 20 00:00:00 2019

Not Valid After : Tue Mar 20 00:00:00 2046

Fingerprint (SHA-256):

CB:B9:C4:4D:84:B8:04:3E:10:50:EA:31:A6:9F:51:49:55:D7:BF:D2:E2:C6:B4:93:01:01:9A:D6:1D:9F:50:58

Fingerprint (SHA1): 39:B4:6C:D5:FE:80:06:EB:E2:2F:4A:BB:08:33:A0:AF:DB:B9:DD:84

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GlobalSign Root E46"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\071\264\154\325\376\200\006\353\342\057\112\273\010\063\240\257
\333\271\335\204
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\265\270\146\355\336\010\203\343\311\342\001\064\006\254\121\157
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\105\064\066
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\022\021\322\273\272\063\156\324\274\346\044\150\305\015\204
\035\230\350\103
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

Certificate "GLOBALTRUST 2020"

```

#
# Issuer: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT
# Serial Number:5a:4b:bd:5a:fb:4f:8a:5b:fa:65:e5
# Subject: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT
# Not Valid Before: Mon Feb 10 00:00:00 2020
# Not Valid After : Sun Jun 10 00:00:00 2040
# Fingerprint (SHA-256):
9A:29:6A:51:82:D1:D4:51:A2:E3:7F:43:9B:74:DA:AF:A2:67:52:33:29:F9:0F:9A:0D:20:07:C3:34:E2:3C:9A
# Fingerprint (SHA1): D0:67:C1:13:51:01:0C:AA:D0:C7:6A:65:37:31:16:26:4F:53:71:A2
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GLOBALTRUST 2020"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\101\124\061
\043\060\041\006\003\125\004\012\023\032\145\055\143\157\155\155
\145\162\143\145\040\155\157\156\151\164\157\162\151\156\147\040
\107\155\142\110\061\031\060\027\006\003\125\004\003\023\020\107
\114\117\102\101\114\124\122\125\123\124\040\062\060\062\060
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\101\124\061
\043\060\041\006\003\125\004\012\023\032\145\055\143\157\155\155
\145\162\143\145\040\155\157\156\151\164\157\162\151\156\147\040
\107\155\142\110\061\031\060\027\006\003\125\004\003\023\020\107
\114\117\102\101\114\124\122\125\123\124\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\132\113\275\132\373\117\212\133\372\145\345
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\202\060\202\003\152\240\003\002\001\002\002\013\132
\113\275\132\373\117\212\133\372\145\345\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\060\115\061\013\060\011\006
\003\125\004\006\023\002\101\124\061\043\060\041\006\003\125\004
\012\023\032\145\055\143\157\155\155\145\162\143\145\040\155\157
\156\151\164\157\162\151\156\147\040\107\155\142\110\061\031\060
\027\006\003\125\004\003\023\020\107\114\117\102\101\114\124\122
\125\123\124\040\062\060\062\060\060\060\036\027\015\062\060\060\062
\061\060\060\060\060\060\060\060\132\027\015\064\060\060\066\061
\060\060\060\060\060\060\060\132\060\115\061\013\060\011\006\003
\125\004\006\023\002\101\124\061\043\060\041\006\003\125\004\012
\023\032\145\055\143\157\155\155\145\162\143\145\040\155\157\156
\151\164\157\162\151\156\147\040\107\155\142\110\061\031\060\027
\006\003\125\004\003\023\020\107\114\117\102\101\114\124\122\125

```

\123\124\040\062\060\062\060\060\060\202\002\042\060\015\006\011\052
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060
\202\002\012\002\202\002\001\000\256\056\126\255\033\034\357\366
\225\217\240\167\033\053\323\143\217\204\115\105\242\017\237\133
\105\253\131\173\121\064\371\354\213\212\170\305\335\153\257\275
\304\337\223\105\036\277\221\070\013\256\016\026\347\101\163\370
\333\273\321\270\121\340\313\203\073\163\070\156\167\212\017\131
\143\046\315\247\052\316\124\373\270\342\300\174\107\316\140\174
\077\262\163\362\300\031\266\212\222\207\065\015\220\050\242\344
\025\004\143\076\272\257\356\174\136\314\246\213\120\262\070\367
\101\143\312\316\377\151\217\150\016\225\066\345\314\271\214\011
\312\113\335\061\220\226\310\314\037\375\126\226\064\333\216\034
\352\054\276\205\056\143\335\252\251\225\323\375\051\225\023\360
\310\230\223\331\055\026\107\220\021\203\242\072\042\242\050\127
\242\353\376\300\214\050\240\246\175\347\052\102\073\202\200\143
\245\143\037\031\314\174\262\146\250\302\323\155\067\157\342\176
\006\121\331\105\204\037\022\316\044\122\144\205\013\110\200\116
\207\261\042\042\060\252\353\256\276\340\002\340\100\350\260\102
\200\003\121\252\264\176\252\104\327\103\141\363\242\153\026\211
\111\244\243\244\053\212\002\304\170\364\150\212\301\344\172\066
\261\157\033\226\033\167\111\215\324\311\006\162\217\317\123\343
\334\027\205\040\112\334\230\047\323\221\046\053\107\036\151\007
\257\336\242\344\344\324\153\013\263\136\174\324\044\200\107\051
\151\073\156\350\254\375\100\353\330\355\161\161\053\362\350\130
\035\353\101\227\042\305\037\324\071\320\047\217\207\343\030\364
\340\251\106\015\365\164\072\202\056\320\156\054\221\243\061\134
\073\106\352\173\004\020\126\136\200\035\365\245\145\350\202\374
\342\007\214\142\105\365\040\336\106\160\206\241\274\223\323\036
\164\246\154\260\054\367\003\014\210\014\313\324\162\123\206\274
\140\106\363\230\152\302\361\277\103\371\160\040\167\312\067\101
\171\125\122\143\215\133\022\237\305\150\304\210\235\254\362\060
\253\267\243\061\227\147\255\217\027\017\154\307\163\355\044\224
\153\310\203\232\320\232\067\111\004\253\261\026\310\154\111\111
\055\253\241\320\214\222\362\101\112\171\041\045\333\143\327\266
\234\247\176\102\151\373\072\143\002\003\001\000\001\243\143\060
\141\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002
\001\006\060\035\006\003\125\035\016\004\026\004\024\334\056\037
\321\141\067\171\344\253\325\325\263\022\161\150\075\152\150\234
\042\060\037\006\003\125\035\043\004\030\060\026\200\024\334\056
\037\321\141\067\171\344\253\325\325\263\022\161\150\075\152\150
\234\042\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\003\202\002\001\000\221\360\102\002\150\100\356\303\150\300
\124\057\337\354\142\303\303\236\212\240\061\050\252\203\216\244
\126\226\022\020\206\126\272\227\162\322\124\060\174\255\031\325
\035\150\157\373\024\102\330\215\016\363\265\321\245\343\002\102
\136\334\350\106\130\007\065\002\060\340\274\164\112\301\103\052
\377\333\032\320\260\257\154\303\375\313\263\365\177\155\003\056

\131\126\235\055\055\065\214\262\326\103\027\054\222\012\313\135
\350\214\017\113\160\103\320\202\377\250\314\277\244\224\300\276
\207\275\212\343\223\173\306\217\233\026\235\047\145\274\172\305
\102\202\154\134\007\320\251\301\210\140\104\351\230\205\026\137
\370\217\312\001\020\316\045\303\371\140\033\240\305\227\303\323
\054\210\061\242\275\060\354\320\320\300\022\361\301\071\343\345
\365\370\326\112\335\064\315\373\157\301\117\343\000\213\126\342
\222\367\050\262\102\167\162\043\147\307\077\021\025\262\304\003
\005\276\273\021\173\012\277\250\156\347\377\130\103\317\233\147
\240\200\007\266\035\312\255\155\352\101\021\176\055\164\223\373
\302\274\276\121\104\305\357\150\045\047\200\343\310\240\324\022
\354\331\245\067\035\067\174\264\221\312\332\324\261\226\201\357
\150\134\166\020\111\257\176\245\067\200\261\034\122\275\063\201
\114\217\371\335\145\331\024\315\212\045\130\364\342\305\203\245
\011\220\324\154\024\143\265\100\337\353\300\374\304\130\176\015
\024\026\207\124\047\156\126\344\160\204\270\154\062\022\176\202
\061\103\276\327\335\174\241\255\256\326\253\040\022\357\012\303
\020\214\111\226\065\334\013\165\136\261\117\325\117\064\016\021
\040\007\165\103\105\351\243\021\332\254\243\231\302\266\171\047
\342\271\357\310\342\366\065\051\172\164\372\305\177\202\005\142
\246\012\352\150\262\171\107\006\156\362\127\250\025\063\306\367
\170\112\075\102\173\153\176\376\367\106\352\321\353\216\357\210
\150\133\350\301\331\161\176\375\144\357\377\147\107\210\130\045
\057\076\206\007\275\373\250\345\202\250\254\245\323\151\103\315
\061\210\111\204\123\222\300\261\071\033\071\203\001\060\304\362
\251\372\320\003\275\162\067\140\126\037\066\174\275\071\221\365
\155\015\277\173\327\222

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "GLOBALTRUST 2020"

Issuer: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT

Serial Number:5a:4b:bd:5a:fb:4f:8a:5b:fa:65:e5

Subject: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT

Not Valid Before: Mon Feb 10 00:00:00 2020

Not Valid After : Sun Jun 10 00:00:00 2040

Fingerprint (SHA-256):

9A:29:6A:51:82:D1:D4:51:A2:E3:7F:43:9B:74:DA:AF:A2:67:52:33:29:F9:0F:9A:0D:20:07:C3:34:E2:3C:9A

Fingerprint (SHA1): D0:67:C1:13:51:01:0C:AA:D0:C7:6A:65:37:31:16:26:4F:53:71:A2

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "GLOBALTRUST 2020"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\320\147\301\023\121\001\014\252\320\307\152\145\067\061\026\046


```

\117\123\161\242
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\212\307\157\313\155\343\314\242\361\174\203\372\016\170\327\350
END
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\101\124\061
\043\060\041\006\003\125\004\012\023\032\145\055\143\157\155\155
\145\162\143\145\040\155\157\156\151\164\157\162\151\156\147\040
\107\155\142\110\061\031\060\027\006\003\125\004\003\023\020\107
\114\117\102\101\114\124\122\125\123\124\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\132\113\275\132\373\117\212\133\372\145\345
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "ANF Secure Server Root CA"
#
# Issuer: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
# Serial Number:0d:d3:e3:bc:6c:f9:6b:b1
# Subject: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
# Not Valid Before: Wed Sep 04 10:00:38 2019
# Not Valid After : Tue Aug 30 10:00:38 2039
# Fingerprint (SHA-256):
FB:8F:EC:75:91:69:B9:10:6B:1E:51:16:44:C6:18:C5:13:04:37:3F:6C:06:43:08:8D:8B:EF:FD:1B:99:75:99
# Fingerprint (SHA1): 5B:6E:68:D0:CC:15:B6:A0:5F:1E:C1:5F:AE:02:FC:6B:2F:5D:6F:74
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ANF Secure Server Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\204\061\022\060\020\006\003\125\004\005\023\011\107\066
\063\062\070\067\065\061\060\061\013\060\011\006\003\125\004\006
\023\002\105\123\061\047\060\045\006\003\125\004\012\023\036\101
\116\106\040\101\165\164\157\162\151\144\141\144\040\144\145\040
\103\145\162\164\151\146\151\143\141\143\151\157\156\061\024\060
\022\006\003\125\004\013\023\013\101\116\106\040\103\101\040\122
\141\151\172\061\042\060\040\006\003\125\004\003\023\031\101\116
\106\040\123\145\143\165\162\145\040\123\145\162\166\145\162\040

```

\122\157\157\164\040\103\101

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\201\204\061\022\060\020\006\003\125\004\005\023\011\107\066
\063\062\070\067\065\061\060\061\013\060\011\006\003\125\004\006
\023\002\105\123\061\047\060\045\006\003\125\004\012\023\036\101
\116\106\040\101\165\164\157\162\151\144\141\144\040\144\145\040
\103\145\162\164\151\146\151\143\141\143\151\157\156\061\024\060
\022\006\003\125\004\013\023\013\101\116\106\040\103\101\040\122
\141\151\172\061\042\060\040\006\003\125\004\003\023\031\101\116
\106\040\123\145\143\165\162\145\040\123\145\162\166\145\162\040
\122\157\157\164\040\103\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\010\015\323\343\274\154\371\153\261

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\357\060\202\003\327\240\003\002\001\002\002\010\015
\323\343\274\154\371\153\261\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\201\204\061\022\060\020\006\003\125
\004\005\023\011\107\066\063\062\070\067\065\061\060\061\013\060
\011\006\003\125\004\006\023\002\105\123\061\047\060\045\006\003
\125\004\012\023\036\101\116\106\040\101\165\164\157\162\151\144
\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141\143
\151\157\156\061\024\060\022\006\003\125\004\013\023\013\101\116
\106\040\103\101\040\122\141\151\172\061\042\060\040\006\003\125
\004\003\023\031\101\116\106\040\123\145\143\165\162\145\040\123
\145\162\166\145\162\040\122\157\157\164\040\103\101\060\036\027
\015\061\071\060\071\060\064\061\060\060\060\063\070\132\027\015
\063\071\060\070\063\060\061\060\060\060\063\070\132\060\201\204
\061\022\060\020\006\003\125\004\005\023\011\107\066\063\062\070
\067\065\061\060\061\013\060\011\006\003\125\004\006\023\002\105
\123\061\047\060\045\006\003\125\004\012\023\036\101\116\106\040
\101\165\164\157\162\151\144\141\144\040\144\145\040\103\145\162
\164\151\146\151\143\141\143\151\157\156\061\024\060\022\006\003
\125\004\013\023\013\101\116\106\040\103\101\040\122\141\151\172
\061\042\060\040\006\003\125\004\003\023\031\101\116\106\040\123
\145\143\165\162\145\040\123\145\162\166\145\162\040\122\157\157
\164\040\103\101\060\202\002\042\060\015\006\011\052\206\110\206
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012
\002\202\002\001\000\333\353\153\053\346\144\124\225\202\220\243
\162\244\031\001\235\234\013\201\137\163\111\272\247\254\363\004
\116\173\226\013\354\021\340\133\246\034\316\033\322\015\203\034
\053\270\236\035\176\105\062\140\017\007\351\167\130\176\237\152
\310\141\116\266\046\301\114\215\377\114\357\064\262\037\145\330
\271\170\365\255\251\161\271\357\117\130\035\245\336\164\040\227
\241\355\150\114\336\222\027\113\274\253\377\145\232\236\373\107

\331\127\162\363\011\241\256\166\104\023\156\234\055\104\071\274
\371\307\073\244\130\075\101\275\264\302\111\243\310\015\322\227
\057\007\145\122\000\247\156\310\257\150\354\364\024\226\266\127
\037\126\303\071\237\053\155\344\363\076\366\065\144\332\014\034
\241\204\113\057\113\113\342\054\044\235\155\223\100\353\265\043
\216\062\312\157\105\323\250\211\173\036\317\036\372\133\103\213
\315\315\250\017\152\312\014\136\271\236\107\217\360\331\266\012
\013\130\145\027\063\271\043\344\167\031\175\313\112\056\222\173
\117\057\020\167\261\215\057\150\234\142\314\340\120\370\354\221
\247\124\114\127\011\325\166\143\305\350\145\036\356\155\152\317
\011\235\372\174\117\255\140\010\375\126\231\017\025\054\173\251
\200\253\214\141\217\112\007\166\102\336\075\364\335\262\044\063
\133\270\265\243\104\311\254\177\167\074\035\043\354\202\251\246
\342\310\006\114\002\376\254\134\231\231\013\057\020\212\246\364
\177\325\207\164\015\131\111\105\366\360\161\134\071\051\326\277
\112\043\213\365\137\001\143\322\207\163\050\265\113\012\365\370
\253\202\054\176\163\045\062\035\013\143\012\027\201\000\377\266
\166\136\347\264\261\100\312\041\273\325\200\121\345\110\122\147
\054\322\141\211\007\015\017\316\102\167\300\104\163\234\104\120
\240\333\020\012\055\225\034\201\257\344\034\345\024\036\361\066
\101\001\002\057\175\163\247\336\102\314\114\351\211\015\126\367
\237\221\324\003\306\154\311\217\333\330\034\340\100\230\135\146
\231\230\200\156\055\377\001\305\316\313\106\037\254\002\306\103
\346\256\242\204\074\305\116\036\075\155\311\024\114\343\056\101
\273\312\071\277\066\074\052\031\252\101\207\116\245\316\113\062
\171\335\220\111\177\002\003\001\000\001\243\143\060\141\060\037
\006\003\125\035\043\004\030\060\026\200\024\234\137\320\154\143
\243\137\223\312\223\230\010\255\214\207\245\054\134\301\067\060
\035\006\003\125\035\016\004\026\004\024\234\137\320\154\143\243
\137\223\312\223\230\010\255\214\207\245\054\134\301\067\060\016
\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060\017
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202
\002\001\000\116\036\271\212\306\240\230\077\156\303\151\300\152
\134\111\122\254\313\053\135\170\070\301\325\124\204\237\223\360
\207\031\075\054\146\211\353\015\102\374\314\360\165\205\077\213
\364\200\135\171\345\027\147\275\065\202\342\362\074\216\175\133
\066\313\132\200\000\051\362\316\053\054\361\217\252\155\005\223
\154\162\307\126\353\337\120\043\050\345\105\020\075\350\147\243
\257\016\125\017\220\011\142\357\113\131\242\366\123\361\300\065
\344\057\301\044\275\171\057\116\040\042\073\375\032\040\260\244
\016\054\160\355\164\077\270\023\225\006\121\310\350\207\046\312
\244\133\152\026\041\222\335\163\140\236\020\030\336\074\201\352
\350\030\303\174\211\362\213\120\076\275\021\342\025\003\250\066
\175\063\001\154\110\025\327\210\220\231\004\305\314\346\007\364
\274\364\220\355\023\342\352\213\303\217\243\063\017\301\051\114
\023\116\332\025\126\161\163\162\202\120\366\232\063\174\242\261
\250\032\064\164\145\134\316\321\353\253\123\340\032\200\330\352

```
\072\111\344\046\060\233\345\034\212\250\251\025\062\206\231\222
\012\020\043\126\022\340\366\316\114\342\273\276\333\215\222\163
\001\146\057\142\076\262\162\047\105\066\355\115\126\343\227\231
\377\072\065\076\245\124\112\122\131\113\140\333\356\376\170\021
\177\112\334\024\171\140\266\153\144\003\333\025\203\341\242\276
\366\043\227\120\360\011\063\066\247\161\226\045\363\271\102\175
\333\070\077\054\130\254\350\102\341\016\330\323\073\114\056\202
\351\203\056\153\061\331\335\107\206\117\155\227\221\056\117\342
\050\161\065\026\321\362\163\376\045\053\007\107\044\143\047\310
\370\366\331\153\374\022\061\126\010\300\123\102\257\234\320\063
\176\374\006\360\061\104\003\024\361\130\352\362\152\015\251\021
\262\203\276\305\032\277\007\352\131\334\243\210\065\357\234\166
\062\074\115\006\042\316\025\345\335\236\330\217\332\336\322\304
\071\345\027\201\317\070\107\353\177\210\155\131\033\337\237\102
\024\256\176\317\250\260\146\145\332\067\257\237\252\075\352\050
\266\336\325\061\130\026\202\133\352\273\031\165\002\163\032\312
\110\032\041\223\220\012\216\223\204\247\175\073\043\030\222\211
\240\215\254
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "ANF Secure Server Root CA"
```

```
# Issuer: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
```

```
# Serial Number:0d:d3:e3:bc:6c:f9:6b:b1
```

```
# Subject: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
```

```
# Not Valid Before: Wed Sep 04 10:00:38 2019
```

```
# Not Valid After : Tue Aug 30 10:00:38 2039
```

```
# Fingerprint (SHA-256):
```

```
FB:8F:EC:75:91:69:B9:10:6B:1E:51:16:44:C6:18:C5:13:04:37:3F:6C:06:43:08:8D:8B:EF:FD:1B:99:75:99
```

```
# Fingerprint (SHA1): 5B:6E:68:D0:CC:15:B6:A0:5F:1E:C1:5F:AE:02:FC:6B:2F:5D:6F:74
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "ANF Secure Server Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\133\156\150\320\314\025\266\240\137\036\301\137\256\002\374\153
\057\135\157\164
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\046\246\104\132\331\257\116\057\262\035\266\145\260\116\350\226
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\204\061\022\060\020\006\003\125\004\005\023\011\107\066
```

```
\063\062\070\067\065\061\060\061\013\060\011\006\003\125\004\006
\023\002\105\123\061\047\060\045\006\003\125\004\012\023\036\101
\116\106\040\101\165\164\157\162\151\144\141\144\040\144\145\040
\103\145\162\164\151\146\151\143\141\143\151\157\156\061\024\060
\022\006\003\125\004\013\023\013\101\116\106\040\103\101\040\122
\141\151\172\061\042\060\040\006\003\125\004\003\023\031\101\116
\106\040\123\145\143\165\162\145\040\123\145\162\166\145\162\040
\122\157\157\164\040\103\101
```

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

```
\002\010\015\323\343\274\154\371\153\261
```

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "Certum EC-384 CA"

#

Issuer: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

Serial Number:78:8f:27:5c:81:12:52:20:a5:04:d0:2d:dd:ba:73:f4

Subject: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

Not Valid Before: Mon Mar 26 07:24:54 2018

Not Valid After : Thu Mar 26 07:24:54 2043

Fingerprint (SHA-256):

6B:32:80:85:62:53:18:AA:50:D1:73:C9:8D:8B:DA:09:D5:7E:27:41:3D:11:4C:F7:87:A0:F5:D0:6C:03:0C:F6

Fingerprint (SHA1): F3:3E:78:3C:AC:DF:F4:A2:CC:AC:67:55:69:56:D7:E5:16:3C:E1:ED

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Certum EC-384 CA"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

```
\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027\006
\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103\055
\063\070\064\040\103\101
```

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

```
\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
```

\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027\006
\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103\055
\063\070\064\040\103\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\170\217\047\134\201\022\122\040\245\004\320\055\335\272
\163\364

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\145\060\202\001\353\240\003\002\001\002\002\020\170
\217\047\134\201\022\122\040\245\004\320\055\335\272\163\364\060
\012\006\010\052\206\110\316\075\004\003\003\060\164\061\013\060
\011\006\003\125\004\006\023\002\120\114\061\041\060\037\006\003
\125\004\012\023\030\101\163\163\145\143\157\040\104\141\164\141
\040\123\171\163\164\145\155\163\040\123\056\101\056\061\047\060
\045\006\003\125\004\013\023\036\103\145\162\164\165\155\040\103
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164
\150\157\162\151\164\171\061\031\060\027\006\003\125\004\003\023
\020\103\145\162\164\165\155\040\105\103\055\063\070\064\040\103
\101\060\036\027\015\061\070\060\063\062\066\060\067\062\064\065
\064\132\027\015\064\063\060\063\062\066\060\067\062\064\065\064
\132\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143
\157\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145
\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027
\006\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103
\055\063\070\064\040\103\101\060\166\060\020\006\007\052\206\110
\316\075\002\001\006\005\053\201\004\000\042\003\142\000\004\304
\050\216\253\030\133\152\276\156\144\067\143\344\315\354\253\072
\367\314\241\270\016\202\111\327\206\051\237\241\224\362\343\140
\170\230\201\170\006\115\362\354\232\016\127\140\203\237\264\346
\027\057\032\263\135\002\133\211\043\074\302\021\005\052\247\210
\023\030\363\120\204\327\275\064\054\047\211\125\377\316\114\347
\337\246\037\050\304\360\124\303\271\174\267\123\255\353\302\243
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\215
\006\146\164\044\166\072\363\211\367\274\326\275\107\175\057\274
\020\137\113\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\006\060\012\006\010\052\206\110\316\075\004\003\003\003
\150\000\060\145\002\060\003\125\055\246\346\030\304\174\357\311
\120\156\301\047\017\234\207\257\156\325\033\010\030\275\222\051
\301\357\224\221\170\322\072\034\125\211\142\345\033\011\036\272
\144\153\361\166\264\324\002\061\000\264\102\204\231\377\253\347

```
\236\373\221\227\047\135\334\260\133\060\161\316\136\070\032\152
\331\045\347\352\367\141\222\126\370\352\332\066\302\207\145\226
\056\162\045\057\177\337\303\023\311
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "Certum EC-384 CA"

Issuer: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

Serial Number:78:8f:27:5c:81:12:52:20:a5:04:d0:2d:dd:ba:73:f4

Subject: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

Not Valid Before: Mon Mar 26 07:24:54 2018

Not Valid After : Thu Mar 26 07:24:54 2043

Fingerprint (SHA-256):

6B:32:80:85:62:53:18:AA:50:D1:73:C9:8D:8B:DA:09:D5:7E:27:41:3D:11:4C:F7:87:A0:F5:D0:6C:03:0C:F6

Fingerprint (SHA1): F3:3E:78:3C:AC:DF:F4:A2:CC:AC:67:55:69:56:D7:E5:16:3C:E1:ED

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certum EC-384 CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\363\076\170\074\254\337\364\242\314\254\147\125\151\126\327\345
\026\074\341\355
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\266\145\263\226\140\227\022\241\354\116\341\075\243\306\311\361
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027\006
\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103\055
\063\070\064\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\170\217\047\134\201\022\122\040\245\004\320\055\335\272
\163\364
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```

#
# Certificate "Certum Trusted Root CA"
#
# Issuer: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL
# Serial Number: 1e:bf:59:50:b8:c9:80:37:4c:06:f7:eb:55:4f:b5:ed
# Subject: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL
# Not Valid Before: Fri Mar 16 12:10:13 2018
# Not Valid After : Mon Mar 16 12:10:13 2043
# Fingerprint (SHA-256):
FE:76:96:57:38:55:77:3E:37:A9:5E:7A:D4:D9:CC:96:C3:01:57:C1:5D:31:76:5B:A9:B1:57:04:E1:AE:78:FD
# Fingerprint (SHA1): C8:83:44:C0:18:AE:9F:CC:F1:87:B7:8F:22:D1:C5:D7:45:84:BA:E5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\172\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\037\060\035\006
\003\125\004\003\023\026\103\145\162\164\165\155\040\124\162\165
\163\164\145\144\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\172\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\037\060\035\006
\003\125\004\003\023\026\103\145\162\164\165\155\040\124\162\165
\163\164\145\144\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\036\277\131\120\270\311\200\067\114\006\367\353\125\117
\265\355
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\300\060\202\003\250\240\003\002\001\002\002\020\036
\277\131\120\270\311\200\067\114\006\367\353\125\117\265\355\060
\015\006\011\052\206\110\206\367\015\001\001\015\005\000\060\172
\061\013\060\011\006\003\125\004\006\023\002\120\114\061\041\060
\037\006\003\125\004\012\023\030\101\163\163\145\143\157\040\104

```


\141\164\141\040\123\171\163\164\145\155\163\040\123\056\101\056
\061\047\060\045\006\003\125\004\013\023\036\103\145\162\164\165
\155\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040
\101\165\164\150\157\162\151\164\171\061\037\060\035\006\003\125
\004\003\023\026\103\145\162\164\165\155\040\124\162\165\163\164
\145\144\040\122\157\157\164\040\103\101\060\036\027\015\061\070
\060\063\061\066\061\062\061\060\061\063\132\027\015\064\063\060
\063\061\066\061\062\061\060\061\063\132\060\172\061\013\060\011
\006\003\125\004\006\023\002\120\114\061\041\060\037\006\003\125
\004\012\023\030\101\163\163\145\143\157\040\104\141\164\141\040
\123\171\163\164\145\155\163\040\123\056\101\056\061\047\060\045
\006\003\125\004\013\023\036\103\145\162\164\165\155\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171\061\037\060\035\006\003\125\004\003\023\026
\103\145\162\164\165\155\040\124\162\165\163\164\145\144\040\122
\157\157\164\040\103\101\060\202\002\042\060\015\006\011\052\206
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202
\002\012\002\202\002\001\000\321\055\216\273\267\066\352\155\067
\221\237\116\223\247\005\344\051\003\045\316\034\202\367\174\231
\237\101\006\315\355\243\272\300\333\011\054\301\174\337\051\176
\113\145\057\223\247\324\001\153\003\050\030\243\330\235\005\301
\052\330\105\361\221\336\337\073\320\200\002\214\317\070\017\352
\247\134\170\021\244\301\310\205\134\045\323\323\262\347\045\317
\021\124\227\253\065\300\036\166\034\357\000\123\237\071\334\024
\245\054\042\045\263\162\162\374\215\263\345\076\010\036\024\052
\067\013\210\074\312\260\364\310\302\241\256\274\301\276\051\147
\125\342\374\255\131\134\376\275\127\054\260\220\215\302\355\067
\266\174\231\210\265\325\003\232\075\025\015\075\072\250\250\105
\360\225\116\045\131\035\315\230\151\273\323\314\062\311\215\357
\201\376\255\175\211\273\272\140\023\312\145\225\147\240\363\031
\366\003\126\324\152\323\047\342\241\255\203\360\112\022\042\167
\034\005\163\342\031\161\102\300\354\165\106\232\220\130\340\152
\216\053\245\106\060\004\216\031\262\027\343\276\251\272\177\126
\361\044\003\327\262\041\050\166\016\066\060\114\171\325\101\232
\232\250\270\065\272\014\072\362\104\033\040\210\367\305\045\327
\075\306\343\076\103\335\207\376\304\352\365\123\076\114\145\377
\073\112\313\170\132\153\027\137\015\307\303\117\116\232\052\242
\355\127\115\042\342\106\232\077\017\221\064\044\175\125\343\214
\225\067\323\032\360\011\053\054\322\311\215\264\015\000\253\147
\051\050\330\001\365\031\004\266\035\276\166\376\162\134\304\205
\312\322\200\101\337\005\250\243\325\204\220\117\013\363\340\077
\233\031\322\067\211\077\362\173\122\034\214\366\341\367\074\007
\227\214\016\242\131\201\014\262\220\075\323\343\131\106\355\017
\251\247\336\200\153\132\252\007\266\031\313\274\127\363\227\041
\172\014\261\053\164\076\353\332\247\147\055\114\304\230\236\066
\011\166\146\146\374\032\077\352\110\124\034\276\060\275\200\120
\277\174\265\316\000\366\014\141\331\347\044\003\340\343\001\201
\016\275\330\205\064\210\275\262\066\250\173\134\010\345\104\200

\214\157\370\057\325\041\312\035\034\320\373\304\265\207\321\072
\116\307\166\265\065\110\265\002\003\001\000\001\243\102\060\100
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\035\006\003\125\035\016\004\026\004\024\214\373\034\165
\274\002\323\237\116\056\110\331\371\140\124\252\304\263\117\372
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006
\060\015\006\011\052\206\110\206\367\015\001\001\015\005\000\003
\202\002\001\000\110\242\325\000\013\056\320\077\274\034\325\265
\124\111\036\132\153\364\344\362\340\100\067\340\314\024\173\271
\311\372\065\265\165\027\223\152\005\151\205\234\315\117\031\170
\133\031\201\363\143\076\303\316\133\217\365\057\136\001\166\023
\077\054\000\271\315\226\122\071\111\155\004\116\305\351\017\206
\015\341\372\263\137\202\022\361\072\316\146\006\044\064\053\350
\314\312\347\151\334\207\235\302\064\327\171\321\323\167\270\252
\131\130\376\235\046\372\070\206\076\235\212\207\144\127\345\027
\072\342\371\215\271\343\063\170\301\220\330\270\335\267\203\121
\344\304\314\043\325\006\174\346\121\323\315\064\061\300\366\106
\273\013\255\374\075\020\005\052\073\112\221\045\356\214\324\204
\207\200\052\274\011\214\252\072\023\137\350\064\171\120\301\020
\031\371\323\050\036\324\321\121\060\051\263\256\220\147\326\037
\012\143\261\305\251\306\102\061\143\027\224\357\151\313\057\372
\214\024\175\304\103\030\211\331\360\062\100\346\200\342\106\137
\345\343\301\000\131\250\371\350\040\274\211\054\016\107\064\013
\352\127\302\123\066\374\247\324\257\061\315\376\002\345\165\372
\271\047\011\371\363\365\073\312\175\237\251\042\313\210\311\252
\321\107\075\066\167\250\131\144\153\047\317\357\047\301\343\044
\265\206\367\256\176\062\115\260\171\150\321\071\350\220\130\303
\203\274\017\054\326\227\353\316\014\341\040\307\332\267\076\303
\077\277\057\334\064\244\373\053\041\315\147\217\113\364\343\352
\324\077\347\117\272\271\245\223\105\034\146\037\041\372\144\136
\157\340\166\224\062\313\165\365\156\345\366\217\307\270\244\314
\250\226\175\144\373\044\132\112\003\154\153\070\306\350\003\103
\232\367\127\271\263\051\151\223\070\364\003\362\273\373\202\153
\007\040\321\122\037\232\144\002\173\230\146\333\134\115\132\017
\320\204\225\240\074\024\103\006\312\312\333\270\101\066\332\152
\104\147\207\257\257\343\105\021\025\151\010\262\276\026\071\227
\044\157\022\105\321\147\135\011\250\311\025\332\372\322\246\137
\023\141\037\277\205\254\264\255\255\005\224\010\203\036\165\027
\323\161\073\223\120\043\131\240\355\074\221\124\235\166\000\305
\303\270\070\333

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Certum Trusted Root CA"

Issuer: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

Serial Number: 1e:bf:59:50:b8:c9:80:37:4c:06:f7:eb:55:4f:b5:ed

```

# Subject: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL
# Not Valid Before: Fri Mar 16 12:10:13 2018
# Not Valid After : Mon Mar 16 12:10:13 2043
# Fingerprint (SHA-256):
FE:76:96:57:38:55:77:3E:37:A9:5E:7A:D4:D9:CC:96:C3:01:57:C1:5D:31:76:5B:A9:B1:57:04:E1:AE:78:FD
# Fingerprint (SHA1): C8:83:44:C0:18:AE:9F:CC:F1:87:B7:8F:22:D1:C5:D7:45:84:BA:E5
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\310\203\104\300\030\256\237\314\361\207\267\217\042\321\305\327
\105\204\272\345
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\121\341\302\347\376\114\204\257\131\016\057\364\124\157\352\051
END
CKA_ISSUER MULTILINE_OCTAL
\060\172\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\037\060\035\006
\003\125\004\003\023\026\103\145\162\164\165\155\040\124\162\165
\163\164\145\144\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\036\277\131\120\270\311\200\067\114\006\367\353\125\117
\265\355
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "TunTrust Root CA"
#
# Issuer: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN
# Serial Number: 13:02:d5:e2:40:4c:92:46:86:16:67:5d:b4:bb:bb:b2:6b:3e:fc:13
# Subject: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN
# Not Valid Before: Fri Apr 26 08:57:56 2019
# Not Valid After : Tue Apr 26 08:57:56 2044
# Fingerprint (SHA-256):
2E:44:10:2A:B5:8C:B8:54:19:45:1C:8E:19:D9:AC:F3:66:2C:AF:BC:61:4B:6A:53:96:0A:30:F7:D0:E2:EB:41
# Fingerprint (SHA1): CF:E9:70:84:0F:E0:73:0F:9D:F6:0C:7F:2C:4B:EE:20:46:34:9C:BB

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TunTrust Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\124\116\061
\067\060\065\006\003\125\004\012\014\056\101\147\145\156\143\145
\040\116\141\164\151\157\156\141\154\145\040\144\145\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\105\154\145\143
\164\162\157\156\151\161\165\145\061\031\060\027\006\003\125\004
\003\014\020\124\165\156\124\162\165\163\164\040\122\157\157\164
\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\124\116\061
\067\060\065\006\003\125\004\012\014\056\101\147\145\156\143\145
\040\116\141\164\151\157\156\141\154\145\040\144\145\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\105\154\145\143
\164\162\157\156\151\161\165\145\061\031\060\027\006\003\125\004
\003\014\020\124\165\156\124\162\165\163\164\040\122\157\157\164
\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\023\002\325\342\100\114\222\106\206\026\147\135\264\273
\273\262\153\076\374\023
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\263\060\202\003\233\240\003\002\001\002\002\024\023
\002\325\342\100\114\222\106\206\026\147\135\264\273\273\262\153
\076\374\023\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\141\061\013\060\011\006\003\125\004\006\023\002\124
\116\061\067\060\065\006\003\125\004\012\014\056\101\147\145\156
\143\145\040\116\141\164\151\157\156\141\154\145\040\144\145\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\105\154
\145\143\164\162\157\156\151\161\165\145\061\031\060\027\006\003
\125\004\003\014\020\124\165\156\124\162\165\163\164\040\122\157
\157\164\040\103\101\060\036\027\015\061\071\060\064\062\066\060
\070\065\067\065\066\132\027\015\064\064\060\064\062\066\060\070
\065\067\065\066\132\060\141\061\013\060\011\006\003\125\004\006
\023\002\124\116\061\067\060\065\006\003\125\004\012\014\056\101
\147\145\156\143\145\040\116\141\164\151\157\156\141\154\145\040
\144\145\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\105\154\145\143\164\162\157\156\151\161\165\145\061\031\060
\027\006\003\125\004\003\014\020\124\165\156\124\162\165\163\164
\040\122\157\157\164\040\103\101\060\202\002\042\060\015\006\011
```

\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000
\060\202\002\012\002\202\002\001\000\303\315\323\374\275\004\123
\335\014\040\072\325\210\056\005\113\101\365\203\202\176\367\131
\237\236\236\143\350\163\332\366\006\251\117\037\264\371\013\037
\071\214\232\040\320\176\006\324\354\064\331\206\274\165\133\207
\210\360\322\331\324\243\012\262\154\033\353\111\054\076\254\135
\330\224\003\240\354\064\345\060\304\065\175\373\046\115\033\156
\060\124\330\365\200\105\234\071\255\234\311\045\004\115\232\220
\076\116\100\156\212\153\315\051\147\306\314\055\340\164\350\005
\127\012\110\120\372\172\103\332\176\354\133\232\016\142\166\376
\352\235\035\205\162\354\021\273\065\350\037\047\277\301\241\307
\273\110\026\335\126\327\314\116\240\341\271\254\333\325\203\031
\032\205\321\224\227\327\312\243\145\013\363\070\371\002\256\335
\366\147\317\311\077\365\212\054\107\032\231\157\005\015\375\320
\035\202\061\374\051\314\000\130\227\221\114\200\000\034\063\205
\226\057\313\101\302\213\020\204\303\011\044\211\037\265\017\331
\331\167\107\030\222\224\140\134\307\231\003\074\376\367\225\247
\175\120\241\200\302\251\203\255\130\226\125\041\333\206\131\324
\257\306\274\335\201\156\007\333\140\142\376\354\020\156\332\150
\001\364\203\033\251\076\242\133\043\327\144\306\337\334\242\175
\330\113\272\202\322\121\370\146\277\006\106\344\171\052\046\066
\171\217\037\116\231\035\262\217\014\016\034\377\311\135\300\375
\220\020\246\261\067\363\315\072\044\156\264\205\220\277\200\271
\014\214\325\233\326\310\361\126\077\032\200\211\172\251\342\033
\062\121\054\076\362\337\173\366\135\172\051\031\216\345\310\275
\066\161\213\135\114\302\035\077\255\130\242\317\075\160\115\246
\120\230\045\334\043\371\270\130\101\010\161\277\117\270\204\240
\217\000\124\025\374\221\155\130\247\226\073\353\113\226\047\315
\153\242\241\206\254\015\174\124\346\146\114\146\137\220\276\041
\232\002\106\055\344\203\302\200\271\317\113\076\350\177\074\001
\354\217\136\315\177\322\050\102\001\225\212\342\227\075\020\041
\175\366\235\034\305\064\241\354\054\016\012\122\054\022\125\160
\044\075\313\302\024\065\103\135\047\116\276\300\275\252\174\226
\347\374\236\141\255\104\323\000\227\002\003\001\000\001\243\143
\060\141\060\035\006\003\125\035\016\004\026\004\024\006\232\233
\037\123\175\361\365\244\310\323\206\076\241\163\131\264\367\104
\041\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001
\001\377\060\037\006\003\125\035\043\004\030\060\026\200\024\006
\232\233\037\123\175\361\365\244\310\323\206\076\241\163\131\264
\367\104\041\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\006\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\003\202\002\001\000\252\005\156\266\335\025\311\277\263
\306\040\366\006\107\260\206\223\045\323\215\271\310\000\077\227
\365\122\047\210\161\311\164\375\353\312\144\333\133\357\036\135
\272\277\321\353\356\134\151\272\026\310\363\271\217\323\066\056
\100\111\007\015\131\336\213\020\260\111\005\342\377\221\077\113
\267\335\002\216\370\201\050\134\314\334\155\257\137\024\234\175
\130\170\015\366\200\011\271\351\016\227\051\031\270\267\353\370

\026\313\125\022\344\306\175\273\304\354\370\265\034\116\076\147
\277\305\137\033\155\155\107\050\252\004\130\141\326\166\277\042
\177\320\007\152\247\144\123\360\227\215\235\200\077\273\301\007
\333\145\257\346\233\062\232\303\124\223\304\034\010\303\104\373
\173\143\021\103\321\152\032\141\152\171\155\220\117\051\216\107
\005\301\022\151\151\326\306\066\061\341\374\372\200\272\134\117
\304\353\267\062\254\370\165\141\027\327\020\031\271\361\322\011
\357\172\102\235\133\132\013\324\306\225\116\052\316\377\007\327
\117\176\030\006\210\361\031\265\331\230\273\256\161\304\034\347
\164\131\130\357\014\211\317\213\037\165\223\032\004\024\222\110
\120\251\353\127\051\000\026\343\066\034\310\370\277\360\063\325
\101\017\304\314\074\335\351\063\103\001\221\020\053\036\321\271
\135\315\062\031\213\217\214\040\167\327\042\304\102\334\204\026
\233\045\155\350\264\125\161\177\260\174\263\323\161\111\271\317
\122\244\004\077\334\075\240\273\257\063\236\012\060\140\216\333
\235\135\224\250\275\140\347\142\200\166\201\203\014\214\314\060
\106\111\342\014\322\250\257\353\141\161\357\347\042\142\251\367
\134\144\154\237\026\214\147\066\047\105\365\011\173\277\366\020
\012\361\260\215\124\103\214\004\272\243\077\357\342\065\307\371
\164\340\157\064\101\320\277\163\145\127\040\371\233\147\172\146
\150\044\116\200\145\275\020\231\006\131\362\145\257\270\306\107
\273\375\220\170\213\101\163\056\257\125\037\334\073\222\162\156
\204\323\320\141\114\015\314\166\127\342\055\205\042\025\066\015
\353\001\235\353\330\353\304\204\231\373\300\014\314\062\350\343
\167\332\203\104\213\236\125\050\300\213\130\323\220\076\116\033
\000\361\025\255\203\053\232

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE

Trust for "TunTrust Root CA"

Issuer: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN

Serial Number: 13:02:d5:e2:40:4c:92:46:86:16:67:5d:b4:bb:bb:b2:6b:3e:fc:13

Subject: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN

Not Valid Before: Fri Apr 26 08:57:56 2019

Not Valid After : Tue Apr 26 08:57:56 2044

Fingerprint (SHA-256):

2E:44:10:2A:B5:8C:B8:54:19:45:1C:8E:19:D9:AC:F3:66:2C:AF:BC:61:4B:6A:53:96:0A:30:F7:D0:E2:EB:41

Fingerprint (SHA1): CF:E9:70:84:0F:E0:73:0F:9D:F6:0C:7F:2C:4B:EE:20:46:34:9C:BB

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "TunTrust Root CA"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\317\351\160\204\017\340\163\017\235\366\014\177\054\113\356\040

\106\064\234\273

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\205\023\271\220\133\066\134\266\136\270\132\370\340\061\127\264
END
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\124\116\061
\067\060\065\006\003\125\004\012\014\056\101\147\145\156\143\145
\040\116\141\164\151\157\156\141\154\145\040\144\145\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\105\154\145\143
\164\162\157\156\151\161\165\145\061\031\060\027\006\003\125\004
\003\014\020\124\165\156\124\162\165\163\164\040\122\157\157\164
\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\023\002\325\342\100\114\222\106\206\026\147\135\264\273
\273\262\153\076\374\023
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "HARICA TLS RSA Root CA 2021"
#
# Issuer: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Serial Number:39:ca:93:1c:ef:43:f3:c6:8e:93:c7:f4:64:89:38:7e
# Subject: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Not Valid Before: Fri Feb 19 10:55:38 2021
# Not Valid After : Mon Feb 13 10:55:37 2045
# Fingerprint (SHA-256):
D9:5D:0E:8E:DA:79:52:5B:F9:BE:B1:1B:14:D2:10:0D:32:94:98:5F:0C:62:D9:FA:BD:9C:D9:99:EC:CB:7B:1D
# Fingerprint (SHA1): 02:2D:05:82:FA:88:CE:14:0C:06:79:DE:7F:14:10:E9:45:D7:A5:6D
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA TLS RSA Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\122\123
\101\040\122\157\157\164\040\103\101\040\062\060\062\061
END

```

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\122\123
\101\040\122\157\157\164\040\103\101\040\062\060\062\061

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\071\312\223\034\357\103\363\306\216\223\307\364\144\211
\070\176

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\244\060\202\003\214\240\003\002\001\002\002\020\071
\312\223\034\357\103\363\306\216\223\307\364\144\211\070\176\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\154
\061\013\060\011\006\003\125\004\006\023\002\107\122\061\067\060
\065\006\003\125\004\012\014\056\110\145\154\154\145\156\151\143
\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122\145
\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164\151
\157\156\163\040\103\101\061\044\060\042\006\003\125\004\003\014
\033\110\101\122\111\103\101\040\124\114\123\040\122\123\101\040
\122\157\157\164\040\103\101\040\062\060\062\061\060\036\027\015
\062\061\060\062\061\071\061\060\065\065\063\070\132\027\015\064
\065\060\062\061\063\061\060\065\065\063\067\132\060\154\061\013
\060\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006
\003\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101
\143\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145
\141\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156
\163\040\103\101\061\044\060\042\006\003\125\004\003\014\033\110
\101\122\111\103\101\040\124\114\123\040\122\123\101\040\122\157
\157\164\040\103\101\040\062\060\062\061\060\202\002\042\060\015
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002
\017\000\060\202\002\012\002\202\002\001\000\213\302\347\257\145
\233\005\147\226\311\015\044\271\320\016\144\374\316\342\044\030
\054\204\177\167\121\313\004\021\066\270\136\355\151\161\247\236
\344\045\011\227\147\301\107\302\317\221\026\066\142\075\070\004
\341\121\202\377\254\322\264\151\335\056\354\021\243\105\356\153
\153\073\114\277\214\215\244\036\235\021\271\351\070\371\172\016
\014\230\342\043\035\321\116\143\324\347\270\101\104\373\153\257
\153\332\037\323\305\221\210\133\244\211\222\321\201\346\214\071
\130\240\326\151\103\251\255\230\122\130\156\333\012\373\153\317
\150\372\343\244\136\072\105\163\230\007\352\137\002\162\336\014
\245\263\237\256\251\035\267\035\263\374\212\131\347\156\162\145
\255\365\060\224\043\007\363\202\026\113\065\230\234\123\273\057
\312\344\132\331\307\215\035\374\230\231\373\054\244\202\153\360

\052\037\216\013\137\161\134\134\256\102\173\051\211\201\313\003
\243\231\312\210\236\013\100\011\101\063\333\346\130\172\375\256
\231\160\300\132\017\326\023\206\161\057\166\151\374\220\335\333
\055\156\321\362\233\365\032\153\236\157\025\214\172\360\113\050
\240\042\070\200\044\154\066\244\073\362\060\221\363\170\023\317
\301\077\065\253\361\035\021\043\265\103\042\236\001\222\267\030
\002\345\021\321\202\333\025\000\314\141\067\301\052\174\232\341
\320\272\263\120\106\356\202\254\235\061\370\373\043\342\003\000
\110\160\243\011\046\171\025\123\140\363\070\134\255\070\352\201
\000\143\024\271\063\136\335\013\333\240\105\007\032\063\011\370
\115\264\247\002\246\151\364\302\131\005\210\145\205\126\256\113
\313\340\336\074\175\055\032\310\351\373\037\243\141\112\326\052
\023\255\167\114\032\030\233\221\017\130\330\006\124\305\227\370
\252\077\040\212\246\205\246\167\366\246\374\034\342\356\156\224
\063\052\203\120\204\012\345\117\206\370\120\105\170\000\201\353
\133\150\343\046\215\314\173\134\121\364\024\054\100\276\032\140
\035\172\162\141\035\037\143\055\210\252\316\242\105\220\010\374
\153\276\263\120\052\132\375\250\110\030\106\326\220\100\222\220
\012\204\136\150\061\370\353\355\015\323\035\306\175\231\030\125
\126\047\145\056\215\105\305\044\354\316\343\002\003\001\000\001
\243\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024
\012\110\043\246\140\244\222\012\063\352\223\133\305\127\352\045
\115\275\022\356\060\016\006\003\125\035\017\001\001\377\004\004
\003\002\001\206\060\015\006\011\052\206\110\206\367\015\001\001
\013\005\000\003\202\002\001\000\076\220\110\252\156\142\025\045
\146\173\014\325\214\213\211\235\327\355\116\007\357\234\320\024
\137\136\120\275\150\226\220\244\024\021\252\150\155\011\065\071
\100\011\332\364\011\054\064\245\173\131\204\111\051\227\164\310
\007\036\107\155\362\316\034\120\046\343\236\075\100\123\077\367
\177\226\166\020\305\106\245\320\040\113\120\364\065\073\030\364
\125\152\101\033\107\006\150\074\273\011\010\142\331\137\125\102
\252\254\123\205\254\225\126\066\126\253\344\005\214\305\250\332
\037\243\151\275\123\017\304\377\334\312\343\176\362\114\210\206
\107\106\032\363\000\365\200\221\242\334\103\102\224\233\040\360
\321\315\262\353\054\123\302\123\170\112\117\004\224\101\232\217
\047\062\301\345\111\031\277\361\362\302\213\250\012\071\061\050
\264\175\142\066\054\115\354\037\063\266\176\167\155\176\120\360
\237\016\327\021\217\317\030\305\343\047\376\046\357\005\235\317
\317\067\305\320\173\332\073\260\026\204\014\072\223\326\276\027
\333\017\076\016\031\170\011\307\251\002\162\042\113\367\067\166
\272\165\304\205\003\132\143\325\261\165\005\302\271\275\224\255
\214\025\231\247\223\175\366\305\363\252\164\317\004\205\224\230
\000\364\342\371\312\044\145\277\340\142\257\310\305\372\262\311
\236\126\110\332\171\375\226\166\025\276\243\216\126\304\263\064
\374\276\107\364\301\264\250\374\325\060\210\150\356\313\256\311
\143\304\166\276\254\070\030\341\136\134\317\256\072\042\121\353
\321\213\263\363\053\063\007\124\207\372\264\262\023\173\272\123

```
\004\142\001\235\361\300\117\356\341\072\324\213\040\020\372\002
\127\346\357\301\013\267\220\106\234\031\051\214\334\157\240\112
\151\151\224\267\044\145\240\377\254\077\316\001\373\041\056\375
\150\370\233\362\245\317\061\070\134\025\252\346\227\000\301\337
\132\245\247\071\252\351\204\177\074\121\250\072\331\224\133\214
\277\117\010\161\345\333\250\134\324\322\246\376\000\243\306\026
\307\017\350\200\316\034\050\144\164\031\010\323\102\343\316\000
\135\177\261\334\023\260\341\005\313\321\040\252\206\164\236\071
\347\221\375\377\133\326\367\255\246\057\003\013\155\343\127\124
\353\166\123\030\215\021\230\272
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "HARICA TLS RSA Root CA 2021"
```

```
# Issuer: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
```

```
# Serial Number:39:ca:93:1c:ef:43:f3:c6:8e:93:c7:f4:64:89:38:7e
```

```
# Subject: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
```

```
# Not Valid Before: Fri Feb 19 10:55:38 2021
```

```
# Not Valid After : Mon Feb 13 10:55:37 2045
```

```
# Fingerprint (SHA-256):
```

```
D9:5D:0E:8E:DA:79:52:5B:F9:BE:B1:1B:14:D2:10:0D:32:94:98:5F:0C:62:D9:FA:BD:9C:D9:99:EC:CB:7B:1D
```

```
# Fingerprint (SHA1): 02:2D:05:82:FA:88:CE:14:0C:06:79:DE:7F:14:10:E9:45:D7:A5:6D
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "HARICA TLS RSA Root CA 2021"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\002\055\005\202\372\210\316\024\014\006\171\336\177\024\020\351
\105\327\245\155
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\145\107\233\130\206\335\054\360\374\242\204\037\036\226\304\221
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\122\123
\101\040\122\157\157\164\040\103\101\040\062\060\062\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\071\312\223\034\357\103\363\306\216\223\307\364\144\211
\070\176
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "HARICA TLS ECC Root CA 2021"
#
# Issuer: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Serial Number:67:74:9d:8d:77:d8:3b:6a:db:22:f4:ff:59:e2:bf:ce
# Subject: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Not Valid Before: Fri Feb 19 11:01:10 2021
# Not Valid After : Mon Feb 13 11:01:09 2045
# Fingerprint (SHA-256):
3F:99:CC:47:4A:CF:CE:4D:FE:D5:87:94:66:5E:47:8D:15:47:73:9F:2E:78:0F:1B:B4:CA:9B:13:30:97:D4:01
# Fingerprint (SHA1): BC:B0:C1:9D:E9:98:92:70:19:38:57:E9:8D:A7:B4:5D:6E:EE:01:48
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA TLS ECC Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\105\103
\103\040\122\157\157\164\040\103\101\040\062\060\062\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\105\103
\103\040\122\157\157\164\040\103\101\040\062\060\062\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\147\164\235\215\167\330\073\152\333\042\364\377\131\342
\277\316
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\124\060\202\001\333\240\003\002\001\002\002\020\147

```

\164\235\215\167\330\073\152\333\042\364\377\131\342\277\316\060
\012\006\010\052\206\110\316\075\004\003\003\060\154\061\013\060
\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006\003
\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101\143
\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141
\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163
\040\103\101\061\044\060\042\006\003\125\004\003\014\033\110\101
\122\111\103\101\040\124\114\123\040\105\103\103\040\122\157\157
\164\040\103\101\040\062\060\062\061\060\036\027\015\062\061\060
\062\061\071\061\061\060\061\061\060\132\027\015\064\065\060\062
\061\063\061\061\060\061\060\071\132\060\154\061\013\060\011\006
\003\125\004\006\023\002\107\122\061\067\060\065\006\003\125\004
\012\014\056\110\145\154\154\145\156\151\143\040\101\143\141\144
\145\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143
\150\040\111\156\163\164\151\164\165\164\151\157\156\163\040\103
\101\061\044\060\042\006\003\125\004\003\014\033\110\101\122\111
\103\101\040\124\114\123\040\105\103\103\040\122\157\157\164\040
\103\101\040\062\060\062\061\060\166\060\020\006\007\052\206\110
\316\075\002\001\006\005\053\201\004\000\042\003\142\000\004\070
\010\376\261\240\226\322\172\254\257\111\072\320\300\340\303\073
\050\252\361\162\155\145\000\107\210\204\374\232\046\153\252\113
\272\154\004\012\210\136\027\362\125\207\374\060\260\064\342\064
\130\127\032\204\123\351\060\331\251\362\226\164\303\121\037\130
\111\061\314\230\116\140\021\207\165\323\162\224\220\117\233\020
\045\052\250\170\055\276\220\101\130\220\025\162\247\241\267\243
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\311
\033\123\201\022\376\004\325\026\321\252\274\232\157\267\240\225
\031\156\312\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\206\060\012\006\010\052\206\110\316\075\004\003\003\003
\147\000\060\144\002\060\021\336\256\370\334\116\210\260\251\360
\042\255\302\121\100\357\140\161\055\356\217\002\304\135\003\160
\111\244\222\352\305\024\210\160\246\323\015\260\252\312\054\100
\234\373\351\202\156\232\002\060\053\107\232\007\306\321\302\201
\174\312\013\226\030\101\033\243\364\060\011\236\265\043\050\015
\237\024\266\074\123\242\114\006\151\175\372\154\221\306\052\111
\105\346\354\267\023\341\072\154

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "HARICA TLS ECC Root CA 2021"

Issuer: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR

Serial Number:67:74:9d:8d:77:d8:3b:6a:db:22:f4:ff:59:e2:bf:ce

Subject: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR

Not Valid Before: Fri Feb 19 11:01:10 2021

Not Valid After : Mon Feb 13 11:01:09 2045

```

# Fingerprint (SHA-256):
3F:99:CC:47:4A:CF:CE:4D:FE:D5:87:94:66:5E:47:8D:15:47:73:9F:2E:78:0F:1B:B4:CA:9B:13:30:97:D4:01
# Fingerprint (SHA1): BC:B0:C1:9D:E9:98:92:70:19:38:57:E9:8D:A7:B4:5D:6E:EE:01:48
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA TLS ECC Root CA 2021"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\274\260\301\235\351\230\222\160\031\070\127\351\215\247\264\135
\156\356\001\110
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\256\367\114\345\146\065\321\267\233\214\042\223\164\323\113\260
END
CKA_ISSUER MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\105\103
\103\040\122\157\157\164\040\103\101\040\062\060\062\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\147\164\235\215\167\330\073\152\333\042\364\377\131\342
\277\316
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "HARICA Client RSA Root CA 2021"
#
# Issuer: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Serial Number:55:52:f8:1e:db:1b:24:2c:9e:bb:96:18:cd:02:28:3e
# Subject: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Not Valid Before: Fri Feb 19 10:58:46 2021
# Not Valid After : Mon Feb 13 10:58:45 2045
# Fingerprint (SHA-256):
1B:E7:AB:E3:06:86:B1:63:48:AF:D1:C6:1B:68:66:A0:EA:7F:48:21:E6:7D:5E:8A:F9:37:CF:80:11:BC:75:0D
# Fingerprint (SHA1): 46:C6:90:0A:77:3A:B6:BC:F4:65:AD:AC:FC:E3:F7:07:00:6E:DE:6E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE

```

```
CKA_LABEL UTF8 "HARICA Client RSA Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\125\122\370\036\333\033\044\054\236\273\226\030\315\002
\050\076
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\252\060\202\003\222\240\003\002\001\002\002\020\125
\122\370\036\333\033\044\054\236\273\226\030\315\002\050\076\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\157
\061\013\060\011\006\003\125\004\006\023\002\107\122\061\067\060
\065\006\003\125\004\012\014\056\110\145\154\154\145\156\151\143
\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122\145
\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164\151
\157\156\163\040\103\101\061\047\060\045\006\003\125\004\003\014
\036\110\101\122\111\103\101\040\103\154\151\145\156\164\040\122
\123\101\040\122\157\157\164\040\103\101\040\062\060\062\061\060
\036\027\015\062\061\060\062\061\071\061\060\065\070\064\066\132
\027\015\064\065\060\062\061\063\061\060\065\070\064\065\132\060
\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061\067
\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156\151
\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122
\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164
\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004\003
\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164\040
\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062\061
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
```

\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001
\000\201\333\127\102\220\054\164\065\364\370\270\164\031\115\253
\011\132\167\105\201\163\142\260\065\237\370\320\267\063\000\207
\023\266\226\253\016\124\022\060\007\274\233\267\110\327\321\031
\203\256\216\330\251\361\251\000\204\260\214\136\236\350\014\217
\124\151\277\366\324\010\117\046\160\376\030\101\143\032\263\062
\213\100\370\007\253\127\061\360\306\026\166\147\232\264\335\057
\362\321\153\305\320\222\204\221\161\156\017\056\143\351\037\123
\244\335\122\023\314\011\203\051\201\014\305\123\165\104\261\016
\147\123\030\320\303\037\210\113\237\224\044\264\051\274\273\350
\116\375\157\322\025\035\111\334\215\160\362\021\032\040\121\125
\021\272\210\157\304\367\120\171\326\252\061\342\204\075\136\062
\310\167\052\120\161\345\013\057\351\266\352\357\253\012\063\071
\016\375\217\245\147\103\202\216\230\151\011\011\033\100\315\070
\147\107\352\311\354\227\161\022\336\044\365\162\074\321\367\103
\114\046\367\220\262\211\351\105\113\125\075\061\005\172\101\342
\225\272\103\300\027\305\266\205\075\031\215\144\160\363\133\254
\315\237\323\051\165\207\113\225\147\152\246\370\321\335\274\220
\206\211\103\051\251\067\133\365\135\260\046\132\123\102\166\220
\053\317\236\126\154\053\124\317\134\232\145\337\133\213\110\140
\070\174\373\305\013\317\166\004\143\002\063\052\175\365\203\147
\347\372\306\103\375\053\017\324\046\057\167\244\062\301\044\352
\144\235\277\263\070\161\061\104\362\107\270\242\146\101\241\373
\233\173\274\307\106\152\165\277\132\242\214\350\152\104\301\270
\226\265\300\062\010\055\173\164\065\163\262\312\306\376\257\021
\162\030\366\347\310\302\317\245\052\352\173\326\131\350\174\240
\262\152\100\011\151\016\245\226\333\321\000\271\361\210\156\066
\360\210\262\235\361\122\362\303\174\277\060\211\074\012\151\371
\042\244\145\341\233\340\164\306\261\205\227\226\054\256\224\217
\120\246\071\022\037\276\107\362\201\170\323\165\066\236\175\132
\040\227\342\122\256\231\237\306\174\233\146\363\376\330\317\356
\275\227\006\035\055\205\334\076\066\123\226\173\040\272\350\310
\341\255\226\142\076\021\174\263\000\204\236\247\114\161\253\112
\067\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125
\035\016\004\026\004\024\240\326\007\075\136\044\367\173\240\104
\056\044\122\015\031\252\053\004\221\247\060\016\006\003\125\035
\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\015\107
\371\011\146\061\122\354\171\356\302\250\362\150\076\355\226\105
\313\072\246\230\143\077\352\053\115\116\003\320\034\202\341\313
\323\345\326\253\133\147\050\274\235\376\014\231\012\200\125\247
\316\033\043\141\015\260\127\360\376\340\312\276\346\220\333\203
\054\276\203\216\364\171\266\376\320\015\102\247\130\037\151\352
\201\365\005\245\376\106\150\353\154\170\311\340\352\347\346\336
\061\305\322\325\054\202\143\050\235\135\250\032\176\210\346\347
\053\361\054\325\320\005\236\334\055\275\067\146\324\004\242\247
\255\277\072\302\250\073\255\377\215\235\063\340\271\232\204\241

```
\207\037\166\364\202\164\327\016\371\060\110\076\133\210\076\252
\134\153\326\057\014\350\216\163\302\030\221\203\071\266\146\132
\320\037\140\047\135\115\343\366\072\015\146\120\234\170\173\253
\363\023\020\256\017\057\253\350\144\263\030\040\235\106\065\144
\045\163\352\233\020\134\130\065\211\261\106\110\247\364\254\324
\035\236\133\314\251\245\032\023\117\044\120\252\331\033\155\261
\100\373\235\335\130\164\304\302\157\024\162\354\333\065\237\270
\124\165\105\303\246\310\032\050\065\072\256\145\362\251\230\316
\257\133\311\070\214\061\073\177\314\334\226\375\342\133\326\320
\131\364\166\272\013\313\117\203\020\307\100\320\035\140\351\052
\345\110\130\167\014\105\151\276\031\161\004\044\342\343\044\037
\112\310\301\076\231\365\226\230\070\110\045\241\025\260\033\327
\342\204\030\133\366\161\065\232\150\173\100\314\030\134\014\044
\235\324\225\365\231\252\106\352\256\254\277\364\024\031\044\350
\214\354\343\365\274\006\150\212\052\014\005\137\012\227\165\247
\334\176\300\375\327\172\030\337\060\321\070\113\037\260\230\160
\277\314\174\163\360\156\304\061\245\244\227\035\254\277\316\154
\041\112\276\047\043\147\363\006\126\201\012\221\216\266\341\003
\005\063\054\332\064\010\115\116\120\043\255\037\245\305\324\172
\376\352\011\354\247\050\140\213\106\174\265\352\233\335\117\371
\347\153\025\306\210\317\103\333\345\047\334\004\126\156\157\106
\025\361\126\055\350\134\014\163\303\043\201\070\040\313\311\014
\151\317\054\253\073\204\140\063\031\122\375\151\024\063
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "HARICA Client RSA Root CA 2021"
# Issuer: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Serial Number:55:52:f8:1e:db:1b:24:2c:9e:bb:96:18:cd:02:28:3e
# Subject: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Not Valid Before: Fri Feb 19 10:58:46 2021
# Not Valid After : Mon Feb 13 10:58:45 2045
```

```
# Fingerprint (SHA-256):
```

```
1B:E7:AB:E3:06:86:B1:63:48:AF:D1:C6:1B:68:66:A0:EA:7F:48:21:E6:7D:5E:8A:F9:37:CF:80:11:BC:75:0D
```

```
# Fingerprint (SHA1): 46:C6:90:0A:77:3A:B6:BC:F4:65:AD:AC:FC:E3:F7:07:00:6E:DE:6E
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "HARICA Client RSA Root CA 2021"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\106\306\220\012\167\072\266\274\364\145\255\254\374\343\367\007
\000\156\336\156
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\157\355\134\327\210\314\070\251\334\351\335\331\135\333\330\355
```



```

END
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\125\122\370\036\333\033\044\054\236\273\226\030\315\002
\050\076
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "HARICA Client ECC Root CA 2021"
#
# Issuer: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Serial Number:31:68:d9:d8:e1:62:57:1e:d2:19:44:88:e6:10:7d:f0
# Subject: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Not Valid Before: Fri Feb 19 11:03:34 2021
# Not Valid After : Mon Feb 13 11:03:33 2045
# Fingerprint (SHA-256):
8D:D4:B5:37:3C:B0:DE:36:76:9C:12:33:92:80:D8:27:46:B3:AA:6C:D4:26:E7:97:A3:1B:AB:E4:27:9C:F0:0B
# Fingerprint (SHA1): BE:64:D3:DA:14:4B:D2:6B:CD:AF:8F:DB:A6:A6:72:F8:DE:26:F9:00
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA Client ECC Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\105\103\103\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_ID UTF8 "0"

```

CKA_ISSUER MULTILINE_OCTAL

\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\105\103\103\040\122\157\157\164\040\103\101\040\062\060\062
\061

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\061\150\331\330\341\142\127\036\322\031\104\210\346\020
\175\360

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\132\060\202\001\341\240\003\002\001\002\002\020\061
\150\331\330\341\142\127\036\322\031\104\210\346\020\175\360\060
\012\006\010\052\206\110\316\075\004\003\003\060\157\061\013\060
\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006\003
\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101\143
\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141
\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163
\040\103\101\061\047\060\045\006\003\125\004\003\014\036\110\101
\122\111\103\101\040\103\154\151\145\156\164\040\105\103\103\040
\122\157\157\164\040\103\101\040\062\060\062\061\060\036\027\015
\062\061\060\062\061\071\061\061\060\063\063\064\132\027\015\064
\065\060\062\061\063\061\061\060\063\063\063\132\060\157\061\013
\060\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006
\003\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101
\143\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145
\141\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156
\163\040\103\101\061\047\060\045\006\003\125\004\003\014\036\110
\101\122\111\103\101\040\103\154\151\145\156\164\040\105\103\103
\040\122\157\157\164\040\103\101\040\062\060\062\061\060\166\060
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000
\042\003\142\000\004\007\030\255\225\226\224\320\134\017\202\367
\052\100\372\002\311\311\075\066\246\243\004\152\301\155\225\001
\210\140\022\124\154\134\242\053\156\023\072\210\225\014\034\046
\206\066\112\211\031\267\030\336\073\350\250\120\037\312\337\133
\277\111\200\025\333\343\060\341\035\132\307\052\212\001\007\376
\155\054\064\357\050\050\227\274\301\371\127\206\225\213\065\317
\236\132\321\150\225\243\102\060\100\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035
\016\004\026\004\024\122\010\322\276\062\201\045\375\365\032\227
\354\116\137\032\273\123\315\220\255\060\016\006\003\125\035\017
\001\001\377\004\004\003\002\001\206\060\012\006\010\052\206\110
\316\075\004\003\003\003\147\000\060\144\002\060\114\061\105\106
\117\250\346\276\303\167\262\032\030\113\055\210\173\130\346\253

```
\224\153\104\003\260\027\377\337\202\163\104\121\054\375\223\035
\006\173\024\322\211\354\100\014\357\041\001\056\002\060\057\311
\056\132\154\054\035\331\225\340\236\260\271\134\122\174\366\370
\070\312\056\361\324\035\362\242\111\242\225\370\301\130\136\117
\376\163\012\357\061\260\253\043\130\023\214\213\336\073
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "HARICA Client ECC Root CA 2021"
```

```
# Issuer: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
```

```
# Serial Number:31:68:d9:d8:e1:62:57:1e:d2:19:44:88:e6:10:7d:f0
```

```
# Subject: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
```

```
# Not Valid Before: Fri Feb 19 11:03:34 2021
```

```
# Not Valid After : Mon Feb 13 11:03:33 2045
```

```
# Fingerprint (SHA-256):
```

```
8D:D4:B5:37:3C:B0:DE:36:76:9C:12:33:92:80:D8:27:46:B3:AA:6C:D4:26:E7:97:A3:1B:AB:E4:27:9C:F0:0B
```

```
# Fingerprint (SHA1): BE:64:D3:DA:14:4B:D2:6B:CD:AF:8F:DB:A6:A6:72:F8:DE:26:F9:00
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "HARICA Client ECC Root CA 2021"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\276\144\323\332\024\113\322\153\315\257\217\333\246\246\162\370
\336\046\371\000
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\255\270\120\246\251\202\172\154\075\032\252\244\322\143\244\104
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\105\103\103\040\122\157\157\164\040\103\101\040\062\060\062
\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\061\150\331\330\341\142\127\036\322\031\104\210\346\020
\175\360
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "Autoridad de Certificacion Firmaprofesional CIF A62634068"

#

Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES

Serial Number:1b:70:e9:d2:ff:ae:6c:71

Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES

Not Valid Before: Tue Sep 23 15:22:07 2014

Not Valid After : Mon May 05 15:22:07 2036

Fingerprint (SHA-256):

57:DE:05:83:EF:D2:B2:6E:03:61:DA:99:DA:9D:F4:64:8D:EF:7E:E8:44:1C:3B:72:8A:FA:9B:CD:E0:F9:B2:6A

Fingerprint (SHA1): 0B:BE:C2:27:22:49:CB:39:AA:DB:35:5C:53:E3:8C:AE:78:FF:B6:FE

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\010\033\160\351\322\377\256\154\161

END

CKA_VALUE MULTILINE_OCTAL

\060\202\006\024\060\202\003\374\240\003\002\001\002\002\010\033
\160\351\322\377\256\154\161\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\121\061\013\060\011\006\003\125\004
\006\023\002\105\123\061\102\060\100\006\003\125\004\003\014\071
\101\165\164\157\162\151\144\141\144\040\144\145\040\103\145\162
\164\151\146\151\143\141\143\151\157\156\040\106\151\162\155\141
\160\162\157\146\145\163\151\157\156\141\154\040\103\111\106\040
\101\066\062\066\063\064\060\066\070\060\036\027\015\061\064\060

\071\062\063\061\065\062\062\060\067\132\027\015\063\066\060\065
\060\065\061\065\062\062\060\067\132\060\121\061\013\060\011\006
\003\125\004\006\023\002\105\123\061\102\060\100\006\003\125\004
\003\014\071\101\165\164\157\162\151\144\141\144\040\144\145\040
\103\145\162\164\151\146\151\143\141\143\151\157\156\040\106\151
\162\155\141\160\162\157\146\145\163\151\157\156\141\154\040\103
\111\106\040\101\066\062\066\063\064\060\066\070\060\202\002\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\002\017\000\060\202\002\012\002\202\002\001\000\312\226\153
\216\352\370\373\361\242\065\340\177\114\332\340\303\122\327\175
\266\020\310\002\136\263\103\052\304\117\152\262\312\034\135\050
\232\170\021\032\151\131\127\257\265\040\102\344\213\017\346\337
\133\246\003\222\057\365\021\344\142\327\062\161\070\331\004\014
\161\253\075\121\176\017\007\337\143\005\134\351\277\224\157\301
\051\202\300\264\332\121\260\301\074\273\255\067\112\134\312\361
\113\066\016\044\253\277\303\204\167\375\250\120\364\261\347\306
\057\322\055\131\215\172\012\116\226\151\122\002\252\066\230\354
\374\372\024\203\014\067\037\311\222\067\177\327\201\055\345\304
\271\340\076\064\376\147\364\076\146\321\323\364\100\317\136\142
\064\017\160\006\076\040\030\132\316\367\162\033\045\154\223\164
\024\223\243\163\261\016\252\207\020\043\131\137\040\005\031\107
\355\150\216\222\022\312\135\374\326\053\262\222\074\040\317\341
\137\257\040\276\240\166\177\166\345\354\032\206\141\063\076\347
\173\264\077\240\017\216\242\271\152\157\271\207\046\157\101\154
\210\246\120\375\152\143\013\365\223\026\033\031\217\262\355\233
\233\311\220\365\001\014\337\031\075\017\076\070\043\311\057\217
\014\321\002\376\033\125\326\116\320\215\074\257\117\244\363\376
\257\052\323\005\235\171\010\241\313\127\061\264\234\310\220\262
\147\364\030\026\223\072\374\107\330\321\170\226\061\037\272\053
\014\137\135\231\255\143\211\132\044\040\166\330\337\375\253\116
\246\042\252\235\136\346\047\212\175\150\051\243\347\212\270\332
\021\273\027\055\231\235\023\044\106\367\305\342\330\237\216\177
\307\217\164\155\132\262\350\162\365\254\356\044\020\255\057\024
\332\377\055\232\106\161\107\276\102\337\273\001\333\364\177\323
\050\217\061\131\133\323\311\002\246\264\122\312\156\227\373\103
\305\010\046\157\212\364\273\375\237\050\252\015\325\105\363\023
\072\035\330\300\170\217\101\147\074\036\224\144\256\173\013\305
\350\331\001\210\071\032\227\206\144\101\325\073\207\014\156\372
\017\306\275\110\024\277\071\115\324\236\101\266\217\226\035\143
\226\223\331\225\006\170\061\150\236\067\006\073\200\211\105\141
\071\043\307\033\104\243\025\345\034\370\222\060\273\002\003\001
\000\001\243\201\357\060\201\354\060\035\006\003\125\035\016\004
\026\004\024\145\315\353\253\065\036\000\076\176\325\164\300\034
\264\163\107\016\032\144\057\060\022\006\003\125\035\023\001\001
\377\004\010\060\006\001\001\377\002\001\001\060\201\246\006\003
\125\035\040\004\201\236\060\201\233\060\201\230\006\004\125\035
\040\000\060\201\217\060\057\006\010\053\006\001\005\005\007\002
\001\026\043\150\164\164\160\072\057\057\167\167\167\056\146\151

\162\155\141\160\162\157\146\145\163\151\157\156\141\154\056\143
\157\155\057\143\160\163\060\134\006\010\053\006\001\005\005\007
\002\002\060\120\036\116\000\120\000\141\000\163\000\145\000\157
\000\040\000\144\000\145\000\040\000\154\000\141\000\040\000\102
\000\157\000\156\000\141\000\156\000\157\000\166\000\141\000\040
\000\064\000\067\000\040\000\102\000\141\000\162\000\143\000\145
\000\154\000\157\000\156\000\141\000\040\000\060\000\070\000\060
\000\061\000\067\060\016\006\003\125\035\017\001\001\377\004\004
\003\002\001\006\060\015\006\011\052\206\110\206\367\015\001\001
\013\005\000\003\202\002\001\000\164\207\050\002\053\167\037\146
\211\144\355\217\164\056\106\034\273\250\370\370\013\035\203\266
\072\247\350\105\212\007\267\340\076\040\313\341\010\333\023\010
\370\050\241\065\262\200\263\013\121\300\323\126\232\215\063\105
\111\257\111\360\340\075\007\172\105\023\132\377\310\227\330\323
\030\054\175\226\370\335\242\145\103\160\223\220\025\272\220\337
\350\031\260\333\054\212\140\017\267\157\224\007\036\035\246\311
\205\366\275\064\370\100\170\142\020\160\072\276\175\113\071\201
\251\020\324\226\101\273\370\137\034\013\035\010\362\261\260\211
\172\362\367\240\340\304\217\213\170\265\073\130\245\043\216\117
\125\376\066\073\340\014\267\312\052\060\101\040\264\200\315\256
\374\166\146\163\250\256\156\341\174\332\003\350\224\040\346\042
\243\320\037\220\135\040\123\024\046\127\332\124\227\337\026\104
\020\001\036\210\146\217\162\070\223\335\040\267\064\276\327\361
\356\143\216\107\171\050\006\374\363\131\105\045\140\042\063\033
\243\137\250\272\052\332\032\075\315\100\352\214\356\005\025\225
\325\245\054\040\057\247\230\050\356\105\374\361\270\210\000\054
\217\102\332\121\325\234\345\023\150\161\105\103\213\236\013\041
\074\113\134\005\334\032\237\230\216\332\275\042\236\162\315\255
\012\313\314\243\147\233\050\164\304\233\327\032\074\004\130\246
\202\235\255\307\173\157\377\200\226\351\370\215\152\275\030\220
\035\377\111\032\220\122\067\223\057\074\002\135\202\166\013\121
\347\026\307\127\370\070\371\247\315\233\042\124\357\143\260\025
\155\123\145\003\112\136\112\240\262\247\216\111\000\131\070\325
\307\364\200\144\365\156\225\120\270\021\176\025\160\070\112\260
\177\320\304\062\160\300\031\377\311\070\055\024\054\146\364\102
\104\346\125\166\033\200\025\127\377\300\247\247\252\071\252\330
\323\160\320\056\272\353\224\152\372\137\064\206\347\142\265\375
\212\360\060\205\224\311\257\044\002\057\157\326\335\147\376\343
\260\125\117\004\230\117\244\101\126\342\223\320\152\350\326\363
\373\145\340\316\165\304\061\131\014\356\202\310\014\140\063\112
\031\272\204\147\047\017\274\102\135\275\044\124\015\354\035\160
\006\137\244\274\372\040\174\125

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Autoridad de Certificacion Firmaprofesional CIF A62634068"

```

# Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
# Serial Number:1b:70:e9:d2:ff:ae:6c:71
# Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
# Not Valid Before: Tue Sep 23 15:22:07 2014
# Not Valid After : Mon May 05 15:22:07 2036
# Fingerprint (SHA-256):
57:DE:05:83:EF:D2:B2:6E:03:61:DA:99:DA:9D:F4:64:8D:EF:7E:E8:44:1C:3B:72:8A:FA:9B:CD:E0:F9:B2:6A
# Fingerprint (SHA1): 0B:BE:C2:27:22:49:CB:39:AA:DB:35:5C:53:E3:8C:AE:78:FF:B6:FE
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\013\276\302\047\042\111\313\071\252\333\065\134\123\343\214\256
\170\377\266\376
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\116\156\233\124\114\312\267\372\110\344\220\261\025\113\034\243
END
CKA_ISSUER MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\033\160\351\322\377\256\154\161
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "vTrus ECC Root CA"
#
# Issuer: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
# Serial Number:6e:6a:bc:59:aa:53:be:98:39:67:a2:d2:6b:a4:3b:e6:6d:1c:d6:da
# Subject: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
# Not Valid Before: Tue Jul 31 07:26:44 2018
# Not Valid After : Fri Jul 31 07:26:44 2043
# Fingerprint (SHA-256):
30:FB:BA:2C:32:23:8E:2A:98:54:7A:F9:79:31:E5:50:42:8B:9B:3F:1C:8E:EB:66:33:DC:FA:86:C5:B2:7D:D3
# Fingerprint (SHA1): F6:9C:DB:B0:FC:F6:02:13:B6:52:32:A6:A3:91:3F:16:70:DA:C3:E1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "vTrus ECC Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060
\030\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103
\103\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060
\030\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103
\103\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\156\152\274\131\252\123\276\230\071\147\242\322\153\244
\073\346\155\034\326\332
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\017\060\202\001\225\240\003\002\001\002\002\024\156
\152\274\131\252\123\276\230\071\147\242\322\153\244\073\346\155
\034\326\332\060\012\006\010\052\206\110\316\075\004\003\003\060
\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061\034
\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103\150
\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060\030
\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103\103
\040\122\157\157\164\040\103\101\060\036\027\015\061\070\060\067
\063\061\060\067\062\066\064\064\132\027\015\064\063\060\067\063
\061\060\067\062\066\064\064\132\060\107\061\013\060\011\006\003
\125\004\006\023\002\103\116\061\034\060\032\006\003\125\004\012
\023\023\151\124\162\165\163\103\150\151\156\141\040\103\157\056
\054\114\164\144\056\061\032\060\030\006\003\125\004\003\023\021
\166\124\162\165\163\040\105\103\103\040\122\157\157\164\040\103
\101\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005
\053\201\004\000\042\003\142\000\004\145\120\112\256\214\171\226
\112\252\034\010\303\243\242\315\376\131\126\101\167\375\046\224
\102\273\035\315\010\333\163\262\133\165\363\317\234\116\202\364
\277\370\141\046\205\154\326\205\133\162\160\322\375\333\142\264
\337\123\213\275\261\104\130\142\102\011\307\372\177\133\020\347
\376\100\375\300\330\303\053\062\347\160\246\267\246\040\125\035
\173\200\135\113\217\147\114\361\020\243\102\060\100\060\035\006
\003\125\035\016\004\026\004\024\230\071\315\276\330\262\214\367
```



```
\262\253\341\255\044\257\173\174\241\333\037\317\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\012\006
\010\052\206\110\316\075\004\003\003\003\150\000\060\145\002\060
\127\235\335\126\361\307\343\351\270\111\120\153\233\151\303\157
\354\303\175\045\344\127\225\023\100\233\122\323\073\363\100\031
\274\046\307\055\006\236\265\173\066\237\365\045\324\143\153\000
\002\061\000\351\323\306\236\126\232\052\314\241\332\077\310\146
\053\323\130\234\040\205\372\253\221\212\160\160\021\070\140\144
\013\142\011\221\130\000\371\115\373\064\150\332\011\255\041\006
\030\224\316
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "vTrus ECC Root CA"
```

```
# Issuer: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
```

```
# Serial Number:6e:6a:bc:59:aa:53:be:98:39:67:a2:d2:6b:a4:3b:e6:6d:1c:d6:da
```

```
# Subject: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
```

```
# Not Valid Before: Tue Jul 31 07:26:44 2018
```

```
# Not Valid After : Fri Jul 31 07:26:44 2043
```

```
# Fingerprint (SHA-256):
```

```
30:FB:BA:2C:32:23:8E:2A:98:54:7A:F9:79:31:E5:50:42:8B:9B:3F:1C:8E:EB:66:33:DC:FA:86:C5:B2:7D:D3
```

```
# Fingerprint (SHA1): F6:9C:DB:B0:FC:F6:02:13:B6:52:32:A6:A3:91:3F:16:70:DA:C3:E1
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "vTrus ECC Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\366\234\333\260\374\366\002\023\266\122\062\246\243\221\077\026
\160\332\303\341
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\336\113\301\365\122\214\233\103\341\076\217\125\124\027\215\205
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060
\030\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103
\103\040\122\157\157\164\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\024\156\152\274\131\252\123\276\230\071\147\242\322\153\244
\073\346\155\034\326\332
```

END

```

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "vTrus Root CA"
#
# Issuer: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN
# Serial Number:43:e3:71:13:d8:b3:59:14:5d:b7:ce:8c:fd:35:fd:6f:bc:05:8d:45
# Subject: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN
# Not Valid Before: Tue Jul 31 07:24:05 2018
# Not Valid After : Fri Jul 31 07:24:05 2043
# Fingerprint (SHA-256):
8A:71:DE:65:59:33:6F:42:6C:26:E5:38:80:D0:0D:88:A1:8D:A4:C6:A9:1F:0D:CB:61:94:E2:06:C5:C9:63:87
# Fingerprint (SHA1): 84:1A:69:FB:F5:CD:1A:25:34:13:3D:E3:F8:FC:B8:99:D0:C9:14:B7
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "vTrus Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\103\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\026\060
\024\006\003\125\004\003\023\015\166\124\162\165\163\040\122\157
\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\103\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\026\060
\024\006\003\125\004\003\023\015\166\124\162\165\163\040\122\157
\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\103\343\161\023\330\263\131\024\135\267\316\214\375\065
\375\157\274\005\215\105
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\126\060\202\003\076\240\003\002\001\002\002\024\103
\343\161\023\330\263\131\024\135\267\316\214\375\065\375\157\274
\005\215\105\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\103\061\013\060\011\006\003\125\004\006\023\002\103
\116\061\034\060\032\006\003\125\004\012\023\023\151\124\162\165
\163\103\150\151\156\141\040\103\157\056\054\114\164\144\056\061

```

\026\060\024\006\003\125\004\003\023\015\166\124\162\165\163\040
\122\157\157\164\040\103\101\060\036\027\015\061\070\060\067\063
\061\060\067\062\064\060\065\132\027\015\064\063\060\067\063\061
\060\067\062\064\060\065\132\060\103\061\013\060\011\006\003\125
\004\006\023\002\103\116\061\034\060\032\006\003\125\004\012\023
\023\151\124\162\165\163\103\150\151\156\141\040\103\157\056\054
\114\164\144\056\061\026\060\024\006\003\125\004\003\023\015\166
\124\162\165\163\040\122\157\157\164\040\103\101\060\202\002\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\002\017\000\060\202\002\012\002\202\002\001\000\275\125\174
\141\323\270\035\004\142\005\240\256\154\267\160\264\101\352\113
\003\136\020\077\220\132\034\213\073\260\146\213\154\110\246\034
\042\272\325\100\222\356\063\262\043\131\311\216\274\130\332\213
\236\320\031\362\057\131\306\214\143\132\272\237\243\013\260\263
\232\134\272\021\270\022\351\014\273\317\156\154\200\207\051\024
\003\054\215\044\232\310\144\203\265\152\254\023\054\063\361\237
\334\054\141\074\032\077\160\125\233\255\000\122\177\317\004\271
\376\066\372\234\300\026\256\142\376\226\114\103\176\125\024\276
\032\263\322\155\302\257\166\146\225\153\052\260\224\167\205\136
\004\017\142\035\143\165\367\153\347\313\133\232\160\354\076\147
\005\360\376\007\010\200\317\050\333\005\306\024\047\057\206\175
\360\047\336\377\346\176\063\110\347\013\036\130\321\047\053\123
\016\127\112\145\327\373\242\200\140\374\114\274\065\123\001\152
\227\162\202\257\361\035\160\350\234\365\357\136\302\154\307\107
\176\132\224\205\046\115\073\272\353\114\350\260\011\302\145\302
\235\235\011\233\116\265\227\005\254\365\006\240\367\066\005\176
\364\220\262\153\304\264\371\144\352\351\032\012\310\015\250\355
\047\311\324\347\263\271\253\202\042\220\047\075\052\350\174\220
\357\274\117\375\342\012\044\247\336\145\044\244\135\352\300\166
\060\323\167\120\370\015\004\233\224\066\001\163\312\006\130\246
\323\073\334\372\004\106\023\125\212\311\104\107\270\121\071\032
\056\350\064\342\171\313\131\112\012\177\274\246\357\037\003\147
\152\131\053\045\142\223\331\123\031\146\074\047\142\051\206\115
\244\153\356\377\324\116\272\325\264\342\216\110\132\000\031\011
\361\005\331\316\221\261\367\353\351\071\117\366\157\004\103\232
\125\365\076\005\024\275\277\263\131\264\330\216\063\204\243\220
\122\252\263\002\225\140\371\014\114\150\371\356\325\027\015\370
\161\127\265\045\344\051\356\145\135\257\321\356\074\027\013\132
\103\305\245\206\352\044\236\342\005\007\334\064\102\022\221\326
\071\164\256\114\101\202\333\362\246\110\321\263\233\363\063\252
\363\246\300\305\116\365\364\235\166\143\346\002\306\042\113\301
\225\077\120\144\054\124\345\266\360\074\051\317\127\002\003\001
\000\001\243\102\060\100\060\035\006\003\125\035\016\004\026\004
\024\124\142\160\143\361\165\204\103\130\216\321\026\040\261\306
\254\032\274\366\211\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\015\006\011\052\206\110\206\367\015
\001\001\013\005\000\003\202\002\001\000\051\272\222\111\247\255

\360\361\160\303\344\227\360\237\251\045\325\153\236\064\376\346
\032\144\366\072\153\122\262\020\170\032\237\114\332\212\332\354
\034\067\122\340\102\113\373\154\166\312\044\013\071\022\025\235
\237\021\055\374\171\144\334\340\340\365\335\340\127\311\245\262
\166\160\120\244\376\267\012\160\325\240\064\361\165\327\115\111
\272\021\321\263\330\354\202\377\353\016\304\277\144\055\175\143
\156\027\170\354\135\174\210\310\353\216\127\166\331\131\004\372
\274\122\037\105\254\360\172\200\354\354\157\166\256\221\333\020
\216\004\334\222\337\240\366\346\256\111\323\301\154\022\033\314
\051\252\371\010\245\342\067\024\312\261\270\146\357\032\202\344
\360\370\361\247\026\151\267\333\251\141\074\237\365\061\313\344
\000\106\302\057\164\261\261\327\201\356\250\046\225\274\210\257
\114\065\007\052\002\312\170\024\155\107\053\100\126\351\313\052
\140\241\147\003\240\316\214\274\260\162\147\304\061\316\333\064
\345\045\003\140\045\173\161\230\344\300\033\053\137\164\102\322
\113\305\131\010\007\207\276\305\303\177\347\226\331\341\334\050
\227\326\217\005\343\365\233\116\312\035\120\107\005\123\260\312
\071\347\205\240\211\301\005\073\001\067\323\077\111\342\167\353
\043\310\210\146\073\075\071\166\041\106\361\354\137\043\270\353
\242\146\165\164\301\100\367\330\150\232\223\342\055\251\056\275
\034\243\036\310\164\306\244\055\172\040\253\073\270\260\106\375
\157\335\137\122\125\165\142\360\227\240\174\327\070\375\045\337
\315\240\233\020\317\213\270\070\136\136\305\264\246\002\066\241
\036\137\034\317\342\226\235\051\252\375\230\256\122\341\363\101
\122\373\251\056\162\226\237\047\343\252\163\175\370\032\043\146
\173\073\253\145\260\062\001\113\025\076\075\242\117\014\053\065
\242\306\331\147\022\065\060\315\166\056\026\263\231\236\115\117
\116\055\073\064\103\341\232\016\015\244\146\227\272\322\034\112
\114\054\052\213\213\201\117\161\032\251\335\134\173\173\010\305
\000\015\067\100\343\174\173\124\137\057\205\137\166\366\367\247
\260\034\127\126\301\162\350\255\242\257\215\063\111\272\037\212
\334\346\164\174\140\206\157\207\227\173

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "vTrus Root CA"

Issuer: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN

Serial Number:43:e3:71:13:d8:b3:59:14:5d:b7:ce:8c:fd:35:fd:6f:bc:05:8d:45

Subject: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN

Not Valid Before: Tue Jul 31 07:24:05 2018

Not Valid After : Fri Jul 31 07:24:05 2043

Fingerprint (SHA-256):

8A:71:DE:65:59:33:6F:42:6C:26:E5:38:80:D0:0D:88:A1:8D:A4:C6:A9:1F:0D:CB:61:94:E2:06:C5:C9:63:87

Fingerprint (SHA1): 84:1A:69:FB:F5:CD:1A:25:34:13:3D:E3:F8:FC:B8:99:D0:C9:14:B7

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "vTrus Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\204\032\151\373\365\315\032\045\064\023\075\343\370\374\270\231
\320\311\024\267
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\270\311\067\337\372\153\061\204\144\305\352\021\152\033\165\374
END
CKA_ISSUER MULTILINE_OCTAL
\060\103\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\026\060
\024\006\003\125\004\003\023\015\166\124\162\165\163\040\122\157
\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\103\343\161\023\330\263\131\024\135\267\316\214\375\065
\375\157\274\005\215\105
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "ISRG Root X2"
#
# Issuer: CN=ISRG Root X2,O=Internet Security Research Group,C=US
# Serial Number:41:d2:9d:d1:72:ea:ee:a7:80:c1:2c:6c:e9:2f:87:52
# Subject: CN=ISRG Root X2,O=Internet Security Research Group,C=US
# Not Valid Before: Fri Sep 04 00:00:00 2020
# Not Valid After : Mon Sep 17 16:00:00 2040
# Fingerprint (SHA-256):
69:72:9B:8E:15:A8:6E:FC:17:7A:57:AF:B7:17:1D:FC:64:AD:D2:8C:2F:CA:8C:F1:50:7E:34:45:3C:CB:14:70
# Fingerprint (SHA1): BD:B1:B9:3C:D5:97:8D:45:C6:26:14:55:F8:DB:95:C7:5A:D1:53:AF
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ISRG Root X2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003

```

```
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\101\322\235\321\162\352\356\247\200\301\054\154\351\057
\207\122
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\033\060\202\001\241\240\003\002\001\002\002\020\101
\322\235\321\162\352\356\247\200\301\054\154\351\057\207\122\060
\012\006\010\052\206\110\316\075\004\003\003\060\117\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\051\060\047\006\003
\125\004\012\023\040\111\156\164\145\162\156\145\164\040\123\145
\143\165\162\151\164\171\040\122\145\163\145\141\162\143\150\040
\107\162\157\165\160\061\025\060\023\006\003\125\004\003\023\014
\111\123\122\107\040\122\157\157\164\040\130\062\060\036\027\015
\062\060\060\071\060\064\060\060\060\060\060\132\027\015\064
\060\060\071\061\067\061\066\060\060\060\060\132\060\117\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\051\060\047\006
\003\125\004\012\023\040\111\156\164\145\162\156\145\164\040\123
\145\143\165\162\151\164\171\040\122\145\163\145\141\162\143\150
\040\107\162\157\165\160\061\025\060\023\006\003\125\004\003\023
\014\111\123\122\107\040\122\157\157\164\040\130\062\060\166\060
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000
\042\003\142\000\004\315\233\325\237\200\203\012\354\011\112\363
\026\112\076\134\317\167\254\336\147\005\015\035\007\266\334\026
\373\132\213\024\333\342\161\140\304\272\105\225\021\211\216\352
\006\337\367\052\026\034\244\271\305\305\062\340\003\340\036\202
\030\070\213\327\105\330\012\152\156\346\000\167\373\002\121\175
\042\330\012\156\232\133\167\337\360\372\101\354\071\334\165\312
\150\007\014\037\352\243\102\060\100\060\016\006\003\125\035\017
\001\001\377\004\004\003\002\001\006\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035
\016\004\026\004\024\174\102\226\256\336\113\110\073\372\222\370
\236\214\317\155\213\251\162\067\225\060\012\006\010\052\206\110
\316\075\004\003\003\003\150\000\060\145\002\060\173\171\116\106
\120\204\302\104\207\106\033\105\160\377\130\231\336\364\375\244
\322\125\246\040\055\164\326\064\274\101\243\120\137\001\047\126
\264\276\047\165\006\257\022\056\165\230\215\374\002\061\000\213
```

```
\365\167\154\324\310\145\252\340\013\054\356\024\235\047\067\244
\371\123\245\121\344\051\203\327\370\220\061\133\102\237\012\365
\376\256\000\150\347\214\111\017\266\157\133\133\025\362\347
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "ISRG Root X2"
```

```
# Issuer: CN=ISRG Root X2,O=Internet Security Research Group,C=US
```

```
# Serial Number:41:d2:9d:d1:72:ea:ee:a7:80:c1:2c:6c:e9:2f:87:52
```

```
# Subject: CN=ISRG Root X2,O=Internet Security Research Group,C=US
```

```
# Not Valid Before: Fri Sep 04 00:00:00 2020
```

```
# Not Valid After : Mon Sep 17 16:00:00 2040
```

```
# Fingerprint (SHA-256):
```

```
69:72:9B:8E:15:A8:6E:FC:17:7A:57:AF:B7:17:1D:FC:64:AD:D2:8C:2F:CA:8C:F1:50:7E:34:45:3C:CB:14:70
```

```
# Fingerprint (SHA1): BD:B1:B9:3C:D5:97:8D:45:C6:26:14:55:F8:DB:95:C7:5A:D1:53:AF
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "ISRG Root X2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\275\261\271\074\325\227\215\105\306\046\024\125\370\333\225\307
\132\321\123\257
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\323\236\304\036\043\074\246\337\317\243\176\155\340\024\346\345
```

```
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\062
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\101\322\235\321\162\352\356\247\200\301\054\154\351\057
\207\122
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "HiPKI Root CA - G1"
```

```

#
# Issuer: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW
# Serial Number:2d:dd:ac:ce:62:97:94:a1:43:e8:b0:cd:76:6a:5e:60
# Subject: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW
# Not Valid Before: Fri Feb 22 09:46:04 2019
# Not Valid After : Thu Dec 31 15:59:59 2037
# Fingerprint (SHA-256):
F0:15:CE:3C:C2:39:BF:EF:06:4B:E9:F1:D2:C4:17:E1:A0:26:4A:0A:94:BE:1F:0C:8D:12:18:64:EB:69:49:CC
# Fingerprint (SHA1): 6A:92:E4:A8:EE:1B:EC:96:45:37:E3:29:57:49:CD:96:E3:E5:D2:60
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HiPKI Root CA - G1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110
\151\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107
\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110
\151\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107
\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\055\335\254\316\142\227\224\241\103\350\260\315\166\152
\136\140
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\152\060\202\003\122\240\003\002\001\002\002\020\055
\335\254\316\142\227\224\241\103\350\260\315\166\152\136\140\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\117
\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043\060
\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167\141
\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114\164
\144\056\061\033\060\031\006\003\125\004\003\014\022\110\151\120
\113\111\040\122\157\157\164\040\103\101\040\055\040\107\061\060
\036\027\015\061\071\060\062\062\062\060\071\064\066\060\064\132
\027\015\063\067\061\062\063\061\061\065\065\071\065\071\132\060
\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043

```


\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167
\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114
\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110\151
\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107\061
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001
\000\364\036\177\122\163\062\014\163\344\275\023\164\243\324\060
\250\320\256\113\330\266\337\165\107\146\364\174\347\071\004\036
\152\160\040\322\132\107\162\147\125\364\245\350\235\325\036\041
\241\360\147\272\314\041\150\276\104\123\277\215\371\342\334\057
\125\310\067\077\037\244\300\234\263\344\167\134\240\106\376\167
\372\032\240\070\352\355\232\162\336\053\275\224\127\072\272\354
\171\347\137\175\102\144\071\172\046\066\367\044\360\325\057\272
\225\230\021\146\255\227\065\326\165\001\200\340\257\364\204\141
\214\015\036\137\174\207\226\136\101\257\353\207\352\370\135\361
\056\210\005\076\114\042\273\332\037\052\335\122\106\144\071\363
\102\316\331\236\014\263\260\167\227\144\234\300\364\243\056\037
\225\007\260\027\337\060\333\000\030\226\114\241\201\113\335\004
\155\123\243\075\374\007\254\324\305\067\202\353\344\225\010\031
\050\202\322\102\072\243\330\123\354\171\211\140\110\140\310\162
\222\120\334\003\217\203\077\262\102\127\132\333\152\351\021\227
\335\205\050\274\060\114\253\343\302\261\105\104\107\037\340\212
\026\007\226\322\041\017\123\300\355\251\176\324\116\354\233\011
\354\257\102\254\060\326\277\321\020\105\340\246\026\262\245\305
\323\117\163\224\063\161\002\241\152\243\326\063\227\117\041\143
\036\133\217\331\301\136\105\161\167\017\201\135\137\041\232\255
\203\314\372\136\326\215\043\137\033\075\101\257\040\165\146\132
\112\366\237\373\253\030\367\161\300\266\035\061\354\073\040\353
\313\342\270\365\256\222\262\367\341\204\113\362\242\362\223\232
\042\236\323\024\157\066\124\275\037\136\131\025\271\163\250\301
\174\157\173\142\351\026\154\107\132\145\363\016\021\233\106\331
\375\155\334\326\234\300\264\175\245\260\335\077\126\157\241\371
\366\344\022\110\375\006\177\022\127\266\251\043\117\133\003\303
\340\161\052\043\267\367\260\261\073\274\230\275\326\230\250\014
\153\366\216\022\147\246\362\262\130\344\002\011\023\074\251\273
\020\264\322\060\105\361\354\367\000\021\337\145\370\334\053\103
\125\277\026\227\304\017\325\054\141\204\252\162\206\376\346\072
\176\302\077\175\356\374\057\024\076\346\205\335\120\157\267\111
\355\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125
\035\016\004\026\004\024\362\167\027\372\136\250\376\366\075\161
\325\150\272\311\106\014\070\330\257\260\060\016\006\003\125\035
\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\120\121
\360\165\334\160\004\343\377\252\165\324\161\242\313\236\217\250
\251\323\257\165\307\124\317\072\034\004\231\042\254\304\021\342
\357\063\112\246\043\035\016\015\107\330\067\307\157\257\064\177
\117\201\153\065\117\351\162\245\061\342\170\347\367\116\224\030

```
\133\100\175\317\153\041\124\206\346\225\172\373\306\312\352\234
\110\116\127\011\135\057\254\364\245\264\227\063\130\325\254\171
\251\314\137\371\205\372\122\305\215\370\221\024\353\072\015\027
\320\122\302\173\343\302\163\216\106\170\006\070\054\350\134\332
\146\304\364\244\360\126\031\063\051\132\145\222\005\107\106\112
\253\204\303\036\047\241\037\021\222\231\047\165\223\017\274\066
\073\227\127\217\046\133\014\273\234\017\324\156\060\007\324\334
\137\066\150\146\071\203\226\047\046\212\310\304\071\376\232\041
\157\325\162\206\351\177\142\345\227\116\320\044\320\100\260\320
\165\010\216\275\150\356\010\327\156\174\020\160\106\033\174\340
\210\262\236\162\206\231\001\343\277\237\111\031\264\045\276\126
\145\256\027\143\345\036\337\350\377\107\245\277\341\046\005\204
\344\260\300\257\347\010\231\250\014\136\046\200\105\324\370\150
\057\226\217\256\342\112\034\234\026\014\023\157\070\207\366\273
\310\064\137\222\003\121\171\160\246\337\313\365\231\115\171\315
\116\274\127\237\103\116\153\056\053\030\370\152\163\214\272\305
\065\357\071\152\101\036\317\161\250\242\262\206\007\133\072\311
\341\357\077\145\004\200\107\062\104\160\225\116\061\147\152\164
\133\020\105\165\352\260\237\320\346\065\376\116\237\213\314\053
\222\105\133\156\045\140\205\106\315\321\252\260\166\146\223\167
\226\276\203\276\070\266\044\116\046\013\314\355\172\126\032\340
\351\132\306\144\255\114\172\000\110\104\057\271\100\273\023\076
\276\025\170\235\205\201\112\052\127\336\325\031\103\332\333\312
\133\107\206\203\013\077\266\015\166\170\163\171\042\136\261\200
\037\317\276\321\077\126\020\230\053\225\207\241\037\235\144\024
\140\071\054\263\000\125\056\344\365\263\016\127\304\221\101\000
\234\077\350\245\337\352\366\377\310\360\255\155\122\250\027\253
\233\141\374\022\121\065\344\045\375\257\252\152\206\071
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "HiPKI Root CA - G1"
```

```
# Issuer: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW
```

```
# Serial Number:2d:dd:ac:ce:62:97:94:a1:43:e8:b0:cd:76:6a:5e:60
```

```
# Subject: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW
```

```
# Not Valid Before: Fri Feb 22 09:46:04 2019
```

```
# Not Valid After : Thu Dec 31 15:59:59 2037
```

```
# Fingerprint (SHA-256):
```

```
F0:15:CE:3C:C2:39:BF:EF:06:4B:E9:F1:D2:C4:17:E1:A0:26:4A:0A:94:BE:1F:0C:8D:12:18:64:EB:69:49:CC
```

```
# Fingerprint (SHA1): 6A:92:E4:A8:EE:1B:EC:96:45:37:E3:29:57:49:CD:96:E3:E5:D2:60
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "HiPKI Root CA - G1"
```

```
CKA_CERT_SHA1_HASH MULTILINE OCTAL
```

\152\222\344\250\356\033\354\226\105\067\343\051\127\111\315\226
\343\345\322\140

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\151\105\337\026\145\113\350\150\232\217\166\137\377\200\236\323

END

CKA_ISSUER MULTILINE_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110
\151\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107
\061

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\055\335\254\316\142\227\224\241\103\350\260\315\166\152
\136\140

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "GlobalSign ECC Root CA - R4"

#

Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4

Serial Number:02:03:e5:7e:f5:3f:93:fd:a5:09:21:b2:a6

Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4

Not Valid Before: Tue Nov 13 00:00:00 2012

Not Valid After : Tue Jan 19 03:14:07 2038

Fingerprint (SHA-256):

B0:85:D7:0B:96:4F:19:1A:73:E4:AF:0D:54:AE:7A:0E:07:AA:FD:AF:9B:71:DD:08:62:13:8A:B7:32:5A:24:A2

Fingerprint (SHA1): 6B:A0:B0:98:E1:71:EF:5A:AD:FE:48:15:80:77:10:F4:BD:6F:0B:28

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "GlobalSign ECC Root CA - R4"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\064\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\064\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\015\002\003\345\176\365\077\223\375\245\011\041\262\246

END

CKA_VALUE MULTILINE_OCTAL

\060\202\001\334\060\202\001\203\240\003\002\001\002\002\015\002
\003\345\176\365\077\223\375\245\011\041\262\246\060\012\006\010
\052\206\110\316\075\004\003\002\060\120\061\044\060\042\006\003
\125\004\013\023\033\107\154\157\142\141\154\123\151\147\156\040
\105\103\103\040\122\157\157\164\040\103\101\040\055\040\122\064
\061\023\060\021\006\003\125\004\012\023\012\107\154\157\142\141
\154\123\151\147\156\061\023\060\021\006\003\125\004\003\023\012
\107\154\157\142\141\154\123\151\147\156\060\036\027\015\061\062
\061\061\061\063\060\060\060\060\060\060\132\027\015\063\070\060
\061\061\071\060\063\061\064\060\067\132\060\120\061\044\060\042
\006\003\125\004\013\023\033\107\154\157\142\141\154\123\151\147
\156\040\105\103\103\040\122\157\157\164\040\103\101\040\055\040
\122\064\061\023\060\021\006\003\125\004\012\023\012\107\154\157
\142\141\154\123\151\147\156\061\023\060\021\006\003\125\004\003
\023\012\107\154\157\142\141\154\123\151\147\156\060\131\060\023
\006\007\052\206\110\316\075\002\001\006\010\052\206\110\316\075
\003\001\007\003\102\000\004\270\306\171\323\217\154\045\016\237
\056\071\031\034\003\244\256\232\345\071\007\011\026\312\143\261
\271\206\370\212\127\301\127\316\102\372\163\241\367\145\102\377
\036\301\000\262\156\163\016\377\307\041\345\030\244\252\331\161
\077\250\324\271\316\214\035\243\102\060\100\060\016\006\003\125
\035\017\001\001\377\004\004\003\002\001\206\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003
\125\035\016\004\026\004\024\124\260\173\255\105\270\342\100\177
\373\012\156\373\276\063\311\074\243\204\325\060\012\006\010\052
\206\110\316\075\004\003\002\003\107\000\060\104\002\040\042\117
\164\162\271\140\257\361\346\234\240\026\005\120\137\303\136\073
\156\141\164\357\276\001\304\276\030\110\131\141\202\062\002\040
\046\235\124\143\100\336\067\140\120\317\310\330\355\235\202\256
\067\230\274\243\217\114\114\251\064\053\154\357\373\225\233\046

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

```

# Trust for "GlobalSign ECC Root CA - R4"
# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4
# Serial Number:02:03:e5:7e:f5:3f:93:fd:a5:09:21:b2:a6
# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4
# Not Valid Before: Tue Nov 13 00:00:00 2012
# Not Valid After : Tue Jan 19 03:14:07 2038
# Fingerprint (SHA-256):
B0:85:D7:0B:96:4F:19:1A:73:E4:AF:0D:54:AE:7A:0E:07:AA:FD:AF:9B:71:DD:08:62:13:8A:B7:32:5A:24:A2
# Fingerprint (SHA1): 6B:A0:B0:98:E1:71:EF:5A:AD:FE:48:15:80:77:10:F4:BD:6F:0B:28
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign ECC Root CA - R4"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\153\240\260\230\341\161\357\132\255\376\110\025\200\167\020\364
\275\157\013\050
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\046\051\370\155\341\210\277\242\145\177\252\304\315\017\177\374
END
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\064\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\176\365\077\223\375\245\011\041\262\246
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GTS Root R1"
#
# Issuer: CN=GTS Root R1,O=Google Trust Services LLC,C=US
# Serial Number:02:03:e5:93:6f:31:b0:13:49:88:6b:a2:17
# Subject: CN=GTS Root R1,O=Google Trust Services LLC,C=US
# Not Valid Before: Wed Jun 22 00:00:00 2016
# Not Valid After : Sun Jun 22 00:00:00 2036
# Fingerprint (SHA-256):
D9:47:43:2A:BD:E7:B7:FA:90:FC:2E:6B:59:10:1B:12:80:E0:E1:C7:E4:E4:0F:A3:C6:88:7F:FF:57:A7:F4:CF
# Fingerprint (SHA1): E5:8C:1C:C4:91:3B:38:63:4B:E9:10:6E:E3:AD:8E:6B:9D:D9:81:4A

```

```

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\223\157\061\260\023\111\210\153\242\027
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\127\060\202\003\077\240\003\002\001\002\002\015\002
\003\345\223\157\061\260\023\111\210\153\242\027\060\015\006\011
\052\206\110\206\367\015\001\001\014\005\000\060\107\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\042\060\040\006\003
\125\004\012\023\031\107\157\157\147\154\145\040\124\162\165\163
\164\040\123\145\162\166\151\143\145\163\040\114\114\103\061\024
\060\022\006\003\125\004\003\023\013\107\124\123\040\122\157\157
\164\040\122\061\060\036\027\015\061\066\060\066\062\062\060\060
\060\060\060\060\132\027\015\063\066\060\066\062\062\060\060\060
\060\060\060\132\060\107\061\013\060\011\006\003\125\004\006\023
\002\125\123\061\042\060\040\006\003\125\004\012\023\031\107\157
\157\147\154\145\040\124\162\165\163\164\040\123\145\162\166\151
\143\145\163\040\114\114\103\061\024\060\022\006\003\125\004\003
\023\013\107\124\123\040\122\157\157\164\040\122\061\060\202\002
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\266\021
\002\213\036\343\241\167\233\073\334\277\224\076\267\225\247\100
\074\241\375\202\371\175\062\006\202\161\366\366\214\177\373\350
\333\274\152\056\227\227\243\214\113\371\053\366\261\371\316\204
\035\261\371\305\227\336\357\271\362\243\351\274\022\211\136\247
\252\122\253\370\043\047\313\244\261\234\143\333\327\231\176\360
\012\136\353\150\246\364\306\132\107\015\115\020\063\343\116\261
\023\243\310\030\154\113\354\374\011\220\337\235\144\051\045\043

```

\007\241\264\322\075\056\140\340\317\322\011\207\273\315\110\360
\115\302\302\172\210\212\273\272\317\131\031\326\257\217\260\007
\260\236\061\361\202\301\300\337\056\246\155\154\031\016\265\330
\176\046\032\105\003\075\260\171\244\224\050\255\017\177\046\345
\250\010\376\226\350\074\150\224\123\356\203\072\210\053\025\226
\011\262\340\172\214\056\165\326\234\353\247\126\144\217\226\117
\150\256\075\227\302\204\217\300\274\100\300\013\134\275\366\207
\263\065\154\254\030\120\177\204\340\114\315\222\323\040\351\063
\274\122\231\257\062\265\051\263\045\052\264\110\371\162\341\312
\144\367\346\202\020\215\350\235\302\212\210\372\070\146\212\374
\143\371\001\371\170\375\173\134\167\372\166\207\372\354\337\261
\016\171\225\127\264\275\046\357\326\001\321\353\026\012\273\216
\013\265\305\305\212\125\253\323\254\352\221\113\051\314\031\244
\062\045\116\052\361\145\104\320\002\316\252\316\111\264\352\237
\174\203\260\100\173\347\103\253\247\154\243\217\175\211\201\372
\114\245\377\325\216\303\316\113\340\265\330\263\216\105\317\166
\300\355\100\053\375\123\017\260\247\325\073\015\261\212\242\003
\336\061\255\314\167\352\157\173\076\326\337\221\042\022\346\276
\372\330\062\374\020\143\024\121\162\336\135\326\026\223\275\051
\150\063\357\072\146\354\007\212\046\337\023\327\127\145\170\047
\336\136\111\024\000\242\000\177\232\250\041\266\251\261\225\260
\245\271\015\026\021\332\307\154\110\074\100\340\176\015\132\315
\126\074\321\227\005\271\313\113\355\071\113\234\304\077\322\125
\023\156\044\260\326\161\372\364\301\272\314\355\033\365\376\201
\101\330\000\230\075\072\310\256\172\230\067\030\005\225\002\003
\001\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001
\377\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001
\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004
\026\004\024\344\257\053\046\161\032\053\110\047\205\057\122\146
\054\357\360\211\023\161\076\060\015\006\011\052\206\110\206\367
\015\001\001\014\005\000\003\202\002\001\000\237\252\102\046\333
\013\233\276\377\036\226\222\056\076\242\145\112\152\230\272\042
\313\175\301\072\330\202\012\006\306\366\245\336\300\116\207\146
\171\241\371\246\130\234\252\371\265\346\140\347\340\350\261\036
\102\101\063\013\067\075\316\211\160\025\312\265\044\250\317\153
\265\322\100\041\230\317\042\064\317\073\305\042\204\340\305\016
\212\174\135\210\344\065\044\316\233\076\032\124\036\156\333\262
\207\247\374\363\372\201\125\024\142\012\131\251\042\005\061\076
\202\326\356\333\127\064\274\063\225\323\027\033\350\047\242\213
\173\116\046\032\172\132\144\266\321\254\067\361\375\240\363\070
\354\162\360\021\165\235\313\064\122\215\346\166\153\027\306\337
\206\253\047\216\111\053\165\146\201\020\041\246\352\076\364\256
\045\377\174\025\336\316\214\045\077\312\142\160\012\367\057\011
\146\007\310\077\034\374\360\333\105\060\337\142\210\301\265\017
\235\303\237\112\336\131\131\107\305\207\042\066\346\202\247\355
\012\271\342\007\240\215\173\172\112\074\161\322\342\003\241\037
\062\007\335\033\344\102\316\014\000\105\141\200\265\013\040\131
\051\170\275\371\125\313\143\305\074\114\364\266\377\333\152\137

```
\061\153\231\236\054\301\153\120\244\327\346\030\024\275\205\077
\147\253\106\237\240\377\102\247\072\177\134\313\135\260\160\035
\053\064\365\324\166\011\014\353\170\114\131\005\363\063\102\303
\141\025\020\033\167\115\316\042\214\324\205\362\105\175\267\123
\352\357\100\132\224\012\134\040\137\116\100\135\142\042\166\337
\377\316\141\275\214\043\170\322\067\002\340\216\336\321\021\067
\211\366\277\355\111\007\142\256\222\354\100\032\257\024\011\331
\320\116\262\242\367\276\356\356\330\377\334\032\055\336\270\066
\161\342\374\171\267\224\045\321\110\163\133\241\065\347\263\231
\147\165\301\031\072\053\107\116\323\102\216\375\061\310\026\146
\332\322\014\074\333\263\216\311\241\015\200\017\173\026\167\024
\277\377\333\011\224\262\223\274\040\130\025\351\333\161\103\363
\336\020\303\000\334\250\052\225\266\302\326\077\220\153\166\333
\154\376\214\274\362\160\065\014\334\231\031\065\334\327\310\106
\143\325\066\161\256\127\373\267\202\155\334
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

Trust for "GTS Root R1"

Issuer: CN=GTS Root R1,O=Google Trust Services LLC,C=US

Serial Number:02:03:e5:93:6f:31:b0:13:49:88:6b:a2:17

Subject: CN=GTS Root R1,O=Google Trust Services LLC,C=US

Not Valid Before: Wed Jun 22 00:00:00 2016

Not Valid After : Sun Jun 22 00:00:00 2036

Fingerprint (SHA-256):

D9:47:43:2A:BD:E7:B7:FA:90:FC:2E:6B:59:10:1B:12:80:E0:E1:C7:E4:E4:0F:A3:C6:88:7F:FF:57:A7:F4:CF

Fingerprint (SHA1): E5:8C:1C:C4:91:3B:38:63:4B:E9:10:6E:E3:AD:8E:6B:9D:D9:81:4A

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GTS Root R1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\345\214\034\304\221\073\070\143\113\351\020\156\343\255\216\153
```

```
\235\331\201\112
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\005\376\320\277\161\250\243\166\143\332\001\340\330\122\334\100
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
```

```
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
```

```
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
```

```
\123\040\122\157\157\164\040\122\061
```

END


```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\223\157\061\260\023\111\210\153\242\027
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GTS Root R2"
#
# Issuer: CN=GTS Root R2,O=Google Trust Services LLC,C=US
# Serial Number:02:03:e5:ae:c5:8d:04:25:1a:ab:11:25:aa
# Subject: CN=GTS Root R2,O=Google Trust Services LLC,C=US
# Not Valid Before: Wed Jun 22 00:00:00 2016
# Not Valid After : Sun Jun 22 00:00:00 2036
# Fingerprint (SHA-256):
8D:25:CD:97:22:9D:BF:70:35:6B:DA:4E:B3:CC:73:40:31:E2:4C:F0:0F:AF:CF:D3:2D:C7:6E:B5:84:1C:7E:A8
# Fingerprint (SHA1): 9A:44:49:76:32:DB:DE:FA:D0:BC:FB:5A:7B:17:BD:9E:56:09:24:94
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\256\305\215\004\045\032\253\021\045\252
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\127\060\202\003\077\240\003\002\001\002\002\015\002
\003\345\256\305\215\004\045\032\253\021\045\252\060\015\006\011
\052\206\110\206\367\015\001\001\014\005\000\060\107\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\042\060\040\006\003

```

\125\004\012\023\031\107\157\157\147\154\145\040\124\162\165\163
\164\040\123\145\162\166\151\143\145\163\040\114\114\103\061\024
\060\022\006\003\125\004\003\023\013\107\124\123\040\122\157\157
\164\040\122\062\060\036\027\015\061\066\060\066\062\062\060\060
\060\060\060\060\132\027\015\063\066\060\066\062\062\060\060\060
\060\060\060\132\060\107\061\013\060\011\006\003\125\004\006\023
\002\125\123\061\042\060\040\006\003\125\004\012\023\031\107\157
\157\147\154\145\040\124\162\165\163\164\040\123\145\162\166\151
\143\145\163\040\114\114\103\061\024\060\022\006\003\125\004\003
\023\013\107\124\123\040\122\157\157\164\040\122\062\060\202\002
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\316\336
\375\246\373\354\354\024\064\074\007\006\132\154\131\367\031\065
\335\367\301\235\125\252\323\315\073\244\223\162\357\012\372\155
\235\366\360\205\200\133\241\110\122\237\071\305\267\356\050\254
\357\313\166\150\024\271\337\255\001\154\231\037\304\042\035\237
\376\162\167\340\054\133\257\344\004\277\117\162\240\032\064\230
\350\071\150\354\225\045\173\166\241\346\151\271\205\031\275\211
\214\376\255\355\066\352\163\274\377\203\342\313\175\301\322\316
\112\263\215\005\236\213\111\223\337\301\133\320\156\136\360\056
\060\056\202\374\372\274\264\027\012\110\345\210\233\305\233\153
\336\260\312\264\003\360\332\364\220\270\145\144\367\134\114\255
\350\176\146\136\231\327\270\302\076\310\320\023\235\255\356\344
\105\173\211\125\367\212\037\142\122\204\022\263\302\100\227\343
\212\037\107\221\246\164\132\322\370\261\143\050\020\270\263\011
\270\126\167\100\242\046\230\171\306\376\337\045\356\076\345\240
\177\324\141\017\121\113\074\077\214\332\341\160\164\330\302\150
\241\371\301\014\351\241\342\177\273\125\074\166\006\356\152\116
\314\222\210\060\115\232\275\117\013\110\232\204\265\230\243\325
\373\163\301\127\141\335\050\126\165\023\256\207\216\347\014\121
\011\020\165\210\114\274\215\371\173\074\324\042\110\037\052\334
\353\153\273\104\261\313\063\161\062\106\257\255\112\361\214\350
\164\072\254\347\032\042\163\200\322\060\367\045\102\307\042\073
\073\022\255\226\056\306\303\166\007\252\040\267\065\111\127\351
\222\111\350\166\026\162\061\147\053\226\176\212\243\307\224\126
\042\277\152\113\176\001\041\262\043\062\337\344\232\104\155\131
\133\135\365\000\240\034\233\306\170\227\215\220\377\233\310\252
\264\257\021\121\071\136\331\373\147\255\325\133\021\235\062\232
\033\275\325\272\133\245\311\313\045\151\123\125\047\134\340\312
\066\313\210\141\373\036\267\320\313\356\026\373\323\246\114\336
\222\245\324\342\337\365\006\124\336\056\235\113\264\223\060\252
\201\316\335\032\334\121\163\015\117\160\351\345\266\026\041\031
\171\262\346\211\013\165\144\312\325\253\274\011\301\030\241\377
\324\124\241\205\074\375\024\044\003\262\207\323\244\267\002\003
\001\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001
\377\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001
\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004
\026\004\024\273\377\312\216\043\237\117\231\312\333\342\150\246

\245\025\047\027\036\331\016\060\015\006\011\052\206\110\206\367
\015\001\001\014\005\000\003\202\002\001\000\037\312\316\335\307
\276\241\237\331\047\114\013\334\027\230\021\152\210\336\075\346
\161\126\162\262\236\032\116\234\325\053\230\044\135\233\153\173
\260\063\202\011\275\337\045\106\352\230\236\266\033\376\203\074
\322\142\141\301\004\355\316\340\305\311\310\023\023\125\347\250
\143\255\214\173\001\376\167\060\341\316\150\233\005\370\022\356
\171\061\240\101\105\065\050\012\161\244\044\117\214\334\074\202
\007\137\146\334\175\020\376\014\141\263\005\225\356\341\256\201
\017\250\370\307\217\115\250\043\002\046\153\035\203\122\125\316
\265\057\000\312\200\100\340\341\164\254\140\365\207\200\235\256
\066\144\221\135\260\150\030\352\212\141\311\167\250\227\304\311
\307\245\374\125\113\363\360\177\271\145\075\047\150\320\314\153
\372\123\235\341\221\032\311\135\032\226\155\062\207\355\003\040
\310\002\316\132\276\331\352\375\262\115\304\057\033\337\137\172
\365\370\213\306\356\061\072\045\121\125\147\215\144\062\173\351
\236\303\202\272\052\055\351\036\264\340\110\006\242\374\147\257
\037\042\002\163\373\040\012\257\235\124\113\241\315\377\140\107
\260\077\135\357\033\126\275\227\041\226\055\012\321\136\235\070
\002\107\154\271\364\366\043\045\270\240\152\232\053\167\010\372
\304\261\050\220\046\130\010\074\342\176\252\327\075\157\272\061
\210\012\005\353\047\265\241\111\356\240\105\124\173\346\047\145
\231\040\041\250\243\274\373\030\226\273\122\157\014\355\203\121
\114\351\131\342\040\140\305\302\145\222\202\214\363\020\037\016
\212\227\276\167\202\155\077\217\035\135\274\111\047\275\314\117
\017\341\316\166\206\004\043\305\300\214\022\133\375\333\204\240
\044\361\110\377\144\174\320\276\134\026\321\357\231\255\300\037
\373\313\256\274\070\042\006\046\144\332\332\227\016\077\050\025
\104\250\117\000\312\360\232\314\317\164\152\264\076\074\353\225
\354\265\323\132\330\201\231\351\103\030\067\353\263\273\321\130
\142\101\363\146\322\217\252\170\225\124\040\303\132\056\164\053
\325\321\276\030\151\300\254\325\244\317\071\272\121\204\003\145
\351\142\300\142\376\330\115\125\226\342\320\021\372\110\064\021
\354\236\355\005\035\344\310\326\035\206\313

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "GTS Root R2"

Issuer: CN=GTS Root R2,O=Google Trust Services LLC,C=US

Serial Number:02:03:e5:ae:c5:8d:04:25:1a:ab:11:25:aa

Subject: CN=GTS Root R2,O=Google Trust Services LLC,C=US

Not Valid Before: Wed Jun 22 00:00:00 2016

Not Valid After : Sun Jun 22 00:00:00 2036

Fingerprint (SHA-256):

8D:25:CD:97:22:9D:BF:70:35:6B:DA:4E:B3:CC:73:40:31:E2:4C:F0:0F:AF:CF:D3:2D:C7:6E:B5:84:1C:7E:A8

Fingerprint (SHA1): 9A:44:49:76:32:DB:DE:FA:D0:BC:FB:5A:7B:17:BD:9E:56:09:24:94

```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\232\104\111\166\062\333\336\372\320\274\373\132\173\027\275\236
\126\011\044\224
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\036\071\300\123\346\036\051\202\013\312\122\125\066\135\127\334
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\256\305\215\004\045\032\253\021\045\252
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GTS Root R3"
#
# Issuer: CN=GTS Root R3,O=Google Trust Services LLC,C=US
# Serial Number:02:03:e5:b8:82:eb:20:f8:25:27:6d:3d:66
# Subject: CN=GTS Root R3,O=Google Trust Services LLC,C=US
# Not Valid Before: Wed Jun 22 00:00:00 2016
# Not Valid After : Sun Jun 22 00:00:00 2036
# Fingerprint (SHA-256):
34:D8:A7:3E:E2:08:D9:BC:DB:0D:95:65:20:93:4B:4E:40:E6:94:82:59:6E:8B:6F:73:C8:42:6B:01:0A:6F:48
# Fingerprint (SHA1): ED:E5:71:80:2B:C8:92:B9:5B:83:3C:D2:32:68:3F:09:CD:A0:1E:46
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040

```

\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\270\202\353\040\370\045\047\155\075\146
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\011\060\202\001\216\240\003\002\001\002\002\015\002
\003\345\270\202\353\040\370\045\047\155\075\146\060\012\006\010
\052\206\110\316\075\004\003\003\060\107\061\013\060\011\006\003
\125\004\006\023\002\125\123\061\042\060\040\006\003\125\004\012
\023\031\107\157\157\147\154\145\040\124\162\165\163\164\040\123
\145\162\166\151\143\145\163\040\114\114\103\061\024\060\022\006
\003\125\004\003\023\013\107\124\123\040\122\157\157\164\040\122
\063\060\036\027\015\061\066\060\066\062\062\060\060\060\060
\060\132\027\015\063\066\060\066\062\062\060\060\060\060\060
\132\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154
\145\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163
\040\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107
\124\123\040\122\157\157\164\040\122\063\060\166\060\020\006\007
\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142
\000\004\037\117\063\207\063\051\212\241\204\336\313\307\041\130
\101\211\352\126\235\053\113\205\306\035\114\047\274\177\046\121
\162\157\342\237\326\243\312\314\105\024\106\213\255\357\176\206
\214\354\261\176\057\377\251\161\235\030\204\105\004\101\125\156
\053\352\046\177\273\220\001\343\113\031\272\344\124\226\105\011
\261\325\154\221\104\255\204\023\216\232\214\015\200\014\062\366
\340\047\243\102\060\100\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\301\361\046\272\240\055\256\205\201\317\323\361\052\022
\275\270\012\147\375\274\060\012\006\010\052\206\110\316\075\004
\003\003\003\151\000\060\146\002\061\000\366\341\040\225\024\173
\124\243\220\026\021\277\204\310\352\157\153\027\236\036\106\230
\040\233\237\323\015\331\254\323\057\315\174\370\133\056\125\273
\277\335\222\367\244\014\334\061\341\242\002\061\000\374\227\146
\146\345\103\026\023\203\335\307\337\057\276\024\070\355\001\316
\261\027\032\021\165\351\275\003\217\046\176\204\345\311\140\246
\225\327\124\131\267\347\021\054\211\324\271\356\027

```

END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "GTS Root R3"
# Issuer: CN=GTS Root R3,O=Google Trust Services LLC,C=US
# Serial Number:02:03:e5:b8:82:eb:20:f8:25:27:6d:3d:66
# Subject: CN=GTS Root R3,O=Google Trust Services LLC,C=US
# Not Valid Before: Wed Jun 22 00:00:00 2016
# Not Valid After : Sun Jun 22 00:00:00 2036
# Fingerprint (SHA-256):
34:D8:A7:3E:E2:08:D9:BC:DB:0D:95:65:20:93:4B:4E:40:E6:94:82:59:6E:8B:6F:73:C8:42:6B:01:0A:6F:48
# Fingerprint (SHA1): ED:E5:71:80:2B:C8:92:B9:5B:83:3C:D2:32:68:3F:09:CD:A0:1E:46
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\35\34\161\200\05\310\222\271\133\203\074\322\062\150\077\011
\315\240\036\106
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\076\347\235\130\002\224\106\121\224\345\340\042\112\213\347\163
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\270\202\353\040\370\045\047\155\075\146
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GTS Root R4"
#
# Issuer: CN=GTS Root R4,O=Google Trust Services LLC,C=US
# Serial Number:02:03:e5:c0:68:ef:63:1a:9c:72:90:50:52
# Subject: CN=GTS Root R4,O=Google Trust Services LLC,C=US
# Not Valid Before: Wed Jun 22 00:00:00 2016

```

```
# Not Valid After : Sun Jun 22 00:00:00 2036
# Fingerprint (SHA-256):
34:9D:FA:40:58:C5:E2:63:12:3B:39:8A:E7:95:57:3C:4E:13:13:C8:3F:E6:8F:93:55:6C:D5:E8:03:1B:3C:7D
# Fingerprint (SHA1): 77:D3:03:67:B5:E0:0C:15:F6:0C:38:61:DF:7C:E1:3B:92:46:4D:47
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\064
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\300\150\357\143\032\234\162\220\120\122
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\011\060\202\001\216\240\003\002\001\002\002\015\002
\003\345\300\150\357\143\032\234\162\220\120\122\060\012\006\010
\052\206\110\316\075\004\003\003\060\107\061\013\060\011\006\003
\125\004\006\023\002\125\123\061\042\060\040\006\003\125\004\012
\023\031\107\157\157\147\154\145\040\124\162\165\163\164\040\123
\145\162\166\151\143\145\163\040\114\114\103\061\024\060\022\006
\003\125\004\003\023\013\107\124\123\040\122\157\157\164\040\122
\064\060\036\027\015\061\066\060\066\062\062\060\060\060\060\060
\060\132\027\015\063\066\060\066\062\062\060\060\060\060\060\060
\132\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154
\145\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163
\040\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107
\124\123\040\122\157\157\164\040\122\064\060\166\060\020\006\007
\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142
\000\004\363\164\163\247\150\213\140\256\103\270\065\305\201\060
\173\113\111\235\373\301\141\316\346\336\106\275\153\325\141\030
\065\256\100\335\163\367\211\221\060\132\353\074\356\205\174\242
\100\166\073\251\306\270\107\330\052\347\222\221\152\163\351\261
```

```
\162\071\237\051\237\242\230\323\137\136\130\206\145\017\241\204
\145\006\321\334\213\311\307\163\310\214\152\057\345\304\253\321
\035\212\243\102\060\100\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\200\114\326\353\164\377\111\066\243\325\330\374\265\076
\305\152\360\224\035\214\060\012\006\010\052\206\110\316\075\004
\003\003\003\151\000\060\146\002\061\000\350\100\377\203\336\003
\364\237\256\035\172\247\056\271\257\117\366\203\035\016\055\205
\001\035\321\331\152\354\017\302\257\307\136\126\136\134\325\034
\130\042\050\013\367\060\266\057\261\174\002\061\000\360\141\074
\247\364\240\202\343\041\325\204\035\163\206\234\055\257\312\064
\233\361\237\271\043\066\342\274\140\003\235\200\263\232\126\310
\341\342\273\024\171\312\315\041\324\224\265\111\103
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "GTS Root R4"

Issuer: CN=GTS Root R4,O=Google Trust Services LLC,C=US

Serial Number:02:03:e5:c0:68:ef:63:1a:9c:72:90:50:52

Subject: CN=GTS Root R4,O=Google Trust Services LLC,C=US

Not Valid Before: Wed Jun 22 00:00:00 2016

Not Valid After : Sun Jun 22 00:00:00 2036

Fingerprint (SHA-256):

34:9D:FA:40:58:C5:E2:63:12:3B:39:8A:E7:95:57:3C:4E:13:13:C8:3F:E6:8F:93:55:6C:D5:E8:03:1B:3C:7D

Fingerprint (SHA1): 77:D3:03:67:B5:E0:0C:15:F6:0C:38:61:DF:7C:E1:3B:92:46:4D:47

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GTS Root R4"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\167\323\003\147\265\340\014\025\366\014\070\141\337\174\341\073
\222\106\115\107
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\103\226\203\167\031\115\166\263\235\145\122\344\035\042\245\350
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\064
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```



```

\002\015\002\003\345\300\150\357\143\032\234\162\220\120\122
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Telia Root CA v2"
#
# Issuer: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI
# Serial Number:01:67:5f:27:d6:fe:7a:e3:e4:ac:be:09:5b:05:9e
# Subject: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI
# Not Valid Before: Thu Nov 29 11:55:54 2018
# Not Valid After : Sun Nov 29 11:55:54 2043
# Fingerprint (SHA-256):
24:2B:69:74:2F:CB:1E:5B:2A:BF:98:89:8B:94:57:21:87:54:4E:5B:4D:99:11:78:65:73:62:1F:6A:74:B8:2C
# Fingerprint (SHA1): B9:99:CD:D1:73:50:8A:C4:47:05:08:9C:8C:88:FB:BE:A0:2B:40:CD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Telia Root CA v2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\106\111\061
\032\060\030\006\003\125\004\012\014\021\124\145\154\151\141\040
\106\151\156\154\141\156\144\040\117\171\152\061\031\060\027\006
\003\125\004\003\014\020\124\145\154\151\141\040\122\157\157\164
\040\103\101\040\166\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\106\111\061
\032\060\030\006\003\125\004\012\014\021\124\145\154\151\141\040
\106\151\156\154\141\156\144\040\117\171\152\061\031\060\027\006
\003\125\004\003\014\020\124\145\154\151\141\040\122\157\157\164
\040\103\101\040\166\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\017\001\147\137\047\326\376\172\343\344\254\276\011\133\005
\236
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\164\060\202\003\134\240\003\002\001\002\002\017\001
\147\137\047\326\376\172\343\344\254\276\011\133\005\236\060\015
\006\011\052\206\110\206\367\015\001\001\013\005\000\060\104\061
\013\060\011\006\003\125\004\006\023\002\106\111\061\032\060\030

```

\006\003\125\004\012\014\021\124\145\154\151\141\040\106\151\156
\154\141\156\144\040\117\171\152\061\031\060\027\006\003\125\004
\003\014\020\124\145\154\151\141\040\122\157\157\164\040\103\101
\040\166\062\060\036\027\015\061\070\061\061\062\071\061\061\065
\065\065\064\132\027\015\064\063\061\061\062\071\061\061\065\065
\065\064\132\060\104\061\013\060\011\006\003\125\004\006\023\002
\106\111\061\032\060\030\006\003\125\004\012\014\021\124\145\154
\151\141\040\106\151\156\154\141\156\144\040\117\171\152\061\031
\060\027\006\003\125\004\003\014\020\124\145\154\151\141\040\122
\157\157\164\040\103\101\040\166\062\060\202\002\042\060\015\006
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017
\000\060\202\002\012\002\202\002\001\000\262\320\077\007\274\342
\173\320\153\231\370\342\167\151\347\316\235\244\003\274\202\155
\241\376\201\145\037\114\047\254\216\000\272\026\173\353\060\152
\000\300\263\164\150\176\262\257\307\325\142\263\172\077\120\312
\214\066\104\044\143\322\066\351\014\205\366\103\166\325\114\241
\140\162\147\342\050\063\245\313\061\270\072\042\043\064\270\175
\275\126\042\100\235\352\364\173\003\255\150\374\262\201\117\230
\320\164\352\215\345\175\315\143\303\243\366\336\222\302\130\031
\340\226\273\305\304\251\075\245\164\226\376\257\371\211\252\275
\225\027\124\330\170\104\361\014\167\025\222\340\230\102\247\244
\326\252\040\222\315\301\240\263\226\262\072\204\102\215\175\325
\225\344\326\333\351\142\304\130\263\171\305\214\323\065\063\203
\237\165\241\122\047\141\070\361\131\075\216\120\340\275\171\074
\347\154\226\376\136\331\002\145\264\216\134\320\021\064\337\135
\277\122\247\201\000\303\177\231\105\231\025\325\027\310\012\123
\354\143\363\231\175\314\151\022\206\302\027\360\001\236\277\204
\274\321\122\313\033\222\146\316\244\123\345\241\277\304\333\011
\326\346\211\126\053\310\343\174\336\343\377\211\345\065\156\050
\350\154\013\043\121\251\045\005\353\110\370\335\261\312\372\154
\010\121\357\267\030\154\104\312\046\341\163\306\211\006\201\345
\212\254\260\342\051\306\271\044\263\153\104\021\364\245\103\302
\114\103\345\160\066\214\266\063\127\172\225\056\202\240\364\134
\020\263\141\203\366\002\005\206\056\174\055\154\334\003\106\156
\065\223\325\172\225\057\336\040\330\133\176\224\220\004\152\272
\131\075\004\005\165\235\067\242\016\056\075\353\301\244\122\203
\376\320\153\324\146\216\334\306\351\022\116\035\052\127\252\020
\274\174\136\202\175\246\246\311\362\055\271\365\027\047\255\321
\016\211\124\053\225\372\300\255\035\230\024\170\063\102\206\012
\251\163\265\373\164\015\267\033\060\031\304\132\016\034\047\267
\332\030\320\377\212\310\005\272\361\252\034\242\067\267\346\110
\244\106\054\224\352\250\166\142\107\213\020\123\007\110\127\154
\342\222\115\266\256\005\313\334\301\112\136\217\254\075\031\116
\302\355\140\165\053\333\301\312\102\325\002\003\001\000\001\243
\143\060\141\060\037\006\003\125\035\043\004\030\060\026\200\024
\162\254\344\063\171\252\105\207\366\375\254\035\236\326\307\057
\206\330\044\071\060\035\006\003\125\035\016\004\026\004\024\162
\254\344\063\171\252\105\207\366\375\254\035\236\326\307\057\206

\330\044\071\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001
\013\005\000\003\202\002\001\000\240\073\131\247\011\224\076\066
\204\322\176\057\071\245\226\227\372\021\255\374\147\363\161\011
\362\262\211\204\147\104\257\271\357\355\226\354\234\144\333\062
\060\157\147\232\254\176\137\262\253\001\066\176\201\372\344\204
\136\322\254\066\340\153\142\305\175\113\016\202\155\322\166\142
\321\376\227\370\237\060\174\030\371\264\122\167\202\035\166\333
\323\035\251\360\301\232\000\275\155\165\330\175\347\372\307\070
\243\234\160\350\106\171\003\257\056\164\333\165\370\156\123\014
\003\310\231\032\211\065\031\074\323\311\124\174\250\360\054\346
\156\007\171\157\152\341\346\352\221\202\151\012\035\303\176\131
\242\236\153\106\025\230\133\323\257\106\035\142\310\316\200\122
\111\021\077\311\004\022\303\023\174\077\073\212\226\333\074\240
\036\012\264\213\124\262\044\147\015\357\202\313\276\074\175\321
\342\177\256\026\326\126\130\271\332\040\261\203\025\241\357\212
\115\062\157\101\057\023\122\202\224\327\032\301\170\242\121\335
\053\160\155\267\032\371\367\260\340\147\227\126\333\174\141\123
\011\003\050\002\100\307\263\330\375\234\160\152\306\050\303\205
\351\342\355\032\223\240\336\113\230\242\204\076\005\167\001\226
\075\373\264\040\017\234\162\002\172\022\057\325\243\272\121\170
\257\052\053\104\145\116\265\375\012\350\301\315\171\207\141\053
\336\200\127\105\277\147\361\233\221\136\245\244\354\131\110\020
\015\070\307\260\372\303\104\155\004\365\170\120\034\222\226\133
\332\365\270\056\272\133\317\345\360\152\235\113\057\130\163\055
\117\055\304\034\076\364\263\077\253\025\016\073\031\101\212\244
\301\127\022\146\161\114\372\123\343\127\353\142\225\011\236\124
\335\321\302\074\127\074\275\070\255\230\144\267\270\003\232\123
\126\140\135\263\330\102\033\134\113\022\212\034\353\353\175\306
\172\151\307\047\177\244\370\213\362\344\224\146\207\113\351\224
\007\011\022\171\212\262\353\164\004\334\316\364\104\131\340\026
\312\305\054\130\327\074\173\317\142\206\152\120\175\065\066\146
\247\373\067\347\050\307\330\320\255\245\151\224\217\350\301\337
\044\370\033\007\061\207\201\330\135\366\350\050\330\112\122\200
\254\023\356\120\024\036\230\307

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Telia Root CA v2"
Issuer: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI
Serial Number:01:67:5f:27:d6:fe:7a:e3:e4:ac:be:09:5b:05:9e
Subject: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI
Not Valid Before: Thu Nov 29 11:55:54 2018
Not Valid After : Sun Nov 29 11:55:54 2043
Fingerprint (SHA-256):

```

24:2B:69:74:2F:CB:1E:5B:2A:BF:98:89:8B:94:57:21:87:54:4E:5B:4D:99:11:78:65:73:62:1F:6A:74:B8:2C
# Fingerprint (SHA1): B9:99:CD:D1:73:50:8A:C4:47:05:08:9C:8C:88:FB:BE:A0:2B:40:CD
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Telia Root CA v2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\271\231\315\321\163\120\212\304\107\005\010\234\214\210\373\276
\240\053\100\315
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\016\217\254\252\202\337\205\261\364\334\020\034\374\231\331\110
END
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\106\111\061
\032\060\030\006\003\125\004\012\014\021\124\145\154\151\141\040
\106\151\156\154\141\156\144\040\117\171\152\061\031\060\027\006
\003\125\004\003\014\020\124\145\154\151\141\040\122\157\157\164
\040\103\101\040\166\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\017\001\147\137\047\326\376\172\343\344\254\276\011\133\005
\236
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "D-TRUST BR Root CA 1 2020"
#
# Issuer: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE
# Serial Number:7c:c9:8f:2b:84:d7:df:ea:0f:c9:65:9a:d3:4b:4d:96
# Subject: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE
# Not Valid Before: Tue Feb 11 09:45:00 2020
# Not Valid After : Sun Feb 11 09:44:59 2035
# Fingerprint (SHA-256):
E5:9A:AA:81:60:09:C2:2B:FF:5B:25:BA:D3:7D:F3:06:F0:49:79:7C:1F:81:D8:5A:B0:89:E6:57:BD:8F:00:44
# Fingerprint (SHA1): 1F:5B:98:F0:E3:B5:F7:74:3C:ED:E6:B0:36:7D:32:CD:F4:09:41:67
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST BR Root CA 1 2020"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023
\031\104\055\124\122\125\123\124\040\102\122\040\122\157\157\164
\040\103\101\040\061\040\062\060\062\060

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023
\031\104\055\124\122\125\123\124\040\102\122\040\122\157\157\164
\040\103\101\040\061\040\062\060\062\060

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\174\311\217\053\204\327\337\352\017\311\145\232\323\113
\115\226

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\333\060\202\002\140\240\003\002\001\002\002\020\174
\311\217\053\204\327\337\352\017\311\145\232\323\113\115\226\060
\012\006\010\052\206\110\316\075\004\003\003\060\110\061\013\060
\011\006\003\125\004\006\023\002\104\105\061\025\060\023\006\003
\125\004\012\023\014\104\055\124\162\165\163\164\040\107\155\142
\110\061\042\060\040\006\003\125\004\003\023\031\104\055\124\122
\125\123\124\040\102\122\040\122\157\157\164\040\103\101\040\061
\040\062\060\062\060\060\036\027\015\062\060\060\062\061\061\060
\071\064\065\060\060\132\027\015\063\065\060\062\061\061\060\071
\064\064\065\071\132\060\110\061\013\060\011\006\003\125\004\006
\023\002\104\105\061\025\060\023\006\003\125\004\012\023\014\104
\055\124\162\165\163\164\040\107\155\142\110\061\042\060\040\006
\003\125\004\003\023\031\104\055\124\122\125\123\124\040\102\122
\040\122\157\157\164\040\103\101\040\061\040\062\060\062\060\060
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201
\004\000\042\003\142\000\004\306\313\307\050\321\373\204\365\232
\357\102\024\040\341\103\153\156\165\255\374\053\003\204\324\166
\223\045\327\131\073\101\145\153\036\346\064\052\273\164\366\022
\316\350\155\347\253\344\074\116\077\104\010\213\315\026\161\313
\277\222\231\364\244\327\074\120\124\122\220\205\203\170\224\147
\147\243\034\011\031\075\165\064\205\336\355\140\175\307\014\264
\101\122\271\156\345\356\102\243\202\001\015\060\202\001\011\060
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\035\006\003\125\035\016\004\026\004\024\163\221\020\253\377
\125\263\132\174\011\045\325\262\272\010\240\153\253\037\155\060
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060
\201\306\006\003\125\035\037\004\201\276\060\201\273\060\076\240
\074\240\072\206\070\150\164\164\160\072\057\057\143\162\154\056
\144\055\164\162\165\163\164\056\156\145\164\057\143\162\154\057

```
\144\055\164\162\165\163\164\137\142\162\137\162\157\157\164\137
\143\141\137\061\137\062\060\062\060\056\143\162\154\060\171\240
\167\240\165\206\163\154\144\141\160\072\057\057\144\151\162\145
\143\164\157\162\171\056\144\055\164\162\165\163\164\056\156\145
\164\057\103\116\075\104\055\124\122\125\123\124\045\062\060\102
\122\045\062\060\122\157\157\164\045\062\060\103\101\045\062\060
\061\045\062\060\062\060\062\060\054\117\075\104\055\124\162\165
\163\164\045\062\060\107\155\142\110\054\103\075\104\105\077\143
\145\162\164\151\146\151\143\141\164\145\162\145\166\157\143\141
\164\151\157\156\154\151\163\164\060\012\006\010\052\206\110\316
\075\004\003\003\003\151\000\060\146\002\061\000\224\220\055\023
\372\341\143\370\141\143\350\255\205\170\124\221\234\270\223\070
\076\032\101\332\100\026\123\102\010\312\057\216\361\076\201\126
\300\252\330\355\030\304\260\256\364\076\372\046\002\061\000\363
\050\342\306\333\053\231\373\267\121\270\044\243\244\224\172\032
\077\346\066\342\003\127\063\212\060\313\202\307\326\024\021\325
\165\143\133\024\225\234\037\001\317\330\325\162\247\017\073
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "D-TRUST BR Root CA 1 2020"
```

```
# Issuer: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE
```

```
# Serial Number:7c:c9:8f:2b:84:d7:df:ea:0f:c9:65:9a:d3:4b:4d:96
```

```
# Subject: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE
```

```
# Not Valid Before: Tue Feb 11 09:45:00 2020
```

```
# Not Valid After : Sun Feb 11 09:44:59 2035
```

```
# Fingerprint (SHA-256):
```

```
E5:9A:AA:81:60:09:C2:2B:FF:5B:25:BA:D3:7D:F3:06:F0:49:79:7C:1F:81:D8:5A:B0:89:E6:57:BD:8F:00:44
```

```
# Fingerprint (SHA1): 1F:5B:98:F0:E3:B5:F7:74:3C:ED:E6:B0:36:7D:32:CD:F4:09:41:67
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "D-TRUST BR Root CA 1 2020"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\037\133\230\360\343\265\367\164\074\355\346\260\066\175\062\315
\364\011\101\147
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\265\252\113\325\355\367\343\125\056\217\162\012\363\165\270\355
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023
\031\104\055\124\122\125\123\124\040\102\122\040\122\157\157\164
```

```

\040\103\101\040\061\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\174\311\217\053\204\327\337\352\017\311\145\232\323\113
\115\226
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "D-TRUST EV Root CA 1 2020"
#
# Issuer: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE
# Serial Number:5f:02:41:d7:7a:87:7c:4c:03:a3:ac:96:8d:fb:ff:d0
# Subject: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE
# Not Valid Before: Tue Feb 11 10:00:00 2020
# Not Valid After : Sun Feb 11 09:59:59 2035
# Fingerprint (SHA-256):
08:17:0D:1A:A3:64:53:90:1A:2F:95:92:45:E3:47:DB:0C:8D:37:AB:AA:BC:56:B8:1A:A1:00:DC:95:89:70:DB
# Fingerprint (SHA1): 61:DB:8C:21:59:69:03:90:D8:7C:9C:12:86:54:CF:9D:3D:F4:DD:07
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST EV Root CA 1 2020"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023
\031\104\055\124\122\125\123\124\040\105\126\040\122\157\157\164
\040\103\101\040\061\040\062\060\062\060
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023
\031\104\055\124\122\125\123\124\040\105\126\040\122\157\157\164
\040\103\101\040\061\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\137\002\101\327\172\207\174\114\003\243\254\226\215\373
\377\320
END
CKA_VALUE MULTILINE_OCTAL

```

\060\202\002\333\060\202\002\140\240\003\002\001\002\002\020\137
\002\101\327\172\207\174\114\003\243\254\226\215\373\377\320\060
\012\006\010\052\206\110\316\075\004\003\003\060\110\061\013\060
\011\006\003\125\004\006\023\002\104\105\061\025\060\023\006\003
\125\004\012\023\014\104\055\124\162\165\163\164\040\107\155\142
\110\061\042\060\040\006\003\125\004\003\023\031\104\055\124\122
\125\123\124\040\105\126\040\122\157\157\164\040\103\101\040\061
\040\062\060\062\060\060\036\027\015\062\060\060\062\061\061\061
\060\060\060\060\060\132\027\015\063\065\060\062\061\061\060\071
\065\071\065\071\132\060\110\061\013\060\011\006\003\125\004\006
\023\002\104\105\061\025\060\023\006\003\125\004\012\023\014\104
\055\124\162\165\163\164\040\107\155\142\110\061\042\060\040\006
\003\125\004\003\023\031\104\055\124\122\125\123\124\040\105\126
\040\122\157\157\164\040\103\101\040\061\040\062\060\062\060\060
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201
\004\000\042\003\142\000\004\361\013\335\206\103\040\031\337\227
\205\350\042\112\233\317\235\230\277\264\005\046\311\313\343\246
\322\217\305\236\170\173\061\211\251\211\255\047\074\145\020\202
\374\337\303\235\116\360\063\043\304\322\062\365\034\260\337\063
\027\135\305\360\261\212\371\357\271\267\024\312\051\112\302\017
\251\177\165\145\111\052\060\147\364\144\367\326\032\167\332\303
\302\227\141\102\173\111\255\243\202\001\015\060\202\001\011\060
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\035\006\003\125\035\016\004\026\004\024\177\020\001\026\067
\072\244\050\344\120\370\244\367\354\153\062\266\376\351\213\060
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060
\201\306\006\003\125\035\037\004\201\276\060\201\273\060\076\240
\074\240\072\206\070\150\164\164\160\072\057\057\143\162\154\056
\144\055\164\162\165\163\164\056\156\145\164\057\143\162\154\057
\144\055\164\162\165\163\164\137\145\166\137\162\157\157\164\137
\143\141\137\061\137\062\060\062\060\056\143\162\154\060\171\240
\167\240\165\206\163\154\144\141\160\072\057\057\144\151\162\145
\143\164\157\162\171\056\144\055\164\162\165\163\164\056\156\145
\164\057\103\116\075\104\055\124\122\125\123\124\045\062\060\105
\126\045\062\060\122\157\157\164\045\062\060\103\101\045\062\060
\061\045\062\060\062\060\062\060\054\117\075\104\055\124\162\165
\163\164\045\062\060\107\155\142\110\054\103\075\104\105\077\143
\145\162\164\151\146\151\143\141\164\145\162\145\166\157\143\141
\164\151\157\156\154\151\163\164\060\012\006\010\052\206\110\316
\075\004\003\003\003\151\000\060\146\002\061\000\312\074\306\052
\165\302\136\165\142\071\066\000\140\132\213\301\223\231\314\331
\333\101\073\073\207\231\027\073\325\314\117\312\042\367\240\200
\313\371\264\261\033\126\365\162\322\374\031\321\002\061\000\221
\367\060\223\077\020\106\053\161\244\320\073\104\233\300\051\002
\005\262\101\167\121\363\171\132\236\216\024\240\116\102\322\133
\201\363\064\152\003\347\042\070\120\133\355\031\117\103\026

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "D-TRUST EV Root CA 1 2020"

Issuer: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE

Serial Number:5f:02:41:d7:7a:87:7c:4c:03:a3:ac:96:8d:fb:ff:d0

Subject: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE

Not Valid Before: Tue Feb 11 10:00:00 2020

Not Valid After : Sun Feb 11 09:59:59 2035

Fingerprint (SHA-256):

08:17:0D:1A:A3:64:53:90:1A:2F:95:92:45:E3:47:DB:0C:8D:37:AB:AA:BC:56:B8:1A:A1:00:DC:95:89:70:DB

Fingerprint (SHA1): 61:DB:8C:21:59:69:03:90:D8:7C:9C:12:86:54:CF:9D:3D:F4:DD:07

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "D-TRUST EV Root CA 1 2020"

CKA_CERT_SHA1_HASH MULTILINE_OCTAL

\141\333\214\041\131\151\003\220\330\174\234\022\206\124\317\235

\075\364\335\007

END

CKA_CERT_MD5_HASH MULTILINE_OCTAL

\214\055\235\160\237\110\231\021\006\021\373\351\313\060\300\156

END

CKA_ISSUER MULTILINE_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061

\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163

\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023

\031\104\055\124\122\125\123\124\040\105\126\040\122\157\157\164

\040\103\101\040\061\040\062\060\062\060

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\137\002\101\327\172\207\174\114\003\243\254\226\215\373

\377\320

END

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST

CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "DigiCert TLS ECC P384 Root G5"

#

Issuer: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

Serial Number:09:e0:93:65:ac:f7:d9:c8:b9:3e:1c:0b:04:2a:2e:f3

Subject: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

Not Valid Before: Fri Jan 15 00:00:00 2021

Not Valid After : Sun Jan 14 23:59:59 2046

```
# Fingerprint (SHA-256):
01:8E:13:F0:77:25:32:CF:80:9B:D1:B1:72:81:86:72:83:FC:48:C6:E1:3B:E9:C6:98:12:85:4A:49:0C:1B:05
# Fingerprint (SHA1): 17:F3:DE:5E:9F:0F:19:E9:8E:F6:1F:32:26:6E:20:C4:07:AE:30:EE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert TLS ECC P384 Root G5"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\046\060\044\006\003\125\004
\003\023\035\104\151\147\151\103\145\162\164\040\124\114\123\040
\105\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\046\060\044\006\003\125\004
\003\023\035\104\151\147\151\103\145\162\164\040\124\114\123\040
\105\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\011\340\223\145\254\367\331\310\271\076\034\013\004\052
\056\363
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\031\060\202\001\237\240\003\002\001\002\002\020\011
\340\223\145\254\367\331\310\271\076\034\013\004\052\056\363\060
\012\006\010\052\206\110\316\075\004\003\003\060\116\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003
\125\004\012\023\016\104\151\147\151\103\145\162\164\054\040\111
\156\143\056\061\046\060\044\006\003\125\004\003\023\035\104\151
\147\151\103\145\162\164\040\124\114\123\040\105\103\103\040\120
\063\070\064\040\122\157\157\164\040\107\065\060\036\027\015\062
\061\060\061\061\065\060\060\060\060\060\060\132\027\015\064\066
\060\061\061\064\062\063\065\071\065\071\132\060\116\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003
\125\004\012\023\016\104\151\147\151\103\145\162\164\054\040\111
\156\143\056\061\046\060\044\006\003\125\004\003\023\035\104\151
\147\151\103\145\162\164\040\124\114\123\040\105\103\103\040\120
\063\070\064\040\122\157\157\164\040\107\065\060\166\060\020\006
\007\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003
\142\000\004\301\104\241\317\021\227\120\232\336\043\202\065\007
\315\320\313\030\235\322\361\177\167\065\117\073\335\224\162\122
\355\302\073\370\354\372\173\153\130\040\354\231\256\311\374\150
```

```
\263\165\271\333\011\354\310\023\365\116\306\012\035\146\060\114
\273\037\107\012\074\141\020\102\051\174\245\010\016\340\042\351
\323\065\150\316\233\143\237\204\265\231\115\130\240\216\365\124
\347\225\311\243\102\060\100\060\035\006\003\125\035\016\004\026
\004\024\301\121\105\120\131\253\076\347\054\132\372\040\042\022
\007\200\210\174\021\152\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\012\006\010\052\206\110\316\075
\004\003\003\003\150\000\060\145\002\061\000\211\152\215\107\347
\354\374\156\125\003\331\147\154\046\116\203\306\375\311\373\053
\023\274\267\172\214\264\145\322\151\151\143\023\143\073\046\120
\056\001\241\171\006\221\235\110\277\302\276\002\060\107\303\025
\173\261\240\221\231\111\223\250\074\174\350\106\006\213\054\362
\061\000\224\235\142\310\211\275\031\204\024\351\245\373\001\270
\015\166\103\214\056\123\313\174\337\014\027\226\120
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

Trust for "DigiCert TLS ECC P384 Root G5"

Issuer: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

Serial Number:09:e0:93:65:ac:f7:d9:c8:b9:3e:1c:0b:04:2a:2e:f3

Subject: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

Not Valid Before: Fri Jan 15 00:00:00 2021

Not Valid After : Sun Jan 14 23:59:59 2046

Fingerprint (SHA-256):

01:8E:13:F0:77:25:32:CF:80:9B:D1:B1:72:81:86:72:83:FC:48:C6:E1:3B:E9:C6:98:12:85:4A:49:0C:1B:05

Fingerprint (SHA1): 17:F3:DE:5E:9F:0F:19:E9:8E:F6:1F:32:26:6E:20:C4:07:AE:30:EE

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert TLS ECC P384 Root G5"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\027\363\336\136\237\017\031\351\216\366\037\062\046\156\040\304
\007\256\060\356
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\323\161\004\152\103\034\333\246\131\341\250\243\252\305\161\355
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\116\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\046\060\044\006\003\125\004
\003\023\035\104\151\147\151\103\145\162\164\040\124\114\123\040
\105\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\011\340\223\145\254\367\331\310\271\076\034\013\004\052
\056\363
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DigiCert TLS RSA4096 Root G5"
#
# Issuer: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US
# Serial Number:08:f9:b4:78:a8:fa:7e:da:6a:33:37:89:de:7c:cf:8a
# Subject: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US
# Not Valid Before: Fri Jan 15 00:00:00 2021
# Not Valid After : Sun Jan 14 23:59:59 2046
# Fingerprint (SHA-256):
37:1A:00:DC:05:33:B3:72:1A:7E:EB:40:E8:41:9E:70:79:9D:2B:0A:0F:2C:1D:80:69:31:65:F7:CE:C4:AD:75
# Fingerprint (SHA1): A7:88:49:DC:5D:7C:75:8C:8C:DE:39:98:56:B3:AA:D0:B2:A5:71:35
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert TLS RSA4096 Root G5"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\045\060\043\006\003\125\004
\003\023\034\104\151\147\151\103\145\162\164\040\124\114\123\040
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\045\060\043\006\003\125\004
\003\023\034\104\151\147\151\103\145\162\164\040\124\114\123\040
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\010\371\264\170\250\372\176\332\152\063\067\211\336\174
\317\212
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\146\060\202\003\116\240\003\002\001\002\002\020\010
\371\264\170\250\372\176\332\152\063\067\211\336\174\317\212\060

```

\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\115
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060
\025\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164
\054\040\111\156\143\056\061\045\060\043\006\003\125\004\003\023
\034\104\151\147\151\103\145\162\164\040\124\114\123\040\122\123
\101\064\060\071\066\040\122\157\157\164\040\107\065\060\036\027
\015\062\061\060\061\061\065\060\060\060\060\060\132\027\015
\064\066\060\061\061\064\062\063\065\071\065\071\132\060\115\061
\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060\025
\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164\054
\040\111\156\143\056\061\045\060\043\006\003\125\004\003\023\034
\104\151\147\151\103\145\162\164\040\124\114\123\040\122\123\101
\064\060\071\066\040\122\157\157\164\040\107\065\060\202\002\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\002\017\000\060\202\002\012\002\202\002\001\000\263\320\364
\311\171\021\235\375\374\146\201\347\314\325\344\274\354\201\076
\152\065\216\056\267\347\336\257\371\007\115\317\060\235\352\011
\013\231\275\154\127\332\030\112\270\170\254\072\071\250\246\110
\254\056\162\345\275\353\361\032\315\347\244\003\251\077\021\264
\330\057\211\026\373\224\001\075\273\057\370\023\005\241\170\034
\216\050\340\105\340\203\364\131\033\225\263\256\176\003\105\345
\276\302\102\376\356\362\074\266\205\023\230\062\235\026\250\051
\302\013\034\070\334\237\061\167\134\277\047\243\374\047\254\267
\053\275\164\233\027\055\362\201\332\135\260\341\043\027\076\210
\112\022\043\320\352\317\235\336\003\027\261\102\112\240\026\114
\244\155\223\351\077\072\356\072\174\235\130\235\364\116\217\374
\073\043\310\155\270\342\005\332\314\353\354\303\061\364\327\247
\051\124\200\317\104\133\114\157\060\236\363\314\335\037\224\103
\235\115\177\160\160\015\324\072\321\067\360\154\235\233\300\024
\223\130\357\315\101\070\165\274\023\003\225\174\177\343\134\351
\325\015\325\342\174\020\142\252\153\360\075\166\363\077\243\350
\260\301\375\357\252\127\115\254\206\247\030\264\051\301\054\016
\277\144\276\051\214\330\002\055\315\134\057\362\177\357\025\364
\014\025\254\012\260\361\323\015\117\152\115\167\227\001\240\361
\146\267\267\316\357\316\354\354\245\165\312\254\343\341\143\367
\270\241\004\310\274\173\077\135\055\026\042\126\355\110\111\376
\247\057\171\060\045\233\272\153\055\077\235\073\304\027\347\035
\056\373\362\317\246\374\343\024\054\226\230\041\214\264\221\351
\031\140\203\362\060\053\006\163\120\325\230\073\006\351\307\212
\014\140\214\050\370\122\233\156\341\366\115\273\006\044\233\327
\053\046\077\375\052\057\161\365\326\044\276\177\061\236\017\155
\350\217\117\115\243\077\377\065\352\337\111\136\101\217\206\371
\361\167\171\113\033\264\243\136\057\373\106\002\320\146\023\136
\136\205\117\316\330\160\210\173\316\001\265\226\227\327\315\175
\375\202\370\302\044\301\312\001\071\117\215\242\301\024\100\037
\234\146\325\014\011\106\326\362\320\321\110\166\126\072\103\313
\266\012\021\071\272\214\023\154\006\265\236\317\353\002\003\001
\000\001\243\102\060\100\060\035\006\003\125\035\016\004\026\004

\024\121\063\034\355\066\100\257\027\323\045\315\151\150\362\257
\116\043\076\263\101\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\015\006\011\052\206\110\206\367\015
\001\001\014\005\000\003\202\002\001\000\140\246\257\133\137\127
\332\211\333\113\120\251\304\043\065\041\377\320\141\060\204\221
\267\077\020\317\045\216\311\277\106\064\331\301\041\046\034\160
\031\162\036\243\311\207\376\251\103\144\226\072\310\123\004\012
\266\101\273\304\107\000\331\237\030\030\073\262\016\363\064\352
\044\367\335\257\040\140\256\222\050\137\066\347\135\344\336\307
\074\333\120\071\255\273\075\050\115\226\174\166\306\133\364\301
\333\024\245\253\031\142\007\030\100\137\227\221\334\234\307\253
\265\121\015\346\151\123\125\314\071\175\332\305\021\125\162\305
\073\213\211\370\064\055\244\027\345\027\346\231\175\060\210\041
\067\315\060\027\075\270\362\274\250\165\240\103\334\076\211\113
\220\256\155\003\340\034\243\240\226\011\273\175\243\267\052\020
\104\113\106\007\064\143\355\061\271\004\356\243\233\232\256\346
\061\170\364\352\044\141\073\253\130\144\377\273\207\047\142\045
\201\337\334\241\057\366\355\247\377\172\217\121\056\060\370\244
\001\322\205\071\137\001\231\226\157\132\133\160\031\106\376\206
\140\076\255\200\020\011\335\071\045\057\130\177\273\322\164\360
\367\106\037\106\071\112\330\123\320\363\056\073\161\245\324\157
\374\363\147\344\007\217\335\046\031\341\215\133\372\243\223\021
\233\351\310\072\303\125\150\232\222\341\122\166\070\350\341\272
\275\373\117\325\357\263\347\110\203\061\360\202\041\343\266\276
\247\253\157\357\237\337\114\317\001\270\142\152\043\075\347\011
\115\200\033\173\060\244\303\335\007\177\064\276\244\046\262\366
\101\350\011\035\343\040\230\252\067\117\377\367\361\342\051\160
\061\107\077\164\320\024\026\372\041\212\002\325\212\011\224\167
\056\362\131\050\213\174\120\222\012\146\170\070\203\165\304\265
\132\250\021\306\345\301\235\146\125\317\123\304\257\327\165\205
\251\102\023\126\354\041\167\201\223\132\014\352\226\331\111\312
\241\010\362\227\073\155\233\004\030\044\104\216\174\001\362\334
\045\330\136\206\232\261\071\333\365\221\062\152\321\246\160\212
\242\367\336\244\105\205\046\250\036\214\135\051\133\310\113\330
\232\152\003\136\160\362\205\117\154\113\150\057\312\124\366\214
\332\062\376\303\153\203\077\070\306\176

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "DigiCert TLS RSA4096 Root G5"
Issuer: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US
Serial Number:08:f9:b4:78:a8:fa:7e:da:6a:33:37:89:de:7c:cf:8a
Subject: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US
Not Valid Before: Fri Jan 15 00:00:00 2021
Not Valid After : Sun Jan 14 23:59:59 2046

```

# Fingerprint (SHA-256):
37:1A:00:DC:05:33:B3:72:1A:7E:EB:40:E8:41:9E:70:79:9D:2B:0A:0F:2C:1D:80:69:31:65:F7:CE:C4:AD:75
# Fingerprint (SHA1): A7:88:49:DC:5D:7C:75:8C:8C:DE:39:98:56:B3:AA:D0:B2:A5:71:35
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert TLS RSA4096 Root G5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\247\210\111\334\135\174\165\214\214\336\071\230\126\263\252\320
\262\245\161\065
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\254\376\367\064\226\251\362\263\264\022\113\344\047\101\157\341
END
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\045\060\043\006\003\125\004
\003\023\034\104\151\147\151\103\145\162\164\040\124\114\123\040
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\010\371\264\170\250\372\176\332\152\063\067\211\336\174
\317\212
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DigiCert SMIME ECC P384 Root G5"
#
# Issuer: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
# Serial Number:05:3f:6e:a0:06:01:72:7d:ed:3f:c3:a3:b6:a3:d6:ef
# Subject: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
# Not Valid Before: Fri Jan 15 00:00:00 2021
# Not Valid After : Sun Jan 14 23:59:59 2046
# Fingerprint (SHA-256):
E8:E8:17:65:36:A6:0C:C2:C4:E1:01:87:C3:BE:FC:A2:0E:F2:63:49:70:18:F5:66:D5:BE:A0:F9:4D:0C:11:1B
# Fingerprint (SHA1): 1C:B8:A7:08:C9:0D:20:79:01:A0:B2:36:7F:F0:95:65:E4:53:24:FE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert SMIME ECC P384 Root G5"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

```

CKA_SUBJECT MULTILINE_OCTAL

\060\120\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\003\023\037\104\151\147\151\103\145\162\164\040\123\115\111\115
\105\040\105\103\103\040\120\063\070\064\040\122\157\157\164\040
\107\065

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\120\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\003\023\037\104\151\147\151\103\145\162\164\040\123\115\111\115
\105\040\105\103\103\040\120\063\070\064\040\122\157\157\164\040
\107\065

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\005\077\156\240\006\001\162\175\355\077\303\243\266\243
\326\357

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\034\060\202\001\243\240\003\002\001\002\002\020\005
\077\156\240\006\001\162\175\355\077\303\243\266\243\326\357\060
\012\006\010\052\206\110\316\075\004\003\003\060\120\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003
\125\004\012\023\016\104\151\147\151\103\145\162\164\054\040\111
\156\143\056\061\050\060\046\006\003\125\004\003\023\037\104\151
\147\151\103\145\162\164\040\123\115\111\115\105\040\105\103\103
\040\120\063\070\064\040\122\157\157\164\040\107\065\060\036\027
\015\062\061\060\061\061\065\060\060\060\060\060\060\132\027\015
\064\066\060\061\061\064\062\063\065\071\065\071\132\060\120\061
\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060\025
\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164\054
\040\111\156\143\056\061\050\060\046\006\003\125\004\003\023\037
\104\151\147\151\103\145\162\164\040\123\115\111\115\105\040\105
\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065\060
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201
\004\000\042\003\142\000\004\026\235\125\345\266\324\373\373\147
\153\032\324\241\252\322\167\225\076\210\345\007\237\266\160\146
\040\050\244\210\354\160\065\257\263\062\377\067\023\112\236\274
\001\003\336\204\301\270\306\346\145\107\211\362\023\125\277\315
\245\036\010\140\177\255\177\350\141\222\051\317\011\107\136\013
\034\300\037\244\277\362\133\274\230\357\231\114\314\160\153\266
\272\320\050\035\277\276\004\243\102\060\100\060\035\006\003\125
\035\016\004\026\004\024\163\172\153\226\333\102\007\213\122\146
\302\144\062\027\376\340\147\220\056\255\060\016\006\003\125\035
\017\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035


```
\023\001\001\377\004\005\060\003\001\001\377\060\012\006\010\052
\206\110\316\075\004\003\003\003\147\000\060\144\002\060\067\104
\365\062\200\343\161\353\364\155\317\174\314\221\232\303\156\161
\330\322\043\135\222\115\202\102\155\134\141\225\366\221\365\247
\010\366\152\227\351\234\224\055\230\160\375\063\266\011\002\060
\007\074\057\271\130\202\136\017\243\142\250\223\147\360\040\303
\151\277\003\054\073\120\247\073\257\101\070\311\122\110\221\326
\016\373\274\140\060\174\144\077\022\036\105\177\121\076\364\246
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "DigiCert SMIME ECC P384 Root G5"
# Issuer: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
# Serial Number:05:3f:6e:a0:06:01:72:7d:ed:3f:c3:a3:b6:a3:d6:ef
# Subject: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
# Not Valid Before: Fri Jan 15 00:00:00 2021
# Not Valid After : Sun Jan 14 23:59:59 2046
# Fingerprint (SHA-256):
E8:E8:17:65:36:A6:0C:C2:C4:E1:01:87:C3:BE:FC:A2:0E:F2:63:49:70:18:F5:66:D5:BE:A0:F9:4D:0C:11:1B
# Fingerprint (SHA1): 1C:B8:A7:08:C9:0D:20:79:01:A0:B2:36:7F:F0:95:65:E4:53:24:FE
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert SMIME ECC P384 Root G5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\034\270\247\010\311\015\040\171\001\240\262\066\177\360\225\145
\344\123\044\376
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\246\376\364\122\066\104\330\356\015\267\003\013\357\164\263\003
END
```

```
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\003\023\037\104\151\147\151\103\145\162\164\040\123\115\111\115
\105\040\105\103\103\040\120\063\070\064\040\122\157\157\164\040
\107\065
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\077\156\240\006\001\162\175\355\077\303\243\266\243
\326\357
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#

Certificate "DigiCert SMIME RSA4096 Root G5"

#

Issuer: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US

Serial Number:05:f6:ba:04:23:83:46:cb:7d:5c:e6:b9:5b:ba:1c:55

Subject: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US

Not Valid Before: Fri Jan 15 00:00:00 2021

Not Valid After : Sun Jan 14 23:59:59 2046

Fingerprint (SHA-256):

90:37:0D:3E:FA:88:BF:58:C3:01:05:BA:25:10:4A:35:84:60:A7:FA:52:DF:C2:01:1D:F2:33:A0:F4:17:91:2A

Fingerprint (SHA1): 5B:C5:AD:E2:9A:A7:54:DA:84:89:53:A5:FE:D7:5B:46:86:D0:57:08

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

CKA_TOKEN CK_BBOOL CK_TRUE

CKA_PRIVATE CK_BBOOL CK_FALSE

CKA_MODIFIABLE CK_BBOOL CK_FALSE

CKA_LABEL UTF8 "DigiCert SMIME RSA4096 Root G5"

CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

CKA_SUBJECT MULTILINE_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004
\003\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115
\105\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107
\065

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004
\003\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115
\105\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107
\065

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\020\005\366\272\004\043\203\106\313\175\134\346\271\133\272
\034\125

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\152\060\202\003\122\240\003\002\001\002\002\020\005
\366\272\004\043\203\106\313\175\134\346\271\133\272\034\125\060
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\117
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060
\025\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164
\054\040\111\156\143\056\061\047\060\045\006\003\125\004\003\023

\036\104\151\147\151\103\145\162\164\040\123\115\111\115\105\040
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065\060
\036\027\015\062\061\060\061\061\065\060\060\060\060\060\132
\027\015\064\066\060\061\061\064\062\063\065\071\065\071\132\060
\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061\027
\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145\162
\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004\003
\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115\105
\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001
\000\340\152\133\331\370\371\175\354\265\173\357\137\335\134\064
\330\332\135\321\313\145\165\253\041\174\133\000\324\202\157\105
\205\101\212\251\022\002\162\062\360\024\365\003\165\273\143\227
\111\017\100\231\013\032\036\126\247\322\320\341\253\335\345\004
\033\343\037\024\022\002\210\365\240\200\011\366\047\232\120\360
\272\343\242\340\254\152\024\221\265\153\070\020\172\242\061\341
\221\033\267\271\360\053\133\310\167\011\166\267\121\304\066\012
\231\123\124\104\045\267\011\065\206\027\005\126\223\075\101\267
\002\327\142\037\212\222\021\207\352\021\155\352\010\021\334\261
\170\110\111\222\366\264\121\200\170\043\330\376\341\126\032\072
\220\023\126\064\211\325\342\225\213\137\336\262\314\373\077\070
\267\205\367\352\236\277\056\241\056\057\115\175\152\021\056\066
\240\377\021\010\004\225\125\340\033\073\147\223\251\224\125\352
\062\355\006\072\177\302\177\343\255\023\047\321\064\101\263\060
\303\277\264\210\370\003\202\244\337\076\253\170\167\240\131\223
\161\347\335\353\000\004\173\314\110\071\050\340\036\243\025\151
\310\066\262\241\013\227\337\125\326\357\221\234\244\366\026\367
\121\012\356\003\043\221\334\004\377\340\335\070\366\042\003\000
\302\007\161\032\022\311\327\106\052\224\033\315\326\273\033\356
\277\276\115\120\130\260\013\315\060\166\051\365\317\345\266\152
\057\166\260\260\151\152\320\155\145\030\065\176\223\274\162\027
\301\125\102\315\057\302\045\273\364\375\035\241\144\042\124\135
\342\236\162\101\204\156\161\226\352\105\007\266\136\172\112\206
\235\163\144\167\070\003\322\017\123\245\125\040\304\115\377\150
\157\125\251\352\335\161\344\117\331\205\243\174\116\051\002\236
\013\011\362\032\123\314\000\246\335\321\064\366\015\301\060\261
\234\002\144\254\065\355\245\260\051\261\322\225\063\017\322\040
\063\275\354\043\113\362\031\371\332\230\144\344\054\061\037\056
\341\215\034\004\225\050\115\214\130\315\113\345\163\202\206\214
\354\250\326\171\134\373\144\273\334\014\114\050\366\027\257\342
\150\326\026\206\230\333\374\001\334\061\272\370\234\016\371\050
\106\112\341\375\226\006\105\171\021\150\027\145\134\213\046\207
\133\002\003\001\000\001\243\102\060\100\060\035\006\003\125\035
\016\004\026\004\024\321\243\324\127\035\117\125\333\165\114\134
\102\236\143\026\316\264\306\073\037\060\016\006\003\125\035\017
\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\015\006\011\052\206

\110\206\367\015\001\001\014\005\000\003\202\002\001\000\007\247
\012\336\123\273\232\353\160\277\262\066\220\315\344\247\270\361
\014\344\135\132\035\170\145\374\311\270\036\043\021\127\174\151
\065\155\001\377\123\120\277\007\016\272\307\001\077\130\052\224
\165\003\253\034\013\043\334\033\212\036\067\075\035\130\217\163
\331\263\052\157\337\020\240\133\014\247\312\260\177\271\044\242
\001\065\062\345\136\106\101\353\330\177\163\347\102\351\244\121
\046\167\201\012\250\353\017\012\120\235\176\212\040\147\374\013
\216\072\021\323\305\214\140\030\331\113\261\374\324\361\264\111
\116\256\207\341\321\373\166\241\137\363\006\317\227\226\014\351
\236\165\201\134\123\015\042\374\066\346\111\156\164\333\000\205
\215\174\042\240\216\373\020\114\324\142\023\133\357\113\162\046
\213\374\116\212\217\376\227\020\123\305\170\213\102\144\033\137
\340\211\375\273\011\177\120\340\124\205\046\021\152\035\145\371
\111\051\334\174\066\337\373\075\367\322\254\356\062\215\156\246
\175\071\234\105\304\312\015\365\073\264\171\123\245\057\126\307
\121\305\212\114\144\135\220\103\043\216\153\114\027\170\314\350
\277\365\073\344\250\110\317\255\233\014\337\062\112\323\331\022
\216\043\170\015\055\257\237\257\236\074\011\302\227\000\355\072
\151\034\161\077\071\337\323\217\304\146\365\357\066\224\017\363
\335\222\266\226\137\220\246\335\163\252\246\040\224\224\045\152
\011\014\162\344\023\043\140\114\243\312\027\056\173\147\000\333
\320\315\352\172\037\071\046\127\211\060\167\313\116\345\225\105
\117\137\373\066\134\075\371\040\265\072\020\045\117\223\062\132
\356\301\226\350\351\126\004\260\111\141\115\354\170\250\235\030
\301\377\330\352\057\126\357\225\053\173\004\136\147\343\125\100
\355\071\004\371\013\171\365\152\214\134\017\211\232\220\307\315
\213\336\333\046\065\241\156\315\263\102\362\242\017\073\014\216
\223\377\024\317\374\367\223\367\344\101\010\156\031\122\021\017
\123\031\163\170\014\317\330\205\201\370\255\125\310\260\236\106
\143\257\234\122\356\134\277\360\300\133\067\036\011\040\322\076
\043\306\241\025\112\016\066\176\060\305\171\152\274\042\210\331
\014\122\100\037\335\116\017\147\046\026\322\255\027\034

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "DigiCert SMIME RSA4096 Root G5"

Issuer: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US

Serial Number:05:f6:ba:04:23:83:46:cb:7d:5c:e6:b9:5b:ba:1c:55

Subject: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US

Not Valid Before: Fri Jan 15 00:00:00 2021

Not Valid After : Sun Jan 14 23:59:59 2046

Fingerprint (SHA-256):

90:37:0D:3E:FA:88:BF:58:C3:01:05:BA:25:10:4A:35:84:60:A7:FA:52:DF:C2:01:1D:F2:33:A0:F4:17:91:2A

Fingerprint (SHA1): 5B:C5:AD:E2:9A:A7:54:DA:84:89:53:A5:FE:D7:5B:46:86:D0:57:08

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST

```

CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert SMIME RSA4096 Root G5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\133\305\255\342\232\247\124\332\204\211\123\245\376\327\133\106
\206\320\127\010
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\321\173\340\265\077\065\162\237\175\276\013\245\244\035\251\156
END
CKA_ISSUER MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004
\003\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115
\105\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107
\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\366\272\004\043\203\106\313\175\134\346\271\133\272
\034\125
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Certainly Root R1"
#
# Issuer: CN=Certainly Root R1,O=Certainly,C=US
# Serial Number:00:8e:0f:f9:4b:90:71:68:65:33:54:f4:d4:44:39:b7:e0
# Subject: CN=Certainly Root R1,O=Certainly,C=US
# Not Valid Before: Thu Apr 01 00:00:00 2021
# Not Valid After : Sun Apr 01 00:00:00 2046
# Fingerprint (SHA-256):
77:B8:2C:D8:64:4C:43:05:F7:AC:C5:CB:15:6B:45:67:50:04:03:3D:51:C6:0C:62:02:A8:E0:C3:34:67:D3:A0
# Fingerprint (SHA1): A0:50:EE:0F:28:71:F4:27:B2:12:6D:6F:50:96:25:BA:CC:86:42:AF
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certainly Root R1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151

```

```
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\122\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\122\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\000\216\017\371\113\220\161\150\145\063\124\364\324\104
\071\267\340
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\107\060\202\003\057\240\003\002\001\002\002\021\000
\216\017\371\113\220\161\150\145\063\124\364\324\104\071\267\340
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022
\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151\156
\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145\162
\164\141\151\156\154\171\040\122\157\157\164\040\122\061\060\036
\027\015\062\061\060\064\060\061\060\060\060\060\060\132\027
\015\064\066\060\064\060\061\060\060\060\060\060\132\060\075
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060
\020\006\003\125\004\012\023\011\103\145\162\164\141\151\156\154
\171\061\032\060\030\006\003\125\004\003\023\021\103\145\162\164
\141\151\156\154\171\040\122\157\157\164\040\122\061\060\202\002
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\320\066
\324\037\352\335\253\344\321\266\346\373\042\300\335\023\015\152
\173\042\023\034\227\074\150\143\146\062\234\003\265\215\244\201
\203\332\170\060\021\317\334\262\053\276\222\277\216\344\304\023
\276\244\150\114\332\002\150\026\164\276\262\335\004\344\153\052
\335\067\037\140\054\333\365\367\241\174\225\267\014\160\206\056
\361\072\357\122\367\314\323\233\371\213\276\016\337\061\267\235
\150\134\222\246\365\345\363\012\064\265\377\173\242\344\207\241
\306\257\027\000\357\003\221\355\251\034\116\161\075\322\213\154
\211\364\170\206\346\152\111\240\316\265\322\260\253\233\366\364
\324\056\343\162\371\066\306\353\025\267\045\214\072\374\045\015
\263\042\163\041\164\310\112\226\141\222\365\057\013\030\245\364
\255\342\356\101\275\001\171\372\226\214\215\027\002\060\264\371
\257\170\032\214\264\066\020\020\007\005\160\320\364\061\220\212
\121\305\206\046\171\262\021\210\136\305\360\012\124\315\111\246
\277\002\234\322\104\247\355\343\170\357\106\136\155\161\321\171
\160\034\106\137\121\351\311\067\334\137\176\151\173\101\337\064
\105\340\073\204\364\241\212\012\066\236\067\314\142\122\341\211
\015\050\371\172\043\261\015\075\075\232\375\235\201\357\054\220
```

\300\173\104\116\273\111\340\016\112\126\222\274\313\265\335\171
\027\211\221\336\141\211\164\222\250\343\062\205\276\116\205\244
\113\131\313\053\305\170\216\161\124\320\002\067\231\214\345\111
\352\340\124\162\244\021\006\057\013\214\301\133\276\265\241\260
\123\156\234\270\140\221\037\131\153\371\055\364\224\012\227\265
\354\305\166\003\124\033\145\122\272\114\222\126\121\065\240\100
\330\051\333\256\122\166\073\055\060\100\233\212\320\102\126\264
\267\210\001\244\207\073\123\226\315\243\026\217\363\146\252\027
\261\307\140\340\301\103\005\014\356\233\133\140\157\006\134\207
\133\047\371\100\021\236\234\063\301\267\345\065\127\005\177\047
\316\027\040\214\034\374\361\373\332\061\051\111\355\365\013\204
\247\117\301\366\116\302\050\234\372\356\340\257\007\373\063\021
\172\041\117\013\041\020\266\100\072\253\042\072\004\234\213\233
\204\206\162\232\322\247\245\304\264\165\221\251\053\043\002\003
\001\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001
\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001
\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004
\026\004\024\340\252\077\045\215\237\104\134\301\072\350\056\256
\167\114\204\076\147\014\364\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\003\202\002\001\000\271\127\257\270\022
\332\127\203\217\150\013\063\035\003\123\125\364\225\160\344\053
\075\260\071\353\372\211\142\375\367\326\030\004\057\041\064\335
\361\150\360\325\226\132\336\302\200\243\301\215\306\152\367\131
\167\256\025\144\317\133\171\005\167\146\352\214\323\153\015\335
\361\131\054\301\063\245\060\200\025\105\007\105\032\061\042\266
\222\000\253\231\115\072\217\167\257\251\042\312\057\143\312\025
\326\307\306\360\075\154\374\034\015\230\020\141\236\021\242\042
\327\012\362\221\172\153\071\016\057\060\303\066\111\237\340\351
\017\002\104\120\067\224\125\175\352\237\366\073\272\224\245\114
\351\274\076\121\264\350\312\222\066\124\155\134\045\050\332\335
\255\024\375\323\356\342\042\005\353\320\362\267\150\022\327\132
\212\101\032\306\222\245\132\073\143\105\117\277\341\072\167\042
\057\134\277\106\371\132\003\205\023\102\137\312\336\123\327\142
\265\246\065\004\302\107\377\231\375\204\337\134\316\351\136\200
\050\101\362\175\347\036\220\330\117\166\076\202\074\015\374\245
\003\372\173\032\331\105\036\140\332\304\216\371\374\053\311\173
\225\305\052\377\252\211\337\202\061\017\162\377\014\047\327\012
\036\126\000\120\036\014\220\301\226\265\330\024\205\273\247\015
\026\301\370\007\044\033\272\205\241\032\005\011\200\272\225\143
\311\072\354\045\237\177\235\272\244\107\025\233\104\160\361\152
\113\326\070\136\103\363\030\176\120\156\351\132\050\346\145\346
\167\033\072\375\035\276\003\046\243\333\324\341\273\176\226\047
\053\035\356\244\373\332\045\124\023\003\336\071\306\303\037\115
\220\354\217\033\112\322\034\355\205\225\070\120\171\106\326\301
\220\120\061\251\134\232\156\035\365\063\126\213\247\231\322\362
\310\054\063\223\222\060\307\116\214\145\063\020\144\027\375\044
\027\226\321\215\302\072\152\053\353\023\213\104\362\041\363\112
\032\267\167\137\327\355\210\244\162\345\071\037\225\235\276\147

```
\301\160\021\075\273\364\370\111\267\343\046\227\072\237\322\137
\174\373\300\231\174\071\051\340\173\035\277\015\247\217\322\051
\064\156\044\025\313\336\220\136\277\032\304\146\352\302\346\272
\071\137\212\231\251\101\131\007\260\054\257
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "Certainly Root R1"

Issuer: CN=Certainly Root R1,O=Certainly,C=US

Serial Number:00:8e:0f:f9:4b:90:71:68:65:33:54:f4:d4:44:39:b7:e0

Subject: CN=Certainly Root R1,O=Certainly,C=US

Not Valid Before: Thu Apr 01 00:00:00 2021

Not Valid After : Sun Apr 01 00:00:00 2046

Fingerprint (SHA-256):

77:B8:2C:D8:64:4C:43:05:F7:AC:C5:CB:15:6B:45:67:50:04:03:3D:51:C6:0C:62:02:A8:E0:C3:34:67:D3:A0

Fingerprint (SHA1): A0:50:EE:0F:28:71:F4:27:B2:12:6D:6F:50:96:25:BA:CC:86:42:AF

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certainly Root R1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\240\120\356\017\050\161\364\047\262\022\155\157\120\226\045\272
\314\206\102\257
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\007\160\324\076\202\207\240\372\063\066\023\364\372\063\347\022
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\122\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\021\000\216\017\371\113\220\161\150\145\063\124\364\324\104
\071\267\340
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

Certificate "Certainly Root E1"

#


```
# Issuer: CN=Certainly Root E1,O=Certainly,C=US
# Serial Number:06:25:33:b1:47:03:33:27:5c:f9:8d:9a:b9:bf:cc:f8
# Subject: CN=Certainly Root E1,O=Certainly,C=US
# Not Valid Before: Thu Apr 01 00:00:00 2021
# Not Valid After : Sun Apr 01 00:00:00 2046
# Fingerprint (SHA-256):
B4:58:5F:22:E4:AC:75:6A:4E:86:12:A1:36:1C:5D:9D:03:1A:93:FD:84:FE:BB:77:8F:A3:06:8B:0F:C4:2D:C2
# Fingerprint (SHA1): F9:E1:6D:DC:01:89:CF:D5:82:45:63:3E:C5:37:7D:C2:EB:93:6F:2B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certainly Root E1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\105\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\105\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\006\045\063\261\107\003\063\047\134\371\215\232\271\277
\314\370
END
CKA_VALUE MULTILINE_OCTAL
\060\202\001\367\060\202\001\175\240\003\002\001\002\002\020\006
\045\063\261\107\003\063\047\134\371\215\232\271\277\314\370\060
\012\006\010\052\206\110\316\075\004\003\003\060\075\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\022\060\020\006\003
\125\004\012\023\011\103\145\162\164\141\151\156\154\171\061\032
\060\030\006\003\125\004\003\023\021\103\145\162\164\141\151\156
\154\171\040\122\157\157\164\040\105\061\060\036\027\015\062\061
\060\064\060\061\060\060\060\060\060\060\132\027\015\064\066\060
\064\060\061\060\060\060\060\060\060\132\060\075\061\013\060\011
\006\003\125\004\006\023\002\125\123\061\022\060\020\006\003\125
\004\012\023\011\103\145\162\164\141\151\156\154\171\061\032\060
\030\006\003\125\004\003\023\021\103\145\162\164\141\151\156\154
\171\040\122\157\157\164\040\105\061\060\166\060\020\006\007\052
\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000
\004\336\157\370\177\034\337\355\371\107\207\206\261\244\300\212
\370\202\227\200\352\217\310\112\136\052\175\210\150\247\001\142
```

```
\024\221\044\172\134\236\243\027\175\212\206\041\064\030\120\033
\020\336\320\067\113\046\307\031\140\200\351\064\275\140\031\066
\100\326\051\207\011\074\221\172\366\274\023\043\335\131\116\004
\136\317\310\002\034\030\123\301\061\330\332\040\351\104\215\344
\166\243\102\060\100\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004
\024\363\050\030\313\144\165\356\051\052\353\355\256\043\130\070
\205\353\310\042\007\060\012\006\010\052\206\110\316\075\004\003
\003\003\150\000\060\145\002\061\000\261\216\132\040\303\262\031
\142\115\336\260\117\337\156\322\160\212\361\237\176\152\214\346
\272\336\203\151\312\151\263\251\005\265\226\222\027\207\302\322
\352\320\173\316\330\101\133\174\256\002\060\106\336\352\313\135
\232\354\062\302\145\026\260\114\060\134\060\363\332\116\163\206
\006\330\316\211\004\110\067\067\370\335\063\121\235\160\257\173
\125\330\001\056\175\005\144\016\206\270\221
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "Certainly Root E1"

Issuer: CN=Certainly Root E1,O=Certainly,C=US

Serial Number:06:25:33:b1:47:03:33:27:5c:f9:8d:9a:b9:bf:cc:f8

Subject: CN=Certainly Root E1,O=Certainly,C=US

Not Valid Before: Thu Apr 01 00:00:00 2021

Not Valid After : Sun Apr 01 00:00:00 2046

Fingerprint (SHA-256):

B4:58:5F:22:E4:AC:75:6A:4E:86:12:A1:36:1C:5D:9D:03:1A:93:FD:84:FE:BB:77:8F:A3:06:8B:0F:C4:2D:C2

Fingerprint (SHA1): F9:E1:6D:DC:01:89:CF:D5:82:45:63:3E:C5:37:7D:C2:EB:93:6F:2B

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certainly Root E1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\371\341\155\334\001\211\317\325\202\105\143\076\305\067\175\302
\353\223\157\053
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\012\236\312\315\076\122\120\306\066\363\113\243\355\247\123\351
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\105\061
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\006\045\063\261\107\003\063\047\134\371\215\232\271\277
\314\370
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "E-Tugra Global Root CA RSA v3"
#
# Issuer: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR
# Serial Number:0d:4d:c5:cd:16:22:95:96:08:7e:b8:0b:7f:15:06:34:fb:79:10:34
# Subject: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG
A.S.,L=Ankara,C=TR
# Not Valid Before: Wed Mar 18 09:07:17 2020
# Not Valid After : Sun Mar 12 09:07:17 2045
# Fingerprint (SHA-256):
EF:66:B0:B1:0A:3C:DB:9F:2E:36:48:C7:6B:D2:AF:18:EA:D2:BF:E6:F1:17:65:5E:28:C4:06:0D:A1:A3:F4:C2
# Fingerprint (SHA1): E9:A8:5D:22:14:52:1C:5B:AA:0A:B4:BE:24:6A:23:8A:C9:BA:E2:A9
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "E-Tugra Global Root CA RSA v3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\122\123\101
\040\166\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\122\123\101

```

\040\166\063

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\024\015\115\305\315\026\042\225\226\010\176\270\013\177\025
\006\064\373\171\020\064

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\363\060\202\003\333\240\003\002\001\002\002\024\015
\115\305\315\026\042\225\226\010\176\270\013\177\025\006\064\373
\171\020\064\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\201\200\061\013\060\011\006\003\125\004\006\023\002
\124\122\061\017\060\015\006\003\125\004\007\023\006\101\156\153
\141\162\141\061\031\060\027\006\003\125\004\012\023\020\105\055
\124\165\147\162\141\040\105\102\107\040\101\056\123\056\061\035
\060\033\006\003\125\004\013\023\024\105\055\124\165\147\162\141
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\046\060
\044\006\003\125\004\003\023\035\105\055\124\165\147\162\141\040
\107\154\157\142\141\154\040\122\157\157\164\040\103\101\040\122
\123\101\040\166\063\060\036\027\015\062\060\060\063\061\070\060
\071\060\067\061\067\132\027\015\064\065\060\063\061\062\060\071
\060\067\061\067\132\060\201\200\061\013\060\011\006\003\125\004
\006\023\002\124\122\061\017\060\015\006\003\125\004\007\023\006
\101\156\153\141\162\141\061\031\060\027\006\003\125\004\012\023
\020\105\055\124\165\147\162\141\040\105\102\107\040\101\056\123
\056\061\035\060\033\006\003\125\004\013\023\024\105\055\124\165
\147\162\141\040\124\162\165\163\164\040\103\145\156\164\145\162
\061\046\060\044\006\003\125\004\003\023\035\105\055\124\165\147
\162\141\040\107\154\157\142\141\154\040\122\157\157\164\040\103
\101\040\122\123\101\040\166\063\060\202\002\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000
\060\202\002\012\002\202\002\001\000\242\146\360\211\267\162\173
\356\011\311\143\322\323\103\335\136\303\246\204\070\112\361\215
\201\273\024\275\107\350\100\027\363\075\303\170\105\162\246\056
\220\336\232\072\324\040\161\312\274\237\035\113\227\012\307\061
\272\076\327\376\045\251\052\216\066\364\321\057\307\267\251\135
\063\334\060\160\370\100\154\113\262\246\061\141\321\064\074\075
\061\172\307\257\304\247\247\204\341\227\244\350\113\366\027\174
\356\074\007\355\342\212\127\334\266\373\370\103\045\120\352\047
\201\250\206\274\217\122\112\226\072\140\032\226\273\375\163\364
\205\375\203\375\177\204\155\064\154\177\152\267\113\001\003\277
\255\151\267\327\062\331\365\127\152\351\206\202\076\245\146\061
\263\026\075\302\363\046\140\062\323\122\036\260\154\244\067\076
\364\365\257\353\341\337\200\006\317\052\101\347\146\011\341\113
\227\347\167\275\041\155\051\266\147\303\055\176\355\326\171\145
\321\317\072\266\321\261\136\126\141\120\172\132\316\116\120\061
\200\003\230\107\347\344\030\174\104\132\306\244\263\073\306\306
\303\072\360\154\303\213\310\244\221\005\363\365\331\266\252\006
\241\267\253\344\261\352\041\024\134\203\244\374\377\266\120\323

\214\022\046\231\166\160\351\300\017\246\164\374\273\320\033\170
\316\162\222\342\050\234\274\346\351\011\330\072\323\211\346\276
\056\167\337\001\012\157\226\366\345\215\074\115\122\166\032\126
\341\163\176\027\254\075\255\154\243\122\022\030\160\346\200\116
\063\362\176\046\062\254\005\215\070\244\346\166\074\237\020\151
\016\155\235\322\301\171\040\153\133\317\063\215\321\224\166\065
\347\135\125\307\267\254\050\253\106\314\347\073\041\265\012\012
\344\112\131\334\201\065\113\104\225\022\012\147\245\241\377\133
\000\007\322\300\314\371\077\374\237\063\362\000\370\214\154\207
\235\006\055\361\357\343\346\006\372\305\146\023\133\374\120\007
\236\161\206\262\332\157\164\060\317\223\123\350\334\042\326\336
\040\037\141\215\243\056\243\170\062\220\154\334\254\062\265\005
\344\365\074\063\015\326\340\207\167\027\114\235\260\330\011\250
\015\127\367\104\205\360\310\004\276\134\135\132\343\027\216\124
\143\151\177\111\164\144\005\214\243\002\003\001\000\001\243\143
\060\141\060\017\006\003\125\035\023\001\001\377\004\005\060\003
\001\001\377\060\037\006\003\125\035\043\004\030\060\026\200\024
\262\264\256\346\055\367\046\325\252\165\055\166\113\300\033\123
\041\320\110\357\060\035\006\003\125\035\016\004\026\004\024\262
\264\256\346\055\367\046\325\252\165\055\166\113\300\033\123\041
\320\110\357\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\006\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\003\202\002\001\000\211\250\162\177\214\353\316\056\030
\304\020\200\055\020\014\377\373\024\315\004\340\024\074\116\232
\373\237\051\277\042\236\127\271\202\163\022\143\046\265\314\220
\351\322\052\051\356\234\055\314\054\231\276\105\047\344\261\161
\355\344\070\225\061\101\362\175\172\143\170\337\312\066\026\057
\202\210\237\274\021\107\117\166\115\310\055\216\353\337\055\174
\116\073\332\256\366\343\332\135\024\246\256\350\205\104\235\006
\156\216\373\357\172\112\152\055\053\050\030\376\277\220\054\165
\026\237\017\352\226\175\005\356\233\023\245\104\154\370\003\320
\335\043\341\375\003\022\022\010\364\030\064\263\340\067\013\167
\021\001\110\277\141\264\265\370\031\331\313\115\352\243\214\357
\375\360\006\265\155\222\364\112\141\120\204\355\354\111\323\344
\276\150\346\056\343\061\013\124\013\032\222\326\202\330\266\242
\145\074\146\004\371\125\332\154\373\333\265\024\146\115\224\203
\073\315\036\246\053\262\376\167\100\206\253\347\337\012\311\375
\366\335\207\126\030\330\260\054\125\140\226\372\010\176\122\220
\365\113\246\056\207\174\313\040\333\006\076\240\135\003\167\175
\242\074\023\033\051\242\023\125\240\075\024\042\257\157\270\320
\232\033\162\335\005\001\215\206\140\277\244\147\356\265\245\015
\321\177\346\032\053\142\146\303\007\272\347\240\110\034\070\303
\351\105\373\247\177\374\355\002\150\032\312\167\022\167\246\000
\125\050\024\354\326\307\022\242\033\145\102\351\221\350\313\076
\207\211\124\135\331\257\235\227\234\151\347\012\377\017\132\170
\213\143\052\114\175\107\224\077\336\113\351\123\320\060\361\305
\366\236\111\337\073\240\221\243\243\376\315\130\314\352\337\257
\157\050\073\240\151\233\217\354\254\256\053\124\235\233\004\261

```
\107\040\257\226\022\076\143\224\035\004\347\056\273\206\307\014
\232\210\277\166\107\357\367\260\013\227\146\322\104\317\140\122
\007\341\325\054\112\072\047\141\167\312\327\217\347\207\016\060
\377\014\273\004\342\141\303\242\310\227\141\216\264\060\152\074
\155\302\007\137\112\163\057\077\371\026\212\001\146\357\272\221
\312\122\127\173\256\324\346\017\335\013\172\177\213\236\046\040
\317\073\357\201\161\203\131
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "E-Tugra Global Root CA RSA v3"

Issuer: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR

Serial Number:0d:4d:c5:cd:16:22:95:96:08:7e:b8:0b:7f:15:06:34:fb:79:10:34

Subject: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG
A.S.,L=Ankara,C=TR

Not Valid Before: Wed Mar 18 09:07:17 2020

Not Valid After : Sun Mar 12 09:07:17 2045

Fingerprint (SHA-256):

EF:66:B0:B1:0A:3C:DB:9F:2E:36:48:C7:6B:D2:AF:18:EA:D2:BF:E6:F1:17:65:5E:28:C4:06:0D:A1:A3:F4:C2

Fingerprint (SHA1): E9:A8:5D:22:14:52:1C:5B:AA:0A:B4:BE:24:6A:23:8A:C9:BA:E2:A9

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "E-Tugra Global Root CA RSA v3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\351\250\135\042\024\122\034\133\252\012\264\276\044\152\043\212
\311\272\342\251
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\042\276\020\366\302\370\003\210\163\137\063\051\107\050\107\244
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\122\123\101
\040\166\063
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\024\015\115\305\315\026\042\225\226\010\176\270\013\177\025
\006\064\373\171\020\064
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "E-Tugra Global Root CA ECC v3"
#
# Issuer: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR
# Serial Number:26:46:19:77:31:e1:4f:6f:28:36:de:39:51:86:e6:d4:97:88:22:c1
# Subject: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG
A.S.,L=Ankara,C=TR
# Not Valid Before: Wed Mar 18 09:46:58 2020
# Not Valid After : Sun Mar 12 09:46:58 2045
# Fingerprint (SHA-256):
87:3F:46:85:FA:7F:56:36:25:25:2E:6D:36:BC:D7:F1:6F:C2:49:51:F2:64:E4:7E:1B:95:4F:49:08:CD:CA:13
# Fingerprint (SHA1): 8A:2F:AF:57:53:B1:B0:E6:A1:04:EC:5B:6A:69:71:6D:F6:1C:E2:84
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "E-Tugra Global Root CA ECC v3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103
\040\166\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103
\040\166\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL

```

\002\024\046\106\031\167\061\341\117\157\050\066\336\071\121\206
\346\324\227\210\042\301

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\245\060\202\002\052\240\003\002\001\002\002\024\046
\106\031\167\061\341\117\157\050\066\336\071\121\206\346\324\227
\210\042\301\060\012\006\010\052\206\110\316\075\004\003\003\060
\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122\061
\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162\141
\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165\147
\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033\006
\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124\162
\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006\003
\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154\157
\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103\040
\166\063\060\036\027\015\062\060\060\063\061\070\060\071\064\066
\065\070\132\027\015\064\065\060\063\061\062\060\071\064\066\065
\070\132\060\201\200\061\013\060\011\006\003\125\004\006\023\002
\124\122\061\017\060\015\006\003\125\004\007\023\006\101\156\153
\141\162\141\061\031\060\027\006\003\125\004\012\023\020\105\055
\124\165\147\162\141\040\105\102\107\040\101\056\123\056\061\035
\060\033\006\003\125\004\013\023\024\105\055\124\165\147\162\141
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\046\060
\044\006\003\125\004\003\023\035\105\055\124\165\147\162\141\040
\107\154\157\142\141\154\040\122\157\157\164\040\103\101\040\105
\103\103\040\166\063\060\166\060\020\006\007\052\206\110\316\075
\002\001\006\005\053\201\004\000\042\003\142\000\004\216\230\051
\277\307\020\036\047\333\253\003\314\050\054\330\136\110\031\020
\051\314\313\131\201\314\214\270\222\027\211\203\052\222\366\303
\244\035\114\142\325\237\326\240\106\334\034\274\166\301\343\107
\320\133\023\332\347\245\263\146\110\347\041\232\112\117\206\012
\175\154\352\115\062\200\012\262\172\011\233\151\113\230\201\342
\056\354\002\160\226\037\375\365\106\316\312\334\202\243\143\060
\141\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001
\001\377\060\037\006\003\125\035\043\004\030\060\026\200\024\377
\202\061\162\076\371\304\146\154\255\070\236\321\260\121\210\245
\220\314\365\060\035\006\003\125\035\016\004\026\004\024\377\202
\061\162\076\371\304\146\154\255\070\236\321\260\121\210\245\220
\314\365\060\016\006\003\125\035\017\001\001\377\004\004\003\002
\001\006\060\012\006\010\052\206\110\316\075\004\003\003\003\151
\000\060\146\002\061\000\346\005\130\151\141\345\055\312\015\313
\361\031\010\275\326\375\121\222\032\176\143\124\004\220\221\232
\065\221\071\231\372\007\251\146\223\272\310\150\324\212\077\372
\355\156\026\002\047\267\002\061\000\335\132\027\053\166\035\145
\102\226\246\254\135\212\171\126\330\212\033\337\232\336\137\307
\120\217\261\133\161\014\046\337\152\100\000\354\063\221\041\161
\276\150\344\043\244\331\255\241\067

END


```

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "E-Tugra Global Root CA ECC v3"
# Issuer: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR
# Serial Number:26:46:19:77:31:e1:4f:6f:28:36:de:39:51:86:e6:d4:97:88:22:c1
# Subject: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG
A.S.,L=Ankara,C=TR
# Not Valid Before: Wed Mar 18 09:46:58 2020
# Not Valid After : Sun Mar 12 09:46:58 2045
# Fingerprint (SHA-256):
87:3F:46:85:FA:7F:56:36:25:25:2E:6D:36:BC:D7:F1:6F:C2:49:51:F2:64:E4:7E:1B:95:4F:49:08:CD:CA:13
# Fingerprint (SHA1): 8A:2F:AF:57:53:B1:B0:E6:A1:04:EC:5B:6A:69:71:6D:F6:1C:E2:84
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "E-Tugra Global Root CA ECC v3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\212\057\257\127\123\261\260\346\241\004\354\133\152\151\161\155
\366\034\342\204
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\106\274\201\273\361\265\036\367\113\226\274\024\342\347\047\144
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103
\040\166\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\046\106\031\167\061\341\117\157\050\066\336\071\121\206
\346\324\227\210\042\301
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DIGITALSIGN GLOBAL ROOT RSA CA"

```

```

#
# Issuer: CN=DIGITALSIGN GLOBAL ROOT RSA CA,O=DigitalSign Certificadora Digital,C=PT
# Serial Number:5d:59:c8:ca:ab:09:57:f5:e6:b5:da:29:94:04:6a:ff:c5:d4:95:87
# Subject: CN=DIGITALSIGN GLOBAL ROOT RSA CA,O=DigitalSign Certificadora Digital,C=PT
# Not Valid Before: Thu Jan 21 10:50:34 2021
# Not Valid After : Mon Jan 15 10:50:34 2046
# Fingerprint (SHA-256):
82:BD:5D:85:1A:CF:7F:6E:1B:A7:BF:CB:C5:30:30:D0:E7:BC:3C:21:DF:77:2D:85:8C:AB:41:D1:99:BD:F5:95
# Fingerprint (SHA1): B9:82:07:97:AE:52:A5:68:6F:46:07:DF:FD:03:72:3D:92:86:88:2D
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DIGITALSIGN GLOBAL ROOT RSA CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\120\124\061
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144
\157\162\141\040\104\151\147\151\164\141\154\061\047\060\045\006
\003\125\004\003\014\036\104\111\107\111\124\101\114\123\111\107
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\122\123
\101\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\120\124\061
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144
\157\162\141\040\104\151\147\151\164\141\154\061\047\060\045\006
\003\125\004\003\014\036\104\111\107\111\124\101\114\123\111\107
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\122\123
\101\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\135\131\310\312\253\011\127\365\346\265\332\051\224\004
\152\377\305\324\225\207
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\265\060\202\003\235\240\003\002\001\002\002\024\135
\131\310\312\253\011\127\365\346\265\332\051\224\004\152\377\305
\324\225\207\060\015\006\011\052\206\110\206\367\015\001\001\015
\005\000\060\142\061\013\060\011\006\003\125\004\006\023\002\120
\124\061\052\060\050\006\003\125\004\012\014\041\104\151\147\151
\164\141\154\123\151\147\156\040\103\145\162\164\151\146\151\143
\141\144\157\162\141\040\104\151\147\151\164\141\154\061\047\060
\045\006\003\125\004\003\014\036\104\111\107\111\124\101\114\123
\111\107\116\040\107\114\117\102\101\114\040\122\117\117\124\040

```

\122\123\101\040\103\101\060\036\027\015\062\061\060\061\062\061
\061\060\065\060\063\064\132\027\015\064\066\060\061\061\065\061
\060\065\060\063\064\132\060\142\061\013\060\011\006\003\125\004
\006\023\002\120\124\061\052\060\050\006\003\125\004\012\014\041
\104\151\147\151\164\141\154\123\151\147\156\040\103\145\162\164
\151\146\151\143\141\144\157\162\141\040\104\151\147\151\164\141
\154\061\047\060\045\006\003\125\004\003\014\036\104\111\107\111
\124\101\114\123\111\107\116\040\107\114\117\102\101\114\040\122
\117\117\124\040\122\123\101\040\103\101\060\202\002\042\060\015
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002
\017\000\060\202\002\012\002\202\002\001\000\310\207\266\070\323
\034\360\336\022\370\203\307\304\212\342\211\270\264\042\172\170
\370\014\146\121\150\166\067\012\325\117\302\132\010\270\026\134
\367\162\001\011\067\204\201\052\124\153\327\222\320\154\372\250
\247\103\022\064\353\016\333\067\017\051\376\212\061\121\102\350
\113\234\220\250\310\054\021\323\375\240\051\176\316\336\224\366
\202\340\130\264\116\105\045\361\042\362\075\323\017\173\124\032
\334\062\266\326\121\116\176\101\264\127\270\054\306\271\016\056
\312\127\361\325\310\323\130\347\245\351\102\021\256\323\040\045
\224\151\327\217\312\242\015\303\323\237\007\150\077\025\322\147
\056\123\375\166\202\233\013\163\251\051\015\236\021\223\024\010
\230\354\236\124\022\112\126\242\006\025\354\153\154\056\222\140
\056\206\015\256\202\037\121\115\343\262\007\327\020\031\127\042
\366\251\151\104\204\363\331\075\240\006\277\314\210\176\177\365
\316\133\245\302\052\152\164\102\352\157\246\377\371\150\261\320
\137\275\221\322\125\157\063\127\114\036\235\344\342\213\301\205
\145\240\340\152\234\000\000\210\222\335\130\010\026\362\160\061
\250\034\341\336\275\116\161\351\326\276\176\265\241\132\303\115
\367\277\233\275\224\244\375\365\252\123\223\106\311\046\001\004
\160\304\240\161\272\316\045\146\373\221\176\125\160\356\111\012
\115\142\177\302\120\232\162\362\030\147\235\351\105\250\064\204
\350\370\201\366\321\132\042\036\007\117\073\263\177\335\021\245
\163\334\276\251\031\072\151\251\155\033\062\342\211\252\245\047
\013\132\176\164\342\017\144\071\135\176\134\271\301\027\374\307
\215\136\311\354\044\355\322\362\077\172\204\105\067\002\276\076
\153\131\304\346\133\026\155\300\252\236\252\265\131\056\054\160
\125\234\314\231\226\230\044\124\321\216\332\312\264\021\264\267
\160\103\037\157\220\013\040\240\250\166\023\145\333\333\043\132
\165\113\241\013\061\167\012\356\175\150\141\032\023\214\352\121
\176\134\126\243\127\114\135\241\353\023\145\277\124\024\314\363
\356\334\327\354\074\227\362\170\126\270\337\162\134\160\374\316
\006\335\237\322\007\061\357\347\122\221\236\315\272\327\300\030
\104\007\061\145\111\062\151\023\112\353\217\002\003\001\000\001
\243\143\060\141\060\017\006\003\125\035\023\001\001\377\004\005
\060\003\001\001\377\060\037\006\003\125\035\043\004\030\060\026
\200\024\265\066\274\074\214\032\253\054\366\131\031\055\203\024
\332\223\045\025\326\206\060\035\006\003\125\035\016\004\026\004
\024\265\066\274\074\214\032\253\054\366\131\031\055\203\024\332

\223\045\025\326\206\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\006\060\015\006\011\052\206\110\206\367\015\001
\001\015\005\000\003\202\002\001\000\024\373\061\045\070\061\370
\312\010\262\043\166\070\255\370\323\131\365\314\264\127\045\341
\104\276\176\374\026\354\256\372\046\237\117\147\026\112\126\360
\375\355\307\031\001\064\216\220\132\055\326\200\134\354\161\322
\201\045\202\036\000\161\337\232\321\325\035\042\273\321\245\363
\142\017\264\353\334\044\163\376\246\126\315\232\024\305\004\065
\026\061\242\007\353\245\000\342\266\370\137\162\375\077\141\111
\216\336\176\115\070\327\172\036\164\067\154\121\334\276\000\004
\270\070\024\363\040\301\355\233\247\043\375\015\102\204\035\177
\362\163\303\320\170\143\361\237\354\327\133\351\361\276\154\240
\113\003\236\215\151\341\024\332\210\020\201\043\123\377\332\124
\053\013\306\271\226\225\004\030\106\363\173\250\227\330\133\150
\244\344\070\034\016\105\345\230\323\011\256\232\136\354\263\171
\015\071\162\362\364\224\235\016\236\140\042\346\250\366\114\205
\315\007\202\072\150\071\315\075\137\343\070\364\266\257\073\153
\112\237\140\121\105\242\100\002\345\252\014\343\076\321\170\324
\242\164\234\046\272\005\232\050\160\112\076\246\013\320\035\111
\360\272\370\256\101\020\176\244\007\022\275\250\317\051\075\127
\273\307\361\103\107\000\076\256\160\030\132\040\173\011\313\072
\072\160\200\345\114\140\230\301\025\301\035\112\367\310\360\233
\341\162\255\347\135\150\130\013\004\261\214\274\237\267\373\156
\213\133\004\125\373\353\043\125\327\170\120\332\045\313\276\047
\066\273\044\032\171\034\121\321\376\023\273\377\170\054\334\244
\276\057\366\305\113\123\317\247\114\231\136\160\254\131\210\004
\256\144\004\277\173\246\172\115\323\350\167\275\241\176\120\025
\363\357\111\060\205\115\041\127\252\333\054\165\227\255\201\001
\207\242\261\160\235\036\006\132\003\140\261\077\246\155\202\054
\324\024\261\201\245\350\075\210\035\264\162\054\130\067\212\216
\070\224\270\163\335\251\340\270\366\167\242\263\174\130\336\256
\151\072\265\213\245\032\273\362\330\164\006\234\375\142\163\040
\041\166\261\176\160\236\031\324\353\027\142\031\070\231\315\066
\053\107\376\061\313\337\271\344\254\010\323\330\246\353\324\236
\176\113\144\244\125\135\053\027\311

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "DIGITALSIGN GLOBAL ROOT RSA CA"

Issuer: CN=DIGITALSIGN GLOBAL ROOT RSA CA,O=DigitalSign Certificadora Digital,C=PT

Serial Number:5d:59:c8:ca:ab:09:57:f5:e6:b5:da:29:94:04:6a:ff:c5:d4:95:87

Subject: CN=DIGITALSIGN GLOBAL ROOT RSA CA,O=DigitalSign Certificadora Digital,C=PT

Not Valid Before: Thu Jan 21 10:50:34 2021

Not Valid After : Mon Jan 15 10:50:34 2046

Fingerprint (SHA-256):

82:BD:5D:85:1A:CF:7F:6E:1B:A7:BF:CB:C5:30:30:D0:E7:BC:3C:21:DF:77:2D:85:8C:AB:41:D1:99:BD:F5:95

```

# Fingerprint (SHA1): B9:82:07:97:AE:52:A5:68:6F:46:07:DF:FD:03:72:3D:92:86:88:2D
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DIGITALSIGN GLOBAL ROOT RSA CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\271\202\007\227\256\122\245\150\157\106\007\337\375\003\162\075
\222\206\210\055
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\033\032\275\032\171\306\333\264\355\263\207\314\251\323\116\170
END
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\120\124\061
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144
\157\162\141\040\104\151\147\151\164\141\154\061\047\060\045\006
\003\125\004\003\014\036\104\111\107\111\124\101\114\123\111\107
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\122\123
\101\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\135\131\310\312\253\011\127\365\346\265\332\051\224\004
\152\377\305\324\225\207
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DIGITALSIGN GLOBAL ROOT ECDSA CA"
#
# Issuer: CN=DIGITALSIGN GLOBAL ROOT ECDSA CA,O=DigitalSign Certificadora Digital,C=PT
# Serial Number:36:2d:8f:72:88:a2:28:27:e4:00:ff:24:c6:2d:e4:eb:fa:9d:b6:e1
# Subject: CN=DIGITALSIGN GLOBAL ROOT ECDSA CA,O=DigitalSign Certificadora Digital,C=PT
# Not Valid Before: Thu Jan 21 11:07:50 2021
# Not Valid After : Mon Jan 15 11:07:50 2046
# Fingerprint (SHA-256):
26:1D:71:14:AE:5F:8F:F2:D8:C7:20:9A:9D:E4:28:9E:6A:FC:9D:71:70:23:D8:54:50:90:91:99:F1:85:7C:FE
# Fingerprint (SHA1): 67:A8:08:EB:8F:88:F5:80:6C:05:45:1B:17:F3:D7:00:2F:D2:4A:8A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DIGITALSIGN GLOBAL ROOT ECDSA CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

```

CKA_SUBJECT MULTILINE_OCTAL

\060\144\061\013\060\011\006\003\125\004\006\023\002\120\124\061
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144
\157\162\141\040\104\151\147\151\164\141\154\061\051\060\047\006
\003\125\004\003\014\040\104\111\107\111\124\101\114\123\111\107
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\105\103
\104\123\101\040\103\101

END

CKA_ID UTF8 "0"

CKA_ISSUER MULTILINE_OCTAL

\060\144\061\013\060\011\006\003\125\004\006\023\002\120\124\061
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144
\157\162\141\040\104\151\147\151\164\141\154\061\051\060\047\006
\003\125\004\003\014\040\104\111\107\111\124\101\114\123\111\107
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\105\103
\104\123\101\040\103\101

END

CKA_SERIAL_NUMBER MULTILINE_OCTAL

\002\024\066\055\217\162\210\242\050\047\344\000\377\044\306\055
\344\353\372\235\266\341

END

CKA_VALUE MULTILINE_OCTAL

\060\202\002\152\060\202\001\360\240\003\002\001\002\002\024\066
\055\217\162\210\242\050\047\344\000\377\044\306\055\344\353\372
\235\266\341\060\012\006\010\052\206\110\316\075\004\003\003\060
\144\061\013\060\011\006\003\125\004\006\023\002\120\124\061\052
\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141\154
\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144\157
\162\141\040\104\151\147\151\164\141\154\061\051\060\047\006\003
\125\004\003\014\040\104\111\107\111\124\101\114\123\111\107\116
\040\107\114\117\102\101\114\040\122\117\117\124\040\105\103\104
\123\101\040\103\101\060\036\027\015\062\061\060\061\062\061\061
\061\060\067\065\060\132\027\015\064\066\060\061\061\065\061\061
\060\067\065\060\132\060\144\061\013\060\011\006\003\125\004\006
\023\002\120\124\061\052\060\050\006\003\125\004\012\014\041\104
\151\147\151\164\141\154\123\151\147\156\040\103\145\162\164\151
\146\151\143\141\144\157\162\141\040\104\151\147\151\164\141\154
\061\051\060\047\006\003\125\004\003\014\040\104\111\107\111\124
\101\114\123\111\107\116\040\107\114\117\102\101\114\040\122\117
\117\124\040\105\103\104\123\101\040\103\101\060\166\060\020\006
\007\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003
\142\000\004\156\013\243\253\063\115\034\352\112\350\374\004\215
\024\240\175\360\010\054\137\203\253\223\321\322\173\272\327\111
\175\217\354\022\120\137\324\271\313\345\360\371\063\143\037\311
\127\354\100\330\021\013\227\350\122\026\314\051\216\364\006\206
\036\070\334\075\127\304\356\252\275\310\124\004\046\132\047\023

```
\121\107\075\037\037\032\216\250\225\244\063\320\314\107\314\155
\270\374\110\243\143\060\141\060\017\006\003\125\035\023\001\001
\377\004\005\060\003\001\001\377\060\037\006\003\125\035\043\004
\030\060\026\200\024\316\257\112\213\032\165\342\361\070\347\002
\360\026\255\136\352\144\325\173\264\060\035\006\003\125\035\016
\004\026\004\024\316\257\112\213\032\165\342\361\070\347\002\360
\026\255\136\352\144\325\173\264\060\016\006\003\125\035\017\001
\001\377\004\004\003\002\001\006\060\012\006\010\052\206\110\316
\075\004\003\003\003\150\000\060\145\002\060\012\210\304\161\234
\104\003\115\215\264\307\274\250\256\331\060\047\065\152\153\026
\143\327\374\347\131\341\247\211\033\114\061\232\043\125\104\346
\363\103\041\325\107\047\157\155\127\001\252\002\061\000\373\262
\352\342\227\177\121\265\237\110\353\274\157\065\211\250\144\160
\253\127\166\315\300\306\024\140\312\177\342\202\000\163\367\314
\065\352\216\044\233\345\010\131\307\004\214\163\170\376
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "DIGITALSIGN GLOBAL ROOT ECDSA CA"
```

```
# Issuer: CN=DIGITALSIGN GLOBAL ROOT ECDSA CA,O=DigitalSign Certificadora Digital,C=PT
```

```
# Serial Number:36:2d:8f:72:88:a2:28:27:e4:00:ff:24:c6:2d:e4:eb:fa:9d:b6:e1
```

```
# Subject: CN=DIGITALSIGN GLOBAL ROOT ECDSA CA,O=DigitalSign Certificadora Digital,C=PT
```

```
# Not Valid Before: Thu Jan 21 11:07:50 2021
```

```
# Not Valid After : Mon Jan 15 11:07:50 2046
```

```
# Fingerprint (SHA-256):
```

```
26:1D:71:14:AE:5F:8F:F2:D8:C7:20:9A:9D:E4:28:9E:6A:FC:9D:71:70:23:D8:54:50:90:91:99:F1:85:7C:FE
```

```
# Fingerprint (SHA1): 67:A8:08:EB:8F:88:F5:80:6C:05:45:1B:17:F3:D7:00:2F:D2:4A:8A
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DIGITALSIGN GLOBAL ROOT ECDSA CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\147\250\010\353\217\210\365\200\154\005\105\033\027\363\327\000
```

```
\057\322\112\212
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\252\055\241\316\377\041\302\210\313\132\036\214\341\311\222\217
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\144\061\013\060\011\006\003\125\004\006\023\002\120\124\061
```

```
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141
```

```
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144
```

```
\157\162\141\040\104\151\147\151\164\141\154\061\051\060\047\006
```

```
\003\125\004\003\014\040\104\111\107\111\124\101\114\123\111\107
```

```
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\105\103
```

```

\104\123\101\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\066\055\217\162\210\242\050\047\344\000\377\044\306\055
\344\353\372\235\266\341
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Security Communication RootCA3"
#
# Issuer: CN=Security Communication RootCA3,O="SECOM Trust Systems CO.,LTD.",C=JP
# Serial Number:00:e1:7c:37:40:fd:1b:fe:67
# Subject: CN=Security Communication RootCA3,O="SECOM Trust Systems CO.,LTD.",C=JP
# Not Valid Before: Thu Jun 16 06:17:16 2016
# Not Valid After : Mon Jan 18 06:17:16 2038
# Fingerprint (SHA-256):
24:A5:5C:2A:B0:51:44:2D:06:17:76:65:41:23:9A:4A:D0:32:D7:C5:51:75:AA:34:FF:DE:2F:BC:4F:5C:52:94
# Fingerprint (SHA1): C3:03:C8:22:74:92:E5:61:A2:9C:5F:79:91:2B:1E:44:13:91:30:3A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication RootCA3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\003\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\003\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\341\174\067\100\375\033\376\147
END

```


CKA_VALUE MULTILINE_OCTAL

\060\202\005\177\060\202\003\147\240\003\002\001\002\002\011\000
\341\174\067\100\375\033\376\147\060\015\006\011\052\206\110\206
\367\015\001\001\014\005\000\060\135\061\013\060\011\006\003\125
\004\006\023\002\112\120\061\045\060\043\006\003\125\004\012\023
\034\123\105\103\117\115\040\124\162\165\163\164\040\123\171\163
\164\145\155\163\040\103\117\056\054\114\124\104\056\061\047\060
\045\006\003\125\004\003\023\036\123\145\143\165\162\151\164\171
\040\103\157\155\155\165\156\151\143\141\164\151\157\156\040\122
\157\157\164\103\101\063\060\036\027\015\061\066\060\066\061\066
\060\066\061\067\061\066\132\027\015\063\070\060\061\061\070\060
\066\061\067\061\066\132\060\135\061\013\060\011\006\003\125\004
\006\023\002\112\120\061\045\060\043\006\003\125\004\012\023\034
\123\105\103\117\115\040\124\162\165\163\164\040\123\171\163\164
\145\155\163\040\103\117\056\054\114\124\104\056\061\047\060\045
\006\003\125\004\003\023\036\123\145\143\165\162\151\164\171\040
\103\157\155\155\165\156\151\143\141\164\151\157\156\040\122\157
\157\164\103\101\063\060\202\002\042\060\015\006\011\052\206\110
\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002
\012\002\202\002\001\000\343\311\162\111\367\060\336\011\174\251
\100\201\130\323\264\072\335\272\141\017\223\120\156\151\074\065
\302\356\133\163\220\033\147\114\041\354\137\065\273\071\076\053
\012\140\357\273\155\053\206\373\161\242\310\254\344\126\224\371
\311\257\261\162\324\040\254\164\322\270\025\255\121\376\205\164
\241\271\020\376\005\200\371\122\223\263\100\075\165\020\254\300
\226\267\247\176\166\274\343\033\122\031\316\021\037\013\004\064
\365\330\365\151\074\167\363\144\364\015\252\205\336\340\011\120
\004\027\226\204\267\310\212\274\115\162\374\034\273\317\363\006
\115\371\237\144\367\176\246\146\206\065\161\310\021\200\114\301
\161\100\130\036\276\240\163\366\374\076\120\341\340\057\046\075
\176\134\043\265\171\160\336\372\340\321\245\326\014\101\161\173
\367\352\214\034\210\307\354\213\365\321\057\125\226\106\174\132
\073\130\073\373\272\330\055\265\045\332\172\116\317\104\256\041
\246\236\230\312\040\156\174\273\210\205\133\373\300\020\142\273
\362\371\047\107\357\321\211\071\103\304\337\336\341\101\277\124
\163\040\227\055\154\332\363\324\007\243\346\271\330\157\256\374
\214\031\056\323\147\147\053\225\333\130\134\265\152\002\363\270
\203\136\264\153\276\101\176\127\011\165\104\120\125\315\132\021
\141\041\012\141\302\251\210\375\023\274\055\211\057\315\141\340
\225\276\312\265\173\341\173\064\147\013\037\266\014\307\174\036
\031\123\312\247\261\112\025\040\126\024\160\075\053\202\054\017
\235\025\035\107\200\107\377\170\231\016\061\257\157\076\217\355
\206\151\036\173\030\210\024\262\302\374\202\063\056\234\113\055
\373\160\073\161\252\053\173\046\047\363\032\302\334\373\027\270
\241\352\313\240\264\256\323\224\176\172\320\253\303\354\070\055
\021\056\210\277\324\077\255\022\073\102\254\217\002\156\175\314
\321\137\141\276\241\274\072\152\110\352\046\125\042\026\135\137
\015\377\047\063\237\030\003\164\212\133\122\040\107\153\105\115

\042\167\214\125\047\360\257\036\214\311\203\042\124\267\232\320
\117\331\316\374\331\056\034\226\050\261\002\323\003\275\045\122
\034\064\146\117\043\253\364\167\202\226\035\321\127\060\010\021
\005\375\127\321\331\307\002\003\001\000\001\243\102\060\100\060
\035\006\003\125\035\016\004\026\004\024\144\024\174\374\130\162
\026\246\012\051\064\025\157\052\313\274\374\257\250\253\060\016
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\017
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\003\202
\002\001\000\334\002\043\010\342\357\041\072\307\015\267\046\322
\142\223\247\245\043\162\007\040\202\140\337\030\327\124\255\151
\045\222\236\331\024\317\231\271\122\201\317\256\154\212\073\132
\071\310\154\001\103\302\042\155\002\360\142\315\116\143\103\300
\024\332\364\143\360\352\364\161\356\116\207\343\161\251\364\311
\127\345\056\137\034\171\273\043\252\207\104\127\351\275\065\115
\101\273\113\050\243\230\262\033\331\013\027\007\345\367\352\235
\365\166\327\277\304\266\201\130\377\310\377\144\151\142\171\255
\156\016\037\177\356\035\151\345\267\162\161\263\376\245\001\065
\224\124\053\300\122\155\217\125\304\311\322\270\313\312\064\010
\121\205\240\365\274\264\027\130\352\012\134\172\275\143\306\072
\057\377\226\111\031\204\352\147\330\004\261\141\364\000\133\112
\267\234\161\067\031\205\171\277\201\260\307\023\016\166\161\076
\072\200\006\256\006\026\247\215\265\302\304\313\377\100\245\134
\215\245\311\072\355\162\201\312\134\230\074\322\064\003\167\010
\375\360\051\131\135\041\010\307\140\277\244\161\173\270\331\036
\202\276\011\257\145\157\050\253\277\113\265\356\076\010\107\047
\240\017\157\017\213\077\254\225\030\363\271\016\334\147\125\156
\142\236\106\016\321\004\170\312\162\256\166\331\245\370\262\337
\210\011\141\213\357\044\116\321\131\077\132\324\075\311\223\074
\053\144\365\201\015\026\226\367\222\303\376\061\157\350\052\062
\164\016\364\114\230\112\030\016\060\124\325\305\353\274\305\025
\236\350\231\041\353\047\053\011\012\333\361\346\160\030\126\273
\014\344\276\371\350\020\244\023\222\270\034\340\333\147\035\123
\003\244\042\247\334\135\222\020\074\352\377\374\033\020\032\303
\330\320\234\235\145\313\320\053\047\061\003\036\066\341\075\166
\165\014\377\105\046\271\335\121\274\043\307\137\330\330\207\020
\100\022\015\075\070\067\347\104\074\030\300\123\011\144\217\377
\325\232\246\174\160\056\163\125\041\350\337\377\203\271\035\076
\062\036\326\246\175\054\361\146\351\134\035\247\243\316\136\045
\062\053\343\225\254\052\007\316\264\050\170\206\074\055\246\235
\115\322\164\060\335\144\121\025\333\203\203\121\327\257\375\063
\235\115\146

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Security Communication RootCA3"

```

# Issuer: CN=Security Communication RootCA3,O="SECOM Trust Systems CO.,LTD.",C=JP
# Serial Number:00:e1:7c:37:40:fd:1b:fe:67
# Subject: CN=Security Communication RootCA3,O="SECOM Trust Systems CO.,LTD.",C=JP
# Not Valid Before: Thu Jun 16 06:17:16 2016
# Not Valid After : Mon Jan 18 06:17:16 2038
# Fingerprint (SHA-256):
24:A5:5C:2A:B0:51:44:2D:06:17:76:65:41:23:9A:4A:D0:32:D7:C5:51:75:AA:34:FF:DE:2F:BC:4F:5C:52:94
# Fingerprint (SHA1): C3:03:C8:22:74:92:E5:61:A2:9C:5F:79:91:2B:1E:44:13:91:30:3A
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication RootCA3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\303\003\310\042\164\222\345\141\242\234\137\171\221\053\036\104
\023\221\060\072
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\034\232\026\377\236\134\340\115\212\024\001\364\065\135\051\046
END
CKA_ISSUER MULTILINE_OCTAL
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\003\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\341\174\067\100\375\033\376\147
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Security Communication ECC RootCA1"
#
# Issuer: CN=Security Communication ECC RootCA1,O="SECOM Trust Systems CO.,LTD.",C=JP
# Serial Number:00:d6:5d:9b:b3:78:81:2e:eb
# Subject: CN=Security Communication ECC RootCA1,O="SECOM Trust Systems CO.,LTD.",C=JP
# Not Valid Before: Thu Jun 16 05:15:28 2016
# Not Valid After : Mon Jan 18 05:15:28 2038
# Fingerprint (SHA-256):
E7:4F:BD:A5:5B:D5:64:C4:73:A3:6B:44:1A:A7:99:C8:A6:8E:07:74:40:E8:28:8B:9F:A1:E5:0E:4B:BA:CA:11
# Fingerprint (SHA1): B8:0E:26:A9:BF:D2:B2:3B:C0:EF:46:C9:BA:C7:BB:F6:1D:0D:41:41
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication ECC RootCA1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\053\060\051\006\003\125\004\003\023
\042\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\105\103\103\040\122\157\157\164
\103\101\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\053\060\051\006\003\125\004\003\023
\042\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\105\103\103\040\122\157\157\164
\103\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\326\135\233\263\170\201\056\353
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\070\060\202\001\276\240\003\002\001\002\002\011\000
\326\135\233\263\170\201\056\353\060\012\006\010\052\206\110\316
\075\004\003\003\060\141\061\013\060\011\006\003\125\004\006\023
\002\112\120\061\045\060\043\006\003\125\004\012\023\034\123\105
\103\117\115\040\124\162\165\163\164\040\123\171\163\164\145\155
\163\040\103\117\056\054\114\124\104\056\061\053\060\051\006\003
\125\004\003\023\042\123\145\143\165\162\151\164\171\040\103\157
\155\155\165\156\151\143\141\164\151\157\156\040\105\103\103\040
\122\157\157\164\103\101\061\060\036\027\015\061\066\060\066\061
\066\060\065\061\065\062\070\132\027\015\063\070\060\061\061\070
\060\065\061\065\062\070\132\060\141\061\013\060\011\006\003\125
\004\006\023\002\112\120\061\045\060\043\006\003\125\004\012\023
\034\123\105\103\117\115\040\124\162\165\163\164\040\123\171\163
\164\145\155\163\040\103\117\056\054\114\124\104\056\061\053\060
\051\006\003\125\004\003\023\042\123\145\143\165\162\151\164\171
\040\103\157\155\155\165\156\151\143\141\164\151\157\156\040\105
\103\103\040\122\157\157\164\103\101\061\060\166\060\020\006\007
\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142
\000\004\244\245\157\140\003\003\303\275\061\364\323\027\234\053
\204\165\254\345\375\075\127\156\327\143\277\346\004\211\222\216
```

```
\201\234\343\351\107\156\312\220\022\310\023\340\247\235\367\145
\164\037\154\020\262\350\344\351\357\155\205\062\231\104\261\136
\375\314\166\020\330\133\275\242\306\371\326\102\344\127\166\334
\220\302\065\251\113\210\074\022\107\155\134\377\111\117\032\112
\120\261\243\102\060\100\060\035\006\003\125\035\016\004\026\004
\024\206\034\347\376\055\245\112\213\010\376\050\021\372\276\243
\146\370\140\131\057\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\012\006\010\052\206\110\316\075\004
\003\003\003\150\000\060\145\002\060\025\135\102\075\374\266\356
\367\073\261\066\350\236\366\304\106\050\111\063\320\130\103\052
\143\051\314\115\261\264\172\242\271\015\070\245\135\110\052\375
\313\262\163\135\243\210\010\307\014\002\061\000\300\253\055\016
\155\355\030\242\333\123\351\045\333\125\010\340\120\314\337\104
\141\026\202\253\111\260\262\201\354\163\207\170\264\114\262\142
\033\022\372\026\115\045\113\143\275\036\067\331
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Security Communication ECC RootCA1"
```

```
# Issuer: CN=Security Communication ECC RootCA1,O="SECOM Trust Systems CO.,LTD.",C=JP
```

```
# Serial Number:00:d6:5d:9b:b3:78:81:2e:eb
```

```
# Subject: CN=Security Communication ECC RootCA1,O="SECOM Trust Systems CO.,LTD.",C=JP
```

```
# Not Valid Before: Thu Jun 16 05:15:28 2016
```

```
# Not Valid After : Mon Jan 18 05:15:28 2038
```

```
# Fingerprint (SHA-256):
```

```
E7:4F:BD:A5:5B:D5:64:C4:73:A3:6B:44:1A:A7:99:C8:A6:8E:07:74:40:E8:28:8B:9F:A1:E5:0E:4B:BA:CA:11
```

```
# Fingerprint (SHA1): B8:0E:26:A9:BF:D2:B2:3B:C0:EF:46:C9:BA:C7:BB:F6:1D:0D:41:41
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Security Communication ECC RootCA1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\270\016\046\251\277\322\262\073\300\357\106\311\272\307\273\366
\035\015\101\101
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\176\103\260\222\150\354\005\103\114\230\253\135\065\056\176\206
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\141\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\053\060\051\006\003\125\004\003\023
\042\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
```

```

\151\143\141\164\151\157\156\040\105\103\103\040\122\157\157\164
\103\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\326\135\233\263\170\201\056\353
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "BJCA Global Root CA1"
#
# Issuer: CN=BJCA Global Root CA1,O=BEIJING CERTIFICATE AUTHORITY,C=CN
# Serial Number:55:6f:65:e3:b4:d9:90:6a:1b:09:d1:6c:3e:c0:6c:20
# Subject: CN=BJCA Global Root CA1,O=BEIJING CERTIFICATE AUTHORITY,C=CN
# Not Valid Before: Thu Dec 19 03:16:17 2019
# Not Valid After : Mon Dec 12 03:16:17 2044
# Fingerprint (SHA-256):
F3:89:6F:88:FE:7C:0A:88:27:66:A7:FA:6A:D2:74:9F:B5:7A:7F:3E:98:FB:76:9C:1F:A7:B0:9C:2C:44:D5:AE
# Fingerprint (SHA1): D5:EC:8D:7B:4C:BA:79:F4:E7:E8:CB:9D:6B:AE:77:83:10:03:21:6A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "BJCA Global Root CA1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\125\157\145\343\264\331\220\152\033\011\321\154\076\300
\154\040

```

END

CKA_VALUE MULTILINE_OCTAL

\060\202\005\164\060\202\003\134\240\003\002\001\002\002\020\125
\157\145\343\264\331\220\152\033\011\321\154\076\300\154\040\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\124
\061\013\060\011\006\003\125\004\006\023\002\103\116\061\046\060
\044\006\003\125\004\012\014\035\102\105\111\112\111\116\107\040
\103\105\122\124\111\106\111\103\101\124\105\040\101\125\124\110
\117\122\111\124\131\061\035\060\033\006\003\125\004\003\014\024
\102\112\103\101\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101\061\060\036\027\015\061\071\061\062\061\071\060\063
\061\066\061\067\132\027\015\064\064\061\062\061\062\060\063\061
\066\061\067\132\060\124\061\013\060\011\006\003\125\004\006\023
\002\103\116\061\046\060\044\006\003\125\004\012\014\035\102\105
\111\112\111\116\107\040\103\105\122\124\111\106\111\103\101\124
\105\040\101\125\124\110\117\122\111\124\131\061\035\060\033\006
\003\125\004\003\014\024\102\112\103\101\040\107\154\157\142\141
\154\040\122\157\157\164\040\103\101\061\060\202\002\042\060\015
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002
\017\000\060\202\002\012\002\202\002\001\000\361\146\010\275\331
\305\025\141\313\204\004\101\245\151\067\167\035\301\260\173\372
\303\167\110\220\023\162\144\321\270\174\220\065\235\030\171\210
\343\227\001\074\107\201\362\016\242\230\015\236\077\067\340\031
\262\220\362\106\034\222\261\072\141\316\372\267\106\236\003\206
\327\063\156\355\367\105\214\166\067\336\156\226\221\367\327\176
\053\207\027\325\213\065\356\204\221\162\127\334\140\303\303\271
\347\307\147\044\043\117\143\012\143\366\146\175\113\125\247\077
\170\144\111\151\022\227\340\114\015\323\011\240\062\060\072\372
\237\300\362\234\305\022\052\056\034\265\004\063\332\244\070\021
\152\336\306\030\366\107\072\042\101\207\042\374\304\211\050\124
\330\214\245\060\012\370\027\026\312\254\067\375\171\247\221\027
\170\070\231\255\130\355\262\336\314\211\175\003\234\263\211\145
\347\343\073\261\042\206\217\006\155\170\007\375\221\022\177\260
\153\034\211\015\371\270\313\164\133\007\302\310\364\065\321\144
\143\172\351\156\232\050\326\060\275\346\033\335\025\257\204\352
\234\307\312\365\016\352\362\135\051\207\217\151\163\071\276\056
\044\157\105\041\254\305\324\151\045\006\203\255\172\110\205\023
\054\015\006\270\154\171\126\374\243\147\062\201\365\127\245\312
\127\102\151\351\134\044\141\357\342\060\030\116\104\230\125\157
\172\302\223\330\031\266\336\174\107\212\021\116\111\107\333\050
\224\002\013\224\112\054\371\022\320\117\350\061\176\154\172\277
\246\077\233\071\075\002\026\243\030\263\147\254\133\077\054\203
\053\147\071\201\134\271\176\224\325\144\335\236\217\156\256\350
\174\133\264\327\152\107\110\327\176\263\324\055\216\126\166\116
\317\151\361\156\104\154\324\044\352\215\044\241\030\277\275\127
\376\251\231\065\265\333\020\167\270\075\110\272\326\301\347\361
\043\076\327\337\205\235\047\074\324\100\275\012\014\275\365\347
\215\045\326\201\164\207\106\324\051\165\242\102\154\367\163\211

\347\175\277\172\112\037\323\042\311\025\125\317\337\157\174\125
\320\244\213\007\021\067\137\203\246\046\127\246\001\133\176\376
\130\150\007\251\351\172\331\271\350\377\120\037\253\302\264\300
\316\350\352\375\017\275\215\115\270\274\161\002\003\001\000\001
\243\102\060\100\060\035\006\003\125\035\016\004\026\004\024\305
\357\355\314\330\215\041\306\110\344\343\327\024\056\247\026\223
\345\230\001\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004
\003\002\001\006\060\015\006\011\052\206\110\206\367\015\001\001
\013\005\000\003\202\002\001\000\122\202\254\041\064\037\043\362
\242\330\371\270\257\067\066\040\211\321\067\003\326\151\237\270
\141\020\272\242\061\230\131\107\350\321\015\045\036\025\101\014
\340\052\125\325\127\122\313\370\344\307\151\243\035\115\161\002
\136\137\041\105\140\110\134\011\216\111\020\301\004\334\251\142
\153\002\360\103\310\116\235\070\111\164\311\062\160\124\155\301
\107\374\216\264\066\236\324\234\275\335\040\326\123\311\030\251
\265\126\271\166\213\225\147\146\356\275\230\376\256\357\276\156
\373\140\366\375\131\306\052\033\077\043\112\224\044\060\047\310
\211\274\353\104\044\232\313\075\276\117\325\172\316\216\027\313
\142\301\331\336\036\016\172\377\103\206\064\122\274\141\077\074
\137\273\331\166\264\123\274\227\263\376\212\114\022\056\053\363
\327\316\341\242\377\335\173\160\373\073\241\115\244\143\002\375
\070\227\225\077\005\160\240\153\337\142\201\103\213\264\131\015
\112\214\124\234\305\273\201\237\315\175\245\357\013\045\036\072
\040\333\034\374\037\230\147\002\012\324\163\104\023\333\121\204
\032\125\003\126\340\000\176\164\006\377\070\304\162\035\323\250
\077\150\061\135\323\011\307\056\214\133\143\340\350\334\036\322
\354\141\036\362\336\345\357\366\231\166\140\055\036\224\162\161
\306\013\052\062\307\222\116\325\106\327\035\371\251\031\012\310
\372\225\316\155\043\230\252\013\070\255\232\126\015\157\215\361
\061\000\210\301\027\234\315\031\066\065\376\125\123\240\340\074
\063\137\226\136\342\062\351\337\063\273\006\112\251\330\204\163
\316\167\322\306\254\161\341\134\243\035\014\273\012\337\137\342
\243\161\330\332\067\132\240\170\053\364\324\175\353\166\355\362
\141\160\245\145\232\323\211\064\030\253\373\162\076\327\264\075
\171\134\330\037\241\063\173\331\202\120\014\223\027\252\154\334
\302\202\273\002\127\066\257\230\047\052\071\120\341\260\211\365
\045\227\176\107\150\020\264\354\163\312\263\227\321\044\334\366
\142\240\050\323\265\243\270\144\267\210\142\102\317\235\123\315
\231\276\144\150\217\117\036\022\110\367\322\051\303\230\050\312
\362\062\013\223\214\051\117\074\140\062\315\005\226\141\354\362
\257\376\263\160\054\056\246\362

END

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE

CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE

CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "BJCA Global Root CA1"


```

# Issuer: CN=BJCA Global Root CA1,O=BEIJING CERTIFICATE AUTHORITY,C=CN
# Serial Number:55:6f:65:e3:b4:d9:90:6a:1b:09:d1:6c:3e:c0:6c:20
# Subject: CN=BJCA Global Root CA1,O=BEIJING CERTIFICATE AUTHORITY,C=CN
# Not Valid Before: Thu Dec 19 03:16:17 2019
# Not Valid After : Mon Dec 12 03:16:17 2044
# Fingerprint (SHA-256):
F3:89:6F:88:FE:7C:0A:88:27:66:A7:FA:6A:D2:74:9F:B5:7A:7F:3E:98:FB:76:9C:1F:A7:B0:9C:2C:44:D5:AE
# Fingerprint (SHA1): D5:EC:8D:7B:4C:BA:79:F4:E7:E8:CB:9D:6B:AE:77:83:10:03:21:6A
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "BJCA Global Root CA1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\325\354\215\173\114\272\171\364\347\350\313\235\153\256\167\203
\020\003\041\152
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\102\062\231\166\103\063\066\044\065\007\202\233\050\371\320\220
END
CKA_ISSUER MULTILINE_OCTAL
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\125\157\145\343\264\331\220\152\033\011\321\154\076\300
\154\040
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "BJCA Global Root CA2"
#
# Issuer: CN=BJCA Global Root CA2,O=BEIJING CERTIFICATE AUTHORITY,C=CN
# Serial Number:2c:17:08:7d:64:2a:c0:fe:85:18:59:06:cf:b4:4a:eb
# Subject: CN=BJCA Global Root CA2,O=BEIJING CERTIFICATE AUTHORITY,C=CN
# Not Valid Before: Thu Dec 19 03:18:21 2019
# Not Valid After : Mon Dec 12 03:18:21 2044
# Fingerprint (SHA-256):
57:4D:F6:93:1E:27:80:39:66:7B:72:0A:FD:C1:60:0F:C2:7E:B6:6D:D3:09:29:79:FB:73:85:64:87:21:28:82
# Fingerprint (SHA1): F4:27:86:EB:6E:B8:6D:88:31:67:02:FB:BA:66:A4:53:00:AA:7A:A6

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "BJCA Global Root CA2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\054\027\010\175\144\052\300\376\205\030\131\006\317\264
\112\353
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\045\060\202\001\253\240\003\002\001\002\002\020\054
\027\010\175\144\052\300\376\205\030\131\006\317\264\112\353\060
\012\006\010\052\206\110\316\075\004\003\003\060\124\061\013\060
\011\006\003\125\004\006\023\002\103\116\061\046\060\044\006\003
\125\004\012\014\035\102\105\111\112\111\116\107\040\103\105\122
\124\111\106\111\103\101\124\105\040\101\125\124\110\117\122\111
\124\131\061\035\060\033\006\003\125\004\003\014\024\102\112\103
\101\040\107\154\157\142\141\154\040\122\157\157\164\040\103\101
\062\060\036\027\015\061\071\061\062\061\071\060\063\061\070\062
\061\132\027\015\064\064\061\062\061\062\060\063\061\070\062\061
\132\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116
\061\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111
\116\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101
\125\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004
\003\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122
\157\157\164\040\103\101\062\060\166\060\020\006\007\052\206\110
\316\075\002\001\006\005\053\201\004\000\042\003\142\000\004\235
\313\200\221\215\123\147\265\271\120\261\003\370\345\111\037\101
\042\011\260\121\122\130\326\053\064\217\305\022\106\024\305\213
\057\054\204\377\054\156\250\325\361\011\343\003\041\024\304\103
```

```
\075\174\301\054\304\113\152\112\315\351\207\340\175\366\042\276
\372\112\121\270\060\212\375\341\336\030\022\012\366\107\267\347
\027\277\047\212\324\101\114\226\074\140\226\301\375\025\034\243
\102\060\100\060\035\006\003\125\035\016\004\026\004\024\322\112
\261\121\177\006\360\321\202\037\116\156\137\253\203\374\110\324
\260\221\060\017\006\003\125\035\023\001\001\377\004\005\060\003
\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\006\060\012\006\010\052\206\110\316\075\004\003\003\003
\150\000\060\145\002\060\032\274\133\327\376\251\322\124\016\112
\135\322\155\261\100\334\364\103\325\322\112\231\031\022\126\200
\367\203\064\341\065\116\110\155\004\017\127\061\060\060\055\261
\252\235\003\070\333\006\002\061\000\313\314\207\123\313\172\337
\040\121\163\220\300\250\133\141\320\305\120\071\375\205\376\301
\343\170\370\246\326\113\275\233\207\217\017\345\326\123\226\253
\074\310\100\332\141\367\123\243\367
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

Trust for "BJCA Global Root CA2"

Issuer: CN=BJCA Global Root CA2,O=BEIJING CERTIFICATE AUTHORITY,C=CN

Serial Number:2c:17:08:7d:64:2a:c0:fe:85:18:59:06:cf:b4:4a:eb

Subject: CN=BJCA Global Root CA2,O=BEIJING CERTIFICATE AUTHORITY,C=CN

Not Valid Before: Thu Dec 19 03:18:21 2019

Not Valid After : Mon Dec 12 03:18:21 2044

Fingerprint (SHA-256):

57:4D:F6:93:1E:27:80:39:66:7B:72:0A:FD:C1:60:0F:C2:7E:B6:6D:D3:09:29:79:FB:73:85:64:87:21:28:82

Fingerprint (SHA1): F4:27:86:EB:6E:B8:6D:88:31:67:02:FB:BA:66:A4:53:00:AA:7A:A6

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "BJCA Global Root CA2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\364\047\206\353\156\270\155\210\061\147\002\373\272\146\244\123
\000\252\172\246
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\136\012\366\107\137\246\024\350\021\001\225\077\115\001\353\074
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\062
```

```
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\054\027\010\175\144\052\300\376\205\030\131\006\317\264
\112\353
```

```
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

Found in path(s):

```
* /opt/cola/permits/1667253608_1683577718.267003/0/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/certdata.txt
```

No license file was found, but licenses were detected in source scan.

```
# * You may opt to use, copy, modify, merge, publish, distribute and/or sell
# * furnished to do so, under the terms of the COPYING file.
```

Found in path(s):

```
* /opt/cola/permits/1667253608_1683577718.267003/0/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/mk-ca-bundle.pl
```

No license file was found, but licenses were detected in source scan.

```
/* c_rehash.c - Create hash symlinks for certificates
* C implementation based on the original Perl and shell versions
*
* Copyright (c) 2013-2014 Timo Teräs <timo.teras@iki.fi>
* All rights reserved.
*
* This software is licensed under the MIT License.
* Full license available at: http://opensource.org/licenses/MIT
*/
```

Found in path(s):

```
* /opt/cola/permits/1667253608_1683577718.267003/0/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/c_rehash.c
```

1.50 zt 1.14

1.50.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
```

* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):

* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/AsiExtraField.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/ZipLong.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/ZipExtraField.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/ZipShort.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/ExtraFieldUtils.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/ZipConstants.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/UnrecognizedExtraField.java

No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/commons/FileExistsException.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/commons/IOUtils.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/commons/FileUtilsV2_2.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/commons/StringBuilderWriter.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/commons/FilenameUtils.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (C) 2012 ZeroTurnaround LLC <support@zeroturnaround.com>
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZTFileUtil.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ZipInfoCallback.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/NameMapper.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/FileSource.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ZipEntryUtil.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/timestamps/PreJava8TimestampStrategy.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/Zips.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/timestamps/TimestampStrategy.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ByteSource.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/timestamps/Java8TimestampStrategy.java
```

```
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ZipEntrySource.java
```

* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/IdentityNameMapper.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipUtil.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/timestamps/TimestampStrategyFactory.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipEntryCallback.java

1.51 xerces-j 2.12.2

1.51.1 Available under license :

Apache XML Commons Resolver
Copyright 2006 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the
public domain by Arbortext on 10 Apr 2000. See:
http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
=====

Apache Xalan (Xalan serializer)
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems.,
<http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation.,
<http://www.ibm.com>.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.52 gson 2.8.9

1.52.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 Google Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TreeTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/DateTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/ConstructorConstructor.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/UnsafeAllocator.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LazilyParsedNumber.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2018 The Gson authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/GsonBuildConfig.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/ArrayTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/JsonTreeReader.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/TypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/JsonReaderInternalAccess.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TypeAdapters.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/TypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/JsonTreeWriter.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonStreamParser.java

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/LongSerializationPolicy.java

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldAttributes.java

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParser.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright (C) 2008 Google Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/\$Gson\$Types.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 Google Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonElement.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonObject.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonArray.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingStrategy.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/SerializedName.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializationContext.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Excluder.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingPolicy.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/\$Gson\$Preconditions.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSerializationContext.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParseException.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/ObjectConstructor.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/Gson.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonIOException.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/reflect/TypeToken.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializer.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Expose.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Primitives.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/GsonBuilder.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSerializer.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Since.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonPrimitive.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/ExclusionStrategy.java

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Until.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/InstanceCreator.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonNull.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 The Android Open Source Project
* Copyright (C) 2012 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LinkedHashMap.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LinkedTreeMap.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/stream/JsonReader.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/stream/MalformedJsonException.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/stream/JsonScope.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/stream/JsonToken.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/stream/JsonWriter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2017 The Gson authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/reflect/PreJava9ReflectionAccessor.java
```

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/reflect/ReflectionAccessor.java
```

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/reflect/UnsafeReflectionAccessor.java
```

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/PreJava9DateFormatProvider.java
```

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/JavaVersion.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2021 Google Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/ToNumberPolicy.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/ToNumberStrategy.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/NumberTypeAdapter.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSyntaxException.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Streams.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (C) 2014 Google Inc.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java
- * /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/JsonAdapter.java

1.53 jackson-annotations 2.14.2

1.53.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Maven Wrapper Jar

Copyright 2016-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.54 commons-codec 1.15

1.54.1 Available under license :

Apache Commons Codec
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from <http://aspell.net/test/orig/batch0.tab>.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

=====

The content of package org.apache.commons.codec.language.bm has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.55 annotations 13.0

1.56 dagger 2.4

1.56.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DelegateFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/MapKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Component.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/InstanceFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SingleCheck.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Factory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapProviderFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Collections.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SetFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

* Copyright (C) 2007 Google Inc.
* Copyright (C) 2012 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Provides.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Multibindings.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/package-info.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/StringKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/LongKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Beta.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/ClassKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Subcomponent.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MembersInjectors.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Reusable.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/ProviderOfLazy.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Binds.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Preconditions.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DoubleCheck.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/ElementsIntoSet.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoMap.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/package-info.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoSet.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Module.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2012 Square, Inc.
 * Copyright (C) 2009 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/MembersInjector.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2012 Google, Inc.
 * Copyright (C) 2012 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
```

- *
 - * <http://www.apache.org/licenses/LICENSE-2.0>
 - *
 - * Unless required by applicable law or agreed to in writing, software
 - * distributed under the License is distributed on an "AS IS" BASIS,
 - * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 - * See the License for the specific language governing permissions and
 - * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Lazy.java

1.57 kotlin 1.4.20

1.57.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "file": "kotlin.js", "sources": [ "wrapper.js", "arrayUtils.js", "callableReferenceUtils.js", "conversions.js", "core.js", "long.js", "markerFunctions.js", "misc.js", "polyfills.js", "rtti.js", "runtime/arrayUtils.kt", "runtime/Enum.kt", "primitiveCompanionObjects.kt", "generated/_Arrays.kt", "generated/_Ranges.kt", "kotlin/UByte.kt", "kotlin/UInt.kt", "kotlin/UShort.kt", "Ranges.kt", "collections/Collections.kt", "collections/Maps.kt", "collections/Sets.kt", "text/StringNumberConversions.kt", "kotlin/UnsignedUtils.kt", "collections/Iterables.kt", "collections/Sequences.kt", "util/Preconditions.kt", "generated/_ArraysJs.kt", "comparisons/Comparisons.kt", "util/Standard.kt", "generated/_ComparisonsJs.kt", "kotlin/ULong.kt", "generated/_Collections.kt", "kotlin/collections.kt", "collections/Iterators.kt", "generated/_Comparisons.kt", "generated/_Maps.kt", "generated/_Sequences.kt", "generated/_Sets.kt", "generated/_Strings.kt", "text/Strings.kt", "kotlin/text/string.kt", "kotlin/UByteArray.kt", "kotlin/UIntArray.kt", "kotlin/ULongArray.kt", "kotlin/UShortArray.kt", "generated/_UArrays.kt", "generated/_UCollections.kt", "generated/_UComparisons.kt", "generated/_URanges.kt", "generated/_USequences.kt", "kotlin/ExceptionsH.kt", "kotlin/JsAnnotationsH.kt", "Collections.kt", "Iterators.kt", "ProgressionIterators.kt", "Progressions.kt", "Range.kt", "Unit.kt", "annotation/Annotations.kt", "internal/InternalAnnotations.kt", "internal/progressionUtil.kt", "kotlin/builtins.kt", "kotlin/jsTypeOf.kt", "kotlin/kotlin.kt", "kotlin/coroutines/CoroutineImpl.kt", "util/Result.kt", "coroutines/Continuation.kt", "kotlin/coroutines/intrinsics/IntrinsicsJs.kt", "kotlin/currentBEMisc.kt", "kotlin/exceptions.kt", "kotlin/jsOperators.kt", "kotlin/math_js-v1.kt", "kotlin/numbers_js-v1.kt", "kotlin/reflection_js-v1.kt", "kotlin/text/numberConversions_js-v1.kt", "generated/_CollectionsJs.kt", "generated/_StringsJs.kt", "generated/_UArraysJs.kt", "jquery/ui.kt", "kotlin/Comparator.kt", "kotlin/annotations.kt", "kotlin/annotationsJVM.kt", "kotlin/collections/AbstractMutableCollection.kt", "kotlin/collections/AbstractMutableList.kt", "kotlin/collections/AbstractMutableMap.kt", "kotlin/collections/AbstractMutableSet.kt", "kotlin/collections/ArrayList.kt", "kotlin/collections/ArraySorting.kt", "kotlin/collections/ArraysJs.kt", "kotlin/collections/EqualityComparator.kt", "kotlin/collections/HashMap.kt", "kotlin/collections/HashSet.kt", "kotlin/collections/InternalHashMap.kt", "kotlin/collections/InternalMap.kt", "kotlin/collections/InternalStringMap.kt", "kotlin/collections/LinkedHashMap.kt", "kotlin/collections/LinkedHashSet.kt", "kotlin/concurrent.kt", "kotlin/console.kt", "kotlin/coroutines/SafeContinuationJs.kt", "kotlin/coroutines/cancellation/CancellationException.kt", "kotlin/coroutines/js/internal/EmptyContinuation.kt", "kotlin/date.kt", "kotlin/dom/Builders.kt", "kotlin/dom/Classes.kt", "kotlin/dom/Dom.kt", "kotlin/dom/EventListener.kt", "kotlin/dom/ItemArrayLike.kt", "kotlin/dom/Mutations.kt", "kotlin/dynamic.kt", "kotlin/exceptionUtils.kt", "kotlin/grouping.kt", "collections/Grouping.kt", "kotlin/js.math.kt", "kotlin/json.kt", "kotlin/math.kt", "kotlin/numbers.kt", "kotlin/promise.kt", "kotlin/random/PlatformRandom.kt", "kotlin/reflect/AssociatedObjects.kt", "kotlin/reflect/JsClass.kt", "kotlin/reflect/KClassImpl.kt", "kotlin/reflect/KClassesImpl.kt", "kotlin/reflect/K
```

TypeHelpers.kt", "kotlin/reflect/KTypeImpl.kt", "kotlin/reflect/KTypeParameterImpl.kt", "kotlin/reflect/primitives.kt", "kotlin/reflect/reflection.kt", "kotlin/regexp.kt", "kotlin/sequence.kt", "kotlin/text/CharacterCodingExceptionJs.kt", "kotlin/text/StringBuilderJs.kt", "kotlin/text/char.kt", "kotlin/text/numberConversions.kt", "kotlin/text/regexp.kt", "kotlin/text/stringsCode.kt", "kotlin/text/utf8Encoding.kt", "kotlin/throwableExtensions.kt", "kotlin/time/DurationUnit.kt", "kotlin/time/MonoTimeSource.kt", "kotlin/time/formatToDecimals.kt", "kotlinx/dom/Builders.kt", "kotlinx/dom/Classes.kt", "text/regex/RegexExtensions.kt", "text/StringBuilder.kt", "kotlinx/dom/Dom.kt", "kotlinx/dom/Mutations.kt", "org.w3c/deprecated.kt", "org.w3c/org.khronos.webgl.kt", "org.w3c/org.w3c.dom.clipboard.kt", "org.w3c/org.w3c.dom.css.kt", "org.w3c/org.w3c.dom.encryptedmedia.kt", "org.w3c/org.w3c.dom.events.kt", "org.w3c/org.w3c.dom.kt", "org.w3c/org.w3c.fetch.kt", "org.w3c/org.w3c.dom.mediacapture.kt", "org.w3c/org.w3c.dom.mediasource.kt", "org.w3c/org.w3c.dom.pointerevents.kt", "org.w3c/org.w3c.dom.svg.kt", "org.w3c/org.w3c.files.kt", "org.w3c/org.w3c.notifications.kt", "org.w3c/org.w3c.workers.kt", "org.w3c/org.w3c.xhr.kt", "annotations/Experimental.kt", "annotations/ExperimentalStdlibApi.kt", "annotations/Inference.kt", "annotations/Multiplatform.kt", "annotations/OptIn.kt", "collections/AbstractCollection.kt", "collections/AbstractIterator.kt", "collections/AbstractList.kt", "collections/AbstractMap.kt", "collections/AbstractSet.kt", "collections/ArrayDeque.kt", "collections/Arrays.kt", "collections/IndexedValue.kt", "collections/MapAccessors.kt", "collections/MapWithDefault.kt", "collections/MutableCollections.kt", "collections/ReversedViews.kt", "collections/SequenceBuilder.kt", "collections/SlidingWindow.kt", "collections/UArraySorting.kt", "contracts/ContractBuilder.kt", "coroutines/ContinuationInterceptor.kt", "coroutines/CoroutineContext.kt", "coroutines/CoroutineContextImpl.kt", "coroutines/intrinsics/Intrinsics.kt", "experimental/bitwiseOperations.kt", "experimental/inferenceMarker.kt", "internal/Annotations.kt", "properties/Delegates.kt", "properties/Interfaces.kt", "properties/ObservableProperty.kt", "properties/PropertyReferenceDelegates.kt", "random/Random.kt", "random/URandom.kt", "random/XorWowRandom.kt", "ranges/Ranges.kt", "reflect/KClasses.kt", "reflect/KTypeProjection.kt", "reflect/KVariance.kt", "reflect/typeOf.kt", "text/Appendable.kt", "text/Char.kt", "text/Indent.kt", "text/Typography.kt", "text/regex/MatchResult.kt", "time/Duration.kt", "time/DurationUnit.kt", "time/ExperimentalTime.kt", "time/TimeSource.kt", "time/TimeSources.kt", "time/measureTime.kt", "util/DeepRecursive.kt", "util/HashCode.kt", "util/KotlinVersion.kt", "util/Lateinit.kt", "util/Lazy.kt", "util/Numbers.kt", "util/Suspend.kt", "util/Tuples.kt", "kotlin/UIntRange.kt", "kotlin/UITerators.kt", "kotlin/ULongRange.kt", "kotlin/UMath.kt", "kotlin/UNumbers.kt", "kotlin/UProgressionUtil.kt", "kotlin/UStrings.kt", "kotlin/annotations/Unsigned.kt", "kotlin/MathH.kt"], "sourcesContent": ["(function (root, factory) {\n if (typeof define === 'function' && define.amd) {\n define('kotlin', ['exports'], factory);\n }\n else if (typeof exports === 'object') {\n factory(module.exports);\n }\n else {\n root.kotlin = {};\n factory(root.kotlin);\n }\n})(this, function (Kotlin) {\n var _ = Kotlin;\n\n insertContent();\n});\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.isBooleanArray = function (a) {\n return (Array.isArray(a) || a instanceof Int8Array) && a.\$type\$ === \"BooleanArray\";\n};\n\nKotlin.isByteArray = function (a) {\n return a instanceof Int8Array && a.\$type\$!== \"BooleanArray\";\n};\n\nKotlin.isShortArray = function (a) {\n return a instanceof Int16Array;\n};\n\nKotlin.isCharArray = function (a) {\n return a instanceof Uint16Array && a.\$type\$ === \"CharArray\";\n};\n\nKotlin.isIntArray = function (a) {\n return a instanceof Int32Array;\n};\n\nKotlin.isFloatArray = function (a) {\n return a instanceof Float32Array;\n};\n\nKotlin.isDoubleArray = function (a) {\n return a instanceof Float64Array;\n};\n\nKotlin.isLongArray = function (a) {\n return Array.isArray(a) && a.\$type\$ === \"LongArray\";\n};\n\nKotlin.isArray = function (a) {\n return Array.isArray(a) && !a.\$type\$;\n};\n\nKotlin.isArrayish = function (a) {\n return Array.isArray(a) || ArrayBuffer.isView(a);\n};\n\nKotlin.arrayToString = function (a) {\n if (a === null) return \"null\";\n var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n return \"[\" + Array.prototype.map.call(a, function(e) { return toString(e); }).join(\", \") + \"]\";\n};\n\nKotlin.arrayDeepToString = function (arr) {\n return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals = function (a, b) {\n if (a === b) {\n return true;\n }\n if (a === null || b === null || !Kotlin.isArrayish(b) || a.length !== b.length) {\n return false;\n }\n for (var i = 0, n = a.length; i < n; i++) {\n if (!Kotlin.equals(a[i], b[i])) {\n return false;\n }\n }\n return true;\n};\n\nKotlin.arrayDeepEquals =

```

function (a, b) {\n  return Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode =
function (arr) {\n  if (arr === null) return 0\n  var result = 1;\n  for (var i = 0, n = arr.length; i < n; i++) {\n
result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) | 0;\n  }\n  return result;\n};\n\nKotlin.arrayDeepHashCode =
function (arr) {\n  return
Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort = function (array) {\n
array.sort(Kotlin.doubleCompareTo);\n};\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.getCallableRef = function(name, f) {\n  f.callableName = name;\n  return
f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n  getter.get = getter;\n
getter.set = setter;\n  getter.callableName = name;\n  return getPropertyRefClass(getter, setter,
propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n
obj.$metadata$ = getPropertyRefMetadata(typeof setter === "function" ? cache.mutable : cache.immutable);\n
obj.constructor = obj;\n  return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n  {\n    mutable: { value:
null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KMutableProperty0 }\n    },\n
immutable: { value: null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KProperty0 }\n
}\n  },\n  {\n    mutable: { value: null, implementedInterface: function () {\n      return
Kotlin.kotlin.reflect.KMutableProperty1 }\n    },\n    immutable: { value: null, implementedInterface: function
() {\n      return Kotlin.kotlin.reflect.KProperty1 }\n    }\n  };\n};\n\nfunction getPropertyRefMetadata(cache)
{\n  if (cache.value === null) {\n    cache.value = {\n      interfaces: [cache.implementedInterface()],\n
baseClass: null,\n      functions: {},\n      properties: {},\n      types: {},\n      staticMembers: {}\n
};\n  }\n  return cache.value;\n};\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.toShort = function (a) {\n  return (a & 0xFFFF) << 16 >>
16;\n};\n\nKotlin.toByte = function (a) {\n  return (a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n
return a & 0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n  return a instanceof Kotlin.Long ? a :
Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n  return a instanceof Kotlin.Long ?
a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n  return
Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n  return
Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n  return
+a;\n};\n\nKotlin.numberToChar = function (a) {\n  return
Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n  if (a > 2147483647) return
2147483647;\n  if (a < -2147483648) return -2147483648;\n  return a | 0;\n};\n\nKotlin.toBoxedChar = function
(a) {\n  if (a == null) return a;\n  if (a instanceof Kotlin.BoxedChar) return a;\n  return new
Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar = function(a) {\n  if (a == null) return a;\n  return
Kotlin.toChar(a);\n};\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n  if (obj1 == null) {\n    return obj2 ==
null;\n  }\n\n  if (obj2 == null) {\n    return false;\n  }\n\n  if (obj1 !== obj2) {\n    return obj2 !== obj2;\n
}\n\n  if (typeof obj1 === "object" && typeof obj1.equals === "function") {\n    return obj1.equals(obj2);\n
}\n\n  if (typeof obj1 === "number" && typeof obj2 === "number") {\n    return obj1 === obj2 && (obj1 !==
0 || 1 / obj1 === 1 / obj2)\n  }\n\n  return obj1 === obj2;\n};\n\nKotlin.hashCode = function (obj) {\n  if (obj ==
null) {\n    return 0;\n  }\n  var objType = typeof obj;\n  if ("object" === objType) {\n    return "function"
=== typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\n  }\n  if ("function" === objType) {\n
return getObjectHashCode(obj);\n  }\n  if ("number" === objType) {\n    return
Kotlin.numberHashCode(obj);\n  }\n  if ("boolean" === objType) {\n    return Number(obj)\n  }\n\n  var str
= String(obj);\n  return getStringHashCode(str);\n};\n\n\nKotlin.toString = function (o) {\n  if (o == null) {\n
return "null";\n  }\n  else if (Kotlin.isArrayish(o)) {\n    return "[...]";\n  }\n  else {\n    return
o.toString();\n  }\n};\n\n/** @const */\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol

```



```

type once we are on ES6.\n/** @const *\nvar OBJECT_HASH_CODE_PROPERTY_NAME =
\"kotlinHashCodeValue$\";\n\nfunction getObjectHashCode(obj) {\n  if
(! (OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n    var hash = (Math.random() * POW_2_32) | 0; //
Make 32-bit signed integer.\n    Object.defineProperty(obj, OBJECT_HASH_CODE_PROPERTY_NAME, {
value: hash, enumerable: false });\n  }\n  return
obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n  var hash = 0;\n
for (var i = 0; i < str.length; i++) {\n    var code = str.charCodeAt(i);\n    hash = (hash * 31 + code) | 0; // Keep
it 32-bit.\n  }\n  return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n\";/*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n * Copyright 2009 The Closure
Library Authors. All Rights Reserved.\n * \n * Licensed under the Apache License, Version 2.0 (the \"License\");\n
* you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n
* \n * http://www.apache.org/licenses/LICENSE-2.0\n * \n * Unless required by applicable law or agreed to in writing,
software\n * distributed under the License is distributed on an \"AS-IS\" BASIS,\n * WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied.\n * \n * Constructs a 64-bit two's-complement integer,
given its low and high 32-bit\n * values as *signed* integers. See the from* functions below for more\n *
convenient ways of constructing Longs.\n * \n * The internal representation of a long is the two given signed, 32-bit
values.\n * \n * We use 32-bit pieces because these are the size of integers on which\n * Javascript performs bit-
operations. For operations like addition and\n * multiplication, we split each number into 16-bit pieces, which can
easily be\n * multiplied within Javascript's floating-point representation without overflow\n * or change in sign.\n
* \n * In the algorithms below, we frequently reduce the negative case to the\n * positive case by negating the
input(s) and then post-processing the result.\n * Note that we must ALWAYS check specially whether those values
are MIN_VALUE\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since 2^63 cannot be represented as\n * a
positive number, it overflows back into a negative). Not handling this\n * case would often result in infinite
recursion.\n * \n * @param {number} low The low (signed) 32 bits of the long.\n * @param {number} high The
high (signed) 32 bits of the long.\n * @constructor\n * @final\n * \n * Kotlin.Long = function(low, high) {\n  /**\n
 * @type {number}\n  * @private\n  * \n  this.low_ = low | 0; // force into 32 signed bits.\n  \n  /**\n
 * @type
{number}\n  * @private\n  * \n  this.high_ = high | 0; // force into 32 signed bits.\n  };\n\nKotlin.Long.$metadata$ =
{\n  kind: \"class\", \n  simpleName: \"Long\", \n  interfaces: []\n};\n\n// NOTE: Common constant values
ZERO, ONE, NEG_ONE, etc. are defined below the\n // from* methods on which they depend.\n\n\n/**\n * A cache
of the Long representations of small integer values.\n * @type {!Object}\n * @private\n * \n * Kotlin.Long.IntCache_
= {};\n\n\n/**\n * Returns a Long representing the given (32-bit) integer value.\n * @param {number} value The
32-bit integer in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n * \n * Kotlin.Long.fromInt =
function(value) {\n  if (-128 <= value && value < 128) {\n    var cachedObj = Kotlin.Long.IntCache_[value];\n
    if (cachedObj) {\n      return cachedObj;\n    }\n  }\n  var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);\n
  if (-128 <= value && value < 128) {\n    Kotlin.Long.IntCache_[value] = obj;\n  }\n  return obj;\n};\n\n\n/**\n
 * Converts this number value to `Long`. \n * The fractional part, if any, is rounded down towards zero.\n * Returns
zero if this `Double` value is `NaN`, `Long.MIN_VALUE` if it's less than `Long.MIN_VALUE`, \n *
`Long.MAX_VALUE` if it's bigger than `Long.MAX_VALUE`. \n * @param {number} value The number in
question.\n * @return {!Kotlin.Long} The corresponding Long value.\n * \n * Kotlin.Long.fromNumber =
function(value) {\n  if (isNaN(value)) {\n    return Kotlin.Long.ZERO;\n  } else if (value <= -
Kotlin.Long.TWO_PWR_63_DBL_) {\n    return Kotlin.Long.MIN_VALUE;\n  } else if (value + 1 >=
Kotlin.Long.TWO_PWR_63_DBL_) {\n    return Kotlin.Long.MAX_VALUE;\n  } else if (value < 0) {\n    return
Kotlin.Long.fromNumber(-value).negate();\n  } else {\n    return new Kotlin.Long(\n      (value %
Kotlin.Long.TWO_PWR_32_DBL_) | 0, \n      (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);\n  }\n};\n\n\n/**\n
 * Returns a Long representing the 64-bit integer that comes by concatenating\n * the given high and
low bits. Each is assumed to use 32 bits.\n * @param {number} lowBits The low 32-bits.\n * @param {number}
highBits The high 32-bits.\n * @return {!Kotlin.Long} The corresponding Long value.\n * \n * Kotlin.Long.fromBits

```

```

= function(lowBits, highBits) {\n  return new Kotlin.Long(lowBits, highBits);\n};\n\n\n/**\n * Returns a Long
representation of the given string, written using the given\n * radix.\n * @param {string} str The textual
representation of the Long.\n * @param {number=} opt_radix The radix in which the text is written.\n * @return
{!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromString = function(str, opt_radix) {\n  if
(str.length == 0) {\n    throw Error('number format error: empty string');\n  }\n\n  var radix = opt_radix || 10;\n  if
(radix < 2 || 36 < radix) {\n    throw Error('radix out of range: ' + radix);\n  }\n\n  if (str.charAt(0) == '-') {\n    return
Kotlin.Long.fromString(str.substring(1), radix).negate();\n  } else if (str.indexOf('.') >= 0) {\n    throw Error('number
format error: interior \\'-\' character: ' + str);\n  }\n\n  // Do several (8) digits each time through the loop, so as to\n //
minimize the calls to the very expensive emulated div.\n  var radixToPower =
Kotlin.Long.fromNumber(Math.pow(radix, 8));\n  var result = Kotlin.Long.ZERO;\n  for (var i = 0; i < str.length;
i += 8) {\n    var size = Math.min(8, str.length - i);\n    var value = parseInt(str.substring(i, i + size), radix);\n    if
(size < 8) {\n      var power = Kotlin.Long.fromNumber(Math.pow(radix, size));\n      result =
result.multiply(power).add(Kotlin.Long.fromNumber(value));\n    } else {\n      result =
result.multiply(radixToPower);\n      result = result.add(Kotlin.Long.fromNumber(value));\n    }\n  }\n  return
result;\n};\n\n\n// NOTE: the compiler should inline these constant values below and then remove\n// these
variables, so there should be no runtime penalty for these.\n\n\n/**\n * Number used repeated below in calculations.
This must appear before the\n * first call to any from* function below.\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_32_DBL_ =\n  Kotlin.Long.TWO_PWR_16_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_31_DBL_ =\n  Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n\n/**\n * @type
{number}\n * @private\n */\nKotlin.Long.TWO_PWR_48_DBL_ =\n  Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_64_DBL_ =\n  Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_32_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_63_DBL_ =\n  Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n\n/** @type
{!Kotlin.Long} */\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n\n/** @type {!Kotlin.Long}
*/\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.NEG_ONE =
Kotlin.Long.fromInt(-1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.MAX_VALUE =\n  Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n/** @type {!Kotlin.Long}
*/\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n/**\n * @type {!Kotlin.Long}\n *
@private\n */\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1 << 24);\n\n\n/** @return {number} The
value, assuming it is a 32-bit integer. */\nKotlin.Long.prototype.toInt = function() {\n  return this.low_;\n};\n\n\n/**
@return {number} The closest floating-point representation to this value. */\nKotlin.Long.prototype.toNumber =
function() {\n  return this.high_ * Kotlin.Long.TWO_PWR_32_DBL_ +\n  this.getLowBitsUnsigned();\n};\n\n\n/** @return {number} The 32-bit hashCode of this value.
*/\nKotlin.Long.prototype.hashCode = function() {\n  return this.high_ ^ this.low_;\n};\n\n\n\n/**\n * @param
{number=} opt_radix The radix in which the text should be written.\n * @return {string} The textual representation
of this value.\n * @override\n */\nKotlin.Long.prototype.toString = function(opt_radix) {\n  var radix = opt_radix ||
10;\n  if (radix < 2 || 36 < radix) {\n    throw Error('radix out of range: ' + radix);\n  }\n\n  if (this.isZero()) {\n
return '0';\n  }\n\n  if (this.isNegative()) {\n    if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      // We need to
change the Long value before it can be negated, so we remove\n      // the bottom-most digit in this base and then
recurse to do the rest.\n      var radixLong = Kotlin.Long.fromNumber(radix);\n      var div = this.div(radixLong);\n
      var rem = div.multiply(radixLong).subtract(this);\n      return div.toString(radix) + rem.toInt().toString(radix);\n    }
else {\n      return '-' + this.negate().toString(radix);\n    }\n  }\n\n  // Do several (6) digits each time through the loop,
so as to\n // minimize the calls to the very expensive emulated div.\n  var radixToPower =
Kotlin.Long.fromNumber(Math.pow(radix, 6));\n  var rem = this;\n  var result = '';\n  while (true) {\n    var

```

```

remDiv = rem.div(radixToPower);\n  var intval = rem.subtract(remDiv.multiply(radixToPower)).toInt();\n  var
digits = intval.toString(radix);\n  rem = remDiv;\n  if (rem.isZero()) {\n    return digits + result;\n  } else {\n
  while (digits.length < 6) {\n    digits = '0' + digits;\n  }\n  result = " + digits + result;\n  }\n }\n};\n\n\n/**
@return {number} The high 32-bits as a signed value. *\nKotlin.Long.prototype.getHighBits = function() {\n
return this.high_;\n};\n\n\n/** @return {number} The low 32-bits as a signed value.
*\nKotlin.Long.prototype.getLowBits = function() {\n  return this.low_;\n};\n\n\n/** @return {number} The low
32-bits as an unsigned value. *\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n  return (this.low_ >=
0) ?\n    this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n\n/**\n * @return {number} Returns
the number of bits needed to represent the absolute\n *   value of this Long.\n
*\nKotlin.Long.prototype.getNumBitsAbs = function() {\n  if (this.isNegative()) {\n    if
(this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      return 64;\n    } else {\n      return
this.negate().getNumBitsAbs();\n    }\n  } else {\n    var val = this.high_ != 0 ? this.high_ : this.low_;\n
    for (var bit
= 31; bit > 0; bit--) {\n      if ((val & (1 << bit)) != 0) {\n        break;\n      }\n    }\n    return this.high_ != 0 ? bit + 33
: bit + 1;\n  }\n};\n\n\n/** @return {boolean} Whether this value is zero. *\nKotlin.Long.prototype.isZero =
function() {\n  return this.high_ == 0 && this.low_ == 0;\n};\n\n\n/** @return {boolean} Whether this value is
negative. *\nKotlin.Long.prototype.isNegative = function() {\n  return this.high_ < 0;\n};\n\n\n/** @return
{boolean} Whether this value is odd. *\nKotlin.Long.prototype.isOdd = function() {\n  return (this.low_ & 1) ==
1;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this
Long equals the other.\n *\nKotlin.Long.prototype.equalsLong = function(other) {\n  return (this.high_ ==
other.high_) && (this.low_ == other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare
against.\n * @return {boolean} Whether this Long does not equal the other.\n
*\nKotlin.Long.prototype.notEqualsLong = function(other) {\n  return (this.high_ != other.high_) || (this.low_ !=
other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean}
Whether this Long is less than the other.\n *\nKotlin.Long.prototype.lessThan = function(other) {\n  return
this.compare(other) < 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return
{boolean} Whether this Long is less than or equal to the other.\n *\nKotlin.Long.prototype.lessThanOrEqual =
function(other) {\n  return this.compare(other) <= 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to
compare against.\n * @return {boolean} Whether this Long is greater than the other.\n
*\nKotlin.Long.prototype.greaterThan = function(other) {\n  return this.compare(other) > 0;\n};\n\n\n/**\n *
@param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than or
equal to the other.\n *\nKotlin.Long.prototype.greaterThanOrEqual = function(other) {\n  return
this.compare(other) >= 0;\n};\n\n\n/**\n * @param {Kotlin.Long}
other Long to compare against.\n * @return {number} 0 if they are the same, 1 if the this is greater, and -1\n *   if
the given one is greater.\n *\nKotlin.Long.prototype.compare = function(other) {\n  if (this.equalsLong(other)) {\n
return 0;\n  }\n\n  var thisNeg = this.isNegative();\n  var otherNeg = other.isNegative();\n  if (thisNeg &&
!otherNeg) {\n    return -1;\n  }\n  if (!thisNeg && otherNeg) {\n    return 1;\n  }\n\n  // at this point, the signs are the
same, so subtraction will not overflow\n  if (this.subtract(other).isNegative()) {\n    return -1;\n  } else {\n    return
1;\n  }\n};\n\n\n/** @return {!Kotlin.Long} The negation of this value. *\nKotlin.Long.prototype.negate =
function() {\n  if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return Kotlin.Long.MIN_VALUE;\n  } else
{\n    return this.not().add(Kotlin.Long.ONE);\n  }\n};\n\n\n/**\n * Returns the sum of this and the given Long.\n
*\n * @param {Kotlin.Long} other Long to add to this one.\n * @return {!Kotlin.Long} The sum of this and the given
Long.\n *\nKotlin.Long.prototype.add = function(other) {\n  // Divide each number into 4 chunks of 16 bits, and
then sum the chunks.\n\n  var a48 = this.high_ >>> 16;\n  var a32 = this.high_ & 0xFFFF;\n  var a16 = this.low_
>>> 16;\n  var a00 = this.low_ & 0xFFFF;\n\n  var b48 = other.high_ >>> 16;\n  var b32 = other.high_ & 0xFFFF;\n
var b16 = other.low_ >>> 16;\n  var b00 = other.low_ & 0xFFFF;\n\n  var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n  c00
+= a00 + b00;\n  c16 += c00 >>> 16;\n  c00 &= 0xFFFF;\n  c16 += a16 + b16;\n  c32 += c16 >>> 16;\n  c16 &=
0xFFFF;\n  c32 += a32 + b32;\n  c48 += c32 >>> 16;\n  c32 &= 0xFFFF;\n  c48 += a48 + b48;\n  c48 &=
0xFFFF;\n  return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns the

```

```

difference of this and the given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return
{!Kotlin.Long} The difference of this and the given Long.\n */\nKotlin.Long.prototype.subtract = function(other)
{\n return this.add(other.negate());\n};\n\n/**\n * Returns the product of this and the given long.\n * @param
{Kotlin.Long} other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n
*/\nKotlin.Long.prototype.multiply = function(other) {\n if (this.isZero()) {\n return Kotlin.Long.ZERO;\n } else
if (other.isZero()) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n
return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return this.isOdd() ? Kotlin.Long.MIN_VALUE :
Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n if (other.isNegative()) {\n return
this.negate().multiply(other.negate());\n } else {\n return this.negate().multiply(other).negate();\n }\n } else if
(other.isNegative()) {\n return this.multiply(other.negate()).negate();\n }\n\n // If both longs are small, use float
multiplication\n if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n
other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n return Kotlin.Long.fromNumber(this.toNumber() *
other.toNumber());\n }\n\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n // We can
skip products that would overflow.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 =
this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ &
0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00
= 0;\n c00 += a00 * b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 * b00;\n c32 += c16 >>> 16;\n
c16 &= 0xFFFF;\n c16 += a00 * b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 * b00;\n c48 +=
c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a16 * b16;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a00 *
b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\n c48
&= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n/**\n * Returns this
Long divided by the given one.\n * @param {Kotlin.Long} other Long by which to divide.\n * @return
{!Kotlin.Long} This Long divided by the given one.\n */\nKotlin.Long.prototype.div = function(other) {\n if
(other.isZero()) {\n throw Error('division by zero');\n } else if (this.isZero()) {\n return Kotlin.Long.ZERO;\n
}\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n if (other.equalsLong(Kotlin.Long.ONE) ||\n
other.equalsLong(Kotlin.Long.NEG_ONE)) {\n return Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE
== MIN_VALUE\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ONE;\n
}\n } else {\n // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n var halfThis =
this.shiftRight(1);\n var approx = halfThis.div(other).shiftLeft(1);\n if
(approx.equalsLong(Kotlin.Long.ZERO)) {\n return other.isNegative() ? Kotlin.Long.ONE :
Kotlin.Long.NEG_ONE;\n } else {\n var rem = this.subtract(other.multiply(approx));\n var result =
approx.add(rem.div(other));\n return result;\n }\n }\n } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n
if (other.isNegative()) {\n return this.negate().div(other.negate());\n } else {\n return
this.negate().div(other).negate();\n }\n } else if (other.isNegative()) {\n return
this.div(other.negate()).negate();\n }\n\n // Repeat the following until the remainder is less than other: find a\n //
floating-point that approximates remainder / other *from below*, add this\n // into the result, and subtract it from
the remainder. It is critical that\n // the approximate value is less than or equal to the real value so that the\n //
remainder never becomes negative.\n var res = Kotlin.Long.ZERO;\n var rem = this;\n while
(rem.greaterThanOrEqualTo(other)) {\n // Approximate the result of division. This may be a little greater or\n //
smaller than the actual value.\n var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n\n
// We will tweak the approximate result by changing it in the 48-th digit or\n // the smallest non-fractional digit,
whichever is larger.\n var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n var delta = (log2 <= 48) ? 1 :
Math.pow(2, log2 - 48);\n // Decrease the approximation until it is smaller than the remainder. Note\n // that if
it is too large, the product overflows and is negative.\n var approxRes = Kotlin.Long.fromNumber(approx);\n
var approxRem = approxRes.multiply(other);\n while (approxRem.isNegative() || approxRem.greaterThan(rem))
{\n approx -= delta;\n approxRes = Kotlin.Long.fromNumber(approx);\n approxRem =

```

```

approxRes.multiply(other);\n } \n // We know the answer can't be zero... and actually, zero would cause\n //
infinite recursion since we would make no progress.\n if (approxRes.isZero()) {\n approxRes =
Kotlin.Long.ONE;\n } \n res = res.add(approxRes);\n rem = rem.subtract(approxRem);\n } \n return
res;\n};\n\n/**\n * Returns this Long modulo the given one.\n * @param {Kotlin.Long} other Long by which to
mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n */\nKotlin.Long.prototype.modulo =
function(other) {\n return this.subtract(this.div(other).multiply(other));\n};\n\n/**\n * @return {!Kotlin.Long} The
bitwise-NOT of this value. *\nKotlin.Long.prototype.not = function() {\n return Kotlin.Long.fromBits(~this.low_,
~this.high_);\n};\n\n/**\n * Returns the bitwise-AND of this Long and the given one.\n * @param {Kotlin.Long}
other The Long with which to AND.\n * @return {!Kotlin.Long} The bitwise-AND of this and the other.\n
*/\nKotlin.Long.prototype.and = function(other) {\n return Kotlin.Long.fromBits(this.low_ & other.low_,\n
this.high_ & other.high_);\n};\n\n/**\n * Returns the bitwise-OR of this Long and the given one.\n *
@param {Kotlin.Long} other The Long with which to OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and
the other.\n */\nKotlin.Long.prototype.or = function(other) {\n return Kotlin.Long.fromBits(this.low_ |
other.low_,\n this.high_ | other.high_);\n};\n\n/**\n * Returns the bitwise-XOR of this Long
and the given one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long}
The bitwise-XOR of this and the other.\n */\nKotlin.Long.prototype.xor = function(other) {\n return
Kotlin.Long.fromBits(this.low_ ^ other.low_,\n this.high_ ^ other.high_);\n};\n\n/**\n *
Returns this Long with bits shifted to the left by the given amount.\n * @param {number} numBits The number of
bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the left by the given amount.\n
*/\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return
this;\n } else {\n var low = this.low_;\n if (numBits < 32) {\n var high = this.high_;\n return
Kotlin.Long.fromBits(\n low << numBits,\n (high << numBits) | (low >>> (32 - numBits)));\n } else
{\n return Kotlin.Long.fromBits(0, low << (numBits - 32));\n } \n } \n};\n\n/**\n * Returns this Long with
bits shifted to the right by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n
* @return {!Kotlin.Long} This shifted to the right by the given amount.\n */\nKotlin.Long.prototype.shiftRight =
function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n
if (numBits < 32) {\n var low = this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high
<<< (32 - numBits)),\n high >> numBits);\n } else {\n return Kotlin.Long.fromBits(\n high >>
(numBits - 32),\n high >= 0 ? 0 : -1);\n } \n } \n};\n\n/**\n * Returns this Long with bits shifted to the right
by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number
of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\n *
zeros placed into the new leading bits.\n */\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n numBits
&= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n if (numBits < 32) {\n var
low = this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high <<< (32 - numBits)),\n
high >>> numBits);\n } else if (numBits == 32) {\n return Kotlin.Long.fromBits(high, 0);\n } else {\n
return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n } \n } \n};\n\n// Support for
Kotlin\nKotlin.Long.prototype.equals = function (other) {\n return other instanceof Kotlin.Long &&
this.equalsLong(other);\n};\n\nKotlin.Long.prototype.compareTo_11rb$ =
Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n return
this.add(Kotlin.Long.ONE);\n};\n\nKotlin.Long.prototype.dec = function() {\n return
this.add(Kotlin.Long.NEG_ONE);\n};\n\nKotlin.Long.prototype.valueOf = function() {\n return
this.toNumber();\n};\n\nKotlin.Long.prototype.unaryPlus = function() {\n return
this;\n};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\nKotlin.Long.prototype.inv =
Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n return new
Kotlin.kotlin.ranges.LongRange(this, other);\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n/**\n * @param {string} id\n * @param {Object} declaration\n
*/\nKotlin.defineModule = function (id, declaration) {\n};\n\nKotlin.defineInlineFunction = function(tag, fun) {\n

```

```

return fun;\n};\n\nKotlin.wrapFunction = function(fun) {\n  var f = function() {\n    f = fun();\n    return f.apply(this, arguments);\n  };\n  return function() {\n    return f.apply(this, arguments);\n  };\n};\n\nKotlin.isTypeOf = function(type) {\n  return function (object) {\n    return typeof object === type;\n  };\n};\n\nKotlin.isInstanceOf = function (klass) {\n  return function (object) {\n    return Kotlin.isType(object, klass);\n  };\n};\n\nKotlin.orNull = function (fn) {\n  return function (object) {\n    return object == null || fn(object);\n  };\n};\n\nKotlin.andPredicate = function (a, b) {\n  return function (object) {\n    return a(object) && b(object);\n  };\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data) {\n};\n\nKotlin.suspendCall = function(value) {\n  return value;\n};\n\nKotlin.coroutineResult = function(qualifier) {\n  throwMarkerError();\n};\n\nKotlin.coroutineController = function(qualifier) {\n  throwMarkerError();\n};\n\nKotlin.coroutineReceiver = function(qualifier) {\n  throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n  throwMarkerError();\n};\n\nKotlin.getReifiedTypeParameterKType = function(typeParameter) {\n  throwMarkerError();\n};\n\nfunction throwMarkerError() {\n  throw new Error("\n  \"This marker function should never be called. \" +\n    \"Looks like compiler did not eliminate it properly. \" +\n    \"Please, report an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById = function(id, defaultValue) {\n  return function() {\n    return defaultValue;\n  };\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.compareTo = function (a, b) {\n  var typeA = typeof a;\n  if (typeA === \"number\") {\n    if (typeof b === \"number\") {\n      return Kotlin.doubleCompareTo(a, b);\n    }\n    return Kotlin.primitiveCompareTo(a, b);\n  }\n  if (typeA === \"string\" || typeA === \"boolean\") {\n    return Kotlin.primitiveCompareTo(a, b);\n  }\n  return\n  a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function (a, b) {\n  return a < b ? -1 : a > b ? 1 : 0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n  if (a < b) return -1;\n  if (a > b) return 1;\n  if (a === b) {\n    if (a !== 0) return 0;\n    var ia = 1 / a;\n    return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n  }\n  return a !== a ? (b !== b ? 0 : 1) : -1;\n};\n\nKotlin.charInc = function (value) {\n  return Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n  return Kotlin.toChar(value-1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a, b) {\n  return ((a & 0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n(function() {\n  var buf = new ArrayBuffer(8);\n  var bufFloat64 = new Float64Array(buf);\n  var bufFloat32 = new Float32Array(buf);\n  var bufInt32 = new Int32Array(buf);\n  var lowIndex = 0;\n  var highIndex = 1;\n  bufFloat64[0] = -1; // bff00000_00000000\n  if (bufInt32[lowIndex] !== 0) {\n    lowIndex = 1;\n    highIndex = 0;\n  }\n\n  Kotlin.doubleToBits = function(value) {\n    return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n  };\n\n  Kotlin.doubleToRawBits = function(value) {\n    bufFloat64[0] = value;\n    return\n    Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n  };\n\n  Kotlin.doubleFromBits = function(value) {\n    bufInt32[lowIndex] = value.low_;\n    bufInt32[highIndex] = value.high_;\n    return bufFloat64[0];\n  };\n\n  Kotlin.floatToBits = function(value) {\n    return Kotlin.floatToRawBits(isNaN(value) ? NaN : value);\n  };\n\n  Kotlin.floatToRawBits = function(value) {\n    bufFloat32[0] = value;\n    return bufInt32[0];\n  };\n\n  Kotlin.floatFromBits = function(value) {\n    bufInt32[0] = value;\n    return bufFloat32[0];\n  };\n\n  // returns zero value for number with positive sign bit and non-zero value for number with negative sign bit.\n  Kotlin.doubleSignBit = function(value) {\n    bufFloat64[0] = value;\n    return bufInt32[highIndex] & 0x80000000;\n  };\n\n  Kotlin.numberHashCode = function(obj) {\n    if ((obj | 0) === obj) {\n      return obj | 0;\n    } else {\n      bufFloat64[0] = obj;\n      return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] | 0;\n    }\n  };\n\n  Kotlin.ensureNotNull = function(x) {\n    return x != null ? x : Kotlin.throwNPE();\n  };\n\n  /*\n   * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n   * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n   */\n\n  nif (typeof String.prototype.startsWith === \"undefined\") {\n    Object.defineProperty(String.prototype, \"startsWith\", {\n      value: function (searchString, position) {\n        position = position || 0;\n        return this.lastIndexOf(searchString, position) === position;\n      }\n    });\n  }\n\n}

```

```

(typeof String.prototype.endsWith === "undefined") {\n  Object.defineProperty(String.prototype, "endsWith",
{\n    value: function (searchString, position) {\n      var subjectString = this.toString();\n      if (position
=== undefined || position > subjectString.length) {\n        position = subjectString.length;\n      }\n      position -= searchString.length;\n      var lastIndex = subjectString.indexOf(searchString, position);\n      return lastIndex !== -1 && lastIndex === position;\n    }\n  });\n}\n\n// ES6 Math polyfills\nif (typeof Math.sign
=== "undefined") {\n  Math.sign = function(x) {\n    x = +x; // convert to a number\n    if (x === 0 ||
isNaN(x)) {\n      return Number(x);\n    }\n    return x > 0 ? 1 : -1;\n  };}\n\nif (typeof Math.trunc ===
"undefined") {\n  Math.trunc = function(x) {\n    if (isNaN(x)) {\n      return NaN;\n    }\n    if (x > 0)
{\n      return Math.floor(x);\n    }\n    return Math.ceil(x);\n  };}\n}\n\n(function() {\n  var epsilon =
2.220446049250313E-16;\n  var taylor_2_bound = Math.sqrt(epsilon);\n  var taylor_n_bound =
Math.sqrt(taylor_2_bound);\n  var upper_taylor_2_bound = 1/taylor_2_bound;\n  var upper_taylor_n_bound =
1/taylor_n_bound;\n\n  if (typeof Math.sinh === "undefined") {\n    Math.sinh = function(x) {\n      if
(Math.abs(x) < taylor_n_bound) {\n        var result = x;\n        if (Math.abs(x) > taylor_2_bound) {\n
          result += (x * x * x) / 6;\n        }\n        return result;\n      } else {\n        var y =
Math.exp(x);\n        var y1 = 1 / y;\n        if (!isFinite(y)) return Math.exp(x - Math.LN2);\n        if
(!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n        return (y - y1) / 2;\n      }\n    };}\n\n  if
(typeof Math.cosh === "undefined") {\n    Math.cosh = function(x) {\n      var y = Math.exp(x);\n      var
y1 = 1 / y;\n      if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) - Math.LN2);\n      return (y +
y1) / 2;\n    };}\n\n  if (typeof Math.tanh === "undefined") {\n    Math.tanh = function(x){\n      if
(Math.abs(x) < taylor_n_bound) {\n        var result = x;\n        if (Math.abs(x) > taylor_2_bound) {\n
          result -= (x * x * x) / 3;\n        }\n        return result;\n      }\n      else {\n        var a =
Math.exp(+x), b = Math.exp(-x);\n        return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n
      }\n    };}\n\n  // Inverse hyperbolic function implementations derived from boost special math functions,\n
// Copyright Eric Ford & Hubert Holin 2001.\n\n  if (typeof Math.asinh === "undefined") {\n    var asinh =
function(x) {\n      if (x >= +taylor_n_bound)\n        {\n          if (x > upper_taylor_n_bound)\n            {\n              // approximation by laurent series in
1/x at 0+ order from -1 to 0\n              return Math.log(x) + Math.LN2;\n            }\n            else\n              {\n                // approximation by laurent series in 1/x at 0+ order from -1 to 1\n                return
Math.log(x * 2 + (1 / (x * 2)));\n              }\n            }\n          else\n            {\n              return
Math.log(x + Math.sqrt(x * x + 1));\n            }\n          else if (x <= -taylor_n_bound)\n            {\n              return -asinh(-x);\n            }\n          else\n            {\n              // approximation by taylor series in x at 0 up to
order 2\n              var result = x;\n              if (Math.abs(x) >= taylor_2_bound)\n                {\n                  var x3 =
x * x * x;\n                  // approximation by taylor series in x at 0 up to order 4\n                  result -= x3 / 6;\n                }\n              return result;\n            }\n          };}\n    Math.asinh = asinh;\n  }\n\n  if (typeof Math.acosh ===
"undefined") {\n    Math.acosh = function(x) {\n      if (x < 1)\n        {\n          return NaN;\n        }\n      else if (x - 1 >= taylor_n_bound)\n        {\n          if (x > upper_taylor_2_bound)\n            {\n              // approximation by laurent series in 1/x at 0+ order from -1 to 0\n              return Math.log(x) + Math.LN2;\n            }\n            else\n              {\n                return Math.log(x + Math.sqrt(x * x - 1));\n              }\n            }\n          else\n            {\n              var y = Math.sqrt(x - 1);\n              // approximation by taylor series in y at 0
up to order 2\n              var result = y;\n              if (y >= taylor_2_bound)\n                {\n                  var y3 = y *
y * y;\n                  // approximation by taylor series in y at 0 up to order 4\n                  result -= y3 / 12;\n                }\n              return Math.sqrt(2) * result;\n            }\n          };}\n    }\n\n  if (typeof Math.atanh === "undefined")
{\n    Math.atanh = function(x) {\n      if (Math.abs(x) < taylor_n_bound) {\n        var result = x;\n        if
(Math.abs(x) > taylor_2_bound) {\n          result += (x * x * x) / 3;\n        }\n        return result;\n      }\n      return Math.log((1 + x) / (1 - x)) / 2;\n    };}\n\n  if (typeof Math.log1p === "undefined") {\n    Math.log1p = function(x) {\n      if (Math.abs(x) < taylor_n_bound) {\n        var x2 = x * x;\n        var x3 = x2 * x;\n        var x4 = x3 * x;\n        // approximation by taylor series in x at 0 up to order 4\n        return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n      }\n      return Math.log(x + 1);\n    };}\n\n  if (typeof

```

```

Math.expm1 === \"undefined\") {\n      Math.expm1 = function(x) {\n          if (Math.abs(x) < taylor_n_bound)
{\n          var x2 = x * x;\n          var x3 = x2 * x;\n          var x4 = x3 * x;\n          // approximation by
taylor series in x at 0 up to order 4\n          return (x4 / 24 + x3 / 6 + x2 / 2 + x);\n          }\n          return
Math.exp(x) - 1;\n      };\n  }\n})();\n\nif (typeof Math.hypot === \"undefined\") {\n  Math.hypot = function() {\n
var y = 0;\n  var length = arguments.length;\n  for (var i = 0; i < length; i++) {\n    if (arguments[i]
=== Infinity || arguments[i] === -Infinity) {\n      return Infinity;\n    }\n    y += arguments[i] *
arguments[i];\n  }\n  return Math.sqrt(y);\n  };\n}\n\nif (typeof Math.log10 === \"undefined\") {\n
Math.log10 = function(x) {\n  return Math.log(x) * Math.LOG10E;\n  };\n}\n\nif (typeof Math.log2 ===
\"undefined\") {\n  Math.log2 = function(x) {\n  return Math.log(x) * Math.LOG2E;\n  };\n}\n\nif (typeof
Math.clz32 === \"undefined\") {\n  Math.clz32 = (function(log, LN2) {\n  return function(x) {\n    var
asUint = x >>> 0;\n    if (asUint === 0) {\n      return 32;\n    }\n    return 31 - (log(asUint) /
LN2 | 0) | 0; // the \"| 0\" acts like math.floor\n  };\n  })(Math.log, Math.LN2);\n}\n\n\n// For HtmlUnit and
PhantomJs\n\nif (typeof ArrayBuffer.isView === \"undefined\") {\n  ArrayBuffer.isView = function(a) {\n
return a != null && a.__proto__ != null && a.__proto__.__proto__ === Int8Array.prototype.__proto__;\n
};\n}\n\n\nif (typeof Array.prototype.fill === \"undefined\") {\n  // Polyfill from https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/Array/fill#Polyfill\n  Object.defineProperty(Array.prototype,
'fill', {\n    value: function (value) {\n\n      // Steps 1-2.\n      if (this == null) {\n        throw new
TypeError('this is null or not defined');\n      }\n      var O = Object(this);\n      // Steps 3-5.\n
var len = O.length >>> 0;\n      // Steps 6-7.\n      var start = arguments[1];\n      var relativeStart = start
>> 0;\n      // Step 8.\n      var k = relativeStart < 0 ?\n        Math.max(len + relativeStart, 0) :\n        Math.min(relativeStart, len);\n      // Steps 9-10.\n      var end = arguments[2];\n      var
relativeEnd = end === undefined ?\n        len : end >> 0;\n      // Step 11.\n      var finalValue
= relativeEnd < 0 ?\n        Math.max(len + relativeEnd, 0) :\n        Math.min(relativeEnd,
len);\n      // Step 12.\n      while (k < finalValue) {\n        O[k] = value;\n        k++;\n      }\n      // Step 13.\n      return O;\n    };\n  });\n}\n\n\n(function() {\n  function normalizeOffset(offset, length)
{\n    if (offset < 0) return Math.max(0, offset + length);\n    return Math.min(offset, length);\n  }\n  function
typedArraySlice(begin, end) {\n    if (typeof end === \"undefined\") {\n      end = this.length;\n    }\n    begin =
normalizeOffset(begin || 0, this.length);\n    end = Math.max(begin, normalizeOffset(end, this.length));\n
return new this.constructor(this.subarray(begin, end));\n  }\n\n  var arrays = [Int8Array, Int16Array,
Uint16Array, Int32Array, Float32Array, Float64Array];\n  for (var i = 0; i < arrays.length; ++i) {\n    var
TypedArray = arrays[i];\n    if (typeof TypedArray.prototype.fill === \"undefined\") {\n
Object.defineProperty(TypedArray.prototype, 'fill', {\n      value: Array.prototype.fill\n    });\n  }\n  if (typeof TypedArray.prototype.slice === \"undefined\") {\n    Object.defineProperty(TypedArray.prototype,
'slice', {\n      value: typedArraySlice\n    });\n  }\n}\n\n\n// Patch apply to work with TypedArrays
if needed.\n  try {\n    (function() {}).apply(null, new Int32Array(0))\n  } catch (e) {\n    var apply =
Function.prototype.apply;\n    Object.defineProperty(Function.prototype, 'apply', {\n      value: function(self,
array) {\n        return apply.call(this, self, [].slice.call(array));\n      }\n    });\n  }\n\n\n// Patch map to
work with TypedArrays if needed.\n  for (var i = 0; i < arrays.length; ++i) {\n    var TypedArray = arrays[i];\n
if (typeof TypedArray.prototype.map === \"undefined\") {\n      Object.defineProperty(TypedArray.prototype,
'map', {\n        value: function(callback, self) {\n          return [].slice.call(this).map(callback, self);\n
        }\n      });\n    }\n  }\n\n\n// Patch sort to work with TypedArrays if needed.\n  // TODO: consider to
remove following function and replace it with `Kotlin.doubleCompareTo` (see misc.js)\n  var
totalOrderComparator = function (a, b) {\n    if (a < b) return -1;\n    if (a > b) return 1;\n\n    if (a === b) {\n
if (a !== 0) return 0;\n    var ia = 1 / a;\n    return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n    }\n\n    return a !== a ? (b !== b ? 0 : 1) : -1\n  };\n\n  for (var i = 0; i < arrays.length; ++i) {\n    var TypedArray =
arrays[i];\n    if (typeof TypedArray.prototype.sort === \"undefined\") {\n
Object.defineProperty(TypedArray.prototype, 'sort', {\n      value: function(compareFunction) {\n
return Array.prototype.sort.call(this, compareFunction || totalOrderComparator);\n      }\n    });\n  }\n}

```



```

})\n});\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\nKotlin.Kind = {\n  CLASS: \"class\", \n  INTERFACE: \"interface\", \n  OBJECT:
\"object\"\n};\n\nKotlin.callGetter = function (thisObject, klass, propertyName) {\n  var propertyDescriptor =
Object.getOwnPropertyDescriptor(klass, propertyName);\n  if (propertyDescriptor != null &&
propertyDescriptor.get != null) {\n    return propertyDescriptor.get.call(thisObject);\n  }\n  propertyDescriptor
= Object.getOwnPropertyDescriptor(thisObject, propertyName);\n  if (propertyDescriptor != null && \"value\" in
propertyDescriptor) {\n    return thisObject[propertyName];\n  }\n  return Kotlin.callGetter(thisObject,
Object.getPrototypeOf(klass), propertyName);\n};\n\nKotlin.callSetter = function (thisObject, klass, propertyName,
value) {\n  var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n  if
(propertyDescriptor != null && propertyDescriptor.set != null) {\n    propertyDescriptor.set.call(thisObject,
value);\n    return;\n  }\n  propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject,
propertyName);\n  if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n
thisObject[propertyName] = value;\n  return\n  }\n  Kotlin.callSetter(thisObject,
Object.getPrototypeOf(klass), propertyName, value);\n};\n\nfunction isInheritanceFromInterface(ctor, iface) {\n
if (ctor === iface) return true;\n  var metadata = ctor.$metadata$;\n  if (metadata != null) {\n    var interfaces =
metadata.interfaces;\n    for (var i = 0; i < interfaces.length; i++) {\n      if
(isInheritanceFromInterface(interfaces[i], iface)) {\n        return true;\n      }\n    }\n  }\n  var
superPrototype = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n  var superConstructor =
superPrototype != null ? superPrototype.constructor : null;\n  return superConstructor != null &&
isInheritanceFromInterface(superConstructor, iface);\n}\n\n/**\n * @param {*} object\n * @param
{Function|Object} klass\n * @returns {Boolean}\n */\nKotlin.isType = function (object, klass) {\n  if (klass ===
Object) {\n    switch (typeof object) {\n      case \"string\":\n      case \"number\":\n      case
\"boolean\":\n      case \"function\":\n        return true;\n      default:\n        return object instanceof
Object;\n    }\n  }\n  if (object == null || klass == null || (typeof object !== 'object' && typeof object !==
'function')) {\n    return false;\n  }\n  if (typeof klass === \"function\" && object instanceof klass) {\n
return true;\n  }\n  var proto = Object.getPrototypeOf(klass);\n  var constructor = proto != null ?
proto.constructor : null;\n  if (constructor != null && \"$metadata$\" in constructor) {\n    var metadata =
constructor.$metadata$;\n    if (metadata.kind === Kotlin.Kind.OBJECT) {\n      return object === klass;\n    }\n  }\n  var classMetadata = klass.$metadata$;\n  // In WebKit (JavaScriptCore) for some interfaces from
DOM typeof returns \"object\", nevertheless they can be used in RHS of instanceof\n  if (classMetadata == null) {\n
return object instanceof klass;\n  }\n  if (classMetadata.kind === Kotlin.Kind.INTERFACE &&
object.constructor != null) {\n    return isInheritanceFromInterface(object.constructor, klass);\n  }\n  return
false;\n};\n\nKotlin.isNumber = function (a) {\n  return typeof a == \"number\" || a instanceof
Kotlin.Long;\n};\n\nKotlin.isChar = function (value) {\n  return value instanceof
Kotlin.BoxedChar;\n};\n\nKotlin.isComparable = function (value) {\n  var type = typeof value;\n  return type
=== \"string\" ||\n    type === \"boolean\" ||\n    Kotlin.isNumber(value) ||\n    Kotlin.isType(value,
Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n  return typeof value === \"string\"
|| Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};\n\n"/\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file. \n * \n // a package is omitted to get declarations directly under the
module\n\n@PublishedApi\nexternal fun <T> Array(size: Int): Array<T>\n\n@JsName(\"newArray\")\nfun
<T> newArray(size: Int, initialValue: T) = fillArrayVal(Array<T>(size),
initialValue)\n\n@JsName(\"newArrayF\")\ninline fun <T> arrayWithFun(size: Int, init: (Int) -> T) =
fillArrayFun(Array<T>(size), init)\n\n@JsName(\"fillArray\")\ninline fun <T> fillArrayFun(array: Array<T>, init:
(Int) -> T): Array<T> {\n  for (i in 0..array.size - 1) {\n    array[i] = init(i)\n  }\n  return
array\n}\n\n@JsName(\"booleanArray\")\nfun booleanArray(size: Int, init: dynamic): Array<Boolean> {\n  val
result: dynamic = Array<Boolean>(size)\n  result.$type$ = \"BooleanArray\"\n  return when (init) {\n    null,

```

```

true -> fillArrayVal(result, false)\n    false -> result\n    else -> fillArrayFun<Boolean>(result, init)\n
}\n}\n\n@JsName("booleanArrayF")\ninline fun booleanArrayWithFun(size: Int, init: (Int) -> Boolean):
Array<Boolean> = fillArrayFun(booleanArray(size, false),
init)\n\n@JsName("charArray")\n@Suppress("UNUSED_PARAMETER")\nfun charArray(size: Int, init:
dynamic): Array<Char> {\n    val result = js("new Uint16Array(size)")\n    result.`$type$` = "CharArray"\n
return when (init) {\n    null, true, false -> result // For consistency\n    else -> fillArrayFun<Char>(result,
init)\n    }\n}\n}\n\n@JsName("charArrayF")\ninline fun charArrayWithFun(size: Int, init: (Int) -> Char):
Array<Char> {\n    val array = charArray(size, null)\n    for (i in 0..array.size - 1) {\n
@Suppress("UNUSED_VARIABLE") // used in js block\n        val value = init(i)\n        js("array[i] = value;")\n
}\n    return array\n}\n}\n\n@JsName("untypedCharArrayF")\ninline fun untypedCharArrayWithFun(size: Int, init:
(Int) -> Char): Array<Char> {\n    val array = Array<Char>(size)\n    for (i in 0..array.size - 1) {\n
@Suppress("UNUSED_VARIABLE") // used in js block\n        val value = init(i)\n        js("array[i] = value;")\n
}\n    return array\n}\n}\n\n@JsName("longArray")\nfun longArray(size: Int, init: dynamic): Array<Long> {\n    val
result: dynamic = Array<Long>(size)\n    result.`$type$` = "LongArray"\n    return when (init) {\n    null, true ->
fillArrayVal(result, 0L)\n    false -> result\n    else -> fillArrayFun<Long>(result, init)\n
}\n}\n}\n\n@JsName("longArrayF")\ninline fun longArrayWithFun(size: Int, init: (Int) -> Long): Array<Long> =
fillArrayFun(longArray(size, false), init)\n\nprivate fun <T> fillArrayVal(array: Array<T>, initialValue: T): Array<T>
{\n    for (i in 0..array.size - 1) {\n        array[i] = initialValue\n    }\n    return array\n}", "/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class
Enum<T> : Enum<T>> : Comparable<Enum<T>> {\n    @JsName("name$") private var _name: String = ""\n
@JsName("ordinal$") private var _ordinal: Int = 0\n    val name: String\n        get() = _name\n    val ordinal:
Int\n        get() = _ordinal\n    override fun compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n
override fun equals(other: Any?) = this === other\n    override fun hashCode(): Int =
js("Kotlin.identityHashCode")(this)\n    override fun toString() = name\n    companion object\n}", null, "/*\n *
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage
kotlin.collections\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component1(): T
{\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1,
throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1(): Byte {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component1(): Short {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n    return

```

get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1(): Boolean {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1(): Char {\n    return
get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2(): Long {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component2(): Float {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2(): Double {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2(): Boolean {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n    return
get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3(): Short {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n    return

```

`get(2)`\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long` {\n return `get(2)`\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float` {\n return `get(2)`\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double` {\n return `get(2)`\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean` {\n return `get(2)`\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char` {\n return `get(2)`\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component4(): T` {\n return `get(3)`\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte` {\n return `get(3)`\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short` {\n return `get(3)`\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int` {\n return `get(3)`\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long` {\n return `get(3)`\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float` {\n return `get(3)`\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double` {\n return `get(3)`\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean` {\n return `get(3)`\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char` {\n return `get(3)`\n\n**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T` {\n return `get(4)`\n\n**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS\n * where the behavior is unspecified.\n

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte` {\n return

`get(4)` Returns 5th element from the array. If the size of this array is less than 5, throws an `IndexOutOfBoundsException` except in Kotlin/JS where the behavior is unspecified.

```

@kotlin.internal.InlineOnly
public inline operator fun ShortArray.component5(): Short {
    return get(4)
}

```

`get(4)` Returns 5th element from the array. If the size of this array is less than 5, throws an `IndexOutOfBoundsException` except in Kotlin/JS where the behavior is unspecified.

```

@kotlin.internal.InlineOnly
public inline operator fun IntArray.component5(): Int {
    return get(4)
}

```

`get(4)` Returns 5th element from the array. If the size of this array is less than 5, throws an `IndexOutOfBoundsException` except in Kotlin/JS where the behavior is unspecified.

```

@kotlin.internal.InlineOnly
public inline operator fun LongArray.component5(): Long {
    return get(4)
}

```

`get(4)` Returns 5th element from the array. If the size of this array is less than 5, throws an `IndexOutOfBoundsException` except in Kotlin/JS where the behavior is unspecified.

```

@kotlin.internal.InlineOnly
public inline operator fun FloatArray.component5(): Float {
    return get(4)
}

```

`get(4)` Returns 5th element from the array. If the size of this array is less than 5, throws an `IndexOutOfBoundsException` except in Kotlin/JS where the behavior is unspecified.

```

@kotlin.internal.InlineOnly
public inline operator fun DoubleArray.component5(): Double {
    return get(4)
}

```

`get(4)` Returns 5th element from the array. If the size of this array is less than 5, throws an `IndexOutOfBoundsException` except in Kotlin/JS where the behavior is unspecified.

```

@kotlin.internal.InlineOnly
public inline operator fun BooleanArray.component5(): Boolean {
    return get(4)
}

```

`get(4)` Returns 5th element from the array. If the size of this array is less than 5, throws an `IndexOutOfBoundsException` except in Kotlin/JS where the behavior is unspecified.

```

@kotlin.internal.InlineOnly
public inline operator fun CharArray.component5(): Char {
    return get(4)
}

```

`contains(element)` Returns true if [element] is found in the array.

```

@kotlin.internal.OnlyInputTypes T
Array<out T>.contains(element: T): Boolean {
    return indexOf(element) >= 0
}

```

`contains(element)` Returns true if [element] is found in the array.

```

public operator fun
ByteArray.contains(element: Byte): Boolean {
    return indexOf(element) >= 0
}

```

`contains(element)` Returns true if [element] is found in the array.

```

public operator fun
ShortArray.contains(element: Short): Boolean {
    return indexOf(element) >= 0
}

```

`contains(element)` Returns true if [element] is found in the array.

```

public operator fun
IntArray.contains(element: Int): Boolean {
    return indexOf(element) >= 0
}

```

`contains(element)` Returns true if [element] is found in the array.

```

public operator fun
LongArray.contains(element: Long): Boolean {
    return indexOf(element) >= 0
}

```

`contains(element)` Returns true if [element] is found in the array.

```

@Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it == element }' instead to continue using this behavior, or 'asList().contains(element: T)' to get the same search behavior as in a list.", ReplaceWith("any { it == element }"))
@DeprecatedSinceKotlin(warningSince = "1.4")
@Suppress("DEPRECATION")
public operator fun
FloatArray.contains(element: Float): Boolean {
    return indexOf(element) >= 0
}

```

`contains(element)` Returns true if [element] is found in the array.

```

@Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it == element }' instead to continue using this behavior, or 'asList().contains(element: T)' to get the same search behavior as in a list.", ReplaceWith("any { it == element }"))
@DeprecatedSinceKotlin(warningSince = "1.4")
@Suppress("DEPRECATION")
public operator fun
DoubleArray.contains(element: Double): Boolean {
    return indexOf(element) >= 0
}

```

`contains(element)` Returns true if [element] is found in the array.

```

public operator fun
BooleanArray.contains(element: Boolean): Boolean {
    return indexOf(element) >= 0
}

```

`contains(element)` Returns true if [element] is found in the array.

```

public operator fun
CharArray.contains(element: Char): Boolean {
    return indexOf(element) >= 0
}

```

`elementAt(index)` Returns an element at the given [index] or throws an `IndexOutOfBoundsException` if the [index] is out of bounds of this array.

```

@sample samples.collections.Collections.Elements.elementAt
public expect fun <T>
Array<out T>.elementAt(index: Int): T

```

`elementAt(index)` Returns an element at the given [index] or throws an `IndexOutOfBoundsException` if the [index] is out of bounds of this array.

```

@sample
samples.collections.Collections.Elements.elementAt
public expect fun
ByteArray.elementAt(index: Int):

```

Byte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ShortArray.elementAt(index: Int): Short\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun IntArray.elementAt(index: Int): Int\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun LongArray.elementAt(index: Int): Long\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun FloatArray.elementAt(index: Int): Float\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun DoubleArray.elementAt(index: Int): Double\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun BooleanArray.elementAt(index: Int): Boolean\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharArray.elementAt(index: Int): Char\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun

```

BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n    return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.elementAtOrNull(index: Int): T? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.elementAtOrNull(index: Int): Byte? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.elementAtOrNull(index: Int): Short? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.elementAtOrNull(index: Int): Int? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.elementAtOrNull(index: Int): Long? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.elementAtOrNull(index: Int): Float? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.elementAtOrNull(index: Int): Double? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.elementAtOrNull(index: Int): Boolean? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.elementAtOrNull(index: Int): Char? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.find(predicate: (T) -> Boolean): T? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.find(predicate: (Short) -> Boolean): Short? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.find(predicate: (Int) -> Boolean): Int? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.find(predicate: (Long) -> Boolean): Long? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the

```

first element matching the given [predicate], or `null` if no such element was found.

```

samples.collections.Collections.Elements.find
FloatArray.find(predicate: (Float) -> Boolean): Float? {
    return firstOrNull(predicate)
}
Returns the first element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.find
DoubleArray.find(predicate: (Double) -> Boolean): Double? {
    return firstOrNull(predicate)
}
Returns the first element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.find
BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean? {
    return firstOrNull(predicate)
}
Returns the first element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.find
CharArray.find(predicate: (Char) -> Boolean): Char? {
    return firstOrNull(predicate)
}
Returns the last element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.findLast
Array<out T>.findLast(predicate: (T) -> Boolean): T? {
    return lastOrNull(predicate)
}
Returns the last element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.findLast
ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {
    return lastOrNull(predicate)
}
Returns the last element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.findLast
ShortArray.findLast(predicate: (Short) -> Boolean): Short? {
    return lastOrNull(predicate)
}
Returns the last element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.findLast
IntArray.findLast(predicate: (Int) -> Boolean): Int? {
    return lastOrNull(predicate)
}
Returns the last element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.findLast
LongArray.findLast(predicate: (Long) -> Boolean): Long? {
    return lastOrNull(predicate)
}
Returns the last element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.findLast
FloatArray.findLast(predicate: (Float) -> Boolean): Float? {
    return lastOrNull(predicate)
}
Returns the last element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.findLast
DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {
    return lastOrNull(predicate)
}
Returns the last element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.findLast
BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {
    return lastOrNull(predicate)
}
Returns the last element matching the given [predicate], or `null` if no such element was found.
samples.collections.Collections.Elements.findLast
CharArray.findLast(predicate: (Char) -> Boolean): Char? {
    return lastOrNull(predicate)
}
Returns first element.
@throws [NoSuchElementException] if the array is empty.
public fun <T> Array<out T>.first(): T {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[0]
}
Returns first element.
@throws [NoSuchElementException] if the array is empty.
public fun ByteArray.first(): Byte {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[0]
}
Returns first element.
@throws [NoSuchElementException] if the array is empty.
public fun ShortArray.first(): Short {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[0]
}
Returns first element.
@throws [NoSuchElementException] if the array is empty.
public fun IntArray.first(): Int {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[0]
}
Returns first element.

```



```

@throws [NoSuchElementException] if the array is empty.\n *^public fun LongArray.first(): Long {\n  if
(isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the array is empty.\n *^public fun FloatArray.first(): Float
{\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n *^public fun
DoubleArray.first(): Double {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n
return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*^public fun BooleanArray.first(): Boolean {\n  if (isEmpty())\n    throw NoSuchElementException("Array is
empty.")\n  return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n *^public fun CharArray.first(): Char {\n  if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n * Returns the first element matching
the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *^public inline fun
<T> Array<out T>.first(predicate: (T) -> Boolean): T {\n  for (element in this) if (predicate(element)) return
element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n *^public inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n  for (element in
this) if (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n *^public inline fun ShortArray.first(predicate: (Short) -
> Boolean): Short {\n  for (element in this) if (predicate(element)) return element\n  throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*^public inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n  for (element in this) if (predicate(element))
return element\n  throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n *^public inline fun LongArray.first(predicate: (Long) -
> Boolean): Long {\n  for (element in this) if (predicate(element)) return element\n  throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*^public inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n  for (element in this) if
(predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n *^public inline fun DoubleArray.first(predicate:
(Double) -> Boolean): Double {\n  for (element in this) if (predicate(element)) return element\n  throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*^public inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n  for (element in this) if
(predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n *^public inline fun CharArray.first(predicate: (Char) ->
Boolean): Char {\n  for (element in this) if (predicate(element)) return element\n  throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n *^public fun <T> Array<out T>.firstOrNull(): T? {\n  return if
(isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n *^public fun
ByteArray.firstOrNull(): Byte? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or
`null` if the array is empty.\n *^public fun ShortArray.firstOrNull(): Short? {\n  return if (isEmpty()) null else
this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n *^public fun IntArray.firstOrNull():
Int? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is

```

```

empty.\n *^/npublic fun LongArray.firstOrNull(): Long? {\n  return if (isEmpty()) null else this[0]\n}\n/n/**\n *
Returns the first element, or `null` if the array is empty.\n *^/npublic fun FloatArray.firstOrNull(): Float? {\n
return if (isEmpty()) null else this[0]\n}\n/n/**\n * Returns the first element, or `null` if the array is empty.\n
*^/npublic fun DoubleArray.firstOrNull(): Double? {\n  return if (isEmpty()) null else this[0]\n}\n/n/**\n * Returns
the first element, or `null` if the array is empty.\n *^/npublic fun BooleanArray.firstOrNull(): Boolean? {\n  return
if (isEmpty()) null else this[0]\n}\n/n/**\n * Returns the first element, or `null` if the array is empty.\n *^/npublic fun
CharArray.firstOrNull(): Char? {\n  return if (isEmpty()) null else this[0]\n}\n/n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n *^/npublic inline fun <T> Array<out
T>.firstOrNull(predicate: (T) -> Boolean): T? {\n  for (element in this) if (predicate(element)) return element\n
return null\n}\n/n/**\n * Returns the first element matching the given [predicate], or `null` if element was not
found.\n *^/npublic inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n  for (element in this)
if (predicate(element)) return element\n  return null\n}\n/n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n *^/npublic inline fun ShortArray.firstOrNull(predicate: (Short) ->
Boolean): Short? {\n  for (element in this) if (predicate(element)) return element\n  return null\n}\n/n/**\n *
Returns the first element matching the given [predicate], or `null` if element was not found.\n *^/npublic inline fun
IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n  for (element in this) if (predicate(element)) return
element\n  return null\n}\n/n/**\n * Returns the first element matching the given [predicate], or `null` if element
was not found.\n *^/npublic inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n  for
(element in this) if (predicate(element)) return element\n  return null\n}\n/n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n *^/npublic inline fun
FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n  for (element in this) if (predicate(element))
return element\n  return null\n}\n/n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n *^/npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double?
{\n  for (element in this) if (predicate(element)) return element\n  return null\n}\n/n/**\n * Returns the first
element matching the given [predicate], or `null` if element was not found.\n *^/npublic inline fun
BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n  for (element in this) if
(predicate(element)) return element\n  return null\n}\n/n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n *^/npublic inline fun CharArray.firstOrNull(predicate: (Char) ->
Boolean): Char? {\n  for (element in this) if (predicate(element)) return element\n  return null\n}\n/n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n *^/n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrNull(index: Int,
defaultValue: (Int) -> T): T? {\n  return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n/n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n *^/n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.getOrNull(index: Int, defaultValue: (Int) -> Byte): Byte? {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n/n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*^/n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrNull(index: Int, defaultValue: (Int) -> Short):
Short? {\n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n/n/**\n * Returns
an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of
this array.\n *^/n@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrNull(index: Int, defaultValue: (Int) ->
Int): Int? {\n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n/n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n *^/n@kotlin.internal.InlineOnly\npublic inline fun LongArray.getOrNull(index: Int,
defaultValue: (Int) -> Long): Long? {\n  return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n/n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n *^/n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.getOrNull(index: Int, defaultValue: (Int) -> Float): Float? {\n  return if (index >= 0 && index <=

```

```

lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrNull(index: Int, defaultValue: (Int) ->
Double): Double {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n *\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrNull(index: Int,
defaultValue: (Int) -> Boolean): Boolean {\n    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n *\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.getOrNull(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*\npublic fun <T> Array<out T>.getOrNull(index: Int): T? {\n    return if (index >= 0 && index <= lastIndex)
get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n *\npublic fun
ByteArray.getOrNull(index: Int): Byte? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n
* @sample samples.collections.Collections.Elements.getOrNull\n *\npublic fun ShortArray.getOrNull(index: Int):
Short? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n *\npublic fun IntArray.getOrNull(index: Int): Int? {\n
    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n *\npublic fun LongArray.getOrNull(index: Int): Long? {\n
    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n *\npublic fun FloatArray.getOrNull(index: Int): Float? {\n
    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n *\npublic fun DoubleArray.getOrNull(index: Int): Double?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n *\npublic fun BooleanArray.getOrNull(index: Int): Boolean?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n *\npublic fun CharArray.getOrNull(index: Int): Char? {\n
    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -
1 if the array does not contain element.\n *\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out
T>.indexOf(element: T): Int {\n    if (element == null) {\n        for (index in indices) {\n            if (this[index] ==
null) {\n                return index\n            }\n        }\n    } else {\n        for (index in indices) {\n            if (element ==
this[index]) {\n                return index\n            }\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n *\npublic fun ByteArray.indexOf(element: Byte): Int {\n
    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -
1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n *\npublic fun
ShortArray.indexOf(element: Short): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n
            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n *\npublic fun IntArray.indexOf(element: Int): Int {\n    for (index in indices) {\n        if (element
== this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -

```



```

element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n } \n } \n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n } \n } \n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n } \n } \n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n } \n } \n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n } \n } \n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfLast(predicate: (Double) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n } \n } \n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n } \n } \n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n } \n } \n return -1\n}\n\n/**\n * Returns the last element.\n */
\n * @throws NoSuchElementException if the array is empty.\n */\n\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun <T> Array<out T>.last(): T {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n */\n\n * @throws NoSuchElementException if the array is empty.\n */\n\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ByteArray.last(): Byte {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n */\n\n * @throws NoSuchElementException if the array is empty.\n */\n\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ShortArray.last(): Short {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n */\n\n * @throws NoSuchElementException if the array is empty.\n */\n\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun IntArray.last(): Int {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n */\n\n * @throws NoSuchElementException if the array is empty.\n */\n\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun LongArray.last(): Long {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n */\n\n * @throws NoSuchElementException if the array is empty.\n */\n\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun FloatArray.last(): Float {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n */\n\n * @throws NoSuchElementException if the array is empty.\n */\n\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun DoubleArray.last(): Double {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n */\n\n * @throws NoSuchElementException if the array is empty.\n */\n\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun BooleanArray.last(): Boolean {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n return this[lastIndex]\n}\n\n/**\n * Returns the last

```

```

element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun CharArray.last(): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Array<out T>.last(predicate: (T) -> Boolean): T {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean): Byte {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ShortArray.last(predicate: (Short) -> Boolean): Short {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun LongArray.last(predicate: (Long) -> Boolean): Long {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun FloatArray.last(predicate: (Float) -> Boolean): Float {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun DoubleArray.last(predicate: (Double) -> Boolean): Double {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun BooleanArray.last(predicate: (Boolean) -> Boolean): Boolean {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun CharArray.last(predicate: (Char) -> Boolean): Char {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic

```

```

fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {
    if (element == null) {
        for (index in indices.reversed()) {
            if (this[index] == null) {
                return index
            }
        }
    } else {
        for (index in indices.reversed()) {
            if (element == this[index]) {
                return index
            }
        }
    }
    return -1
}

// Returns last index of [element], or -1 if the array does not contain
// element.
public fun ByteArray.lastIndexOf(element: Byte): Int {
    for (index in indices.reversed()) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}

// Returns last index of
// [element], or -1 if the array does not contain element.
public fun ShortArray.lastIndexOf(element: Short): Int {
    for (index in indices.reversed()) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}

// Returns last index of [element], or -1 if the array does not contain element.
public fun IntArray.lastIndexOf(element: Int): Int {
    for (index in indices.reversed()) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}

// Returns last index of [element], or -1 if the array does not
// contain element.
public fun LongArray.lastIndexOf(element: Long): Int {
    for (index in indices.reversed()) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}

// Returns last
// index of [element], or -1 if the array does not contain element.
@Deprecated("The function has unclear
behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }'
instead to continue using this behavior, or '.asList().lastIndexOf(element: T)' to get the same search behavior as in a
list.", ReplaceWith("indexOfLast { it == element }"))
public fun FloatArray.lastIndexOf(element: Float): Int {
    for (index in indices.reversed()) {
        if (element ==
this[index]) {
            return index
        }
    }
    return -1
}

// Returns last index of [element], or -1 if
// the array does not contain element.
@Deprecated("The function has unclear behavior when searching for NaN
or zero values and will be removed soon. Use 'indexOfLast { it == element }' instead to continue using this
behavior, or '.asList().lastIndexOf(element: T)' to get the same search behavior as in a list.",
ReplaceWith("indexOfLast { it == element }"))
@DeprecatedSinceKotlin(warningSince = "1.4")
public fun DoubleArray.lastIndexOf(element: Double): Int {
    for (index in indices.reversed()) {
        if (element ==
this[index]) {
            return index
        }
    }
    return -1
}

// Returns last index of [element], or -1 if
// the array does not contain element.
public fun BooleanArray.lastIndexOf(element: Boolean): Int {
    for (index in indices.reversed()) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}

// Returns last index of [element], or -1 if the array does not contain element.
public fun CharArray.lastIndexOf(element: Char): Int {
    for (index in indices.reversed()) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}

// Returns the last element, or `null` if the array is
// empty.
@sample samples.collections.Collections.Elements.last
public fun <T> Array<out
T>.lastOrNull(): T? {
    return if (isEmpty()) null else this[size - 1]
}

// Returns the last element, or `null`
// if the array is empty.
@sample samples.collections.Collections.Elements.last
public fun
ByteArray.lastOrNull(): Byte? {
    return if (isEmpty()) null else this[size - 1]
}

// Returns the last
// element, or `null` if the array is empty.
@sample samples.collections.Collections.Elements.last
public fun
ShortArray.lastOrNull(): Short? {
    return if (isEmpty()) null else this[size - 1]
}

// Returns the last
// element, or `null` if the array is empty.
@sample samples.collections.Collections.Elements.last
public fun
IntArray.lastOrNull(): Int? {
    return if (isEmpty()) null else this[size - 1]
}

// Returns the last
// element, or `null` if the array is empty.
@sample samples.collections.Collections.Elements.last
public fun
LongArray.lastOrNull(): Long? {
    return if (isEmpty()) null else this[size - 1]
}

// Returns the last
// element, or `null` if the array is empty.
@sample samples.collections.Collections.Elements.last
public fun
FloatArray.lastOrNull(): Float? {
    return if (isEmpty()) null else this[size - 1]
}

// Returns the last
// element, or `null` if the array is empty.
@sample samples.collections.Collections.Elements.last
public fun
DoubleArray.lastOrNull(): Double? {
    return if (isEmpty()) null else this[size - 1]
}

// Returns the
// last element, or `null` if the array is empty.
@sample samples.collections.Collections.Elements.last
public fun
BooleanArray.lastOrNull(): Boolean? {
    return if (isEmpty()) null else this[size - 1]
}

// Returns the last element, or `null` if the array is empty.
@sample
samples.collections.Collections.Elements.last
public fun CharArray.lastOrNull(): Char? {
    return if

```

```

(isEmpty()) null else this[size - 1]\n\n/**\n * Returns the last element matching the given [predicate], or `null` if
no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun
<T> Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ByteArray.lastOrNull(predicate: (Byte) ->
Boolean): Byte? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ShortArray.lastOrNull(predicate: (Short) ->
Boolean): Short? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun IntArray.lastOrNull(predicate: (Int) ->
Boolean): Int? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun LongArray.lastOrNull(predicate: (Long) ->
Boolean): Long? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun FloatArray.lastOrNull(predicate: (Float) ->
Boolean): Float? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun DoubleArray.lastOrNull(predicate: (Double) ->
Boolean): Double? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun BooleanArray.lastOrNull(predicate: (Boolean)
-> Boolean): Boolean? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun CharArray.lastOrNull(predicate: (Char) ->
Boolean): Char? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a random element from this array.\n
*\n * @throws NoSuchElementException if this array is empty.\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.random(): T {\n
return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.random(): Byte {\n
return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.random(): Short {\n
return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.random(): Int {\n
return
random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.random(): Long {\n
return

```



```

random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun FloatArray.random(): Float {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.random(): Double {\n
return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun BooleanArray.random(): Boolean {\n    return random(Random)\n}\n\n/**\n * Returns a random element
from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.random(): Char {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun <T> Array<out T>.random(random: Random): T {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun ByteArray.random(random: Random): Byte {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun ShortArray.random(random: Random): Short {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun IntArray.random(random: Random): Int {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun LongArray.random(random: Random): Long {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun FloatArray.random(random: Random): Float {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun DoubleArray.random(random: Random): Double {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun BooleanArray.random(random: Random): Boolean {\n
if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun CharArray.random(random: Random): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Array
is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if
this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <T> Array<out T>.randomOrNull(): T? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun ByteArray.randomOrNull(): Byte? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random

```

element from this array, or `null` if this array is empty.\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.randomOrNull(): Short? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.randomOrNull(): Float? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.randomOrNull(): Double? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.randomOrNull(): Boolean? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> Array<out T>.randomOrNull(random: Random): T? {\n    if (isEmpty())\n        return null\n    return\n    get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun\nByteArray.randomOrNull(random: Random): Byte? {\n    if (isEmpty())\n        return null\n    return\n    get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun\nShortArray.randomOrNull(random: Random): Short? {\n    if (isEmpty())\n        return null\n    return\n    get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun\nIntArray.randomOrNull(random: Random): Int? {\n    if (isEmpty())\n        return null\n    return\n    get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun\nLongArray.randomOrNull(random: Random): Long? {\n    if (isEmpty())\n        return null\n    return\n    get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun\nFloatArray.randomOrNull(random: Random): Float? {\n    if (isEmpty())\n        return null\n    return\n    get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun\nDoubleArray.randomOrNull(random: Random): Double? {\n    if (isEmpty())\n        return null\n    return\n
```

```

get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
BooleanArray.randomOrNull(random: Random): Boolean? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharArray.randomOrNull(random: Random): Char? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or
has more than one element.\n */\npublic fun <T> Array<out T>.single(): T {\n return when (size) {\n 0 ->
throw NoSuchElementException("Array is empty.")\n 1 -> this[0]\n else -> throw
IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun ByteArray.single(): Byte
{\n return when (size) {\n 0 -> throw NoSuchElementException("Array is empty.")\n 1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
ShortArray.single(): Short {\n return when (size) {\n 0 -> throw NoSuchElementException("Array is
empty.")\n 1 -> this[0]\n else -> throw IllegalArgumentException("Array has more than one element.")\n
}\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun IntArray.single(): Int {\n return when (size) {\n 0 -> throw
NoSuchElementException("Array is empty.")\n 1 -> this[0]\n else -> throw
IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun LongArray.single(): Long
{\n return when (size) {\n 0 -> throw NoSuchElementException("Array is empty.")\n 1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
FloatArray.single(): Float {\n return when (size) {\n 0 -> throw NoSuchElementException("Array is
empty.")\n 1 -> this[0]\n else -> throw IllegalArgumentException("Array has more than one element.")\n
}\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun DoubleArray.single(): Double {\n return when (size) {\n 0 -> throw
NoSuchElementException("Array is empty.")\n 1 -> this[0]\n else -> throw
IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun BooleanArray.single():
Boolean {\n return when (size) {\n 0 -> throw NoSuchElementException("Array is empty.")\n 1 ->
this[0]\n else -> throw IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n *
Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic
fun CharArray.single(): Char {\n return when (size) {\n 0 -> throw NoSuchElementException("Array is
empty.")\n 1 -> this[0]\n else -> throw IllegalArgumentException("Array has more than one element.")\n
}\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or
more than one matching element.\n */\npublic inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n
var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n single =
element\n found = true\n }\n }\n if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n @Suppress("UNCHECKED_CAST")\n return single as T\n}\n\n/**\n *
Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n var single:
Byte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n single = element\n

```

```

found = true\n    }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Byte\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n    var single: Short? =
null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Short\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun IntArray.single(predicate: (Int) -> Boolean): Int {\n    var single: Int? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Int\n}\n\n/**\n * Returns the single
element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n    var single: Long? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Long\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n    var single: Float? =
null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Float\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n    var single:
Double? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found)
throw IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element
matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Double\n}\n\n/**\n *
Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n    var
single: Boolean? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n            single =
element\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as
Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no
or more than one matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char
{\n    var single: Char? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n            single =
element\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Char\n}\n\n/**\n *
Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T>
Array<out T>.singleOrNull(): T? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or
`null` if the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more

```

```

than one element.\n *^/npublic fun ShortArray.singleOrNull(): Short? {\n  return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n *^/npublic
fun IntArray.singleOrNull(): Int? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or
`null` if the array is empty or has more than one element.\n *^/npublic fun LongArray.singleOrNull(): Long? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n *^/npublic fun FloatArray.singleOrNull(): Float? {\n  return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n *^/npublic
fun DoubleArray.singleOrNull(): Double? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n *^/npublic fun BooleanArray.singleOrNull():
Boolean? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is
empty or has more than one element.\n *^/npublic fun CharArray.singleOrNull(): Char? {\n  return if (size == 1)
this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.\n *^/npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -
> Boolean): T? {\n  var single: T? = null\n  var found = false\n  for (element in this) {\n    if
(predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.\n *^/npublic inline fun
ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n  var single: Byte? = null\n  var found = false\n
for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n
found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n *^/npublic
inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n  var single: Short? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single
= element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n *^/npublic inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n  var single: Int? = null\n
var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n
single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n *
Returns the single element matching the given [predicate], or `null` if element was not found or more than one
element was found.\n *^/npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n  var
single: Long? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if
(found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return
single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or
more than one element was found.\n *^/npublic inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean):
Float? {\n  var single: Float? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element))
{\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return
null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element
was not found or more than one element was found.\n *^/npublic inline fun DoubleArray.singleOrNull(predicate:
(Double) -> Boolean): Double? {\n  var single: Double? = null\n  var found = false\n  for (element in this) {\n
if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n
}\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given
[predicate], or `null` if element was not found or more than one element was found.\n *^/npublic inline fun
BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n  var single: Boolean? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single
= element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n *^/npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n  var single: Char?
= null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return

```

```

null\n      single = element\n      found = true\n    }\n }\n if (!found) return null\n return
single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ByteArray.drop(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ShortArray.drop(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun IntArray.drop(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun LongArray.drop(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun FloatArray.drop(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun DoubleArray.drop(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun BooleanArray.drop(n: Int): List<Boolean>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun CharArray.drop(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Array<out T>.dropLast(n: Int): List<T>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n

```

```

require(n >= 0) { "Requested element count $n is less than zero." }n return take((size -
n).coerceAtLeast(0))n}n/n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.dropn */npublic fun IntArray.dropLast(n: Int): List<Int> {n
require(n >= 0) { "Requested element count $n is less than zero." }n return take((size -
n).coerceAtLeast(0))n}n/n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.dropn */npublic fun LongArray.dropLast(n: Int): List<Long> {n
require(n >= 0) { "Requested element count $n is less than zero." }n return take((size -
n).coerceAtLeast(0))n}n/n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.dropn */npublic fun FloatArray.dropLast(n: Int): List<Float> {n
require(n >= 0) { "Requested element count $n is less than zero." }n return take((size -
n).coerceAtLeast(0))n}n/n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.dropn */npublic fun DoubleArray.dropLast(n: Int): List<Double>
{n require(n >= 0) { "Requested element count $n is less than zero." }n return take((size -
n).coerceAtLeast(0))n}n/n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.dropn */npublic fun BooleanArray.dropLast(n: Int):
List<Boolean> {n require(n >= 0) { "Requested element count $n is less than zero." }n return take((size -
n).coerceAtLeast(0))n}n/n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.dropn */npublic fun CharArray.dropLast(n: Int): List<Char> {n
require(n >= 0) { "Requested element count $n is less than zero." }n return take((size -
n).coerceAtLeast(0))n}n/n/**n * Returns a list containing all elements except last elements that satisfy the given
[predicate].n * n * @sample samples.collections.Collections.Transformations.dropn */npublic inline fun <T>
Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {n for (index in lastIndex downTo 0) {n if
(!predicate(this[index])) {n return take(index + 1)n }n }n return emptyList()n}n/n/**n * Returns
a list containing all elements except last elements that satisfy the given [predicate].n * n * @sample
samples.collections.Collections.Transformations.dropn */npublic inline fun ByteArray.dropLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {n for (index in lastIndex downTo 0) {n if (!predicate(this[index])) {n
return take(index + 1)n }n }n return emptyList()n}n/n/**n * Returns a list containing all elements
except last elements that satisfy the given [predicate].n * n * @sample
samples.collections.Collections.Transformations.dropn */npublic inline fun ShortArray.dropLastWhile(predicate:
(Short) -> Boolean): List<Short> {n for (index in lastIndex downTo 0) {n if (!predicate(this[index])) {n
return take(index + 1)n }n }n return emptyList()n}n/n/**n * Returns a list containing all elements
except last elements that satisfy the given [predicate].n * n * @sample
samples.collections.Collections.Transformations.dropn */npublic inline fun IntArray.dropLastWhile(predicate:
(Int) -> Boolean): List<Int> {n for (index in lastIndex downTo 0) {n if (!predicate(this[index])) {n
return take(index + 1)n }n }n return emptyList()n}n/n/**n * Returns a list containing all elements
except last elements that satisfy the given [predicate].n * n * @sample
samples.collections.Collections.Transformations.dropn */npublic inline fun LongArray.dropLastWhile(predicate:
(Long) -> Boolean): List<Long> {n for (index in lastIndex downTo 0) {n if (!predicate(this[index])) {n
return take(index + 1)n }n }n return emptyList()n}n/n/**n * Returns a list containing all elements
except last elements that satisfy the given [predicate].n * n * @sample
samples.collections.Collections.Transformations.dropn */npublic inline fun FloatArray.dropLastWhile(predicate:
(Float) -> Boolean): List<Float> {n for (index in lastIndex downTo 0) {n if (!predicate(this[index])) {n

```

```

return take(index + 1)\n    }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropLastWhile(predicate:
(Double) -> Boolean): List<Double> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n
return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    for (index in lastIndex
downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n    for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n        return take(index + 1)\n    }\n    }\n    return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T> Array<out
T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for
(item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n
yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic
inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n    var yielding = false\n    val list =
ArrayList<Byte>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n
list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ShortArray.dropWhile(predicate:
(Short) -> Boolean): List<Short> {\n    var yielding = false\n    val list = ArrayList<Short>()\n    for (item in this)\n
if (yielding)\n        list.add(item)\n    else if (!predicate(item)) {\n        list.add(item)\n        yielding =
true\n    }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n    var yielding = false\n    val list =
ArrayList<Int>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n
list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all elements
except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun LongArray.dropWhile(predicate:
(Long) -> Boolean): List<Long> {\n    var yielding = false\n    val list = ArrayList<Long>()\n    for (item in this)\n
if (yielding)\n        list.add(item)\n    else if (!predicate(item)) {\n        list.add(item)\n        yielding =
true\n    }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n    var yielding = false\n    val list =
ArrayList<Float>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))
{\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropWhile(predicate:
(Double) -> Boolean): List<Double> {\n    var yielding = false\n    val list = ArrayList<Double>()\n    for (item in
this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n
yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic
inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    var yielding = false\n
val list = ArrayList<Boolean>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if

```



```

(!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n    return list\n}\n\n/**\n * Returns a list
containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun CharArray.dropWhile(predicate:
(Char) -> Boolean): List<Char> {\n    var yielding = false\n    val list = ArrayList<Char>()\n    for (item in this)\n    if (yielding)\n        list.add(item)\n    else if (!predicate(item)) {\n        list.add(item)\n        yielding =
true\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n *
\n * @sample samples.collections.Collections.Filtering.filter\n *\npublic inline fun <T> Array<out
T>.filter(predicate: (T) -> Boolean): List<T> {\n    return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns
a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean):
List<Byte> {\n    return filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements
matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *\npublic inline
fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n    return filterTo(ArrayList<Short>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean):
List<Int> {\n    return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements
matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *\npublic inline
fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n    return filterTo(ArrayList<Long>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun FloatArray.filter(predicate: (Float) ->
Boolean): List<Float> {\n    return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing
only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n    return
filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *\npublic inline fun
BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n    return filterTo(ArrayList<Boolean>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun CharArray.filter(predicate: (Char) ->
Boolean): List<Char> {\n    return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing
only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element
and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n *\npublic inline fun <T> Array<out
T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n    return filterIndexedTo(ArrayList<T>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n *\npublic
inline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n    return
filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n *\npublic inline fun ShortArray.filterIndexed(predicate:
(index: Int, Short) -> Boolean): List<Short> {\n    return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n
 * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *
\n * @sample samples.collections.Collections.Filtering.filterIndexed\n *\npublic inline fun
IntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n    return
filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and

```

returns the result of predicate evaluation on the element.

```

samples.collections.Collections.Filtering.filterIndexed
public inline fun LongArray.filterIndexed(predicate:
(index: Int, Long) -> Boolean): List<Long> {
    return filterIndexedTo(ArrayList<Long>(), predicate)
}

```

* Returns a list containing only elements matching the given [predicate].

@param [predicate] function that takes the index of an element and the element itself and returns the result of predicate evaluation on the element.

```

samples.collections.Collections.Filtering.filterIndexed
public inline fun
FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {
    return
filterIndexedTo(ArrayList<Float>(), predicate)
}

```

* Returns a list containing only elements matching the given [predicate].

@param [predicate] function that takes the index of an element and the element itself and returns the result of predicate evaluation on the element.

```

samples.collections.Collections.Filtering.filterIndexed
public inline fun DoubleArray.filterIndexed(predicate:
(index: Int, Double) -> Boolean): List<Double> {
    return filterIndexedTo(ArrayList<Double>(),
predicate)
}

```

* Returns a list containing only elements matching the given [predicate].

@param [predicate] function that takes the index of an element and the element itself and returns the result of predicate evaluation on the element.

```

samples.collections.Collections.Filtering.filterIndexed
public inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {
    return
filterIndexedTo(ArrayList<Boolean>(), predicate)
}

```

* Returns a list containing only elements matching the given [predicate].

@param [predicate] function that takes the index of an element and the element itself and returns the result of predicate evaluation on the element.

```

samples.collections.Collections.Filtering.filterIndexed
public inline fun CharArray.filterIndexed(predicate:
(index: Int, Char) -> Boolean): List<Char> {
    return filterIndexedTo(ArrayList<Char>(), predicate)
}

```

* Appends all elements matching the given [predicate] to the given [destination].

@param [predicate] function that takes the index of an element and the element itself and returns the result of predicate evaluation on the element.

```

samples.collections.Collections.Filtering.filterIndexedTo
public inline fun <T, C :
MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C
{
    for<each>Indexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}

```

* Appends all elements matching the given [predicate] to the given [destination].

@param [predicate] function that takes the index of an element and the element itself and returns the result of predicate evaluation on the element.

```

samples.collections.Collections.Filtering.filterIndexedTo
public inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate:
(index: Int, Byte) -> Boolean): C {
    for<each>Indexed { index, element ->
        if (predicate(index, element))
destination.add(element)
    }
    return destination
}

```

* Appends all elements matching the given [predicate] to the given [destination].

@param [predicate] function that takes the index of an element and the element itself and returns the result of predicate evaluation on the element.

```

samples.collections.Collections.Filtering.filterIndexedTo
public inline fun <C : MutableCollection<in Short>>
ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {
    for<each>Indexed {
index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return
destination
}

```

* Appends all elements matching the given [predicate] to the given [destination].

@param [predicate] function that takes the index of an element and the element itself and returns the result of predicate evaluation on the element.

```

samples.collections.Collections.Filtering.filterIndexedTo
public inline fun <C : MutableCollection<in Int>> IntArray.filterIndexedTo(destination: C, predicate: (index:
Int, Int) -> Boolean): C {
    for<each>Indexed { index, element ->
        if (predicate(index, element))
destination.add(element)
    }
    return destination
}

```

* Appends all elements matching the given [predicate] to the given [destination].

@param [predicate] function that takes the index of an element and the element itself and returns the result of predicate evaluation on the element.

```

samples.collections.Collections.Filtering.filterIndexedTo
public inline fun <C : MutableCollection<in Long>>
LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {
    for<each>Indexed {
index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return
}

```

```

destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*/\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination: C, predicate:
(index: Int, Float) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in
Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n
    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n
    return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*/\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate:
(index: Int, Boolean) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Char>>
CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n *
\n * @sample samples.collections.Collections.Filtering.filterIsInstance\n */\npublic inline fun <reified R>
Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n    return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstanceTo\n */\npublic inline fun <reified R, C :
MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {\n    for (element in this) if (element is
R) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T>
Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {\n    return filterNotTo(ArrayList<T>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun ByteArray.filterNot(predicate: (Byte) ->
Boolean): List<Byte> {\n    return filterNotTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing
all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*/\npublic inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {\n    return
filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun
IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {\n    return filterNotTo(ArrayList<Int>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun LongArray.filterNot(predicate: (Long) ->
Boolean): List<Long> {\n    return filterNotTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun FloatArray.filterNot(predicate: (Float) ->
Boolean): List<Float> {\n    return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun DoubleArray.filterNot(predicate: (Double) ->

```

```

Boolean): List<Double> {\n  return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun BooleanArray.filterNot(predicate: (Boolean) -
-> Boolean): List<Boolean> {\n  return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun CharArray.filterNot(predicate: (Char) ->
Boolean): List<Char> {\n  return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing
all elements that are not `null`.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n */\npublic
fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n  return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n *
Appends all elements that are not `null` to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNullTo\n */\npublic fun <C : MutableCollection<in T>, T : Any>
Array<out T?>.filterNotNullTo(destination: C): C {\n  for (element in this) if (element != null)
destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not matching the given
[predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic
inline fun <T, C : MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) ->
Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in
Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Short>>
ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Long>>
LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Float>>
FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Double>>
DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Boolean>>
BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Char>>
CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching

```

```

the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in
Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {\n  for (element in this) if (predicate(element))
destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun
<C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Float>>
FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double)
-> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in
Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic
fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\npublic fun ByteArray.slice(indices: IntRange): List<Byte> {\n  if
(indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic
fun ShortArray.slice(indices: IntRange): List<Short> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\npublic fun IntArray.slice(indices: IntRange): List<Int> {\n  if
(indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic
fun LongArray.slice(indices: IntRange): List<Long> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\npublic fun FloatArray.slice(indices: IntRange): List<Float> {\n  if
(indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic
fun DoubleArray.slice(indices: IntRange): List<Double> {\n  if (indices.isEmpty()) return listOf()\n  return

```

```
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n\n**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\npublic fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n
if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic
fun CharArray.slice(indices: IntRange): List<Char> {\n if (indices.isEmpty()) return listOf()\n return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n**\n * Returns a list containing elements at
specified [indices].\n *\npublic fun <T> Array<out T>.slice(indices: Iterable<Int>): List<T> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<T>(size)\n for
(index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n**\n * Returns a list containing elements at
specified [indices].\n *\npublic fun ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Byte>(size)\n for
(index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n**\n * Returns a list containing elements at
specified [indices].\n *\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Short>(size)\n
for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n**\n * Returns a list containing
elements at specified [indices].\n *\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Int>(size)\n for
(index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n**\n * Returns a list containing elements at
specified [indices].\n *\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Long>(size)\n
for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n**\n * Returns a list containing
elements at specified [indices].\n *\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Float>(size)\n
for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n**\n * Returns a list containing
elements at specified [indices].\n *\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n val
size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<Double>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n**\n *
Returns a list containing elements at specified [indices].\n *\npublic fun BooleanArray.slice(indices: Iterable<Int>):
List<Boolean> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list
= ArrayList<Boolean>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n**\n *
Returns a list containing elements at specified [indices].\n *\npublic fun CharArray.slice(indices: Iterable<Int>):
List<Char> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<Char>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n**\n *
Returns an array containing elements of this array at specified [indices].\n *\npublic fun <T>
Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n val result = arrayOfNulls(this, indices.size)\n var
targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return
result\n}\n\n**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n val result = ByteArray(indices.size)\n var
targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return
result\n}\n\n**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n val result = ShortArray(indices.size)\n var
targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return
result\n}\n\n**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
IntArray.sliceArray(indices: Collection<Int>): IntArray {\n val result = IntArray(indices.size)\n var targetIndex
= 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return
result\n}\n\n**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
LongArray.sliceArray(indices: Collection<Int>): LongArray {\n val result = LongArray(indices.size)\n var
targetIndex = 0\n for (sourceIndex in indices) {\n result[targetIndex++] = this[sourceIndex]\n }\n return
result\n}
```

```

result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
FloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n    val result = FloatArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n    val result = DoubleArray(indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n    val result = BooleanArray(indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
CharArray.sliceArray(indices: Collection<Int>): CharArray {\n    val result = CharArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n *\npublic fun
<T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n    if (indices.isEmpty()) return copyOfRange(0, 0)\n
return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at
indices in the specified [indices] range.\n *\npublic fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n    if
(indices.isEmpty()) return ByteArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n
* Returns an array containing elements at indices in the specified [indices] range.\n *\npublic fun
ShortArray.sliceArray(indices: IntRange): ShortArray {\n    if (indices.isEmpty()) return ShortArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices
in the specified [indices] range.\n *\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n    if
(indices.isEmpty()) return IntArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n
* Returns an array containing elements at indices in the specified [indices] range.\n *\npublic fun
LongArray.sliceArray(indices: IntRange): LongArray {\n    if (indices.isEmpty()) return LongArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices
in the specified [indices] range.\n *\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n    if
(indices.isEmpty()) return FloatArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n
* Returns an array containing elements at indices in the specified [indices] range.\n *\npublic fun
DoubleArray.sliceArray(indices: IntRange): DoubleArray {\n    if (indices.isEmpty()) return DoubleArray(0)\n
return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at
indices in the specified [indices] range.\n *\npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray
{\n    if (indices.isEmpty()) return BooleanArray(0)\n    return copyOfRange(indices.start, indices.endInclusive +
1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n *\npublic fun
CharArray.sliceArray(indices: IntRange): CharArray {\n    if (indices.isEmpty()) return CharArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n *\n
* @throws IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun <T> Array<out T>.take(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<T>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n
* Returns a list containing first [n] elements.\n *\n * @throws IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun ByteArray.take(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Byte>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n
* Returns a list containing first [n] elements.\n *\n * @throws IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun ShortArray.take(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=

```

```

size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Short>(n)\n for
(item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.take(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Int>(n)\n for
(item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.take(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Long>(n)\n for
(item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.take(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Float>(n)\n for
(item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.take(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Double>(n)\n
for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n *
Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.take(n: Int):
List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return
emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list =
ArrayList<Boolean>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n
return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun
CharArray.take(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n
val list = ArrayList<Char>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n
}\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgumentExcep\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.takeLast(n: Int): List<T>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val
size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list =
ArrayList<T>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =
size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Byte>(n)\n
for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =
size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Short>(n)\n
for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last

```



```

[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n public fun IntArray.takeLast(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =
size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Int>(n)\n
for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n public fun LongArray.takeLast(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =
size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Long>(n)\n
for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n public fun FloatArray.takeLast(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =
size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Float>(n)\n
for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n public fun DoubleArray.takeLast(n: Int): List<Double>
{\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val
size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list =
ArrayList<Double>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n * \n public fun BooleanArray.takeLast(n: Int):
List<Boolean> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return
emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list
= ArrayList<Boolean>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n * \n public fun CharArray.takeLast(n: Int):
List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return
emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list
= ArrayList<Char>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n *
Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n public inline fun <T> Array<out
T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n
for (index in lastIndex downTo 0) {\n if
(!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a
list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n public inline fun ByteArray.takeLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n
for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n * \n public
inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n
for (index in lastIndex
downTo 0) {\n if (!predicate(this[index])) {\n
return drop(index + 1)\n }\n }\n return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n public inline fun IntArray.takeLastWhile(predicate: (Int)
-> Boolean): List<Int> {\n
for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n * \n public inline fun
LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n
for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n
return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns

```

```

a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun FloatArray.takeLastWhile(predicate:
(Float) -> Boolean): List<Float> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
  return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun
BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun CharArray.takeLastWhile(predicate:
(Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
  return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing first elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n  val list = ArrayList<T>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ByteArray.takeWhile(predicate: (Byte)
-> Boolean): List<Byte> {\n  val list = ArrayList<Byte>()\n  for (item in this) {\n    if (!predicate(item))\n
  break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic inline fun
ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n  val list = ArrayList<Short>()\n  for (item
in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a
list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun IntArray.takeWhile(predicate: (Int) ->
Boolean): List<Int> {\n  val list = ArrayList<Int>()\n  for (item in this) {\n    if (!predicate(item))\n
  break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic inline fun
LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n  val list = ArrayList<Long>()\n  for (item
in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a
list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun FloatArray.takeWhile(predicate:
(Float) -> Boolean): List<Float> {\n  val list = ArrayList<Float>()\n  for (item in this) {\n    if
(!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n  val list =
ArrayList<Double>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n
  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun BooleanArray.takeWhile(predicate:
(Boolean) -> Boolean): List<Boolean> {\n  val list = ArrayList<Boolean>()\n  for (item in this) {\n    if
(!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n  val list =
ArrayList<Char>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n
  return list\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun <T> Array<T>.reverse(): Unit {\n
  val midPoint = (size / 2) - 1\n  if (midPoint < 0) return\n  var reverseIndex = lastIndex\n  for (index in

```

```

0..midPoint) {\n    val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ByteArray.reverse():\nUnit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in\n0..midPoint) {\n        val tmp = this[index]\n            this[index] = this[reverseIndex]\n            this[reverseIndex] = tmp\n            reverseIndex--\n        }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ShortArray.reverse():\nUnit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in\n0..midPoint) {\n        val tmp = this[index]\n            this[index] = this[reverseIndex]\n            this[reverseIndex] = tmp\n            reverseIndex--\n        }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun IntArray.reverse():\nUnit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in\n0..midPoint) {\n        val tmp = this[index]\n            this[index] = this[reverseIndex]\n            this[reverseIndex] = tmp\n            reverseIndex--\n        }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun LongArray.reverse():\nUnit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in\n0..midPoint) {\n        val tmp = this[index]\n            this[index] = this[reverseIndex]\n            this[reverseIndex] = tmp\n            reverseIndex--\n        }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun FloatArray.reverse():\nUnit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in\n0..midPoint) {\n        val tmp = this[index]\n            this[index] = this[reverseIndex]\n            this[reverseIndex] = tmp\n            reverseIndex--\n        }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun\nDoubleArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex =\nlastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n            this[index] = this[reverseIndex]\n            this[reverseIndex] = tmp\n            reverseIndex--\n        }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun BooleanArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var\nreverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n            this[index] =\nthis[reverseIndex]\n            this[reverseIndex] = tmp\n            reverseIndex--\n        }\n}\n\n/**\n * Reverses elements in the\narray in-place.\n */\npublic fun CharArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)\nreturn\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n            this[index]\n= this[reverseIndex]\n            this[reverseIndex] = tmp\n            reverseIndex--\n        }\n}\n\n/**\n * Reverses elements of\nthe array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * \n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if\n[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws\nIllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun <T>\nArray<T>.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,\nsize)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =\ntoIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n            this[index] =\nthis[reverseIndex]\n            this[reverseIndex] = tmp\n            reverseIndex--\n        }\n}\n\n/**\n * Reverses elements of the\narray in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * \n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if\n[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws\nIllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun\nByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,\nsize)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =\ntoIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n            this[index] =\nthis[reverseIndex]\n            this[reverseIndex] = tmp\n            reverseIndex--\n        }\n}\n\n/**\n * Reverses elements of the\narray in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * \n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if\n[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws\nIllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun\nShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,\nsize)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =

```

```

toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun
IntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun
LongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun
FloatArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun
DoubleArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun
BooleanArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var
reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n
this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses
elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun
CharArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var

```

```

reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Array<out T>.reversed(): List<T> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ByteArray.reversed(): List<Byte> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ShortArray.reversed(): List<Short> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun IntArray.reversed(): List<Int> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun LongArray.reversed(): List<Long> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun FloatArray.reversed(): List<Float> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun DoubleArray.reversed(): List<Double> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun BooleanArray.reversed(): List<Boolean> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun CharArray.reversed(): List<Char> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun <T> Array<T>.reversedArray(): Array<T> {\n    if (isEmpty())\n        return this\n    val result = arrayOfNulls(this.size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ByteArray.reversedArray(): ByteArray {\n    if (isEmpty())\n        return this\n    val result = ByteArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ShortArray.reversedArray(): ShortArray {\n    if (isEmpty())\n        return this\n    val result = ShortArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n    if (isEmpty())\n        return this\n    val result = IntArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun LongArray.reversedArray(): LongArray {\n    if (isEmpty())\n        return this\n    val result = LongArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray(): FloatArray {\n    if (isEmpty())\n        return this\n    val result = FloatArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n    if (isEmpty())\n        return this\n    val result = DoubleArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun BooleanArray.reversedArray(): BooleanArray {\n    if (isEmpty())\n        return this\n    val result = BooleanArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n    if (isEmpty())\n        return this\n    val result = CharArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun <T> Array<T>.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(): Unit {\n
```

```

shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\npublic fun IntArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly
shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\npublic fun LongArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly
shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly
shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random]
instance as the source of randomness.\n
*\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun <T> Array<T>.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n
*\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n
*\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n
*\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun IntArray.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n
*\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun LongArray.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n
*\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n
*\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n
*\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.shuffle(random: Random): Unit {\n    for (i in lastIndex

```

```

downTo 1) {\n    val j = random.nextInt(i + 1)\n    val copy = this[i]\n    this[i] = this[j]\n    this[j] = copy\n
}\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo
1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
}\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified
[selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each
other after sorting.\n *\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -
> R?): Unit {\n    if (size > 1) sortWith(compareBy(selector))\n}\n}\n\n/**\n * Sorts elements in the array in-place
descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\npublic inline fun
<T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)
sortWith(compareByDescending(selector))\n}\n}\n\n/**\n * Sorts elements in the array in-place descending according
to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n *\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n
sortWith(reverseOrder())\n}\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural
sort order.\n *\npublic fun ByteArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n
}\n}\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n *\npublic fun
ShortArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n}\n\n/**\n * Sorts
elements in the array in-place descending according to their natural sort order.\n *\npublic fun
IntArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n}\n\n/**\n * Sorts elements
in the array in-place descending according to their natural sort order.\n *\npublic fun LongArray.sortDescending():
Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n}\n\n/**\n * Sorts elements in the array in-place
descending according to their natural sort order.\n *\npublic fun FloatArray.sortDescending(): Unit {\n    if (size >
1) {\n        sort()\n        reverse()\n    }\n}\n}\n\n/**\n * Sorts elements in the array in-place descending according
to their natural sort order.\n *\npublic fun DoubleArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n
reverse()\n    }\n}\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n
*\npublic fun CharArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n}\n\n/**\n *
Returns a list of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n *\npublic fun <T : Comparable<T>>
Array<out T>.sorted(): List<T> {\n    return sortedArray().asList()\n}\n}\n\n/**\n * Returns a list of all elements sorted
according to their natural sort order.\n *\npublic fun ByteArray.sorted(): List<Byte> {\n    return
toTypedArray().apply { sort() }.asList()\n}\n}\n\n/**\n * Returns a list of all elements sorted according to their natural
sort order.\n *\npublic fun ShortArray.sorted(): List<Short> {\n    return toTypedArray().apply { sort()
}.asList()\n}\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n *\npublic fun
IntArray.sorted(): List<Int> {\n    return toTypedArray().apply { sort() }.asList()\n}\n}\n\n/**\n * Returns a list of all
elements sorted according to their natural sort order.\n *\npublic fun LongArray.sorted(): List<Long> {\n    return
toTypedArray().apply { sort() }.asList()\n}\n}\n\n/**\n * Returns a list of all elements sorted according to their natural
sort order.\n *\npublic fun FloatArray.sorted(): List<Float> {\n    return toTypedArray().apply { sort()
}.asList()\n}\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n *\npublic fun
DoubleArray.sorted(): List<Double> {\n    return toTypedArray().apply { sort() }.asList()\n}\n}\n\n/**\n * Returns a
list of all elements sorted according to their natural sort order.\n *\npublic fun CharArray.sorted(): List<Char> {\n
return toTypedArray().apply { sort() }.asList()\n}\n}\n\n/**\n * Returns an array with all elements of this array sorted
according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n *\npublic fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {\n
if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n *\npublic fun ByteArray.sortedArray(): ByteArray {\n    if

```

```

(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun ShortArray.sortedArray(): ShortArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun IntArray.sortedArray(): IntArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray(): LongArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray(): FloatArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun DoubleArray.sortedArray(): DoubleArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n */\npublic fun CharArray.sortedArray(): CharArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>>
Array<T>.sortedArrayDescending(): Array<T> {\n    if (isEmpty()) return this\n    return this.copyOf().apply {
sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending
according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all
elements of this array sorted descending according to their natural sort order.\n */\npublic fun
ShortArray.sortedArrayDescending(): ShortArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to
their natural sort order.\n */\npublic fun IntArray.sortedArrayDescending(): IntArray {\n    if (isEmpty()) return
this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this
array sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending():
LongArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns
an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun
FloatArray.sortedArrayDescending(): FloatArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to
their natural sort order.\n */\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n    if (isEmpty())
return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted descending according to their natural sort order.\n */\npublic fun
CharArray.sortedArrayDescending(): CharArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according the specified
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n */\npublic fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T>
{\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortWith(comparator) }\n}\n\n/**\n * Returns a list
of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n *
The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n *
@sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <T, R : Comparable<R>>
Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>

```


ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>

IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>

LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>

FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> {\n return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>

DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>

BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>

CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {\n return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural
sort order of the value returned by specified [selector] function.\n * \n * The sort is `_stable_`. It means that equal
elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>>

Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {\n return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n
return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending

according to natural sort order of the value returned by specified [selector] function.

```

public inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {
    return sortedWith(compareByDescending(selector))
}

public inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {
    return sortedWith(compareByDescending(selector))
}

public fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {
    return sortedWith(reverseOrder())
}

public fun ByteArray.sortedDescending(): List<Byte> {
    return copyOf().apply { sort() }.reversed()
}

public fun ShortArray.sortedDescending(): List<Short> {
    return copyOf().apply { sort() }.reversed()
}

public fun IntArray.sortedDescending(): List<Int> {
    return copyOf().apply { sort() }.reversed()
}

public fun LongArray.sortedDescending(): List<Long> {
    return copyOf().apply { sort() }.reversed()
}

public fun FloatArray.sortedDescending(): List<Float> {
    return copyOf().apply { sort() }.reversed()
}

public fun DoubleArray.sortedDescending(): List<Double> {
    return copyOf().apply { sort() }.reversed()
}

public fun CharArray.sortedDescending(): List<Char> {
    return copyOf().apply { sort() }.reversed()
}

public fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {
    return sortedArrayWith(comparator).asList()
}

public fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

public fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

public fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

public fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

public fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

public fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

public fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

public fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {
    return toTypedArray().apply { sortWith(comparator) }.asList()
}

expect fun <T> Array<out T>.asList(): List<T>
expect fun ByteArray.asList(): List<Byte>
expect fun ShortArray.asList(): List<Short>
expect fun IntArray.asList(): List<Int>

```

LongArray.asList(): List<Long>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun
 FloatArray.asList(): List<Float>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun
 DoubleArray.asList(): List<Double>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect
 fun BooleanArray.asList(): List<Boolean>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic
 expect fun CharArray.asList(): List<Char>\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal
 to one another.\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two
 corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any
 nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the
 [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not
 equal to `0.0`.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic expect
 infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if the two
 specified arrays are *deeply* equal to one another.\n * i.e. contain the same number of the same elements in the
 same order.\n * \n * The specified arrays are also considered deeply equal if both are `null`.\n * \n * If two
 corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any
 nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the
 [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not
 equal to `0.0`.\n */\n@SinceKotlin("1.4")\npublic expect infix fun <T> Array<out T>?.contentDeepEquals(other:
 Array<out T>?): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *
 Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is
 undefined.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic expect fun
 <T> Array<out T>.contentDeepHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array
 as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level
 the behavior is undefined.\n */\n@SinceKotlin("1.4")\npublic expect fun <T> Array<out
 T>?.contentDeepHashCode(): Int\n\n/**\n * Returns a string representation of the contents of this array as if it is a
 [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that
 reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n * @sample
 samples.collections.Arrays.ContentOperations.contentDeepToString\n
 */\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic expect fun <T> Array<out
 T>.contentDeepToString(): String\n\n/**\n * Returns a string representation of the contents of this array as if it is a
 [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that
 reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n * @sample
 samples.collections.Arrays.ContentOperations.contentDeepToString\n
 */\n@SinceKotlin("1.4")\npublic expect fun
 <T> Array<out T>?.contentDeepToString(): String\n\n/**\n * Returns `true` if the two specified arrays are
 structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
 * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
 means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to
 avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
 expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if the
 two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements
 in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For
 floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
 */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
 warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect infix fun
 ByteArray.contentEquals(other: ByteArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are
 structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
 * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
 means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to
 avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic

expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect infix fun IntArray.contentEquals(other: IntArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect infix fun LongArray.contentEquals(other: LongArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect infix fun FloatArray.contentEquals(other: FloatArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect infix fun CharArray.contentEquals(other: CharArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.4")\npublic expect infix fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.4")\npublic expect infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not

```

equal to `0.0`.
\n *
\n@SinceKotlin("1.4")
\npublic expect infix fun IntArray?.contentEquals(other: IntArray?):
Boolean
\n/n/**
\n * Returns `true` if the two specified arrays are *structurally* equal to one another,
\n * i.e. contain the same number of the same elements in the same order.
\n *
\n * The elements are compared for equality with the [equals][Any.equals] function.
\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not
equal to `0.0`.
\n *
\n@SinceKotlin("1.4")
\npublic expect infix fun LongArray?.contentEquals(other: LongArray?):
Boolean
\n/n/**
\n * Returns `true` if the two specified arrays are *structurally* equal to one another,
\n * i.e. contain the same number of the same elements in the same order.
\n *
\n * The elements are compared for equality with the [equals][Any.equals] function.
\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not
equal to `0.0`.
\n *
\n@SinceKotlin("1.4")
\npublic expect infix fun FloatArray?.contentEquals(other: FloatArray?):
Boolean
\n/n/**
\n * Returns `true` if the two specified arrays are *structurally* equal to one another,
\n * i.e. contain the same number of the same elements in the same order.
\n *
\n * The elements are compared for equality with the [equals][Any.equals] function.
\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not
equal to `0.0`.
\n *
\n@SinceKotlin("1.4")
\npublic expect infix fun DoubleArray?.contentEquals(other:
DoubleArray?): Boolean
\n/n/**
\n * Returns `true` if the two specified arrays are *structurally* equal to one
another,
\n * i.e. contain the same number of the same elements in the same order.
\n *
\n * The elements are compared for equality with the [equals][Any.equals] function.
\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is
not equal to `0.0`.
\n *
\n@SinceKotlin("1.4")
\npublic expect infix fun
BooleanArray?.contentEquals(other: BooleanArray?): Boolean
\n/n/**
\n * Returns `true` if the two specified arrays
are *structurally* equal to one another,
\n * i.e. contain the same number of the same elements in the same order.
\n *
\n * The elements are compared for equality with the [equals][Any.equals] function.
\n * For floating point numbers
it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
\n *
\n@SinceKotlin("1.4")
\npublic expect
infix fun CharArray?.contentEquals(other: CharArray?): Boolean
\n/n/**
\n * Returns a hash code based on the
contents of this array as if it is [List].
\n *
\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
\n@SinceKotlin("1.1")
\n@DeprecatedSinceKotlin(hiddenSince = "1.4")
\npublic expect fun <T>
Array<out T>.contentHashCode(): Int
\n/n/**
\n * Returns a hash code based on the contents of this array as if it is
[List].
\n *
\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
\n@SinceKotlin("1.1")
\n@DeprecatedSinceKotlin(hiddenSince = "1.4")
\npublic expect fun
ByteArray.contentHashCode(): Int
\n/n/**
\n * Returns a hash code based on the contents of this array as if it is
[List].
\n *
\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
\n@SinceKotlin("1.1")
\n@DeprecatedSinceKotlin(hiddenSince = "1.4")
\npublic expect fun
ShortArray.contentHashCode(): Int
\n/n/**
\n * Returns a hash code based on the contents of this array as if it is
[List].
\n *
\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
\n@SinceKotlin("1.1")
\n@DeprecatedSinceKotlin(hiddenSince = "1.4")
\npublic expect fun
IntArray.contentHashCode(): Int
\n/n/**
\n * Returns a hash code based on the contents of this array as if it is
[List].
\n *
\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
\n@SinceKotlin("1.1")
\n@DeprecatedSinceKotlin(hiddenSince = "1.4")
\npublic expect fun
LongArray.contentHashCode(): Int
\n/n/**
\n * Returns a hash code based on the contents of this array as if it is
[List].
\n *
\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
\n@SinceKotlin("1.1")
\n@DeprecatedSinceKotlin(hiddenSince = "1.4")
\npublic expect fun
FloatArray.contentHashCode(): Int
\n/n/**
\n * Returns a hash code based on the contents of this array as if it is
[List].
\n *
\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
\n@SinceKotlin("1.1")
\n@DeprecatedSinceKotlin(hiddenSince = "1.4")
\npublic expect fun
DoubleArray.contentHashCode(): Int
\n/n/**
\n * Returns a hash code based on the contents of this array as if it is
[List].
\n *
\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
\n@SinceKotlin("1.1")
\n@DeprecatedSinceKotlin(hiddenSince = "1.4")
\npublic expect fun
BooleanArray.contentHashCode(): Int
\n/n/**
\n * Returns a hash code based on the contents of this array as if it is
[List].
\n *
\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
\n@SinceKotlin("1.1")
\n@DeprecatedSinceKotlin(hiddenSince = "1.4")
\npublic expect fun

```

CharArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *^\n@SinceKotlin("1.4")\npublic expect fun <T> Array<out T>?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *^\n@SinceKotlin("1.4")\npublic expect fun ByteArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *^\n@SinceKotlin("1.4")\npublic expect fun ShortArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *^\n@SinceKotlin("1.4")\npublic expect fun IntArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *^\n@SinceKotlin("1.4")\npublic expect fun LongArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *^\n@SinceKotlin("1.4")\npublic expect fun FloatArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *^\n@SinceKotlin("1.4")\npublic expect fun DoubleArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *^\n@SinceKotlin("1.4")\npublic expect fun BooleanArray?.contentHashCode(): Int\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *^\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun <T> Array<out T>.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *^\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun ByteArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *^\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun ShortArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *^\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun IntArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *^\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun LongArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *^\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun FloatArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *^\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun DoubleArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *^\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *^\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun

warning.\n\n@SinceKotlin("1.1")\n\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\n\npublic expect fun CharArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n@SinceKotlin("1.4")\n\npublic expect fun <T> Array<out T>?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n@SinceKotlin("1.4")\n\npublic expect fun ByteArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n@SinceKotlin("1.4")\n\npublic expect fun ShortArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n@SinceKotlin("1.4")\n\npublic expect fun IntArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n@SinceKotlin("1.4")\n\npublic expect fun LongArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n@SinceKotlin("1.4")\n\npublic expect fun FloatArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n@SinceKotlin("1.4")\n\npublic expect fun DoubleArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n@SinceKotlin("1.4")\n\npublic expect fun BooleanArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n@SinceKotlin("1.4")\n\npublic expect fun CharArray?.contentToString(): String\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n\n@SinceKotlin("1.3")\n\npublic expect fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n\n@SinceKotlin("1.3")\n\npublic expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by

default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n *\n@SinceKotlin("1.3")\npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n *\n@SinceKotlin("1.3")\npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n *\n@SinceKotlin("1.3")\npublic expect fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n *\n@SinceKotlin("1.3")\npublic expect fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n *\n@SinceKotlin("1.3")\npublic expect fun

`DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray`

Copies this array or its subrange into the [destination] array and returns that array. It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.

@param destination the array to copy to.
 @param destinationOffset the position in the [destination] array to copy to, 0 by default.
 @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.
 @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.

@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.
 @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], or when that index is out of the [destination] array indices range.

@return the [destination] array.

`*\n@SinceKotlin("1.3")\npublic expect fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray`

Copies this array or its subrange into the [destination] array and returns that array. It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.

@param destination the array to copy to.
 @param destinationOffset the position in the [destination] array to copy to, 0 by default.
 @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.
 @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.

@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.
 @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], or when that index is out of the [destination] array indices range.

@return the [destination] array.

`*\n@SinceKotlin("1.3")\npublic expect fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray`

Returns new array which is a copy of the original array.

@sample samples.collections.Arrays.CopyOfOperations.copyOfOf

`*\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.copyOf(): Array<T>`

Returns new array which is a copy of the original array.

@sample samples.collections.Arrays.CopyOfOperations.copyOfOf

`*\npublic expect fun ByteArray.copyOf(): ByteArray`

Returns new array which is a copy of the original array.

@sample samples.collections.Arrays.CopyOfOperations.copyOfOf

`*\npublic expect fun ShortArray.copyOf(): ShortArray`

Returns new array which is a copy of the original array.

@sample samples.collections.Arrays.CopyOfOperations.copyOfOf

`*\npublic expect fun IntArray.copyOf(): IntArray`

Returns new array which is a copy of the original array.

@sample samples.collections.Arrays.CopyOfOperations.copyOfOf

`*\npublic expect fun LongArray.copyOf(): LongArray`

Returns new array which is a copy of the original array.

@sample samples.collections.Arrays.CopyOfOperations.copyOfOf

`*\npublic expect fun FloatArray.copyOf(): FloatArray`

Returns new array which is a copy of the original array.

@sample samples.collections.Arrays.CopyOfOperations.copyOfOf

`*\npublic expect fun DoubleArray.copyOf(): DoubleArray`

Returns new array which is a copy of the original array.

@sample samples.collections.Arrays.CopyOfOperations.copyOfOf

`*\npublic expect fun BooleanArray.copyOf(): BooleanArray`

Returns new array which is a copy of the original array.

@sample samples.collections.Arrays.CopyOfOperations.copyOfOf

`*\npublic expect fun CharArray.copyOf(): CharArray`

Returns new array which is a copy of the original array, resized to the given [newSize]. The copy is either truncated or padded at the end with zero values if necessary.

- If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
 - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.

@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

`ByteArray.copyOf(newSize: Int): ByteArray`

Returns new array which is a copy of the original array, resized to the given [newSize]. The copy is either truncated or padded at the end with zero values if necessary.

* \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ShortArray.copyOf(newSize: Int): ShortArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun IntArray.copyOf(newSize: Int): IntArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun LongArray.copyOf(newSize: Int): LongArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun FloatArray.copyOf(newSize: Int): FloatArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun CharArray.copyOf(newSize: Int): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.copyOf(newSize: Int): Array<T?>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the

range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * \n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * \n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * \n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * \n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * \n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * \n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * \n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * \n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.3")\npublic expect fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * \n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.3")\npublic expect fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size):

```

Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the
start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of
this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is
greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\npublic expect fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int =
size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex
the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size
of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int
= size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun LongArray.fill(element: Long, fromIndex: Int = 0,
toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n *
@param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range
(exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less
than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun FloatArray.fill(element: Float, fromIndex: Int
= 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n *
@param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range
(exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less
than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun DoubleArray.fill(element: Double,
fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element]
value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end
of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun
BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its
subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0
by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\npublic expect fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size):
Unit\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic val <T> Array<out T>.indices:
IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic
val ByteArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for
the array.\n *\npublic val ShortArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the
range of valid indices for the array.\n *\npublic val IntArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic val LongArray.indices:
IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic
val FloatArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for
the array.\n *\npublic val DoubleArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the
range of valid indices for the array.\n *\npublic val BooleanArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic val CharArray.indices: IntRange\n
    get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n

```

```

*^@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean {\n    return size ==
0\n}\n\n/**\n * Returns `true` if the array is empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n    return size ==
0\n}\n\n/**\n * Returns `true` if the array is empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is not empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */^@kotlin.internal.InlineOnly\npublic inline fun CharArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns the last valid index for the
array.\n */^@public val <T> Array<out T>.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index
for the array.\n */^@public val ByteArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */^@public val ShortArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */^@public val IntArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */^@public val LongArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */^@public val FloatArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */^@public val DoubleArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */^@public val BooleanArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */^@public val CharArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns an array containing all
elements of the original array and then the given [element].\n */^@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(element: T):
Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */^@public expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n/**\n * Returns an array containing all
elements of the original array and then the given [element].\n */^@public expect operator fun ShortArray.plus(element: Short): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */^@public expect operator fun IntArray.plus(element: Int): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */^@public expect operator fun LongArray.plus(element: Long): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */^@public expect operator fun FloatArray.plus(element: Float): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */^@public expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n/**\n * Returns an array

```

containing all elements of the original array and then the given [element].\n *\npublic expect operator fun
BooleanArray.plus(element: Boolean): BooleanArray\n\n**\n * Returns an array containing all elements of the
original array and then the given [element].\n *\npublic expect operator fun CharArray.plus(element: Char):
CharArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the
given [elements] collection.\n *\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T>
Array<T>.plus(elements: Collection<T>): Array<T>\n\n**\n * Returns an array containing all elements of the
original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n**\n * Returns an array containing all elements of the
original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
ShortArray.plus(elements: Collection<Short>): ShortArray\n\n**\n * Returns an array containing all elements of
the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
IntArray.plus(elements: Collection<Int>): IntArray\n\n**\n * Returns an array containing all elements of the
original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
LongArray.plus(elements: Collection<Long>): LongArray\n\n**\n * Returns an array containing all elements of the
original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
FloatArray.plus(elements: Collection<Float>): FloatArray\n\n**\n * Returns an array containing all elements of the
original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
DoubleArray.plus(elements: Collection<Double>): DoubleArray\n\n**\n * Returns an array containing all elements
of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n**\n * Returns an array containing all
elements of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator
fun CharArray.plus(elements: Collection<Char>): CharArray\n\n**\n * Returns an array containing all elements of
the original array and then all elements of the given [elements] array.\n
*\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(elements:
Array<out T>): Array<T>\n\n**\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] array.\n *\npublic expect operator fun ByteArray.plus(elements: ByteArray):
ByteArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the
given [elements] array.\n *\npublic expect operator fun ShortArray.plus(elements: ShortArray):
ShortArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the
given [elements] array.\n *\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n**\n *
Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect
operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n**\n * Returns an array containing all elements
of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun
DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n**\n * Returns an array containing all elements of the
original array and then all elements of the given [elements] array.\n *\npublic expect operator fun
BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n**\n * Returns an array containing all elements of
the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun
CharArray.plus(elements: CharArray): CharArray\n\n**\n * Returns an array containing all elements of the original
array and then the given [element].\n *\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T>
Array<T>.plusElement(element: T): Array<T>\n\n**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun IntArray.sort(): Unit\n\n**\n * Sorts the array
in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun LongArray.sort():
Unit\n\n**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\npublic
expect fun ByteArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun ShortArray.sort(): Unit\n\n**\n * Sorts the
array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun

DoubleArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample

samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun FloatArray.sort(): Unit\n\n/**\n * Sorts the

array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun

CharArray.sort(): Unit\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The

sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n * \n *

@sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n *\npublic expect fun <T :

Comparable<T>> Array<out T>.sort(): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * The sort is

`_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param

fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range

(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is

less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if

[fromIndex] is greater than [toIndex].\n * \n * @sample

samples.collections.Arrays.Sorting.sortRangeArrayOfComparable\n *\n@SinceKotlin("1.4")\npublic expect

fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range

in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param

toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws

IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *

@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample

samples.collections.Arrays.Sorting.sortRangeOfArray\n *\n@SinceKotlin("1.4")\npublic expect fun

ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n *

@param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range

(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is

less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if

[fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n

*\n@SinceKotlin("1.4")\npublic expect fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n

* Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by

default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws

IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *

@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample

samples.collections.Arrays.Sorting.sortRangeOfArray\n *\n@SinceKotlin("1.4")\npublic expect fun

IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n *

@param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range

(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is

less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if

[fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n

*\n@SinceKotlin("1.4")\npublic expect fun LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n

* Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by

default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws

IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *

@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample

samples.collections.Arrays.Sorting.sortRangeOfArray\n *\n@SinceKotlin("1.4")\npublic expect fun

FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n *

@param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range

(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is

less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if

[fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n

*\n@SinceKotlin("1.4")\npublic expect fun DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size):

Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to

range in-place. The elements are sorted descending according to their natural sort order.

@param fromIndex the start of the range (inclusive) to sort.

@param toIndex the end of the range (exclusive) to sort.

@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.

@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].

```

*^@SinceKotlin("1.4")
public fun CharArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {
    sort(fromIndex, toIndex)
    reverse(fromIndex, toIndex)
}

```

Sorts the array in-place according to the order specified by the given [comparator]. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public expect fun <T> Array<out T>.sortWith(comparator:
Comparator<in T>): Unit

```

Sorts a range in the array in-place with the given [comparator]. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

@param fromIndex the start of the range (inclusive) to sort, 0 by default.

@param toIndex the end of the range (exclusive) to sort, size of this array by default.

@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.

@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].

```

public expect fun <T> Array<out T>.sortWith(comparator:
Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Unit

```

Returns an array of Boolean containing all of the elements of this generic array.

```

public fun Array<out Boolean>.toBooleanArray(): BooleanArray {
    return BooleanArray(size) { index -> this[index] }
}

```

Returns an array of Byte containing all of the elements of this generic array.

```

public fun Array<out Byte>.toByteArray(): ByteArray {
    return ByteArray(size) { index -> this[index] }
}

```

Returns an array of Char containing all of the elements of this generic array.

```

public fun Array<out Char>.toCharArray(): CharArray {
    return CharArray(size) { index ->
this[index] }
}

```

Returns an array of Double containing all of the elements of this generic array.

```

public fun Array<out Double>.toDoubleArray(): DoubleArray {
    return DoubleArray(size) { index ->
this[index] }
}

```

Returns an array of Float containing all of the elements of this generic array.

```

public fun Array<out Float>.toFloatArray(): FloatArray {
    return FloatArray(size) { index -> this[index] }
}

```

Returns an array of Int containing all of the elements of this generic array.

```

public fun Array<out Int>.toIntArray(): IntArray {
    return IntArray(size) { index -> this[index] }
}

```

Returns an array of Long containing all of the elements of this generic array.

```

public fun Array<out Long>.toLongArray(): LongArray {
    return LongArray(size) { index -> this[index] }
}

```

Returns an array of Short containing all of the elements of this generic array.

```

public fun Array<out Short>.toShortArray(): ShortArray {
    return ShortArray(size) { index -> this[index] }
}

```

Returns a `*typed*` object array containing all of the elements of this primitive array.

```

public expect fun ByteArray.toTypedArray(): Array<Byte>

```

Returns a `*typed*` object array containing all of the elements of this primitive array.

```

public expect fun ShortArray.toTypedArray(): Array<Short>

```

Returns a `*typed*` object array containing all of the elements of this primitive array.

```

public expect fun IntArray.toTypedArray(): Array<Int>

```

Returns a `*typed*` object array containing all of the elements of this primitive array.

```

public expect fun LongArray.toTypedArray(): Array<Long>

```

Returns a `*typed*` object array containing all of the elements of this primitive array.

```

public expect fun FloatArray.toTypedArray(): Array<Float>

```

Returns a `*typed*` object array containing all of the elements of this primitive array.

```

public expect fun DoubleArray.toTypedArray(): Array<Double>

```

Returns a `*typed*` object array containing all of the elements of this primitive array.

```

public expect fun BooleanArray.toTypedArray(): Array<Boolean>

```

Returns a `*typed*` object array containing all of the elements of this primitive array.

```

public expect fun CharArray.toTypedArray(): Array<Char>

```

Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

If any of two pairs would have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original array.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives

```

public inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

elements of the given array.

If any of two pairs would have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V>
ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}

```

Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

If any of two pairs would have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V>
ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}

```

Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

If any of two pairs would have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V>
IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}

```

Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

If any of two pairs would have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V>
LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}

```

Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

If any of two pairs would have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V>
FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}

```

Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

If any of two pairs would have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V>
DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}

```

Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

If any of two pairs would have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V>
BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}

```

Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

If any of two pairs would have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original array.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V>
CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}

```

Returns a [Map] containing the elements from the given array indexed by the key

returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <T, K>
Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, T>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Byte>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
ShortArray.associateBy(keySelector: (Short) -> K): Map<K, Short> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Short>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Int>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Long>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Float>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Double>(capacity),

```

```

keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Boolean>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n
val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n  val

```

```

capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V>
{\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V>
{\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value
pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and
value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last
one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n *\npublic inline fun <T, K, M :
MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n  for
(element in this) {\n    destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any
two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n *
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n *\npublic inline fun <K,
M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n  for
(element in this) {\n    destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any
two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n *
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n *\npublic inline fun <K,
M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n  for
(element in this) {\n    destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n

```

* Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * \n public inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n }\n \n /**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * \n public inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n }\n \n /**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * \n public inline fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n }\n \n /**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * \n public inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n }\n \n /**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * \n public inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n }\n \n /**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * \n public inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n }\n \n /**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n * \n public inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n }\n \n /**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n * \n public

```

inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) ->
K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) ->
K, valueTransform: (Short) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K,
valueTransform: (Int) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) ->
K, valueTransform: (Long) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) ->
K, valueTransform: (Float) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector:
(Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector]
function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\n
public inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M,
keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector]
function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *

```

```

\n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n
*/\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector:\n
(Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n } \n return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic
inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n } \n return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M :
MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n for
(element in this) {\n destination += transform(element)\n } \n return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n } \n return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M :
MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {\n for
(element in this) {\n destination += transform(element)\n } \n return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n } \n return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M :
MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {\n for
(element in this) {\n destination += transform(element)\n } \n return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n } \n return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M :
MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {\n
for (element in this) {\n destination += transform(element)\n } \n return destination\n}\n\n/**\n * Populates

```


and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

`@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo`

```
public inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}
```

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

`@sample samples.collections.Collections.Transformations.associateWith`

```
@SinceKotlin("1.4")
public inline fun <K, V> Array<out K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
    val result =
        LinkedHashMap<K, V>(mapCapacity(size).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}
```

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

`@sample samples.collections.Collections.Transformations.associateWith`

```
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V>
ByteArray.associateWith(valueSelector: (Byte) -> V): Map<Byte, V> {
    val result = LinkedHashMap<Byte, V>(mapCapacity(size).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}
```

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

`@sample samples.collections.Collections.Transformations.associateWith`

```
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V>
ShortArray.associateWith(valueSelector: (Short) -> V): Map<Short, V> {
    val result = LinkedHashMap<Short, V>(mapCapacity(size).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}
```

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

`@sample samples.collections.Collections.Transformations.associateWith`

```
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V>
IntArray.associateWith(valueSelector: (Int) -> V): Map<Int, V> {
    val result = LinkedHashMap<Int, V>(mapCapacity(size).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}
```

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

`@sample samples.collections.Collections.Transformations.associateWith`

```
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V>
LongArray.associateWith(valueSelector: (Long) -> V): Map<Long, V> {
    val result = LinkedHashMap<Long, V>(mapCapacity(size).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}
```

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

`@sample samples.collections.Collections.Transformations.associateWith`

```
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V>
FloatArray.associateWith(valueSelector: (Float) -> V): Map<Float, V> {
    val result = LinkedHashMap<Float, V>(mapCapacity(size).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}
```

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The

```

returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
DoubleArray.associateWith(valueSelector: (Double) -> V): Map<Double, V> {\n    val result =
LinkedHashMap<Double, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
BooleanArray.associateWith(valueSelector: (Boolean) -> V): Map<Boolean, V> {\n    val result =
LinkedHashMap<Boolean, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
CharArray.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n    val result = LinkedHashMap<Char,
V>(mapCapacity(size.coerceAtMost(128)).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs for each
element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function
applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n
* @sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, in V>> Array<out K>.associateWithTo(destination: M, valueSelector: (K)
-> V): M {\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return
destination\n}\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs for each element
of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied
to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n *
@sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Byte, in V>>
ByteArray.associateWithTo(destination: M, valueSelector: (Byte) -> V): M {\n    for (element in this) {\n
destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Short, in V>>
ShortArray.associateWithTo(destination: M, valueSelector: (Short) -> V): M {\n    for (element in this) {\n
destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Int, in V>>
IntArray.associateWithTo(destination: M, valueSelector: (Int) -> V): M {\n    for (element in this) {\n
destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are

```

equal, the last one overwrites the former value in the map.

```

samples.collections.Collections.Transformations.associateWithTo
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <V, M : MutableMap<in Long, in V>>
LongArray.associateWithTo(destination: M, valueSelector: (Long) -> V): M {n for (element in this) {n
destination.put(element, valueSelector(element))n }n return destinationn}n/n/**n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.n * n * If any two elements are
equal, the last one overwrites the former value in the map.n * n * @sample
samples.collections.Collections.Transformations.associateWithTo
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <V, M : MutableMap<in Float, in V>>
FloatArray.associateWithTo(destination: M, valueSelector: (Float) -> V): M {n for (element in this) {n
destination.put(element, valueSelector(element))n }n return destinationn}n/n/**n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.n * n * If any two elements are
equal, the last one overwrites the former value in the map.n * n * @sample
samples.collections.Collections.Transformations.associateWithTo
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <V, M : MutableMap<in Double, in V>>
DoubleArray.associateWithTo(destination: M, valueSelector: (Double) -> V): M {n for (element in this) {n
destination.put(element, valueSelector(element))n }n return destinationn}n/n/**n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.n * n * If any two elements are
equal, the last one overwrites the former value in the map.n * n * @sample
samples.collections.Collections.Transformations.associateWithTo
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <V, M : MutableMap<in Boolean, in
V>> BooleanArray.associateWithTo(destination: M, valueSelector: (Boolean) -> V): M {n for (element in this)
{n destination.put(element, valueSelector(element))n }n return destinationn}n/n/**n * Populates and
returns the [destination] mutable map with key-value pairs for each element of the given array,n * where key is the
element itself and value is provided by the [valueSelector] function applied to that key.n * n * If any two elements
are equal, the last one overwrites the former value in the map.n * n * @sample
samples.collections.Collections.Transformations.associateWithTo
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <V, M : MutableMap<in Char, in V>>
CharArray.associateWithTo(destination: M, valueSelector: (Char) -> V): M {n for (element in this) {n
destination.put(element, valueSelector(element))n }n return destinationn}n/n/**n * Appends all elements to
the given [destination] collection.n */npublic fun <T, C : MutableCollection<in T>> Array<out
T>.toCollection(destination: C): C {n for (item in this) {n destination.add(item)n }n return
destinationn}n/n/**n * Appends all elements to the given [destination] collection.n */npublic fun <C :
MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {n for (item in this) {n
destination.add(item)n }n return destinationn}n/n/**n * Appends all elements to the given [destination]
collection.n */npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {n for
(item in this) {n destination.add(item)n }n return destinationn}n/n/**n * Appends all elements to the
given [destination] collection.n */npublic fun <C : MutableCollection<in Int>> IntArray.toCollection(destination:
C): C {n for (item in this) {n destination.add(item)n }n return destinationn}n/n/**n * Appends all
elements to the given [destination] collection.n */npublic fun <C : MutableCollection<in Long>>
LongArray.toCollection(destination: C): C {n for (item in this) {n destination.add(item)n }n return
destinationn}n/n/**n * Appends all elements to the given [destination] collection.n */npublic fun <C :
MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {n for (item in this) {n
destination.add(item)n }n return destinationn}n/n/**n * Appends all elements to the given [destination]
collection.n */npublic fun <C : MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {n

```

```

for (item in this) {\n    destination.add(item)\n } \n return destination\n}\n\n/**\n * Appends all elements to the
given [destination] collection.\n */\npublic fun <C : MutableCollection<in Boolean>>
BooleanArray.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C :
MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n    for (item in this) {\n
destination.add(item)\n    }\n    return destination\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*/\npublic fun <T> Array<out T>.toHashSet(): HashSet<T> {\n    return
toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic
fun ByteArray.toHashSet(): HashSet<Byte> {\n    return
toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*/\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n    return
toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*/\npublic fun IntArray.toHashSet(): HashSet<Int> {\n    return
toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic
fun LongArray.toHashSet(): HashSet<Long> {\n    return
toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*/\npublic fun FloatArray.toHashSet(): HashSet<Float> {\n    return
toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*/\npublic fun DoubleArray.toHashSet(): HashSet<Double> {\n    return
toCollection(HashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*/\npublic fun BooleanArray.toHashSet(): HashSet<Boolean> {\n    return
toCollection(HashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*/\npublic fun CharArray.toHashSet(): HashSet<Char> {\n    return
toCollection(HashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n}\n\n/**\n * Returns a [List] containing all
elements.\n */\npublic fun <T> Array<out T>.toList(): List<T> {\n    return when (size) {\n        0 -> emptyList()\n
        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all
elements.\n */\npublic fun ByteArray.toList(): List<Byte> {\n    return when (size) {\n        0 -> emptyList()\n
        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun ShortArray.toList(): List<Short> {\n    return when (size) {\n        0 -> emptyList()\n
        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun IntArray.toList(): List<Int> {\n    return when (size) {\n        0 -> emptyList()\n
        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun LongArray.toList(): List<Long> {\n    return when (size) {\n        0 -> emptyList()\n
        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun FloatArray.toList(): List<Float> {\n    return when (size) {\n        0 -> emptyList()\n
        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun DoubleArray.toList(): List<Double> {\n    return when (size) {\n        0 -> emptyList()\n
        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun BooleanArray.toList(): List<Boolean> {\n    return when (size) {\n        0 -> emptyList()\n
        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n
*/\npublic fun CharArray.toList(): List<Char> {\n    return when (size) {\n        0 -> emptyList()\n
        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a new [MutableList] filled with all
elements of this array.\n */\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n    return
ArrayList(this.asCollection())\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n
*/\npublic fun ByteArray.toMutableList(): MutableList<Byte> {\n    val list = ArrayList<Byte>(size)\n    for (item
in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this
array.\n */\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n    val list = ArrayList<Short>(size)\n
for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of

```

```

this array.\n *\npublic fun IntArray.toMutableList(): MutableList<Int> {\n    val list = ArrayList<Int>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n *\npublic fun LongArray.toMutableList(): MutableList<Long> {\n    val list = ArrayList<Long>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n *\npublic fun FloatArray.toMutableList(): MutableList<Float> {\n    val list = ArrayList<Float>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n *\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n    val list = ArrayList<Double>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n *\npublic fun BooleanArray.toMutableList(): MutableList<Boolean> {\n    val list = ArrayList<Boolean>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n *\npublic fun CharArray.toMutableList(): MutableList<Char> {\n    val list = ArrayList<Char>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *\npublic fun <T> Array<out T>.toSet(): Set<T> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *\npublic fun ByteArray.toSet(): Set<Byte> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *\npublic fun ShortArray.toSet(): Set<Short> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *\npublic fun IntArray.toSet(): Set<Int> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *\npublic fun LongArray.toSet(): Set<Long> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *\npublic fun FloatArray.toSet(): Set<Float> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *\npublic fun DoubleArray.toSet(): Set<Double> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *\npublic fun BooleanArray.toSet(): Set<Boolean> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *\npublic fun CharArray.toSet(): Set<Char> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n    }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n *\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n *\npublic inline fun <R> ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample

```

```

samples.collections.Collections.Transformations.flatMap\n * \npublic inline fun <R> ShortArray.flatMap(transform:
(Short) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n * \npublic inline fun <R>
IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n * \npublic inline fun <R> LongArray.flatMap(transform:
(Long) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n * \npublic inline fun <R>
FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n * \npublic inline fun <R> DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n * \npublic inline fun <R> BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n * \npublic inline fun <R> CharArray.flatMap(transform:
(Char) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n
*\n * \n@SinceKotlin("1.4")\n * \n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n@OverloadResolution
ByLambdaReturnType\n * \n@kotlin.jvm.JvmName("flatMapSequence")\n * \npublic inline fun <T, R> Array<out
T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*\n * \n@SinceKotlin("1.4")\n * \n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n@OverloadResolution
ByLambdaReturnType\n * \n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n * \n@kotlin.internal.InlineOnly\n * \npublic
inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
\n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n * \n@SinceKotlin("1.4")\n * \n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n@OverloadResolution
ByLambdaReturnType\n * \n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n * \n@kotlin.internal.InlineOnly\n * \npublic
inline fun <R> ByteArray.flatMapIndexed(transform: (index: Int, Byte) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
\n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n * \n@SinceKotlin("1.4")\n * \n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n@OverloadResolution
ByLambdaReturnType\n * \n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n * \n@kotlin.internal.InlineOnly\n * \npublic
inline fun <R> ShortArray.flatMapIndexed(transform: (index: Int, Short) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from

```

```

results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> IntArray.flatMapIndexed(transform: (index: Int, Int) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> LongArray.flatMapIndexed(transform: (index: Int, Long) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> FloatArray.flatMapIndexed(transform: (index: Int, Float) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> DoubleArray.flatMapIndexed(transform: (index: Int, Double) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> BooleanArray.flatMapIndexed(transform: (index: Int, Boolean) -> Iterable<R>): List<R> {\n
return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded
from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharArray.flatMapIndexed(transform: (index: Int, Char) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++,

```

```

element)\n    destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Byte) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Short) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> IntArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Int) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> LongArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Long) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Float) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapIndexedTo(destination: C, transform: (index:
Int, Double) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapIndexedTo(destination: C, transform: (index:

```



```

Int, Boolean) -> Iterable<R>): C {\n  var index = 0\n  for (element in this) {\n    val list = transform(index++,
element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> CharArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Char) -> Iterable<R>): C {\n  var index = 0\n  for (element in this) {\n    val list = transform(index++,
element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npu
blic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Sequence<R>): C {\n  var index = 0\n  for (element in this) {\n    val list =
transform(index++, element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n *\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C,
transform: (T) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n *\npublic inline
fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C
{\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n *\npublic inline fun <R, C : MutableCollection<in R>>
ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {\n  for (element in this) {\n    val
list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n *\npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C,
transform: (Int) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n *\npublic inline
fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C
{\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n *\npublic inline fun <R, C : MutableCollection<in R>>
FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n  for (element in this) {\n    val
list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n *\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C,
transform: (Double) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n *\npublic inline
fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) ->
Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n
}\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being
invoked on each element of original array, to the given [destination].\n *\npublic inline fun <R, C :
MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n  for

```

```

(element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n } \n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n for
(element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n } \n return
destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun
<T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return
groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original
array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where
each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n return groupByTo(LinkedHashMap<K,
MutableList<Byte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n return groupByTo(LinkedHashMap<K,
MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n return groupByTo(LinkedHashMap<K,
MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the

```

entry iteration order of the keys produced from the original array.\n * \n * @sample

```
samples.collections.Collections.Transformations.groupBy\n *^\npublic inline fun <K>
```

BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n return

```
groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the
```

original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map

where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the

entry iteration order of the keys produced from the original array.\n * \n * @sample

```
samples.collections.Collections.Transformations.groupBy\n *^\npublic inline fun <K>
```

CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return groupByTo(LinkedHashMap<K,

```
MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied
```

to each element of the original array\n * by the key returned by the given [keySelector] function applied to the

element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The

returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n *^\npublic inline fun <T, K, V>
```

Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return

```
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
```

returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by

the given [keySelector] function applied to the element\n * and returns a map where each group key is associated

with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys

produced from the original array.\n * \n * @sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n *^\npublic inline fun <K, V>
```

ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n return

```
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
```

returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by

the given [keySelector] function applied to the element\n * and returns a map where each group key is associated

with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys

produced from the original array.\n * \n * @sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n *^\npublic inline fun <K, V>
```

ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n return

```
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
```

returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by

the given [keySelector] function applied to the element\n * and returns a map where each group key is associated

with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys

produced from the original array.\n * \n * @sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n *^\npublic inline fun <K, V>
```

IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n return

```
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
```

returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by

the given [keySelector] function applied to the element\n * and returns a map where each group key is associated

with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys

produced from the original array.\n * \n * @sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n *^\npublic inline fun <K, V>
```

LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n return

```
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
```

returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by

the given [keySelector] function applied to the element\n * and returns a map where each group key is associated

with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys

produced from the original array.\n * \n * @sample

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <K, V>
FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <K, V>
DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <K, V>
BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <K, V>
CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic inline
fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -
> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key)
{ ArrayList<T>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic inline
fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -
> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key)
{ ArrayList<Byte>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic inline
fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short)
-> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Short>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M,
keySelector: (Int) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Int>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *

```

Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n * public inline fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Long>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n * public inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Float>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n * public inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Double>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n * public inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Boolean>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n * public inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]

```

map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector:
(Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector:
(Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector:
(Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector:
(Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector:
(Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K,
valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector:
(Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Creates a [Grouping] source from an array to be used later with one of group-and-fold

```

operations using the specified [keySelector] function to extract a key from each element.

```

@sample
samples.collections.Grouping.groupingByEachCount
@SinceKotlin("1.1")
public inline fun <T, K>
Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {
    return object : Grouping<T, K> {
        override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()
        override fun
keyOf(element: T): K = keySelector(element)
    }
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample
samples.collections.Collections.Transformations.map
public inline fun <T, R> Array<out T>.map(transform:
(T) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample
samples.collections.Collections.Transformations.map
public inline fun <R> ByteArray.map(transform: (Byte)
-> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample
samples.collections.Collections.Transformations.map
public inline fun <R> ShortArray.map(transform:
(Short) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample
samples.collections.Collections.Transformations.map
public inline fun <R> IntArray.map(transform: (Int) ->
R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample
samples.collections.Collections.Transformations.map
public inline fun <R> LongArray.map(transform:
(Long) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample
samples.collections.Collections.Transformations.map
public inline fun <R> FloatArray.map(transform: (Float)
-> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample
samples.collections.Collections.Transformations.map
public inline fun <R> DoubleArray.map(transform:
(Double) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample
samples.collections.Collections.Transformations.map
public inline fun <R> BooleanArray.map(transform:
(Boolean) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample
samples.collections.Collections.Transformations.map
public inline fun <R>
CharArray.map(transform: (Char) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <T, R> Array<out
T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size),
transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform] function that takes the index of an element and
the element itself
and returns the result of the transform applied to the element.
public inline fun <R>
ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {
    return
mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform] function
that takes the index of an element and the element itself
and returns the result of the transform applied to the
element.
public inline fun <R> ShortArray.mapIndexed(transform:
(index: Int, Short) -> R): List<R> {
    return
mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform]
function that takes the index of an element and the element itself
and returns the result of the transform applied
to the element.
public inline fun <R> IntArray.mapIndexed(transform:
(index: Int, Int) -> R): List<R> {
    return

```

```

return mapIndexedTo(ArrayList<R>(size), transform)\n\n/**\n * Returns a list containing the results of applying
the given [transform] function\n * to each element and its index in the original array.\n * @param [transform]
function that takes the index of an element and the element itself\n * and returns the result of the transform applied
to the element.\n */\npublic inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n\n/**\n * Returns a list containing the results of
applying the given [transform] function\n * to each element and its index in the original array.\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n */\npublic inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -
> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element and its index in the original array.\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <R> DoubleArray.mapIndexed(transform: (index: Int,
Double) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n\n/**\n * Returns a list
containing the results of applying the given [transform] function\n * to each element and its index in the original
array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the
result of the transform applied to the element.\n */\npublic inline fun <R> BooleanArray.mapIndexed(transform:
(index: Int, Boolean) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element and its index in
the original array.\n * @param [transform] function that takes the index of an element and the element itself\n *
and returns the result of the transform applied to the element.\n */\npublic inline fun <R>
CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n
return
mapIndexedTo(ArrayList<R>(size), transform)\n\n/**\n * Returns a list containing only the non-null results of
applying the given [transform] function\n * to each element and its index in the original array.\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n */\npublic inline fun <T, R : Any> Array<out
T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n
return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n\n/**\n * Applies the given [transform] function to each
element and its index in the original array\n * and appends only the non-null results to the given [destination].\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out
T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n
forEachIndexed { index,
element -> transform(index, element)?.let { destination.add(it) } }\n
return destination\n\n/**\n * Applies the
given [transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in
R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n
var index = 0\n
for (item in this)\n
destination.add(transform(index++, item))\n
return destination\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n
var index = 0\n
for (item in
this)\n
destination.add(transform(index++, item))\n
return destination\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n
var index = 0\n
for (item in
this)\n
destination.add(transform(index++, item))\n
return destination\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given

```



```

[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n *\npublic inline fun <R, C : MutableCollection<in R>>
IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n *\npublic inline fun <R, C : MutableCollection<in R>>
LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n *\npublic inline fun <R, C : MutableCollection<in R>>
FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n *\npublic inline fun <R, C : MutableCollection<in R>>
DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n  var index = 0\n  for
(item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n *\npublic inline fun <R, C : MutableCollection<in R>>
BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n  var index = 0\n  for
(item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n *\npublic inline fun <R, C : MutableCollection<in R>>
CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Returns a list containing
only the non-null results of applying the given [transform] function\n * to each element in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.mapNotNull\n *\npublic inline fun <T, R : Any>
Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n  return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original array\n * and
appends only the non-null results to the given [destination].\n *\npublic inline fun <T, R : Any, C :
MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n  forEach {
element -> transform(element)?.let { destination.add(it) } }\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) ->
R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the
given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n *\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C,
transform: (Byte) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n *\npublic inline fun <R, C : MutableCollection<in R>>
ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n  for (item in this)\n
destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n *\npublic inline fun <R, C :
MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n  for (item in this)\n

```

```

destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n for (item in this)\n
destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R,
C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n for (item in
this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic
inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n
for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*/\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean)
-> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies
the given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C,
transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return
destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an
[IndexValue] containing the index of that element and the element itself.\n */\npublic fun <T> Array<out
T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a
lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that
element and the element itself.\n */\npublic fun ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n return
IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n
* into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun
ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the
index of that element and the element itself.\n */\npublic fun IntArray.withIndex(): Iterable<IndexedValue<Int>>
{\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the
original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic
fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n
* Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the
index of that element and the element itself.\n */\npublic fun FloatArray.withIndex():
Iterable<IndexedValue<Float>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n */\npublic fun DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n return
IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n
* into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun
BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n return IndexingIterable { iterator()
}\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue]
containing the index of that element and the element itself.\n */\npublic fun CharArray.withIndex():
Iterable<IndexedValue<Char>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing
only distinct elements from the given array.\n * \n * Among equal elements of the given array, only the first one will
be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source
array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun
<T> Array<out T>.distinct(): List<T> {\n return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list
containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same
order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun ByteArray.distinct():
List<Byte> {\n return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements

```

```

from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source
array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic fun
ShortArray.distinct(): List<Short> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing
only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic fun IntArray.distinct():
List<Int> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from
the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n *
\n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic fun
LongArray.distinct(): List<Long> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing
only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic fun FloatArray.distinct():
List<Float> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements
from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source
array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic fun
DoubleArray.distinct(): List<Double> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list
containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same
order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic fun BooleanArray.distinct():
List<Boolean> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct
elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the
source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic
fun CharArray.distinct(): List<Char> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing
only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n *
Among elements of the given array with equal keys, only the first one will be present in the resulting list.\n * The
elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <T, K> Array<out
T>.distinctBy(selector: (T) -> K): List<T> {\n    val set = HashSet<K>()\n    val list = ArrayList<T>()\n    for (e in
this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n *
Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector]
function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n *
@sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Byte>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Short>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n    val set = HashSet<K>()\n    val list = ArrayList<Int>()\n
for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n *
Returns a list containing only elements from the given array\n * having distinct keys returned by the given

```

```

[selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source
array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline
fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Long>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Float>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Double>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Boolean>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Char>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set
containing all elements that are contained at least in one of these collections use [union].\n *^\npublic infix fun <T>
Array<out T>.intersect(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set
containing all elements that are contained at least in one of these collections use [union].\n *^\npublic infix fun
ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set
containing all elements that are contained at least in one of these collections use [union].\n *^\npublic infix fun
ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this
array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original
array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use
[union].\n *^\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this
array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original
array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use
[union].\n *^\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {\n    val set =

```

```

this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are
contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration
order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these
collections use [union].\n */\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {\n val set
= this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration
order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these
collections use [union].\n */\npublic infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {\n
val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all
elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least
in one of these collections use [union].\n */\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>):
Set<Boolean> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set
containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set
preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are
contained at least in one of these collections use [union].\n */\npublic infix fun CharArray.intersect(other:
Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n *
Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n *
\n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T>
Array<out T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by
the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */
\npublic infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n
set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this
array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n val set =
this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int>
{\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all
elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set
preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.subtract(other:
Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n *
Returns a set containing all elements that are contained by this array and not contained by the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun
FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n
set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this
array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n val set
= this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>):
Set<Boolean> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set
containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The
returned set preserves the element iteration order of the original array.\n */\npublic infix fun
CharArray.subtract(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.removeAll(other)\n
return set\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n *
The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out

```

```

T>.toMutableSet(): MutableSet<T> {\n  return toCollection(LinkedHashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set\n preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toMutableSet():\nMutableSet<Byte> {\n  return toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a\n new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the\n element iteration order of the original array.\n */\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n\n  return toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet]\n containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order\n of the original array.\n */\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n  return\n  toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all\n distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original\n array.\n */\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n  return\n  toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all\n distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original\n array.\n */\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n  return\n  toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all\n distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original\n array.\n */\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n  return\n  toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing\n all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the\n original array.\n */\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n  return\n  toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing\n all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the\n original array.\n */\npublic fun CharArray.toMutableSet(): MutableSet<Char> {\n  return\n  toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n}\n\n/**\n * Returns a set containing\n all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the\n original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of\n the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use\n [intersect].\n */\npublic infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {\n  val set =\n  this.toMutableSet()\n  set.addAll(other)\n  return set\n}\n\n/**\n * Returns a set containing all distinct elements\n from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those\n elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun\nByteArray.union(other: Iterable<Byte>): Set<Byte> {\n  val set = this.toMutableSet()\n  set.addAll(other)\n\n  return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set\n preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are\n unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements\n that are contained in both collections use [intersect].\n */\npublic infix fun\nShortArray.union(other:\nIterable<Short>): Set<Short> {\n  val set = this.toMutableSet()\n  set.addAll(other)\n  return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element\n iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the\n end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both\n collections use [intersect].\n */\npublic infix fun\nIntArray.union(other: Iterable<Int>): Set<Int> {\n  val set =\n  this.toMutableSet()\n  set.addAll(other)\n  return set\n}\n\n/**\n * Returns a set containing all distinct elements\n from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those\n elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun\nLongArray.union(other: Iterable<Long>): Set<Long> {\n  val set = this.toMutableSet()\n  set.addAll(other)\n}

```

```

return set\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set
preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are
unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements
that are contained in both collections use [intersect].\n */\npublic infix fun FloatArray.union(other: Iterable<Float>):
Set<Float> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set
containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order
of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the
order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use
[intersect].\n */\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n *
\n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun
BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n    val set = this.toMutableSet()\n
set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n *
\n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other]
collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set
containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun
CharArray.union(other: Iterable<Char>): Set<Char> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n
return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Array<out T>.all(predicate: (T) ->
Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean):
Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true`
if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*/\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun
IntArray.all(predicate: (Int) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n
return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun LongArray.all(predicate: (Long) -> Boolean):
Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true`
if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*/\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun
DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun BooleanArray.all(predicate: (Boolean) ->
Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharArray.all(predicate: (Char) -> Boolean):
Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true`
if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun
<T> Array<out T>.any(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ByteArray.any():
Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.any\n *^\npublic fun ShortArray.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun IntArray.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun LongArray.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun FloatArray.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun DoubleArray.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun BooleanArray.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun CharArray.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun <T> Array<out
T>.any(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun ByteArray.any(predicate:
(Byte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun ShortArray.any(predicate:
(Short) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun IntArray.any(predicate: (Int) -
> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n *
Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun LongArray.any(predicate:
(Long) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun FloatArray.any(predicate:
(Float) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun DoubleArray.any(predicate:
(Double) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun BooleanArray.any(predicate:
(Boolean) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun CharArray.any(predicate:
(Char) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns the number of elements in this array.\n * \n *^\n@kotlin.internal.InlineOnly\npublic inline
fun <T> Array<out T>.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n *^\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the
number of elements in this array.\n * \n *^\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n *^\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n *^\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the
number of elements in this array.\n * \n *^\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int {\n

```



```

return size\n}\n\n/**\n * Returns the number of elements in this array.\n *\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.count(): Int {\n    return size\n}\n\n/**\n * Returns
the number of elements in this array.\n *\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.count(): Int {\n
    return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\npublic inline fun
<T> Array<out T>.count(predicate: (T) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n *\npublic inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {\n    var count = 0\n    for
(element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements
matching the given [predicate].\n *\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n    var
count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the
number of elements matching the given [predicate].\n *\npublic inline fun IntArray.count(predicate: (Int) ->
Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return
count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\npublic inline fun
LongArray.count(predicate: (Long) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n *\npublic inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {\n    var count = 0\n    for
(element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements
matching the given [predicate].\n *\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n
var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the
number of elements matching the given [predicate].\n *\npublic inline fun BooleanArray.count(predicate: (Boolean)
-> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return
count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\npublic inline fun
CharArray.count(predicate: (Char) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator
value and an element, and calculates the next accumulator value.\n *\npublic inline fun <T, R> Array<out
T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n    var accumulator = initial\n    for (element in this)
accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n
*\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n *\npublic inline fun <R>
ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n    var accumulator = initial\n    for (element in
this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n
*\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n *\npublic inline fun <R>
ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {\n    var accumulator = initial\n    for (element in
this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n
*\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n *\npublic inline fun <R>
IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {\n    var accumulator = initial\n    for (element in
this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n
*\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n *\npublic inline fun <R>

```

```

LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {
    var accumulator = initial
    for (element in this)
        accumulator = operation(accumulator, element)
    return accumulator
}

FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {
    var accumulator = initial
    for (element in this)
        accumulator = operation(accumulator, element)
    return accumulator
}

DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {
    var accumulator = initial
    for (element in this)
        accumulator = operation(accumulator, element)
    return accumulator
}

BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {
    var accumulator = initial
    for (element in this)
        accumulator = operation(accumulator, element)
    return accumulator
}

CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {
    var accumulator = initial
    for (element in this)
        accumulator = operation(accumulator, element)
    return accumulator
}

T.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this)
        accumulator = operation(index++, accumulator, element)
    return accumulator
}

ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this)
        accumulator = operation(index++, accumulator, element)
    return accumulator
}

ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this)
        accumulator = operation(index++, accumulator, element)
    return accumulator
}

IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this)
        accumulator = operation(index++, accumulator, element)
    return accumulator
}

```

index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is

empty.
 * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 *
 public inline fun <R> IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R {
 var index = lastIndex
 var accumulator = initial
 while (index >= 0) {
 accumulator = operation(get(index--), accumulator)
 }
 return accumulator
 }
 * Accumulates value starting with [initial] value and applying [operation] from right to left
 * to each element and current accumulator value.
 * Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 *
 public inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {
 var index = lastIndex
 var accumulator = initial
 while (index >= 0) {
 accumulator = operation(get(index--), accumulator)
 }
 return accumulator
 }
 * Accumulates value starting with [initial] value and applying [operation] from right to left
 * to each element and current accumulator value.
 * Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 *
 public inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {
 var index = lastIndex
 var accumulator = initial
 while (index >= 0) {
 accumulator = operation(get(index--), accumulator)
 }
 return accumulator
 }
 * Accumulates value starting with [initial] value and applying [operation] from right to left
 * to each element and current accumulator value.
 * Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 *
 public inline fun <R> DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {
 var index = lastIndex
 var accumulator = initial
 while (index >= 0) {
 accumulator = operation(get(index--), accumulator)
 }
 return accumulator
 }
 * Accumulates value starting with [initial] value and applying [operation] from right to left
 * to each element and current accumulator value.
 * Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 *
 public inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {
 var index = lastIndex
 var accumulator = initial
 while (index >= 0) {
 accumulator = operation(get(index--), accumulator)
 }
 return accumulator
 }
 * Accumulates value starting with [initial] value and applying [operation] from right to left
 * to each element and current accumulator value.
 * Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 *
 public inline fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {
 var index = lastIndex
 var accumulator = initial
 while (index >= 0) {
 accumulator = operation(get(index--), accumulator)
 }
 return accumulator
 }
 * Accumulates value starting with [initial] value and applying [operation] from right to left
 * to each element with its index in the original array and current accumulator value.
 * Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes the index of an element, the element itself
 * and current accumulator value, and calculates the next accumulator value.
 *
 public inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {
 var index = lastIndex
 var accumulator = initial
 while (index >= 0) {
 accumulator = operation(index, get(index), accumulator)
 --index
 }
 return accumulator
 }
 * Accumulates value starting with [initial] value and applying [operation] from right to left
 * to each element with its index in the original array and current accumulator value.
 * Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes the index of an element, the element itself
 * and current accumulator value, and calculates the next accumulator value.
 *
 public inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {
 var index = lastIndex
 var accumulator = initial
 while (index >= 0) {
 accumulator = operation(index, get(index), accumulator)
 --index
 }
 return accumulator
 }
 * Accumulates value starting with [initial] value and applying [operation] from right to left
 * to each element with its index in the original array and current accumulator value.
 * Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes the index of an element, the element itself
 * and current accumulator value, and calculates the next accumulator value.

```

*^public inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

* Accumulates value starting with [initial] value and applying [operation] from right to left
* to each element with its index in the original array and current accumulator value.
* Returns the specified [initial] value if the array is empty.
* @param [operation] function that takes the index of an element, the element itself
* and current accumulator value, and calculates the next accumulator value.

*^public inline fun <R> IntArray.foldRightIndexed(initial: R, operation:
(index: Int, Int, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

* Accumulates value starting with [initial] value and applying [operation] from right to left
* to each element with its index in the original array and current accumulator value.
* Returns the specified [initial] value if the array is empty.
* @param [operation] function that takes the index of an element, the element itself
* and current accumulator value, and calculates the next accumulator value.

*^public inline fun <R>
LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

* Accumulates value starting with [initial] value and applying
[operation] from right to left
* to each element with its index in the original array and current accumulator value.
* Returns the specified [initial] value if the array is empty.
* @param [operation] function that takes the
index of an element, the element itself
* and current accumulator value, and calculates the next accumulator
value.

*^public inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) ->
R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator =
operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

* Accumulates
value starting with [initial] value and applying [operation] from right to left
* to each element with its index in the
original array and current accumulator value.
* Returns the specified [initial] value if the array is empty.
* @param [operation] function that takes the index of an element, the element itself
* and current accumulator
value, and calculates the next accumulator value.

*^public inline fun <R> DoubleArray.foldRightIndexed(initial:
R, operation: (index: Int, Double, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while
(index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return
accumulator
}

* Accumulates value starting with [initial] value and applying [operation] from right to
left
* to each element with its index in the original array and current accumulator value.
* Returns the
specified [initial] value if the array is empty.
* @param [operation] function that takes the index of an
element, the element itself
* and current accumulator value, and calculates the next accumulator value.

*^public inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R):
R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator =
operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

* Accumulates
value starting with [initial] value and applying [operation] from right to left
* to each element with its index in the
original array and current accumulator value.
* Returns the specified [initial] value if the array is empty.
* @param [operation] function that takes the index of an element, the element itself
* and current accumulator
value, and calculates the next accumulator value.

*^public inline fun <R> CharArray.foldRightIndexed(initial: R,
operation: (index: Int, Char, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while
(index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return
accumulator
}

* Performs the given [action] on each element.

*^public inline fun <T> Array<out
T>.forEach(action: (T) -> Unit): Unit {
    for (element in this) action(element)
}

* Performs the given
[action] on each element.

*^public inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {
    for (element
in this) action(element)
}

* Performs the given [action] on each element.

*^public inline fun
ShortArray.forEach(action: (Short) -> Unit): Unit {
    for (element in this) action(element)
}

* Performs
the given [action] on each element.

*^public inline fun IntArray.forEach(action: (Int) -> Unit): Unit {
    for
(element in this) action(element)
}

* Performs the given [action] on each element.

*^public inline fun

```

```

LongArray.forEach(action: (Long) -> Unit): Unit {
    for (element in this) action(element)
}
/**
 * Performs the given [action] on each element.
 */
public inline fun FloatArray.forEach(action: (Float) -> Unit): Unit {
    for (element in this) action(element)
}
/**
 * Performs the given [action] on each element.
 */
public inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {
    for (element in this) action(element)
}
/**
 * Performs the given [action] on each element.
 */
public inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {
    for (element in this) action(element)
}
/**
 * Performs the given [action] on each element.
 */
public inline fun CharArray.forEach(action: (Char) -> Unit): Unit {
    for (element in this)
        action(element)
}
/**
 * Performs the given [action] on each element, providing sequential index with the element.
 */
@param [action] function that takes the index of an element and the element itself
 * and performs the action on the element.
 */
public inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}
/**
 * Performs the given [action] on each element, providing sequential index with the element.
 */
@param [action] function that takes the index of an element and the element itself
 * and performs the action on the element.
 */
public inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
/**
 * Performs the given [action] on each element, providing sequential index with the element.
 */
@param [action] function that takes the index of an element and the element itself
 * and performs the action on the element.
 */
public inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
/**
 * Performs the given [action] on each element, providing sequential index with the element.
 */
@param [action] function that takes the index of an element and the element itself
 * and performs the action on the element.
 */
public inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
/**
 * Performs the given [action] on each element, providing sequential index with the element.
 */
@param [action] function that takes the index of an element and the element itself
 * and performs the action on the element.
 */
public inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
/**
 * Performs the given [action] on each element, providing sequential index with the element.
 */
@param [action] function that takes the index of an element and the element itself
 * and performs the action on the element.
 */
public inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
/**
 * Performs the given [action] on each element, providing sequential index with the element.
 */
@param [action] function that takes the index of an element and the element itself
 * and performs the action on the element.
 */
public inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
/**
 * Performs the given [action] on each element, providing sequential index with the element.
 */
@param [action] function that takes the index of an element and the element itself
 * and performs the action on the element.
 */
public inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
/**
 * Performs the given [action] on each element, providing sequential index with the element.
 */
@param [action] function that takes the index of an element and the element itself
 * and performs the action on the element.
 */
public inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
@Deprecated("Use maxOrNull instead.", ReplaceWith("maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4")
@SinceKotlin("1.1")
public fun Array<out Double>.max(): Double? {
    return maxOrNull()
}
@Deprecated("Use maxOrNull instead.", ReplaceWith("maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4")
@SinceKotlin("1.1")
public fun Array<out Float>.max(): Float? {
    return maxOrNull()
}
@Deprecated("Use maxOrNull instead.", ReplaceWith("maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4")
public fun <T : Comparable<T>> Array<out T>.max(): T? {
    return maxOrNull()
}
@Deprecated("Use maxOrNull instead.", ReplaceWith("maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4")
public fun ByteArray.max(): Byte? {
    return maxOrNull()
}
@Deprecated("Use maxOrNull instead.", ReplaceWith("maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4")
public fun ShortArray.max():

```

```

Short? {\n  return maxOrNull()\n}\n\n@Deprecated(\\"Use maxOrNull instead.\",
ReplaceWith(\\"maxOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic fun IntArray.max():
Int? {\n  return maxOrNull()\n}\n\n@Deprecated(\\"Use maxOrNull instead.\",
ReplaceWith(\\"maxOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic fun LongArray.max():
Long? {\n  return maxOrNull()\n}\n\n@Deprecated(\\"Use maxOrNull instead.\",
ReplaceWith(\\"maxOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic fun FloatArray.max():
Float? {\n  return maxOrNull()\n}\n\n@Deprecated(\\"Use maxOrNull instead.\",
ReplaceWith(\\"maxOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic fun
DoubleArray.max(): Double? {\n  return maxOrNull()\n}\n\n@Deprecated(\\"Use maxOrNull instead.\",
ReplaceWith(\\"maxOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic fun CharArray.max():
Char? {\n  return maxOrNull()\n}\n\n@Deprecated(\\"Use maxByOrNull instead.\",
ReplaceWith(\\"maxByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic inline fun
<T, R : Comparable<R>> Array<out T>.maxBy(selector: (T) -> R): T? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated(\\"Use maxByOrNull instead.\",
ReplaceWith(\\"maxByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic inline fun
<R : Comparable<R>> ByteArray.maxBy(selector: (Byte) -> R): Byte? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated(\\"Use maxByOrNull instead.\",
ReplaceWith(\\"maxByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic inline fun
<R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R): Short? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated(\\"Use maxByOrNull instead.\",
ReplaceWith(\\"maxByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic inline fun
<R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated(\\"Use maxByOrNull instead.\",
ReplaceWith(\\"maxByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic inline fun
<R : Comparable<R>> LongArray.maxBy(selector: (Long) -> R): Long? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated(\\"Use maxByOrNull instead.\",
ReplaceWith(\\"maxByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic inline fun
<R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R): Float? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated(\\"Use maxByOrNull instead.\",
ReplaceWith(\\"maxByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic inline fun
<R : Comparable<R>> DoubleArray.maxBy(selector: (Double) -> R): Double? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated(\\"Use maxByOrNull instead.\",
ReplaceWith(\\"maxByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic inline fun
<R : Comparable<R>> BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated(\\"Use maxByOrNull instead.\",
ReplaceWith(\\"maxByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic inline fun
<R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R): Char? {\n  return
maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxByOrNull(selector: (T) ->
R): T? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex
== 0) return maxElem\n  var maxValue = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n
val v = selector(e)\n    if (maxValue < v) {\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return
maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are
no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> ByteArray.maxByOrNull(selector: (Byte) ->
R): Byte? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if
(lastIndex == 0) return maxElem\n  var maxValue = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e =

```

```

this[i]\n    val v = selector(e)\n    if (maxValue < v) {\n        maxElem = e\n        maxValue = v\n    }\n}\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or\n * `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> ShortArray.maxByOrNull(selector: (Short) -> R): Short? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n}\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or\n * `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> IntArray.maxByOrNull(selector: (Int) -> R): Int? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n}\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or\n * `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> LongArray.maxByOrNull(selector: (Long) -> R): Long? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n}\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or\n * `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> FloatArray.maxByOrNull(selector: (Float) -> R): Float? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n}\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or\n * `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> DoubleArray.maxByOrNull(selector: (Double) -> R): Double? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n}\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or\n * `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> BooleanArray.maxByOrNull(selector: (Boolean) -> R): Boolean? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n}\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or\n * `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> CharArray.maxByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n}\n return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```



```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector: (T) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOf(selector: (Byte) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Double):
Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/

```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) ->\nDouble): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return\n    maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to\n * each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n * `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) ->\nDouble): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return\n    maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to\n * each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n * `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector: (T) ->\nFloat): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i\n    in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return\n    maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to\n * each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n * `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOf(selector: (Byte) -> Float):\nFloat {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in\n    1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return\n    maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to\n * each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n * `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) ->\nFloat): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i\n    in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return\n    maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to\n * each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n * `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Float):\nFloat {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in\n    1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return\n    maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to\n * each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n * `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) ->\nFloat): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i\n    in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return\n    maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to\n * each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n
```

```

`NaN`.n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i
in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i
in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i
in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) -> Float):
Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxOf(selector: (T) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.maxOf(selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.maxOf(selector: (Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws

```

NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
```

```
IntArray.maxOf(selector: (Int) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the array.\n * @throws NoSuchElementException if the\n * array is empty.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
```

```
LongArray.maxOf(selector: (Long) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\n    maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values\n * produced by [selector] function\n * applied to each element in the array.\n * @throws
```

NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
```

```
FloatArray.maxOf(selector: (Float) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\n    maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values\n * produced by [selector] function\n * applied to each element in the array.\n * @throws
```

NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
```

```
DoubleArray.maxOf(selector: (Double) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\n    maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values\n * produced by [selector] function\n * applied to each element in the array.\n * @throws
```

NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
```

```
BooleanArray.maxOf(selector: (Boolean) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\n    maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values\n * produced by [selector] function\n * applied to each element in the array.\n * @throws
```

NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
```

```
CharArray.maxOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\n    maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values\n * produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * If\n * any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOfOrNull(selector:
```

```
(T) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in\n    1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return\n    maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
```

each element in the array or `null` if there are no elements.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOrNull(selector: (Byte) ->\nDouble): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n * if there are no elements.\n * If any of values produced by [selector] function is `NaN`, the returned\n * result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOrNull(selector: (Short) ->\nDouble): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex)\n    {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array\n * or `null` if there are no elements.\n * If any of values produced by [selector] function is `NaN`, the returned\n * result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOrNull(selector: (Int) ->\nDouble): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n * if there are no elements.\n * If any of values produced by [selector] function is `NaN`, the returned\n * result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOrNull(selector: (Long) ->\nDouble): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex)\n    {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array\n * or `null` if there are no elements.\n * If any of values produced by [selector] function is `NaN`, the returned\n * result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOrNull(selector: (Float) ->\nDouble): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex)\n    {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array\n * or `null` if there are no elements.\n * If any of values produced by [selector] function is `NaN`, the returned\n * result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOrNull(selector:\n(Double) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in\n    1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return\n    maxValue\n}\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to\n * each element in the array or `null` if there are no elements.\n * If any of values produced by [selector] function\n * is `NaN`, the returned result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOrNull(selector:\n(Boolean) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in\n    1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
```

maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOrNull(selector: (Char) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOrNull(selector: (T) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOrNull(selector: (Byte) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOrNull(selector: (Short) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOrNull(selector: (Int) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOrNull(selector: (Long) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOrNull(selector: (Float) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
```

```
val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOfOrNull(selector: (Double) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOfOrNull(selector: (Boolean) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOfOrNull(selector: (Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxOfOrNull(selector: (T) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ByteArray.maxOfOrNull(selector: (Byte) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ShortArray.maxOfOrNull(selector: (Short) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> IntArray.maxOfOrNull(selector: (Int) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.maxOfOrNull(selector: (Long) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.maxOfOrNull(selector: (Float) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.maxOfOrNull(selector: (Double) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.maxOfOrNull(selector: (Boolean) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.maxOfOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.maxOfWith(comparator:
Comparator<in R>, selector: (Byte) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.maxOfWith(comparator:

```



```

Comparator<in R>, selector: (Short) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var
    maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if
        (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value according to the provided [comparator]
among all values produced by [selector]
function applied to each element in the array.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> IntArray.maxOfWith(comparator:
Comparator<in R>, selector: (Int) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var
    maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if
        (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value according to the provided [comparator]
among all values produced by [selector]
function applied to each element in the array.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> LongArray.maxOfWith(comparator:
Comparator<in R>, selector: (Long) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var
    maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if
        (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value according to the provided [comparator]
among all values produced by [selector]
function applied to each element in the array.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> FloatArray.maxOfWith(comparator:
Comparator<in R>, selector: (Float) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var
    maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if
        (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value according to the provided [comparator]
among all values produced by [selector]
function applied to each element in the array.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> DoubleArray.maxOfWith(comparator:
Comparator<in R>, selector: (Double) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var
    maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if
        (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value according to the provided [comparator]
among all values produced by [selector]
function applied to each element in the array.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> BooleanArray.maxOfWith(comparator:
Comparator<in R>, selector: (Boolean) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var
    maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if
        (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value according to the provided [comparator]
among all values produced by [selector]
function applied to each element in the array.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> CharArray.maxOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var
    maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if
        (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value according to the provided [comparator]
among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n if (isEmpty()) return null\n
var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n if (isEmpty()) return
null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n if (isEmpty())
return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
IntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n if (isEmpty()) return
null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
LongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n if (isEmpty())
return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
FloatArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {\n if (isEmpty())
return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n if (isEmpty())
return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n

```

```

*^@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n if (isEmpty())
return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*^@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <R>
CharArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n if (isEmpty()) return
null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*^@SinceKotlin("1.4")\npublic fun Array<out Double>.maxOrNull(): Double? {\n if (isEmpty()) return null\n
var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n return
max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN`
returns `NaN`.\n
*^@SinceKotlin("1.4")\npublic fun Array<out Float>.maxOrNull(): Float? {\n if (isEmpty())
return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n
return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*^@SinceKotlin("1.4")\npublic fun <T : Comparable<T>> Array<out T>.maxOrNull(): T? {\n if (isEmpty())
return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n
return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*^@SinceKotlin("1.4")\npublic fun ByteArray.maxOrNull(): Byte? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n
*^@SinceKotlin("1.4")\npublic fun ShortArray.maxOrNull(): Short? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n
*^@SinceKotlin("1.4")\npublic fun IntArray.maxOrNull(): Int? {\n if (isEmpty())
return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n
return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*^@SinceKotlin("1.4")\npublic fun LongArray.maxOrNull(): Long? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*^@SinceKotlin("1.4")\npublic fun FloatArray.maxOrNull(): Float? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n return
max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN`
returns `NaN`.\n
*^@SinceKotlin("1.4")\npublic fun DoubleArray.maxOrNull(): Double? {\n if (isEmpty())
return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n
return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*^@SinceKotlin("1.4")\npublic fun CharArray.maxOrNull(): Char? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return
max\n}\n}\n\n@Deprecated("Use maxWithOrNull instead.")
ReplaceWith("maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun
<T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.")
ReplaceWith("maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun
ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {\n return
maxWithOrNull(comparator)\n}\n}\n\n@Deprecated("Use maxWithOrNull instead.")

```

```

ReplaceWith("\\maxWithOrNull(comparator)\\")\\n@DeprecatedSinceKotlin(warningSince = \\\"1.4\\\")\\npublic fun
ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\\n    return
maxWithOrNull(comparator)\\n}\\n\\n@Deprecated(\\\"Use maxWithOrNull instead.\\\",
ReplaceWith("\\maxWithOrNull(comparator)\\")\\n@DeprecatedSinceKotlin(warningSince = \\\"1.4\\\")\\npublic fun
IntArray.maxWith(comparator: Comparator<in Int>): Int? {\\n    return
maxWithOrNull(comparator)\\n}\\n\\n@Deprecated(\\\"Use maxWithOrNull instead.\\\",
ReplaceWith("\\maxWithOrNull(comparator)\\")\\n@DeprecatedSinceKotlin(warningSince = \\\"1.4\\\")\\npublic fun
LongArray.maxWith(comparator: Comparator<in Long>): Long? {\\n    return
maxWithOrNull(comparator)\\n}\\n\\n@Deprecated(\\\"Use maxWithOrNull instead.\\\",
ReplaceWith("\\maxWithOrNull(comparator)\\")\\n@DeprecatedSinceKotlin(warningSince = \\\"1.4\\\")\\npublic fun
FloatArray.maxWith(comparator: Comparator<in Float>): Float? {\\n    return
maxWithOrNull(comparator)\\n}\\n\\n@Deprecated(\\\"Use maxWithOrNull instead.\\\",
ReplaceWith("\\maxWithOrNull(comparator)\\")\\n@DeprecatedSinceKotlin(warningSince = \\\"1.4\\\")\\npublic fun
DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {\\n    return
maxWithOrNull(comparator)\\n}\\n\\n@Deprecated(\\\"Use maxWithOrNull instead.\\\",
ReplaceWith("\\maxWithOrNull(comparator)\\")\\n@DeprecatedSinceKotlin(warningSince = \\\"1.4\\\")\\npublic fun
BooleanArray.maxWith(comparator: Comparator<in Boolean>): Boolean? {\\n    return
maxWithOrNull(comparator)\\n}\\n\\n@Deprecated(\\\"Use maxWithOrNull instead.\\\",
ReplaceWith("\\maxWithOrNull(comparator)\\")\\n@DeprecatedSinceKotlin(warningSince = \\\"1.4\\\")\\npublic fun
CharArray.maxWith(comparator: Comparator<in Char>): Char? {\\n    return
maxWithOrNull(comparator)\\n}\\n\\n/**\\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\\n *\\n@SinceKotlin(\\\"1.4\\\")\\npublic fun <T> Array<out
T>.maxWithOrNull(comparator: Comparator<in T>): T? {\\n    if (isEmpty()) return null\\n    var max = this[0]\\n
for (i in 1..lastIndex) {\\n        val e = this[i]\\n        if (comparator.compare(max, e) < 0) max = e\\n    }\\n    return
max\\n}\\n\\n/**\\n * Returns the first element having the largest value according to the provided [comparator] or `null`
if there are no elements.\\n *\\n@SinceKotlin(\\\"1.4\\\")\\npublic fun ByteArray.maxWithOrNull(comparator:
Comparator<in Byte>): Byte? {\\n    if (isEmpty()) return null\\n    var max = this[0]\\n    for (i in 1..lastIndex) {\\n
        val e = this[i]\\n        if (comparator.compare(max, e) < 0) max = e\\n    }\\n    return max\\n}\\n\\n/**\\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\\n
*\\n@SinceKotlin(\\\"1.4\\\")\\npublic fun ShortArray.maxWithOrNull(comparator: Comparator<in Short>): Short? {\\n
    if (isEmpty()) return null\\n    var max = this[0]\\n    for (i in 1..lastIndex) {\\n        val e = this[i]\\n        if
(comparator.compare(max, e) < 0) max = e\\n    }\\n    return max\\n}\\n\\n/**\\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\\n
*\\n@SinceKotlin(\\\"1.4\\\")\\npublic fun IntArray.maxWithOrNull(comparator: Comparator<in Int>): Int? {\\n    if
(isEmpty()) return null\\n    var max = this[0]\\n    for (i in 1..lastIndex) {\\n        val e = this[i]\\n        if
(comparator.compare(max, e) < 0) max = e\\n    }\\n    return max\\n}\\n\\n/**\\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\\n
*\\n@SinceKotlin(\\\"1.4\\\")\\npublic fun LongArray.maxWithOrNull(comparator: Comparator<in Long>): Long? {\\n
    if (isEmpty()) return null\\n    var max = this[0]\\n    for (i in 1..lastIndex) {\\n        val e = this[i]\\n        if
(comparator.compare(max, e) < 0) max = e\\n    }\\n    return max\\n}\\n\\n/**\\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\\n
*\\n@SinceKotlin(\\\"1.4\\\")\\npublic fun FloatArray.maxWithOrNull(comparator: Comparator<in Float>): Float? {\\n
    if (isEmpty()) return null\\n    var max = this[0]\\n    for (i in 1..lastIndex) {\\n        val e = this[i]\\n        if
(comparator.compare(max, e) < 0) max = e\\n    }\\n    return max\\n}\\n\\n/**\\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\\n
*\\n@SinceKotlin(\\\"1.4\\\")\\npublic fun DoubleArray.maxWithOrNull(comparator: Comparator<in Double>):
Double? {\\n    if (isEmpty()) return null\\n    var max = this[0]\\n    for (i in 1..lastIndex) {\\n        val e = this[i]\\n
    if (comparator.compare(max, e) < 0) max = e\\n    }\\n    return max\\n}\\n\\n/**\\n * Returns the first element having the

```

largest value according to the provided [comparator] or `null` if there are no elements.\n

```
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.maxOrNull(comparator: Comparator<in Boolean>): Boolean? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\npublic fun CharArray.maxOrNull(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\n@SinceKotlin("1.1")\npublic fun Array<out Double>.min(): Double? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\n@SinceKotlin("1.1")\npublic fun Array<out Float>.min(): Float? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun <T> Comparable<T>> Array<out T>.min(): T? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun ByteArray.min(): Byte? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun ShortArray.min(): Short? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun IntArray.min(): Int? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun LongArray.min(): Long? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun FloatArray.min(): Float? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun DoubleArray.min(): Double? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun CharArray.min(): Char? {\n    return minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead.", ReplaceWith("minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic inline fun <T, R : Comparable<R>> Array<out T>.minBy(selector: (T) -> R): T? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.", ReplaceWith("minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector: (Byte) -> R): Byte? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.", ReplaceWith("minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R): Short? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.", ReplaceWith("minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic inline fun <R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.", ReplaceWith("minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic inline fun <R : Comparable<R>> LongArray.minBy(selector: (Long) -> R): Long? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.", ReplaceWith("minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic inline fun <R : Comparable<R>> FloatArray.minBy(selector: (Float) -> R): Float? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.", ReplaceWith("minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic inline fun <R : Comparable<R>> DoubleArray.minBy(selector: (Double) -> R): Double? {\n    return
```

```

minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("minByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic inline fun <R
: Comparable<R>> BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("minByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic inline fun <R
: Comparable<R>> CharArray.minBy(selector: (Char) -> R): Char? {\n    return minByOrNull(selector)\n}\n\n/**\n
* Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n
* \n
* @sample samples.collections.Collections.Aggregates.minByOrNull\n
*/\n\n@SinceKotlin("1.4")\npublic inline
fun <T, R : Comparable<R>> Array<out T>.minByOrNull(selector: (T) -> R): T? {\n    if (isEmpty()) return null\n
var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n
* Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n
* \n
* @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*/\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> ByteArray.minByOrNull(selector: (Byte) -> R): Byte? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n
* Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n
* \n
* @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*/\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> ShortArray.minByOrNull(selector: (Short) -> R): Short? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n
* Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n
* \n
* @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*/\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> IntArray.minByOrNull(selector: (Int) -> R): Int? {\n    if (isEmpty()) return null\n    var minElem
= this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n
* Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n
* \n
* @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*/\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> LongArray.minByOrNull(selector: (Long) -> R): Long? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n
* Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n
* \n
* @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*/\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> FloatArray.minByOrNull(selector: (Float) -> R): Float? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n
* Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n
* \n
* @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*/\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> DoubleArray.minByOrNull(selector: (Double) -> R): Double? {\n    if (isEmpty()) return null\n
var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n
* Returns the first

```

element yielding the smallest value of the given function or `null` if there are no elements.

```

 * @sample samples.collections.Collections.Aggregates.minByOrNull
 * ^@SinceKotlin("1.4")
 public inline fun <R : Comparable<R>> BooleanArray.minByOrNull(selector: (Boolean) -> R): Boolean? {
     if (isEmpty()) return null
     var minElem = this[0]
     val lastIndex = this.lastIndex
     if (lastIndex == 0) return minElem
     var minValue = selector(minElem)
     for (i in 1..lastIndex) {
         val e = this[i]
         val v = selector(e)
         if (minValue > v) {
             minElem = e
             minValue = v
         }
     }
     return minElem
 }
 
```

Returns the first element yielding the smallest value of the given function or `null` if there are no elements.

```

 * @sample samples.collections.Collections.Aggregates.minByOrNull
 * ^@SinceKotlin("1.4")
 public inline fun <R : Comparable<R>> CharArray.minByOrNull(selector: (Char) -> R): Char? {
     if (isEmpty()) return null
     var minElem = this[0]
     val lastIndex = this.lastIndex
     if (lastIndex == 0) return minElem
     var minValue = selector(minElem)
     for (i in 1..lastIndex) {
         val e = this[i]
         val v = selector(e)
         if (minValue > v) {
             minElem = e
             minValue = v
         }
     }
     return minElem
 }
 
```

Returns the smallest value among all values produced by [selector] function applied to each element in the array. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

 * @throws NoSuchElementException if the array is empty.
 * ^@SinceKotlin("1.4")
 * ^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
 * ^@OverloadResolutionByLambdaReturnType
 * ^@kotlin.internal.InlineOnly
 public inline fun <T> Array<out T>.minOf(selector: (T) -> Double): Double {
     if (isEmpty()) throw NoSuchElementException()
     var minValue = selector(this[0])
     for (i in 1..lastIndex) {
         val v = selector(this[i])
         minValue = minOf(minValue, v)
     }
     return minValue
 }
 
```

Returns the smallest value among all values produced by [selector] function applied to each element in the array. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

 * @throws NoSuchElementException if the array is empty.
 * ^@SinceKotlin("1.4")
 * ^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
 * ^@OverloadResolutionByLambdaReturnType
 * ^@kotlin.internal.InlineOnly
 public inline fun ByteArray.minOf(selector: (Byte) -> Double): Double {
     if (isEmpty()) throw NoSuchElementException()
     var minValue = selector(this[0])
     for (i in 1..lastIndex) {
         val v = selector(this[i])
         minValue = minOf(minValue, v)
     }
     return minValue
 }
 
```

Returns the smallest value among all values produced by [selector] function applied to each element in the array. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

 * @throws NoSuchElementException if the array is empty.
 * ^@SinceKotlin("1.4")
 * ^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
 * ^@OverloadResolutionByLambdaReturnType
 * ^@kotlin.internal.InlineOnly
 public inline fun ShortArray.minOf(selector: (Short) -> Double): Double {
     if (isEmpty()) throw NoSuchElementException()
     var minValue = selector(this[0])
     for (i in 1..lastIndex) {
         val v = selector(this[i])
         minValue = minOf(minValue, v)
     }
     return minValue
 }
 
```

Returns the smallest value among all values produced by [selector] function applied to each element in the array. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

 * @throws NoSuchElementException if the array is empty.
 * ^@SinceKotlin("1.4")
 * ^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
 * ^@OverloadResolutionByLambdaReturnType
 * ^@kotlin.internal.InlineOnly
 public inline fun IntArray.minOf(selector: (Int) -> Double): Double {
     if (isEmpty()) throw NoSuchElementException()
     var minValue = selector(this[0])
     for (i in 1..lastIndex) {
         val v = selector(this[i])
         minValue = minOf(minValue, v)
     }
     return minValue
 }
 
```

Returns the smallest value among all values produced by [selector] function applied to each element in the array. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

 * @throws NoSuchElementException if the array is empty.
 * ^@SinceKotlin("1.4")
 * ^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
 * ^@OverloadResolutionByLambdaReturnType
 * ^@kotlin.internal.InlineOnly
 public inline fun LongArray.minOf(selector: (Long) -> Double): Double {
     if (isEmpty()) throw NoSuchElementException()
     var minValue = selector(this[0])
     for (i in 1..lastIndex) {
         val v = selector(this[i])
         minValue = minOf(minValue, v)
     }
     return minValue
 }
 
```

Returns the smallest value among all values produced by [selector] function applied to

each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) ->
Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) ->
Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) ->
Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOf(selector: (Char) ->
Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOf(selector: (T) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOf(selector: (Byte) -> Float):
Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue}\n

```



```

minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n *\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n *\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOf(selector: (Long) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n *\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n *\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n *\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n *\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOf(selector: (Char) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n *\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out T>.minOf(selector: (T) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
```

```

minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.minOf(selector: (Byte) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue
= selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.minOf(selector: (Short) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.minOf(selector: (Int) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.minOf(selector: (Long) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.minOf(selector: (Float) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.minOf(selector: (Double) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.minOf(selector: (Boolean) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var

```

```

minValue = selector(this[0])\n for (i in 1..lastIndex) {\n     val v = selector(this[i])\n     if (minValue > v) {\n         minValue = v\n     }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n\n*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nCharArray.minOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n\n*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOrNull(selector: (T) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n\n*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOrNull(selector: (Byte) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n\n*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOrNull(selector: (Short) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n\n*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOrNull(selector: (Int) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n\n*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOrNull(selector: (Long) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n\n*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOrNull(selector: (Float) ->

```

Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOfOrNull(selector: (Double) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOfOrNull(selector: (Boolean) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOfOrNull(selector: (Char) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOfOrNull(selector: (T) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOfOrNull(selector: (Byte) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOfOrNull(selector: (Short) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOrNull(selector: (Int) ->
Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOrNull(selector: (Long) -
> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOrNull(selector: (Float) ->
Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOrNull(selector:
(Double) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOrNull(selector:
(Boolean) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOrNull(selector: (Char) ->
Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minOrNull(selector: (T) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n
return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>

```

```

ByteArray.minOrNull(selector: (Byte) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.minOrNull(selector: (Short) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.minOrNull(selector: (Int) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.minOrNull(selector: (Long) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.minOrNull(selector: (Float) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.minOrNull(selector: (Double) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.minOrNull(selector: (Boolean) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.minOrNull(selector: (Char) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.minOfWith(comparator:
Comparator<in R>, selector: (Byte) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.minOfWith(comparator:
Comparator<in R>, selector: (Short) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.minOfWith(comparator:
Comparator<in R>, selector: (Int) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue
= selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (comparator.compare(minValue,
v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value
according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.minOfWith(comparator:
Comparator<in R>, selector: (Long) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.minOfWith(comparator:
Comparator<in R>, selector: (Float) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.minOfWith(comparator:
Comparator<in R>, selector: (Double) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]

```

```

function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.minOfWith(comparator:
Comparator<in R>, selector: (Boolean) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.minOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    if (isEmpty()) return null\n
var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n    if (isEmpty()) return
null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n    if (isEmpty())
return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
IntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n    if (isEmpty()) return
null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
LongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n    if (isEmpty()) return
null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n

```


Returns the smallest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.

```

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.internal.InlineOnly^public inline fun <R>
FloatArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {
    if (isEmpty()) return
    null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(minValue, v) > 0) {
            minValue = v
        }
    }
    return minValue
}

```

Returns the smallest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.

```

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.internal.InlineOnly^public inline fun <R>
DoubleArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {
    if (isEmpty())
    return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(minValue, v) > 0) {
            minValue = v
        }
    }
    return minValue
}

```

Returns the smallest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.

```

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.internal.InlineOnly^public inline fun <R>
BooleanArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {
    if (isEmpty())
    return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(minValue, v) > 0) {
            minValue = v
        }
    }
    return minValue
}

```

Returns the smallest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.

```

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.internal.InlineOnly^public inline fun <R>
CharArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {
    if (isEmpty()) return
    null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(minValue, v) > 0) {
            minValue = v
        }
    }
    return minValue
}

```

Returns the smallest element or `null` if there are no elements. If any of elements is `NaN` returns `NaN`.

```

*^@SinceKotlin("1.4")^public fun Array<out Double>.minOrNull(): Double? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        min = minOf(min, e)
    }
    return min
}

```

Returns the smallest element or `null` if there are no elements. If any of elements is `NaN` returns `NaN`.

```

*^@SinceKotlin("1.4")^public fun Array<out Float>.minOrNull(): Float? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        min = minOf(min, e)
    }
    return min
}

```

Returns the smallest element or `null` if there are no elements.

```

*^@SinceKotlin("1.4")^public fun <T : Comparable<T>> Array<out T>.minOrNull(): T? {
    if (isEmpty())
    return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min = e
    }
    return min
}

```

Returns the smallest element or `null` if there are no elements.

```

*^@SinceKotlin("1.4")^public fun ByteArray.minOrNull(): Byte? {
    if (isEmpty()) return null
    var min =
    this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min = e
    }
    return min
}

```

Returns the smallest element or `null` if there are no elements.

```

*^@SinceKotlin("1.4")^public fun ShortArray.minOrNull(): Short? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min = e
    }
    return min
}

```

Returns the smallest element or `null` if there are no elements.

```

*^@SinceKotlin("1.4")^public fun IntArray.minOrNull(): Int? {
    if (isEmpty())
    return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min = e
    }
    return min
}

```

Returns the smallest element or `null` if there are no elements.

```

*^@SinceKotlin("1.4")^public fun LongArray.minOrNull(): Long? {
    if (isEmpty()) return null
    var min =
    this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min = e
    }
    return min
}

```

Returns the smallest element or `null` if there are no elements. * If any of elements is `NaN` returns `NaN`.

```

*\/\n@SinceKotlin("1.4")\npublic fun FloatArray.minOrNull(): Float? {\n    if (isEmpty()) return null\n    var min =\n    this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/>\n * Returns the smallest element or `null` if there are no elements.
*\/\n@SinceKotlin("1.4")\npublic fun DoubleArray.minOrNull(): Double? {\n    if (isEmpty()) return null\n    var\n    min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        min = minOf(min, e)\n    }\n    return\n    min\n}\n\n/>\n * Returns the smallest element or `null` if there are no elements.
*\/\n@SinceKotlin("1.4")\npublic fun CharArray.minOrNull(): Char? {\n    if (isEmpty()) return null\n    var min =\n    this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return\n    min\n}\n\n>@Deprecated("Use minOrNull instead.")
ReplaceWith("minOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun\n<T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n    return\n    minOrNull(comparator)\n}\n\n>@Deprecated("Use minOrNull instead.")
ReplaceWith("minOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun\nByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n    return\n    minOrNull(comparator)\n}\n\n>@Deprecated("Use minOrNull instead.")
ReplaceWith("minOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun\nShortArray.minWith(comparator: Comparator<in Short>): Short? {\n    return\n    minOrNull(comparator)\n}\n\n>@Deprecated("Use minOrNull instead.")
ReplaceWith("minOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun\nIntArray.minWith(comparator: Comparator<in Int>): Int? {\n    return\n    minOrNull(comparator)\n}\n\n>@Deprecated("Use minOrNull instead.")
ReplaceWith("minOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun\nLongArray.minWith(comparator: Comparator<in Long>): Long? {\n    return\n    minOrNull(comparator)\n}\n\n>@Deprecated("Use minOrNull instead.")
ReplaceWith("minOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun\nFloatArray.minWith(comparator: Comparator<in Float>): Float? {\n    return\n    minOrNull(comparator)\n}\n\n>@Deprecated("Use minOrNull instead.")
ReplaceWith("minOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun\nDoubleArray.minWith(comparator: Comparator<in Double>): Double? {\n    return\n    minOrNull(comparator)\n}\n\n>@Deprecated("Use minOrNull instead.")
ReplaceWith("minOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun\nBooleanArray.minWith(comparator: Comparator<in Boolean>): Boolean? {\n    return\n    minOrNull(comparator)\n}\n\n>@Deprecated("Use minOrNull instead.")
ReplaceWith("minOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun\nCharArray.minWith(comparator: Comparator<in Char>): Char? {\n    return\n    minOrNull(comparator)\n}\n\n/>\n * Returns the first element having the smallest value according to the\nprovided [comparator] or `null` if there are no elements.
*\/\n@SinceKotlin("1.4")\npublic fun <T> Array<out\nT>.minWithOrNull(comparator: Comparator<in T>): T? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for\n    (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return\n    min\n}\n\n/>\n * Returns the first element having the smallest value according to the provided [comparator] or\n`null` if there are no elements.
*\/\n@SinceKotlin("1.4")\npublic fun ByteArray.minWithOrNull(comparator:\nComparator<in Byte>): Byte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/>\n * Returns the first\n    element having the smallest value according to the provided [comparator] or `null` if there are no elements.
*\/\n@SinceKotlin("1.4")\npublic fun ShortArray.minWithOrNull(comparator: Comparator<in Short>): Short? {\n\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if\n        (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/>\n * Returns the first element having the

```

```

smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun IntArray.minWithOrNull(comparator: Comparator<in Int>): Int? {\n  if\n  (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if\n    (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the\n smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun LongArray.minWithOrNull(comparator: Comparator<in Long>): Long? {\n  if\n  (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if\n    (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the\n smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.minWithOrNull(comparator: Comparator<in Float>): Float? {\n  if\n  (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if\n    (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the\n smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.minWithOrNull(comparator: Comparator<in Double>):\n Double? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if\n    (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the\n smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.minWithOrNull(comparator: Comparator<in Boolean>):\n Boolean? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if\n    (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the\n smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.minWithOrNull(comparator: Comparator<in Char>): Char? {\n  if\n  (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if\n    (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns `true` if the array has no\n elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun <T> Array<out\n T>.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample\n samples.collections.Collections.Aggregates.none\n *\npublic fun ByteArray.none(): Boolean {\n  return\n isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample\n samples.collections.Collections.Aggregates.none\n *\npublic fun ShortArray.none(): Boolean {\n  return\n isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample\n samples.collections.Collections.Aggregates.none\n *\npublic fun IntArray.none(): Boolean {\n  return\n isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample\n samples.collections.Collections.Aggregates.none\n *\npublic fun LongArray.none(): Boolean {\n  return\n isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample\n samples.collections.Collections.Aggregates.none\n *\npublic fun FloatArray.none(): Boolean {\n  return\n isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample\n samples.collections.Collections.Aggregates.none\n *\npublic fun DoubleArray.none(): Boolean {\n  return\n isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample\n samples.collections.Collections.Aggregates.none\n *\npublic fun BooleanArray.none(): Boolean {\n  return\n isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample\n samples.collections.Collections.Aggregates.none\n *\npublic fun CharArray.none(): Boolean {\n  return\n isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample\n samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <T> Array<out\n T>.none(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return\n true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample\n samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun ByteArray.none(predicate:\n (Byte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return\n true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ShortArray.none(predicate:
(Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun IntArray.none(predicate: (Int)
-> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n *
Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun LongArray.none(predicate:
(Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun FloatArray.none(predicate:
(Float) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun DoubleArray.none(predicate:
(Double) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun
BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element))
return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate:
(Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.onEach(action: (T) ->
Unit): Array<out T> {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEach(action: (Byte) ->
Unit): ByteArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.onEach(action: (Short) ->
Unit): ShortArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.onEach(action: (Int) -> Unit):
IntArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on
each element and returns the array itself afterwards.\n
*\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.onEach(action: (Long) ->
Unit): LongArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.onEach(action: (Float) ->
Unit): FloatArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.onEach(action: (Double) ->
Unit): DoubleArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.onEach(action: (Boolean)
-> Unit): BooleanArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.onEach(action: (Char) ->
Unit): CharArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n
*\n

```

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.onEachIndexed(action: (index: Int, T) -> Unit): Array<out T> {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun ByteArray.onEachIndexed(action: (index: Int, Byte) -> Unit): ByteArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun ShortArray.onEachIndexed(action: (index: Int, Short) -> Unit): ShortArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun IntArray.onEachIndexed(action: (index: Int, Int) -> Unit): IntArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun LongArray.onEachIndexed(action: (index: Int, Long) -> Unit): LongArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun FloatArray.onEachIndexed(action: (index: Int, Float) -> Unit): FloatArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun DoubleArray.onEachIndexed(action: (index: Int, Double) -> Unit): DoubleArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun BooleanArray.onEachIndexed(action: (index: Int, Boolean) -> Unit): BooleanArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun CharArray.onEachIndexed(action: (index: Int, Char) -> Unit): CharArray {
    return apply { forEachIndexed(action) }
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun <S, T : S> Array<out T>.reduce(operation: (acc: S, T) -> S): S {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty

in an expected way, please use `reduceOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes current accumulator value and an element and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun
ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {
    if (isEmpty())
        throw
        UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in
        1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying `[operation]` from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes current accumulator value and an element and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun
ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {
    if (isEmpty())
        throw
        UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in
        1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying `[operation]` from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes current accumulator value and an element and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun
IntArray.reduce(operation: (acc: Int, Int) -> Int): Int {
    if (isEmpty())
        throw
        UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in
        1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying `[operation]` from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes current accumulator value and an element and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun
LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {
    if (isEmpty())
        throw
        UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in
        1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying `[operation]` from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes current accumulator value and an element and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun
FloatArray.reduce(operation: (acc: Float, Float) -> Float): Float {
    if (isEmpty())
        throw
        UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in
        1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying `[operation]` from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes current accumulator value and an element and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun
DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {
    if (isEmpty())
        throw
        UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in
        1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying `[operation]` from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty

in an expected way, please use `reduceOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes current accumulator value and an element, and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying `[operation]` from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes current accumulator value and an element, and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying `[operation]` from left to right to current accumulator value and each element with its index in the original array. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceIndexedOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun <S, T : S> Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying `[operation]` from left to right to current accumulator value and each element with its index in the original array. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceIndexedOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying `[operation]` from left to right to current accumulator value and each element with its index in the original array. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceIndexedOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying `[operation]` from left to right to current accumulator value and each element with its index in the original array. Throws an exception if this array is empty. If the array can be empty in an expected way, please use `reduceIndexedOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

`@sample samples.collections.Collections.Aggregates.reduce`

```

public inline fun IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): Int {
    if (isEmpty()) throw

```

```

UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to

```


right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\n * \n * public inline fun <S, T : S> Array<out T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {\n * \n * if (isEmpty())\n * \n * return null\n * \n * var accumulator: S = this[0]\n * \n * for (index in 1..lastIndex) {\n * \n * accumulator = operation(index, accumulator, this[index])\n * \n * }\n * \n * return accumulator\n * \n * }\n * \n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\n * \n * public inline fun ByteArray.reduceIndexedOrNull(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte? {\n * \n * if (isEmpty())\n * \n * return null\n * \n * var accumulator = this[0]\n * \n * for (index in 1..lastIndex) {\n * \n * accumulator = operation(index, accumulator, this[index])\n * \n * }\n * \n * return accumulator\n * \n * }\n * \n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\n * \n * public inline fun ShortArray.reduceIndexedOrNull(operation: (index: Int, acc: Short, Short) -> Short): Short? {\n * \n * if (isEmpty())\n * \n * return null\n * \n * var accumulator = this[0]\n * \n * for (index in 1..lastIndex) {\n * \n * accumulator = operation(index, accumulator, this[index])\n * \n * }\n * \n * return accumulator\n * \n * }\n * \n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\n * \n * public inline fun IntArray.reduceIndexedOrNull(operation: (index: Int, acc: Int, Int) -> Int): Int? {\n * \n * if (isEmpty())\n * \n * return null\n * \n * var accumulator = this[0]\n * \n * for (index in 1..lastIndex) {\n * \n * accumulator = operation(index, accumulator, this[index])\n * \n * }\n * \n * return accumulator\n * \n * }\n * \n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\n * \n * public inline fun LongArray.reduceIndexedOrNull(operation: (index: Int, acc: Long, Long) -> Long): Long? {\n * \n * if (isEmpty())\n * \n * return null\n * \n * var accumulator = this[0]\n * \n * for (index in 1..lastIndex) {\n * \n * accumulator = operation(index, accumulator, this[index])\n * \n * }\n * \n * return accumulator\n * \n * }\n * \n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\n * \n * public inline fun FloatArray.reduceIndexedOrNull(operation: (index: Int, acc: Float, Float) -> Float): Float? {\n * \n * if (isEmpty())\n * \n * return null\n * \n * var accumulator = this[0]\n * \n * for (index in 1..lastIndex) {\n * \n * accumulator = operation(index, accumulator, this[index])\n * \n * }\n * \n * return accumulator\n * \n * }\n * \n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\n * \n * public inline fun

```

*^@SinceKotlin("1.4")\npublic inline fun DoubleArray.reduceIndexedOrNull(operation: (index: Int, acc: Double, Double) -> Double): Double? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * Returns `null` if the array is empty.\n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n\n*^@SinceKotlin("1.4")\npublic inline fun BooleanArray.reduceIndexedOrNull(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * Returns `null` if the array is empty.\n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n\n*^@SinceKotlin("1.4")\npublic inline fun CharArray.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns `null` if the array is empty.\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n\n*^@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Array<out T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n if (isEmpty())\n return null\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns `null` if the array is empty.\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n\n*^@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ByteArray.reduceOrNull(operation: (acc: Byte, Byte) -> Byte): Byte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns `null` if the array is empty.\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n\n*^@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ShortArray.reduceOrNull(operation: (acc: Short, Short) -> Short): Short? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns `null` if the array is empty.\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n\n*^@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun IntArray.reduceOrNull(operation: (acc: Int, Int) -> Int): Int? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * Returns `null` if the array is empty.\n *

```

```

\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n *\n@\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun\nLongArray.reduceOrNull(operation: (acc: Long, Long) -> Long): Long? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]\n * from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n *\n@\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun\nFloatArray.reduceOrNull(operation: (acc: Float, Float) -> Float): Float? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]\n * from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n *\n@\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun\nDoubleArray.reduceOrNull(operation: (acc: Double, Double) -> Double): Double? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and\n * applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if\n * the array is empty.\n * \n * @param [operation] function that takes current accumulator value and\n * an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n *\n@\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun\nBooleanArray.reduceOrNull(operation: (acc: Boolean, Boolean) -> Boolean): Boolean? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator =\n        operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the\n * first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and\n * an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n *\n@\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun\nCharArray.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]\n * from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is\n * empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null`\n * when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator\n * value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n *\n@\npublic inline fun <S, T : S> Array<out\n T>.reduceRight(operation: (T, acc: S) -> S): S {\n    var index = lastIndex\n    if (index < 0) throw\n    UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator: S = get(index--)\n    while\n    (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and\n * current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an\n * expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next

```

```

accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline
fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {\n  var index = lastIndex\n  if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ShortArray.reduceRight(operation:
(Short, acc: Short) -> Short): Short {\n  var index = lastIndex\n  if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n  while
(index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes an element and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline
fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {\n  var index = lastIndex\n  if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n  while
(index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes an element and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline
fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {\n  var index = lastIndex\n  if (index <
0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun FloatArray.reduceRight(operation:
(Float, acc: Float) -> Float): Float {\n  var index = lastIndex\n  if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n  while
(index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes an element and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline
fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {\n  var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the

```

array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```
samples.collections.Collections.Aggregates.reduceRight
```

`BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean` {
`var index = lastIndex`
`if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")`
`var accumulator = get(index--)`
`while (index >= 0) {`
`accumulator = operation(get(index--), accumulator)`
`}`
`return accumulator`
}

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```
samples.collections.Collections.Aggregates.reduceRight
```

`CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char` {
`var index = lastIndex`
`if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")`
`var accumulator = get(index--)`
`while (index >= 0) {`
`accumulator = operation(get(index--), accumulator)`
`}`
`return accumulator`
}

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```
samples.collections.Collections.Aggregates.reduceRight
```

`<S, T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S` {
`var index = lastIndex`
`if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")`
`var accumulator: S = get(index--)`
`while (index >= 0) {`
`accumulator = operation(index, get(index), accumulator)`
`--index`
`}`
`return accumulator`
}

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```
samples.collections.Collections.Aggregates.reduceRight
```

`ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte` {
`var index = lastIndex`
`if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")`
`var accumulator = get(index--)`
`while (index >= 0) {`
`accumulator = operation(index, get(index), accumulator)`
`--index`
`}`
`return accumulator`
}

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```
samples.collections.Collections.Aggregates.reduceRight
```

`ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short` {
`var index = lastIndex`
`if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")`
`var accumulator = get(index--)`
`while (index >= 0) {`
`accumulator = operation(index, get(index), accumulator)`
`--index`
`}`
`return accumulator`
}

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

```

* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {\n    var index = lastIndex\n    if (index
< 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n
while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic
inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n    var index =
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n    var index =
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {\n    var index =
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n    var
index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n
var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an

```

expected way, please use `reduceRightIndexedOrNull` instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun
CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element with its index in the original array and current accumulator value.

Returns `null` if the array is empty.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRightOrNull
public inline fun <S, T : S> Array<out T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator: S = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element with its index in the original array and current accumulator value.

Returns `null` if the array is empty.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRightOrNull
public inline fun
ByteArray.reduceRightIndexedOrNull(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element with its index in the original array and current accumulator value.

Returns `null` if the array is empty.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRightOrNull
public inline fun
ShortArray.reduceRightIndexedOrNull(operation: (index: Int, Short, acc: Short) -> Short): Short? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element with its index in the original array and current accumulator value.

Returns `null` if the array is empty.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRightOrNull
public inline fun
IntArray.reduceRightIndexedOrNull(operation: (index: Int, Int, acc: Int) -> Int): Int? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element with its index in the original array and current accumulator value.

Returns `null` if the array is empty.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRightOrNull
public inline fun
LongArray.reduceRightIndexedOrNull(operation: (index: Int, Long, acc: Long) -> Long): Long? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying `[operation]` from right to left to each element with

```

its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^n@SinceKotlin("1.4")\npublic inline fun
FloatArray.reduceRightIndexedOrNull(operation: (index: Int, Float, acc: Float) -> Float): Float? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^n@SinceKotlin("1.4")\npublic inline fun
DoubleArray.reduceRightIndexedOrNull(operation: (index: Int, Double, acc: Double) -> Double): Double? {\n  var
index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^n@SinceKotlin("1.4")\npublic inline fun
BooleanArray.reduceRightIndexedOrNull(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean? {\n
var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^n@SinceKotlin("1.4")\npublic inline fun
CharArray.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*^n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Array<out T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n  var index = lastIndex\n  if (index < 0)
return null\n  var accumulator: S = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--
), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and
applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if
the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*^n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
ByteArray.reduceRightOrNull(operation: (Byte, acc: Byte) -> Byte): Byte? {\n  var index = lastIndex\n  if (index
< 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator =
operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the
last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *

```


Returns `null` if the array is empty.
 @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 @sample
 samples.collections.Collections.Aggregates.reduceRightOrNull

```

*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun
ShortArray.reduceRightOrNull(operation: (Short, acc: Short) -> Short): Short? {n  var index = lastIndexn  if
(index < 0) return nulln  var accumulator = get(index--)\n  while (index >= 0) {n    accumulator =
operation(get(index--), accumulator)\n  }n  return accumulator\n}\n\n/**n * Accumulates value starting with the
last element and applying [operation] from right to leftn * to each element and current accumulator value.n * n *
Returns `null` if the array is empty.n * n * @param [operation] function that takes an element and current
accumulator value,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNulln
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun
IntArray.reduceRightOrNull(operation: (Int, acc: Int) -> Int): Int? {n  var index = lastIndexn  if (index < 0)
return nulln  var accumulator = get(index--)\n  while (index >= 0) {n    accumulator = operation(get(index--),
accumulator)\n  }n  return accumulator\n}\n\n/**n * Accumulates value starting with the last element and
applying [operation] from right to leftn * to each element and current accumulator value.n * n * Returns `null` if
the array is empty.n * n * @param [operation] function that takes an element and current accumulator value,n *
and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNulln
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun
LongArray.reduceRightOrNull(operation: (Long, acc: Long) -> Long): Long? {n  var index = lastIndexn  if
(index < 0) return nulln  var accumulator = get(index--)\n  while (index >= 0) {n    accumulator =
operation(get(index--), accumulator)\n  }n  return accumulator\n}\n\n/**n * Accumulates value starting with the
last element and applying [operation] from right to leftn * to each element and current accumulator value.n * n *
Returns `null` if the array is empty.n * n * @param [operation] function that takes an element and current
accumulator value,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNulln
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun
FloatArray.reduceRightOrNull(operation: (Float, acc: Float) -> Float): Float? {n  var index = lastIndexn  if
(index < 0) return nulln  var accumulator = get(index--)\n  while (index >= 0) {n    accumulator =
operation(get(index--), accumulator)\n  }n  return accumulator\n}\n\n/**n * Accumulates value starting with the
last element and applying [operation] from right to leftn * to each element and current accumulator value.n * n *
Returns `null` if the array is empty.n * n * @param [operation] function that takes an element and current
accumulator value,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNulln
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun
DoubleArray.reduceRightOrNull(operation: (Double, acc: Double) -> Double): Double? {n  var index =
lastIndexn  if (index < 0) return nulln  var accumulator = get(index--)\n  while (index >= 0) {n
accumulator = operation(get(index--), accumulator)\n  }n  return accumulator\n}\n\n/**n * Accumulates value
starting with the last element and applying [operation] from right to leftn * to each element and current accumulator
value.n * n * Returns `null` if the array is empty.n * n * @param [operation] function that takes an element and
current accumulator value,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNulln
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun
BooleanArray.reduceRightOrNull(operation: (Boolean, acc: Boolean) -> Boolean): Boolean? {n  var index =
lastIndexn  if (index < 0) return nulln  var accumulator = get(index--)\n  while (index >= 0) {n
accumulator = operation(get(index--), accumulator)\n  }n  return accumulator\n}\n\n/**n * Accumulates value
starting with the last element and applying [operation] from right to leftn * to each element and current accumulator
value.n * n * Returns `null` if the array is empty.n * n * @param [operation] function that takes an element and
current accumulator value,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull

```

value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun CharArray.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
<T, R> Array<out T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.runningFold(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.runningFold(initial: R, operation: (acc: R, Short) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.runningFold(initial: R, operation: (acc: R, Int) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.runningFold(initial: R,
operation: (acc: R, Long) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size
+ 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator =
operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element
and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.runningFold(initial: R,
operation: (acc: R, Float) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size
+ 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator =
operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element
and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.runningFold(initial: R,
operation: (acc: R, Double) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result =
ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.runningFold(initial:
R, operation: (acc: R, Boolean) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result =
ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.runningFold(initial: R,
operation: (acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size
+ 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator =
operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element,
its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc`
value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\npublic inline fun <T, R>
Array<out T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n if (isEmpty())
return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n

```

```

for (index in indices) {
    accumulator = operation(index, accumulator, this[index])
}
result.add(accumulator)
}
return result
}

```

`* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.runningFold`

```

*
* @SinceKotlin("1.4")
* @kotlin.internal.InlineOnly
* public inline fun <R>
ByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}

```

`* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.runningFold`

```

*
* @SinceKotlin("1.4")
* @kotlin.internal.InlineOnly
* public inline fun <R>
ShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}

```

`* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.runningFold`

```

*
* @SinceKotlin("1.4")
* @kotlin.internal.InlineOnly
* public inline fun <R>
IntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}

```

`* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.runningFold`

```

*
* @SinceKotlin("1.4")
* @kotlin.internal.InlineOnly
* public inline fun <R>
LongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}

```

`* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.runningFold`

```

*
* @SinceKotlin("1.4")
* @kotlin.internal.InlineOnly
* public inline fun <R>

```

```

FloatArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation
 * values generated by applying [operation] from left to right
 * to each element, its index in the original array and
 * current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function
 * should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation]
 * function that takes the index of an element, current accumulator value
 * and the element itself, and calculates the
 * next accumulator value.
 * @sample samples.collections.Collections.Aggregates.runningFold
 */
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <R>

DoubleArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation
 * values generated by applying [operation] from left to right
 * to each element, its index in the original array and
 * current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function
 * should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation]
 * function that takes the index of an element, current accumulator value
 * and the element itself, and calculates the
 * next accumulator value.
 * @sample samples.collections.Collections.Aggregates.runningFold
 */
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <R>

BooleanArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation
 * values generated by applying [operation] from left to right
 * to each element, its index in the original array and
 * current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function
 * should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation]
 * function that takes the index of an element, current accumulator value
 * and the element itself, and calculates the
 * next accumulator value.
 * @sample samples.collections.Collections.Aggregates.runningFold
 */
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <R>

CharArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation
 * values generated by applying [operation] from left to right
 * to each element and current accumulator value that
 * starts with the first element of this array.
 * Note that `acc` value passed to [operation] function should not be
 * mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation]
 * function that
 * takes current accumulator value and the element, and calculates the next accumulator value.
 * @sample
 * samples.collections.Collections.Aggregates.runningReduce
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun <S, T : S>

Array<out T>.runningReduce(operation: (acc: S, T) -> S): List<S> {
    if (isEmpty())
        return emptyList()
    var accumulator: S = this[0]
    val result = ArrayList<S>(size).apply { add(accumulator) }
    for (index in 1 until
        size) {
        accumulator = operation(accumulator, this[index])
        result.add(accumulator)
    }
    return
    result
}

/**
 * Returns a list containing successive accumulation
 * values generated by applying [operation] from
 * left to right
 * to each element and current accumulator value that starts with the first element of this array.
 * @param [operation]
 * function that takes current accumulator value and an element, and calculates the next
 * accumulator value.
 * @sample samples.collections.Collections.Aggregates.runningReduce
 */
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun ByteArray.runningReduce(operation:

```

(acc: Byte, Byte) -> Byte): List<Byte> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Byte>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.runningReduce(operation: (acc: Short, Short) -> Short): List<Short> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Short>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.runningReduce(operation: (acc: Int, Int) -> Int): List<Int> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Int>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.runningReduce(operation: (acc: Long, Long) -> Long): List<Long> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Long>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.runningReduce(operation: (acc: Float, Float) -> Float): List<Float> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Float>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.runningReduce(operation: (acc: Double, Double) -> Double): List<Double> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Double>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.runningReduce(operation:

```

(acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n  if (isEmpty()) return emptyList()\n  var accumulator =
this[0]\n  val result = ArrayList<Boolean>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n
accumulator = operation(accumulator, this[index])\n  result.add(accumulator)\n  }\n  return result\n}\n\n/**\n
* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n
* to each element and current accumulator value that starts with the first element of this array.\n
* \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n
* \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n
@SinceKotlin("1.4")\n
@kotlin.internal.InlineOnly\n
public inline fun CharArray.runningReduce(operation:
(acc: Char, Char) -> Char): List<Char> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val
result = ArrayList<Char>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n
* Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n
* to each element,
its index in the original array and current accumulator value that starts with the first element of this array.\n
* \n *
Note that `acc` value passed to [operation] function should not be mutated;\n
* otherwise it would affect the
previous value in resulting list.\n
* \n * @param [operation] function that takes the index of an element, current
accumulator value\n
* and the element itself, and calculates the next accumulator value.\n
* \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n
@SinceKotlin("1.4")\n
public inline fun <S, T :
S> Array<out T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n  if (isEmpty()) return
emptyList()\n  var accumulator: S = this[0]\n  val result = ArrayList<S>(size).apply { add(accumulator) }\n  for
(index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n
* Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n
* to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n
* \n * @param [operation] function that
takes the index of an element, current accumulator value\n
* and the element itself, and calculates the next
accumulator value.\n
* \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n
@SinceKotlin("1.4")\n
@kotlin.internal.InlineOnly\n
public inline fun
ByteArray.runningReduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): List<Byte> {\n  if (isEmpty())
return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Byte>(size).apply { add(accumulator)
}\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n
* Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n
* to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n
* \n * @param [operation] function that
takes the index of an element, current accumulator value\n
* and the element itself, and calculates the next
accumulator value.\n
* \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n
@SinceKotlin("1.4")\n
@kotlin.internal.InlineOnly\n
public inline fun
ShortArray.runningReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Short>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n
    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n
* Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n
* to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n
* \n * @param [operation] function that
takes the index of an element, current accumulator value\n
* and the element itself, and calculates the next
accumulator value.\n
* \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n
@SinceKotlin("1.4")\n
@kotlin.internal.InlineOnly\n
public inline fun
IntArray.runningReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {\n  if (isEmpty()) return
emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Int>(size).apply { add(accumulator) }\n  for
(index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n
* Returns a list containing successive accumulation

```

values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n

```

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.runningReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Long>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.runningReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Float>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.runningReduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): List<Double> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Double>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.runningReduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): List<Boolean>
{\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result =
ArrayList<Boolean>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this
array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and
the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n  if (isEmpty())
return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Char>(size).apply { add(accumulator)
}\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *

```


otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Array<out T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n    return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that
`acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.scan(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n    return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that
`acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ShortArray.scan(initial: R, operation: (acc: R, Short) -> R): List<R> {\n    return
runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by
applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial]
value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> IntArray.scan(initial: R, operation: (acc: R, Int) -> R): List<R> {\n    return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that
`acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> LongArray.scan(initial: R, operation: (acc: R, Long) -> R): List<R> {\n    return
runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by
applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial]
value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> FloatArray.scan(initial: R, operation: (acc: R, Float) -> R): List<R> {\n    return
runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by
applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial]
value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n

```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scan(initial: R, operation: (acc: R, Double) -> R): List<R> {\n    return\n    runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by\n * applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial]\n * value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value\n * and an element, and calculates the next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scan(initial: R, operation: (acc: R, Boolean) -> R): List<R> {\n    return\n    runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by\n * applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial]\n * value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value\n * and an element, and calculates the next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n    return runningFold(initial,\n    operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]\n * from left to right\n * to each element, its index in the original array and current accumulator value that starts with\n * [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an\n * element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>\nArray<out T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n * generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n * accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should\n * not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n * function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the\n * next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n * generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n * accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should\n * not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n * function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the\n * next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n * generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n * accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should\n * not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n * function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the\n * next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should\n not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the\n next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should\n not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the\n next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should\n not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the\n next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should\n not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the\n next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n generated by applying [operation] from left to right\n * to each element, its index in the original array and current\n accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should\n not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the\n next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n@Deprecated("Use runningReduce instead.\",\n
```

```
ReplaceWith("runningReduce(operation)"), level =
```

```
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S>
```

```
Array<out T>.scanReduce(operation: (acc: S, T) -> S): List<S> {\n    return
```

```
runningReduce(operation)\n}\n\n@Deprecated("Use runningReduce instead.\",\n
```

```
ReplaceWith("runningReduce(operation)"), level =
```

```

DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.scanReduce(operation: (acc: Byte, Byte) -> Byte): List<Byte> {\n    return
runningReduce(operation)\n}\n\n@Deprecated("Use runningReduce instead."),
ReplaceWith("runningReduce(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun ShortArray.scanReduce(operation: (acc: Short, Short) -> Short): List<Short> {\n    return
runningReduce(operation)\n}\n\n@Deprecated("Use runningReduce instead."),
ReplaceWith("runningReduce(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.scanReduce(operation: (acc: Int, Int) -> Int): List<Int> {\n    return
runningReduce(operation)\n}\n\n@Deprecated("Use runningReduce instead."),
ReplaceWith("runningReduce(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.scanReduce(operation: (acc: Long, Long) -> Long): List<Long> {\n    return
runningReduce(operation)\n}\n\n@Deprecated("Use runningReduce instead."),
ReplaceWith("runningReduce(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun FloatArray.scanReduce(operation: (acc: Float, Float) -> Float): List<Float> {\n    return
runningReduce(operation)\n}\n\n@Deprecated("Use runningReduce instead."),
ReplaceWith("runningReduce(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.scanReduce(operation: (acc: Double, Double) -> Double): List<Double> {\n    return
runningReduce(operation)\n}\n\n@Deprecated("Use runningReduce instead."),
ReplaceWith("runningReduce(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun BooleanArray.scanReduce(operation: (acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n    return
runningReduce(operation)\n}\n\n@Deprecated("Use runningReduce instead."),
ReplaceWith("runningReduce(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun CharArray.scanReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n    return
runningReduce(operation)\n}\n\n@Deprecated("Use runningReduceIndexed instead."),
ReplaceWith("runningReduceIndexed(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S>
Array<out T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n    return
runningReduceIndexed(operation)\n}\n\n@Deprecated("Use runningReduceIndexed instead."),
ReplaceWith("runningReduceIndexed(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.scanReduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): List<Byte> {\n    return
runningReduceIndexed(operation)\n}\n\n@Deprecated("Use runningReduceIndexed instead."),
ReplaceWith("runningReduceIndexed(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun ShortArray.scanReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short> {\n
return runningReduceIndexed(operation)\n}\n\n@Deprecated("Use runningReduceIndexed instead."),
ReplaceWith("runningReduceIndexed(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.scanReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {\n    return
runningReduceIndexed(operation)\n}\n\n@Deprecated("Use runningReduceIndexed instead."),
ReplaceWith("runningReduceIndexed(operation)"), level =

```

```

DeprecationLevel.ERROR)\n@SinceKotlin(\\"1.3\\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.scanReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {\n
return runningReduceIndexed(operation)\n}\n\n@Deprecated(\\"Use runningReduceIndexed instead.\",
ReplaceWith(\\"runningReduceIndexed(operation)\"), level =
DeprecationLevel.ERROR)\n@SinceKotlin(\\"1.3\\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun FloatArray.scanReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {\n
return runningReduceIndexed(operation)\n}\n\n@Deprecated(\\"Use runningReduceIndexed instead.\",
ReplaceWith(\\"runningReduceIndexed(operation)\"), level =
DeprecationLevel.ERROR)\n@SinceKotlin(\\"1.3\\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.scanReduceIndexed(operation: (index: Int, acc: Double, Double) -> Double):
List<Double> {\n  return runningReduceIndexed(operation)\n}\n\n@Deprecated(\\"Use runningReduceIndexed
instead.\", ReplaceWith(\\"runningReduceIndexed(operation)\"), level =
DeprecationLevel.ERROR)\n@SinceKotlin(\\"1.3\\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun BooleanArray.scanReduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean):
List<Boolean> {\n  return runningReduceIndexed(operation)\n}\n\n@Deprecated(\\"Use runningReduceIndexed
instead.\", ReplaceWith(\\"runningReduceIndexed(operation)\"), level =
DeprecationLevel.ERROR)\n@SinceKotlin(\\"1.3\\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun CharArray.scanReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n
return runningReduceIndexed(operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\npublic inline fun <T> Array<out T>.sumBy(selector: (T) -> Int): Int {\n
var sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum
+= selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\npublic inline fun ShortArray.sumBy(selector: (Short) -> Int): Int
{\n  var sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun IntArray.sumBy(selector: (Int) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\npublic inline fun LongArray.sumBy(selector: (Long) -> Int): Int {\n  var
sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun
FloatArray.sumBy(selector: (Float) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\npublic inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {\n
var sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\npublic inline fun CharArray.sumBy(selector: (Char) -> Int): Int
{\n  var sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun <T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n  var sum: Double = 0.0\n  for
(element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n */\npublic inline fun
ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\npublic inline fun ShortArray.sumByDouble(selector:

```

```

(Short) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun IntArray.sumByDouble(selector: (Int) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun LongArray.sumByDouble(selector: (Long) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun FloatArray.sumByDouble(selector: (Float) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun DoubleArray.sumByDouble(selector: (Double) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

public inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.sumOf(selector: (T) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun ByteArray.sumOf(selector: (Byte) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun ShortArray.sumOf(selector: (Short) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun IntArray.sumOf(selector: (Int) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun LongArray.sumOf(selector: (Long) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.jvm.JvmName("sumOfDouble")
@kotlin.internal.InlineOnly
public inline fun FloatArray.sumOf(selector: (Float) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

Returns the sum of all values produced by

```

[selector] function applied to each element in the array.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun\nDoubleArray.sumOf(selector: (Double) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element\nin this) {\n        sum += selector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced\nby [selector] function applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun\nBooleanArray.sumOf(selector: (Boolean) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for\n(element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values\nproduced by [selector] function applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun\nCharArray.sumOf(selector: (Char) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in\nthis) {\n        sum += selector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by\n[selector] function applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>\nArray<out T>.sumOf(selector: (T) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\nselector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector] function\napplied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nByteArray.sumOf(selector: (Byte) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\nselector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector] function\napplied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nShortArray.sumOf(selector: (Short) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\nselector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector] function\napplied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nIntArray.sumOf(selector: (Int) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\nselector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector] function\napplied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nLongArray.sumOf(selector: (Long) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\nselector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector] function\napplied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nFloatArray.sumOf(selector: (Float) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\nselector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector] function\napplied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
```

```

DoubleArray.sumOf(selector: (Double) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/** Returns the sum of all values produced by [selector]
function applied to each element in the array.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfInt")
@kotlin.internal.InlineOnly
public inline fun
BooleanArray.sumOf(selector: (Boolean) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/** Returns the sum of all values produced by [selector]
function applied to each element in the array.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfInt")
@kotlin.internal.InlineOnly
public inline fun
CharArray.sumOf(selector: (Char) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum +=
selector(element)
    }
    return sum
}
/** Returns the sum of all values produced by [selector] function
applied to each element in the array.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
<T> Array<out T>.sumOf(selector: (T) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/** Returns the sum of all values produced by
[selector] function applied to each element in the array.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
ByteArray.sumOf(selector: (Byte) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/** Returns the sum of all values produced by [selector]
function applied to each element in the array.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
ShortArray.sumOf(selector: (Short) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/** Returns the sum of all values produced by [selector]
function applied to each element in the array.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
IntArray.sumOf(selector: (Int) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/** Returns the sum of all values produced by [selector]
function applied to each element in the array.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
LongArray.sumOf(selector: (Long) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/** Returns the sum of all values produced by [selector]
function applied to each element in the array.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
FloatArray.sumOf(selector: (Float) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/** Returns the sum of all values produced by [selector]
function applied to each element in the array.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
DoubleArray.sumOf(selector: (Double) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
/** Returns the sum of all values produced by
[selector] function applied to each element in the array.

```



```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector: (Boolean) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sumOf(selector: (Char) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n
sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal
.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> UInt): UInt {\n    var sum: UInt =
0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal
.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n
for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal
.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n
for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal
.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n
for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal
.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n
for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal
.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n
for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal
.InlineOnly\npublic inline fun DoubleArray.sumOf(selector: (Double) -> UInt): UInt {\n    var sum: UInt =
0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal
.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> UInt): UInt {\n    var sum: UInt =

```

```

0.toUInt()\n for (element in this) {\n    sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal
.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n
for (element in this) {\n    sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@kotlin.inter
nal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> ULong): ULong {\n    var sum: ULong
= 0.toULong()\n for (element in this) {\n    sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@kotlin.inter
nal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n for (element in this) {\n    sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@kotlin.inter
nal.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n for (element in this) {\n    sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@kotlin.inter
nal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n for (element in this) {\n    sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@kotlin.inter
nal.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n for (element in this) {\n    sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@kotlin.inter
nal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n for (element in this) {\n    sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@kotlin.inter
nal.InlineOnly\npublic inline fun DoubleArray.sumOf(selector: (Double) -> ULong): ULong {\n    var sum: ULong
= 0.toULong()\n for (element in this) {\n    sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@kotlin.inter
nal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> ULong): ULong {\n    var sum:
ULong = 0.toULong()\n for (element in this) {\n    sum += selector(element)\n }\n return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@kotlin.inter
nal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns
an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are
any `null` elements.\n */\npublic fun <T : Any> Array<T?>.requireNonNulls(): Array<T> {\n    for (element in this)
{\n        if (element == null) {\n            throw IllegalArgumentException("null element found in $this.")\n        }\n    }\n    @Suppress("UNCHECKED_CAST")\n    return this as Array<T>\n}\n\n/**\n * Splits the original array into
pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun <T> Array<out
T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val second =
ArrayList<T>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n
            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair
of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains
elements for which [predicate] yielded `false`.\n */\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>, List<Byte>> {\n    val first =
ArrayList<Byte>()\n    val second = ArrayList<Byte>()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n    val first =
ArrayList<Short>()\n    val second = ArrayList<Short>()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {\n    val first = ArrayList<Int>()\n    val
second = ArrayList<Int>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n
        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original
array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while
*second* list contains elements for which [predicate] yielded `false`.\n */\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
LongArray.partition(predicate: (Long) -> Boolean): Pair<List<Long>, List<Long>> {\n    val first =
ArrayList<Long>()\n    val second = ArrayList<Long>()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n    val first =
ArrayList<Float>()\n    val second = ArrayList<Float>()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n    val first =
ArrayList<Double>()\n    val second = ArrayList<Double>()\n    for (element in this) {\n        if (predicate(element))

```

```

{\n      first.add(element)\n    } else {\n      second.add(element)\n    }\n  }\n  return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n  val first =
ArrayList<Boolean>()\n  val second = ArrayList<Boolean>()\n  for (element in this) {\n    if
(predicate(element)) {\n      first.add(element)\n    } else {\n      second.add(element)\n    }\n  }\n  return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate]
yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n  val first =
ArrayList<Char>()\n  val second = ArrayList<Char>()\n  for (element in this) {\n    if
(predicate(element)) {\n      first.add(element)\n    } else {\n      second.add(element)\n    }\n  }\n  return Pair(first, second)\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other]
array with the same index.\n * The returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other:
Array<out R>): List<Pair<T, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n  return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Array<out
R>): List<Pair<Short, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> LongArray.zip(other: Array<out
R>): List<Pair<Long, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Array<out
R>): List<Pair<Double, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n  return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Array<out R>):
List<Pair<Char, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] array with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out

```

```

T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned list has length of the shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned list has length of the shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned list has length of the shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned list has length of the shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned list has length of the shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned list has length of the shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned list has length of the shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned list has length of the shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterableWithTransform
 */
public inline fun <R, V> CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

```

}\n return list}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with
the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <T, R> Array<out T>.zip(other:
Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> ShortArray.zip(other: Iterable<R>):
List<Pair<Short, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> LongArray.zip(other: Iterable<R>):
List<Pair<Long, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> DoubleArray.zip(other:
Iterable<R>): List<Pair<Double, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
<R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> CharArray.zip(other: Iterable<R>):
List<Pair<Char, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <T, R, V> Array<out
T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = size\n val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n
if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline
fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {\n val arraySize = size\n
val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in
other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n val

```

```

arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline
fun <R, V> LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {\n    val arraySize =
size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element
in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline
fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n    val arraySize =
size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element
in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun ByteArray.zip(other: ByteArray):
List<Pair<Byte, Byte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n

```

```

* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun IntArray.zip(other: IntArray):
List<Pair<Int, Int>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n
* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other: FloatArray):
List<Pair<Float, Float>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun BooleanArray.zip(other: BooleanArray):
List<Pair<Boolean, Boolean>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n
* Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun
<V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> IntArray.zip(other:
IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list =
ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same
index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length
of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*/\npublic inline fun <V> LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n    val
size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n    val size = minOf(size,

```



```

other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array\n * with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned\n * list has length of the\n * shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array\n * with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned\n * list has length of the\n * shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n    val size =
minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the\n * [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned\n * list has length of the\n * shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the\n * given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value\n * of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string\n * (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *\npublic fun
<T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\",
postfix: CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? =
null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given\n * [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of\n * [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which\n * defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *\npublic fun <A :
Appendable> ByteArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix:
CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((Byte) -> CharSequence)? =
null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given\n * [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of\n * [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which\n * defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *\npublic fun <A :
Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix:
CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((Short) -> CharSequence)? =
null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return
buffer\n}

```

```

buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \n\npublic fun <A :
Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"\", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...\", transform: ((Int) -> CharSequence)? = null):
A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\nbuffer.append(transform(element))\n      else\n        buffer.append(element.toString())\n    } else break\n  }\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \n\npublic fun <A :
Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"\", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...\", transform: ((Long) -> CharSequence)? =
null): A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\nbuffer.append(transform(element))\n      else\n        buffer.append(element.toString())\n    } else break\n  }\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \n\npublic fun <A :
Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"\", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...\", transform: ((Float) -> CharSequence)? =
null): A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\nbuffer.append(transform(element))\n      else\n        buffer.append(element.toString())\n    } else break\n  }\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \n\npublic fun <A :
Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"\", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...\", transform: ((Double) -> CharSequence)? =
null): A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\nbuffer.append(transform(element))\n      else\n        buffer.append(element.toString())\n    } else break\n  }\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \n\npublic fun <A :
Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"\",
postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...\", transform: ((Boolean) ->
CharSequence)? = null): A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count
> 1) buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\n

```

```

buffer.append(transform(element))\n      else\n          buffer.append(element.toString())\n      } else break\n
}\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A :
Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = ", ", prefix: CharSequence = "\n", postfix:
CharSequence = "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((Char) -> CharSequence)? =
null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element)\n        } else break\n    }\n    if
(limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n *
@sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Array<out
T>.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit:
Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a
string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n
* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
[limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n *
@sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun ByteArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Byte) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun ShortArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Short) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun IntArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Int) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun LongArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Long) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be

```

huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

samples.collections.Collections.Transformations.joinToString
*/
public fun FloatArray.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((Float) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
}
*/
Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
*/
If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").
*/
@sample
samples.collections.Collections.Transformations.joinToString
*/
public fun DoubleArray.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((Double) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
}
*/
Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
*/
If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").
*/
@sample
samples.collections.Collections.Transformations.joinToString
*/
public fun BooleanArray.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((Boolean) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
}
*/
Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
*/
If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").
*/
@sample
samples.collections.Collections.Transformations.joinToString
*/
public fun CharArray.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((Char) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
}
*/
Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.
*/
public fun <T> Array<out T>.asIterable(): Iterable<T> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*/
Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.
*/
public fun ByteArray.asIterable(): Iterable<Byte> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*/
Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.
*/
public fun ShortArray.asIterable(): Iterable<Short> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*/
Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.
*/
public fun IntArray.asIterable(): Iterable<Int> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*/
Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.
*/
public fun LongArray.asIterable(): Iterable<Long> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*/
Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.
*/
public fun FloatArray.asIterable(): Iterable<Float> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*/
Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.
*/
public fun DoubleArray.asIterable(): Iterable<Double> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*/
Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.
*/
public fun BooleanArray.asIterable(): Iterable<Boolean> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*/
Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.
*/
public fun CharArray.asIterable(): Iterable<Char> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*/
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.
*/
@sample

```

```

samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun <T> Array<out T>.asSequence():
Sequence<T> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ByteArray.asSequence():
Sequence<Byte> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ShortArray.asSequence():
Sequence<Short> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun IntArray.asSequence():
Sequence<Int> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun LongArray.asSequence():
Sequence<Long> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun FloatArray.asSequence():
Sequence<Float> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun DoubleArray.asSequence():
Sequence<Double> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun
BooleanArray.asSequence(): Sequence<Boolean> {\n if (isEmpty()) return emptySequence()\n return Sequence
{ this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements
when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic
fun CharArray.asSequence(): Sequence<Char> {\n if (isEmpty()) return emptySequence()\n return Sequence {
this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Array<out Byte>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Array<out Short>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Array<out Int>.average(): Double {\n var sum: Double
= 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count
== 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun Array<out Long>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Array<out Float>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Array<out Double>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\npublic fun ByteArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in
this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\npublic fun ShortArray.average():

```

```

Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

```

* Returns an average value of elements in the array.

```

public fun IntArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

```

* Returns an average value of elements in the array.

```

public fun LongArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

```

* Returns an average value of elements in the array.

```

public fun FloatArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

```

* Returns an average value of elements in the array.

```

public fun DoubleArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

```

* Returns the sum of all elements in the array.

```

@kotlin.jvm.JvmName("sumOfByte")
public fun Array<out Byte>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

@kotlin.jvm.JvmName("sumOfShort")
public fun Array<out Short>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

@kotlin.jvm.JvmName("sumOfInt")
public fun Array<out Int>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

@kotlin.jvm.JvmName("sumOfLong")
public fun Array<out Long>.sum(): Long {
    var sum: Long = 0L
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

@kotlin.jvm.JvmName("sumOfFloat")
public fun Array<out Float>.sum(): Float {
    var sum: Float = 0.0f
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

@kotlin.jvm.JvmName("sumOfDouble")
public fun Array<out Double>.sum(): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

public fun ByteArray.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

public fun ShortArray.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

public fun IntArray.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

public fun LongArray.sum(): Long {
    var sum: Long = 0L
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

public fun FloatArray.sum(): Float {
    var sum: Float = 0.0f
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

public fun DoubleArray.sum(): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("RangesKt")
package kotlin.ranges

```

NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt

```

import kotlin.random.*

```

* Returns a random element from this range.

```

@throws IllegalArgumentException if this range is empty.

```

```

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun IntRange.random(): Int {
    return random(Random)
}

```

* Returns a random element from this range.

```

@throws IllegalArgumentException if this range is empty.

```

```

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun LongRange.random(): Long {
    return random(Random)
}

```

* Returns a random element from this range.

```

@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun CharRange.random(): Char {
    return

```

```

random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\npublic fun IntRange.random(random: Random): Int {\n    try {\n        return
random.nextInt(this)\n    } catch(e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\npublic fun LongRange.random(random: Random): Long {\n    try {\n        return
random.nextLong(this)\n    } catch(e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\npublic fun CharRange.random(random: Random): Char {\n    try {\n        return
random.nextInt(first.toInt(), last.toInt() + 1).toChar()\n    } catch(e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range, or `null` if this
range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun IntRange.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this range, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun LongRange.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this range, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun CharRange.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this range using the specified source of randomness, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
IntRange.randomOrNull(random: Random): Int? {\n    if (isEmpty())\n        return null\n    return
random.nextInt(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
LongRange.randomOrNull(random: Random): Long? {\n    if (isEmpty())\n        return null\n    return
random.nextLong(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharRange.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return
random.nextInt(first.toInt(), last.toInt() + 1).toChar()\n}\n\n/**\n * Returns `true` if this range contains the specified
[element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun IntRange.contains(element:
Int?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains
the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun LongRange.contains(element:
Long?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range
contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun CharRange.contains(element:
Char?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value]
belongs to this range.\n *\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun
ClosedRange<Int>.contains(value: Byte): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun
ClosedRange<Long>.contains(value: Byte): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator

```

```

fun ClosedRange<Short>.contains(value: Byte): Boolean {
    return contains(value.toShort())
}

Checks if the specified [value] belongs to this range.
*\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince =
"1.4")\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun
ClosedRange<Double>.contains(value: Byte): Boolean {
    return contains(value.toDouble())
}

Checks if the specified [value] belongs to this range.
*\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince =
"1.4")\n@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun ClosedRange<Float>.contains(value:
Byte): Boolean {
    return contains(value.toFloat())
}

Checks if the specified [value] belongs to this
range.
*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous
semantics and is going to be removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince =
"1.4")\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value:
Double): Boolean {
    return value.toIntExactOrNull().let { if (it != null) contains(it) else false }
}

Checks if the specified [value] belongs to this range.
*\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince =
"1.4")\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value:
Double): Boolean {
    return value.toLongExactOrNull().let { if (it != null) contains(it) else false }
}

Checks if the specified [value] belongs to this range.
*\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince =
"1.4")\n@kotlin.jvm.JvmName("byteRangeContains")\npublic operator fun ClosedRange<Byte>.contains(value:
Double): Boolean {
    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }
}

Checks if the specified [value] belongs to this range.
*\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince =
"1.4")\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun
ClosedRange<Short>.contains(value: Double): Boolean {
    return value.toShortExactOrNull().let { if (it != null)
contains(it) else false }
}

Checks if the specified [value] belongs to this range.
*\n@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun ClosedRange<Float>.contains(value:
Double): Boolean {
    return contains(value.toFloat())
}

Checks if the specified [value] belongs to this
range.
*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous
semantics and is going to be removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince =
"1.4")\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value:
Float): Boolean {
    return value.toIntExactOrNull().let { if (it != null) contains(it) else false }
}

Checks if the specified [value] belongs to this range.
*\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince =
"1.4")\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value:
Float): Boolean {
    return value.toLongExactOrNull().let { if (it != null) contains(it) else false }
}

Checks if the specified [value] belongs to this range.
*\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince =
"1.4")\n@kotlin.jvm.JvmName("byteRangeContains")\npublic operator fun ClosedRange<Byte>.contains(value:
Float): Boolean {
    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }
}

Checks if the specified [value] belongs to this range.
*\n@Deprecated("This `contains` operation mixing integer

```


and floating point arguments has ambiguous semantics and is going to be removed.\n)\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Float): Boolean {\n return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Float): Boolean {\n return contains(value.toDouble())\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Int): Boolean {\n return contains(value.toLong())\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Int): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Int): Boolean {\n return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Int): Boolean {\n return contains(value.toDouble())\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Int): Boolean {\n return contains(value.toFloat())\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Long): Boolean {\n return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Long): Boolean {\n return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Long): Boolean {\n return contains(value.toDouble())\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Long): Boolean {\n return contains(value.toFloat())\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Short): Boolean {\n return contains(value.toInt())\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Short): Boolean {\n return contains(value.toLong())\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n\n*\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Short): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n

```

*@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4")@kotlin.jvm.JvmName("doubleRangeContains")public operator fun
ClosedRange<Double>.contains(value: Short): Boolean {return contains(value.toDouble())}public operator fun
Checks if the specified [value] belongs to this range.@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4")@kotlin.jvm.JvmName("floatRangeContains")public operator fun ClosedRange<Float>.contains(value: Short): Boolean {return contains(value.toFloat())}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Int.downTo(to: Byte): IntProgression {return IntProgression.fromClosedRange(this, to.toInt(), -1)}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Long.downTo(to: Byte): LongProgression {return LongProgression.fromClosedRange(this, to.toLong(), -1L)}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Byte.downTo(to: Byte): IntProgression {return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Short.downTo(to: Byte): IntProgression {return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Char.downTo(to: Char): CharProgression {return CharProgression.fromClosedRange(this, to, -1)}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Int.downTo(to: Int): IntProgression {return IntProgression.fromClosedRange(this, to, -1)}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Long.downTo(to: Int): LongProgression {return LongProgression.fromClosedRange(this, to.toLong(), -1L)}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Byte.downTo(to: Int): IntProgression {return IntProgression.fromClosedRange(this.toInt(), to, -1)}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Short.downTo(to: Int): IntProgression {return IntProgression.fromClosedRange(this.toInt(), to, -1)}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Int.downTo(to: Long): LongProgression {return LongProgression.fromClosedRange(this.toLong(), to, -1L)}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Long.downTo(to: Long): LongProgression {return LongProgression.fromClosedRange(this, to, -1L)}public operator fun
Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.public infix fun Byte.downTo(to: Long):

```

```

LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

/** Returns a progression from this value down to the specified [to] value with the step -1.
 * The [to] value should be less than or equal to `this` value.
 * If the [to] value is greater than `this` value the returned progression is empty.
 */
public infix fun Short.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

/** Returns a progression from this value down to the specified [to] value with the step -1.
 * The [to] value should be less than or equal to `this` value.
 * If the [to] value is greater than `this` value the returned progression is empty.
 */
public infix fun Int.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this, to.toInt(), -1)
}

/** Returns a progression from this value down to the specified [to] value with the step -1.
 * The [to] value should be less than or equal to `this` value.
 * If the [to] value is greater than `this` value the returned progression is empty.
 */
public infix fun Long.downTo(to: Short): LongProgression {
    return LongProgression.fromClosedRange(this, to.toLong(), -1L)
}

/** Returns a progression from this value down to the specified [to] value with the step -1.
 * The [to] value should be less than or equal to `this` value.
 * If the [to] value is greater than `this` value the returned progression is empty.
 */
public infix fun Byte.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
}

/** Returns a progression from this value down to the specified [to] value with the step -1.
 * The [to] value should be less than or equal to `this` value.
 * If the [to] value is greater than `this` value the returned progression is empty.
 */
public infix fun Short.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
}

/** Returns a progression that goes over the same range in the opposite direction with the same step.
 */
public fun IntProgression.reversed(): IntProgression {
    return IntProgression.fromClosedRange(last, first, -step)
}

/** Returns a progression that goes over the same range in the opposite direction with the same step.
 */
public fun LongProgression.reversed(): LongProgression {
    return LongProgression.fromClosedRange(last, first, -step)
}

/** Returns a progression that goes over the same range in the opposite direction with the same step.
 */
public fun CharProgression.reversed(): CharProgression {
    return CharProgression.fromClosedRange(last, first, -step)
}

/** Returns a progression that goes over the same range with the given step.
 */
public infix fun IntProgression.step(step: Int): IntProgression {
    checkStepIsPositive(step > 0, step)
    return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)
}

/** Returns a progression that goes over the same range with the given step.
 */
public infix fun LongProgression.step(step: Long): LongProgression {
    checkStepIsPositive(step > 0, step)
    return LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)
}

/** Returns a progression that goes over the same range with the given step.
 */
public infix fun CharProgression.step(step: Int): CharProgression {
    checkStepIsPositive(step > 0, step)
    return CharProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)
}

internal fun Int.toByteExactOrNull(): Byte? {
    return if (this in Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByte() else null
}

internal fun Long.toByteExactOrNull(): Byte? {
    return if (this in Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null
}

internal fun Short.toByteExactOrNull(): Byte? {
    return if (this in Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null
}

internal fun Double.toByteExactOrNull(): Byte? {
    return if (this in Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toInt().toByte() else null
}

internal fun Float.toByteExactOrNull(): Byte? {
    return if (this in Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toInt().toByte() else null
}

internal fun Long.toIntExactOrNull(): Int? {
    return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong()) this.toInt() else null
}

internal fun Double.toIntExactOrNull(): Int? {
    return if (this in Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null
}

internal fun Float.toIntExactOrNull(): Int? {
    return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat()) this.toInt() else null
}

internal fun Double.toLongExactOrNull(): Long? {
    return if (this in Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null
}

```

```

Float.toLongExactOrNull(): Long? {\n  return if (this in
Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun
Int.toShortExactOrNull(): Short? {\n  return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt())
this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n  return if (this in
Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun
Double.toShortExactOrNull(): Short? {\n  return if (this in
Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toInt().toShort() else null\n}\n}\n\ninternal fun
Float.toShortExactOrNull(): Short? {\n  return if (this in
Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toInt().toShort() else null\n}\n}\n\n**\n * Returns
a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to
`this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n  return this ..
(to.toInt() - 1).toInt()\n}\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n *
\n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun
Long.until(to: Byte): LongRange {\n  return this .. (to.toLong() - 1).toLong()\n}\n}\n\n**\n * Returns a range from
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value,
then the returned range is empty.\n */\npublic infix fun Byte.until(to: Byte): IntRange {\n  return this.toInt() ..
(to.toInt() - 1).toInt()\n}\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n *
\n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun
Short.until(to: Byte): IntRange {\n  return this.toInt() .. (to.toInt() - 1).toInt()\n}\n}\n\n**\n * Returns a range from
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value,
then the returned range is empty.\n */\npublic infix fun Char.until(to: Char): CharRange {\n  if (to <= '\u0000')
return CharRange.EMPTY\n  return this .. (to - 1).toChar()\n}\n}\n\n**\n * Returns a range from this value up to but
excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned
range is empty.\n */\npublic infix fun Int.until(to: Int): IntRange {\n  if (to <= Int.MIN_VALUE) return
IntRange.EMPTY\n  return this .. (to - 1).toInt()\n}\n}\n\n**\n * Returns a range from this value up to but excluding
the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is
empty.\n */\npublic infix fun Long.until(to: Int): LongRange {\n  return this .. (to.toLong() -
1).toLong()\n}\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If
the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to:
Int): IntRange {\n  if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n  return this.toInt() .. (to -
1).toInt()\n}\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If
the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to:
Int): IntRange {\n  if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n  return this.toInt() .. (to -
1).toInt()\n}\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If
the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to:
Long): LongRange {\n  if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n  return this.toLong() .. (to -
1).toLong()\n}\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If
the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to:
Long): LongRange {\n  if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n  return this .. (to -
1).toLong()\n}\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If
the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to:
Long): LongRange {\n  if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n  return this.toLong() .. (to -
1).toLong()\n}\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If
the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to:
Long): LongRange {\n  if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n  return this.toLong() .. (to -
1).toLong()\n}\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If
the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to:
Short): IntRange {\n  return this .. (to.toInt() - 1).toInt()\n}\n}\n\n**\n * Returns a range from this value up to but

```

excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n\npublic infix fun Long.until(to: Short): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n\npublic infix fun Byte.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n\npublic infix fun Short.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n */\n\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\n\npublic fun Byte.coerceAtLeast(minimumValue: Byte): Byte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\n\npublic fun Short.coerceAtLeast(minimumValue: Short): Short {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\n\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\n\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\n\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\n\npublic fun Double.coerceAtLeast(minimumValue: Double): Double {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostComparable\n */\n\npublic fun <T : Comparable<T>> T.coerceAtMost(maximumValue: T): T {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\n\npublic fun Byte.coerceAtMost(maximumValue: Byte): Byte {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\n\npublic fun Short.coerceAtMost(maximumValue: Short): Short {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\n\npublic fun Int.coerceAtMost(maximumValue: Int): Int

```

{\n  return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater
than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or
the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n
*/\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n  return if (this > maximumValue)
maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n *
\n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n *
\n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun
Float.coerceAtMost(maximumValue: Float): Float {\n  return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Double.coerceAtMost(maximumValue:
Double): Double {\n  return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range,
or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun
<T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n  if (minimumValue !== null
&& maximumValue !== null) {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this >
maximumValue) return maximumValue\n  }\n  else {\n    if (minimumValue !== null && this <
minimumValue) return minimumValue\n    if (maximumValue !== null && this > maximumValue) return
maximumValue\n  }\n  return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Byte.coerceIn(minimumValue: Byte,
maximumValue: Byte): Byte {\n  if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n  if (this < minimumValue) return minimumValue\n  if (this > maximumValue)
return maximumValue\n  return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Short.coerceIn(minimumValue: Short,
maximumValue: Short): Short {\n  if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n  if (this < minimumValue) return minimumValue\n  if (this > maximumValue)
return maximumValue\n  return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(minimumValue: Int, maximumValue:
Int): Int {\n  if (minimumValue > maximumValue) throw IllegalArgumentException("Cannot coerce value to an
empty range: maximum $maximumValue is less than minimum $minimumValue.")\n  if (this < minimumValue)
return minimumValue\n  if (this > maximumValue) return maximumValue\n  return this\n}\n\n/**\n * Ensures
that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in
the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater
than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun
Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n  if (minimumValue > maximumValue)
throw IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n  if (this < minimumValue) return minimumValue\n  if (this > maximumValue)
return maximumValue\n  return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun

```

```

return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun Float.coerceIn(minimumValue: Float,
maximumValue: Float): Float {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun Double.coerceIn(minimumValue: Double,
maximumValue: Double): Double {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInFloatingPointRange\n *^\n@SinceKotlin("1.1")\npublic fun <T :
Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n    if (range.isEmpty()) throw
IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return when {\n        // this <
start equiv to this <= start && !(this >= start)\n        range.lessThanOrEquals(this, range.start) &&
!range.lessThanOrEquals(range.start, this) -> range.start\n        // this > end equiv to this >= end && !(this <= end)\n
range.lessThanOrEquals(range.endInclusive, this) && !range.lessThanOrEquals(this, range.endInclusive) ->
range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInComparable\n *^\npublic fun <T : Comparable<T>>
T.coerceIn(range: ClosedRange<T>): T {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<T>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an
empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this > range.endInclusive ->
range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n
*^\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n    if (range is ClosedFloatingPointRange) {\n
return this.coerceIn<Int>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce
value to an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the
specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than
`range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun Long.coerceIn(range: ClosedRange<Long>): Long
{\n    if (range is ClosedFloatingPointRange) {\n        return this.coerceIn<Long>(range)\n    }\n    if
(range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return
when {\n        this < range.start -> range.start\n        this > range.endInclusive -> range.endInclusive\n        else ->
this\n    }\n}\n\n"/\n\n/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*^\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.experimental.*\n\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n\n@SinceKotlin("1.3")\n\n@ExperimentalUnsignedTypes\n\npublic inline class UByte @PublishedApi internal

```

```

constructor(@PublishedApi internal val data: Byte) : Comparable<UByte> {\n\n  companion object {\n    /**\n     * A constant holding the minimum value an instance of UByte can have.\n     */\n    public const val MIN_VALUE: UByte = UByte(0)\n\n    /**\n     * A constant holding the maximum value an instance of UByte can have.\n     */\n    public const val MAX_VALUE: UByte = UByte(-1)\n\n    /**\n     * The number of bytes used to represent an instance of UByte in a binary form.\n     */\n    public const val SIZE_BYTES: Int = 1\n\n    /**\n     * The number of bits used to represent an instance of UByte in a binary form.\n     */\n    public const val SIZE_BITS: Int = 8\n  }\n\n  /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n  @kotlin.internal.InlineOnly\n  @Suppress("\u0026quot;OVERRIDE_BY_INLINE\u0026quot;)\n  public override inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n  /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n  /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n  /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n  /**\n   * Adds the other value to this value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n\n  /**\n   * Adds the other value to this value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n\n  /**\n   * Adds the other value to this value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n\n  /**\n   * Adds the other value to this value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n  /**\n   * Subtracts the other value from this value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n\n  /**\n   * Subtracts the other value from this value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n\n  /**\n   * Subtracts the other value from this value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n\n  /**\n   * Subtracts the other value from this value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n  /**\n   * Multiplies this value by the other value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n\n  /**\n   * Multiplies this value by the other value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\n\n  /**\n   * Multiplies this value by the other value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n\n  /**\n   * Multiplies this value by the other value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n  /**\n   * Divides this value by the other value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n\n  /**\n   * Divides this value by the other value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n\n  /**\n   * Divides this value by the other value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\n\n  /**\n   * Divides this value by the other value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n  /**\n   * Calculates the remainder of dividing this value by the other value.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n\n  /**\n   * Calculates the remainder of dividing this value by the other

```



```

value. *^n @kotlin.internal.InlineOnly^n public inline operator fun rem(other: UShort): UInt =
this.toUInt().rem(other.toUInt())\n /** Calculates the remainder of dividing this value by the other value. *^n
@kotlin.internal.InlineOnly^n public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n /**
Calculates the remainder of dividing this value by the other value. *^n @kotlin.internal.InlineOnly^n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /** Increments this value. *^n
@kotlin.internal.InlineOnly^n public inline operator fun inc(): UByte = UByte(data.inc())\n\n /** Decrements this
value. *^n @kotlin.internal.InlineOnly^n public inline operator fun dec(): UByte = UByte(data.dec())\n\n /**
Creates a range from this value to the specified [other] value. *^n @kotlin.internal.InlineOnly^n public inline
operator fun rangeTo(other: UByte): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a
bitwise AND operation between the two values. *^n @kotlin.internal.InlineOnly^n public inline infix fun
and(other: UByte): UByte = UByte(this.data and other.data)\n\n /** Performs a bitwise OR operation between the
two values. *^n @kotlin.internal.InlineOnly^n public inline infix fun or(other: UByte): UByte = UByte(this.data
or other.data)\n\n /** Performs a bitwise XOR operation between the two values. *^n
@kotlin.internal.InlineOnly^n public inline infix fun xor(other: UByte): UByte = UByte(this.data xor other.data)\n
/** Inverts the bits in this value. *^n @kotlin.internal.InlineOnly^n public inline fun inv(): UByte =
UByte(data.inv())\n\n /**\n * Converts this [UByte] value to [Byte].\n * \n * If this value is less than or
equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this
`UByte`. Otherwise the result is negative.\n * \n * The resulting `Byte` value has the same binary representation
as this `UByte` value.\n *^n @kotlin.internal.InlineOnly^n public inline fun toByte(): Byte = data\n\n /**\n *
Converts this [UByte] value to [Short].\n * \n * The resulting `Short` value represents the same numerical
value as this `UByte`.\n * \n * The least significant 8 bits of the resulting `Short` value are the same as the bits
of this `UByte` value,\n * whereas the most significant 8 bits are filled with zeros.\n *^n
@kotlin.internal.InlineOnly^n public inline fun toShort(): Short = data.toShort() and 0xFF\n\n /**\n * Converts
this [UByte] value to [Int].\n * \n * The resulting `Int` value represents the same numerical value as this
`UByte`.\n * \n * The least significant 8 bits of the resulting `Int` value are the same as the bits of this `UByte`
value,\n * whereas the most significant 24 bits are filled with zeros.\n *^n @kotlin.internal.InlineOnly^n
public inline fun toInt(): Int = data.toInt() and 0xFF\n\n /**\n * Converts this [UByte] value to [Long].\n * \n
* The resulting `Long` value represents the same numerical value as this `UByte`.\n * \n * The least significant
8 bits of the resulting `Long` value are the same as the bits of this `UByte` value,\n * whereas the most significant
56 bits are filled with zeros.\n *^n @kotlin.internal.InlineOnly^n public inline fun toLong(): Long =
data.toLong() and 0xFF\n\n /** Returns this value. *^n @kotlin.internal.InlineOnly^n public inline fun
toUByte(): UByte = this\n\n /**\n * Converts this [UByte] value to [UShort].\n * \n * The resulting `UShort`
value represents the same numerical value as this `UByte`.\n * \n * The least significant 8 bits of the resulting
`UShort` value are the same as the bits of this `UByte` value,\n * whereas the most significant 8 bits are filled
with zeros.\n *^n @kotlin.internal.InlineOnly^n public inline fun toUShort(): UShort = UShort(data.toShort()
and 0xFF)\n\n /**\n * Converts this [UByte] value to [UInt].\n * \n * The resulting `UInt` value represents
the same numerical value as this `UByte`.\n * \n * The least significant 8 bits of the resulting `UInt` value are
the same as the bits of this `UByte` value,\n * whereas the most significant 24 bits are filled with zeros.\n *^n
@kotlin.internal.InlineOnly^n public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFF)\n\n /**\n *
Converts this [UByte] value to [ULong].\n * \n * The resulting `ULong` value represents the same numerical
value as this `UByte`.\n * \n * The least significant 8 bits of the resulting `ULong` value are the same as the bits
of this `UByte` value,\n * whereas the most significant 56 bits are filled with zeros.\n *^n
@kotlin.internal.InlineOnly^n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)\n\n /**\n *
Converts this [UByte] value to [Float].\n * \n * The resulting `Float` value represents the same numerical
value as this `UByte`.\n *^n @kotlin.internal.InlineOnly^n public inline fun toFloat(): Float =
this.toInt().toFloat()\n\n /**\n * Converts this [UByte] value to [Double].\n * \n * The resulting `Double`
value represents the same numerical value as this `UByte`.\n *^n @kotlin.internal.InlineOnly^n public inline
fun toDouble(): Double = this.toInt().toDouble()\n\n public override fun toString(): String =

```

toInt().toString()\n}\n\n/**\n * Converts this [Byte] value to [UByte].\n * If this value is positive, the resulting `UByte` value represents the same numerical value as this `Byte`.\n * The resulting `UByte` value has the same binary representation as this `Byte` value.\n

```
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUByte(): UByte = UByte(this)\n/**\n * Converts this [Short] value to [UByte].\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Short`.\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Short` value.\n
```

```
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Int] value to [UByte].\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Int`.\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Int` value.\n
```

```
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Long] value to [UByte].\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Long`.\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Long` value.\n
```

```
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUByte(): UByte = UByte(this.toByte())\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.experimental\nimport kotlin.experimental.*\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) : Comparable<UInt> {\n\n    companion object {\n\n        /**\n         * A constant holding the minimum value an instance of UInt can have.\n         */\n        public const val MIN_VALUE: UInt = UInt(0)\n\n        /**\n         * A constant holding the maximum value an instance of UInt can have.\n         */\n        public const val MAX_VALUE: UInt = UInt(-1)\n\n        /**\n         * The number of bytes used to represent an instance of UInt in a binary form.\n         */\n        public const val SIZE_BYTES: Int = 4\n\n        /**\n         * The number of bits used to represent an instance of UInt in a binary form.\n         */\n        public const val SIZE_BITS: Int = 32\n    }\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toUInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    @Suppress("OVERRIDE_BY_INLINE")\n    public override inline operator fun compareTo(other: UInt): Int = uintCompare(this.data, other.data)\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt = this.plus(other.toUInt())\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UShort): UInt = this.plus(other.toUInt())\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt = UInt(this.data.plus(other.data))\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n
```

```

public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n /** Subtracts the other
value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt =
this.minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\n /** Subtracts the other value
from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt =
UInt(this.data.minus(other.data))\n /** Subtracts the other value from this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong =
this.toULong().minus(other)\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n /** Multiplies this value by the
other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt =
this.times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\n /** Multiplies this value
by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong =
this.toULong().times(other)\n\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun div(other: UByte): UInt = this.div(other.toUInt())\n /** Divides this value by the other
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): UInt =
this.div(other.toUInt())\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun div(other: UInt): UInt = uintDivide(this, other)\n /** Divides this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n /** Calculates the remainder of dividing this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): UInt = this.rem(other.toUInt())\n /**
Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\n /** Calculates the remainder of dividing
this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt
= uintRemainder(this, other)\n /** Calculates the remainder of dividing this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong =
this.toULong().rem(other)\n\n /** Increments this value. */\n @kotlin.internal.InlineOnly\n public inline
operator fun inc(): UInt = UInt(data.inc())\n /** Decrements this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun dec(): UInt = UInt(data.dec())\n\n /** Creates a range from this value to the specified
[other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UInt): UIntRange =
UIntRange(this, other)\n\n /** Shifts this value left by the [bitCount] number of bits. */\n
@kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)\n /**
Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros. */\n
@kotlin.internal.InlineOnly\n public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount)\n /**
Performs a bitwise AND operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix
fun and(other: UInt): UInt = UInt(this.data and other.data)\n /** Performs a bitwise OR operation between the two
values. */\n @kotlin.internal.InlineOnly\n public inline infix fun or(other: UInt): UInt = UInt(this.data or
other.data)\n /** Performs a bitwise XOR operation between the two values. */\n @kotlin.internal.InlineOnly\n
public inline infix fun xor(other: UInt): UInt = UInt(this.data xor other.data)\n\n /** Inverts the bits in this value.
*/\n @kotlin.internal.InlineOnly\n public inline fun inv(): UInt = UInt(data.inv())\n\n /**\n * Converts this
[UInt] value to [Byte].\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte`
value represents\n * the same numerical value as this `UInt`.\n * The resulting `Byte` value is
represented by the least significant 8 bits of this `UInt` value.\n * Note that the resulting `Byte` value may be
negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n /**\n *
Converts this [UInt] value to [Short].\n * If this value is less than or equals to [Short.MAX_VALUE], the
resulting `Short` value represents\n * the same numerical value as this `UInt`.\n * The resulting `Short`
value is represented by the least significant 16 bits of this `UInt` value.\n * Note that the resulting `Short`
value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort()\n

```

```

/**
 * Converts this [UInt] value to [Int].
 * If this value is less than or equals to [Int.MAX_VALUE],
the resulting `Int` value represents
the same numerical value as this `UInt`. Otherwise the result is negative.
 * The resulting `Int` value has the same binary representation as this `UInt` value.
@kotlin.internal.InlineOnly
public inline fun toInt(): Int = data
/**
 * Converts this [UInt] value to
[Long].
 * The resulting `Long` value represents the same numerical value as this `UInt`.
 * The
least significant 32 bits of the resulting `Long` value are the same as the bits of this `UInt` value,
 * whereas the
most significant 32 bits are filled with zeros.
 * @kotlin.internal.InlineOnly
public inline fun toLong():
Long = data.toLong() and 0xFFFF_FFFF
/**
 * Converts this [UInt] value to [UByte].
 * If this
value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents
the same
numerical value as this `UInt`.
 * The resulting `UByte` value is represented by the least significant 8 bits
of this `UInt` value.
 * @kotlin.internal.InlineOnly
public inline fun toUByte(): UByte =
data.toUByte()
/**
 * Converts this [UInt] value to [UShort].
 * If this value is less than or equals
to [UShort.MAX_VALUE], the resulting `UShort` value represents
the same numerical value as this `UInt`.
 * The resulting `UShort` value is represented by the least significant 16 bits of this `UInt` value.
 * @kotlin.internal.InlineOnly
public inline fun toUShort(): UShort = data.toUShort()
/** Returns this value.
 * @kotlin.internal.InlineOnly
public inline fun toUInt(): UInt = this
/**
 * Converts this [UInt] value
to [ULong].
 * The resulting `ULong` value represents the same numerical value as this `UInt`.
 * The
least significant 32 bits of the resulting `ULong` value are the same as the bits of this `UInt` value,
 *
whereas the most significant 32 bits are filled with zeros.
 * @kotlin.internal.InlineOnly
public inline
fun toULong(): ULong = ULong(data.toLong() and 0xFFFF_FFFF)
/**
 * Converts this [UInt] value to
[Float].
 * The resulting value is the closest `Float` to this `UInt` value.
 * In case when this `UInt`
value is exactly between two `Float`s,
 * the one with zero at least significant bit of mantissa is selected.
 * @kotlin.internal.InlineOnly
public inline fun toFloat(): Float = this.toDouble().toFloat()
/**
 * Converts
this [UInt] value to [Double].
 * The resulting `Double` value represents the same numerical value as this
`UInt`.
 * @kotlin.internal.InlineOnly
public inline fun toDouble(): Double = uintToDouble(data)
public override fun toString(): String = toLong().toString()
/**
 * Converts this [Byte] value to [UInt].
 *
 * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Byte`.
 * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `Byte` value,
 * whereas the
most significant 24 bits are filled with the sign bit of this value.
 * @SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Byte.toUInt(): UInt = UInt(this.toInt())
/**
 * Converts this [Short] value to [UInt].
 * If this value is
positive, the resulting `UInt` value represents the same numerical value as this `Short`.
 * The least significant
16 bits of the resulting `UInt` value are the same as the bits of this `Short` value,
 * whereas the most significant 16
bits are filled with the sign bit of this value.
 * @SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Short.toUInt(): UInt = UInt(this.toInt())
/**
 * Converts this [Int] value to [UInt].
 * If this value is positive,
the resulting `UInt` value represents the same numerical value as this `Int`.
 * The resulting `UInt` value has the
same binary representation as this `Int` value.
 * @SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Int.toUInt(): UInt = UInt(this)
/**
 * Converts this [Long] value to [UInt].
 * If this value is positive and less
than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents
the same numerical value as this
`Long`.
 * The resulting `UInt` value is represented by the least significant 32 bits of this `Long` value.
 * @SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Long.toUInt(): UInt = UInt(this.toInt())
/**
 * Converts this [Float] value to [UInt].
 * The fractional part,
if any, is rounded down towards zero.
 * Returns zero if this `Float` value is negative or `NaN`,
[UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.
 * @SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Float.toUInt(): UInt = doubleToUInt(this.toDouble())
/**
 * Converts this [Double] value to [UInt].
 * The

```

fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n

```

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
Double.toUInt(): UInt = doubleToUInt(this)n","/n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.n *\/n// Auto-generated file. DO NOT EDIT!n\npackage kotlin\n\nimport
kotlin.experimental.*n\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")n@
SinceKotlin("1.3")n@ExperimentalUnsignedTypesnpublic inline class UShort @PublishedApi internal
constructor(@PublishedApi internal val data: Short) : Comparable<UShort> {n\n    companion object {n        /**n
        * A constant holding the minimum value an instance of UShort can have.n        *\/n        public const val
        MIN_VALUE: UShort = UShort(0)n\n        /**n        * A constant holding the maximum value an instance of
        UShort can have.n        *\/n        public const val MAX_VALUE: UShort = UShort(-1)n\n        /**n        * The
        number of bytes used to represent an instance of UShort in a binary form.n        *\/n        public const val
        SIZE_BYTES: Int = 2n\n        /**n        * The number of bits used to represent an instance of UShort in a binary
        form.n        *\/n        public const val SIZE_BITS: Int = 16n    }n\n    /**n    * Compares this value with the
    specified value for order.n    * Returns zero if this value is equal to the specified other value, a negative number if
    it's less than other,n    * or a positive number if it's greater than other.n    *\/n    @kotlin.internal.InlineOnlyn
    public inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())n\n    /**n    *
    Compares this value with the specified value for order.n    * Returns zero if this value is equal to the specified other
    value, a negative number if it's less than other,n    * or a positive number if it's greater than other.n    *\/n
    @kotlin.internal.InlineOnlyn    @Suppress("OVERRIDE_BY_INLINE")n    public override inline operator fun
    compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())n\n    /**n    * Compares this value with the
    specified value for order.n    * Returns zero if this value is equal to the specified other value, a negative number if
    it's less than other,n    * or a positive number if it's greater than other.n    *\/n    @kotlin.internal.InlineOnlyn
    public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)n\n    /**n    * Compares
    this value with the specified value for order.n    * Returns zero if this value is equal to the specified other value, a
    negative number if it's less than other,n    * or a positive number if it's greater than other.n    *\/n
    @kotlin.internal.InlineOnlyn    public inline operator fun compareTo(other: ULong): Int =
    this.toULong().compareTo(other)n\n    /** Adds the other value to this value. *\/n    @kotlin.internal.InlineOnlyn
    public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())n\n    /** Adds the other value
    to this value. *\/n    @kotlin.internal.InlineOnlyn    public inline operator fun plus(other: UShort): UInt =
    this.toUInt().plus(other.toUInt())n\n    /** Adds the other value to this value. *\/n    @kotlin.internal.InlineOnlyn
    public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)n\n    /** Adds the other value to this
    value. *\/n    @kotlin.internal.InlineOnlyn    public inline operator fun plus(other: ULong): ULong =
    this.toULong().plus(other)n\n    /** Subtracts the other value from this value. *\/n    @kotlin.internal.InlineOnlyn
    public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())n\n    /** Subtracts the
    other value from this value. *\/n    @kotlin.internal.InlineOnlyn    public inline operator fun minus(other: UShort):
    UInt = this.toUInt().minus(other.toUInt())n\n    /** Subtracts the other value from this value. *\/n
    @kotlin.internal.InlineOnlyn    public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)n\n
    /** Subtracts the other value from this value. *\/n    @kotlin.internal.InlineOnlyn    public inline operator fun
    minus(other: ULong): ULong = this.toULong().minus(other)n\n    /** Multiplies this value by the other value. *\/n
    @kotlin.internal.InlineOnlyn    public inline operator fun times(other: UByte): UInt =
    this.toUInt().times(other.toUInt())n\n    /** Multiplies this value by the other value. *\/n
    @kotlin.internal.InlineOnlyn    public inline operator fun times(other: UShort): UInt =
    this.toUInt().times(other.toUInt())n\n    /** Multiplies this value by the other value. *\/n
    @kotlin.internal.InlineOnlyn    public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)n\n
    /** Multiplies this value by the other value. *\/n    @kotlin.internal.InlineOnlyn    public inline operator fun
    times(other: ULong): ULong = this.toULong().times(other)n\n    /** Divides this value by the other value. *\/n

```

```

@kotlin.internal.InlineOnly\n    public inline operator fun div(other: UByte): UInt =
this.toUInt().div(other.toUInt())\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\npublic inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n    /** Divides this value by
the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UInt): UInt =
this.toUInt().div(other)\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n    /** Calculates the remainder of
dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other:
UByte): UInt = this.toUInt().rem(other.toUInt())\n    /** Calculates the remainder of dividing this value by the other
value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UShort): UInt =
this.toUInt().rem(other.toUInt())\n    /** Calculates the remainder of dividing this value by the other value. */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n    /**
Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n    /** Increments this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun inc(): UShort = UShort(data.inc())\n    /** Decrements
this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun dec(): UShort = UShort(data.dec())\n    /**
Creates a range from this value to the specified [other] value. */\n    @kotlin.internal.InlineOnly\n    public inline
operator fun rangeTo(other: UShort): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n    /** Performs a
bitwise AND operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun
and(other: UShort): UShort = UShort(this.data and other.data)\n    /** Performs a bitwise OR operation between the
two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun or(other: UShort): UShort =
UShort(this.data or other.data)\n    /** Performs a bitwise XOR operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun xor(other: UShort): UShort = UShort(this.data xor
other.data)\n    /** Inverts the bits in this value. */\n    @kotlin.internal.InlineOnly\n    public inline fun inv():
UShort = UShort(data.inv())\n    /**\n     * Converts this [UShort] value to [Byte].\n     * \n     * If this value is less
than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n     * the same numerical value as this
`UShort`.\n     * \n     * The resulting `Byte` value is represented by the least significant 8 bits of this `UShort`
value.\n     * \n     * Note that the resulting `Byte` value may be negative.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toByte(): Byte = data.toByte()\n    /**\n     * Converts this [UShort] value to [Short].\n     * \n     * If this
value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n     * the same
numerical value as this `UShort`. Otherwise the result is negative.\n     * \n     * The resulting `Short` value has the
same binary representation as this `UShort` value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun
toShort(): Short = data\n    /**\n     * Converts this [UShort] value to [Int].\n     * \n     * The resulting `Int`
value represents the same numerical value as this `UShort`.\n     * \n     * The least significant 16 bits of the resulting `Int`
value are the same as the bits of this `UShort` value,\n     * whereas the most significant 16 bits are filled with
zeros.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toInt(): Int = data.toInt() and 0xFFFF\n    /**\n     *
Converts this [UShort] value to [Long].\n     * \n     * The resulting `Long` value represents the same numerical
value as this `UShort`.\n     * \n     * The least significant 16 bits of the resulting `Long` value are the same as the bits
of this `UShort` value,\n     * whereas the most significant 48 bits are filled with zeros.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toLong(): Long = data.toLong() and 0xFFFF\n    /**\n     *
Converts this [UShort] value to [UByte].\n     * \n     * If this value is less than or equals to [UByte.MAX_VALUE],
the resulting `UByte` value represents\n     * the same numerical value as this `UShort`.\n     * \n     * The resulting
`UByte` value is represented by the least significant 8 bits of this `UShort` value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toUByte(): UByte = data.toUByte()\n    /** Returns this value. */\n    @kotlin.internal.InlineOnly\n    public inline fun toUShort(): UShort = this\n    /**\n     * Converts this [UShort]
value to [UInt].\n     * \n     * The resulting `UInt` value represents the same numerical value as this `UShort`.\n     *
\n     * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value,\n     *
whereas the most significant 16 bits are filled with zeros.\n     */\n    @kotlin.internal.InlineOnly\n    public inline
fun toUInt(): UInt = UInt(data.toInt() and 0xFFFF)\n    /**\n     * Converts this [UShort] value to [ULong].\n     * \n

```

```

 * The resulting `ULong` value represents the same numerical value as this `UShort`.
 * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value,
 * whereas the most significant 48 bits are filled with zeros.
 * @kotlin.internal.InlineOnly
 public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF)
 /**
 * Converts this [UShort] value to [Float].
 * The resulting `Float` value represents the same numerical value as this `UShort`.
 * @kotlin.internal.InlineOnly
 public inline fun toFloat(): Float = this.toInt().toFloat()
 /**
 * Converts this [UShort] value to [Double].
 * The resulting `Double` value represents the same numerical value as this `UShort`.
 * @kotlin.internal.InlineOnly
 public inline fun toDouble(): Double = this.toInt().toDouble()
 public override fun toString(): String = toInt().toString()
}
/**
 * Converts this [Byte] value to [UShort].
 * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Byte`.
 * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `Byte` value,
 * whereas the most significant 8 bits are filled with the sign bit of this value.
 * @SinceKotlin("1.3")
 @ExperimentalUnsignedTypes
 @kotlin.internal.InlineOnly
 public inline fun Byte.toUShort(): UShort = UShort(this.toShort())
 /**
 * Converts this [Short] value to [UShort].
 * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Short`.
 * The resulting `UShort` value has the same binary representation as this `Short` value.
 * @SinceKotlin("1.3")
 @ExperimentalUnsignedTypes
 @kotlin.internal.InlineOnly
 public inline fun Short.toUShort(): UShort = UShort(this)
 /**
 * Converts this [Int] value to [UShort].
 * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents
 * the same numerical value as this `Int`.
 * The resulting `UShort` value is represented by the least significant 16 bits of this `Int` value.
 * @SinceKotlin("1.3")
 @ExperimentalUnsignedTypes
 @kotlin.internal.InlineOnly
 public inline fun Int.toUShort(): UShort = UShort(this.toShort())
 /**
 * Converts this [Long] value to [UShort].
 * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents
 * the same numerical value as this `Long`.
 * The resulting `UShort` value is represented by the least significant 16 bits of this `Long` value.
 * @SinceKotlin("1.3")
 @ExperimentalUnsignedTypes
 @kotlin.internal.InlineOnly
 public inline fun Long.toUShort(): UShort = UShort(this.toShort())
 */
/**
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 * @n// Auto-generated file. DO NOT EDIT!
 */
package kotlin.ranges
/**
 * A range of values of type `Char`.
 */
public class CharRange(start: Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {
    override val start: Char get() = first
    override val endInclusive: Char get() = last
    override fun contains(value: Char): Boolean = first <= value && value <= last
    override fun isEmpty(): Boolean = first > last
    override fun equals(other: Any?): Boolean =
        other is CharRange && (isEmpty() && other.isEmpty()) || first == other.first && last == other.last
    override fun hashCode(): Int =
        if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())
    override fun toString(): String = "$first..$last"
}
/**
 * An empty range of values of type Char.
 */
public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())
}
/**
 * A range of values of type `Int`.
 */
public class IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {
    override val start: Int get() = first
    override val endInclusive: Int get() = last
    override fun contains(value: Int): Boolean = first <= value && value <= last
    override fun isEmpty(): Boolean = first > last
    override fun equals(other: Any?): Boolean =
        other is IntRange && (isEmpty() && other.isEmpty()) || first == other.first && last == other.last
    override fun hashCode(): Int =
        if (isEmpty()) -1 else (31 * first + last)
    override fun toString(): String = "$first..$last"
}
/**
 * An empty range of values of type Int.
 */
public val EMPTY: IntRange = IntRange(1, 0)
}
/**
 * A range of values of type `Long`.
 */
public class LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {
    override val start: Long get() = first
    override val endInclusive: Long get() = last
    override fun contains(value: Long): Boolean = first <= value && value <= last
    override fun isEmpty(): Boolean = first > last
    override fun equals(other: Any?): Boolean =

```

```

other is LongRange && (isEmpty() && other.isEmpty()) ||\n    first == other.first && last == other.last)\n\n
override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr
32))).toInt()\n\n
override fun toString(): String = \"$first..$last\"\n\n
companion object {\n    /** An empty
range of values of type Long. */\n    public val EMPTY: LongRange = LongRange(1, 0)\n    }\n\n
}"/\n\n
*\n\n
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n\n
* Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n
*\n\n
@file:kotlin.jvm.JvmMultifileClass\n\n
@file:kotlin.jvm.JvmName("CollectionsKt")\n\n
@file:OptIn(kotlin.exper
imental.ExperimentalTypeInference::class)\n\n
package kotlin.collections\n\n
import kotlin.contracts.*\n\n
import
kotlin.random.Random\n\n
internal object EmptyIterator : ListIterator<Nothing> {\n    override fun hasNext():
Boolean = false\n\n
    override fun hasPrevious(): Boolean = false\n\n
    override fun nextIndex(): Int = 0\n\n
    override
fun previousIndex(): Int = -1\n\n
    override fun next(): Nothing = throw NoSuchElementException()\n\n
    override fun
previous(): Nothing = throw NoSuchElementException()\n\n
}\n\n
internal object EmptyList : List<Nothing>,
Serializable, RandomAccess {\n    private const val serialVersionUID: Long = -7390468764508069838L\n\n
    override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\n\n
    override fun hashCode(): Int
= 1\n\n
    override fun toString(): String = "[]"\n\n
    override val size: Int get() = 0\n\n
    override fun isEmpty():
Boolean = true\n\n
    override fun contains(element: Nothing): Boolean = false\n\n
    override fun containsAll(elements:
Collection<Nothing>): Boolean = elements.isEmpty()\n\n
    override fun get(index: Int): Nothing = throw
IndexOutOfBoundsException("Empty list doesn't contain element at index $index.")\n\n
    override fun
indexOf(element: Nothing): Int = -1\n\n
    override fun lastIndexOf(element: Nothing): Int = -1\n\n
    override fun
iterator(): Iterator<Nothing> = EmptyIterator\n\n
    override fun listIterator(): ListIterator<Nothing> = EmptyIterator\n\n
    override fun listIterator(index: Int): ListIterator<Nothing> {\n        if (index != 0) throw
IndexOutOfBoundsException("Index: $index")\n        return EmptyIterator\n    }\n\n
    override fun
subList(fromIndex: Int, toIndex: Int): List<Nothing> {\n        if (fromIndex == 0 && toIndex == 0) return this\n\n
throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex")\n    }\n\n
    private fun
readResolve(): Any = EmptyList\n\n
}\n\n
internal fun <T> Array<out T>.asCollection(): Collection<T> =
ArrayAsCollection(this, isVarargs = false)\n\n
private class ArrayAsCollection<T>(val values: Array<out T>, val
isVarargs: Boolean) : Collection<T> {\n    override val size: Int get() = values.size\n\n
    override fun isEmpty():
Boolean = values.isEmpty()\n\n
    override fun contains(element: T): Boolean = values.contains(element)\n\n
    override
fun containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }\n\n
    override fun iterator():
Iterator<T> = values.iterator()\n\n
    // override hidden toArray implementation to prevent copying of values array\n\n
    public fun toArray(): Array<out Any?> = values.copyToArrayOfAny(isVarargs)\n\n
}\n\n
/**\n\n
* Returns an empty
read-only list. The returned list is serializable (JVM).\n\n
* @sample
samples.collections.Collections.Lists.emptyReadOnlyList\n\n
*\n\n
public fun <T> emptyList(): List<T> =
EmptyList\n\n
/**\n\n
* Returns a new read-only list of given elements. The returned list is serializable (JVM).\n\n
* @sample
samples.collections.Collections.Lists.readOnlyList\n\n
*\n\n
public fun <T> listOf(vararg elements: T):
List<T> = if (elements.size > 0) elements.asList() else emptyList()\n\n
/**\n\n
* Returns an empty read-only list. The
returned list is serializable (JVM).\n\n
* @sample
samples.collections.Collections.Lists.emptyReadOnlyList\n\n
*\n\n
@kotlin.internal.InlineOnly\n\n
public inline fun <T> listOf(): List<T> = emptyList()\n\n
/**\n\n
* Returns an empty
new [MutableList].\n\n
* @sample
samples.collections.Collections.Lists.emptyMutableList\n\n
*\n\n
@SinceKotlin("1.1")\n\n
@kotlin.internal.InlineOnly\n\n
public inline fun <T> mutableListOf(): MutableList<T> =
ArrayList()\n\n
/**\n\n
* Returns an empty new [ArrayList].\n\n
* @sample
samples.collections.Collections.Lists.emptyArrayList\n\n
*\n\n
@SinceKotlin("1.1")\n\n
@kotlin.internal.InlineOnly\n\n
public inline fun <T> arrayListOf(): ArrayList<T> =
ArrayList()\n\n
/**\n\n
* Returns a new [MutableList] with the given elements.\n\n
* @sample
samples.collections.Collections.Lists.mutableList\n\n
*\n\n
public fun <T> mutableListOf(vararg elements: T):
MutableList<T> =\n    if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs =
true))\n\n
/**\n\n
* Returns a new [ArrayList] with the given elements.\n\n
* @sample
samples.collections.Collections.Lists.arrayList\n\n
*\n\n
public fun <T> arrayListOf(vararg elements: T): ArrayList<T>

```



```

=\\n  if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\\n\\n/**\\n *
Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The
returned list is serializable (JVM).\\n * @sample samples.collections.Collections.Lists.listOfNotNull\\n */\\npublic fun
<T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\\n\\n/**\\n *
Returns a new read-only list only of those given elements, that are not null. The returned list is serializable
(JVM).\\n * @sample samples.collections.Collections.Lists.listOfNotNull\\n */\\npublic fun <T : Any>
listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\\n\\n/**\\n * Creates a new read-only list with
the specified [size], where each element is calculated by calling the specified\\n * [init] function.\\n *\\n * The
function [init] is called for each list element sequentially starting from the first one.\\n * It should return the value for
a list element given its index.\\n *\\n * @sample samples.collections.Collections.Lists.readOnlyListFromInitializer\\n
*/\\n@SinceKotlin("1.1")\\n@kotlin.internal.InlineOnly\\npublic inline fun <T> List(size: Int, init: (index: Int) -> T):
List<T> = MutableList(size, init)\\n\\n/**\\n * Creates a new mutable list with the specified [size], where each element
is calculated by calling the specified\\n * [init] function.\\n *\\n * The function [init] is called for each list element
sequentially starting from the first one.\\n * It should return the value for a list element given its index.\\n *\\n *
@sample samples.collections.Collections.Lists.mutableListFromInitializer\\n
*/\\n@SinceKotlin("1.1")\\n@kotlin.internal.InlineOnly\\npublic inline fun <T> MutableList(size: Int, init: (index:
Int) -> T): MutableList<T> {\\n    val list = ArrayList<T>(size)\\n    repeat(size) { index -> list.add(init(index)) }\\n
return list}\\n}\\n\\n/**\\n * Builds a new read-only [List] by populating a [MutableList] using the given
[builderAction]\\n * and returning a read-only list with the same elements.\\n *\\n * The list passed as a receiver to the
[builderAction] is valid only inside that function.\\n * Using it outside of the function produces an unspecified
behavior.\\n *\\n * @sample samples.collections.Builders.Lists.buildListSample\\n
*/\\n@SinceKotlin("1.3")\\n@ExperimentalStdlibApi\\n@kotlin.internal.InlineOnly\\npublic inline fun <E>
buildList(@BuilderInference builderAction: MutableList<E>.() -> Unit): List<E> {\\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\\n    return
buildListInternal(builderAction)\\n}\\n}\\n@PublishedApi\\n@SinceKotlin("1.3")\\n@ExperimentalStdlibApi\\n@koti
n.internal.InlineOnly\\ninternal expect inline fun <E> buildListInternal(builderAction: MutableList<E>.() -> Unit):
List<E>\\n}\\n\\n/**\\n * Builds a new read-only [List] by populating a [MutableList] using the given [builderAction]\\n *
and returning a read-only list with the same elements.\\n *\\n * The list passed as a receiver to the [builderAction] is
valid only inside that function.\\n * Using it outside of the function produces an unspecified behavior.\\n *\\n *
[capacity] is used to hint the expected number of elements added in the [builderAction].\\n *\\n * @throws
IllegalArgumentException if the given [capacity] is negative.\\n *\\n * @sample
samples.collections.Builders.Lists.buildListSampleWithCapacity\\n
*/\\n@SinceKotlin("1.3")\\n@ExperimentalStdlibApi\\n@kotlin.internal.InlineOnly\\npublic inline fun <E>
buildList(capacity: Int, @BuilderInference builderAction: MutableList<E>.() -> Unit): List<E> {\\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\\n    return buildListInternal(capacity,
builderAction)\\n}\\n}\\n@PublishedApi\\n@SinceKotlin("1.3")\\n@ExperimentalStdlibApi\\n@kotlin.internal.InlineO
nly\\ninternal expect inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>.() -> Unit):
List<E>\\n}\\n\\n/**\\n * Returns an [IntRange] of the valid indices for this collection.\\n * @sample
samples.collections.Collections.Collections.indicesOfCollection\\n */\\npublic val Collection<*>.indices: IntRange\\n
get() = 0..size - 1\\n}\\n\\n/**\\n * Returns the index of the last item in the list or -1 if the list is empty.\\n *\\n * @sample
samples.collections.Collections.Lists.lastIndexOfList\\n */\\npublic val <T> List<T>.lastIndex: Int\\n    get() =
this.size - 1\\n}\\n\\n/**\\n * Returns `true` if the collection is not empty.\\n * @sample
samples.collections.Collections.Collections.collectionIsNotEmpty\\n */\\n@kotlin.internal.InlineOnly\\npublic inline
fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\\n}\\n\\n/**\\n * Returns `true` if this nullable collection is
either null or empty.\\n * @sample samples.collections.Collections.Collections.collectionIsNullOrEmpty\\n
*/\\n@SinceKotlin("1.3")\\n@kotlin.internal.InlineOnly\\npublic inline fun <T> Collection<T>?.isEmptyOrNull():
Boolean {\\n    contract {\\n        returns(false) implies (this@isEmptyOrNull != null)\\n    }\\n    return this == null ||
this.isEmpty()\\n}\\n}\\n\\n/**\\n * Returns this Collection if it's not `null` and the empty list otherwise.\\n * @sample

```

```

samples.collections.Collections.Collections.collectionOrNull\n *^@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>?.orEmpty(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and
the empty list otherwise.\n * @sample samples.collections.Collections.Lists.listOrNull\n
*^@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n/**\n
* Returns this collection if it's not empty\n * or the result of calling [defaultValue] function if the collection is
empty.\n *^@sample samples.collections.Collections.Collections.collectionIfEmpty\n
*^@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () ->
R): R where C : Collection<*>, C : R =\n    if (isEmpty()) defaultValue() else this\n\n\n/**\n * Checks if all
elements in the specified collection are contained in this collection.\n *^@sample
samples.collections.Collections.Collections.collectionContainsAll\n
*^@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T>
Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\n\n/**\n * Returns a
new list with the elements of this list randomly shuffled\n * using the specified [random] instance as the source of
randomness.\n *^@SinceKotlin("1.3")\npublic fun <T> Iterable<T>.shuffled(random: Random): List<T> =
toMutableList().apply { shuffle(random) }\n\n\ninternal fun <T> List<T>.optimizeReadOnlyList() = when (size) {\n
    0 -> emptyList()\n    1 -> listOf(this[0])\n    else -> this\n}\n\n\n/**\n * Searches this list or its range for the provided
[element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to
the Comparable natural ordering of its elements,\n * otherwise the result is undefined.\n *^@sample
samples.collections.Collections.Collections.binarySearchOnComparable\n * @sample
samples.collections.Collections.Collections.binarySearchWithBoundaries\n *^@public fun <T : Comparable<T>>
List<T>?.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n    rangeCheck(size, fromIndex,
toIndex)\n    var low = fromIndex\n    var high = toIndex - 1\n    while (low <= high) {\n        val mid = (low +
high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp = compareValues(midVal,
element)\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n
            return mid // key found\n    }\n    return -(low + 1) // key not found\n}\n\n\n/**\n * Searches this list or its range
for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending
order according to the specified [comparator].\n * otherwise the result is undefined.\n *^@sample
samples.collections.Collections.Collections.binarySearchWithComparator\n *^@public fun <T>
List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n
    rangeCheck(size, fromIndex, toIndex)\n    var low = fromIndex\n    var high = toIndex - 1\n    while (low <=
high) {\n        val mid = (low + high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp =
comparator.compare(midVal, element)\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n
            high = mid - 1\n        else\n            return mid // key found\n    }\n    return -(low + 1) // key not found\n}\n\n\n/**\n
* Searches this list or its range for an element having the key returned by the specified [selector] function\n * equal to
the provided [key] value using the binary search algorithm.\n * The list is expected to be sorted into ascending order
according to the Comparable natural ordering of keys of its elements.\n * otherwise the result is undefined.\n *^@sample

```

the list contains multiple elements with the specified [key], there is no guarantee which one will be found.
`null` value is considered to be less than any non-null value.
`@return` the index of the element with the specified [key], if it is contained in the list within the specified range;
otherwise, the inverted insertion point `(-insertion point - 1)`.
The insertion point is defined as the index at which the element should be inserted,
so that the list (or the specified subrange of list) still remains sorted.
`@sample`
samples.collections.Collections.Lists.binarySearchByKey
`public inline fun <T, K : Comparable<K>> List<T>.binarySearchBy(key: K?, fromIndex: Int = 0, toIndex: Int = size, crossinline selector: (T) -> K?): Int =`
`binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }`
do not introduce this overload --- too rare
`public fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>, fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =`
`binarySearch(fromIndex, toIndex) { comparator.compare(selector(it), key) }`
Searches this list or its range for an element for which the given [comparison] function returns zero using the binary search algorithm.
The list is expected to be sorted so that the signs of the [comparison] function's return values ascend on the list elements,
i.e. negative values come before zero and zeroes come before positive values.
Otherwise, the result is undefined.
If the list contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found.
`@param` comparison function that returns zero when called on the list element being searched.
On the elements coming before the target element, the function must return negative values;
on the elements coming after the target element, the function must return positive values.
`@return` the index of the found element, if it is contained in the list within the specified range;
otherwise, the inverted insertion point `(-insertion point - 1)`.
The insertion point is defined as the index at which the element should be inserted,
so that the list (or the specified subrange of list) still remains sorted.
`@sample`
samples.collections.Collections.Lists.binarySearchWithComparisonFunction
`public fun <T> List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {`
`rangeCheck(size, fromIndex, toIndex)`
`var low = fromIndex`
`var high = toIndex - 1`
`while (low <= high) {`
`val mid = (low + high).ushr(1) // safe from overflows`
`val midVal = get(mid)`
`val cmp = comparison(midVal)`
`if (cmp < 0) low = mid + 1`
`else if (cmp > 0) high = mid - 1`
`else return mid // key found`
`}`
`return -(low + 1) // key not found`
`}`
Checks that `from` and `to` are in the range of [0..size] and throws an appropriate exception, if they aren't.
`private fun rangeCheck(size: Int, fromIndex: Int, toIndex: Int) {`
`when {`
`fromIndex > toIndex -> throw`
`IllegalArgumentException("fromIndex (\$fromIndex) is greater than toIndex (\$toIndex).")`
`fromIndex < 0 ->`
`throw IndexOutOfBoundsException("fromIndex (\$fromIndex) is less than zero.")`
`toIndex > size -> throw`
`IndexOutOfBoundsException("toIndex (\$toIndex) is greater than size (\$size).")`
`}`
`}`
`@PublishedApi`
`@SinceKotlin("1.3")`
`internal expect fun checkIndexOverflow(index: Int): Int`
`@PublishedApi`
`@SinceKotlin("1.3")`
`internal expect fun checkCountOverflow(count: Int): Int`
`@PublishedApi`
`@SinceKotlin("1.3")`
`internal fun throwIndexOverflow() {`
`throw`
`ArithmeticException("Index overflow has happened.")`
`}`
`@PublishedApi`
`@SinceKotlin("1.3")`
`internal fun throwCountOverflow() {`
`throw`
`ArithmeticException("Count overflow has happened.")`
`}`
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
`@file:kotlin.jvm.JvmMultifileClass`
`@file:kotlin.jvm.JvmName("MapsKt")`
`@file:OptIn(kotlin.experimental.ExperimentalTypeInference::class)`
`package kotlin.collections`
`import kotlin.contracts.*`
`private object`
`EmptyMap : Map<Any?, Nothing>, Serializable {`
`private const val serialVersionUID: Long =`
`8246714829545688274`
`override fun equals(other: Any?): Boolean = other is Map<*, *> &&`
`other.isEmpty()`
`override fun hashCode(): Int = 0`
`override fun toString(): String = "{}`
`override val`
`size: Int get() = 0`
`override fun isEmpty(): Boolean = true`
`override fun containsKey(key: Any?): Boolean =`
`false`
`override fun containsValue(value: Nothing): Boolean = false`
`override fun get(key: Any?): Nothing? =`
`null`
`override val entries: Set<Map.Entry<Any?, Nothing>> get() =`
`EmptySet`
`override val keys: Set<Any?>`
`get() =`
`EmptySet`
`override val values: Collection<Nothing> get() =`
`EmptyList`
`private fun readResolve():`
`EmptyMap`
`}`

Any = EmptyMap\n}\n\n/**\n * Returns an empty read-only map of specified type.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\n\npublic fun <K, V> emptyMap(): Map<K, V> = @Suppress("UNCHECKED_CAST") (EmptyMap as Map<K, V>)\n}\n\n/**\n * Returns a new read-only map with the specified contents, given as a list of pairs\n * where the first value is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\n\npublic fun <K, V> mapOf(vararg pairs: Pair<K, V>): Map<K, V> =\n if (pairs.size > 0)\n pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n else emptyMap()\n}\n\n/**\n * Returns an empty read-only map.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> mapOf(): Map<K, V> = emptyMap()\n}\n\n/**\n * Returns an empty new [MutableMap].\n *\n * The returned map preserves the entry iteration order.\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> mutableMapOf(): MutableMap<K, V> = LinkedHashMap()\n}\n\n/**\n * Returns a new [MutableMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.mutableMapFromPairs\n */\n\n@sample\n\nsamples.collections.Maps.Instantiation.emptyMutableMap\n\n\npublic fun <K, V> mutableMapOf(vararg pairs: Pair<K, V>): MutableMap<K, V> =\n LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n}\n\n/**\n * Returns an empty new [HashMap].\n *\n * @sample samples.collections.Maps.Instantiation.emptyHashMap\n */\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> hashMapOf(): HashMap<K, V> = HashMap<K, V>()\n}\n\n/**\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * @sample samples.collections.Maps.Instantiation.hashMapFromPairs\n */\n\npublic fun <K, V> hashMapOf(vararg pairs: Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n}\n\n/**\n * Returns an empty new [LinkedHashMap].\n */\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n}\n\n/**\n * Returns a new [LinkedHashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.linkedMapFromPairs\n */\n\npublic fun <K, V> linkedMapOf(vararg pairs: Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n}\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n *\n * The map passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * Entries of the map are iterated in the order they were added by the [builderAction].\n *\n * @sample samples.collections.Builders.Maps.buildMapSample\n */\n\n@SinceKotlin("1.3")\n\n@ExperimentalStdlibApi\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> buildMap(@BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {\n contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return buildMapInternal(builderAction)\n}\n\n\n@PublishedApi\n\n@SinceKotlin("1.3")\n\n@ExperimentalStdlibApi\n\n@kotlin.internal.InlineOnly\n\ninternal expect inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>().->Unit): Map<K, V>\n}\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n *\n * The map passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an

```

unspecified behavior.\n *\n * [capacity] is used to hint the expected number of pairs added in the [builderAction].\n
*\n * Entries of the map are iterated in the order they were added by the [builderAction].\n *\n * @throws
IllegalArgumentExcep\n tion if the given [capacity] is negative.\n *\n * @sample
samples.collections.Builders\n .Maps.buildMapSample\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline fun <K, V>
buildMap(capacity: Int, @BuilderInference builderAction: MutableMap<K, V>.\n ) -> Unit): Map<K, V> {\n
contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return buildMapInternal(capacity,\n
builderAction)\n }\n\n @PublishedApi\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n
internal expect inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>.\n ) ->
Unit): Map<K, V>\n\n /**\n * Calculate the initial capacity of a map.\n *\n @PublishedApi\n internal expect fun
mapCapacity(expectedSize: Int): Int\n\n /**\n * Returns `true` if this map is not empty.\n *\n @sample
samples.collections\n .Maps.Usage.mapIsNotEmpty\n *\n @kotlin.internal.InlineOnly\n public inline fun <K, V>
Map<out K, V>.isNotEmpty(): Boolean = !isEmpty()\n\n /**\n * Returns `true` if this nullable map is either null or
empty.\n *\n @sample samples.collections\n .Maps.Usage.mapIsNullOrEmpty\n
*\n @SinceKotlin("1.3")\n @kotlin.internal.InlineOnly\n public inline fun <K, V> Map<out K,\n
V>?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n\n
return this == null || isEmpty()\n }\n\n /**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n
*\n * @sample samples.collections\n .Maps.Usage.mapOrEmpty\n *\n @kotlin.internal.InlineOnly\n public inline fun
<K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()\n\n /**\n * Returns this map if it's not empty\n *
or the result of calling [defaultValue] function if the map is empty.\n *\n * @sample
samples.collections\n .Maps.Usage.mapIfEmpty\n *\n @SinceKotlin("1.3")\n @kotlin.internal.InlineOnly\n public
inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<*, *>, M : R =\n if (isEmpty())
defaultValue() else this\n\n /**\n * Checks if the map contains the given key.\n *\n * This method allows to use the
`x in map` syntax for checking whether an object is contained in the map.\n *\n * @sample
samples.collections\n .Maps.Usage.containsKey\n *\n @kotlin.internal.InlineOnly\n public inline operator fun
<@kotlin.internal\n .OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean = containsKey(key)\n\n /**\n *
Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n
*\n *\n @kotlin.internal.InlineOnly\n public inline operator fun <@kotlin.internal\n .OnlyInputTypes K, V> Map<out K,\n
V>.get(key: K): V? =\n @Suppress("UNCHECKED_CAST") (this as Map<K, V>).\n get(key)\n\n /**\n * Allows to use the
index operator for storing values in a mutable map.\n *\n @kotlin.internal.InlineOnly\n public inline
operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\n put(key, value)\n }\n\n /**\n * Returns
`true` if the map contains the specified [key].\n *\n * Allows to overcome type-safety restriction of `containsKey`
that requires to pass a key of type `K`.\n *\n @kotlin.internal.InlineOnly\n public inline fun
<@kotlin.internal\n .OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =\n
@Suppress("UNCHECKED_CAST") (this as Map<K, *>).\n containsKey(key)\n\n /**\n * Returns `true` if the map
maps one or more keys to the specified [value].\n *\n * Allows to overcome type-safety restriction of
`containsValue` that requires to pass a value of type `V`.\n *\n * @sample
samples.collections\n .Maps.Usage.containsValue\n *\n @Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n // false
warning, extension takes precedence in some cases\n @kotlin.internal.InlineOnly\n public inline fun <K,\n
@kotlin.internal\n .OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean =
this.containsValue(value)\n\n /**\n * Removes the specified key and its corresponding value from this map.\n *\n
*\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n\n
*\n * Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.\n
*\n *\n @kotlin.internal.InlineOnly\n public inline fun <@kotlin.internal\n .OnlyInputTypes K, V> MutableMap<out K,\n
V>.remove(key: K): V? =\n @Suppress("UNCHECKED_CAST") (this as MutableMap<K,\n
V>).\n remove(key)\n\n /**\n * Returns the key component of the map entry.\n *\n * This method allows to use
destructuring declarations when working with maps, for example:\n *\n * ```\n * for ((key, value) in map) {\n * // do
something with the key and the value\n * }\n * ```\n *\n @kotlin.internal.InlineOnly\n public inline operator fun <K,

```

`V> Map.Entry<K, V>.component1(): K = key` Returns the value component of the map entry. This method allows to use destructuring declarations when working with maps, for example: `for ((key, value) in map) { // do something with the key and the value }`

`@kotlin.internal.InlineOnly public inline operator fun <K, V> Map.Entry<K, V>.component2(): V = value` Converts entry to [Pair] with key being first component and value being second.

`@kotlin.internal.InlineOnly public inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key, value)` Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key. @sample samples.collections.Maps.Usage.getOrElse

`@kotlin.internal.InlineOnly public inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V = get(key) ?: defaultValue()` internal inline fun `<K, V> Map<K, V>.getOrNull(key: K, defaultValue: () -> V): V` { val value = get(key) if (value == null && !containsKey(key)) { return defaultValue() } else { @Suppress("UNCHECKED_CAST") return value as V } } Returns the value for the given [key] or throws an exception if there is no such key in the map. If the map was created by [withDefault], resorts to its `defaultValue` provider function instead of throwing an exception. @throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default value was provided for that map. @SinceKotlin("1.1")

`public fun <K, V> Map<K, V>.getValue(key: K): V = getOrImplicitDefault(key)` Returns the value for the given key. If the key is not found in the map, calls the [defaultValue] function, puts its result into the map under the given key and returns it. Note that the operation is not guaranteed to be atomic if the map is being modified concurrently. @sample samples.collections.Maps.Usage.getOrPut

`public inline fun <K, V> MutableMap<K, V>.getOrPut(key: K, defaultValue: () -> V): V` { val value = get(key) return if (value == null) { val answer = defaultValue() put(key, answer) answer } else { value } } Returns an [Iterator] over the entries in the [Map]. @sample samples.collections.Maps.Usage.forOverEntries

`@kotlin.internal.InlineOnly public inline operator fun <K, V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()` Returns a [MutableIterator] over the mutable entries in the [MutableMap]. @kotlin.jvm.JvmName("mutableIterator")

`@kotlin.internal.InlineOnly public inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()` Populates the given [destination] map with entries having the keys of this map and the values obtained by applying the [transform] function to each entry in this [Map].

`public inline fun <K, V, R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) -> R): M` { return entries.associateByTo(destination, { it.key }, transform) } Populates the given [destination] map with entries having the keys obtained by applying the [transform] function to each entry in this [Map] and the values of this map. In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite the value associated with the former one.

`public inline fun <K, V, R, M : MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M` { return entries.associateByTo(destination, transform, { it.value }) } Puts all the given [pairs] into this [MutableMap] with the first component in the pair being the key and the second the value.

`public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit` { for ((key, value) in pairs) { put(key, value) } } Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.

`public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit` { for ((key, value) in pairs) { put(key, value) } } Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.

`public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit` { for ((key, value) in pairs) { put(key, value) } } Returns a new map with entries having the keys of this map and the values obtained by applying the [transform] function to each entry in this [Map]. The returned map preserves the entry iteration order of the original map. @sample samples.collections.Maps.Transformations.mapValues

`public inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R>` { return mapValuesTo(LinkedHashMap<K,

```

R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n\n/**\n * Returns a new Map with entries
having the keys obtained by applying the [transform] function to each entry in this\n * [Map] and the values of this
map.\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the
value associated with the former one.\n * The returned map preserves the entry iteration order of the original
map.\n * @sample samples.collections.Maps.Transformations.mapKeys\n */\npublic inline fun <K, V, R>
Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {\n    return
mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all key-value pairs with keys matching the given [predicate].\n * The returned map
preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterKeys\n */\npublic inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {\n    val result =
LinkedHashMap<K, V>()\n    for (entry in this) {\n        if (predicate(entry.key)) {\n            result.put(entry.key,
entry.value)\n        }\n    }\n    return result\n}\n\n/**\n * Returns a map containing all key-value pairs with values
matching the given [predicate].\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterValues\n */\npublic inline fun <K, V> Map<out K,
V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\n    val result = LinkedHashMap<K, V>()\n    for (entry
in this) {\n        if (predicate(entry.value)) {\n            result.put(entry.key, entry.value)\n        }\n    }\n    return
result\n}\n\n/**\n * Appends all entries matching the given [predicate] into the mutable map given as [destination]
parameter.\n * @return the destination map.\n * @sample samples.collections.Maps.Filtering.filterTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate:
(Map.Entry<K, V>) -> Boolean): M {\n    for (element in this) {\n        if (predicate(element)) {\n
destination.put(element.key, element.value)\n        }\n    }\n    return destination\n}\n\n/**\n * Returns a new map
containing all key-value pairs matching the given [predicate].\n * The returned map preserves the entry iteration
order of the original map.\n * @sample samples.collections.Maps.Filtering.filter\n */\npublic inline fun <K, V>
Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n    return
filterTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Appends all entries not matching the given [predicate]
into the given [destination].\n * @return the destination map.\n * @sample
samples.collections.Maps.Filtering.filterNotTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>>
Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n    for (element in
this) {\n        if (!predicate(element)) {\n            destination.put(element.key, element.value)\n        }\n    }\n    return
destination\n}\n\n/**\n * Returns a new map containing all key-value pairs not matching the given [predicate].\n * The
returned map preserves the entry iteration order of the original map.\n * @sample
samples.collections.Maps.Filtering.filterNot\n */\npublic inline fun <K, V> Map<out K, V>.filterNot(predicate:
(Map.Entry<K, V>) -> Boolean): Map<K, V> {\n    return filterNotTo(LinkedHashMap<K, V>(),
predicate)\n}\n\n/**\n * Returns a new map containing all key-value pairs from the given collection of pairs.\n * The
returned map preserves the entry iteration order of the original collection.\n * If any of two pairs would have the
same key the last one gets added to the map.\n * @public fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V>
{\n    if (this is Collection) {\n        return when (size) {\n            0 -> emptyMap()\n            1 -> mapOf(if (this is
List) this[0] else iterator().next())\n            else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n        }\n    }\n    return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs from the given collection of pairs.\n * @public fun <K, V, M :
MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\n    destination.apply {
putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given array of pairs.\n *
The returned map preserves the entry iteration order of the original array.\n * If any of two pairs would have
the same key the last one gets added to the map.\n * @public fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K,
V> = when (size) {\n    0 -> emptyMap()\n    1 -> mapOf(this[0])\n    else -> toMap(LinkedHashMap<K,
V>(mapCapacity(size)))\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs
from the given array of pairs.\n * @public fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K,
V>>.toMap(destination: M): M =\n    destination.apply { putAll(this@toMap) }\n}\n\n/**\n * Returns a new map

```

containing all key-value pairs from the given sequence of pairs.

`* The returned map preserves the entry iteration order of the original sequence.`

`* If any of two pairs would have the same key the last one gets added to the map.`

`*\npublic fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs from the given sequence of pairs.`

`*\npublic fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n**\n * Returns a new read-only map containing all key-value pairs from the original map.`

`* The returned map preserves the entry iteration order of the original map.`

`*\n@SinceKotlin("1.1")\npublic fun <K, V> Map<out K, V>.toMap(): Map<K, V> = when (size) {\n 0 -> emptyMap()\n 1 -> toSingletonMap()\n else -> toMutableMap()\n}\n\n**\n * Returns a new mutable map containing all key-value pairs from the original map.`

`* The returned map preserves the entry iteration order of the original map.`

`*\n@SinceKotlin("1.1")\npublic fun <K, V> Map<out K, V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs from the given map.`

`*\n@SinceKotlin("1.1")\npublic fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n**\n * Creates a new read-only map by replacing or adding an entry to this map from a given key-value [pair].`

`* The returned map preserves the entry iteration order of the original map.`

`* The [pair] is iterated in the end if it has a unique key.`

`*\npublic operator fun <K, V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V> =\n if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }\n\n**\n * Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value [pairs].`

`* The returned map preserves the entry iteration order of the original map.`

`* Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.`

`*\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =\n if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n**\n * Creates a new read-only map by replacing or adding entries to this map from a given array of key-value [pairs].`

`* The returned map preserves the entry iteration order of the original map.`

`* Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.`

`*\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =\n if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n**\n * Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-value [pairs].`

`* The returned map preserves the entry iteration order of the original map.`

`* Those [pairs] with unique keys are iterated in the end in the order of [pairs] sequence.`

`*\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =\n LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()\n\n**\n * Creates a new read-only map by replacing or adding entries to this map from another [map].`

`* The returned map preserves the entry iteration order of the original map.`

`* Those entries of another [map] that are missing in this map are iterated in the end in the order of that [map].`

`*\npublic operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> =\n LinkedHashMap(this).apply { putAll(map) }\n\n**\n * Appends or replaces the given [pair] in this mutable map.`

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {\n put(pair.first, pair.second)\n}\n\n**\n * Appends or replaces all pairs from the given collection of [pairs] in this mutable map.`

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {\n putAll(pairs)\n}\n\n**\n * Appends or replaces all pairs from the given array of [pairs] in this mutable map.`

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) {\n putAll(pairs)\n}\n\n**\n * Appends or replaces all pairs from the given sequence of [pairs] in this mutable map.`

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {\n putAll(pairs)\n}\n\n**\n * Appends or replaces all entries from the given [map] in this mutable map.`

`*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {\n putAll(map)\n}\n\n**\n * Returns a map containing all entries of the original map except the entry with the given [key].`

`* The returned map preserves the entry iteration order of the original map.`

`*\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K,`


```

V>.minus(key: K): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(key)
}.optimizeReadOnlyMap()\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] collection.\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(keys)
}.optimizeReadOnlyMap()\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] array.\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Array<out K>): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(keys)
}.optimizeReadOnlyMap()\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] sequence.\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Sequence<K>): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(keys)
}.optimizeReadOnlyMap()\n/**\n * Removes the entry with the given [key] from this mutable map.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(key: K) {\n  remove(key)\n}\n/**\n * Removes all entries the keys of which are contained in the given [keys] collection from this mutable map.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Iterable<K>) {\n  this.keys.removeAll(keys)\n}\n/**\n * Removes all entries the keys of which are contained in the given [keys] array from this mutable map.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Array<out K>) {\n  this.keys.removeAll(keys)\n}\n/**\n * Removes all entries from the keys of which are contained in the given [keys] sequence from this mutable map.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Sequence<K>) {\n  this.keys.removeAll(keys)\n}\n\n// do not expose for now\n@PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\n  0 -> emptyMap()\n  1 -> toSingletonMapOrSelf()\n  else -> this\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n@file:OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\ninternal object EmptySet : Set<Nothing>, Serializable {\n  private const val serialVersionUID: Long = 3406603774387020532\n\n  override fun equals(other: Any?): Boolean = other is Set<*> && other.isEmpty()\n  override fun hashCode(): Int = 0\n  override fun toString(): String = "[]"\n  override val size: Int get() = 0\n  override fun isEmpty(): Boolean = true\n  override fun contains(element: Nothing): Boolean = false\n  override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n  override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n  private fun readResolve(): Any = EmptySet\n}\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\n@public fun <T> emptySet(): Set<T> = EmptySet\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.readOnlySet\n */\n@public fun <T> setOf(vararg elements: T): Set<T> = if (elements.size > 0) elements.toSet() else emptySet()\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty new [MutableSet].\n * The returned set preserves the element iteration order.\n * @sample samples.collections.Collections.Sets.emptyMutableSet\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> =

```

```

LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.mutableSet\n */\npublic
fun <T> mutableSetOf(vararg elements: T): MutableSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/** Returns an empty new [HashSet].
*\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T> =
HashSet()\n\n/** Returns a new [HashSet] with the given elements. *\n */\npublic fun <T> hashSetOf(vararg elements:
T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new
[LinkedHashSet].\n * @sample samples.collections.Collections.Sets.emptyLinkedHashSet\n
*\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T>
= LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.linkedHashSet\n
*\n */\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns a new read-only set either
with single given element, if it is not null, or empty set if the element is null.\n * The returned set is serializable
(JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n */\n@SinceKotlin("1.4")\npublic fun <T
: Any> setOfNotNull(element: T?): Set<T> = if (element != null) setOf(element) else emptySet()\n\n/**\n * Returns
a new read-only set only with those given elements, that are not null.\n * Elements of the set are iterated in the order
they were specified.\n * The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.setOfNotNull\n */\n@SinceKotlin("1.4")\npublic fun <T : Any>
setOfNotNull(vararg elements: T?): Set<T> {\n    return elements.filterNotNullTo(LinkedHashSet())\n}\n\n/**\n *
Builds a new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-
only set with the same elements.\n * The set passed as a receiver to the [builderAction] is valid only inside that
function.\n * Using it outside of the function produces an unspecified behavior.\n * Elements of the set are
iterated in the order they were added by the [builderAction].\n * @sample
samples.collections.Builders.Sets.buildSetSample\n
*\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E>
buildSet(@BuilderInference builderAction: MutableSet<E>().->Unit): Set<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return
buildSetInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin
.internal.InlineOnly\ninternal expect inline fun <E> buildSetInternal(builderAction: MutableSet<E>().->Unit):
Set<E>\n\n/**\n * Builds a new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n *
and returning a read-only set with the same elements.\n * The set passed as a receiver to the [builderAction] is
valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *
[capacity] is used to hint the expected number of elements added in the [builderAction].\n * Elements of the set
are iterated in the order they were added by the [builderAction].\n * @throws IllegalArgumentException if the
given [capacity] is negative.\n * @sample samples.collections.Builders.Sets.buildSetSample\n
*\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E>
buildSet(capacity: Int, @BuilderInference builderAction: MutableSet<E>().->Unit): Set<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return buildSetInternal(capacity,
builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineO
nly\ninternal expect inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>().->Unit):
Set<E>\n\n/**\n * Returns this Set if it's not `null` and the empty set otherwise.\n
*\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\n\ninternal
fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n    0 -> emptySet()\n    1 -> setOf(iterator().next())\n
else -> this\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n */\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n@file:Suppress("PLATFOR
M_CLASS_MAPPED_TO_KOTLIN")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte]

```

```

number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.1")\npublic fun String.toByteOrNull(): Byte? = toByteOrNull(radix = 10)\n\n**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n *\n@SinceKotlin("1.1")\npublic fun String.toByteOrNull(radix: Int): Byte? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n    return int.toByte()\n}\n\n**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n *\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(radix: Int): Short? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n    return int.toShort()\n}\n\n**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n *\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(radix: Int): Int? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative: Boolean\n    val limit: Int\n    val firstChar = this[0]\n    if (firstChar < '0') { // Possible leading sign\n        if (length == 1) return null // non-digit (possible sign) only, no digits after\n        start = 1\n        if (firstChar == '-') {\n            isNegative = true\n            limit = Int.MIN_VALUE\n        } else if (firstChar == '+') {\n            isNegative = false\n            limit = Int.MAX_VALUE\n        } else\n            return null\n    } else {\n        start = 0\n        isNegative = false\n        limit = -Int.MAX_VALUE\n    }\n\n    val limitForMaxRadix = (-Int.MAX_VALUE) / 36\n    var limitBeforeMul = limitForMaxRadix\n    var result = 0\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n        if (digit < 0) return null\n        if (result < limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / radix\n                if (result < limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n        }\n        result *= radix\n        if (result < limit + digit) return null\n        result -= digit\n    }\n    return if (isNegative) result else -result\n}\n\n**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n *\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(radix: Int): Long? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative: Boolean\n    val limit: Long\n    val firstChar = this[0]\n    if (firstChar < '0') { // Possible leading sign\n        if (length == 1) return null // non-digit (possible sign) only, no digits after\n        start = 1\n        if (firstChar == '-') {\n            isNegative = true\n            limit = Long.MIN_VALUE\n        } else if (firstChar == '+') {\n            isNegative = false\n            limit = -Long.MAX_VALUE\n        } else\n            return null\n    } else {\n        start = 0\n        isNegative = false\n        limit = -Long.MAX_VALUE\n    }\n\n    val limitForMaxRadix = (-Long.MAX_VALUE) / 36\n    var limitBeforeMul = limitForMaxRadix\n    var result = 0L\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n        if (digit < 0) return null\n        if (result < limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / radix\n                if (result < limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n        }\n        result *= radix\n        if (result < limit + digit) return null\n        result -= digit\n    }\n    return if (isNegative) result else -result\n}\n\ninternal fun numberFormatException(input: String): Nothing = throw NumberFormatException("Invalid number format: '$input')\n\n**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that

```

can be found in the license/LICENSE.txt file.\n

```
*\n@file:kotlin.jvm.JvmName("UnsignedKt")\n@file:OptIn(ExperimentalUnsignedTypes::class)\npackage\nkotlin\n\n@PublishedApi\ninternal fun uintCompare(v1: Int, v2: Int): Int = (v1 xor\nInt.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\n@PublishedApi\ninternal fun ulongCompare(v1: Long,\nv2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor Long.MIN_VALUE)\n\n@PublishedApi\ninternal\nfun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() / v2.toLong()).toUInt()\n@PublishedApi\ninternal fun\nuintRemainder(v1: UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()\n\n// Division and remainder are\nbased on Guava's UnsignedLongs implementation\n// Copyright 2011 The Guava\nAuthors\n\n@PublishedApi\ninternal fun ulongDivide(v1: ULong, v2: ULong): ULong {\n    val dividend =\nv1.toLong()\n    val divisor = v2.toLong()\n    if (divisor < 0) { // i.e., divisor >= 2^63\n        return if (v1 < v2)\n        ULong(0) else ULong(1)\n    }\n    // Optimization - use signed division if both dividend and divisor < 2^63\n    if (dividend >= 0) {\n        return ULong(dividend / divisor)\n    }\n    // Otherwise, approximate the quotient, check,\nand correct if necessary.\n    val quotient = ((dividend ushr 1) / divisor) shl 1\n    val rem = dividend - quotient * divisor\n    return ULong(quotient + if (ULong(rem) >= ULong(divisor)) 1 else 0)\n}\n\n@PublishedApi\ninternal\nfun ulongRemainder(v1: ULong, v2: ULong): ULong {\n    val dividend = v1.toLong()\n    val divisor =\nv2.toLong()\n    if (divisor < 0) { // i.e., divisor >= 2^63\n        return if (v1 < v2) {\n            v1 // dividend <\ndivisor\n        } else {\n            v1 - v2 // dividend >= divisor\n        }\n    }\n    // Optimization - use signed\nmodulus if both dividend and divisor < 2^63\n    if (dividend >= 0) {\n        return ULong(dividend % divisor)\n    }\n    // Otherwise, approximate the quotient, check, and correct if necessary.\n    val quotient = ((dividend ushr 1)\n/ divisor) shl 1\n    val rem = dividend - quotient * divisor\n    return ULong(rem - if (ULong(rem) >=\nULong(divisor)) divisor else 0)\n}\n\n@PublishedApi\ninternal fun doubleToUInt(v: Double): UInt = when {\n    v.isNaN() -> 0u\n    v <= UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n    v >=\nUInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\n    v <= Int.MAX_VALUE -> v.toInt().toUInt()\n    else -\n> (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt()\n    // Int.MAX_VALUE < v <\nUInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v: Double): ULong = when {\n    v.isNaN() -> 0u\n    v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\n    v >=\nULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n    v < Long.MAX_VALUE ->\nv.toLong().toULong()\n    // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not\nrepresentable in Double, so don't handle them.\n    else -> (v - 9223372036854775808.0).toLong().toULong() +\n9223372036854775808uL\n    // Long.MAX_VALUE + 1 < v <\nULong.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun uintToDouble(v: Int): Double = (v and\nInt.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n\n@PublishedApi\ninternal fun\nulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n\n@PublishedApi\ninternal fun\nulongToString(v: Long): String = ulongToString(v, 10)\n\n@PublishedApi\ninternal fun ulongToString(v: Long, base: Int): String {\n    if (v >= 0) return v.toString(base)\n    var quotient = ((v ushr 1) / base) shl 1\n    var rem = v - quotient * base\n    if (rem >= base) {\n        rem -= base\n        quotient += 1\n    }\n    return quotient.toString(base) +\nrem.toString(base)\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language\ncontributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\nlicense/LICENSE.txt file.\n
```

```
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\npackage\nkotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through\nthe [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n\n*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T>\n= object : Iterable<T> {\n    override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another\n[Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n */\n@kotlin.internal class\nIndexingIterable<out T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n    override\nfun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n/**\n * Returns the size of\nthis iterable if it is known, or `null` otherwise.\n */\n@PublishedApi\ninternal fun <T>
```

```

Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\n\n/**\n * Returns the size of
this iterable if it is known, or the specified [default] value otherwise.\n */\n@PublishedApi\ninternal fun <T>
Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n/**
Returns true when it's safe to convert this collection to a set without changing contains method behavior. *\nprivate
fun <T> Collection<T>.safeToConvertToSet() = size > 2 && this is ArrayList\n\n/** Converts this collection to a
set, when it's worth so and it doesn't change contains method behavior. *\ninternal fun <T>
Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n when (this) {\n is
Set -> this\n is Collection ->\n when {\n source is Collection && source.size < 2 -> this\n
else -> if (this.safeToConvertToSet()) toHashSet() else this\n }\n else -> toHashSet()\n }\n\n/**
Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. *\ninternal fun
<T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n when (this) {\n is Set -> this\n is
Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n else -> toHashSet()\n }\n\n/**\n *
Returns a single list of all elements from all collections in the given collection.\n * @sample
samples.collections.Iterables.Operations.flattenIterable\n */\npublic fun <T> Iterable<Iterable<T>>.flatten():
List<T> {\n val result = ArrayList<T>()\n for (element in this) {\n result.addAll(element)\n }\n return
result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this
collection.\n * *second* list is built from the second values of each pair from this collection.\n * @sample
samples.collections.Iterables.Operations.unzipIterable\n */\npublic fun <T, R> Iterable<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {\n val expectedSize = collectionSizeOrDefault(10)\n val listT =
ArrayList<T>(expectedSize)\n val listR = ArrayList<R>(expectedSize)\n for (pair in this) {\n
listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n\n"/*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage
kotlin.sequences\nimport kotlin.random.Random\n\n/**\n * Given an [iterator] function constructs a [Sequence]
that returns values through the [Iterator]\n * provided by that function.\n * The values are evaluated lazily, and the
sequence is potentially infinite.\n * *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>):
Sequence<T> = object : Sequence<T> {\n override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * Creates a
sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\n * *\n
* @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\npublic fun <T>
Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\n\n/**\n * Creates a sequence that
returns the specified values.\n * *\n * @sample samples.collections.Sequences.Building.sequenceOfValues\n
*/\n\npublic fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else
elements.asSequence()\n\n/**\n * Returns an empty sequence.\n */\n\npublic fun <T> emptySequence():
Sequence<T> = EmptySequence\n\nprivate object EmptySequence : Sequence<Nothing>,\n
DropTakeSequence<Nothing> {\n override fun iterator(): Iterator<Nothing> = EmptyIterator\n override fun
drop(n: Int) = EmptySequence\n override fun take(n: Int) = EmptySequence\n}\n\n/**\n * Returns this sequence if
it's not `null` and the empty sequence otherwise.\n * *\n * @sample
samples.collections.Sequences.Usage.sequenceOrEmpty\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>?.orEmpty():
Sequence<T> = this ?: emptySequence()\n\n/**\n * Returns a sequence that iterates through the elements either of
this sequence\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\n
*\n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\n */\n\n@SinceKotlin("1.3")\npublic fun
<T> Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {\n val iterator =
this@ifEmpty.iterator()\n if (iterator.hasNext()) {\n yieldAll(iterator)\n } else {\n
yieldAll(defaultValue())\n }\n}\n\n/**\n * Returns a sequence of all elements from all sequences in this
sequence.\n * *\n * The operation is _intermediate_ and _stateless_.\n * *\n * @sample

```

```

samples.collections.Sequences.Transformations.flattenSequenceOfSequences\n *\npublic fun <T>
Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/**\n * Returns a sequence of all
elements from all iterables in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n *
@sample samples.collections.Sequences.Transformations.flattenSequenceOfLists\n
*\n@kotlin.jvm.JvmName("flattenSequenceOfIterable")\npublic fun <T> Sequence<Iterable<T>>.flatten():
Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>):
Sequence<R> {\n    if (this is TransformingSequence<*, *>) {\n        return (this as TransformingSequence<*,
T>).flatten(iterator)\n    }\n    return FlatteningSequence(this, { it }, iterator)\n}\n\n/**\n * Returns a pair of lists,
where\n * *first* list is built from the first values of each pair from this sequence,\n * *second* list is built from the
second values of each pair from this sequence.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Sequences.Transformations.unzip\n *\npublic fun <T, R> Sequence<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>()\n    val listR = ArrayList<R>()\n    for (pair in this) {\n
listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n/**\n * Returns a sequence that
yields elements of this sequence randomly shuffled.\n *\n * Note that every iteration of the sequence returns
elements in a different order.\n *\n * The operation is _intermediate_ and _stateful_.\n
*\n@SinceKotlin("1.4")\npublic fun <T> Sequence<T>.shuffled(): Sequence<T> = shuffled(Random)\n\n/**\n *
Returns a sequence that yields elements of this sequence randomly shuffled\n * using the specified [random]
instance as the source of randomness.\n *\n * Note that every iteration of the sequence returns elements in a
different order.\n *\n * The operation is _intermediate_ and _stateful_.\n *\n@SinceKotlin("1.4")\npublic fun <T>
Sequence<T>.shuffled(random: Random): Sequence<T> = sequence<T> {\n    val buffer = toMutableList()\n
while (buffer.isNotEmpty()) {\n        val j = random.nextInt(buffer.size)\n        val last =
@OptIn(ExperimentalStdlibApi::class) buffer.removeLast()\n        val value = if (j < buffer.size) buffer.set(j, last)
else last\n        yield(value)\n    }\n}\n\n/**\n * A sequence that returns the values from the underlying [sequence]
that either match or do not match\n * the specified [predicate].\n *\n * @param sendWhen If `true`, values for which
the predicate returns `true` are returned. Otherwise,\n * values for which the predicate returns `false` are returned\n
*\ninternal class FilteringSequence<T>(\n    private val sequence: Sequence<T>,\n    private val sendWhen:
Boolean = true,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n    override fun iterator():
Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var nextState: Int = -1 // -1 for
unknown, 0 for done, 1 for continue\n        var nextItem: T? = null\n\n        private fun calcNext() {\n            while
(iterator.hasNext()) {\n                val item = iterator.next()\n                if (predicate(item) == sendWhen) {\n
nextItem = item\n                    nextState = 1\n                    return\n                }\n            }\n            nextState = 0\n
}\n\n            override fun next(): T {\n                if (nextState == -1)\n                    calcNext()\n                if (nextState == 0)\n
throw NoSuchElementException()\n                val result = nextItem\n                nextItem = null\n                nextState
= -1\n                @Suppress("UNCHECKED_CAST")\n                return result as T\n            }\n\n            override fun
hasNext(): Boolean {\n                if (nextState == -1)\n                    calcNext()\n                return nextState == 1\n            }\n
}\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to the values\n *
in the underlying [sequence].\n *\ninternal class TransformingSequence<T, R>\nconstructor(private val
sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R>
= object : Iterator<R> {\n        val iterator = sequence.iterator()\n        override fun next(): R {\n            return
transformer(iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n
        }\n    }\n\n    internal fun <E> flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n        return
FlatteningSequence<T, R, E>(sequence, transformer, iterator)\n    }\n}\n\n/**\n * A sequence which returns the
results of applying the given [transformer] function to the values\n * in the underlying [sequence], where the
transformer function takes the index of the value in the underlying\n * sequence along with the value itself.\n
*\ninternal class TransformingIndexedSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private
val transformer: (Int, T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n
val iterator = sequence.iterator()\n        var index = 0\n        override fun next(): R {\n            return
transformer(checkIndexOverflow(index++), iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n

```

```

return iterator.hasNext()\n    }\n }\n}\n\n**\n * A sequence which combines values from the underlying
[sequence] with their indices and returns them as\n * [IndexedValue] objects.\n *^\ninternal class
IndexingSequence<T>\nconstructor(private val sequence: Sequence<T>) : Sequence<IndexedValue<T>> {\n
override fun iterator(): Iterator<IndexedValue<T>> = object : Iterator<IndexedValue<T>> {\n    val iterator =
sequence.iterator()\n    var index = 0\n    override fun next(): IndexedValue<T> {\n        return
IndexedValue(checkIndexOverflow(index++), iterator.next())\n    }\n\n    override fun hasNext(): Boolean {\n
        return iterator.hasNext()\n    }\n }\n}\n\n**\n * A sequence which takes the values from two parallel
underlying sequences, passes them to the given\n * [transform] function and returns the values returned by that
function. The sequence stops returning\n * values as soon as one of the underlying sequences stops returning
values.\n *^\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n    private val sequence1:
Sequence<T1>,\n    private val sequence2: Sequence<T2>,\n    private val transform: (T1, T2) -> V\n) :
Sequence<V> {\n    override fun iterator(): Iterator<V> = object : Iterator<V> {\n        val iterator1 =
sequence1.iterator()\n        val iterator2 = sequence2.iterator()\n        override fun next(): V {\n            return
transform(iterator1.next(), iterator2.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return
iterator1.hasNext() && iterator2.hasNext()\n        }\n }\n}\n\n**\ninternal class FlatteningSequence<T,
E>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val transformer: (T) -> R,\n    private val
iterator: (R) -> Iterator<E>\n) : Sequence<E> {\n    override fun iterator(): Iterator<E> = object : Iterator<E> {\n
val iterator = sequence.iterator()\n    var itemIterator: Iterator<E>? = null\n\n    override fun next(): E {\n
if (!ensureItemIterator())\n        throw NoSuchElementException()\n        return itemIterator!!.next()\n
}\n\n    override fun hasNext(): Boolean {\n        return ensureItemIterator()\n    }\n\n    private fun
ensureItemIterator(): Boolean {\n        if (itemIterator?.hasNext() == false)\n            itemIterator = null\n\n        while (itemIterator == null) {\n            if (!iterator.hasNext()) {\n                return false\n            } else {\n
                val element = iterator.next()\n                val nextItemIterator = iterator(transformer(element))\n
            }\n            if (nextItemIterator.hasNext()) {\n                itemIterator = nextItemIterator\n                return true\n            }\n        }\n    }\n}\n\n**\ninternal fun <T, C, R> flatMapIndexed(source:
Sequence<T>, transform: (Int, T) -> C, iterator: (C) -> Iterator<R>): Sequence<R> =\nsequence {\n    var
index = 0\n    for (element in source) {\n        val result = transform(checkIndexOverflow(index++), element)\n
        yieldAll(iterator(result))\n    }\n }\n\n**\n * A sequence that supports drop(n) and take(n) operations\n
*^\ninternal interface DropTakeSequence<T> : Sequence<T> {\n    fun drop(n: Int): Sequence<T>\n    fun take(n:
Int): Sequence<T>\n}\n\n**\n * A sequence that skips [startIndex] values from the underlying [sequence]\n * and
stops returning values right before [endIndex], i.e. stops at `endIndex - 1`\n *^\ninternal class SubSequence<T>(\n
private val sequence: Sequence<T>,\n    private val startIndex: Int,\n    private val endIndex: Int\n) : Sequence<T>,\n
DropTakeSequence<T> {\n\n    init {\n        require(startIndex >= 0) { \"startIndex should be non-negative, but is
$startIndex\" }\n        require(endIndex >= 0) { \"endIndex should be non-negative, but is $endIndex\" }\n
        require(endIndex >= startIndex) { \"endIndex should be not less than startIndex, but was $endIndex < $startIndex\"
}\n    }\n\n    private val count: Int get() = endIndex - startIndex\n\n    override fun drop(n: Int): Sequence<T> = if (n
>= count) emptySequence() else SubSequence(sequence, startIndex + n, endIndex)\n    override fun take(n: Int):
Sequence<T> = if (n >= count) this else SubSequence(sequence, startIndex, startIndex + n)\n\n    override fun
iterator() = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var position = 0\n        //
Shouldn't be called from constructor to avoid premature iteration\n        private fun drop() {\n            while (position
< startIndex && iterator.hasNext()) {\n                iterator.next()\n                position++\n            }\n        }\n\n
        override fun hasNext(): Boolean {\n            drop()\n            return (position < endIndex) && iterator.hasNext()\n
}\n\n        override fun next(): T {\n            drop()\n            if (position >= endIndex)\n                throw
NoSuchElementException()\n            position++\n            return iterator.next()\n        }\n }\n}\n\n**\n * A
sequence that returns at most [count] values from the underlying [sequence], and stops returning values\n * as soon
as that count is reached.\n *^\ninternal class TakeSequence<T>(\n    private val sequence: Sequence<T>,\n    private
val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n    init {\n        require(count >= 0) { \"count must be
non-negative, but was $count.\" }\n    }\n\n    override fun drop(n: Int): Sequence<T> = if (n >= count)

```

```

emptySequence() else SubSequence(sequence, n, count)\n  override fun take(n: Int): Sequence<T> = if (n >=
count) this else TakeSequence(sequence, n)\n\n  override fun iterator(): Iterator<T> = object : Iterator<T> {\n
var left = count\n    val iterator = sequence.iterator()\n\n    override fun next(): T {\n        if (left == 0)\n            throw NoSuchElementException()\n            left--\n            return iterator.next()\n        }\n\n    override fun
hasNext(): Boolean {\n        return left > 0 && iterator.hasNext()\n    }\n}\n\n/**\n * A sequence that
returns values from the underlying [sequence] while the [predicate] function returns\n * `true`, and stops returning
values once the function returns `false` for the next element.\n */\n\ninternal class
TakeWhileSequence<T>(\n    constructor(\n        private val sequence: Sequence<T>,\n        private val predicate: (T) ->
Boolean\n    ): Sequence<T> {\n        override fun iterator(): Iterator<T> = object : Iterator<T> {\n            val iterator =
sequence.iterator()\n            var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n            var nextItem: T?
= null\n\n            private fun calcNext() {\n                if (iterator.hasNext()) {\n                    val item = iterator.next()\n
                    if (predicate(item)) {\n                        nextState = 1\n                        nextItem = item\n                        return\n                    }\n                    nextState = 0\n                }\n\n                override fun next(): T {\n                    if (nextState == -1)\n                        calcNext() // will change nextState\n                    if (nextState == 0)\n                        throw NoSuchElementException()\n                    @Suppress("UNCHECKED_CAST")\n                    val result = nextItem as T\n                    // Clean next to avoid keeping
reference on yielded instance\n                    nextItem = null\n                    nextState = -1\n                    return result\n                }\n\n                override fun hasNext(): Boolean {\n                    if (nextState == -1)\n                        calcNext() // will change nextState\n                    return nextState == 1\n                }\n            }\n\n            /**\n             * A sequence that skips the specified number of values from the
underlying [sequence] and returns\n             * all values after that.\n             */\n\n            internal class DropSequence<T>(\n                private val
sequence: Sequence<T>,\n                private val count: Int\n            ): Sequence<T>, DropTakeSequence<T> {\n                init {\n                    require(count >= 0) { "\"count must be non-negative, but was $count.\" }\n                }\n\n                override fun drop(n: Int):
Sequence<T> = (count + n).let { n1 -> if (n1 < 0) DropSequence(this, n) else DropSequence(sequence, n1) }\n\n                override fun take(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) TakeSequence(this, n) else
SubSequence(sequence, count, n1) }\n\n                override fun iterator(): Iterator<T> = object : Iterator<T> {\n                    val
iterator = sequence.iterator()\n                    var left = count\n                    // Shouldn't be called from constructor to avoid
premature iteration\n                    private fun drop() {\n                        while (left > 0 && iterator.hasNext()) {\n                            iterator.next()\n                            left--\n                        }\n                    }\n\n                    override fun next(): T {\n                        drop()\n                        return
iterator.next()\n                    }\n\n                    override fun hasNext(): Boolean {\n                        drop()\n                        return iterator.hasNext()\n                    }\n                }\n\n                /**\n                 * A sequence that skips the values from the underlying [sequence] while the given
[predicate] returns `true` and returns\n                 * all values after that.\n                 */\n\n                internal class DropWhileSequence<T>(\n                    constructor(\n                        private val sequence: Sequence<T>,\n                        private val predicate: (T) ->
Boolean\n                    ): Sequence<T> {\n                        override fun iterator(): Iterator<T> = object : Iterator<T> {\n                            val iterator =
sequence.iterator()\n                            var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration\n                            var nextItem: T? = null\n\n                            private fun drop() {\n                                while (iterator.hasNext()) {\n                                    val item =
iterator.next()\n                                    if (!predicate(item)) {\n                                        nextItem = item\n                                        dropState = 1\n                                        return\n                                    }\n                                }\n                                dropState = 0\n                            }\n\n                            override fun next(): T {\n                                if
(dropState == -1)\n                                    drop()\n                                if (dropState == 1) {\n                                    @Suppress("UNCHECKED_CAST")\n                                    val result = nextItem as T\n                                    nextItem = null\n                                    dropState = 0\n                                    return result\n                                }\n                                return iterator.next()\n                            }\n\n                            override fun
hasNext(): Boolean {\n                                if (dropState == -1)\n                                    drop()\n                                return dropState == 1 ||
iterator.hasNext()\n                            }\n                        }\n\n                        internal class DistinctSequence<T, K>(private val source: Sequence<T>,\n                            private val keySelector: (T) -> K) : Sequence<T> {\n                            override fun iterator(): Iterator<T> =
DistinctIterator(source.iterator(), keySelector)\n                        }\n\n                        internal class DistinctIterator<T, K>(private val source:
Iterator<T>,\n                            private val keySelector: (T) -> K) : AbstractIterator<T>() {\n                            private val observed =
HashSet<K>()\n                            override fun computeNext() {\n                                while (source.hasNext()) {\n                                    val next =
source.next()\n                                    val key = keySelector(next)\n                                    if (observed.add(key)) {\n                                        setNext(next)\n                                        return\n                                    }\n                                }\n                                done()\n                            }\n                        }\n\n                        internal class GeneratorSequence<T : Any>(private val
getInitialValue: () -> T?, private val getNextValue: (T) -> T?) : Sequence<T> {\n                            override fun iterator():

```



```

Iterator<T> = object : Iterator<T> {
    var nextItem: T? = null
    var nextState: Int = -2 // -2 for initial
    unknown, -1 for next unknown, 0 for done, 1 for continue
    private fun calcNext() {
        nextItem = if
        (nextState == -2) getInitialValue() else getNextValue(nextItem!!)
        nextState = if (nextItem == null) 0 else
    }
    override fun next(): T {
        if (nextState < 0)
            calcNext()
        if (nextState
        == 0)
            throw NoSuchElementException()
        val result = nextItem as T // Do not clean
        nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue
        nextState
        = -1
        return result
    }
    override fun hasNext(): Boolean {
        if (nextState < 0)
            calcNext()
        return nextState == 1
    }
}

/** Returns a wrapper sequence that provides
values of this sequence, but ensures it can be iterated only one time.
* The operation is _intermediate_ and
_stateless_.
* [IllegalStateException] is thrown on iterating the returned sequence from the second time.
*/
public fun <T> Sequence<T>.constrainOnce(): Sequence<T> {
    // as? does not work in js
    //return this as?
    ConstrainedOnceSequence<T>?: ConstrainedOnceSequence(this)
    return if (this is
    ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)
}

/** Returns a sequence which
invokes the function to calculate the next value on each iteration until the function returns `null`.
* The
returned sequence is constrained to be iterated only once.
* @see constrainOnce
* @see
kotlin.sequences.sequence
* @sample samples.collections.Sequences.Building.generateSequence
*/
public fun <T : Any> generateSequence(nextFunction: () -> T?): Sequence<T> {
    return
    GeneratorSequence(nextFunction, { nextFunction() }).constrainOnce()
}

/** Returns a sequence defined by
the starting value [seed] and the function [nextFunction],
* which is invoked to calculate the next value based on
the previous one on each iteration.
* The sequence produces values until it encounters first `null` value.
* If
[seed] is `null`, an empty sequence is produced.
* The sequence can be iterated multiple times, each time
starting with [seed].
* @see kotlin.sequences.sequence
* @sample
samples.collections.Sequences.Building.generateSequenceWithSeed
*/
@kotlin.internal.LowPriorityInOverloadResolution
public fun <T : Any> generateSequence(seed: T?,
nextFunction: (T) -> T?): Sequence<T> =
    if (seed == null)
        EmptySequence
    else
        GeneratorSequence({ seed }, nextFunction)

/** Returns a sequence defined by the function [seedFunction],
which is invoked to produce the starting value,
* and the [nextFunction], which is invoked to calculate the next
value based on the previous one on each iteration.
* The sequence produces values until it encounters first
`null` value.
* If [seedFunction] returns `null`, an empty sequence is produced.
* The sequence can be
iterated multiple times.
* @see kotlin.sequences.sequence
* @sample
samples.collections.Sequences.Building.generateSequenceWithLazySeed
*/
public fun <T : Any>
generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =
    GeneratorSequence(seedFunction, nextFunction)

/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.
*/
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("PreconditionsKt")
package
kotlin
import kotlin.contracts.contract
/** Throws an [IllegalArgumentException] if the [value] is false.
* @sample samples.misc.Preconditions.failRequireWithLazyMessage
*/
@kotlin.internal.InlineOnly
public inline fun require(value: Boolean): Unit {
    contract {
        returns() implies value
    }
    require(value) {
        "Failed requirement."
    }
}

/** Throws an [IllegalArgumentException] with the result of calling
[lazyMessage] if the [value] is false.
* @sample samples.misc.Preconditions.failRequireWithLazyMessage
*/
@kotlin.internal.InlineOnly
public inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {
    contract {
        returns() implies value
    }
    if (!value) {
        val message = lazyMessage()
        throw
        IllegalArgumentException(message.toString())
    }
}

/** Throws an [IllegalArgumentException] if the
[value] is null. Otherwise returns the not null value.
*/
@kotlin.internal.InlineOnly
public inline fun <T : Any>
requireNotNull(value: T?): T {
    contract {
        returns() implies (value != null)
    }
    return
    requireNotNull(value) { "Required value was null." }
}

/** Throws an [IllegalArgumentException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise
* returns the not null value.
* @sample

```

```

samples.misc.Preconditions.failRequireNotNullWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline
fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value
!= null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw
IllegalArgumentException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an
[IllegalStateException] if the [value] is false.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun
check(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n check(value) { \"Check failed.\"
}\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\n
*\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic
inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n
if (!value) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n
}\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n
*\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic
inline fun <T : Any> checkNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n
return checkNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T :
Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value != null)\n
}\n\n if (value == null) {\n val message = lazyMessage()\n throw
IllegalStateException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an
[IllegalStateException] with the given [message].\n *\n * @sample samples.misc.Preconditions.failWithError\n
*\n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw
IllegalStateException(message.toString())\n\", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\npackage kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n\nimport
kotlin.js.*\nimport primitiveArrayConcat\nimport withType\nimport kotlin.ranges.contains\nimport
kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\npublic actual fun <T> Array<out T>.elementAt(index:
Int): T {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\")
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\npublic
actual fun ByteArray.elementAt(index: Int): Byte {\n return elementAtOrElse(index) { throw
IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\npublic actual fun ShortArray.elementAt(index: Int): Short
{\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\")
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\npublic
actual fun IntArray.elementAt(index: Int): Int {\n return elementAtOrElse(index) { throw
IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\npublic actual fun LongArray.elementAt(index: Int): Long
{\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\")
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\npublic
actual fun FloatArray.elementAt(index: Int): Float {\n return elementAtOrElse(index) { throw

```

```

IndexOutOfBoundsException("index: $index, size: $size}") }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public actual fun DoubleArray.elementAt(index: Int): Double {
    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public actual fun BooleanArray.elementAt(index: Int): Boolean {
    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt
public actual fun CharArray.elementAt(index: Int): Char {
    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }
}

Returns a [List] that wraps the original array.
public actual fun <T> Array<out T>.asList(): List<T> {
    return ArrayList<T>(this.unsafeCast<Array<Any?>>())
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun ByteArray.asList(): List<Byte> {
    return this.unsafeCast<Array<Byte>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun ShortArray.asList(): List<Short> {
    return this.unsafeCast<Array<Short>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun IntArray.asList(): List<Int> {
    return this.unsafeCast<Array<Int>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun LongArray.asList(): List<Long> {
    return this.unsafeCast<Array<Long>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun FloatArray.asList(): List<Float> {
    return this.unsafeCast<Array<Float>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun DoubleArray.asList(): List<Double> {
    return this.unsafeCast<Array<Double>>().asList()
}

Returns a [List] that wraps the original array.
@kotlin.internal.InlineOnly
public actual inline fun BooleanArray.asList(): List<Boolean> {
    return this.unsafeCast<Array<Boolean>>().asList()
}

Returns a [List] that wraps the original array.
public actual fun CharArray.asList(): List<Char> {
    return object : AbstractList<Char>(), RandomAccess {
        override val size: Int get() = this@asList.size
        override fun isEmpty(): Boolean = this@asList.isEmpty()
        override fun contains(element: Char): Boolean = this@asList.contains(element)
        override fun get(index: Int): Char {
            AbstractList.checkElementIndex(index, size)
            return this@asList[index]
        }
        override fun indexOf(element: Char): Int {
            @Suppress("USELESS_CAST")
            if ((element as Any?) !is Char) return -1
            return this@asList.indexOf(element)
        }
        override fun lastIndexOf(element: Char): Int {
            @Suppress("USELESS_CAST")
            if ((element as Any?) !is Char) return -1
            return this@asList.lastIndexOf(element)
        }
    }
}

Returns `true` if the two specified arrays are `deeply` equal to one another, i.e. contain the same number of the same elements in the same order.
If two corresponding elements are nested arrays, they are also compared deeply.
If any of arrays contains itself on any nesting level the behavior is undefined.
The elements of other types are compared for equality with the [equals][Any.equals] function.
For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
@SinceKotlin("1.1")
@kotlin.internal.LowPriorityInOverloadResolution
public actual infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {
    return this.contentDeepEquals(other)
}

Returns `true` if the two specified arrays are `deeply` equal to one another, i.e. contain the same number of the same elements in the same order.
The specified arrays are also considered deeply equal if both are `null`.
If two corresponding elements are nested arrays, they are also compared deeply.
If any of arrays contains itself on any nesting level the behavior is undefined.
The elements of other types are compared for equality with the [equals][Any.equals] function.
For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

```

```

*\n@SinceKotlin("1.4")\n@library("arrayDeepEquals")\npublic actual infix fun <T> Array<out
T>?.contentDeepEquals(other: Array<out T>?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns a hash code
based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays
contains itself on any nesting level the behavior is undefined.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out
T>.contentDeepHashCode(): Int {\n    return this.contentDeepHashCode()\n}\n\n/**\n * Returns a hash code based
on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays
contains itself on any nesting level the behavior is undefined.\n
*\n@SinceKotlin("1.4")\n@library("arrayDeepHashCode")\npublic actual fun <T> Array<out
T>?.contentDeepHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the
contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains
itself on any nesting level that reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentDeepToString\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out
T>.contentDeepToString(): String {\n    return this.contentDeepToString()\n}\n\n/**\n * Returns a string
representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any
of arrays contains itself on any nesting level that reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n *
@sample samples.collections.Arrays.ContentOperations.contentDeepToString\n
*\n@SinceKotlin("1.4")\n@library("arrayDeepToString")\npublic actual fun <T> Array<out
T>?.contentDeepToString(): String {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays
are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n *
\n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers
it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n *\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean {\n    return
this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one
another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are
compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN`
is equal to itself and `-0.0` is not equal to `0.0`.\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun
ByteArray.contentEquals(other: ByteArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns
`true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the
same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun
ShortArray.contentEquals(other: ShortArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns
`true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the
same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun
IntArray.contentEquals(other: IntArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true`
if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same
elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun

```

`LongArray.contentEquals(other: LongArray): Boolean` { \n return this.contentEquals(other)\n } \n \n /** \n * Returns `true` if the two specified arrays are *structurally* equal to one another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The elements are compared for equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n * \n * @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.") \n * @SinceKotlin("1.1") \n * @DeprecatedSinceKotlin(hiddenSince = "1.4") \n * public actual infix fun

`FloatArray.contentEquals(other: FloatArray): Boolean` { \n return this.contentEquals(other)\n } \n \n /** \n * Returns `true` if the two specified arrays are *structurally* equal to one another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The elements are compared for equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n * \n * @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.") \n * @SinceKotlin("1.1") \n * @DeprecatedSinceKotlin(hiddenSince = "1.4") \n * public actual infix fun

`DoubleArray.contentEquals(other: DoubleArray): Boolean` { \n return this.contentEquals(other)\n } \n \n /** \n * Returns `true` if the two specified arrays are *structurally* equal to one another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The elements are compared for equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n * \n * @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.") \n * @SinceKotlin("1.1") \n * @DeprecatedSinceKotlin(hiddenSince = "1.4") \n * public actual infix fun

`BooleanArray.contentEquals(other: BooleanArray): Boolean` { \n return this.contentEquals(other)\n } \n \n /** \n * Returns `true` if the two specified arrays are *structurally* equal to one another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The elements are compared for equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n * \n * @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.") \n * @SinceKotlin("1.1") \n * @DeprecatedSinceKotlin(hiddenSince = "1.4") \n * public actual infix fun

`CharArray.contentEquals(other: CharArray): Boolean` { \n return this.contentEquals(other)\n } \n \n /** \n * Returns `true` if the two specified arrays are *structurally* equal to one another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The elements are compared for equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n * \n * @SinceKotlin("1.4") \n * @library("arrayEquals") \n * public actual infix fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean { \n definedExternally \n } \n \n /** \n * Returns `true` if the two specified arrays are *structurally* equal to one another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The elements are compared for equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n * \n * @SinceKotlin("1.4") \n * @library("arrayEquals") \n * public actual infix fun ByteArray?.contentEquals(other: ByteArray?): Boolean { \n definedExternally \n } \n \n /** \n * Returns `true` if the two specified arrays are *structurally* equal to one another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The elements are compared for equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n * \n * @SinceKotlin("1.4") \n * @library("arrayEquals") \n * public actual infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean { \n definedExternally \n } \n \n /** \n * Returns `true` if the two specified arrays are *structurally* equal to one another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The elements are compared for equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n * \n * @SinceKotlin("1.4") \n * @library("arrayEquals") \n * public actual infix fun IntArray?.contentEquals(other: IntArray?): Boolean { \n definedExternally \n } \n \n /** \n * Returns `true` if the two specified arrays are *structurally* equal to one another, \n * i.e. contain the same number of the same elements in the same order. \n * \n * The elements are compared for equality with the [equals][Any.equals] function. \n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n

```

*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun LongArray?.contentEquals(other:
LongArray?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun FloatArray?.contentEquals(other:
FloatArray?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun DoubleArray?.contentEquals(other:
DoubleArray?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun BooleanArray?.contentEquals(other:
BooleanArray?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun CharArray?.contentEquals(other:
CharArray?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array
as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun <T>
Array<out T>.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based
on the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
ByteArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
ShortArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
IntArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
LongArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
FloatArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
DoubleArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based
on the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
BooleanArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based
on the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun

```

CharArray.contentHashCode(): Int {\n return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun <T> Array<out T>?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun ByteArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun ShortArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun IntArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun LongArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun FloatArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun DoubleArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun BooleanArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun CharArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun <T> Array<out T>.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun ByteArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun ShortArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun IntArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun LongArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun FloatArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun DoubleArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n\n * @sample

```

samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\n"Use Kotlin compiler 1.4 to
avoid deprecation warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun BooleanArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\n"Use Kotlin compiler 1.4 to
avoid deprecation warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun CharArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun <T> Array<out T>?.contentToString():
String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ByteArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ShortArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun IntArray?.contentToString(): String {\n
definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun LongArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun FloatArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun DoubleArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun BooleanArray?.contentToString():
String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun CharArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that
array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it
overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset
the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of
the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this
array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the
[destination] array.\n\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset:
Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T> {\n    arrayCopy(this, destination, destinationOffset,
startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination]

```


array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray {\n    arrayCopy(this.unsafeCast<Array<Byte>>(), destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray {\n    arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray {\n    arrayCopy(this.unsafeCast<Array<Int>>(), destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray {\n    arrayCopy(this.unsafeCast<Array<Long>>(), destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray {\n    arrayCopy(this.unsafeCast<Array<Float>>(), destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n    arrayCopy(this.unsafeCast<Array<Double>>(), destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n    arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the

```

subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n    arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Returns new array which is a copy of the original array. \n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array. \n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ByteArray.copyOfOf(): ByteArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array. \n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ShortArray.copyOfOf(): ShortArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array. \n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun IntArray.copyOfOf(): IntArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array. \n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\npublic actual fun LongArray.copyOfOf(): LongArray {\n    return withType("LongArray", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array. \n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun FloatArray.copyOfOf(): FloatArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array. \n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun DoubleArray.copyOfOf(): DoubleArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array. \n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\npublic actual fun BooleanArray.copyOfOf(): BooleanArray {\n    return withType("BooleanArray", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array. \n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\npublic actual fun CharArray.copyOfOf(): CharArray {\n    return withType("CharArray", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize]. \n * The copy is either truncated or padded at the end with zero values if necessary. \n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize]. \n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values. \n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun ByteArray.copyOfOf(newSize: Int): ByteArray {\n    require(newSize >= 0) { "Invalid new array size: $newSize." }\n    return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize]. \n * The copy is either truncated or padded at the end with zero values if necessary. \n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize]. \n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values. \n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun ShortArray.copyOfOf(newSize: Int): ShortArray {\n    require(newSize >= 0) { "Invalid new array size: $newSize." }\n    return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize]. \n * The copy is either truncated or padded at the end with

```

zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n public actual fun

IntArray.copyOf(newSize: Int): IntArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return fillFrom(this, IntArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n public actual fun

LongArray.copyOf(newSize: Int): LongArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return withType(\"LongArray\", arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n public actual fun

FloatArray.copyOf(newSize: Int): FloatArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n public actual fun

DoubleArray.copyOf(newSize: Int): DoubleArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n public actual fun

BooleanArray.copyOf(newSize: Int): BooleanArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \n public actual fun

CharArray.copyOf(newSize: Int): CharArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return withType(\"CharArray\", fillFrom(this, CharArray(newSize)))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n * \n @Suppress(\"ACTUAL_WITHOUT_EXPECT\")\n public actual fun <T> Array<out T>.copyOf(newSize: Int): Array<T?> {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return arrayCopyResize(this, newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive)

```

to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual fun <T> Array<out
T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n  AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n  return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a
copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to
copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun
ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic
actual fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic
actual fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic
actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return withType("LongArray",
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified
range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param
toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n */\npublic actual fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int):
FloatArray {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return
this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range
of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the
end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n */\npublic actual fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic
actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return withType("BooleanArray",
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified

```

range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType("<CharArray>", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero

or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n
*\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline operator
fun <T> Array<out T>.plus(element: T): Array<T> {\n  return
this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original
array and then the given [element].\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator
fun ByteArray.plus(element: Byte): ByteArray {\n  return plus(byteArrayOf(element))\n}\n\n/**\n * Returns an
array containing all elements of the original array and then the given [element].\n
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ShortArray.plus(element: Short):
ShortArray {\n  return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the
original array and then the given [element].\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline
operator fun IntArray.plus(element: Int): IntArray {\n  return plus(intArrayOf(element))\n}\n\n/**\n * Returns an
array containing all elements of the original array and then the given [element].\n
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun LongArray.plus(element: Long):
LongArray {\n  return plus(longArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the
original array and then the given [element].\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline
operator fun FloatArray.plus(element: Float): FloatArray {\n  return plus(floatArrayOf(element))\n}\n\n/**\n *
Returns an array containing all elements of the original array and then the given [element].\n
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(element:
Double): DoubleArray {\n  return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all

```

elements of the original array and then the given [element].

```

*^@Suppress("NOTHING_TO_INLINE")\npublic
actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {
return
plus(booleanArrayOf(element))\n}\n\n/**
* Returns an array containing all elements of the original array and then
the given [element].
*^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun
CharArray.plus(element: Char): CharArray {
return plus(charArrayOf(element))\n}\n\n/**
* Returns an array
containing all elements of the original array and then all elements of the given [elements] collection.
*^@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual operator fun <T> Array<out T>.plus(elements:
Collection<T>): Array<T> {
return arrayPlusCollection(this, elements)\n}\n\n/**
* Returns an array
containing all elements of the original array and then all elements of the given [elements] collection.
*^@public
actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {
return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**
* Returns an array containing
all elements of the original array and then all elements of the given [elements] collection.
*^@public actual
operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {
return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**
* Returns an array containing
all elements of the original array and then all elements of the given [elements] collection.
*^@public actual
operator fun IntArray.plus(elements: Collection<Int>): IntArray {
return fillFromCollection(this.copyOf(size +
elements.size), this.size, elements)\n}\n\n/**
* Returns an array containing all elements of the original array and
then all elements of the given [elements] collection.
*^@public actual operator fun LongArray.plus(elements:
Collection<Long>): LongArray {
return arrayPlusCollection(this, elements)\n}\n\n/**
* Returns an array
containing all elements of the original array and then all elements of the given [elements] collection.
*^@public
actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {
return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**
* Returns an array containing
all elements of the original array and then all elements of the given [elements] collection.
*^@public actual
operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {
return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**
* Returns an array containing
all elements of the original array and then all elements of the given [elements] collection.
*^@public actual
operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {
return
arrayPlusCollection(this, elements)\n}\n\n/**
* Returns an array containing all elements of the original array and
then all elements of the given [elements] collection.
*^@public actual operator fun CharArray.plus(elements:
Collection<Char>): CharArray {
return fillFromCollection(this.copyOf(size + elements.size), this.size,
elements)\n}\n\n/**
* Returns an array containing all elements of the original array and then all elements of the
given [elements] array.
*^@Suppress("ACTUAL_WITHOUT_EXPECT",
"NOTHING_TO_INLINE")\npublic actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>):
Array<T> {
return this.asDynamic().concat(elements)\n}\n\n/**
* Returns an array containing all elements of
the original array and then all elements of the given [elements] array.
*^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ByteArray.plus(elements:
ByteArray): ByteArray {
return primitiveArrayConcat(this, elements)\n}\n\n/**
* Returns an array containing
all elements of the original array and then all elements of the given [elements] array.
*^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ShortArray.plus(elements:
ShortArray): ShortArray {
return primitiveArrayConcat(this, elements)\n}\n\n/**
* Returns an array
containing all elements of the original array and then all elements of the given [elements] array.
*^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(elements: IntArray):
IntArray {
return primitiveArrayConcat(this, elements)\n}\n\n/**
* Returns an array containing all elements of
the original array and then all elements of the given [elements] array.
*^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun LongArray.plus(elements:
LongArray): LongArray {
return primitiveArrayConcat(this, elements)\n}\n\n/**
* Returns an array
containing all elements of the original array and then all elements of the given [elements] array.
*^@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun FloatArray.plus(elements:

```



```

FloatArray): FloatArray { \n  return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] array.\n
*\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(elements:
DoubleArray): DoubleArray { \n  return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun BooleanArray.plus(elements:
BooleanArray): BooleanArray { \n  return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun CharArray.plus(elements:
CharArray): CharArray { \n  return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then the given [element].\n
*\n\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline fun <T>
Array<out T>.plusElement(element: T): Array<T> { \n  return
this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n\n@library("primitiveArraySort")\npublic actual fun
IntArray.sort(): Unit { \n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n\npublic actual fun LongArray.sort(): Unit { \n  if (size > 1) sort {
a: Long, b: Long -> a.compareTo(b) }\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n\n@library("primitiveArraySort")\npublic actual fun
ByteArray.sort(): Unit { \n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n\n@library("primitiveArraySort")\npublic actual fun
ShortArray.sort(): Unit { \n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n\n@library("primitiveArraySort")\npublic actual fun
DoubleArray.sort(): Unit { \n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n\n@library("primitiveArraySort")\npublic actual fun
FloatArray.sort(): Unit { \n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n\n@library("primitiveArraySort")\npublic actual fun
CharArray.sort(): Unit { \n  definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order
of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n *\n\npublic actual fun
<T : Comparable<T>> Array<out T>.sort(): Unit { \n  if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-
place according to the order specified by the given [comparison] function.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n * \n\npublic fun <T> Array<out
T>.sort(comparison: (a: T, b: T) -> Int): Unit { \n  if (size > 1) sortArrayWith(this, comparison)\n}\n\n/**\n * Sorts
a range in the array in-place.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative
to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *
*\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
*\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable\n
*\n\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit { \n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArrayWith(this, fromIndex, toIndex,
naturalOrder())\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to sort, 0 by default.\n * \n * @param toIndex the end of the range (exclusive) to sort, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * \n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
*\n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n

```

```

*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ByteArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts a
range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ShortArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts a
range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<IntArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts a
range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArrayWith(this.unsafeCast<Array<Long>>(),
fromIndex, toIndex, naturalOrder())\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex
the start of the range (inclusive) to sort, 0 by default.\n * \n * @param toIndex the end of the range (exclusive) to sort,
size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or
[toIndex] is greater than the size of this array.\n * \n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<FloatArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts a
range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<DoubleArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts

```

a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n

```

*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<CharArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts the
array in-place according to the order specified by the given [comparison] function.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sort(noinline comparison: (a: Byte, b: Byte) -> Int):
Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by
the given [comparison] function.\n *\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sort(noinline
comparison: (a: Short, b: Short) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-
place according to the order specified by the given [comparison] function.\n *\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sort(noinline comparison:
(a: Long, b: Long) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according
to the order specified by the given [comparison] function.\n *\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sort(noinline comparison:
(a: Double, b: Double) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place
according to the order specified by the given [comparison] function.\n *\n@kotlin.internal.InlineOnly\npublic
inline fun CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n *\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n    if
(size > 1) sortArrayWith(this, comparator)\n}\n\n/**\n * Sorts a range in the array in-place with the given
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex
the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size):
Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArrayWith(this, fromIndex, toIndex,
comparator)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
*\npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n    return js("[]").slice.call(this)\n}\n\n/**\n *
Returns a *typed* object array containing all of the elements of this primitive array.\n *\npublic actual fun
ShortArray.toTypedArray(): Array<Short> {\n    return js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n *\npublic actual fun IntArray.toTypedArray():
Array<Int> {\n    return js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the
elements of this primitive array.\n *\npublic actual fun LongArray.toTypedArray(): Array<Long> {\n    return
js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *\npublic actual fun FloatArray.toTypedArray(): Array<Float> {\n    return
js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive

```

```

array.\n */\npublic actual fun DoubleArray.toArray(): Array<Double> {\n    return
js("[\"]).slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n */\npublic actual fun BooleanArray.toArray(): Array<Boolean> {\n    return
js("[\"]).slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n */\npublic actual fun CharArray.toArray(): Array<Char> {\n    return Array(size) { index ->
this[index] }\n}\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n@file:kotlin.jvm.JvmName("\nComparisonsKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.comparisons\n\n/**\n * Compares two values using the specified functions [selectors] to calculate the result
of the comparison.\n * The functions are called sequentially, receive the given values [a] and [b] and return
[Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do
not\n * compare as equal, the result of that comparison is returned.\n * \n * @sample
samples.comparisons.Comparisons.compareValuesByWithSelectors\n */\npublic fun <T> compareValuesBy(a: T,
b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n    require(selectors.size > 0)\n    return
compareValuesByImpl(a, b, selectors)\n}\n\nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors:
Array<out (T) -> Comparable<*>?>): Int {\n    for (fn in selectors) {\n        val v1 = fn(a)\n        val v2 = fn(b)\n        val diff = compareValues(v1, v2)\n        if (diff != 0) return diff\n    }\n    return 0\n}\n\n/**\n * Compares two
values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to
the given values [a] and [b] and return [Comparable] objects.\n * The result of comparison of these [Comparable]
instances is returned.\n * \n * @sample samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) ->
Comparable<*>?): Int {\n    return compareValues(selector(a), selector(b))\n}\n\n/**\n * Compares two values
using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the
given values [a] and [b] and return objects of type K which are then being\n * compared with the given
[comparator].\n * \n * @sample samples.comparisons.Comparisons.compareValuesByWithComparator\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in
K>, selector: (T) -> K): Int {\n    return comparator.compare(selector(a), selector(b))\n}\n\n//// Not so useful without
type inference for receiver of expression\n//// compareValuesWith(v1, v2, compareBy { it.prop1 }
thenByDescending { it.prop2 })\n\n/**\n * Compares two values using the specified [comparator].\n\n
*/\n@Suppress("NOTHING_TO_INLINE")\npublic inline fun <T> compareValuesWith(a: T, b: T, comparator:
Comparator<T>): Int = comparator.compare(a, b)\n\n/**\n * Compares two nullable [Comparable] values. Null
is considered less than any value.\n * \n * @sample samples.comparisons.Comparisons.compareValues\n */\npublic
fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\n    if (a === b) return 0\n    if (a == null) return -1\n
if (b == null) return 1\n    @Suppress("UNCHECKED_CAST")\n    return (a as
Comparable<Any>).compareTo(b)\n}\n\n/**\n * Creates a comparator using the sequence of functions to calculate a
result of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return
[Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do
not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n * \n * @sample
samples.comparisons.Comparisons.compareByWithSelectors\n */\npublic fun <T> compareBy(vararg selectors: (T)
-> Comparable<*>?): Comparator<T> {\n    require(selectors.size > 0)\n    return Comparator { a, b ->
compareValuesByImpl(a, b, selectors) }\n}\n\n/**\n * Creates a comparator using the function to transform value
to a [Comparable] instance for comparison.\n * \n * @sample
samples.comparisons.Comparisons.compareByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->
compareValuesBy(a, b, selector) }\n\n/**\n * Creates a comparator using the [selector] function to transform values
being compared and then applying\n * the specified [comparator] to compare transformed values.\n * \n * @sample
samples.comparisons.Comparisons.compareByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline

```

```

fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n
Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n\n/**\n * Creates a descending comparator\n using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample\n samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n\n *\n @kotlin.internal.InlineOnly\n public inline fun <T> compareByDescending(crossinline selector: (T) ->\n Comparable<*>?): Comparator<T> =\n Comparator { a, b -> compareValuesBy(b, a, selector) }\n\n/**\n * Creates a descending comparator using the [selector] function to transform values being compared and then\n applying\n * the specified [comparator] to compare transformed values.\n *\n * Note that an order of [comparator] is\n reversed by this wrapper.\n *\n * @sample\n samples.comparisons.Comparisons.compareByDescendingWithComparator\n\n *\n @kotlin.internal.InlineOnly\n public inline fun <T, K> compareByDescending(comparator: Comparator<in K>,\n crossinline selector: (T) -> K): Comparator<T> =\n Comparator { a, b -> compareValuesBy(b, a, comparator,\n selector) }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It\n uses\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample\n samples.comparisons.Comparisons.thenBy\n\n *\n @kotlin.internal.InlineOnly\n public inline fun <T>\n Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n Comparator { a, b -\n >\n val previousCompare = this@thenBy.compare(a, b)\n if (previousCompare != 0) previousCompare else\n compareValuesBy(a, b, selector)\n }\n\n/**\n * Creates a comparator comparing values after the primary\n comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with\n the given [comparator].\n *\n * @sample\n samples.comparisons.Comparisons.thenByWithComparator\n\n *\n @kotlin.internal.InlineOnly\n public inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>,\n crossinline selector: (T) -> K): Comparator<T> =\n Comparator { a, b ->\n val previousCompare =\n this@thenBy.compare(a, b)\n if (previousCompare != 0) previousCompare else compareValuesBy(a, b,\n comparator, selector)\n }\n\n/**\n * Creates a descending comparator using the primary comparator and\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample\n samples.comparisons.Comparisons.thenByDescending\n\n *\n @kotlin.internal.InlineOnly\n public inline fun <T>\n Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenByDescending.compare(a, b)\n if\n (previousCompare != 0) previousCompare else compareValuesBy(b, a, selector)\n }\n\n/**\n * Creates a\n descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector]\n function to transform values and then compares them with the given [comparator].\n *\n * @sample\n samples.comparisons.Comparisons.thenByDescendingWithComparator\n\n *\n @kotlin.internal.InlineOnly\n public\n inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) ->\n K): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenByDescending.compare(a,\n b)\n if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n }\n\n/**\n * Creates a comparator using the primary comparator and function to calculate a result of comparison.\n *\n * @sample\n samples.comparisons.Comparisons.thenComparator\n\n *\n @kotlin.internal.InlineOnly\n public inline\n fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenComparator.compare(a, b)\n if (previousCompare\n != 0) previousCompare else comparison(a, b)\n }\n\n/**\n * Combines this comparator and the given [comparator]\n such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample\n samples.comparisons.Comparisons.then\n\n *\n public infix fun <T> Comparator<T>.then(comparator:\n Comparator<in T>): Comparator<T> =\n Comparator { a, b ->\n val previousCompare =\n this@then.compare(a, b)\n if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the\n former considered values equal.\n *\n * @sample\n samples.comparisons.Comparisons.thenDescending\n\n *\n public\n infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n Comparator<T> { a, b ->\n val previousCompare = this@thenDescending.compare(a, b)\n if

```

```

(previousCompare != 0) previousCompare else comparator.compare(b, a)\n    }\n\n// Not so useful without type
inference for receiver of expression\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator
of nullable values\n * considering `null` value less than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> -1\n            b == null -> 1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other
value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> =
nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of
nullable values\n * considering `null` value greater than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> 1\n            b == null -> -1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any
other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =
nullsLast(naturalOrder())\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n
*\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n *\npublic fun <T : Comparable<T>>
naturalOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as
Comparator<T>)\n\n/**\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\n
*\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T :
Comparable<T>> reverseOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")
(ReverseOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that imposes the reverse ordering
of this comparator.\n *\n * @sample samples.comparisons.Comparisons.reversed\n *\npublic fun <T>
Comparator<T>.reversed(): Comparator<T> = when (this) {\n    is ReversedComparator -> this.comparator\n    NaturalOrderComparator -> @Suppress("UNCHECKED_CAST") (ReverseOrderComparator as
Comparator<T>)\n    ReverseOrderComparator -> @Suppress("UNCHECKED_CAST")
(NaturalOrderComparator as Comparator<T>)\n    else -> ReversedComparator(this)\n}\n\n\nprivate class
ReversedComparator<T>(public val comparator: Comparator<T>) : Comparator<T> {\n    override fun compare(a:
T, b: T): Int = comparator.compare(b, a)\n    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed():
Comparator<T> = comparator\n}\n\nprivate object NaturalOrderComparator : Comparator<Comparable<Any>> {\n
    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<Comparable<Any>> =
ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n
    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<Comparable<Any>> =
NaturalOrderComparator\n}\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StandardKt")\npackage kotlin\nimport
kotlin.contracts.*\n\n/**\n * An exception is thrown to indicate that a method body remains to be implemented.\n
*\n * @public class NotImplementedError(message: String = "An operation is not implemented.") :
Error(message)\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n
*\n *\n *\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n
*\n * @param reason a string explaining why the implementation is missing.\n *\n *\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason:
String): Nothing = throw NotImplementedError("An operation is not implemented: $reason")\n\n\n/**\n * Calls

```

the specified function [block] and returns its result.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n

```
*\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its result.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n/**\n * Calls the specified function [block] with the given [receiver] as its receiver and returns its result.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return receiver.block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns `this` value.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#apply).\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    block()\n    return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#also).\n *\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.also(block: (T) -> Unit): T {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    block(this)\n    return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns its result.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#let).\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block(this)\n}\n\n/**\n * Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).\n *\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.takeIf(predicate: (T) -> Boolean): T? {\n    contract {\n        callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n    }\n    return if (predicate(this)) this else null\n}\n\n/**\n * Returns `this` value if it _does not_ satisfy the given [predicate] or `null`, if it does.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).\n *\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.takeUnless(predicate: (T) -> Boolean): T? {\n    contract {\n        callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n    }\n    return if (!predicate(this)) this else null\n}\n\n/**\n * Executes the given function [action] specified number of [times].\n *\n * A zero-based index of current iteration is passed as a parameter to [action].\n *\n * @sample samples.misc.ControlFlow.repeat\n *\n@kotlin.internal.InlineOnly\npublic inline fun repeat(times: Int, action: (Int) -> Unit) {\n    contract { callsInPlace(action) }\n    for (index in 0 until times) {\n        action(index)\n    }\n}\n\n"/\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n@npackage kotlin.comparisons\n\n/\n/\n NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n/\n See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.\n\n/**\n * Returns the greater of two values.\n *\n * If values are equal, returns the first one.\n *\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n    return Math.max(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**
```

```

* Returns the greater of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Short, b: Short): Short {\n    return Math.max(a.toInt(),
b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Int, b: Int): Int {\n    return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.1")\n@Suppress("DEPRECATION_ERROR", "NOTHING_TO_INLINE")\npublic actual
inline fun maxOf(a: Long, b: Long): Long {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two
values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Float, b: Float): Float {\n    return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two
values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Double, b: Double): Double {\n    return Math.max(a, b)\n}\n\n/**\n * Returns the greater of
three values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n
*\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n    return
maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte {\n    return Math.max(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Short, b: Short, c: Short): Short {\n    return Math.max(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Int, b: Int, c: Int): Int {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three
values.\n * \n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Long, b: Long,
c: Long): Long {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n * \n * If any
value is `NaN`, returns `NaN`.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Float, b: Float, c: Float): Float {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater
of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Double, b: Double, c: Double): Double {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the
greater of the given values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n
*\n@SinceKotlin("1.4")\npublic actual fun <T : Comparable<T>> maxOf(a: T, vararg other: T): T {\n    var max
= a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\npublic actual fun maxOf(a: Byte, vararg other: Byte): Byte {\n    var max = a\n    for (e
in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\npublic actual fun maxOf(a: Short, vararg other: Short): Short {\n    var max = a\n    for
(e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\npublic actual fun maxOf(a: Int, vararg other: Int): Int {\n    var max = a\n    for (e in
other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If any
value is `NaN`, returns `NaN`.\n * \n@SinceKotlin("1.4")\npublic actual fun maxOf(a: Float, vararg other: Float):
Float {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater
of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n * \n@SinceKotlin("1.4")\npublic actual fun
maxOf(a: Double, vararg other: Double): Double {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n

```



```

return max\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If values are equal, returns the first one.\n
*\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T): T {\n    return if (a <= b) a
else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Byte, b: Byte): Byte {\n    return Math.min(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n
* Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Short, b: Short): Short {\n    return Math.min(a.toInt(),
b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Int, b: Int): Int {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@Suppress("DEPRECATION_ERROR", "NOTHING_TO_INLINE")\npublic actual
inline fun minOf(a: Long, b: Long): Long {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two
values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Float, b: Float): Float {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two
values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Double, b: Double): Double {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of
three values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n
*\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {\n    return minOf(a,
minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {\n    return Math.min(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Short, b: Short, c: Short): Short {\n    return Math.min(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Int, b: Int, c: Int): Int {\n    return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three
values.\n * \n * @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Long, b: Long,
c: Long): Long {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n * \n * If any
value is `NaN`, returns `NaN`.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Float, b: Float, c: Float): Float {\n    return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller
of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Double, b: Double, c: Double): Double {\n    return Math.min(a, b, c)\n}\n\n/**\n * Returns the
smaller of the given values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n
*\n@SinceKotlin("1.4")\npublic actual fun <T : Comparable<T>> minOf(a: T, vararg other: T): T {\n    var min =
a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\npublic actual fun minOf(a: Byte, vararg other: Byte): Byte {\n    var min = a\n    for (e in
other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\npublic actual fun minOf(a: Short, vararg other: Short): Short {\n    var min = a\n    for (e
in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\npublic actual fun minOf(a: Int, vararg other: Int): Int {\n    var min = a\n    for (e in
other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\npublic actual fun minOf(a: Long, vararg other: Long): Long {\n    var min = a\n    for (e

```

```

in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given values.\n * \n * If any
value is `NaN`, returns `NaN`.\n */\n@SinceKotlin("1.4")\npublic actual fun minOf(a: Float, vararg other: Float):
Float {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of
the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin("1.4")\npublic actual fun
minOf(a: Double, vararg other: Double): Double {\n    var min = a\n    for (e in other) min = minOf(min, e)\n
return min\n}\n\n"/\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.experimental.*\n\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@
SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class ULong @PublishedApi internal
constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {\n\n    companion object {\n\n        /**\n
         * A constant holding the minimum value an instance of ULong can have.\n
         */\n        public const val
MIN_VALUE: ULong = ULong(0)\n\n        /**\n         * A constant holding the maximum value an instance of
ULong can have.\n
         */\n        public const val MAX_VALUE: ULong = ULong(-1)\n\n        /**\n         * The
number of bytes used to represent an instance of ULong in a binary form.\n
         */\n        public const val
SIZE_BYTES: Int = 8\n\n        /**\n         * The number of bits used to represent an instance of ULong in a
binary form.\n
         */\n        public const val SIZE_BITS: Int = 64\n    }\n\n    /**\n     * Compares this value with the
specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n
public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())\n\n    /**\n     *
Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other
value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UShort): Int =
this.compareTo(other.toULong())\n\n    /**\n     * Compares this value with the specified value for order.\n     *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a
positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun
compareTo(other: UInt): Int = this.compareTo(other.toULong())\n\n    /**\n     * Compares this value with the
specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n
@Suppress("OVERRIDE_BY_INLINE")\n    public override inline operator fun compareTo(other: ULong): Int =
ulongCompare(this.data, other.data)\n\n    /**\n     * Adds the other value to this value.\n     */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): ULong = this.plus(other.toULong())\n
\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun
plus(other:
UShort): ULong = this.plus(other.toULong())\n\n    /**\n     * Adds the other value to this value.\n     */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): ULong = this.plus(other.toULong())\n
\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun
plus(other:
ULong): ULong = ULong(this.data.plus(other.data))\n\n    /**\n     * Subtracts the other value from this value.\n     */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): ULong =
this.minus(other.toULong())\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())\n\n    /**\n     * Subtracts the
other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): ULong =
this.minus(other.toULong())\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n\n    /**\n     * Multiplies
this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte):
ULong = this.times(other.toULong())\n\n    /**\n     * Multiplies this value by the other value.\n     */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): ULong =
this.times(other.toULong())\n\n    /**\n     * Multiplies this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UInt): ULong = this.times(other.toULong())\n\n    /**\n     * Multiplies this value by

```

```

the other value. */n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong =
ULong(this.data.times(other.data))\n\n /** Divides this value by the other value. */n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): ULong = this.div(other.toULong())\n
/** Divides this value by the other value. */n @kotlin.internal.InlineOnly\n public inline operator fun div(other:
UShort): ULong = this.div(other.toULong())\n /** Divides this value by the other value. */n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): ULong = this.div(other.toULong())\n
/** Divides this value by the other value. */n @kotlin.internal.InlineOnly\n public inline operator fun div(other:
ULong): ULong = ulongDivide(this, other)\n\n /** Calculates the remainder of dividing this value by the other
value. */n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): ULong =
this.rem(other.toULong())\n /** Calculates the remainder of dividing this value by the other value. */n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): ULong = this.rem(other.toULong())\n
/** Calculates the remainder of dividing this value by the other value. */n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())\n /** Calculates the remainder of
dividing this value by the other value. */n @kotlin.internal.InlineOnly\n public inline operator fun rem(other:
ULong): ULong = ulongRemainder(this, other)\n\n /** Increments this value. */n @kotlin.internal.InlineOnly\n
public inline operator fun inc(): ULong = ULong(data.inc())\n /** Decrements this value. */n
@kotlin.internal.InlineOnly\n public inline operator fun dec(): ULong = ULong(data.dec())\n /** Creates a
range from this value to the specified [other] value. */n @kotlin.internal.InlineOnly\n public inline operator fun
rangeTo(other: ULong): ULongRange = ULongRange(this, other)\n\n /** Shifts this value left by the [bitCount]
number of bits. */n @kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): ULong =
ULong(data shl bitCount)\n /** Shifts this value right by the [bitCount] number of bits, filling the leftmost bits
with zeros. */n @kotlin.internal.InlineOnly\n public inline infix fun shr(bitCount: Int): ULong = ULong(data
ushr bitCount)\n /** Performs a bitwise AND operation between the two values. */n
@kotlin.internal.InlineOnly\n public inline infix fun and(other: ULong): ULong = ULong(this.data and
other.data)\n /** Performs a bitwise OR operation between the two values. */n @kotlin.internal.InlineOnly\n
public inline infix fun or(other: ULong): ULong = ULong(this.data or other.data)\n /** Performs a bitwise XOR
operation between the two values. */n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: ULong):
ULong = ULong(this.data xor other.data)\n /** Inverts the bits in this value. */n @kotlin.internal.InlineOnly\n
public inline fun inv(): ULong = ULong(data.inv())\n\n /**\n * Converts this [ULong] value to [Byte].\n */n
* If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same
numerical value as this `ULong`. \n * The resulting `Byte` value is represented by the least significant 8 bits
of this `ULong` value.\n * Note that the resulting `Byte` value may be negative.\n */n
@kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n /**\n * Converts this [ULong]
value to [Short].\n */n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value
represents\n * the same numerical value as this `ULong`. \n * The resulting `Short` value is represented
by the least significant 16 bits of this `ULong` value.\n * Note that the resulting `Short` value may be negative.\n
*/n
@kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort()\n /**\n * Converts this
[ULong] value to [Int].\n */n * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int`
value represents\n * the same numerical value as this `ULong`. \n * The resulting `Int` value is
represented by the least significant 32 bits of this `ULong` value.\n * Note that the resulting `Int` value may be
negative.\n */n
@kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data.toInt()\n /**\n *
Converts this [ULong] value to [Long].\n */n * If this value is less than or equals to [Long.MAX_VALUE], the
resulting `Long` value represents\n * the same numerical value as this `ULong`. Otherwise the result is
negative.\n * The resulting `Long` value has the same binary representation as this `ULong` value.\n */n
@kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data\n\n /**\n * Converts this [ULong]
value to [UByte].\n */n * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte`
value represents\n * the same numerical value as this `ULong`. \n * The resulting `UByte` value is
represented by the least significant 8 bits of this `ULong` value.\n */n
@kotlin.internal.InlineOnly\n public

```



```

kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the list.\n * \n *\n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 1.\n *\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n    return\n    get(0)\n}\n\n/**\n * Returns 2nd *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the\n * size of this list is less than 2.\n *\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>\nList<T>.component2(): T {\n    return get(1)\n}\n\n/**\n * Returns 3rd *element* from the list.\n * \n * Throws an\n [IndexOutOfBoundsException] if the size of this list is less than 3.\n *\n */\n@kotlin.internal.InlineOnly\npublic inline\noperator fun <T> List<T>.component3(): T {\n    return get(2)\n}\n\n/**\n * Returns 4th *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 4.\n *\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component4(): T {\n    return\n    get(3)\n}\n\n/**\n * Returns 5th *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the\n * size of this list is less than 5.\n *\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>\nList<T>.component5(): T {\n    return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n *\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n    if\n    (this is Collection)\n        return contains(element)\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns an\n * element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this\n * collection.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n *\n */\npublic fun <T>\nIterable<T>.elementAt(index: Int): T {\n    if (this is List)\n        return get(index)\n    return\n    elementAtOrElse(index) { throw IndexOutOfBoundsException("Collection doesn't contain element at index\n    $index.") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if\n * the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n *\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAt(index: Int): T {\n    return\n    get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function\n * if the [index] is out of bounds of this collection.\n * \n * @sample\n * samples.collections.Collections.Elements.elementAtOrElse\n *\n */\npublic fun <T>\nIterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (this is List)\n        return\n        this.getOrElse(index, defaultValue)\n    if (index < 0)\n        return defaultValue(index)\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element = iterator.next()\n        if (index == count++)\n            return element\n    }\n    return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the\n * result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n * \n * @sample\n * samples.collections.Collections.Elements.elementAtOrElse\n *\n */\n@kotlin.internal.InlineOnly\npublic inline fun\n<T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <=\n    lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the\n [index] is out of bounds of this collection.\n * \n * @sample\n * samples.collections.Collections.Elements.elementAtOrNull\n *\n */\npublic fun <T>\nIterable<T>.elementOrNull(index: Int): T? {\n    if (this is List)\n        return this.getOrElse(index)\n    if (index <\n    0)\n        return null\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element =\n        iterator.next()\n        if (index == count++)\n            return element\n    }\n    return null\n}\n\n/**\n * Returns an\n * element at the given [index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample\n * samples.collections.Collections.Elements.elementAtOrNull\n *\n */\n@kotlin.internal.InlineOnly\npublic inline fun\n<T> List<T>.elementOrNull(index: Int): T? {\n    return this.getOrElse(index)\n}\n\n/**\n * Returns the first\n * element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample\n * samples.collections.Collections.Elements.find\n *\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>\nIterable<T>.find(predicate: (T) -> Boolean): T? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the last\n * element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample\n * samples.collections.Collections.Elements.find\n *\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>\nIterable<T>.findLast(predicate: (T) -> Boolean): T? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last\n * element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample

```

```

samples.collections.Collections.Elements.find\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
List<T>.findLast(predicate: (T) -> Boolean): T? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the collection is empty.\n *\npublic fun <T>
Iterable<T>.first(): T {\n    when (this) {\n        is List -> return this.first()\n        else -> {\n            val iterator =
iterator()\n            if (!iterator.hasNext())\n                throw NoSuchElementException("Collection is empty.")\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException]
if the list is empty.\n *\npublic fun <T> List<T>.first(): T {\n    if (isEmpty())\n        throw
NoSuchElementException("List is empty.")\n    return this[0]\n}\n\n/**\n * Returns the first element matching the
given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\npublic inline fun <T>
Iterable<T>.first(predicate: (T) -> Boolean): T {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Collection contains no element matching the predicate.")\n}\n\n/**\n * Returns
the first element, or `null` if the collection is empty.\n *\npublic fun <T> Iterable<T>.firstOrNull(): T? {\n    when
(this) {\n        is List -> {\n            if (isEmpty())\n                return null\n            else\n                return this[0]\n        }\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * Returns the first element, or `null` if the list is empty.\n *\npublic
fun <T> List<T>.firstOrNull(): T? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n *\npublic inline fun <T>
Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this list.\n *\n@kotlin.internal.InlineOnly\npublic inline
fun <T> List<T>.getOrNull(index: Int, defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n    return if (index >= 0 && index <= lastIndex) get(index)
else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection does not contain element.\n *\npublic
fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T): Int {\n    if (this is List) return
this.indexOf(element)\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element
== item)\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1
if the list does not contain element.\n *\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T>
List<T>.indexOf(element: T): Int {\n    return indexOf(element)\n}\n\n/**\n * Returns index of the first element
matching the given [predicate], or -1 if the collection does not contain such element.\n *\npublic inline fun <T>
Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -
1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the list does not contain
such element.\n *\npublic inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for
(item in this) {\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n *
Returns index of the last element matching the given [predicate], or -1 if the collection does not contain such
element.\n *\npublic inline fun <T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -
1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            lastIndex = index\n            index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns index of the last element matching
the given [predicate], or -1 if the list does not contain such element.\n *\npublic inline fun <T>
List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    val iterator = this.listIterator(size)\n    while
(iterator.hasPrevious()) {\n        if (predicate(iterator.previous())) {\n            return iterator.nextIndex()\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the collection
is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n *\npublic fun <T> Iterable<T>.last(): T {\n    when
(this) {\n        is List -> return this.last()\n        else -> {\n            val iterator = iterator()\n            if
(!iterator.hasNext())\n                throw NoSuchElementException("Collection is empty.")\n            var last =

```

```

iterator.next()\n        while (iterator.hasNext())\n            last = iterator.next()\n        return last\n    }\n}\n\n/**\n * Returns the last element.\n *\n * @throws NoSuchElementException if the list is empty.\n *\n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> List<T>.last(): T {\n    if (isEmpty())\n        throw NoSuchElementException("List is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n *\n * @throws NoSuchElementException if no such element is found.\n *\n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T>\nIterable<T>.last(predicate: (T) -> Boolean): T {\n    var last: T? = null\n    var found = false\n    for (element in this)\n        if (predicate(element)) {\n            last = element\n            found = true\n        }\n    if (!found) throw\nNoSuchElementException("Collection contains no element matching the predicate.")\n}\n\n@Suppress("UNCHECKED_CAST")\nreturn last as T\n}\n\n/**\n * Returns the last element matching the given [predicate].\n *\n * @throws NoSuchElementException if no such element is found.\n *\n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("List contains no element\nmatching the predicate.")\n}\n\n/**\n * Returns last index of [element], or -1 if the collection does not contain\n element.\n *\n * @kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n if\n (this is List) return this.lastIndexOf(element)\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element == item)\n            lastIndex = index\n            index++\n    }\n    return\nlastIndex\n}\n\n/**\n * Returns last index of [element], or -1 if the list does not contain element.\n *\n * @Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in\n some cases\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n    return\nlastIndexOf(element)\n}\n\n/**\n * Returns the last element, or `null` if the collection is empty.\n *\n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Iterable<T>.lastOrNull(): T? {\n    when (this)\n    {\n        is List -> return if (isEmpty()) null else this[size - 1]\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            var last = iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last element, or `null` if the list is empty.\n *\n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T>\nList<T>.lastOrNull(): T? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Iterable<T>.lastOrNull(predicate: (T) ->\nBoolean): T? {\n    var last: T? = null\n    for (element in this) {\n        if (predicate(element)) {\n            last =\n            element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null`\n if no such element was found.\n *\n * @sample samples.collections.Collections.Elements.last\n */\npublic inline\nfun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    val iterator = this.listIterator(size)\n    while\n(iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if (predicate(element)) return element\n    }\n    return\nnull\n}\n\n/**\n * Returns a random element from this collection.\n *\n * @throws\nNoSuchElementException if this collection is empty.\n *\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.random(): T {\n    return\nrandom(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of\n randomness.\n *\n * @throws NoSuchElementException if this collection is empty.\n *\n * @SinceKotlin("1.3")\n */\npublic fun <T> Collection<T>.random(random: Random): T {\n    if (isEmpty())\n        throw\nNoSuchElementException("Collection is empty.")\n    return\nelementAt(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this collection, or `null` if this collection is empty.\n *\n * @SinceKotlin("1.4")\n */\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.randomOrNull(): T? {\n    return\nrandomOrNull(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of randomness, or `null`\n if this collection is empty.\n *\n * @SinceKotlin("1.4")\n */\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>\nCollection<T>.randomOrNull(random: Random): T? {\n    if (isEmpty())\n        return\nnull\n    return

```

```

elementAt(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the collection is
empty or has more than one element.\n */\npublic fun <T> Iterable<T>.single(): T {\n    when (this) {\n        is List -> return this.single()\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw NoSuchElementException("Collection is empty.")\n            val single = iterator.next()\n            if (iterator.hasNext())\n                throw IllegalArgumentException("Collection has more than one element.")\n            return single\n        }\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or
has more than one element.\n */\npublic fun <T> List<T>.single(): T {\n    return when (size) {\n        0 -> throw NoSuchElementException("List is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("List has more than one element.")\n    }\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic
inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Collection contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Collection contains no element
matching the predicate.")\n    @SuppressWarnings("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns
single element, or `null` if the collection is empty or has more than one element.\n */\npublic fun <T>
Iterable<T>.singleOrNull(): T? {\n    when (this) {\n        is List -> return if (size == 1) this[0] else null\n        else ->
{\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            val single =
iterator.next()\n            if (iterator.hasNext())\n                return null\n            return single\n        }\n    }\n}\n\n/**\n * Returns single element, or `null` if the list is empty or has more than one element.\n */\npublic fun <T>
List<T>.singleOrNull(): T? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic
inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n    var found =
false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =
element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a list
containing all elements except first [n] elements.\n */\n * @throws IllegalArgumentException if [n] is negative.\n */\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Iterable<T>.drop(n: Int):
List<T> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return toList()\n    val list: ArrayList<T>\n    if (this is Collection<*>) {\n        val resultSize = size - n\n        if (resultSize <= 0)\n            return emptyList()\n        if (resultSize == 1)\n            return listOf(last())\n        list = ArrayList<T>(resultSize)\n        if (this is List<T>) {\n            if (this is RandomAccess) {\n                for (index in n until size)\n                    list.add(this[index])\n            } else {\n                for (item in listIterator(n))\n                    list.add(item)\n            }\n            return list\n        }\n    } else {\n        list = ArrayList<T>()\n        var count = 0\n        for (item in this) {\n            if (count >= n) list.add(item) else ++count\n        }\n        return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list
containing all elements except last [n] elements.\n */\n * @throws IllegalArgumentException if [n] is negative.\n */\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> List<T>.dropLast(n: Int):
List<T> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n */\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T>
List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (!isEmpty()) {\n        val iterator =
listIterator(size)\n        while (iterator.hasPrevious()) {\n            if (!predicate(iterator.previous())) {\n                return
take(iterator.nextIndex() + 1)\n            }\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing
all elements except first elements that satisfy the given [predicate].\n */\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Iterable<T>.dropWhile(predicate:
(T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for (item in this)\n        if
(yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Iterable<T>.filter(predicate: (T)

```



```

-> Boolean): List<T> {\n  return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun <T>
Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n  return
filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C : MutableCollection<in T>>
Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n  forEachIndexed { index,
element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return destination\n}\n}\n\n/**\n *
Returns a list containing all elements that are instances of specified type parameter R.\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstance\n */\npublic inline fun <reified R>
Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n  return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstanceTo\n */\npublic inline fun <reified R, C :
MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination: C): C {\n  for (element in this) if (element is
R) destination.add(element)\n  return destination\n}\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T>
Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {\n  return filterNotTo(ArrayList<T>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNull\n */\npublic fun <T : Any> Iterable<T?>.filterNotNull():
List<T> {\n  return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the
given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n */\npublic fun <C
: MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n  for (element in this) if
(element != null) destination.add(element)\n  return destination\n}\n}\n\n/**\n * Appends all elements not matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) ->
Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return
destination\n}\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in
T>> Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n}\n\n/**\n * Returns a list containing elements
at indices in the specified [indices] range.\n */\npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n  if
(indices.isEmpty()) return listOf()\n  return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n}\n\n/**
* Returns a list containing elements at specified [indices].\n */\npublic fun <T> List<T>.slice(indices:
Iterable<Int>): List<T> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n
val list = ArrayList<T>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n}\n\n/**\n *
Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Iterable<T>.take(n: Int):
List<T> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return
emptyList()\n  if (this is Collection<T>) {\n    if (n >= size) return toList()\n    if (n == 1) return
listOf(first())\n  }\n  var count = 0\n  val list = ArrayList<T>(n)\n  for (item in this) {\n    list.add(item)\n
if (++count == n)\n    break\n  }\n  return list.optimizeReadOnlyList()\n}\n}\n\n/**\n * Returns a list containing
last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size =

```

```

size\n if (n >= size) return toList()\n if (n == 1) return listOf(last())\n val list = ArrayList<T>(n)\n if (this is
RandomAccess) {\n for (index in size - n until size)\n list.add(this[index])\n } else {\n for (item in
listIterator(size - n))\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n if (isEmpty())\n return
emptyList()\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n if
(!predicate(iterator.previous())) {\n iterator.next()\n val expectedSize = size - iterator.nextIndex()\n
if (expectedSize == 0) return emptyList()\n return ArrayList<T>(expectedSize).apply {\n while
(iterator.hasNext())\n add(iterator.next())\n }\n }\n }\n return toList()\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun <T> Iterable<T>.takeWhile(predicate:
(T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for (item in this) {\n if (!predicate(item))\n
break\n list.add(item)\n }\n return list\n}\n\n/**\n * Reverses elements in the list in-place.\n *\npublic
expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with elements in reversed order.\n
*\npublic fun <T> Iterable<T>.reversed(): List<T> {\n if (this is Collection && size <= 1) return toList()\n val
list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Randomly shuffles elements in this list in-place
using the specified [random] instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n\n@SinceKotlin("1.3")\npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\n for (i in lastIndex
downTo 1) {\n val j = random.nextInt(i + 1)\n this[j] = this.set(i, this[j])\n }\n}\n\n/**\n * Sorts elements
in the list in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\npublic
inline fun <T, R : Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n if (size > 1)
sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to natural sort
order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n *\npublic inline fun <T, R : Comparable<R>>
MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n if (size > 1)
sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to
their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n *\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n
sortWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n *
\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n
*\n\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {\n if (this is Collection) {\n if (size <= 1)
return this.toList()\n @Suppress("UNCHECKED_CAST")\n return (toTypedArray<Comparable<T>>())
as Array<T>).apply { sort() }.asList()\n }\n return toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of
all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n *
\n * @sample samples.collections.Collections.Sorting.sortedBy\n *\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural
sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n *\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n *\npublic fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T>
{\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to the specified
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other

```

```

after sorting.\n */\npublic fun <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {\n  if (this is
Collection) {\n    if (size <= 1) return this.toList()\n    @Suppress("\nUNCHECKED_CAST")\n    return
(toTypedArray<Any?>() as Array<T>).apply { sortWith(comparator) }.asList()\n  }\n  return
toMutableList().apply { sortWith(comparator) }\n}\n\n/**\n * Returns an array of Boolean containing all of the
elements of this collection.\n */\npublic fun Collection<Boolean>.toBooleanArray(): BooleanArray {\n  val result
= BooleanArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return
result\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this collection.\n */\npublic fun
Collection<Byte>.toByteArray(): ByteArray {\n  val result = ByteArray(size)\n  var index = 0\n  for (element in
this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array of Char containing all of the
elements of this collection.\n */\npublic fun Collection<Char>.toCharArray(): CharArray {\n  val result =
CharArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return
result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this collection.\n */\npublic fun
Collection<Double>.toDoubleArray(): DoubleArray {\n  val result = DoubleArray(size)\n  var index = 0\n  for
(element in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array of Float containing
all of the elements of this collection.\n */\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n  val
result = FloatArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return
result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n */\npublic fun
Collection<Int>.toIntArray(): IntArray {\n  val result = IntArray(size)\n  var index = 0\n  for (element in
this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array of Long containing all of the
elements of this collection.\n */\npublic fun Collection<Long>.toLongArray(): LongArray {\n  val result =
LongArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return
result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this collection.\n */\npublic fun
Collection<Short>.toShortArray(): ShortArray {\n  val result = ShortArray(size)\n  var index = 0\n  for (element
in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns a [Map] containing key-value pairs
provided by [transform] function\n * applied to elements of the given collection.\n * \n * If any of two pairs would
have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associate\n */\npublic
inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K,
V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given collection indexed
by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.associateBy\n */\npublic inline fun <T, K>
Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n  val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and
indexed by [keySelector] functions applied to elements of the given collection.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V>
Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with
key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given
collection\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by
[keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in

```

```

K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}
Populates and returns the [destination] mutable map with key-value pairs,
where key is provided by the [keySelector] function and
value is provided by the [valueTransform] function applied to elements of the given collection.
If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
@sample
samples.collections.Collections.Transformations.associateByToWithValueTransform

public inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
valueTransform(element))
    }
    return destination
}
Populates and returns the [destination] mutable
map with key-value pairs
provided by [transform] function applied to each element of the given collection.
If any of two pairs would have the same key the last one gets added to the map.
@sample
samples.collections.Collections.Transformations.associateTo

public inline fun <T, K, V, M : MutableMap<in
K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}
Returns a [Map] where keys are
elements from the given collection and values are
produced by the [valueSelector] function applied to each
element.
If any two elements are equal, the last one gets added to the map.
The returned map
preserves the entry iteration order of the original collection.
@sample
samples.collections.Collections.Transformations.associateWith

@SinceKotlin("1.3")
public inline fun <K, V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
    val result = LinkedHashMap<K, V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))
    return associateWithTo(result,
valueSelector)
}
Populates and returns the [destination] mutable map with key-value pairs for each
element of the given collection,
where key is the element itself and value is provided by the [valueSelector]
function applied to that key.
If any two elements are equal, the last one overwrites the former value in the
map.
@sample
samples.collections.Collections.Transformations.associateWithTo

@SinceKotlin("1.3")
public inline fun <K, V, M : MutableMap<in K, in V>>
Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {
    for (element in this) {
        destination.put(element, valueSelector(element))
    }
    return destination
}
Appends all elements to
the given [destination] collection.
public fun <T, C : MutableCollection<in T>>
Iterable<T>.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return
destination
}
Returns a new [HashSet] of all elements.
public fun <T> Iterable<T>.toHashSet():
HashSet<T> {
    return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))
}
Returns a [List] containing all elements.
public fun <T> Iterable<T>.toList(): List<T> {
    if (this is
Collection) {
        return when (size) {
            0 -> emptyList()
            1 -> listOf(if (this is List) get(0) else
iterator().next())
            else -> this.toMutableList()
        }
    }
    return
this.toMutableList().optimizeReadOnlyList()
}
Returns a new [MutableList] filled with all elements of
this collection.
public fun <T> Iterable<T>.toMutableList(): MutableList<T> {
    if (this is Collection<T>)\n
return this.toMutableList()
return toCollection(ArrayList<T>())
}
Returns a new [MutableList]
filled with all elements of this collection.
public fun <T> Collection<T>.toMutableList(): MutableList<T> {
    return ArrayList(this)
}
Returns a [Set] of all elements.
The returned set preserves the element
iteration order of the original collection.
public fun <T> Iterable<T>.toSet(): Set<T> {
    if (this is
Collection) {
        return when (size) {
            0 -> emptySet()
            1 -> setOf(if (this is List) this[0] else
iterator().next())
            else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))
        }
    }
    return
toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()
}
Returns a single list of all elements
yielded from results of [transform] function being invoked on each element of original collection.
@sample
samples.collections.Collections.Transformations.flatMap

public inline fun <T, R>
Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {
    return flatMapTo(ArrayList<R>(),
transform)
}
Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original collection.
@sample

```

```

samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <T, R>
Iterable<T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original collection.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original collection, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original collection, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npu
blic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Sequence<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original collection, to the given [destination].\n *\npublic inline fun <T, R, C : MutableCollection<in
R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n    for (element in this) {\n        val
list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original collection, to the
given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic inline
fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original collection\n * by the key returned by the given

```

[keySelector] function applied to the element and returns a map where each group key is associated with a list of corresponding values. The returned map preserves the entry iteration order of the keys produced from the original collection.

```

@sample samples.collections.Collections.Transformations.groupByKeysAndValues
public inline fun <T, K, V> Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {
    return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)
}

```

Groups elements of the original collection by the key returned by the given [keySelector] function applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.

```

@return The [destination] map.
@sample samples.collections.Collections.Transformations.groupBy
public inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<T>() }
        list.add(element)
    }
    return destination
}

```

Groups values returned by the [valueTransform] function applied to each element of the original collection by the key returned by the given [keySelector] function applied to the element and puts to the [destination] map each group key associated with a list of corresponding values.

```

@return The [destination] map.
@sample samples.collections.Collections.Transformations.groupByKeysAndValues
public inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

```

Creates a [Grouping] source from a collection to be used later with one of group-and-fold operations using the specified [keySelector] function to extract a key from each element.

```

@sample samples.collections.Grouping.groupingByEachCount
@SinceKotlin("1.1")
public inline fun <T, K> Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {
    return object : Grouping<T, K> {
        override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()
        override fun keyOf(element: T): K = keySelector(element)
    }
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original collection.

```

@sample samples.collections.Collections.Transformations.map
public inline fun <T, R> Iterable<T>.map(transform: (T) -> R): List<R> {
    return mapTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original collection.

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <T, R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)
}

```

Returns a list containing only the non-null results of applying the given [transform] function to each element and its index in the original collection.

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <T, R : Any> Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {
    return mapIndexedNotNullTo(ArrayList<R>(), transform)
}

```

Applies the given [transform] function to each element and its index in the original collection and appends only the non-null results to the given [destination].

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {
    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }
    return destination
}

```

Applies the given [transform] function to each element and its index in the original collection and appends the results to the given [destination].

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(checkIndexOverflow(index++), item))
    return destination
}

```

```

destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform]
function\n * to each element in the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <T, R : Any>
Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n    return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original collection\n * and
appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C :
MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n    forEach {
element -> transform(element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original collection\n * and appends the results to the given
[destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C,
transform: (T) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return
destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original collection\n * into an
[IndexValue] containing the index of that element and the element itself.\n */\npublic fun <T>
Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a list containing only distinct elements from the given collection.\n * \n * Among equal elements of the
given collection, only the first one will be present in the resulting list.\n * The elements in the resulting list are in the
same order as they were in the source collection.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Iterable<T>.distinct():
List<T> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the
given collection\n * having distinct keys returned by the given [selector] function.\n * \n * Among elements of the
given collection with equal keys, only the first one will be present in the resulting list.\n * The elements in the
resulting list are in the same order as they were in the source collection.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <T, K>
Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n    val set = HashSet<K>()\n    val list = ArrayList<T>()\n
for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n        list.add(e)\n    }\n    return list\n}\n\n/**\n *
Returns a set containing all elements that are contained by both this collection and the specified collection.\n * \n *
The returned set preserves the element iteration order of the original collection.\n * To get a set containing all
elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T>
Iterable<T>.intersect(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this collection and not contained
by the specified collection.\n * \n * The returned set preserves the element iteration order of the original
collection.\n */\npublic infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {\n    val set =
this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a new [MutableSet] containing all
distinct elements from the given collection.\n * \n * The returned set preserves the element iteration order of the
original collection.\n */\npublic fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {\n    return when (this) {\n
is Collection<T> -> LinkedHashSet(this)\n    else -> toCollection(LinkedHashSet<T>())\n    }\n}\n\n/**\n *
Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element
iteration order of the original collection.\n * Those elements of the [other] collection that are unique are iterated in
the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in
both collections use [intersect].\n */\npublic infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {\n    val
set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns `true` if all elements match the
given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T>
Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for
(element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if collection has at
least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T>
Iterable<T>.any(): Boolean {\n    if (this is Collection) return !isEmpty()\n    return iterator().hasNext()\n}\n\n/**\n *
Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T>

```

```

Iterable<T>.any(predicate: (T) -> Boolean): Boolean {
    if (this is Collection && isEmpty()) return false
    for (element in this) if (predicate(element)) return true
    return false
}

Returns the number of elements in this collection.
public fun <T> Iterable<T>.count(): Int {
    if (this is Collection) return size
    var count = 0
    for (element in this) checkCountOverflow(++count)
    return count
}

Returns the number of elements in this collection.
@kotlin.internal.InlineOnly
public inline fun <T> Collection<T>.count(): Int {
    return size
}

Returns the number of elements matching the given [predicate].
public inline fun <T> Iterable<T>.count(predicate: (T) -> Boolean): Int {
    if (this is Collection && isEmpty()) return 0
    var count = 0
    for (element in this) if (predicate(element)) checkCountOverflow(++count)
    return count
}

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.
Returns the specified [initial] value if the collection is empty.
@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
public inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original collection.
Returns the specified [initial] value if the collection is empty.
@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.
public inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)
    return accumulator
}

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.
Returns the specified [initial] value if the list is empty.
@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
public inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
        val iterator = listIterator(size)
        while (iterator.hasPrevious()) {
            accumulator = operation(iterator.previous(), accumulator)
        }
    }
    return accumulator
}

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original list and current accumulator value.
Returns the specified [initial] value if the list is empty.
@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
public inline fun <T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
        val iterator = listIterator(size)
        while (iterator.hasPrevious()) {
            val index = iterator.previousIndex()
            accumulator = operation(index, iterator.previous(), accumulator)
        }
    }
    return accumulator
}

Performs the given [action] on each element.
@kotlin.internal.HidesMembers
public inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {
    for (element in this) action(element)
}

Performs the given [action] on each element, providing sequential index with the element.
@param [action] function that takes the index of an element and the element itself and performs the action on the element.
public inline fun <T> Iterable<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {
    var index = 0
    for (item in this) action(checkIndexOverflow(index++), item)
}

@Deprecated("Use maxOrNull instead.", ReplaceWith("maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4")
@SinceKotlin("1.1")
public fun Iterable<Double>.max(): Double? {
    return maxOrNull()
}

@Deprecated("Use maxOrNull instead.", ReplaceWith("maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4")
@SinceKotlin("1.1")
public fun Iterable<Float>.max(): Float? {
    return maxOrNull()
}

@Deprecated("Use maxOrNull instead.", ReplaceWith("maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4")
public fun <T : Comparable<T>> Iterable<T>.max(): T? {
    return maxOrNull()
}

@Deprecated("Use maxByOrNull instead.", ReplaceWith("maxByOrNull(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.4")
public inline fun <T, R : Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {
    return
}

```



```

maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*\n@\n@SinceKotlin("1.4")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxByOrNull(selector: (T) ->
R): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxElem = iterator.next()\n    if
(iterator.hasNext()) return maxElem\n    var maxValue = selector(maxElem)\n    do {\n        val e = iterator.next()\n
        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    } while
(iterator.hasNext())\n    return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by
[selector] function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is
empty.\n
*\n@\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the collection is empty.\n
*\n@\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*\n@\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.maxOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n
*\n@\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue =
maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue =
maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n
*\n@\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>

```

```

Iterable<T>.maxOrNull(selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}
/** Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the collection.
 * @throws NoSuchElementException if the collection is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R>
Iterable<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var maxValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}
/** Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the collection or `null` if there are no elements.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R>
Iterable<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}
/** Returns the largest element or `null` if there are no elements.
 * If any of elements is `NaN` returns `NaN`.
 */
@SinceKotlin("1.4")
public fun
Iterable<Double>.maxOrNull(): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        max = maxOf(max, e)
    }
    return max
}
/** Returns the largest element or `null` if there are no elements.
 * If any of elements is `NaN` returns `NaN`.
 */
@SinceKotlin("1.4")
public fun Iterable<Float>.maxOrNull(): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        max = maxOf(max, e)
    }
    return max
}
/** Returns the largest element or `null` if there are no elements.
 */
@SinceKotlin("1.4")
public fun <T : Comparable<T>> Iterable<T>.maxOrNull(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (max < e) max = e
    }
    return max
}
@Deprecated("Use maxWithOrNull instead.", ReplaceWith("maxWithOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4")
public fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {
    return maxWithOrNull(comparator)
}
/** Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.
 */
@SinceKotlin("1.4")
public fun <T>
Iterable<T>.maxWithOrNull(comparator: Comparator<in T>): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}
@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4")
@SinceKotlin("1.1")
public fun Iterable<Double>.min(): Double? {
    return minOrNull()
}
@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4")
@SinceKotlin("1.1")
public fun Iterable<Float>.min(): Float? {
    return minOrNull()
}
@Deprecated("Use minOrNull instead.", ReplaceWith("minOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4")
public fun <T : Comparable<T>> Iterable<T>.min(): T? {
    return minOrNull()
}
@Deprecated("Use minByOrNull instead.", ReplaceWith("minByOrNull(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.4")
public inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {
    return minByOrNull(selector)
}
/** Returns the first element yielding the smallest value of the given function or
 */

```

```

`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minByOrNull(selector: (T) ->
R): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minElem = iterator.next()\n    if
(!iterator.hasNext()) return minElem\n    var minValue = selector(minElem)\n    do {\n        val e = iterator.next()\n
        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    } while
(iterator.hasNext())\n    return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by
[selector] function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is
empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the collection is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.minOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue =
minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n * \n * If any
of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue =
minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.minOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return

```

```

null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Iterable<T>.minOfWith(comparator:
Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the collection or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Iterable<T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(minValue, v) > 0) {\n
            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are
no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun
Iterable<Double>.minOrNull(): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var
min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements
is `NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun Iterable<Float>.minOrNull(): Float? {\n    val
iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext())
{\n        val e = iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest
element or `null` if there are no elements.\n *\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>>
Iterable<T>.minOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min =
iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min = e\n    }\n    return
min\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun
<T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n    return
minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the
provided [comparator] or `null` if there are no elements.\n *\n@SinceKotlin("1.4")\npublic fun <T>
Iterable<T>.minWithOrNull(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if
the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun
<T> Iterable<T>.none(): Boolean {\n    if (this is Collection) return isEmpty()\n    return
!iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <T>
Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for
(element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each
element and returns the collection itself afterwards.\n *\n@SinceKotlin("1.1")\npublic inline fun <T, C :
Iterable<T>> C.onEach(action: (T) -> Unit): C {\n    return apply { for (element in this) action(element)
}\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and
returns the collection itself afterwards.\n * \n * @param [action] function that takes the index of an element and the
element itself\n * and performs the action on the element.\n *\n@SinceKotlin("1.4")\npublic inline fun <T, C :
Iterable<T>> C.onEachIndexed(action: (index: Int, T) -> Unit): C {\n    return apply { forEachIndexed(action)
}

```

```

}
}

 * Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element.
 * Throws an exception if this collection is empty. If the collection can be empty in an expected way,
 * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduce
 * \npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {
 * \n    val iterator = this.iterator()
 * \n    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't be reduced.")
 * \n    var accumulator: S = iterator.next()
 * \n    while (iterator.hasNext()) {
 * \n        accumulator = operation(accumulator, iterator.next())
 * \n    }
 * \n    return accumulator
 * \n}

 * Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element with its index in the original collection.
 * Throws an exception if this collection is empty. If the collection can be empty in an expected way,
 * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.
 * @param [operation] function that takes the index of an element, current accumulator value and the element itself,
 * and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduce
 * \npublic inline fun <S, T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {
 * \n    val iterator = this.iterator()
 * \n    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't be reduced.")
 * \n    var index = 1
 * \n    var accumulator: S = iterator.next()
 * \n    while (iterator.hasNext()) {
 * \n        accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())
 * \n    }
 * \n    return accumulator
 * \n}

 * Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element with its index in the original collection.
 * Returns `null` if the collection is empty.
 * @param [operation] function that takes the index of an element, current accumulator value and the element itself,
 * and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduceOrNull
 * \n@SinceKotlin("1.4")
 * \npublic inline fun <S, T : S> Iterable<T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {
 * \n    val iterator = this.iterator()
 * \n    if (!iterator.hasNext()) return null
 * \n    var index = 1
 * \n    var accumulator: S = iterator.next()
 * \n    while (iterator.hasNext()) {
 * \n        accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())
 * \n    }
 * \n    return accumulator
 * \n}

 * Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element.
 * Returns `null` if the collection is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduceOrNull
 * \n@SinceKotlin("1.4")
 * \n@WasExperimental(ExperimentalStdlibApi::class)
 * \npublic inline fun <S, T : S> Iterable<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {
 * \n    val iterator = this.iterator()
 * \n    if (!iterator.hasNext()) return null
 * \n    var accumulator: S = iterator.next()
 * \n    while (iterator.hasNext()) {
 * \n        accumulator = operation(accumulator, iterator.next())
 * \n    }
 * \n    return accumulator
 * \n}

 * Accumulates value starting with the last element and applying [operation] from right to left
 * to each element and current accumulator value.
 * Throws an exception if this list is empty. If the list can be empty in an expected way,
 * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.
 * @param [operation] function that takes an element and current accumulator value,
 * and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduceRight
 * \npublic inline fun <S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S {
 * \n    val iterator = listIterator(size)
 * \n    if (!iterator.hasPrevious())
 * \n        throw UnsupportedOperationException("Empty list can't be reduced.")
 * \n    var accumulator: S = iterator.previous()
 * \n    while (iterator.hasPrevious()) {
 * \n        accumulator = operation(iterator.previous(), accumulator)
 * \n    }
 * \n    return accumulator
 * \n}

 * Accumulates value starting with the last element and applying [operation] from right to left
 * to each element with its index in the original list and current accumulator value.
 * Throws an exception if this list is empty. If the list can be empty in an expected way,
 * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.
 * @param [operation] function that takes the index of an element, the element itself and current accumulator value,
 * and calculates the next accumulator value.
 * @sample

```

```

samples.collections.Collections.Aggregates.reduceRight\n *^\npublic inline fun <S, T : S>
List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n  val iterator = listIterator(size)\n  if
(!iterator.hasPrevious())\n    throw UnsupportedOperationException("Empty list can't be reduced.")\n  var
accumulator: S = iterator.previous()\n  while (iterator.hasPrevious()) {\n    val index = iterator.previousIndex()\n
    accumulator = operation(index, iterator.previous(), accumulator)\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original list and current accumulator value.\n * \n * Returns `null` if the list is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^\n@SinceKotlin("1.4")\npublic inline fun <S,
T : S> List<T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {\n  val iterator =
listIterator(size)\n  if (!iterator.hasPrevious())\n    return null\n  var accumulator: S = iterator.previous()\n
while (iterator.hasPrevious()) {\n    val index = iterator.previousIndex()\n    accumulator = operation(index,
iterator.previous(), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *
Returns `null` if the list is empty.\n * \n * @param [operation] function that takes an element and current
accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*^\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
List<T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n  val iterator = listIterator(size)\n  if
(!iterator.hasPrevious())\n    return null\n  var accumulator: S = iterator.previous()\n  while
(iterator.hasPrevious()) {\n    accumulator = operation(iterator.previous(), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n
* \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an
element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n *^\n@SinceKotlin("1.4")\npublic inline fun <T, R>
Iterable<T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {\n  val estimatedSize =
collectionSizeOrDefault(9)\n  if (estimatedSize == 0) return listOf(initial)\n  val result =
ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n
accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element, its index in the original collection and current accumulator value that starts with [initial] value.\n
* \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n *^\n@SinceKotlin("1.4")\npublic inline fun <T, R>
Iterable<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n  val estimatedSize
= collectionSizeOrDefault(9)\n  if (estimatedSize == 0) return listOf(initial)\n  val result =
ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n  var index = 0\n  var accumulator = initial\n  for
(element in this) {\n    accumulator = operation(index++, accumulator, element)\n    result.add(accumulator)\n
  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with the first element of
this collection.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it
would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator
value and the element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n

```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Iterable<T>.runningReduce(operation: (acc: S, T) -> S): List<S> {\n  val iterator = this.iterator()\n  if
(iterator.hasNext()) return emptyList()\n  var accumulator: S = iterator.next()\n  val result =
ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n  while (iterator.hasNext()) {\n
accumulator = operation(accumulator, iterator.next())\n  result.add(accumulator)\n  }\n  return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element, its index in the original collection and current accumulator value that starts with the
first element of this collection.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n
* otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\npublic inline fun <S, T : S> Iterable<T>.runningReduceIndexed(operation: (index: Int,
acc: S, T) -> S): List<S> {\n  val iterator = this.iterator()\n  if (!iterator.hasNext()) return emptyList()\n  var
accumulator: S = iterator.next()\n  val result = ArrayList<S>(collectionSizeOrDefault(10)).apply {
add(accumulator) }\n  var index = 1\n  while (iterator.hasNext()) {\n    accumulator = operation(index++,
accumulator, iterator.next())\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element
and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Iterable<T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n  return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element, its index in the original collection and current accumulator value that starts
with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Iterable<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n  return
runningFoldIndexed(initial, operation)\n}\n\n@Deprecated("Use runningReduce instead.",
ReplaceWith("runningReduce(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S>
Iterable<T>.scanReduce(operation: (acc: S, T) -> S): List<S> {\n  return
runningReduce(operation)\n}\n\n@Deprecated("Use runningReduceIndexed instead.",
ReplaceWith("runningReduceIndexed(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S>
Iterable<T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n  return
runningReduceIndexed(operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n */\npublic inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int
{\n  var sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\npublic
inline fun <T> Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n  var sum: Double = 0.0\n  for
(element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the collection.\n */\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

<T> Iterable<T>.sumOf(selector: (T) -> Double): Double { \n  var sum: Double = 0.toDouble()\n  for (element in
this) { \n    sum += selector(element)\n  }\n  return sum\n}\n\n * Returns the sum of all values produced by
[selector] function applied to each element in the collection.\n
*\n\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("sumOfInt")\n @kotlin.internal.InlineOnly\n public inline fun <T>
Iterable<T>.sumOf(selector: (T) -> Int): Int { \n  var sum: Int = 0.toInt()\n  for (element in this) { \n    sum +=
selector(element)\n  }\n  return sum\n}\n\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n
*\n\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("sumOfLong")\n @kotlin.internal.InlineOnly\n public inline fun
<T> Iterable<T>.sumOf(selector: (T) -> Long): Long { \n  var sum: Long = 0.toLong()\n  for (element in this) { \n
sum += selector(element)\n  }\n  return sum\n}\n\n * Returns the sum of all values produced by [selector]
function applied to each element in the collection.\n
*\n\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("sumOfUInt")\n @ExperimentalUnsignedTypes\n @kotlin.internal
.InlineOnly\n public inline fun <T> Iterable<T>.sumOf(selector: (T) -> UInt): UInt { \n  var sum: UInt =
0.toUInt()\n  for (element in this) { \n    sum += selector(element)\n  }\n  return sum\n}\n\n * Returns the
sum of all values produced by [selector] function applied to each element in the collection.\n
*\n\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("sumOfULong")\n @ExperimentalUnsignedTypes\n @kotlin.inter
nal.InlineOnly\n public inline fun <T> Iterable<T>.sumOf(selector: (T) -> ULong): ULong { \n  var sum: ULong =
0.toULong()\n  for (element in this) { \n    sum += selector(element)\n  }\n  return sum\n}\n\n * Returns
an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are
any `null` elements.\n
*\n\n public fun <T : Any> Iterable<T?>.requireNoNulls(): Iterable<T> { \n  for (element in
this) { \n    if (element == null) { \n      throw IllegalArgumentException("null element found in $this.")\n    }\n  }\n  @Suppress("UNCHECKED_CAST")\n  return this as Iterable<T>\n}\n\n * Returns an original
collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null`
elements.\n
*\n\n public fun <T : Any> List<T?>.requireNoNulls(): List<T> { \n  for (element in this) { \n    if
(element == null) { \n      throw IllegalArgumentException("null element found in $this.")\n    }\n  }\n  @Suppress("UNCHECKED_CAST")\n  return this as List<T>\n}\n\n * Splits this collection into a list of
lists each not exceeding the given [size].\n
*\n\n * The last list in the resulting list may have less elements than the
given [size].\n
*\n\n * @param size the number of elements to take in each list, must be positive and can be greater
than the number of elements in this collection.\n
*\n\n * @sample
samples.collections.Collections.Transformations.chunked\n
*\n\n @SinceKotlin("1.2")\n\n public fun <T>
Iterable<T>.chunked(size: Int): List<List<T>> { \n  return windowed(size, size, partialWindows = true)\n}\n\n\n * Splits this collection into several lists each not exceeding the given [size]\n
*\n\n and applies the given [transform]
function to an each.\n
*\n\n * @return list of results of the [transform] applied to an each list.\n
*\n\n * Note that the
list passed to the [transform] function is ephemeral and is valid only inside that function.\n
*\n\n * You should not store it
or allow it to escape in some way, unless you made a snapshot of it.\n
*\n\n * The last list may have less elements than the
given [size].\n
*\n\n * @param size the number of elements to take in each list, must be positive and can be greater
than the number of elements in this collection.\n
*\n\n * @sample samples.text.Strings.chunkedTransform\n
*\n\n @SinceKotlin("1.2")\n\n public fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R>
{ \n  return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n\n * Returns a list
containing all elements of the original collection without the first occurrence of the given [element].\n
*\n\n\n public
operator fun <T> Iterable<T>.minus(element: T): List<T> { \n  val result =
ArrayList<T>(collectionSizeOrDefault(10))\n  var removed = false\n  return this.filterTo(result) { if (!removed
&& it == element) { removed = true; false } else true }\n}\n\n\n * Returns a list containing all elements of the
original collection except the elements contained in the given [elements] array.\n
*\n\n * The [elements] array may be

```


converted to a [HashSet] to speed up the operation, thus the elements are required to have a correct and stable implementation of hashCode() that doesn't change between successive invocations.

```

public operator fun <T>
Iterable<T>.minus(elements: Array<out T>): List<T> {
    if (elements.isEmpty()) return this.toList()
    val other = elements.toHashSet()
    return this.filterNot { it in other }
}

```

Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection. The [elements] collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have a correct and stable implementation of hashCode() that doesn't change between successive invocations.

```

public operator fun <T>
Iterable<T>.minus(elements: Iterable<T>): List<T> {
    val other = elements.convertToSetForSetOperationWith(this)
    if (other.isEmpty()) return this.toList()
    return this.filterNot { it in other }
}

```

Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence. The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have a correct and stable implementation of hashCode() that doesn't change between successive invocations.

```

public operator fun <T>
Iterable<T>.minus(elements: Sequence<T>): List<T> {
    val other = elements.toHashSet()
    if (other.isEmpty()) return this.toList()
    return this.filterNot { it in other }
}

```

Returns a list containing all elements of the original collection without the first occurrence of the given [element].

```

@kotlin.internal.InlineOnly
public inline fun <T>
Iterable<T>.minusElement(element: T): List<T> {
    return minus(element)
}

```

Splits the original collection into pair of lists, where first list contains elements for which [predicate] yielded true, while second list contains elements for which [predicate] yielded false.

```

@sample
collections.Iterables.Operations.partition

```

```

public inline fun <T>
Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {
    val first = ArrayList<T>()
    val second = ArrayList<T>()
    for (element in this) {
        if (predicate(element)) first.add(element)
    } else {
        second.add(element)
    }
    return Pair(first, second)
}

```

Returns a list containing all elements of the original collection and then the given [element].

```

public operator fun <T>
Iterable<T>.plus(element: T): List<T> {
    if (this is Collection) return this.plus(element)
    val result = ArrayList<T>()
    result.addAll(this)
    result.add(element)
    return result
}

```

Returns a list containing all elements of the original collection and then the given [element].

```

public operator fun <T>
Collection<T>.plus(element: T): List<T> {
    val result = ArrayList<T>(size + 1)
    result.addAll(this)
    result.add(element)
    return result
}

```

Returns a list containing all elements of the original collection and then all elements of the given [elements] array.

```

public operator fun <T>
Iterable<T>.plus(elements: Array<out T>): List<T> {
    if (this is Collection) return this.plus(elements)
    val result = ArrayList<T>()
    result.addAll(this)
    result.addAll(elements)
    return result
}

```

Returns a list containing all elements of the original collection and then all elements of the given [elements] array.

```

public operator fun <T>
Collection<T>.plus(elements: Array<out T>): List<T> {
    val result = ArrayList<T>(this.size + elements.size)
    result.addAll(this)
    result.addAll(elements)
    return result
}

```

Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.

```

public operator fun <T>
Iterable<T>.plus(elements: Iterable<T>): List<T> {
    if (this is Collection) return this.plus(elements)
    val result = ArrayList<T>()
    result.addAll(this)
    result.addAll(elements)
    return result
}

```

Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.

```

public operator fun <T>
Collection<T>.plus(elements: Iterable<T>): List<T> {
    if (elements is Collection) {
        val result = ArrayList<T>(this.size + elements.size)
        result.addAll(this)
        result.addAll(elements)
        return result
    } else {
        val result = ArrayList<T>(this)
        result.addAll(elements)
        return result
    }
}

```

Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.

```

public operator fun <T>
Iterable<T>.plus(elements: Sequence<T>): List<T> {
    val result = ArrayList<T>()
    result.addAll(this)
    result.addAll(elements)
    return result
}

```

Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.

```

public operator fun <T>
Collection<T>.plus(elements: Sequence<T>): List<T> {
    val result = ArrayList<T>(this.size + 10)
}

```

```

result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements
of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list containing all
elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list of
snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n *
snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and
[step] must be positive and can be greater than the number of elements in this collection.\n * \n * @param size the
number of elements to take in each window\n * \n * @param step the number of elements to move the window forward
by on an each step, by default 1\n * \n * @param partialWindows controls whether or not to keep partial windows in the
end if any,\n * \n * by default `false` which means partial windows won't be preserved\n * \n * \n * @sample
samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> {\n
    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize = this.size\n
        val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n        val result =
        ArrayList<List<T>>(resultCapacity)\n        var index = 0\n        while (index in 0 until thisSize) {\n            val
            windowSize = size.coerceAtMost(thisSize - index)\n            if (windowSize < size && !partialWindows) break\n
            result.add(List(windowSize) { this[it + index] })\n            index += step\n        }\n        return result\n    }\n    val
    result = ArrayList<List<T>>()\n    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer =
    false).forEach {\n        result.add(it)\n    }\n    return result\n}\n\n/**\n * Returns a list of results of applying the
given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding
along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral
and is valid only inside that function.\n * \n * You should not store it or allow it to escape in some way, unless you made
a snapshot of it.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step]
must be positive and can be greater than the number of elements in this collection.\n * \n * @param size the number of
elements to take in each window\n * \n * @param step the number of elements to move the window forward by on an
each step, by default 1\n * \n * @param partialWindows controls whether or not to keep partial windows in the end if
any,\n * \n * by default `false` which means partial windows won't be preserved\n * \n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin("1.2")\npublic fun <T, R>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):
List<R> {\n    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize =
this.size\n        val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n        val result =
        ArrayList<R>(resultCapacity)\n        val window = MovingSubList(this)\n        var index = 0\n        while (index in 0
        until thisSize) {\n            val windowSize = size.coerceAtMost(thisSize - index)\n            if (!partialWindows &&
            windowSize < size) break\n            window.move(index, index + windowSize)\n            result.add(transform(window))\n
            index += step\n        }\n        return result\n    }\n    val result =
    ArrayList<R>()\n    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n
        result.add(transform(it))\n    }\n    return result\n}\n\n/**\n * Returns a list of pairs built from the elements of `this`
collection and the [other] array with the same index.\n * \n * The returned list has length of the shortest collection.\n * \n *
\n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other:
Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values
built from the elements of `this` collection and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * \n * The returned list has length of the shortest collection.\n *
\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V>
Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n    val arraySize = other.size\n    val
    list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in this) {\n        if
        (i >= arraySize) break\n        list.add(transform(element, other[i++]))\n    }\n    return list\n}\n\n/**\n * Returns a list
of pairs built from the elements of `this` collection and [other] collection with the same index.\n * \n * The returned list

```

```

has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <T, R, V>
Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n    val first = iterator()\n    val second
= other.iterator()\n    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10),
other.collectionSizeOrDefault(10)))\n    while (first.hasNext() && second.hasNext()) {\n
list.add(transform(first.next(), second.next()))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs of each two
adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two
elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n
*\n@SinceKotlin("1.2")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n    return zipWithNext
{ a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to
an each pair of two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains
less than two elements.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n
*\n@SinceKotlin("1.2")\npublic
inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return emptyList()\n    val result = mutableListOf<R>()\n    var current = iterator.next()\n
while (iterator.hasNext()) {\n    val next = iterator.next()\n    result.add(transform(current, next))\n    current
= next\n    }\n    return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and
using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-
negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the
[truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n
*\npublic fun <T, A : Appendable>
Iterable<T>.joinTo(buffer: A, separator: CharSequence = '\n', prefix: CharSequence = "", postfix: CharSequence
= "", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n
        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n    if
(limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n *
Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n *
@sample samples.collections.Collections.Transformations.joinToString\n
*\npublic fun <T>
Iterable<T>.joinToString(separator: CharSequence = '\n', prefix: CharSequence = "", postfix: CharSequence =
"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this
collection as an [Iterable].\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable():
Iterable<T> {\n    return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning
its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromCollection\n
*\npublic fun <T> Iterable<T>.asSequence():
Sequence<T> {\n    return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the
collection.\n *\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Iterable<Byte>.average(): Double {\n    var
sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n *\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun
Iterable<Short>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n    checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /

```

```

count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*\n@kotlin.jvm.JvmName("\averageOfInt()")\npublic fun Iterable<Int>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*\n@kotlin.jvm.JvmName("\averageOfLong()")\npublic fun Iterable<Long>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*\n@kotlin.jvm.JvmName("\averageOfFloat()")\npublic fun Iterable<Float>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*\n@kotlin.jvm.JvmName("\averageOfDouble()")\npublic fun Iterable<Double>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("\sumOfByte()")\npublic fun Iterable<Byte>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("\sumOfShort()")\npublic fun Iterable<Short>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("\sumOfInt()")\npublic fun Iterable<Int>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("\sumOfLong()")\npublic fun Iterable<Long>.sum(): Long {\n    var sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("\sumOfFloat()")\npublic fun Iterable<Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("\sumOfDouble()")\npublic fun Iterable<Double>.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@npackage kotlin.collections\n\nimport kotlin.comparisons.naturalOrder\n\nimport kotlin.random.Random\n\n/**\n * Returns the array if it's not `null`, or an empty array otherwise.
*\n@kotlin.internal.InlineOnly\n\npublic actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this ?: emptyArray<T>()\n\n@kotlin.internal.InlineOnly\n\npublic actual inline fun <T> Collection<T>.toArray(): Array<T> = copyToArray(this)\n\n@JsName("copyToArray")\n\n@PublishedApi\n\ninternal fun <T> copyToArray(collection: Collection<T>): Array<T> {\n    return if (collection.asDynamic().toArray !== undefined)\n        collection.asDynamic().toArray().unsafeCast<Array<T>>()\n    else\n        copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName("\copyToArrayImpl()")\n\ninternal actual fun copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n    val array = emptyArray<Any?>()\n    val iterator = collection.iterator()\n    while (iterator.hasNext())\n        array.asDynamic().push(iterator.next())\n    return array\n}\n\n@JsName("\copyToExistingArrayImpl()")\n\ninternal actual fun <T> copyToArrayImpl(collection: Collection<*>, array: Array<T>): Array<T> {\n    if (array.size < collection.size)\n        return copyToArrayImpl(collection).unsafeCast<Array<T>>()\n    val iterator = collection.iterator()\n    var index = 0\n    while (iterator.hasNext()) {\n        array[index++] = iterator.next().unsafeCast<T>()\n    }\n    if (index < array.size)\n        array[index] = null.unsafeCast<T>()\n    return array\n}\n\n/**\n * Returns an immutable list containing only the specified object [element].
*\n\n@npublic fun <T> listOf(element: T): List<T> = arrayListOf(element)\n\n@PublishedApi\n\n@SinceKotlin("1.3")\n\n@ExperimentalStdlibApi\n\n@kotlin.internal.InlineOnly\n\ninternal actual inline fun <E> buildListInternal(builderAction: MutableList<E>.() -> Unit): List<E> {\n

```

```

return
ArrayList<E>().apply(builderAction).build()\n\n@PublishedApi\n@SinceKotlin("1.3")\n@ExperimentalStdlib
Api\n@kotlin.internal.InlineOnly\ninternal actual inline fun <E> buildListInternal(capacity: Int, builderAction:
MutableList<E>().->Unit): List<E> {\n    checkBuilderCapacity(capacity)\n    return
ArrayList<E>(capacity).apply(builderAction).build()\n\n\n\n\n * Returns an immutable set containing only the
specified object [element].\n\n * ^\npublic fun <T> setOf(element: T): Set<T> =
hashSetOf(element)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.Inline
Only\n\ninternal actual inline fun <E> buildSetInternal(builderAction: MutableSet<E>().->Unit): Set<E> {\n
return
LinkedHashSet<E>().apply(builderAction).build()\n\n\n@PublishedApi\n@SinceKotlin("1.3")\n@Experimental
StdlibApi\n@kotlin.internal.InlineOnly\n\ninternal actual inline fun <E> buildSetInternal(capacity: Int, builderAction:
MutableSet<E>().->Unit): Set<E> {\n    return
LinkedHashSet<E>(capacity).apply(builderAction).build()\n\n\n\n\n\n * Returns an immutable map, mapping
only the specified key to the\n * specified value.\n\n * ^\npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> =
hashMapOf(pair)\n\n\n@PublishedApi\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOn
ly\n\ninternal actual inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>().->Unit): Map<K, V>
{\n    return LinkedHashMap<K,
V>().apply(builderAction).build()\n\n\n\n@PublishedApi\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotl
in.internal.InlineOnly\n\ninternal actual inline fun <K, V> buildMapInternal(capacity: Int, builderAction:
MutableMap<K, V>().->Unit): Map<K, V> {\n    return LinkedHashMap<K,
V>(capacity).apply(builderAction).build()\n\n\n\n\n\n\n * Fills the list with the provided [value].\n\n * \n * Each
element in the list gets replaced with the [value].\n\n * ^\n@SinceKotlin("1.2")\n\npublic actual fun <T>
MutableList<T>.fill(value: T): Unit {\n    for (index in 0..lastIndex) {\n        this[index] = value\n    }\n\n\n\n\n *
Randomly shuffles elements in this list.\n\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n\n@SinceKotlin("1.2")\n\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n\n\n\n\n *
Returns a new list with the elements of this list randomly shuffled.\n\n * ^\n@SinceKotlin("1.2")\n\npublic actual fun
<T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n\n\n\n * Sorts elements in the list in-
place according to their natural sort order.\n\n * \n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n\n * ^\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit
{\n    collectionsSort(this, naturalOrder())\n\n\n\n\n\n * Sorts elements in the list in-place according to the order
specified with [comparator].\n\n * \n * The sort is _stable_. It means that equal elements preserve their order relative
to each other after sorting.\n\n * ^\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>):
Unit {\n    collectionsSort(this, comparator)\n\n\n\n\nprivate fun <T> collectionsSort(list: MutableList<T>,
comparator: Comparator<in T>) {\n    if (list.size <= 1) return\n\n    val array = copyToArray(list)\n
sortByWith(array, comparator)\n\n    for (i in 0 until array.size) {\n        list[i] = array[i]\n    }\n\n\n\n\ninternal
actual fun <T> arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n    return
arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n\n\n@SinceKotlin("1.3")\n@PublishedApi\n@JsName("arr
ayCopy")\n\ninternal fun <T> arrayCopy(source: Array<out T>, destination: Array<in T>, destinationOffset: Int,
startIndex: Int, endIndex: Int) {\n    AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n    val
rangeSize = endIndex - startIndex\n    AbstractList.checkRangeIndexes(destinationOffset, destinationOffset +
rangeSize, destination.size)\n\n    if (js("ArrayBuffer").isView(destination) &&
js("ArrayBuffer").isView(source)) {\n        val subrange = source.asDynamic().subarray(startIndex, endIndex)\n
destination.asDynamic().set(subrange, destinationOffset)\n    } else {\n        if (source !== destination ||
destinationOffset <= startIndex) {\n            for (index in 0 until rangeSize) {\n
destination[destinationOffset + index] = source[startIndex + index]\n            }\n        } else {\n            for (index in
rangeSize - 1 downTo 0) {\n                destination[destinationOffset + index] = source[startIndex + index]\n
            }\n        }\n    }\n\n\n\n\n\n// no singleton map implementation in js, return map as

```

```

is\n@Suppress(\\"NOTHING_TO_INLINE\\")\ninternal actual inline fun <K, V> Map<K,
V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress(\\"NOTHING_TO_INLINE\\")\ninternal actual inline
fun <K, V> Map<out K, V>.toSingletonMap(): Map<K, V> =
this.toMutableMap()\n\n\n@Suppress(\\"NOTHING_TO_INLINE\\")\ninternal actual inline fun <T> Array<out
T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n    if (isVarargs)\n        // no need to copy vararg
array in JS\n        this\n    else\n        this.copyOfOf()\n\n\n@PublishedApi\ninternal actual fun
checkIndexOverflow(index: Int): Int {\n    if (index < 0) {\n        throwIndexOverflow()\n    }\n    return
index\n}\n\n\n@PublishedApi\ninternal actual fun checkCountOverflow(count: Int): Int {\n    if (count < 0) {\n
throwCountOverflow()\n    }\n    return count\n}\n\n\n/**\n * JS map and set implementations do not make use of
capacities or load factors.\n */\n@PublishedApi\ninternal actual fun mapCapacity(expectedSize: Int) =
expectedSize\n\n\n/**\n * Checks a collection builder function capacity argument.\n * In JS no validation is made in
Map/Set constructor yet.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@PublishedApi\ninternal fun
checkBuilderCapacity(capacity: Int) {\n    require(capacity >= 0) { \"capacity must be non-negative.\" }\n}, /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\\"CollectionsKt\\")\n\npackage
kotlin.collections\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for`
loop.\n * @sample samples.collections.Iterators.iterator\n */\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Iterator<T>.iterator(): Iterator<T> = this\n\n\n/**\n * Returns an [Iterator] that wraps each element produced
by the original iterator\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n
* @sample samples.collections.Iterators.withIndexIterator\n */\npublic fun <T> Iterator<T>.withIndex():
Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n\n/**\n * Performs the given [operation] on each element of
this [Iterator].\n * @sample samples.collections.Iterators.forEachIterator\n */\npublic inline fun <T>
Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n    for (element in this) operation(element)\n}\n\n\n/**\n *
Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n */\n\ninternal class
IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n    private var index =
0\n    final override fun hasNext(): Boolean = iterator.hasNext()\n    final override fun next(): IndexedValue<T> =
IndexedValue(checkIndexOverflow(index++), iterator.next())\n}\n}, /*\n * Copyright 2010-2020 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\\"ComparisonsKt\\")\n\npackage
kotlin.comparisons\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n\n/**\n * Returns the
greater of two values.\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect
fun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte):
Byte\n\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Short, b: Short): Short\n\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline
fun maxOf(a: Long, b: Long): Long\n\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`,
returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float,
b: Float): Float\n\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n
@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double):
Double\n\n\n/**\n * Returns the greater of three values.\n * \n * If there are multiple equal maximal values, returns the
first of them.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T, b: T, c: T):
T\n\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte\n\n\n/**\n * Returns the greater of three values.\n
*/

```

```

*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the greater of three values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the greater of three values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n
* \n * If any value is `NaN`, returns `NaN`.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the greater of three values.\n
* \n * If any value is `NaN`, returns `NaN`.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun maxOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given [comparator].\n
* \n * If there are multiple equal maximal values, returns the first of them.\n
*^@SinceKotlin("1.1")^public fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n    return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values according to the order specified by the given [comparator].\n
* \n * If values are equal, returns the first one.\n
*^@SinceKotlin("1.1")^public fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n    return if (comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns the greater of the given values.\n
* \n * If there are multiple equal maximal values, returns the first of them.\n
*^@SinceKotlin("1.4")^public expect fun <T : Comparable<T>> maxOf(a: T, vararg other: T): T\n\n/**\n * Returns the greater of the given values.\n
*^@SinceKotlin("1.4")^public expect fun maxOf(a: Byte, vararg other: Byte): Byte\n\n/**\n * Returns the greater of the given values.\n
*^@SinceKotlin("1.4")^public expect fun maxOf(a: Short, vararg other: Short): Short\n\n/**\n * Returns the greater of the given values.\n
*^@SinceKotlin("1.4")^public expect fun maxOf(a: Int, vararg other: Int): Int\n\n/**\n * Returns the greater of the given values.\n
*^@SinceKotlin("1.4")^public expect fun maxOf(a: Long, vararg other: Long): Long\n\n/**\n * Returns the greater of the given values.\n
* \n * If any value is `NaN`, returns `NaN`.\n
*^@SinceKotlin("1.4")^public expect fun maxOf(a: Float, vararg other: Float): Float\n\n/**\n * Returns the greater of the given values.\n
* \n * If any value is `NaN`, returns `NaN`.\n
*^@SinceKotlin("1.4")^public expect fun maxOf(a: Double, vararg other: Double): Double\n\n/**\n * Returns the greater of the given values according to the order specified by the given [comparator].\n
* \n * If there are multiple equal maximal values, returns the first of them.\n
*^@SinceKotlin("1.4")^public fun <T> maxOf(a: T, vararg other: T, comparator: Comparator<in T>): T {\n    var max = a\n    for (e in other) if (comparator.compare(max, e) < 0) max = e\n    return max\n}\n\n/**\n * Returns the smaller of two values.\n
* \n * If values are equal, returns the first one.\n
*^@SinceKotlin("1.1")^public expect fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Short, b: Short): Short\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Int, b: Int): Int\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n
* \n * If either value is `NaN`, returns `NaN`.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Float, b: Float): Float\n\n/**\n * Returns the smaller of two values.\n
* \n * If either value is `NaN`, returns `NaN`.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Double, b: Double): Double\n\n/**\n * Returns the smaller of two values.\n
* \n * If there are multiple equal minimal values, returns the first of them.\n
*^@SinceKotlin("1.1")^public expect fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Byte, b: Byte, c: Byte): Byte\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Int, b: Int, c: Int): Int

```

```

Int\n\n/**\n * Returns the smaller of three values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the smaller of three values.\n *\n * If
any value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline
fun minOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the smaller of three values.\n *\n * If any value is
`NaN`, returns `NaN`.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a:
Double, b: Double, c: Double): Double\n\n/**\n * Returns the smaller of three values according to the order
specified by the given [comparator].\n *\n * If there are multiple equal minimal values, returns the first of them.\n
*\n@SinceKotlin("1.1")\npublic fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n    return
minOf(a, minOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the smaller of two values according to the
order specified by the given [comparator].\n *\n * If values are equal, returns the first one.\n
*\n@SinceKotlin("1.1")\npublic fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {\n    return if
(comparator.compare(a, b) <= 0) a else b\n}\n\n/**\n * Returns the smaller of the given values.\n *\n * If there are
multiple equal minimal values, returns the first of them.\n *\n@SinceKotlin("1.4")\npublic expect fun <T :
Comparable<T>> minOf(a: T, vararg other: T): T\n\n/**\n * Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\npublic expect fun minOf(a: Byte, vararg other: Byte): Byte\n\n/**\n * Returns the
smaller of the given values.\n *\n@SinceKotlin("1.4")\npublic expect fun minOf(a: Short, vararg other: Short):
Short\n\n/**\n * Returns the smaller of the given values.\n *\n@SinceKotlin("1.4")\npublic expect fun minOf(a:
Int, vararg other: Int): Int\n\n/**\n * Returns the smaller of the given values.\n *\n@SinceKotlin("1.4")\npublic
expect fun minOf(a: Long, vararg other: Long): Long\n\n/**\n * Returns the smaller of the given values.\n *\n * If
any value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic expect fun minOf(a: Float, vararg other:
Float): Float\n\n/**\n * Returns the smaller of the given values.\n *\n * If any value is `NaN`, returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic expect fun minOf(a: Double, vararg other: Double): Double\n\n/**\n * Returns
the smaller of the given values according to the order specified by the given [comparator].\n *\n * If there are
multiple equal minimal values, returns the first of them.\n *\n@SinceKotlin("1.4")\npublic fun <T> minOf(a: T,
vararg other: T, comparator: Comparator<in T>): T {\n    var min = a\n    for (e in other) if
(comparator.compare(min, e) > 0) min = e\n    return min\n}\n\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns a [List] containing all key-value pairs.\n
*\n\npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n    if (size == 0)\n        return emptyList()\n    val iterator = entries.iterator()\n    if (!iterator.hasNext())\n        return emptyList()\n    val first = iterator.next()\n    if
(!iterator.hasNext())\n        return listOf(first.toPair())\n    val result = ArrayList<Pair<K, V>>(size)\n    result.add(first.toPair())\n    do {\n        result.add(iterator.next().toPair())\n    } while (iterator.hasNext())\n    return
result\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked
on each entry of original map.\n *\n * @sample samples.collections.Maps.Transformations.flatMap\n
*\n\npublic inline fun <K, V, R> Map<out K, V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n    return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each entry of original map.\n *\n * @sample
samples.collections.Collections.Transformations.flatMap\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Sequence<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
entry of original map, to the given [destination].\n *\n\npublic inline fun <K, V, R, C : MutableCollection<in R>>
Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n    for (element in

```



```

this) {\n    val list = transform(element)\n    destination.addAll(list)\n } \n return destination\n}\n\n/**\n *
Appends all elements yielded from results of [transform] function being invoked on each entry of original map, to
the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <K, V, R, C :
MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) ->
Sequence<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n
}\n    return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform]
function\n * to each entry in the original map.\n * \n * @sample
samples.collections.Maps.Transformations.mapToList\n *\npublic inline fun <K, V, R> Map<out K,
V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform]
function\n * to each entry in the original map.\n * \n * @sample
samples.collections.Maps.Transformations.mapNotNull\n *\npublic inline fun <K, V, R : Any> Map<out K,
V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n    return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the original map\n * and appends
only the non-null results to the given [destination].\n *\npublic inline fun <K, V, R : Any, C : MutableCollection<in
R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {\n    forEach {
element -> transform(element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each entry of the original map\n * and appends the results to the given [destination].\n
*\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform:
(Map.Entry<K, V>) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return
destination\n}\n\n/**\n * Returns `true` if all entries match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun <K, V> Map<out K, V>.all(predicate:
(Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty()) return true\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if map has at least one entry.\n * \n *
@sample samples.collections.Collections.Aggregates.any\n *\npublic fun <K, V> Map<out K, V>.any(): Boolean
{\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one entry matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n *\npublic inline fun <K, V> Map<out K,
V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty()) return false\n    for (element in
this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns the number of entries in this map.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.count(): Int {\n    return size\n}\n\n/**\n *
Returns the number of entries matching the given [predicate].\n *\npublic inline fun <K, V> Map<out K,
V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {\n    if (isEmpty()) return 0\n    var count = 0\n    for
(element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Performs the given [action] on each
entry.\n *\n@kotlin.internal.HidesMembers\npublic inline fun <K, V> Map<out K, V>.forEach(action:
(Map.Entry<K, V>) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n@Deprecated("Use
maxByOrNull instead.", ReplaceWith("maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n    return maxByOrNull(selector)\n}\n\n/**\n *
Returns the first entry yielding the largest value of the given function or `null` if there are no entries.\n * \n *
@sample samples.collections.Collections.Aggregates.maxByOrNull\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out
K, V>.maxByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n    return
entries.maxByOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector:
(Map.Entry<K, V>) -> Double): Double {\n    return entries.maxOf(selector)\n}\n\n/**\n * Returns the largest value
among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector:
(Map.Entry<K, V>) -> Float): Float {\n    return entries.maxOf(selector)\n}\n\n/**\n * Returns the largest value
among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws
NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.maxOf(selector: (Map.Entry<K, V>) -> R): R {\n    return entries.maxOf(selector)\n}\n\n/**\n * Returns the
largest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if there
are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n    return
entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n    return
entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n    return entries.maxOfOrNull(selector)\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.maxOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n    return
entries.maxOfWith(comparator, selector)\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each entry in the map or `null` if there
are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n    return
entries.maxOfWithOrNull(comparator, selector)\n}\n\n@Deprecated("Use maxWithOrNull instead.",
ReplaceWith("maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxWith(comparator:
Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return maxWithOrNull(comparator)\n}\n\n/**\n *
Returns the first entry having the largest value according to the provided [comparator] or `null` if there are no
entries.\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return
entries.maxWithOrNull(comparator)\n}\n\n@Deprecated("Use minByOrNull instead.",

```

```

ReplaceWith("minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic inline fun
<K, V, R : Comparable<R>> Map<out K, V>.minBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n
return minByOrNull(selector)\n}\n\n/**\n * Returns the first entry yielding the smallest value of the given function
or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out
K, V>.minByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return
entries.minByOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector:
(Map.Entry<K, V>) -> Double): Double {\n return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the map is empty.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector:
(Map.Entry<K, V>) -> Float): Float {\n return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws
NoSuchElementException if the map is empty.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minOf(selector: (Map.Entry<K, V>) -> R): R {\n return entries.minOf(selector)\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if
there are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n return
entries.minOfOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n return
entries.minOfOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n return entries.minOfOrNull(selector)\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.minOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n return
entries.minOfWith(comparator, selector)\n}\n\n/**\n * Returns the smallest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each entry in the map or `null` if there
are no entries.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.minOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n  return
entries.minOfWithOrNull(comparator, selector)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("minWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun <K,
V> Map<out K, V>.minWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n  return
minWithOrNull(comparator)\n}\n\n/**\n * Returns the first entry having the smallest value according to the
provided [comparator] or `null` if there are no entries.\n
*\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n  return
entries.minWithOrNull(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\n\npublic fun <K, V> Map<out K, V>.none(): Boolean {\n  return
isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\n\npublic inline fun <K, V> Map<out K,
V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n  if (isEmpty()) return true\n  for (element in
this) if (predicate(element)) return false\n  return true\n}\n\n/**\n * Performs the given [action] on each entry and
returns the map itself afterwards.\n *\n\n@SinceKotlin("1.1")\npublic inline fun <K, V, M : Map<out K, V>>
M.onEach(action: (Map.Entry<K, V>) -> Unit): M {\n  return apply { for (element in this) action(element)
}\n}\n\n/**\n * Performs the given [action] on each entry, providing sequential index with the entry,\n * and returns
the map itself afterwards.\n * @param [action] function that takes the index of an entry and the entry itself\n * and
performs the action on the entry.\n *\n\n@SinceKotlin("1.4")\npublic inline fun <K, V, M : Map<out K, V>>
M.onEachIndexed(action: (index: Int, Map.Entry<K, V>) -> Unit): M {\n  return apply {
entries.forEachIndexed(action) }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original map returning
its entries when being iterated.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.asIterable(): Iterable<Map.Entry<K, V>> {\n  return entries\n}\n\n/**\n * Creates a [Sequence] instance that
wraps the original map returning its entries when being iterated.\n *\n\npublic fun <K, V> Map<out K,
V>.asSequence(): Sequence<Map.Entry<K, V>> {\n  return entries.asSequence()\n}\n\n"/*\n * Copyright 2010-
2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage
kotlin.sequences\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns
`true` if [element] is found in the sequence.\n * \n * The operation is _terminal_.\n *\n\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n  return indexOf(element)
>= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the
[index] is out of bounds of this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n *\n\npublic fun <T> Sequence<T>.elementAt(index: Int): T
{\n  return elementAtOrElse(index) { throw IndexOutOfBoundsException("Sequence doesn't contain element at
index $index.") }\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n *\n\npublic fun <T>
Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n  if (index < 0)\n    return
defaultValue(index)\n  val iterator = iterator()\n  var count = 0\n  while (iterator.hasNext()) {\n    val element
= iterator.next()\n    if (index == count++)\n      return element\n  }\n  return
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *\n\npublic fun <T>
Sequence<T>.elementAtOrNull(index: Int): T? {\n  if (index < 0)\n    return null\n  val iterator = iterator()\n
var count = 0\n  while (iterator.hasNext()) {\n    val element = iterator.next()\n    if (index == count++)\n

```

```

return element\n } \n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null`
if no such element was found.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Sequence<T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is
_terminal_.\n *\n * @sample samples.collections.Collections.Elements.find\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.findLast(predicate: (T) -> Boolean): T? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n *\n * @throws [NoSuchElementException] if the
sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.first(): T {\n val
iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException("Sequence is empty.")\n
return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate].\n *\n * @throws
[NoSuchElementException] if no such element is found.\n *\n * The operation is _terminal_.\n */\npublic inline fun
<T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n for (element in this) if (predicate(element)) return
element\n throw NoSuchElementException("Sequence contains no element matching the predicate.")\n}\n\n/**\n
* Returns the first element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun
<T> Sequence<T>.firstOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n
return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was
not found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.firstOrNull(predicate: (T)
-> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n
* Returns first index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is
_terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n var
index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n return
index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given
[predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic
inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n var index = 0\n for (item in this)
{\n checkIndexOverflow(index)\n if (predicate(item))\n return index\n index++\n }\n return -
1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not
contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n var lastIndex = -1\n var index = 0\n for (item in
this) {\n checkIndexOverflow(index)\n if (predicate(item))\n lastIndex = index\n index++\n
}\n return lastIndex\n}\n\n/**\n * Returns the last element.\n *\n * The operation is _terminal_.\n *\n * @throws
NoSuchElementException if the sequence is empty.\n *\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun <T> Sequence<T>.last(): T {\n val iterator =
iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException("Sequence is empty.")\n var last =
iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n *\n * The operation is _terminal_.\n *\n * @throws
NoSuchElementException if no such element is found.\n *\n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) ->
Boolean): T {\n var last: T? = null\n var found = false\n for (element in this) {\n if (predicate(element))
{\n last = element\n found = true\n }\n }\n if (!found) throw
NoSuchElementException("Sequence contains no element matching the predicate.")\n
@Suppress("UNCHECKED_CAST")\n return last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the
sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n var lastIndex = -1\n var
index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n lastIndex =
index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is
empty.\n *\n * The operation is _terminal_.\n *\n * @sample samples.collections.Collections.Elements.last\n
*/\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n

```

```

return null\n    var last = iterator.next()\n    while (iterator.hasNext())\n        last = iterator.next()\n    return
last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic
inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in
this) {\n        if (predicate(element)) {\n            last = element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the
single element, or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation
is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n    val iterator = iterator()\n    if
(!iterator.hasNext())\n        throw NoSuchElementException("Sequence is empty.")\n    val single =
iterator.next()\n    if (iterator.hasNext())\n        throw IllegalArgumentException("Sequence has more than one
element.")\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws
exception if there is no or more than one matching element.\n *\n * The operation is _terminal_.\n */\npublic inline
fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Sequence
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if
(!found) throw NoSuchElementException("Sequence contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns single element, or `null` if the
sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T>
Sequence<T>.singleOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        return null\n    val
single = iterator.next()\n    if (iterator.hasNext())\n        return null\n    return single\n}\n\n/**\n * Returns the single
element matching the given [predicate], or `null` if element was not found or more than one element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.singleOrNull(predicate: (T) ->
Boolean): T? {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element))
{\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return
null\n    return single\n}\n\n/**\n * Returns a sequence containing all elements except first [n] elements.\n *\n * The
operation is _intermediate_ and _stateless_.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.drop(n: Int):
Sequence<T> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    return when {\n        n
== 0 -> this\n        this is DropTakeSequence -> this.drop(n)\n        else -> DropSequence(this, n)\n    }\n}\n\n/**\n * Returns a sequence containing all elements except first elements that satisfy the given [predicate].\n *\n * The
operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.dropWhile(predicate: (T)
-> Boolean): Sequence<T> {\n    return DropWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence
containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n *
\n * @sample samples.collections.Collections.Filtering.filter\n */\npublic fun <T> Sequence<T>.filter(predicate:
(T) -> Boolean): Sequence<T> {\n    return FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence
containing only elements matching the given [predicate].\n * \n * @param [predicate] function that takes the index of an
element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The
operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic fun <T> Sequence<T>.filterIndexed(predicate:
(index: Int, T) -> Boolean): Sequence<T> {\n    // TODO: Rewrite with generalized MapFilterIndexingSequence\n    return
TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), {
it.value })\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed {\n
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination\n}\n\n/**\n * Returns a sequence containing all elements that are instances of specified type parameter

```

```

R.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Filtering.filterIsInstance\n *\npublic inline fun <reified R>
Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n
@Suppress("UNCHECKED_CAST")\n    return filter { it is R } as Sequence<R>\n}\n\n/**\n * Appends all
elements that are instances of specified type parameter R to the given [destination].\n *\n * The operation is
_terminal_.\n *\n * @sample samples.collections.Collections.Filtering.filterIsInstanceTo\n *\npublic inline fun
<reified R, C : MutableCollection<in R>> Sequence<*>.filterIsInstanceTo(destination: C): C {\n    for (element in
this) if (element is R) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a sequence containing
all elements not matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n *\n *
@sample samples.collections.Collections.Filtering.filter\n *\npublic fun <T> Sequence<T>.filterNot(predicate: (T)
-> Boolean): Sequence<T> {\n    return FilteringSequence(this, false, predicate)\n}\n\n/**\n * Returns a sequence
containing all elements that are not `null`.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Filtering.filterNotNull\n *\npublic fun <T : Any> Sequence<T?>.filterNotNull():
Sequence<T> {\n    @Suppress("UNCHECKED_CAST")\n    return filterNot { it == null } as
Sequence<T>\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n *\n * The operation
is _terminal_.\n *\n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n *\npublic fun <C :
MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C {\n    for (element in this) if
(element != null) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not matching
the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if (predicate(element))
destination.add(element)\n    return destination\n}\n\n/**\n * Returns a sequence containing first [n] elements.\n *\n *
The operation is _intermediate_ and _stateless_.\n *\n * @throws IllegalArgumentException if [n] is negative.\n *\n *
@sample samples.collections.Collections.Transformations.take\n *\npublic fun <T> Sequence<T>.take(n: Int):
Sequence<T> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    return when {\n        n
== 0 -> emptySequence()\n        this is DropTakeSequence -> this.take(n)\n        else -> TakeSequence(this, n)\n
}\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n *\n * The operation
is _intermediate_ and _stateless_.\n *\n * @sample samples.collections.Collections.Transformations.take\n *\npublic fun <T> Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T> {\n    return
TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted
according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n *\npublic fun <T :
Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n    return object : Sequence<T> {\n        override fun
iterator(): Iterator<T> {\n            val sortedList = this@sorted.toMutableList()\n            sortedList.sort()\n
return sortedList.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted according to natural sort order of the value returned by specified [selector] function.\n *\n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation
is _intermediate_ and _stateful_.\n *\n * @sample samples.collections.Collections.Sorting.sortedBy\n *\npublic
inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to natural sort order of the value returned by specified [selector] function.\n *\n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The
operation is _intermediate_ and _stateful_.\n *\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n    return

```

```

sortedWith(compareByDescending(selector))\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements
preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n
*/\npublic fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n    return
sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according
to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative
to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n
*/\npublic fun <T>
Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n    return object : Sequence<T> {\n
        override fun iterator(): Iterator<T> {\n            val sortedList = this@sortedWith.toMutableList()\n
sortedList.sortWith(comparator)\n            return sortedList.iterator()\n        }\n    }\n}\n\n/**\n * Returns a [Map]
containing key-value pairs provided by [transform] function\n * applied to elements of the given sequence.\n * \n *
If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associate\n
*/\npublic inline fun <T, K, V>
Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n    return associateTo(LinkedHashMap<K,
V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given sequence indexed by the
key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry
iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associateBy\n
*/\npublic inline fun <T, K>
Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n    return associateByTo(LinkedHashMap<K,
T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed
by [keySelector] functions applied to elements of the given sequence.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry
iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associateByWithValueTransform\n
*/\npublic inline fun <T, K, V>
Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n    return
associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to
each element of the given sequence\n * and value is the element itself.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n * \n *
@sample samples.collections.Collections.Transformations.associateByTo\n
*/\npublic inline fun <T, K, M :
MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n    for
(element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the
given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associateByToWithValueTransform\n
*/\npublic inline fun <T, K,
V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n    for (element in this) {\n        destination.put(keySelector(element),
valueTransform(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs\n * provided by [transform] function applied to each element of the given sequence.\n * \n *
If any of two pairs would have the same key the last one gets added to the map.\n *\n * The operation is
_terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateTo\n
*/\npublic inline fun
<T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>):
M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\n/**\n *
Returns a [Map] where keys are elements from the given sequence and values are\n * produced by the

```


[valueSelector] function applied to each element.

- * If any two elements are equal, the last one gets added to the map.
- * The returned map preserves the entry iteration order of the original sequence.

```

 * The operation is _terminal_.
 * @sample samples.collections.Collections.Transformations.associateWith
 * \n @SinceKotlin("1.3")\n public inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
 * \n     val result = LinkedHashMap<K, V>()\n     return associateWithTo(result, valueSelector)\n }
 
```

Populates and returns the [destination] mutable map with key-value pairs for each element of the given sequence, where key is the element itself and value is provided by the [valueSelector] function applied to that key.

- * If any two elements are equal, the last one overwrites the former value in the map.
- * The operation is _terminal_.
- * @sample samples.collections.Collections.Transformations.associateWithTo

```

 * \n @SinceKotlin("1.3")\n public inline fun <K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {
 * \n     for (element in this) {
 * \n         destination.put(element, valueSelector(element))\n     }\n     return destination\n }
 
```

Appends all elements to the given [destination] collection.

- * The operation is _terminal_.

```

 * \n public fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {
 * \n     for (item in this) {
 * \n         destination.add(item)\n     }\n     return destination\n }
 
```

Returns a new [HashSet] of all elements.

- * The operation is _terminal_.

```

 * \n public fun <T> Sequence<T>.toHashSet(): HashSet<T> {
 * \n     return toCollection(HashSet<T>())\n }
 
```

Returns a [List] containing all elements.

- * The operation is _terminal_.

```

 * \n public fun <T> Sequence<T>.toList(): List<T> {
 * \n     return this.toList().optimizeReadOnlyList()\n }
 
```

Returns a new [MutableList] filled with all elements of this sequence.

- * The operation is _terminal_.

```

 * \n public fun <T> Sequence<T>.toMutableList(): MutableList<T> {
 * \n     return toCollection(ArrayList<T>())\n }
 
```

Returns a [Set] of all elements.

- * The returned set preserves the element iteration order of the original sequence.
- * The operation is _terminal_.

```

 * \n public fun <T> Sequence<T>.toSet(): Set<T> {
 * \n     return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n }
 
```

Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.

- * The operation is _intermediate_ and _stateless_.
- * @sample samples.collections.Collections.Transformations.flatMap

```

 * \n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolutionByLambdaReturnType\n @kotlin.jvm.JvmName("flatMapIterable")\n public fun <T, R> Sequence<T>.flatMap(transform: (T) -> Iterable<R>): Sequence<R> {
 * \n     return FlatteningSequence(this, transform, Iterable<R>::iterator)\n }
 
```

Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.

- * The operation is _intermediate_ and _stateless_.
- * @sample samples.collections.Collections.Transformations.flatMap

```

 * \n public fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {
 * \n     return FlatteningSequence(this, transform, Sequence<R>::iterator)\n }
 
```

Returns a single sequence of all elements yielded from results of [transform] function being invoked on each element and its index in the original sequence.

- * The operation is _intermediate_ and _stateless_.
- * @sample samples.collections.Collections.Transformations.flatMapIndexed

```

 * \n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolutionByLambdaReturnType\n @kotlin.jvm.JvmName("flatMapIndexedIterable")\n public fun <T, R> Sequence<T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): Sequence<R> {
 * \n     return flatMapIndexed(this, transform, Iterable<R>::iterator)\n }
 
```

Returns a single sequence of all elements yielded from results of [transform] function being invoked on each element and its index in the original sequence.

- * The operation is _intermediate_ and _stateless_.
- * @sample samples.collections.Collections.Transformations.flatMapIndexed

```

 * \n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolutionByLambdaReturnType\n @kotlin.jvm.JvmName("flatMapIndexedSequence")\n public fun <T, R> Sequence<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): Sequence<R> {
 * \n     return flatMapIndexed(this, transform, Sequence<R>::iterator)\n }
 
```

Appends all elements yielded from results of

```

[transform] function being invoked on each element\n * and its index in the original sequence, to the given
[destination].\n *\n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\nnpu
blic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Sequence<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIterableTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n
*\npublic inline fun
<T, R, C : MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C
{\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n**\n * Groups elements of the original sequence by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n *\n * The returned map preserves the entry iteration order of the keys produced from the
original sequence.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <T, K>
Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n**\n * Groups values returned by the [valueTransform] function applied to
each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the
element\n * and returns a map where each group key is associated with a list of corresponding values.\n *\n * The
returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The
operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n *\npublic inline fun <T, K, V>
Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n**\n * Groups elements
of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and
puts to the [destination] map each group key associated with a list of corresponding elements.\n *\n * @return The
[destination] map.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <T, K, M : MutableMap<in K,
MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n    for (element in this)
{\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<T>() }\n
list.add(element)\n    }\n    return destination\n}\n\n**\n * Groups values returned by the [valueTransform] function
applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied
to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n
*\n * @return The [destination] map.\n *\n * The operation is _terminal_.\n *\n * @sample

```

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination}\n\n/**\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n *\n * The operation is
_intermediate_ and _stateless_.\n *\n * @sample samples.collections.Grouping.groupingByEachCount\n
*/\n@SinceKotlin("1.1")\npublic inline fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K):
Grouping<T, K> {\n  return object : Grouping<T, K> {\n    override fun sourceIterator(): Iterator<T> =
this@\n    override fun keyOf(element: T): K = keySelector(element)\n  }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element in the
original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.map\n *\npublic fun <T, R> Sequence<T>.map(transform: (T) ->
R): Sequence<R> {\n  return TransformingSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing
the results of applying the given [transform] function\n * to each element and its index in the original sequence.\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n *\npublic fun <T,
R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n  return
TransformingIndexedSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing only the non-null
results of applying the given [transform] function\n * to each element and its index in the original sequence.\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n *\npublic fun <T, R
: Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n  return
TransformingIndexedSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function
to each element and its index in the original sequence\n * and appends only the non-null results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n *\npublic inline fun
<T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index:
Int, T) -> R?): C {\n  forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n
  return destination}\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original
sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the
index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T, R, C : MutableCollection<in R>>
Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(checkIndexOverflow(index++), item))\n  return destination}\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each
element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.mapNotNull\n *\npublic fun <T, R : Any>
Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {\n  return TransformingSequence(this,
transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element in the original
sequence\n * and appends only the non-null results to the given [destination].\n *\n * The operation is _terminal_.\n
*/\n\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C,
transform: (T) -> R?): C {\n  forEach { element -> transform(element)?.let { destination.add(it) } }\n  return
destination}\n}\n\n/**\n * Applies the given [transform] function to each element of the original sequence\n * and
appends the results to the given [destination].\n *\n * The operation is _terminal_.\n *\npublic inline fun <T, R, C :
MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {\n  for (item in this)\n
  destination.add(transform(item))\n  return destination}\n}\n\n/**\n * Returns a sequence that wraps each element of
the original sequence\n * into an [IndexedValue] containing the index of that element and the element itself.\n *\n

```

The operation is `_intermediate_` and `_stateless_`.

```

public fun <T> Sequence<T>.withIndex():
Sequence<IndexedValue<T>> {
    return IndexingSequence(this)
}

```

* Returns a sequence containing only distinct elements from the given sequence.

* Among equal elements of the given sequence, only the first one will be present in the resulting sequence.

* The elements in the resulting sequence are in the same order as they were in the source sequence.

The operation is `_intermediate_` and `_stateful_`.

```

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy

```

```

public fun <T>
Sequence<T>.distinct(): Sequence<T> {
    return this.distinctBy { it }
}

```

* Returns a sequence containing only elements from the given sequence having distinct keys returned by the given [selector] function.

* Among elements of the given sequence with equal keys, only the first one will be present in the resulting sequence.

* The elements in the resulting sequence are in the same order as they were in the source sequence.

The operation is `_intermediate_` and `_stateful_`.

```

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy

```

```

public fun <T, K>
Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {
    return DistinctSequence(this, selector)
}

```

* Returns a new [MutableSet] containing all distinct elements from the given sequence.

* The returned set preserves the element iteration order of the original sequence.

The operation is `_terminal_`.

```

public fun <T>
Sequence<T>.toMutableSet(): MutableSet<T> {
    val set = LinkedHashSet<T>()
    for (item in this)
        set.add(item)
    return set
}

```

* Returns `true` if all elements match the given [predicate].

The operation is `_terminal_`.

```

@sample
samples.collections.Collections.Aggregates.all

```

```

public inline fun <T>
Sequence<T>.all(predicate: (T) -> Boolean): Boolean {
    for (element in this)
        if (!predicate(element))
            return false
    return true
}

```

* Returns `true` if sequence has at least one element.

The operation is `_terminal_`.

```

@sample
samples.collections.Collections.Aggregates.any

```

```

public inline fun <T>
Sequence<T>.any(): Boolean {
    return iterator().hasNext()
}

```

* Returns `true` if at least one element matches the given [predicate].

The operation is `_terminal_`.

```

@sample
samples.collections.Collections.Aggregates.anyWithPredicate

```

```

public inline fun <T>
Sequence<T>.any(predicate: (T) -> Boolean): Boolean {
    for (element in this)
        if (predicate(element))
            return true
    return false
}

```

* Returns the number of elements in this sequence.

The operation is `_terminal_`.

```

public fun <T>
Sequence<T>.count(): Int {
    var count = 0
    for (element in this)
        checkCountOverflow(++count)
    return count
}

```

* Returns the number of elements matching the given [predicate].

The operation is `_terminal_`.

```

public inline fun <T>
Sequence<T>.count(predicate: (T) -> Boolean): Int {
    var count = 0
    for (element in this)
        if (predicate(element))
            checkCountOverflow(++count)
    return count
}

```

* Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

* Returns the specified [initial] value if the sequence is empty.

* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

The operation is `_terminal_`.

```

public inline fun <T, R>
Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {
    var accumulator = initial
    for (element in this)
        accumulator = operation(accumulator, element)
    return accumulator
}

```

* Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original sequence.

* Returns the specified [initial] value if the sequence is empty.

* @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

The operation is `_terminal_`.

```

public inline fun <T, R>
Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this)
        accumulator = operation(checkIndexOverflow(index++), accumulator, element)
    return accumulator
}

```

* Performs the given [action] on each element.

The operation is `_terminal_`.

```

public inline fun <T>
Sequence<T>.forEach(action: (T) -> Unit): Unit {
    for (element in this)
        action(element)
}

```

* Performs the given [action] on each element, providing sequential index with the element.

* @param [action] function that takes the index of an element and the element itself and performs the action on the element.

The operation is `_terminal_`.

```

public inline fun <T>
Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {
    var index = 0
    for (item in this)

```

```

action(checkIndexOverflow(index++), item)\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\n@SinceKotlin("1.1")\npublic
fun Sequence<Double>.max(): Double? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\n@SinceKotlin("1.1")\npublic
fun Sequence<Float>.max(): Float? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun <T :
Comparable<T>> Sequence<T>.max(): T? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull
instead.\", ReplaceWith("maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic
inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) -> R): T? {\n    return
maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Sequence<T>.maxByOrNull(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var maxElem = iterator.next()\n    if (!iterator.hasNext()) return maxElem\n    var
maxValue = selector(maxElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (maxValue <
v) {\n            maxElem = e\n            maxV = v\n        }\n    } while (iterator.hasNext())\n    return
maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result
is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * The operation is
_terminal_.\n
*\n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the sequence is empty.\n * \n * The operation is _terminal_.\n
*\n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * @throws
NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n
*\n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.maxOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (maxValue < v) {\n            maxV = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * The operation is _terminal_.\n
*\n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOrNull(selector:
(T) -> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxV =
maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced

```

by [selector] function applied to each element in the sequence or `null` if there are no elements. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`. The operation is `_terminal_`.

```

*SinceKotlin("1.4")OptIn(kotlin.experimental.ExperimentalTypeInference::class)OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.maxOrNull(selector:
(T) -> Float): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxValue =
selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        maxValue =
maxOf(maxValue, v)
    }
    return maxValue
}

```

Returns the largest value among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements. The operation is `_terminal_`.

```

*SinceKotlin("1.4")OptIn(kotlin.experimental.ExperimentalTypeInference::class)OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>>
Sequence<T>.maxOrNull(selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return
null
    var maxValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v =
selector(iterator.next())
        if (maxValue < v) {
            maxValue = v
        }
    }
    return
maxValue
}

```

Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the sequence. @throws `NoSuchElementException` if the sequence is empty. The operation is `_terminal_`.

```

*SinceKotlin("1.4")OptIn(kotlin.experimental.ExperimentalTypeInference::class)OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun <T, R>
Sequence<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var maxValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

```

Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements. The operation is `_terminal_`.

```

*SinceKotlin("1.4")OptIn(kotlin.experimental.ExperimentalTypeInference::class)OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun <T, R>
Sequence<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {
    val iterator =
iterator()
    if (!iterator.hasNext()) return null
    var maxValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

```

Returns the largest element or `null` if there are no elements. If any of elements is `NaN` returns `NaN`. The operation is `_terminal_`.

```

*SinceKotlin("1.4")
public fun Sequence<Double>.maxOrNull(): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e =
iterator.next()
        max = maxOf(max, e)
    }
    return max
}

```

Returns the largest element or `null` if there are no elements. If any of elements is `NaN` returns `NaN`. The operation is `_terminal_`.

```

*SinceKotlin("1.4")
public fun Sequence<Float>.maxOrNull(): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e =
iterator.next()
        max = maxOf(max, e)
    }
    return max
}

```

Returns the largest element or `null` if there are no elements. The operation is `_terminal_`.

```

*SinceKotlin("1.4")
public fun <T :
Comparable<T>> Sequence<T>.maxOrNull(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return
null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (max < e) max
= e
    }
    return max
}

```

Use `maxWithOrNull` instead.

```

ReplaceWith("maxWithOrNull(comparator)")
@DeprecatedSinceKotlin(warningSince = "1.4")
public fun
<T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {
    return
maxWithOrNull(comparator)
}

```

Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements. The operation is `_terminal_`.

```

*SinceKotlin("1.4")
public fun <T> Sequence<T>.maxWithOrNull(comparator: Comparator<in T>): T? {

```

```

    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n@Deprecated("Use minOrNull instead.")\nReplaceWith("minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4")\n@SinceKotlin("1.1")\npublic
fun Sequence<Double>.min(): Double? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.")\nReplaceWith("minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4")\n@SinceKotlin("1.1")\npublic
fun Sequence<Float>.min(): Float? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.")\nReplaceWith("minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun <T :
Comparable<T>> Sequence<T>.min(): T? {\n    return minOrNull()\n}\n\n@Deprecated("Use minByOrNull
instead.")\nReplaceWith("minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic
inline fun <T, R : Comparable<R>> Sequence<T>.minBy(selector: (T) -> R): T? {\n    return
minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or
`null` if there are no elements.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\n * \n * public inline fun <T, R :
Comparable<R>> Sequence<T>.minByOrNull(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var minElem = iterator.next()\n    if (!iterator.hasNext()) return minElem\n    var
minValue = selector(minElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (minValue >
v) {\n            minElem = e\n            minValue = v\n        }\n    } while (iterator.hasNext())\n    return
minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result
is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * The operation is
_terminal_.\n * \n * @SinceKotlin("1.4")\n * \n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n * @OverloadResolution
ByLambdaReturnType\n * \n * @kotlin.internal.InlineOnly\n * \n * public inline fun <T> Sequence<T>.minOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the sequence is empty.\n * \n * The operation is _terminal_.\n * \n * @SinceKotlin("1.4")\n * \n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n * @OverloadResolution
ByLambdaReturnType\n * \n * @kotlin.internal.InlineOnly\n * \n * public inline fun <T> Sequence<T>.minOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * @throws
NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n * \n * @SinceKotlin("1.4")\n * \n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n * @OverloadResolution
ByLambdaReturnType\n * \n * @kotlin.internal.InlineOnly\n * \n * public inline fun <T, R : Comparable<R>>
Sequence<T>.minOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * The operation is _terminal_.\n * \n * @SinceKotlin("1.4")\n * \n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n * @OverloadResolution
ByLambdaReturnType\n * \n * @kotlin.internal.InlineOnly\n * \n * public inline fun <T> Sequence<T>.minOfOrNull(selector:
(T) -> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =

```

```

selector(iterator.next())\n while (iterator.hasNext()) {\n     val v = selector(iterator.next())\n     minValue =
minOf(minValue, v)\n } return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOrNull(selector:
(T) -> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue =
minOf(minValue, v)\n    } return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * The
operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.minOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    } return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the sequence.\n * \n * @throws
NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) throw NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(minValue, v) > 0) {\n
            minValue = v\n        }\n    } return minValue\n}\n\n/**\n * Returns the smallest value according to the
provided [comparator]\n * among all values produced by [selector] function applied to each element in the sequence
or `null` if there are no elements.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(minValue, v) > 0) {\n
            minValue = v\n        }\n    } return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are
no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun Sequence<Double>.minOrNull(): Double? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        min = minOf(min, e)\n    } return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun Sequence<Float>.minOrNull(): Float? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        min = minOf(min, e)\n    } return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun <T :
Comparable<T>> Sequence<T>.minOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min
= e\n    } return min\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun
<T> Sequence<T>.minWith(comparator: Comparator<in T>): T? {\n    return
minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the

```


provided [comparator] or `null` if there are no elements.

```

 * The operation is _terminal_.
 *
 * @SinceKotlin("1.4")
 public fun <T> Sequence<T>.minOrNull(comparator: Comparator<in T>): T? {
     val iterator = iterator()
     if (!iterator.hasNext()) return null
     var min = iterator.next()
     while (iterator.hasNext()) {
         val e = iterator.next()
         if (comparator.compare(min, e) > 0) min = e
     }
     return min
 }
 
```

Returns `true` if the sequence has no elements.

```

 * The operation is _terminal_.
 *
 * @sample samples.collections.Collections.Aggregates.none
 *
 * @SinceKotlin("1.4")
 public fun <T> Sequence<T>.none(): Boolean {
     return !iterator().hasNext()
 }
 
```

Returns `true` if no elements match the given [predicate].

```

 * The operation is _terminal_.
 *
 * @sample samples.collections.Collections.Aggregates.noneWithPredicate
 *
 * @SinceKotlin("1.4")
 public inline fun <T> Sequence<T>.none(predicate: (T) -> Boolean): Boolean {
     for (element in this) if (predicate(element)) return false
     return true
 }
 
```

Returns a sequence which performs the given [action] on each element of the original sequence as they pass through it.

```

 * The operation is _intermediate_ and _stateless_.
 *
 * @SinceKotlin("1.1")
 public fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {
     return map {
         action(it)
         it
     }
 }
 
```

Returns a sequence which performs the given [action] on each element of the original sequence as they pass through it.

```

 * @param [action] function that takes the index of an element and the element itself
 * and performs the action on the element.
 *
 * The operation is _intermediate_ and _stateless_.
 *
 * @SinceKotlin("1.4")
 public fun <T> Sequence<T>.onEachIndexed(action: (index: Int, T) -> Unit): Sequence<T> {
     return mapIndexed { index, element ->
         action(index, element)
         element
     }
 }
 
```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.

```

 * Throws an exception if this sequence is empty. If the sequence can be empty in an expected way,
 * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.
 *
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next accumulator value.
 *
 * The operation is _terminal_.
 *
 * @sample samples.collections.Collections.Aggregates.reduce
 *
 * @SinceKotlin("1.4")
 public inline fun <S, T : S> Sequence<T>.reduce(operation: (acc: S, T) -> S): S {
     val iterator = this.iterator()
     if (!iterator.hasNext()) throw UnsupportedOperationException("Empty sequence can't be reduced.")
     var accumulator: S = iterator.next()
     while (iterator.hasNext()) {
         accumulator = operation(accumulator, iterator.next())
     }
     return accumulator
 }
 
```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original sequence.

```

 * Throws an exception if this sequence is empty. If the sequence can be empty in an expected way,
 * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.
 *
 * @param [operation] function that takes the index of an element, current accumulator value and the element itself,
 * and calculates the next accumulator value.
 *
 * The operation is _terminal_.
 *
 * @sample samples.collections.Collections.Aggregates.reduce
 *
 * @SinceKotlin("1.4")
 public inline fun <S, T : S> Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {
     val iterator = this.iterator()
     if (!iterator.hasNext()) throw UnsupportedOperationException("Empty sequence can't be reduced.")
     var index = 1
     var accumulator: S = iterator.next()
     while (iterator.hasNext()) {
         accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())
     }
     return accumulator
 }
 
```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original sequence.

```

 * Returns `null` if the sequence is empty.
 *
 * @param [operation] function that takes the index of an element, current accumulator value and the element itself,
 * and calculates the next accumulator value.
 *
 * The operation is _terminal_.
 *
 * @sample samples.collections.Collections.Aggregates.reduceOrNull
 *
 * @SinceKotlin("1.4")
 public inline fun <S, T : S> Sequence<T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {
     val iterator = this.iterator()
     if (!iterator.hasNext()) return null
     var index = 1
     var accumulator: S = iterator.next()
     while (iterator.hasNext()) {
         accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())
     }
     return accumulator
 }
 
```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.

```

 * Returns `null` if the sequence is empty.
 *
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates
 
```

the next accumulator value.\n * \n * The operation is `_terminal_`.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>  

Sequence<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n    val iterator = this.iterator()\n    if  

(iterator.hasNext()) return null\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n  

accumulator = operation(accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Returns a sequence  

containing successive accumulation values generated by applying [operation] from left to right\n * to each element  

and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]  

function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The  

[initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function  

later because of sequence's lazy nature.\n * \n * @param [operation] function that takes current accumulator value  

and an element, and calculates the next accumulator value.\n * \n * The operation is _intermediate_ and  

_stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\npublic fun <T, R> Sequence<T>.runningFold(initial: R, operation: (acc: R, T) -> R):  

Sequence<R> {\n    return sequence {\n        yield(initial)\n        var accumulator = initial\n        for (element in  

this@runningFold) {\n            accumulator = operation(accumulator, element)\n            yield(accumulator)\n        }\n    }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation]  

from left to right\n * to each element, its index in the original sequence and current accumulator value that starts  

with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *  

otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable  

(or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n *  

\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the  

element itself, and calculates the next accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n *  

\n * @sample samples.collections.Collections.Aggregates.runningFold\n *\n@SinceKotlin("1.4")\npublic fun  

<T, R> Sequence<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n  

return sequence {\n        yield(initial)\n        var index = 0\n        var accumulator = initial\n        for (element in  

this@runningFoldIndexed) {\n            accumulator = operation(checkIndexOverflow(index++), accumulator,  

element)\n            yield(accumulator)\n        }\n    }\n}\n\n/**\n * Returns a sequence containing successive  

accumulation values generated by applying [operation] from left to right\n * to each element and current  

accumulator value that starts with the first element of this sequence.\n * \n * Note that `acc` value passed to  

[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n *  

\n * @param [operation] function that takes current accumulator value and the element, and calculates the next  

accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample  

samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <S, T : S>  

Sequence<T>.runningReduce(operation: (acc: S, T) -> S): Sequence<S> {\n    return sequence {\n        val iterator =  

iterator()\n        if (iterator.hasNext()) {\n            var accumulator: S = iterator.next()\n            yield(accumulator)\n            while (iterator.hasNext()) {\n                accumulator = operation(accumulator, iterator.next())\n            }\n            yield(accumulator)\n        }\n    }\n}\n\n/**\n * Returns a sequence containing successive accumulation  

values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and  

current accumulator value that starts with the first element of this sequence.\n * \n * Note that `acc` value passed to  

[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n *  

\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the  

element itself, and calculates the next accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n *  

\n * @sample samples.collections.Collections.Aggregates.runningReduce\n *\n@SinceKotlin("1.4")\npublic fun  

<S, T : S> Sequence<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S> {\n    return  

sequence {\n        val iterator = iterator()\n        if (iterator.hasNext()) {\n            var accumulator: S =  

iterator.next()\n            yield(accumulator)\n            var index = 1\n            while (iterator.hasNext()) {\n
```

```

accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n
yield(accumulator)\n    }\n    }\n }\n}\n\n/**\n * Returns a sequence containing successive accumulation\n
values generated by applying [operation] from left to right\n * to each element and current accumulator value that\n
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable\n
(or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n
*\n * @param [operation] function that takes current accumulator value and an element, and calculates the next\n
accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample\n
samples.collections.Collections.Aggregates.scan\n
*\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T, R>\n
Sequence<T>.scan(initial: R, operation: (acc: R, T) -> R): Sequence<R> {\n    return runningFold(initial,\n
operation)\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying\n
[operation] from left to right\n * to each element, its index in the original sequence and current accumulator value\n
that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n
*\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable\n
(or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n
*\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the\n
element itself, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n
*\n * @sample\n
samples.collections.Collections.Aggregates.scan\n
*\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T, R>\n
Sequence<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n    return\n
runningFoldIndexed(initial, operation)\n}\n\n@Deprecated("Use runningReduce instead."),\n
ReplaceWith("runningReduce(operation)"), level =\n
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <S, T : S>\n
Sequence<T>.scanReduce(operation: (acc: S, T) -> S): Sequence<S> {\n    return\n
runningReduce(operation)\n}\n\n@Deprecated("Use runningReduceIndexed instead."),\n
ReplaceWith("runningReduceIndexed(operation)"), level =\n
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <S, T : S>\n
Sequence<T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S> {\n    return\n
runningReduceIndexed(operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n
applied to each element in the sequence.\n * \n * The operation is _terminal_.\n *\n\npublic inline fun <T>\n
Sequence<T>.sumBy(selector: (T) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum +=\n
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n
applied to each element in the sequence.\n * \n * The operation is _terminal_.\n *\n\npublic inline fun <T>\n
Sequence<T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)\n
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by\n
[selector] function applied to each element in the sequence.\n * \n * The operation is _terminal_.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\n
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun\n
<T> Sequence<T>.sumOf(selector: (T) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element\n
in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced\n
by [selector] function applied to each element in the sequence.\n * \n * The operation is _terminal_.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\n
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>\n
Sequence<T>.sumOf(selector: (T) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\n
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n
applied to each element in the sequence.\n * \n * The operation is _terminal_.\n
*\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Sequence<T>.sumOf(selector: (T) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the sequence.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal
.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> UInt): UInt {\n    var sum: UInt =
0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each element in the sequence.\n * \n * The operation is
_terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@ExperimentalUnsignedTypes\n@kotlin.inter
nal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> ULong): ULong {\n    var sum: ULong
= 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns
an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are
any `null` elements.\n * \n * The operation is _intermediate_ and _stateless_.\n *\npublic fun <T : Any>
Sequence<T?.>.requireNonNulls(): Sequence<T> {\n    return map { it ?: throw IllegalArgumentException("null
element found in $this.") }\n}\n\n/**\n * Splits this sequence into a sequence of lists each not exceeding the given
[size].\n * \n * The last list in the resulting sequence may have less elements than the given [size].\n * \n * @param
size the number of elements to take in each list, must be positive and can be greater than the number of elements in
this sequence.\n * \n * The operation is _intermediate_ and _stateful_.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n *\n@SinceKotlin("1.2")\n\npublic fun <T>
Sequence<T>.chunked(size: Int): Sequence<List<T>> {\n    return windowed(size, size, partialWindows =
true)\n}\n\n/**\n * Splits this sequence into several lists each not exceeding the given [size]\n * and applies the
given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each
list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n
* \n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * \n * The last list may
have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be
positive and can be greater than the number of elements in this sequence.\n * \n * The operation is _intermediate_
and _stateful_.\n * \n * @sample samples.text.Strings.chunkedTransform\n *\n@SinceKotlin("1.2")\n\npublic fun
<T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): Sequence<R> {\n    return windowed(size,
size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a sequence containing all elements of the
original sequence without the first occurrence of the given [element].\n * \n * The operation is _intermediate_ and
_stateless_.\n *\npublic operator fun <T> Sequence<T>.minus(element: T): Sequence<T> {\n    return object:
Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            var removed = false\n            return
this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()\n        }\n
}\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the
given [elements] array.\n * \n * Note that the source sequence and the array being subtracted are iterated only when
an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to
`iterator` may affect the result.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the
operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that
doesn't change between successive invocations.\n * \n * The operation is _intermediate_ and _stateful_.\n *\npublic
operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {\n    if (elements.isEmpty()) return
this\n    return object: Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            val other =
elements.toHashSet()\n            return this@minus.filterNot { it in other }.iterator()\n        }\n    }\n}\n}\n\n/**\n *
Returns a sequence containing all elements of original sequence except the elements contained in the given
[elements] collection.\n * \n * Note that the source sequence and the collection being subtracted are iterated only
when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to

```

`iterator` may affect the result.

* The [elements] collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.

* The operation is `_intermediate_` and `_stateful_`.

```

public operator fun <T> Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {
    return object: Sequence<T> {
        override fun iterator(): Iterator<T> {
            val other = elements.convertToSetForSetOperation()
            if (other.isEmpty())
                return this@minus.iterator()
            else
                return this@minus.filterNot { it in other }.iterator()
        }
    }
}

```

* Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] sequence.

* Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

* The operation is `_intermediate_` for this sequence and `_terminal_` and `_stateful_` for the [elements] sequence.

* The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.

```

public operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {
    return object: Sequence<T> {
        override fun iterator(): Iterator<T> {
            val other = elements.toHashSet()
            if (other.isEmpty())
                return this@minus.iterator()
            else
                return this@minus.filterNot { it in other }.iterator()
        }
    }
}

```

* Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].

* The operation is `_intermediate_` and `_stateless_`.

```

@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.minusElement(element: T): Sequence<T> {
    return minus(element)
}

```

* Splits the original sequence into pair of lists, where `*first*` list contains elements for which [predicate] yielded `true`, while `*second*` list contains elements for which [predicate] yielded `false`.

* The operation is `_terminal_`.

```

@sample
samples.collections.Sequences.Transformations.partition
public inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {
    val first = ArrayList<T>()
    val second = ArrayList<T>()
    for (element in this) {
        if (predicate(element))
            first.add(element)
        else
            second.add(element)
    }
    return Pair(first, second)
}

```

* Returns a sequence containing all elements of the original sequence and then the given [element].

* The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {
    return sequenceOf(this, sequenceOf(element)).flatten()
}

```

* Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.

* Note that the source sequence and the array being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

* The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {
    return this.plus(elements.asList())
}

```

* Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.

* Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

* The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {
    return sequenceOf(this, elements.asSequence()).flatten()
}

```

* Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.

* Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

* The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {
    return sequenceOf(this, elements).flatten()
}

```

* Returns a sequence containing all elements of the original sequence and then the given [element].

* The operation is `_intermediate_` and `_stateless_`.

```

@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {
    return plus(element)
}

```

* Returns a sequence of snapshots of the window of the given [size] sliding along this sequence with the given [step], where each snapshot is a list.

* Several last lists may have less

elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n * \n * @SinceKotlin("1.2")\n * public fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n * return windowedSequence(size, step, partialWindows, reuseBuffer = false)\n * }\n * \n * Returns a sequence of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this sequence with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n * \n * @SinceKotlin("1.2")\n * public fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {\n * return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)\n * }\n * \n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zip\n * \n * public infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {\n * return MergingSequence(this, other) { t1, t2 -> t1 to t2 }\n * }\n * \n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zipWithTransform\n * \n * public fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n * return MergingSequence(this, other, transform)\n * }\n * \n * Returns a sequence of pairs of each two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n * \n * @SinceKotlin("1.2")\n * public fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n * return zipWithNext { a, b -> a to b }\n * }\n * \n * Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n * \n * @SinceKotlin("1.2")\n * public fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n * return sequenceResult@\n * {\n * val iterator = iterator()\n * if (!iterator.hasNext()) return @result\n * var current = iterator.next()\n * while (iterator.hasNext()) {\n * val next = iterator.next()\n * yield(transform(current, next))\n * current = next\n * }\n * }\n * }\n * \n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \n * public fun <T, A : Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = ",", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A

```

{\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      buffer.appendElement(element, transform)\n    } else break\n  }\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\nreturn buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T>
Sequence<T>.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "", postfix: CharSequence =
"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n  return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original sequence returning its elements when being iterated.\n */\npublic fun <T>
Sequence<T>.asIterable(): Iterable<T> {\n  return Iterable { this.iterator() }\n}\n\n/**\n * Returns this sequence as
a [Sequence].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.asSequence(): Sequence<T>
{\n  return this\n}\n\n/**\n * Returns an average value of elements in the sequence.\n * \n * The operation is
_terminal_.\n */\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Sequence<Byte>.average(): Double {\n
var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Sequence<Short>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Sequence<Int>.average(): Double {\n  var sum: Double
= 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the
sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun
Sequence<Long>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n
sum += element\n    checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Sequence<Float>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Sequence<Double>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Sequence<Byte>.sum(): Int {\n  var sum: Int = 0\n  for
(element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the
sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun
Sequence<Short>.sum(): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum += element\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Sequence<Int>.sum(): Int {\n  var sum: Int = 0\n  for
(element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the
sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun
Sequence<Long>.sum(): Long {\n  var sum: Long = 0L\n  for (element in this) {\n    sum += element\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n */

```

```

*\n@kotlin.jvm.JvmName("\sumOfFloat")\npublic fun Sequence<Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/*\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("\sumOfDouble")\npublic fun Sequence<Double>.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```

```

*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\SetsKt")\n\npackage kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/*\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\n\npublic operator fun <T> Set<T>.minus(element: T): Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(size))\n    var removed = false\n    return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/*\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] array.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\n\npublic operator fun <T> Set<T>.minus(elements: Array<out T>): Set<T> {\n    val result = LinkedHashSet<T>(this)\n    result.removeAll(elements)\n    return result\n}\n\n/*\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] collection.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements] collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\n\npublic operator fun <T> Set<T>.minus(elements: Iterable<T>): Set<T> {\n    val other = elements.convertToSetForSetOperationWith(this)\n    if (other.isEmpty())\n        return this.toSet()\n    if (other is Set)\n        return this.filterNotTo(LinkedHashSet<T>()) { it in other }\n    val result = LinkedHashSet<T>(this)\n    result.removeAll(other)\n    return result\n}\n\n/*\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] sequence.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\n\npublic operator fun <T> Set<T>.minus(elements: Sequence<T>): Set<T> {\n    val result = LinkedHashSet<T>(this)\n    result.removeAll(elements)\n    return result\n}\n\n/*\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.minusElement(element: T): Set<T> {\n    return minus(element)\n}\n\n/*\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\n\npublic operator fun <T> Set<T>.plus(element: T): Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(size + 1))\n    result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/*\n * Returns a set containing all elements of the original set and the given [elements] array,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\n\npublic operator fun <T> Set<T>.plus(elements: Array<out T>): Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/*\n * Returns a set containing all elements of the original set and the given [elements] collection,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\n\npublic operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size * 2))\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/*\n * Returns a set containing all

```


elements of the original set and the given [elements] sequence, which aren't already in this set. The returned set preserves the element iteration order of the original set.

```

public operator fun <T>
Set<T>.plus(elements: Sequence<T>): Set<T> {
    val result = LinkedHashSet<T>(mapCapacity(this.size * 2))
    result.addAll(this)
    result.addAll(elements)
    return result
}

```

Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set. The returned set preserves the element iteration order of the original set.

```

@kotlin.internal.InlineOnly
public inline fun <T>
Set<T>.plusElement(element: T): Set<T> {
    return plus(element)
}

```

Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("StringsKt")
package
kotlin.text
// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See:
// https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.random.*

```

Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.

```

@sample
samples.collections.Collections.Elements.elementAt

```

public expect fun CharSequence.elementAt(index: Int): Char Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.

```

@sample
samples.collections.Collections.Elements.elementAtOrElse

```

@kotlin.internal.InlineOnly public inline fun CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.

```

@sample
samples.collections.Collections.Elements.elementAtOrNull

```

@kotlin.internal.InlineOnly public inline fun CharSequence.elementAtOrNull(index: Int): Char? Returns the first character matching the given [predicate], or `null` if no such character was found.

```

@sample
samples.collections.Collections.Elements.find

```

@kotlin.internal.InlineOnly public inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? Returns the first character matching the given [predicate], or `null` if no such character was found.

```

@sample
samples.collections.Collections.Elements.find

```

@kotlin.internal.InlineOnly public inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? Returns the last character matching the given [predicate], or `null` if no such character was found.

```

@sample
samples.collections.Collections.Elements.find

```

@kotlin.internal.InlineOnly public inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? Returns the last character matching the given [predicate], or `null` if no such character was found.

```

@throws [NoSuchElementException] if the char sequence is empty.
public fun
CharSequence.first(): Char {
    if (isEmpty())
        throw NoSuchElementException("Char sequence is empty.")
    return this[0]
}

```

Returns the first character matching the given [predicate].

```

@throws [NoSuchElementException] if no such character is found.
@kotlin.internal.InlineOnly
public inline fun CharSequence.first(predicate:
(Char) -> Boolean): Char {
    for (element in this)
        if (predicate(element))
            return element
    throw
NoSuchElementException("Char sequence contains no character matching the predicate.")
}

```

Returns the first character, or `null` if the char sequence is empty.

```

public fun CharSequence.firstOrNull(): Char? {
    return if (isEmpty())
        null
    else
        this[0]
}

```

Returns the first character matching the given [predicate], or `null` if character was not found.

```

public inline fun CharSequence.firstOrNull(predicate: (Char) -> Boolean):
Char? {
    for (element in this)
        if (predicate(element))
            return element
    return null
}

```

Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.

```

@kotlin.internal.InlineOnly
public inline fun CharSequence.getOrElse(index: Int,
defaultValue: (Int) -> Char): Char {
    return if (index >= 0 && index <= lastIndex)
        get(index)
    else
        defaultValue(index)
}

```

Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.

```

@sample
samples.collections.Collections.Elements.getOrNull

```

public fun CharSequence.getOrNull(index: Int): Char? Returns index of the first character matching the given [predicate], or -1 if the char sequence does not contain such character.

```

public inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {
    for (index in indices)
        if (predicate(this[index]))
            return index
    return -1
}

```

Returns index of the first character matching the given [predicate], or -1 if the char sequence does

```

not contain such character.\n */\npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n
for (index in indices.reversed()) {\n    if (predicate(this[index])) {\n        return index\n    }\n }\n return -
1\n}\n\n/**\n * Returns the last character.\n * \n * @throws NoSuchElementException if the char sequence is
empty.\n * \n * @sample samples.text.Strings.last\n */\npublic fun CharSequence.last(): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Char sequence is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the
last character matching the given [predicate].\n * \n * @throws NoSuchElementException if no such character is
found.\n * \n * @sample samples.text.Strings.last\n */\npublic inline fun CharSequence.last(predicate: (Char) ->
Boolean): Char {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Char sequence contains no
character matching the predicate.")\n}\n\n/**\n * Returns the last character, or `null` if the char sequence is
empty.\n * \n * @sample samples.text.Strings.last\n */\npublic fun CharSequence.lastOrNull(): Char? {\n    return if
(isEmpty()) null else this[length - 1]\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null`
if no such character was found.\n * \n * @sample samples.text.Strings.last\n */\npublic inline fun
CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a
random character from this char sequence.\n * \n * @throws NoSuchElementException if this char sequence is
empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.random(): Char
{\n    return random(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified
source of randomness.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n */\n@SinceKotlin("1.3")\npublic fun CharSequence.random(random: Random): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Char sequence is empty.")\n    return get(random.nextInt(length))\n}\n\n/**\n * Returns a random character from this char sequence, or `null` if this char sequence is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random character from this char sequence using the specified source of randomness, or `null` if this char sequence is
empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharSequence.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(length))\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence
is empty or has more than one character.\n */\npublic fun CharSequence.single(): Char {\n    return when (length)
{\n        0 -> throw NoSuchElementException("Char sequence is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Char sequence has more than one element.")\n    }\n}\n\n/**\n * Returns the single
character matching the given [predicate], or throws exception if there is no or more than one matching character.\n */\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n    var single: Char? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Char sequence contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Char sequence
contains no character matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as
Char\n}\n\n/**\n * Returns single character, or `null` if the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.singleOrNull(): Char? {\n    return if (length == 1) this[0] else null\n}\n\n/**\n * Returns the single character matching the given [predicate], or `null` if character was not found or more than one
character was found.\n */\npublic inline fun CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n    var
single: Char? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return
single\n}\n\n/**\n * Returns a subsequence of this char sequence with the first [n] characters removed.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun
CharSequence.drop(n: Int): CharSequence {\n    require(n >= 0) { "Requested character count $n is less than zero."
}\n    return subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with the first [n] characters
removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample

```

```

samples.text.Strings.drop\n *\npublic fun String.drop(n: Int): String {\n  require(n >= 0) { \"Requested character
count $n is less than zero.\" }\n  return substring(n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of
this char sequence with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is
negative.\n * \n * @sample samples.text.Strings.drop\n *\npublic fun CharSequence.dropLast(n: Int):
CharSequence {\n  require(n >= 0) { \"Requested character count $n is less than zero.\" }\n  return take((length -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n *\npublic fun
String.dropLast(n: Int): String {\n  require(n >= 0) { \"Requested character count $n is less than zero.\" }\n  return
take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*\npublic inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n  for (index in
lastIndex downTo 0)\n    if (!predicate(this[index]))\n      return subSequence(0, index + 1)\n  return
\"\"\n}\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given [predicate].\n
*\n * @sample samples.text.Strings.drop\n *\npublic inline fun String.dropLastWhile(predicate: (Char) ->
Boolean): String {\n  for (index in lastIndex downTo 0)\n    if (!predicate(this[index]))\n      return
substring(0, index + 1)\n  return \"\"\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*\npublic inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n  for (index in
this.indices)\n    if (!predicate(this[index]))\n      return subSequence(index, length)\n  return \"\"\n}\n\n/**\n
* Returns a string containing all characters except first characters that satisfy the given [predicate].\n * \n *
@sample samples.text.Strings.drop\n *\npublic inline fun String.dropWhile(predicate: (Char) -> Boolean): String
{\n  for (index in this.indices)\n    if (!predicate(this[index]))\n      return substring(index)\n  return
\"\"\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that
match the given [predicate].\n * \n * @sample samples.text.Strings.filter\n *\npublic inline fun
CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n  return filterTo(StringBuilder(),
predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the
given [predicate].\n * \n * @sample samples.text.Strings.filter\n *\npublic inline fun String.filter(predicate: (Char) -
> Boolean): String {\n  return filterTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Returns a char sequence
containing only those characters from the original char sequence that match the given [predicate].\n * @param
[predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate
evaluation on the character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n *\npublic
inline fun CharSequence.filterIndexed(predicate: (index: Int, Char) -> Boolean): CharSequence {\n  return
filterIndexedTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the
original string that match the given [predicate].\n * @param [predicate] function that takes the index of a character
and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n *\npublic inline fun String.filterIndexed(predicate: (index:
Int, Char) -> Boolean): String {\n  return filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/**\n
* Appends all characters matching the given [predicate] to the given [destination].\n * @param [predicate] function
that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the
character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n *\npublic inline fun <C :
Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n
  forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.append(element)\n  }\n  return
destination\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char
sequence that do not match the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n *\npublic inline
fun CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n  return filterNotTo(StringBuilder(),
predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that do not match
the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n *\npublic inline fun
String.filterNot(predicate: (Char) -> Boolean): String {\n  return filterNotTo(StringBuilder(),

```

```

predicate).toString()\n\n/**\n * Appends all characters not matching the given [predicate] to the given
[destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n *^npublic inline fun <C :
Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this)
if (!predicate(element)) destination.append(element)\n  return destination\n}\n\n/**\n * Appends all characters
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *^npublic inline fun <C : Appendable>
CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (index in 0 until length) {\n    val
element = get(index)\n    if (predicate(element)) destination.append(element)\n  }\n  return
destination\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at the
specified range of [indices].\n *^npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n  if
(indices.isEmpty()) return ""\n  return subSequence(indices)\n}\n\n/**\n * Returns a string containing characters
of the original string at the specified range of [indices].\n *^npublic fun String.slice(indices: IntRange): String {\n
if (indices.isEmpty()) return ""\n  return substring(indices)\n}\n\n/**\n * Returns a char sequence containing
characters of the original char sequence at specified [indices].\n *^npublic fun CharSequence.slice(indices:
Iterable<Int>): CharSequence {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return ""\n
val result = StringBuilder(size)\n  for (i in indices) {\n    result.append(get(i))\n  }\n  return result\n}\n\n/**\n
* Returns a string containing characters of the original string at specified [indices].\n
*^n@kotlin.internal.InlineOnly\npublic inline fun String.slice(indices: Iterable<Int>): String {\n  return (this as
CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the
first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n *^npublic fun
CharSequence.take(n: Int): CharSequence {\n  require(n >= 0) { "Requested character count $n is less than zero."
}\n  return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n]
characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.text.Strings.take\n *^npublic fun String.take(n: Int): String {\n  require(n
>= 0) { "Requested character count $n is less than zero." }\n  return substring(0,
n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing the last [n]
characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n *^npublic fun
CharSequence.takeLast(n: Int): CharSequence {\n  require(n >= 0) { "Requested character count $n is less than
zero." }\n  val length = length\n  return subSequence(length - n.coerceAtMost(length), length)\n}\n\n/**\n
* Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.\n
* \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n *^npublic fun
String.takeLast(n: Int): String {\n  require(n >= 0) { "Requested character count $n is less than zero." }\n  val
length = length\n  return substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this
char sequence containing last characters that satisfy the given [predicate].\n * \n * @sample
samples.text.Strings.take\n *^npublic inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean):
CharSequence {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return
subSequence(index + 1, length)\n    }\n  }\n  return subSequence(0, length)\n}\n\n/**\n * Returns a string
containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n *^npublic
inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {\n  for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n    return substring(index + 1)\n  }\n  return this\n}\n\n/**\n * Returns
a subsequence of this char sequence containing the first characters that satisfy the given [predicate].\n * \n *
@sample samples.text.Strings.take\n *^npublic inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean):
CharSequence {\n  for (index in 0 until length)\n    if (!predicate(get(index))) {\n      return subSequence(0,
index)\n    }\n  return subSequence(0, length)\n}\n\n/**\n * Returns a string containing the first characters that
satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n *^npublic inline fun
String.takeWhile(predicate: (Char) -> Boolean): String {\n  for (index in 0 until length)\n    if

```

```

(!predicate(get(index))) {\n      return substring(0, index)\n    }\n    return this\n}\n\n/**\n * Returns a char sequence with characters in reversed order.\n */\npublic fun CharSequence.reversed(): CharSequence {\n    return\n    StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string with characters in reversed order.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n    return (this as\n    CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by\n [transform] function\n * applied to characters of the given char sequence.\n * \n * If any of two pairs would have the\n same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the\n original char sequence.\n * \n * @sample samples.text.Strings.associate\n */\npublic inline fun <K, V>\nCharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n    val capacity =\n    mapCapacity(length).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity),\n    transform)\n}\n\n/**\n * Returns a [Map] containing the characters from the given char sequence indexed by the\n key\n * returned from [keySelector] function applied to each character.\n * \n * If any two characters would have the\n same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry\n iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateBy\n */\npublic inline\nfun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n    val capacity =\n    mapCapacity(length).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Char>(capacity),\n    keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by\n [keySelector] functions applied to characters of the given char sequence.\n * \n * If any two characters would have\n the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the\n entry iteration order of the original char sequence.\n * \n * @sample\n samples.text.Strings.associateByWithValueTransform\n */\npublic inline fun <K, V>\nCharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n    val capacity\n    = mapCapacity(length).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity),\n    keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value\n pairs,\n * where key is provided by the [keySelector] function applied to each character of the given char sequence\n * and value is the character itself.\n * \n * If any two characters would have the same key returned by [keySelector]\n the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateByTo\n */\npublic inline fun <K,\n M : MutableMap<in K, in Char>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the\n [keySelector] function and\n * and value is provided by the [valueTransform] function applied to characters of the\n given char sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one\n gets added to the map.\n * \n * @sample samples.text.Strings.associateByToWithValueTransform\n */\npublic\ninline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M, keySelector: (Char)\n-> K, valueTransform: (Char) -> V): M {\n    for (element in this) {\n        destination.put(keySelector(element),\n        valueTransform(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable\n map with key-value pairs\n * provided by [transform] function applied to each character of the given char\n sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample\n samples.text.Strings.associateTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>>\nCharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\n/**\n * Returns a [Map] where keys are\n characters from the given char sequence and values are\n * produced by the [valueSelector] function applied to each\n character.\n * \n * If any two characters are equal, the last one gets added to the map.\n * \n * The returned map\n preserves the entry iteration order of the original char sequence.\n * \n * @sample\n samples.text.Strings.associateWith\n */\n@SinceKotlin("1.3")\npublic inline fun <V>\nCharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n    val result = LinkedHashMap<Char,\n    V>(mapCapacity(length).coerceAtMost(128)).coerceAtLeast(16)\n    return associateWithTo(result,\n    valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each

```

character of the given char sequence, \n * where key is the character itself and value is provided by the [valueSelector] function applied to that key. \n * \n * If any two characters are equal, the last one overwrites the former value in the map. \n * \n * @sample samples.text.Strings.associateWithTo

```
*\n@SinceKotlin("1.3")\npublic inline fun <V, M : MutableMap<in Char, in V>>
CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n } \n return destination\n}\n\n/**\n * Appends all characters to
the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>>
CharSequence.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n } \n return
destination\n}\n\n/**\n * Returns a new [HashSet] of all characters.\n */\npublic fun CharSequence.toHashSet():
HashSet<Char> {\n return toCollection(HashSet<Char>(mapCapacity(length.coerceAtMost(128))))\n}\n\n/**\n *
Returns a [List] containing all characters.\n */\npublic fun CharSequence.toList(): List<Char> {\n return when
(length) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n } \n}\n\n/**\n *
Returns a new [MutableList] filled with all characters of this char sequence.\n */\npublic fun
CharSequence.toMutableList(): MutableList<Char> {\n return toCollection(ArrayList<Char>(length))\n}\n\n/**\n *
Returns a [Set] of all characters.\n * \n * The returned set preserves the element iteration order of the original char
sequence.\n */\npublic fun CharSequence.toSet(): Set<Char> {\n return when (length) {\n 0 -> emptySet()\n
1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Char>(mapCapacity(length.coerceAtMost(128))))\n
}\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on
each character of original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each character\n * and its index in the original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharSequence.flatMapIndexed(transform: (index: Int, Char) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each character\n * and its index in the original char sequence, to the given
[destination].\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic
c inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapIndexedTo(destination: C, transform: (index:
Int, Char) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++,
element)\n destination.addAll(list)\n } \n return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each character of original char sequence, to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C,
transform: (Char) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n
destination.addAll(list)\n } \n return destination\n}\n\n/**\n * Groups characters of the original char sequence by
the key returned by the given [keySelector] function\n * applied to each character and returns a map where each
group key is associated with a list of corresponding characters.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each character of the original char sequence\n * by the key returned by the
given [keySelector] function applied to the character\n * and returns a map where each group key is associated with
a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced
```

from the original char sequence.

```

@sample
samples.collections.Collections.Transformations.groupByKeysAndValues
public inline fun <K, V>
CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {
    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)
}
Groups
characters of the original char sequence by the key returned by the given [keySelector] function
applied to each
character and puts to the [destination] map each group key associated with a list of corresponding
characters.
@return The [destination] map.
@sample
samples.collections.Collections.Transformations.groupBy
public inline fun <K, M : MutableMap<in K, MutableList<Char>>>
CharSequence.groupByTo(destination: M,
keySelector: (Char) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list =
destination.getOrPut(key) { ArrayList<Char>() }
        list.add(element)
    }
    return destination
}
Groups values returned by the [valueTransform] function applied to each character of the original
char sequence
by the key returned by the given [keySelector] function applied to the character
and puts to the [destination] map
each group key associated with a list of corresponding values.
@return The [destination] map.
@sample
samples.collections.Collections.Transformations.groupByKeysAndValues
public inline fun <K, V,
M : MutableMap<in K, MutableList<V>>>
CharSequence.groupByTo(destination: M, keySelector: (Char) -> K,
valueTransform: (Char) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list =
destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return
destination
}
Creates a [Grouping] source from a char sequence to be used later with one of group-and-fold
operations
using the specified [keySelector] function to extract a key from each character.
@sample
samples.collections.Grouping.groupingByEachCount
@SinceKotlin("1.1")
public inline fun <K>
CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {
    return object :
Grouping<Char, K> {
        override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()
        override fun keyOf(element: Char): K = keySelector(element)
    }
}
Returns a list containing the
results of applying the given [transform] function
to each character in the original char sequence.
@sample
samples.text.Strings.map
public inline fun <R>
CharSequence.map(transform: (Char) -> R):
List<R> {
    return mapTo(ArrayList<R>(length), transform)
}
Returns a list containing the results of
applying the given [transform] function
to each character and its index in the original char sequence.
@param [transform] function that takes the index of a character and the character itself
and returns the result of
the transform applied to the character.
public inline fun <R>
CharSequence.mapIndexed(transform: (index:
Int, Char) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(length), transform)
}
Returns a list
containing only the non-null results of applying the given [transform] function
to each character and its index in
the original char sequence.
@param [transform] function that takes the index of a character and the character
itself
and returns the result of the transform applied to the character.
public inline fun <R : Any>
CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {
    return
mapIndexedNotNullTo(ArrayList<R>(), transform)
}
Applies the given [transform] function to each
character and its index in the original char sequence
and appends only the non-null results to the given
[destination].
@param [transform] function that takes the index of a character and the character itself
and
returns the result of the transform applied to the character.
public inline fun <R : Any, C :
MutableCollection<in R>>
CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) ->
R?): C {
    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }
    return
destination
}
Applies the given [transform] function to each character and its index in the original char
sequence
and appends the results to the given [destination].
@param [transform] function that takes the
index of a character and the character itself
and returns the result of the transform applied to the character.
public inline fun <R, C : MutableCollection<in R>>
CharSequence.mapIndexedTo(destination: C, transform:
(index: Int, Char) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++,
item))
    return destination
}
Returns a list containing only the non-null results of applying the given
[transform] function
to each character in the original char sequence.
@sample
samples.collections.Collections.Transformations.mapNotNull
public inline fun <R : Any>

```

`CharSequence.mapNotNull(transform: (Char) -> R?): List<R> { \n return mapNotNullTo(ArrayList<R>(),`
`transform)\n}\n\n/**\n * Applies the given [transform] function to each character in the original char sequence\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <R : Any, C :`
`MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C { \n forEach`
`{ element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given`
`[transform] function to each character of the original char sequence\n * and appends the results to the given`
`[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C,`
`transform: (Char) -> R): C { \n for (item in this)\n destination.add(transform(item))\n return`
`destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each character of the original char sequence\n * into an`
`[IndexedValue] containing the index of that character and the character itself.\n */\npublic fun`
`CharSequence.withIndex(): Iterable<IndexedValue<Char>> { \n return IndexingIterable { iterator() }\n}\n\n/**\n *`
`Returns `true` if all characters match the given [predicate].\n */\n * \n * @sample`
`samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharSequence.all(predicate: (Char) ->`
`Boolean): Boolean { \n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n *`
`Returns `true` if char sequence has at least one character.\n */\n * \n * @sample`
`samples.collections.Collections.Aggregates.any\n */\npublic fun CharSequence.any(): Boolean { \n return`
`!isEmpty()\n}\n\n/**\n * Returns `true` if at least one character matches the given [predicate].\n */\n * \n * @sample`
`samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharSequence.any(predicate:`
`(Char) -> Boolean): Boolean { \n for (element in this) if (predicate(element)) return true\n return`
`false\n}\n\n/**\n * Returns the length of this char sequence.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun`
`CharSequence.count(): Int { \n return length\n}\n\n/**\n * Returns the number of characters matching the given`
`[predicate].\n */\n\npublic inline fun CharSequence.count(predicate: (Char) -> Boolean): Int { \n var count = 0\n`
`for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Accumulates value starting with`
`[initial] value and applying [operation] from left to right\n * to current accumulator value and each character.\n */\n *`
`Returns the specified [initial] value if the char sequence is empty.\n */\n * \n * @param [operation] function that takes`
`current accumulator value and a character, and calculates the next accumulator value.\n */\n\npublic inline fun <R>`
`CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R { \n var accumulator = initial\n for (element in`
`this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value`
`starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each`
`character with its index in the original char sequence.\n */\n * \n * Returns the specified [initial] value if the char`
`sequence is empty.\n */\n * \n * @param [operation] function that takes the index of a character, current accumulator`
`value\n * and the character itself, and calculates the next accumulator value.\n */\n\npublic inline fun <R>`
`CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R { \n var index = 0\n var`
`accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return`
`accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to`
`left\n * to each character and current accumulator value.\n */\n * \n * Returns the specified [initial] value if the char`
`sequence is empty.\n */\n * \n * @param [operation] function that takes a character and current accumulator value, and`
`calculates the next accumulator value.\n */\n\npublic inline fun <R> CharSequence.foldRight(initial: R, operation:`
`(Char, acc: R) -> R): R { \n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n`
`accumulator = operation(get(index--), accumulator)\n } \n return accumulator\n}\n\n/**\n * Accumulates value`
`starting with [initial] value and applying [operation] from right to left\n * to each character with its index in the`
`original char sequence and current accumulator value.\n */\n * \n * Returns the specified [initial] value if the char`
`sequence is empty.\n */\n * \n * @param [operation] function that takes the index of a character, the character itself\n * and`
`current accumulator value, and calculates the next accumulator value.\n */\n\npublic inline fun <R>`
`CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R { \n var index =`
`lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index),`
`accumulator)\n --index\n } \n return accumulator\n}\n\n/**\n * Performs the given [action] on each`
`character.\n */\n\npublic inline fun CharSequence.forEach(action: (Char) -> Unit): Unit { \n for (element in this)`


```

action(element)\n}\n\n/**\n * Performs the given [action] on each character, providing sequential index with the
character.\n * @param [action] function that takes the index of a character and the character itself\n * and performs
the action on the character.\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit):
Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n@Deprecated("Use maxOrNull
instead.", ReplaceWith("maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = `1.4`)\npublic fun
CharSequence.max(): Char? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.",
ReplaceWith("maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = `1.4`)\npublic inline fun
<R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {\n    return
maxByOrNull(selector)\n}\n\n/**\n * Returns the first character yielding the largest value of the given function or
`null` if there are no characters.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin(`1.4`)\npublic inline fun <R : Comparable<R>> CharSequence.maxByOrNull(selector: (Char) -
> R): Char? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if
(lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n
*/\n@SinceKotlin(`1.4`)\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOf(selector: (Char) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n
*/\n@SinceKotlin(`1.4`)\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOf(selector: (Char) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n
*/\n@SinceKotlin(`1.4`)\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharSequence.maxOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no
characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(`1.4`)\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOfOrNull(selector:
(Char) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(`1.4`)\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOfOrNull(selector:
(Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return

```

```

maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharSequence.maxOfOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each character in the char sequence.\n
*\n * @throws NoSuchElementException if the char sequence is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.maxOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each character in the char sequence or `null` if there are no characters.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
CharSequence.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n    if (isEmpty())
return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest character or `null` if there are no characters.\n
*\n@SinceKotlin("1.4")\npublic fun
CharSequence.maxOrNull(): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex)
{\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n@Deprecated("Use maxWithOrNull
instead.", ReplaceWith("maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince =
"1.4")\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {\n    return
maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first character having the largest value according to the
provided [comparator] or `null` if there are no characters.\n
*\n@SinceKotlin("1.4")\npublic fun
CharSequence.maxWithOrNull(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var
max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n
}\n    return max\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic fun
CharSequence.min(): Char? {\n    return minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4")\npublic inline fun <R
: Comparable<R>> CharSequence.minBy(selector: (Char) -> R): Char? {\n    return
minByOrNull(selector)\n}\n\n/**\n * Returns the first character yielding the smallest value of the given function or
`null` if there are no characters.\n
*\n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> CharSequence.minByOrNull(selector: (Char) -
> R): Char? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if
(lastIndex == 0) return minElem\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n
}\n    return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each character in the char sequence.\n
*\n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n
*\n * @throws NoSuchElementException if the char sequence is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return

```

```

minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharSequence.minOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOfOrNull(selector: (Char) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOfOrNull(selector: (Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharSequence.minOfOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.minOfWith(comparator: Comparator<in R>, selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.minOfOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue}\n\n
```

```

Returns the smallest character or `null` if there are no characters.
CharSequence.minOrNull(): Char? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min = e
    }
    return min
}
@Deprecated("Use minWithOrNull instead.", ReplaceWith("minWithOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4")
public fun CharSequence.minWith(comparator: Comparator<in Char>): Char? {
    return minWithOrNull(comparator)
}
/**
 * Returns the first character having the smallest value according to the
 * provided [comparator] or `null` if there are no characters.
 */
@SinceKotlin("1.4")
public fun CharSequence.minWithOrNull(comparator: Comparator<in Char>): Char? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(min, e) > 0) min = e
    }
    return min
}
/**
 * Returns `true` if the char sequence has no characters.
 */
@sample
samples.collections.Collections.Aggregates.none
@SinceKotlin("1.4")
public fun CharSequence.none(): Boolean {
    return isEmpty()
}
/**
 * Returns `true` if no characters match the given [predicate].
 */
@sample
samples.collections.Collections.Aggregates.noneWithPredicate
public inline fun
CharSequence.none(predicate: (Char) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return
    false
    return true
}
/**
 * Performs the given [action] on each character and returns the char sequence itself
 * afterwards.
 */
@SinceKotlin("1.1")
public inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S {
    return apply { for (element in this) action(element) }
}
/**
 * Performs the given [action] on each
 * character, providing sequential index with the character, and returns the char sequence itself afterwards.
 *
 * @param [action] function that takes the index of a character and the character itself and performs the action on
 * the character.
 */
@SinceKotlin("1.4")
public inline fun <S : CharSequence> S.onEachIndexed(action: (index:
Int, Char) -> Unit): S {
    return apply { forEachIndexed(action) }
}
/**
 * Accumulates value starting with
 * the first character and applying [operation] from left to right to current accumulator value and each character.
 *
 * Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,
 * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.
 *
 * @param [operation] function
 * that takes current accumulator value and a character, and calculates the next accumulator value.
 */
@sample
samples.collections.Collections.Aggregates.reduce
public inline fun
CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty char sequence can't be reduced.")
    var accumulator = this[0]
    for
(index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return
    accumulator
}
/**
 * Accumulates value starting with the first character and applying [operation] from left to
 * right to current accumulator value and each character with its index in the original char sequence.
 *
 * Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,
 * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.
 *
 * @param [operation]
 * function that takes the index of a character, current accumulator value and the character itself, and calculates the
 * next accumulator value.
 */
@sample
samples.collections.Collections.Aggregates.reduce
public inline fun
CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {
    if (isEmpty())
    throw UnsupportedOperationException("Empty char sequence can't be reduced.")
    var accumulator = this[0]
    for
(index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return
    accumulator
}
/**
 * Accumulates value starting with the first character and applying [operation] from left to
 * right to current accumulator value and each character with its index in the original char sequence.
 *
 * Returns `null` if the char sequence is empty.
 *
 * @param [operation] function that takes the index of a
 * character, current accumulator value and the character itself, and calculates the next accumulator value.
 */
@sample
samples.collections.Collections.Aggregates.reduceOrNull
@SinceKotlin("1.4")
public inline fun
CharSequence.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {
    if (isEmpty())
    return null
    var accumulator = this[0]
    for
(index in 1..lastIndex) {
        accumulator = operation(index,
        accumulator, this[index])
    }
    return accumulator
}
/**
 * Accumulates value starting with the first
 * character and applying [operation] from left to right to current accumulator value and each character.
 *
 * Returns `null` if the char sequence is empty.
 *
 * @param [operation] function that takes current accumulator

```

value and a character, \n * and calculates the next accumulator value. \n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull \n

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharSequence.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n
var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation]
from right to left\n * to each character and current accumulator value.\n * \n * Throws an exception if this char
sequence is empty. If the char sequence can be empty in an expected way,\n * please use [reduceRightOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes a character and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0)
throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n var accumulator = get(index-
-)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to
left\n * to each character with its index in the original char sequence and current accumulator value.\n * \n * Throws
an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of a character, the character itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic
inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index
= lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n
var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index),
accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last
character and applying [operation] from right to left\n * to each character with its index in the original char sequence
and current accumulator value.\n * \n * Returns `null` if the char sequence is empty.\n * \n * @param [operation]
function that takes the index of a character, the character itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n@SinceKotlin("1.4")\npublic inline fun CharSequence.reduceRightIndexedOrNull(operation: (index: Int, Char,
acc: Char) -> Char): Char? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index-
-)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from
right to left\n * to each character and current accumulator value.\n * \n * Returns `null` if the char sequence is
empty.\n * \n * @param [operation] function that takes a character and current accumulator value,\n * and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharSequence.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n var index = lastIndex\n if
(index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator =
operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each character and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin("1.4")\npublic inline fun
<R> CharSequence.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {\n if (isEmpty()) return
listOf(initial)\n val result = ArrayList<R>(length + 1).apply { add(initial) }\n var accumulator = initial\n for
(element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n
return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying

```

[operation] from left to right to each character, its index in the original char sequence and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningFold

```
*\n@SinceKotlin("1.4")\npublic inline fun <R> CharSequence.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(length + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character and current accumulator value that starts with the first character of this char sequence.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\npublic inline fun CharSequence.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Char>(length).apply { add(accumulator) }\n    for (index in 1 until length) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character, its index in the original char sequence and current accumulator value that starts with the first character of this char sequence.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\npublic inline fun CharSequence.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Char>(length).apply { add(accumulator) }\n    for (index in 1 until length) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <R> CharSequence.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n    return runningFold(initial, operation)\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character, its index in the original char sequence and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <R> CharSequence.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n@Deprecated("Use runningReduce instead.", ReplaceWith("runningReduce(operation)"), level = DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun CharSequence.scanReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n    return
```

```

runningReduce(operation)\n}\n\n@Deprecated("Use runningReduceIndexed instead."),
ReplaceWith("runningReduceIndexed(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun
CharSequence.scanReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n    return
runningReduceIndexed(operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumBy(selector: (Char) -> Int):
Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumByDouble(selector: (Char) -> Double): Double {\n    var sum: Double =
0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of
all values produced by [selector] function applied to each character in the char sequence.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.sumOf(selector: (Char) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each character in the char sequence.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.sumOf(selector: (Char) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n       
sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each character in the char sequence.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.sumOf(selector: (Char) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n
        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each character in the char sequence.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal
.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> UInt): UInt {\n    var sum: UInt =
0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@kotlin.inter
nal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Splits this
char sequence into a list of strings each not exceeding the given [size].\n */\n * \n * The last string in the resulting list
may have less characters than the given [size].\n */\n * \n * @param size the number of elements to take in each string,
must be positive and can be greater than the number of elements in this char sequence.\n */\n * \n * @sample
samples.text.Strings.chunked\n */\n\n@SinceKotlin("1.2")\npublic fun CharSequence.chunked(size: Int):
List<String> {\n    return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this char sequence into
several char sequences each not exceeding the given [size]\n */\n * and applies the given [transform] function to an
each.\n */\n * \n * @return list of results of the [transform] applied to an each char sequence.\n */\n * \n * Note that the char
sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n */\n * You should not
store it or allow it to escape in some way, unless you made a snapshot of it.\n */\n * The last char sequence may have
less characters than the given [size].\n */\n * \n * @param size the number of elements to take in each char sequence,
must be positive and can be greater than the number of elements in this char sequence.\n */\n * \n * @sample
samples.text.Strings.chunkedTransform\n */\n\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.chunked(size:
Int, transform: (CharSequence) -> R): List<R> {\n    return windowed(size, size, partialWindows = true, transform =

```

```

transform)\n}\n\n/**\n * Splits this char sequence into a sequence of strings each not exceeding the given [size].\n *
\n * The last string in the resulting sequence may have less characters than the given [size].\n * \n * @param size the
number of elements to take in each string, must be positive and can be greater than the number of elements in this
char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n
*\n@SinceKotlin("1.2")\npublic fun CharSequence.chunkedSequence(size: Int): Sequence<String> {\n    return
chunkedSequence(size) { it.toString() }\n}\n\n/**\n * Splits this char sequence into several char sequences each not
exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of
results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the
[transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to
escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the
given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can
be greater than the number of elements in this char sequence.\n * \n * @sample
samples.text.Strings.chunkedTransformToSequence\n
*\n@SinceKotlin("1.2")\npublic fun <R>
CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -> R): Sequence<R> {\n    return
windowedSequence(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits the original char
sequence into pair of char sequences,\n * where *first* char sequence contains characters for which [predicate]
yielded `true`,\n * while *second* char sequence contains characters for which [predicate] yielded `false`.\n * \n *
@sample samples.text.Strings.partition\n
*\npublic inline fun CharSequence.partition(predicate: (Char) ->
Boolean): Pair<CharSequence, CharSequence> {\n    val first = StringBuilder()\n    val second = StringBuilder()\n
for (element in this) {\n        if (predicate(element)) {\n            first.append(element)\n        } else {\n
second.append(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original string into pair
of strings,\n * where *first* string contains characters for which [predicate] yielded `true`,\n * while *second* string
contains characters for which [predicate] yielded `false`.\n * \n * @sample samples.text.Strings.partition\n
*\npublic inline fun String.partition(predicate: (Char) -> Boolean): Pair<String, String> {\n    val first =
StringBuilder()\n    val second = StringBuilder()\n    for (element in this) {\n        if (predicate(element)) {\n
first.append(element)\n        } else {\n            second.append(element)\n        }\n    }\n    return Pair(first.toString(),
second.toString())\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this
char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have less
characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number
of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step
the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows
controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial
windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n
*\n@SinceKotlin("1.2")\npublic fun CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean =
false): List<String> {\n    return windowed(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list
of results of applying the given [transform] function to\n * an each char sequence representing a view over the
window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char
sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not
store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may
have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the
number of elements in this char sequence.\n * @param size the number of elements to take in each window\n *
@param step the number of elements to move the window forward by on an each step, by default 1\n * @param
partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which
means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n
*\n@SinceKotlin("1.2")\npublic fun <R>
CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R):
List<R> {\n    checkWindowSizeStep(size, step)\n    val thisSize = this.length\n    val resultCapacity = thisSize / step
+ if (thisSize % step == 0) 0 else 1\n    val result = ArrayList<R>(resultCapacity)\n    var index = 0\n    while (index

```



```

in 0 until thisSize) {
    val end = index + size
    val coercedEnd = if (end < 0 || end > thisSize) {
        if (partialWindows) thisSize else break
    } else end
    result.add(transform(subSequence(index, coercedEnd)))
    index += step
}
return result
}
}

Returns a sequence of snapshots of the window of the given
[size] sliding along this char sequence with the given [step], where each
snapshot is a string. Several
last strings may have less characters than the given [size]. Both [size] and [step] must be positive and can be
greater than the number of elements in this char sequence. @param size the number of elements to take in each
window @param step the number of elements to move the window forward by on an each step, by default 1
@param partialWindows controls whether or not to keep partial windows in the end if any, by default `false`
which means partial windows won't be preserved
@sample
samples.collections.Sequences.Transformations.takeWindows
@SinceKotlin("1.2")
public fun
CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<String> {
    return windowedSequence(size, step, partialWindows) { it.toString() }
}

Returns a sequence of results
of applying the given [transform] function to an each char sequence representing a view over the window of the
given [size] sliding along this char sequence with the given [step]. Note that the char sequence passed to
the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to
escape in some way, unless you made a snapshot of it. Several last char sequences may have less characters than
the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in
this char sequence. @param size the number of elements to take in each window @param step the number of
elements to move the window forward by on an each step, by default 1 @param partialWindows controls
whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't
be preserved
@sample samples.collections.Sequences.Transformations.averageWindows
@SinceKotlin("1.2")
public fun <R> CharSequence.windowedSequence(size: Int, step: Int = 1,
partialWindows: Boolean = false, transform: (CharSequence) -> R): Sequence<R> {
    checkWindowSizeStep(size, step)
    val windows = if (partialWindows) indices else 0 until length - size + 1 step
    step
    return windows.asSequence().map { index ->
        val end = index + size
        val coercedEnd = if (end <
0 || end > length) length else end
        transform(subSequence(index, coercedEnd))
    }
}

Returns a
list of pairs built from the characters of `this` and the [other] char sequences with the same index
The returned
list has length of the shortest char sequence.
@sample samples.text.Strings.zip
public infix fun
CharSequence.zip(other: CharSequence): List<Pair<Char, Char>> {
    return zip(other) { c1, c2 -> c1 to c2
}
}

Returns a list of values built from the characters of `this` and the [other] char sequences with the
same index using the provided [transform] function applied to each pair of characters. The returned list has
length of the shortest char sequence.
@sample samples.text.Strings.zipWithTransform
public inline
fun <V> CharSequence.zip(other: CharSequence, transform: (a: Char, b: Char) -> V): List<V> {
    val length =
minOf(this.length, other.length)
    val list = ArrayList<V>(length)
    for (i in 0 until length) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

Returns a list of pairs of each two adjacent
characters in this char sequence. The returned list is empty if this char sequence contains less than two
characters.
@sample samples.collections.Collections.Transformations.zipWithNext
@SinceKotlin("1.2")
public fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {
    return
zipWithNext { a, b -> a to b }
}

Returns a list containing the results of applying the given [transform]
function to an each pair of two adjacent characters in this char sequence. The returned list is empty if
this char sequence contains less than two characters.
@sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas
@SinceKotlin("1.2")
public
inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R): List<R> {
    val size = length - 1
    if (size < 1) return emptyList()
    val result = ArrayList<R>(size)
    for (index in 0 until size) {
        result.add(transform(this[index], this[index + 1]))
    }
    return result
}

Creates an [Iterable] instance
that wraps the original char sequence returning its characters when being iterated.
public fun
CharSequence.asIterable(): Iterable<Char> {
    if (this is String && isEmpty()) return emptyList()
    return
Iterable { this.iterator() }
}

Creates a [Sequence] instance that wraps the original char sequence

```

```

returning its characters when being iterated.\n */\npublic fun CharSequence.asSequence(): Sequence<Char> {\n    if
(this is String && isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n"/**\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\nimport kotlin.contracts.contract\n\n/**\n * Returns a sub sequence of this char sequence having
leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun
CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n    var startIndex = 0\n    var endIndex = length
- 1\n    var startFound = false\n\n    while (startIndex <= endIndex) {\n        val index = if (!startFound) startIndex
else endIndex\n        val match = predicate(this[index])\n\n        if (!startFound) {\n            if (!match)\n                startFound = true\n            else\n                startIndex += 1\n        } else {\n            if (!match)\n                break\n            else\n                endIndex -= 1\n        }\n    }\n\n    return subSequence(startIndex, endIndex + 1)\n}\n\n/**\n *
Returns a string having leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun
String.trim(predicate: (Char) -> Boolean): String =\n    (this as CharSequence).trim(predicate).toString()\n\n/**\n *
Returns a sub sequence of this char sequence having leading characters matching the [predicate] removed.\n
*/\npublic inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
this.indices)\n        if (!predicate(this[index]))\n            return subSequence(index, length)\n\n    return
""\n}\n\n/**\n * Returns a string having leading characters matching the [predicate] removed.\n */\npublic inline
fun String.trimStart(predicate: (Char) -> Boolean): String =\n    (this as
CharSequence).trimStart(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having
trailing characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trimEnd(predicate:
(Char) -> Boolean): CharSequence {\n    for (index in this.indices.reversed())\n        if (!predicate(this[index]))\n
return subSequence(0, index + 1)\n\n    return ""\n}\n\n/**\n * Returns a string having trailing characters
matching the [predicate] removed.\n */\npublic inline fun String.trimEnd(predicate: (Char) -> Boolean): String =\n
(this as CharSequence).trimEnd(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence
having leading and trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trim(vararg
chars: Char): CharSequence = trim { it in chars }\n\n/**\n * Returns a string having leading and trailing characters
from the [chars] array removed.\n */\npublic fun String.trim(vararg chars: Char): String = trim { it in chars
}\n\n/**\n * Returns a sub sequence of this char sequence having leading characters from the [chars] array
removed.\n */\npublic fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars
}\n\n/**\n * Returns a string having leading characters from the [chars] array removed.\n */\npublic fun
String.trimStart(vararg chars: Char): String = trimStart { it in chars }\n\n/**\n * Returns a sub sequence of this char
sequence having trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trimEnd(vararg
chars: Char): CharSequence = trimEnd { it in chars }\n\n/**\n * Returns a string having trailing characters from the
[chars] array removed.\n */\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\n\n
* Returns a sub sequence of this char sequence having leading and trailing whitespace removed.\n */\npublic fun
CharSequence.trim(): CharSequence = trim(Char::isWhitespace)\n\n/**\n * Returns a string having leading and
trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String = (this as
CharSequence).trim().toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading whitespace
removed.\n */\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\n/**\n *
Returns a string having leading whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\n/**\n * Returns a sub sequence of this
char sequence having trailing whitespace removed.\n */\npublic fun CharSequence.trimEnd(): CharSequence =
trimEnd(Char::isWhitespace)\n\n/**\n * Returns a string having trailing whitespace removed.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String = (this as
CharSequence).trimEnd().toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at
the beginning\n * to the specified [length] with the specified character or space.\n */\n * @param length the desired
string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified.

```

Space is used by default.

```

@return Returns a char sequence of length at least [length] consisting of `this` char
sequence prepended with [padChar] as many times
as are necessary to reach that length.
@sample samples.text.Strings.padStart
public fun CharSequence.padStart(length: Int, padChar: Char = ' '):
CharSequence {
    if (length < 0) throw IllegalArgumentException("Desired length $length is less than
zero.")
    if (length <= this.length) return this.subSequence(0, this.length)
    val sb =
StringBuilder(length)
    for (i in 1..(length - this.length)) sb.append(padChar)
    sb.append(this)
    return
sb
}

```

Pads the string to the specified [length] at the beginning with the specified character or space.

@param length the desired string length.

@param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.

@return Returns a string of length at least [length] consisting of `this` string prepended with [padChar] as many times as are necessary to reach that length.

```

@sample samples.text.Strings.padStart
public fun String.padStart(length: Int, padChar: Char = ' '): String =
(this as CharSequence).padStart(length, padChar).toString()

```

Returns a char sequence with content of this char sequence padded at the end to the specified [length] with the specified character or space.

@param length the desired string length.

@param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.

@return Returns a char sequence of length at least [length] consisting of `this` char sequence appended with [padChar] as many times as are necessary to reach that length.

```

@sample samples.text.Strings.padEnd
public fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {
    if (length < 0) throw IllegalArgumentException("Desired length $length is less
than zero.")
    if (length <= this.length) return this.subSequence(0, this.length)
    val sb =
StringBuilder(length)
    sb.append(this)
    for (i in 1..(length - this.length)) sb.append(padChar)
    return
sb
}

```

Pads the string to the specified [length] at the end with the specified character or space.

@param length the desired string length.

@param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.

@return Returns a string of length at least [length] consisting of `this` string appended with [padChar] as many times as are necessary to reach that length.

```

@sample samples.text.Strings.padEnd
public fun String.padEnd(length: Int, padChar: Char = ' '): String =
(this as CharSequence).padEnd(length, padChar).toString()

```

Returns `true` if this nullable char sequence is either `null` or empty.

```

@sample samples.text.Strings.stringOrNullOrNull
public inline fun CharSequence?.isNullOrNull(): Boolean {
    contract {
        returns(false) implies (this@isNullOrNull != null)
    }
    return this == null || this.length == 0
}

```

Returns `true` if this char sequence is empty (contains no characters).

```

@sample samples.text.Strings.stringIsEmpty
public inline fun CharSequence.isEmpty(): Boolean = length == 0

```

Returns `true` if this char sequence is not empty.

```

@sample samples.text.Strings.stringIsNotEmpty
public inline fun CharSequence.isNotEmpty(): Boolean = length > 0

```

implemented differently in JVM and JS

```

public fun String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }

```

Returns `true` if this char sequence is not empty and contains some characters except of whitespace characters.

```

@sample samples.text.Strings.stringIsNotBlank
public inline fun CharSequence.isNotBlank(): Boolean = !isBlank()

```

Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.

```

@sample samples.text.Strings.stringOrNullOrNull
public inline fun CharSequence?.isNullOrNull(): Boolean {
    contract {
        returns(false) implies (this@isNullOrNull != null)
    }
    return this == null || this.isBlank()
}

```

Iterator for characters of the given char sequence.

```

public operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {
    private var index = 0
    public override fun nextChar(): Char = get(index++)
    public override fun hasNext(): Boolean = index < length
}

```

Returns the string if it is not `null`, or the empty string otherwise.

```

@sample samples.text.Strings.stringOrNullOrNull
public inline fun String?.orEmpty(): String = this ?: ""

```

Returns this char sequence if it's not empty or the result of calling [defaultValue] function if the char sequence is empty.

```

@sample samples.text.Strings.stringIfEmpty

```

```

*^@SinceKotlin("1.3")^@kotlin.internal.InlineOnly^public inline fun <C, R> C.isEmpty(defaultValue: () -> R): R where C : CharSequence, C : R =\n    if (isEmpty()) defaultValue() else this\n/**\n * Returns this char sequence if it is not empty and doesn't consist solely of whitespace characters,\n * or the result of calling [defaultValue] function otherwise.\n */\n * @sample samples.text.Strings.stringfBlank\n
*^@SinceKotlin("1.3")^@kotlin.internal.InlineOnly^public inline fun <C, R> C.isBlank(defaultValue: () -> R): R where C : CharSequence, C : R =\n    if (isBlank()) defaultValue() else this\n/**\n * Returns the range of valid character indices for this char sequence.\n */\n^public val CharSequence.indices: IntRange\n    get() = 0..length - 1\n/**\n * Returns the index of the last character in the char sequence or -1 if it is empty.\n */\n^public val CharSequence.lastIndex: Int\n    get() = this.length - 1\n/**\n * Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\n */\n^public fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n    return index in 0..length - 2\n        && this[index].isHighSurrogate()\n        && this[index + 1].isLowSurrogate()\n}\n/**\n * Returns a substring specified by the given [range] of indices.\n */\n^public fun String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)\n/**\n * Returns a subsequence of this char sequence specified by the given [range] of indices.\n */\n^public fun CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive + 1)\n/**\n * Returns a subsequence of this char sequence.\n */\n * This extension is chosen only for invocation with old-named parameters.\n * Replace parameter names with the same as those of [CharSequence.subSequence].\n
*^@kotlin.internal.InlineOnly^@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false\nwarning^@Deprecated("Use parameters named startIndex and endIndex.", ReplaceWith("subSequence(startIndex = start, endIndex = end)"))^public inline fun String.subSequence(start: Int, end: Int): CharSequence = subSequence(start, end)\n/**\n * Returns a substring of chars from a range of this char sequence starting at the [startIndex] and ending right before the [endIndex].\n */\n * @param startIndex the start index (inclusive).\n * @param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n
*^@kotlin.internal.InlineOnly^public inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length): String = subSequence(startIndex, endIndex).toString()\n/**\n * Returns a substring of chars at indices from the specified [range] of this char sequence.\n */\n^public fun CharSequence.substring(range: IntRange): String = subSequence(range.start, range.endInclusive + 1).toString()\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\n^public fun String.substringBefore(delimiter: Char, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\n^public fun String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\n^public fun String.substringAfter(delimiter: Char, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\n^public fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\n^public fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\n^public fun String.substringBeforeLast(delimiter: String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index ==

```

```

-1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the last occurrence of
[delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n */\npublic fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this):
String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the last occurrence of [delimiter].\n * If the
string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n
*/\npublic fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {\n    val
index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index +
delimiter.length, length)\n}\n\n/**\n * Returns a char sequence with content of this char sequence where its part at
the given range\n * is replaced with the [replacement] char sequence.\n * @param startIndex the index of the first
character to be replaced.\n * @param endIndex the index of the first character after the replacement to keep in the
string.\n */\n@OptIn(ExperimentalStdlibApi::class)\npublic fun CharSequence.replaceRange(startIndex: Int,
endIndex: Int, replacement: CharSequence): CharSequence {\n    if (endIndex < startIndex)\n        throw
IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")\n    val sb =
StringBuilder()\n    sb.appendRange(this, 0, startIndex)\n    sb.append(replacement)\n    sb.appendRange(this,
endIndex, length)\n    return sb\n}\n\n/**\n * Replaces the part of the string at the given range with the
[replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param
endIndex the index of the first character after the replacement to keep in the string.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement:
CharSequence): String =\n    (this as CharSequence).replaceRange(startIndex, endIndex,
replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the
given [range]\n * is replaced with the [replacement] char sequence.\n * \n * The end index of the [range] is included
in the part to be replaced.\n */\npublic fun CharSequence.replaceRange(range: IntRange, replacement:
CharSequence): CharSequence =\n    replaceRange(range.start, range.endInclusive + 1, replacement)\n\n/**\n *
Replace the part of string at the given [range] with the [replacement] string.\n * \n * The end index of the [range] is
included in the part to be replaced.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(range:
IntRange, replacement: CharSequence): String =\n    (this as CharSequence).replaceRange(range,
replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the
given range is removed.\n * \n * @param startIndex the index of the first character to be removed.\n * @param
endIndex the index of the first character after the removed part to keep in the string.\n * \n * [endIndex] is not
included in the removed part.\n */\n@OptIn(ExperimentalStdlibApi::class)\npublic fun
CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {\n    if (endIndex < startIndex)\n        throw
IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")\n    if
(endIndex == startIndex)\n        return this.subSequence(0, length)\n    val sb = StringBuilder(length - (endIndex -
startIndex))\n    sb.appendRange(this, 0, startIndex)\n    sb.appendRange(this, endIndex, length)\n    return
sb\n}\n\n/**\n * Removes the part of a string at a given range.\n * @param startIndex the index of the first character
to be removed.\n * @param endIndex the index of the first character after the removed part to keep in the string.\n
*/\n * \n * [endIndex] is not included in the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.removeRange(startIndex: Int, endIndex: Int): String =\n    (this as CharSequence).removeRange(startIndex,
endIndex).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the
given [range] is removed.\n * \n * The end index of the [range] is included in the removed part.\n */\npublic fun
CharSequence.removeRange(range: IntRange): CharSequence = removeRange(range.start, range.endInclusive +
1)\n\n/**\n * Removes the part of a string at the given [range].\n * \n * The end index of the [range] is included in
the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(range: IntRange): String
=\n    (this as CharSequence).removeRange(range).toString()\n\n/**\n * If this char sequence starts with the given
[prefix], returns a new char sequence\n * with the prefix removed. Otherwise, returns a new char sequence with the
same characters.\n */\npublic fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {\n    if
(startsWith(prefix)) {\n        return subSequence(prefix.length, length)\n    }\n    return subSequence(0,

```

```

length)\n}\n\n/**\n * If this string starts with the given [prefix], returns a copy of this string\n * with the prefix removed. Otherwise, returns this string.\n */\npublic fun String.removePrefix(prefix: CharSequence): String {\n    if (startsWith(prefix)) {\n        return substring(prefix.length)\n    }\n    return this\n}\n\n/**\n * If this char sequence ends with the given [suffix], returns a new char sequence\n * with the suffix removed. Otherwise, returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n    if (endsWith(suffix)) {\n        return subSequence(0, length - suffix.length)\n    }\n    return subSequence(0, length)\n}\n\n/**\n * If this string ends with the given [suffix], returns a copy of this string\n * with the suffix removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix: CharSequence): String {\n    if (endsWith(suffix)) {\n        return substring(0, length - suffix.length)\n    }\n    return this\n}\n\n/**\n * When this char sequence starts with the given [prefix] and ends with the given [suffix],\n * returns a new char sequence having both the given [prefix] and [suffix] removed.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n    if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n        return subSequence(prefix.length, length - suffix.length)\n    }\n    return subSequence(0, length)\n}\n\n/**\n * Removes from a string both the given [prefix] and [suffix] if and only if\n * it starts with the [prefix] and ends with the [suffix].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {\n    if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n        return substring(prefix.length, length - suffix.length)\n    }\n    return this\n}\n\n/**\n * When this char sequence starts with and ends with the given [delimiter],\n * returns a new char sequence having this [delimiter] removed both from the start and end.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence = removeSurrounding(delimiter, delimiter)\n\n/**\n * Removes the given [delimiter] string from both the start and the end of this string\n * if and only if it starts with and ends with the [delimiter].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns

```

```

[missingDelimiterValue] which defaults to the original string.
public fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)
}

Replace part of string before the last occurrence of given delimiter with the [replacement] string.
If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.
public fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)
}

Replace part of string before the last occurrence of given delimiter with the [replacement] string.
If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.
public fun String.replaceBeforeLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)
}

// public fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific
public fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific

Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression with the given [replacement].
The [replacement] can consist of any combination of literal text and $-substitutions. To treat the replacement string literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.
@kotlin.internal.InlineOnly
public inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)

Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a replacement for that match.
@kotlin.internal.InlineOnly
public inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String = regex.replace(this, transform)

Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.
@param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for details.
@kotlin.internal.InlineOnly
public inline fun CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this, replacement)

Returns `true` if this char sequence matches the given regular expression.
@kotlin.internal.InlineOnly
public inline infix fun CharSequence.matches(regex: Regex): Boolean = regex.matches(this)

Implementation of [regionMatches] for CharSequences.
Invoked when it's already known that arguments are not Strings, so that no additional type checks are performed.
internal fun CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {
    if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset > other.length - length)) {
        return false
    }
    for (index in 0 until length) {
        if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase)) {
            return false
        }
    }
    return true
}

Returns `true` if this char sequence starts with the specified character.
public fun CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean = this.length > 0 && this[0].equals(char, ignoreCase)

Returns `true` if this char sequence ends with the specified character.
public fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean = this.length > 0 && this[lastIndex].equals(char, ignoreCase)

Returns `true` if this char sequence starts with the specified prefix.
public fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase && this is String && prefix is String) {
        return this.startsWith(prefix)
    } else {
        return regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)
    }
}

Returns `true` if a substring of this char sequence starting at the specified offset [startIndex] starts with the specified prefix.
public fun CharSequence.startsWith(prefix: CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase && this is String && prefix is String) {
        return this.startsWith(prefix, startIndex)
    } else {
        return regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)
    }
}

Returns `true` if this char sequence ends with the specified suffix.
public fun CharSequence.endsWith(suffix: CharSequence, ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase && this is String && suffix is String) {
        return
    }
}

```

```

this.endsWith(suffix)\n else\n     return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n}\n\n// common prefix and suffix\n\n/**\n * Returns the longest string `prefix` such that this char
sequence and [other] char sequence both start with this prefix,\n * taking care not to split surrogate pairs.\n * If this
and [other] have no common prefix, returns the empty string.\n\n * @param ignoreCase `true` to ignore character
case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonPrefixWith\n
*/\npublic fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n
val shortestLength = minOf(this.length, other.length)\n\n var i = 0\n while (i < shortestLength &&
this[i].equals(other[i], ignoreCase = ignoreCase)) {\n     i++\n }\n if (this.hasSurrogatePairAt(i - 1) ||
other.hasSurrogatePairAt(i - 1)) {\n     i--\n }\n return subSequence(0, i).toString()\n}\n\n/**\n * Returns the
longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking
care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n\n *
@param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample
samples.text.Strings.commonSuffixWith\n
*/\npublic fun CharSequence.commonSuffixWith(other: CharSequence,
ignoreCase: Boolean = false): String {\n     val thisLength = this.length\n     val otherLength = other.length\n
val shortestLength = minOf(thisLength, otherLength)\n\n var i = 0\n while (i < shortestLength && this[thisLength
- i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n     i++\n }\n if
(this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n     i--\n
}\n return subSequence(thisLength - i, thisLength).toString()\n}\n\n// indexOfAny()\n\n/**\n * Finds the index of the
first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and
optionally ignoring the case.\n * @param ignoreCase `true` to ignore character case when matching a character.
By default `false`.\n * @return An index of the first occurrence of matched character from [chars] or -1 if none of
[chars] are found.\n * @sample samples.text.Strings.indexOfAny\n
*/\npublic fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase:
Boolean = false): Int {\n     if (!ignoreCase && chars.size == 1 && this is String) {\n         val char =
chars.single()\n         return nativeIndexOf(char, startIndex)\n     }\n\n for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n     val
charAtIndex = get(index)\n     if (chars.any { it.equals(charAtIndex, ignoreCase) })\n         return index\n     }\n
return -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\n
* starting from the specified [startIndex] and optionally ignoring the case.\n * @param startIndex The index of
character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param
ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of
the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n * @sample
samples.text.Strings.lastIndexOfAny\n
*/\npublic fun CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase: Boolean =
false): Int {\n     if (!ignoreCase && chars.size == 1 && this is String) {\n         val char =
chars.single()\n         return
nativeLastIndexOf(char, startIndex)\n     }\n\n for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {\n
val charAtIndex = get(index)\n     if (chars.any { it.equals(charAtIndex, ignoreCase) })\n         return index\n
}\n\n return -1\n}\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int,
ignoreCase: Boolean, last: Boolean = false): Int {\n     val indices = if (!last)\n         startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n     else\n         startIndex.coerceAtMost(lastIndex)
downTo endIndex.coerceAtLeast(0)\n\n if (this is String && other is String) { // smart cast\n     for (index in
indices) {\n         if (other.regionMatches(0, this, index, other.length, ignoreCase))\n             return index\n
}\n     } else {\n         for (index in indices) {\n             if (other.regionMatchesImpl(0, this, index, other.length,
ignoreCase))\n                 return index\n         }\n     }\n     return -1\n}\n\nprivate fun CharSequence.findAnyOf(strings:
Collection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean): Pair<Int, String>? {\n     if (!ignoreCase
&& strings.size == 1) {\n         val string = strings.single()\n         val index = if (!last) indexOf(string,
startIndex) else
lastIndexOf(string, startIndex)\n         return if (index < 0) null else index to string\n     }\n\n val indices = if (!last)
startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex) downTo 0\n\n if (this is String) {\n
for (index in indices) {\n         val matchingString = strings.firstOrNull { it.regionMatches(0, this, index,
it.length, ignoreCase) }\n         if (matchingString != null)\n             return index to matchingString\n     }\n
} else {\n     for (index in indices) {\n         val matchingString = strings.firstOrNull { it.regionMatchesImpl(0,
this, index,

```



```

it.length, ignoreCase) }
    if (matchingString != null)
        return index to matchingString
    }
}
return null
}
}

```

`findAnyOf` Finds the first occurrence of any of the specified [strings] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case. @param ignoreCase `true` to ignore character case when matching a string. By default `false`. @return A pair of an index of the first occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found. To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the beginning to the end of this string, and finds at each position the first element in [strings] that matches this string at that position.

```

public fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? = findAnyOf(strings, startIndex, ignoreCase, last = false)

```

`findLastAnyOf` Finds the last occurrence of any of the specified [strings] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case. @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string. @param ignoreCase `true` to ignore character case when matching a string. By default `false`. @return A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found. To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the end toward the beginning of this string, and finds at each position the first element in [strings] that matches this string at that position.

```

public fun CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int = lastIndexOfAny(strings, ignoreCase: Boolean = false): Int = lastIndexOfAny(strings, startIndex, ignoreCase, last = true)

```

`indexOfAny` Finds the index of the first occurrence of any of the specified [strings] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case. @param ignoreCase `true` to ignore character case when matching a string. By default `false`. @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found. To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the beginning to the end of this string, and finds at each position the first element in [strings] that matches this string at that position.

```

public fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int = findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1

```

`lastIndexOfAny` Finds the index of the last occurrence of any of the specified [strings] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case. @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string. @param ignoreCase `true` to ignore character case when matching a string. By default `false`. @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found. To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the end toward the beginning of this string, and finds at each position the first element in [strings] that matches this string at that position.

```

public fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndexOfAny(strings, ignoreCase: Boolean = false): Int = findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1

```

`indexOf` Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex]. @param ignoreCase `true` to ignore character case when matching a character. By default `false`. @return An index of the first occurrence of [char] or -1 if none is found.

```

public fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {
    return if (ignoreCase || this !is String)
        indexOfAny(charArrayOf(char), startIndex, ignoreCase)
    else
        nativeIndexOf(char, startIndex)
}

```

`indexOf` Returns the index within this char sequence of the first occurrence of the specified [string], starting from the specified [startIndex]. @param ignoreCase `true` to ignore character case when matching a string. By default `false`. @return An index of the first occurrence of [string] or -1 if none is found. @sample samples.text.Strings.indexOf

```

public fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {
    return if (ignoreCase || this !is String)
        indexOf(string, startIndex, length, ignoreCase)
    else
        nativeIndexOf(string, startIndex)
}

```

`indexOf` Returns the index within this char sequence of the last occurrence of the specified character, starting from the specified [startIndex]. @param startIndex The index of character to start searching at. The search proceeds backward

toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the last occurrence of [char] or -1 if none is found.\n

```

*\npublic fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int
{\n    return if (ignoreCase || this !is String)\n        lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)\n    else\n        nativeLastIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified [string],\n * starting from the specified [startIndex].\n * *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of [string] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        indexOf(string, startIndex, 0, ignoreCase, last = true)\n    else\n        nativeLastIndexOf(string, startIndex)\n}\n\n/**\n * Returns `true` if this char sequence contains the specified [other] sequence of characters as a substring.\n * *\n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n */\n@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\n    if (other is String)\n        indexOf(other, ignoreCase = ignoreCase) >= 0\n    else\n        indexOf(other, 0, length, ignoreCase) >= 0\n\n\n/**\n * Returns `true` if this char sequence contains the specified character [char].\n * *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n */\n@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun CharSequence.contains(char: Char, ignoreCase: Boolean = false): Boolean =\n    indexOf(char, ignoreCase = ignoreCase) >= 0\n\n\n/**\n * Returns `true` if this char sequence contains at least one match of the specified regular expression [regex].\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean =\n    regex.containsMatchIn(this)\n\n\n// rangesDelimitedBy\nprivate class DelimitedRangesSequence(\n    private val input: CharSequence,\n    private val startIndex: Int,\n    private val limit: Int,\n    private val getNextMatch: CharSequence.(currentIndex: Int) -> Pair<Int, Int>? ) : Sequence<IntRange> {\n    override fun iterator(): Iterator<IntRange> = object : Iterator<IntRange> {\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var currentStartIndex: Int = startIndex.coerceIn(0, input.length)\n        var nextSearchIndex: Int = currentStartIndex\n        var nextItem: IntRange? = null\n        var counter: Int = 0\n        private fun calcNext() {\n            if (nextSearchIndex < 0) {\n                nextState = 0\n                nextItem = null\n            } else {\n                if (limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {\n                    nextItem =\n                        currentStartIndex..input.lastIndex\n                    nextSearchIndex = -1\n                } else {\n                    val match =\n                        input.getNextMatch(nextSearchIndex)\n                    if (match == null) {\n                        nextItem =\n                            currentStartIndex..input.lastIndex\n                    } else {\n                        val\n                            (index, length) = match\n                        nextItem = currentStartIndex until index\n                        currentStartIndex\n                            = index + length\n                        nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0\n                    }\n                }\n                nextState = 1\n            }\n        }\n        override fun next(): IntRange {\n            if (nextState ==\n                -1)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val\n                result = nextItem as IntRange\n            // Clean next to avoid keeping reference on yielded instance\n            nextItem = null\n            nextState = -1\n            return result\n        }\n        override fun hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n * *\n * @param delimiters One or more characters to be used as delimiters.\n * @param startIndex The index to start searching delimiters from.\n * No range having its start value less than [startIndex] is returned.\n * [startIndex] is coerced to be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n    require(limit >= 0, { "Limit must be non-negative, but was $limit." })\n    return DelimitedRangesSequence(this, startIndex,\n
```



```

\`Limit must be non-negative, but was $limit.` })\n\n var currentOffset = 0\n var nextIndex =
indexOf(delimiter, currentOffset, ignoreCase)\n if (nextIndex == -1 || limit == 1) {\n return
listOf(this.toString())\n }\n\n val isLimited = limit > 0\n val result = ArrayList<String>(if (isLimited)
limit.coerceAtMost(10) else 10)\n do {\n result.add(substring(currentOffset, nextIndex))\n currentOffset
= nextIndex + delimiter.length\n // Do not search for next occurrence if we're reaching limit\n if (isLimited
&& result.size == limit - 1) break\n nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n } while
(nextIndex != -1)\n\n result.add(substring(currentOffset, length))\n return result\n}\n\n/**\n * Splits this char
sequence around matches of the given regular expression.\n *\n * @param limit Non-negative value specifying the
maximum number of substrings to return.\n * Zero by default means no limit is set.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> =
regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the following
character sequences: CRLF, LF or CR.\n *\n * The lines returned do not include terminating line separators.\n
*/\n\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence("\\r\\n", "\\n",
"\\r")\n\n/**\n * Splits this char sequence to a list of lines delimited by any of the following character sequences:
CRLF, LF or CR.\n *\n * The lines returned do not include terminating line separators.\n */\n\npublic fun
CharSequence.lines(): List<String> = lineSequence().toList()\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n *
Converts the characters in the specified array to a string.\n */\n\n@SinceKotlin("1.2")\n@Deprecated("Use
CharArray.concatToString() instead", ReplaceWith("chars.concatToString()"))\n\npublic actual fun String(chars:
CharArray): String {\n var result = ""\n for (char in chars) {\n result += char\n }\n return
result\n}\n\n/**\n * Converts the characters from a portion of the specified array to a string.\n *\n * @throws
IndexOutOfBoundsException if either [offset] or [length] are less than zero\n * or `offset + length` is out of [chars]
array bounds.\n */\n\n@SinceKotlin("1.2")\n@Deprecated("Use CharArray.concatToString(startIndex, endIndex)
instead", ReplaceWith("chars.concatToString(offset, offset + length)"))\n\npublic actual fun String(chars:
CharArray, offset: Int, length: Int): String {\n if (offset < 0 || length < 0 || chars.size - offset < length)\n throw
IndexOutOfBoundsException("size: ${chars.size}; offset: $offset; length: $length")\n var result = ""\n for
(index in offset until offset + length) {\n result += chars[index]\n }\n return result\n}\n\n/**\n *
Concatenates characters in this [CharArray] into a String.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic actual fun
CharArray.concatToString(): String {\n var result = ""\n for (char in this) {\n result += char\n }\n
return result\n}\n\n/**\n * Concatenates characters in this [CharArray] or its subrange into a String.\n *\n * @param
startIndex the beginning (inclusive) of the subrange of characters, 0 by default.\n * @param endIndex the end
(exclusive) of the subrange of characters, size of this array by default.\n *\n * @throws
IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("ACTUAL_FUNCTI
ON_WITH_DEFAULT_ARGUMENTS")\n\npublic actual fun CharArray.concatToString(startIndex: Int = 0,
endIndex: Int = this.size): String {\n AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n var
result = ""\n for (index in startIndex until endIndex) {\n result += this[index]\n }\n return
result\n}\n\n/**\n * Returns a [CharArray] containing characters of this string.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic actual fun
String.toCharArray(): CharArray {\n return CharArray(length) { get(it) }\n}\n\n/**\n * Returns a [CharArray]
containing characters of this string or its substring.\n *\n * @param startIndex the beginning (inclusive) of the
substring, 0 by default.\n * @param endIndex the end (exclusive) of the substring, length of this string by default.\n
*\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length
of this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("ACTUAL_FUNCTI

```

```

ON_WITH_DEFAULT_ARGUMENTS")\npublic actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int
= this.length): CharArray {\n  AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n  return
CharArray(endIndex - startIndex) { get(startIndex + it) }\n}\n\n/**\n * Decodes a string from the bytes in UTF-8
encoding in this array.\n * \n * Malformed byte sequences are replaced by the replacement char `\\uFFFD`.\n
*\n *\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public actual fun
ByteArray.decodeToString(): String {\n  return decodeUtf8(this, 0, size, false)\n}\n\n/**\n * Decodes a string from
the bytes in UTF-8 encoding in this array or its subrange.\n * \n * @param startIndex the beginning (inclusive) of the
subrange to decode, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to decode, size of this
array by default.\n * @param throwOnInvalidSequence specifies whether to throw an exception on malformed byte
sequence or replace it by the replacement char `\\uFFFD`.\n * \n * @throws IndexOutOfBoundsException if
[startIndex] is less than zero or [endIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [startIndex] is greater than [endIndex].\n * @throws CharacterCodingException if the
byte array contains malformed UTF-8 byte sequence and [throwOnInvalidSequence] is true.\n
*\n *\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n @Suppress("ACTUAL_FUNCTI
ON_WITH_DEFAULT_ARGUMENTS")\n public actual fun ByteArray.decodeToString(\n  startIndex: Int = 0,\n
endIndex: Int = this.size,\n  throwOnInvalidSequence: Boolean = false\n): String {\n
  AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n  return decodeUtf8(this, startIndex, endIndex,
throwOnInvalidSequence)\n}\n\n/**\n * Encodes this string to an array of bytes in UTF-8 encoding.\n * \n * Any
malformed char sequence is replaced by the replacement byte sequence.\n
*\n *\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public actual fun
String.encodeToByteArray(): ByteArray {\n  return encodeUtf8(this, 0, length, false)\n}\n\n/**\n * Encodes this
string or its substring to an array of bytes in UTF-8 encoding.\n * \n * @param startIndex the beginning (inclusive)
of the substring to encode, 0 by default.\n * @param endIndex the end (exclusive) of the substring to encode, length
of this string by default.\n * @param throwOnInvalidSequence specifies whether to throw an exception on
malformed char sequence or replace.\n * \n * @throws IndexOutOfBoundsException if [startIndex] is less than zero
or [endIndex] is greater than the length of this string.\n * @throws IllegalArgumentException if [startIndex] is
greater than [endIndex].\n * @throws CharacterCodingException if this string contains malformed char sequence
and [throwOnInvalidSequence] is true.\n
*\n *\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n @Suppress("ACTUAL_FUNCTI
ON_WITH_DEFAULT_ARGUMENTS")\n public actual fun String.encodeToByteArray(\n  startIndex: Int = 0,\n
endIndex: Int = this.length,\n  throwOnInvalidSequence: Boolean = false\n): ByteArray {\n
  AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n  return encodeUtf8(this, startIndex, endIndex,
throwOnInvalidSequence)\n}\n\n/**\n * Returns a copy of this string converted to upper case using the rules of the
default locale.\n * \n * @sample samples.text.Strings.toUpperCase\n *\n @kotlin.internal.InlineOnly\n public actual
inline fun String.toUpperCase(): String = asDynamic().toUpperCase()\n\n/**\n * Returns a copy of this string
converted to lower case using the rules of the default locale.\n * \n * @sample samples.text.Strings.toLowerCase\n
*\n *\n @kotlin.internal.InlineOnly\n public actual inline fun String.toLowerCase(): String =
asDynamic().toLowerCase()\n\n @kotlin.internal.InlineOnly\n internal actual inline fun String.nativeIndexOf(str:
String, fromIndex: Int): Int = asDynamic().indexOf(str, fromIndex)\n\n @kotlin.internal.InlineOnly\n internal actual
inline fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int = asDynamic().lastIndexOf(str,
fromIndex)\n\n @kotlin.internal.InlineOnly\n internal inline fun String.nativeStartsWith(s: String, position: Int):
Boolean = asDynamic().startsWith(s, position)\n\n @kotlin.internal.InlineOnly\n internal inline fun
String.nativeEndsWith(s: String): Boolean = asDynamic().endsWith(s)\n\n @kotlin.internal.InlineOnly\n public
actual inline fun String.substring(startIndex: Int): String =
asDynamic().substring(startIndex)\n\n @kotlin.internal.InlineOnly\n public actual inline fun
String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex,
endIndex)\n\n @kotlin.internal.InlineOnly\n public inline fun String.concat(str: String): String =
asDynamic().concat(str)\n\n @kotlin.internal.InlineOnly\n public inline fun String.match(regex: String):

```

```

Array<String>? = asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO: String.replace to
implement effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern,
replacement)\n\n@SinceKotlin("1.2")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS
")\npublic actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n    if (ignoreCase) {\n
val n1 = this.length\n    val n2 = other.length\n    val min = minOf(n1, n2)\n    if (min == 0) return n1 - n2\n
    var start = 0\n    while (true) {\n        val end = minOf(start + 16, min)\n        var s1 = this.substring(start,
end)\n        var s2 = other.substring(start, end)\n        if (s1 != s2) {\n            s1 = s1.toUpperCase()\n
s2 = s2.toUpperCase()\n            if (s1 != s2) {\n                s1 = s1.toLowerCase()\n                s2 =
s2.toLowerCase()\n                if (s1 != s2) {\n                    return s1.compareTo(s2)\n                }\n
}\n        }\n        if (end == min) break\n        start = end\n    }\n    return n1 - n2\n    } else {\n    return
compareTo(other)\n    }\n}\n\nprivate val STRING_CASE_INSENSITIVE_ORDER = Comparator<String> { a, b
-> a.compareTo(b, ignoreCase = true) }\n\n@SinceKotlin("1.2")\npublic actual val
String.Companion.CASE_INSENSITIVE_ORDER: Comparator<String>\n    get() =
STRING_CASE_INSENSITIVE_ORDER\n"}\n\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class
UByteArray\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@Published
Api\ninternal constructor(@PublishedApi internal val storage: ByteArray) : Collection<UByte> {\n\n    /** Creates
a new array of the specified [size], with all elements initialized to zero. *\n    public constructor(size: Int) :
this(ByteArray(size))\n    /**\n    * Returns the array element at the given [index]. This method can be called
using the index operator.\n    *\n    * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n    * where the behavior is unspecified.\n    *\n    public
operator fun get(index: Int): UByte = storage[index].toUByte()\n    /**\n    * Sets the element at the given [index]
to the given [value]. This method can be called using the index operator.\n    *\n    * If the [index] is out of bounds
of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n    * where the behavior is
unspecified.\n    *\n    public operator fun set(index: Int, value: UByte) {\n        storage[index] = value.toByte()\n
}\n\n    /** Returns the number of elements in the array. *\n    public override val size: Int get() = storage.size\n
/**\n    * Creates an iterator over the elements of the array. *\n    public override operator fun iterator(): UByteIterator =
Iterator(storage)\n\n    private class Iterator(private val array: ByteArray) : UByteIterator() {\n        private var index
= 0\n        override fun hasNext() = index < array.size\n        override fun nextUByte() = if (index < array.size)
array[index++].toUByte() else throw NoSuchElementException(index.toString())\n    }\n\n    override fun
contains(element: UByte): Boolean {\n        // TODO: Eliminate this check after KT-30016 gets fixed.\n        //
Currently JS BE does not generate special bridge method for this method.\n
@Suppress("USELESS_CAST")\n        if ((element as Any?) !is UByte) return false\n\n        return
storage.contains(element.toByte())\n    }\n\n    override fun containsAll(elements: Collection<UByte>): Boolean {\n
        return (elements as Collection<*>).all { it is UByte && storage.contains(it.toByte()) }\n    }\n\n    override fun
isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each
element is calculated by calling the specified\n * [init] function.\n * *\n * The function [init] is called for each array
element sequentially starting from the first one.\n * *\n * It should return the value for an array element given its index.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\n    return UByteArray(ByteArray(size) { index ->
init(index).toByte()
})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ubyteArrayOf(vararg elements: UByte): UByteArray = elements\n"}\n\n * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\n\n// Auto-generated file. DO NOT EDIT!\n\npackage

```

```

kotlin\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class
UIntArray\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: IntArray) : Collection<UInt> {\n\n    /** Creates a new
array of the specified [size], with all elements initialized to zero. */\n    public constructor(size: Int) :
this(IntArray(size))\n\n    /**\n     * Returns the array element at the given [index]. This method can be called using
the index operator.\n     *\n     * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsExcepion] except in Kotlin/JS\n     * where the behavior is unspecified.\n     *\n     public
operator fun get(index: Int): UInt = storage[index].toInt()\n\n    /**\n     * Sets the element at the given [index] to
the given [value]. This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds of
this array, throws an [IndexOutOfBoundsExcepion] except in Kotlin/JS\n     * where the behavior is unspecified.\n
*/\n    public operator fun set(index: Int, value: UInt) {\n        storage[index] = value.toInt()\n    }\n\n    /** Returns
the number of elements in the array. */\n    public override val size: Int get() = storage.size\n\n    /** Creates an
iterator over the elements of the array. */\n    public override operator fun iterator(): UIntIterator =
Iterator(storage)\n\n    private class Iterator(private val array: IntArray) : UIntIterator() {\n        private var index =
0\n        override fun hasNext() = index < array.size\n        override fun nextUInt() = if (index < array.size)
array[index++].toInt() else throw NoSuchElementException(index.toString())\n    }\n\n    override fun
contains(element: UInt): Boolean {\n        // TODO: Eliminate this check after KT-30016 gets fixed.\n        //
Currently JS BE does not generate special bridge method for this method.\n
@Suppress("USELESS_CAST")\n        if ((element as Any?) !is UInt) return false\n        return
storage.contains(element.toInt())\n    }\n\n    override fun containsAll(elements: Collection<UInt>): Boolean {\n
return (elements as Collection<*>).all { it is UInt && storage.contains(it.toInt()) }\n    }\n\n    override fun
isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each
element is calculated by calling the specified\n * [init] function.\n * * The function [init] is called for each array
element sequentially starting from the first one.\n * * It should return the value for an array element given its index.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray(size: Int, init: (Int) -> UInt): UIntArray {\n    return UIntArray(IntArray(size) { index ->
init(index).toInt()
})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
uintArrayOf(vararg elements: UInt): UIntArray = elements\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class
ULongArray\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@Published
Api\ninternal constructor(@PublishedApi internal val storage: LongArray) : Collection<ULong> {\n\n    /** Creates
a new array of the specified [size], with all elements initialized to zero. */\n    public constructor(size: Int) :
this(LongArray(size))\n\n    /**\n     * Returns the array element at the given [index]. This method can be called
using the index operator.\n     *\n     * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsExcepion] except in Kotlin/JS\n     * where the behavior is unspecified.\n     *\n     public
operator fun get(index: Int): ULong = storage[index].toULong()\n\n    /**\n     * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.\n     *\n     * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsExcepion] except in Kotlin/JS\n     * where the behavior is
unspecified.\n     *\n     public operator fun set(index: Int, value: ULong) {\n        storage[index] = value.toLong()\n
}\n\n    /** Returns the number of elements in the array. */\n    public override val size: Int get() = storage.size\n\n
/** Creates an iterator over the elements of the array. */\n    public override operator fun iterator(): ULongIterator =
Iterator(storage)\n\n    private class Iterator(private val array: LongArray) : ULongIterator() {\n        private var
index = 0\n        override fun hasNext() = index < array.size\n        override fun nextULong() = if (index < array.size)
array[index++].toULong() else throw NoSuchElementException(index.toString())\n    }\n\n    override fun
contains(element: ULong): Boolean {\n        // TODO: Eliminate this check after KT-30016 gets fixed.\n        //

```

Currently JS BE does not generate special bridge method for this method.\n

```
@Suppress("USELESS_CAST")\n    if ((element as Any?) !is ULong) return false\n    return\nstorage.contains(element.toLong())\n }\n\n override fun containsAll(elements: Collection<ULong>): Boolean\n {\n     return (elements as Collection<*>).all { it is ULong && storage.contains(it.toLong()) }\n }\n\n override\nfun isEmpty(): Boolean = this.storage.size == 0\n}\n\n**\n * Creates a new array of the specified [size], where each\n element is calculated by calling the specified\n * [init] function.\n * \n * The function [init] is called for each array\n element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n *\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray(size: Int, init: (Int) -> ULong): ULongArray {\n    return ULongArray(LongArray(size) { index ->\n        init(index).toLong()\n    })\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nulongArrayOf(vararg elements: ULong): ULongArray = elements\n", /*\n * Copyright 2010-2020 JetBrains s.r.o.\n and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license\n that can be found in the license/LICENSE.txt file.\n */\n// Auto-generated file. DO NOT EDIT!\n\npackage\nkotlin\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class\nUShortArray\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@Published\nApi\ninternal constructor(@PublishedApi internal val storage: ShortArray) : Collection<UShort> {\n    /**\n    Creates a new array of the specified [size], with all elements initialized to zero. *\n    public constructor(size: Int) :\n    this(ShortArray(size))\n    /**\n    * Returns the array element at the given [index]. This method can be called\n    using the index operator.\n    *\n    * If the [index] is out of bounds of this array, throws an\n    [IndexOutOfBoundsException] except in Kotlin/JS\n    * where the behavior is unspecified.\n    *\n    public\n    operator fun get(index: Int): UShort = storage[index].toUShort()\n    /**\n    * Sets the element at the given\n    [index] to the given [value]. This method can be called using the index operator.\n    *\n    * If the [index] is out of\n    bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n    * where the behavior is\n    unspecified.\n    *\n    public operator fun set(index: Int, value: UShort) {\n        storage[index] = value.toShort()\n    }\n    /** Returns the number of elements in the array. *\n    public override val size: Int get() = storage.size\n    /** Creates an iterator over the elements of the array. *\n    public override operator fun iterator(): UShortIterator =\n    Iterator(storage)\n    private class Iterator(private val array: ShortArray) : UShortIterator() {\n        private var\n        index = 0\n        override fun hasNext() = index < array.size\n        override fun nextUShort() = if (index <\n        array.size) array[index++].toUShort() else throw NoSuchElementException(index.toString())\n    }\n\n    override\n    fun contains(element: UShort): Boolean {\n        // TODO: Eliminate this check after KT-30016 gets fixed.\n        //\n        Currently JS BE does not generate special bridge method for this method.\n    }\n\n    @Suppress("USELESS_CAST")\n        if ((element as Any?) !is UShort) return false\n        return\nstorage.contains(element.toShort())\n }\n\n override fun containsAll(elements: Collection<UShort>): Boolean\n {\n     return (elements as Collection<*>).all { it is UShort && storage.contains(it.toShort()) }\n }\n\n override\nfun isEmpty(): Boolean = this.storage.size == 0\n}\n\n**\n * Creates a new array of the specified [size], where each\n element is calculated by calling the specified\n * [init] function.\n * \n * The function [init] is called for each array\n element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n *\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n    return UShortArray(ShortArray(size) { index ->\n        init(index).toShort()\n    })\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nushortArrayOf(vararg elements: UShort): UShortArray = elements\n", /*\n * Copyright 2010-2020 JetBrains s.r.o.\n and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license\n that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UArraysKt")\n@file:kotlin.jvm.JvmPacka\ngeName("kotlin.collections.unsigned")\n\npackage kotlin.collections\n\n// NOTE: THIS FILE IS AUTO-\nGENERATED by the GenerateStandardLib.kt\n// See:
```


<https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib>\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component1(): UInt {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component1(): ULong {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component1(): UByte {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component1(): UShort {\n return get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component2(): UInt {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component2(): ULong {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component2(): UByte {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component2(): UShort {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component3(): UInt {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component3(): ULong {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component3(): UByte {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun

UShortArray.component3(): UShort {
return get(2)}
Returns 4th *element* from the array.
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.component4(): UInt {
return get(3)}
Returns 4th *element* from the array.
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.component4(): ULong {
return get(3)}
Returns 4th *element* from the array.
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component4(): UByte {
return get(3)}
Returns 4th *element* from the array.
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component4(): UShort {
return get(3)}
Returns 5th *element* from the array.
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.component5(): UInt {
return get(4)}
Returns 5th *element* from the array.
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.component5(): ULong {
return get(4)}
Returns 5th *element* from the array.
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component5(): UByte {
return get(4)}
Returns 5th *element* from the array.
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component5(): UShort {
return get(4)}
Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int):
UInt
Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int):
ULong
Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.elementAt(index: Int):
UByte
Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAt

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int):
UShort
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrElse

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {
return if (index >= 0 && index <=

```

lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result
of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or
`null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.elementAtOrNull(index: Int): UInt? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.elementAtOrNull(index: Int): ULong? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.elementAtOrNull(index: Int): UByte? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.elementAtOrNull(index: Int): UShort? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n    return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns
the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n    return firstOrNull(predicate)\n}\n\n/**\n *

```

Returns the last element matching the given [predicate], or `null` if no such element was found.

```

@sample
samples.collections.Collections.Elements.find

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\/n  return lastOrNull(predicate)\/n}\/n\/n**\/n * Returns the
last element matching the given [predicate], or `null` if no such element was found.
@sample
samples.collections.Collections.Elements.find

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
ULongArray.findLast(predicate: (ULong) -> Boolean): ULong? {\/n  return lastOrNull(predicate)\/n}\/n\/n**\/n *
Returns the last element matching the given [predicate], or `null` if no such element was found.
@sample
samples.collections.Collections.Elements.find

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\/n  return lastOrNull(predicate)\/n}\/n\/n**\/n *
Returns the last element matching the given [predicate], or `null` if no such element was found.
@sample
samples.collections.Collections.Elements.find

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\/n  return lastOrNull(predicate)\/n}\/n\/n**\/n *
Returns first element.
@throws [NoSuchElementException] if the array is empty.

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
UIntArray.first(): UInt {\/n  return storage.first().toUInt()\/n}\/n\/n**\/n * Returns first element.
@throws
[NoSuchElementException] if the array is empty.

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
ULongArray.first(): ULong {\/n  return storage.first().toULong()\/n}\/n\/n**\/n * Returns first element.
@throws
[NoSuchElementException] if the array is empty.

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
UByteArray.first(): UByte {\/n  return storage.first().toUByte()\/n}\/n\/n**\/n * Returns first element.
@throws
[NoSuchElementException] if the array is empty.

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
UShortArray.first(): UShort {\/n  return storage.first().toUShort()\/n}\/n\/n**\/n * Returns the first element matching
the given [predicate].
@throws [NoSuchElementException] if no such element is found.

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
UIntArray.first(predicate: (UInt) -> Boolean): UInt {\/n  for (element in this) if (predicate(element)) return
element\/n  throw NoSuchElementException("Array contains no element matching the predicate.")\/n}\/n\/n**\/n *
Returns the first element matching the given [predicate].
@throws [NoSuchElementException] if no such
element is found.

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
ULongArray.first(predicate: (ULong) -> Boolean): ULong {\/n  for (element in this) if (predicate(element)) return
element\/n  throw NoSuchElementException("Array contains no element matching the predicate.")\/n}\/n\/n**\/n *
Returns the first element matching the given [predicate].
@throws [NoSuchElementException] if no such
element is found.

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
UByteArray.first(predicate: (UByte) -> Boolean): UByte {\/n  for (element in this) if (predicate(element)) return
element\/n  throw NoSuchElementException("Array contains no element matching the predicate.")\/n}\/n\/n**\/n *
Returns the first element matching the given [predicate].
@throws [NoSuchElementException] if no such
element is found.

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun
UShortArray.first(predicate: (UShort) -> Boolean): UShort {\/n  for (element in this) if (predicate(element)) return
element\/n  throw NoSuchElementException("Array contains no element matching the predicate.")\/n}\/n\/n**\/n *
Returns the first element, or `null` if the array is empty.

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.firstOrNull(): ULong? {\n
return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.firstOrNull(): UByte? {\n
return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.firstOrNull(): UShort? {\n
return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null`
if element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element
was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (element in this) if
(predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.getOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n
*\n * @sample samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int): UInt? {\n
return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n
*\n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int):
ULong? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n
*\n * @sample
samples.collections.Collections.Elements.getOrNull\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.getOrNull(index: Int):
UShort? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOf(element: UInt): Int {\n    return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.indexOf(element: ULong): Int {\n    return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOf(element: UByte): Int {\n    return storage.indexOf(element.toByte())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOf(element: UShort): Int {\n    return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns
index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfFirst { predicate(it.toInt())
}\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain
such element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUShort()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfLast { predicate(it.toInt())
}\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain
such element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfLast(predicate: (UShort) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toUShort()) }\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the

```

```

array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(): UInt {\n    return storage.last().toUInt()\n}\n\n/**\n * Returns the last element.\n * \n * @throws
NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(): ULong {\n    return storage.last().toULong()\n}\n\n/**\n * Returns the last element.\n * \n *
@throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.last(): UByte {\n    return storage.last().toUByte()\n}\n\n/**\n * Returns the last element.\n * \n *
@throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(): UShort {\n    return storage.last().toUShort()\n}\n\n/**\n * Returns the last element matching
the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(predicate: (UInt) -> Boolean): UInt {\n    for (index in this.indices.reversed()) {\n        val element =
this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains
no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n *
@throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(predicate: (ULong) -> Boolean): ULong {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n *
\n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.last(predicate: (UByte) -> Boolean): UByte {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n *
\n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns last index
of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastIndexOf(element: UInt): Int {\n    return storage.lastIndexOf(element.toInt())\n}\n\n/**\n * Returns
last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastIndexOf(element: ULong): Int {\n    return storage.lastIndexOf(element.toLong())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastIndexOf(element: UByte): Int {\n    return storage.lastIndexOf(element.toByte())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastIndexOf(element: UShort): Int {\n    return storage.lastIndexOf(element.toShort())\n}\n\n/**\n *
Returns the last element, or `null` if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.lastOrNull(): UInt? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last
element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *
\n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *
\n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.lastOrNull(): UShort? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or
`null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a
random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n *
\n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.random(): UByte {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.random(): UShort {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt
{\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return

```



```

get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random):
ULong {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random):
UByte {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random):
UShort {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UIntArray.randomOrNull(): UInt? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun ULongArray.randomOrNull(): ULong? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UByteArray.randomOrNull(): UByte? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UShortArray.randomOrNull(): UShort? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\np
ublic fun UIntArray.randomOrNull(random: Random): UInt? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\np
ublic fun ULongArray.randomOrNull(random: Random): ULong? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\np
ublic fun UByteArray.randomOrNull(random: Random): UByte? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\np
ublic fun UShortArray.randomOrNull(random: Random): UShort? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or
has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(): UInt {\n return storage.single().toUInt()\n}\n\n/**\n * Returns the single element, or throws an
exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.single(): ULong {\n return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(): UByte {\n    return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(): UShort {\n    return storage.single().toUShort()\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n    var single: UInt? = null\n    var found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }
\n    if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
    @Suppress("UNCHECKED_CAST")\n    return single as UInt\n}\n\n/**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n    var single: ULong? = null\n    var found = false\n
for (element in this) {\n    if (predicate(element)) {\n        if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n        single = element\n        found = true\n    }\n    }
\n    if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
    @Suppress("UNCHECKED_CAST")\n    return single as ULong\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n    var single: UByte? = null\n    var found = false\n
for (element in this) {\n    if (predicate(element)) {\n        if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n        single = element\n        found = true\n    }\n    }
\n    if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
    @Suppress("UNCHECKED_CAST")\n    return single as UByte\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(predicate: (UShort) -> Boolean): UShort {\n    var single: UShort? = null\n    var found = false\n
for (element in this) {\n    if (predicate(element)) {\n        if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n        single = element\n        found = true\n    }\n    }
\n    if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
    @Suppress("UNCHECKED_CAST")\n    return single as UShort\n}\n\n/**\n * Returns single element, or `null` if
the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.singleOrNull(): UInt? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.singleOrNull(): ULong? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.singleOrNull(): UByte? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.singleOrNull(): UShort? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single
element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {\n    var single: UInt? = null\n    var found = false\n
for (element in this) {\n    if (predicate(element)) {\n        if (found) return null\n        single = element\n
        found = true\n    }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element

```

```

matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {\n  var single: ULong? = null\n  var found
= false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single =
element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {\n  var single: UByte? = null\n  var found
= false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single =
element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {\n  var single: UShort? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single
= element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns a list
containing all elements except first [n] elements.\n
* \n * @throws IllegalArgumentException if [n] is negative.\n
* \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.drop(n: Int): List<UInt> {\n
require(n >= 0) { "\"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n
* \n * @throws
IllegalArgumentException if [n] is negative.\n
* \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n
require(n >= 0) { "\"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n
* \n * @throws
IllegalArgumentException if [n] is negative.\n
* \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n: Int): List<UByte> {\n
require(n >= 0) { "\"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n
* \n * @throws
IllegalArgumentException if [n] is negative.\n
* \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.drop(n: Int): List<UShort> {\n
require(n >= 0) { "\"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n
* \n * @throws
IllegalArgumentException if [n] is negative.\n
* \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n
require(n >= 0) { "\"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n
* \n * @throws
IllegalArgumentException if [n] is negative.\n
* \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int):
List<ULong> {\n  require(n >= 0) { "\"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n
* \n * @throws
IllegalArgumentException if [n] is negative.\n
* \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.dropLast(n: Int): List<UByte>

```

```

{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int):
List<UShort> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  for (index in lastIndex downTo
0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  var yielding = false\n  val list =
ArrayList<UInt>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  var yielding = false\n  val list =
ArrayList<ULong>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  var yielding = false\n  val list =
ArrayList<UByte>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  var yielding = false\n  val list =

```

```

ArrayList<UShort>()
for (item in this)
    if (yielding)
        list.add(item)
    else if (!predicate(item))
        list.add(item)
yielding = true
}
return list
}

```

* Returns a list containing only elements matching the given [predicate].

@sample samples.collections.Collections.Filtering.filter

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {
    return filterTo(ArrayList<UInt>(),
predicate)
}

```

* Returns a list containing only elements matching the given [predicate].

@sample samples.collections.Collections.Filtering.filter

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {
    return filterTo(ArrayList<ULong>(),
predicate)
}

```

* Returns a list containing only elements matching the given [predicate].

@sample samples.collections.Collections.Filtering.filter

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {
    return filterTo(ArrayList<UByte>(),
predicate)
}

```

* Returns a list containing only elements matching the given [predicate].

@sample samples.collections.Collections.Filtering.filter

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {
    return filterTo(ArrayList<UShort>(),
predicate)
}

```

* Returns a list containing only elements matching the given [predicate].

@param [predicate] function that takes the index of an element and the element itself

* and returns the result of predicate evaluation on the element.

@sample samples.collections.Collections.Filtering.filterIndexed

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {
    return
filterIndexedTo(ArrayList<UInt>(), predicate)
}

```

* Returns a list containing only elements matching the given [predicate].

@param [predicate] function that takes the index of an element and the element itself

* and returns the result of predicate evaluation on the element.

@sample samples.collections.Collections.Filtering.filterIndexed

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {
    return
filterIndexedTo(ArrayList<ULong>(), predicate)
}

```

* Returns a list containing only elements matching the given [predicate].

@param [predicate] function that takes the index of an element and the element itself

* and returns the result of predicate evaluation on the element.

@sample samples.collections.Collections.Filtering.filterIndexed

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {
    return
filterIndexedTo(ArrayList<UByte>(), predicate)
}

```

* Returns a list containing only elements matching the given [predicate].

@param [predicate] function that takes the index of an element and the element itself

* and returns the result of predicate evaluation on the element.

@sample samples.collections.Collections.Filtering.filterIndexed

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {
    return
filterIndexedTo(ArrayList<UShort>(), predicate)
}

```

* Appends all elements matching the given [predicate] to the given [destination].

@param [predicate] function that takes the index of an element and the element itself

* and returns the result of predicate evaluation on the element.

@sample samples.collections.Collections.Filtering.filterIndexedTo

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <C :
MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C
{
    for (index, element) in
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}

```

* Appends all elements matching the given [predicate] to the given [destination].

```

@param [predicate] function that takes the index of an element and the element itself\n * \n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int, ULong) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n    return filterNotTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n    return filterNotTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n    return filterNotTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n    return
filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate]
to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends
all elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :

```

```

MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {
    for (element in this) if (!predicate(element)) destination.add(element)
    return destination
}
Append all elements not matching the given [predicate] to the given [destination].
@sample
samples.collections.Collections.Filtering.filterTo

*SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <C : MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {
    for (element in this) if (!predicate(element)) destination.add(element)
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@sample
samples.collections.Collections.Filtering.filterTo

*SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <C : MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@sample
samples.collections.Collections.Filtering.filterTo

*SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <C : MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@sample
samples.collections.Collections.Filtering.filterTo

*SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <C : MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@sample
samples.collections.Collections.Filtering.filterTo

*SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <C : MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}
Returns a list containing elements at indices in the specified [indices] range.
@sample
samples.collections.Collections.Filtering.filterTo

*SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.slice(indices: IntRange): List<UInt> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}
Returns a list containing elements at indices in the specified [indices] range.

*SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.slice(indices: IntRange): List<ULong> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}
Returns a list containing elements at indices in the specified [indices] range.

*SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByteArray.slice(indices: IntRange): List<UByte> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}
Returns a list containing elements at indices in the specified [indices] range.

*SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.slice(indices: IntRange): List<UShort> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}
Returns a list containing elements at specified [indices].

*SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.slice(indices: Iterable<Int>): List<UInt> {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return emptyList()
    val list = ArrayList<UInt>(size)
    for (index in indices) {
        list.add(get(index))
    }
    return list
}
Returns a list containing elements at specified [indices].

*SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.slice(indices: Iterable<Int>): List<ULong> {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return emptyList()
    val list = ArrayList<ULong>(size)
    for (index in indices) {
        list.add(get(index))
    }
    return list
}
Returns a list containing elements at specified [indices].

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>):
List<UByte> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<UByte>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>):
List<UShort> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<UShort>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns an array containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices:
Collection<Int>): UIntArray {\n    return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices:
Collection<Int>): ULongArray {\n    return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices:
Collection<Int>): UByteArray {\n    return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices:
Collection<Int>): UShortArray {\n    return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an
array containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: IntRange):
UIntArray {\n    return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at
indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sliceArray(indices: IntRange): ULongArray {\n    return
ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.sliceArray(indices: IntRange): UByteArray {\n    return
UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.sliceArray(indices: IntRange): UShortArray {\n    return
UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns a list containing first [n] elements.\n
*\n * @throws IllegalArgumentException if [n] is negative.\n
*\n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.take(n: Int): List<UInt> {\n
require(n >= 0) { "\"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UInt>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n
*\n * @throws IllegalArgumentException if [n] is negative.\n
*\n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.take(n: Int): List<ULong> {\n
require(n >= 0) { "\"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<ULong>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n
*\n * @throws IllegalArgumentException if [n] is negative.\n
*\n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n
require(n >= 0) { "\"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UByte>(n)\n    for

```



```

(item in this) {\n    list.add(item)\n    if (++count == n)\n        break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UShort>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.takeLast(n: Int): List<UInt> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UInt>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong>\n{\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<ULong>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte>\n{\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UByte>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.takeLast(n: Int): List<UShort>\n{\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UShort>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index]))\n            return drop(index + 1)\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    for (index in lastIndex downTo 0)\n    {\n        if (!predicate(this[index]))\n            return drop(index + 1)\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n    for (index in lastIndex downTo 0)\n    {\n        if (!predicate(this[index]))\n            return drop(index + 1)\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  val list = ArrayList<UInt>()\n  for (item in
this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list
containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  val list = ArrayList<ULong>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  val list = ArrayList<UByte>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  val list = ArrayList<UShort>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n *
Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements of the array in the specified
range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end
of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n  storage.reverse(fromIndex,
toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex
the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n *
\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n  storage.reverse(fromIndex, toIndex)\n}\n\n/**\n *
Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    storage.reverse(fromIndex, toIndex)
}

Reverses elements of the array in the specified range in-place.
@param fromIndex the start of the range (inclusive) to reverse.
@param toIndex the end of the range (exclusive) to reverse.
@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    storage.reverse(fromIndex, toIndex)
}

Returns a list with elements in reversed order.
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public inline fun
UIntArray.reversed(): List<UInt> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

Returns a list with elements in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
ULongArray.reversed(): List<ULong> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

Returns a list with elements in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
UByteArray.reversed(): List<UByte> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

Returns a list with elements in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
UShortArray.reversed(): List<UShort> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

Returns an array with elements of this array in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.reversedArray(): UIntArray {
    return UIntArray(storage.reversedArray())
}

Returns an array with elements of this array in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ULongArray.reversedArray(): ULongArray {
    return ULongArray(storage.reversedArray())
}

Returns an array with elements of this array in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.reversedArray(): UByteArray {
    return UByteArray(storage.reversedArray())
}

Returns an array with elements of this array in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.reversedArray(): UShortArray {
    return UShortArray(storage.reversedArray())
}

Randomly shuffles elements in this array in-place.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun
UIntArray.shuffle(): Unit {
    shuffle(Random)
}

Randomly shuffles elements in this array in-place.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun
ULongArray.shuffle(): Unit {
    shuffle(Random)
}

Randomly shuffles elements in this array in-place.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun
UByteArray.shuffle(): Unit {
    shuffle(Random)
}

Randomly shuffles elements in this array in-place.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun
UShortArray.shuffle(): Unit {
    shuffle(Random)
}

Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.
* See:
https://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun
UIntArray.shuffle(random: Random): Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] = this[j]
        this[j] = copy
    }
}

Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.
* See:
https://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun
ULongArray.shuffle(random: Random):
Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] = this[j]
        this[j] = copy
    }
}

Randomly shuffles elements in this array in-place using the specified

```

[random] instance as the source of randomness.\n * \n * See:

https://en.wikipedia.org/wiki/Fisher%20%80%93Yates_shuffle#The_modern_algorithm\n

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(random: Random):  
Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] =  
this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified  
[random] instance as the source of randomness.\n * \n * See:
```

https://en.wikipedia.org/wiki/Fisher%20%80%93Yates_shuffle#The_modern_algorithm\n

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(random: Random):  
Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] =  
this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their  
natural sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun  
UIntArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements  
in the array in-place descending according to their natural sort order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(): Unit {\n    if  
(size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending  
according to their natural sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun  
UByteArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts  
elements in the array in-place descending according to their natural sort order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(): Unit {\n    if  
(size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Returns a list of all elements sorted according to their  
natural sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sorted():  
List<UInt> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted  
according to their natural sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun  
ULongArray.sorted(): List<ULong> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all  
elements sorted according to their natural sort order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sorted(): List<UByte> {\n    return  
copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural  
sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted():  
List<UShort> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this  
array sorted according to their natural sort order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArray(): UIntArray {\n    if  
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of  
this array sorted according to their natural sort order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArray(): ULongArray  
{\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all  
elements of this array sorted according to their natural sort order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArray(): UByteArray {\n    if  
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements  
of this array sorted according to their natural sort order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArray(): UShortArray  
{\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all  
elements of this array sorted descending according to their natural sort order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArrayDescending():  
UIntArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns  
an array with all elements of this array sorted descending according to their natural sort order.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArrayDescending():  
ULongArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending():
UByteArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns an array with all elements of this array sorted descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending():
UShortArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedDescending(): List<UInt>
{\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sortedDescending(): List<ULong> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n *
Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedDescending():
List<UByte> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted
descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve
their order relative to each other after sorting.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.sortedDescending(): List<UShort> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n *
Returns an array of type [ByteArray], which is a view of this array where each element is a signed reinterpretation\n
* of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.asByteArray(): ByteArray {\n    return storage\n}\n\n/**\n * Returns an array of type [IntArray], which
is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.asIntArray(): IntArray {\n    return storage\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList():
List<UInt>\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList():
List<ULong>\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList():
List<UByte>\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList():
List<UShort>\n\n/**\n * Returns an array of type [LongArray], which is a view of this array where each element is
a signed reinterpretation\n * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.asLongArray(): LongArray {\n    return storage\n}\n\n/**\n * Returns an array of type [ShortArray],
which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.asShortArray(): ShortArray {\n    return storage\n}\n\n/**\n * Returns an array of type [UByteArray],
which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of
this array.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.asUByteArray(): UByteArray {\n    return UByteArray(this)\n}\n\n/**\n * Returns an array of type
[UIntArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.asUIntArray(): UIntArray {\n    return UIntArray(this)\n}\n\n/**\n * Returns an array of type
[ULongArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the

```

corresponding element of this array.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
LongArray.asULongArray(): ULongArray {\n    return ULongArray(this)\n}\n\n/**\n * Returns an array of type  
[UShortArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the  
corresponding element of this array.\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ShortArray.asUShortArray(): UShortArray {\n    return UShortArray(this)\n}\n\n/**\n * Returns `true` if the two  
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the  
same order.\n */\n*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation  
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =  
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.contentEquals(other: UIntArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to  
one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n*\n@Deprecated("Use  
Kotlin compiler 1.4 to avoid deprecation  
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =  
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.contentEquals(other: ULongArray):  
Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are  
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation  
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =  
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.contentEquals(other: UByteArray): Boolean  
{\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal  
to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation  
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =  
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.contentEquals(other: UShortArray):  
Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are  
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray?.contentEquals(other:  
UIntArray?): Boolean {\n    return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two  
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the  
same order.\n */\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun  
ULongArray?.contentEquals(other: ULongArray?): Boolean {\n    return  
this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally*  
equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray?.contentEquals(other:  
UByteArray?): Boolean {\n    return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the  
two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements  
in the same order.\n */\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun  
UShortArray?.contentEquals(other: UShortArray?): Boolean {\n    return  
this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns a hash code based on the contents of this array as  
if it is [List].\n */\n*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation  
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =  
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int {\n    return  
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation  
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =  
"1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentHashCode(): Int {\n    return
```

```

this.contentHashCode()\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode(): Int {\n return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentHashCode(): Int {\n
return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it
is [List].\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray?.contentHashCode(): Int {\n return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash
code based on the contents of this array as if it is [List].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentHashCode(): Int {\n
return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it
is [List].\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray?.contentHashCode(): Int {\n return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n *\n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n *\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n *\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentToString(): String {\n return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n *\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n *\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentToString(): String {\n
return this?.joinToString(", ", "[", "]") ?: "null"\n}\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n *\n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray?.contentToString(): String {\n
return this?.joinToString(", ", "[", "]") ?: "null"\n}\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n *\n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentToString(): String {\n

```

```

return this?.joinToString(", ", "[", "]") ?: "null"\n\n**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray?.contentToString(): String {\n
return this?.joinToString(", ", "[", "]") ?: "null"\n\n**\n * Copies this array or its subrange into the
[destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even
specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy
to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param
startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive)
of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n *
\n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
UIntArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return
destination\n}\n\n**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
ULongArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return
destination\n}\n\n**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
UByteArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return
destination\n}\n\n**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the

```


subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyInto(destination: UShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
size): UShortArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return
destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOfOf(): UIntArray {\n    return UIntArray(storage.copyOfOf())\n}\n\n/**\n * Returns new array which is
a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOfOf(): ULongArray {\n    return ULongArray(storage.copyOfOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOfOf(): UByteArray {\n    return UByteArray(storage.copyOfOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOfOf(): UShortArray {\n    return UShortArray(storage.copyOfOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at
the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array
is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the
copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOfOf(newSize: Int): UIntArray {\n    return UIntArray(storage.copyOfOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOfOf(newSize: Int): ULongArray {\n    return ULongArray(storage.copyOfOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOfOf(newSize: Int): UByteArray {\n    return UByteArray(storage.copyOfOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOfOf(newSize: Int): UShortArray {\n    return UShortArray(storage.copyOfOf(newSize))\n}\n\n/**\n *
Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start
of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOfOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n    return

```

```

UIntArray(storage.copyOfRange(fromIndex, toIndex))\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n *
@param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n    return
ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n *
@param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n    return
UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n *
@param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n    return
UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the
specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n *
@param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.fill(element: UInt, fromIndex:
Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toInt(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array
or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to
fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n *
\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.fill(element: ULong,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toLong(), fromIndex, toIndex)\n}\n\n/**\n *
Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range
(inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element: UByte,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toByte(), fromIndex, toIndex)\n}\n\n/**\n *
Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range
(inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.fill(element: UShort,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toShort(), fromIndex, toIndex)\n}\n\n/**\n *
Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n    get()

```

```

= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n  get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n  get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n  get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n  get() =
storage.lastIndex\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UIntArray.plus(element: UInt): UIntArray {\n  return UIntArray(storage +
element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun ULongArray.plus(element: ULong): ULongArray {\n  return ULongArray(storage +
element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UByteArray.plus(element: UByte): UByteArray {\n  return UByteArray(storage +
element.toByte())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UShortArray.plus(element: UShort): UShortArray {\n  return UShortArray(storage +
element.toShort())\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n  var index = size\n  val result =
storage.copyOf(size + elements.size)\n  for (element in elements) result[index++] = element.toInt()\n  return
UIntArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n  var index = size\n  val result =
storage.copyOf(size + elements.size)\n  for (element in elements) result[index++] = element.toLong()\n  return
ULongArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
operator fun UByteArray.plus(elements: Collection<UByte>): UByteArray {\n  var index = size\n  val result =
storage.copyOf(size + elements.size)\n  for (element in elements) result[index++] = element.toByte()\n  return
UByteArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UShortArray.plus(elements: Collection<UShort>): UShortArray {\n  var index = size\n  val result =
storage.copyOf(size + elements.size)\n  for (element in elements) result[index++] = element.toShort()\n  return
UShortArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.plus(elements: UIntArray): UIntArray {\n  return UIntArray(storage + elements.storage)\n}\n\n/**\n *
Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun

```

```

ULongArray.plus(elements: ULongArray): ULongArray {\n  return ULongArray(storage +
elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.plus(elements: UByteArray): UByteArray {\n  return UByteArray(storage +
elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.plus(elements: UShortArray): UShortArray {\n  return UShortArray(storage +
elements.storage)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.sort(): Unit {\n  if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n *
@sample samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(): Unit {\n  if (size > 1)
sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.sort(): Unit {\n  if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n *
@sample samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(): Unit {\n  if (size > 1)
sortArray(this, 0, size)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(fromIndex: Int = 0, toIndex:
Int = size): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this, fromIndex,
toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(fromIndex: Int = 0,
toIndex: Int = size): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this,
fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(fromIndex: Int = 0,
toIndex: Int = size): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this,
fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(fromIndex: Int = 0,
toIndex: Int = size): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this,
fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are

```

sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Returns an array of type [ByteArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.toByteArray(): ByteArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type [IntArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.toIntArray(): IntArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type [LongArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.toLongArray(): LongArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type [ShortArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.toShortArray(): ShortArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.toTypedArray(): Array<UInt> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.toTypedArray(): Array<ULong> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.toTypedArray(): Array<UByte> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.toTypedArray():
Array<UShort> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of UByte containing
all of the elements of this generic array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UByte>.toUByteArray(): UByteArray {\n    return UByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned
reinterpretation\n * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.toUByteArray(): UByteArray {\n    return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of
UInt containing all of the elements of this generic array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray
{\n    return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a
copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this
array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.toUIntArray(): UIntArray {\n    return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong
containing all of the elements of this generic array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.toULongArray():
ULongArray {\n    return ULongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type
[ULongArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.toULongArray(): ULongArray {\n    return ULongArray(this.copyOf())\n}\n\n/**\n * Returns an array
of UShort containing all of the elements of this generic array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.toUShortArray():
UShortArray {\n    return UShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type
[UShortArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.toUShortArray(): UShortArray {\n    return UShortArray(this.copyOf())\n}\n\n/**\n * Returns a [Map]
where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to
each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UIntArray.associateWith(valueSelector: (UInt) -> V): Map<UInt, V> {\n    val result = LinkedHashMap<UInt,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ULongArray.associateWith(valueSelector: (ULong) -> V): Map<ULong, V> {\n    val result =
LinkedHashMap<ULong, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.associateWith(valueSelector: (UByte) -> V): Map<UByte, V> {\n    val result =

```

```

LinkedHashMap<UByte, V>(mapCapacity(size).coerceAtLeast(16))\n  return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UShortArray.associateWith(valueSelector: (UShort) -> V): Map<UShort, V> {\n  val result =
LinkedHashMap<UShort, V>(mapCapacity(size).coerceAtLeast(16))\n  return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each
element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function
applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n
* @sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :
MutableMap<in UInt, in V>> UIntArray.associateWithTo(destination: M, valueSelector: (UInt) -> V): M {\n  for
(element in this) {\n    destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n *
where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If
any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :
MutableMap<in ULong, in V>> ULongArray.associateWithTo(destination: M, valueSelector: (ULong) -> V): M
{\n  for (element in this) {\n    destination.put(element, valueSelector(element))\n  }\n  return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element
of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied
to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n *
@sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :
MutableMap<in UByte, in V>> UByteArray.associateWithTo(destination: M, valueSelector: (UByte) -> V): M {\n  for
(element in this) {\n    destination.put(element, valueSelector(element))\n  }\n  return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element
of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied
to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n *
@sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :
MutableMap<in UShort, in V>> UShortArray.associateWithTo(destination: M, valueSelector: (UShort) -> V): M
{\n  for (element in this) {\n    destination.put(element, valueSelector(element))\n  }\n  return
destination\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample

```

```

samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.flatMapIndexed(transform: (index: Int, UInt) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.flatMapIndexed(transform: (index: Int, ULong) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.flatMapIndexed(transform: (index: Int, UByte) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMapIndexed(transform: (index: Int, UShort) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapIndexedTo(destination: C, transform: (index: Int, UInt) ->
Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapIndexedTo(destination: C, transform: (index: Int, ULong) ->
Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given

```



```

[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapIndexedTo(destination: C, transform: (index: Int, UByte) ->
Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.flatMapIndexedTo(destination: C, transform: (index: Int, UShort) ->
Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) -> Iterable<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample

```

```

samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>\nUByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n    return\n    groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the\n * original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map\n * where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the\n * entry iteration order of the keys produced from the original array.\n * \n * @sample\nsamples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>\nUShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n    return\n    groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by\n * the [valueTransform] function applied to each element of the original array\n * by the key returned by the given\n * [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of\n * corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the\n * original array.\n * \n * @sample\nsamples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>\nUIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n    return\n    groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values\n * returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by\n * the given [keySelector] function applied to the element\n * and returns a map where each group key is associated\n * with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys\n * produced from the original array.\n * \n * @sample\nsamples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>\nULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n    return\n    groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values\n * returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by\n * the given [keySelector] function applied to the element\n * and returns a map where each group key is associated\n * with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys\n * produced from the original array.\n * \n * @sample\nsamples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>\nUByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n    return\n    groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values\n * returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by\n * the given [keySelector] function applied to the element\n * and returns a map where each group key is associated\n * with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys\n * produced from the original array.\n * \n * @sample\nsamples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>\nUShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {\n    return\n    groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements\n * of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to\n * the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The\n * [destination] map.\n * \n * @sample\nsamples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UInt>>>\nUIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) {

```



```

[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K,
valueTransform: (UShort) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list
= destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.map(transform: (UInt) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element in the original
array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.map(transform: (UInt) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.map(transform: (UByte) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.map(transform: (UShort) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original array.\n * @param [transform] function that takes the index of an element and
the element itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original array\n * and appends the results to the given [destination].\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n    var

```

```

index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapTo(destination: C, transform: (UShort) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.withIndex(): Iterable<IndexedValue<UInt>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.withIndex(): Iterable<IndexedValue<ULong>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.withIndex(): Iterable<IndexedValue<UByte>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex(): Iterable<IndexedValue<UShort>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all

```

```

elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.all(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(): Boolean {\n  return storage.any()\n}\n\n**\n * Returns `true` if array has at least one element.\n
*\n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(): Boolean {\n  return storage.any()\n}\n\n**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(): Boolean {\n  return storage.any()\n}\n\n**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(): Boolean {\n  return storage.any()\n}\n\n**\n * Returns `true` if at least one element matches
the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n
return false\n}\n\n**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n**\n * Returns the number of elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.count(predicate: (UInt) -> Boolean): Int {\n  var count = 0\n  for (element in this) if
(predicate(element)) ++count\n  return count\n}\n\n**\n * Returns the number of elements matching the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.count\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun ULongArray.count(predicate: (ULong) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun UByteArray.count(predicate: (UByte) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun UShortArray.count(predicate: (UShort) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun <R> UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun <R> ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun <R> UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun <R> UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun <R> UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun <R> ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}

```

specified [initial] value if the array is empty.

`@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.`

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
UByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

Returns the specified [initial] value if the array is empty.

`@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.`

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

Returns the specified [initial] value if the array is empty.

`@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.`

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

Returns the specified [initial] value if the array is empty.

`@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.`

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

Returns the specified [initial] value if the array is empty.

`@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.`

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

Returns the specified [initial] value if the array is empty.

`@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.`

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

Returns the specified [initial] value if the array is empty.

`@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.`

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying

[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldRightIndexed(initial: R, operation: (index: Int, UByte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n**\n * Performs the given [action] on each element.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEach(action: (UInt) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n**\n * Performs the given [action] on each element.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.forEach(action: (ULong) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n**\n * Performs the given [action] on each element.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEach(action: (UByte) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n**\n * Performs the given [action] on each element.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.forEach(action: (UShort) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n var index = 0\n for (item in this)

```

action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(index++, item)\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("maxOrNull()")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.max(): UInt? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("maxOrNull()")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.max(): UInt? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("maxOrNull()")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max(): ULong? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("maxOrNull()")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.max(): UByte? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("maxOrNull()")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.max(): UShort? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.")
ReplaceWith("maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.")
ReplaceWith("maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.")
ReplaceWith("maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.")
ReplaceWith("maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {\n    return
maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxByOrNull(selector: (UInt) -> R): UInt? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxV =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxV < v)
{\n            maxElem = e\n            maxV = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxByOrNull(selector: (ULong) -> R): ULong? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxV =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxV < v)
{\n            maxElem = e\n            maxV = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample

```

samples.collections.Collections.Aggregates.maxByOrNull

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxByOrNull(selector: (UByte) -> R): UByte? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v)\n            maxElem = e\n            maxValue = v\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\n * @sample samples.collections.Collections.Aggregates.maxByOrNull
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxByOrNull(selector: (UShort) -> R): UShort? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v)\n            maxElem = e\n            maxValue = v\n    }\n    return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException if the array is empty.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOf(selector: (UInt) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException if the array is empty.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.maxOf(selector: (ULong) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException if the array is empty.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOf(selector: (UByte) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException if the array is empty.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.maxOf(selector: (UShort) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException if the array is empty.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOf(selector: (UInt) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var
```

```

maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.maxOf(selector: (UInt) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n
var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.maxOf(selector: (UByte) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n
var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOf(selector: (UShort) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n
var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxOf(selector: (UInt) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxOf(selector: (ULong) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxOf(selector: (UByte) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :

```

```

Comparable<R>> UShortArray.maxOf(selector: (UShort) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function
* applied to each element in the array
or `null` if there are no elements.
* If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.maxOfOrNull(selector: (UInt) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function
* applied to each element in the array
or `null` if there are no elements.
* If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ULongArray.maxOfOrNull(selector: (ULong) -> Double): Double? {
    if (isEmpty()) return null
    var
maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue =
maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced
by [selector] function
* applied to each element in the array
or `null` if there are no elements.
* If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.maxOfOrNull(selector: (UByte) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue
= selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue,
v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector]
function
* applied to each element in the array
or `null` if there are no elements.
* If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.maxOfOrNull(selector: (UShort) -> Double): Double? {
    if (isEmpty()) return null
    var
maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue =
maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced
by [selector] function
* applied to each element in the array
or `null` if there are no elements.
* If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.maxOfOrNull(selector: (UInt) -> Float): Float? {
    if (isEmpty()) return null
    var maxValue =
selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function
*
applied to each element in the array
or `null` if there are no elements.
* If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.

*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ULongArray.maxOfOrNull(selector: (ULong) -> Float): Float? {
    if (isEmpty()) return null
    var maxValue =
selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function
*
applied to each element in the array
or `null` if there are no elements.
* If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.maxOrNull(selector: (UByte) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n
}\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOrNull(selector: (UShort) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n
}\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxOrNull(selector: (UInt) -> R): R? {\n if (isEmpty()) return null\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxOrNull(selector: (ULong) -> R): R? {\n if (isEmpty()) return null\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxOrNull(selector: (UByte) -> R): R? {\n if (isEmpty()) return null\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.maxOrNull(selector: (UShort) -> R): R? {\n if (isEmpty()) return null\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n**\n * Returns the largest value according to the
provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n *
\n * @throws NoSuchElementException if the array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.maxOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return
maxValue\n}\n\n**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

```

UByteArray.maxOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {
if (isEmpty()) throw NoSuchElementException()
var maxValue = selector(this[0])
for (i in 1..lastIndex) {
val v = selector(this[i])
if (comparator.compare(maxValue, v) < 0) {
maxValue = v
}
}
return maxValue
}
Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the array.
@throws NoSuchElementException if the array is empty.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UByteArray.maxOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {  
if (isEmpty()) throw NoSuchElementException()  
var maxValue = selector(this[0])  
for (i in 1..lastIndex) {  
val v = selector(this[i])  
if (comparator.compare(maxValue, v) < 0) {  
maxValue = v  
}  
}  
return maxValue  
}  
Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the array.  
@throws NoSuchElementException if the array is empty.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UShortArray.maxOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {  
if (isEmpty()) throw NoSuchElementException()  
var maxValue = selector(this[0])  
for (i in 1..lastIndex) {  
val v = selector(this[i])  
if (comparator.compare(maxValue, v) < 0) {  
maxValue = v  
}  
}  
return maxValue  
}  
Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UIntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {  
if (isEmpty()) return null  
var maxValue = selector(this[0])  
for (i in 1..lastIndex) {  
val v = selector(this[i])  
if (comparator.compare(maxValue, v) < 0) {  
maxValue = v  
}  
}  
return maxValue  
}  
Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
ULongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {  
if (isEmpty()) return null  
var maxValue = selector(this[0])  
for (i in 1..lastIndex) {  
val v = selector(this[i])  
if (comparator.compare(maxValue, v) < 0) {  
maxValue = v  
}  
}  
return maxValue  
}  
Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {  
if (isEmpty()) return null  
var maxValue = selector(this[0])  
for (i in 1..lastIndex) {  
val v = selector(this[i])  
if (comparator.compare(maxValue, v) < 0) {  
maxValue = v  
}  
}  
return maxValue  
}  
Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {  
if (isEmpty()) return null  
var maxValue = selector(this[0])  
for (i in 1..lastIndex) {  
val v = selector(this[i])  
if (comparator.compare(maxValue, v) < 0) {  
maxValue = v  
}  
}  
return maxValue  
}  
Returns the largest element or `null` if there are no elements.
```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxOrNull(): UInt? {\n  if
(isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max
= e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxOrNull(): ULong? {\n  if
(isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max
= e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxOrNull(): UByte? {\n  if
(isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max
= e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxOrNull(): UShort? {\n  if
(isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max
= e\n  }\n  return max\n}\n\n@Deprecated("Use maxWithOrNull instead.")
ReplaceWith("maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWith(comparator:
Comparator<in UInt>): UInt? {\n  return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull
instead.")
ReplaceWith("maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxWith(comparator:
Comparator<in ULong>): ULong? {\n  return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use
maxWithOrNull instead.")
ReplaceWith("maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxWith(comparator:
Comparator<in UByte>): UByte? {\n  return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use
maxWithOrNull instead.")
ReplaceWith("maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWith(comparator:
Comparator<in UShort>): UShort? {\n  return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element
having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWithOrNull(comparator:
Comparator<in UInt>): UInt? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxWithOrNull(comparator:
Comparator<in ULong>): ULong? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxWithOrNull(comparator:
Comparator<in UByte>): UByte? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWithOrNull(comparator:
Comparator<in UShort>): UShort? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n  return
max\n}\n\n@Deprecated("Use minOrNull instead.")
ReplaceWith("minOrNull()")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt? {\n  return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.")
ReplaceWith("minOrNull()")\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min(): ULong? {\n

```



```

return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.\",
ReplaceWith("minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.min(): UByte? {\n
return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.\",
ReplaceWith("minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.min(): UShort? {\n
return minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince =
"1.4")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n return
minByOrNull(selector)\n}\n\n**\n * Returns the first element yielding the smallest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minByOrNull(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var
minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minByOrNull(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n
var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minByOrNull(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n
var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minByOrNull(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n
var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =

```

```

selector(minElem)\n for (i in 1..lastIndex) {\n     val e = this[i]\n     val v = selector(e)\n     if (minValue > v)\n     {\n         minElem = e\n         minValue = v\n     }\n } return minElem\n}\n\n/**\n * Returns the smallest\n value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of\n values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws\n NoSuchElementException if the array is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UIntArray.minOf(selector: (UInt) -> Double): Double {\n     if (isEmpty()) throw NoSuchElementException()\n     var minValue = selector(this[0])\n     for (i in 1..lastIndex) {\n         val v = selector(this[i])\n         minValue =\n         minOf(minValue, v)\n     }\n     return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n ULongArray.minOf(selector: (ULong) -> Double): Double {\n     if (isEmpty()) throw NoSuchElementException()\n     var minValue = selector(this[0])\n     for (i in 1..lastIndex) {\n         val v = selector(this[i])\n         minValue =\n         minOf(minValue, v)\n     }\n     return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UByteArray.minOf(selector: (UByte) -> Double): Double {\n     if (isEmpty()) throw NoSuchElementException()\n     var minValue = selector(this[0])\n     for (i in 1..lastIndex) {\n         val v = selector(this[i])\n         minValue =\n         minOf(minValue, v)\n     }\n     return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UShortArray.minOf(selector: (UShort) -> Double): Double {\n     if (isEmpty()) throw NoSuchElementException()\n     var minValue = selector(this[0])\n     for (i in 1..lastIndex) {\n         val v = selector(this[i])\n         minValue =\n         minOf(minValue, v)\n     }\n     return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UIntArray.minOf(selector: (UInt) -> Float): Float {\n     if (isEmpty()) throw NoSuchElementException()\n     var\n     minValue = selector(this[0])\n     for (i in 1..lastIndex) {\n         val v = selector(this[i])\n         minValue =\n         minOf(minValue, v)\n     }\n     return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n ULongArray.minOf(selector: (ULong) -> Float): Float {\n     if (isEmpty()) throw NoSuchElementException()\n     var\n     minValue = selector(this[0])\n     for (i in 1..lastIndex) {\n         val v = selector(this[i])\n         minValue =\n         minOf(minValue, v)\n     }\n     return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.minOf(selector: (UByte) -> Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =
minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOf(selector: (UShort) -> Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n
var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =
minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minOf(selector: (UInt) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minOf(selector: (ULong) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minOf(selector: (UByte) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minOf(selector: (UShort) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOfOrNull(selector: (UInt) -> Double): Double? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n
}\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
*/

```

function is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.minOfOrNull(selector: (ULong) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.minOfOrNull(selector: (UByte) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.minOfOrNull(selector: (UShort) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.minOfOrNull(selector: (UInt) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.minOfOrNull(selector: (ULong) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.minOfOrNull(selector: (UByte) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.minOfOrNull(selector: (UShort) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

applied to each element in the array or `null` if there are no elements.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.minOfOrNull(selector: (UInt) -> R): R? {\n    if (isEmpty()) return null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values\n * produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minOfOrNull(selector: (ULong) -> R): R? {\n    if (isEmpty()) return null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values\n * produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minOfOrNull(selector: (UByte) -> R): R? {\n    if (isEmpty()) return null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values\n * produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minOfOrNull(selector: (UShort) -> R): R? {\n    if (isEmpty()) return null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the\n * provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUIntArray.minOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n    if (isEmpty()) throw\n    NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =\n        selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values\n * produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if\n * the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nULongArray.minOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n    if (isEmpty()) throw\n    NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =\n        selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values\n * produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if\n * the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUByteArray.minOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n    if (isEmpty()) throw\n    NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =\n        selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values\n
```

produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUShortArray.minOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n    if (isEmpty()) throw\n    NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =\n        selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values\n * produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUIntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n    if (isEmpty()) return\n    null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n * function applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nULongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n    if (isEmpty())\n    return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n * function applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n    if (isEmpty())\n    return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n * function applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n    if (isEmpty())\n    return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minOrNull(): UInt? {\n    if\n    (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min =\n        e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minOrNull(): ULong? {\n    if\n    (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min =\n        e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minOrNull(): UByte? {\n    if\n    (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min =\n        e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minOrNull(): UShort? {\n    if\n    (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min =\n        e\n    }\n    return min\n}\n\n@Deprecated("Use minWithOrNull instead.")\n
```

```

ReplaceWith("\minWithOrNull(comparator)\")\n@DeprecatedSinceKotlin(warningSince =
\'1.4\')\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWith(comparator:
Comparator<in UInt>): UInt? {\n    return minWithOrNull(comparator)\n}\n\n@Deprecated("\Use minWithOrNull
instead.\", ReplaceWith("\minWithOrNull(comparator)\")\n@DeprecatedSinceKotlin(warningSince =
\'1.4\')\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minWith(comparator:
Comparator<in ULong>): ULong? {\n    return minWithOrNull(comparator)\n}\n\n@Deprecated("\Use
minWithOrNull instead.\",
ReplaceWith("\minWithOrNull(comparator)\")\n@DeprecatedSinceKotlin(warningSince =
\'1.4\')\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWith(comparator:
Comparator<in UByte>): UByte? {\n    return minWithOrNull(comparator)\n}\n\n@Deprecated("\Use
minWithOrNull instead.\",
ReplaceWith("\minWithOrNull(comparator)\")\n@DeprecatedSinceKotlin(warningSince =
\'1.4\')\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWith(comparator:
Comparator<in UShort>): UShort? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element
having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWithOrNull(comparator:
Comparator<in UInt>): UInt? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first
element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minWithOrNull(comparator:
Comparator<in ULong>): ULong? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the
first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWithOrNull(comparator:
Comparator<in UByte>): UByte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the
first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWithOrNull(comparator:
Comparator<in UShort>): UShort? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns
`true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

ULongArray.none(predicate: (ULong) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return false
    return true
}

Returns `true` if no elements match the given [predicate].

@sample
samples.collections.Collections.Aggregates.noneWithPredicate

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.none(predicate: (UByte) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return false
    return true
}

Returns `true` if no elements match the given [predicate].

@sample
samples.collections.Collections.Aggregates.noneWithPredicate

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.none(predicate: (UShort) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return false
    return true
}

Returns `true` if no elements match the given [predicate].

@sample
samples.collections.Collections.Aggregates.noneWithPredicate

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.forEach(action: (UInt) -> Unit): UIntArray {
    return apply { for (element in this) action(element) }
}

Returns the array itself afterwards.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): UIntArray {
    return apply { for (index, element in this) action(index, element) }
}

Returns the array itself afterwards.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.forEach(action: (UByte) -> Unit): UByteArray {
    return apply { for (element in this) action(element) }
}

Returns the array itself afterwards.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.forEach(action: (UShort) -> Unit): UShortArray {
    return apply { for (element in this) action(element) }
}

Returns the array itself afterwards.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): UIntArray {
    return apply { for (index, element in this) action(index, element) }
}

Returns the array itself afterwards.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): UByteArray {
    return apply { for (index, element in this) action(index, element) }
}

Returns the array itself afterwards.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): UShortArray {
    return apply { for (index, element in this) action(index, element) }
}

Returns the array itself afterwards.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {
    if (isEmpty()) throw

```



```

UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty
in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty
in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty
in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduce(operation: (acc: UShort, UShort) -> UShort): UShort {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value and the element itself,\n *
and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for

```

```

(index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n } \n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n    if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for
(index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n } \n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n    if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for
(index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n } \n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if
the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceIndexedOrNull(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt? {\n    if (isEmpty())\n
return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n    accumulator = operation(index,
accumulator, this[index])\n } \n return accumulator\n}\n\n/**\n * Accumulates value starting with the first
element and applying [operation] from left to right\n * to current accumulator value and each element with its index
in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceIndexedOrNull(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong? {\n    if
(isEmpty())\n    return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n    accumulator =
operation(index, accumulator, this[index])\n } \n return accumulator\n}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right\n * to current accumulator value and each element
with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceIndexedOrNull(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte? {\n    if
(isEmpty())\n    return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n    accumulator =
operation(index, accumulator, this[index])\n } \n return accumulator\n}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right\n * to current accumulator value and each element
with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation]

```

function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduceOrNull
*/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UShortArray.reduceIndexedOrNull(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort? {n if
(isEmpty())n return nulln var accumulator = this[0]n for (index in 1..lastIndex) {n accumulator =
operation(index, accumulator, this[index])n }n return accumulatorn}n/n/**n * Accumulates value starting
with the first element and applying [operation] from left to rightn * to current accumulator value and each
element.n * n * Returns `null` if the array is empty.n * n * @param [operation] function that takes current
accumulator value and an element,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceOrNull
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@ExperimentalUnsignedTypesn
@kotlin.internal.InlineOnlynpublic inline fun UIntArray.reduceOrNull(operation: (acc: UInt, UInt) -> UInt): UInt?
{n if (isEmpty())n return nulln var accumulator = this[0]n for (index in 1..lastIndex) {n
accumulator = operation(accumulator, this[index])n }n return accumulatorn}n/n/**n * Accumulates value
starting with the first element and applying [operation] from left to rightn * to current accumulator value and each
element.n * n * Returns `null` if the array is empty.n * n * @param [operation] function that takes current
accumulator value and an element,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceOrNull
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@ExperimentalUnsignedTypesn
@kotlin.internal.InlineOnlynpublic inline fun ULongArray.reduceOrNull(operation: (acc: ULong, ULong) ->
ULong): ULong? {n if (isEmpty())n return nulln var accumulator = this[0]n for (index in 1..lastIndex)
{n accumulator = operation(accumulator, this[index])n }n return accumulatorn}n/n/**n * Accumulates
value starting with the first element and applying [operation] from left to rightn * to current accumulator value and
each element.n * n * Returns `null` if the array is empty.n * n * @param [operation] function that takes current
accumulator value and an element,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceOrNull
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@ExperimentalUnsignedTypesn
@kotlin.internal.InlineOnlynpublic inline fun UByteArray.reduceOrNull(operation: (acc: UByte, UByte) ->
UByte): UByte? {n if (isEmpty())n return nulln var accumulator = this[0]n for (index in 1..lastIndex)
{n accumulator = operation(accumulator, this[index])n }n return accumulatorn}n/n/**n * Accumulates
value starting with the first element and applying [operation] from left to rightn * to current accumulator value and
each element.n * n * Returns `null` if the array is empty.n * n * @param [operation] function that takes current
accumulator value and an element,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceOrNull
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@ExperimentalUnsignedTypesn
@kotlin.internal.InlineOnlynpublic inline fun UShortArray.reduceOrNull(operation: (acc: UShort, UShort) ->
UShort): UShort? {n if (isEmpty())n return nulln var accumulator = this[0]n for (index in 1..lastIndex)
{n accumulator = operation(accumulator, this[index])n }n return accumulatorn}n/n/**n * Accumulates
value starting with the last element and applying [operation] from right to leftn * to each element and current
accumulator value.n * n * Throws an exception if this array is empty. If the array can be empty in an expected
way,n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.n * n * @param
[operation] function that takes an element and current accumulator value,n * and calculates the next accumulator
value.n * n * @sample samples.collections.Collections.Aggregates.reduceRight
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {n var index = lastIndexn if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")n var accumulator = get(index--)\n
while (index >= 0) {n accumulator = operation(get(index--), accumulator)n }n return
accumulatorn}n/n/**n * Accumulates value starting with the last element and applying [operation] from right to

```

left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample

```

samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n  var index = lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n  var index = lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n  var index = lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n *
Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var

```

```

accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes the index of an element, the element itself and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRightIndexedOrNull(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRightIndexedOrNull(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong? {\n  var
index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRightIndexedOrNull(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte? {\n  var

```

```

index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRightIndexedOrNull(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort? {\n  var
index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightOrNull(operation: (UInt, acc: UInt) -> UInt):
UInt? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index
>= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightOrNull(operation: (ULong, acc: ULong) ->
ULong): ULong? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightOrNull(operation: (UByte, acc: UByte) ->
UByte): UByte? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightOrNull(operation: (UShort, acc: UShort) ->
UShort): UShort? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample

```

samples.collections.Collections.Aggregates.runningFold

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUIntArray.runningFold(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n    if (isEmpty()) return\n    listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for\n    (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the\n previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an\n element, and calculates the next accumulator value.\n * \n * @sample
```

samples.collections.Collections.Aggregates.runningFold

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nULongArray.runningFold(initial: R, operation: (acc: R, ULong) -> R): List<R> {\n    if (isEmpty()) return\n    listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for\n    (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the\n previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an\n element, and calculates the next accumulator value.\n * \n * @sample
```

samples.collections.Collections.Aggregates.runningFold

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUByteArray.runningFold(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n    if (isEmpty()) return\n    listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for\n    (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the\n previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an\n element, and calculates the next accumulator value.\n * \n * @sample
```

samples.collections.Collections.Aggregates.runningFold

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUShortArray.runningFold(initial: R, operation: (acc: R, UShort) -> R): List<R> {\n    if (isEmpty()) return\n    listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for\n    (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element, its index in the original array and current accumulator value that\n starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the\n index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator\n value.\n * \n * @sample
```

samples.collections.Collections.Aggregates.runningFold

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUIntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n    if (isEmpty())\n    return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation\n values generated by applying [operation] from left to right\n * to each element, its index in the original array and\n current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
```


[operation] from left to right
* to each element and current accumulator value that starts with the first element of this array.
* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
* @sample

`samples.collections.Collections.Aggregates.runningReduce`

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.runningReduce(operation: (acc: UByte, UByte) -> UByte): List<UByte> {\n    if (isEmpty()) return  
    emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UByte>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

* Returns a list containing successive accumulation values generated by applying [operation] from left to right
* to each element and current accumulator value that starts with the first element of this array.
* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
* @sample

`samples.collections.Collections.Aggregates.runningReduce`

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.runningReduce(operation: (acc: UShort, UShort) -> UShort): List<UShort> {\n    if (isEmpty()) return  
    emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UShort>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

* Returns a list containing successive accumulation values generated by applying [operation] from left to right
* to each element, its index in the original array and current accumulator value that starts with the first element of this array.
* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
* @param [operation] function that takes the index of an element, current accumulator value
* and the element itself, and calculates the next

accumulator value.
* @sample `samples.collections.Collections.Aggregates.runningReduce`

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.runningReduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): List<UInt> {\n    if (isEmpty())  
    return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UInt>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

* Returns a list containing successive accumulation values generated by applying [operation] from left to right
* to each element, its index in the original array and current accumulator value that starts with the first element of this array.
* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
* @param [operation] function that takes the index of an element, current accumulator value
* and the element

itself, and calculates the next accumulator value.
* @sample

`samples.collections.Collections.Aggregates.runningReduce`

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.runningReduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): List<ULong> {\n    if  
    (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<ULong>(size).apply {  
        add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

* Returns a list containing successive accumulation values generated by applying [operation] from left to right
* to each element, its index in the original array and current accumulator value that starts with the first element of this array.
* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
* @param [operation] function that takes the index of an element, current accumulator value
* and the element

itself, and calculates the next accumulator value.
* @sample

`samples.collections.Collections.Aggregates.runningReduce`

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```

ByteArray.runningReduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): List<UByte> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<UByte>(size).apply {
        add(accumulator)
    }
    for (index in 1 until size) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with the first element of this array.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.
 * @sample
 * samples.collections.Collections.Aggregates.runningReduce
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.runningReduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): List<UShort> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<UShort>(size).apply {
        add(accumulator)
    }
    for (index in 1 until size) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 * @sample
 * samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R> UIntArray.scan(initial: R, operation: (acc: R, UInt) -> R): List<R> {
    return runningFold(initial, operation)
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 * @sample
 * samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R> ULongArray.scan(initial: R, operation: (acc: R, ULong) -> R): List<R> {
    return runningFold(initial, operation)
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 * @sample
 * samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R> UByteArray.scan(initial: R, operation: (acc: R, UByte) -> R): List<R> {
    return runningFold(initial, operation)
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and
 */

```

current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n@Deprecated("Use runningReduce instead.", ReplaceWith("runningReduce(operation)"), level = DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.scanReduce(operation: (acc: UInt, UInt) -> UInt): List<UInt> {\n    return runningReduce(operation)\n}\n\n@Deprecated("Use runningReduce instead.", ReplaceWith("runningReduce(operation)"), level = DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.scanReduce(operation: (acc: ULong, ULong) -> ULong): List<ULong> {\n    return runningReduce(operation)\n}\n\n@Deprecated("Use runningReduce instead.", ReplaceWith("runningReduce(operation)"), level = DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.scanReduce(operation: (acc: UByte, UByte) -> UByte): List<UByte> {\n    return runningReduce(operation)\n}\n\n@Deprecated("Use runningReduce instead.", ReplaceWith("runningReduce(operation)"), level = DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n
```

```

@kotlin.internal.InlineOnly\npublic inline fun UShortArray.scanReduce(operation: (acc: UShort, UShort) ->
UShort): List<UShort> {\n    return runningReduce(operation)\n}\n\n@Deprecated("Use runningReduceIndexed
instead.", ReplaceWith("runningReduceIndexed(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UIntArray.scanReduceIndexed(operation: (index: Int, acc: UInt,
UInt) -> UInt): List<UInt> {\n    return runningReduceIndexed(operation)\n}\n\n@Deprecated("Use
runningReduceIndexed instead.", ReplaceWith("runningReduceIndexed(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun ULongArray.scanReduceIndexed(operation: (index: Int, acc: ULong,
ULong) -> ULong): List<ULong> {\n    return runningReduceIndexed(operation)\n}\n\n@Deprecated("Use
runningReduceIndexed instead.", ReplaceWith("runningReduceIndexed(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UByteArray.scanReduceIndexed(operation: (index: Int, acc: UByte,
UByte) -> UByte): List<UByte> {\n    return runningReduceIndexed(operation)\n}\n\n@Deprecated("Use
runningReduceIndexed instead.", ReplaceWith("runningReduceIndexed(operation)"), level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UShortArray.scanReduceIndexed(operation: (index: Int, acc: UShort,
UShort) -> UShort): List<UShort> {\n    return runningReduceIndexed(operation)\n}\n\n/**\n * Returns the sum of
all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sumBy(selector: (ULong) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.sumBy(selector: (UByte) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.sumBy(selector: (UShort) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sumByDouble(selector: (UInt) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sumByDouble(selector: (ULong) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.sumByDouble(selector: (UByte) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UShortArray.sumByDouble(selector: (UShort) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")n@kotlin.jvm.JvmName("sumOfDouble")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector:
(UInt) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum +=
        selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")n@kotlin.jvm.JvmName("sumOfDouble")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector:
(ULong) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum +=
        selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")n@kotlin.jvm.JvmName("sumOfDouble")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector:
(UByte) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum +=
        selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")n@kotlin.jvm.JvmName("sumOfDouble")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector:
(UShort) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum +=
        selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")n@kotlin.jvm.JvmName("sumOfInt")n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -
> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return
    sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")n@kotlin.jvm.JvmName("sumOfInt")n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector:
(ULong) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")n@kotlin.jvm.JvmName("sumOfInt")n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector:
(UByte) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the array.

```

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")n@kotlin.jvm.JvmName("sumOfInt")n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector:

```

```

(UShort) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector: (ULong) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector: (UShort) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -> UInt): UInt {\n  var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector: (ULong) -> UInt): UInt {\n  var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> UInt): UInt {\n  var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector:

```

```

(UShort) -> UInt): UInt {\n  var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector:
(UInt) -> ULong): ULong {\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector:
(ULong) -> ULong): ULong {\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector:
(UByte) -> ULong): ULong {\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector:
(UShort) -> ULong): ULong {\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and
the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Array<out
R>): List<Pair<UInt, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Array<out R>): List<Pair<ULong, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Array<out
R>): List<Pair<UByte, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:
Array<out R>): List<Pair<UShort, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n *
\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n
}

```

```

}\n  return list}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with
the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other:
Iterable<R>): List<Pair<UInt, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Iterable<R>): List<Pair<ULong, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other:
Iterable<R>): List<Pair<UByte, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:
Iterable<R>): List<Pair<UShort, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] collection with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n *
\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n  val arraySize = size\n  val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n
if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n

```



```

*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, V>
ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n  val arraySize = size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Iterable<R>, transform: (a: UByte, b: R) -> V): List<V> {\n  val arraySize = size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n  val arraySize = size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray):
List<Pair<UInt, UInt>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray):
List<Pair<ULong, ULong>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray):
List<Pair<UByte, UByte>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray):
List<Pair<UShort, UShort>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <V>
UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <V>
ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n

```

```

} \n return list \n} \n /** \n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index \n * using the provided [transform] function applied to each pair of elements. \n * The returned
list has length of the shortest array. \n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> { \n val size = minOf(size,
other.size) \n val list = ArrayList<V>(size) \n for (i in 0 until size) { \n list.add(transform(this[i], other[i])) \n
} \n return list \n} \n /** \n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index \n * using the provided [transform] function applied to each pair of elements. \n * The returned
list has length of the shortest array. \n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> { \n val size = minOf(size,
other.size) \n val list = ArrayList<V>(size) \n for (i in 0 until size) { \n list.add(transform(this[i], other[i])) \n
} \n return list \n} \n /** \n * Returns the sum of all elements in the array. \n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UInt>.sum(): UInt { \n var sum: UInt = 0u \n for (element in this) { \n sum += element \n } \n
return sum \n} \n /** \n * Returns the sum of all elements in the array. \n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out ULong>.sum(): ULong { \n var sum: ULong = 0uL \n for (element in this) { \n sum += element \n
} \n return sum \n} \n /** \n * Returns the sum of all elements in the array. \n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UByte>.sum(): UInt { \n var sum: UInt = 0u \n for (element in this) { \n sum += element \n } \n
return sum \n} \n /** \n * Returns the sum of all elements in the array. \n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UShort>.sum(): UInt { \n var sum: UInt = 0u \n for (element in this) { \n sum += element \n } \n
return sum \n} \n /** \n * Returns the sum of all elements in the array. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sum(): UInt { \n return storage.sum().toUInt() \n} \n /** \n * Returns the sum of all elements in the
array. \n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sum(): ULong { \n return storage.sum().toULong() \n} \n /** \n * Returns the sum of all elements in
the array. \n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.sum(): UInt { \n return sumBy { it.toUInt() } \n} \n /** \n * Returns the sum of all elements in the
array. \n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.sum(): UInt { \n return sumBy { it.toUInt() } \n} \n} \n /** \n * Copyright 2010-2020 JetBrains s.r.o.
and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file. \n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UCollectionsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/** \n * Returns an array of UByte containing all of the
elements of this collection. \n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Collection<UByte>.toUByteArray(): UByteArray { \n val result = UByteArray(size) \n var index = 0 \n for
(element in this) \n result[index++] = element \n return result \n} \n /** \n * Returns an array of UInt containing
all of the elements of this collection. \n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Collection<UInt>.toUIntArray(): UIntArray { \n val result = UIntArray(size) \n var index = 0 \n for
(element in this) \n result[index++] = element \n return result \n} \n /** \n * Returns an array of ULong containing
all of the elements of this collection. \n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun

```

```

Collection<ULong>.toULongArray(): ULongArray {\n  val result = ULongArray(size)\n  var index = 0\n  for
(element in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array of UShort
containing all of the elements of this collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Collection<UShort>.toUShortArray():
UShortArray {\n  val result = UShortArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] =
element\n  return result\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Iterable<UInt>.sum(): UInt {\n  var sum: UInt = 0u\n  for (element in this) {\n    sum += element\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Iterable<ULong>.sum(): ULong {\n  var sum: ULong = 0uL\n  for (element in this) {\n    sum += element\n
}\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Iterable<UByte>.sum(): UInt {\n  var sum: UInt = 0u\n  for (element in this) {\n    sum += element\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Iterable<UShort>.sum(): UInt {\n  var sum: UInt = 0u\n  for (element in this) {\n    sum += element\n  }\n
return sum\n}\n\n"/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UComparisonsKt")\n\npackage
kotlin.comparisons\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns the
greater of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UInt, b:
UInt): UInt {\n  return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: ULong, b: ULong): ULong {\n
return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UByte, b: UByte): UByte {\n
return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UShort, b: UShort): UShort {\n
return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
maxOf(a: UInt, b: UInt, c: UInt): UInt {\n  return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three
values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n  return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the
greater of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
maxOf(a: UByte, b: UByte, c: UByte): UByte {\n  return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater
of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n  return maxOf(a, maxOf(b, c))\n}\n\n/**\n *
Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
maxOf(a: UInt, vararg other: UInt): UInt {\n  var max = a\n  for (e in other) max = maxOf(max, e)\n  return
max\n}\n\n/**\n * Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
maxOf(a: ULong, vararg other: ULong): ULong {\n  var max = a\n  for (e in other) max = maxOf(max, e)\n  return
max\n}\n\n/**\n * Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
maxOf(a: UByte, vararg other: UByte): UByte {\n  var max = a\n  for (e in other) max = maxOf(max, e)\n  return
max\n}\n\n/**\n * Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
maxOf(a: UShort, vararg other: UShort): UShort {\n  var max = a\n  for (e in other) max = maxOf(max, e)\n
}

```

```

return max\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UInt, b: UInt): UInt {\n    return if
(a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, b: ULong): ULong {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte, b: UByte): UByte {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UShort, b: UShort): UShort {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
minOf(a: UInt, b: UInt, c: UInt): UInt {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three
values.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun minOf(a: ULong, b: ULong, c: ULong): ULong {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the
smaller of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
minOf(a: UByte, b: UByte, c: UByte): UByte {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller
of three values.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns
the smaller of the given values.\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a:
UInt, vararg other: UInt): UInt {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n
* Returns the smaller of the given values.\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
minOf(a: ULong, vararg other: ULong): ULong {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return
min\n}\n\n/**\n * Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte, vararg other: UByte):
UByte {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller
of the given values.\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UShort, vararg
other: UShort): UShort {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n"/**\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("URangesKt")\n\npackage
kotlin.ranges\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntRange.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n
*\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongRange.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is
empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntRange.random(random:
Random): UInt {\n    try {\n        return random.nextUInt(this)\n    } catch(e: IllegalArgumentException) {\n
throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using
the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongRange.random(random: Random):
ULong {\n    try {\n        return random.nextULong(this)\n    } catch(e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range, or `null` if this
range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n

```

```

@kotlin.internal.InlineOnly\npublic inline fun UIntRange.randomOrNull(): UInt? {\n    return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n
*\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun ULongRange.randomOrNull(): ULong? {\n    return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness, or `null` if this range is empty.\n
*\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\np
ublic fun UIntRange.randomOrNull(random: Random): UInt? {\n    if (isEmpty())\n        return null\n    return
random.nextInt(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness, or `null` if this range is empty.\n
*\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\np
ublic fun ULongRange.randomOrNull(random: Random): ULong? {\n    if (isEmpty())\n        return null\n    return
random.nextULong(this)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always
returns `false` if the [element] is `null`.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntRange.contains(element: UInt?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n *
Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is
`null`.\n * \n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun ULongRange.contains(element: ULong?): Boolean {\n    return element != null &&
contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value:
UByte): Boolean {\n    return contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n * \n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun
ULongRange.contains(value: UByte): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n * \n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
operator fun ULongRange.contains(value: UInt): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value:
ULong): Boolean {\n    return (value shr UInt.SIZE_BITS) == 0uL && contains(value.toUInt())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value:
UShort): Boolean {\n    return contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n * \n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun
ULongRange.contains(value: UShort): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Returns a
progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * \n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByte.downTo(to: UByte):
UIntProgression {\n    return UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n/**\n * Returns
a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * \n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UInt.downTo(to: UInt):
UIntProgression {\n    return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression
from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal
to `this` value.\n * \n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULong.downTo(to: ULong):
ULongProgression {\n    return ULongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a
progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * \n * If the [to] value is greater than `this` value the returned progression is empty.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.downTo(to: UShort):
UIntProgression {\n    return UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n/**\n * Returns
a progression that goes over the same range in the opposite direction with the same step.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntProgression.reversed():
UIntProgression {\n    return UIntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a
progression that goes over the same range in the opposite direction with the same step.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongProgression.reversed():
ULongProgression {\n    return ULongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a
progression that goes over the same range with the given step.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UIntProgression.step(step: Int):
UIntProgression {\n    checkStepIsPositive(step > 0, step)\n    return UIntProgression.fromClosedRange(first, last, if
(this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given
step.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULongProgression.step(step:
Long): ULongProgression {\n    checkStepIsPositive(step > 0, step)\n    return
ULongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range from
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value,
then the returned range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun
UByte.until(to: UByte): UIntRange {\n    if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n    return
this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]
value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UInt.until(to: UInt): UIntRange {\n
if (to <= UInt.MIN_VALUE) return UIntRange.EMPTY\n    return this .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a
range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to
`this` value, then the returned range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
infix fun ULong.until(to: ULong): ULongRange {\n    if (to <= ULong.MIN_VALUE) return
ULongRange.EMPTY\n    return this .. (to - 1u).toULong()\n}\n\n/**\n * Returns a range from this value up to but
excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned
range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.until(to:
UShort): UIntRange {\n    if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n    return this.toUInt() .. (to -
1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return
this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtLeast(minimumValue: UInt):
UInt {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less
than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceAtLeast(minimumValue:
ULong): ULong {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this
value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the
[minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtLeast(minimumValue:
UByte): UByte {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value
is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the
[minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtLeast(minimumValue:

```

```

UShort): UShort {
    return if (this < minimumValue) minimumValue else this
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UInt.coerceAtMost(maximumValue: UInt):
UInt {
    return if (this > maximumValue) maximumValue else this
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULong.coerceAtMost(maximumValue:
ULong): ULong {
    return if (this > maximumValue) maximumValue else this
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByte.coerceAtMost(maximumValue:
UByte): UByte {
    return if (this > maximumValue) maximumValue else this
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShort.coerceAtMost(maximumValue:
UShort): UShort {
    return if (this > maximumValue) maximumValue else this
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UInt.coerceIn(minimumValue: UInt,
maximumValue: UInt): UInt {
    if (minimumValue > maximumValue) throw IllegalArgumentException("Cannot
coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.")
    if (this <
minimumValue) return minimumValue
    if (this > maximumValue) return maximumValue
    return this
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULong.coerceIn(minimumValue: ULong,
maximumValue: ULong): ULong {
    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue)
return maximumValue
    return this
}

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByte.coerceIn(minimumValue: UByte,
maximumValue: UByte): UByte {
    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue)
return maximumValue
    return this
}

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceIn(minimumValue: UShort,
maximumValue: UShort): UShort {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(range: ClosedRange<UInt>):
UInt {\n    if (range is ClosedFloatingPointRange) {\n        return this.coerceIn<UInt>(range)\n    }\n    if
(range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return
when {\n        this < range.start -> range.start\n        this > range.endInclusive -> range.endInclusive\n        else ->
this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the
[range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than
`range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(range:
ClosedRange<ULong>): ULong {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<ULong>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value
to an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n"/*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("USequencesKt")\n\npackage
kotlin.sequences\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns the
sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Sequence<UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Sequence<ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this) {\n        sum += element\n
    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is
_terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Sequence<UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Sequence<UShort>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin\n\n\npublic expect open class Error : Throwable {\n    constructor()\n    constructor(message:
String?)\n    constructor(message: String?, cause: Throwable?)\n    constructor(cause: Throwable?)\n}\n\n\npublic
expect open class Exception : Throwable {\n    constructor()\n    constructor(message: String?)\n
    constructor(message: String?, cause: Throwable?)\n    constructor(cause: Throwable?)\n}\n\n\npublic expect open
class RuntimeException : Exception {\n    constructor()\n    constructor(message: String?)\n    constructor(message:
String?, cause: Throwable?)\n    constructor(cause: Throwable?)\n}\n\n\npublic expect open class
IllegalArgumentException : RuntimeException {\n    constructor()\n    constructor(message: String?)\n
    constructor(message: String?, cause: Throwable?)\n    constructor(cause: Throwable?)\n}\n\n\npublic expect open

```



```

class IllegalStateException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n  constructor(message: String?, cause: Throwable?)\n  constructor(cause: Throwable?)\n}\n\npublic expect open
class IndexOutOfBoundsException : RuntimeException {\n  constructor()\n  constructor(message:
String?)\n}\n\npublic expect open class ConcurrentModificationException : RuntimeException {\n  constructor()\n
  constructor(message: String?)\n  @Deprecated(\n    "The constructor is not supported on all platforms and will be
removed from kotlin-stdlib-common soon.\n", level = DeprecationLevel.ERROR)\n  constructor(message: String?,
cause: Throwable?)\n  @Deprecated(\n    "The constructor is not supported on all platforms and will be removed from
kotlin-stdlib-common soon.\n", level = DeprecationLevel.ERROR)\n  constructor(cause: Throwable?)\n}\n\npublic
expect open class UnsupportedOperationException : RuntimeException {\n  constructor()\n  constructor(message:
String?)\n  constructor(message: String?, cause: Throwable?)\n  constructor(cause: Throwable?)\n}\n\npublic
expect open class NumberFormatException : IllegalArgumentException {\n  constructor()\n
  constructor(message: String?)\n}\n\npublic expect open class NullPointerException : RuntimeException {\n
  constructor()\n  constructor(message: String?)\n}\n\npublic expect open class ClassCastException :
RuntimeException {\n  constructor()\n  constructor(message: String?)\n}\n\npublic expect open class
AssertionError : Error {\n  constructor()\n  constructor(message: Any?)\n}\n\npublic expect open class
NoSuchElementException : RuntimeException {\n  constructor()\n  constructor(message:
String?)\n}\n\n@SinceKotlin("1.3")\npublic expect open class ArithmeticException : RuntimeException {\n
  constructor()\n  constructor(message: String?)\n}\n\n@Deprecated(\n    "This exception type is not supposed to be
thrown or caught in common code and will be removed from kotlin-stdlib-common soon.\n", level =
DeprecationLevel.ERROR)\npublic expect open class NoWhenBranchMatchedException : RuntimeException {\n
  constructor()\n  constructor(message: String?)\n  constructor(message: String?, cause: Throwable?)\n
  constructor(cause: Throwable?)\n}\n\n@Deprecated(\n    "This exception type is not supposed to be thrown or caught
in common code and will be removed from kotlin-stdlib-common soon.\n", level = DeprecationLevel.ERROR)\npublic
expect class UninitializedPropertyAccessException : RuntimeException {\n  constructor()\n
  constructor(message: String?)\n  constructor(message: String?, cause: Throwable?)\n  constructor(cause:
Throwable?)\n}\n\n/**\n * Thrown after invocation of a function or property that was expected to return `Nothing`,
but returned something instead.\n */\n@SinceKotlin("1.4")\n@PublishedApi\ninternal class
KotlinNothingValueException : RuntimeException {\n  constructor(): super()\n  constructor(message: String?):
super(message)\n  constructor(message: String?, cause: Throwable?): super(message, cause)\n
  constructor(cause: Throwable?): super(cause)\n}\n\n/**\n * Returns the detailed description of this throwable
with its stack trace.\n */\n * The detailed description includes:\n * - the short description (see [Throwable.toString])
of this throwable;\n * - the complete stack trace;\n * - detailed descriptions of the exceptions that were
[suppressed][suppressedExceptions] in order to deliver this exception;\n * - the detailed description of each
throwable in the [Throwable.cause] chain.\n */\n@SinceKotlin("1.4")\npublic expect fun
Throwable.stackTraceToString(): String\n\n/**\n * Prints the [detailed description][Throwable.stackTraceToString]
of this throwable to the standard output or standard error output.\n */\n\n@SinceKotlin("1.4")\n@Suppress(\n    "EXTENSION_SHADOWED_BY_MEMBER")\npublic expect fun
Throwable.printStackTrace(): Unit\n\n/**\n * When supported by the platform, adds the specified exception to the
list of exceptions that were\n * suppressed in order to deliver this exception.\n */\n@SinceKotlin("1.4")\npublic
expect fun Throwable.addSuppressed(exception: Throwable)\n\n/**\n * Returns a list of all exceptions that were
suppressed in order to deliver this exception.\n */\n * The list can be empty:\n * - if no exceptions were suppressed;\n
* - if the platform doesn't support suppressed exceptions;\n * - if this [Throwable] instance has disabled the
suppression.\n */\n@SinceKotlin("1.4")\npublic expect val Throwable.suppressedExceptions:
List<Throwable>,\n */\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.js\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Gives a declaration (a function,
a property or a class) specific name in JavaScript.\n */\n@Target(CLASS, FUNCTION, PROPERTY,
CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\n@OptionalExpectation\npublic expect

```

`annotation class JsName(val name: String)`
`*` Marks experimental JS export annotations.
`*` Note that behavior of these annotations will likely be changed in the future.
`*` Usages of such annotations will be reported as warnings unless an explicit opt-in with the `[OptIn]` annotation, e.g. `@OptIn(ExperimentalJsExport::class)`, or with the `-Xopt-in=kotlin.js.ExperimentalJsExport` compiler option is given.
`@Suppress("DEPRECATION")`
`@Experimental(level = Experimental.Level.WARNING)`
`@RequiresOptIn(level = RequiresOptIn.Level.WARNING)`
`@MustBeDocumented`
`@Retention(AnnotationRetention.BINARY)`
`@SinceKotlin("1.4")`
`public annotation class ExperimentalJsExport`
`*` Exports top-level declaration on JS platform.
`*` Compiled module exposes declarations that are marked with this annotation without name mangling.
`*` This annotation can be applied to either files or top-level declarations.
`*` It is currently prohibited to export the following kinds of declarations:
`*` ``expect`` declarations
`*` inline functions with reified type parameters
`*` suspend functions
`*` secondary constructors without `@JsName`
`*` extension properties
`*` enum classes
`*` annotation classes
`*` Signatures of exported declarations must only contain "exportable" types:
`*` ``dynamic``, ``Any``, ``String``, ``Boolean``, ``Byte``, ``Short``, ``Int``, ``Float``, ``Double``
`*` ``BooleanArray``, ``ByteArray``, ``ShortArray``, ``IntArray``, ``FloatArray``, ``DoubleArray``
`*` ``Array<exportable-type>``
`*` Function types with exportable parameters and return types
`*` ``external`` or `@JsExport` classes and interfaces
`*` Nullable counterparts of types above
`*` Unit return type. Must not be nullable.
`*` This annotation is experimental, meaning that restrictions mentioned above are subject to change.
`@ExperimentalJsExport`
`@Retention(AnnotationRetention.BINARY)`
`@Target(CLASS, PROPERTY, FUNCTION, FILE)`
`@SinceKotlin("1.4")`
`@OptionalExpectation`
`public expect annotation class JsExport(),`
`*` Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
`*` Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
`package kotlin.collections`
`import kotlin.internal.PlatformDependent`
`*` Classes that inherit from this interface can be represented as a sequence of elements that can be iterated over.
`@param T` the type of element being iterated over. The iterator is covariant in its element type.
`public interface Iterable<out T> {`
`/**`
 `* Returns an iterator over the elements of this object.`
 `*/`
`public operator fun iterator():`
`Iterator<T>`
`}`
`*` Classes that inherit from this interface can be represented as a sequence of elements that can be iterated over and that supports removing elements during iteration.
`@param T` the type of element being iterated over. The mutable iterator is invariant in its element type.
`public interface MutableIterable<out T> : Iterable<T> {`
`/**`
 `* Returns an iterator over the elements of this sequence that supports removing elements during iteration.`
 `*/`
`override fun iterator(): MutableIterator<T>`
`}`
`*` A generic collection of elements. Methods in this interface support only read-only access to the collection; read/write access is supported through the `[MutableCollection]` interface.
`@param E` the type of elements contained in the collection. The collection is covariant in its element type.
`public interface Collection<out E> : Iterable<E> {`
 `// Query Operations`
 `/**`
 `* Returns the size of the collection.`
 `*/`
`public val size: Int`
 `/**`
 `* Returns `true` if the collection is empty (contains no elements), `false` otherwise.`
 `*/`
`public fun isEmpty():`
`Boolean`
 `/**`
 `* Checks if the specified element is contained in this collection.`
 `*/`
`public operator fun contains(element: @UnsafeVariance E): Boolean`
 `override fun iterator(): Iterator<E>`
 `// Bulk Operations`
 `/**`
 `* Checks if all elements in the specified collection are contained in this collection.`
 `*/`
`public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean`
 `}`
`*` A generic collection of elements that supports adding and removing elements.
`@param E` the type of elements contained in the collection. The mutable collection is invariant in its element type.
`public interface MutableCollection<E> : Collection<E>, MutableIterable<E> {`
 `// Query Operations`
 `override fun iterator(): MutableIterator<E>`
 `// Modification Operations`
 `/**`
 `* Adds the specified element to the collection.`
 `*/`
 `*/`
 `* @return `true` if the element has been added, `false` if the collection does not support duplicates and the element is already contained in the collection.`
 `*/`
`public fun add(element: E): Boolean`
 `/**`
 `* Removes a single instance of the specified element from this collection, if it is present.`
 `*/`
 `*/`
 `* @return `true` if the element has been successfully removed; `false` if it was not present in the collection.`
 `*/`
`public fun remove(element:`

```

E): Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of the specified collection
to this collection.\n *\n * @return `true` if any of the specified elements was added to the collection, `false` if
the collection was not modified.\n *\n public fun addAll(elements: Collection<E>): Boolean\n\n /**\n *
Removes all of this collection's elements that are also contained in the specified collection.\n *\n * @return
`true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n
*\n public fun removeAll(elements: Collection<E>): Boolean\n\n /**\n * Retains only the elements in this
collection that are contained in the specified collection.\n *\n * @return `true` if any element was removed
from the collection, `false` if the collection was not modified.\n *\n public fun retainAll(elements:
Collection<E>): Boolean\n\n /**\n * Removes all elements from this collection.\n *\n public fun clear():
Unit\n\n\n\n /**\n * A generic ordered collection of elements. Methods in this interface support only read-only access
to the list;\n * read/write access is supported through the [MutableList] interface.\n * @param E the type of elements
contained in the list. The list is covariant in its element type.\n */\n public interface List<out E> : Collection<E> {\n
// Query Operations\n\n override val size: Int\n override fun isEmpty(): Boolean\n override fun
contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n
override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n\n // Positional Access
Operations\n /**\n * Returns the element at the specified index in the list.\n *\n public operator fun
get(index: Int): E\n\n // Search Operations\n /**\n * Returns the index of the first occurrence of the specified
element in the list, or -1 if the specified\n * element is not contained in the list.\n *\n public fun
indexOf(element: @UnsafeVariance E): Int\n\n /**\n * Returns the index of the last occurrence of the specified
element in the list, or -1 if the specified\n * element is not contained in the list.\n *\n public fun
lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n * Returns a list iterator over the
elements in this list (in proper sequence).\n *\n public fun listIterator(): ListIterator<E>\n\n /**\n * Returns
a list iterator over the elements in this list (in proper sequence), starting at the specified [index].\n *\n public
fun listIterator(index: Int): ListIterator<E>\n\n // View\n /**\n * Returns a view of the portion of this list
between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n * The returned list is backed by this
list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\n *\n * Structural
changes in the base list make the behavior of the view undefined.\n *\n public fun subList(fromIndex: Int,
toIndex: Int): List<E>\n\n\n /**\n * A generic ordered collection of elements that supports adding and removing
elements.\n * @param E the type of elements contained in the list. The mutable list is invariant in its element type.\n
*/\n\n public interface MutableList<E> : List<E>, MutableCollection<E> {\n // Modification Operations\n /**\n
* Adds the specified element to the end of this list.\n *\n * @return `true` because the list is always modified as
the result of this operation.\n *\n override fun add(element: E): Boolean\n\n override fun remove(element: E):
Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of the specified collection to
the end of this list.\n *\n * The elements are appended in the order they appear in the [elements] collection.\n
*\n * @return `true` if the list was changed as the result of the operation.\n *\n override fun addAll(elements:
Collection<E>): Boolean\n\n /**\n * Inserts all of the elements of the specified collection [elements] into this
list at the specified [index].\n *\n * @return `true` if the list was changed as the result of the operation.\n
*\n public fun addAll(index: Int, elements: Collection<E>): Boolean\n\n override fun removeAll(elements:
Collection<E>): Boolean\n\n override fun retainAll(elements: Collection<E>): Boolean\n\n override fun clear():
Unit\n\n // Positional Access Operations\n /**\n * Replaces the element at the specified position in this list
with the specified element.\n *\n * @return the element previously at the specified position.\n *\n public
operator fun set(index: Int, element: E): E\n\n /**\n * Inserts an element into the list at the specified [index].\n
*\n public fun add(index: Int, element: E): Unit\n\n /**\n * Removes an element at the specified [index] from
the list.\n *\n * @return the element that has been removed.\n *\n public fun removeAt(index: Int): E\n\n
// List Iterators\n override fun listIterator(): MutableListIterator<E>\n\n override fun listIterator(index: Int):
MutableListIterator<E>\n\n // View\n override fun subList(fromIndex: Int, toIndex: Int):
MutableList<E>\n\n\n /**\n * A generic unordered collection of elements that does not support duplicate
elements.\n * Methods in this interface support only read-only access to the set;\n * read/write access is supported

```

through the [MutableSet] interface.

```

 * @param E the type of elements contained in the set. The set is covariant in
 its element type.
 * public interface Set<out E> : Collection<E> {
 // Query Operations
 override val size: Int
 override fun isEmpty(): Boolean
 override fun contains(element: @UnsafeVariance E): Boolean
 override fun iterator(): Iterator<E>
 // Bulk Operations
 override fun containsAll(elements:
 Collection<@UnsafeVariance E>): Boolean
}
 * A generic unordered collection of elements that does not
 support duplicate elements, and supports
 * adding and removing elements.
 * @param E the type of elements
 contained in the set. The mutable set is invariant in its element type.
 * public interface MutableSet<E> : Set<E>,
 MutableCollection<E> {
 // Query Operations
 override fun iterator(): MutableIterator<E>
 //
 Modification Operations
 /**
 * Adds the specified element to the set.
 * @return `true` if the
 element has been added, `false` if the element is already contained in the set.
 */
 override fun add(element:
 E): Boolean
 override fun remove(element: E): Boolean
 // Bulk Modification Operations
 override
 fun addAll(elements: Collection<E>): Boolean
 override fun removeAll(elements: Collection<E>): Boolean
 override fun retainAll(elements: Collection<E>): Boolean
 override fun clear(): Unit
}
 * A collection
 that holds pairs of objects (keys and values) and supports efficiently retrieving
 * the value corresponding to each
 key. Map keys are unique; the map holds only one value for each key.
 * Methods in this interface support only
 read-only access to the map; read-write access is supported through
 * the [MutableMap] interface.
 * @param K
 the type of map keys. The map is invariant in its key type, as it
 * can accept key as a parameter (of
 [containsKey] for example) and return it in [keys] set.
 * @param V the type of map values. The map is covariant
 in its value type.
 * public interface Map<K, out V> {
 // Query Operations
 /**
 * Returns the number
 of key/value pairs in the map.
 */
 public val size: Int
 /**
 * Returns `true` if the map is empty
 (contains no elements), `false` otherwise.
 */
 public fun isEmpty(): Boolean
 /**
 * Returns `true` if
 the map contains the specified [key].
 */
 public fun containsKey(key: K): Boolean
 /**
 * Returns
 `true` if the map maps one or more keys to the specified [value].
 */
 public fun containsValue(value:
 @UnsafeVariance V): Boolean
 /**
 * Returns the value corresponding to the given [key], or `null` if such
 a key is not present in the map.
 */
 public operator fun get(key: K): V?
 /**
 * Returns the value
 corresponding to the given [key], or [defaultValue] if such a key is not present in the map.
 */
 @since JDK
 1.8
 @SinceKotlin("1.1")
 @PlatformDependent
 public fun getOrDefault(key: K, defaultValue:
 @UnsafeVariance V): V {
 // See default implementation in JDK sources
 throw
 NotImplementedError()
 }
 // Views
 /**
 * Returns a read-only [Set] of all keys in this map.
 */
 public val keys: Set<K>
 /**
 * Returns a read-only [Collection] of all values in this map. Note that this
 collection may contain duplicate values.
 */
 public val values: Collection<V>
 /**
 * Returns a read-
 only [Set] of all key/value pairs in this map.
 */
 public val entries: Set<Map.Entry<K, V>>
 /**
 *
 Represents a key/value pair held by a [Map].
 */
 public interface Entry<out K, out V> {
 /**
 *
 Returns the key of this key/value pair.
 */
 public val key: K
 /**
 *
 Returns the value of
 this key/value pair.
 */
 public val value: V
 }
}
 * A modifiable collection that holds pairs
 of objects (keys and values) and supports efficiently retrieving
 * the value corresponding to each key. Map keys
 are unique; the map holds only one value for each key.
 * @param K the type of map keys. The map is invariant in
 its key type.
 * @param V the type of map values. The mutable map is invariant in its value type.
 * public interface MutableMap<K, V> : Map<K, V> {
 // Modification Operations
 /**
 * Associates the specified
 [value] with the specified [key] in the map.
 */
 * @return the previous value associated with the key, or
 `null` if the key was not present in the map.
 */
 public fun put(key: K, value: V): V?
 *
 Removes the specified key and its corresponding value from this map.
 */
 * @return the previous value
 associated with the key, or `null` if the key was not present in the map.
 */
 public fun remove(key: K):
 V?
 /**
 * Removes the entry for the specified key only if it is mapped to the specified value.
 */
 * @return true if entry was removed
 */
 @SinceKotlin("1.1")
 @PlatformDependent
 public fun
 remove(key: K, value: V): Boolean {
 // See default implementation in JDK sources
 return true
 }
 // Bulk Modification Operations
 /**
 * Updates this map with key/value pairs from the specified map
 [from].
 */
 public fun putAll(from: Map<out K, V>): Unit
 /**
 * Removes all elements from this

```

```

map.\n    */\n    public fun clear(): Unit\n\n    // Views\n    /**\n    * Returns a [MutableSet] of all keys in this
map.\n    */\n    override val keys: MutableSet<K>\n\n    /**\n    * Returns a [MutableCollection] of all values in
this map. Note that this collection may contain duplicate values.\n    */\n    override val values:
MutableCollection<V>\n\n    /**\n    * Returns a [MutableSet] of all key/value pairs in this map.\n    */\n
override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n    /**\n    * Represents a key/value pair
held by a [MutableMap].\n    */\n    public interface MutableEntry<K, V> : Map.Entry<K, V> {\n    /**\n    *
Changes the value associated with the key of this entry.\n    */\n    * @return the previous value corresponding
to the key.\n    */\n    public fun setValue(newValue: V): V\n    }\n}\n","/*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage kotlin.collections\n\n/**\n * An iterator over a sequence of values of type `Byte`. */\npublic abstract
class ByteIterator : Iterator<Byte> {\n    override final fun next() = nextByte()\n\n    /**\n    Returns the next value in
the sequence without boxing. */\n    public abstract fun nextByte(): Byte\n}\n\n/**\n * An iterator over a sequence of
values of type `Char`. */\npublic abstract class CharIterator : Iterator<Char> {\n    override final fun next() =
nextChar()\n\n    /**\n    Returns the next value in the sequence without boxing. */\n    public abstract fun nextChar():
Char\n}\n\n/**\n * An iterator over a sequence of values of type `Short`. */\npublic abstract class ShortIterator :
Iterator<Short> {\n    override final fun next() = nextShort()\n\n    /**\n    Returns the next value in the sequence without
boxing. */\n    public abstract fun nextShort(): Short\n}\n\n/**\n * An iterator over a sequence of values of type `Int`.
*/\npublic abstract class IntIterator : Iterator<Int> {\n    override final fun next() = nextInt()\n\n    /**\n    Returns the
next value in the sequence without boxing. */\n    public abstract fun nextInt(): Int\n}\n\n/**\n * An iterator over a
sequence of values of type `Long`. */\npublic abstract class LongIterator : Iterator<Long> {\n    override final fun
next() = nextLong()\n\n    /**\n    Returns the next value in the sequence without boxing. */\n    public abstract fun
nextLong(): Long\n}\n\n/**\n * An iterator over a sequence of values of type `Float`. */\npublic abstract class
FloatIterator : Iterator<Float> {\n    override final fun next() = nextFloat()\n\n    /**\n    Returns the next value in the
sequence without boxing. */\n    public abstract fun nextFloat(): Float\n}\n\n/**\n * An iterator over a sequence of
values of type `Double`. */\npublic abstract class DoubleIterator : Iterator<Double> {\n    override final fun next() =
nextDouble()\n\n    /**\n    Returns the next value in the sequence without boxing. */\n    public abstract fun
nextDouble(): Double\n}\n\n/**\n * An iterator over a sequence of values of type `Boolean`. */\npublic abstract class
BooleanIterator : Iterator<Boolean> {\n    override final fun next() = nextBoolean()\n\n    /**\n    Returns the next value
in the sequence without boxing. */\n    public abstract fun nextBoolean(): Boolean\n}\n}\n","/*\n * Copyright 2010-
2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage kotlin.ranges\n\n/**\n * An iterator over a progression of values of type `Char`. */\n * @property
step the number by which the value is incremented on each step.\n */\ninternal class CharProgressionIterator(first:
Char, last: Char, val step: Int) : CharIterator() {\n    private val finalElement = last.toInt()\n    private var hasNext:
Boolean = if (step > 0) first <= last else first >= last\n    private var next = if (hasNext) first.toInt() else
finalElement\n\n    override fun hasNext(): Boolean = hasNext\n\n    override fun nextChar(): Char {\n        val value
= next\n        if (value == finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n
hasNext = false\n        }\n        else {\n            next += step\n        }\n        return value.toChar()\n    }\n}\n}\n","/*\n *
An iterator over a progression of values of type `Int`. */\n * @property step the number by which the value is
incremented on each step.\n */\ninternal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator()
{\n    private val finalElement = last\n    private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n
private var next = if (hasNext) first else finalElement\n\n    override fun hasNext(): Boolean = hasNext\n\n    override
fun nextInt(): Int {\n        val value = next\n        if (value == finalElement) {\n            if (!hasNext) throw
kotlin.NoSuchElementException()\n            hasNext = false\n        }\n        else {\n            next += step\n        }\n
return value\n    }\n}\n}\n","/*\n * An iterator over a progression of values of type `Long`. */\n * @property step the
number by which the value is incremented on each step.\n */\ninternal class LongProgressionIterator(first: Long,
last: Long, val step: Long) : LongIterator() {\n    private val finalElement = last\n    private var hasNext: Boolean =

```

```

if (step > 0) first <= last else first >= last\n    private var next = if (hasNext) first else finalElement\n\n    override fun
hasNext(): Boolean = hasNext\n\n    override fun nextLong(): Long {\n        val value = next\n        if (value ==
finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n            hasNext = false\n        }\n        else {\n            next += step\n        }\n        return value\n    }\n}\n\n"/**\n * Copyright 2010-2020 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin.ranges\n\nimport kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type
`Char`.\n */\npublic open class CharProgression\n    internal constructor\n    (\n        start: Char,\n        endInclusive: Char,\n        step: Int\n    ) : Iterable<Char> {\n    init {\n        if (step == 0) throw
kotlin.IllegalArgumentException("Step must be non-zero.")\n        if (step == Int.MIN_VALUE) throw
kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE to avoid overflow on negation.")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Char = start\n\n    /**\n     * The
last element in the progression.\n     */\n    public val last: Char = getProgressionLastElement(start.toInt(),
endInclusive.toInt(), step).toChar()\n\n    /**\n     * The step of the progression.\n     */\n    public val step: Int =
step\n\n    override fun iterator(): CharIterator = CharProgressionIterator(first, last, step)\n\n    /** Checks if the
progression is empty. */\n    public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is CharProgression && (isEmpty() && other.isEmpty() ||\n            first == other.first && last == other.last && step == other.step)\n\n    override fun hashCode(): Int =\n        if
(isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step)\n\n    override fun toString(): String = if (step > 0)
"\$first..\$last step \$step" else "\$first downTo \$last step \${-step}"\n\n    companion object {\n        /**\n         *
Creates CharProgression within the specified bounds of a closed range.\n         * The progression starts with the
[rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n         * In order
to go backwards the [step] must be negative.\n         * [step] must be greater than `Int.MIN_VALUE` and
not equal to zero.\n         */\n        public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int):
CharProgression = CharProgression(rangeStart, rangeEnd, step)\n    }\n}\n\n/**\n * A progression of values of type
`Int`.\n */\npublic open class IntProgression\n    internal constructor\n    (\n        start: Int,\n        endInclusive:
Int,\n        step: Int\n    ) : Iterable<Int> {\n    init {\n        if (step == 0) throw
kotlin.IllegalArgumentException("Step must be non-zero.")\n        if (step == Int.MIN_VALUE) throw
kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE to avoid overflow on negation.")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Int = start\n\n    /**\n     * The last
element in the progression.\n     */\n    public val last: Int = getProgressionLastElement(start.toInt(),
endInclusive.toInt(), step).toInt()\n\n    /**\n     * The step of the progression.\n     */\n    public val step: Int =
step\n\n    override fun iterator(): IntIterator = IntProgressionIterator(first, last, step)\n\n    /** Checks if the
progression is empty. */\n    public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is IntProgression && (isEmpty() && other.isEmpty() ||\n            first == other.first && last == other.last && step == other.step)\n\n    override fun hashCode(): Int =\n        if
(isEmpty()) -1 else (31 * (31 * first + last) + step)\n\n    override fun toString(): String = if (step > 0) "\$first..\$last
step \$step" else "\$first downTo \$last step \${-step}"\n\n    companion object {\n        /**\n         * Creates
IntProgression within the specified bounds of a closed range.\n         * The progression starts with the [rangeStart]
value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n         * In order to go
backwards the [step] must be negative.\n         * [step] must be greater than `Int.MIN_VALUE` and not
equal to zero.\n         */\n        public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression
= IntProgression(rangeStart, rangeEnd, step)\n    }\n}\n\n/**\n * A progression of values of type `Long`.\n */\npublic open class LongProgression\n    internal constructor\n    (\n        start: Long,\n        endInclusive:
Long,\n        step: Long\n    ) : Iterable<Long> {\n    init {\n        if (step == 0L) throw
kotlin.IllegalArgumentException("Step must be non-zero.")\n        if (step == Long.MIN_VALUE) throw
kotlin.IllegalArgumentException("Step must be greater than Long.MIN_VALUE to avoid overflow on
negation.")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Long = start\n\n

```

```

/**\n * The last element in the progression.\n */\n public val last: Long =
getProgressionLastElement(start.toLong(), endInclusive.toLong(), step).toLong()\n\n /**\n * The step of the
progression.\n */\n public val step: Long = step\n\n override fun iterator(): LongIterator =
LongProgressionIterator(first, last, step)\n\n /** Checks if the progression is empty. */\n public open fun
isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n
other is LongProgression && (isEmpty() && other.isEmpty()) ||\n first == other.first && last == other.last &&
step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr
32))) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n\n override fun toString(): String = if (step > 0)
\"$first..$last step $step\" else \"$first downTo $last step ${-step}\"
companion object {\n\n /**\n *
Creates LongProgression within the specified bounds of a closed range.\n\n * The progression starts with the
[rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n\n * In order
to go backwards the [step] must be negative.\n\n * [step] must be greater than `Long.MIN_VALUE`
and not equal to zero.\n\n */\n\n public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long):
LongProgression = LongProgression(rangeStart, rangeEnd, step)\n }
}\n\n","/*\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.ranges\n\n/**\n *
Represents a range of values (for example, numbers or characters).\n * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/ranges.html) for more information.\n */\n\npublic interface
ClosedRange<T: Comparable<T>> {\n\n /**\n * The minimum value in the range.\n */\n public val start:
T\n\n /**\n * The maximum value in the range (inclusive).\n */\n public val endInclusive: T\n\n /**\n *
Checks whether the specified [value] belongs to the range.\n */\n public operator fun contains(value: T):
Boolean = value >= start && value <= endInclusive\n\n /**\n * Checks whether the range is empty.\n */\n
public fun isEmpty(): Boolean = start > endInclusive\n}\n\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n */\n *
Licensed under the Apache License, Version 2.0 (the "License");\n * you may not use this file except in
compliance with the License.\n * You may obtain a copy of the License at\n */\n *
http://www.apache.org/licenses/LICENSE-2.0\n */\n * Unless required by applicable law or agreed to in writing,
software\n * distributed under the License is distributed on an "AS IS" BASIS,\n * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language
governing permissions and\n * limitations under the License.\n */\n\npackage kotlin\n\n/**\n * The type with only
one value: the `Unit` object. This type corresponds to the `void` type in Java.\n */\n\npublic object Unit {\n\n
override fun toString() = "kotlin.Unit"\n}\n\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n */\n * Licensed under the
Apache License, Version 2.0 (the "License");\n * you may not use this file except in compliance with the
License.\n * You may obtain a copy of the License at\n */\n *
http://www.apache.org/licenses/LICENSE-2.0\n */\n * Unless required by applicable law or agreed to in writing,
software\n * distributed under the License is distributed
on an "AS IS" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied.\n * See the License for the specific language governing permissions and\n * limitations under the
License.\n */\n\npackage kotlin.annotation\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Contains the
list of code elements which are the possible annotation targets\n */\n\npublic enum class AnnotationTarget {\n\n /**
Class, interface or object, annotation class is also included */\n CLASS,\n\n /** Annotation class only */\n
ANNOTATION_CLASS,\n\n /** Generic type parameter (unsupported yet) */\n TYPE_PARAMETER,\n\n /**
Property */\n PROPERTY,\n\n /** Field, including property's backing field */\n FIELD,\n\n /** Local variable
*/\n LOCAL_VARIABLE,\n\n /** Value parameter of a function or a constructor */\n
VALUE_PARAMETER,\n\n /** Constructor only (primary or secondary) */\n CONSTRUCTOR,\n\n /**
Function (constructors are not included) */\n FUNCTION,\n\n /** Property getter only */\n
PROPERTY_GETTER,\n\n /** Property setter only */\n PROPERTY_SETTER,\n\n /** Type usage */\n
TYPE,\n\n /** Any expression */\n EXPRESSION,\n\n /** File */\n FILE,\n\n /** Type alias */\n
@SinceKotlin("1.1")\n TYPEALIAS\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n */\n *
Determines how an annotation is stored in binary output.\n */\n\npublic enum class AnnotationRetention {\n\n /**

```

```

Annotation isn't stored in binary output */\n SOURCE,\n /** Annotation is stored in binary output, but invisible
for reflection */\n BINARY,\n /** Annotation is stored in binary output and visible for reflection (default
retention) */\n RUNTIME\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are
possible targets of an annotation.\n * If the target meta-annotation is not present on an annotation declaration,
the annotation is applicable to the following elements:\n * [CLASS], [PROPERTY], [FIELD],
[LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER],
[PROPERTY_SETTER].\n * @property allowedTargets list of allowed annotation targets\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@MustBeDocumented\npublic annotation class
Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an
annotation is stored in binary output and visible for reflection. By default, both are true.\n * @property value
necessary annotation retention (RUNTIME, BINARY or SOURCE)\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Retention(val value:
AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an
annotation is applicable twice or more on a single code element\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Repeatable\n\n/**\n * This
meta-annotation determines that an annotation is a part of public API and therefore should be included in the
generated\n * documentation for the element to which the annotation is applied.\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n","/*\n *
Copyright 2010-2016 JetBrains s.r.o.\n * Licensed under the Apache License, Version 2.0 (the "License");\n *
you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *
http://www.apache.org/licenses/LICENSE-2.0\n * Unless required by applicable law or agreed to in writing,
software\n * distributed under the License is distributed on an "AS IS" BASIS,\n * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language
governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies
that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n * That means
it's completely safe to use generic types as argument for such parameter.\n
*/\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on
platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the
module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method
'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for major versions >= 8)\n
*/\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation
class PlatformDependent\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a:
Int, b: Int): Int {\n val mod = a % b\n return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b:
Long): Long {\n val mod = a % b\n return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun
differenceModulo(a: Int, b: Int, c: Int): Int {\n return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun
differenceModulo(a: Long, b: Long, c: Long): Long {\n return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n *
Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in
the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n *
[step].\n * No validation on passed parameters is performed. The given parameters should satisfy the
condition:\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n * @param start
first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or
difference of successive elements in the progression\n * @return the final element of the progression\n *
@suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int = when
{\n step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n step < 0 -> if (start <= end)
end else end + differenceModulo(start, end, -step)\n else -> throw kotlin.IllegalArgumentException("Step is

```



```

zero.\")\n}\n\n/*\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the
progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case
of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should
satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n *\n * - or `step < 0` and `start >= end`.\n *\n *
@param start first element of the progression\n * @param end ending bound for the progression\n * @param step
increment, or difference of successive elements in the progression\n * @return the final element of the progression\n
* @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long):
Long = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n    step < 0 -> if
(start <= end) end else end + differenceModulo(start, end, -step)\n    else -> throw
kotlin.IllegalArgumentException("\nStep is zero.\n")\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n@JsName("\narrayIterator\n")\ninternal fun arrayIterator(array:
dynamic, type: String?) = when (type) {\n    null -> {\n        val arr: Array<dynamic> = array\n        object :
Iterator<dynamic> {\n            var index = 0\n            override fun hasNext() = index < arr.size\n            override fun
next() = if (index < arr.size) arr[index++] else throw NoSuchElementException("\n$index\n")\n        }\n    }\n    "\nBooleanArray\n" -> booleanArrayIterator(array)\n    "\nByteArray\n" -> byteArrayIterator(array)\n    "\nShortArray\n" -
-> shortArrayIterator(array)\n    "\nCharArray\n" -> charArrayIterator(array)\n    "\nIntArray\n" ->
intArrayIterator(array)\n    "\nLongArray\n" -> longArrayIterator(array)\n    "\nFloatArray\n" ->
floatArrayIterator(array)\n    "\nDoubleArray\n" -> doubleArrayIterator(array)\n    else -> throw
IllegalStateException("\nUnsupported type argument for arrayIterator:
$type\n")\n}\n\n@JsName("\nbooleanArrayIterator\n")\ninternal fun booleanArrayIterator(array: BooleanArray) =
object : BooleanIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun
nextBoolean() = if (index < array.size) array[index++] else throw
NoSuchElementException("\n$index\n")\n}\n\n@JsName("\nbyteArrayIterator\n")\ninternal fun byteArrayIterator(array:
ByteArray) = object : ByteIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override
fun nextByte() = if (index < array.size) array[index++] else throw
NoSuchElementException("\n$index\n")\n}\n\n@JsName("\nshortArrayIterator\n")\ninternal fun
shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n    var index = 0\n    override fun hasNext() =
index < array.size\n    override fun nextShort() = if (index < array.size) array[index++] else throw
NoSuchElementException("\n$index\n")\n}\n\n@JsName("\ncharArrayIterator\n")\ninternal fun charArrayIterator(array:
CharArray) = object : CharIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override
fun nextChar() = if (index < array.size) array[index++] else throw
NoSuchElementException("\n$index\n")\n}\n\n@JsName("\nintArrayIterator\n")\ninternal fun intArrayIterator(array:
IntArray) = object : IntIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun
nextInt() = if (index < array.size) array[index++] else throw
NoSuchElementException("\n$index\n")\n}\n\n@JsName("\nfloatArrayIterator\n")\ninternal fun
floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n    var index = 0\n    override fun hasNext() = index
< array.size\n    override fun nextFloat() = if (index < array.size) array[index++] else throw
NoSuchElementException("\n$index\n")\n}\n\n@JsName("\ndoubleArrayIterator\n")\ninternal fun
doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n    var index = 0\n    override fun hasNext()
= index < array.size\n    override fun nextDouble() = if (index < array.size) array[index++] else throw
NoSuchElementException("\n$index\n")\n}\n\n@JsName("\nlongArrayIterator\n")\ninternal fun longArrayIterator(array:
LongArray) = object : LongIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n
override fun nextLong() = if (index < array.size) array[index++] else throw
NoSuchElementException("\n$index\n")\n}\n\n@JsName("\nPropertyMetadata\n")\ninternal class
PropertyMetadata(@JsName("\ncallableName\n") val name:
String)\n\n@JsName("\nnoWhenBranchMatched\n")\ninternal fun noWhenBranchMatched(): Nothing = throw
NoWhenBranchMatchedException()\n\n@JsName("\nsubSequence\n")\ninternal fun subSequence(c: CharSequence,

```

```

startIndex: Int, endIndex: Int): CharSequence {\n    if (c is String) {\n        return c.substring(startIndex, endIndex)\n    } else {\n        return c.asDynamic().`subSequence_vux9f0` (startIndex, endIndex)\n    }\n}\n\n@JsName("captureStack")\ninternal fun captureStack(@Suppress("UNUSED_PARAMETER")\nbaseClass: JsClass<in Throwable>, instance: Throwable) {\n    if (js("Error").captureStackTrace) {\n        // Using uncropped stack traces due to KT-37563.\n        // Precise stack traces are implemented in JS IR compiler and stdlib\n        js("Error").captureStackTrace(instance);\n    } else {\n        instance.asDynamic().stack = js("new Error()").stack;\n    }\n}\n\n@JsName("newThrowable")\ninternal fun newThrowable(message: String?, cause: Throwable?): Throwable {\n    val throwable = js("new Error()")\n    throwable.message = if (jsTypeOf(message) == "undefined") {\n        if (cause != null) cause.toString() else null\n    } else {\n        message\n    }\n    throwable.cause = cause\n    throwable.name = "Throwable"\n    return throwable\n}\n\n@JsName("BoxedChar")\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\n    override fun equals(other: Any?): Boolean {\n        return other is BoxedChar && c == other.c\n    }\n\n    override fun hashCode(): Int {\n        return c\n    }\n\n    override fun toString(): String {\n        return js("this.c").unsafeCast<Char>().toString()\n    }\n\n    override fun compareTo(other: Int): Int {\n        return js("this.c - other").unsafeCast<Int>()\n    }\n\n    @JsName("valueOf")\n    public fun valueOf(): Int {\n        return c\n    }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n    val typed = js("Array")(args.size)\n    for (i in args.indices) {\n        val arr = args[i]\n        if (arr !is Array<*>) {\n            typed[i] = js("[]").slice.call(arr)\n        } else {\n            typed[i] = arr\n        }\n    }\n    return js("[]").concat.apply(js("[]"), typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n * \n * @PublishedApi\n * @JsName("arrayConcat")\n * @Suppress("UNUSED_PARAMETER")\n * internal fun <T> arrayConcat(a: T, b: T): T {\n *     return concat(js("arguments"))\n * }\n * \n * Concat primitive arrays. Main use: prepare vararg arguments.\n * For compatibility with 1.1.0 the arguments may be a mixture of Array's and TypedArray's.\n * \n * If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray) returns a TypedArray, otherwise an Array.\n * \n * If the first argument has the $type$ property (Boolean-, Char-, and LongArray) copy its value to result.$type$.\n * \n * If the first argument is a regular Array without the $type$ property default to arrayConcat.\n * \n * @PublishedApi\n * @JsName("primitiveArrayConcat")\n * @Suppress("UNUSED_PARAMETER")\n * internal fun <T> primitiveArrayConcat(a: T, b: T): T {\n *     val args: Array<T> = js("arguments")\n *     if (a is Array<*> && a.asDynamic().`$type$` === undefined) {\n *         return concat(args)\n *     } else {\n *         var size = 0\n *         for (i in args.indices) {\n *             size += args[i].asDynamic().length as Int\n *         }\n *         val result = js("new a.constructor(size)")\n *         kotlin.copyArrayType(a, result)\n *         size = 0\n *         for (i in args.indices) {\n *             val arr = args[i].asDynamic()\n *             for (j in 0 until arr.length) {\n *                 result[size++] = arr[j]\n *             }\n *         }\n *         return result\n *     }\n * }\n * \n * @JsName("booleanArrayOf")\n * internal fun booleanArrayOf() = withType("BooleanArray", js("[]").slice.call(arguments))\n * \n * @JsName("charArrayOf") // The arguments have to be slice'd here because of Rhino (see KT-16974)\n * internal fun charArrayOf() = withType("CharArray", js("new Uint16Array([]).slice.call(arguments)")\n * )\n * \n * @JsName("longArrayOf")\n * internal fun longArrayOf() = withType("LongArray", js("[]").slice.call(arguments))\n * \n * @JsName("withType")\n * @kotlin.internal.InlineOnly\n * internal inline fun withType(type: String, array: dynamic): dynamic {\n *     array.`$type$` = type\n *     return array\n * }\n * \n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n * @package kotlin.js\n * \n * \n * Function corresponding to JavaScript's `typeof` operator\n * \n * @kotlin.internal.InlineOnly\n * @Suppress("UNUSED_PARAMETER")\n * public inline fun jsTypeOf(a: Any?): String = js("typeof a")\n * \n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n * @file:Suppress("UNUSED_PARAMETER", "NOTHING_TO_INLINE")\n * @package kotlin\n * \n * \n * Returns an empty array of the specified type [T].\n * \n * @public inline fun <T> emptyArray(): Array<T> = js("[]")\n * \n * @library\n * public fun <T> arrayOf(vararg

```

```

elements: T): Array<T> = definedExternally\n\n@library\npublic fun doubleArrayOf(vararg elements: Double):
DoubleArray = definedExternally\n\n@library\npublic fun floatArrayOf(vararg elements: Float): FloatArray =
definedExternally\n\n@library\npublic fun longArrayOf(vararg elements: Long): LongArray =
definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int): IntArray =
definedExternally\n\n@library\npublic fun charArrayOf(vararg elements: Char): CharArray =
definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray =
definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements: Byte): ByteArray =
definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray =
definedExternally\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function
[initializer].\n *\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [mode]
parameter is ignored. *\npublic actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> =
UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization
function [initializer].\n *\n * The [lock] parameter is ignored.\n *\npublic actual fun <T> lazy(lock: Any?,
initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic):
dynamic {\n    val srcLen: Int = src.length\n    val dstLen: Int = dst.length\n    var index: Int = 0\n    while (index <
srcLen && index < dstLen) dst[index] = src[index++]\n    return dst\n}\n\n\ninternal fun arrayCopyResize(source:
dynamic, newSize: Int, defaultValue: Any?): dynamic {\n    val result = source.slice(0, newSize)\n
copyArrayType(source, result)\n    var index: Int = source.length\n    if (newSize > index) {\n        result.length =
newSize\n        while (index < newSize) result[index++] = defaultValue\n    }\n    return result\n}\n\n\ninternal fun
<T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\n    val result = array.slice()\n
result.length += collection.size\n    copyArrayType(array, result)\n    var index: Int = array.length\n    for (element in
collection) result[index++] = element\n    return result\n}\n\n\ninternal fun <T> fillFromCollection(dst: dynamic,
startIndex: Int, collection: Collection<T>): dynamic {\n    var index = startIndex\n    for (element in collection)
dst[index++] = element\n    return dst\n}\n\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n    if
(from.`$type$` != undefined) {\n        to.`$type$` = from.`$type$`\n    }\n}\n\n\ninternal inline fun jsIsType(obj:
dynamic, jsClass: dynamic) = js("\$Kotlin\$").isType(obj, jsClass)", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin("1.3")\n@JsName("CoroutineImpl")\n\ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?>
{\n    protected var state = 0\n    protected var exceptionState = 0\n    protected var result: Any? = null\n    protected
var exception: Throwable? = null\n    protected var finallyPath: Array<Int>? = null\n\n    public override val context:
CoroutineContext = resultContinuation.context\n\n    private var intercepted_: Continuation<Any?>? = null\n\n    public fun intercepted(): Continuation<Any?> =\n        intercepted_\n        ?:\n    (context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n        .also { intercepted_ = it }\n\n    override fun resumeWith(result: Result<Any?>) {\n        var current = this\n        var currentResult: Any? =
result.getOrNull()\n        var currentException: Throwable? = result.exceptionOrNull()\n        // This loop unrolls
recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n        while (true) {\n
            with(current) {\n                val completion = resultContinuation\n                // Set result and exception fields in
the current continuation\n                if (currentException == null) {\n                    this.result = currentResult\n
                }\n            } else {\n                state = exceptionState\n                exception = currentException\n            }\n
        }\n        try {\n            val outcome = doResume()\n            if (outcome === COROUTINE_SUSPENDED)\n                return\n            currentResult = outcome\n            currentException = null\n        } catch (exception:
dynamic) {\n            // Catch all exceptions\n            currentResult = null\n            currentException =
exception.unsafeCast<Throwable>()\n        }\n        releaseIntercepted() // this state machine instance is
terminating\n        if (completion is CoroutineImpl) {\n            // unrolling recursion via loop\n            current = completion\n        } else {\n            // top-level completion reached -- invoke and return\n

```

```

        currentException?.let { \n                completion.resumeWithException(it)\n                } ?:\n    completion.resume(currentResult)\n    return\n    }\n    }\n    }\n    }\n    private fun\n    releaseIntercepted() {\n        val intercepted = intercepted_\n        if (intercepted != null && intercepted !== this) {\n            context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n        }\n        this.intercepted_\n    = CompletedContinuation // just in case\n    }\n    protected abstract fun doResume(): Any?\n    }\n    }\n    internal object\n    CompletedContinuation : Continuation<Any?> {\n        override val context: CoroutineContext\n        get() =\n        error("This continuation is already complete")\n    }\n    override fun resumeWith(result: Result<Any?>) {\n        error("This continuation is already complete")\n    }\n    }\n    override fun toString(): String = "This continuation is\n    already complete"\n    }\n    "\n    * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language\n    contributors.\n    * Use of this source code is governed by the Apache 2.0 license that can be found in the\n    license/LICENSE.txt file.\n    *\n    *\n    @file:Suppress("UNCHECKED_CAST",\n    "RedundantVisibilityModifier")\n    package kotlin\n    import kotlin.contracts.*\n    import\n    kotlin.internal.InlineOnly\n    import kotlin.jvm.JvmField\n    import kotlin.jvm.JvmName\n    /**\n    * A discriminated\n    union that encapsulates a successful outcome with a value of type [T]\n    * or a failure with an arbitrary [Throwable]\n    exception.\n    *\n    *\n    @Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n    @SinceKotlin("1.3")\n    public inline class Result<out T> @PublishedApi internal constructor(\n        @PublishedApi\n        internal val value:\n        Any?) : Serializable {\n        // discovery\n        /**\n        * Returns `true` if this instance represents a successful\n        outcome.\n        * In this case [isFailure] returns `false`.\n        *\n        public val isSuccess: Boolean\n        get() = value !is\n        Failure\n        /**\n        * Returns `true` if this instance represents a failed outcome.\n        * In this case [isSuccess]\n        returns `false`.\n        *\n        public val isFailure: Boolean\n        get() = value is Failure\n        // value & exception\n        retrieval\n        /**\n        * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or\n        `null`\n        * if it is [failure][Result.isFailure].\n        *\n        * This function is a shorthand for `getOrElse { null }` (see\n        [getOrElse]) or\n        * `fold(onSuccess = { it }, onFailure = { null })` (see [fold]).\n        *\n        @InlineOnly\n        public\n        inline fun getOrNull(): T? =\n            when {\n                isFailure -> null\n                else -> value as T\n            }\n        /**\n        * Returns the encapsulated [Throwable] exception if this instance represents [failure][isFailure] or `null`\n        * if it\n        is [success][isSuccess].\n        *\n        * This function is a shorthand for `fold(onSuccess = { null }, onFailure = { it })`\n        (see [fold]).\n        *\n        public fun exceptionOrNull(): Throwable? =\n            when (value) {\n                is Failure ->\n                value.exception\n                else -> null\n            }\n        /**\n        * Returns a string `Success(v)` if this instance represents\n        [success][Result.isSuccess]\n        * where `v` is a string representation of the value or a string `Failure(x)` if\n        * it\n        is [failure][isFailure] where `x` is a string representation of the exception.\n        *\n        public override fun toString():\n        String =\n            when (value) {\n                is Failure -> value.toString() // "Failure($exception)"\n                else ->\n                "Success($value)"\n            }\n        // companion with constructors\n        /**\n        * Companion object for [Result]\n        class that contains its constructor functions\n        * [success] and [failure].\n        *\n        public companion object {\n        /**\n        * Returns an instance that encapsulates the given [value] as successful value.\n        *\n        *\n        @Suppress("INAPPLICABLE_JVM_NAME")\n        @InlineOnly\n        @JvmName("success")\n        public\n        inline fun <T> success(value: T): Result<T> =\n            Result(value)\n        /**\n        * Returns an instance that\n        encapsulates the given [Throwable] [exception] as failure.\n        *\n        *\n        @Suppress("INAPPLICABLE_JVM_NAME")\n        @InlineOnly\n        @JvmName("failure")\n        public\n        inline fun <T> failure(exception: Throwable): Result<T> =\n            Result(createFailure(exception))\n        }\n        }\n        }\n        }\n        internal class Failure(\n            @JvmField\n            val exception: Throwable\n        ): Serializable {\n            override fun\n            equals(other: Any?): Boolean = other is Failure && exception == other.exception\n            override fun hashCode():\n            Int = exception.hashCode()\n            override fun toString(): String = "Failure($exception)"\n        }\n        }\n        }\n        /**\n        * Creates an instance of internal marker [Result.Failure] class to\n        * make sure that this class is not exposed in ABI.\n        *\n        *\n        @PublishedApi\n        @SinceKotlin("1.3")\n        internal fun createFailure(exception: Throwable): Any =\n            Result.Failure(exception)\n        /**\n        * Throws exception if the result is failure. This internal function minimizes\n        * inlined bytecode for [getOrThrow] and makes sure that in the future we can\n        * add some exception-augmenting\n        logic here (if needed).\n        *\n        @PublishedApi\n        @SinceKotlin("1.3")\n        internal fun Result<*>.throwOnFailure() {\n
```

if (value is Result.Failure) throw value.exception\n}\n\n/**\n * Calls the specified function [block] and returns its encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R> runCatching(block: () -> R): Result<R> {\n return try {\n Result.success(block())\n } catch (e: Throwable) {\n Result.failure(e)\n }\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T, R> T.runCatching(block: T.() -> R): Result<R> {\n return try {\n Result.success(block())\n } catch (e: Throwable) {\n Result.failure(e)\n }\n}\n\n// -- extensions --\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or throws the encapsulated [Throwable] exception\n * if it is [failure][Result.isFailure].\n */\n * This function is a shorthand for `getOrElse { throw it }` (see [getOrElse]).\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.getOrThrow(): T {\n throwOnFailure()\n return value as T\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\n * result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n */\n * Note, that this function rethrows any [Throwable] exception thrown by [onFailure] function.\n */\n * This function is a shorthand for `fold(onSuccess = { it }, onFailure = onFailure)` (see [fold]).\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.getOrElse(onFailure: (exception: Throwable) -> R): R {\n contract {\n callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n }\n return when (val exception = exceptionOrNull()) {\n null -> value as T\n else -> onFailure(exception)\n }\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\n * [defaultValue] if it is [failure][Result.isFailure].\n */\n * This function is a shorthand for `getOrElse { defaultValue }` (see [getOrElse]).\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.getOrDefault(defaultValue: R): R {\n if (isFailure) return defaultValue\n return value as T\n}\n\n/**\n * Returns the result of [onSuccess] for the encapsulated value if this instance represents [success][Result.isSuccess]\n * or the result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n */\n * Note, that this function rethrows any [Throwable] exception thrown by [onSuccess] or by [onFailure] function.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.fold(\n onSuccess: (value: T) -> R,\n onFailure: (exception: Throwable) -> R\n): R {\n contract {\n callsInPlace(onSuccess, InvocationKind.AT_MOST_ONCE)\n callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n }\n return when (val exception = exceptionOrNull()) {\n null -> onSuccess(value as T)\n else -> onFailure(exception)\n }\n}\n\n// transformation\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n */\n * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See [mapCatching] for an alternative that encapsulates exceptions.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.map(transform: (value: T) -> R): Result<R> {\n contract {\n callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n }\n return when {\n isSuccess -> Result.success(transform(value as T))\n else -> Result(value)\n }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n */\n * This function catches any [Throwable] exception thrown by [transform] function and encapsulates it as a failure.\n * See [map] for an alternative that rethrows exceptions from `transform` function.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {\n return when {\n isSuccess -> runCatching { transform(value as T) }\n else -> Result(value)\n }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n */\n * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See

[recoverCatching] for an alternative that encapsulates exceptions.

```

*^@InlineOnly^@SinceKotlin("1.3")^public inline fun <R, T : R> Result<T>.recover(transform: (exception:
Throwable) -> R): Result<R> {
    contract {
        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)
    }
    return when (val exception = exceptionOrNull()) {
        null -> this
        else ->
            Result.success(transform(exception))
    }
}

```

* Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception * if this instance represents [failure][Result.isFailure] or the * original encapsulated value if it is [success][Result.isSuccess]. * This function catches any [Throwable] exception thrown by [transform] function and encapsulates it as a failure. * See [recover] for an alternative that rethrows exceptions.

```

*^@InlineOnly^@SinceKotlin("1.3")^public inline fun <R, T : R>
Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {
    return when (val exception =
exceptionOrNull()) {
        null -> this
        else -> runCatching { transform(exception) }
    }
}

```

* Performs the given [action] on the encapsulated [Throwable] exception if this instance represents [failure][Result.isFailure]. * Returns the original `Result` unchanged.

```

*^@InlineOnly^@SinceKotlin("1.3")^public inline fun <T> Result<T>.onFailure(action: (exception:
Throwable) -> Unit): Result<T> {
    contract {
        callsInPlace(action, InvocationKind.AT_MOST_ONCE)
    }
    exceptionOrNull()?.let { action(it) }
    return this
}

```

* Performs the given [action] on the encapsulated value if this instance represents [success][Result.isSuccess]. * Returns the original `Result` unchanged.

```

*^@InlineOnly^@SinceKotlin("1.3")^public inline fun <T> Result<T>.onSuccess(action: (value:
T) -> Unit): Result<T> {
    contract {
        callsInPlace(action, InvocationKind.AT_MOST_ONCE)
    }
    if (isSuccess) action(value as T)
    return this
}

```

* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors. * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

*^@n^package kotlin.coroutines^@n^import
kotlin.contracts.^@n^import kotlin.coroutines.intrinsics.^@n^import kotlin.internal.InlineOnly^@n^

```

* Interface representing a continuation after a suspension point that returns a value of type `T`.

```

*^@SinceKotlin("1.3")^public interface Continuation<in T> {
    /**
     * The context of the coroutine that corresponds to this continuation.
     */
    public val context: CoroutineContext
    /**
     * Resumes the execution of the corresponding coroutine passing a successful or failed [result] as the
     * return value of the last suspension point.
     */
    public fun resumeWith(result: Result<T>)
}

```

* Classes and interfaces marked with this annotation are restricted when used as receivers for extension `suspend` functions. These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular * receiver and are restricted from calling arbitrary suspension functions.

```

*^@SinceKotlin("1.3")^@Target(AnnotationTarget.CLASS)^@Retention(AnnotationRetention.BINARY)^npu
blic annotation class RestrictsSuspension

```

* Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.

```

*^@SinceKotlin("1.3")^@InlineOnly^public inline
fun <T> Continuation<T>.resume(value: T): Unit =
    resumeWith(Result.success(value))

```

* Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the * last suspension point.

```

*^@SinceKotlin("1.3")^@InlineOnly^public inline fun <T>
Continuation<T>.resumeWithException(exception: Throwable): Unit =
    resumeWith(Result.failure(exception))

```

* Creates a [Continuation] instance with the given [context] and implementation of [resumeWith] method.

```

*^@SinceKotlin("1.3")^@InlineOnly^public inline fun <T>
Continuation(
    context: CoroutineContext,
    crossinline resumeWith: (Result<T>) -> Unit
): Continuation<T> =
    object : Continuation<T> {
        override val context: CoroutineContext
            get() = context
        override fun resumeWith(result: Result<T>) =
            resumeWith(result)
    }

```

* Creates a coroutine without a receiver and with result type [T]. * This function creates a new, fresh instance of suspendable computation every time it is invoked. * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance. * The [completion] continuation is invoked when the coroutine completes with a result or an exception. * Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].

```

*^@SinceKotlin("1.3")^@Suppress("UNCHECKED_CAST")^public fun <T>

```

```

(suspend () -> T).createCoroutine(\n completion: Continuation<T>\n): Continuation<Unit> =\n
SafeContinuation(createCoroutineUnintercepted(completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n
 * Creates a coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of
suspendable computation every time it is invoked.\n * To start executing the created coroutine, invoke
`resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the
coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting
continuation will produce an [IllegalStateException].\n
*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend R.() ->
T).createCoroutine(\n receiver: R,\n completion: Continuation<T>\n): Continuation<Unit> =\n
SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(),
COROUTINE_SUSPENDED)\n\n/**\n
 * Starts a coroutine without a receiver and with result type [T].\n * This
function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The
[completion] continuation is invoked when the coroutine completes with a result or an exception.\n
*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () ->
T).startCoroutine(\n completion: Continuation<T>\n) {\n
createCoroutineUnintercepted(completion).intercepted().resume(Unit)\n}\n\n/**\n
 * Starts a coroutine with receiver
type [R] and result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation
every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or
an exception.\n
*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend
R.() -> T).startCoroutine(\n receiver: R,\n completion: Continuation<T>\n) {\n
createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit)\n}\n\n/**\n
 * Obtains the current
continuation instance inside suspend functions and suspends\n * the currently running coroutine.\n * In this
function both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously
in\n * the same stack-frame where the suspension function is run or asynchronously later in the same thread or\n *
from a different thread of execution. Subsequent invocation of any resume function will produce an
[IllegalStateException].\n
*\n@SinceKotlin("1.3")\n@InlineOnly\npublic suspend inline fun <T>
suspendCoroutine(crossinline block: (Continuation<T>) -> Unit): T {\n contract { callsInPlace(block,
InvocationKind.EXACTLY_ONCE) }\n return suspendCoroutineUninterceptedOrReturn { c: Continuation<T> -
->\n val safe = SafeContinuation(c.intercepted())\n block(safe)\n safe.getOrThrow()\n }\n}\n\n/**\n
 * Returns the context of the current coroutine.\n
*\n@SinceKotlin("1.3")\n@Suppress("WRONG_MODIFIER_TARGET")\n@InlineOnly\npublic suspend inline
val coroutineContext: CoroutineContext\n get() {\n throw NotImplementedError("Implemented as
intrinsic")\n }\n}, /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@npackage kotlin.coroutines.intrinsics\n\nimport kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n
 * Starts an unintercepted coroutine without a receiver and with result type [T] and executes it until its first
suspension.\n * Returns the result of the coroutine or throws its exception if it does not suspend or
[COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion] continuation is invoked when
the coroutine completes with a result or an exception.\n * The coroutine is started directly in the invoker's thread
without going through the [ContinuationInterceptor] that might\n * be present in the completion's
[CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\n * context is established.\n
*\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the
execution of the suspended\n * coroutine using a reference to the suspending function.\n
*\n@SinceKotlin("1.3")\n@InlineOnly\npublic actual inline fun <T> (suspend () ->
T).startCoroutineUninterceptedOrReturn(\n completion: Continuation<T>\n): Any? =
this.asDynamic()(completion, false)\n\n/**\n
 * Starts an unintercepted coroutine with receiver type [R] and result
type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if
it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion]

```

continuation is invoked when the coroutine completes with a result or an exception.

The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established.

This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended coroutine using a reference to the suspending function.

```

@SinceKotlin("1.3")
@InlineOnly
public actual inline fun <R, T> (suspend R.() -> T).startCoroutineUninterceptedOrReturn(
    receiver: R,
    completion: Continuation<T>): Any? =
    this.asDynamic()(receiver, completion, false)
@InlineOnly
internal actual inline fun <R, P, T> (suspend R.(P) -> T).startCoroutineUninterceptedOrReturn(
    receiver: R,
    param: P,
    completion: Continuation<T>): Any? =
    this.asDynamic()(receiver, param, completion, false)


```

Creates unintercepted coroutine without receiver and with result type [T]. This function creates a new, fresh instance of suspendable computation every time it is invoked. To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance. The [completion] continuation is invoked when coroutine completes with result or exception. This function returns unintercepted continuation. Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. Note that [completion] of this function may get invoked in an arbitrary context. [Continuation.intercepted] can be used to acquire the intercepted continuation. Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of both the coroutine and [completion] happens in the invocation context established by [ContinuationInterceptor]. Repeated invocation of any resume function on the resulting continuation corrupts the state machine of the coroutine and may result in arbitrary behaviour or exception.

```

@SinceKotlin("1.3")
public actual fun <T> (suspend () -> T).createCoroutineUnintercepted(
    completion: Continuation<T>): Continuation<Unit> =
    // Kotlin/JS suspend lambdas have an extra parameter `suspended`
    if (this.asDynamic().length == 2) {
        // When `suspended` is true the continuation is created,
        // but not executed
        this.asDynamic()(completion, true)
    } else {
        createCoroutineFromSuspendFunction(completion) {
            this.asDynamic()(completion)
        }
    }


```

Creates unintercepted coroutine with receiver type [R] and result type [T]. This function creates a new, fresh instance of suspendable computation every time it is invoked. To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance. The [completion] continuation is invoked when coroutine completes with result or exception. This function returns unintercepted continuation. Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. Note that [completion] of this function may get invoked in an arbitrary context. [Continuation.intercepted] can be used to acquire the intercepted continuation. Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of both the coroutine and [completion] happens in the invocation context established by [ContinuationInterceptor]. Repeated invocation of any resume function on the resulting continuation corrupts the state machine of the coroutine and may result in arbitrary behaviour or exception.

```

@SinceKotlin("1.3")
public actual fun <R, T> (suspend R.() -> T).createCoroutineUnintercepted(
    receiver: R,
    completion: Continuation<T>): Continuation<Unit> =
    // Kotlin/JS suspend lambdas have an extra parameter `suspended`
    if (this.asDynamic().length == 3) {
        // When `suspended` is true the continuation is created,
        // but not executed
        this.asDynamic()(receiver, completion, true)
    } else {
        createCoroutineFromSuspendFunction(completion) {
            this.asDynamic()(receiver, completion)
        }
    }


```

Intercepts this continuation with [ContinuationInterceptor]. This function shall be used on the immediate result of [createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn], in which case it checks for [ContinuationInterceptor] in the continuation's [context][Continuation.context], invokes [ContinuationInterceptor.interceptContinuation], caches and returns the result. If this function is invoked on other [Continuation] instances it returns `this` continuation unchanged.

```

@SinceKotlin("1.3")
public actual


```



```

fun <T> Continuation<T>.intercepted(): Continuation<T> =\n (this as? CoroutineImpl)?.intercepted() ?:
this\n\nprivate inline fun <T> createCoroutineFromSuspendFunction(\n completion: Continuation<T>,\n
crossinline block: () -> Any?): Continuation<Unit> {\n @Suppress("UNCHECKED_CAST")\n return object
: CoroutineImpl(completion as Continuation<Any?>) {\n override fun doResume(): Any? {\n
exception?.let { throw it }\n return block()\n }\n }\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n// Mirrors signature from JS IR
BE\n// Used for
js.translator/testData/box/number/mulInt32.kt\n@library\n@jsName("imulEmulated")\n@Suppress("UNUSED_P
ARAMETER")\n\ninternal fun imul(x: Int, y: Int): Int =
definedExternally\n\n@Suppress("NOTHING_TO_INLINE")\n\ninternal inline fun isArrayish(o: dynamic) =
js("Kotlin").isArrayish(o)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\n// NOTE: Do not author your exceptions as they are written in
this file, instead use this template:\n\npublic open class MyException : Exception {\n constructor() : super()\n
constructor(message: String?) : super(message)\n constructor(message: String?, cause: Throwable?) :
super(message, cause)\n constructor(cause: Throwable?) : super(cause)\n}\n\n// TODO: remove primary
constructors, make all secondary\n\n@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")\n\npublic actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null)
{\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual
constructor(cause: Throwable?) : this(undefine
cause)\n}\n\n@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")\n\npublic actual open class Exception actual
constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n actual constructor() :
this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause:
Throwable?) : this(undefine
cause)\n}\n\npublic actual open class RuntimeException actual constructor(message:
String?, cause: Throwable?) : Exception(message, cause) {\n actual constructor() : this(null, null)\n actual
constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefine
cause)\n}\n\npublic actual open class IllegalArgumentException actual constructor(message: String?, cause:
Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual
constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefine
cause)\n}\n\npublic actual open class IllegalStateException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message:
String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefine
cause)\n}\n\npublic actual open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {\n
actual constructor() : this(null)\n}\n\npublic actual open class ConcurrentModificationException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() :
this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause:
Throwable?) : this(undefine
cause)\n}\n\npublic actual open class UnsupportedOperationException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() :
this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause:
Throwable?) : this(undefine
cause)\n}\n\npublic actual open class NumberFormatException actual
constructor(message: String?) : IllegalArgumentException(message) {\n actual constructor() :
this(null)\n}\n\npublic actual open class NullPointerException actual constructor(message: String?) :
RuntimeException(message) {\n actual constructor() : this(null)\n}\n\npublic actual open class
ClassCastException actual constructor(message: String?) : RuntimeException(message) {\n actual constructor() :
this(null)\n}\n\npublic actual open class AssertionError\n@SinceKotlin("1.4")\n\nconstructor(message: String?,
cause: Throwable?) : Error(message, cause) {\n actual constructor() : this(null)\n constructor(message: String?) :
this(message, null)\n actual constructor(message: Any?) : this(message.toString(), message as?

```

```

Throwable}\n}\n\npublic actual open class NoSuchElementException actual constructor(message: String?) :
RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\n@SinceKotlin("1.3")\npublic actual open
class ArithmeticException actual constructor(message: String?) : RuntimeException(message) {\n  actual
constructor() : this(null)\n}\n\npublic actual open class NoWhenBranchMatchedException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefiend, cause)\n}\n\npublic actual open class UninitializedPropertyAccessException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefiend, cause)\n}\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:Suppress("UNUSED_PARAMETER")\n\npackage kotlin.js\n\n@kotlin.internal.InlineOnly\n\ninternal
inline fun jsDeleteProperty(obj: Any, property: Any) {\n  js("delete
obj[property]")\n}\n\n@kotlin.internal.InlineOnly\n\ninternal inline fun jsBitwiseOr(lhs: Any?, rhs: Any?): Int =\n
js("lhs | rhs").unsafeCast<Int>()\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.math\n\n/**\n * Returns this value with the sign bit same as of the
[sign] value.\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n\n@SinceKotlin("1.2")\n\npublic actual
fun Double.withSign(sign: Double): Double {\n  val thisSignBit =
js("Kotlin").doubleSignBit(this).unsafeCast<Int>()\n  val newSignBit =
js("Kotlin").doubleSignBit(sign).unsafeCast<Int>()\n  return if (thisSignBit == newSignBit) this else -
this\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n *
according to the IEEE 754 floating-point "double format" bit layout.\n
*/\n\n@SinceKotlin("1.2")\n\n@library("doubleToBits")\n\npublic actual fun Double.toBits(): Long =
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n *
according to the IEEE 754 floating-point "double format" bit layout,\n * preserving `NaN` values exact layout.\n
*/\n\n@SinceKotlin("1.2")\n\n@library("doubleToRawBits")\n\npublic actual fun Double.toRawBits(): Long =
definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n
*/\n\n@SinceKotlin("1.2")\n\n@kotlin.internal.InlineOnly\n\npublic actual inline fun Double.Companion.fromBits(bits:
Long): Double = js("Kotlin").doubleFromBits(bits).unsafeCast<Double>()\n"/*\n * Returns a bit representation
of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point "single format" bit
layout.\n * Note that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent,\n * so
some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n
*/\n\n@SinceKotlin("1.2")\n\n@library("floatToBits")\n\npublic actual fun Float.toBits(): Int =
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according
to the IEEE 754 floating-point "single format" bit layout,\n * preserving `NaN` values exact layout.\n * Note
that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent,\n * so some [Float] values
may overflow, underflow or loose their accuracy after conversion to bits and back.\n
*/\n\n@SinceKotlin("1.2")\n\n@library("floatToRawBits")\n\npublic actual fun Float.toRawBits(): Int =
definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n
*/\n\n@SinceKotlin("1.2")\n\n@kotlin.internal.InlineOnly\n\npublic actual inline fun Float.Companion.fromBits(bits:
Int): Float =
js("Kotlin").floatFromBits(bits).unsafeCast<Float>()\n\n\n@Suppress("NOTHING_TO_INLINE")\n\ninternal
inline fun Long(low: Int, high: Int) = js("Kotlin").Long.fromBits(low, high).unsafeCast<Long>()\n\ninternal inline
val Long.low: Int get() = this.asDynamic().getLowBits().unsafeCast<Int>()\n\ninternal inline val Long.high: Int get()
= this.asDynamic().getHighBits().unsafeCast<Int>()\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin

```

```

Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n * \n\nimport kotlin.reflect.KClass\n\n@PublishedApi\ninternal fun <T :
Annotation> KClass<*>.findAssociatedObject(@Suppress("\nUNUSED_PARAMETER") annotationClass:
KClass<T>): Any? {\n // This API is not supported in js-v1. Return `null` to be source-compatible with js-ir.\n
return null\n}\n\n", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n *\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n
*\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*\n *\n\n@SinceKotlin("1.2")\npublic actual fun Long.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix)), /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n * \n\npackage kotlin.collections\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport
kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Reverses elements in the list in-
place.\n * \n\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if
(midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n
this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n", /*\n *
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n\npackage
kotlin.text\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.js.*\n\n/**\n * Returns a
character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char
sequence.\n * \n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n\npublic actual fun
CharSequence.elementAt(index: Int): Char {\n return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, length: $length") }\n}\n\n", /*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n * \n\npackage kotlin.collections\n\n/\n\n// NOTE: THIS
FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.js.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws
an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.elementAt(index: Int):
UInt {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int):
ULong {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int):
UByte {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int):
UShort {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n *\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n

```



```

DeprecationLevel.ERROR)\npublic inline fun JQuery.dialog(mode: String): JQuery =
asDynamic().dialog(mode)\n\n@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-
js-jquery' package instead.", level = DeprecationLevel.ERROR)\npublic inline fun JQuery.dialog(mode: String,
param: String, value: Any?): JQuery = asDynamic().dialog(mode, param, value)\n\n@Deprecated("Use declarations
from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.", level =
DeprecationLevel.ERROR)\npublic inline fun JQuery.button(): JQuery =
asDynamic().button()\n\n@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-
jquery' package instead.", level = DeprecationLevel.ERROR)\npublic inline fun JQuery.accordion(): JQuery =
asDynamic().accordion()\n\n@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-
jquery' package instead.", level = DeprecationLevel.ERROR)\npublic inline fun JQuery.draggable(params: Jjson):
JQuery = asDynamic().draggable(params)\n\n@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-
externals/kotlin-js-jquery' package instead.", level = DeprecationLevel.ERROR)\npublic inline fun
JQuery.selectable(): JQuery = asDynamic().selectable()\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\npublic actual fun interface Comparator<T> {\n
@JsName("compare")\n public actual fun compare(a: T, b: T): Int\n}\n\n"/*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport
kotlin.annotation.AnnotationTarget.*\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with
body using dynamic")\npublic annotation class nativeGetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline
extension function with body using dynamic")\npublic annotation class
nativeSetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with body using
dynamic")\npublic annotation class nativeInvoke\n\n@Target(CLASS, FUNCTION, PROPERTY)\n\ninternal
annotation class library(public val name: String = "")\n\n@Target(CLASS)\n\ninternal annotation class
marker\n\n"/*\n * Gives a declaration (a function, a property or a class) specific name in JavaScript.\n * This
may be useful in the following cases:\n * * There are two functions for which the compiler gives same name in
JavaScript, you can\n * mark one with `@JsName(...)` to prevent the compiler from reporting error.\n * * You
are writing a JavaScript library in Kotlin. The compiler produces mangled names\n * for functions with
parameters, which is unnatural for usual JavaScript developer.\n * You can put `@JsName(...)` on functions you
want to be available from JavaScript.\n * * For some reason you want to rename declaration, e.g. there's common
term in JavaScript\n * for a concept provided by the declaration, which is uncommon in Kotlin.\n * Example:\n *
``` kotlin\n * class Person(val name: String) {\n * fun hello() {\n * println("Hello
$name!")\n * }\n * @JsName("helloWithGreeting")\n * fun hello(greeting: String) {\n *
println("$greeting $name!")\n * }\n * }\n * ```\n * @property name the name which compiler uses both for
declaration itself and for all references to the declaration.\n * It's required to denote a valid JavaScript
identifier.\n * */\n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, FUNCTION, PROPERTY,
CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\n\npublic actual annotation class JsName(actual
val name: String)\n\n"/*\n * Denotes an `external` declaration that must be imported from native JavaScript
library.\n * The compiler produces the code relevant for the target module system, for example, in case of
CommonJS,\n * it will import the declaration via the `require(...)` function.\n * The annotation can be used on
top-level external declarations (classes, properties, functions) and files.\n * In case of file (which can't be `external`)\n
the following rule applies: all the declarations in\n * the file must be `external`. By applying `@JsModule(...)` on a
file you tell the compiler to import a JavaScript object\n * that contain all the declarations from the file.\n * Example:\n *
``` kotlin\n * @JsModule("jquery")\n * external abstract class JQuery() {\n * // some
declarations here\n * }\n * @JsModule("jquery")\n * external fun JQuery(element: Element): JQuery\n * ```\n *
@property import name of a module to import declaration from.\n * It is not interpreted by the Kotlin
compiler, it's passed as is directly to the target module system.\n * @see JsNonModule\n */\n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\n\npublic

```

annotation class JsModule(val import: String)\n\n/**\n * Denotes an `external` declaration that can be used without module system.\n\n * By default, an `external` declaration is available regardless your target module system.\n\n * However, by applying [JsModule] annotation you can make a declaration unavailable to *plain* module system.\n\n * Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available\n\n * as an npm package.\n\n * To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.\n\n * For example:\n\n * ``` kotlin\n * @JsModule("jquery")\n * @JsNonModule\n * @JsName("\$")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n\n * @JsModule("jquery")\n * @JsNonModule\n * @JsName("\$")\n * external fun JQuery(element: Element): JQuery\n * ```\n\n * @see JsModule\n\n * @Retention(AnnotationRetention.BINARY)\n\n * @Target(CLASS, PROPERTY, FUNCTION, FILE)\n\n * public annotation class JsNonModule\n\n /**\n * Adds prefix to `external` declarations in a source file.\n\n * JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.\n\n * The compiler turns references to `external` declarations either to plain unprefix names (in case of *plain* modules)\n\n * or to plain imports.\n\n * However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.\n\n * You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)` annotation.\n\n * Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.\n\n * Example:\n\n * ```\n * @file:JsQualifier("my.jsPackageName")\n * package some.kotlinPackage\n * external fun foo(x: Int)\n * external fun bar(): String\n * ```\n\n * @property value the qualifier to add to the declarations in the generated code.\n\n * It must be a sequence of valid JavaScript identifiers separated by the `.` character.\n\n * Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.\$.f`.\n\n * @see JsModule\n\n * @Retention(AnnotationRetention.BINARY)\n\n * @Target(AnnotationTarget.FILE)\n\n * public annotation class JsQualifier(val value: String)\n\n /**\n * Exports top-level declaration on JS platform.\n\n * Compiled module exposes declarations that are marked with this annotation without name mangling.\n\n * This annotation can be applied to either files or top-level declarations.\n\n * It is currently prohibited to export the following kinds of declarations:\n\n * * `expect` declarations\n\n * * inline functions with reified type parameters\n\n * * suspend functions\n\n * * secondary constructors without `@JsName`\n\n * * extension properties\n\n * * enum classes\n\n * * annotation classes\n\n * Signatures of exported declarations must only contain `exportable` types:\n\n * * `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`, `Double`\n\n * * `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n\n * * `Array<exportable-type>`\n\n * * Function types with exportable parameters and return types\n\n * * `external` or `@JsExport` classes and interfaces\n\n * * Nullable counterparts of types above\n\n * * Unit return type. Must not be nullable\n\n * This annotation is experimental, meaning that restrictions mentioned above are subject to change.\n\n * @ExperimentalJsExport\n\n * @Retention(AnnotationRetention.BINARY)\n\n * @Target(CLASS, PROPERTY, FUNCTION, FILE)\n\n * @SinceKotlin("1.3")\n\n * public actual annotation class JsExport\n\n /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n * @npackage kotlin.jvm\n\n // these are used in common generated code in stdlib\n\n // TODO: find how to deprecate these ones\n\n * @Target(AnnotationTarget.FIELD)\n\n * @Retention(AnnotationRetention.SOURCE)\n\n * public actual annotation class Volatile\n\n * @Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n\n * @Retention(AnnotationRetention.SOURCE)\n\n * public actual annotation class Synchronized\n\n /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n * @npackage kotlin.collections\n\n /**\n * Provides a skeletal implementation of the [MutableCollection] interface.\n\n * @param E the type of elements contained in the collection. The collection is invariant in its element type.\n\n * @npublic actual abstract class AbstractMutableCollection<E> protected actual constructor() : AbstractCollection<E>, MutableCollection<E> {\n\n * actual abstract override fun add(element: E): Boolean\n\n * actual override fun remove(element: E): Boolean {\n\n * checkIsMutable()\n\n * val iterator = iterator()\n\n * while (iterator.hasNext()) {\n\n * if (iterator.next() == element) {\n\n * iterator.remove()\n

```

        return true\n        }\n        }\n        return false\n        }\n\n        actual override fun addAll(elements:
Collection<E>): Boolean {\n        checkIsMutable()\n        var modified = false\n        for (element in elements) {\n
        if (add(element)) modified = true\n        }\n        return modified\n        }\n\n        actual override fun
removeAll(elements: Collection<E>): Boolean {\n        checkIsMutable()\n        return (this as
MutableIterable<E>).removeAll { it in elements }\n        }\n\n        actual override fun retainAll(elements:
Collection<E>): Boolean {\n        checkIsMutable()\n        return (this as MutableIterable<E>).removeAll { it !in
elements }\n        }\n\n        actual override fun clear(): Unit {\n        checkIsMutable()\n        val iterator = this.iterator()\n
        while (iterator.hasNext()) {\n            iterator.next()\n            iterator.remove()\n        }\n        }\n\n
@jsName("toJSON")\n        open fun toJSON(): Any = this.toArray()\n\n\n        /**\n         * This method is called every
time when a mutating method is called on this mutable collection.\n         * Mutable collections that are built (frozen)
must throw `UnsupportedOperationException`.\n         */\n        internal open fun checkIsMutable(): Unit {
}\n\n\n        "/*\n         * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n         * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n\n        /*\n         * Based on GWT AbstractList\n         * Copyright 2007 Google Inc.\n         */\n\n\n        package
kotlin.collections\n\n\n        /**\n         * Provides a skeletal implementation of the [MutableList] interface.\n         */\n        * @param E
the type of elements contained in the list. The list is invariant in its element type.\n        */\n\n        public actual abstract class
AbstractMutableList<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableList<E> {\n
        protected var modCount: Int = 0\n\n        abstract override fun add(index: Int, element: E): Unit\n        abstract override
fun removeAt(index: Int): E\n        abstract override fun set(index: Int, element: E): E\n\n\n        /**\n         * Adds the
specified element to the end of this list.\n         * @return `true` because the list is always modified as the result
of this operation.\n         */\n        actual override fun add(element: E): Boolean {\n        checkIsMutable()\n        add(size,
element)\n        return true\n        }\n\n        actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n
        checkIsMutable()\n        var _index = index\n        var changed = false\n        for (e in elements) {\n
add(_index++, e)\n            changed = true\n        }\n        return changed\n        }\n\n        actual override fun clear() {\n
        checkIsMutable()\n        removeRange(0, size)\n        }\n\n        actual override fun removeAll(elements: Collection<E>):
Boolean {\n        checkIsMutable()\n        return removeAll { it in elements }\n        }\n\n        actual override fun
retainAll(elements: Collection<E>): Boolean {\n        checkIsMutable()\n        return removeAll { it !in elements }\n        }\n\n
}\n\n        actual override fun iterator(): MutableIterator<E> = IteratorImpl()\n\n        actual override fun
contains(element: E): Boolean = indexOf(element) >= 0\n\n        actual override fun indexOf(element: E): Int {\n
        for (index in 0..lastIndex) {\n            if (get(index) == element) {\n                return index\n            }\n        }\n
        return -1\n        }\n\n        actual override fun lastIndexOf(element: E): Int {\n        for (index in lastIndex downTo 0) {\n
            if (get(index) == element) {\n                return index\n            }\n        }\n        return -1\n        }\n\n        actual
override fun listIterator(): MutableListIterator<E> = listIterator(0)\n        actual override fun listIterator(index: Int):
MutableListIterator<E> = ListIteratorImpl(index)\n\n\n        actual override fun subList(fromIndex: Int, toIndex: Int):
MutableList<E> = SubList(this, fromIndex, toIndex)\n\n\n        /**\n         * Removes the range of elements from this list
starting from [fromIndex] and ending with but not including [toIndex].\n         */\n        protected open fun
removeRange(fromIndex: Int, toIndex: Int) {\n        val iterator = listIterator(fromIndex)\n        repeat(toIndex -
fromIndex) {\n            iterator.next()\n            iterator.remove()\n        }\n        }\n\n\n        /**\n         * Compares this list with
another list instance with the ordered structural equality.\n         * @return true, if [other] instance is a [List] of
the same size, which contains the same elements in the same order.\n         */\n        override fun equals(other: Any?):
Boolean {\n        if (other === this) return true\n        if (other !is List<*>) return false\n\n        return
AbstractList.orderedEquals(this, other)\n        }\n\n\n        /**\n         * Returns the hash code value for this list.\n         */\n        override fun hashCode(): Int = AbstractList.orderedHashCode(this)\n\n\n        private open inner class IteratorImpl :
MutableIterator<E> {\n        /** the index of the item that will be returned on the next call to [next]() */\n        protected var index = 0\n        /** the index of the item that was returned on the previous call to [next]()\n         * or
[ListIterator.previous]() (for `ListIterator`) */\n        * -1 if no such item exists\n        */\n        protected var last = -
1\n\n        override fun hasNext(): Boolean = index < size\n\n        override fun next(): E {\n        if (!hasNext())
throw NoSuchElementException()\n            last = index++\n            return get(last)\n        }\n\n        override fun

```

```

remove() {
    check(last != -1) { "Call next() or previous() before removing element from the iterator." }
    removeAt(last)
    index = last
    last = -1
}

/**
 * Implementation of
 * `MutableListIterator` for abstract lists.
 */
private inner class ListIteratorImpl(index: Int) : IteratorImpl(),
MutableListIterator<E> {
    init {
        AbstractList.checkPositionIndex(index,
this@AbstractMutableList.size)
        this.index = index
    }
    override fun hasNext(): Boolean =
index > 0
    override fun nextIndex(): Int = index
    override fun previous(): E {
        if
(!hasPrevious()) throw NoSuchElementException()
        last = --index
        return get(last)
    }
    override fun previousIndex(): Int = index - 1
    override fun add(element: E) {
        add(index, element)
        index++
        last = -1
    }
    override fun set(element: E) {
        check(last != -1) { "Call
next() or previous() before updating element value with the iterator." }
        set(last, element)
    }
}

private class SubList<E>(private val list: AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) :
AbstractMutableList<E>(), RandomAccess {
    private var _size: Int = 0
    init {
        AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)
        this._size = toIndex - fromIndex
    }
    override fun add(index: Int, element: E) {
        AbstractList.checkPositionIndex(index, _size)
        list.add(fromIndex + index, element)
        _size++
    }
    override fun get(index: Int): E {
        AbstractList.checkElementIndex(index, _size)
        return list[fromIndex + index]
    }
    override
fun removeAt(index: Int): E {
        AbstractList.checkElementIndex(index, _size)
        val result =
list.removeAt(fromIndex + index)
        _size--
        return result
    }
    override fun set(index: Int,
element: E): E {
        AbstractList.checkElementIndex(index, _size)
        return list.set(fromIndex + index,
element)
    }
    override val size: Int get() = _size
    internal override fun checkIsMutable(): Unit =
list.checkIsMutable()
}

/**
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
 */
Based on GWT AbstractMap
 * Copyright 2007 Google Inc.
 */
package kotlin.collections
/**
 * Provides a skeletal implementation of the [MutableMap] interface.
 */
 * The implementor is required to implement [entries] property, which should return mutable set of map entries, and
[put] function.
 * @param K the type of map keys. The map is invariant in its key type.
 * @param V the type
of map values. The map is invariant in its value type.
 */
public actual abstract class AbstractMutableMap<K, V>
protected actual constructor() : AbstractMap<K, V>(), MutableMap<K, V> {
    /**
     * A mutable
[Map.Entry] shared by several [Map] implementations.
     */
    internal open class SimpleEntry<K, V>(override
val key: K, value: V) : MutableMap.MutableEntry<K, V> {
        constructor(entry: Map.Entry<K, V>) :
this(entry.key, entry.value)
        private var _value = value
        override val value: V get() = _value
        override fun setValue(newValue: V): V {
            // Should check if the map containing this entry is mutable.
            // However, to not increase entry memory footprint it might be worthwhile not to check it here and
            //
force subclasses that implement `build()` (freezing) operation to implement their own `MutableEntry`.
        }
        this@AbstractMutableMap.checkIsMutable()
        val oldValue = this._value
        this._value = newValue
        return oldValue
    }
    override fun hashCode(): Int = entryHashCode(this)
    override fun
toString(): String = entryToString(this)
    override fun equals(other: Any?): Boolean = entryEquals(this,
other)
    actual override fun clear() {
        entries.clear()
    }
    private var _keys: MutableSet<K>?
= null
    actual override val keys: MutableSet<K>
get() {
        if (_keys == null) {
            _keys =
object : AbstractMutableSet<K>() {
                override fun add(element: K): Boolean = throw
UnsupportedOperationException("Add is not supported on keys")
            }
        }
        return this@AbstractMutableMap.clear()
    }
    override operator fun contains(element: K):
Boolean = containsKey(element)
    override operator fun iterator(): MutableIterator<K> {
        val entryIterator = entries.iterator()
        return object : MutableIterator<K> {
            override fun hasNext(): Boolean = entryIterator.hasNext()
            override fun next(): K =
entryIterator.next().key
            override fun remove() = entryIterator.remove()
        }
    }
    override fun remove(element: K): Boolean {
        checkIsMutable()
        if (containsKey(element)) {
            this@AbstractMutableMap.remove(element)
        }
    }
}

```



```

return true\n                }\n                return false\n                }\n                override val size: Int get() =
this@AbstractMutableMap.size\n                override fun checkIsMutable(): Unit =
this@AbstractMutableMap.checkIsMutable()\n                }\n                }\n                return _keys!!\n                }\n                actual
abstract override fun put(key: K, value: V): V?\n                actual override fun putAll(from: Map<out K, V>) {\n
checkIsMutable()\n                for ((key, value) in from) {\n                put(key, value)\n                }\n                }\n                private var _values:
MutableCollection<V>? = null\n                actual override val values: MutableCollection<V>\n                get() {\n                if
(_values == null) {\n                _values = object : AbstractMutableCollection<V>() {\n                override fun
add(element: V): Boolean = throw UnsupportedOperationException("Add is not supported on values")\n
override fun clear() = this@AbstractMutableMap.clear()\n                override operator fun contains(element:
V): Boolean = containsValue(element)\n                override operator fun iterator(): MutableIterator<V> {\n
                val entryIterator = entries.iterator()\n                return object : MutableIterator<V> {\n
override fun hasNext(): Boolean = entryIterator.hasNext()\n                override fun next(): V =
entryIterator.next().value\n                override fun remove() = entryIterator.remove()\n                }\n
                }\n                override val size: Int get() = this@AbstractMutableMap.size\n                // TODO:
should we implement them this way? Currently it's unspecified in JVM\n                override fun equals(other:
Any?): Boolean {\n                if (this === other) return true\n                if (other !is Collection<*>) return
false\n                return AbstractList.orderedEquals(this, other)\n                }\n                override fun
hashCode(): Int = AbstractList.orderedHashCode(this)\n                override fun checkIsMutable(): Unit =
this@AbstractMutableMap.checkIsMutable()\n                }\n                }\n                return _values!!\n                }\n                actual
override fun remove(key: K): V? {\n                checkIsMutable()\n                val iter = entries.iterator()\n                while
(iter.hasNext()) {\n                val entry = iter.next()\n                val k = entry.key\n                if (key == k) {\n                val
value = entry.value\n                iter.remove()\n                return value\n                }\n                }\n                return null\n                }\n                }\n
/**\n * This method is called every time when a mutating method is called on this mutable map.\n * Mutable
maps that are built (frozen) must throw `UnsupportedOperationException`.\n * ^\n internal open fun
checkIsMutable(): Unit { }\n }"/\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.collections\n/**\n * Provides a skeletal implementation of the
[MutableSet] interface.\n */\n * @param E the type of elements contained in the set. The set is invariant in its
element type.\n */\npublic actual abstract class AbstractMutableSet<E> protected actual constructor() :
AbstractMutableCollection<E>(), MutableSet<E> {\n /**\n * Compares this set with another set instance with
the unordered structural equality.\n */\n * @return `true`, if [other] instance is a [Set] of the same size, all
elements of which are contained in this set.\n */\n override fun equals(other: Any?): Boolean {\n if (other
=== this) return true\n if (other !is Set<*>) return false\n return AbstractSet.setEquals(this, other)\n }\n
/**\n * Returns the hash code value for this set.\n */\n override fun hashCode(): Int =
AbstractSet.unorderedHashCode(this)\n }"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.collections\n/**\n * Provides a [MutableList] implementation,
which uses a resizable array as its backing storage.\n */\n * This implementation doesn't provide a way to manage
capacity, as backing JS array is resizeable itself.\n */\n * There is no speed advantage to pre-allocating array sizes in
JavaScript, so this implementation does not include any of the\n * capacity and "growth increment" concepts.\n
*/\npublic actual open class ArrayList<E> internal constructor(private var array: Array<Any?>) :
AbstractMutableList<E>(), MutableList<E>, RandomAccess {\n private var isReadOnly: Boolean = false\n
/**\n * Creates an empty [ArrayList].\n */\n public actual constructor() : this(emptyArray()) { }\n /**\n
* Creates an empty [ArrayList].\n * @param initialCapacity initial capacity (ignored)\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual
constructor(initialCapacity: Int = 0) : this(emptyArray()) { }\n /**\n * Creates an [ArrayList] filled from the
[elements] collection.\n */\n public actual constructor(elements: Collection<E>) :
this(elements.toArray<Any?>()) { }\n @PublishedApi\n internal fun build(): List<E> {

```

```

checkIsMutable()\n    isReadOnly = true\n    return this\n }\n\n /** Does nothing in this ArrayList
implementation. */\n public actual fun trimToSize() {}\n\n /** Does nothing in this ArrayList implementation.
*/\n public actual fun ensureCapacity(minCapacity: Int) {}\n\n actual override val size: Int get() = array.size\n
@Suppress("UNCHECKED_CAST")\n actual override fun get(index: Int): E = array[rangeCheck(index)] as E\n
actual override fun set(index: Int, element: E): E {\n    checkIsMutable()\n    rangeCheck(index)\n
@Suppress("UNCHECKED_CAST")\n    return array[index].apply { array[index] = element } as E\n }\n\n
actual override fun add(element: E): Boolean {\n    checkIsMutable()\n    array.asDynamic().push(element)\n
modCount++\n    return true\n }\n\n actual override fun add(index: Int, element: E): Unit {\n
checkIsMutable()\n    array.asDynamic().splice(insertionRangeCheck(index), 0, element)\n    modCount++\n
}\n\n actual override fun addAll(elements: Collection<E>): Boolean {\n    checkIsMutable()\n    if
(elements.isEmpty()) return false\n    array += elements.toTypedArray<Any?>()\n    modCount++\n
return true\n }\n\n actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n
checkIsMutable()\n    insertionRangeCheck(index)\n    if (index == size) return addAll(elements)\n    if
(elements.isEmpty()) return false\n    when (index) {\n        size -> return addAll(elements)\n        0 -> array
= elements.toTypedArray<Any?>() + array\n        else -> array = array.copyOfRange(0,
index).asDynamic().concat(elements.toTypedArray<Any?>(), array.copyOfRange(index, size))\n    }\n\n
modCount++\n    return true\n }\n\n actual override fun removeAt(index: Int): E {\n    checkIsMutable()\n
rangeCheck(index)\n    modCount++\n    return if (index == lastIndex)\n        array.asDynamic().pop()\n
else\n        array.asDynamic().splice(index, 1)[0]\n    }\n\n actual override fun remove(element: E): Boolean {\n
checkIsMutable()\n    for (index in array.indices) {\n        if (array[index] == element) {\n
array.asDynamic().splice(index, 1)\n            modCount++\n            return true\n        }\n    }\n    return
false\n }\n\n override fun removeRange(fromIndex: Int, toIndex: Int) {\n    checkIsMutable()\n
modCount++\n    array.asDynamic().splice(fromIndex, toIndex - fromIndex)\n }\n\n actual override fun
clear() {\n    checkIsMutable()\n    array = emptyArray()\n    modCount++\n }\n\n\n actual override fun
indexOf(element: E): Int = array.indexOf(element)\n\n actual override fun lastIndexOf(element: E): Int =
array.lastIndexOf(element)\n\n override fun toString() = arrayToString(array)\n\n override fun toArray():
Array<Any?> = js("{}").slice.call(array)\n\n\n internal override fun checkIsMutable() {\n    if (isReadOnly)
throw UnsupportedOperationException()\n }\n\n private fun rangeCheck(index: Int) = index.apply {\n
AbstractList.checkElementIndex(index, size)\n }\n\n private fun insertionRangeCheck(index: Int) = index.apply
{\n    AbstractList.checkPositionIndex(index, size)\n }\n\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun <T>
sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int) {\n    if (getStableSortingIsSupported()) {\n
array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0,
array.lastIndex, Comparator(comparison))\n    }\n}\n\ninternal fun <T> sortArrayWith(array: Array<out T>,
comparator: Comparator<in T>) {\n    if (getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T ->
comparator.compare(a, b) }\n        array.asDynamic().sort(comparison)\n    } else {\n
mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n    }\n}\n\ninternal fun <T>
sortArrayWith(array: Array<out T>, fromIndex: Int, toIndex: Int, comparator: Comparator<in T>) {\n    if
(fromIndex < toIndex - 1) {\n        mergeSort(array.unsafeCast<Array<T>>(), fromIndex, toIndex - 1, comparator)\n
}\n}\n\ninternal fun <T : Comparable<T>> sortArray(array: Array<out T>) {\n    if
(getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T -> a.compareTo(b) }\n
array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0,
array.lastIndex, naturalOrder())\n    }\n}\n\nprivate var _stableSortingIsSupported: Boolean? = null\nprivate fun
getStableSortingIsSupported(): Boolean {\n    _stableSortingIsSupported?.let { return it }\n    _stableSortingIsSupported = false\n    val array = js("{}").unsafeCast<Array<Int>>()\n    // known
implementations may use stable sort for arrays of up to 512 elements\n    // so we create slightly more elements to
test stability\n    for (index in 0 until 600) array.asDynamic().push(index)\n    val comparison = { a: Int, b: Int -> (a

```

```

and 3) - (b and 3) } \n    array.asDynamic().sort(comparison)\n    for (index in 1 until array.size) {\n        val a =
array[index - 1]\n        val b = array[index]\n        if ((a and 3) == (b and 3) && a >= b) return false\n    }\n    _stableSortingIsSupported = true\n    return true\n}\n\nprivate fun <T> mergeSort(array: Array<T>, start: Int,
endInclusive: Int, comparator: Comparator<in T>) {\n    val buffer =
arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\n    val result = mergeSort(array, buffer, start,
endInclusive, comparator)\n    if (result !== array) {\n        for (i in start..endInclusive) array[i] = result[i]\n    }\n\n// Both start and end are inclusive indices.\nprivate fun <T> mergeSort(array: Array<T>, buffer: Array<T>,
start: Int, end: Int, comparator: Comparator<in T>): Array<T> {\n    if (start == end) {\n        return array\n    }\n\n    val median = (start + end) / 2\n    val left = mergeSort(array, buffer, start, median, comparator)\n    val right =
mergeSort(array, buffer, median + 1, end, comparator)\n\n    val target = if (left === buffer) array else buffer\n\n    // Merge.\n    var leftIndex = start\n    var rightIndex = median + 1\n    for (i in start..end) {\n        when {\n            leftIndex <= median && rightIndex <= end -> {\n                val leftValue = left[leftIndex]\n                val rightValue
= right[rightIndex]\n\n                if (comparator.compare(leftValue, rightValue) <= 0) {\n                    target[i] =
leftValue\n                    leftIndex++\n                } else {\n                    target[i] = rightValue\n
rightIndex++\n                }\n            }\n            leftIndex <= median -> {\n                target[i] = left[leftIndex]\n
leftIndex++\n            }\n            else /* rightIndex <= end */ -> {\n                target[i] = right[rightIndex]\n
rightIndex++\n            }\n        }\n        Unit // TODO: Fix KT-31506\n    }\n    }\n    return target\n}", /*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@kotlin.js.JsName("\ncontentDeepHashCodeImpl")\ninternal fun <T> Array<out T>?.contentDeepHashCodeImpl(): Int {\n    if (this ==
null) return 0\n    var result = 1\n    for (element in this) {\n        val elementHash = when {\n            element == null
-> 0\n            isArrayish(element) -> (element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()\n            element is UByteArray -> element.contentHashCode()\n            element is UShortArray ->
element.contentHashCode()\n            element is UIntArray -> element.contentHashCode()\n            element is
ULongArray -> element.contentHashCode()\n            else -> element.hashCode()\n        }\n        result = 31 * result + elementHash\n    }\n    return result\n}", /*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal interface
EqualityComparator {\n    /**\n     * Subclasses must override to return a value indicating\n     * whether or not two
keys or values are equal.\n     */\n    abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n    /**\n     *
Subclasses must override to return the hash code of a given key.\n     */\n    abstract fun getHashCode(value: Any?):
Int\n\n    object hashCode : EqualityComparator {\n        override fun equals(value1: Any?, value2: Any?):
Boolean = value1 == value2\n        override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n    }\n}", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n *
Based on GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap]
interface.\n * This implementation makes no guarantees regarding the order of enumeration of [keys], [values]
and [entries] collections.\n */\n\n// Classes that extend HashMap and implement `build()` (freezing) operation\n// have
to make sure mutating methods check `checkIsMutable`.\n\npublic actual open class HashMap<K, V> :
AbstractMutableMap<K, V>, MutableMap<K, V> {\n    private inner class EntrySet :
AbstractMutableSet<MutableEntry<K, V>>() {\n        override fun add(element: MutableEntry<K, V>): Boolean
= throw UnsupportedOperationException("Add is not supported on entries")\n        override fun clear() {\n
this@HashMap.clear()\n        }\n        override operator fun contains(element: MutableEntry<K, V>): Boolean =
containsEntry(element)\n        override operator fun iterator(): MutableIterator<MutableEntry<K, V>> =
internalMap.iterator()\n        override fun remove(element: MutableEntry<K, V>): Boolean {\n            if
(contains(element)) {\n                this@HashMap.remove(element.key)\n                return true\n            }\n        }\n    }\n}

```

```

return false\n    }\n\n    override val size: Int get() = this@HashMap.size\n    }\n\n\n    /**\n     * Internal
implementation of the map: either string-based or hashcode-based.\n     */\n    private val internalMap:
InternalMap<K, V>\n    private val equality: EqualityComparator\n\n    internal constructor(internalMap:
InternalMap<K, V>) : super() {\n        this.internalMap = internalMap\n        this.equality = internalMap.equality\n
}\n\n    /**\n     * Constructs an empty [HashMap] instance.\n     */\n    actual constructor() :
this(InternalHashMap(EqualityComparator.HashCode))\n\n    /**\n     * Constructs an empty [HashMap]
instance.\n     */\n     * @param initialCapacity the initial capacity (ignored)\n     * @param loadFactor the load
factor (ignored)\n     */\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n
*/\n     * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    actual
constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : this() {\n        // This implementation of HashMap has no
need of load factors or capacities.\n        require(initialCapacity >= 0) { "Negative initial capacity: $initialCapacity"
}\n        require(loadFactor >= 0) { "Non-positive load factor: $loadFactor" }\n    }\n\n    actual
constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n\n    /**\n     * Constructs an instance of [HashMap]
filled with the contents of the specified [original] map.\n     */\n     * actual constructor(original: Map<out K, V>) :
this() {\n        this.putAll(original)\n    }\n\n    actual override fun clear() {\n        internalMap.clear()\n//
structureChanged(this)\n    }\n\n    actual override fun containsKey(key: K): Boolean =
internalMap.containsKey()\n\n    actual override fun containsValue(value: V): Boolean = internalMap.any {
equality.equals(it.value, value) }\n\n    private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? =
null\n    actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n        get() {\n            if
(_entries == null) {\n                _entries = createEntrySet()\n            }\n            return _entries!!\n        }\n\n
protected open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n    actual
override operator fun get(key: K): V? = internalMap.get(key)\n\n    actual override fun put(key: K, value: V): V? =
internalMap.put(key, value)\n\n    actual override fun remove(key: K): V? = internalMap.remove(key)\n\n    actual
override val size: Int get() = internalMap.size\n}\n\n\n    /**\n     * Constructs the specialized implementation of
[HashMap] with [String] keys, which stores the keys as properties of\n     * JS object without hashing them.\n     */\n     *
public fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\n        return
HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n    },"/**\n     *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n     * Based on GWT
HashSet\n     * Copyright 2008 Google Inc.\n     */\n     * package kotlin.collections\n\n\n    /**\n     * The implementation of the
[MutableSet] interface, backed by a [HashMap] instance.\n     */\n     * // Classes that extend HashSet and implement
`build()` (freezing) operation\n     * // have to make sure mutating methods check `checkIsMutable`.\n     */\n     * public actual open
class HashSet<E> : AbstractMutableSet<E>, MutableSet<E> {\n\n        internal val map: HashMap<E, Any>\n\n        /**\n         * Constructs a new empty [HashSet].\n         */\n         * actual constructor() {\n            map = HashMap<E, Any>()\n
}\n\n        /**\n         * Constructs a new [HashSet] filled with the elements of the specified collection.\n         */\n         * actual
constructor(elements: Collection<E>) {\n            map = HashMap<E, Any>(elements.size)\n            addAll(elements)\n
}\n\n        /**\n         * Constructs a new empty [HashSet].\n         */\n         * @param initialCapacity the initial capacity
(ignored)\n         * @param loadFactor the load factor (ignored)\n         */\n         * @throws IllegalArgumentException if
the initial capacity or load factor are negative\n         */\n         * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n        actual constructor(initialCapacity:
Int, loadFactor: Float = 0.0f) {\n            map = HashMap<E, Any>(initialCapacity, loadFactor)\n        }\n\n        actual
constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n        /**\n         * Protected constructor to specify the
underlying map. This is used by\n         * LinkedHashSet.\n         */\n         * @param map underlying map to use.\n         */\n         *
internal constructor(map: HashMap<E, Any>) {\n            this.map = map\n        }\n\n        actual override fun add(element:
E): Boolean {\n            val old = map.put(element, this)\n            return old == null\n        }\n\n        actual override fun clear()
{\n            map.clear()\n        }\n\n        // public override fun clone(): Any {\n        //     return HashSet<E>(this)\n        // }\n\n        actual override operator fun contains(element: E): Boolean = map.containsKey(element)\n\n        actual override fun
isEmpty(): Boolean = map.isEmpty()\n\n        actual override fun iterator(): MutableIterator<E> =

```

```

map.keys.iterator()\n\n actual override fun remove(element: E): Boolean = map.remove(element) != null\n\n
actual override val size: Int get() = map.size\n\n\n\n\n/**\n * Creates a new instance of the specialized
implementation of [HashSet] with the specified [String] elements,\n * which elements the keys as properties of JS
object without hashing them.\n */\npublic fun stringSetOf(vararg elements: String): HashSet<String> {\n return
HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n}\n\n","/>\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n\n * Based on GWT InternalHashMap\n * Copyright
2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\n\n\n/**\n
* A simple wrapper around JavaScriptObject to provide [java.util.Map]-like semantics for any\n * key type.\n *\n
*\n * Implementation notes:\n *\n *\n * A key's hashCode is the index in backingMap which should contain that
key. Since several keys may\n * have the same hash, each value in hashCodeMap is actually an array containing all
entries whose\n * keys share the same hash.\n */\n\ninternal class InternalHashMap<K, V>(override val equality:
Equality<Comparable>) : InternalMap<K, V> {\n\n private var backingMap: dynamic = createJsMap()\n override
var size: Int = 0\n private set\n\n override fun put(key: K, value: V): V? {\n val hashCode =
equality.getHashCode(key)\n val chainOrEntry = getChainOrEntryOrNull(hashCode)\n if (chainOrEntry
== null) {\n // This is a new chain, put it to the map.\n backingMap[hashCode] = SimpleEntry(key,
value)\n } else {\n if (chainOrEntry !is Array<*>) {\n // It is an entry\n val entry:
SimpleEntry<K, V> = chainOrEntry\n if (equality.equals(entry.key, key)) {\n return
entry.setValue(value)\n } else {\n backingMap[hashCode] = arrayOf(entry, SimpleEntry(key,
value))\n size++\n return null\n }\n } else {\n // Chain already
exists, perhaps key also exists.\n val chain: Array<MutableEntry<K, V>> = chainOrEntry\n val
entry = chain.findEntryInChain(key)\n if (entry != null) {\n return entry.setValue(value)\n
}\n chain.asDynamic().push(SimpleEntry(key, value))\n }\n }\n size++\n//
structureChanged(host)\n return null\n }\n\n override fun remove(key: K): V? {\n val hashCode =
equality.getHashCode(key)\n val chainOrEntry = getChainOrEntryOrNull(hashCode)?: return null\n if
(chainOrEntry !is Array<*>) {\n val entry: MutableEntry<K, V> = chainOrEntry\n if
(equality.equals(entry.key, key)) {\n jsDeleteProperty(backingMap, hashCode)\n size--\n
return entry.value\n } else {\n return null\n }\n } else {\n val chain:
Array<MutableEntry<K, V>> = chainOrEntry\n for (index in chain.indices) {\n val entry =
chain[index]\n if (equality.equals(key, entry.key)) {\n if (chain.size == 1) {\n
chain.asDynamic().length = 0\n // remove the whole array\n
jsDeleteProperty(backingMap, hashCode)\n } else {\n // splice out the entry we're
removing\n chain.asDynamic().splice(index, 1)\n }\n size--\n//
structureChanged(host)\n return entry.value\n }\n }\n }\n return null\n }\n\n
override fun clear() {\n backingMap = createJsMap()\n size = 0\n }\n\n override fun contains(key: K):
Boolean = getEntry(key) != null\n\n override fun get(key: K): V? = getEntry(key)?.value\n\n private fun
getEntry(key: K): MutableEntry<K, V>? {\n val chainOrEntry =
getChainOrEntryOrNull(equality.getHashCode(key))?: return null\n if (chainOrEntry !is Array<*>) {\n
val entry: MutableEntry<K, V> = chainOrEntry\n if (equality.equals(entry.key, key)) {\n return
entry\n } else {\n return null\n }\n } else {\n val chain: Array<MutableEntry<K,
V>> = chainOrEntry\n return chain.findEntryInChain(key)\n }\n }\n\n private fun
Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\n firstOrNull { entry ->
equality.equals(entry.key, key) }\n\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n\n
return object : MutableIterator<MutableEntry<K, V>> {\n var state = -1 // -1 not ready, 0 - ready, 1 -
done\n val keys: Array<String> = js("Object").keys(backingMap)\n var keyIndex = -1\n\n var
chainOrEntry: dynamic = null\n var isChain = false\n var itemIndex = -1\n var lastEntry:
MutableEntry<K, V>? = null\n\n private fun computeNext(): Int {\n if (chainOrEntry != null &&

```

```

isChain) {\n          val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n
          if (++itemIndex < chainSize)\n              return 0\n          }\n          if (++keyIndex < keys.size)\n
{\n          chainOrEntry = backingMap[keys[keyIndex]]\n          isChain = chainOrEntry is Array<*>\n
          itemIndex = 0\n          return 0\n          } else {\n          chainOrEntry = null\n
return 1\n          }\n          }\n          override fun hasNext(): Boolean {\n          if (state == -1)\n
state = computeNext()\n          return state == 0\n          }\n          override fun next(): MutableEntry<K, V>\n
{\n          if (!hasNext()) throw NoSuchElementException()\n          val lastEntry = if (isChain) {\n
chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n          } else {\n
chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n          }\n          this.lastEntry = lastEntry\n
state = -1\n          return lastEntry\n          }\n          override fun remove() {\n
checkNotNull(lastEntry)\n          this@InternalHashCodeMap.remove(lastEntry!!.key)\n          lastEntry =\n
null\n          // the chain being iterated just got modified by InternalHashCodeMap.remove\n          itemIndex--\n
}\n          }\n          }\n          private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n          val\n
chainOrEntry = backingMap[hashCode]\n          return if (chainOrEntry === undefined) null else chainOrEntry\n
}\n          }\n          }\n          * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of\n
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n
*\n
package kotlin.collections\n
*\n
* The common interface of [InternalStringMap] and\n
[InternalHashCodeMap].\n
*\n
internal interface InternalMap<K, V> :\n
MutableIterable<MutableMap.MutableEntry<K, V>> {\n          val equality: EqualityComparator\n          val size: Int\n
operator fun contains(key: K): Boolean\n          operator fun get(key: K): V?\n
fun put(key: K, value: V): V?\n          fun\n
remove(key: K): V?\n          fun clear(): Unit\n
fun createJsMap(): dynamic {\n          val result =\n
js(\n          "Object.create(null)")\n          // force to switch object representation to dictionary mode\n
result["foo"] =\n
1\n          jsDeleteProperty(result, "foo")\n          return result\n          }\n          }\n
*\n
* Copyright 2010-2018 JetBrains s.r.o.\n
and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license\n
that can be found in the license/LICENSE.txt file.\n
*\n
*\n
* Based on GWT InternalStringMap\n
* Copyright\n
2008 Google Inc.\n
*\n
package kotlin.collections\n
import kotlin.collections.MutableMap.MutableEntry\n
*\n
* A simple wrapper around JavaScript Map for key type is string.\n
*\n
* Though this map is instantiated only with\n
K=String, the K type is not fixed to String statically,\n
*\n
* because we want to have it erased to Any? in order not to\n
generate type-safe override bridges for\n
* [get], [contains], [remove] etc, if they ever are generated.\n
*\n
internal\n
class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n          private var\n
backingMap: dynamic = createJsMap()\n          override var size: Int = 0\n          private set\n          /**\n
*\n
* A mod\n
count to track 'value' replacements in map to ensure that the 'value' that we have in the\n
*\n
* iterator entry is\n
guaranteed to be still correct.\n
*\n
* This is to optimize for the common scenario where the values are not modified\n
during\n
*\n
* iterations where the entries are never stale.\n
*\n
*\n
private var valueMod: Int = 0\n          override\n
operator fun contains(key: K): Boolean {\n          if (key !is String) return false\n          return backingMap[key] !==\n
undefined\n          }\n          override operator fun get(key: K): V? {\n          if (key !is String) return null\n          val value =\n
backingMap[key]\n          return if (value !== undefined) value.unsafeCast<V>() else null\n          }\n          override fun\n
put(key: K, value: V): V? {\n          require(key is String)\n          val oldValue = backingMap[key]\n
backingMap[key] = value\n          if (oldValue === undefined) {\n          size++\n
*\n
*\n
structureChanged(host)\n          return null\n          } else {\n          valueMod++\n          return\n
oldValue.unsafeCast<V>()\n          }\n          }\n          override fun remove(key: K): V? {\n          if (key !is String) return\n
null\n          val value = backingMap[key]\n          if (value !== undefined) {\n          jsDeleteProperty(backingMap,\n
key)\n          size--\n
*\n
*\n
structureChanged(host)\n          return value.unsafeCast<V>()\n          } else {\n          valueMod++\n
return null\n          }\n          }\n          override fun clear() {\n          backingMap = createJsMap()\n
size = 0\n          }\n          }\n          override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n          return object :\n
MutableIterator<MutableEntry<K, V>> {\n          private val keys: Array<String> =\n
js(\n          "Object").keys(backingMap)\n          private val iterator = keys.iterator()\n          private var lastKey: String? =\n
null\n          override fun hasNext(): Boolean = iterator.hasNext()\n          override fun next():

```

```

MutableEntry<K, V> {
    val key = iterator.next()
    lastKey = key
    @Suppress("UNCHECKED_CAST")
    return newMapEntry(key as K)
}
override fun remove() {
    @Suppress("UNCHECKED_CAST")
    this@InternalStringMap.remove(checkNotNull(lastKey) as K)
}
private fun newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {
    override val key: K get() = key
    override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()
    override fun setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()
    override fun hashCode(): Int = AbstractMap.entryHashCode(this)
    override fun toString(): String = AbstractMap.entryToString(this)
    override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this, other)
}
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.collections

import kotlin.collections.MutableMap.MutableEntry

/**
 * Hash table based implementation of the [MutableMap] interface, which additionally preserves the insertion order of entries during the iteration.
 * The insertion order is preserved by maintaining a doubly-linked list of all of its entries.
 * The public actual open class LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {
 * The entry we use includes next/prev pointers for a doubly-linked circular list with a head node. This reduces the special cases we have to deal with in the list operations.
 * Note that we duplicate the key from the underlying hash map so we can find the eldest entry. The alternative would have been to modify HashMap so more of the code was directly usable here, but this would have added some overhead to HashMap, or to reimplement most of the HashMap code here with small modifications. Paying a small storage cost only if you use LinkedHashMap and minimizing code size seemed like a better tradeoff.
 * private inner class ChainEntry<K, V>(key: K, value: V) : AbstractMutableMap.SimpleEntry<K, V>(key, value) {
    internal var next: ChainEntry<K, V>? = null
    internal var prev: ChainEntry<K, V>? = null
    override fun setValue(newValue: V): V {
        this@LinkedHashMap.checkIsMutable()
        return super.setValue(newValue)
    }
    private inner class EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {
        private inner class EntryIterator : MutableIterator<MutableEntry<K, V>> {
            // The last entry that was returned from this iterator.
            private var last: ChainEntry<K, V>? = null
            // The next entry to return from this iterator.
            private var next: ChainEntry<K, V>? = null
            init {
                next = head
            }
            recordLastKnownStructure(map, this)
            override fun hasNext(): Boolean {
                return next != null
            }
            override fun next(): MutableEntry<K, V> {
                checkStructuralChange(map, this)
                if (!hasNext()) throw NoSuchElementException()
                val current = next!!
                last = current
                next = current.next.takeIf { it != head }
                return current
            }
            override fun remove() {
                check(last != null)
                this@EntrySet.checkIsMutable()
                checkStructuralChange(map, this)
                last!!.remove()
                map.remove(last!!.key)
                recordLastKnownStructure(map, this)
                last = null
            }
        }
        override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException("Add is not supported on entries")
        override fun clear() {
            this@LinkedHashMap.clear()
        }
        override operator fun contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)
        override operator fun iterator(): MutableIterator<MutableEntry<K, V>> = EntryIterator()
        override fun remove(element: MutableEntry<K, V>): Boolean {
            checkIsMutable()
            if (contains(element)) {
                this@LinkedHashMap.remove(element.key)
            }
            return false
        }
        override val size: Int get() = this@LinkedHashMap.size
        override fun checkIsMutable(): Unit = this@LinkedHashMap.checkIsMutable()
    }
}

/**
 * The head of the insert order chain, which is a doubly-linked circular list.
 * The most recently inserted node is at the end of the chain, ie. chain.prev.
 * Add this node to the end of the chain.
 * private var head: ChainEntry<K, V>? = null
 * private fun ChainEntry<K, V>.addToEnd() {
    // This entry is not in the list.
    check(next == null && prev

```

```

== null)\n    val _head = head\n    if (_head == null) {\n        head = this\n        next = this\n        prev = this\n    } else {\n        // Chain is valid.\n        val _tail = checkNotNull(_head.prev)\n        // Update me.\n        prev = _tail\n        next = _head\n        // Update my new siblings: current head and old tail\n        _head.prev = this\n        _tail.next = this\n    }\n}\n\n/**\n * Remove this node from the chain it is a part of.\n */\n private fun ChainEntry<K, V>.remove() {\n    if (this.next === this) {\n        // if this is single element, remove head\n        head = null\n    } else {\n        if (head === this) {\n            // if this is first element, move head to next\n            head = next\n        }\n        next!!.prev = prev\n        prev!!.next = next\n    }\n    next = null\n    prev = null\n}\n\n/**\n * The hashmap that keeps track of our entries and the chain. Note that we\n * duplicate the key here to eliminate changes to HashMap and minimize the\n * code here, at the expense of additional space.\n */\n private val map: HashMap<K, ChainEntry<K, V>>\n\n private var isReadOnly: Boolean = false\n\n /**\n * Constructs an empty [LinkedHashMap] instance.\n */\n actual constructor(): super() {\n    map = HashMap<K, ChainEntry<K, V>>()\n}\n\n internal constructor(backingMap: HashMap<K, Any>): super() {\n    @Suppress("UNCHECKED_CAST") // expected to work due to erasure\n    map = backingMap as HashMap<K, ChainEntry<K, V>>\n}\n\n /**\n * Constructs an empty [LinkedHashMap] instance.\n * @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f): super(initialCapacity, loadFactor) {\n    map = HashMap<K, ChainEntry<K, V>>()\n}\n\n actual constructor(initialCapacity: Int): this(initialCapacity, 0.0f)\n\n /**\n * Constructs an instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n */\n actual constructor(original: Map<out K, V>): {\n    map = HashMap<K, ChainEntry<K, V>>()\n    this.putAll(original)\n}\n\n @PublishedApi\n internal fun build(): Map<K, V> {\n    checkIsMutable()\n    isReadOnly = true\n    return this\n}\n\n actual override fun clear() {\n    checkIsMutable()\n    map.clear()\n    head = null\n}\n\n// override fun clone(): Any {\n//    return LinkedHashMap(this)\n//}\n\n actual override fun containsKey(key: K): Boolean = map.containsKey(key)\n\n actual override fun containsValue(value: V): Boolean {\n    var node: ChainEntry<K, V> = head ?: return false\n    do {\n        if (node.value == value) {\n            return true\n        }\n        node = node.next!!\n    } while (node !== head)\n    return false\n}\n\n override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n actual override operator fun get(key: K): V? = map.get(key)?.value\n\n actual override fun put(key: K, value: V): V? {\n    checkIsMutable()\n    val old = map.get(key)\n    if (old == null) {\n        val newEntry = ChainEntry(key, value)\n        map.put(key, newEntry)\n        newEntry.addToEnd()\n    }\n    return null\n}\n\n else {\n    return old.setValue(value)\n}\n}\n\n actual override fun remove(key: K): V? {\n    checkIsMutable()\n    val entry = map.remove(key)\n    if (entry != null) {\n        entry.remove()\n        return entry.value\n    }\n    return null\n}\n\n actual override val size: Int get() = map.size\n\n internal override fun checkIsMutable() {\n    if (isReadOnly) throw\n    UnsupportedOperationException()\n}\n}\n\n/**\n * Constructs the specialized implementation of [LinkedHashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\n public fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\n    return LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }\n}\n\n /**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n /**\n * Based on GWT LinkedHashMap\n * Copyright 2008 Google Inc.\n */\n\n package kotlin.collections\n\n /**\n * The implementation of the [MutableSet] interface, backed by a [LinkedHashMap] instance.\n * This implementation preserves the insertion order of elements during the iteration.\n */\n public actual open class LinkedHashMap<E> : HashSet<E>, MutableSet<E> {\n\n    internal constructor(map: LinkedHashMap<E, Any>): super(map)\n\n    /**\n     * Constructs a new empty [LinkedHashSet].\n     */\n    actual constructor(): super(LinkedHashMap<E, Any>())\n\n    /**\n     * Constructs a new [LinkedHashSet] filled with the elements of the specified collection.\n     */\n    actual constructor(elements:

```



```

Collection<E> : super(LinkedHashMap<E, Any>()) {\n    addAll(elements)\n }\n\n /**\n * Constructs a
new empty [LinkedHashSet].\n * \n * @param initialCapacity the initial capacity (ignored)\n * @param
loadFactor the load factor (ignored)\n * \n * @throws IllegalArgumentException if the initial capacity or
load factor are negative\n * \n * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n
actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(LinkedHashMap<E, Any>(initialCapacity,
loadFactor))\n\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n @PublishedApi\n
internal fun build(): Set<E> {\n    (map as LinkedHashMap<E, Any>).build()\n    return this\n }\n\n internal
override fun checkIsMutable(): Unit = map.checkIsMutable()\n\n// public override fun clone(): Any {\n//
return LinkedHashSet(this)\n// }\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of
[LinkedHashSet] with the specified [String] elements,\n * which elements the keys as properties of JS object
without hashing them.\n * \n\npublic fun linkedStringSetOf(vararg elements: String): LinkedHashSet<String> {\n
return LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements) }\n}\n\n", /*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n\npackage kotlin\n\nimport
kotlin.contracts.*\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <R> synchronized(lock: Any, block: ()
-> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return
block()\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.io\n\ninternal abstract class BaseOutput {\n    open fun println() {\n        print("\\n")\n    }\n\n
open fun println(message: Any?) {\n        print(message)\n        println()\n    }\n\n    abstract fun print(message:
Any?)\n\n    open fun flush() {\n    }\n}\n\n/** JsName used to make the declaration available outside of module to test it
*\n\n@JsName("NodeJsOutput")\ninternal class NodeJsOutput(val outputStream: dynamic) : BaseOutput() {\n
override fun print(message: Any?) {\n    // TODO: Using local variable because of bug in block decomposition
lowering in IR backend\n        val messageString = String(message)\n        outputStream.write(messageString)\n
}\n}\n\n/** JsName used to make the declaration available outside of module to test it
*\n\n@JsName("OutputToConsoleLog")\ninternal class OutputToConsoleLog : BaseOutput() {\n    override fun
print(message: Any?) {\n        console.log(message)\n    }\n\n    override fun println(message: Any?) {\n
console.log(message)\n    }\n\n    override fun println() {\n        console.log("")\n    }\n}\n\n/** JsName used to
make the declaration available outside of module to test it and use at try.kotl.in
*\n\n@JsName("BufferedOutput")\ninternal open class BufferedOutput : BaseOutput() {\n    var buffer = ""\n\n
override fun print(message: Any?) {\n        buffer += String(message)\n    }\n\n    override fun flush() {\n
buffer = ""\n    }\n}\n\n/** JsName used to make the declaration available outside of module to test it
*\n\n@JsName("BufferedOutputToConsoleLog")\ninternal class BufferedOutputToConsoleLog : BufferedOutput()\n
{\n    override fun print(message: Any?) {\n        var s = String(message)\n        val i = s.nativeLastIndexOf("\\n",
0)\n        if (i >= 0) {\n            buffer += s.substring(0, i)\n            flush()\n            s = s.substring(i + 1)\n        }\n
buffer += s\n    }\n\n    override fun flush() {\n        console.log(buffer)\n        buffer = ""\n    }\n}\n\n/** JsName
used to make the declaration available outside of module to test it and use at try.kotl.in
*\n\n@JsName("output")\ninternal var output = run {\n    val isNode: Boolean = js("typeof process !== 'undefined'
&& process.versions && !!process.versions.node")\n    if (isNode) NodeJsOutput(js("process.stdout")) else
BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String =
js("String")(value)\n\n/** Prints the line separator to the standard output stream. *\n\npublic actual fun println() {\n
output.println()\n}\n\n/** Prints the given [message] and the line separator to the standard output stream. *\n\npublic
actual fun println(message: Any?) {\n    output.println(message)\n}\n\n/** Prints the given [message] to the standard
output stream. *\n\npublic actual fun print(message: Any?) {\n    output.print(message)\n}\n\n", /*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.CoroutineSingletons.*\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal

```

```

actual class SafeContinuation<in T>\ninternal actual constructor(\n private val delegate: Continuation<T>,\n
initialResult: Any?\n) : Continuation<T> {\n @PublishedApi\n internal actual constructor(delegate:
Continuation<T>) : this(delegate, UNDECIDED)\n\n public actual override val context: CoroutineContext\n
get() = delegate.context\n\n private var result: Any? = initialResult\n\n public actual override fun
resumeWith(result: Result<T>) {\n val cur = this.result\n when {\n cur === UNDECIDED -> {\n
this.result = result.value\n }\n cur === COROUTINE_SUSPENDED -> {\n this.result =
RESUMED\n delegate.resumeWith(result)\n }\n else -> throw
IllegalStateException("\Already resumed")\n }\n }\n\n @PublishedApi\n internal actual fun
getOrThrow(): Any? {\n if (result === UNDECIDED) {\n result = COROUTINE_SUSPENDED\n
return COROUTINE_SUSPENDED\n }\n val result = this.result\n return when {\n result ===
RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED
upstream\n result is Result.Failure -> throw result.exception\n else -> result // either
COROUTINE_SUSPENDED or data\n }\n }\n\n"}\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.coroutines.cancellation\n\n@SinceKotlin("1.4")\n\npublic actual open class CancellationException :
IllegalStateException {\n actual constructor() : super()\n actual constructor(message: String?) : super(message)\n
constructor(message: String?, cause: Throwable?) : super(message, cause)\n constructor(cause: Throwable?) :
super(cause)\n"}\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.coroutines.js.internal\n\nimport kotlin.coroutines.Continuation\n\nimport
kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin("1.3")\n\ninternal val
EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\n result.getOrThrow()\n"}\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n
*/\n\n@Suppress("\NOT_DOCUMENTED")\n\npublic external class Date() {\n public constructor(milliseconds:
Number)\n\n public constructor(dateString: String)\n\n public constructor(year: Int, month: Int)\n\n public
constructor(year: Int, month: Int, day: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n
public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n public constructor(year: Int, month:
Int, day: Int, hour: Int, minute: Int, second: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int,
minute: Int, second: Int, millisecond: Number)\n\n public fun getDate(): Int\n\n public fun getDay(): Int\n\n
public fun getFullYear(): Int\n\n public fun getHours(): Int\n\n public fun getMilliseconds(): Int\n\n public fun
getMinutes(): Int\n\n public fun getMonth(): Int\n\n public fun getSeconds(): Int\n\n public fun getTime():
Double\n\n public fun getTimezoneOffset(): Int\n\n public fun getUTCDate(): Int\n\n public fun
getUTCDay(): Int\n\n public fun getUTCFullYear(): Int\n\n public fun getUTCHours(): Int\n\n public fun
getUTCMilliseconds(): Int\n\n public fun getUTCMinutes(): Int\n\n public fun getUTCMonth(): Int\n\n public
fun getUTCSeconds(): Int\n\n public fun toDateString(): String\n\n public fun toISOString(): String\n\n public
fun toJSON(): Json\n\n public fun toLocaleDateString(locales: Array<String> = definedExternally, options:
LocaleOptions = definedExternally): String\n\n public fun toLocaleDateString(locales: String, options:
LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: Array<String> =
definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales:
String, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales:
Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun
toLocaleTimeString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun
toTimeString(): String\n\n public fun toUTCString(): String\n\n public companion object {\n public fun
now(): Double\n\n public fun parse(dateString: String): Double\n\n public fun UTC(year: Int, month: Int):

```

```

Double\n\n    public fun UTC(year: Int, month: Int, day: Int): Double\n\n    public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int): Double\n\n    public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n    public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n\n    public interface LocaleOptions {\n        public var localeMatcher: String?\n        public var timeZone: String?\n        public var hour12: Boolean?\n        public var formatMatcher: String?\n        public var weekday: String?\n        public var era: String?\n        public var year: String?\n        public var month: String?\n        public var day: String?\n        public var hour: String?\n        public var minute: String?\n        public var second: String?\n        public var timeZoneName: String?    }\n    }\n\n    public inline fun dateLocaleOptions(init: Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n        val result = js("new Object()).unsafeCast<Date.LocaleOptions>()\n        init(result)\n        return result\n    }", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n    package kotlin.dom\n\n    import org.w3c.dom.Document\n\n    import org.w3c.dom.Element\n\n    import kotlin.internal.LowPriorityInOverloadResolution\n\n    import kotlinx.dom.appendElement as newAppendElement\n\n    import kotlinx.dom.createElement as newCreateElement\n\n    /**\n * Creates a new element with the specified [name].\n */\n * The element is initialized with the specified [init] function.\n */\n @LowPriorityInOverloadResolution\n @Deprecated(\n     message = "This API is moved to another package, use 'kotlinx.dom.createElement' instead.",\n     replaceWith = ReplaceWith("this.createElement(name, init)"),\n     "kotlinx.dom.createElement")\n @DeprecatedSinceKotlin(warningSince = "1.4")\n public inline fun Document.createElement(name: String, noinline init: Element.() -> Unit): Element = this.newCreateElement(name, init)\n\n /**\n * Appends a newly created element with the specified [name] to this element.\n */\n * The element is initialized with the specified [init] function.\n */\n @LowPriorityInOverloadResolution\n @Deprecated(\n     message = "This API is moved to another package, use 'kotlinx.dom.appendElement' instead.",\n     replaceWith = ReplaceWith("this.appendElement(name, init)"),\n     "kotlinx.dom.appendElement")\n @DeprecatedSinceKotlin(warningSince = "1.4")\n public inline fun Element.appendElement(name: String, noinline init: Element.() -> Unit): Element = this.newAppendElement(name, init)\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n    package kotlin.dom\n\n    import org.w3c.dom.Element\n\n    import kotlin.internal.LowPriorityInOverloadResolution\n\n    import kotlinx.dom.addClass as newAddClass\n\n    import kotlinx.dom.hasClass as newHasClass\n\n    import kotlinx.dom.removeClass as newRemoveClass\n\n    /**\n * Returns true if the element has the given CSS class style in its 'class' attribute\n */\n @LowPriorityInOverloadResolution\n @Deprecated(\n     message = "This API is moved to another package, use 'kotlinx.dom.hasClass' instead.",\n     replaceWith = ReplaceWith("this.hasClass(cssClass)"),\n     "kotlinx.dom.hasClass")\n @DeprecatedSinceKotlin(warningSince = "1.4")\n inline fun Element.hasClass(cssClass: String): Boolean = this.newHasClass(cssClass)\n\n /**\n * Adds CSS class to element. Has no effect if all specified classes are already in class attribute of the element\n */\n * @return true if at least one class has been added\n */\n @LowPriorityInOverloadResolution\n @Deprecated(\n     message = "This API is moved to another package, use 'kotlinx.dom.addClass' instead.",\n     replaceWith = ReplaceWith("this.addClass(cssClasses)", "kotlinx.dom.addClass")\n )\n @DeprecatedSinceKotlin(warningSince = "1.4")\n inline fun Element.addClass(vararg cssClasses: String): Boolean = this.newAddClass(*cssClasses)\n\n /**\n * Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\n */\n * @return true if at least one class has been removed\n */\n @LowPriorityInOverloadResolution\n @Deprecated(\n     message = "This API is moved to another package, use 'kotlinx.dom.removeClass' instead.",\n     replaceWith = ReplaceWith("this.removeClass(cssClasses)", "kotlinx.dom.removeClass")\n )\n @DeprecatedSinceKotlin(warningSince = "1.4")\n inline fun Element.removeClass(vararg cssClasses: String): Boolean = this.newRemoveClass(*cssClasses)", /*\n * Copyright

```

```

2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport
org.w3c.dom.Element\nimport org.w3c.dom.Node\nimport
kotlin.internal.LowPriorityInOverloadResolution\nimport kotlin.dom.isElement as newIsElement\nimport
kotlin.dom.isText as newIsText\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a
CDATA_SECTION_NODE.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API
is moved to another package, use 'kotlin.dom.isText' instead.\",\n replaceWith = ReplaceWith(\"this.isText\",
\"kotlin.dom.isText\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic val Node.isText: Boolean\n
inline get() = this.newIsText\n\n/**\n * Gets a value indicating whether this node is an [Element].\n
*/\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package,
use 'kotlin.dom.isElement' instead.\",\n replaceWith = ReplaceWith(\"this.isElement\",
\"kotlin.dom.isElement\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic val Node.isElement:
Boolean\n inline get() = this.newIsElement\n\n\",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom.events\n\npublic fun EventListener(handler:
(Event) -> Unit): EventListener = EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val
handler: (Event) -> Unit) : EventListener {\n public override fun handleEvent(event: Event) {\n
handler(event)\n }\n public override fun toString(): String = \"EventListenerHandler($handler)\"\n}\n\n\",/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
org.w3c.dom\n\npublic external interface ItemArrayLike<out T> {\n val length: Int\n fun item(index: Int):
T?\n}\n\n/**\n * Returns the view of this `ItemArrayLike<T>` collection as `List<T>`\n */\n\npublic fun <T>
ItemArrayLike<T>.asList(): List<T> = object : AbstractList<T>() {\n override val size: Int get() =
this@asList.length\n\n override fun get(index: Int): T = when (index) {\n in 0..lastIndex ->
this@asList.item(index).unsafeCast<T>()\n else -> throw IndexOutOfBoundsException(\"index $index is not in
range [0..$lastIndex]\")\n }\n}\n\n\",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Element\nimport
org.w3c.dom.Node\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlin.dom.appendText as
newAppendText\nimport kotlin.dom.clear as newClear\n\n/**\n * Removes all the children from this node.\n
*/\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package,
use 'kotlin.dom.clear' instead.\",\n replaceWith = ReplaceWith(\"this.clear()\",
\"kotlin.dom.clear\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\npublic inline fun Node.clear() =
this.newClear()\n\n/**\n * Creates text node and append it to the element.\n */\n\n@return this element\n
*/\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package,
use 'kotlin.dom.appendText' instead.\",\n replaceWith = ReplaceWith(\"this.appendText(text)\",
\"kotlin.dom.appendText\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\")\ninline fun
Element.appendText(text: String): Element = this.newAppendText(text)\n\n\",/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Reinterprets this value
as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n */\n@kotlin.internal.InlineOnly\npublic
inline fun Any?.asDynamic(): dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T]
without any actual type checking.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Any?.unsafeCast():
@kotlin.internal.NoInfer T = this.asDynamic()\n\n/**\n * Reinterprets this `dynamic` value as a value of the
specified type [T] without any actual type checking.\n
*/\n@kotlin.internal.DynamicExtension\n@JsName(\"unsafeCastDynamic\")\n@kotlin.internal.InlineOnly\npublic
inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic`
object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an

```

```

instance of [kotlin.collections.Iterable]\n *\n@kotlin.internal.DynamicExtension\npublic operator fun
dynamic.iterator(): Iterator<dynamic> {\n    val r: Any? = this\n\n    return when {\n        this[\"iterator\"] != null -
>\n        this[\"iterator\"]()\n        isArrayish(r) ->\n        r.unsafeCast<Array<*>>().iterator()\n        else ->\n        (r as Iterable<*>).iterator()\n    }\n}\n\",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n@file:kotlin.jvm.JvmName(\"throwNPE\")\ninternal fun throwNPE(message: String) {\n    throw
NullPointerException(message)\n}\n\n@file:kotlin.jvm.JvmName(\"throwCCE\")\ninternal fun throwCCE() {\n    throw
ClassCastException(\"Illegal cast\")\n}\n\n@file:kotlin.jvm.JvmName(\"throwISE\")\ninternal fun throwISE(message: String) {\n
throw IllegalStateException(message)\n}\n\n@file:kotlin.jvm.JvmName(\"throwUPAE\")\ninternal fun throwUPAE(propertyName:
String) {\n    throw UninitializedPropertyAccessException(\"lateinit property ${propertyName} has not been
initialized\")\n}\n\",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@package kotlin.collections\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements
in each group.\n *\n * @return a [Map] associating the key of each group with the count of element in the group.\n
*\n@SinceKotlin(\"1.1\")\npublic actual fun <T, K> Grouping<T, K>.eachCount(): Map<K, Int> =\n    fold(0) {\n
acc, _ -> acc + 1 }\n}\n\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by
the [valueSelector] function for elements in each group.\n *\n * @return a [Map] associating the key of each group
with the count of element in the group.\n *\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Grouping<T,
K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =\n    fold(0) {\n    acc, e -> acc + valueSelector(e)\n
}\n}\n\",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmName(\"GroupingKt\")\n@file:kotlin.jvm.JvmMultifileClass\npackage
kotlin.collections\n\n/**\n * Represents a source of elements with a [keyOf] function, which can be applied to each
element to get its key.\n *\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n
* they group elements by their keys and then fold each group with some aggregating operation.\n *\n * It is created
by attaching `keySelector: (T) -> K` function to a source of elements.\n *\n * To get an instance of [Grouping] use one
of `groupingBy` extension functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * -
[Array.groupingBy]\n * - [CharSequence.groupingBy]\n *\n * For the list of group-and-fold operations available,
see the [extension functions](#extension-functions) for `Grouping`.\n *\n@SinceKotlin(\"1.1\")\npublic interface
Grouping<T, out K> {\n    /** Returns an [Iterator] over the elements of the source of this grouping. *\n    fun
sourceIterator(): Iterator<T>\n\n    /** Extracts the key of an [element]. *\n    fun keyOf(element: T): K\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group
sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the
results in a new map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n *
@param operation function is invoked on each element with the following parameters:\n * - `key`: the key of the
group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null`
if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n
* - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * @return a [Map] associating
the key of each group with the result of aggregation of the group elements.\n *\n * @sample
samples.collections.Grouping.aggregateByRadix\n *\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R>
Grouping<T, K>.aggregate(\n    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): Map<K,
R> {\n    return aggregateTo(mutableMapOf<K, R>(), operation)\n}\n\n/**\n * Groups elements from the
[Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the
previously accumulated value and the current element as arguments,\n * and stores the results in the given
[destination] map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n *
@param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group
this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's

```

the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n * \n * If the [destination] map already has a value corresponding to some key,\n * then the elements being aggregated for that key are never considered as `first`.\n * \n * @return the [destination] map associating the key of each group with the result of aggregation of the group elements.\n * @sample samples.collections.Grouping.aggregateByRadixTo\n * \n * @SinceKotlin("1.1")\n * \n * public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.aggregateTo(\n destination: M,\n operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R)\n):\n M {\n for (e in this.sourceIterator()) {\n val key = keyOf(e)\n val accumulator = destination[key]\n destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\n }\n return destination\n }\n * \n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n * \n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n * \n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * \n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue\n * \n * @SinceKotlin("1.1")\n * \n * public inline fun <T, K, R> Grouping<T, K>.fold(\n initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R)\n): Map<K, R> =\n @Suppress("UNCHECKED_CAST")\n aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n * \n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n * \n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n * \n * \n * If the [destination] map already has a value corresponding to some key, that value is used as an initial value of\n * the accumulator for that group and the [initialValueSelector] function is not called for that group.\n * \n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * \n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo\n * \n * @SinceKotlin("1.1")\n * \n * public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n destination: M,\n initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R)\n): M =\n @Suppress("UNCHECKED_CAST")\n aggregateTo(destination) { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n * \n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is the same [initialValue] for each group.\n * \n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * \n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue\n * \n * @SinceKotlin("1.1")\n * \n * public inline fun <T, K, R> Grouping<T, K>.fold(\n initialValue: R,\n operation: (accumulator: R, element: T) -> R)\n): Map<K, R> =\n @Suppress("UNCHECKED_CAST")\n aggregate { _, acc, e, first -> operation(if (first)

```

initialValue else acc as R, e }
}

/**
 * Groups elements from the [Grouping] source by key and applies
 [operation] to the elements of each group sequentially,
 * passing the previously accumulated value and the current
 element as arguments,
 * and stores the results in the given [destination] map.
 * An initial value of accumulator is the same [initialValue] for each group.
 * If the [destination] map already has a value corresponding to the key
 of some group,
 * that value is used as an initial value of the accumulator for that group.
 * @param operation
 a function that is invoked on each element with the following parameters:
 * - `accumulator`: the current value of
 the accumulator of the group;
 * - `element`: the element from the source being accumulated.
 * @return the
 [destination] map associating the key of each group with the result of accumulating the group elements.
 *
 @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo
 *
 @SinceKotlin("1.1")
 public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(
 destination: M,
 initialValue: R,
 operation: (accumulator: R, element: T) -> R): M =
 @Suppress("UNCHECKED_CAST")
 aggregateTo(destination) { _, acc, e, first -> operation(if (first)
 initialValue else acc as R, e) }

/**
 * Groups elements from the [Grouping] source by key and applies the
 reducing [operation] to the elements of each group
 * sequentially starting from the second element of the group,
 * passing the previously accumulated value and the current element as arguments,
 * and stores the results in a new
 map.
 * An initial value of accumulator is the first element of the group.
 * @param operation
 a function that
 is invoked on each subsequent element of the group with the following parameters:
 * - `key`: the key of the group
 this element belongs to;
 * - `accumulator`: the current value of the accumulator of the group;
 * - `element`: the
 element from the source being accumulated.
 * @return a [Map] associating the key of each group with the
 result of accumulating the group elements.
 *
 @sample samples.collections.Grouping.reduceByMaxVowels
 *
 @SinceKotlin("1.1")
 public inline fun <S, T : S, K> Grouping<T, K>.reduce(
 operation: (key: K,
 accumulator: S, element: T) -> S): Map<K, S> =
 aggregate { key, acc, e, first ->
 @Suppress("UNCHECKED_CAST")
 if (first) e else operation(key, acc as S, e) }

/**
 * Groups
 elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group
 * sequentially starting from the second element of the group,
 * passing the previously accumulated value and the
 current element as arguments,
 * and stores the results in the given [destination] map.
 * An initial value of
 accumulator is the first element of the group.
 * If the [destination] map already has a value corresponding to
 the key of some group,
 * that value is used as an initial value of the accumulator for that group and the first
 element of that group is also
 * subjected to the [operation].
 * @param operation
 a function that is invoked on
 each subsequent element of the group with the following parameters:
 * - `accumulator`: the current value of the
 accumulator of the group;
 * - `element`: the element from the source being folded;
 * @return the
 [destination] map associating the key of each group with the result of accumulating the group elements.
 *
 @sample samples.collections.Grouping.reduceByMaxVowelsTo
 *
 @SinceKotlin("1.1")
 public inline fun <S,
 T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(
 destination: M,
 operation: (key: K,
 accumulator: S, element: T) -> S): M =
 aggregateTo(destination) { key, acc, e, first ->
 @Suppress("UNCHECKED_CAST")
 if (first) e else operation(key, acc as S, e) }

/**
 * Groups
 elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.
 * If the [destination] map already has a value corresponding to the key of some group,
 * that value is used as an
 initial value of the counter for that group.
 * @return the [destination] map associating the key of each group
 with the count of elements in the group.
 *
 @sample samples.collections.Grouping.groupingByEachCount
 *
 @SinceKotlin("1.1")
 public fun <T, K, M : MutableMap<in K, Int>> Grouping<T,
 K>.eachCountTo(destination: M): M =
 foldTo(destination, 0) { acc, _ -> acc + 1 }

/**
 * Groups
 elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements
 in each group
 * to the given [destination] map.
 * If the [destination] map already has a value
 corresponding to the key of some group,
 * that value is used as an initial value of the sum for that group.
 * @return the [destination] map associating the key of each group with the sum of elements in the group.
 *
 @SinceKotlin("1.1")
 public inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T,
 K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =
 foldTo(destination, 0) { acc, e -> acc +

```

```

valueSelector(e)}\n*/\n\n*/\n// TODO: sum by long and by double overloads\n\npublic inline fun <T, K, M :
MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M
=\n    foldTo(destination, 0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T,
K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n    fold(0L) { acc, e -> acc +
valueSelector(e)}\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T,
K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n    foldTo(destination, 0.0) { acc, e
-> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) ->
Double): Map<K, Double> =\n    fold(0.0) { acc, e -> acc + valueSelector(e)}\n*/\n\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes
the JavaScript [Math object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Math)
to Kotlin.\n */\n @Deprecated("Use top-level functions from kotlin.math package instead.", level =
DeprecationLevel.ERROR)\n\npublic external object Math {\n    @Deprecated("Use kotlin.math.PI instead.",
ReplaceWith("PI", "kotlin.math.PI"), level = DeprecationLevel.ERROR)\n    public val PI: Double\n    @Deprecated("Use Random.nextDouble instead", ReplaceWith("kotlin.random.Random.nextDouble()",
"kotlin.random.Random"), level = DeprecationLevel.ERROR)\n    public fun random(): Double\n    @Deprecated("Use kotlin.math.abs instead.", ReplaceWith("abs(value)", "kotlin.math.abs"), level =
DeprecationLevel.ERROR)\n    public fun abs(value: Double): Double\n    @Deprecated("Use kotlin.math.acos
instead.", ReplaceWith("acos(value)", "kotlin.math.acos"), level = DeprecationLevel.ERROR)\n    public fun
acos(value: Double): Double\n    @Deprecated("Use kotlin.math.asin instead.", ReplaceWith("asin(value)",
"kotlin.math.asin"), level = DeprecationLevel.ERROR)\n    public fun asin(value: Double): Double\n    @Deprecated("Use kotlin.math.atan instead.", ReplaceWith("atan(value)", "kotlin.math.atan"), level =
DeprecationLevel.ERROR)\n    public fun atan(value: Double): Double\n    @Deprecated("Use kotlin.math.atan2
instead.", ReplaceWith("atan2(y, x)", "kotlin.math.atan2"), level = DeprecationLevel.ERROR)\n    public fun
atan2(y: Double, x: Double): Double\n    @Deprecated("Use kotlin.math.cos instead.",
ReplaceWith("cos(value)", "kotlin.math.cos"), level = DeprecationLevel.ERROR)\n    public fun cos(value:
Double): Double\n    @Deprecated("Use kotlin.math.sin instead.", ReplaceWith("sin(value)", "kotlin.math.sin"),
level = DeprecationLevel.ERROR)\n    public fun sin(value: Double): Double\n    @Deprecated("Use
kotlin.math.exp instead.", ReplaceWith("exp(value)", "kotlin.math.exp"), level = DeprecationLevel.ERROR)\n
public fun exp(value: Double): Double\n    @Deprecated("Use maxOf or kotlin.math.max instead", level =
DeprecationLevel.ERROR)\n    public fun max(vararg values: Int): Int\n    @Deprecated("Use maxOf or
kotlin.math.max instead", level = DeprecationLevel.ERROR)\n    public fun max(vararg values: Float): Float\n
    @Deprecated("Use maxOf or kotlin.math.max instead", level = DeprecationLevel.ERROR)\n    public fun
max(vararg values: Double): Double\n    @Deprecated("Use minOf or kotlin.math.min instead", level =
DeprecationLevel.ERROR)\n    public fun min(vararg values: Int): Int\n    @Deprecated("Use minOf or
kotlin.math.min instead", level = DeprecationLevel.ERROR)\n    public fun min(vararg values: Float): Float\n
    @Deprecated("Use minOf or kotlin.math.min instead", level = DeprecationLevel.ERROR)\n    public fun
min(vararg values: Double): Double\n    @Deprecated("Use kotlin.math.sqrt instead.",
ReplaceWith("sqrt(value)", "kotlin.math.sqrt"), level = DeprecationLevel.ERROR)\n    public fun sqrt(value:
Double): Double\n    @Deprecated("Use kotlin.math.tan instead.", ReplaceWith("tan(value)",
"kotlin.math.tan"), level = DeprecationLevel.ERROR)\n    public fun tan(value: Double): Double\n    @Deprecated("Use kotlin.math.ln instead.", ReplaceWith("ln(value)", "kotlin.math.ln"), level =
DeprecationLevel.ERROR)\n    public fun log(value: Double): Double\n    @Deprecated("Use kotlin.math.pow
instead.", ReplaceWith("base.pow(exp)", "kotlin.math.pow"), level = DeprecationLevel.ERROR)\n    public fun
pow(base: Double, exp: Double): Double\n    @Deprecated("Use kotlin.math.round instead.",
ReplaceWith("round(value)", "kotlin.math.round"), level = DeprecationLevel.ERROR)\n    public fun
round(value: Number): Int\n    @Deprecated("Use kotlin.math.floor instead.", ReplaceWith("floor(value)",
"kotlin.math.floor"), level = DeprecationLevel.ERROR)\n    public fun floor(value: Number): Int\n

```



```

@Deprecated("Use kotlin.math.ceil instead.", ReplaceWith("ceil(value)", "kotlin.math.ceil"), level =
DeprecationLevel.ERROR)\n public fun ceil(value: Number): Int\n\n @PublishedApi\n internal fun
trunc(value: Number): Double\n @PublishedApi\n internal fun sign(value: Number): Double\n\n
@PublishedApi\n internal fun sinh(value: Double): Double\n @PublishedApi\n internal fun cosh(value:
Double): Double\n @PublishedApi\n internal fun tanh(value: Double): Double\n @PublishedApi\n internal
fun asinh(value: Double): Double\n @PublishedApi\n internal fun acosh(value: Double): Double\n\n
@PublishedApi\n internal fun atanh(value: Double): Double\n\n @PublishedApi\n internal fun hypot(x:
Double, y: Double): Double\n\n @PublishedApi\n internal fun expm1(value: Double): Double\n\n
@PublishedApi\n internal fun log10(value: Double): Double\n @PublishedApi\n internal fun log2(value:
Double): Double\n @PublishedApi\n internal fun log1p(value: Double): Double\n\n @PublishedApi\n
internal fun clz32(value: Int): Int\n\n\n * Returns the smaller of two values.\n\n
*\/\n\n@Suppress("DEPRECATION_ERROR")\n@Deprecated("Use minOf or kotlin.math.min instead",
ReplaceWith("minOf(a, b)"), level = DeprecationLevel.ERROR)\npublic fun Math.min(a: Long, b: Long): Long =
if (a <= b) a else b\n\n\n * Returns the greater of two values.\n\n
*\/\n\n@Suppress("DEPRECATION_ERROR")\n@Deprecated("Use maxOf or kotlin.math.max instead",
ReplaceWith("maxOf(a, b)"), level = DeprecationLevel.ERROR)\npublic fun Math.max(a: Long, b: Long): Long =
if (a >= b) a else b\n\n\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\/\n\npackage kotlin.js\n\n\n * An interface for indexing access to a collection of
key-value pairs, where type of key is [String] and type of value is [Any?][Any].\n *\/\n\npublic external interface Json
{\n\n\n * Calls to the function will be translated to indexing operation (square brackets) on the receiver with
[propertyName] as the argument.\n\n\n * E.g. for next code:\n\n\n * ``kotlin\n * fun test(j: Json, p: String) =
j["prop"] + j.get(p)\n\n\n * will be generated:\n\n\n * ``js\n * function test(j, p) {\n\n * return
j["prop"] + j[p];\n\n\n * }\n\n\n * }\/\n\n\n *\/\n\n operator fun get(propertyName: String): Any?\n\n\n * Calls
of the function will be translated to an assignment of [value] to the receiver indexed (with square brackets/index
operation) with [propertyName].\n\n\n * E.g. for the following code:\n\n\n * ``kotlin\n * fun test(j: Json, p:
String, newValue: Any) {\n\n * j["prop"] = 1\n\n * j.set(p, newValue)\n\n * }\n\n\n * will be
generated:\n\n\n * ``js\n * function test(j, p, newValue) {\n\n * j["prop"] = 1;\n\n * j[p] = newValue;\n\n\n *
}\n\n\n * }\n\n\n *\/\n\n\n *\/\n\n operator fun set(propertyName: String, value: Any?): Unit\n\n\n\n * Returns a
simple JavaScript object (as [Json]) using provided key-value pairs as names and values of its properties.\n\n
*\/\n\n\n public fun json(vararg pairs: Pair<String, Any?>): Json {\n\n\n val res: dynamic = js("{}")\n\n\n for ((name,
value) in pairs) {\n\n\n res[name] = value\n\n\n }\n\n\n return res\n\n\n}\n\n\n\n * Adds key-value pairs from [other] to
[this].\n\n\n * Returns the original receiver.\n\n\n *\/\n\n\n public fun Json.add(other: Json): Json {\n\n\n val keys: Array<String> =
js("Object").keys(other)\n\n\n for (key in keys) {\n\n\n if (other.asDynamic().hasOwnProperty(key)) {\n\n\n
this[key] = other[key];\n\n\n }\n\n\n }\n\n\n return this\n\n\n}\n\n\n\n * Exposes the JavaScript [JSON
object](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n\n
*\/\n\n\n@Suppress("NOT_DOCUMENTED")\n\n public external object JSON {\n\n\n\n public fun stringify(o: Any?):
String\n\n\n\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?): String\n\n\n\n public fun
stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: Int): String\n\n\n\n public
fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: String): String\n\n\n\n
public fun stringify(o: Any?, replacer: Array<String>): String\n\n\n\n public fun stringify(o: Any?, replacer:
Array<String>, space: Int): String\n\n\n\n public fun stringify(o: Any?, replacer: Array<String>, space: String):
String\n\n\n\n\n public fun <T> parse(text: String): T\n\n\n\n public fun <T> parse(text: String, reviver: ((key: String, value:
Any?) -> Any?): T)\n\n\n\n}\n\n\n\n\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n\n\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n\n\n@file:Suppress("DEPRECATION_ERROR")\n\npackage kotlin.math\n\n\n\nimport
kotlin.internal.InlineOnly\n\nimport kotlin.js.Math as nativeMath\n\n\n\n// region ===== Double Math
=====
\n\n\n\n\n * Computes the sine of the angle [x] given in

```

radians.
`sin(x)` Computes the sine of the angle [x] given in radians. Special cases: $\sin(\pm\infty)$ is NaN.
`cos(x)` Computes the cosine of the angle [x] given in radians. Special cases: $\cos(\pm\infty)$ is NaN.
`tan(x)` Computes the tangent of the angle [x] given in radians. Special cases: $\tan(\pm\infty)$ is NaN.
`asin(x)` Computes the arc sine of the value [x]; the returned value is an angle in the range from $-\pi/2$ to $\pi/2$ radians. Special cases: $\text{asin}(x)$ is NaN, when $|\text{abs}(x)| > 1$ or x is NaN.
`acos(x)` Computes the arc cosine of the value [x]; the returned value is an angle in the range from 0.0 to π radians. Special cases: $\text{acos}(x)$ is NaN, when $|\text{abs}(x)| > 1$ or x is NaN.
`atan(x)` Computes the arc tangent of the value [x]; the returned value is an angle in the range from $-\pi/2$ to $\pi/2$ radians. Special cases: $\text{atan}(\pm\infty)$ is NaN.
`atan2(y, x)` Returns the angle θ of the polar coordinates (r, θ) that correspond to the rectangular coordinates (x, y) by computing the arc tangent of the value y/x ; the returned value is an angle in the range from $-\pi$ to π radians. Special cases: $\text{atan2}(0.0, 0.0)$ is 0.0 ; $\text{atan2}(0.0, x)$ is 0.0 for $x > 0$ and π for $x < 0$; $\text{atan2}(-0.0, x)$ is -0.0 for $x > 0$ and $-\pi$ for $x < 0$; $\text{atan2}(y, +\infty)$ is 0.0 for $0 < y < +\infty$ and -0.0 for $-\infty < y < 0$; $\text{atan2}(y, -\infty)$ is π for $0 < y < +\infty$ and $-\pi$ for $-\infty < y < 0$; $\text{atan2}(y, 0.0)$ is $\pi/2$ for $y > 0$ and $-\pi/2$ for $y < 0$; $\text{atan2}(+\infty, x)$ is $\pi/2$ for finite x ; $\text{atan2}(-\infty, x)$ is $-\pi/2$ for finite x ; $\text{atan2}(\pm\infty, \pm\infty)$ is NaN.
`sinh(x)` Computes the hyperbolic sine of the value [x]. Special cases: $\sinh(\pm\infty)$ is $\pm\infty$.
`cosh(x)` Computes the hyperbolic cosine of the value [x]. Special cases: $\cosh(\pm\infty)$ is $+\infty$.
`tanh(x)` Computes the hyperbolic tangent of the value [x]. Special cases: $\tanh(\pm\infty)$ is ± 1.0 .
`asinh(x)` Computes the inverse hyperbolic sine of the value [x]. The returned value is y such that $\sinh(y) = x$. Special cases: $\text{asinh}(\pm\infty)$ is $\pm\infty$.
`acosh(x)` Computes the inverse hyperbolic cosine of the value [x]. The returned value is positive y such that $\cosh(y) = x$. Special cases: $\text{acosh}(\pm\infty)$ is $+\infty$.
`atanh(x)` Computes the inverse hyperbolic tangent of the value [x]. The returned value is y such that $\tanh(y) = x$. Special cases: $\text{atanh}(\pm\infty)$ is NaN; $\text{atanh}(x)$ is NaN when $|x| > 1$ or x is NaN.
`hypot(x, y)` Computes $\sqrt{x^2 + y^2}$ without intermediate overflow or underflow. Special cases: returns $+\infty$ if any of arguments is infinite; returns NaN if any of arguments is NaN and the other is not infinite.
`sqrt(x)` Computes the positive square root of the value [x]. Special cases: \sqrt{x} is NaN when $x < 0$ or x is NaN.
`exp(x)` Computes Euler's number e raised to the power of the value [x]. Special

cases: `NaN` is `NaN` `exp(+Inf)` is `+Inf` `exp(-Inf)` is `0.0`

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun exp(x: Double): Double =
nativeMath.exp(x)\n\n/**\n * Computes exp(x) - 1.\n * This function can be implemented to produce more
precise result for [x] near zero.\n * Special cases:\n * - expm1(NaN) is NaN\n * - expm1(+Inf) is +Inf\n
* - expm1(-Inf) is -1.0\n * @see [exp] function.\n */^@SinceKotlin("1.2")@InlineOnly\npublic actual
inline fun expm1(x: Double): Double = nativeMath.expm1(x)\n\n/**\n * Computes the logarithm of the value [x] to
the given [base].\n * Special cases:\n * - log(x, b) is NaN if either x or b are NaN\n * - log(x, b) is
NaN when x < 0 or b <= 0 or b == 1.0\n * - log(+Inf, +Inf) is NaN\n * - log(+Inf, b) is +Inf for b >
1 and -Inf for b < 1\n * - log(0.0, b) is -Inf for b > 1 and +Inf for b > 1\n * See also logarithm
functions for common fixed bases: [ln], [log10] and [log2].\n */^@SinceKotlin("1.2")@InlineOnly\npublic actual fun log(x:
Double, base: Double): Double {
    if (base <= 0.0 || base == 1.0) return Double.NaN
    return nativeMath.log(x) /
    nativeMath.log(base)\n\n/**\n * Computes the natural logarithm (base E) of the value [x].\n * Special
cases:\n * - ln(NaN) is NaN\n * - ln(x) is NaN when x < 0.0\n * - ln(+Inf) is +Inf\n * - ln(0.0) is -
Inf\n */^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ln(x: Double): Double =
nativeMath.log(x)\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n * @see [ln] function
for special cases.\n */^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun log10(x: Double): Double =
nativeMath.log10(x)\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n * @see [ln] function
for special cases.\n */^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun log2(x: Double): Double =
nativeMath.log2(x)\n\n/**\n * Computes ln(x + 1).\n * This function can be implemented to produce more
precise result for [x] near zero.\n * Special cases:\n * - ln1p(NaN) is NaN\n * - ln1p(x) is NaN where x
< -1.0\n * - ln1p(-1.0) is -Inf\n * - ln1p(+Inf) is +Inf\n * @see [ln] function\n * @see [expm1]
function\n */^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ln1p(x: Double): Double =
nativeMath.log1p(x)\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n * @return the
smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.\n *
Special cases:\n * - ceil(x) is x where x is NaN or +Inf or -Inf or already a mathematical integer.\n
*/^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ceil(x: Double): Double =
nativeMath.ceil(x).unsafeCast<Double>() // TODO: Remove unsafe cast after removing public js.math\n\n/**\n *
Rounds the given value [x] to an integer towards negative infinity.\n * @return the largest double value that is
smaller than or equal to the given value [x] and is a mathematical integer.\n * Special cases:\n * - floor(x) is
x where x is NaN or +Inf or -Inf or already a mathematical integer.\n
*/^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun floor(x: Double): Double =
nativeMath.floor(x).unsafeCast<Double>()\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *
@return the value [x] having its fractional part truncated.\n * Special cases:\n * - truncate(x) is x where x
is NaN or +Inf or -Inf or already a mathematical integer.\n */^@SinceKotlin("1.2")@InlineOnly\npublic
actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)\n\n/**\n * Rounds the given value [x] towards
the closest integer with ties rounded towards even integer.\n * Special cases:\n * - round(x) is x where x is
NaN or +Inf or -Inf or already a mathematical integer.\n */^@SinceKotlin("1.2")@InlineOnly\npublic actual fun round(x:
Double): Double {
    if (x % 0.5 != 0.0) {
        return nativeMath.round(x).unsafeCast<Double>()
    }
    val
    floor = floor(x)
    return if (floor % 2 == 0) floor else ceil(x)\n\n/**\n * Returns the absolute value of the
given value [x].\n * Special cases:\n * - abs(NaN) is NaN\n * @see absoluteValue extension property
for [Double]\n */^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun abs(x: Double): Double =
nativeMath.abs(x)\n\n/**\n * Returns the sign of the given value [x]:\n * - -1.0 if the value is negative,\n * - zero
if the value is zero,\n * - 1.0 if the value is positive\n * Special case:\n * - sign(NaN) is NaN\n
*/^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun sign(x: Double): Double =
nativeMath.sign(x)\n\n/**\n * Returns the smaller of two values.\n * If either value is NaN, then the result is
NaN.\n */^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun min(a: Double, b: Double): Double =
nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n * If either value is NaN, then the result is
NaN.\n */^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun max(a: Double, b: Double): Double =

```

```

nativeMath.max(a, b)\n\n// extensions\n\n**\n * Raises this value to the power [x].\n * Special cases:\n * -
`b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x !=
0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not
an integer\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Double.pow(x: Double): Double =
nativeMath.pow(this, x)\n\n**\n * Raises this value to the integer power [n].\n * See the other overload of
[pow] for details.\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Double.pow(n: Int): Double
= nativeMath.pow(this, n.toDouble())\n\n**\n * Returns the absolute value of this value.\n * Special cases:\n *
- `NaN.absoluteValue` is `NaN`\n * * @see abs function\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic
actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)\n\n**\n * Returns the sign of this
value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *
Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val
Double.sign: Double get() = nativeMath.sign(this)\n\n**\n * Returns this value with the sign bit same as of the
[sign] value.\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Double.withSign(sign: Int):
Double = this.withSign(sign.toDouble())\n\n**\n * Returns the ulp (unit in the last place) of this value.\n * An
ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n * Special
Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is
`Double.MIN_VALUE`\n */\n@SinceKotlin("1.2")\npublic actual val Double.ulp: Double get() = when {\n this
< 0 -> (-this).ulp\n this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n this ==
Double.MAX_VALUE -> this - this.nextDown()\n else -> this.nextUp() - this\n}\n\n**\n * Returns the [Double]
value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin("1.2")\npublic actual fun
Double.nextUp(): Double = when {\n this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n this == 0.0
-> Double.MIN_VALUE\n else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)\n}\n\n**\n *
Returns the [Double] value nearest to this value in direction of negative infinity.\n
*/\n@SinceKotlin("1.2")\npublic actual fun Double.nextDown(): Double = when {\n this.isNaN() || this ==
Double.NEGATIVE_INFINITY -> this\n this == 0.0 -> -Double.MIN_VALUE\n else ->
Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\n}\n\n**\n * Returns the [Double] value nearest to this
value in direction from this value towards the value [to].\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if
either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n */\n@SinceKotlin("1.2")\npublic actual fun
Double.nextTowards(to: Double): Double = when {\n this.isNaN() || to.isNaN() -> Double.NaN\n to == this ->
to\n to > this -> this.nextUp()\n else /* to < this */ -> this.nextDown()\n}\n\n**\n * Rounds this [Double]
value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *
Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt()
== Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n * * @throws IllegalArgumentException when this value is
`NaN`\n */\n@SinceKotlin("1.2")\npublic actual fun Double.roundToInt(): Int = when {\n isNaN() -> throw
IllegalArgumentException("Cannot round NaN value.")\n this > Int.MAX_VALUE -> Int.MAX_VALUE\n this <
Int.MIN_VALUE -> Int.MIN_VALUE\n else ->
nativeMath.round(this).unsafeCast<Double>().toInt()\n}\n\n**\n * Rounds this [Double] value to the nearest
integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n * Special cases:\n *
- `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() ==
Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n * * @throws IllegalArgumentException when this value
is `NaN`\n */\n@SinceKotlin("1.2")\npublic actual fun Double.roundToLong(): Long = when {\n isNaN() ->
throw IllegalArgumentException("Cannot round NaN value.")\n this > Long.MAX_VALUE ->
Long.MAX_VALUE\n this < Long.MIN_VALUE -> Long.MIN_VALUE\n else ->
nativeMath.round(this).unsafeCast<Double>().toLong()\n}\n\n// endregion\n\n\n// region =====
Float Math =====\n\n**\n * Computes the sine of the angle [x] given
in radians.\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float =
nativeMath.sin(x.toDouble()).toFloat()\n\n**\n * Computes the cosine of the angle [x] given in radians.\n * Special

```

cases: $\cos(\text{NaN}|\pm\infty)$ is NaN

```

@SinceKotlin("1.2")@InlineOnly@public actual inline fun
cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()
    Computes the tangent of the angle [x] given in
    radians.
    Special cases:  $\tan(\text{NaN}|\pm\infty)$  is  $\text{NaN}$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline fun tan(x: Float): Float =
    nativeMath.tan(x.toDouble()).toFloat()
    Computes the arc sine of the value [x]; the returned value is
    an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.
    Special cases:  $\sin(x)$  is  $\text{NaN}$ , when  $|\text{abs}(x)| > 1$  or  $x$  is  $\text{NaN}$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline fun asin(x: Float): Float =
    nativeMath.asin(x.toDouble()).toFloat()
    Computes the arc cosine of the value [x]; the returned value
    is an angle in the range from  $0.0$  to  $\pi$  radians.
    Special cases:  $\cos(x)$  is  $\text{NaN}$ , when  $|\text{abs}(x)| > 1$  or  $x$  is  $\text{NaN}$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline fun acos(x: Float): Float =
    nativeMath.acos(x.toDouble()).toFloat()
    Computes the arc tangent of the value [x]; the returned value
    is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.
    Special cases:  $\tan(\text{NaN})$  is  $\text{NaN}$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline fun atan(x: Float): Float =
    nativeMath.atan(x.toDouble()).toFloat()
    Returns the angle  $\theta$  of the polar coordinates  $(r, \theta)$  that
    correspond to the rectangular coordinates  $(x, y)$  by computing the arc tangent of the value  $y / x$ ; the
    returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.
    Special cases:  $\text{atan2}(0.0, 0.0)$  is  $0.0$ 
     $\text{atan2}(0.0, x)$  is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$ 
     $\text{atan2}(-0.0, x)$  is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$ 
     $\text{atan2}(y, +\infty)$  is  $0.0$  for  $0 < y < +\infty$  and  $-0.0$  for  $-\infty < y < 0$ 
     $\text{atan2}(y, -\infty)$  is  $\pi$  for  $0 < y < +\infty$  and  $-\pi$  for  $-\infty < y < 0$ 
     $\text{atan2}(y, 0.0)$  is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$ 
     $\text{atan2}(+\infty, x)$  is  $\pi/2$  for finite  $x > 0$  and  $-\pi/2$  for finite  $x < 0$ 
     $\text{atan2}(\text{NaN}, x)$  and  $\text{atan2}(y, \text{NaN})$  is  $\text{NaN}$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline fun atan2(y: Float, x:
Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()
    Computes the hyperbolic sine of
    the value [x].
    Special cases:  $\sinh(\text{NaN})$  is  $\text{NaN}$ 
     $\sinh(+\infty)$  is  $+\infty$ 
     $\sinh(-\infty)$  is  $-\infty$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline fun sinh(x: Float): Float =
    nativeMath.sinh(x.toDouble()).toFloat()
    Computes the hyperbolic cosine of the value [x].
    Special
    cases:  $\cosh(\text{NaN})$  is  $\text{NaN}$ 
     $\cosh(+\infty|\infty)$  is  $+\infty$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline fun cosh(x: Float): Float =
    nativeMath.cosh(x.toDouble()).toFloat()
    Computes the hyperbolic tangent of the value [x].
    Special cases:  $\tanh(\text{NaN})$  is  $\text{NaN}$ 
     $\tanh(+\infty)$  is  $1.0$ 
     $\tanh(-\infty)$  is  $-1.0$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline fun tanh(x: Float): Float =
    nativeMath.tanh(x.toDouble()).toFloat()
    Computes the inverse hyperbolic sine of the value [x].
    The returned value is  $y$  such that  $\sinh(y) == x$ .
    Special cases:  $\text{asinh}(\text{NaN})$  is  $\text{NaN}$ 
     $\text{asinh}(+\infty)$  is  $+\infty$ 
     $\text{asinh}(-\infty)$  is  $-\infty$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline
fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()
    Computes the inverse hyperbolic
    cosine of the value [x].
    The returned value is positive  $y$  such that  $\cosh(y) == x$ .
    Special cases:  $\text{acosh}(\text{NaN})$  is  $\text{NaN}$ 
     $\text{acosh}(x)$  is  $\text{NaN}$  when  $x < 1$ 
     $\text{acosh}(+\infty)$  is  $+\infty$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline fun acosh(x: Float): Float =
    nativeMath.acosh(x.toDouble()).toFloat()
    Computes the inverse hyperbolic tangent of the value [x].
    The returned value is  $y$  such that  $\tanh(y) == x$ .
    Special cases:  $\text{atanh}(\text{NaN})$  is  $\text{NaN}$ 
     $\text{atanh}(x)$  is  $\text{NaN}$  when  $x > 1$  or  $x < -1$ 
     $\text{atanh}(1.0)$  is  $+\infty$ 
     $\text{atanh}(-1.0)$  is  $-\infty$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline fun atanh(x: Float): Float =
    nativeMath.atanh(x.toDouble()).toFloat()
    Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or
    underflow.
    Special cases: returns  $+\infty$  if any of arguments is infinite
    returns  $\text{NaN}$  if any of
    arguments is  $\text{NaN}$  and the other is not infinite
@SinceKotlin("1.2")@InlineOnly@public actual inline fun
hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()
    Computes the
    positive square root of the value [x].
    Special cases:  $\sqrt{x}$  is  $\text{NaN}$  when  $x < 0$  or  $x$  is  $\text{NaN}$ 
@SinceKotlin("1.2")@InlineOnly@public actual inline fun sqrt(x: Float): Float =
    nativeMath.sqrt(x.toDouble()).toFloat()
    Computes Euler's number  $e$  raised to the power of the value

```

[x].n *n * Special cases:n * - exp(NaN) is NaN\n * - exp(+Inf) is +Inf\n * - exp(-Inf) is 0.0\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun exp(x: Float): Float =
 nativeMath.exp(x.toDouble()).toFloat()\n\n/**\n * Computes exp(x) - 1.\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * - expm1(NaN) is NaN\n * - expm1(+Inf) is +Inf\n * - expm1(-Inf) is -1.0\n * @see [exp] function.\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun expm1(x: Float): Float =
 nativeMath.expm1(x.toDouble()).toFloat()\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n * Special cases:\n * - log(x, b) is NaN if either `x` or `b` are NaN\n * - log(x, b) is NaN when `x < 0` or `b <= 0` or `b == 1.0`\n * - log(+Inf, +Inf) is NaN\n * - log(+Inf, b) is +Inf for `b > 1` and -Inf for `b < 1`\n * - log(0.0, b) is -Inf for `b > 1` and +Inf for `b > 1`\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n * Special cases:\n * - ln(NaN) is NaN\n * - ln(x) is NaN when `x < 0`\n * - ln(+Inf) is +Inf\n * - ln(0.0) is -Inf\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n * @see [ln] function for special cases.\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n * @see [ln] function for special cases.\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log2(x: Float): Float =
 nativeMath.log2(x.toDouble()).toFloat()\n\n/**\n * Computes ln(a + 1).\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * - ln1p(NaN) is NaN\n * - ln1p(x) is NaN where `x < -1.0`\n * - ln1p(-1.0) is -Inf\n * - ln1p(+Inf) is +Inf\n * @see [ln] function\n * @see [expm1] function\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun ln1p(x: Float): Float =
 nativeMath.log1p(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n * @return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.\n * Special cases:\n * - ceil(x) is `x` where `x` is NaN or +Inf or -Inf or already a mathematical integer.\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun ceil(x: Float): Float =
 nativeMath.ceil(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\n * Special cases:\n * - floor(x) is `x` where `x` is NaN or +Inf or -Inf or already a mathematical integer.\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun floor(x: Float): Float =
 nativeMath.floor(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n * @return the value [x] having its fractional part truncated.\n * Special cases:\n * - truncate(x) is `x` where `x` is NaN or +Inf or -Inf or already a mathematical integer.\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n * Special cases:\n * - round(x) is `x` where `x` is NaN or +Inf or -Inf or already a mathematical integer.\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun round(x: Float): Float =
 round(x.toDouble()).toFloat()\n\n/**\n * Returns the absolute value of the given value [x].\n * Special cases:\n * - abs(NaN) is NaN\n * @see absoluteValue extension property for [Float]\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun abs(x: Float): Float =
 nativeMath.abs(x.toDouble()).toFloat()\n\n/**\n * Returns the sign of the given value [x]:\n * - -1.0 if the value is negative,\n * - zero if the value is zero,\n * - 1.0 if the value is positive\n * Special case:\n * - sign(NaN) is NaN\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sign(x: Float): Float =
 nativeMath.sign(x.toDouble()).toFloat()\n\n/**\n * Returns the smaller of two values.\n * If either value is NaN, then the result is NaN.\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n * If either value is NaN, then the result is NaN.\n *
 *
 @SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun max(a: Float, b: Float):

Float = nativeMath.max(a, b)\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Raises this value to the integer power [n].\n * See the other overload of [pow] for details.\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()\n\n/**\n * Returns the absolute value of this value.\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n * @see abs function\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Float.absoluteValue: Float get() = nativeMath.abs(this.toDouble()).toFloat()\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Float.sign: Float get() = nativeMath.sign(this.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Float): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Int): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.roundToInt(): Int = toDouble().roundToInt()\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.roundToLong(): Long = toDouble().roundToLong()\n\n// endregion\n\n// =====\n\n/**\n * Returns the absolute value of the given value [n].\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n * @see absoluteValue extension property for [Int]\n */\n@SinceKotlin("1.2")\npublic actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun min(a: Int, b: Int): Int = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a, b)\n\n/**\n * Returns the absolute value of this value.\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n * @see abs function\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Int.absoluteValue: Int get() = abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin("1.2")\npublic actual val Int.sign: Int get() = when { \n this < 0 -> -1\n this > 0 -> 1\n else -> 0\n}\n\n/**\n * Returns the absolute value of the given value [n].\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n * @see absoluteValue extension property for [Long]\n */\n@SinceKotlin("1.2")\npublic actual fun abs(n: Long): Long = if (n < 0) -n else n\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin("1.2")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun min(a: Long, b: Long): Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin("1.2")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun max(a: Long, b: Long): Long = if (a >= b) a else b\n\n/**\n * Returns the absolute value of this value.\n * Special cases:\n * -

```

`Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n * \n * @see abs function\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Long.absoluteValue: Long get() =
abs(this)\n\n/**\n * Returns the sign of this value:\n * -`-1` if the value is negative,\n * -`0` if the value is zero,\n * -`1` if the value is positive\n */\n@SinceKotlin("1.2")\npublic actual val Long.sign: Int get() = when {\n this
< 0 -> -1\n this > 0 -> 1\n else -> 0}\n\n// endregion\n",/>\n * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Returns `true` if the specified
number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n */\npublic actual fun Double.isNaN(): Boolean =
this != this\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n
*/\npublic actual fun Float.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if this value is infinitely large in
magnitude.\n */\npublic actual fun Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this ==
Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic
actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this ==
Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns
`false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Double.isFinite(): Boolean =
!isInfinite() && !isNaN()\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false`
otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Float.isFinite(): Boolean = !isInfinite() &&
!isNaN()\n\n/**\n * Counts the number of set bits in the binary representation of this [Int] number.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.countOneBits(): Int {\n // Hacker's Delight 5-1 algorithm\n var v = this\n v = (v and 0x55555555) +
(v.ushr(1) and 0x55555555)\n v = (v and 0x33333333) + (v.ushr(2) and 0x33333333)\n v = (v and 0x0F0F0F0F)
+ (v.ushr(4) and 0x0F0F0F0F)\n v = (v and 0x00FF00FF) + (v.ushr(8) and 0x00FF00FF)\n v = (v and
0x0000FFFF) + (v.ushr(16))\n return v}\n\n/**\n * Counts the number of consecutive most significant bits that
are zero in the binary representation of this [Int] number.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("DEPRECATION_E
RROR")\n@kotlin.internal.InlineOnly\npublic actual inline fun Int.countLeadingZeroBits(): Int =
kotlin.js.Math.clz32(this)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the
binary representation of this [Int] number.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.countTrailingZeroBits(): Int =\n // Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with
countLeadingZeroBits\n Int.SIZE_BITS - (this or -this).inv().countLeadingZeroBits()\n\n/**\n * Returns a
number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this
number is zero.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.takeHighestOneBit(): Int =\n if (this == 0) 0 else 1.shl(Int.SIZE_BITS - 1 - countLeadingZeroBits())\n\n/**\n *
Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n * or
zero, if this number is zero.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.takeLowestOneBit(): Int =\n // Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\n this and -
this\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of
bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the
right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit
count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32)
returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Int.rotateLeft(bitCount: Int): Int =\n
shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\n\n/**\n * Rotates the binary representation of this [Int] number
right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter
the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is
the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *
*/

```



```

Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n *
`number.rotateRight(n) == number.rotateRight(n % 32)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Int.rotateRight(bitCount: Int): Int =\nshl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\n\n/>\n * Counts the number of set bits in the binary
representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countOneBits(): Int =\n    high.countOneBits() + low.countOneBits()\n\n/>\n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countLeadingZeroBits(): Int =\n    when (val high = this.high) {\n        0 -> Int.SIZE_BITS +
low.countLeadingZeroBits()\n        else -> high.countLeadingZeroBits()\n    }\n\n/>\n * Counts the number of
consecutive least significant bits that are zero in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countTrailingZeroBits(): Int =\n    when (val low = this.low) {\n        0 -> Int.SIZE_BITS +
high.countTrailingZeroBits()\n        else -> low.countTrailingZeroBits()\n    }\n\n/>\n * Returns a number having a
single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is
zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.takeHighestOneBit(): Long =\n    when (val high = this.high) {\n        0 -> Long(low.takeHighestOneBit(),
0)\n        else -> Long(0, high.takeHighestOneBit())\n    }\n\n/>\n * Returns a number having a single bit set in the
position of the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.takeLowestOneBit(): Long =\n    when (val low = this.low) {\n        0 -> Long(0, high.takeLowestOneBit())\n
        else -> Long(low.takeLowestOneBit(), 0)\n    }\n\n/>\n * Rotates the binary representation of this [Long]
number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side
reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit
count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) ==
number.rotateRight(n)`\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more
generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Long.rotateLeft(bitCount: Int): Long {\n
if ((bitCount and 31) != 0) {\n    val low = this.low\n    val high = this.high\n    val newLow =
low.shl(bitCount) or high.ushr(-bitCount)\n    val newHigh = high.shl(bitCount) or low.ushr(-bitCount)\n
return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh, newLow)\n    } else {\n    return
if ((bitCount and 32) == 0) this else Long(high, low)\n    }\n\n/>\n * Rotates the binary representation of this
[Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the
right side reenter the number as the most significant bits on the left side.\n * Rotating the number right by a
negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) ==
number.rotateLeft(n)`\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more
generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic actual inline fun
Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount)\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport
kotlin.internal.LowPriorityInOverloadResolution\n\n/>\n * Exposes the JavaScript [Promise
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n
*\n@Suppress("NOT_DOCUMENTED")\npublic open external class Promise<out T>(executor: (resolve: (T) ->
Unit, reject: (Throwable) -> Unit) -> Unit) {\n    @LowPriorityInOverloadResolution\n    public open fun <S>
then(onFulfilled: ((T) -> S)?): Promise<S>\n\n    @LowPriorityInOverloadResolution\n    public open fun <S>
then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n    public open fun <S>

```

```

catch(onRejected: (Throwable) -> S): Promise<S>\n\n    companion object {\n        public fun <S> all(promise:
Array<out Promise<S>>): Promise<Array<out S>>\n\n        public fun <S> race(promise: Array<out
Promise<S>>): Promise<S>\n\n        public fun reject(e: Throwable): Promise<Nothing>\n\n        public fun <S>
resolve(e: S): Promise<S>\n\n        public fun <S> resolve(e: Promise<S>): Promise<S>\n    }\n\n    // It's workaround
for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\n\n    inline fun <T, S>
Promise<Promise<T>>.then(\n        noinline onFulfilled: ((T) -> S)?\n    ): Promise<S> {\n        return
this.unsafeCast<Promise<T>>().then(onFulfilled)\n    }\n\n    inline fun <T, S> Promise<Promise<T>>.then(\n        noinline
onFulfilled: ((T) -> S)?,\n        noinline onRejected: ((Throwable) -> S)?\n    ): Promise<S> {\n        return
this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n    }\n\n    "/*\n    * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n    * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n    */\n\n    package kotlin.random\n\n    import
kotlin.math.pow\n\n    internal actual fun defaultPlatformRandom(): Random =\n        Random(js(Math.random() *
Math.pow(2, 32)) | 0).\n\n    unsafeCast<Int>()\n\n    private val INV_2_26: Double = 2.0.pow(-26)\n\n    private val
INV_2_53: Double = 2.0.pow(-53)\n\n    internal actual fun doubleFromParts(hi26: Int, low27: Int): Double =\n        hi26 *
INV_2_26 + low27 * INV_2_53"/*\n    * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n    * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n    */\n\n    package kotlin.reflect\n\n    import findAssociatedObject\n\n    /**\n    * The
experimental marker for associated objects API.\n    * Any usage of a declaration annotated with
`@ExperimentalAssociatedObjects` must be accepted either by\n    * annotating that usage with the [OptIn]
annotation, e.g. `@OptIn(ExperimentalAssociatedObjects::class)`,\n    * or by using the compiler argument `-Xopt-
in=kotlin.reflect.ExperimentalAssociatedObjects`\n    */\n\n    @RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n\n    @Retention(value = AnnotationRetention.BINARY)\n\n    public annotation class
ExperimentalAssociatedObjects\n\n    /**\n    * Makes the annotated annotation class an associated object key.\n    */\n\n    An associated object key annotation should have single [KClass] parameter.\n    * When applied to a class with
reference to an object declaration as an argument, it binds\n    * the object to the class, making this binding
discoverable at runtime using [findAssociatedObject].\n\n    */\n\n    @ExperimentalAssociatedObjects\n\n    @Retention(AnnotationRetention.BINARY)\n\n    @Target(AnnotationTarget.A
NNOTATION_CLASS)\n\n    public annotation class AssociatedObjectKey\n\n    /**\n    * If [T] is an
@[AssociatedObjectKey]-annotated annotation class and [this] class is annotated with @[T] (`S::class`),\n    * returns
object `S`. \n    */\n\n    * Otherwise returns `null`. \n\n    */\n\n    @ExperimentalAssociatedObjects\n\n    public inline fun <reified T :
Annotation> KClass<*>.findAssociatedObject(): Any? =\n        this.findAssociatedObject(T::class)"/*\n    * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n    * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n    */\n\n    package kotlin.js\n\n    import
getKClass\n\n    import kotlin.reflect.KClass\n\n    import kotlin.reflect.js.internal.KClassImpl\n\n    /**\n    * Represents the
constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a constructor reference.\n\n    */\n\n    external interface JsClass<T : Any> {\n        /**\n        * Returns the unqualified name of the class represented by
this instance.\n\n        */\n\n        val name: String\n    }\n\n    /**\n    * Obtains a constructor reference for the given `KClass`. \n\n    */\n\n    nval <T : Any> KClass<T>.js: JsClass<T>\n\n        get() = (this as KClassImpl<T>).jClass\n\n    /**\n    * Obtains a
`KClass` instance for the given constructor reference.\n\n    */\n\n    nval <T : Any> JsClass<T>.kotlin: KClass<T>\n\n        get()
= getKClass(this)\n    "/*\n    * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n    * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n    */\n\n    package kotlin.reflect.js.internal\n\n    import kotlin.reflect.*\n\n    internal abstract
class KClassImpl<T : Any>(\n        internal open val jClass: JsClass<T>\n    ): KClass<T> {\n\n        override val
qualifiedName: String?\n\n        get() = TODO()\n\n        override fun equals(other: Any?): Boolean {\n            return other
is KClassImpl<*> && jClass == other.jClass\n        }\n\n        // TODO: use FQN\n        override fun hashCode(): Int =
simpleName?.hashCode() ?: 0\n\n        override fun toString(): String {\n            // TODO: use FQN\n            return "\"class
$simpleName\""
        }\n    }\n\n    internal class SimpleKClassImpl<T : Any>(jClass: JsClass<T>):
KClassImpl<T>(jClass) {\n        override val simpleName: String? =

```

```

jClass.asDynamic().`$metadata$`.simpleName.unsafeCast<String?>()\n\n  override fun isInstance(value: Any?):
Boolean {\n    return jsIsType(value, jClass)\n  }\n}\n\ninternal class PrimitiveKClassImpl<T : Any>(\n
jClass: JsClass<T>,\n  private val givenSimpleName: String,\n  private val isInstanceFunction: (Any?) ->
Boolean\n) : KClassImpl<T>(jClass) {\n  override fun equals(other: Any?): Boolean {\n    if (other !is
PrimitiveKClassImpl<*>) return false\n    return super.equals(other) && givenSimpleName ==
other.givenSimpleName\n  }\n\n  override val simpleName: String? get() = givenSimpleName\n\n  override fun
isInstance(value: Any?): Boolean {\n    return isInstanceFunction(value)\n  }\n}\n\ninternal object
NothingKClassImpl : KClassImpl<Nothing>(js("Object")) {\n  override val simpleName: String =
`"Nothing"`\n\n  override fun isInstance(value: Any?): Boolean = false\n\n  override val jClass:
JsClass<Nothing>\n    get() = throw UnsupportedOperationException("There's no native JS class for Nothing
type")\n\n  override fun equals(other: Any?): Boolean = other === this\n\n  override fun hashCode(): Int =
0\n}\n\ninternal class ErrorKClass : KClass<Nothing> {\n  override val simpleName: String? get() =
error("Unknown simpleName for ErrorKClass")\n\n  override val qualifiedName: String? get() = error("Unknown
qualifiedName for ErrorKClass")\n\n  override fun isInstance(value: Any?): Boolean = error("Can's check
isInstance on ErrorKClass")\n\n  override fun equals(other: Any?): Boolean = other === this\n\n  override fun
hashCode(): Int = 0\n},"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.reflect\n\ninternal actual inline val
KClass<*>.qualifiedOrSimpleName: String? get() = simpleName","/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under
the module\n\n// TODO: Remove once JsReflectionAPIChecker supports more reflection
types\n@file:Suppress("Unsupported")\n\nimport kotlin.reflect.*\nimport
kotlin.reflect.js.internal.*\n\n@JsName("createKType")\n\ninternal fun createKType(\n  classifier: KClassifier,\n
arguments: Array<KTypeProjection>,\n  isMarkedNullable: Boolean\n) =\n  KTypeImpl(classifier,
arguments.asList(), isMarkedNullable)\n\n@JsName("createDynamicKType")\n\ninternal fun
createDynamicKType(): KType = DynamicKType\n\n@JsName("markKTypeNullable")\n\ninternal fun
markKTypeNullable(kType: KType) = KTypeImpl(kType.classifier!!, kType.arguments,
true)\n\n@JsName("createKTypeParameter")\n\ninternal fun createKTypeParameter(\n  name: String,\n
upperBounds: Array<KType>,\n  variance: String\n): KTypeParameter {\n  val kVariance = when (variance) {\n
  "in" -> KVariance.IN\n  "out" -> KVariance.OUT\n  else -> KVariance.INVARIANT\n  }\n\n  return
KTypeParameterImpl(name, upperBounds.asList(), kVariance,
false)\n}\n\n@JsName("getStarKTypeProjection")\n\ninternal fun getStarKTypeProjection(): KTypeProjection =\n
KTypeProjection.STAR\n\n@JsName("createCovariantKTypeProjection")\n\ninternal fun
createCovariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.covariant(type)\n\n@JsName("createInvariantKTypeProjection")\n\ninternal fun
createInvariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.invariant(type)\n\n@JsName("createContravariantKTypeProjection")\n\ninternal fun
createContravariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.contravariant(type)\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal class
KTypeImpl(\n  override val classifier: KClassifier,\n  override val arguments: List<KTypeProjection>,\n
override val isMarkedNullable: Boolean\n) : KType {\n  override fun equals(other: Any?): Boolean =\n    other
is KTypeImpl &&\n      classifier == other.classifier && arguments == other.arguments &&
isMarkedNullable == other.isMarkedNullable\n\n  override fun hashCode(): Int =\n    (classifier.hashCode() * 31
+ arguments.hashCode()) * 31 + isMarkedNullable.hashCode()\n\n  override fun toString(): String {\n    val
kClass = (classifier as? KClass<*>)\n    val classifierName = when {\n      kClass == null ->

```

```

classifier.toString()\n        kClass.simpleName != null -> kClass.simpleName\n        else -> \"(non-denotable
type)\"\n    }\n    val args =\n        if (arguments.isEmpty()) \"\"\n        else arguments.joinToString(\" \", \"
\", \"<\", \">\") { it.asString() }\n    val nullable = if (isMarkedNullable) \"?\" else \"\"\n    return classifierName
+ args + nullable\n }\n\n // TODO: this should be the implementation of KTypeProjection.toString, see KT-
30071\n private fun KTypeProjection.asString(): String {\n     if (variance == null) return \"*\n     return
variance.prefixString() + type.toString()\n }\n\ninternal object DynamicKType : KType {\n     override val
classifier: KClassifier? = null\n     override val arguments: List<KTypeProjection> = emptyList()\n     override val
isMarkedNullable: Boolean = false\n     override fun toString(): String = \"dynamic\"\n\ninternal fun
KVariance.prefixString() =\n     when (this) {\n         KVariance.INVARIANT -> \"\"\n         KVariance.IN -> \"in \"\n
KVariance.OUT -> \"out \"\n     }\n     \"*/\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal data class
KTypeParameterImpl(\n     override val name: String,\n     override val upperBounds: List<KType>,\n     override val
variance: KVariance,\n     override val isReified: Boolean\n) : KTypeParameter {\n     override fun toString(): String
= name\n     \"*/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.js.JsClass\n\n@JsName(\"PrimitiveClasses\")\ninternal
object PrimitiveClasses {\n     @JsName(\"anyClass\")\n     val anyClass =
PrimitiveKClassImpl(js(\"Object\").unsafeCast<JsClass<Any>>(), \"Any\", { it is Any })\n\n     @JsName(\"numberClass\")\n     val numberClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Number>>(), \"Number\", { it is Number })\n\n     @JsName(\"nothingClass\")\n     val nothingClass = NothingKClassImpl\n\n     @JsName(\"booleanClass\")\n     val
booleanClass = PrimitiveKClassImpl(js(\"Boolean\").unsafeCast<JsClass<Boolean>>(), \"Boolean\", { it is Boolean
})\n\n     @JsName(\"byteClass\")\n     val byteClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Byte>>(), \"Byte\", { it is Byte })\n\n     @JsName(\"shortClass\")\n     val shortClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Short>>(),
\"Short\", { it is Short })\n\n     @JsName(\"intClass\")\n     val intClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Int>>(), \"Int\", { it is Int })\n\n     @JsName(\"floatClass\")\n     val floatClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Float>>(),
\"Float\", { it is Float })\n\n     @JsName(\"doubleClass\")\n     val doubleClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Double>>(), \"Double\", { it is Double })\n\n     @JsName(\"arrayClass\")\n     val arrayClass =
PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<Array<*>>>(), \"Array\", { it is Array<*> })\n\n     @JsName(\"stringClass\")\n     val stringClass = PrimitiveKClassImpl(js(\"String\").unsafeCast<JsClass<String>>(),
\"String\", { it is String })\n\n     @JsName(\"throwableClass\")\n     val throwableClass =
PrimitiveKClassImpl(js(\"Error\").unsafeCast<JsClass<Throwable>>(), \"Throwable\", { it is Throwable })\n\n     @JsName(\"booleanArrayClass\")\n     val booleanArrayClass =
PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<BooleanArray>>(), \"BooleanArray\", { it is BooleanArray
})\n\n     @JsName(\"charArrayClass\")\n     val charArrayClass =
PrimitiveKClassImpl(js(\"Uint16Array\").unsafeCast<JsClass<CharArray>>(), \"CharArray\", { it is CharArray
})\n\n     @JsName(\"byteArrayClass\")\n     val byteArrayClass =
PrimitiveKClassImpl(js(\"Int8Array\").unsafeCast<JsClass<ByteArray>>(), \"ByteArray\", { it is ByteArray })\n\n     @JsName(\"shortArrayClass\")\n     val shortArrayClass =
PrimitiveKClassImpl(js(\"Int16Array\").unsafeCast<JsClass<ShortArray>>(), \"ShortArray\", { it is ShortArray
})\n\n     @JsName(\"intArrayClass\")\n     val intArrayClass =
PrimitiveKClassImpl(js(\"Int32Array\").unsafeCast<JsClass<IntArray>>(), \"IntArray\", { it is IntArray })\n\n     @JsName(\"longArrayClass\")\n     val longArrayClass =
PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<LongArray>>(), \"LongArray\", { it is LongArray })\n\n

```

```

@JsName("floatArrayClass")\n val floatArrayClass =
PrimitiveKClassImpl(js("Float32Array").unsafeCast<JsClass<FloatArray>>(), "FloatArray", { it is FloatArray
})\n\n @JsName("doubleArrayClass")\n val doubleArrayClass =
PrimitiveKClassImpl(js("Float64Array").unsafeCast<JsClass<DoubleArray>>(), "DoubleArray", { it is
DoubleArray })\n\n @JsName("functionClass")\n fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n val result =
PrimitiveKClassImpl(js("Function").unsafeCast<JsClass<Any>>(), "Function$arity",\n
{ jsTypeOf(it) === "function" && it.asDynamic().length === arity })\n functionClasses.asDynamic()[arity]
= result\n result\n }\n }\n\nprivate val functionClasses =
arrayOfNulls<KClassImpl<Any>>(0),"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n a package is omitted to get declarations directly under the module\n\nimport
kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName("getKClass")\n\ninternal fun <T : Any>
getKClass(jClass: Any /* JsClass<T> | Array<JsClass<T>> */): KClass<T> {\n return if
(js("Array").isArray(jClass)) {\n getKClassM(jClass.unsafeCast<Array<JsClass<T>>>())\n } else {\n
getKClass1(jClass.unsafeCast<JsClass<T>>())\n }\n }\n\n@JsName("getKClassM")\n\ninternal fun <T : Any>
getKClassM(jClasses: Array<JsClass<T>>): KClass<T> = when (jClasses.size) {\n 1 ->
getKClass1(jClasses[0])\n 0 -> NothingKClassImpl.unsafeCast<KClass<T>>()\n else ->
ErrorKClass().unsafeCast<KClass<T>>()\n }\n\n@JsName("getKClassFromExpression")\n\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n when (jsTypeOf(e)) {\n "string" ->
PrimitiveClasses.stringClass\n "number" -> if (jsBitwiseOr(e, 0).asDynamic() === e)
PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n "boolean" -> PrimitiveClasses.booleanClass\n
"function" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n else -> {\n when {\n e
is BooleanArray -> PrimitiveClasses.booleanArrayClass\n e is CharArray ->
PrimitiveClasses.charArrayClass\n e is ByteArray -> PrimitiveClasses.byteArrayClass\n e is
ShortArray -> PrimitiveClasses.shortArrayClass\n e is IntArray -> PrimitiveClasses.intArrayClass\n
e is LongArray -> PrimitiveClasses.longArrayClass\n e is FloatArray ->
PrimitiveClasses.floatArrayClass\n e is DoubleArray -> PrimitiveClasses.doubleArrayClass\n e is
KClass<*> -> KClass::class\n e is Array<*> -> PrimitiveClasses.arrayClass\n else -> {\n
val constructor = js("Object").getPrototypeOf(e).constructor\n when {\n constructor
=== js("Object") -> PrimitiveClasses.anyClass\n constructor === js("Error") ->
PrimitiveClasses.throwableClass\n else -> {\n val jsClass: JsClass<T> =
constructor\n getKClass1(jsClass)\n }\n }\n }\n }\n\n}\n }.unsafeCast<KClass<T>>()\n\n@JsName("getKClass1")\n\ninternal fun <T : Any> getKClass1(jClass:
JsClass<T>): KClass<T> {\n if (jClass === js("String")) return
PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n\n val metadata = jClass.asDynamic().`$metadata$\`\n\n
return if (metadata != null) {\n if (metadata.`$kClass$\` == null) {\n val kClass =
SimpleKClassImpl(jClass)\n metadata.`$kClass$\` = kClass\n kClass\n } else {\n
metadata.`$kClass$\`\n }\n } else {\n SimpleKClassImpl(jClass)\n }\n }"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes
the JavaScript [RegExp
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n\n
*/\n\n@Suppress("NOT_DOCUMENTED")\n\npublic external class RegExp(pattern: String, flags: String? =
definedExternally) {\n\n public fun test(str: String): Boolean\n\n public fun exec(str: String): RegExpMatch?\n\n
public override fun toString(): String\n\n /**\n * The lastIndex is a read/write integer property of regular
expressions that specifies the index at which to start the next match.\n */\n\n public var lastIndex: Int\n\n public
val global: Boolean\n\n public val ignoreCase: Boolean\n\n public val multiline: Boolean\n\n}\n\n/**\n * Resets the

```

```

regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning
of the input string.\n *^/npublic fun RegExp.reset() {\n  lastIndex = 0\n}\n/n// TODO: Inherit from array or
introduce asArray() extension\n/**\n * Represents the return value of [RegExp.exec].\n
*^/@Suppress("NOT_DOCUMENTED")\npublic external interface RegExpMatch {\n  public val index: Int\n
public val input: String\n  public val length: Int\n}\n/n/**\n * Returns the entire text matched by [RegExp.exec] if
the [index] parameter is 0, or the text matched by the capturing parenthesis\n * at the given index.\n *^/npublic inline
operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]\n/n/**\n * Converts the result of
[RegExp.exec] to an array where the first element contains the entire matched text and each subsequent\n * element
is the text matched by each capturing parenthesis.\n *^/npublic inline fun RegExpMatch.asArray(): Array<out
String?> = unsafeCast<Array<out String?>>()\n/n,**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *^/n\npackage kotlin.sequences\n\ninternal actual class
ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {\n  private var
sequenceRef: Sequence<T>? = sequence\n\n  actual override fun iterator(): Iterator<T> {\n    val sequence =
sequenceRef ?: throw IllegalStateException("This sequence can be consumed only once.")\n    sequenceRef =
null\n    return sequence.iterator()\n  }\n}\n/n,**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *^/n\npackage kotlin.text\n/n/**\n * The exception thrown when a
character encoding or decoding error occurs.\n
*^/@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual open class
CharacterCodingException(message: String?) : Exception(message) {\n  actual constructor() : this(null)\n}\n/n,**\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *^/n\npackage
kotlin.text\n/n/**\n * A mutable sequence of characters.\n *^/\n * String builder can be used to efficiently perform
multiple string manipulation operations.\n *^/npublic actual class StringBuilder actual constructor(content: String) :
Appendable, CharSequence {\n  /**\n   * Constructs an empty string builder with the specified initial [capacity].\n
*\n   * In Kotlin/JS implementation of StringBuilder the initial capacity has no effect on the further performance
of operations.\n   *^/\n   actual constructor(capacity: Int) : this() {\n   }\n/n   /** Constructs a string builder that
contains the same characters as the specified [content] char sequence. *^/\n   actual constructor(content:
CharSequence) : this(content.toString()) { }\n/n   /** Constructs an empty string builder. *^/\n   actual constructor() :
this("")\n\n   private var string: String = if (content != undefined) content else ""\n\n   actual override val
length: Int\n   get() = string.asDynamic().length\n\n   actual override fun get(index: Int): Char =\n
string.getOrElse(index) { throw IndexOutOfBoundsException("index: $index, length: $length") }\n\n   actual
override fun subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex, endIndex)\n\n
actual override fun append(value: Char): StringBuilder {\n   string += value\n   return this\n }\n\n actual
override fun append(value: CharSequence?): StringBuilder {\n   string += value.toString()\n   return this\n
}\n\n actual override fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder =\n
this.appendRange(value?: "null", startIndex, endIndex)\n/n   /**\n   * Reverses the contents of this string builder
and returns this instance.\n   *\n   * Surrogate pairs included in this string builder are treated as single
characters.\n   * Therefore, the order of the high-low surrogates is never reversed.\n   *\n   * Note that the reverse
operation may produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the
operation.\n   * For example, reversing `"\uDC00\uD800"` produces `"\uD800\uDC00"` which is a valid
surrogate pair.\n   *^/\n   actual fun reverse(): StringBuilder {\n   var reversed = ""\n   var index =
string.length - 1\n   while (index >= 0) {\n     val low = string[index--]\n     if (low.isLowSurrogate()) &&
index >= 0) {\n       val high = string[index--]\n       if (high.isHighSurrogate()) {\n         reversed =
reversed + high + low\n       } else {\n         reversed = reversed + low + high\n       }\n     }
else {\n       reversed += low\n     }\n   }\n   string = reversed\n   return this\n }\n/n   /**\n   *
Appends the string representation of the specified object [value] to this string builder and returns this instance.\n

```

```

*\n * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n
* and then that string was appended to this string builder.\n */\n actual fun append(value: Any?): StringBuilder\n
{\n     string += value.toString()\n     return this\n }\n\n /**\n * Appends the string representation of the\n
specified boolean [value] to this string builder and returns this instance.\n */\n * The overall effect is exactly as\n
if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was appended to\n
this string builder.\n */\n @SinceKotlin("1.3")\n actual fun append(value: Boolean): StringBuilder {\n\n
string += value\n     return this\n }\n\n /**\n * Appends characters in the specified character array [value] to\n
this string builder and returns this instance.\n */\n * Characters are appended in order, starting at the index 0.\n
*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun append(value:\n
CharArray): StringBuilder {\n     @OptIn(ExperimentalStdlibApi::class)\n     string += value.concatToString()\n\n
return this\n }\n\n @Deprecated("Provided for binary compatibility.", level =\n
DeprecationLevel.HIDDEN)\n fun append(value: String): StringBuilder = append(value)\n\n /**\n * Appends\n
the specified string [value] to this string builder and returns this instance.\n */\n * If [value] is `null`, then the\n
four characters `"\n\n\n\n"` are appended.\n */\n @SinceKotlin("1.3")\n actual fun append(value: String?):\n
StringBuilder {\n     this.string += value ?: "\n\n\n\n"\n     return this\n }\n\n /**\n * Returns the current\n
capacity of this string builder.\n */\n * The capacity is the maximum length this string builder can have before\n
an allocation occurs.\n */\n * In Kotlin/JS implementation of StringBuilder the value returned from this method\n
may not indicate the actual size of the backing storage.\n */\n @SinceKotlin("1.3")\n\n//\n
@ExperimentalStdlibApi\n @Deprecated("Obtaining StringBuilder capacity is not supported in JS and common\n
code.", level = DeprecationLevel.ERROR)\n actual fun capacity(): Int = length\n\n /**\n * Ensures that the\n
capacity of this string builder is at least equal to the specified [minimumCapacity].\n */\n * If the current\n
capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n * \n
Otherwise, this method takes no action and simply returns.\n */\n * In Kotlin/JS implementation of\n
StringBuilder the size of the backing storage is not extended to comply the given [minimumCapacity],\n * thus\n
calling this method has no effect on the further performance of operations.\n */\n @SinceKotlin("1.4")\n\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun ensureCapacity(minimumCapacity: Int) {\n\n
}\n\n /**\n * Returns the index within this string builder of the first occurrence of the specified [string].\n */\n
* Returns `-1` if the specified [string] does not occur in this string builder.\n */\n @SinceKotlin("1.4")\n\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun indexOf(string: String): Int =\n
this.string.asDynamic().indexOf(string)\n\n /**\n * Returns the index within this string builder of the first\n
occurrence of the specified [string],\n * starting at the specified [startIndex].\n */\n * Returns `-1` if the\n
specified [string] does not occur in this string builder starting at the specified [startIndex].\n */\n\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun indexOf(string: String,\n
startIndex: Int): Int = this.string.asDynamic().indexOf(string, startIndex)\n\n /**\n * Returns the index within\n
this string builder of the last occurrence of the specified [string].\n * The last occurrence of empty string `""` is\n
considered to be at the index equal to `this.length`.\n */\n * Returns `-1` if the specified [string] does not occur\n
in this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n\n
actual fun lastIndexOf(string: String): Int = this.string.asDynamic().lastIndexOf(string)\n\n /**\n * Returns the\n
index within this string builder of the last occurrence of the specified [string],\n * starting from the specified\n
[startIndex] toward the beginning.\n */\n * Returns `-1` if the specified [string] does not occur in this string\n
builder starting at the specified [startIndex].\n */\n\n
@SinceKotlin("1.4")\n\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun lastIndexOf(string: String, startIndex: Int): Int {\n\n
if (string.isEmpty() && startIndex < 0) return -1\n     return this.string.asDynamic().lastIndexOf(string,\n
startIndex)\n }\n\n /**\n * Inserts the string representation of the specified boolean [value] into this string\n
builder at the specified [index] and returns this instance.\n */\n * The overall effect is exactly as if the [value]\n
were converted to a string by the `value.toString()` method,\n * and then that string was inserted into this string\n
builder at the specified [index].\n */\n * @throws IndexOutOfBoundsException if [index] is less than zero or\n
greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n

```

```

@WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value: Boolean): StringBulder
{\n    AbstractList.checkPositionIndex(index, length)\n\n    string = string.substring(0, index) + value +
string.substring(index)\n    return this\n }\n\n /**\n  * Inserts the specified character [value] into this string
builder at the specified [index] and returns this instance.\n  *\n  * @throws IndexOutOfBoundsException if
[index] is less than zero or greater than the length of this string builder.\n  */\n  @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value: Char): StringBulder {\n
    AbstractList.checkPositionIndex(index, length)\n\n    string = string.substring(0, index) + value +
string.substring(index)\n    return this\n }\n\n /**\n  * Inserts characters in the specified character array
[value] into this string builder at the specified [index] and returns this instance.\n  *\n  * The inserted characters
go in same order as in the [value] character array, starting at [index].\n  *\n  * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n  */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value:
CharArray): StringBulder {\n    AbstractList.checkPositionIndex(index, length)\n\n
@OptIn(ExperimentalStdlibApi::class)\n    string = string.substring(0, index) + value.concatToString() +
string.substring(index)\n    return this\n }\n\n /**\n  * Inserts characters in the specified character sequence
[value] into this string builder at the specified [index] and returns this instance.\n  *\n  * The inserted characters
go in the same order as in the [value] character sequence, starting at [index].\n  *\n  * @param index the position
in this string builder to insert at.\n  * @param value the character sequence from which characters are inserted. If
[value] is `null`, then the four characters `"\n\n\n\n"` are inserted.\n  *\n  * @throws IndexOutOfBoundsException
if [index] is less than zero or greater than the length of this string builder.\n  */\n  @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value: CharSequence?):
StringBulder {\n    AbstractList.checkPositionIndex(index, length)\n\n    string = string.substring(0, index) +
value.toString() + string.substring(index)\n    return this\n }\n\n /**\n  * Inserts the string representation of
the specified object [value] into this string builder at the specified [index] and returns this instance.\n  *\n  * The
overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n  * and then
that string was inserted into this string builder at the specified [index].\n  *\n  * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n  */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value:
Any?): StringBulder {\n    AbstractList.checkPositionIndex(index, length)\n\n    string = string.substring(0,
index) + value.toString() + string.substring(index)\n    return this\n }\n\n @Deprecated("Provided for binary
compatibility.", level = DeprecationLevel.HIDDEN)\n fun insert(index: Int, value: String): StringBulder =
insert(index, value)\n\n /**\n  * Inserts the string [value] into this string builder at the specified [index] and
returns this instance.\n  *\n  * If [value] is `null`, then the four characters `"\n\n\n\n"` are inserted.\n  *\n  *
@throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
*/\n  @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int,
value: String?): StringBulder {\n    AbstractList.checkPositionIndex(index, length)\n\n    val toInsert = value ?:
"\n\n\n\n"\n    this.string = this.string.substring(0, index) + toInsert + this.string.substring(index)\n    return this\n
}\n\n /**\n  * Sets the length of this string builder to the specified [newLength].\n  *\n  * If the [newLength]
is less than the current length, it is changed to the specified [newLength].\n  * Otherwise, null characters "\n\n\n\n"
are appended to this string builder until its length is less than the [newLength].\n  *\n  * Note that in Kotlin/JS
[set] operator function has non-constant execution time complexity.\n  * Therefore, increasing length of this string
builder and then updating each character by index may slow down your program.\n  *\n  * @throws
IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n  */\n  @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun setLength(newLength:
Int) {\n    if (newLength < 0) {\n        throw IllegalArgumentException("Negative new length:
$newLength.")\n    }\n\n    if (newLength <= length) {\n        string = string.substring(0, newLength)\n    }
else {\n        for (i in length until newLength) {\n            string += "\n\n\n\n"\n        }\n    }\n\n }\n\n /**\n
* Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the

```



```

[length] (exclusive).\n * \n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater
than the length of this string builder.\n * \n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun substring(startIndex: Int): String {\n
AbstractList.checkPositionIndex(startIndex, length)\n\n return string.substring(startIndex)\n }\n\n /** \n *
Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the
[endIndex] (exclusive).\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * \n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun substring(startIndex:
Int, endIndex: Int): String {\n AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n\n return
string.substring(startIndex, endIndex)\n }\n\n /** \n * Attempts to reduce storage used for this string builder.\n
* \n * If the backing storage of this string builder is larger than necessary to hold its current contents,\n * then
it may be resized to become more space efficient.\n * Calling this method may, but is not required to, affect the
value of the [capacity] property.\n * \n * In Kotlin/JS implementation of StringBuilder the size of the backing
storage is always equal to the length of the string builder.\n * \n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun trimToSize() {\n }\n\n override fun toString():
String = string\n\n /** \n * Clears the content of this string builder making it empty and returns this instance.\n
* \n * @sample samples.text.Strings.clearStringBuilder\n * \n @SinceKotlin("1.3")\n public fun clear():
StringBuilder {\n string = ""\n return this\n }\n\n /** \n * Sets the character at the specified [index]
to the specified [value].\n * \n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string
builder.\n * \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public
operator fun set(index: Int, value: Char) {\n AbstractList.checkElementIndex(index, length)\n\n string =
string.substring(0, index) + value + string.substring(index + 1)\n }\n\n /** \n * Replaces characters in the
specified range of this string builder with characters in the specified string [value] and returns this instance.\n
* \n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive)
of the range to replace.\n * @param value the string to replace with.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length
of this string builder, or `startIndex > endIndex`.\n * \n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun setRange(startIndex: Int, endIndex: Int, value:
String): StringBuilder {\n checkReplaceRange(startIndex, endIndex, length)\n\n this.string =
this.string.substring(0, startIndex) + value + this.string.substring(endIndex)\n return this\n }\n\n private fun
checkReplaceRange(startIndex: Int, endIndex: Int, length: Int) {\n if (startIndex < 0 || startIndex > length) {\n
throw IndexOutOfBoundsException("startIndex: $startIndex, length: $length")\n }\n if (startIndex >
endIndex) {\n throw IllegalArgumentException("startIndex($startIndex) > endIndex($endIndex)")\n }\n
}\n\n /** \n * Removes the character at the specified [index] from this string builder and returns this instance.\n
* \n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove
the entire supplementary character.\n * \n * @param index the index of `Char` to remove.\n * \n * @throws
IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n * \n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun deleteAt(index: Int): StringBuilder {\n
AbstractList.checkElementIndex(index, length)\n\n string = string.substring(0, index) + string.substring(index +
1)\n return this\n }\n\n /** \n * Removes characters in the specified range from this string builder and
returns this instance.\n * \n * @param startIndex the beginning (inclusive) of the range to remove.\n *
@param endIndex the end (exclusive) of the range to remove.\n * \n * @throws IndexOutOfBoundsException
or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex >
endIndex`.\n * \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun
deleteRange(startIndex: Int, endIndex: Int): StringBuilder {\n checkReplaceRange(startIndex, endIndex,
length)\n\n string = string.substring(0, startIndex) + string.substring(endIndex)\n return this\n }\n\n
/** \n * Copies characters from this string builder into the [destination] character array.\n * \n * @param
destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n

```

```

    * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n    * @param endIndex the end
(exclusive) of the range to copy, length of this string builder by default.\n    *\n    * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
string builder indices or when `startIndex > endIndex`.\n    * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n    * or when that index
is out of the [destination] array indices range.\n    *\n    @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n    public fun toCharArray(destination: CharArray,
destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length) {\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n
AbstractList.checkBoundsIndexes(destinationOffset, destinationOffset + endIndex - startIndex, destination.size)\n\n
    var dstIndex = destinationOffset\n        for (index in startIndex until endIndex) {\n            destination[dstIndex++]
= string[index]\n        }\n    }\n\n    /**\n    * Appends characters in a subarray of the specified character array
[value] to this string builder and returns this instance.\n    *\n    * Characters are appended in order, starting at
specified [startIndex].\n    *\n    * @param value the array from which characters are appended.\n    * @param
startIndex the beginning (inclusive) of the subarray to append.\n    * @param endIndex the end (exclusive) of the
subarray to append.\n    *\n    * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n    *\n
    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    public fun appendRange(value:
CharArray, startIndex: Int, endIndex: Int): String Builder {\n        @OptIn(ExperimentalStdlibApi::class)\n
string += value.concatToString(startIndex, endIndex)\n        return this\n    }\n\n    /**\n    * Appends a subsequence
of the specified character sequence [value] to this string builder and returns this instance.\n    *\n    * @param value
the character sequence from which a subsequence is appended.\n    * @param startIndex the beginning (inclusive)
of the subsequence to append.\n    * @param endIndex the end (exclusive) of the subsequence to append.\n    *\n
    * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of the [value] character sequence indices or when `startIndex > endIndex`.\n    *\n    @SinceKotlin("1.4")\n
    @WasExperimental(ExperimentalStdlibApi::class)\n    public fun appendRange(value: CharSequence, startIndex:
Int, endIndex: Int): String Builder {\n        val stringCsq = value.toString()\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n        string +=
stringCsq.substring(startIndex, endIndex)\n        return this\n    }\n\n    /**\n    * Inserts characters in a subarray of
the specified character array [value] into this string builder at the specified [index] and returns this instance.\n
    *\n    * The inserted characters go in same order as in the [value] array, starting at [index].\n    *\n    * @param index
the position in this string builder to insert at.\n    * @param value the array from which characters are inserted.\n
    * @param startIndex the beginning (inclusive) of the subarray to insert.\n    * @param endIndex the end (exclusive)
of the subarray to insert.\n    *\n    * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n    *
    @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
    *\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    public fun
insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): String Builder {\n
AbstractList.checkPositionIndex(index, this.length)\n\n        @OptIn(ExperimentalStdlibApi::class)\n        string =
string.substring(0, index) + value.concatToString(startIndex, endIndex) + string.substring(index)\n        return this\n
    }\n\n    /**\n    * Inserts characters in a subsequence of the specified character sequence [value] into this string
builder at the specified [index] and returns this instance.\n    *\n    * The inserted characters go in the same order as
in the [value] character sequence, starting at [index].\n    *\n    * @param index the position in this string builder to
insert at.\n    * @param value the character sequence from which a subsequence is inserted.\n    * @param
startIndex the beginning (inclusive) of the subsequence to insert.\n    * @param endIndex the end (exclusive) of the
subsequence to insert.\n    *\n    * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex >
endIndex`.\n    * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this

```

```

string builder.\n *\/n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public
fun insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder {\n
AbstractList.checkPositionIndex(index, length)\n\n val stringCsq = value.toString()\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n string = string.substring(0, index)
+ stringCsq.substring(startIndex, endIndex) + string.substring(index)\n return this\n }\n}\n\n/**\n * Clears
the content of this string builder making it empty and returns this instance.\n *\n * @sample
samples.text.Strings.clearStringBuilder\n
*/\n@SinceKotlin("1.3")\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER",
"NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.clear(): StringBuilder = this.clear()\n\n/**\n *
Sets the character at the specified [index] to the specified [value].\n *\n * @throws IndexOutOfBoundsException if
[index] is out of bounds of this string builder.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline operator fun
StringBuilder.set(index: Int, value: Char) = this.set(index, value)\n\n/**\n * Replaces characters in the specified
range of this string builder with characters in the specified string [value] and returns this instance.\n *\n * @param
startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to
replace.\n * @param value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or
`startIndex > endIndex`.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder =\n this.setRange(startIndex,
endIndex, value)\n\n/**\n * Removes the character at the specified [index] from this string builder and returns this
instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not
remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws
IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.deleteAt(index:
Int): StringBuilder = this.deleteAt(index)\n\n/**\n * Removes characters in the specified range from this string
builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n *
@param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex >
endIndex`.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder = this.deleteRange(startIndex,
endIndex)\n\n/**\n * Copies characters from this string builder into the [destination] character array.\n *\n *
@param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by
default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex
the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index
is out of the [destination] array indices range.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE",
"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun
StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =

```

```

this.length) =\n    this.toCharArray(destination, destinationOffset, startIndex, endIndex)\n\n/**\n * Appends
characters in a subarray of the specified character array [value] to this string builder and returns this instance.\n *\n *
Characters are appended in order, starting at specified [startIndex].\n *\n * @param value the array from which
characters are appended.\n *\n * @param startIndex the beginning (inclusive) of the subarray to append.\n *\n * @param
endIndex the end (exclusive) of the subarray to append.\n *\n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when
`startIndex > endIndex`.\n
*\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n
this.appendRange(value, startIndex, endIndex)\n\n/**\n * Appends a subsequence of the specified character
sequence [value] to this string builder and returns this instance.\n *\n * @param value the character sequence from
which a subsequence is appended.\n *\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n
*\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`.\n
*\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n
this.appendRange(value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subarray of the specified character
array [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters
go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder
to insert at.\n *\n * @param value the array from which characters are inserted.\n *\n * @param startIndex the beginning
(inclusive) of the subarray to insert.\n *\n * @param endIndex the end (exclusive) of the subarray to insert.\n *\n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of the [value] array indices or when `startIndex > endIndex`.\n *\n * @throws IndexOutOfBoundsException if
[index] is less than zero or greater than the length of this string builder.\n
*\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n
this.insertRange(index, value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subsequence of the specified
character sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The
inserted characters go in the same order as in the [value] character sequence, starting at [index].\n *\n * @param
index the position in this string builder to insert at.\n *\n * @param value the character sequence from which a
subsequence is inserted.\n *\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n *\n * @param
endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence
indices or when `startIndex > endIndex`.\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or
greater than the length of this string builder.\n
*\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n
this.insertRange(index, value, startIndex, endIndex)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n// actually \\s is enough to match all
whitespace, but \\xA0 added because of different regexp behavior of Rhino used in Selenium tests\n\npublic actual fun
Char.isWhitespace(): Boolean = toString().matches("[\\\\s\\\\xA0]")\n\n@kotlin.internal.InlineOnly\npublic actual
inline fun Char.toLowerCase(): Char =

```

```

js("String.fromCharCode")(toInt()).toLowerCase().charAt(0).unsafeCast<Int>().toChar()\n\n@kotlin.internal.
InlineOnly\npublic actual inline fun Char.toUpperCase(): Char =
js("String.fromCharCode")(toInt()).toUpperCase().charAt(0).unsafeCast<Int>().toChar()\n\n/**\n * Returns
`true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n
*/\npublic actual fun Char.isHighSurrogate(): Boolean = this in
Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/**\n * Returns `true` if this character is a
Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n */\npublic actual fun
Char.isLowSurrogate(): Boolean = this in
Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n", "/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Returns `true` if
the content of this string is equal to the word `true`, ignoring case, and `false` otherwise.\n */\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation warning.")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toBoolean(): Boolean =
this.toBoolean()\n\n/**\n * Returns `true` if this string is not `null` and its content is equal to the word `true`,
ignoring case, and `false` otherwise.\n */\n@SinceKotlin("1.4")\n\npublic actual fun String?.toBoolean(): Boolean =
this != null && this.toLowerCase() == "true"\n\n/**\n * Parses the string as a signed [Byte] number and returns
the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n\npublic
actual fun String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a
signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to
number conversion.\n */\n\npublic actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?:
numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n */\n\npublic actual fun
String.toShort(): Short = toShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Short]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n\npublic actual fun String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n
* Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not
a valid representation of a number.\n */\n\npublic actual fun String.toInt(): Int = toIntOrNull() ?:
numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n\npublic actual fun
String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n */\n\npublic actual fun String.toLong(): Long = toLongOrNull()\n\n/**\n * Parses the string as a [Long]
number and returns the result.\n * @throws NumberFormatException if the string is not
a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for
string to number conversion.\n */\n\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?:
numberFormatError(this)\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n */\n\npublic actual fun
String.toDouble(): Double = +(this.asDynamic()).unsafeCast<Double>().also {\n    if (it.isNaN() && !this.isNaN())
|| it == 0.0 && this.isBlank())\n        numberFormatError(this)\n}\n\n/**\n * Parses the string as a [Float] number
and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n */\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float =
toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null`
if the string is not a valid representation of a number.\n */\n\npublic actual fun String.toDoubleOrNull(): Double? =
+(this.asDynamic()).unsafeCast<Double>().takeIf {\n    !(it.isNaN() && !this.isNaN()) || it == 0.0 &&

```

```

this.isBlank())\n\n/**\n * Parses the string as a [Float] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n */\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Short] value in the specified [radix].\n */\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Int] value in the specified [radix].\n */\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin("1.2")\npublic actual fun Int.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.toLowerCase()) {\n    "nan", "+nan", "-nan" -> true\n    else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for string to number and number to string conversion.\n */\n@PublishedApi\ninternal actual fun checkRadix(radix: Int): Int {\n    if (radix !in 2..36) {\n        throw IllegalArgumentException("\radix $radix was not in valid range 2..36")\n    }\n    return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n    char >= '0' && char <= '9' -> char - '0'\n    char >= 'A' && char <= 'Z' -> char - 'A' + 10\n    char >= 'a' && char <= 'z' -> char - 'a' + 10\n    else -> -1\n}.let { if (it >= radix) -1 else it }\n\n", "\n" * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides enumeration values to use to set regular expression options.\n */\npublic actual enum class RegexOptions(val value: String) {\n    /** Enables case-insensitive matching. */\n    IGNORE_CASE("i"),\n    /** Enables multiline mode. */\n    * In multiline mode the expressions `^` and `$` match just after or just before, respectively, a line terminator or the end of the input sequence. */\n    MULTILINE("m")\n}\n\n/**\n * Represents the results from a single capturing group within a [MatchResult] of [Regex].\n */\n * @param value The value of captured group.\n */\npublic actual data class MatchGroup(actual val value: String)\n\n/**\n * Represents a compiled regular expression.\n */\n * Provides functions to match strings in text with a pattern, replace the found occurrences and split text around matches.\n */\n * For pattern syntax reference see [MDN RegExp](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp#Special_characters_meaning_in_regular_expressions)\n */\n * and [http://www.w3schools.com/jsref/jsref_obj_regexp.asp](https://www.w3schools.com/jsref/jsref_obj_regexp.asp).\n */\n * @constructor Creates a regular expression from the specified [pattern] string and the specified set of [options].\n */\npublic actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\n    /**\n     * Creates a regular expression from the specified [pattern] string and the specified single [option].\n     */\n    public actual constructor(pattern: String, option: RegexOption) : this(pattern, setOf(option))\n    /**\n     * Creates a regular expression from the specified [pattern] string and the default options.\n     */\n    public actual constructor(pattern: String) : this(pattern, emptySet())\n\n    /** The pattern string of this regular expression. */\n    public actual val pattern: String = pattern\n    /** The set of options that were used to create this regular expression. */\n    public actual val options: Set<RegexOption> = options.toSet()\n    private val nativePattern: RegExp = RegExp(pattern, options.map { it.value }.joinToString(separator = "\\") + "g")\n\n    /** Indicates whether the regular expression matches the entire [input]. */\n    public actual infix fun matches(input: CharSequence): Boolean {\n        nativePattern.reset()\n        val match = nativePattern.exec(input.toString())\n        return match != null && match.index == 0 && nativePattern.lastIndex == input.length\n    }\n\n    /** Indicates whether the regular expression can find at least one match in the specified [input]. */\n    public actual fun containsMatchIn(input: CharSequence): Boolean {\n        nativePattern.reset()\n        return nativePattern.test(input.toString())\n    }\n\n    /** Returns the first match of a regular expression in the [input], beginning at the specified [startIndex].\n     */\n    * @param startIndex An index to start search with, by default 0. Must be not less than zero and not greater than `input.length()`\n     * @return An instance of [MatchResult] if match was found or `null` otherwise.\n     * @throws IndexOutOfBoundsException if

```

```

[startIndex] is less than zero or greater than the length of the [input] char sequence.\n    */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    public actual fun find(input:
CharSequence, startIndex: Int = 0): MatchResult? {\n        if (startIndex < 0 || startIndex > input.length) {\n
throw IndexOutOfBoundsException("Start index out of bounds: $startIndex, input length: ${input.length}")\n
}\n        return nativePattern.findNext(input.toString(), startIndex)\n    }\n    /**\n     * Returns a sequence of all
occurrences of a regular expression within the [input] string, beginning at the specified [startIndex].\n     *\n     *
@throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of the [input] char
sequence.\n     *\n     * @sample samples.text.Regexps.findAll\n     */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    public actual fun findAll(input:
CharSequence, startIndex: Int = 0): Sequence<MatchResult> {\n        if (startIndex < 0 || startIndex > input.length)
{\n            throw IndexOutOfBoundsException("Start index out of bounds: $startIndex, input length:
${input.length}")\n        }\n        return generateSequence({ find(input, startIndex) }, { match -> match.next() })\n
}\n    /**\n     * Attempts to match the entire [input] CharSequence against the pattern.\n     *\n     * @return An
instance of [MatchResult] if the entire input matches or `null` otherwise.\n     */\n    public actual fun
matchEntire(input: CharSequence): MatchResult? {\n        if (pattern.startsWith('^') && pattern.endsWith('$'))\n
return find(input)\n        else\n            return Regex("^${pattern.trimStart('^').trimEnd('$')}$",
options).find(input)\n    }\n    /**\n     * Replaces all occurrences of this regular expression in the specified [input]
string with specified [replacement] expression.\n     *\n     * @param replacement A replacement expression that can
include substitutions. See [String.prototype.replace](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\n     */\n    public
actual fun replace(input: CharSequence, replacement: String): String = input.toString().nativeReplace(nativePattern,
replacement)\n    /**\n     * Replaces all occurrences of this regular expression in the specified [input] string with
the result of\n     * the given function [transform] that takes [MatchResult] and returns a string to be used as a\n     *
replacement for that match.\n     */\n    public actual inline fun replace(input: CharSequence, transform:
(MatchResult) -> CharSequence): String {\n        var match = find(input)\n        if (match == null) return
input.toString()\n        var lastStart = 0\n        val length = input.length\n        val sb = StringBuilder(length)\n
do {\n            val foundMatch = match!!\n            sb.append(input, lastStart, foundMatch.range.start)\n
sb.append(transform(foundMatch))\n            lastStart = foundMatch.range.endInclusive + 1\n            match =
foundMatch.next()\n        } while (lastStart < length && match != null)\n        if (lastStart < length) {\n
sb.append(input, lastStart, length)\n        }\n        return sb.toString()\n    }\n    /**\n     * Replaces the first
occurrence of this regular expression in the specified [input] string with specified [replacement] expression.\n     *\n     *
@param replacement A replacement expression that can include substitutions. See
[String.prototype.replace](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\n     */\n    public
actual fun replaceFirst(input: CharSequence, replacement: String): String {\n        val nonGlobalOptions =
options.map { it.value }.joinToString(separator = "\\")\n        return input.toString().nativeReplace(RegExp(pattern,
nonGlobalOptions), replacement)\n    }\n    /**\n     * Splits the [input] CharSequence around matches of this
regular expression.\n     *\n     * @param limit Non-negative value specifying the maximum number of substrings
the string can be split to.\n     * Zero by default means no limit is set.\n     */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    public actual fun split(input:
CharSequence, limit: Int = 0): List<String> {\n        require(limit >= 0) { "Limit must be non-negative, but was
$limit" }\n        val matches = findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n        val result =
mutableListOf<String>()\n        var lastStart = 0\n        for (match in matches) {\n
result.add(input.subSequence(lastStart, match.range.start).toString())\n            lastStart = match.range.endInclusive +
1\n        }\n        result.add(input.subSequence(lastStart, input.length).toString())\n        return result\n    }\n    /**\n     * Returns the string representation of this regular expression, namely the [pattern] of this regular
expression.\n     *\n     * Note that another regular expression constructed from the same pattern string may have
different [options]\n     * and may match strings differently.\n     */\n    public override fun toString(): String =

```

```

nativePattern.toString()\n\n actual companion object {\n    /**\n     * Returns a regular expression that
matches the specified [literal] string literally.\n     * No characters of that string will have special meaning when
searching for an occurrence of the regular expression.\n     */\n    public actual fun fromLiteral(literal: String):
Regex = Regex(escape(literal))\n\n    /**\n     * Returns a regular expression pattern string that matches the
specified [literal] string literally.\n     * No characters of that string will have special meaning when searching for
an occurrence of the regular expression.\n     */\n    public actual fun escape(literal: String): String =
literal.nativeReplace(patternEscape, "\\|\\$&")\n\n    /**\n     * Returns a literal replacement expression for the
specified [literal] string.\n     * No characters of that string will have special meaning when it is used as a
replacement string in [Regex.replace] function.\n     */\n    public actual fun escapeReplacement(literal: String):
String = literal.nativeReplace(replacementEscape, "\\$\\$\\$")\n\n    private val patternEscape = RegExp("\\|\\$\\$\\$|[-
\\\\\\^$*+?.()|[\\]{}]|\\\"\\\", \\'g\\'")\n    private val replacementEscape = RegExp("\\|\\$\\$\\$|\\\"\\\", \\'g\\'")\n }
}\n\n/**
Creates a regular expression from the specified [pattern] string and the specified single [option].
*/\n@Deprecated("Provided for binary compatibility", level =
DeprecationLevel.HIDDEN)\n@JsName("Regex_sb3q2\\$")\npublic fun Regex_0(pattern: String, option:
RegexOption): Regex = Regex(pattern, setOf(option))\n\n/** Creates a regular expression from the specified
[pattern] string and the default options.
*/\n@Deprecated("Provided for binary compatibility", level =
DeprecationLevel.HIDDEN)\n@JsName("Regex_61zpoe\\$")\npublic fun Regex_1(pattern: String): Regex =
Regex(pattern, emptySet())\n\n\nprivate fun RegExp.findNext(input: String, from: Int): MatchResult? {\n
this.lastIndex = from\n val match = exec(input)\n if (match == null) return null\n val range =
match.index..lastIndex - 1\n return object : MatchResult {\n    override val range: IntRange = range\n
override val value: String\n        get() = match[0]!!\n    override val groups: MatchGroupCollection = object :
MatchGroupCollection, AbstractCollection<MatchGroup?>() {\n        override val size: Int get() = match.length\n
        override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()\n
override fun get(index: Int): MatchGroup? = match[index]?.let { MatchGroup(it) } }\n    }\n\n\n private var
groupValues_: List<String>? = null\n    override val groupValues: List<String>\n        get() {\n        if
(groupValues_ == null) {\n            groupValues_ = object : AbstractList<String>() {\n                override
val size: Int get() = match.length\n                override fun get(index: Int): String = match[index] ? : \\\"\\\"
}\n            }\n            return groupValues_!!\n        }\n    }\n    override fun next(): MatchResult? =
this@findNext.findNext(input, if (range.isEmpty()) range.start + 1 else range.endInclusive + 1)\n } }\n\n", "/*\n *
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.text\nimport kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun
String.nativeIndexOf(ch: Char, fromIndex: Int): Int = nativeIndexOf(ch.toString(),
fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(ch: Char,
fromIndex: Int): Int = nativeLastIndexOf(ch.toString(), fromIndex)\n\n/**\n * Returns `true` if this string starts with
the specified prefix.\n */\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n }\n\n/**\n *
Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix.\n
*/\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
nativeStartsWith(prefix, startIndex)\n    else\n        return regionMatches(startIndex, prefix, 0, prefix.length,
ignoreCase)\n }\n\n/**\n * Returns `true` if this string ends with the specified suffix.\n */\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
nativeEndsWith(suffix)\n    else\n        return regionMatches(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n }\n\n\npublic fun String.matches(regex: String): Boolean {\n    val result = this.match(regex)\n
return result != null && result.size != 0\n }\n\n\npublic actual fun CharSequence.isBlank(): Boolean = length == 0 || (if

```



```

(this is String) this else
this.toString().matches("[\\s\\xA0]+$")\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean =\n    if (this == null)\n        other == null\n    else if (!ignoreCase)\n        this == other\n    else\n        other != null &&
this.toLowerCase() ==
other.toLowerCase()\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int,
ignoreCase: Boolean = false): Boolean =\n    regionMatchesImpl(thisOffset, other, otherOffset, length,
ignoreCase)\n\n\n/**\n * Returns a copy of this string having its first letter titlecased using the rules of the default
locale,\n * or the original string if it's empty or already starts with a title case letter.\n * The title case of a
character is usually the same as its upper case with several exceptions.\n * The particular list of characters with the
special title case form depends on the underlying platform.\n * @sample samples.text.Strings.capitalize\n
*/\npublic actual fun String.capitalize(): String {\n    return if (isEmpty()) substring(0, 1).toUpperCase() +
substring(1) else this\n}\n\n/**\n * Returns a copy of this string having its first letter lowercased using the rules of
the default locale,\n * or the original string if it's empty or already starts with a lower case letter.\n * @sample
samples.text.Strings.decapitalize\n
*/\npublic actual fun String.decapitalize(): String {\n    return if (isEmpty())
substring(0, 1).toLowerCase() + substring(1) else this\n}\n\n/**\n * Returns a string containing this char sequence
repeated [n] times.\n * @throws [IllegalArgumentException] when n < 0.\n
*/\npublic actual fun
CharSequence.repeat(n: Int): String {\n    require(n >= 0) { "Count 'n' must be non-negative, but was $n." }\n
return when (n) {\n        0 -> ""\n        1 -> this.toString()\n        else -> {\n            var result = ""\n            if
(!isEmpty()) {\n                var s = this.toString()\n                var count = n\n                while (true) {\n                    if
((count and 1) == 1) {\n                        result += s\n                    }\n                    count = count ushr 1\n                }
if (count == 0) {\n                    break\n                }\n                s += s\n            }\n            return
result\n        }\n    }\n}\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) "gi" else "g"),
Regex.escapeReplacement(newValue))\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENT
S")\npublic actual fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) "gi" else "g"),
newChar.toString())\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual
fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) "i" else ""),
Regex.escapeReplacement(newValue))\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENT
S")\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) "i" else ""),
newChar.toString())\n
"}\n\n\n/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\npackage kotlin.text\n\n/**\n * Returns the negative [size] if [throwOnMalformed] is
false, throws [CharacterCodingException] otherwise.\n
*/\n@OptIn(ExperimentalStdlibApi::class)\nprivate fun
malformed(size: Int, index: Int, throwOnMalformed: Boolean): Int {\n    if (throwOnMalformed) throw
CharacterCodingException("Malformed sequence starting at ${index - 1}")\n    return -size\n}\n\n\n/**\n * Returns
code point corresponding to UTF-16 surrogate pair,\n * where the first of the pair is the [high] and the second is in
the [string] at the [index].\n * Returns zero if the pair is malformed and [throwOnMalformed] is false.\n
*/\n\n * @throws CharacterCodingException if the pair is malformed and [throwOnMalformed] is true.\n
*/\nprivate fun
codePointFromSurrogate(string: String, high: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (high !in 0xD800..0xDBFF || index >= endIndex) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    val low = string[index].toInt()\n    if (low !in 0xDC00..0xDFFF) {\n        return malformed(0, index,
throwOnMalformed)\n    }\n    return 0x10000 + ((high and 0x3FF) shl 10) or (low and 0x3FF)\n}\n\n\n/**\n *

```

Returns code point corresponding to UTF-8 sequence of two bytes, where the first byte of the sequence is the [byte1] and the second byte is in the [bytes] array at the [index]. Returns zero if the sequence is malformed and [throwOnMalformed] is false. @throws CharacterCodingException if the sequence of two bytes is malformed and [throwOnMalformed] is true.

```

private fun codePointFrom2(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {
    if (byte1 and 0x1E == 0 || index >= endIndex) {
        return malformed(0, index, throwOnMalformed)
    }
    val byte2 = bytes[index].toInt()
    if (byte2 and 0xC0 != 0x80) {
        return malformed(0, index, throwOnMalformed)
    }
    return (byte1 shl 6) xor byte2 xor 0xF80
}

```

Returns code point corresponding to UTF-8 sequence of three bytes, where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index]. Returns a non-positive value indicating number of bytes from [bytes] included in malformed sequence if the sequence is malformed and [throwOnMalformed] is false. @throws CharacterCodingException if the sequence of three bytes is malformed and [throwOnMalformed] is true.

```

private fun codePointFrom3(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {
    if (index >= endIndex) {
        return malformed(0, index, throwOnMalformed)
    }
    val byte2 = bytes[index].toInt()
    if (byte1 and 0xF == 0) {
        if (byte2 and 0xE0 != 0xA0) {
            // Non-shortest form
            return malformed(0, index, throwOnMalformed)
        }
    } else if (byte1 and 0xF == 0xD) {
        if (byte2 and 0xE0 != 0x80) {
            // Surrogate code point
            return malformed(0, index, throwOnMalformed)
        }
    } else if (byte2 and 0xC0 != 0x80) {
        return malformed(0, index, throwOnMalformed)
    }
    if (index + 1 == endIndex) {
        return malformed(1, index, throwOnMalformed)
    }
    val byte3 = bytes[index + 1].toInt()
    if (byte3 and 0xC0 != 0x80) {
        return malformed(1, index, throwOnMalformed)
    }
    return (byte1 shl 12) xor (byte2 shl 6) xor byte3 xor -0x1E080
}

```

Returns code point corresponding to UTF-8 sequence of four bytes, where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index]. Returns a non-positive value indicating number of bytes from [bytes] included in malformed sequence if the sequence is malformed and [throwOnMalformed] is false. @throws CharacterCodingException if the sequence of four bytes is malformed and [throwOnMalformed] is true.

```

private fun codePointFrom4(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {
    if (index >= endIndex) {
        return malformed(0, index, throwOnMalformed)
    }
    val byte2 = bytes[index].toInt()
    if (byte1 and 0xF == 0x0) {
        if (byte2 and 0xF0 <= 0x80) {
            // Non-shortest form
            return malformed(0, index, throwOnMalformed)
        }
    } else if (byte1 and 0xF == 0x4) {
        if (byte2 and 0xF0 != 0x80) {
            // Out of Unicode code points domain (larger than U+10FFFF)
            return malformed(0, index, throwOnMalformed)
        }
    } else if (byte1 and 0xF > 0x4) {
        return malformed(0, index, throwOnMalformed)
    } else if (byte2 and 0xC0 != 0x80) {
        return malformed(0, index, throwOnMalformed)
    }
    if (index + 1 == endIndex) {
        return malformed(1, index, throwOnMalformed)
    }
    val byte3 = bytes[index + 1].toInt()
    if (byte3 and 0xC0 != 0x80) {
        return malformed(1, index, throwOnMalformed)
    }
    if (index + 2 == endIndex) {
        return malformed(2, index, throwOnMalformed)
    }
    val byte4 = bytes[index + 2].toInt()
    if (byte4 and 0xC0 != 0x80) {
        return malformed(2, index, throwOnMalformed)
    }
    return (byte1 shl 18) xor (byte2 shl 12) xor (byte3 shl 6) xor byte4 xor 0x381F80
}

```

Maximum number of bytes needed to encode a single char. Code points in `0..0x7F` are encoded in a single byte. Code points in `0x80..0x7FF` are encoded in two bytes. Code points in `0x800..0xD7FF` or in `0xE000..0xFFFF` are encoded in three bytes. Surrogate code points in `0xD800..0xDFFF` are not Unicode scalar values, therefore aren't encoded. Code points in `0x10000..0x10FFFF` are represented by a pair of surrogate `Char`s and are encoded in four bytes.

```

const val MAX_BYTES_PER_CHAR = 3
private val REPLACEMENT_BYTE_SEQUENCE: ByteArray = byteArrayOf(0xEF.toByte(), 0xBF.toByte(), 0xBD.toByte())

```

Encodes the [string] using UTF-8 and returns the resulting [ByteArray].

```

@param string the string to encode.
@param startIndex the start offset (inclusive) of the substring to encode.
@param endIndex the end offset (exclusive) of the substring to encode.
@param throwOnMalformed whether to throw on malformed char sequence or replace by the

```

```

[REPLACEMENT_BYTE_SEQUENCE].\n *\n * @throws CharacterCodingException if the char sequence is
malformed and [throwOnMalformed] is true.\n *\ninternal fun encodeUtf8(string: String, startIndex: Int, endIndex:
Int, throwOnMalformed: Boolean): ByteArray {\n    require(startIndex >= 0 && endIndex <= string.length &&
startIndex <= endIndex)\n    val bytes = ByteArray((endIndex - startIndex) * MAX_BYTES_PER_CHAR)\n    var
byteIndex = 0\n    var charIndex = startIndex\n    while (charIndex < endIndex) {\n        val code =
string[charIndex++].toInt()\n        when {\n            code < 0x80 ->\n                bytes[byteIndex++] = code.toByte()\n            code < 0x800 -> {\n                bytes[byteIndex++] = ((code shr 6) or 0xC0).toByte()\n
bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n            code < 0xD800 || code >= 0xE000 ->
{\n                bytes[byteIndex++] = ((code shr 12) or 0xE0).toByte()\n                bytes[byteIndex++] = (((code shr 6)
and 0x3F) or 0x80).toByte()\n                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n
else -> { // Surrogate char value\n                val codePoint = codePointFromSurrogate(string, code, charIndex,
endIndex, throwOnMalformed)\n                if (codePoint <= 0) {\n                    bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[0]\n                    bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[1]\n                    bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[2]\n                } else {\n                    bytes[byteIndex++] = ((codePoint shr
18) or 0xF0).toByte()\n                    bytes[byteIndex++] = (((codePoint shr 12) and 0x3F) or 0x80).toByte()\n
                    bytes[byteIndex++] = (((codePoint shr 6) and 0x3F) or 0x80).toByte()\n                    bytes[byteIndex++] =
((codePoint and 0x3F) or 0x80).toByte()\n                    charIndex++\n                }\n            }\n        }\n    }\n    return if (bytes.size == byteIndex) bytes else bytes.copyOf(byteIndex)\n}\n\n/**\n * The character a malformed
UTF-8 byte sequence is replaced by.\n */\nprivate const val REPLACEMENT_CHAR = "\uFFFFD"\n\n/**\n *
Decodes the UTF-8 [bytes] array and returns the resulting [String].\n *\n * @param bytes the byte array to decode.\n
 * @param startIndex the start offset (inclusive) of the array to be decoded.\n * @param endIndex the end offset
(exclusive) of the array to be encoded.\n * @param throwOnMalformed whether to throw on malformed byte
sequence or replace by the [REPLACEMENT_CHAR].\n *\n * @throws CharacterCodingException if the array is
malformed UTF-8 byte sequence and [throwOnMalformed] is true.\n *\ninternal fun decodeUtf8(bytes: ByteArray,
startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): String {\n    require(startIndex >= 0 && endIndex <=
bytes.size && startIndex <= endIndex)\n    var byteIndex = startIndex\n    val stringBuilder = StringBuilder()\n
while (byteIndex < endIndex) {\n        val byte = bytes[byteIndex++].toInt()\n        when {\n            byte >= 0 ->\n                stringBuilder.append(byte.toChar())\n            byte shr 5 == -2 -> {\n                val code =
codePointFrom2(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                if (code <= 0) {\n
stringBuilder.append(REPLACEMENT_CHAR)\n                byteIndex += -code\n            } else {\n
stringBuilder.append(code.toChar())\n                byteIndex += 1\n            }\n        }\n        byte shr 4 == -2 -
> {\n            val code = codePointFrom3(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n            if
(code <= 0) {\n                stringBuilder.append(REPLACEMENT_CHAR)\n                byteIndex += -code\n            }
else {\n                stringBuilder.append(code.toChar())\n                byteIndex += 2\n            }\n        }\n    }\n    byte shr 3 == -2 -> {\n        val code = codePointFrom4(bytes, byte, byteIndex, endIndex,
throwOnMalformed)\n        if (code <= 0) {\n            stringBuilder.append(REPLACEMENT_CHAR)\n            byteIndex += -code\n        } else {\n            val high = (code - 0x10000) shr 10 or 0xD800\n
            val low = (code and 0x3FF) or 0xDC00\n            stringBuilder.append(high.toChar())\n
stringBuilder.append(low.toChar())\n            byteIndex += 3\n        }\n    }\n    else -> {\n        malformed(0, byteIndex, throwOnMalformed)\n        stringBuilder.append(REPLACEMENT_CHAR)\n
    }\n}\n\nreturn stringBuilder.toString()\n}\n\n"/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Returns the detailed description of this
throwable with its stack trace.\n *\n * The detailed description includes:\n * - the short description (see
[Throwable.toString]) of this throwable;\n * - the complete stack trace;\n * - detailed descriptions of the exceptions
that were [suppressed][suppressedExceptions] in order to deliver this exception;\n * - the detailed description of
each throwable in the [Throwable.cause] chain.\n */\n\n@SinceKotlin("1.4")\npublic actual fun

```

```

Throwable.stackTraceToString(): String = ExceptionTraceBuilder().buildFor(this)\n\n/**\n * Prints the [detailed description][Throwable.stackTraceToString] of this throwable to console error output.\n
*\n@SinceKotlin("1.4")\npublic actual fun Throwable.printStackTrace() {\n
console.error(this.stackTraceToString())\n}\n\n/**\n * Adds the specified exception to the list of exceptions that were\n * suppressed in order to deliver this exception.\n*\n@SinceKotlin("1.4")\npublic actual fun
Throwable.addSuppressed(exception: Throwable) {\n    if (this !== exception) {\n        val suppressed =
this.asDynamic()._suppressed.unsafeCast<MutableList<Throwable>>()\n        if (suppressed == null) {\n
this.asDynamic()._suppressed = mutableListOf(exception)\n        } else {\n            suppressed.add(exception)\n
}\n    }\n}\n\n/**\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n
*\n@SinceKotlin("1.4")\npublic actual val Throwable.suppressedExceptions: List<Throwable>\n    get() {\n
return this.asDynamic()._suppressed?.unsafeCast<List<Throwable>>() ?: emptyList()\n    }\n\nprivate class
ExceptionTraceBuilder {\n    private val target = StringBuilder()\n    private val visited = arrayOf<Throwable>()\n
private var topStack: String = ""\n    private var topStackStart: Int = 0\n\n    fun buildFor(exception: Throwable):
String {\n        exception.dumpFullTrace("", "")\n        return target.toString()\n    }\n\n    private fun
hasSeen(exception: Throwable): Boolean = visited.any { it === exception }\n\n    private fun
Throwable.dumpFullTrace(indent: String, qualifier: String) {\n        this.dumpSelfTrace(indent, qualifier) ||
return\n\n        var cause = this.cause\n        while (cause != null) {\n            cause.dumpSelfTrace(indent, "Caused
by: ") || return\n            cause = cause.cause\n        }\n    }\n\n    private fun Throwable.dumpSelfTrace(indent:
String, qualifier: String): Boolean {\n        target.append(indent).append(qualifier)\n        val shortInfo =
this.toString()\n        if (hasSeen(this)) {\n            target.append("[CIRCULAR REFERENCE, SEE ABOVE:
"])\n        }\n        target.append(shortInfo).append("\\n")\n        return false\n    }\n\n    visited.asDynamic().push(this)\n\n    var
stack = this.asDynamic().stack as String?\n    if (stack != null) {\n        val stackStart =
stack.indexOf(shortInfo).let { if (it < 0) 0 else it + shortInfo.length }\n        if (stackStart == 0)\n            target.append(shortInfo).append("\\n")\n        if (topStack.isEmpty()) {\n            topStack = stack\n
topStackStart = stackStart\n        } else {\n            stack = dropCommonFrames(stack, stackStart)\n        }\n
        if (indent.isNotEmpty()) {\n            // indent stack, but avoid indenting exception message lines\n            val
messageLines = if (stackStart == 0) 0 else 1 + shortInfo.count { c -> c == '\\n' }\n            stack.lineSequence().forEachIndexed { index: Int, line: String ->\n
                if (index >= messageLines)\n                    target.append(indent)\n                    target.append(line).append("\\n")\n                }\n            } else {\n
                target.append(stack).append("\\n")\n            }\n        } else {\n            target.append(shortInfo).append("\\n")\n
        }\n        val suppressed = suppressedExceptions\n        if (suppressed.isNotEmpty()) {\n            val
suppressedIndent = indent + "  "\n            for (s in suppressed) {\n                s.dumpFullTrace(suppressedIndent,
"Suppressed: ")\n            }\n        }\n        return true\n    }\n\n    private fun dropCommonFrames(stack: String,
stackStart: Int): String {\n        var commonFrames: Int = 0\n        var lastBreak: Int = 0\n        var preLastBreak: Int
= 0\n        for (pos in 0 until minOf(topStack.length - topStackStart, stack.length - stackStart)) {\n            val c =
stack[stack.lastIndex - pos]\n            if (c != topStack[topStack.lastIndex - pos]) break\n            if (c == '\\n') {\n
                commonFrames += 1\n                preLastBreak = lastBreak\n                lastBreak = pos\n            }\n
        }\n        if (commonFrames <= 1) return stack\n        while (preLastBreak > 0 && stack[stack.lastIndex - (preLastBreak - 1)]
== '\\n')\n            preLastBreak -= 1\n        // leave 1 common frame to ease matching with the top exception stack\n
return stack.dropLast(preLastBreak) + "... and ${commonFrames - 1} more common stack frames skipped"\n
}\n}\n\n/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.time\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic actual enum class
DurationUnit(internal val scale: Double) {\n    /**\n     * Time unit representing one nanosecond, which is 1/1000 of
a microsecond.\n     *\n     * NANOSECONDS(1e0),\n     /**\n     * Time unit representing one microsecond, which is
1/1000 of a millisecond.\n     *\n     * MICROSECONDS(1e3),\n     /**\n     * Time unit representing one millisecond,
which is 1/1000 of a second.\n     *\n     * MILLISECONDS(1e6),\n     /**\n     * Time unit representing one second.\n
     *\n     * SECONDS(1e9),\n     /**\n     * Time unit representing one minute.\n     *\n     * MINUTES(60e9),\n     /**\n

```

```

* Time unit representing one hour.\n    *^n    HOURS(3600e9),\n    /**\n    * Time unit representing one day,
which is always equal to 24 hours.\n    *^n
DAYS(86400e9);\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal actual fun
convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double {\n    val
sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n    return when {\n
sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale)\n    sourceCompareTarget < 0 -> value /
(targetUnit.scale / sourceUnit.scale)\n    else -> value\n    }\n}\n\n", "/*\n* Copyright 2010-2020 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n* Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n*/\n\npackage kotlin.time\n\nimport
org.w3c.performance.GlobalPerformance\n\nimport
org.w3c.performance.Performance\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal actual object
MonotonicTimeSource : TimeSource {\n\n    private val actualSource: TimeSource = run {\n        val isNode:
Boolean = js("typeof process !== 'undefined' && process.versions && !process.versions.node")\n\n        if
(isNode)\n            HrTimeSource(js("process").unsafeCast<Process>())\n        else\n
js("self").unsafeCast<GlobalPerformance?>()?.performance?.let(::PerformanceTimeSource)\n            ?:
DateNowTimeSource\n    }\n\n    override fun markNow(): TimeMark = actualSource.markNow()\n}\n\ninternal
external interface Process {\n    fun hrtime(time: Array<Double> = definedExternally):
Array<Double>\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal class HrTimeSource(val process:
Process) : TimeSource {\n\n    override fun markNow(): TimeMark = object : TimeMark() {\n        val startedAt =
process.hrtime()\n        override fun elapsedNow(): Duration =\n            process.hrtime(startedAt).let { (seconds,
nanos) -> seconds.seconds + nanos.nanoseconds }\n    }\n\n    override fun toString(): String =
"\n\nTimeSource(process.hrtime())\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal class
PerformanceTimeSource(val performance: Performance) : AbstractDoubleTimeSource(unit =
DurationUnit.MILLISECONDS) {\n    override fun read(): Double = performance.now()\n    override fun toString():
String = "\n\nTimeSource(self.performance.now())\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal
object DateNowTimeSource : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n    override
fun read(): Double = kotlin.js.Date.now()\n    override fun toString(): String = "\n\nTimeSource(Date.now())\n}\n\n", "/*\n* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n* Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n*/\n\npackage
kotlin.time\n\nimport kotlin.js.json\nimport kotlin.math.*\n\ninternal actual fun formatToExactDecimals(value:
Double, decimals: Int): String {\n    val rounded = if (decimals == 0) {\n        value\n    } else {\n        val pow =
10.0.pow(decimals)\n        @Suppress("DEPRECATION", "DEPRECATION_ERROR")\n
kotlin.js.Math.round(abs(value) * pow) / pow * sign(value)\n    }\n    return
rounded.asDynamic().toFixed(decimals).unsafeCast<String>()\n}\n\ninternal actual fun
formatUpToDecimals(value: Double, decimals: Int): String {\n    return value.asDynamic().toLocaleString("en-us",
json("maximumFractionDigits" to decimals)).unsafeCast<String>()\n}\n\ninternal actual fun
formatScientific(value: Double): String {\n    return
value.asDynamic().toExponential(2).unsafeCast<String>()\n}\n\n", "/*\n* Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n* Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n*/\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\nimport
kotlin.contracts.*\n\n/**\n* Creates a new element with the specified [name].\n* The element is initialized with
the specified [init] function.\n*/\n\n@SinceKotlin("1.4")\npublic fun Document.createElement(name: String, init:
Element.() -> Unit): Element {\n    contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }\n    return
createElement(name).apply(init)\n}\n\n/**\n* Appends a newly created element with the specified [name] to this
element.\n* The element is initialized with the specified [init] function.\n*/\n\n@SinceKotlin("1.4")\npublic fun
Element.appendChild(name: String, init: Element.() -> Unit): Element {\n    contract { callsInPlace(init,
InvocationKind.EXACTLY_ONCE) }\n    return ownerDocument!!.createElement(name, init).also {
appendChild(it) }\n}\n\n", "/*\n* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language

```

```

contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.dom\nimport org.w3c.dom.*\n\n/** Returns true if the element
has the given CSS class style in its 'class' attribute */\n@SinceKotlin("1.4")\nfun Element.hasClass(cssClass:
String): Boolean = className.matches("\\\\s*(^|\\s+)$cssClass(\\s+|$)\\\\s*".toRegex())\n\n/**\n * Adds CSS class
to element. Has no effect if all specified classes are already in class attribute of the element\n */\n * @return true if at
least one class has been added\n */\n@SinceKotlin("1.4")\nfun Element.addClass(vararg cssClasses: String):
Boolean {\n    val missingClasses = cssClasses.filterNot { hasClass(it) }\n    if (missingClasses.isNotEmpty()) {\n
        val presentClasses = className.trim()\n        className = buildString {\n            append(presentClasses)\n            if
(!presentClasses.isEmpty()) {\n                append(" ")\n            }\n            missingClasses.joinTo(this, " ")\n
        }\n        return true\n    }\n    return false\n}\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all
specified classes are missing in class attribute of the element\n */\n * @return true if at least one class has been
removed\n */\n@SinceKotlin("1.4")\nfun Element.removeClass(vararg cssClasses: String): Boolean {\n    if
(cssClasses.any { hasClass(it) }) {\n        val toBeRemoved = cssClasses.toSet()\n        className =
className.trim().split("\\\\s+").toRegex().filter { it !in toBeRemoved }.joinToString(" ")\n        return true\n
    }\n    return false\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/**\n * Converts the string into a regular expression [Regex] with the default options.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(): Regex = Regex(this)\n\n/**\n * Converts the
string into a regular expression [Regex] with the specified single [option].\n */\n\n@kotlin.internal.InlineOnly\npublic
inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\n\n/**\n * Converts the string into a
regular expression [Regex] with the specified set of [options].\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun
String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)\n\n"/*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n@file:Suppress("EXTENSI
ON_SHADOWED_BY_MEMBER")\n\npackage kotlin.text\nimport kotlin.contracts.*\n\n/**\n * A mutable
sequence of characters.\n */\n * String builder can be used to efficiently perform multiple string manipulation
operations.\n */\n\nexpect class StringBuilder : Appendable, CharSequence {\n    /** Constructs an empty string
builder. */\n    constructor()\n\n    /** Constructs an empty string builder with the specified initial [capacity]. */\n
    constructor(capacity: Int)\n\n    /** Constructs a string builder that contains the same characters as the specified
[content] char sequence. */\n    constructor(content: CharSequence)\n\n    /** Constructs a string builder that
contains the same characters as the specified [content] string. */\n    @SinceKotlin("1.3")\n\n//
@ExperimentalStdlibApi\n    constructor(content: String)\n\n    override val length: Int\n\n    override operator fun
get(index: Int): Char\n\n    override fun subSequence(startIndex: Int, endIndex: Int): CharSequence\n\n    override
fun append(value: Char): StringBuilder\n    override fun append(value: CharSequence?): StringBuilder\n    override
fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder\n\n    /**\n * Reverses the
contents of this string builder and returns this instance.\n */\n * Surrogate pairs included in this string builder
are treated as single characters.\n * Therefore, the order of the high-low surrogates is never reversed.\n */\n *
Note that the reverse operation may produce new surrogate pairs that were unpaired low-surrogates and high-
surrogates before the operation.\n * For example, reversing `\\uDC00\\uD800` produces `\\uD800\\uDC00`
which is a valid surrogate pair.\n */\n    fun reverse(): StringBuilder\n\n    /**\n * Appends the string
representation of the specified object [value] to this string builder and returns this instance.\n */\n * The overall
effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then that
string was appended to this string builder.\n */\n    fun append(value: Any?): StringBuilder\n\n    /**\n *
Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n
*/\n * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n

```

```

* and then that string was appended to this string builder.\n    *\n    @SinceKotlin("1.3")\n    fun append(value: Boolean): StringBuilder\n\n    /**\n     * Appends characters in the specified character array [value] to this string builder and returns this instance.\n     *\n     * Characters are appended in order, starting at the index 0.\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun append(value: CharArray): StringBuilder\n\n    /**\n     * Appends the specified string [value] to this string builder and returns this instance.\n     *\n     * If [value] is `null`, then the four characters `\\null` are appended.\n     */\n    @SinceKotlin("1.3")\n    fun append(value: String?): StringBuilder\n\n    /**\n     * Returns the current capacity of this string builder.\n     *\n     * The capacity is the maximum length this string builder can have before an allocation occurs.\n     */\n    @SinceKotlin("1.3")\n    @ExperimentalStdlibApi\n    @Deprecated("\\Obtaining StringBuilder capacity is not supported in JS and common code.", level = DeprecationLevel.ERROR)\n    fun capacity(): Int\n\n    /**\n     * Ensures that the capacity of this string builder is at least equal to the specified [minimumCapacity].\n     *\n     * If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n     *\n     * Otherwise, this method takes no action and simply returns.\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun ensureCapacity(minimumCapacity: Int)\n\n    /**\n     * Returns the index within this string builder of the first occurrence of the specified [string].\n     *\n     * Returns -1 if the specified [string] does not occur in this string builder.\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun indexOf(string: String): Int\n\n    /**\n     * Returns the index within this string builder of the first occurrence of the specified [string],\n     * starting at the specified [startIndex].\n     *\n     * Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun indexOf(string: String, startIndex: Int): Int\n\n    /**\n     * Returns the index within this string builder of the last occurrence of the specified [string].\n     * The last occurrence of empty string `\\` is considered to be at the index equal to `this.length`.\n     *\n     * Returns -1 if the specified [string] does not occur in this string builder.\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun lastIndexOf(string: String): Int\n\n    /**\n     * Returns the index within this string builder of the last occurrence of the specified [string],\n     * starting from the specified [startIndex] toward the beginning.\n     *\n     * Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun lastIndexOf(string: String, startIndex: Int): Int\n\n    /**\n     * Inserts the string representation of the specified boolean [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then that string was inserted into this string builder at the specified [index].\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun insert(index: Int, value: Boolean): StringBuilder\n\n    /**\n     * Inserts the specified character [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun insert(index: Int, value: Char): StringBuilder\n\n    /**\n     * Inserts characters in the specified character array [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The inserted characters go in same order as in the [value] character array, starting at [index].\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun insert(index: Int, value: CharArray): StringBuilder\n\n    /**\n     * Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n     *\n     * @param index the position in this string builder to insert at.\n     * @param value the character sequence from which characters are inserted. If [value] is `null`, then the four characters `\\null` are inserted.\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun insert(index: Int, value:

```

```
CharSequence?): StringBuilder\n\n /**\n * Inserts the string representation of the specified object [value] into  
this string builder at the specified [index] and returns this instance.\n *\n * The overall effect is exactly as if the  
[value] were converted to a string by the `value.toString()` method,\n * and then that string was inserted into this  
string builder at the specified [index].\n *\n * @throws IndexOutOfBoundsException if [index] is less than  
zero or greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Any?): StringBuilder\n\n /**\n * Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n *\n * If [value] is `null`, then the four characters `\\`null\\` are inserted.\n *\n * @throws IndexOutOfBoundsException  
if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: String?): StringBuilder\n\n /**\n * Sets the length of this string builder to the specified [newLength].\n *\n * If the [newLength] is less  
than the current length, it is changed to the specified [newLength].\n * Otherwise, null characters `\\u0000` are  
appended to this string builder until its length is less than the [newLength].\n *\n * Note that in Kotlin/JS [set]  
operator function has non-constant execution time complexity.\n * Therefore, increasing length of this string  
builder and then updating each character by index may slow down your program.\n *\n * @throws  
IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun setLength(newLength:  
Int)\n\n /**\n * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive)  
and up to the [length] (exclusive).\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than  
zero or greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun substring(startIndex: Int): String\n\n /**\n * Returns  
a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex]  
(exclusive).\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]  
or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun substring(startIndex: Int,  
endIndex: Int): String\n\n /**\n * Attempts to reduce storage used for this string builder.\n *\n * If the  
backing storage of this string builder is larger than necessary to hold its current contents,\n * then it may be  
resized to become more space efficient.\n * Calling this method may, but is not required to, affect the value of the  
[capacity] property.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun trimToSize()\n}\n\n /**\n * Clears the content of this string builder making it empty and returns this instance.\n *\n * @sample samples.text.Strings.clearStringBuilder\n */\n @SinceKotlin("1.3")\n public expect fun  
StringBuilder.clear(): StringBuilder\n\n /**\n * Sets the character at the specified [index] to the specified [value].\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public expect operator fun  
StringBuilder.set(index: Int, value: Char)\n\n /**\n * Replaces characters in the specified range of this string builder  
with characters in the specified string [value] and returns this instance.\n *\n * @param startIndex the beginning  
(inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n * @param  
value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if  
[startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public expect fun  
StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder\n\n /**\n * Removes the  
character at the specified [index] from this string builder and returns this instance.\n *\n * If the `Char` at the  
specified [index] is part of a supplementary code point, this method does not remove the entire supplementary  
character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws IndexOutOfBoundsException if  
[index] is out of bounds of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public expect fun  
StringBuilder.deleteAt(index: Int): StringBuilder\n\n /**\n * Removes characters in the specified range from this  
string builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to
```


remove.\n * @param endIndex the end (exclusive) of the range to remove.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Copies characters from this
string builder into the [destination] character array.\n * \n * @param destination the array to copy to.\n * @param
destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive)
of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this
string builder by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun

```
StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
this.length)\n\n/**\n * Appends characters in a subarray of the specified character array [value] to this string builder
and returns this instance.\n * \n * Characters are appended in order, starting at specified [startIndex].\n * \n * @param
value the array from which characters are appended.\n * @param startIndex the beginning (inclusive) of the
subarray to append.\n * @param endIndex the end (exclusive) of the subarray to append.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] array indices or when `startIndex > endIndex`.\n
```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun

```
StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Appends a
subsequence of the specified character sequence [value] to this string builder and returns this instance.\n * \n *
@param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning
(inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *
\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out
of range of the [value] character sequence indices or when `startIndex > endIndex`.\n
```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun

```
StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts
characters in a subarray of the specified character array [value] into this string builder at the specified [index] and
returns this instance.\n * \n * The inserted characters go in same order as in the [value] array, starting at [index].\n *
\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters
are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the
end (exclusive) of the subarray to insert.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when
`startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the
length of this string builder.\n
```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun

```
StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n *
Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the
specified [index] and returns this instance.\n * \n * The inserted characters go in the same order as in the [value]
character sequence, starting at [index].\n * \n * @param index the position in this string builder to insert at.\n *
@param value the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning
(inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n *
\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of the [value] character sequence indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException
if [index] is less than zero or greater than the length of this string builder.\n
```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun

```

StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int):
StringBuilder\n\n@Suppress(\\"EXTENSION_SHADOWED_BY_MEMBER\\")\n@Deprecated(\\"Use
append(value: Any?) instead\\", ReplaceWith(\\"append(value = obj)\\"),
DeprecationLevel.WARNING)\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.append(obj: Any?):
StringBuilder = this.append(obj)\n\n/**\n * Builds new string by populating newly created [StringBuilder] using
provided [builderAction]\n * and then converting it to [String].\n */\n@kotlin.internal.InlineOnly\npublic inline fun
buildString(builderAction: String.Builder.() -> Unit): String {\n    contract { callsInPlace(builderAction,
InvocationKind.EXACTLY_ONCE) }\n    return StringBuilder().apply(builderAction).toString()\n}\n\n/**\n * Builds new string by populating newly created [StringBuilder] initialized with the given [capacity]\n * using
provided [builderAction] and then converting it to [String].\n */\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int, builderAction:
String.Builder.() -> Unit): String {\n    contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE)
}\n    return StringBuilder(capacity).apply(builderAction).toString()\n}\n\n/**\n * Appends all arguments to the
given String.Builder.\n */\npublic fun String.Builder.append(vararg value: String?): String.Builder {\n    for (item in
value)\n        append(item)\n    return this\n}\n\n/**\n * Appends all arguments to the given String.Builder.\n */\npublic fun String.Builder.append(vararg value: Any?): String.Builder {\n    for (item in value)\n        append(item)\n    return this\n}\n\n/**\n * Appends a line feed character (`\\n`) to this String.Builder.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.Builder.appendLine():
String.Builder = append("\\n")\n\n/**\n * Appends [value] to this [String.Builder], followed by a line feed character
(`\\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.Builder.appendLine(value:
CharSequence?): String.Builder = append(value).appendLine()\n\n/**\n * Appends [value] to this [String.Builder],
followed by a line feed character (`\\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.Builder.appendLine(value: String?): String.Builder = append(value).appendLine()\n\n/**\n * Appends [value] to
this [String.Builder], followed by a line feed character (`\\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.Builder.appendLine(value: Any?):
String.Builder = append(value).appendLine()\n\n/**\n * Appends [value] to this [String.Builder], followed by a line feed
character (`\\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.Builder.appendLine(value: CharArray): String.Builder = append(value).appendLine()\n\n/**\n * Appends [value]
to this [String.Builder], followed by a line feed character (`\\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.Builder.appendLine(value: Char):
String.Builder = append(value).appendLine()\n\n/**\n * Appends [value] to this [String.Builder], followed by a line feed
character (`\\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.Builder.appendLine(value: Boolean): String.Builder = append(value).appendLine()\n", /*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.dom\n\nimport
org.w3c.dom.*\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a
CDATA_SECTION_NODE.\n */\n@kotlin.internal.InlineOnly\npublic val Node.isText: Boolean\n    get() = nodeType
== Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE\n\n/**\n * Gets a value indicating
whether this node is an [Element].\n */\n@kotlin.internal.InlineOnly\npublic val Node.isElement: Boolean\n    get() =
nodeType == Node.ELEMENT_NODE\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n * Removes all the children
from this node.\n */\n@kotlin.internal.InlineOnly\npublic fun Node.clear() {\n    while (hasChildNodes()) {\n
removeChild(firstChild!)\n    }\n}\n\n/**\n * Creates text node and append it to the element.\n */\n@kotlin.internal.InlineOnly\npublic fun Element.appendChild(ownerDocument!: Document, text: String): Element {\n
appendChild(ownerDocument!.createTextNode(text))\n    return this\n}\n", /*\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\npackage org.w3c.dom\n\n@Deprecated(\\"Use

```

```

UnionMessagePortOrWindowProxy instead.\", ReplaceWith(\"UnionMessagePortOrWindowProxy\")\n)ntypealias
UnionMessagePortOrWindow = UnionMessagePortOrWindowProxy\n\n@Deprecated(\"Use `as` instead.\",
ReplaceWith(\"`as`\")\n)var HTMLLinkElement.as_ get() = `as`\n set(value) {\n `as` = value\n
}\n\n@Deprecated(\"Use `is` instead.\", ReplaceWith(\"`is`\")\n)var ElementCreationOptions.is_ get() = `is`\n
set(value) {\n `is` = value\n }\"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
github.com/kotlin/dukat for details\n\npackage org.khronos.webgl\n\nimport kotlin.js.*\nimport
org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external interface WebGLContextAttributes {\n var alpha:
Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var depth: Boolean? /* = true */\n
get() = definedExternally\n set(value) = definedExternally\n var stencil: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n var antialias: Boolean? /* = true */\n
get() = definedExternally\n set(value) = definedExternally\n var premultipliedAlpha: Boolean? /* = true */\n
get() = definedExternally\n set(value) = definedExternally\n var preserveDrawingBuffer: Boolean? /* =
false */\n get() = definedExternally\n set(value) = definedExternally\n var
preferLowPowerToHighPerformance: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var failIfMajorPerformanceCaveat: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
WebGLContextAttributes(alpha: Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias:
Boolean? = true, premultipliedAlpha: Boolean? = true, preserveDrawingBuffer: Boolean? = false,
preferLowPowerToHighPerformance: Boolean? = false, failIfMajorPerformanceCaveat: Boolean? = false):
WebGLContextAttributes {\n val o = js(\"({})\")\n o[\"alpha\"] = alpha\n o[\"depth\"] = depth\n o[\"stencil\"]
= stencil\n o[\"antialias\"] = antialias\n o[\"premultipliedAlpha\"] = premultipliedAlpha\n
o[\"preserveDrawingBuffer\"] = preserveDrawingBuffer\n o[\"preferLowPowerToHighPerformance\"] =
preferLowPowerToHighPerformance\n o[\"failIfMajorPerformanceCaveat\"] = failIfMajorPerformanceCaveat\n
return o\n}\n\npublic external abstract class WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\n\npublic external
abstract class WebGLBuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\n\npublic
external abstract class WebGLFramebuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\n\npublic external
abstract class WebGLProgram : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\n\npublic
external abstract class WebGLRenderbuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\n\npublic external
abstract class WebGLShader : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\n\npublic external
abstract class WebGLTexture : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n */\n\n
public external abstract class WebGLUniformLocation\n\n/**\n * Exposes the JavaScript
[WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\n\npublic
external abstract class WebGLActiveInfo {\n open val size: Int\n open val type: Int\n open val name:
String\n}\n\n/**\n * Exposes the JavaScript

```

[WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to Kotlin\n *\\npublic external abstract class WebGLShaderPrecisionFormat {\n open val rangeMin: Int\n open val rangeMax: Int\n open val precision: Int\n}\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface WebGLRenderingContextBase {\n val canvas: HTMLCanvasElement\n val drawingBufferWidth: Int\n val drawingBufferHeight: Int\n fun getContextAttributes(): WebGLContextAttributes?\n fun isContextLost(): Boolean\n fun getSupportedExtensions(): Array<String>?\n fun getExtension(name: String): dynamic\n fun activeTexture(texture: Int)\n fun attachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String)\n fun bindBuffer(target: Int, buffer: WebGLBuffer?)\n fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?)\n fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?)\n fun bindTexture(target: Int, texture: WebGLTexture?)\n fun blendColor(red: Float, green: Float, blue: Float, alpha: Float)\n fun blendEquation(mode: Int)\n fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int)\n fun blendFunc(sfactor: Int, dfactor: Int)\n fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha: Int)\n fun bufferData(target: Int, size: Int, usage: Int)\n fun bufferData(target: Int, data: BufferDataSource?, usage: Int)\n fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?)\n fun checkFramebufferStatus(target: Int): Int\n fun clear(mask: Int)\n fun clearColor(red: Float, green: Float, blue: Float, alpha: Float)\n fun clearDepth(depth: Float)\n fun clearStencil(s: Int)\n fun colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean)\n fun compileShader(shader: WebGLShader?)\n fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView)\n fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView)\n fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int)\n fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int)\n fun createBuffer(): WebGLBuffer?\n fun createFramebuffer(): WebGLFramebuffer?\n fun createProgram(): WebGLProgram?\n fun createRenderbuffer(): WebGLRenderbuffer?\n fun createShader(type: Int): WebGLShader?\n fun createTexture(): WebGLTexture?\n fun cullFace(mode: Int)\n fun deleteBuffer(buffer: WebGLBuffer?)\n fun deleteFramebuffer(framebuffer: WebGLFramebuffer?)\n fun deleteProgram(program: WebGLProgram?)\n fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?)\n fun deleteShader(shader: WebGLShader?)\n fun deleteTexture(texture: WebGLTexture?)\n fun depthFunc(func: Int)\n fun depthMask(flag: Boolean)\n fun depthRange(zNear: Float, zFar: Float)\n fun detachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun disable(cap: Int)\n fun disableVertexArray(index: Int)\n fun drawArrays(mode: Int, first: Int, count: Int)\n fun drawElements(mode: Int, count: Int, type: Int, offset: Int)\n fun enable(cap: Int)\n fun enableVertexArray(index: Int)\n fun finish()\n fun flush()\n fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?)\n fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int)\n fun frontFace(mode: Int)\n fun generateMipmap(target: Int)\n fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\n fun getAttribLocation(program: WebGLProgram?, name: String): Int\n fun getBufferParameter(target: Int, pname: Int): Any?\n fun getParameter(pname: Int): Any?\n fun getError(): Int\n fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\n fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n fun getProgramInfoLog(program: WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname: Int): Any?\n fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?\n fun getShaderInfoLog(shader: WebGLShader?): String?\n fun getShaderSource(shader: WebGLShader?): String?\n fun getTexParameter(target: Int, pname: Int): Any?\n fun getUniform(program: WebGLProgram?, location: WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name: String):

```

WebGLUniformLocation? \n fun glVertexAttrib(index: Int, pname: Int): Any? \n fun
getVertexAttribOffset(index: Int, pname: Int): Int \n fun hint(target: Int, mode: Int) \n fun isBuffer(buffer:
WebGLBuffer?): Boolean \n fun isEnabled(cap: Int): Boolean \n fun isFramebuffer(framebuffer:
WebGLFramebuffer?): Boolean \n fun isProgram(program: WebGLProgram?): Boolean \n fun
isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean \n fun isShader(shader: WebGLShader?): Boolean \n
fun isTexture(texture: WebGLTexture?): Boolean \n fun lineWidth(width: Float) \n fun linkProgram(program:
WebGLProgram?) \n fun pixelStorei(pname: Int, param: Int) \n fun polygonOffset(factor: Float, units: Float) \n
fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?) \n fun
renderbufferStorage(target: Int, internalformat: Int, width: Int, height: Int) \n fun sampleCoverage(value: Float,
invert: Boolean) \n fun scissor(x: Int, y: Int, width: Int, height: Int) \n fun shaderSource(shader: WebGLShader?,
source: String) \n fun stencilFunc(func: Int, ref: Int, mask: Int) \n fun stencilFuncSeparate(face: Int, func: Int, ref:
Int, mask: Int) \n fun stencilMask(mask: Int) \n fun stencilMaskSeparate(face: Int, mask: Int) \n fun
stencilOp(fail: Int, zfail: Int, zpass: Int) \n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int) \n fun
texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels:
ArrayBufferView?) \n fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source:
TexImageSource?) \n fun texParameterf(target: Int, pname: Int, param: Float) \n fun texParameteri(target: Int,
pname: Int, param: Int) \n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int,
format: Int, type: Int, pixels: ArrayBufferView?) \n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset:
Int, format: Int, type: Int, source: TexImageSource?) \n fun uniform1f(location: WebGLUniformLocation?, x:
Float) \n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array) \n fun uniform1fv(location:
WebGLUniformLocation?, v: Array<Float>) \n fun uniform1i(location: WebGLUniformLocation?, x: Int) \n fun
uniform1iv(location: WebGLUniformLocation?, v: Int32Array) \n fun uniform1iv(location:
WebGLUniformLocation?, v: Array<Int>) \n fun uniform2f(location: WebGLUniformLocation?, x: Float, y:
Float) \n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array) \n fun uniform2fv(location:
WebGLUniformLocation?, v: Array<Float>) \n fun uniform2i(location: WebGLUniformLocation?, x: Int, y: Int) \n
fun uniform2iv(location: WebGLUniformLocation?, v: Int32Array) \n fun uniform2iv(location:
WebGLUniformLocation?, v: Array<Int>) \n fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float,
z: Float) \n fun uniform3fv(location: WebGLUniformLocation?, v: Float32Array) \n fun uniform3fv(location:
WebGLUniformLocation?, v: Array<Float>) \n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z:
Int) \n fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array) \n fun uniform3iv(location:
WebGLUniformLocation?, v: Array<Int>) \n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float,
z: Float, w: Float) \n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array) \n fun
uniform4fv(location: WebGLUniformLocation?, v: Array<Float>) \n fun uniform4i(location:
WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int) \n fun uniform4iv(location: WebGLUniformLocation?, v:
Int32Array) \n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>) \n fun
uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array) \n fun
uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>) \n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array) \n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>) \n fun
uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array) \n fun
uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>) \n fun
useProgram(program: WebGLProgram?) \n fun validateProgram(program: WebGLProgram?) \n fun
vertexAttrib1f(index: Int, x: Float) \n fun vertexAttrib1fv(index: Int, values: dynamic) \n fun
vertexAttrib2f(index: Int, x: Float, y: Float) \n fun vertexAttrib2fv(index: Int, values: dynamic) \n fun
vertexAttrib3f(index: Int, x: Float, y: Float, z: Float) \n fun vertexAttrib3fv(index: Int, values: dynamic) \n fun
vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float) \n fun vertexAttrib4fv(index: Int, values: dynamic) \n
fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int, offset: Int) \n fun
viewport(x: Int, y: Int, width: Int, height: Int) \n \n companion object { \n val DEPTH_BUFFER_BIT: Int \n

```

val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES:
 Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val
 TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val
 SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val
 ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n
 val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n
 val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n val
 BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT:
 Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n
 val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val
 ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val
 ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n
 val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val
 ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n
 val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val
 CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK:
 Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n
 val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val
 SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n
 val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val
 OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val
 ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val
 CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val
 DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val
 STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val STENCIL_FAIL: Int\n val
 STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF:
 Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val
 STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val
 STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val
 STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val
 STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val
 COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n
 val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n
 val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n
 val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val
 POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val
 TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val
 SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val
 COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val
 NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE:
 Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n
 val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val
 RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val
 UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val
 UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n
 val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val
 MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val

MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS:
 Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n
 val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val
 SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n
 val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:
 Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val
 NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val
 TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n
 val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val
 TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val
 MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val
 TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val
 TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val
 TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val
 TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val
 TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val
 TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val
 TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val
 TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n
 val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val
 FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val
 INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val
 BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n
 val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED:
 Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n
 val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n
 val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING:
 Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val
 IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val
 LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n
 val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER:
 Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16:
 Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val
 RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val
 RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val
 RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val
 RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val
 RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
 val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val
 FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val
 FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0:
 Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val

```

DEPTH_STENCIL_ATTACHMENT: Int\n    val NONE: Int\n    val FRAMEBUFFER_COMPLETE: Int\n
val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n    val FRAMEBUFFER_UNSUPPORTED: Int\n
val FRAMEBUFFER_BINDING: Int\n    val RENDERBUFFER_BINDING: Int\n    val
MAX_RENDERBUFFER_SIZE: Int\n    val INVALID_FRAMEBUFFER_OPERATION: Int\n    val
UNPACK_FLIP_Y_WEBGL: Int\n    val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val
CONTEXT_LOST_WEBGL: Int\n    val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val
BROWSER_DEFAULT_WEBGL: Int\n    }n}n/n/**n * Exposes the JavaScript
[WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n
*/npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {n
    companion object {n        val DEPTH_BUFFER_BIT: Int\n        val STENCIL_BUFFER_BIT: Int\n        val
COLOR_BUFFER_BIT: Int\n        val POINTS: Int\n        val LINES: Int\n        val LINE_LOOP: Int\n        val
LINE_STRIP: Int\n        val TRIANGLES: Int\n        val TRIANGLE_STRIP: Int\n        val TRIANGLE_FAN:
Int\n        val ZERO: Int\n        val ONE: Int\n        val SRC_COLOR: Int\n        val ONE_MINUS_SRC_COLOR:
Int\n        val SRC_ALPHA: Int\n        val ONE_MINUS_SRC_ALPHA: Int\n        val DST_ALPHA: Int\n        val
ONE_MINUS_DST_ALPHA: Int\n        val DST_COLOR: Int\n        val ONE_MINUS_DST_COLOR: Int\n
val SRC_ALPHA_SATURATE: Int\n        val FUNC_ADD: Int\n        val BLEND_EQUATION: Int\n        val
BLEND_EQUATION_RGB: Int\n        val BLEND_EQUATION_ALPHA: Int\n        val FUNC_SUBTRACT:
Int\n        val FUNC_REVERSE_SUBTRACT: Int\n        val BLEND_DST_RGB: Int\n        val
BLEND_SRC_RGB: Int\n        val BLEND_DST_ALPHA: Int\n        val BLEND_SRC_ALPHA: Int\n        val
CONSTANT_COLOR: Int\n        val ONE_MINUS_CONSTANT_COLOR: Int\n        val CONSTANT_ALPHA:
Int\n        val ONE_MINUS_CONSTANT_ALPHA: Int\n        val BLEND_COLOR: Int\n        val
ARRAY_BUFFER: Int\n        val ELEMENT_ARRAY_BUFFER: Int\n        val ARRAY_BUFFER_BINDING:
Int\n        val ELEMENT_ARRAY_BUFFER_BINDING: Int\n        val STREAM_DRAW: Int\n        val
STATIC_DRAW: Int\n        val DYNAMIC_DRAW: Int\n        val BUFFER_SIZE: Int\n        val
BUFFER_USAGE: Int\n        val CURRENT_VERTEX_ATTRIB: Int\n        val FRONT: Int\n        val BACK:
Int\n        val FRONT_AND_BACK: Int\n        val CULL_FACE: Int\n        val BLEND: Int\n        val DITHER:
Int\n        val STENCIL_TEST: Int\n        val DEPTH_TEST: Int\n        val SCISSOR_TEST: Int\n        val
POLYGON_OFFSET_FILL: Int\n        val SAMPLE_ALPHA_TO_COVERAGE: Int\n        val
SAMPLE_COVERAGE: Int\n        val NO_ERROR: Int\n        val INVALID_ENUM: Int\n        val
INVALID_VALUE: Int\n        val INVALID_OPERATION: Int\n        val OUT_OF_MEMORY: Int\n        val CW:
Int\n        val CCW: Int\n        val LINE_WIDTH: Int\n        val ALIASED_POINT_SIZE_RANGE: Int\n        val
ALIASED_LINE_WIDTH_RANGE: Int\n        val CULL_FACE_MODE: Int\n        val FRONT_FACE: Int\n
val DEPTH_RANGE: Int\n        val DEPTH_WRITEMASK: Int\n        val DEPTH_CLEAR_VALUE: Int\n        val
DEPTH_FUNC: Int\n        val STENCIL_CLEAR_VALUE: Int\n        val STENCIL_FUNC: Int\n        val
STENCIL_FAIL: Int\n        val STENCIL_PASS_DEPTH_FAIL: Int\n        val STENCIL_PASS_DEPTH_PASS:
Int\n        val STENCIL_REF: Int\n        val STENCIL_VALUE_MASK: Int\n        val STENCIL_WRITEMASK:
Int\n        val STENCIL_BACK_FUNC: Int\n        val STENCIL_BACK_FAIL: Int\n        val
STENCIL_BACK_PASS_DEPTH_FAIL: Int\n        val STENCIL_BACK_PASS_DEPTH_PASS: Int\n        val
STENCIL_BACK_REF: Int\n        val STENCIL_BACK_VALUE_MASK: Int\n        val
STENCIL_BACK_WRITEMASK: Int\n        val VIEWPORT: Int\n        val SCISSOR_BOX: Int\n        val
COLOR_CLEAR_VALUE: Int\n        val COLOR_WRITEMASK: Int\n        val UNPACK_ALIGNMENT: Int\n
val PACK_ALIGNMENT: Int\n        val MAX_TEXTURE_SIZE: Int\n        val MAX_VIEWPORT_DIMS: Int\n
        val SUBPIXEL_BITS: Int\n        val RED_BITS: Int\n        val GREEN_BITS: Int\n        val BLUE_BITS: Int\n
        val ALPHA_BITS: Int\n        val DEPTH_BITS: Int\n        val STENCIL_BITS: Int\n        val
POLYGON_OFFSET_UNITS: Int\n        val POLYGON_OFFSET_FACTOR: Int\n        val
TEXTURE_BINDING_2D: Int\n        val SAMPLE_BUFFERS: Int\n        val SAMPLES: Int\n        val

```


SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val
COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val
NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE:
Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n
val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val
RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val
UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val
UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n
val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val
MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val
MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val
MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS:
Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n
val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val
SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val
LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n
val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n
val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val
VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:
Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val
NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val
TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n
val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val
TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val
TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val
TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val
TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val
MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val
TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val
TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val
TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val
TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val
TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val
TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val
TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val
TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n
val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val
FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val
INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val
BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n
val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED:
Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n
val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n
val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING:
Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val
IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val
LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n
val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER:

```

Int\ n      val RGBA4: Int\ n      val RGB5_A1: Int\ n      val RGB565: Int\ n      val DEPTH_COMPONENT16:
Int\ n      val STENCIL_INDEX: Int\ n      val STENCIL_INDEX8: Int\ n      val DEPTH_STENCIL: Int\ n      val
RENDERBUFFER_WIDTH: Int\ n      val RENDERBUFFER_HEIGHT: Int\ n      val
RENDERBUFFER_INTERNAL_FORMAT: Int\ n      val RENDERBUFFER_RED_SIZE: Int\ n      val
RENDERBUFFER_GREEN_SIZE: Int\ n      val RENDERBUFFER_BLUE_SIZE: Int\ n      val
RENDERBUFFER_ALPHA_SIZE: Int\ n      val RENDERBUFFER_DEPTH_SIZE: Int\ n      val
RENDERBUFFER_STENCIL_SIZE: Int\ n      val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\ n
val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\ n      val
FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\ n      val
FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\ n      val COLOR_ATTACHMENT0:
Int\ n      val DEPTH_ATTACHMENT: Int\ n      val STENCIL_ATTACHMENT: Int\ n      val
DEPTH_STENCIL_ATTACHMENT: Int\ n      val NONE: Int\ n      val FRAMEBUFFER_COMPLETE: Int\ n
val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\ n      val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\ n      val
FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\ n      val FRAMEBUFFER_UNSUPPORTED: Int\ n
val FRAMEBUFFER_BINDING: Int\ n      val RENDERBUFFER_BINDING: Int\ n      val
MAX_RENDERBUFFER_SIZE: Int\ n      val INVALID_FRAMEBUFFER_OPERATION: Int\ n      val
UNPACK_FLIP_Y_WEBGL: Int\ n      val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\ n      val
CONTEXT_LOST_WEBGL: Int\ n      val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\ n      val
BROWSER_DEFAULT_WEBGL: Int\ n      }\n}\n\n/**\n * Exposes the JavaScript
[WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n
*/\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =
definedExternally) : Event {\n  open val statusMessage: String\n\n  companion object {\n    val NONE: Short\ n
val CAPTURING_PHASE: Short\ n      val AT_TARGET: Short\ n      val BUBBLING_PHASE: Short\ n
}\n}\n\npublic external interface WebGLContextEventInit : EventInit {\n  var statusMessage: String? /* = \"\" */\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline
fun WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): WebGLContextEventInit {\n  val o = js(\"({})\")\n  o[\"statusMessage\"] =
statusMessage\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n
return o}\n}\n\n/**\n * Exposes the JavaScript
[ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n
*/\npublic external open
class ArrayBuffer(length: Int) : BufferDataSource {\n  open val byteLength: Int\n  fun slice(begin: Int, end: Int =
definedExternally): ArrayBuffer\n\n  companion object {\n    fun isView(value: Any?): Boolean\n
}\n}\n\n/**\n * Exposes the JavaScript
[ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\n
*/\npublic
external interface ArrayBufferView : BufferDataSource {\n  val buffer: ArrayBuffer\n  val byteOffset: Int\n  val
byteLength: Int}\n}\n\n/**\n * Exposes the JavaScript
[Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n
*/\npublic external open class
Int8Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int8Array)\n  constructor(array:
Array<Byte>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Int8Array, offset: Int = definedExternally)\n  fun set(array:
Array<Byte>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Int8Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Int8Array.get(index: Int): Byte = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
Int8Array.set(index: Int, value: Byte) { asDynamic()[index] = value }\n}\n\n/**\n * Exposes the JavaScript
[Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n
*/\npublic external open class
Uint8Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint8Array)\n

```

```

constructor(array: Array<Byte>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Uint8Array, offset: Int = definedExternally)\n  fun set(array:
Array<Byte>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Uint8Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint8Array.get(index: Int): Byte = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint8Array.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n */\npublic
external open class Uint8ClampedArray : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array:
Uint8ClampedArray)\n  constructor(array: Array<Byte>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n
override val byteOffset: Int\n  override val byteLength: Int\n  fun set(array: Uint8ClampedArray, offset: Int =
definedExternally)\n  fun set(array: Array<Byte>, offset: Int = definedExternally)\n  fun subarray(start: Int, end:
Int): Uint8ClampedArray\n\n  companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8ClampedArray.get(index: Int): Byte =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8ClampedArray.set(index: Int,
value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n */\npublic external open class
Int16Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int16Array)\n
constructor(array: Array<Short>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Int16Array, offset: Int = definedExternally)\n  fun set(array:
Array<Short>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Int16Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Int16Array.get(index: Int): Short = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Int16Array.set(index: Int, value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n */\npublic external open
class Uint16Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint16Array)\n
constructor(array: Array<Short>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Uint16Array, offset: Int = definedExternally)\n  fun set(array:
Array<Short>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Uint16Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint16Array.get(index: Int): Short = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint16Array.set(index: Int, value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n */\npublic external open class
Int32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int32Array)\n
constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Int32Array, offset: Int = definedExternally)\n  fun set(array:
Array<Int>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Int32Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
Int32Array.get(index: Int): Int = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
Int32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n */\npublic external open
class Uint32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint32Array)\n
constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n

```

```

override val byteLength: Int\n fun set(array: Uint32Array, offset: Int = definedExternally)\n fun set(array:
Array<Int>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Uint32Array\n\n companion
object {\n val BYTES_PER_ELEMENT: Int\n }\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint32Array.get(index: Int): Int = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n */\npublic external open
class Float32Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Float32Array)\n
constructor(array: Array<Float>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset:
Int\n override val byteLength: Int\n fun set(array: Float32Array, offset: Int = definedExternally)\n fun
set(array: Array<Float>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Float32Array\n\n
companion object {\n val BYTES_PER_ELEMENT: Int\n }\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun Float32Array.get(index: Int): Float = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun Float32Array.set(index: Int, value: Float) { asDynamic()[index] = value }\n\n/**\n * Exposes the
JavaScript [Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n */\npublic
external open class Float64Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array:
Float64Array)\n constructor(array: Array<Double>)\n constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n
override val byteOffset: Int\n override val byteLength: Int\n fun set(array: Float64Array, offset: Int =
definedExternally)\n fun set(array: Array<Double>, offset: Int = definedExternally)\n fun subarray(start: Int,
end: Int): Float64Array\n\n companion object {\n val BYTES_PER_ELEMENT: Int\n }\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.get(index: Int): Double =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.set(index: Int, value:
Double) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n */\npublic external open class
DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) :
ArrayBufferView {\n override val buffer: ArrayBuffer\n override val byteOffset: Int\n override val
byteLength: Int\n fun getInt8(byteOffset: Int): Byte\n fun getUint8(byteOffset: Int): Byte\n fun
getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n fun getUint16(byteOffset: Int,
littleEndian: Boolean = definedExternally): Short\n fun getInt32(byteOffset: Int, littleEndian: Boolean =
definedExternally): Int\n fun getUint32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n fun
getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n fun getFloat64(byteOffset: Int,
littleEndian: Boolean = definedExternally): Double\n fun setInt8(byteOffset: Int, value: Byte)\n fun
setUint8(byteOffset: Int, value: Byte)\n fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean =
definedExternally)\n fun setUint16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally)\n
fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n fun setUint32(byteOffset: Int,
value: Int, littleEndian: Boolean = definedExternally)\n fun setFloat32(byteOffset: Int, value: Float, littleEndian:
Boolean = definedExternally)\n fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean =
definedExternally)\n}\n\npublic external interface BufferDataSource\n\npublic external interface
TexImageSource", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for
details\n\npackage org.w3c.dom.clipboard\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport
org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.mediasource.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic

```

```

external interface ClipboardEventInit : EventInit {\n    var clipboardData: DataTransfer? /* = null */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ClipboardEventInit(clipboardData: DataTransfer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): ClipboardEventInit {\n    val o = js("{}")\n        o["clipboardData"] =
clipboardData\n        o["bubbles"] = bubbles\n        o["cancelable"] = cancelable\n        o["composed"] = composed\n
return o\n}\n\n/**\n * Exposes the JavaScript
[ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n */\npublic external
open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\n    open
val clipboardData: DataTransfer?\n\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n
}\n}\n\n/**\n * Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to
Kotlin\n */\npublic external abstract class Clipboard : EventTarget {\n    fun read(): Promise<DataTransfer>\n    fun
readText(): Promise<String>\n    fun write(data: DataTransfer): Promise<Unit>\n    fun writeText(data: String):
Promise<Unit>\n}\n\npublic external interface ClipboardPermissionDescriptor {\n    var allowWithoutGesture:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\n    val
o = js("{}")\n        o["allowWithoutGesture"] = allowWithoutGesture\n        return o\n},"/*\n * Copyright 2010-
2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.css\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class MediaList : ItemArrayLike<String> {\n
open var mediaText: String\n    fun appendMedium(medium: String)\n    fun deleteMedium(medium: String)\n
override fun item(index: Int): String?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
MediaList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n */\npublic external abstract
class StyleSheet {\n    open val type: String\n    open val href: String?\n    open val ownerNode:
UnionElementOrProcessingInstruction?\n    open val parentStyleSheet: StyleSheet?\n    open val title: String?\n
open val media: MediaList\n    open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n */\npublic external
abstract class CSSStyleSheet : StyleSheet {\n    open val ownerRule: CSSRule?\n    open val cssRules:
CSSRuleList\n    fun insertRule(rule: String, index: Int): Int\n    fun deleteRule(index: Int)\n}\n\n/**\n * Exposes the
JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n */\npublic
external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n    override fun item(index: Int):
StyleSheet?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun StyleSheetList.get(index: Int):
StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n */\npublic external interface
LinkStyle {\n    val sheet: StyleSheet?\n        get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n */\npublic external abstract
class CSSRuleList : ItemArrayLike<CSSRule> {\n    override fun item(index: Int):
CSSRule?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSRuleList.get(index: Int): CSSRule? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n */\npublic external abstract class

```

```

CSSRule {\n  open val type: Short\n  open var cssText: String\n  open val parentRule: CSSRule?\n  open val
parentStyleSheet: CSSStyleSheet?\n\n  companion object {\n    val STYLE_RULE: Short\n    val
CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val
FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val
NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n */\n\npublic external
abstract class CSSStyleRule : CSSRule {\n  open var selectorText: String\n  open val style:
CSSStyleDeclaration\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE:
Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n
    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n
  }\n}\n\n\npublic external abstract class CSSImportRule : CSSRule {\n  open val href: String\n  open val media:
MediaList\n  open val styleSheet: CSSStyleSheet\n\n  companion object {\n    val STYLE_RULE: Short\n
    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val
FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val
NAMESPACE_RULE: Short\n  }\n}\n\n\n/**\n * Exposes the JavaScript
[CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n */\n\npublic
external abstract class CSSGroupingRule : CSSRule {\n  open val cssRules: CSSRuleList\n  fun insertRule(rule:
String, index: Int): Int\n  fun deleteRule(index: Int)\n\n  companion object {\n    val STYLE_RULE: Short\n
    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val
FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val
NAMESPACE_RULE: Short\n  }\n}\n\n\n/**\n * Exposes the JavaScript
[CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n */\n\npublic external
abstract class CSSMediaRule : CSSGroupingRule {\n  open val media: MediaList\n\n  companion object {\n
    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val
MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val
MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\n\n/**\n * Exposes the JavaScript
[CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n */\n\npublic external
abstract class CSSPageRule : CSSGroupingRule {\n  open var selectorText: String\n  open val style:
CSSStyleDeclaration\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE:
Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n
    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n
  }\n}\n\n\npublic external abstract class CSSMarginRule : CSSRule {\n  open val name: String\n  open val style:
CSSStyleDeclaration\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE:
Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n
    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n
  }\n}\n\n\n/**\n * Exposes the JavaScript
[CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n */\n\npublic
external abstract class CSSNamespaceRule : CSSRule {\n  open val namespaceURI: String\n  open val prefix:
String\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val
IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val
PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\n\n\n/**\n *
Exposes the JavaScript
[CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n */\n\npublic
external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n  open var cssText: String\n  open val
parentRule: CSSRule?\n  open var cssFloat: String\n  open var alignContent: String\n  open var alignItems:
String\n  open var alignSelf: String\n  open var animation: String\n  open var animationDelay: String\n  open
var animationDirection: String\n  open var animationDuration: String\n  open var animationFillMode: String\n
  open var animationIterationCount: String\n  open var animationName: String\n  open var animationPlayState:

```

String\n open var animationTimingFunction: String\n open var backfaceVisibility: String\n open var background: String\n open var backgroundAttachment: String\n open var backgroundClip: String\n open var backgroundColor: String\n open var backgroundImage: String\n open var backgroundOrigin: String\n open var backgroundPosition: String\n open var backgroundRepeat: String\n open var backgroundSize: String\n open var border: String\n open var borderBottom: String\n open var borderBottomColor: String\n open var borderBottomLeftRadius: String\n open var borderBottomRightRadius: String\n open var borderBottomStyle: String\n open var borderBottomWidth: String\n open var borderCollapse: String\n open var borderColor: String\n open var borderImage: String\n open var borderImageOutset: String\n open var borderImageRepeat: String\n open var borderImageSlice: String\n open var borderImageSource: String\n open var borderImageWidth: String\n open var borderLeft: String\n open var borderLeftColor: String\n open var borderLeftStyle: String\n open var borderLeftWidth: String\n open var borderRadius: String\n open var borderRight: String\n open var borderRightColor: String\n open var borderRightStyle: String\n open var borderRightWidth: String\n open var borderSpacing: String\n open var borderStyle: String\n open var borderTop: String\n open var borderTopColor: String\n open var borderTopLeftRadius: String\n open var borderTopRightRadius: String\n open var borderTopStyle: String\n open var borderTopWidth: String\n open var borderWidth: String\n open var bottom: String\n open var boxDecorationBreak: String\n open var boxShadow: String\n open var boxSizing: String\n open var breakAfter: String\n open var breakBefore: String\n open var breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip: String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n open var columnWidth: String\n open var columns: String\n open var content: String\n open var counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding: String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String

```

open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open
var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var
phonemes: String\n open var position: String\n open var quotes: String\n open var resize: String\n open var
rest: String\n open var restAfter: String\n open var restBefore: String\n open var right: String\n open var
tabSize: String\n open var tableLayout: String\n open var textAlign: String\n open var textAlignLast: String\n
open var textCombineUpright: String\n open var textDecoration: String\n open var textDecorationColor:
String\n open var textDecorationLine: String\n open var textDecorationStyle: String\n open var textIndent:
String\n open var textJustify: String\n open var textOrientation: String\n open var textOverflow: String\n
open var textShadow: String\n open var textTransform: String\n open var textUnderlinePosition: String\n open
var top: String\n open var transform: String\n open var transformOrigin: String\n open var transformStyle:
String\n open var transition: String\n open var transitionDelay: String\n open var transitionDuration: String\n
open var transitionProperty: String\n open var transitionTimingFunction: String\n open var unicodeBidi:
String\n open var verticalAlign: String\n open var visibility: String\n open var voiceBalance: String\n open
var voiceDuration: String\n open var voicePitch: String\n open var voicePitchRange: String\n open var
voiceRate: String\n open var voiceStress: String\n open var voiceVolume: String\n open var whiteSpace:
String\n open var widows: String\n open var width: String\n open var wordBreak: String\n open var
wordSpacing: String\n open var wordWrap: String\n open var writingMode: String\n open var zIndex: String\n
open var _dashed_attribute: String\n open var _camel_cased_attribute: String\n open var
_webkit_cased_attribute: String\n fun getPropertyValue(property: String): String\n fun
getPropertyPriority(property: String): String\n fun setProperty(property: String, value: String, priority: String =
definedExternally)\n fun setPropertyValue(property: String, value: String)\n fun setPropertyPriority(property:
String, priority: String)\n fun removeProperty(property: String): String\n override fun item(index: Int):
String\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSStyleDeclaration.get(index: Int): String? =
asDynamic()[index]\n\npublic external interface ElementCSSInlineStyle {\n val style:
CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript
[CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n */\n\npublic external abstract class CSS {\n
companion object {\n fun escape(ident: String): String\n }\n}\n\npublic external interface
UnionElementOrProcessingInstruction", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.dom.encryptedmedia\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external interface MediaKeySystemConfiguration {\n var
label: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var
initDataTypes: Array<String>? /* = arrayOf() */\n get() = definedExternally\n set(value) =
definedExternally\n var audioCapabilities: Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n
get() = definedExternally\n set(value) = definedExternally\n var videoCapabilities:
Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n get() = definedExternally\n set(value) =
definedExternally\n var distinctiveIdentifier: MediaKeysRequirement? /* = MediaKeysRequirement.OPTIONAL
*/\n get() = definedExternally\n set(value) = definedExternally\n var persistentState:
MediaKeysRequirement? /* = MediaKeysRequirement.OPTIONAL */\n get() = definedExternally\n
set(value) = definedExternally\n var sessionTypes: Array<String>?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaKeySystemConfiguration(label: String? = \"\", initDataTypes: Array<String>? = arrayOf(), audioCapabilities:

```



```

Array<MediaKeySystemMediaCapability>? = arrayOf(), videoCapabilities:
Array<MediaKeySystemMediaCapability>? = arrayOf(), distinctiveIdentifier: MediaKeysRequirement? =
MediaKeysRequirement.OPTIONAL, persistentState: MediaKeysRequirement? =
MediaKeysRequirement.OPTIONAL, sessionTypes: Array<String>? = undefined): MediaKeySystemConfiguration
{
    val o = js("{}")
    o["label"] = label
    o["initDataTypes"] = initDataTypes
    o["audioCapabilities"] = audioCapabilities
    o["videoCapabilities"] = videoCapabilities
    o["distinctiveIdentifier"] = distinctiveIdentifier
    o["persistentState"] = persistentState
    o["sessionTypes"] = sessionTypes
    return o
}

public external interface MediaKeySystemMediaCapability {
    var contentType: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var robustness: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun
MediaKeySystemMediaCapability(contentType: String? = "", robustness: String? = ""):
MediaKeySystemMediaCapability {
    val o = js("{}")
    o["contentType"] = contentType
    o["robustness"] = robustness
    return o
}

public external abstract class MediaKeySystemAccess {
    open val keySystem: String
    fun getConfiguration(): MediaKeySystemConfiguration
    fun createMediaKeys():
    Promise<MediaKeys>
}

public external abstract class MediaKeys {
    fun createSession(sessionType:
    MediaKeySessionType = definedExternally): MediaKeySession
    fun setServerCertificate(serverCertificate:
    dynamic): Promise<Boolean>
}

public external abstract class MediaKeySession : EventTarget {
    open val sessionId: String
    open val expiration: Double
    open val closed: Promise<Unit>
    open val keyStatuses:
    MediaKeyStatusMap
    open var onkeystatuschange: ((Event) -> dynamic)?
    open var onmessage:
    ((MessageEvent) -> dynamic)?
    fun generateRequest(initDataType: String, initData: dynamic): Promise<Unit>
    fun load(sessionId: String): Promise<Boolean>
    fun update(response: dynamic): Promise<Unit>
    fun close():
    Promise<Unit>
    fun remove(): Promise<Unit>
}

public external abstract class MediaKeyStatusMap {
    open val size: Int
    fun has(keyId: dynamic): Boolean
    fun get(keyId: dynamic): Any?
}

public external
open class MediaKeyMessageEvent(type: String, eventInitDict: MediaKeyMessageEventInit) : Event {
    open val
    messageType: MediaKeyMessageType
    open val message: ArrayBuffer
}

companion object {
    val
    NONE: Short
    val CAPTURING_PHASE: Short
    val AT_TARGET: Short
    val
    BUBBLING_PHASE: Short
}

public external interface MediaKeyMessageEventInit : EventInit {
    var
    messageType: MediaKeyMessageType?
    get() = definedExternally
    set(value) = definedExternally
    var message: ArrayBuffer?
    get() = definedExternally
    set(value) =
    definedExternally
}

@kotlin.internal.InlineOnly
public inline fun MediaKeyMessageEventInit(messageType:
    MediaKeyMessageType?, message: ArrayBuffer?, bubbles: Boolean? = false, cancelable: Boolean? = false,
    composed: Boolean? = false): MediaKeyMessageEventInit {
    val o = js("{}")
    o["messageType"] =
    messageType
    o["message"] = message
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

public external open class MediaEncryptedEvent(type: String,
    eventInitDict: MediaEncryptedEventInit = definedExternally) : Event {
    open val initDataType: String
    open
    val initData: ArrayBuffer
}

companion object {
    val NONE: Short
    val CAPTURING_PHASE:
    Short
    val AT_TARGET: Short
    val BUBBLING_PHASE: Short
}

public external interface
    MediaEncryptedEventInit : EventInit {
    var initDataType: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var initData: ArrayBuffer? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun
    MediaEncryptedEventInit(initDataType: String? = "", initData: ArrayBuffer? = null, bubbles: Boolean? = false,
    cancelable: Boolean? = false, composed: Boolean? = false): MediaEncryptedEventInit {
    val o = js("{}")
    o["initDataType"] = initDataType
    o["initData"] = initData
    o["bubbles"] = bubbles
    o["cancelable"] =
    cancelable
    o["composed"] = composed
    return o
}

/* please, don't implement this interface! */
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public external interface
    MediaKeysRequirement {
    companion object
}

public inline val
    MediaKeysRequirement.Companion.REQUIRED: MediaKeysRequirement
    get() =

```

```

\"required\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val
MediaKeysRequirement.Companion.OPTIONAL: MediaKeysRequirement get() =
\"optional\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val
MediaKeysRequirement.Companion.NOT_ALLOWED: MediaKeysRequirement get() = \"not-
allowed\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\n/* please, don't implement this interface!
*/\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
MediaKeySessionType {\n    companion object\n}\n\npublic inline val
MediaKeySessionType.Companion.TEMPORARY: MediaKeySessionType get() =
\"temporary\".asDynamic().unsafeCast<MediaKeySessionType>()\n\npublic inline val
MediaKeySessionType.Companion.PERSISTENT_LICENSE: MediaKeySessionType get() = \"persistent-
license\".asDynamic().unsafeCast<MediaKeySessionType>()\n\n/* please, don't implement this interface!
*/\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface MediaKeyStatus
{\n    companion object\n}\n\npublic inline val MediaKeyStatus.Companion.USABLE: MediaKeyStatus get() =
\"usable\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.EXPIRED: MediaKeyStatus get() =
\"expired\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.RELEASED: MediaKeyStatus get() =
\"released\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_RESTRICTED: MediaKeyStatus get() = \"output-
restricted\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_DOWNSCALED: MediaKeyStatus get() = \"output-
downscaled\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.STATUS_PENDING: MediaKeyStatus get() = \"status-
pending\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.INTERNAL_ERROR: MediaKeyStatus get() = \"internal-
error\".asDynamic().unsafeCast<MediaKeyStatus>()\n\n/* please, don't implement this interface!
*/\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
MediaKeyMessageType {\n    companion object\n}\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_REQUEST: MediaKeyMessageType get() = \"license-
request\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RENEWAL: MediaKeyMessageType get() = \"license-
renewal\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RELEASE: MediaKeyMessageType get() = \"license-
release\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.INDIVIDUALIZATION_REQUEST: MediaKeyMessageType get() =
\"individualization-request\".asDynamic().unsafeCast<MediaKeyMessageType>()\"/*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xr.*\n\n/**\n * Exposes the JavaScript
[UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n */\n\npublic external open class
UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n    open val view: Window?\n    open val detail: Int\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n

```

```

val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface UIEventInit :
EventInit {\n    var view: Window? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var detail: Int? /* = 0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null, detail:
Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit {\n
val o = js("{}")\n    o["view"] = view\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n    o["cancelable"]
= cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n */\n\npublic external open class
FocusEvent(type: String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n    open val relatedTarget:
EventTarget?\n}\n\ncompanion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface FocusEventInit :
UIEventInit {\n    var relatedTarget: EventTarget? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget: EventTarget?
= null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): FocusEventInit {\n    val o = js("{}")\n    o["relatedTarget"] = relatedTarget\n    o["view"] =
view\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] =
composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\n\npublic external open
class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent,
UnionElementOrMouseEvent {\n    open val screenX: Int\n    open val screenY: Int\n    open val clientX: Int\n
open val clientY: Int\n    open val ctrlKey: Boolean\n    open val shiftKey: Boolean\n    open val altKey: Boolean\n
open val metaKey: Boolean\n    open val button: Short\n    open val buttons: Short\n    open val relatedTarget:
EventTarget?\n    open val region: String?\n    open val pageX: Double\n    open val pageY: Double\n    open val x:
Double\n    open val y: Double\n    open val offsetX: Double\n    open val offsetY: Double\n    fun
getModifierState(keyArg: String): Boolean\n}\n\ncompanion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface MouseEventInit : EventModifierInit {\n    var screenX: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var screenY: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var clientX: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var clientY: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var button: Short? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var buttons: Short? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var relatedTarget: EventTarget? /* = null */\n        get()
= definedExternally\n        set(value) = definedExternally\n    var region: String? /* = null */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MouseEventInit(screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons:
Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean?
= false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): MouseEventInit {\n    val o = js("{}")\n    o["screenX"] = screenX\n    o["screenY"] = screenY\n
o["clientX"] = clientX\n    o["clientY"] = clientY\n    o["button"] = button\n    o["buttons"] = buttons\n
o["relatedTarget"] = relatedTarget\n    o["region"] = region\n    o["ctrlKey"] = ctrlKey\n    o["shiftKey"] =
shiftKey\n    o["altKey"] = altKey\n    o["metaKey"] = metaKey\n    o["modifierAltGraph"] =
modifierAltGraph\n    o["modifierCapsLock"] = modifierCapsLock\n    o["modifierFn"] = modifierFn\n
o["modifierFnLock"] = modifierFnLock\n    o["modifierHyper"] = modifierHyper\n    o["modifierNumLock"] =
}

```

```

modifierNumLock\n  o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n  return o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n  var ctrlKey: Boolean?
/* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var shiftKey: Boolean? /* =
false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var altKey: Boolean? /* = false
*/\n  get() = definedExternally\n  set(value) = definedExternally\n  var metaKey: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n  var modifierAltGraph: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n  var modifierCapsLock: Boolean? /* = false
*/\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierFn: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n  var modifierFnLock: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n  var modifierHyper: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n  var modifierNumLock: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n  var modifierScrollLock: Boolean? /* = false
*/\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierSuper: Boolean? /* = false
*/\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierSymbol: Boolean? /* = false
*/\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierSymbolLock: Boolean? /* =
false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventModifierInit(ctrlKey: Boolean? =
false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:
Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? =
false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): EventModifierInit {\n  val o = js("{}")\n  o["ctrlKey"] = ctrlKey\n  o["shiftKey"] = shiftKey\n
o["altKey"] = altKey\n  o["metaKey"] = metaKey\n  o["modifierAltGraph"] = modifierAltGraph\n
o["modifierCapsLock"] = modifierCapsLock\n  o["modifierFn"] = modifierFn\n  o["modifierFnLock"] =
modifierFnLock\n  o["modifierHyper"] = modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\n\npublic external open
class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n  open val
deltaX: Double\n  open val deltaY: Double\n  open val deltaZ: Double\n  open val deltaMode: Int\n\n  companion object {\n    val DOM_DELTA_PIXEL: Int\n    val DOM_DELTA_LINE: Int\n    val
DOM_DELTA_PAGE: Int\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface WheelEventInit :
MouseEventInit {\n  var deltaX: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var deltaY: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var deltaZ: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var deltaMode: Int? /* = 0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WheelEventInit(deltaX: Double? = 0.0,
deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX:
Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region:
String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean?
= false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false,
modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,

```

```

modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {
    val o = js("{}")
    o["deltaX"] = deltaX
    o["deltaY"] = deltaY
    o["deltaZ"] = deltaZ
    o["deltaMode"] = deltaMode
    o["screenX"] = screenX
    o["screenY"] = screenY
    o["clientX"] = clientX
    o["clientY"] = clientY
    o["button"] = button
    o["buttons"] = buttons
    o["relatedTarget"] = relatedTarget
    o["region"] = region
    o["ctrlKey"] = ctrlKey
    o["shiftKey"] = shiftKey
    o["altKey"] = altKey
    o["metaKey"] = metaKey
    o["modifierAltGraph"] = modifierAltGraph
    o["modifierCapsLock"] = modifierCapsLock
    o["modifierFn"] = modifierFn
    o["modifierFnLock"] = modifierFnLock
    o["modifierHyper"] = modifierHyper
    o["modifierNumLock"] = modifierNumLock
    o["modifierScrollLock"] = modifierScrollLock
    o["modifierSuper"] = modifierSuper
    o["modifierSymbol"] = modifierSymbol
    o["modifierSymbolLock"] = modifierSymbolLock
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to Kotlin
 *
 * public external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) :
 * UIEvent {
 *     open val data: String
 *     open val isComposing: Boolean
 *     companion object {
 *         val NONE: Short
 *         val CAPTURING_PHASE: Short
 *         val AT_TARGET: Short
 *         val BUBBLING_PHASE: Short
 *     }
 * }

 * public external interface InputEventInit : UIEventInit {
 *     var data: String? /* = "" */
 *     get() = definedExternally
 *     set(value) = definedExternally
 *     var isComposing: Boolean? /* = false */
 *     get() = definedExternally
 *     set(value) = definedExternally
 * }

 * @kotlin.internal.InlineOnly
 * public inline fun InputEventInit(data: String? = "", isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): InputEventInit {
 *     val o = js("{}")
 *     o["data"] = data
 *     o["isComposing"] = isComposing
 *     o["view"] = view
 *     o["detail"] = detail
 *     o["bubbles"] = bubbles
 *     o["cancelable"] = cancelable
 *     o["composed"] = composed
 *     return o
 * }

 * Exposes the JavaScript [KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin
 *
 * public external open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {
 *     open val key: String
 *     open val code: String
 *     open val location: Int
 *     open val ctrlKey: Boolean
 *     open val shiftKey: Boolean
 *     open val altKey: Boolean
 *     open val metaKey: Boolean
 *     open val repeat: Boolean
 *     open val isComposing: Boolean
 *     open val charCode: Int
 *     open val keyCode: Int
 *     open val which: Int
 *     fun getModifierState(keyArg: String): Boolean
 *     companion object {
 *         val DOM_KEY_LOCATION_STANDARD: Int
 *         val DOM_KEY_LOCATION_LEFT: Int
 *         val DOM_KEY_LOCATION_RIGHT: Int
 *         val DOM_KEY_LOCATION_NUMPAD: Int
 *         val NONE: Short
 *         val CAPTURING_PHASE: Short
 *         val AT_TARGET: Short
 *         val BUBBLING_PHASE: Short
 *     }
 * }

 * public external interface KeyboardEventInit : EventModifierInit {
 *     var key: String? /* = "" */
 *     get() = definedExternally
 *     set(value) = definedExternally
 *     var code: String? /* = "" */
 *     get() = definedExternally
 *     set(value) = definedExternally
 *     var location: Int? /* = 0 */
 *     get() = definedExternally
 *     set(value) = definedExternally
 *     var repeat: Boolean? /* = false */
 *     get() = definedExternally
 *     set(value) = definedExternally
 *     var isComposing: Boolean? /* = false */
 *     get() = definedExternally
 *     set(value) = definedExternally
 * }

 * @kotlin.internal.InlineOnly
 * public inline fun KeyboardEventInit(key: String? = "", code: String? = "", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {
 *     val o = js("{}")
 *     o["key"] = key
 *     o["code"] = code
 *     o["location"] = location
 *     o["repeat"] = repeat

```

```

o["isComposing"] = isComposing\n o["ctrlKey"] = ctrlKey\n o["shiftKey"] = shiftKey\n o["altKey"] =
altKey\n o["metaKey"] = metaKey\n o["modifierAltGraph"] = modifierAltGraph\n
o["modifierCapsLock"] = modifierCapsLock\n o["modifierFn"] = modifierFn\n o["modifierFnLock"] =
modifierFnLock\n o["modifierHyper"] = modifierHyper\n o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] =
view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\n *\npublic
external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) :
UIEvent {\n open val data: String\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface CompositionEventInit : UIEventInit {\n var data: String? /* = \"\" *\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CompositionEventInit(data: String? = \"\", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit {\n val o = js(\"({})\")\n
o["data"] = data\n o["view"] = view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"]
= cancelable\n o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n *\npublic external open class
Event(type: String, eventInitDict: EventInit = definedExternally) {\n open val type: String\n open val target:
EventTarget?\n open val currentTarget: EventTarget?\n open val eventPhase: Short\n open val bubbles:
Boolean\n open val cancelable: Boolean\n open val defaultPrevented: Boolean\n open val composed:
Boolean\n open val isTrusted: Boolean\n open val timeStamp: Number\n fun composedPath():
Array<EventTarget>\n fun stopPropagation()\n fun stopImmediatePropagation()\n fun preventDefault()\n
fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean)\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\n/**\n * Exposes the JavaScript
[EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\n *\npublic external abstract
class EventTarget {\n fun addEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally)\n fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally)\n fun removeEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally)\n fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally)\n fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the JavaScript
[EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n *\npublic external
interface EventListener {\n fun handleEvent(event: Event)\n}\n\n/*\n * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.clipboard.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class HTMLAllCollection {\n open val
length: Int\n fun item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n fun
namedItem(name: String): UnionElementOrHTMLCollection?\n}\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun HTMLAllCollection.get(index: Int): Element? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLAllCollection.get(name:

```

String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection) to Kotlin\n\n */\n\npublic external abstract class HTMLFormControlsCollection : HTMLCollection\n\n/**\n * Exposes the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n\n */\n\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n open var value: String\n}\n\n/**\n * Exposes the JavaScript [HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n\n */\n\npublic external abstract class HTMLOptionsCollection : HTMLCollection {\n override var length: Int\n open var selectedIndex: Int\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n fun remove(index: Int)\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n * Exposes the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n\n */\n\npublic external abstract class HTMLInputElement : Element, GlobalEventHandlers, DocumentAndElementEventHandlers, ElementContentEditable, ElementCSSInlineStyle {\n open var title: String\n open var lang: String\n open var translate: Boolean\n open var dir: String\n open val dataset: DOMStringMap\n open var hidden: Boolean\n open var tabIndex: Int\n open var accessKey: String\n open val accessKeyLabel: String\n open var draggable: Boolean\n open val dropzone: DOMTokenList\n open var contextMenu: HTMLMenuElement?\n open var spellcheck: Boolean\n open var innerText: String\n open val offsetParent: Element?\n open val offsetTop: Int\n open val offsetLeft: Int\n open val offsetWidth: Int\n open val offsetHeight: Int\n fun click()\n fun focus()\n fun blur()\n fun forceSpellCheck()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n\n */\n\npublic external abstract class HTMLUnknownElement : HTMLInputElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n\n */\n\npublic external abstract class DOMStringMap\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.get(name: String): String? = asDynamic()[name]\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.set(name: String, value: String) { asDynamic()[name] = value }\n\n/**\n * Exposes the JavaScript [HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n\n */\n\npublic external abstract class HTMLHtmlElement : HTMLInputElement {\n open var version: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val

```

TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n */\npublic
external abstract class HTMLHeadElement : HTMLElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n */\npublic
external abstract class HTMLTitleElement : HTMLElement {\n    open var text: String\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n */\npublic
external abstract class HTMLBaseElement : HTMLElement {\n    open var href: String\n    open var target:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin\n */\npublic
external abstract class HTMLLinkElement : HTMLElement, LinkStyle {\n    open var href: String\n    open var
crossOrigin: String?\n    open var rel: String\n    open var `as`: RequestDestination\n    open val relList:
DOMTokenList\n    open var media: String\n    open var nonce: String\n    open var hreflang: String\n    open var
type: String\n    open val sizes: DOMTokenList\n    open var referrerPolicy: String\n    open var charset: String\n
    open var rev: String\n    open var target: String\n    open var scope: String\n    open var workerType:
WorkerType\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:

```



```

Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin \n * \n public
external abstract class HTMLMetaElement : HTMLElement { \n    open var name: String \n    open var httpEquiv:
String \n    open var content: String \n    open var scheme: String \n \n    companion object { \n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin \n * \n public
external abstract class HTMLStyleElement : HTMLElement, LinkStyle { \n    open var media: String \n    open var
nonce: String \n    open var type: String \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin \n * \n public
external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers { \n    open var text: String \n
    open var link: String \n    open var vLink: String \n    open var aLink: String \n    open var bgColor: String \n
    open var background: String \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin \n
* \n public external abstract class HTMLHeadingElement : HTMLElement { \n    open var align: String \n

```

```

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short } }

Exposes the JavaScript [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin

public external abstract class HTMLParagraphElement : HTMLElement {
    open var align: String
}

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short } }

Exposes the JavaScript [HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin

public external abstract class HTMLHRElement : HTMLElement {
    open var align: String
    open var color: String
    open var noShade: Boolean
    open var size: String
    open var width: String
}

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short } }

Exposes the JavaScript [HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin

public external abstract class HTMLPreElement : HTMLElement {
    open var width: Int
}

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short } }

Exposes the JavaScript [HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin

public external abstract class HTMLQuoteElement : HTMLElement {
    open var cite: String
}

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
}

```



```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n */\npublic
external abstract class HTMLDivElement : HTMLElement {\n    open var align: String\n\n    companion object {\n
    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n
*/\npublic external abstract class HTMLAnchorElement : HTMLElement, HTMLHyperlinkElementUtils {\n    open
var target: String\n    open var download: String\n    open var ping: String\n    open var rel: String\n    open val
relList: DOMTokenList\n    open var hreflang: String\n    open var type: String\n    open var text: String\n    open
var referrerPolicy: String\n    open var coords: String\n    open var charset: String\n    open var name: String\n
    open var rev: String\n    open var shape: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n */\npublic
external abstract class HTMLDataElement : HTMLElement {\n    open var value: String\n\n    companion object {\n
    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n */\npublic
external abstract class HTMLTimeElement : HTMLElement {\n    open var dateTime: String\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n *\npublic
external abstract class HTMLSpanElement : HTMLElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n *\npublic
external abstract class HTMLBRElement : HTMLElement {\n    open var clear: String\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to
Kotlin\n *\npublic external interface HTMLHyperlinkElementUtils {\n    var href: String\n    val origin: String\n
var protocol: String\n    var username: String\n    var password: String\n    var host: String\n    var hostname:
String\n    var port: String\n    var pathname: String\n    var search: String\n    var hash: String\n}\n\n/**\n * Exposes
the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to
Kotlin\n *\npublic external abstract class HTMLModElement : HTMLElement {\n    open var cite: String\n    open
var dateTime: String\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin\n
*\npublic external abstract class HTMLPictureElement : HTMLElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val

```

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin\n
*\npublic external abstract class HTMLSourceElement : HTMLElement {\n    open var src: String\n    open var
type: String\n    open var srcset: String\n    open var sizes: String\n    open var media: String\n\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\n
*\npublic external abstract class HTMLImageElement : HTMLElement, HTMLOrSVGImageElement,
TexImageSource {\n    open var alt: String\n    open var src: String\n    open var srcset: String\n    open var sizes:
String\n    open var crossOrigin: String?\n    open var useMap: String\n    open var isMap: Boolean\n    open var
width: Int\n    open var height: Int\n    open val naturalWidth: Int\n    open val naturalHeight: Int\n    open val
complete: Boolean\n    open val currentSrc: String\n    open var referrerPolicy: String\n    open var name: String\n
open var lowsrc: String\n    open var align: String\n    open var hspace: Int\n    open var vspace: Int\n    open var
longDesc: String\n    open var border: String\n    open val x: Int\n    open val y: Int\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\n
*\npublic external abstract class HTMLIFrameElement : HTMLElement {\n    open var src: String\n    open var
srcdoc: String\n    open var name: String\n    open val sandbox: DOMTokenList\n    open var allowFullscreen:
Boolean\n    open var allowUserMedia: Boolean\n    open var width: String\n    open var height: String\n    open var
referrerPolicy: String\n    open val contentDocument: Document?\n    open val contentWindow: Window?\n    open
var align: String\n    open var scrolling: String\n    open var frameBorder: String\n    open var longDesc: String\n
open var marginHeight: String\n    open var marginWidth: String\n    fun getSVGDocument(): Document?\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val

```

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\n *\n\npublic external abstract class HTMLEmbedElement : HTMLElement {\n open var src: String\n open var type: String\n open var width: String\n open var height: String\n open var align: String\n open var name: String\n fun getSVGDocument(): Document?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin\n *\n\npublic external abstract class HTMLObjectElement : HTMLElement {\n open var data: String\n open var type: String\n open var typeMustMatch: Boolean\n open var name: String\n open var useMap: String\n open var form: HTMLFormElement?\n open var width: String\n open var height: String\n open var contentDocument: Document?\n open var contentWindow: Window?\n open var willValidate: Boolean\n open var validity: ValidityState\n open var validationMessage: String\n open var align: String\n open var archive: String\n open var code: String\n open var declare: Boolean\n open var hspace: Int\n open var standby: String\n open var vspace: Int\n open var codeBase: String\n open var codeType: String\n open var border: String\n fun getSVGDocument(): Document?\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin\n *\n\npublic external abstract class HTMLParamElement : HTMLElement {\n open var name: String\n open var value: String\n open var type: String\n open var valueType: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n *\n\npublic external abstract class HTMLVideoElement : HTMLMediaElement, CanvasImageSource, TexImageSource {\n open var width: Int\n open var height: Int\n open var videoWidth: Int\n open var videoHeight: Int\n open var

```

poster: String\n  open var playsInline: Boolean\n\n  companion object {\n    val NETWORK_EMPTY: Short\n    val NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n    val NETWORK_NO_SOURCE: Short\n    val HAVE_NOTHING: Short\n    val HAVE_METADATA: Short\n    val HAVE_CURRENT_DATA: Short\n    val HAVE_FUTURE_DATA: Short\n    val HAVE_ENOUGH_DATA: Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n  }\n\n  DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n}\n\n/**\n * Exposes the JavaScript [HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin\n */\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n  companion object {\n    val NETWORK_EMPTY: Short\n    val NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n    val NETWORK_NO_SOURCE: Short\n    val HAVE_NOTHING: Short\n    val HAVE_METADATA: Short\n    val HAVE_CURRENT_DATA: Short\n    val HAVE_FUTURE_DATA: Short\n    val HAVE_ENOUGH_DATA: Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n  }\n\n  DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n}\n\n/**\n * Exposes the JavaScript [HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n */\npublic external abstract class HTMLTrackElement : HTMLMediaElement {\n  open var kind: String\n  open var src: String\n  open var srclang: String\n  open var label: String\n  open var default: Boolean\n  open val readyState: Short\n  open val track: TextTrack\n\n  companion object {\n    val NONE: Short\n    val LOADING: Short\n    val LOADED: Short\n    val ERROR: Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n  }\n\n  DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n}\n\n/**\n * Exposes the JavaScript [HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\n */\npublic external abstract class HTMLMediaElement : HTMLMediaElement {\n  open val error: MediaError?\n  open var src: String\n  open var srcObject: MediaProvider?\n  open val currentSrc: String\n  open var crossOrigin: String?\n  open val networkState: Short\n  open var preload: String\n  open val buffered: TimeRanges\n  open val readyState: Short\n  open val seeking: Boolean\n  open var currentTime: Double\n  open val duration: Double\n  open val paused: Boolean\n  open var defaultPlaybackRate: Double\n  open var playbackRate: Double\n  open val played: TimeRanges\n  open val seekable: TimeRanges\n  open val ended: Boolean\n  open

```



```

var autoplay: Boolean\n  open var loop: Boolean\n  open var controls: Boolean\n  open var volume: Double\n
open var muted: Boolean\n  open var defaultMuted: Boolean\n  open val audioTracks: AudioTrackList\n  open
val videoTracks: VideoTrackList\n  open val textTracks: TextTrackList\n  open val mediaKeys: MediaKeys?\n
open var onencrypted: ((Event) -> dynamic)?\n  open var onwaitingforkey: ((Event) -> dynamic)?\n  fun load()\n
fun canPlayType(type: String): CanPlayTypeResult\n  fun fastSeek(time: Double)\n  fun getStartDate():
dynamic\n  fun play(): Promise<Unit>\n  fun pause()\n  fun addTextTrack(kind: TextTrackKind, label: String =
definedExternally, language: String = definedExternally): TextTrack\n  fun setMediaKeys(mediaKeys:
MediaKeys?): Promise<Unit>\n\n  companion object {\n    val NETWORK_EMPTY: Short\n    val
NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n    val NETWORK_NO_SOURCE: Short\n
    val HAVE_NOTHING: Short\n    val HAVE_METADATA: Short\n    val HAVE_CURRENT_DATA:
Short\n    val HAVE_FUTURE_DATA: Short\n    val HAVE_ENOUGH_DATA: Short\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n *\npublic external abstract
class MediaError {\n  open val code: Short\n\n  companion object {\n    val MEDIA_ERR_ABORTED: Short\n
    val MEDIA_ERR_NETWORK: Short\n    val MEDIA_ERR_DECODE: Short\n    val
MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\n *\npublic external
abstract class AudioTrackList : EventTarget {\n  open val length: Int\n  open var onchange: ((Event) ->
dynamic)?\n  open var onaddtrack: ((TrackEvent) -> dynamic)?\n  open var onremovetrack: ((TrackEvent) ->
dynamic)?\n  fun getTrackById(id: String): AudioTrack?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun AudioTrackList.get(index: Int): AudioTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\n *\npublic external abstract
class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val id: String\n  open val kind:
String\n  open val label: String\n  open val language: String\n  open var enabled: Boolean\n  open val
sourceBuffer: SourceBuffer?\n}\n\n/**\n * Exposes the JavaScript
[VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\n *\npublic external
abstract class VideoTrackList : EventTarget {\n  open val length: Int\n  open val selectedIndex: Int\n  open var
onchange: ((Event) -> dynamic)?\n  open var onaddtrack: ((TrackEvent) -> dynamic)?\n  open var
onremovetrack: ((TrackEvent) -> dynamic)?\n  fun getTrackById(id: String):
VideoTrack?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun VideoTrackList.get(index: Int):
VideoTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n *\npublic external abstract
class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val id: String\n  open val kind:
String\n  open val label: String\n  open val language: String\n  open var selected: Boolean\n  open val
sourceBuffer: SourceBuffer?\n}\n\npublic external abstract class TextTrackList : EventTarget {\n  open val length:
Int\n  open var onchange: ((Event) -> dynamic)?\n  open var onaddtrack: ((TrackEvent) -> dynamic)?\n  open
var onremovetrack: ((TrackEvent) -> dynamic)?\n  fun getTrackById(id: String):
TextTrack?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun TextTrackList.get(index: Int): TextTrack?
= asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n *\npublic external abstract

```

```

class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {
    open val kind: TextTrackKind
    open val label: String
    open val language: String
    open val id: String
    open val inBandMetadataTrackDispatchType: String
    open var mode: TextTrackMode
    open val cues: TextTrackCueList?
    open val activeCues: TextTrackCueList?
    open var oncuechange: ((Event) -> dynamic)?
    open val sourceBuffer: SourceBuffer?
    fun addCue(cue: TextTrackCue)
    fun removeCue(cue: TextTrackCue)
}

public external abstract class TextTrackCueList {
    open val length: Int
    fun getCueById(id: String): TextTrackCue?
}

@kotlin.internal.InlineOnly
public inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]

/**
 * Exposes the JavaScript [TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin
 */
public external abstract class TextTrackCue : EventTarget {
    open val track: TextTrack?
    open var id: String
    open var startTime: Double
    open var endTime: Double
    open var pauseOnExit: Boolean
    open var onenter: ((Event) -> dynamic)?
    open var onexit: ((Event) -> dynamic)?
}

/**
 * Exposes the JavaScript [TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin
 */
public external abstract class TimeRanges {
    open val length: Int
    fun start(index: Int): Double
    fun end(index: Int): Double
}

/**
 * Exposes the JavaScript [TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin
 */
public external open class TrackEvent(type: String, eventInitDict: TrackEventInit = definedExternally) : Event {
    open val track: UnionAudioTrackOrTextTrackOrVideoTrack?
}

companion object {
    val NONE: Short
    val CAPTURING_PHASE: Short
    val AT_TARGET: Short
    val BUBBLING_PHASE: Short
}

public external interface TrackEventInit : EventInit {
    var track: UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun TrackEventInit(track: UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): TrackEventInit {
    val o = js("{}")
    o["track"] = track
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/**
 * Exposes the JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin
 */
public external abstract class HTMLElement : HTMLCollection {
    open var name: String
    open val areas: HTMLCollection
}

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }

/**
 * Exposes the JavaScript [HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin
 */
public external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils {
    open var alt: String
    open var coords: String
    open var shape: String
    open var target: String
    open var download: String
    open var ping: String
    open var rel: String
    open val relList: DOMTokenList
    open var referrerPolicy: String
    open var noHref: Boolean
}

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
}

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n
*/\npublic external abstract class HTMLTableElement : HTMLElement {\n    open var caption:
HTMLTableCaptionElement?\n    open var tHead: HTMLTableSectionElement?\n    open var tFoot:
HTMLTableSectionElement?\n    open val tBodies: HTMLCollection\n    open val rows: HTMLCollection\n
open var align: String\n    open var border: String\n    open var frame: String\n    open var rules: String\n
open var summary: String\n    open var width: String\n    open var bgColor: String\n    open var cellPadding: String\n
open var cellSpacing: String\n    fun createCaption(): HTMLTableCaptionElement\n    fun deleteCaption()\n
fun createTHead(): HTMLTableSectionElement\n    fun deleteTHead()\n    fun createTFoot():
HTMLTableSectionElement\n    fun deleteTFoot()\n    fun createTBody(): HTMLTableSectionElement\n
fun insertRow(index: Int = definedExternally): HTMLTableRowElement\n    fun deleteRow(index: Int)\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to
Kotlin\n
*/\npublic external abstract class HTMLTableCaptionElement : HTMLElement {\n    open var align:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n
*/\npublic external abstract class HTMLTableColElement : HTMLElement {\n    open var span: Int\n
open var align: String\n    open var ch: String\n    open var chOff: String\n    open var vAlign: String\n
open var width: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to
Kotlin\n
*/\npublic external abstract class HTMLTableSectionElement : HTMLElement {\n    open val rows:
HTMLCollection\n    open var align: String\n    open var ch: String\n    open var chOff: String\n
open var vAlign:

```

```

String\n fun insertRow(index: Int = definedExternally): HTMLElement\n fun deleteRow(index: Int)\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n
*\npublic external abstract class HTMLTableRowElement : HTMLElement {\n open val rowIndex: Int\n open
val sectionRowIndex: Int\n open val cells: HTMLCollection\n open var align: String\n open var ch: String\n
open var chOff: String\n open var vAlign: String\n open var bgColor: String\n fun insertCell(index: Int =
definedExternally): HTMLElement\n fun deleteCell(index: Int)\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n
*\npublic external abstract class HTMLTableCellElement : HTMLElement {\n open var colSpan: Int\n open var
rowSpan: Int\n open var headers: String\n open val cellIndex: Int\n open var scope: String\n open var abbr:
String\n open var align: String\n open var axis: String\n open var height: String\n open var width: String\n
open var ch: String\n open var chOff: String\n open var noWrap: Boolean\n open var vAlign: String\n open
var bgColor: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\n
*\npublic external abstract class HTMLFormElement : HTMLElement {\n open var acceptCharset: String\n open var
action: String\n open var autocomplete: String\n open var enctype: String\n open var encoding: String\n open
var method: String\n open var name: String\n open var noValidate: Boolean\n open var target: String\n open
val elements: HTMLFormControlsCollection\n open val length: Int\n fun submit()\n fun reset()\n fun
checkValidity(): Boolean\n fun reportValidity(): Boolean\n\n companion object {\n val ELEMENT_NODE:
Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:
Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val

```

```

DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun HTMLFormElement.get(index: Int): Element? =
asDynamic()[index]\n\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun HTMLFormElement.get(name:
String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n\n/**\n * Exposes the JavaScript
[HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\n */\n\npublic
external abstract class HTMLLabelElement : HTMLElement {\n    open val form: HTMLFormElement?\n    open
var htmlFor: String\n    open val control: HTMLElement?\n\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n\n/**\n * Exposes the JavaScript
[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n */\n\npublic
external abstract class HTMLInputElement : HTMLElement {\n    open var accept: String\n    open var alt: String\n
open var autocomplete: String\n    open var autofocus: Boolean\n    open var defaultChecked: Boolean\n    open var
checked: Boolean\n    open var dirName: String\n    open var disabled: Boolean\n    open val form:
HTMLFormElement?\n    open val files: FileList?\n    open var formAction: String\n    open var formEnctype:
String\n    open var formMethod: String\n    open var formNoValidate: Boolean\n    open var formTarget: String\n
open var height: Int\n    open var indeterminate: Boolean\n    open var inputMode: String\n    open val list:
HTMLElement?\n    open var max: String\n    open var maxLength: Int\n    open var min: String\n    open var
minLength: Int\n    open var multiple: Boolean\n    open var name: String\n    open var pattern: String\n    open var
placeholder: String\n    open var readOnly: Boolean\n    open var required: Boolean\n    open var size: Int\n    open
var src: String\n    open var step: String\n    open var type: String\n    open var defaultValue: String\n    open var
value: String\n    open var valueAsDate: dynamic\n    open var valueAsNumber: Double\n    open var width: Int\n
open val willValidate: Boolean\n    open val validity: ValidityState\n    open val validationMessage: String\n    open
val labels: NodeList\n    open var selectionStart: Int?\n    open var selectionEnd: Int?\n    open var
selectionDirection: String?\n    open var align: String\n    open var useMap: String\n    fun stepUp(n: Int =
definedExternally)\n    fun stepDown(n: Int = definedExternally)\n    fun checkValidity(): Boolean\n    fun
reportValidity(): Boolean\n    fun setCustomValidity(error: String)\n    fun select()\n    fun
setRangeText(replacement: String)\n    fun setRangeText(replacement: String, start: Int, end: Int, selectionMode:
SelectionMode = definedExternally)\n    fun setSelectionRange(start: Int, end: Int, direction: String =
definedExternally)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n

```

```

val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\n
*/\npublic external abstract class HTMLButtonElement : HTMLElement {\n    open var autofocus: Boolean\n
open var disabled: Boolean\n    open val form: HTMLFormElement?\n    open var formAction: String\n    open var
formEnctype: String\n    open var formMethod: String\n    open var formNoValidate: Boolean\n    open var
formTarget: String\n    open var name: String\n    open var type: String\n    open var value: String\n    open var
menu: HTMLMenuElement?\n    open val willValidate: Boolean\n    open val validity: ValidityState\n    open val
validationMessage: String\n    open val labels: NodeList\n    fun checkValidity(): Boolean\n    fun reportValidity():
Boolean\n    fun setCustomValidity(error: String)\n\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n
*/\npublic external abstract class HTMLSelectElement : HTMLElement, ItemArrayLike<Element> {\n    open var
autocomplete: String\n    open var autofocus: Boolean\n    open var disabled: Boolean\n    open val form:
HTMLFormElement?\n    open var multiple: Boolean\n    open var name: String\n    open var required: Boolean\n
open var size: Int\n    open val type: String\n    open val options: HTMLOptionsCollection\n    override var length:
Int\n    open val selectedOptions: HTMLCollection\n    open var selectedIndex: Int\n    open var value: String\n
open val willValidate: Boolean\n    open val validity: ValidityState\n    open val validationMessage: String\n    open
val labels: NodeList\n    fun namedItem(name: String): HTMLOptionElement?\n    fun add(element:
UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n    fun
remove(index: Int)\n    fun checkValidity(): Boolean\n    fun reportValidity(): Boolean\n    fun
setCustomValidity(error: String)\n    override fun item(index: Int): Element?\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLSelectElement.get(index: Int): Element? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLSelectElement.set(index: Int,
option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n * Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n
*/\npublic external abstract class HTMLDataListElement : HTMLElement {\n    open val options:
HTMLCollection\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val

```

```

DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*\npublic external abstract class HTMLOptGroupElement : HTMLInputElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open var label:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n
*\npublic external abstract class HTMLOptionElement : HTMLInputElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open val form:
HTMLFormElement?\n    open var label: String\n    open var defaultSelected: Boolean\n    open var selected:
Boolean\n    open var value: String\n    open var text: String\n    open val index: Int\n\n    companion object {\n
val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n
*\npublic external abstract class HTMLTextAreaElement : HTMLInputElement {\n    open var autocomplete: String\n
open var autofocus: Boolean\n    open var cols: Int\n    open var dirName: String\n    open var disabled: Boolean\n
open val form: HTMLFormElement?\n    open var inputMode: String\n    open var maxLength: Int\n    open var
minLength: Int\n    open var name: String\n    open var placeholder: String\n    open var readOnly: Boolean\n    open
var required: Boolean\n    open var rows: Int\n    open var wrap: String\n    open val type: String\n    open var
defaultValue: String\n    open var value: String\n    open val textLength: Int\n    open val willValidate: Boolean\n
open val validity: ValidityState\n    open val validationMessage: String\n    open val labels: NodeList\n    open var
selectionStart: Int?\n    open var selectionEnd: Int?\n    open var selectionDirection: String?\n    fun checkValidity():
Boolean\n    fun reportValidity(): Boolean\n    fun setCustomValidity(error: String)\n    fun select()\n    fun
setRangeText(replacement: String)\n    fun setRangeText(replacement: String, start: Int, end: Int, selectionMode:
SelectionMode = definedExternally)\n    fun setSelectionRange(start: Int, end: Int, direction: String =
definedExternally)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val

```

DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
[HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin \n
* \n public external abstract class HTMLKeygenElement : HTMLInputElement { \n open var autofocus: Boolean \n
open var challenge: String \n open var disabled: Boolean \n open val form: HTMLFormElement? \n open var
keytype: String \n open var name: String \n open val type: String \n open val willValidate: Boolean \n open val
validity: ValidityState \n open val validationMessage: String \n open val labels: NodeList \n fun checkValidity():
Boolean \n fun reportValidity(): Boolean \n fun setCustomValidity(error: String) \n \n companion object { \n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
[HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin \n
* \n public external abstract class HTMLOutputElement : HTMLInputElement { \n open val htmlFor: DOMTokenList \n
open val form: HTMLFormElement? \n open var name: String \n open val type: String \n open var
defaultValue: String \n open var value: String \n open val willValidate: Boolean \n open val validity:
ValidityState \n open val validationMessage: String \n open val labels: NodeList \n fun checkValidity():
Boolean \n fun reportValidity(): Boolean \n fun setCustomValidity(error: String) \n \n companion object { \n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
[HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin \n
* \n public external abstract class HTMLProgressElement : HTMLInputElement { \n open var value: Double \n open
var max: Double \n open val position: Double \n open val labels: NodeList \n \n companion object { \n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript

[HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n * public external abstract class HTMLMeterElement : HTMLInputElement {\n open var value: Double\n open var min: Double\n open var max: Double\n open var low: Double\n open var high: Double\n open var optimum: Double\n open val labels: NodeList\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin\n * public external abstract class HTMLFieldSetElement : HTMLInputElement {\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open val elements: HTMLCollection\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin\n * public external abstract class HTMLLegendElement : HTMLInputElement {\n open val form: HTMLFormElement?\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\n * public external abstract class ValidityState {\n open val valueMissing: Boolean\n open val typeMismatch: Boolean\n open val patternMismatch: Boolean\n open val tooLong: Boolean\n open val tooShort: Boolean\n open val rangeUnderflow: Boolean\n open val rangeOverflow: Boolean\n open val stepMismatch: Boolean\n open val badInput: Boolean\n open val customError: Boolean\n open val valid: Boolean\n }\n\n /**\n * Exposes the JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to Kotlin\n * public external abstract class HTMLDetailsElement : HTMLInputElement {\n open var open: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val

```

TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n\npublic external abstract class
HTMLMenuElement : HTMLInputElement { \n    open var type: String\n    open var label: String\n    open var compact:
Boolean\n\n    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n\npublic external abstract class
HTMLMenuItemElement : HTMLInputElement { \n    open var type: String\n    open var label: String\n    open var icon:
String\n    open var disabled: Boolean\n    open var checked: Boolean\n    open var radiogroup: String\n    open var
default: Boolean\n\n    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n\npublic external open class
RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event { \n    open val
relatedTarget: EventTarget?\n\n    companion object { \n        val NONE: Short\n        val CAPTURING_PHASE:
Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n } \n} \n\npublic external interface
RelatedEventInit : EventInit { \n    var relatedTarget: EventTarget? /* = null */\n    get() = definedExternally\n
set(value) = definedExternally\n} \n\n@kotlin.internal.InlineOnly\n\npublic inline fun RelatedEventInit(relatedTarget:
EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
RelatedEventInit { \n    val o = js("{ }")\n    o["relatedTarget"] = relatedTarget\n    o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n} \n\n/** \n * Exposes the JavaScript
[HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin\n
*/\n\npublic external abstract class HTMLDialogElement : HTMLInputElement { \n    open var open: Boolean\n    open var
returnValue: String\n    fun show(anchor: UnionElementOrMouseEvent = definedExternally)\n    fun
showModal(anchor: UnionElementOrMouseEvent = definedExternally)\n    fun close(returnValue: String =
definedExternally)\n\n    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val

```

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin\n *\npublic
external abstract class HTMLScriptElement : HTMLElement, HTMLOrSVGScriptElement {\n    open var src:
String\n    open var type: String\n    open var charset: String\n    open var async: Boolean\n    open var defer:
Boolean\n    open var crossOrigin: String?\n    open var text: String\n    open var nonce: String\n    open var event:
String\n    open var htmlFor: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin\n
*\npublic external abstract class HTMLTemplateElement : HTMLElement {\n    open val content:
DocumentFragment\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n *\npublic
external abstract class HTMLSlotElement : HTMLElement {\n    open var name: String\n    fun
assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\npublic external interface
AssignedNodesOptions {\n    var flatten: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun AssignedNodesOptions(flatten: Boolean? =
false): AssignedNodesOptions {\n    val o = js("{}")\n    o["flatten"] = flatten\n    return o\n}\n\n/**\n * Exposes
the JavaScript [HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement) to
Kotlin\n *\npublic external abstract class HTMLCanvasElement : HTMLElement, CanvasImageSource,
TexImageSource {\n    open var width: Int\n    open var height: Int\n    fun getContext(contextId: String, vararg

```

```

arguments: Any?): RenderingContext?\n fun toDataURL(type: String = definedExternally, quality: Any? =
definedExternally): String\n fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality:
Any? = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
CanvasRenderingContext2DSettings {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n val o =
js("{}")\n o["alpha"] = alpha\n return o\n}\n\n/**\n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin\n */\n\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters,
CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion,
CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n
open val canvas: HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n fun save()\n fun
restore()\n}\n\npublic external interface CanvasTransform {\n fun scale(x: Double, y: Double)\n fun
rotate(angle: Double)\n fun translate(x: Double, y: Double)\n fun transform(a: Double, b: Double, c: Double, d:
Double, e: Double, f: Double)\n fun getTransform(): DOMMatrix\n fun setTransform(a: Double, b: Double, c:
Double, d: Double, e: Double, f: Double)\n fun setTransform(transform: dynamic = definedExternally)\n fun
resetTransform()\n}\n\npublic external interface CanvasCompositing {\n var globalAlpha: Double\n var
globalCompositeOperation: String\n}\n\npublic external interface CanvasImageSmoothing {\n var
imageSmoothingEnabled: Boolean\n var imageSmoothingQuality: ImageSmoothingQuality\n}\n\npublic external
interface CanvasFillStrokeStyles {\n var strokeStyle: dynamic\n get() = definedExternally\n set(value) =
definedExternally\n var fillStyle: dynamic\n get() = definedExternally\n set(value) = definedExternally\n
fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\n fun
createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\n
fun createPattern(image: CanvasImageSource, repetition: String): CanvasPattern?\n}\n\npublic external interface
CanvasShadowStyles {\n var shadowOffsetX: Double\n var shadowOffsetY: Double\n var shadowBlur:
Double\n var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n var filter:
String\n}\n\npublic external interface CanvasRect {\n fun clearRect(x: Double, y: Double, w: Double, h:
Double)\n fun fillRect(x: Double, y: Double, w: Double, h: Double)\n fun strokeRect(x: Double, y: Double, w:
Double, h: Double)\n}\n\npublic external interface CanvasDrawPath {\n fun beginPath()\n fun fill(fillRule:
CanvasFillRule = definedExternally)\n fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n
fun stroke()\n fun stroke(path: Path2D)\n fun clip(fillRule: CanvasFillRule = definedExternally)\n fun
clip(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n fun resetClip()\n fun isPointInPath(x:
Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInPath(path: Path2D, x:
Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInStroke(x: Double, y:
Double): Boolean\n fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\n}\n\npublic external
interface CanvasUserInterface {\n fun drawFocusIfNeeded(element: Element)\n fun drawFocusIfNeeded(path:
Path2D, element: Element)\n fun scrollPathIntoView()\n fun scrollPathIntoView(path: Path2D)\n}\n\npublic
external interface CanvasText {\n fun fillText(text: String, x: Double, y: Double, maxWidth: Double =

```

```

definedExternally)\n fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n
fun measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n fun
drawImage(image: CanvasImageSource, dx: Double, dy: Double)\n fun drawImage(image: CanvasImageSource,
dx: Double, dy: Double, dw: Double, dh: Double)\n fun drawImage(image: CanvasImageSource, sx: Double, sy:
Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double)\n}\n\npublic external interface
CanvasHitRegion {\n fun addHitRegion(options: HitRegionOptions = definedExternally)\n fun
removeHitRegion(id: String)\n fun clearHitRegions()\n}\n\npublic external interface CanvasImageData {\n fun
createImageData(sw: Double, sh: Double): ImageData\n fun createImageData(imagedata: ImageData):
ImageData\n fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n fun
putImageData(imagedata: ImageData, dx: Double, dy: Double)\n fun putImageData(imagedata: ImageData, dx:
Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double)\n}\n\npublic
external interface CanvasPathDrawingStyles {\n var lineWidth: Double\n var lineCap: CanvasLineCap\n var
lineJoin: CanvasLineJoin\n var miterLimit: Double\n var lineDashOffset: Double\n fun setLineDash(segments:
Array<Double>)\n fun getLineDash(): Array<Double>\n}\n\npublic external interface CanvasTextDrawingStyles
{\n var font: String\n var textAlign: CanvasTextAlign\n var textBaseline: CanvasTextBaseline\n var
direction: CanvasDirection\n}\n\npublic external interface CanvasPath {\n fun closePath()\n fun moveTo(x:
Double, y: Double)\n fun lineTo(x: Double, y: Double)\n fun quadraticCurveTo(cpx: Double, cpy: Double, x:
Double, y: Double)\n fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y:
Double)\n fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n fun arcTo(x1: Double,
y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n fun rect(x: Double, y:
Double, w: Double, h: Double)\n fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle:
Double, anticlockwise: Boolean = definedExternally)\n fun ellipse(x: Double, y: Double, radiusX: Double,
radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean =
definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\n\npublic external
abstract class CanvasGradient {\n fun addColorStop(offset: Double, color: String)\n}\n\n/**\n * Exposes the
JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\n\npublic
external abstract class CanvasPattern {\n fun setTransform(transform: dynamic = definedExternally)\n}\n\n/**\n *
Exposes the JavaScript [TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n
*/\n\npublic external abstract class TextMetrics {\n open val width: Double\n open val actualBoundingBoxLeft:
Double\n open val actualBoundingBoxRight: Double\n open val fontBoundingBoxAscent: Double\n open val
fontBoundingBoxDescent: Double\n open val actualBoundingBoxAscent: Double\n open val
actualBoundingBoxDescent: Double\n open val emHeightAscent: Double\n open val emHeightDescent:
Double\n open val hangingBaseline: Double\n open val alphabeticBaseline: Double\n open val
ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n var path: Path2D? /* = null
*/\n fun get() = definedExternally\n fun set(value) = definedExternally\n var fillRule: CanvasFillRule? /* =
CanvasFillRule.NONZERO */\n fun get() = definedExternally\n fun set(value) = definedExternally\n var id:
String? /* = \"\" */\n fun get() = definedExternally\n fun set(value) = definedExternally\n var parentID: String? /*
= null */\n fun get() = definedExternally\n fun set(value) = definedExternally\n var cursor: String? /* = \"inherit\"
*/\n fun get() = definedExternally\n fun set(value) = definedExternally\n var control: Element? /* = null */\n
fun get() = definedExternally\n fun set(value) = definedExternally\n var label: String? /* = null */\n fun get() =
definedExternally\n fun set(value) = definedExternally\n var role: String? /* = null */\n fun get() =
definedExternally\n fun set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\",
parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? =
null): HitRegionOptions {\n val o = js(\"{\}\")\n o[\"path\"] = path\n o[\"fillRule\"] = fillRule\n o[\"id\"] =
id\n o[\"parentID\"] = parentID\n o[\"cursor\"] = cursor\n o[\"control\"] = control\n o[\"label\"] = label\n
o[\"role\"] = role\n return o\n}\n\n/**\n * Exposes the JavaScript

```

[ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n *
 public external open class ImageData : ImageBitmapSource, TexImageSource {\n constructor(sw: Int, sh: Int)\n constructor(data: Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n open val width: Int\n open val height: Int\n open val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript

[Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n *
 public external open class Path2D() : CanvasPath {\n constructor(path: Path2D)\n constructor(paths: Array<Path2D>, fillRule: CanvasFillRule = definedExternally)\n constructor(d: String)\n fun addPath(path: Path2D, transform: dynamic = definedExternally)\n override fun closePath()\n override fun moveTo(x: Double, y: Double)\n override fun.lineTo(x: Double, y: Double)\n override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n override fun rect(x: Double, y: Double, w: Double, h: Double)\n override fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */) \n override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */) \n}\n\n/**\n * Exposes the JavaScript

[ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext) to Kotlin\n *
 public external abstract class ImageBitmapRenderingContext {\n open val canvas: HTMLCanvasElement\n fun transferFromImageBitmap(bitmap: ImageBitmap?) \n}\n\npublic external interface ImageBitmapRenderingContextSettings {\n var alpha: Boolean? /* = true */ \n get() = definedExternally\n set(value) = definedExternally \n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n val o = js("{}")\n o["alpha"] = alpha\n return o \n}\n\n/**\n * Exposes the JavaScript

[CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n *
 public external abstract class CustomElementRegistry {\n fun define(name: String, constructor: () -> dynamic, options: ElementDefinitionOptions = definedExternally)\n fun get(name: String): Any? \n fun whenDefined(name: String): Promise<Unit> \n}\n\npublic external interface ElementDefinitionOptions {\n var extends: String? \n get() = definedExternally\n set(value) = definedExternally \n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends: String? = undefined): ElementDefinitionOptions {\n val o = js("{}")\n o["extends"] = extends\n return o \n}\n\npublic external interface ElementContentEditable {\n var contentEditable: String\n val isContentEditable: Boolean \n}\n\n/**\n * Exposes the JavaScript

[DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin\n *
 public external abstract class DataTransfer {\n open var dropEffect: String\n open var effectAllowed: String\n open val items: DataTransferItemList\n open val types: Array<out String>\n open val files: FileList\n fun setDragImage(image: Element, x: Int, y: Int)\n fun getData(format: String): String\n fun setData(format: String, data: String)\n fun clearData(format: String = definedExternally)\n}\n\n/**\n * Exposes the JavaScript

[DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin\n *
 public external abstract class DataTransferItemList {\n open val length: Int\n fun add(data: String, type: String): DataTransferItem?\n fun add(data: File): DataTransferItem?\n fun remove(index: Int)\n fun clear()\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DataTransferItemList.get(index: Int): DataTransferItem? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript

[DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n *
 public external abstract class DataTransferItem {\n open val kind: String\n open val type: String\n fun getAsString(_callback: ((String) -> Unit)?)\n fun getAsFile(): File? \n}\n\n/**\n * Exposes the JavaScript

[DragEvent](https://developer.mozilla.org/en/docs/Web/API/TouchEvent) to Kotlin\n *
 public external open class DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n open val dataTransfer: DataTransfer? \n}\n\ncompanion object {\n val NONE: Short\n val CAPTURING_PHASE:

```

Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface
DragEventInit : MouseEventInit {\n    var dataTransfer: DataTransfer? /* = null */\n    get() = definedExternally\n
    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer:
DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0,
buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey:
Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): DragEventInit {\n    val o = js("{}")\n    o["dataTransfer"] = dataTransfer\n    o["screenX"] = screenX\n
    o["screenY"] = screenY\n    o["clientX"] = clientX\n    o["clientY"] = clientY\n    o["button"] = button\n
    o["buttons"] = buttons\n    o["relatedTarget"] = relatedTarget\n    o["region"] = region\n    o["ctrlKey"] =
ctrlKey\n    o["shiftKey"] = shiftKey\n    o["altKey"] = altKey\n    o["metaKey"] = metaKey\n
    o["modifierAltGraph"] = modifierAltGraph\n    o["modifierCapsLock"] = modifierCapsLock\n
    o["modifierFn"] = modifierFn\n    o["modifierFnLock"] = modifierFnLock\n    o["modifierHyper"] =
modifierHyper\n    o["modifierNumLock"] = modifierNumLock\n    o["modifierScrollLock"] =
modifierScrollLock\n    o["modifierSuper"] = modifierSuper\n    o["modifierSymbol"] = modifierSymbol\n
    o["modifierSymbolLock"] = modifierSymbolLock\n    o["view"] = view\n    o["detail"] = detail\n
    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n    return
o\n}\n\n/**\n * Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to
Kotlin\n */\n\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers,
WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance,
UnionMessagePortOrWindowProxy {\n    open val window: Window\n    open val self: Window\n    open val
document: Document\n    open var name: String\n    open val location: Location\n    open val history: History\n
    open val customElements: CustomElementRegistry\n    open val locationbar: BarProp\n    open val menubar:
BarProp\n    open val personalbar: BarProp\n    open val scrollbar: BarProp\n    open val statusbar: BarProp\n
    open val toolbar: BarProp\n    open var status: String\n    open val closed: Boolean\n    open val frames: Window\n
    open val length: Int\n    open val top: Window\n    open var opener: Any?\n    open val parent: Window\n    open val
frameElement: Element?\n    open val navigator: Navigator\n    open val applicationCache: ApplicationCache\n
    open val external: External\n    open val screen: Screen\n    open val innerWidth: Int\n    open val innerHeight: Int\n
    open val scrollX: Double\n    open val pageXOffset: Double\n    open val scrollY: Double\n    open val
pageYOffset: Double\n    open val screenX: Int\n    open val screenY: Int\n    open val outerWidth: Int\n    open val
outerHeight: Int\n    open val devicePixelRatio: Double\n    fun close()\n    fun stop()\n    fun focus()\n    fun blur()\n
    fun open(url: String = definedExternally, target: String = definedExternally, features: String = definedExternally):
Window?\n    fun alert()\n    fun alert(message: String)\n    fun confirm(message: String = definedExternally):
Boolean\n    fun prompt(message: String = definedExternally, default: String = definedExternally): String?\n    fun
print()\n    fun requestAnimationFrame(callback: (Double) -> Unit): Int\n    fun cancelAnimationFrame(handle:
Int)\n    fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally)\n
    fun captureEvents()\n    fun releaseEvents()\n    fun matchMedia(query: String): MediaQueryList\n    fun moveTo(x:
Int, y: Int)\n    fun moveBy(x: Int, y: Int)\n    fun resizeTo(x: Int, y: Int)\n    fun resizeBy(x: Int, y: Int)\n    fun
scroll(options: ScrollToOptions = definedExternally)\n    fun scroll(x: Double, y: Double)\n    fun scrollTo(options:
ScrollToOptions = definedExternally)\n    fun scrollTo(x: Double, y: Double)\n    fun scrollBy(options:
ScrollToOptions = definedExternally)\n    fun scrollBy(x: Double, y: Double)\n    fun getComputedStyle(elt:
Element, pseudoElt: String? = definedExternally): CSSStyleDeclaration\n}\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun Window.get(name: String): dynamic = asDynamic()[name]\n\npublic external abstract class
BarProp {\n    open val visible: Boolean\n}\n\n/**\n * Exposes the JavaScript
[History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n */\n\npublic external abstract class

```

```

History {\n  open val length: Int\n  open var scrollRestoration: ScrollRestoration\n  open val state: Any?\n  fun
go(delta: Int = definedExternally)\n  fun back()\n  fun forward()\n  fun pushState(data: Any?, title: String, url:
String? = definedExternally)\n  fun replaceState(data: Any?, title: String, url: String? =
definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n *\npublic external abstract class
Location {\n  open var href: String\n  open val origin: String\n  open var protocol: String\n  open var host:
String\n  open var hostname: String\n  open var port: String\n  open var pathname: String\n  open var search:
String\n  open var hash: String\n  open val ancestorOrigins: Array<out String>\n  fun assign(url: String)\n  fun
replace(url: String)\n  fun reload()\n}\n\n/**\n * Exposes the JavaScript
[PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n *\npublic external
open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n  open val
state: Any?\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface PopStateEventInit
: EventInit {\n  var state: Any? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PopStateEventInit {\n  val o
= js("{}")\n  o["state"] = state\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n
o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n *\npublic
external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) :
Event {\n  open val oldURL: String\n  open val newURL: String\n\n  companion object {\n    val NONE:
Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n  }\n}\n\npublic external interface HashChangeEventInit : EventInit {\n  var oldURL: String? /* = "" */\n
get() = definedExternally\n  set(value) = definedExternally\n  var newURL: String? /* = "" */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
HashChangeEventInit(oldURL: String? = "", newURL: String? = "", bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): HashChangeEventInit {\n  val o = js("{}")\n  o["oldURL"] =
oldURL\n  o["newURL"] = newURL\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n
o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n *\npublic
external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) :
Event {\n  open val persisted: Boolean\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n  var persisted: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): PageTransitionEventInit {\n  val o = js("{}")\n  o["persisted"] = persisted\n
o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return
o\n}\n\n/**\n * Exposes the JavaScript
[BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\n *\npublic
external open class BeforeUnloadEvent : Event {\n  var returnValue: String\n\n  companion object {\n    val
NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n}\n\npublic external abstract class ApplicationCache : EventTarget {\n  open
val status: Short\n  open var onchecking: ((Event) -> dynamic)?\n  open var onerror: ((Event) -> dynamic)?\n
open var onnoupdate: ((Event) -> dynamic)?\n  open var ondownloading: ((Event) -> dynamic)?\n  open var
onprogress: ((ProgressEvent) -> dynamic)?\n  open var onupdateready: ((Event) -> dynamic)?\n  open var
oncached: ((Event) -> dynamic)?\n  open var onobsolete: ((Event) -> dynamic)?\n  fun update()\n  fun abort()\n
fun swapCache()\n\n  companion object {\n    val UNCAINED: Short\n    val IDLE: Short\n    val

```


CHECKING: Short\n val DOWNLOADING: Short\n val UPDATEREADY: Short\n val OBSOLETE: Short\n }\n}\n\n/**\n * Exposes the JavaScript

[NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n *\npublic external interface NavigatorOnLine {\n val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript

[ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n *\npublic external open class ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally) : Event {\n open val message: String\n open val filename: String\n open val lineno: Int\n open val colno: Int\n open val error: Any?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface ErrorEventInit : EventInit {\n var message: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var filename: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var lineno: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var colno: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var error: Any? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ErrorEventInit(message: String? = \"\", filename: String? = \"\", lineno: Int? = 0, colno: Int? = 0, error: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {\n val o = js(\"({})\")\n o[\"message\"] = message\n o[\"filename\"] = filename\n o[\"lineno\"] = lineno\n o[\"colno\"] = colno\n o[\"error\"] = error\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript

[PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin\n *\npublic external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) : Event {\n open val promise: Promise<Any?>\n open val reason: Any?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface PromiseRejectionEventInit : EventInit {\n var promise: Promise<Any?>?\n get() = definedExternally\n set(value) = definedExternally\n var reason: Any?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {\n val o = js(\"({})\")\n o[\"promise\"] = promise\n o[\"reason\"] = reason\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript

[GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n *\npublic external interface GlobalEventHandlers {\n var onabort: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onblur: ((FocusEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncancel: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncanplay: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncanplaythrough: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onchange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onclick: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onclose: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncontextmenu: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncuechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondblclick: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondrag: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragend: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragenter: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragexit: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragleave: ((DragEvent) -> dynamic)?\n

```

get() = definedExternally\n    set(value) = definedExternally\n    var ondragover: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var ondragstart: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var ondrop: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var ondurationchange: ((Event) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onemptied: ((Event) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onended: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onerror: ((dynamic, String, Int, Int, Any?) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onfocus: ((FocusEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var oninput: ((InputEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var oninvalid: ((Event) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onkeydown:
((KeyboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onkeypress: ((KeyboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onkeyup: ((KeyboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onload: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onloadeddata: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onloadedmetadata: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onloadend: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onloadstart: ((ProgressEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onmousedown: ((MouseEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onmouseenter: ((MouseEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onmouseleave: ((MouseEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onmousemove:
((MouseEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onmouseout: ((MouseEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onmouseover: ((MouseEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onmouseup: ((MouseEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onwheel: ((WheelEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onpause: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onplay: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onplaying: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onprogress: ((ProgressEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onratechange: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onreset: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onresize: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onscroll: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onseeked: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onseeking: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onselect: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onshow: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onstalled: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onsubmit: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onsuspend: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var ontimeupdate: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var ontoggle: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onvolumechange: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onwaiting: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var ongotpointercapture: ((PointerEvent) -> dynamic)?\n    get() =

```

```

definedExternally\n    set(value) = definedExternally\n    var onlostpointercapture: ((PointerEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n    var onpointerdown: ((PointerEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onpointermove:
((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpointerup: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onpointercancel: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onpointerover: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onpointerout: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onpointerenter: ((PointerEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onpointerleave: ((PointerEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n
*\npublic external interface WindowEventHandlers {\n    var onafterprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onbeforeprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onbeforeunload: ((BeforeUnloadEvent) ->
String?)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onhashchange:
((HashChangeEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onlanguagechange: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onmessage: ((MessageEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onoffline: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var online: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onpagehide: ((PageTransitionEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onpageshow: ((PageTransitionEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onpopstate: ((PopStateEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onrejectionhandled: ((Event) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n    var onstorage: ((StorageEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n    var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onunload: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\npublic external interface DocumentAndElementEventHandlers {\n    var oncopy:
((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var oncut:
((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpaste: ((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n/**\n * Exposes the JavaScript
[WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope)
to Kotlin\n
*\npublic external interface WindowOrWorkerGlobalScope {\n    val origin: String\n    val caches:
CacheStorage\n    fun btoa(data: String): String\n    fun atob(data: String): String\n    fun setTimeout(handler:
dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n    fun clearTimeout(handle: Int =
definedExternally)\n    fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?):
Int\n    fun clearInterval(handle: Int = definedExternally)\n    fun createImageBitmap(image: ImageBitmapSource,
options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n    fun createImageBitmap(image:
ImageBitmapSource, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally):
Promise<ImageBitmap>\n    fun fetch(input: dynamic, init: RequestInit = definedExternally):
Promise<Response>}\n\n/**\n * Exposes the JavaScript
[Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n
*\npublic external abstract class
Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies,
NavigatorPlugins, NavigatorConcurrentHardware {\n    open val clipboard: Clipboard\n    open val mediaDevices:
MediaDevices\n    open val maxTouchPoints: Int\n    open val serviceWorker: ServiceWorkerContainer\n    fun

```

```

requestMediaKeySystemAccess(keySystem: String, supportedConfigurations:
Array<MediaKeySystemConfiguration>): Promise<MediaKeySystemAccess>\n fun getUserMedia(constraints:
MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback: (dynamic) -> Unit)\n fun
vibrate(pattern: dynamic): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\npublic external interface
NavigatorID {\n val appCodeName: String\n val appName: String\n val appVersion: String\n val platform:
String\n val product: String\n val productSub: String\n val userAgent: String\n val vendor: String\n val
vendorSub: String\n val oscpu: String\n fun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\npublic
external interface NavigatorLanguage {\n val language: String\n val languages: Array<out String>\n}\n\npublic
external interface NavigatorContentUtils {\n fun registerProtocolHandler(scheme: String, url: String, title:
String)\n fun registerContentHandler(mimeType: String, url: String, title: String)\n fun
isProtocolHandlerRegistered(scheme: String, url: String): String\n fun isContentHandlerRegistered(mimeType:
String, url: String): String\n fun unregisterProtocolHandler(scheme: String, url: String)\n fun
unregisterContentHandler(mimeType: String, url: String)\n}\n\npublic external interface NavigatorCookies {\n val
cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\n */\npublic
external interface NavigatorPlugins {\n val plugins: PluginArray\n val mimeTypes: MimeTypeArray\n fun
javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\npublic external abstract
class PluginArray : ItemArrayLike<Plugin> {\n fun refresh(reload: Boolean = definedExternally)\n override fun
item(index: Int): Plugin?\n fun namedItem(name: String): Plugin?\n}\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun PluginArray.get(index: Int): Plugin? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun PluginArray.get(name: String):
Plugin? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\npublic external
abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n override fun item(index: Int): MimeType?\n
fun namedItem(name: String): MimeType?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
MimeTypeArray.get(index: Int): MimeType? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the
JavaScript [Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\npublic external abstract
class Plugin : ItemArrayLike<MimeType> {\n open val name: String\n open val description: String\n open val
filename: String\n override fun item(index: Int): MimeType?\n fun namedItem(name: String):
MimeType?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(index: Int): MimeType? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(name: String):
MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n */\npublic external abstract
class MimeType {\n open val type: String\n open val description: String\n open val suffixes: String\n open
val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\npublic external
abstract class ImageBitmap : CanvasImageSource, TexImageSource {\n open val width: Int\n open val height:
Int\n fun close()\n}\n\npublic external interface ImageBitmapOptions {\n var imageOrientation:
ImageOrientation? /* = ImageOrientation.NONE */\n get() = definedExternally\n set(value) =
definedExternally\n var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n get() =
definedExternally\n set(value) = definedExternally\n var colorSpaceConversion: ColorSpaceConversion? /* =
ColorSpaceConversion.DEFAULT */\n get() = definedExternally\n set(value) = definedExternally\n var
resizeWidth: Int?\n get() = definedExternally\n set(value) = definedExternally\n var resizeHeight: Int?\n
get() = definedExternally\n set(value) = definedExternally\n var resizeQuality: ResizeQuality? /* =

```

```

ResizeQuality.LOW */n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapOptions(imageOrientation:
ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? =
PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? =
ColorSpaceConversion.DEFAULT, resizeMode: Int? = undefined, resizeMode: Int? = undefined, resizeMode:
ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n    val o = js("{}")\n    o["imageOrientation"] =
imageOrientation\n    o["premultiplyAlpha"] = premultiplyAlpha\n    o["colorSpaceConversion"] =
colorSpaceConversion\n    o["resizeWidth"] = resizeMode\n    o["resizeHeight"] = resizeMode\n
o["resizeQuality"] = resizeMode\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n */\npublic external open
class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n    open val data:
Any?\n    open val origin: String\n    open val lastEventId: String\n    open val source:
UnionMessagePortOrWindowProxy?\n    open val ports: Array<out MessagePort>\n    fun initMessageEvent(type:
String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source:
UnionMessagePortOrWindowProxy?, ports: Array<MessagePort>)\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface MessageEventInit : EventInit {\n    var data: Any? /* = null */\n    get()
= definedExternally\n    set(value) = definedExternally\n    var origin: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var lastEventId: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var source: UnionMessagePortOrWindowProxy? /* =
null */\n    get() = definedExternally\n    set(value) = definedExternally\n    var ports: Array<MessagePort>? /*
= arrayOf() */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MessageEventInit(data: Any? = null, origin:
String? = "", lastEventId: String? = "", source: UnionMessagePortOrWindowProxy? = null, ports:
Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): MessageEventInit {\n    val o = js("{}")\n    o["data"] = data\n    o["origin"] = origin\n
o["lastEventId"] = lastEventId\n    o["source"] = source\n    o["ports"] = ports\n    o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n */\npublic external open
class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget {\n    open
val url: String\n    open val withCredentials: Boolean\n    open val readyState: Short\n    var onopen: ((Event) ->
dynamic)?\n    var onmessage: ((MessageEvent) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    fun
close()\n\n    companion object {\n        val CONNECTING: Short\n        val OPEN: Short\n        val CLOSED:
Short\n    }\n}\n\npublic external interface EventSourceInit {\n    var withCredentials: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
EventSourceInit(withCredentials: Boolean? = false): EventSourceInit {\n    val o = js("{}")\n
o["withCredentials"] = withCredentials\n    return o\n}\n\n/**\n * Exposes the JavaScript
[WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to Kotlin\n */\npublic external open class
WebSocket(url: String, protocols: dynamic = definedExternally) : EventTarget {\n    open val url: String\n    open
val readyState: Short\n    open val bufferedAmount: Number\n    var onopen: ((Event) -> dynamic)?\n    var onerror:
((Event) -> dynamic)?\n    var onclose: ((Event) -> dynamic)?\n    open val extensions: String\n    open val protocol:
String\n    var onmessage: ((MessageEvent) -> dynamic)?\n    var binaryType: BinaryType\n    fun close(code: Short
= definedExternally, reason: String = definedExternally)\n    fun send(data: String)\n    fun send(data: Blob)\n    fun
send(data: ArrayBuffer)\n    fun send(data: ArrayBufferView)\n\n    companion object {\n        val CONNECTING:
Short\n        val OPEN: Short\n        val CLOSING: Short\n        val CLOSED: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n */\npublic external
open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n    open val
wasClean: Boolean\n    open val code: Short\n    open val reason: String\n\n    companion object {\n        val NONE:

```

```

Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n } }\n\npublic external interface CloseEventInit : EventInit {\n    var wasClean: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var code: Short? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var reason: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CloseEventInit(wasClean: Boolean? = false, code: Short? = 0, reason: String? = "", bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): CloseEventInit {\n    val o = js("{}")\n
o["wasClean"] = wasClean\n    o["code"] = code\n    o["reason"] = reason\n    o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n */\npublic external
open class MessageChannel {\n    open val port1: MessagePort\n    open val port2: MessagePort\n}\n\n/**\n *
Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n
*/\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindowProxy,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n    open var onmessage:
((MessageEvent) -> dynamic)?\n    fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n    fun start()\n    fun close()\n}\n\n/**\n * Exposes the JavaScript
[BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n */\npublic
external open class BroadcastChannel(name: String) : EventTarget {\n    open val name: String\n    var onmessage:
((MessageEvent) -> dynamic)?\n    fun postMessage(message: Any?)\n    fun close()\n}\n\n/**\n * Exposes the
JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n
*/\npublic external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope,
GlobalPerformance {\n    open val self: WorkerGlobalScope\n    open val location: WorkerLocation\n    open val
navigator: WorkerNavigator\n    open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n    open var
onlanguagechange: ((Event) -> dynamic)?\n    open var onoffline: ((Event) -> dynamic)?\n    open var ononline:
((Event) -> dynamic)?\n    open var onrejectionhandled: ((Event) -> dynamic)?\n    open var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n    fun importScripts(vararg urls: String)\n}\n\n/**\n * Exposes the
JavaScript
[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n    open var
onmessage: ((MessageEvent) -> dynamic)?\n    fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n    fun close()\n}\n\n/**\n * Exposes the JavaScript
[SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n    open val name:
String\n    open val applicationCache: ApplicationCache\n    open var onconnect: ((Event) -> dynamic)?\n    fun
close()\n}\n\n/**\n * Exposes the JavaScript
[AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n */\npublic external
interface AbstractWorker {\n    var onerror: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value)
= definedExternally\n}\n\n/**\n * Exposes the JavaScript
[Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n */\npublic external open class
Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n    var
onmessage: ((MessageEvent) -> dynamic)?\n    override var onerror: ((Event) -> dynamic)?\n    fun terminate()\n
fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\npublic external interface
WorkerOptions {\n    var type: WorkerType? /* = WorkerType.CLASSIC */\n    get() = definedExternally\n
set(value) = definedExternally\n    var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n
get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
WorkerOptions(type: WorkerType? = WorkerType.CLASSIC, credentials: RequestCredentials? =
RequestCredentials.OMIT): WorkerOptions {\n    val o = js("{}")\n    o["type"] = type\n    o["credentials"] =
credentials\n    return o\n}\n\n/**\n * Exposes the JavaScript

```

[SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n */\npublic external open class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n open val port: MessagePort\n override var onerror: ((Event) -> dynamic)?\n}\n\n*/\n * Exposes the JavaScript

[NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to Kotlin\n */\npublic external interface NavigatorConcurrentHardware {\n val hardwareConcurrency: Number\n}\n\n*/\n * Exposes the JavaScript

[WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n */\npublic external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorConcurrentHardware {\n open val serviceWorker: ServiceWorkerContainer\n}\n\n*/\n * Exposes the JavaScript

[WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n */\npublic external abstract class WorkerLocation {\n open val href: String\n open val origin: String\n open val protocol: String\n open val host: String\n open val hostname: String\n open val port: String\n open val pathname: String\n open val search: String\n open val hash: String\n}\n\n*/\n * Exposes the JavaScript

[Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n */\npublic external abstract class Storage {\n open val length: Int\n fun key(index: Int): String?\n fun removeItem(key: String)\n fun clear()\n fun getItem(key: String): String?\n fun setItem(key: String, value: String)\n}\n\n*/\n @kotlin.internal.InlineOnly\npublic inline operator fun Storage.get(key: String): String? = asDynamic()[key]\n\n*/\n @kotlin.internal.InlineOnly\npublic inline operator fun Storage.set(key: String, value: String) { asDynamic()[key] = value }\n\n*/\n * Exposes the JavaScript

[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n */\npublic external interface WindowSessionStorage {\n val sessionStorage: Storage\n}\n\n*/\n * Exposes the JavaScript

[WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to Kotlin\n */\npublic external interface WindowLocalStorage {\n val localStorage: Storage\n}\n\n*/\n * Exposes the JavaScript

[StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n */\npublic external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n open val key: String?\n open val oldValue: String?\n open val newValue: String?\n open val url: String\n open val storageArea: Storage?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\n*/\npublic external interface StorageEventInit : EventInit {\n var key: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var oldValue: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var newValue: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var url: String? /* = "" */\n get() = definedExternally\n set(value) = definedExternally\n var storageArea: Storage? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n*/\n @kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key: String? = null, oldValue: String? = null, newValue: String? = null, url: String? = "", storageArea: Storage? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n val o = js("{}")\n o["key"] = key\n o["oldValue"] = oldValue\n o["newValue"] = newValue\n o["url"] = url\n o["storageArea"] = storageArea\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n*/\npublic external abstract class HTMLAppletElement : HTMLElement {\n open var align: String\n open var alt: String\n open var archive: String\n open var code: String\n open var codeBase: String\n open var height: String\n open var hspace: Int\n open var name: String\n open var _object: String\n open var vspace: Int\n open var width: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin\n
*\npublic external abstract class HTMLMarqueeElement : HTMLElement {\n    open var behavior: String\n    open
var bgColor: String\n    open var direction: String\n    open var height: String\n    open var hspace: Int\n    open var
loop: Int\n    open var scrollAmount: Int\n    open var scrollDelay: Int\n    open var trueSpeed: Boolean\n    open var
vspace: Int\n    open var width: String\n    open var onbounce: ((Event) -> dynamic)?\n    open var onfinish: ((Event)
-> dynamic)?\n    open var onstart: ((Event) -> dynamic)?\n    fun start()\n    fun stop()\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n
*\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\n    open var
cols: String\n    open var rows: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\npublic external abstract class
HTMLFrameElement : HTMLElement {\n    open var name: String\n    open var scrolling: String\n    open var src:
String\n    open var frameBorder: String\n    open var longDesc: String\n    open var noResize: Boolean\n    open val
contentDocument: Document?\n    open val contentWindow: Window?\n    open var marginHeight: String\n    open
var marginWidth: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\npublic external abstract class
HTMLDirectoryElement : HTMLElement {\n    open var compact: Boolean\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val

```



```

DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin\n *\npublic
external abstract class HTMLElement : HTMLElement {\n    open var color: String\n    open var face: String\n
open var size: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface External
{\n    fun AddSearchProvider()\n    fun IsSearchProviderInstalled()\n}\n\npublic external interface EventInit {\n
var bubbles: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n
var cancelable: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n
var composed: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventInit(bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n    val o = js("{}")\n    o["bubbles"] =
bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the
JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n *\npublic
external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n
open val detail: Any?\n    fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail:
Any?)\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val
AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface CustomEventInit :
EventInit {\n    var detail: Any? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CustomEventInit(detail: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CustomEventInit {\n    val o
= js("{}")\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n
o["composed"] = composed\n    return o\n}\n\npublic external interface EventListenerOptions {\n    var capture:
Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture: Boolean? =
false): EventListenerOptions {\n    val o = js("{}")\n    o["capture"] = capture\n    return o\n}\n\npublic external
interface AddEventListenerOptions : EventListenerOptions {\n    var passive: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var once: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
AddEventListenerOptions(passive: Boolean? = false, once: Boolean? = false, capture: Boolean? = false):
AddEventListenerOptions {\n    val o = js("{}")\n    o["passive"] = passive\n    o["once"] = once\n
o["capture"] = capture\n    return o\n}\n\npublic external interface NonElementParentNode {\n    fun
getElementById(elementId: String): Element?\n}\n\n/**\n * Exposes the JavaScript
[DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n
*\npublic external interface DocumentOrShadowRoot {\n    val fullscreenElement: Element?\n    get() =
definedExternally\n}\n\n/**\n * Exposes the JavaScript

```

[ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n *
 public external interface ParentNode {\n val children: HTMLCollection\n val firstElementChild: Element?\n get() = definedExternally\n val lastElementChild: Element?\n get() = definedExternally\n val childElementCount: Int\n fun prepend(vararg nodes: dynamic)\n fun append(vararg nodes: dynamic)\n fun querySelector(selectors: String): Element?\n fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript [NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to Kotlin\n *
 public external interface NonDocumentTypeChildNode {\n val previousElementSibling: Element?\n get() = definedExternally\n val nextElementSibling: Element?\n get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n *
 public external interface ChildNode {\n fun before(vararg nodes: dynamic)\n fun after(vararg nodes: dynamic)\n fun replaceWith(vararg nodes: dynamic)\n fun remove()\n}\n\n/**\n * Exposes the JavaScript [Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n *
 public external interface Slotable {\n val assignedSlot: HTMLSlotElement?\n get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript [NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n *
 public external abstract class NodeList : ItemArrayLike<Node> {\n override fun item(index: Int): Node?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun NodeList.get(index: Int): Node? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n *
 public external abstract class HTMLCollection : ItemArrayLike<Element>, UnionElementOrHTMLCollection {\n override fun item(index: Int): Element?\n fun namedItem(name: String): Element?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(index: Int): Element? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(name: String): Element? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin\n *
 public external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\n fun observe(target: Node, options: MutationObserverInit = definedExternally)\n fun disconnect()\n fun takeRecords(): Array<MutationRecord>\n}\n\n/**\n * Exposes the JavaScript [MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\n *
 public external interface MutationObserverInit {\n var childList: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var attributes: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var characterData: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var subtree: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var attributeOldValue: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var characterDataOldValue: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var attributeFilter: Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MutationObserverInit(childList: Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? = undefined, subtree: Boolean? = false, attributeOldValue: Boolean? = undefined, characterDataOldValue: Boolean? = undefined, attributeFilter: Array<String>? = undefined): MutationObserverInit {\n val o = js("{}")\n o["childList"] = childList\n o["attributes"] = attributes\n o["characterData"] = characterData\n o["subtree"] = subtree\n o["attributeOldValue"] = attributeOldValue\n o["characterDataOldValue"] = characterDataOldValue\n o["attributeFilter"] = attributeFilter\n return o\n}\n\n/**\n * Exposes the JavaScript [MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n *
 public external abstract class MutationRecord {\n open val type: String\n open val target: Node\n open val addedNodes: NodeList\n open val removedNodes: NodeList\n open val previousSibling: Node?\n open val nextSibling: Node?\n open val attributeName: String?\n open val attributeNamespace: String?\n open val oldValue: String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to Kotlin\n *
 public external abstract class Node : EventTarget {\n open val nodeType: Short\n open val

```

nodeName: String\n open val baseURI: String\n open val isConnected: Boolean\n open val ownerDocument:
Document?\n open val parentNode: Node?\n open val parentElement: Element?\n open val childNodes:
NodeList\n open val firstChild: Node?\n open val lastChild: Node?\n open val previousSibling: Node?\n
open val nextSibling: Node?\n open var nodeValue: String?\n open var textContent: String?\n fun
getRootNode(options: GetRootNodeOptions = definedExternally): Node\n fun hasChildNodes(): Boolean\n fun
normalize()\n fun cloneNode(deep: Boolean = definedExternally): Node\n fun isEqualNode(otherNode: Node?):
Boolean\n fun isSameNode(otherNode: Node?): Boolean\n fun compareDocumentPosition(other: Node): Short\n
fun contains(other: Node?): Boolean\n fun lookupPrefix(namespace: String?): String?\n fun
lookupNamespaceURI(prefix: String?): String?\n fun isDefaultNamespace(namespace: String?): Boolean\n fun
insertBefore(node: Node, child: Node?): Node\n fun appendChild(node: Node): Node\n fun replaceChild(node:
Node, child: Node): Node\n fun removeChild(child: Node): Node\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
GetRootNodeOptions {\n var composed: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed: Boolean?
= false): GetRootNodeOptions {\n val o = js("{}")\n o["composed"] = composed\n return o\n}\n\n/**\n *
Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin\n
*\n\npublic external open class Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers,
NonElementParentNode, DocumentOrShadowRoot, ParentNode, GeometryUtils {\n open val implementation:
DOMImplementation\n open val URL: String\n open val documentURI: String\n open val origin: String\n
open val compatMode: String\n open val characterSet: String\n open val charset: String\n open val
inputEncoding: String\n open val contentType: String\n open val doctype: DocumentType?\n open val
documentElement: Element?\n open val location: Location?\n var domain: String\n open val referrer: String\n
var cookie: String\n open val lastModified: String\n open val readyState: DocumentReadyState\n var title:
String\n var dir: String\n var body: HTMLElement?\n open val head: HTMLHeadElement?\n open val
images: HTMLCollection\n open val embeds: HTMLCollection\n open val plugins: HTMLCollection\n open
val links: HTMLCollection\n open val forms: HTMLCollection\n open val scripts: HTMLCollection\n open
val currentScript: HTMLScriptElement?\n open val defaultView: Window?\n open val activeElement:
Element?\n var designMode: String\n var onreadystatechange: ((Event) -> dynamic)?\n var fgColor: String\n
var linkColor: String\n var vlinkColor: String\n var alinkColor: String\n var bgColor: String\n open val
anchors: HTMLCollection\n open val applets: HTMLCollection\n open val all: HTMLAllCollection\n open
val scrollingElement: Element?\n open val styleSheets: StyleSheetList\n open val rootElement:
SVGElement?\n open val fullscreenEnabled: Boolean\n open val fullscreen: Boolean\n var
onfullscreenchange: ((Event) -> dynamic)?\n var onfullscreenerror: ((Event) -> dynamic)?\n override var
onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var oncancel:
((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough:
((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) ->
dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) ->
dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) ->
dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) ->

```

```

dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) ->
dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) ->
dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) ->
dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -
> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup:
((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata:
((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend:
((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown:
((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var
onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) ->
dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) ->
dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var
onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked:
((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) ->
dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var
ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var
onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var
ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) ->
dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove:
((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var
onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n
override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) ->
dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy:
((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste:
((ClipboardEvent) -> dynamic)?\n override val fullscreenElement: Element?\n override val children:
HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n
override val childElementCount: Int\n fun getElementsByTagName(qualifiedName: String): HTMLCollection\n
fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun
getElementsByTagName(className: String): HTMLCollection\n fun createElement(localName: String,
options: ElementCreationOptions = definedExternally): Element\n fun createElementNS(namespace: String?,
qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n fun
createDocumentFragment(): DocumentFragment\n fun createTextNode(data: String): Text\n fun
createCDATASection(data: String): CDATASection\n fun createComment(data: String): Comment\n fun
createProcessingInstruction(target: String, data: String): ProcessingInstruction\n fun importNode(node: Node,
deep: Boolean = definedExternally): Node\n fun adoptNode(node: Node): Node\n fun
createAttribute(localName: String): Attr\n fun createAttributeNS(namespace: String?, qualifiedName: String):
Attr\n fun createEvent(`interface`: String): Event\n fun createRange(): Range\n fun createNodeIterator(root:
Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n fun
createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? =
definedExternally): NodeIterator\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter:
NodeFilter? = definedExternally): TreeWalker\n fun createTreeWalker(root: Node, whatToShow: Int =
definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\n fun

```

```

getElementsByName(elementName: String): NodeList\n fun open(type: String = definedExternally, replace:
String = definedExternally): Document\n fun open(url: String, name: String, features: String): Window\n fun
close()\n fun write(vararg text: String)\n fun writeln(vararg text: String)\n fun hasFocus(): Boolean\n fun
execCommand(commandId: String, showUI: Boolean = definedExternally, value: String = definedExternally):
Boolean\n fun queryCommandEnabled(commandId: String): Boolean\n fun
queryCommandIndeterm(commandId: String): Boolean\n fun queryCommandState(commandId: String):
Boolean\n fun queryCommandSupported(commandId: String): Boolean\n fun
queryCommandValue(commandId: String): String\n fun clear()\n fun captureEvents()\n fun releaseEvents()\n
fun elementFromPoint(x: Double, y: Double): Element?\n fun elementsFromPoint(x: Double, y: Double):
Array<Element>\n fun caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n fun createTouch(view:
Window, target: EventTarget, identifier: Int, pageX: Int, pageY: Int, screenX: Int, screenY: Int): Touch\n fun
createTouchList(vararg touches: Touch): TouchList\n fun exitFullscreen(): Promise<Unit>\n override fun
getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic)\n override fun
append(vararg nodes: dynamic)\n override fun querySelector(selectors: String): Element?\n override fun
querySelectorAll(selectors: String): NodeList\n override fun getBoxQuads(options: BoxQuadOptions /* =
definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun
convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Document.get(name: String): dynamic =
asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n */\npublic external
open class XMLDocument : Document {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
ElementCreationOptions {\n var `is`: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(`is`: String? =
undefined): ElementCreationOptions {\n val o = js("{}")\n o["is"] = `is`\n return o\n}\n\n/**\n * Exposes
the JavaScript [DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to
Kotlin\n */\npublic external abstract class DOMImplementation {\n fun createDocumentType(qualifiedName:
String, publicId: String, systemId: String): DocumentType\n fun createDocument(namespace: String?,

```

```

qualifiedName: String, doctype: DocumentType? = definedExternally): XMLDocument\n fun
createHTMLDocument(title: String = definedExternally): Document\n fun hasFeature(): Boolean\n}\n\n/**\n *
Exposes the JavaScript [DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to
Kotlin\n */\npublic external abstract class DocumentType : Node, ChildNode {\n open val name: String\n open
val publicId: String\n open val systemId: String\n\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n */\npublic
external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n override val children:
HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n
override val childElementCount: Int\n override fun getElementById(elementId: String): Element?\n override fun
prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun
querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\n */\npublic external open
class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\n open val mode: ShadowRootMode\n
open val host: Element\n override val fullscreenElement: Element?\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n */\npublic external abstract class
Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils,
UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent,
UnionElementOrProcessingInstruction {\n open val namespaceURI: String?\n open val prefix: String?\n open
val localName: String\n open val tagName: String\n open var id: String\n open var className: String\n open
val classList: DOMTokenList\n open var slot: String\n open val attributes: NamedNodeMap\n open val
shadowRoot: ShadowRoot?\n open var scrollTop: Double\n open var scrollLeft: Double\n open val

```

```

scrollWidth: Int\n open val scrollHeight: Int\n open val clientTop: Int\n open val clientLeft: Int\n open val
clientWidth: Int\n open val clientHeight: Int\n open var innerHTML: String\n open var outerHTML: String\n
fun hasAttributes(): Boolean\n fun getAttributeNames(): Array<String>\n fun getAttribute(qualifiedName:
String): String?\n fun getAttributeNS(namespace: String?, localName: String): String?\n fun
setAttribute(qualifiedName: String, value: String)\n fun setAttributeNS(namespace: String?, qualifiedName:
String, value: String)\n fun removeAttribute(qualifiedName: String)\n fun removeAttributeNS(namespace:
String?, localName: String)\n fun hasAttribute(qualifiedName: String): Boolean\n fun
hasAttributeNS(namespace: String?, localName: String): Boolean\n fun getAttributeNode(qualifiedName: String):
Attr?\n fun getAttributeNodeNS(namespace: String?, localName: String): Attr?\n fun setAttributeNode(attr:
Attr): Attr?\n fun setAttributeNodeNS(attr: Attr): Attr?\n fun removeAttributeNode(attr: Attr): Attr\n fun
attachShadow(init: ShadowRootInit): ShadowRoot\n fun closest(selectors: String): Element?\n fun
matches(selectors: String): Boolean\n fun webkitMatchesSelector(selectors: String): Boolean\n fun
getElementsByTagName(qualifiedName: String): HTMLCollection\n fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun
getElementsByClassName(classNames: String): HTMLCollection\n fun insertAdjacentElement(where: String,
element: Element): Element?\n fun insertAdjacentText(where: String, data: String)\n fun getClientRects():
Array<DOMRect>\n fun getBoundingClientRect(): DOMRect\n fun scrollIntoView()\n fun
scrollIntoView(arg: dynamic)\n fun scroll(options: ScrollToOptions = definedExternally)\n fun scroll(x: Double,
y: Double)\n fun scrollTo(options: ScrollToOptions = definedExternally)\n fun scrollTo(x: Double, y: Double)\n
fun scrollBy(options: ScrollToOptions = definedExternally)\n fun scrollBy(x: Double, y: Double)\n fun
insertAdjacentHTML(position: String, text: String)\n fun setPointerCapture(pointerId: Int)\n fun
releasePointerCapture(pointerId: Int)\n fun hasPointerCapture(pointerId: Int): Boolean\n fun requestFullscreen():
Promise<Unit>\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n\n\npublic external interface
ShadowRootInit {\n var mode: ShadowRootMode?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit {\n val o = js("{}")\n o["mode"] = mode\n return o\n}\n\n/**\n * Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to
Kotlin\n */\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n fun
getNamedItemNS(namespace: String?, localName: String): Attr?\n fun setNamedItem(attr: Attr): Attr?\n fun
setNamedItemNS(attr: Attr): Attr?\n fun removeNamedItem(qualifiedName: String): Attr\n fun
removeNamedItemNS(namespace: String?, localName: String): Attr\n override fun item(index: Int): Attr?\n fun
getNamedItem(qualifiedName: String): Attr?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
NamedNodeMap.get(index: Int): Attr? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/**\n * Exposes the
JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n */\npublic external abstract class
Attr : Node {\n open val namespaceURI: String?\n open val prefix: String?\n open val localName: String\n
open val name: String\n open var value: String\n open val ownerElement: Element?\n open val specified:
Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:

```

```

Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n\n\npublic external
abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n    open var data: String\n    open
val length: Int\n    fun substringData(offset: Int, count: Int): String\n    fun appendData(data: String)\n    fun
insertData(offset: Int, data: String)\n    fun deleteData(offset: Int, count: Int)\n    fun replaceData(offset: Int, count:
Int, data: String)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n\n\npublic external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n    open val wholeText: String\n    override
val assignedSlot: HTMLSlotElement?\n    override val previousElementSibling: Element?\n    override val
nextElementSibling: Element?\n    fun splitText(offset: Int): Text\n    override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n    override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n    override
fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n    override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n    override fun before(vararg nodes:
dynamic)\n    override fun after(vararg nodes: dynamic)\n    override fun replaceWith(vararg nodes: dynamic)\n
    override fun remove()\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n\n\npublic external
open class CDATASection : Text {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val

```


DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n/** \n * Exposes the JavaScript [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to Kotlin\n * \npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle, UnionElementOrProcessingInstruction {\n open val target: String\n\n companion object {\n val

ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val

DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n/** \n * Exposes the JavaScript [Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n * \npublic external open class Comment(data: String = definedExternally) : CharacterData {\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun remove()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val

DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n/** \n * Exposes the JavaScript [Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n * \npublic external open class Range {\n open val startContainer: Node\n open val startOffset: Int\n open val endContainer: Node\n open val endOffset: Int\n open val collapsed: Boolean\n open val commonAncestorContainer: Node\n fun setStart(node: Node, offset: Int)\n fun setEnd(node: Node, offset: Int)\n fun setStartBefore(node: Node)\n fun setStartAfter(node: Node)\n fun setEndBefore(node: Node)\n fun setEndAfter(node: Node)\n fun collapse(toStart: Boolean = definedExternally)\n fun selectNode(node: Node)\n fun selectNodeContents(node: Node)\n fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\n fun deleteContents()\n fun extractContents(): DocumentFragment\n fun cloneContents(): DocumentFragment\n fun insertNode(node: Node)\n fun surroundContents(newParent: Node)\n fun cloneRange(): Range\n fun detach()\n fun isPointInRange(node: Node, offset: Int): Boolean\n fun comparePoint(node: Node, offset: Int): Short\n fun intersectsNode(node: Node): Boolean\n fun getClientRects(): Array<DOMRect>\n fun getBoundingClientRect(): DOMRect\n fun createContextualFragment(fragment: String): DocumentFragment\n\n companion object {\n val START_TO_START: Short\n val START_TO_END: Short\n val END_TO_END: Short\n val END_TO_START: Short\n } \n} \n \n/** \n * Exposes the JavaScript [NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n * \npublic external abstract class NodeIterator {\n open val root: Node\n open val referenceNode: Node\n open val pointerBeforeReferenceNode: Boolean\n open val whatToShow: Int\n open val filter: NodeFilter?\n fun nextNode(): Node?\n fun previousNode(): Node?\n fun detach()\n} \n \n/** \n * Exposes the JavaScript [TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n * \npublic external abstract

```

class TreeWalker {\n  open val root: Node\n  open val whatToShow: Int\n  open val filter: NodeFilter?\n  open
var currentNode: Node\n  fun parentNode(): Node?\n  fun firstChild(): Node?\n  fun lastChild(): Node?\n  fun
previousSibling(): Node?\n  fun nextSibling(): Node?\n  fun previousNode(): Node?\n  fun nextNode():
Node?\n}\n\n/**\n * Exposes the JavaScript
[NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n
*/\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface NodeFilter {\n
fun acceptNode(node: Node): Short\n\n  companion object {\n    val FILTER_ACCEPT: Short\n    val
FILTER_REJECT: Short\n    val FILTER_SKIP: Short\n    val SHOW_ALL: Int\n    val
SHOW_ELEMENT: Int\n    val SHOW_ATTRIBUTE: Int\n    val SHOW_TEXT: Int\n    val
SHOW_CDATA_SECTION: Int\n    val SHOW_ENTITY_REFERENCE: Int\n    val SHOW_ENTITY: Int\n
    val SHOW_PROCESSING_INSTRUCTION: Int\n    val SHOW_COMMENT: Int\n    val
SHOW_DOCUMENT: Int\n    val SHOW_DOCUMENT_TYPE: Int\n    val
SHOW_DOCUMENT_FRAGMENT: Int\n    val SHOW_NOTATION: Int\n  }\n}\n\n/**\n * Exposes the
JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin\n
*/\npublic external abstract class DOMTokenList : ItemArrayLike<String> {\n  open var value: String\n  fun
contains(token: String): Boolean\n  fun add(vararg tokens: String)\n  fun remove(vararg tokens: String)\n
fun toggle(token: String, force: Boolean = definedExternally): Boolean\n  fun replace(token: String,
newToken: String)\n  fun supports(token: String): Boolean\n  override fun item(index: Int):
String?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMTokenList.get(index: Int):
String? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n
*/\npublic external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n  open
val x: Double\n  open val y: Double\n  open val z: Double\n  open val w: Double\n  fun
matrixTransform(matrix:
DOMMatrixReadOnly): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n
*/\npublic external open class
DOMPoint : DOMPointReadOnly {\n  constructor(point: DOMPointInit)\n  constructor(x: Double =
definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double =
definedExternally)\n  override var x: Double\n  override var y: Double\n  override var z: Double\n
override var w:
Double\n}\n\n/**\n * Exposes the JavaScript
[DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n
*/\npublic external
interface DOMPointInit {\n  var x: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var y: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var z: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var w: Double? /* = 1.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0,
y: Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n  val o = js("{}")\n  o["x"] =
x\n  o["y"] = y\n  o["z"] = z\n  o["w"] = w\n  return o\n}\n\n/**\n * Exposes the JavaScript
[DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n
*/\npublic external open class
DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double =
definedExternally,
height: Double = definedExternally) : DOMRectReadOnly {\n  override var x: Double\n  override
var y: Double\n  override var width: Double\n  override var height: Double\n}\n\n/**\n * Exposes the
JavaScript
[DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n
*/\npublic external open class
DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n  open val x:
Double\n  open val y: Double\n  open val width: Double\n  open val height: Double\n  open
val top: Double\n  open val right: Double\n  open val bottom: Double\n  open val left: Double\n}\n\npublic
external interface
DOMRectInit {\n  var x: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var y: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var width: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =

```

```

definedExternally\n    var height: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y: Double?
= 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {\n    val o = js("{}")\n    o["x"] = x\n
o["y"] = y\n    o["width"] = width\n    o["height"] = height\n    return o\n}\n\npublic external interface
DOMRectList : ItemArrayLike<DOMRect> {\n    override fun item(index: Int):
DOMRect?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMRectList.get(index: Int): DOMRect?
= asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class
DOMQuad {\n    constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3:
DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n    constructor(rect: DOMRectInit)\n
open val p1: DOMPoint\n    open val p2: DOMPoint\n    open val p3: DOMPoint\n    open val p4: DOMPoint\n
open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to Kotlin\n */\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n    open val a: Double\n
open val b: Double\n    open val c: Double\n    open val d: Double\n    open val e: Double\n    open val f: Double\n
open val m11: Double\n    open val m12: Double\n    open val m13: Double\n    open val m14: Double\n    open val
m21: Double\n    open val m22: Double\n    open val m23: Double\n    open val m24: Double\n    open val m31:
Double\n    open val m32: Double\n    open val m33: Double\n    open val m34: Double\n    open val m41: Double\n
open val m42: Double\n    open val m43: Double\n    open val m44: Double\n    open val is2D: Boolean\n    open
val isIdentity: Boolean\n    fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n
fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n
fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ:
Double = definedExternally): DOMMatrix\n    fun scaleNonUniform(scaleX: Double, scaleY: Double =
definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n    fun rotate(angle: Double, originX:
Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n    fun rotateFromVector(x:
Double, y: Double): DOMMatrix\n    fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n    fun skewX(sx: Double): DOMMatrix\n    fun skewY(sy: Double): DOMMatrix\n    fun
multiply(other: DOMMatrix): DOMMatrix\n    fun flipX(): DOMMatrix\n    fun flipY(): DOMMatrix\n    fun
inverse(): DOMMatrix\n    fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n    fun
toFloat32Array(): Float32Array\n    fun toFloat64Array(): Float64Array\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n */\npublic external open
class DOMMatrix() : DOMMatrixReadOnly {\n    constructor(transformList: String)\n    constructor(other:
DOMMatrixReadOnly)\n    constructor(array32: Float32Array)\n    constructor(array64: Float64Array)\n
constructor(numberSequence: Array<Double>)\n    override var a: Double\n    override var b: Double\n    override
var c: Double\n    override var d: Double\n    override var e: Double\n    override var f: Double\n    override var m11:
Double\n    override var m12: Double\n    override var m13: Double\n    override var m14: Double\n    override var
m21: Double\n    override var m22: Double\n    override var m23: Double\n    override var m24: Double\n    override
var m31: Double\n    override var m32: Double\n    override var m33: Double\n    override var m34: Double\n
override var m41: Double\n    override var m42: Double\n    override var m43: Double\n    override var m44:
Double\n    fun multiplySelf(other: DOMMatrix): DOMMatrix\n    fun preMultiplySelf(other: DOMMatrix):
DOMMatrix\n    fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n    fun
scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n
fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally,
originZ: Double = definedExternally): DOMMatrix\n    fun scaleNonUniformSelf(scaleX: Double, scaleY: Double =
definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n    fun rotateSelf(angle: Double, originX:
Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n    fun rotateFromVectorSelf(x:

```

```

Double, y: Double): DOMMatrix\n fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n fun skewXSelf(sx: Double): DOMMatrix\n fun skewYSelf(sy: Double): DOMMatrix\n fun
invertSelf(): DOMMatrix\n fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external
interface ScrollOptions {\n var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n val o = js("{}")\n
o["behavior"] = behavior\n return o\n}\n\n/**\n * Exposes the JavaScript
[ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\n */\npublic external
interface ScrollToOptions : ScrollOptions {\n var left: Double?\n get() = definedExternally\n set(value) =
definedExternally\n var top: Double?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollToOptions(left: Double? = undefined,
top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n val o =
js("{}")\n o["left"] = left\n o["top"] = top\n o["behavior"] = behavior\n return o\n}\n\n/**\n *
Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to
Kotlin\n */\npublic external abstract class MediaQueryList : EventTarget {\n open val media: String\n open val
matches: Boolean\n open var onchange: ((Event) -> dynamic)?\n fun addListener(listener: EventListener?)\n
fun addListener(listener: ((Event) -> Unit)?)\n fun removeListener(listener: EventListener?)\n fun
removeListener(listener: ((Event) -> Unit)?)\n}\n\n/**\n * Exposes the JavaScript
[MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin\n */\npublic external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit =
definedExternally) : Event {\n open val media: String\n open val matches: Boolean\n\n companion object {\n
val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n}\n\npublic external interface MediaQueryListEventInit : EventInit {\n var
media: String? /* = "" */\n get() = definedExternally\n set(value) = definedExternally\n var matches:
Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaQueryListEventInit(media: String? =
"", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): MediaQueryListEventInit {\n val o = js("{}")\n o["media"] = media\n o["matches"] = matches\n
o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript [Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n */\npublic external abstract class Screen {\n open val availWidth: Int\n open val availHeight: Int\n open val
width: Int\n open val height: Int\n open val colorDepth: Int\n open val pixelDepth: Int\n}\n\n/**\n * Exposes
the JavaScript [CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n */\npublic
external abstract class CaretPosition {\n open val offsetNode: Node\n open val offset: Int\n fun
getClientRect(): DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n var block:
ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n get() = definedExternally\n set(value) =
definedExternally\n var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline:
ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO):
ScrollIntoViewOptions {\n val o = js("{}")\n o["block"] = block\n o["inline"] = inline\n o["behavior"]
= behavior\n return o\n}\n\npublic external interface BoxQuadOptions {\n var box: CSSBoxType? /* =
CSSBoxType.BORDER */\n get() = definedExternally\n set(value) = definedExternally\n var relativeTo:
dynamic\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? =
CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {\n val o = js("{}")\n
o["box"] = box\n o["relativeTo"] = relativeTo\n return o\n}\n\npublic external interface
ConvertCoordinateOptions {\n var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n get() =

```

```

definedExternally\n    set(value) = definedExternally\n    var toBox: CSSBoxType? /* = CSSBoxType.BORDER
*\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? =
CSSBoxType.BORDER): ConvertCoordinateOptions {\n    val o = js("{}")\n    o["fromBox"] = fromBox\n
o["toBox"] = toBox\n    return o\n}\n\n/**\n * Exposes the JavaScript
[GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n */\npublic external
interface GeometryUtils {\n    fun getBoxQuads(options: BoxQuadOptions = definedExternally):
Array<DOMQuad>\n    fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions = definedExternally): DOMQuad\n    fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n    fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions =
definedExternally): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\n */\npublic external abstract class Touch
{\n    open val identifier: Int\n    open val target: EventTarget\n    open val screenX: Int\n    open val screenY: Int\n
open val clientX: Int\n    open val clientY: Int\n    open val pageX: Int\n    open val pageY: Int\n    open val region:
String?\n}\n\npublic external abstract class TouchList : ItemArrayLike<Touch> {\n    override fun item(index: Int):
Touch?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun TouchList.get(index: Int): Touch? =
asDynamic()[index]\n\npublic external open class TouchEvent : UIEvent {\n    open val touches: TouchList\n
open val targetTouches: TouchList\n    open val changedTouches: TouchList\n    open val altKey: Boolean\n    open
val metaKey: Boolean\n    open val ctrlKey: Boolean\n    open val shiftKey: Boolean\n\n    companion object {\n
val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin\n */\npublic external open class
Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLImageElement {\n    override var
onabort: ((Event) -> dynamic)?\n    override var onblur: ((FocusEvent) -> dynamic)?\n    override var oncancel:
((Event) -> dynamic)?\n    override var oncanplay: ((Event) -> dynamic)?\n    override var oncanplaythrough:
((Event) -> dynamic)?\n    override var onchange: ((Event) -> dynamic)?\n    override var onclick: ((MouseEvent) ->
dynamic)?\n    override var onclose: ((Event) -> dynamic)?\n    override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n    override var oncuechange: ((Event) -> dynamic)?\n    override var ondblclick: ((MouseEvent) ->
dynamic)?\n    override var ondrag: ((DragEvent) -> dynamic)?\n    override var ondragend: ((DragEvent) ->
dynamic)?\n    override var ondragenter: ((DragEvent) -> dynamic)?\n    override var ondragexit: ((DragEvent) ->
dynamic)?\n    override var ondragleave: ((DragEvent) -> dynamic)?\n    override var ondragover: ((DragEvent) ->
dynamic)?\n    override var ondragstart: ((DragEvent) -> dynamic)?\n    override var ondrop: ((DragEvent) ->
dynamic)?\n    override var ondurationchange: ((Event) -> dynamic)?\n    override var onemptied: ((Event) ->
dynamic)?\n    override var onended: ((Event) -> dynamic)?\n    override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n    override var onfocus: ((FocusEvent) -> dynamic)?\n    override var oninput: ((InputEvent) ->
dynamic)?\n    override var oninvalid: ((Event) -> dynamic)?\n    override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n    override var onkeypress: ((KeyboardEvent) -> dynamic)?\n    override var onkeyup:
((KeyboardEvent) -> dynamic)?\n    override var onload: ((Event) -> dynamic)?\n    override var onloadeddata:
((Event) -> dynamic)?\n    override var onloadedmetadata: ((Event) -> dynamic)?\n    override var onloadend:
((Event) -> dynamic)?\n    override var onloadstart: ((ProgressEvent) -> dynamic)?\n    override var onmousedown:
((MouseEvent) -> dynamic)?\n    override var onmouseenter: ((MouseEvent) -> dynamic)?\n    override var
onmouseleave: ((MouseEvent) -> dynamic)?\n    override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent) -> dynamic)?\n    override var onmouseover: ((MouseEvent) ->
dynamic)?\n    override var onmouseup: ((MouseEvent) -> dynamic)?\n    override var onwheel: ((WheelEvent) ->
dynamic)?\n    override var onpause: ((Event) -> dynamic)?\n    override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n    override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange: ((Event) -> dynamic)?\n    override var onreset: ((Event) -> dynamic)?\n    override var

```

```

onresize: ((Event) -> dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked:
((Event) -> dynamic)?\n  override var onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) ->
dynamic)?\n  override var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var
ontimeupdate: ((Event) -> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var
onvolumechange: ((Event) -> dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var
ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override var onlostpointercapture: ((PointerEvent) ->
dynamic)?\n  override var onpointerdown: ((PointerEvent) -> dynamic)?\n  override var onpointermove:
((PointerEvent) -> dynamic)?\n  override var onpointerup: ((PointerEvent) -> dynamic)?\n  override var
onpointercancel: ((PointerEvent) -> dynamic)?\n  override var onpointerover: ((PointerEvent) -> dynamic)?\n
override var onpointerout: ((PointerEvent) -> dynamic)?\n  override var onpointerenter: ((PointerEvent) ->
dynamic)?\n  override var onpointerleave: ((PointerEvent) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n  override val isContentEditable:
Boolean\n  override val style: CSSStyleDeclaration\n  override val children: HTMLCollection\n  override val
firstElementChild: Element?\n  override val lastElementChild: Element?\n  override val childElementCount: Int\n
  override val previousElementSibling: Element?\n  override val nextElementSibling: Element?\n  override val
assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg nodes: dynamic)\n  override fun append(vararg
nodes: dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun
querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes: dynamic)\n  override fun
after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n  override fun remove()\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override
fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n  public external open class
Audio(src: String = definedExternally) : HTMLAudioElement {\n  override var onabort: ((Event) -> dynamic)?\n
override var onblur: ((FocusEvent) -> dynamic)?\n  override var oncancel: ((Event) -> dynamic)?\n  override var
oncanplay: ((Event) -> dynamic)?\n  override var oncanplaythrough: ((Event) -> dynamic)?\n  override var
onchange: ((Event) -> dynamic)?\n  override var onclick: ((MouseEvent) -> dynamic)?\n  override var onclose:
((Event) -> dynamic)?\n  override var oncontextmenu: ((MouseEvent) -> dynamic)?\n  override var oncuechange:
((Event) -> dynamic)?\n  override var ondblclick: ((MouseEvent) -> dynamic)?\n  override var ondrag:
((DragEvent) -> dynamic)?\n  override var ondragend: ((DragEvent) -> dynamic)?\n  override var ondragenter:
((DragEvent) -> dynamic)?\n  override var ondragexit: ((DragEvent) -> dynamic)?\n  override var ondragleave:
((DragEvent) -> dynamic)?\n  override var ondragover: ((DragEvent) -> dynamic)?\n  override var ondragstart:
((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) -> dynamic)?\n  override var ondurationchange:
((Event) -> dynamic)?\n  override var onemptied: ((Event) -> dynamic)?\n  override var onended: ((Event) ->
dynamic)?\n  override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n  override var onfocus:

```

```

((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) -> dynamic)?\n  override var oninvalid:
((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) -> dynamic)?\n  override var onkeypress:
((KeyboardEvent) -> dynamic)?\n  override var onkeyup: ((KeyboardEvent) -> dynamic)?\n  override var onload:
((Event) -> dynamic)?\n  override var onloadeddata: ((Event) -> dynamic)?\n  override var onloadedmetadata:
((Event) -> dynamic)?\n  override var onloadend: ((Event) -> dynamic)?\n  override var onloadstart:
((ProgressEvent) -> dynamic)?\n  override var onmousedown: ((MouseEvent) -> dynamic)?\n  override var
onmouseenter: ((MouseEvent) -> dynamic)?\n  override var onmouseleave: ((MouseEvent) -> dynamic)?\n
override var onmousemove: ((MouseEvent) -> dynamic)?\n  override var onmouseout: ((MouseEvent) ->
dynamic)?\n  override var onmouseover: ((MouseEvent) -> dynamic)?\n  override var onmouseup: ((MouseEvent)
-> dynamic)?\n  override var onwheel: ((WheelEvent) -> dynamic)?\n  override var onpause: ((Event) ->
dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n  override var onplaying: ((Event) -> dynamic)?\n
override var onprogress: ((ProgressEvent) -> dynamic)?\n  override var onratechange: ((Event) -> dynamic)?\n
override var onreset: ((Event) -> dynamic)?\n  override var onresize: ((Event) -> dynamic)?\n  override var
onscroll: ((Event) -> dynamic)?\n  override var onseeked: ((Event) -> dynamic)?\n  override var onseeking:
((Event) -> dynamic)?\n  override var onselect: ((Event) -> dynamic)?\n  override var onshow: ((Event) ->
dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n  override var onsubmit: ((Event) -> dynamic)?\n
override var onsuspend: ((Event) -> dynamic)?\n  override var ontimeupdate: ((Event) -> dynamic)?\n  override
var ontoggle: ((Event) -> dynamic)?\n  override var onvolumechange: ((Event) -> dynamic)?\n  override var
onwaiting: ((Event) -> dynamic)?\n  override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override
var onlostpointercapture: ((PointerEvent) -> dynamic)?\n  override var onpointerdown: ((PointerEvent) ->
dynamic)?\n  override var onpointermove: ((PointerEvent) -> dynamic)?\n  override var onpointerup:
((PointerEvent) -> dynamic)?\n  override var onpointercancel: ((PointerEvent) -> dynamic)?\n  override var
onpointerover: ((PointerEvent) -> dynamic)?\n  override var onpointerout: ((PointerEvent) -> dynamic)?\n
override var onpointerenter: ((PointerEvent) -> dynamic)?\n  override var onpointerleave: ((PointerEvent) ->
dynamic)?\n  override var oncopy: ((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) ->
dynamic)?\n  override var onpaste: ((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n
override val isContentEditable: Boolean\n  override val style: CSSStyleDeclaration\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  override val previousElementSibling: Element?\n  override val
nextElementSibling: Element?\n  override val assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg
nodes: dynamic)\n  override fun append(vararg nodes: dynamic)\n  override fun querySelector(selectors: String):
Element?\n  override fun querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes:
dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n
override fun remove()\n  override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n
override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val NETWORK_EMPTY: Short\n    val
NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n    val NETWORK_NO_SOURCE: Short\n
    val HAVE_NOTHING: Short\n    val HAVE_METADATA: Short\n    val HAVE_CURRENT_DATA:
Short\n    val HAVE_FUTURE_DATA: Short\n    val HAVE_ENOUGH_DATA: Short\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }n}\n\n/**\n * Exposes the JavaScript
[Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n *\npublic external open class
Option(text: String = definedExternally, value: String = definedExternally, defaultSelected: Boolean =
definedExternally, selected: Boolean = definedExternally) : HTMLOptionElement {\n    override var onabort:
((Event) -> dynamic)?\n    override var onblur: ((FocusEvent) -> dynamic)?\n    override var oncancel: ((Event) ->
dynamic)?\n    override var oncanplay: ((Event) -> dynamic)?\n    override var oncanplaythrough: ((Event) ->
dynamic)?\n    override var onchange: ((Event) -> dynamic)?\n    override var onclick: ((MouseEvent) ->
dynamic)?\n    override var onclose: ((Event) -> dynamic)?\n    override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n    override var oncuechange: ((Event) -> dynamic)?\n    override var ondblclick: ((MouseEvent) ->
dynamic)?\n    override var ondrag: ((DragEvent) -> dynamic)?\n    override var ondragend: ((DragEvent) ->
dynamic)?\n    override var ondragenter: ((DragEvent) -> dynamic)?\n    override var ondragexit: ((DragEvent) ->
dynamic)?\n    override var ondragleave: ((DragEvent) -> dynamic)?\n    override var ondragover: ((DragEvent) ->
dynamic)?\n    override var ondragstart: ((DragEvent) -> dynamic)?\n    override var ondrop: ((DragEvent) ->
dynamic)?\n    override var ondurationchange: ((Event) -> dynamic)?\n    override var onemptied: ((Event) ->
dynamic)?\n    override var onended: ((Event) -> dynamic)?\n    override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n    override var onfocus: ((FocusEvent) -> dynamic)?\n    override var oninput: ((InputEvent) -
> dynamic)?\n    override var oninvalid: ((Event) -> dynamic)?\n    override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n    override var onkeypress: ((KeyboardEvent) -> dynamic)?\n    override var onkeyup:
((KeyboardEvent) -> dynamic)?\n    override var onload: ((Event) -> dynamic)?\n    override var onloadeddata:
((Event) -> dynamic)?\n    override var onloadedmetadata: ((Event) -> dynamic)?\n    override var onloadend:
((Event) -> dynamic)?\n    override var onloadstart: ((ProgressEvent) -> dynamic)?\n    override var onmousedown:
((MouseEvent) -> dynamic)?\n    override var onmouseenter: ((MouseEvent) -> dynamic)?\n    override var
onmouseleave: ((MouseEvent) -> dynamic)?\n    override var onmousemove: ((MouseEvent) -> dynamic)?\n
    override var onmouseout: ((MouseEvent) -> dynamic)?\n    override var onmouseover: ((MouseEvent) ->
dynamic)?\n    override var onmouseup: ((MouseEvent) -> dynamic)?\n    override var onwheel: ((WheelEvent) ->
dynamic)?\n    override var onpause: ((Event) -> dynamic)?\n    override var onplay: ((Event) -> dynamic)?\n
    override var onplaying: ((Event) -> dynamic)?\n    override var onprogress: ((ProgressEvent) -> dynamic)?\n
    override var onratechange: ((Event) -> dynamic)?\n    override var onreset: ((Event) -> dynamic)?\n
    override var onresize: ((Event) -> dynamic)?\n    override var onscroll: ((Event) -> dynamic)?\n
    override var onseeked: ((Event) -> dynamic)?\n    override var onseeking: ((Event) -> dynamic)?\n
    override var onselect: ((Event) -> dynamic)?\n    override var onshow: ((Event) -> dynamic)?\n
    override var onstalled: ((Event) -> dynamic)?\n    override var onsubmit: ((Event) -> dynamic)?\n
    override var onsuspend: ((Event) -> dynamic)?\n    override var ontimeupdate: ((Event) -> dynamic)?\n
    override var ontoggle: ((Event) -> dynamic)?\n    override var onvolumechange: ((Event) -> dynamic)?\n
    override var onwaiting: ((Event) -> dynamic)?\n    override var ongotpointercapture: ((PointerEvent) ->
dynamic)?\n    override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n    override var
onpointerdown: ((PointerEvent) -> dynamic)?\n    override var onpointermove: ((PointerEvent) -> dynamic)?\n
    override var onpointerup: ((PointerEvent) -> dynamic)?\n    override var onpointercancel: ((PointerEvent) ->
dynamic)?\n    override var onpointerover: ((PointerEvent) -> dynamic)?\n    override var onpointerout:
((PointerEvent) -> dynamic)?\n    override var onpointerenter: ((PointerEvent) -> dynamic)?\n
    override var onpointerleave: ((PointerEvent) -> dynamic)?\n    override var oncopy:
((ClipboardEvent) -> dynamic)?\n    override var oncut: ((ClipboardEvent) -> dynamic)?\n    override var onpaste:
((ClipboardEvent) -> dynamic)?\n    override var contentEditable: String\n    override val isContentEditable:
Boolean\n    override val style: CSSStyleDeclaration\n    override val children: HTMLCollection\n    override val
firstElementChild: Element?\n    override val lastElementChild: Element?\n    override val childElementCount: Int\n
    override val previousElementSibling: Element?\n    override val nextElementSibling: Element?\n    override val
assignedSlot: HTMLSlotElement?\n    override fun prepend(vararg nodes: dynamic)\n    override fun append(vararg

```



```

nodes: dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun
querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes: dynamic)\n  override fun
after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n  override fun remove()\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override
fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n  public external interface
UnionElementOrHTMLCollection\n\n  public external interface UnionElementOrRadioNodeList\n\n  public external
interface UnionHTMLOptGroupElementOrHTMLOptionElement\n\n  public external interface
MediaProvider\n\n  public external interface UnionAudioTrackOrTextTrackOrVideoTrack\n\n  public external
interface UnionElementOrMouseEvent\n\n  public external interface RenderingContext\n\n  public external interface
HTMLOrSVGImageElement : CanvasImageSource\n\n  public external interface CanvasImageSource :
ImageBitmapSource\n\n  public external interface ImageBitmapSource\n\n  public external interface
UnionMessagePortOrWindowProxy\n\n  public external interface HTMLOrSVGScriptElement\n\n  /* please, don't
implement this interface! */\n  @Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n  public external
interface DocumentReadyState {\n    companion object\n  }\n\n  public inline val
DocumentReadyState.Companion.LOADING: DocumentReadyState get() =
"loading".asDynamic().unsafeCast<DocumentReadyState>()\n\n  public inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
"interactive".asDynamic().unsafeCast<DocumentReadyState>()\n\n  public inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
"complete".asDynamic().unsafeCast<DocumentReadyState>()\n\n  /* please, don't implement this interface!
*/\n  @Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n  public external interface
CanPlayTypeResult {\n    companion object\n  }\n\n  public inline val CanPlayTypeResult.Companion.EMPTY:
CanPlayTypeResult get() = ""\n\n  public inline val
CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() =
"maybe".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n  public inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
"probably".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n  /* please, don't implement this interface!
*/\n  @Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n  public external interface TextTrackMode
{\n    companion object\n  }\n\n  public inline val TextTrackMode.Companion.DISABLED: TextTrackMode get() =
"disabled".asDynamic().unsafeCast<TextTrackMode>()\n\n  public inline val
TextTrackMode.Companion.HIDDEN: TextTrackMode get() =
"hidden".asDynamic().unsafeCast<TextTrackMode>()\n\n  public inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
"showing".asDynamic().unsafeCast<TextTrackMode>()\n\n  /* please, don't implement this interface!
*/\n  @Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n  public external interface TextTrackKind

```

```

{\n  companion object\n}\n\npublic inline val TextTrackKind.Companion.SUBTITLES: TextTrackKind get() =
\"subtitles\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CAPTIONS: TextTrackKind get() =
\"captions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.DESCRPTIONS: TextTrackKind get() =
\"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
\"chapters\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
\"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface SelectionMode
{\n  companion object\n}\n\npublic inline val SelectionMode.Companion.SELECT: SelectionMode get() =
\"select\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.START:
SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.END: SelectionMode get() =
\"end\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.PRESERVE:
SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this
interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
CanvasFillRule {\n  companion object\n}\n\npublic inline val CanvasFillRule.Companion.NONZERO:
CanvasFillRule get() = \"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\n\npublic inline val
CanvasFillRule.Companion.EVENODD: CanvasFillRule get() =
\"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
ImageSmoothingQuality {\n  companion object\n}\n\npublic inline val ImageSmoothingQuality.Companion.LOW:
ImageSmoothingQuality get() = \"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
\"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
\"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface CanvasLineCap
{\n  companion object\n}\n\npublic inline val CanvasLineCap.Companion.BUTT: CanvasLineCap get() =
\"butt\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val CanvasLineCap.Companion.ROUND:
CanvasLineCap get() = \"round\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val
CanvasLineCap.Companion.SQUARE: CanvasLineCap get() =
\"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface CanvasLineJoin
{\n  companion object\n}\n\npublic inline val CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() =
\"round\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val CanvasLineJoin.Companion.BEVEL:
CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val
CanvasLineJoin.Companion.MITER: CanvasLineJoin get() =
\"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface CanvasTextAlign
{\n  companion object\n}\n\npublic inline val CanvasTextAlign.Companion.START: CanvasTextAlign get() =
\"start\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.END:
CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() =
\"left\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.RIGHT:
CanvasTextAlign get() = \"right\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val

```

```

CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() =
    \"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
CanvasTextBaseline {\n    companion object\n}\n\npublic inline val CanvasTextBaseline.Companion.TOP:
CanvasTextBaseline get() = \"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() =
    \"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() =
    \"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() =
    \"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() =
    \"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() =
    \"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasDirection
{\n    companion object\n}\n\npublic inline val CanvasDirection.Companion.LTR: CanvasDirection get() =
    \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.RTL:
CanvasDirection get() = \"rtl\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val
CanvasDirection.Companion.INHERIT: CanvasDirection get() =
    \"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ScrollRestoration
{\n    companion object\n}\n\npublic inline val ScrollRestoration.Companion.AUTO: ScrollRestoration get() =
    \"auto\".asDynamic().unsafeCast<ScrollRestoration>()\n\npublic inline val
ScrollRestoration.Companion.MANUAL: ScrollRestoration get() =
    \"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ImageOrientation
{\n    companion object\n}\n\npublic inline val ImageOrientation.Companion.NONE: ImageOrientation get() =
    \"none\".asDynamic().unsafeCast<ImageOrientation>()\n\npublic inline val ImageOrientation.Companion.FLIPY:
ImageOrientation get() = \"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this
interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
PremultiplyAlpha {\n    companion object\n}\n\npublic inline val PremultiplyAlpha.Companion.NONE:
PremultiplyAlpha get() = \"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() =
    \"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() =
    \"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
ColorSpaceConversion {\n    companion object\n}\n\npublic inline val ColorSpaceConversion.Companion.NONE:
ColorSpaceConversion get() = \"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\npublic inline val
ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() =
    \"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ResizeQuality
{\n    companion object\n}\n\npublic inline val ResizeQuality.Companion.PIXELATED: ResizeQuality get() =
    \"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.LOW:
ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.MEDIUM: ResizeQuality get() =
    \"medium\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.HIGH:

```

```

ResizeQuality get() = "high".asDynamic().unsafeCast<ResizeQuality>()\n\n/* please, don't implement this
interface! *\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
BinaryType {\n    companion object\n}\n\npublic inline val BinaryType.Companion.BLOB: BinaryType get() =
"blob".asDynamic().unsafeCast<BinaryType>()\n\npublic inline val BinaryType.Companion.ARRAYBUFFER:
BinaryType get() = "arraybuffer".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this
interface! *\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
WorkerType {\n    companion object\n}\n\npublic inline val WorkerType.Companion.CLASSIC: WorkerType get()
= "classic".asDynamic().unsafeCast<WorkerType>()\n\npublic inline val WorkerType.Companion.MODULE:
WorkerType get() = "module".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this
interface! *\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
ShadowRootMode {\n    companion object\n}\n\npublic inline val ShadowRootMode.Companion.OPEN:
ShadowRootMode get() = "open".asDynamic().unsafeCast<ShadowRootMode>()\n\npublic inline val
ShadowRootMode.Companion.CLOSED: ShadowRootMode get() =
"closed".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface ScrollBehavior
{\n    companion object\n}\n\npublic inline val ScrollBehavior.Companion.AUTO: ScrollBehavior get() =
"auto".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.INSTANT:
ScrollBehavior get() = "instant".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val
ScrollBehavior.Companion.SMOOTH: ScrollBehavior get() =
"smooth".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
ScrollLogicalPosition {\n    companion object\n}\n\npublic inline val ScrollLogicalPosition.Companion.START:
ScrollLogicalPosition get() = "start".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() =
"center".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
"end".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
"nearest".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface CSSBoxType {\n
    companion object\n}\n\npublic inline val CSSBoxType.Companion.MARGIN: CSSBoxType get() =
"margin".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.BORDER:
CSSBoxType get() = "border".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val
CSSBoxType.Companion.PADDING: CSSBoxType get() =
"padding".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.CONTENT:
CSSBoxType get() = "content".asDynamic().unsafeCast<CSSBoxType>()","/*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED,
DO NOT EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n *\n\npublic external open class
Headers(init: dynamic = definedExternally) {\n    fun append(name: String, value: String)\n    fun delete(name:
String)\n    fun get(name: String): String?\n    fun has(name: String): Boolean\n    fun set(name: String, value:

```

```

String)\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to
Kotlin\n *^\npublic external interface Body {\n    val bodyUsed: Boolean\n    fun arrayBuffer():
Promise<ArrayBuffer>\n    fun blob(): Promise<Blob>\n    fun formData(): Promise<FormData>\n    fun json():
Promise<Any?>\n    fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript
[Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n *^\npublic external open class
Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n    open val method: String\n    open val
url: String\n    open val headers: Headers\n    open val type: RequestType\n    open val destination:
RequestDestination\n    open val referrer: String\n    open val referrerPolicy: dynamic\n    open val mode:
RequestMode\n    open val credentials: RequestCredentials\n    open val cache: RequestCache\n    open val redirect:
RequestRedirect\n    open val integrity: String\n    open val keepalive: Boolean\n    override val bodyUsed:
Boolean\n    fun clone(): Request\n    override fun arrayBuffer(): Promise<ArrayBuffer>\n    override fun blob():
Promise<Blob>\n    override fun formData(): Promise<FormData>\n    override fun json(): Promise<Any?>\n    override
fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n    var method: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var headers: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n    var body: dynamic\n    get() = definedExternally\n
set(value) = definedExternally\n    var referrer: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var referrerPolicy: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var mode: RequestMode?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var credentials: RequestCredentials?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var cache: RequestCache?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var redirect: RequestRedirect?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var integrity: String?\n    get() = definedExternally\n    set(value) = definedExternally\n
var keepalive: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var window:
Any?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? = undefined,
headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy: dynamic =
undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache: RequestCache? =
undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive: Boolean? =
undefined, window: Any? = undefined): RequestInit {\n    val o = js("{}")\n    o["method"] = method\n
o["headers"] = headers\n    o["body"] = body\n    o["referrer"] = referrer\n    o["referrerPolicy"] =
referrerPolicy\n    o["mode"] = mode\n    o["credentials"] = credentials\n    o["cache"] = cache\n    o["redirect"]
= redirect\n    o["integrity"] = integrity\n    o["keepalive"] = keepalive\n    o["window"] = window\n    return
o\n}\n\n/**\n * Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to
Kotlin\n *^\npublic external open class Response(body: dynamic = definedExternally, init: ResponseInit =
definedExternally) : Body {\n    open val type: ResponseType\n    open val url: String\n    open val redirected:
Boolean\n    open val status: Short\n    open val ok: Boolean\n    open val statusText: String\n    open val headers:
Headers\n    open val body: dynamic\n    open val trailer: Promise<Headers>\n    override val bodyUsed: Boolean\n
fun clone(): Response\n    override fun arrayBuffer(): Promise<ArrayBuffer>\n    override fun blob():
Promise<Blob>\n    override fun formData(): Promise<FormData>\n    override fun json(): Promise<Any?>\n    override
fun text(): Promise<String>\n\n    companion object {\n        fun error(): Response\n        fun redirect(url:
String, status: Short = definedExternally): Response\n    }\n\npublic external interface ResponseInit {\n    var
status: Short? /* = 200 */\n    get() = definedExternally\n    set(value) = definedExternally\n    var statusText:
String? /* = "OK" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var headers:
dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200,
statusText: String? = "OK", headers: dynamic = undefined): ResponseInit {\n    val o = js("{}")\n    o["status"]
= status\n    o["statusText"] = statusText\n    o["headers"] = headers\n    return o\n}\n\n/* please, don't implement
this interface! */\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface

```

```

RequestType {\n  companion object\n}\n\npublic inline val RequestType.Companion.EMPTY: RequestType get()
= \"\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.AUDIO:
RequestType get() = \"audio\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.FONT: RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\n\npublic
inline val RequestType.Companion.IMAGE: RequestType get() =
\"image\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.SCRIPT:
RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.STYLE: RequestType get() =
\"style\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.TRACK:
RequestType get() = \"track\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.VIDEO: RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/*
please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
RequestDestination {\n  companion object\n}\n\npublic inline val RequestDestination.Companion.EMPTY:
RequestDestination get() = \"\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.DOCUMENT: RequestDestination get() =
\"document\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.EMBED: RequestDestination get() =
\"embed\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.FONT: RequestDestination get() =
\"font\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.IMAGE: RequestDestination get() =
\"image\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MANIFEST: RequestDestination get() =
\"manifest\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MEDIA: RequestDestination get() =
\"media\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.OBJECT: RequestDestination get() =
\"object\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.REPORT: RequestDestination get() =
\"report\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SCRIPT: RequestDestination get() =
\"script\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
\"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
\"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
\"style\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
\"worker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.XSLT: RequestDestination get() =
\"xslt\".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface RequestMode {\n
  companion object\n}\n\npublic inline val RequestMode.Companion.NAVIGATE: RequestMode get() =
\"navigate\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \"same-
origin\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.NO_CORS:

```

```

RequestMode get() = \"no-cors\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.CORS: RequestMode get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\n\n/*
please, don't implement this interface!
*/\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
RequestCredentials {\n    companion object\n}\n\npublic inline val RequestCredentials.Companion.OMIT:
RequestCredentials get() = \"omit\".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \"same-
origin\".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
\"include\".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface!
*/\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface RequestCache
{\n    companion object\n}\n\npublic inline val RequestCache.Companion.DEFAULT: RequestCache get() =
\"default\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_STORE:
RequestCache get() = \"no-store\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.RELOAD: RequestCache get() =
\"reload\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_CACHE:
RequestCache get() = \"no-cache\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = \"force-
cache\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \"only-if-
cached\".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface!
*/\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface RequestRedirect
{\n    companion object\n}\n\npublic inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() =
\"follow\".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val RequestRedirect.Companion.ERROR:
RequestRedirect get() = \"error\".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val
RequestRedirect.Companion.MANUAL: RequestRedirect get() =
\"manual\".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this interface!
*/\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface ResponseType
{\n    companion object\n}\n\npublic inline val ResponseType.Companion.BASIC: ResponseType get() =
\"basic\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.CORS:
ResponseType get() = \"cors\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.DEFAULT: ResponseType get() =
\"default\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.ERROR:
ResponseType get() = \"error\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.OPAQUE: ResponseType get() =
\"opaque\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() =
\"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()\n\n/*\n * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediacapture\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediasource.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n */\n\npublic external open

```

```

class MediaStream() : EventTarget, MediaProvider {
    constructor(stream: MediaStream)
    constructor(tracks: Array<MediaStreamTrack>)
    open val id: String
    open val active: Boolean
    var onaddtrack: ((MediaStreamTrackEvent) -> dynamic)?
    var onremovetrack: ((MediaStreamTrackEvent) -> dynamic)?
    fun getAudioTracks(): Array<MediaStreamTrack>
    fun getVideoTracks(): Array<MediaStreamTrack>
    fun getTracks(): Array<MediaStreamTrack>
    fun getTrackById(trackId: String): MediaStreamTrack?
    fun addTrack(track: MediaStreamTrack)
    fun removeTrack(track: MediaStreamTrack)
    fun clone(): MediaStream
}

/** Exposes the JavaScript [MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin
public external abstract class MediaStreamTrack : EventTarget {
    open val kind: String
    open val id: String
    open val label: String
    open var enabled: Boolean
    open val muted: Boolean
    open var onmute: ((Event) -> dynamic)?
    open var onunmute: ((Event) -> dynamic)?
    open val readyState: MediaStreamTrackState
    open var onended: ((Event) -> dynamic)?
    open var onoverconstrained: ((Event) -> dynamic)?
    fun clone(): MediaStreamTrack
    fun stop()
    fun getCapabilities(): MediaTrackCapabilities
    fun getConstraints(): MediaTrackConstraints
    fun getSettings(): MediaTrackSettings
    fun applyConstraints(constraints: MediaTrackConstraints = definedExternally): Promise<Unit>
}

/** Exposes the JavaScript [MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstraints) to Kotlin
public external interface MediaTrackSupportedConstraints {
    var width: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var height: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var aspectRatio: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var frameRate: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var facingMode: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var resizeMode: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var volume: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var sampleRate: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var sampleSize: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var echoCancellation: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var autoGainControl: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var noiseSuppression: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var latency: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var channelCount: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var deviceId: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var groupId: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true, frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true, sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true, autoGainControl: Boolean? = true, noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount: Boolean? = true, deviceId: Boolean? = true, groupId: Boolean? = true): MediaTrackSupportedConstraints {
    val o = js("{}")
    o["width"] = width
    o["height"] = height
    o["aspectRatio"] = aspectRatio
    o["frameRate"] = frameRate
    o["facingMode"] = facingMode
    o["resizeMode"] = resizeMode
    o["volume"] = volume
    o["sampleRate"] = sampleRate
    o["sampleSize"] = sampleSize
    o["echoCancellation"] = echoCancellation
    o["autoGainControl"] = autoGainControl
    o["noiseSuppression"] = noiseSuppression
    o["latency"] = latency
    o["channelCount"] = channelCount
    o["deviceId"] = deviceId
    o["groupId"] = groupId
    return o
}

public external interface MediaTrackCapabilities {
    var width: ULongRange?
    fun get() = definedExternally
    set(value) = definedExternally
    var height: ULongRange?
    fun get() = definedExternally
    set(value) = definedExternally
    var aspectRatio: DoubleRange?
    fun get() = definedExternally
    set(value) = definedExternally
    var frameRate: DoubleRange?
    fun get() = definedExternally
    set(value) = definedExternally
    var facingMode: Array<String>?
    fun get() =

```



```

definedExternally\n    set(value) = definedExternally\n    var resizeMode: Array<String>?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var volume: DoubleRange?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var sampleRate: ULongRange?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var sampleSize: ULongRange?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var echoCancellation: Array<Boolean>?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var autoGainControl: Array<Boolean>?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var noiseSuppression: Array<Boolean>?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var latency: DoubleRange?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var channelCount: ULongRange?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var deviceId: String?\n        get() = definedExternally\n
    set(value) = definedExternally\n    var groupId: String?\n        get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackCapabilities(width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? =
undefined, volume: DoubleRange? = undefined, sampleRate: ULongRange? = undefined, sampleSize:
ULongRange? = undefined, echoCancellation: Array<Boolean>? = undefined, autoGainControl: Array<Boolean>?
= undefined, noiseSuppression: Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount:
ULongRange? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities
{\n    val o = js("{}")\n    o["width"] = width\n    o["height"] = height\n    o["aspectRatio"] = aspectRatio\n
o["frameRate"] = frameRate\n    o["facingMode"] = facingMode\n    o["resizeMode"] = resizeMode\n
o["volume"] = volume\n    o["sampleRate"] = sampleRate\n    o["sampleSize"] = sampleSize\n
o["echoCancellation"] = echoCancellation\n    o["autoGainControl"] = autoGainControl\n
o["noiseSuppression"] = noiseSuppression\n    o["latency"] = latency\n    o["channelCount"] = channelCount\n
o["deviceId"] = deviceId\n    o["groupId"] = groupId\n    return o\n}\n\n**\n * Exposes the JavaScript
[MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin\n
*\n\npublic external interface MediaTrackConstraints : MediaTrackConstraintSet {\n    var advanced:
Array<MediaTrackConstraintSet>?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraints(advanced:
Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined,
aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined,
resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize:
dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined,
noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined,
deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraints {\n    val o = js("{}")\n
o["advanced"] = advanced\n    o["width"] = width\n    o["height"] = height\n    o["aspectRatio"] =
aspectRatio\n    o["frameRate"] = frameRate\n    o["facingMode"] = facingMode\n    o["resizeMode"] =
resizeMode\n    o["volume"] = volume\n    o["sampleRate"] = sampleRate\n    o["sampleSize"] = sampleSize\n
o["echoCancellation"] = echoCancellation\n    o["autoGainControl"] = autoGainControl\n
o["noiseSuppression"] = noiseSuppression\n    o["latency"] = latency\n    o["channelCount"] = channelCount\n
o["deviceId"] = deviceId\n    o["groupId"] = groupId\n    return o\n}\n\npublic external interface
MediaTrackConstraintSet {\n    var width: dynamic\n        get() = definedExternally\n        set(value) =
definedExternally\n    var height: dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n
var aspectRatio: dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n    var frameRate:
dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n    var facingMode: dynamic\n
get() = definedExternally\n        set(value) = definedExternally\n    var resizeMode: dynamic\n        get() =
definedExternally\n        set(value) = definedExternally\n    var volume: dynamic\n        get() = definedExternally\n
set(value) = definedExternally\n    var sampleRate: dynamic\n        get() = definedExternally\n        set(value) =
definedExternally\n    var sampleSize: dynamic\n        get() = definedExternally\n        set(value) =

```

```

definedExternally\n var echoCancellation: dynamic\n get() = definedExternally\n set(value) =
definedExternally\n var autoGainControl: dynamic\n get() = definedExternally\n set(value) =
definedExternally\n var noiseSuppression: dynamic\n get() = definedExternally\n set(value) =
definedExternally\n var latency: dynamic\n get() = definedExternally\n set(value) = definedExternally\n
var channelCount: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var deviceId:
dynamic\n get() = definedExternally\n set(value) = definedExternally\n var groupId: dynamic\n get()
= definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaTrackConstraintSet(width: dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic =
undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined,
volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize: dynamic = undefined,
echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined, noiseSuppression: dynamic =
undefined, latency: dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined,
groupId: dynamic = undefined): MediaTrackConstraintSet {\n val o = js("{}")\n o["width"] = width\n
o["height"] = height\n o["aspectRatio"] = aspectRatio\n o["frameRate"] = frameRate\n o["facingMode"] =
facingMode\n o["resizeMode"] = resizeMode\n o["volume"] = volume\n o["sampleRate"] =
sampleRate\n o["sampleSize"] = sampleSize\n o["echoCancellation"] = echoCancellation\n
o["autoGainControl"] = autoGainControl\n o["noiseSuppression"] = noiseSuppression\n o["latency"] =
latency\n o["channelCount"] = channelCount\n o["deviceId"] = deviceId\n o["groupId"] = groupId\n
return o\n}\n\n/**\n * Exposes the JavaScript

```

```

[MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\n *^npublic
external interface MediaTrackSettings {\n var width: Int?\n get() = definedExternally\n set(value) =
definedExternally\n var height: Int?\n get() = definedExternally\n set(value) = definedExternally\n var
aspectRatio: Double?\n get() = definedExternally\n set(value) = definedExternally\n var frameRate:
Double?\n get() = definedExternally\n set(value) = definedExternally\n var facingMode: String?\n
get() = definedExternally\n set(value) = definedExternally\n var resizeMode: String?\n get() =
definedExternally\n set(value) = definedExternally\n var volume: Double?\n get() = definedExternally\n
set(value) = definedExternally\n var sampleRate: Int?\n get() = definedExternally\n set(value) =
definedExternally\n var sampleSize: Int?\n get() = definedExternally\n set(value) = definedExternally\n
var echoCancellation: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var
autoGainControl: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var
noiseSuppression: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var latency:
Double?\n get() = definedExternally\n set(value) = definedExternally\n var channelCount: Int?\n
get() = definedExternally\n set(value) = definedExternally\n var deviceId: String?\n get() =
definedExternally\n set(value) = definedExternally\n var groupId: String?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackSettings(width:
Int? = undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined,
facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int?
= undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? = undefined, autoGainControl: Boolean? =
undefined, noiseSuppression: Boolean? = undefined, latency: Double? = undefined, channelCount: Int? = undefined,
deviceId: String? = undefined, groupId: String? = undefined): MediaTrackSettings {\n val o = js("{}")\n
o["width"] = width\n o["height"] = height\n o["aspectRatio"] = aspectRatio\n o["frameRate"] =
frameRate\n o["facingMode"] = facingMode\n o["resizeMode"] = resizeMode\n o["volume"] = volume\n
o["sampleRate"] = sampleRate\n o["sampleSize"] = sampleSize\n o["echoCancellation"] =
echoCancellation\n o["autoGainControl"] = autoGainControl\n o["noiseSuppression"] = noiseSuppression\n
o["latency"] = latency\n o["channelCount"] = channelCount\n o["deviceId"] = deviceId\n o["groupId"] =
groupId\n return o\n}\n\n/**\n * Exposes the JavaScript

```

```

[MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n
*^npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) :

```

```

Event {\n  open val track: MediaStreamTrack\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n\n  public external interface MediaStreamTrackEventInit : EventInit {\n    var track: MediaStreamTrack?\n    get() = definedExternally\n    set(value) = definedExternally\n  }\n\n  @kotlin.internal.InlineOnly\n  public inline fun MediaStreamTrackEventInit(track: MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaStreamTrackEventInit {\n    val o = js("{}")\n    o["track"] = track\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n  }\n\n  public external open class OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event {\n    open val error: dynamic\n\n    companion object {\n      val NONE: Short\n      val CAPTURING_PHASE: Short\n      val AT_TARGET: Short\n      val BUBBLING_PHASE: Short\n    }\n\n    public external interface OverconstrainedErrorEventInit : EventInit {\n      var error: dynamic /* = null */\n      get() = definedExternally\n      set(value) = definedExternally\n    }\n\n    @kotlin.internal.InlineOnly\n    public inline fun OverconstrainedErrorEventInit(error: dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): OverconstrainedErrorEventInit {\n      val o = js("{}")\n      o["error"] = error\n      o["bubbles"] = bubbles\n      o["cancelable"] = cancelable\n      o["composed"] = composed\n      return o\n    }\n\n    /**\n     * Exposes the JavaScript [MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n     */\n    public external abstract class MediaDevices : EventTarget {\n      open var ondevicechange: ((Event) -> dynamic)?\n      fun enumerateDevices(): Promise<Array<MediaDeviceInfo>>\n      fun getSupportedConstraints(): MediaTrackSupportedConstraints\n      fun getUserMedia(constraints: MediaStreamConstraints = definedExternally): Promise<MediaStream>\n    }\n\n    /**\n     * Exposes the JavaScript [MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to Kotlin\n     */\n    public external abstract class MediaDeviceInfo {\n      open val deviceId: String\n      open val kind: MediaDeviceKind\n      open val label: String\n      open val groupId: String\n      fun toJSON(): dynamic\n    }\n\n    public external abstract class InputDeviceInfo : MediaDeviceInfo {\n      fun getCapabilities(): MediaTrackCapabilities\n    }\n\n    /**\n     * Exposes the JavaScript [MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to Kotlin\n     */\n    public external interface MediaStreamConstraints {\n      var video: dynamic /* = false */\n      get() = definedExternally\n      set(value) = definedExternally\n      var audio: dynamic /* = false */\n      get() = definedExternally\n      set(value) = definedExternally\n    }\n\n    @kotlin.internal.InlineOnly\n    public inline fun MediaStreamConstraints(video: dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n      val o = js("{}")\n      o["video"] = video\n      o["audio"] = audio\n      return o\n    }\n\n    public external interface ConstrainablePattern {\n      var onoverconstrained: ((Event) -> dynamic)?\n      get() = definedExternally\n      set(value) = definedExternally\n      fun getCapabilities(): Capabilities\n      fun getConstraints(): Constraints\n      fun getSettings(): Settings\n      fun applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>\n    }\n\n    /**\n     * Exposes the JavaScript [DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin\n     */\n    public external interface DoubleRange {\n      var max: Double?\n      get() = definedExternally\n      set(value) = definedExternally\n      var min: Double?\n      get() = definedExternally\n      set(value) = definedExternally\n    }\n\n    @kotlin.internal.InlineOnly\n    public inline fun DoubleRange(max: Double? = undefined, min: Double? = undefined): DoubleRange {\n      val o = js("{}")\n      o["max"] = max\n      o["min"] = min\n      return o\n    }\n\n    public external interface ConstrainDoubleRange : DoubleRange {\n      var exact: Double?\n      get() = definedExternally\n      set(value) = definedExternally\n      var ideal: Double?\n      get() = definedExternally\n      set(value) = definedExternally\n    }\n\n    @kotlin.internal.InlineOnly\n    public inline fun ConstrainDoubleRange(exact: Double? = undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined): ConstrainDoubleRange {\n      val o = js("{}")\n      o["exact"] = exact\n      o["ideal"] = ideal\n      o["max"] = max\n      o["min"] = min\n      return o\n    }\n\n    public external interface ULongRange {\n      var max: Int?\n      get() = definedExternally\n      set(value) = definedExternally\n      var min: Int?\n      get() = definedExternally\n      set(value) = definedExternally\n    }\n\n    @kotlin.internal.InlineOnly\n    public inline fun ULongRange(max: Int? =

```

```

undefined, min: Int? = undefined): ULongRange {\n  val o = js("{}")\n  o["max"] = max\n  o["min"] = min\n  return o\n}\n\npublic external interface ConstrainULongRange : ULongRange {\n  var exact: Int?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ideal: Int?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainULongRange(exact: Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int? = undefined): ConstrainULongRange {\n  val o = js("{}")\n  o["exact"] = exact\n  o["ideal"] = ideal\n  o["max"] = max\n  o["min"] = min\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to Kotlin\n *\npublic external interface ConstrainBooleanParameters {\n  var exact: Boolean?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ideal: Boolean?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainBooleanParameters(exact: Boolean? = undefined, ideal: Boolean? = undefined): ConstrainBooleanParameters {\n  val o = js("{}")\n  o["exact"] = exact\n  o["ideal"] = ideal\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters) to Kotlin\n *\npublic external interface ConstrainDOMStringParameters {\n  var exact: dynamic\n  get() = definedExternally\n  set(value) = definedExternally\n  var ideal: dynamic\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined): ConstrainDOMStringParameters {\n  val o = js("{}")\n  o["exact"] = exact\n  o["ideal"] = ideal\n  return o\n}\n\npublic external interface Capabilities\n\n@kotlin.internal.InlineOnly\npublic inline fun Capabilities(): Capabilities {\n  val o = js("{}")\n  return o\n}\n\npublic external interface Settings\n\n@kotlin.internal.InlineOnly\npublic inline fun Settings(): Settings {\n  val o = js("{}")\n  return o\n}\n\npublic external interface ConstraintSet\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstraintSet(): ConstraintSet {\n  val o = js("{}")\n  return o\n}\n\npublic external interface Constraints : ConstraintSet {\n  var advanced: Array<ConstraintSet>?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced: Array<ConstraintSet>? = undefined): Constraints {\n  val o = js("{}")\n  o["advanced"] = advanced\n  return o\n}\n\n/* please, don't implement this interface!\n *\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface MediaStreamTrackState {\n  companion object\n}\n\npublic inline val MediaStreamTrackState.Companion.LIVE: MediaStreamTrackState get() = "live".asDynamic().unsafeCast<MediaStreamTrackState>()\n\npublic inline val MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() = "ended".asDynamic().unsafeCast<MediaStreamTrackState>()\n\n/* please, don't implement this interface!\n *\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface VideoFacingModeEnum {\n  companion object\n}\n\npublic inline val VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() = "user".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() = "environment".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() = "left".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() = "right".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/* please, don't implement this interface!\n *\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface VideoResizeModeEnum {\n  companion object\n}\n\npublic inline val VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() = "none".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\npublic inline val

```

```

VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = \"crop-and-
scale\".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
MediaDeviceKind {\n  companion object\n}\n\npublic inline val MediaDeviceKind.Companion.AUDIOINPUT:
MediaDeviceKind get() = \"audioinput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() =
\"audiooutput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() =
\"videoinput\".asDynamic().unsafeCast<MediaDeviceKind>()),\"/*\n * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediasource\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external open class MediaSource : EventTarget, MediaProvider
{\n  open val sourceBuffers: SourceBufferList\n  open val activeSourceBuffers: SourceBufferList\n  open val
readyState: ReadyState\n  var duration: Double\n  var onsourceopen: ((Event) -> dynamic)?\n  var
onsourceended: ((Event) -> dynamic)?\n  var onsourceclose: ((Event) -> dynamic)?\n  fun addSourceBuffer(type:
String): SourceBuffer\n  fun removeSourceBuffer(sourceBuffer: SourceBuffer)\n  fun endOfStream(error:
EndOfStreamError = definedExternally)\n  fun setLiveSeekableRange(start: Double, end: Double)\n  fun
clearLiveSeekableRange()\n\n  companion object {\n    fun isTypeSupported(type: String): Boolean\n
  }\n}\n\npublic external abstract class SourceBuffer : EventTarget {\n  open var mode: AppendMode\n  open val
updating: Boolean\n  open val buffered: TimeRanges\n  open var timestampOffset: Double\n  open val
audioTracks: AudioTrackList\n  open val videoTracks: VideoTrackList\n  open val textTracks: TextTrackList\n
open var appendWindowStart: Double\n  open var appendWindowEnd: Double\n  open var onupdatestart:
((Event) -> dynamic)?\n  open var onupdate: ((Event) -> dynamic)?\n  open var onupdateend: ((Event) ->
dynamic)?\n  open var onerror: ((Event) -> dynamic)?\n  open var onabort: ((Event) -> dynamic)?\n  fun
appendBuffer(data: dynamic)\n  fun abort()\n  fun remove(start: Double, end: Double)\n}\n\npublic external
abstract class SourceBufferList : EventTarget {\n  open val length: Int\n  open var onaddsourcebuffer: ((Event) ->
dynamic)?\n  open var onremovesourcebuffer: ((Event) -> dynamic)?\n}\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun SourceBufferList.get(index: Int): SourceBuffer? = asDynamic()[index]\n\n/* please, don't
implement this interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ReadyState {\n  companion object\n}\n\npublic inline val ReadyState.Companion.CLOSED: ReadyState
get() = \"closed\".asDynamic().unsafeCast<ReadyState>()\n\npublic inline val ReadyState.Companion.OPEN:
ReadyState get() = \"open\".asDynamic().unsafeCast<ReadyState>()\n\npublic inline val
ReadyState.Companion.ENDED: ReadyState get() = \"ended\".asDynamic().unsafeCast<ReadyState>()\n\n/*
please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
EndOfStreamError {\n  companion object\n}\n\npublic inline val EndOfStreamError.Companion.NETWORK:
EndOfStreamError get() = \"network\".asDynamic().unsafeCast<EndOfStreamError>()\n\npublic inline val
EndOfStreamError.Companion.DECODE: EndOfStreamError get() =
\"decode\".asDynamic().unsafeCast<EndOfStreamError>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface AppendMode {\n
  companion object\n}\n\npublic inline val AppendMode.Companion.SEGMENTS: AppendMode get() =
\"segments\".asDynamic().unsafeCast<AppendMode>()\n\npublic inline val

```

```

AppendMode.Companion.SEQUENCE: AppendMode get() =
"sequence".asDynamic().unsafeCast<AppendMode>()),"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *^\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.pointerevents\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport
org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport
org.w3c.xhr.*\n\npublic external interface PointerEventInit : MouseEventInit {\n    var pointerId: Int? /* = 0 */\n    get() = definedExternally\n    set(value) = definedExternally\n    var width: Double? /* = 1.0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var height: Double? /* = 1.0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var pressure: Float? /* = 0f */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var tangentialPressure: Float? /* = 0f */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var tiltX: Int? /* = 0 */\n    get() = definedExternally\n
    set(value) = definedExternally\n    var tiltY: Int? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var twist: Int? /* = 0 */\n    get() = definedExternally\n    set(value) = definedExternally\n
    var pointerType: String? /* = "" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var
isPrimary: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PointerEventInit(pointerId: Int? = 0, width:
Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f, tangentialPressure: Float? = 0f, tiltX: Int? = 0, tiltY:
Int? = 0, twist: Int? = 0, pointerType: String? = "", isPrimary: Boolean? = false, screenX: Int? = 0, screenY: Int? =
0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null,
region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey:
Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? =
false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {\n    val o = js("{}")\n
o["pointerId"] = pointerId\n    o["width"] = width\n    o["height"] = height\n    o["pressure"] = pressure\n
o["tangentialPressure"] = tangentialPressure\n    o["tiltX"] = tiltX\n    o["tiltY"] = tiltY\n    o["twist"] = twist\n
o["pointerType"] = pointerType\n    o["isPrimary"] = isPrimary\n    o["screenX"] = screenX\n    o["screenY"]
= screenY\n    o["clientX"] = clientX\n    o["clientY"] = clientY\n    o["button"] = button\n    o["buttons"] =
buttons\n    o["relatedTarget"] = relatedTarget\n    o["region"] = region\n    o["ctrlKey"] = ctrlKey\n
o["shiftKey"] = shiftKey\n    o["altKey"] = altKey\n    o["metaKey"] = metaKey\n    o["modifierAltGraph"] =
modifierAltGraph\n    o["modifierCapsLock"] = modifierCapsLock\n    o["modifierFn"] = modifierFn\n
o["modifierFnLock"] = modifierFnLock\n    o["modifierHyper"] = modifierHyper\n    o["modifierNumLock"] =
modifierNumLock\n    o["modifierScrollLock"] = modifierScrollLock\n    o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n    o["modifierSymbolLock"] = modifierSymbolLock\n    o["view"] =
view\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] =
composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n *^\n\npublic external open
class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n    open val
pointerId: Int\n    open val width: Double\n    open val height: Double\n    open val pressure: Float\n    open val
tangentialPressure: Float\n    open val tiltX: Int\n    open val tiltY: Int\n    open val twist: Int\n    open val
pointerType: String\n    open val isPrimary: Boolean\n\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}"/*\n

```

```

* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS
FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.mediasource.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n */\n\npublic external
abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n
open val dataset: DOMStringMap\n open val ownerSVGElement: SVGSVGElement?\n open val
viewportElement: SVGElement?\n open var tabIndex: Int\n fun focus()\n fun blur()\n\n companion object
{\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
SVGBoundingBoxOptions {\n var fill: Boolean? /* = true */\n get() = definedExternally\n set(value) =
definedExternally\n var stroke: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var markers: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var clipped: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun SVGBoundingBoxOptions(fill: Boolean? =
true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false): SVGBoundingBoxOptions {\n
val o = js("{}")\n o["fill"] = fill\n o["stroke"] = stroke\n o["markers"] = markers\n o["clipped"] =
clipped\n return o\n}\n\n/**\n * Exposes the JavaScript
[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n */\n\npublic
external abstract class SVGGraphicsElement : SVGElement, SVGTests {\n open val transform:
SVGAnimatedTransformList\n fun getBBox(options: SVGBoundingBoxOptions = definedExternally):
DOMRect\n fun getCTM(): DOMMatrix?\n fun getScreenCTM(): DOMMatrix?\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin\n */\n\npublic
external abstract class SVGGeometryElement : SVGGraphicsElement {\n open val pathLength:
SVGAnimatedNumber\n fun isPointInFill(point: DOMPoint): Boolean\n fun isPointInStroke(point: DOMPoint):
Boolean\n fun getTotalLength(): Float\n fun getPointAtLength(distance: Float): DOMPoint\n\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE:

```

```

Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
[SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin \n * \n public external
abstract class SVGNumber { \n    open var value: Float \n} \n \n /** \n * Exposes the JavaScript
[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin \n * \n public external abstract
class SVGLength { \n    open val unitType: Short \n    open var value: Float \n    open var valueInSpecifiedUnits:
Float \n    open var valueAsString: String \n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float) \n    fun convertToSpecifiedUnits(unitType: Short) \n \n    companion object { \n        val
SVG_LENGTHTYPE_UNKNOWN: Short \n        val SVG_LENGTHTYPE_NUMBER: Short \n        val
SVG_LENGTHTYPE_PERCENTAGE: Short \n        val SVG_LENGTHTYPE_EMS: Short \n        val
SVG_LENGTHTYPE_EXS: Short \n        val SVG_LENGTHTYPE_PX: Short \n        val
SVG_LENGTHTYPE_CM: Short \n        val SVG_LENGTHTYPE_MM: Short \n        val
SVG_LENGTHTYPE_IN: Short \n        val SVG_LENGTHTYPE_PT: Short \n        val SVG_LENGTHTYPE_PC:
Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin \n * \n public external abstract
class SVGAngle { \n    open val unitType: Short \n    open var value: Float \n    open var valueInSpecifiedUnits:
Float \n    open var valueAsString: String \n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float) \n    fun convertToSpecifiedUnits(unitType: Short) \n \n    companion object { \n        val
SVG_ANGLETYPE_UNKNOWN: Short \n        val SVG_ANGLETYPE_UNSPECIFIED: Short \n        val
SVG_ANGLETYPE_DEG: Short \n        val SVG_ANGLETYPE_RAD: Short \n        val
SVG_ANGLETYPE_GRAD: Short \n    } \n} \n \n public external abstract class SVGNameList { \n    open val length:
Int \n    open val numberOfItems: Int \n    fun clear() \n    fun initialize(newItem: dynamic): dynamic \n    fun
insertItemBefore(newItem: dynamic, index: Int): dynamic \n    fun replaceItem(newItem: dynamic, index: Int):
dynamic \n    fun removeItem(index: Int): dynamic \n    fun appendItem(newItem: dynamic): dynamic \n    fun
getItem(index: Int): dynamic \n} \n \n @kotlin.internal.InlineOnly \n public inline operator fun
SVGNameList.get(index: Int): dynamic = asDynamic()[index] \n \n @kotlin.internal.InlineOnly \n public inline
operator fun SVGNameList.set(index: Int, newItem: dynamic) { asDynamic()[index] = newItem } \n \n /** \n *
Exposes the JavaScript [SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to
Kotlin \n * \n public external abstract class SVGNumberList { \n    open val length: Int \n    open val numberOfItems:
Int \n    fun clear() \n    fun initialize(newItem: SVGNumber): SVGNumber \n    fun insertItemBefore(newItem:
SVGNumber, index: Int): SVGNumber \n    fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber \n    fun
removeItem(index: Int): SVGNumber \n    fun appendItem(newItem: SVGNumber): SVGNumber \n    fun
getItem(index: Int): SVGNumber \n} \n \n @kotlin.internal.InlineOnly \n public inline operator fun
SVGNumberList.get(index: Int): SVGNumber? = asDynamic()[index] \n \n @kotlin.internal.InlineOnly \n public inline
operator fun SVGNumberList.set(index: Int, newItem: SVGNumber) { asDynamic()[index] = newItem } \n \n /** \n *
Exposes the JavaScript [SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to
Kotlin \n * \n public external abstract class SVGLengthList { \n    open val length: Int \n    open val numberOfItems:
Int \n    fun clear() \n    fun initialize(newItem: SVGLength): SVGLength \n    fun insertItemBefore(newItem:
SVGLength, index: Int): SVGLength \n    fun replaceItem(newItem: SVGLength, index: Int): SVGLength \n    fun
removeItem(index: Int): SVGLength \n    fun appendItem(newItem: SVGLength): SVGLength \n    fun
getItem(index: Int): SVGLength \n} \n \n @kotlin.internal.InlineOnly \n public inline operator fun
SVGLengthList.get(index: Int): SVGLength? = asDynamic()[index] \n \n @kotlin.internal.InlineOnly \n public inline

```


operator fun SVGLengthList.set(index: Int, newItem: SVGLength) { asDynamic()[index] = newItem } \n\n/** \n * Exposes the JavaScript

[SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin \n\n * \n\npublic external abstract class SVGAnimatedBoolean { \n open var baseVal: Boolean \n open val animVal: Boolean \n } \n\n/** \n * Exposes the JavaScript

[SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to Kotlin \n\n * \n\npublic external abstract class SVGAnimatedEnumeration { \n open var baseVal: Short \n open val animVal: Short \n } \n\n/** \n * Exposes the JavaScript

[SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin \n\n * \n\npublic external abstract class SVGAnimatedInteger { \n open var baseVal: Int \n open val animVal: Int \n } \n\n/** \n * Exposes the JavaScript

[SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin \n\n * \n\npublic external abstract class SVGAnimatedNumber { \n open var baseVal: Float \n open val animVal: Float \n } \n\n/** \n * Exposes the JavaScript

[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin \n\n * \n\npublic external abstract class SVGAnimatedLength { \n open val baseVal: SVGLength \n open val animVal: SVGLength \n } \n\n/** \n * Exposes the JavaScript

[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin \n\n * \n\npublic external abstract class SVGAnimatedAngle { \n open val baseVal: SVGAngle \n open val animVal: SVGAngle \n } \n\n/** \n * Exposes the JavaScript

[SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin \n\n * \n\npublic external abstract class SVGAnimatedString { \n open var baseVal: String \n open val animVal: String \n } \n\n/** \n * Exposes the JavaScript

[SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin \n\n * \n\npublic external abstract class SVGAnimatedRect { \n open val baseVal: DOMRect \n open val animVal: DOMRectReadOnly \n } \n\n/** \n * Exposes the JavaScript

[SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin \n\n * \n\npublic external abstract class SVGAnimatedNumberList { \n open val baseVal: SVGNumberList \n open val animVal: SVGNumberList \n } \n\n/** \n * Exposes the JavaScript

[SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin \n\n * \n\npublic external abstract class SVGAnimatedLengthList { \n open val baseVal: SVGLengthList \n open val animVal: SVGLengthList \n } \n\n/** \n * Exposes the JavaScript

[SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin \n\n * \n\npublic external abstract class SVGStringList { \n open val length: Int \n open val numberOfItems: Int \n fun clear() \n fun initialize(newItem: String): String \n fun insertItemBefore(newItem: String, index: Int): String \n fun replaceItem(newItem: String, index: Int): String \n fun removeItem(index: Int): String \n fun appendItem(newItem: String): String \n fun getItem(index: Int): String \n } \n\n@kotlin.internal.InlineOnly \n\npublic inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index] \n\n@kotlin.internal.InlineOnly \n\npublic inline operator fun SVGStringList.set(index: Int, newItem: String) { asDynamic()[index] = newItem } \n\n/** \n * Exposes the JavaScript

[SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin \n\n * \n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE") \n\npublic external interface SVGUnitTypes { \n companion object { \n val SVG_UNIT_TYPE_UNKNOWN: Short \n val SVG_UNIT_TYPE_USERSPACEONUSE: Short \n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short \n } \n } \n\n/** \n * Exposes the JavaScript

[SVGTTests](https://developer.mozilla.org/en/docs/Web/API/SVGTTests) to Kotlin \n\n * \n\npublic external interface SVGTTests { \n val requiredExtensions: SVGStringList \n val systemLanguage: SVGStringList \n } \n\npublic external interface SVGFitToViewBox { \n val viewBox: SVGAnimatedRect \n val preserveAspectRatio: SVGAnimatedPreserveAspectRatio \n } \n\n/** \n * Exposes the JavaScript

[SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n *\\n@Suppress(\\n\\nNESTED_CLASS_IN_EXTERNAL_INTERFACE\\n\\n)\\npublic external interface SVGZoomAndPan {\\n var zoomAndPan: Short\\n\\n companion object {\\n val SVG_ZOOMANDPAN_UNKNOWN: Short\\n val SVG_ZOOMANDPAN_DISABLE: Short\\n val SVG_ZOOMANDPAN_MAGNIFY: Short\\n }\\n}\\n\\n/**\\n * Exposes the JavaScript [SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\\n *\\npublic external interface SVGURIReference {\\n val href: SVGAnimatedString\\n}\\n}\\n\\n/**\\n * Exposes the JavaScript [SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\\n *\\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\\n open val x: SVGAnimatedLength\\n open val y: SVGAnimatedLength\\n open val width: SVGAnimatedLength\\n open val height: SVGAnimatedLength\\n open var currentScale: Float\\n open val currentTranslate: DOMPointReadOnly\\n fun getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\\n fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\\n fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\\n fun checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\\n fun deselectAll()\\n fun createSVGNumber(): SVGNumber\\n fun createSVGLength(): SVGLength\\n fun createSVGAngle(): SVGAngle\\n fun createSVGPoint(): DOMPoint\\n fun createSVGMatrix(): DOMMatrix\\n fun createSVGRect(): DOMRect\\n fun createSVGTransform(): SVGTransform\\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\\n fun getElementById(elementId: String): Element\\n fun suspendRedraw(maxWaitMilliseconds: Int): Int\\n fun unsuspendRedraw(suspendHandleID: Int)\\n fun unsuspendRedrawAll()\\n fun forceRedraw()\\n}\\n}\\n}\\n\\n companion object {\\n val SVG_ZOOMANDPAN_UNKNOWN: Short\\n val SVG_ZOOMANDPAN_DISABLE: Short\\n val SVG_ZOOMANDPAN_MAGNIFY: Short\\n val ELEMENT_NODE: Short\\n val ATTRIBUTE_NODE: Short\\n val TEXT_NODE: Short\\n val CDATA_SECTION_NODE: Short\\n val ENTITY_REFERENCE_NODE: Short\\n val ENTITY_NODE: Short\\n val PROCESSING_INSTRUCTION_NODE: Short\\n val COMMENT_NODE: Short\\n val DOCUMENT_NODE: Short\\n val DOCUMENT_TYPE_NODE: Short\\n val DOCUMENT_FRAGMENT_NODE: Short\\n val NOTATION_NODE: Short\\n val DOCUMENT_POSITION_DISCONNECTED: Short\\n val DOCUMENT_POSITION_PRECEDING: Short\\n val DOCUMENT_POSITION_FOLLOWING: Short\\n val DOCUMENT_POSITION_CONTAINS: Short\\n val DOCUMENT_POSITION_CONTAINED_BY: Short\\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\\n }\\n}\\n}\\n\\n/**\\n * Exposes the JavaScript [SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\\n *\\npublic external abstract class SVGGElement : SVGGraphicsElement {\\n companion object {\\n val ELEMENT_NODE: Short\\n val ATTRIBUTE_NODE: Short\\n val TEXT_NODE: Short\\n val CDATA_SECTION_NODE: Short\\n val ENTITY_REFERENCE_NODE: Short\\n val ENTITY_NODE: Short\\n val PROCESSING_INSTRUCTION_NODE: Short\\n val COMMENT_NODE: Short\\n val DOCUMENT_NODE: Short\\n val DOCUMENT_TYPE_NODE: Short\\n val DOCUMENT_FRAGMENT_NODE: Short\\n val NOTATION_NODE: Short\\n val DOCUMENT_POSITION_DISCONNECTED: Short\\n val DOCUMENT_POSITION_PRECEDING: Short\\n val DOCUMENT_POSITION_FOLLOWING: Short\\n val DOCUMENT_POSITION_CONTAINS: Short\\n val DOCUMENT_POSITION_CONTAINED_BY: Short\\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\\n }\\n}\\n}\\n\\npublic external abstract class SVGUnknownElement : SVGGraphicsElement {\\n companion object {\\n val ELEMENT_NODE: Short\\n val ATTRIBUTE_NODE: Short\\n val TEXT_NODE: Short\\n val CDATA_SECTION_NODE: Short\\n val ENTITY_REFERENCE_NODE: Short\\n val ENTITY_NODE: Short\\n val PROCESSING_INSTRUCTION_NODE: Short\\n val COMMENT_NODE: Short\\n val DOCUMENT_NODE: Short\\n val DOCUMENT_TYPE_NODE: Short\\n val

```

DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic
external abstract class SVGDefsElement : SVGGraphicsElement {\n    companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n */\npublic
external abstract class SVGDescElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE:
Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n
*/\npublic external abstract class SVGMetadataElement : SVGElement {\n    companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n */\npublic
external abstract class SVGTitleElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE:
Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val

```

```

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\n *\n\npublic
external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n  companion object
{\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n\n/**\n * Exposes the JavaScript
[SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n *\n\npublic external
abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n  open val x:
SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open val width: SVGAnimatedLength\n  open val
height: SVGAnimatedLength\n  open val instanceRoot: SVGElement?\n  open val animatedInstanceRoot:
SVGElement?\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE:
Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n\npublic external open class
SVGUseElementShadowRoot : ShadowRoot {\n  companion object {\n    val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n\npublic external interface
SVGElementInstance {\n  val correspondingElement: SVGElement?\n  get() = definedExternally\n  val
correspondingUseElement: SVGUseElement?\n  get() = definedExternally\n}\n\n\npublic external open class
ShadowAnimation(source: dynamic, newTarget: dynamic) {\n  open val sourceAnimation: dynamic\n}\n\n\n\n/**\n *
Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement)
to Kotlin\n *\n\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\n  companion object
{\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n

```

```

    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
GetSVGDocument {\n    fun getSVGDocument(): Document\n}\n\n/**\n * Exposes the JavaScript
[SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n\n*/\n\npublic
external abstract class SVGStyleElement : SVGElement, LinkStyle {\n    open var type: String\n    open var media:
String\n    open var title: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n\n*/\n\npublic external
abstract class SVGTransform {\n    open val type: Short\n    open val matrix: DOMMatrix\n    open val angle:
Float\n    fun setMatrix(matrix: DOMMatrixReadOnly)\n    fun setTranslate(tx: Float, ty: Float)\n    fun setScale(sx:
Float, sy: Float)\n    fun setRotate(angle: Float, cx: Float, cy: Float)\n    fun setSkewX(angle: Float)\n    fun
setSkewY(angle: Float)\n\n    companion object {\n        val SVG_TRANSFORM_UNKNOWN: Short\n        val
SVG_TRANSFORM_MATRIX: Short\n        val SVG_TRANSFORM_TRANSLATE: Short\n        val
SVG_TRANSFORM_SCALE: Short\n        val SVG_TRANSFORM_ROTATE: Short\n        val
SVG_TRANSFORM_SKEWX: Short\n        val SVG_TRANSFORM_SKEWY: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n\n*/\n\npublic external abstract class SVGTransformList {\n    open val length: Int\n    open val numberOfItems: Int\n    fun clear()\n    fun initialize(newItem: SVGTransform): SVGTransform\n    fun insertItemBefore(newItem:
SVGTransform, index: Int): SVGTransform\n    fun replaceItem(newItem: SVGTransform, index: Int):
SVGTransform\n    fun removeItem(index: Int): SVGTransform\n    fun appendItem(newItem: SVGTransform):
SVGTransform\n    fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n    fun
consolidate(): SVGTransform?\n    fun getItem(index: Int):
SVGTransform\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun SVGTransformList.get(index: Int):
SVGTransform? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun
SVGTransformList.set(index: Int, newItem: SVGTransform) { asDynamic()[index] = newItem }\n\n/**\n * Exposes
the JavaScript
[SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to
Kotlin\n\n*/\n\npublic external abstract class SVGAnimatedTransformList {\n    open val baseVal:
SVGTransformList\n    open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript
[SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n\n*/\n\npublic external abstract class SVGPreserveAspectRatio {\n    open var align: Short\n    open var meetOrSlice:
Short\n\n    companion object {\n        val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n        val
SVG_PRESERVEASPECTRATIO_NONE: Short\n        val SVG_PRESERVEASPECTRATIO_XMINYMIN:
Short\n        val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n        val
SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n        val
SVG_PRESERVEASPECTRATIO_XMINYMID: Short\n        val
SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n        val
SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n        val
SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n        val
SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n        val

```

```

SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n    val SVG_MEETORSLICE_UNKNOWN: Short\n
    val SVG_MEETORSLICE_MEET: Short\n    val SVG_MEETORSLICE_SLICE: Short\n    }\n}\n\n/**\n *
Exposes the JavaScript
[SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspect
Ratio) to Kotlin\n */\n\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n    open val baseVal:
SVGPreserveAspectRatio\n    open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript
[SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n */\n\npublic
external abstract class SVGPathElement : SVGGeometryElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n */\n\npublic
external abstract class SVGRectElement : SVGGeometryElement {\n    open val x: SVGAnimatedLength\n    open
val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val height: SVGAnimatedLength\n
    open val rx: SVGAnimatedLength\n    open val ry: SVGAnimatedLength\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n */\n\npublic
external abstract class SVGCircleElement : SVGGeometryElement {\n    open val cx: SVGAnimatedLength\n
    open val cy: SVGAnimatedLength\n    open val r: SVGAnimatedLength\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin\n */\n\npublic
external abstract class SVGEllipseElement : SVGGeometryElement {\n    open val cx: SVGAnimatedLength\n
    open val cy: SVGAnimatedLength\n    open val rx: SVGAnimatedLength\n    open val ry: SVGAnimatedLength\n\n
    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val

```

```

COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin \n * \n public
external abstract class SVGLineElement : SVGGeometryElement { \n    open val x1: SVGAnimatedLength \n    open
val y1: SVGAnimatedLength \n    open val x2: SVGAnimatedLength \n    open val y2: SVGAnimatedLength \n
companion object { \n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin \n * \n public
external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference { \n    companion object { \n
    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin \n * \n public
external interface SVGAnimatedPoints { \n    val points: SVGPointList \n    val animatedPoints:
SVGPointList \n} \n \n public external abstract class SVGPointList { \n    open val length: Int \n    open val
numberOfItems: Int \n    fun clear() \n    fun initialize(newItem: DOMPoint): DOMPoint \n    fun
insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint \n    fun replaceItem(newItem: DOMPoint, index:
Int): DOMPoint \n    fun removeItem(index: Int): DOMPoint \n    fun appendItem(newItem: DOMPoint):
DOMPoint \n    fun getItem(index: Int): DOMPoint \n} \n \n @kotlin.internal.InlineOnly \n public inline operator fun
SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index] \n \n @kotlin.internal.InlineOnly \n public inline
operator fun SVGPointList.set(index: Int, newItem: DOMPoint) { asDynamic()[index] = newItem } \n \n /** \n *
Exposes the JavaScript
[SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin \n
* \n public external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints { \n
companion object { \n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n

```

```

    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n
*\n\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n
companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n
*\n\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n    open val textLength:
SVGAnimatedLength\n    open val lengthAdjust: SVGAnimatedEnumeration\n    fun getNumberOfChars(): Int\n
fun getComputedTextLength(): Float\n    fun getSubStringLength(charnum: Int, nchars: Int): Float\n    fun
getStartPositionOfChar(charnum: Int): DOMPoint\n    fun getEndPositionOfChar(charnum: Int): DOMPoint\n    fun
getExtentOfChar(charnum: Int): DOMRect\n    fun getRotationOfChar(charnum: Int): Float\n    fun
getCharNumAtPosition(point: DOMPoint): Int\n    fun selectSubString(charnum: Int, nchars: Int)\n\n    companion
object {\n    val LENGTHADJUST_UNKNOWN: Short\n    val LENGTHADJUST_SPACING: Short\n
    val LENGTHADJUST_SPACINGANDGLYPHS: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to
Kotlin\n
*\n\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n    open val x:
SVGAnimatedLengthList\n    open val y: SVGAnimatedLengthList\n    open val dx: SVGAnimatedLengthList\n
open val dy: SVGAnimatedLengthList\n    open val rotate: SVGAnimatedNumberList\n\n    companion object {\n
    val LENGTHADJUST_UNKNOWN: Short\n    val LENGTHADJUST_SPACING: Short\n    val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n
*\n\npublic external abstract class SVGTextElement : SVGTextPositioningElement {\n    companion object {\n    val

```


LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val
 LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val
 ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
 ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
 PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
 DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
 DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n } \n \n /** \n * Exposes the JavaScript
 [SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin \n * \n public
 external abstract class SVGTSpanElement : SVGTextPositioningElement { \n companion object { \n val
 LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val
 LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val
 ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
 ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
 PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
 DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
 DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n } \n \n /** \n * Exposes the JavaScript
 [SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin \n
 * \n public external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference { \n open
 val startOffset: SVGAnimatedLength \n open val method: SVGAnimatedEnumeration \n open val spacing:
 SVGAnimatedEnumeration \n \n companion object { \n val TEXTPATH_METHODTYPE_UNKNOWN:
 Short\n val TEXTPATH_METHODTYPE_ALIGN: Short\n val
 TEXTPATH_METHODTYPE_STRETCH: Short\n val TEXTPATH_SPACINGTYPE_UNKNOWN: Short\n
 val TEXTPATH_SPACINGTYPE_AUTO: Short\n val TEXTPATH_SPACINGTYPE_EXACT: Short\n
 val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val
 LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val
 ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
 ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
 PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
 DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
 DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n } \n \n /** \n * Exposes the JavaScript
 [SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin \n * \n public
 external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference,
 HTMLorSVGImageElement { \n open val x: SVGAnimatedLength \n open val y: SVGAnimatedLength \n open
 val width: SVGAnimatedLength \n open val height: SVGAnimatedLength \n open val preserveAspectRatio:
 SVGAnimatedPreserveAspectRatio \n open var crossOrigin: String? \n \n companion object { \n val
 ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val

CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }|n}|n/n/**\n * Exposes the JavaScript [SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to Kotlin\n */\npublic external abstract class SVGForeignObjectElement : SVGGraphicsElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }|n}|n\n\npublic external abstract class SVGMarkerElement : SVGElement, SVGFitToViewBox {\n open val refX: SVGAnimatedLength\n open val refY: SVGAnimatedLength\n open val markerUnits: SVGAnimatedEnumeration\n open val markerWidth: SVGAnimatedLength\n open val markerHeight: SVGAnimatedLength\n open val orientType: SVGAnimatedEnumeration\n open val orientAngle: SVGAnimatedAngle\n open var orient: String\n fun setOrientToAuto()\n fun setOrientToAngle(angle: SVGAngle)\n\n companion object {\n val SVG_MARKERUNITS_UNKNOWN: Short\n val SVG_MARKERUNITS_USERSPACEONUSE: Short\n val SVG_MARKERUNITS_STROKEWIDTH: Short\n val SVG_MARKER_ORIENT_UNKNOWN: Short\n val SVG_MARKER_ORIENT_AUTO: Short\n val SVG_MARKER_ORIENT_ANGLE: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }|n}|n/n/**\n * Exposes the JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin\n */\npublic external abstract class SVGSolidcolorElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val


```

[SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n *\npublic
external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference,
SVGUnitTypes {\n  open val patternUnits: SVGAnimatedEnumeration\n  open val patternContentUnits:
SVGAnimatedEnumeration\n  open val patternTransform: SVGAnimatedTransformList\n  open val x:
SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open val width: SVGAnimatedLength\n  open val
height: SVGAnimatedLength\n\n  companion object {\n    val SVG_UNIT_TYPE_UNKNOWN: Short\n
val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\npublic external abstract class
SVGHatchElement : SVGElement {\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\npublic external abstract class
SVGHatchpathElement : SVGElement {\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n *\npublic
external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n  open val x:
SVGAnimatedLength\n  open val y: SVGAnimatedLength\n\n  companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript

```

```

[SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n *\npublic
external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {\n
open var type: String\n open var crossOrigin: String?\n\n companion object {\n val ELEMENT_NODE:
Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:
Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n *\npublic external
abstract class SVGElement : SVGGraphicsElement, SVGURIReference {\n open val target:
SVGAnimatedString\n open val download: SVGAnimatedString\n open val rel: SVGAnimatedString\n open
val relList: SVGAnimatedString\n open val hreflang: SVGAnimatedString\n open val type:
SVGAnimatedString\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n *\npublic
external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n companion
object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE:
Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}"/\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.files\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript

```

```

[Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\n */\npublic external open class
Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) :
MediaProvider, ImageBitmapSource {\n  open val size: Number\n  open val type: String\n  open val isClosed:
Boolean\n  fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String =
definedExternally): Blob\n  fun close()\n}\n\npublic external interface BlobPropertyBag {\n  var type: String? /*
= \"\" */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = \"\"):
BlobPropertyBag {\n  val o = js(\"({})\")\n  o[\"type\"] = type\n  return o\n}\n\n/**\n * Exposes the JavaScript
[File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n */\npublic external open class File(fileBits:
Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n  open val name:
String\n  open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag {\n  var
lastModified: Int?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? =
undefined, type: String? = \"\"): FilePropertyBag {\n  val o = js(\"({})\")\n  o[\"lastModified\"] = lastModified\n
o[\"type\"] = type\n  return o\n}\n\n/**\n * Exposes the JavaScript
[FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n */\npublic external abstract class
FileList : ItemArrayLike<File> {\n  override fun item(index: Int): File?\n}\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun FileList.get(index: Int): File? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n */\npublic external open class
FileReader : EventTarget {\n  open val readyState: Short\n  open val result: dynamic\n  open val error:
dynamic\n  var onloadstart: ((ProgressEvent) -> dynamic)?\n  var onprogress: ((ProgressEvent) -> dynamic)?\n
var onload: ((Event) -> dynamic)?\n  var onabort: ((Event) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n
var onloadend: ((Event) -> dynamic)?\n  fun readAsArrayBuffer(blob: Blob)\n  fun readAsBinaryString(blob:
Blob)\n  fun readAsText(blob: Blob, label: String = definedExternally)\n  fun readAsDataURL(blob: Blob)\n
fun abort()\n\n  companion object {\n    val EMPTY: Short\n    val LOADING: Short\n    val DONE:
Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\npublic external
open class FileReaderSync {\n  fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n  fun readAsBinaryString(blob:
Blob): String\n  fun readAsText(blob: Blob, label: String = definedExternally): String\n  fun
readAsDataURL(blob: Blob): String\n}\n\n/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.notifications\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n */\npublic external open
class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n  var onclick:
((MouseEvent) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n  open val title: String\n  open val dir:
NotificationDirection\n  open val lang: String\n  open val body: String\n  open val tag: String\n  open val
image: String\n  open val icon: String\n  open val badge: String\n  open val sound: String\n  open val vibrate:
Array<out Int>\n  open val timestamp: Number\n  open val renotify: Boolean\n  open val silent: Boolean\n
open val noscreen: Boolean\n  open val requireInteraction: Boolean\n  open val sticky: Boolean\n  open val data:
Any?\n  open val actions: Array<out NotificationAction>\n  fun close()\n\n  companion object {\n    val
permission: NotificationPermission\n    val maxActions: Int\n    fun requestPermission(deprecatedCallback:

```

```

(NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>\n    }\n}\n\npublic
external interface NotificationOptions {\n    var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n
    get() = definedExternally\n    set(value) = definedExternally\n    var lang: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var body: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var tag: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var image: String?\n    get() = definedExternally\n
set(value) = definedExternally\n    var icon: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var badge: String?\n    get() = definedExternally\n    set(value) = definedExternally\n
var sound: String?\n    get() = definedExternally\n    set(value) = definedExternally\n    var vibrate: dynamic\n
    get() = definedExternally\n    set(value) = definedExternally\n    var timestamp: Number?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var renotify: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var silent: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var noscreen: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var requireInteraction: Boolean? /* = false */\n    get()
= definedExternally\n    set(value) = definedExternally\n    var sticky: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var data: Any? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var actions: Array<NotificationAction>? /* = arrayOf()
*/\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun NotificationOptions(dir: NotificationDirection? = NotificationDirection.AUTO, lang: String? = "", body:
String? = "", tag: String? = "", image: String? = undefined, icon: String? = undefined, badge: String? = undefined,
sound: String? = undefined, vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? =
false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? =
false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf(): NotificationOptions {\n    val o =
js("{}")\n    o["dir"] = dir\n    o["lang"] = lang\n    o["body"] = body\n    o["tag"] = tag\n    o["image"] =
image\n    o["icon"] = icon\n    o["badge"] = badge\n    o["sound"] = sound\n    o["vibrate"] = vibrate\n
o["timestamp"] = timestamp\n    o["renotify"] = renotify\n    o["silent"] = silent\n    o["noscreen"] = noscreen\n
o["requireInteraction"] = requireInteraction\n    o["sticky"] = sticky\n    o["data"] = data\n    o["actions"] =
actions\n    return o\n}\n\npublic external interface NotificationAction {\n    var action: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var title: String?\n    get() = definedExternally\n
set(value) = definedExternally\n    var icon: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationAction(action: String?, title:
String?, icon: String? = undefined): NotificationAction {\n    val o = js("{}")\n    o["action"] = action\n
o["title"] = title\n    o["icon"] = icon\n    return o\n}\n\npublic external interface GetNotificationOptions {\n    var
tag: String? /* = "" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? = ""):
GetNotificationOptions {\n    val o = js("{}")\n    o["tag"] = tag\n    return o\n}\n\n/**\n * Exposes the
JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n
*/\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) :
ExtendableEvent {\n    open val notification: Notification\n    open val action: String\n\n    companion object {\n
val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface NotificationEventInit : ExtendableEventInit {\n
var notification: Notification?\n    get() = definedExternally\n    set(value) = definedExternally\n    var action:
String? /* = "" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification:
Notification?, action: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): NotificationEventInit {\n    val o = js("{}")\n    o["notification"] = notification\n    o["action"] =
action\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n    return
o\n}\n\n/* please, don't implement this interface!

```



```

*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
NotificationPermission {\n  companion object\n}\n\npublic inline val
NotificationPermission.Companion.DEFAULT: NotificationPermission get() =
"default".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.DENIED: NotificationPermission get() =
"denied".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.GRANTED: NotificationPermission get() =
"granted".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
NotificationDirection {\n  companion object\n}\n\npublic inline val NotificationDirection.Companion.AUTO:
NotificationDirection get() = "auto".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.LTR: NotificationDirection get() =
"ltr".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.RTL: NotificationDirection get() =
"rtl".asDynamic().unsafeCast<NotificationDirection>()"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n *\n\npublic external
abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker,
UnionClientOrMessagePortOrServiceWorker {\n  open val scriptURL: String\n  open val state:
ServiceWorkerState\n  open var onstatechange: ((Event) -> dynamic)?\n  fun postMessage(message: Any?,
transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to
Kotlin\n *\n\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n  open val installing:
ServiceWorker?\n  open val waiting: ServiceWorker?\n  open val active: ServiceWorker?\n  open val scope:
String\n  open var onupdatefound: ((Event) -> dynamic)?\n  open val APISpace: dynamic\n  fun update():
Promise<Unit>\n  fun unregister(): Promise<Boolean>\n  fun showNotification(title: String, options:
NotificationOptions = definedExternally): Promise<Unit>\n  fun getNotifications(filter: GetNotificationOptions =
definedExternally): Promise<Array<Notification>>\n  fun methodName(): Promise<dynamic>\n}\n\n/**\n *
Exposes the JavaScript
[ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n
*\n\npublic external abstract class ServiceWorkerContainer : EventTarget {\n  open val controller:
ServiceWorker?\n  open val ready: Promise<ServiceWorkerRegistration>\n  open var oncontrollerchange:
((Event) -> dynamic)?\n  open var onmessage: ((MessageEvent) -> dynamic)?\n  fun register(scriptURL: String,
options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n  fun
getRegistration(clientURL: String = definedExternally): Promise<Any?>\n  fun getRegistrations():
Promise<Array<ServiceWorkerRegistration>>\n  fun startMessages()\n}\n\n\npublic external interface
RegistrationOptions {\n  var scope: String?\n  get() = definedExternally\n  set(value) = definedExternally\n
var type: WorkerType? /* = WorkerType.CLASSIC *\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? =
undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n  val o = js("{}")\n

```

```

o["scope"] = scope\n  o["type"] = type\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to
Kotlin\n\n * public external open class ServiceWorkerMessageEvent(type: String, eventInitDict:
ServiceWorkerMessageEventInit = definedExternally) : Event {\n  open val data: Any?\n  open val origin:
String\n  open val lastEventId: String\n  open val source: UnionMessagePortOrServiceWorker?\n  open val
ports: Array<out MessagePort>?\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n  var data: Any?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var origin: String?\n  get() = definedExternally\n
set(value) = definedExternally\n  var lastEventId: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var source: UnionMessagePortOrServiceWorker?\n  get() = definedExternally\n
set(value) = definedExternally\n  var ports: Array<MessagePort>?\n  get() = definedExternally\n  set(value)
= definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ServiceWorkerMessageEventInit(data:
Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n  val o =
js("{}")\n  o["data"] = data\n  o["origin"] = origin\n  o["lastEventId"] = lastEventId\n  o["source"] =
source\n  o["ports"] = ports\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\n\n * public external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n  open val clients:
Clients\n  open val registration: ServiceWorkerRegistration\n  open var oninstall: ((Event) -> dynamic)?\n  open
var onactivate: ((Event) -> dynamic)?\n  open var onfetch: ((FetchEvent) -> dynamic)?\n  open var
onforeignfetch: ((Event) -> dynamic)?\n  open var onmessage: ((MessageEvent) -> dynamic)?\n  open var
onnotificationclick: ((NotificationEvent) -> dynamic)?\n  open var onnotificationclose: ((NotificationEvent) ->
dynamic)?\n  open var onfunctionalevent: ((Event) -> dynamic)?\n  fun skipWaiting():
Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n\n * public external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n  open val url: String\n  open val frameType: FrameType\n
open val id: String\n  fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n
* Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to
Kotlin\n\n * public external abstract class WindowClient : Client {\n  open val visibilityState: dynamic\n  open
val focused: Boolean\n  fun focus(): Promise<WindowClient>\n  fun navigate(url: String):
Promise<WindowClient>\n}\n\n/**\n * Exposes the JavaScript
[Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n\n * public external abstract class
Clients {\n  fun get(id: String): Promise<Any?>\n  fun matchAll(options: ClientQueryOptions =
definedExternally): Promise<Array<Client>>\n  fun openWindow(url: String): Promise<WindowClient?>\n  fun
claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n  var includeUncontrolled:
Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var type:
ClientType? /* = ClientType.WINDOW */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClientQueryOptions(includeUncontrolled:
Boolean? = false, type: ClientType? = ClientType.WINDOW): ClientQueryOptions {\n  val o = js("{}")\n
o["includeUncontrolled"] = includeUncontrolled\n  o["type"] = type\n  return o\n}\n\n/**\n * Exposes the
JavaScript [ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n\n
* public external open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit =
definedExternally) : Event {\n  fun waitUntil(f: Promise<Any?>)\n\n  companion object {\n    val NONE:
Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n  }\n}\n\npublic external interface ExtendableEventInit : EventInit\n\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun ExtendableEventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): ExtendableEventInit {
    val o = js("{}")
    o["bubbles"] = bubbles
    o["cancelable"] =
cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript
[InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin */
@kotlin.internal.InlineOnly
public external open
class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {
    fun
registerForeignFetch(options: ForeignFetchOptions)

    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }

    public external interface ForeignFetchOptions {
        var scopes: Array<String>?
        get() =
definedExternally
        set(value) = definedExternally
        var origins: Array<String>?
        get() =
definedExternally
        set(value) = definedExternally
    }

    @kotlin.internal.InlineOnly
    public inline fun
ForeignFetchOptions(scopes: Array<String>?, origins: Array<String>?): ForeignFetchOptions {
        val o =
js("{}")
        o["scopes"] = scopes
        o["origins"] = origins
        return o
    }

    /** Exposes the JavaScript
[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin */
@kotlin.internal.InlineOnly
public external open class
FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {
    open val request: Request
    open
val clientId: String?
    open val isReload: Boolean
    fun respondWith(r: Promise<Response>)

    companion
object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val
BUBBLING_PHASE: Short
    }

    public external interface FetchEventInit : ExtendableEventInit {
        var
request: Request?
        get() = definedExternally
        set(value) = definedExternally
        var clientId: String? /*
= null */
        get() = definedExternally
        set(value) = definedExternally
        var isReload: Boolean? /* = false
*/
        get() = definedExternally
        set(value) = definedExternally
    }

    @kotlin.internal.InlineOnly
    public
inline fun FetchEventInit(request: Request?, clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean?
= false, cancelable: Boolean? = false, composed: Boolean? = false): FetchEventInit {
        val o = js("{}")
        o["request"] = request
        o["clientId"] = clientId
        o["isReload"] = isReload
        o["bubbles"] = bubbles
        o["cancelable"] = cancelable
        o["composed"] = composed
        return o
    }

    public external open class
ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {
    open val request:
Request
    open val origin: String
    fun respondWith(r: Promise<ForeignFetchResponse>)

    companion
object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val
BUBBLING_PHASE: Short
    }

    public external interface ForeignFetchEventInit : ExtendableEventInit {
        var
request: Request?
        get() = definedExternally
        set(value) = definedExternally
        var origin: String? /*
= "null" */
        get() = definedExternally
        set(value) =
definedExternally
    }

    @kotlin.internal.InlineOnly
    public inline fun ForeignFetchEventInit(request: Request?,
origin: String? = "null", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
ForeignFetchEventInit {
        val o = js("{}")
        o["request"] = request
        o["origin"] = origin
        o["bubbles"] = bubbles
        o["cancelable"] = cancelable
        o["composed"] = composed
        return
o
    }

    public external interface ForeignFetchResponse {
        var response: Response?
        get() =
definedExternally
        set(value) = definedExternally
        var origin: String?
        get() = definedExternally
        set(value) =
definedExternally
        var headers: Array<String>?
        get() = definedExternally
        set(value) =
definedExternally
    }

    @kotlin.internal.InlineOnly
    public inline fun ForeignFetchResponse(response:
Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {
        val o =
js("{}")
        o["response"] = response
        o["origin"] = origin
        o["headers"] = headers
        return
o
    }

    /** Exposes the JavaScript
[ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin */
@kotlin.internal.InlineOnly
public external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit =
definedExternally) : ExtendableEvent {
    open val data: Any?
    open val origin: String
    open val lastEventId:
String
    open val source: UnionClientOrMessagePortOrServiceWorker?
    open val ports: Array<out
MessagePort>?

    companion
object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val
AT_TARGET: Short
        val
BUBBLING_PHASE: Short
    }

    public external interface
ExtendableMessageEventInit : ExtendableEventInit {
        var data: Any?
        get() = definedExternally

```

```

set(value) = definedExternally\n    var origin: String?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var lastEventId: String?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var source: UnionClientOrMessagePortOrServiceWorker?\n        get() = definedExternally\n
    set(value) = definedExternally\n    var ports: Array<MessagePort>?\n        get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ExtendableMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined,
source: UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit
{\n    val o = js("{}")\n    o["data"] = data\n    o["origin"] = origin\n    o["lastEventId"] = lastEventId\n
o["source"] = source\n    o["ports"] = ports\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n
o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n */\npublic external abstract class Cache
{\n    fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n    fun
matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Response>>\n    fun add(request: dynamic): Promise<Unit>\n    fun addAll(requests:
Array<dynamic>): Promise<Unit>\n    fun put(request: dynamic, response: Response): Promise<Unit>\n    fun
delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n    fun
keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Request>>\n}\n\npublic external interface CacheQueryOptions {\n    var ignoreSearch: Boolean? /*
= false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var ignoreMethod: Boolean? /*
= false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var ignoreVary: Boolean? /*
= false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var cacheName: String?\n
get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CacheQueryOptions(ignoreSearch: Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? =
false, cacheName: String? = undefined): CacheQueryOptions {\n    val o = js("{}")\n    o["ignoreSearch"] =
ignoreSearch\n    o["ignoreMethod"] = ignoreMethod\n    o["ignoreVary"] = ignoreVary\n    o["cacheName"] =
cacheName\n    return o\n}\n\npublic external interface CacheBatchOperation {\n    var type: String?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var request: Request?\n        get() = definedExternally\n
set(value) = definedExternally\n    var response: Response?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var options: CacheQueryOptions?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheBatchOperation(type: String? =
undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? =
undefined): CacheBatchOperation {\n    val o = js("{}")\n    o["type"] = type\n    o["request"] = request\n
o["response"] = response\n    o["options"] = options\n    return o\n}\n\n/**\n * Exposes the JavaScript
[CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n */\npublic external
abstract class CacheStorage {\n    fun match(request: dynamic, options: CacheQueryOptions = definedExternally):
Promise<Any?>\n    fun has(cacheName: String): Promise<Boolean>\n    fun open(cacheName: String):
Promise<Cache>\n    fun delete(cacheName: String): Promise<Boolean>\n    fun keys():
Promise<Array<String>>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n    companion
object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface UnionMessagePortOrServiceWorker\n\npublic
external interface UnionClientOrMessagePortOrServiceWorker\n\n/* please, don't implement this interface!
*/\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
ServiceWorkerState {\n    companion object\n}\n\npublic inline val ServiceWorkerState.Companion.INSTALLING:
ServiceWorkerState get() = "installing".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() =
"installed".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() =

```

```

\"activating\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() =
\"activated\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
\"redundant\".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface FrameType {\n
companion object\n}\n\npublic inline val FrameType.Companion.AUXILIARY: FrameType get() =
\"auxiliary\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.TOP_LEVEL:
FrameType get() = \"top-level\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val
FrameType.Companion.NESTED: FrameType get() = \"nested\".asDynamic().unsafeCast<FrameType>()\n\npublic
inline val FrameType.Companion.NONE: FrameType get() =
\"none\".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface ClientType {\n
companion object\n}\n\npublic inline val ClientType.Companion.WINDOW: ClientType get() =
\"window\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.WORKER:
ClientType get() = \"worker\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val
ClientType.Companion.SHAREDWORKER: ClientType get() =
\"sharedworker\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.ALL:
ClientType get() = \"all\".asDynamic().unsafeCast<ClientType>()\", \"/*\n * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.xhr\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\n\n/**\n * Exposes the JavaScript
[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to
Kotlin\n */\n\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n
open var onloadstart: ((ProgressEvent) -> dynamic)?\n
open var onprogress: ((ProgressEvent) -> dynamic)?\n
open var onabort: ((Event) -> dynamic)?\n
open var onerror: ((Event) -> dynamic)?\n
open var onload: ((Event) -> dynamic)?\n
open var ontimeout: ((Event) -> dynamic)?\n
open var onloadend: ((Event) -> dynamic)?\n}\n\npublic external
abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget{\n\n/**\n * Exposes the JavaScript
[XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin\n */\n\npublic
external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n
var onreadystatechange: ((Event) ->
dynamic)?\n
open val readyState: Short\n
var timeout: Int\n
var withCredentials: Boolean\n
open val upload: XMLHttpRequestUpload\n
open val responseURL: String\n
open val status: Short\n
open val statusText:
String\n
var responseType: XMLHttpRequestResponseType\n
open val response: Any?\n
open val
responseText: String\n
open val responseXML: Document?\n
fun open(method: String, url: String)\n
fun
open(method: String, url: String, async: Boolean, username: String? = definedExternally, password: String? =
definedExternally)\n
fun setRequestHeader(name: String, value: String)\n
fun send(body: dynamic =
definedExternally)\n
fun abort()\n
fun getResponseHeader(name: String): String?\n
fun
getAllResponseHeaders(): String\n
fun overrideMimeType(mime: String)\n}\n\ncompanion object {\n
val UNSENT: Short\n
val OPENED: Short\n
val HEADERS_RECEIVED: Short\n
val LOADING:
Short\n
val DONE: Short\n
}\n}\n\n/**\n * Exposes the JavaScript
[FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n */\n\npublic external open class
FormData(form: HTMLFormElement = definedExternally) {\n
fun append(name: String, value: String)\n
fun

```

```

append(name: String, value: Blob, filename: String = definedExternally)\n fun delete(name: String)\n fun
get(name: String): dynamic\n fun getAll(name: String): Array<dynamic>\n fun has(name: String): Boolean\n
fun set(name: String, value: String)\n fun set(name: String, value: Blob, filename: String =
definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n */\npublic external open
class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n open val
lengthComputable: Boolean\n open val loaded: Number\n open val total: Number\n\n companion object {\n
val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n}\n\npublic external interface ProgressEventInit : EventInit {\n var
lengthComputable: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n
var loaded: Number? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var total:
Number? /* = 0 */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ProgressEventInit(lengthComputable:
Boolean? = false, loaded: Number? = 0, total: Number? = 0, bubbles: Boolean? = false, cancelable: Boolean? =
false, composed: Boolean? = false): ProgressEventInit {\n val o = js("{}")\n o["lengthComputable"] =
lengthComputable\n o["loaded"] = loaded\n o["total"] = total\n o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n/* please, don't implement this
interface! *\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
XMLHttpRequestResponseType {\n companion object\n}\n\npublic inline val
XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() =
\"\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() =
\"arraybuffer\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() =
\"blob\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() =
\"document\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() =
\"json\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() =
\"text\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\", /*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.annotation.AnnotationRetention.BINARY\n\nimport kotlin.annotation.AnnotationRetention.SOURCE\n\nimport
kotlin.annotation.AnnotationTarget.*\n\nimport kotlin.internal.RequireKotlin\n\nimport
kotlin.internal.RequireKotlinVersionKind\n\nimport kotlin.reflect.KClass\n\n\n/**\n * Signals that the annotated
annotation class is a marker of an experimental API.\n * Any declaration annotated with that marker is
considered an experimental declaration\n * and its call sites should accept the experimental aspect of it either by
using [UseExperimental],\n * or by being annotated with that marker themselves, effectively causing further
propagation of that experimental aspect.\n * This class is deprecated in favor of a more general approach
provided by [RequiresOptIn]/[OptIn].\n
*/\n\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50
\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@Deprecated(\"Please use RequiresOptIn
instead.\")\npublic annotation class Experimental(val level: Level = Level.ERROR) {\n /**\n * Severity of the
diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental
aspect\n * of that API either by using [UseExperimental] or by being annotated with the corresponding marker
annotation.\n */\n public enum class Level {\n /** Specifies that a warning should be reported on incorrect
usages of this experimental API. */\n WARNING,\n /** Specifies that an error should be reported on

```

incorrect usages of this experimental API. `*\n ERROR,\n }\n\n/**\n * Allows to use experimental API denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [UseExperimental], its usages are not required to opt-in to that experimental API.\n *\n * This class is deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n *\n @Target(\n CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE, TYPEALIAS)\n\n @Retention(SOURCE)\n @SinceKotlin("1.2")\n @RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n @Deprecated("Please use OptIn instead.", ReplaceWith("OptIn(*markerClass)", "kotlin.OptIn"))\n\n public annotation class UseExperimental(\n vararg val markerClass: KClass<out Annotation>)\n\n\n @Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION, TYPEALIAS)\n\n @Retention(BINARY)\n\n internal annotation class WasExperimental(\n vararg val markerClass: KClass<out Annotation>)\n\n", "package kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the standard library API that is considered experimental and is not subject to the [general compatibility guarantees](https://kotlinlang.org/docs/reference/evolution/components-stability.html) given for the standard library:\n * the behavior of such API may be changed or the API may be removed completely in any further release.\n *\n * > Beware using the annotated API especially if you're developing a library, since your library might become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a declaration annotated with @ExperimentalStdlibApi must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. @OptIn(ExperimentalStdlibApi::class),\n * or by using the compiler argument -Xopt-in=kotlin.ExperimentalStdlibApi.\n *\n @Suppress("DEPRECATION")\n @Experimental(level = Experimental.Level.ERROR)\n\n @RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n\n @Retention(AnnotationRetention.BINARY)\n\n @Target(\n CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS)\n\n @MustBeDocumented\n @SinceKotlin("1.3")\n\n public annotation class ExperimentalStdlibApi\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n package kotlin\n\n import kotlin.annotation.AnnotationTarget.*\n\n import kotlin.experimental.ExperimentalTypeInference\n\n\n /**\n * Allows to infer generic type arguments of a function from the calls in the annotated function parameter of that function.\n *\n * When this annotation is placed on a generic function parameter of a function,\n * it enables to infer the type arguments of that generic function from the lambda body passed to that parameter.\n *\n * The calls that affect inference are either members of the receiver type of an annotated function parameter or\n * extensions for that type. The extensions must be themselves annotated with @BuilderInference.\n *\n * Example: we declare\n * ```\n * fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>().->Unit): Sequence<T>\n * ```\n * and use it like\n * ```\n * val result = sequence { yield("result") }\n * ```\n * Here the type argument of the resulting sequence is inferred to String from\n * the argument of the [SequenceScope.yield] function, that is called inside the lambda passed to [sequence].\n *\n * Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n *\n @Target(VALUE_PARAMETER, FUNCTION, PROPERTY)\n\n @Retention(AnnotationRetention.BINARY)\n\n @SinceKotlin("1.3")\n\n @ExperimentalTypeInference\n\n public annotation class BuilderInference\n\n\n /**\n * Enables overload selection based on the type of the value returned from lambda argument.\n *\n * When two or more function overloads have otherwise the same parameter lists that differ only in the return type\n * of a functional parameter, this annotation enables overload selection by the type of the value returned from\n * the lambda function passed to this functional parameter.\n *\n * Example:\n * ```\n * @OverloadResolutionByLambdaReturnType\n * fun create(intProducer: () -> Int): Int\n * fun create(doubleProducer: () -> Double): Double\n * val newValue = create { 3.14 }\n * ```\n *\n * The annotation being applied to one of overloads allows to resolve this ambiguity by analyzing what value is returned\n * from the lambda function.\n *\n * This annotation is also used to discriminate the annotated overloads in case if overload`

selection still cannot choose one of them even taking in account the result of lambda parameter analysis. In that case a warning is reported.

Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.

```
@Target(FUNCTION) @Retention(AnnotationRetention.BINARY) @SinceKotlin("1.4") @ExperimentalTypeInference
public annotation class OverloadResolutionByLambdaReturnType {
}
/* Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/
package kotlin
import
kotlin.annotation.AnnotationTarget
import
kotlin.internal.RequireKotlin
import
kotlin.internal.RequireKotlinVersionKind
/** The experimental multiplatform support API marker.
Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by
annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalMultiplatform::class)`,
or by using the compiler argument `-Xopt-in=kotlin.ExperimentalMultiplatform`.
```

```
@Suppress("DEPRECATION") @Experimental @RequiresOptIn @MustBeDocumented
@Target(
    CLASS,
    ANNOTATION_CLASS,
    PROPERTY,
    FIELD,
    LOCAL_VARIABLE,
    VALUE_PARAMETER,
    CONSTRUCTOR,
    FUNCTION,
    PROPERTY_GETTER,
    PROPERTY_SETTER,

```

```
TYPEALIAS)
@Retention(AnnotationRetention.BINARY) @RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)
public annotation class ExperimentalMultiplatform {
}
/* Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.
This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as
"optional".
Optional expected class is allowed to have no corresponding actual class on the platform. Optional
annotations can only be used to annotate something, not as types in signatures. If an optional annotation has no
corresponding actual class on a platform, the annotation entries where it's used are simply erased when
compiling code on that platform.
Note: this annotation is experimental, see [ExperimentalMultiplatform] on
how to opt-in for it.
```

```
@Target(ANNOTATION_CLASS) @Retention(AnnotationRetention.BINARY) @ExperimentalMultiplatform
@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)
public annotation class OptionalExpectation {
}
/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
*/
package kotlin
import
kotlin.annotation.AnnotationRetention.BINARY
import
kotlin.annotation.AnnotationRetention.SOURCE
import
kotlin.annotation.AnnotationTarget
import
kotlin.internal.RequireKotlin
import
kotlin.internal.RequireKotlinVersionKind
import
kotlin.reflect.KClass
/** Signals that the annotated
annotation class is a marker of an API that requires an explicit opt-in.
Call sites of any declaration annotated
with that marker should opt in to the API either by using [OptIn],
or by being annotated with that marker
themselves, effectively causing further propagation of the opt-in requirement.
This class requires opt-in itself
and can only be used with the compiler argument `-Xopt-in=kotlin.RequiresOptIn`.
@property message
message to be reported on usages of API without an explicit opt-in, or empty string for the default message.
```

The default message is: "This declaration is experimental and its usage should be marked with 'Marker' or '@OptIn(Marker::class)", where 'Marker' is the opt-in requirement marker. @property level specifies how usages of API without an explicit opt-in are reported in code.

```
@Target(ANNOTATION_CLASS) @Retention(BINARY) @SinceKotlin("1.3") @RequireKotlin("1.3.70",
versionKind = RequireKotlinVersionKind.COMPILER_VERSION)
public annotation class RequiresOptIn(
    val message: String = "",
    val level: Level = Level.ERROR
) {
    /** Severity of the diagnostic that
should be reported on usages which did not explicitly opt into
the API either by using [OptIn] or by being
annotated with the corresponding marker annotation.
public enum class Level {
    /** Specifies that a
warning should be reported on incorrect usages of this API.
WARNING,
    /** Specifies that an error
should be reported on incorrect usages of this API.
ERROR,
}
}
/* Allows to use the API
```


denoted by the given markers in the annotated file, declaration, or expression.

`OptIn` * If a declaration is annotated with `OptIn`, its usages are **not** required to opt in to that API.

`RequiresOptIn` * This class requires opt-in itself and can only be used with the compiler argument `-Xopt-in=kotlin.RequiresOptIn``.

`Target` `CLASS`, `PROPERTY`, `LOCAL_VARIABLE`, `VALUE_PARAMETER`, `CONSTRUCTOR`, `FUNCTION`, `PROPERTY_GETTER`, `PROPERTY_SETTER`, `EXPRESSION`, `FILE`, `TYPEALIAS`

`Retention(SOURCE)`

`SinceKotlin("1.3")`

`RequireKotlin("1.3.70", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)`

public annotation class `OptIn` (vararg val markerClass: KClass<out Annotation>) {

* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.

* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

* Provides a skeletal implementation of the read-only `Collection` interface.

* @param E the type of elements contained in the collection. The collection is covariant in its element type.

* @SinceKotlin("1.1")

public abstract class `AbstractCollection`<out E> protected constructor() : `Collection`<E> {

abstract override val size: Int

abstract override fun iterator(): `Iterator`<E>

override fun contains(element: @UnsafeVariance E): Boolean = any { it == element }

override fun containsAll(elements: `Collection`<@UnsafeVariance E>): Boolean = !elements.all { contains(it) }

// use when js will support bound refs: elements.all(this::contains)

override fun isEmpty(): Boolean = size == 0

override fun toString(): String = joinToString(", ", "[", "]")

if (it == this) "(this Collection)" else it.toString()

} * Returns new array of type `Array<Any?>` with the elements of this collection.

* @JsName("toArray")

protected open fun toArray(): `Array`<Any?> = `copyToArrayImpl`(this)

* Fills the provided [array] or creates new array of the same type and fills it with the elements of this collection.

* @param array

protected open fun <T> toArray(array: `Array`<T>): `Array`<T> = `copyToArrayImpl`(this, array)

} * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.

* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

* private enum class `State` {

Ready,

NotReady,

Done,

Failed

}

* A base class to simplify implementing iterators so that implementations only have to implement `computeNext` to implement the iterator, calling `done` when the iteration is complete.

* public abstract class `AbstractIterator`<T> : `Iterator`<T> {

private var state = State.NotReady

private var nextValue: T? = null

override fun hasNext(): Boolean {

require(state != State.Failed)

return when (state) {

State.Done -> false

State.Ready -> true

else -> tryToComputeNext()

}

} override fun next(): T {

if (!hasNext()) throw NoSuchElementException()

state = State.NotReady

@Suppress("UNCHECKED_CAST")

return nextValue as T

}

private fun tryToComputeNext(): Boolean {

state = State.Failed

computeNext()

return state == State.Ready

}

* Computes the next item in the iterator.

* This callback method should call one of these two methods:

* * `setNext` with the next value of the iteration

* * `done` to indicate there are no more elements

* * Failure to call either method will result in the iteration terminating with a failed state

* abstract protected fun computeNext(): Unit

* Sets the next value in the iteration, called from the `computeNext` function

* protected fun setNext(value: T): Unit {

nextValue = value

state = State.Ready

}

* Sets the state to done so that the iteration terminates.

* protected fun done() {

state = State.Done

}

} * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.

* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

* Based on GWT `AbstractList`

* Copyright 2007 Google Inc.

* package `kotlin.collections`

* Provides a skeletal implementation of the read-only `List` interface.

* This class is intended to help implementing read-only lists so it doesn't support concurrent modification tracking.

* @param E the type of elements contained in the list. The list is covariant in its element type.

* @SinceKotlin("1.1")

public abstract class `AbstractList`<out E> protected constructor() : `AbstractCollection`<E>(), `List`<E> {

abstract override val size: Int

abstract override fun get(index: Int): E

override fun iterator(): `Iterator`<E> = `IteratorImpl`()

override fun indexOf(element: @UnsafeVariance E): Int = indexOfFirst { it == element }

override fun lastIndexOf(element:

```

@UnsafeVariance E): Int = indexOfLast { it == element } \n\n override fun listIterator(): ListIterator<E> =
ListIteratorImpl(0)\n\n override fun listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)\n\n
override fun subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)\n\n private class
SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(),
RandomAccess {\n private var _size: Int = 0\n\n init {\n checkRangeIndexes(fromIndex, toIndex,
list.size)\n this._size = toIndex - fromIndex\n }\n\n override fun get(index: Int): E {\n
checkElementIndex(index, _size)\n return list[fromIndex + index]\n }\n\n override val size: Int
get() = _size\n }\n\n /**\n * Compares this list with other list instance with the ordered structural equality.\n
*\n * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same
order.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is
List<*>) return false\n\n return orderedEquals(this, other)\n }\n\n /**\n * Returns the hash code value for
this list.\n */\n override fun hashCode(): Int = orderedHashCode(this)\n\n private open inner class IteratorImpl
: Iterator<E> {\n /** the index of the item that will be returned on the next call to [next]() */\n protected
var index = 0\n\n override fun hasNext(): Boolean = index < size\n\n override fun next(): E {\n if
(!hasNext()) throw NoSuchElementException()\n return get(index++)\n }\n }\n\n /**\n *
Implementation of [ListIterator] for abstract lists.\n */\n private open inner class ListIteratorImpl(index: Int) :
IteratorImpl(), ListIterator<E> {\n\n init {\n checkPositionIndex(index, this@AbstractList.size)\n
this.index = index\n }\n\n override fun hasPrevious(): Boolean = index > 0\n\n override fun
nextIndex(): Int = index\n\n override fun previous(): E {\n if (!hasPrevious()) throw
NoSuchElementException()\n return get(--index)\n }\n\n override fun previousIndex(): Int = index -
1\n }\n\n internal companion object {\n internal fun checkElementIndex(index: Int, size: Int) {\n if
(index < 0 || index >= size) {\n throw IndexOutOfBoundsException("index: $index, size: $size")\n
}\n }\n\n internal fun checkPositionIndex(index: Int, size: Int) {\n if (index < 0 || index > size) {\n
throw IndexOutOfBoundsException("index: $index, size: $size")\n }\n }\n\n internal fun
checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n if (fromIndex < 0 || toIndex > size) {\n
throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex, size: $size")\n }\n
}\n\n if (fromIndex > toIndex) {\n throw IllegalArgumentException("fromIndex: $fromIndex > toIndex:
$toIndex")\n }\n }\n\n internal fun checkBoundsIndexes(startIndex: Int, endIndex: Int, size: Int) {\n
if (startIndex < 0 || endIndex > size) {\n throw IndexOutOfBoundsException("startIndex:
$startIndex, endIndex: $endIndex, size: $size")\n }\n if (startIndex > endIndex) {\n throw
IllegalArgumentException("startIndex: $startIndex > endIndex: $endIndex")\n }\n }\n\n internal
fun orderedHashCode(c: Collection<*>): Int {\n var hashCode = 1\n for (e in c) {\n
hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n }\n return hashCode\n }\n\n internal fun
orderedEquals(c: Collection<*>, other: Collection<*>): Boolean {\n if (c.size != other.size) return false\n\n
val otherIterator = other.iterator()\n for (elem in c) {\n val elemOther = otherIterator.next()\n
if (elem != elemOther) {\n return false\n }\n }\n return true\n }\n
}\n\n /**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n *
Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides
a skeletal implementation of the read-only [Map] interface.\n */\n\n * The implementor is required to implement
[entries] property, which should return read-only set of map entries.\n */\n\n * @param K the type of map keys. The
map is invariant in its key type.\n */\n\n * @param V the type of map values. The map is covariant in its value type.\n
*/\n\n@SinceKotlin("1.1")\npublic abstract class AbstractMap<K, out V> protected constructor() : Map<K, V>
{\n\n override fun containsKey(key: K): Boolean {\n return implFindEntry(key) != null\n }\n\n override
fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\n\n internal fun
containsEntry(entry: Map.Entry<*, *>?): Boolean {\n // since entry comes from @UnsafeVariance parameters it
can be virtually anything\n if (entry !is Map.Entry<*, *>) return false\n val key = entry.key\n val value
= entry.value\n val ourValue = get(key)\n\n if (value != ourValue) {\n return false\n }\n\n //

```

```

Perhaps it was null and we don't contain the key?
    if (ourValue == null && !containsKey(key)) {
    return false
    }
    return true
}
/**
 * Compares this map with other instance with the
ordered structural equality.
 * @return true, if [other] instance is a [Map] of the same size, all entries of
which are contained in the [entries] set of this map.
 * override fun equals(other: Any?): Boolean {
    if (other === this) return true
    if (other !is Map<*, *>) return false
    if (size != other.size) return false
    return other.entries.all { containsEntry(it) }
}
override operator fun get(key: K): V? =
implFindEntry(key)?.value
/**
 * Returns the hash code value for this map.
 * It is the same as
the hashCode of [entries] set.
 * override fun hashCode(): Int = entries.hashCode()
override fun
isEmpty(): Boolean = size == 0
override val size: Int get() = entries.size
/**
 * Returns a read-only
[Set] of all keys in this map.
 * Accessing this property first time creates a keys view from [entries].
 * All subsequent accesses just return the created instance.
 * override val keys: Set<K>
    get() {
    if (_keys == null) {
        _keys = object : AbstractSet<K>() {
            override operator fun
contains(element: K): Boolean = containsKey(element)
            override operator fun iterator(): Iterator<K>
{
                val entryIterator = entries.iterator()
                return object : Iterator<K> {
                    override fun hasNext(): Boolean = entryIterator.hasNext()
                    override fun next(): K =
entryIterator.next().key
                }
            }
            override val size: Int get() =
this@AbstractMap.size
        }
        return _keys!!
    }
    @kotlin.jvm.Volatile
private var _keys: Set<K>? = null
override fun toString(): String = entries.joinToString(", ", "{", "}") {
toString(it) }
private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + "=" +
toString(entry.value)
private fun toString(o: Any?): String = if (o === this) "(this Map)" else o.toString()
/**
 * Returns a read-only [Collection] of all values in this map.
 * Accessing this property first time
creates a values view from [entries].
 * All subsequent accesses just return the created instance.
 * override val values: Collection<V>
    get() {
    if (_values == null) {
        _values = object :
AbstractCollection<V>() {
            override operator fun contains(element: @UnsafeVariance V): Boolean =
containsValue(element)
            override operator fun iterator(): Iterator<V> {
                val
entryIterator = entries.iterator()
                return object : Iterator<V> {
                    override fun
hasNext(): Boolean = entryIterator.hasNext()
                    override fun next(): V = entryIterator.next().value
                }
            }
            override val size: Int get() = this@AbstractMap.size
        }
        return _values!!
    }
    @kotlin.jvm.Volatile
private var _values: Collection<V>? = null
private fun implFindEntry(key: K): Map.Entry<K, V>? = entries.firstOrNull { it.key == key }
internal
companion object {
    internal fun entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?:
0) xor (value?.hashCode() ?: 0) }
    internal fun entryToString(e: Map.Entry<*, *>): String = with(e) {
"$key=$value" }
    internal fun entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {
        if (other !is
Map.Entry<*, *>) return false
        return e.key == other.key && e.value == other.value
    }
}
}
"/
/**
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.collections
/**
 * Provides a skeletal implementation of the read-only [Set] interface.
 * This class is intended to help implementing read-only sets so it doesn't support concurrent modification tracking.
 * @param E the type of elements contained in the set. The set is covariant in its element type.
 */
@SinceKotlin("1.1")
public abstract class AbstractSet<out E> protected constructor() :
AbstractCollection<E>(), Set<E> {
    /**
     * Compares this set with other set instance with the unordered
structural equality.
     * @return true, if [other] instance is a [Set] of the same size, all elements of which are
contained in this set.
     * override fun equals(other: Any?): Boolean {
        if (other === this) return true
        if (other !is Set<*>) return false
        return setEquals(this, other)
    }
    /**
     * Returns the hash code
value for this set.
     * override fun hashCode(): Int = unorderedHashCode(this)
internal companion
object {
    internal fun unorderedHashCode(c: Collection<*>): Int {
        var hashCode = 0
        for
(element in c) {
            hashCode += (element?.hashCode() ?: 0)
        }
        return hashCode
    }
    internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {
        if (c.size != other.size) return false

```

```

return c.containsAll(other)\n    }\n }\n}\n}", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Resizable-array implementation
of the deque data structure.\n * The name deque is short for "double ended queue" and is usually pronounced
"deck".\n * The collection provide methods for convenient access to the both ends.\n * It also implements
[MutableList] interface and supports efficient get/set operations by index.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic class ArrayDeque<E> :
AbstractMutableList<E> {\n    private var head: Int = 0\n    private var elementData: Array<Any?>\n\n    override
var size: Int = 0\n    private set\n\n    /**\n     * Constructs an empty deque with specified [initialCapacity], or
throws [IllegalArgumentException] if [initialCapacity] is negative.\n     */\n    public constructor(initialCapacity:
Int) {\n        elementData = when {\n            initialCapacity == 0 -> emptyElementData\n            initialCapacity > 0 -
> arrayOfNulls(initialCapacity)\n            else -> throw IllegalArgumentException("Illegal Capacity:
${initialCapacity}")\n        }\n    }\n\n    /**\n     * Constructs an empty deque.\n     */\n    public constructor() {\n
elementData = emptyElementData\n    }\n\n    /**\n     * Constructs a deque that contains the same elements as the
specified [elements] collection in the same order.\n     */\n    public constructor(elements: Collection<E>) {\n
elementData = elements.toArray()\n        size = elementData.size\n        if (elementData.isEmpty())\n            elementData = emptyElementData\n    }\n\n    /**\n     * Ensures that the capacity of this deque is at least equal to
the specified [minCapacity].\n     * If the current capacity is less than the [minCapacity], a new backing
storage is allocated with greater capacity.\n     * Otherwise, this method takes no action and simply returns.\n     */\n    private fun ensureCapacity(minCapacity: Int) {\n        if (minCapacity < 0) throw IllegalStateException("Deque is
too big.") // overflow\n        if (minCapacity <= elementData.size) return\n        if (elementData ===
emptyElementData) {\n            elementData = arrayOfNulls(minCapacity.coerceAtLeast(defaultMinCapacity))\n
        }\n        return\n    }\n\n    val newCapacity = newCapacity(elementData.size, minCapacity)\n
copyElements(newCapacity)\n }\n\n    /**\n     * Creates a new array with the specified [newCapacity] size and
copies elements in the [elementData] array to it.\n     */\n    private fun copyElements(newCapacity: Int) {\n        val
newElements = arrayOfNulls<Any?>(newCapacity)\n        elementData.copyInto(newElements, 0, head,\n            elementData.size)\n        elementData.copyInto(newElements, elementData.size - head, 0, head)\n        head = 0\n
elementData = newElements\n    }\n\n    @kotlin.internal.InlineOnly\n    private inline fun
internalGet(internalIndex: Int): E {\n        @Suppress("UNCHECKED_CAST")\n        return
elementData[internalIndex] as E\n    }\n\n    private fun positiveMod(index: Int): Int = if (index >=
elementData.size) index - elementData.size else index\n\n    private fun negativeMod(index: Int): Int = if (index < 0)
index + elementData.size else index\n\n    @kotlin.internal.InlineOnly\n    private inline fun internalIndex(index:
Int): Int = positiveMod(head + index)\n\n    private fun incremented(index: Int): Int = if (index ==
elementData.lastIndex) 0 else index + 1\n\n    private fun decremented(index: Int): Int = if (index == 0)
elementData.lastIndex else index - 1\n\n    override fun isEmpty(): Boolean = size == 0\n\n    /**\n     * Returns the
first element, or throws [NoSuchElementException] if this deque is empty.\n     */\n    public fun first(): E = if
(isEmpty()) throw NoSuchElementException("ArrayDeque is empty.") else internalGet(head)\n\n    /**\n     *
Returns the first element, or `null` if this deque is empty.\n     */\n    public fun firstOrNull(): E? = if (isEmpty()) null
else internalGet(head)\n\n    /**\n     * Returns the last element, or throws [NoSuchElementException] if this deque
is empty.\n     */\n    public fun last(): E = if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")
else internalGet(internalIndex(lastIndex))\n\n    /**\n     * Returns the last element, or `null` if this deque is empty.\n
     */\n    public fun lastOrNull(): E? = if (isEmpty()) null else internalGet(internalIndex(lastIndex))\n\n    /**\n     *
Prepends the specified [element] to this deque.\n     */\n    public fun addFirst(element: E) {\n
ensureCapacity(size + 1)\n        head = decremented(head)\n        elementData[head] = element\n        size += 1\n
    }\n\n    /**\n     * Appends the specified [element] to this deque.\n     */\n    public fun addLast(element: E) {\n
ensureCapacity(size + 1)\n        elementData[internalIndex(size)] = element\n        size += 1\n    }\n\n    /**\n     *
Removes the first element from this deque and returns that removed element, or throws [NoSuchElementException]
if this deque is empty.\n     */\n    public fun removeFirst(): E {\n        if (isEmpty()) throw

```

```

NoSuchElementException("ArrayDeque is empty.")\n    val element = internalGet(head)\n
elementData[head] = null\n    head = incremented(head)\n    size -= 1\n    return element\n }\n /**\n
 * Removes the first element from this deque and returns that removed element, or returns `null` if this deque is
empty.\n */\n public fun removeFirstOrNull(): E? = if (isEmpty()) null else removeFirst()\n /**\n
 * Removes the last element from this deque and returns that removed element, or throws [NoSuchElementException]
if this deque is empty.\n */\n public fun removeLast(): E {\n    if (isEmpty()) throw
NoSuchElementException("ArrayDeque is empty.")\n    val internalLastIndex = internalIndex(lastIndex)\n
val element = internalGet(internalLastIndex)\n    elementData[internalLastIndex] = null\n    size -= 1\n
return element\n }\n /**\n
 * Removes the last element from this deque and returns that removed element, or
returns `null` if this deque is empty.\n */\n public fun removeLastOrNull(): E? = if (isEmpty()) null else
removeLast()\n // MutableList, MutableCollection\n public override fun add(element: E): Boolean {\n
addLast(element)\n    return true\n }\n public override fun add(index: Int, element: E) {\n
AbstractList.checkPositionIndex(index, size)\n    if (index == size) {\n        addLast(element)\n
return\n    } else if (index == 0) {\n        addFirst(element)\n        return\n    }\n    ensureCapacity(size
+ 1)\n    // Elements in circular array lay in 2 ways:\n    // 1. `head` is less than `tail`:    [#, #, e1, e2, e3,
#]\n    // 2. `head` is greater than `tail`:    [e3, #, #, #, e1, e2]\n    // where head is the index of the first element
in the circular array,\n    // and tail is the index following the last element.\n    /\n    // At this point the
insertion index is not equal to head or tail.\n    // Also the circular array can store at least one more element.\n
/>\n    // Depending on where the given element must be inserted the preceding or the succeeding\n    // elements
will be shifted to make room for the element to be inserted.\n    /\n    // In case the preceding elements are
shifted:\n    // * if the insertion index is greater than the head (regardless of circular array form)\n    // ->
shift the preceding elements\n    // * otherwise, the circular array has (2) form and the insertion index is less than
tail\n    // -> shift all elements in the back of the array\n    // -> shift preceding elements in the front of the
array\n    // In case the succeeding elements are shifted:\n    // * if the insertion index is less than the tail
(regardless of circular array form)\n    // -> shift the succeeding elements\n    // * otherwise, the circular
array has (2) form and the insertion index is greater than head\n    // -> shift all elements in the front of the
array\n    // -> shift succeeding elements in the back of the array\n    val internalIndex =
internalIndex(index)\n    if (index < (size + 1) shr 1) {\n        // closer to the first element -> shift preceding
elements\n        val decrementedInternalIndex = decremented(internalIndex)\n        val decrementedHead =
decremented(head)\n        if (decrementedInternalIndex >= head) {\n            elementData[decrementedHead]
= elementData[head] // head can be zero\n            elementData.copyInto(elementData, head, head + 1,
decrementedInternalIndex + 1)\n        } else { // head > tail\n            elementData.copyInto(elementData, head -
1, head, elementData.size) // head can't be zero\n            elementData[elementData.size - 1] = elementData[0]\n
            elementData.copyInto(elementData, 0, 1, decrementedInternalIndex + 1)\n        }\n    }\n    elementData[decrementedInternalIndex] = element\n    head = decrementedHead\n } else {\n    //
closer to the last element -> shift succeeding elements\n    val tail = internalIndex(size)\n    if
(internalIndex < tail) {\n        elementData.copyInto(elementData, internalIndex + 1, internalIndex, tail)\n
    } else { // head > tail\n        elementData.copyInto(elementData, 1, 0, tail)\n        elementData[0] =
elementData[elementData.size - 1]\n        elementData.copyInto(elementData, internalIndex + 1, internalIndex,
elementData.size - 1)\n    }\n    elementData[internalIndex] = element\n }\n    size += 1\n }\n\n
private fun copyCollectionElements(internalIndex: Int, elements: Collection<E>) {\n    val iterator =
elements.iterator()\n    for (index in internalIndex until elementData.size) {\n        if (!iterator.hasNext())
break\n        elementData[index] = iterator.next()\n    }\n    for (index in 0 until head) {\n        if
(!iterator.hasNext()) break\n        elementData[index] = iterator.next()\n    }\n    size += elements.size\n
}\n\n public override fun addAll(elements: Collection<E>): Boolean {\n    if (elements.isEmpty()) return false\n
ensureCapacity(this.size + elements.size)\n    copyCollectionElements(internalIndex(size), elements)\n
return true\n }\n\n public override fun addAll(index: Int, elements: Collection<E>): Boolean {\n
AbstractList.checkPositionIndex(index, size)\n    if (elements.isEmpty()) {\n        return false\n    } else if

```

```

(index == size) {\n        return addAll(elements)\n    }\n    ensureCapacity(this.size + elements.size)\n    val tail = internalIndex(size)\n    val internalIndex = internalIndex(index)\n    val elementsSize =\n    elements.size\n    if (index < (size + 1) shr 1) {\n        // closer to the first element -> shift preceding\n        elements\n        var shiftedHead = head - elementsSize\n        if (internalIndex >= head) {\n            if\n            (shiftedHead >= 0) {\n                elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n            }\n        } else {\n            // head < tail, insertion leads to head >= tail\n            shiftedHead += elementData.size\n            val\n            elementsToShift = internalIndex - head\n            val shiftToBack = elementData.size - shiftedHead\n            if (shiftToBack >= elementsToShift) {\n                elementData.copyInto(elementData, shiftedHead, head,\n                internalIndex)\n            } else {\n                elementData.copyInto(elementData, shiftedHead, head, head +\n                shiftToBack)\n            }\n            elementData.copyInto(elementData, 0, head + shiftToBack, internalIndex)\n        }\n    } else {\n        // head > tail, internalIndex < tail\n        elementData.copyInto(elementData,\n        shiftedHead, head, elementData.size)\n        if (elementsSize >= internalIndex) {\n            elementData.copyInto(elementData, elementData.size - elementsSize, 0, internalIndex)\n        } else {\n            elementData.copyInto(elementData, elementData.size - elementsSize, 0, elementsSize)\n            elementData.copyInto(elementData, 0, elementsSize, internalIndex)\n        }\n        head =\n        shiftedHead\n        copyCollectionElements(negativeMod(internalIndex - elementsSize), elements)\n    } else\n    {\n        // closer to the last element -> shift succeeding elements\n        val shiftedInternalIndex =\n        internalIndex + elementsSize\n        if (internalIndex < tail) {\n            if (tail + elementsSize <=\n            elementData.size) {\n                elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail)\n            }\n        } else {\n            // head < tail, insertion leads to head >= tail\n            if (shiftedInternalIndex >= elementData.size)\n            {\n                elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, tail)\n            }\n        } else {\n            val shiftToFront = tail + elementsSize - elementData.size\n            elementData.copyInto(elementData, 0, tail - shiftToFront, tail)\n            elementData.copyInto(elementData,\n            shiftedInternalIndex, internalIndex, tail - shiftToFront)\n        }\n    } else {\n        // head > tail,\n        internalIndex > head\n        elementData.copyInto(elementData, elementsSize, 0, tail)\n        if\n        (shiftedInternalIndex >= elementData.size) {\n            elementData.copyInto(elementData, shiftedInternalIndex\n            - elementData.size, internalIndex, elementData.size)\n        } else {\n            elementData.copyInto(elementData, 0, elementData.size - elementsSize, elementData.size)\n            elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, elementData.size - elementsSize)\n        }\n    }\n    copyCollectionElements(internalIndex, elements)\n}\n\nreturn true\n}\n\npublic\noverride fun get(index: Int): E {\n    AbstractList.checkElementIndex(index, size)\n    return\n    internalGet(internalIndex(index))\n}\n\npublic override fun set(index: Int, element: E): E {\n    AbstractList.checkElementIndex(index, size)\n    val internalIndex = internalIndex(index)\n    val oldElement\n    = internalGet(internalIndex)\n    elementData[internalIndex] = element\n    return oldElement\n}\n\npublic override fun contains(element: E): Boolean = indexOf(element) != -1\n\npublic override fun\nindexOf(element: E): Int {\n    val tail = internalIndex(size)\n    if (head < tail) {\n        for (index in head\n        until tail) {\n            if (element == elementData[index]) return index - head\n        }\n    } else if (head >=\n    tail) {\n        for (index in head until elementData.size) {\n            if (element == elementData[index]) return\n            index - head\n        }\n    }\n    for (index in 0 until tail) {\n        if (element == elementData[index]) return\n        index + elementData.size - head\n    }\n}\n\nreturn -1\n}\n\npublic override fun\nlastIndexOf(element: E): Int {\n    val tail = internalIndex(size)\n    if (head < tail) {\n        for (index in tail\n        - 1 downTo head) {\n            if (element == elementData[index]) return index - head\n        }\n    } else if\n    (head > tail) {\n        for (index in tail - 1 downTo 0) {\n            if (element == elementData[index]) return\n            index + elementData.size - head\n        }\n    }\n    for (index in elementData.lastIndex downTo head) {\n        if (element == elementData[index]) return index - head\n    }\n}\n\nreturn -1\n}\n\npublic\noverride fun remove(element: E): Boolean {\n    val index = indexOf(element)\n    if (index == -1) return\n    false\n    removeAt(index)\n    return true\n}\n\npublic override fun removeAt(index: Int): E {\n    AbstractList.checkElementIndex(index, size)\n    if (index == lastIndex) {\n        return removeLast()\n    }\n}

```

```

else if (index == 0) {\n        return removeFirst()\n    }\n    val internalIndex = internalIndex(index)\n    val element = internalGet(internalIndex)\n    if (index < size shr 1) {\n        // closer to the first element ->\n        shift preceding elements\n        if (internalIndex >= head) {\n            elementData.copyInto(elementData, head\n+ 1, head, internalIndex)\n        } else { // head > tail, internalIndex < head\n            elementData.copyInto(elementData, 1, 0, internalIndex)\n            elementData[0] = elementData[elementData.size\n- 1]\n            elementData.copyInto(elementData, head + 1, head, elementData.size - 1)\n        }\n        elementData[head] = null\n        head = incremented(head)\n    } else {\n        // closer to the last element ->\n        shift succeeding elements\n        val internalLastIndex = internalIndex(lastIndex)\n        if (internalIndex <=\ninternalLastIndex) {\n            elementData.copyInto(elementData, internalIndex, internalIndex + 1,\ninternalLastIndex + 1)\n        } else { // head > tail, internalIndex > head\n            elementData.copyInto(elementData, internalIndex, internalIndex + 1, elementData.size)\n            elementData[elementData.size - 1] = elementData[0]\n            elementData.copyInto(elementData, 0, 1,\ninternalLastIndex + 1)\n        }\n        elementData[internalLastIndex] = null\n    }\n    size -= 1\n    return element\n}\n\npublic override fun removeAll(elements: Collection<E>): Boolean = filterInPlace {\n!elements.contains(it)\n}\n\npublic override fun retainAll(elements: Collection<E>): Boolean = filterInPlace {\nelements.contains(it)\n}\n\nprivate inline fun filterInPlace(predicate: (E) -> Boolean): Boolean {\n    if\n(this.isEmpty() || elementData.isEmpty())\n        return false\n\n    val tail = internalIndex(size)\n    var\nnewTail = head\n    var modified = false\n    if (head < tail) {\n        for (index in head until tail) {\n            val element = elementData[index]\n            @Suppress(\"UNCHECKED_CAST\")\n            if\n(predicate(element as E))\n                elementData[newTail++] = element\n            else\n                modified =\ntrue\n        }\n        elementData.fill(null, newTail, tail)\n    } else {\n        for (index in head until\nelementData.size) {\n            val element = elementData[index]\n            elementData[index] = null\n            @Suppress(\"UNCHECKED_CAST\")\n            if (predicate(element as E))\n                elementData[newTail++] = element\n            else\n                modified = true\n        }\n        newTail =\npositiveMod(newTail)\n        for (index in 0 until tail) {\n            val element = elementData[index]\n            elementData[index] = null\n            @Suppress(\"UNCHECKED_CAST\")\n            if (predicate(element as\nE)) {\n                elementData[newTail] = element\n                newTail = incremented(newTail)\n            }\n            else {\n                modified = true\n            }\n        }\n        if (modified)\n            size =\nnegativeMod(newTail - head)\n        return modified\n    }\n\n    public override fun clear() {\n        val tail =\ninternalIndex(size)\n        if (head < tail) {\n            elementData.fill(null, head, tail)\n        } else if (isEmpty())\n            {\n                elementData.fill(null, head, elementData.size)\n                elementData.fill(null, 0, tail)\n            }\n        head =\n0\n        size = 0\n    }\n\n    internal companion object {\n        private val emptyElementData =\nemptyArray<Any?>()\n        private const val maxArraySize = Int.MAX_VALUE - 8\n        private const val\ndefaultMinCapacity = 10\n\n        internal fun newCapacity(oldCapacity: Int, minCapacity: Int): Int {\n            //\noverflow-conscious\n            var newCapacity = oldCapacity + (oldCapacity shr 1)\n            if (newCapacity -\nminCapacity < 0)\n                newCapacity = minCapacity\n            if (newCapacity - maxArraySize > 0)\n                newCapacity =\nif (minCapacity > maxArraySize) Int.MAX_VALUE else maxArraySize\n            return\nnewCapacity\n        }\n    }\n\n    // For testing only\n    internal fun internalStructure(structure: (head: Int, elements:\nArray<Any?>) -> Unit) {\n        val tail = internalIndex(size)\n        if (isEmpty()) {\n            structure(head,\nemptyArray())\n            return\n        }\n        val elements = arrayOfNulls<Any?>(size)\n        if (head < tail) {\n            elementData.copyInto(elements, startIndex = head, endIndex = tail)\n            structure(head, elements)\n        }\n        else {\n            elementData.copyInto(elements, startIndex = head)\n            elementData.copyInto(elements,\n            elementData.size - head, startIndex = 0, endIndex = tail)\n            structure(head - elementData.size, elements)\n        }\n    }\n}\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of\nthis source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\npackage\nkotlin.collections\n\nimport kotlin.contracts.*\n\n * Returns a single list of all elements from all arrays in the\ngiven array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n * \npublic fun <T> Array<out

```

```

Array<out T>>.flatten(): List<T> {\n  val result = ArrayList<T>(sumBy { it.size })\n  for (element in this) {\n    result.addAll(element)\n  }\n  return result}\n\n * Returns a pair of lists, where\n * *first* list is built from\n the first values of each pair from this array,\n * *second* list is built from the second values of each pair from this\n array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n */\npublic fun <T, R> Array<out\n Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n  val listT = ArrayList<T>(size)\n  val listR =\n  ArrayList<R>(size)\n  for (pair in this) {\n    listT.add(pair.first)\n    listR.add(pair.second)\n  }\n  return\n listT to listR}\n\n * Returns `true` if this nullable array is either null or empty.\n * @sample\n samples.collections.Arrays.Usage.arrayIsNullOrEmpty\n\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean\n {\n  contract {\n    returns(false) implies (this@isNullOrEmpty != null)\n  }\n  return this == null ||\n this.isEmpty()\n}\n\n * Returns this array if it's not empty\n * or the result of calling [defaultValue] function if\n the array is empty.\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\n\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("UPPER_BOUND_CANNOT_BE_ARRAY")\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n if (isEmpty())\n defaultValue() else\n this\n\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.Jvm\n Name("contentDeepEquals")\n@kotlin.js.JsName("contentDeepEqualsImpl")\ninternal fun <T> Array<out\n T>?.contentDeepEqualsImpl(other: Array<out T>?): Boolean {\n  if (this === other) return true\n  if (this == null\n || other == null || this.size != other.size) return false\n  for (i in indices) {\n    val v1 = this[i]\n    val v2 =\n other[i]\n    if (v1 === v2) {\n      continue\n    } else if (v1 == null || v2 == null) {\n      return false\n    }\n    when {\n      v1 is Array<*> && v2 is Array<*> -> if (!v1.contentDeepEquals(v2)) return\n false\n      v1 is ByteArray && v2 is ByteArray -> if (!v1.contentEquals(v2)) return false\n      v1 is ShortArray && v2 is ShortArray -> if (!v1.contentEquals(v2)) return false\n      v1 is IntArray && v2 is\n IntArray -> if (!v1.contentEquals(v2)) return false\n      v1 is LongArray && v2 is LongArray -> if\n (!v1.contentEquals(v2)) return false\n      v1 is FloatArray && v2 is FloatArray -> if (!v1.contentEquals(v2))\n return false\n      v1 is DoubleArray && v2 is DoubleArray -> if (!v1.contentEquals(v2)) return false\n      v1 is CharArray && v2 is CharArray -> if (!v1.contentEquals(v2)) return false\n      v1 is BooleanArray &&\n v2 is BooleanArray -> if (!v1.contentEquals(v2)) return false\n      v1 is UByteArray && v2 is UByteArray\n -> if (!v1.contentEquals(v2)) return false\n      v1 is UShortArray && v2 is UShortArray -> if\n (!v1.contentEquals(v2)) return false\n      v1 is UIntArray && v2 is UIntArray -> if (!v1.contentEquals(v2))\n return false\n      v1 is ULongArray && v2 is ULongArray -> if (!v1.contentEquals(v2)) return false\n    } else -> if (v1 != v2) return false\n  }\n  return\n true\n}\n\n\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.JvmName("contentDeepToString")\n@kotlin.js.\n JsName("contentDeepToStringImpl")\ninternal fun <T> Array<out T>?.contentDeepToStringImpl(): String {\n  if (this == null) return "null"\n  val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5) * 5 + 2 // in order not\n to overflow Int.MAX_VALUE\n  return buildString(length) {\n    contentDeepToStringInternal(this,\n mutableListOf())\n  }\n}\n\n\n@OptIn(ExperimentalUnsignedTypes::class)\nprivate fun <T> Array<out\n T>.contentDeepToStringInternal(result: StringBuilder, processed: MutableList<Array<*>>) {\n  if (this in\n processed) {\n    result.append("[...]")\n    return\n  }\n  processed.add(this)\n  result.append("[")\n  for (i\n in indices) {\n    if (i != 0) {\n      result.append(", ")\n    }\n    val element = this[i]\n    when\n (element) {\n      null -> result.append("null")\n      is Array<*> ->\n element.contentDeepToStringInternal(result, processed)\n      is ByteArray ->\n result.append(element.contentToString())\n      is ShortArray -> result.append(element.contentToString())\n      is IntArray -> result.append(element.contentToString())\n      is LongArray ->\n result.append(element.contentToString())\n      is FloatArray -> result.append(element.contentToString())\n      is DoubleArray -> result.append(element.contentToString())\n      is CharArray ->\n result.append(element.contentToString())\n      is BooleanArray -> result.append(element.contentToString())\n      is UByteArray -> result.append(element.contentToString())\n      is UShortArray ->

```



```

result.append(element.contentToString())\n        is UIntArray -> result.append(element.contentToString())\n
    is ULongArray -> result.append(element.contentToString())\n        else ->
result.append(element.toString())\n    }\n }\n result.append(',')\n
processed.removeAt(processed.lastIndex)\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class representing a value from a
collection or sequence, along with its index in that collection or sequence.\n */\n * @property value the underlying
value.\n * @property index the index of the value in the collection or sequence.\n */\n\npublic data class
IndexedValue<out T>(public val index: Int, public val value: T)\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("MapAccessorsKt")\n\npackage
kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of
the property for the given object from this read-only map.\n * @param thisRef the object for which the value is
requested (not used).\n * @param property the metadata for the property, used to get the name of property and
lookup the value corresponding to this name in the map.\n * @return the property value.\n */\n * @throws
NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit
default (see [withDefault]).\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in
String, @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n
@Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value
of the property for the given object from this mutable map.\n * @param thisRef the object for which the value is
requested (not used).\n * @param property the metadata for the property, used to get the name of property and
lookup the value corresponding to this name in the map.\n * @return the property value.\n */\n * @throws
NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit
default (see [withDefault]).\n */\n\n@kotlin.jvm.JvmName("getVar")\n@kotlin.internal.InlineOnly\npublic inline
operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property:
KProperty<*>): V1 =\n    @Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as
V1)\n\n/**\n * Stores the value of the property for the given object in this mutable map.\n * @param thisRef the
object for which the value is requested (not used).\n * @param property the metadata for the property, used to get
the name of property and store the value associated with that name in the map.\n * @param value the value to set.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef:
Any?, property: KProperty<*>, value: V) {\n    this.put(property.name, value)\n}\n", "/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By
default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with
implicit default value use [withDefault] method.\n * @throws NoSuchElementException when the map doesn't
contain a value for the specified key and no implicit default was provided for that map.\n
*/\n\n@kotlin.jvm.JvmName("getOrImplicitDefaultNullable")\n@PublishedApi\ninternal fun <K, V> Map<K,
V>.getOrImplicitDefault(key: K): V {\n    if (this is MapWithDefault)\n        return
this.getOrImplicitDefault(key)\n    return getOrElseNullable(key, { throw NoSuchElementException("Key $key
is missing in the map.") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value
provided with the specified function [defaultValue].\n * This implicit default value is used when the original
map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for
example when properties are delegated to the map.\n * When this map already has an implicit default value
provided with a former call to [withDefault], it is being replaced by this call.\n */\n\npublic fun <K, V> Map<K,
V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n    when (this) {\n        is MapWithDefault ->
this.map.withDefault(defaultValue)\n        else -> MapWithDefaultImpl(this, defaultValue)\n    }\n\n/**\n * Returns

```

a wrapper of this mutable map, having the implicit default value provided with the specified function [defaultValue].

* This implicit default value is used when the original map doesn't contain a value for the key specified and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.

* When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.

```

@kotlin.jvm.JvmName("withDefaultMutable")
public fun <K, V>
MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =
    when (this) {
        is MutableMapWithDefault -> this.map.withDefault(defaultValue)
        else -> MutableMapWithDefaultImpl(this,
            defaultValue)
    }

private interface MapWithDefault<K, out V> : Map<K, V> {
    public val map: Map<K, V>
    public fun getOrElse(key: K): V
}

private interface MutableMapWithDefault<K, V> :
MutableMap<K, V>, MapWithDefault<K, V> {
    public override val map: MutableMap<K, V>
}

private class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) :
MapWithDefault<K, V> {
    override fun equals(other: Any?): Boolean = map.equals(other)
    override fun hashCode(): Int = map.hashCode()
    override fun toString(): String = map.toString()
    override val size: Int get() = map.size
    override fun isEmpty(): Boolean = map.isEmpty()
    override fun containsKey(key: K): Boolean = map.containsKey(key)
    override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)
    override fun get(key: K): V? = map.get(key)
    override val keys: Set<K> get() = map.keys
    override val values: Collection<V> get() = map.values
    override val entries: Set<Map.Entry<K, V>> get() = map.entries
    override fun getOrElse(key: K): V = map.getOrElse(key, { default(key) })
}

private class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K, V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {
    override fun equals(other: Any?): Boolean = map.equals(other)
    override fun hashCode(): Int = map.hashCode()
    override fun toString(): String = map.toString()
    override val size: Int get() = map.size
    override fun isEmpty(): Boolean = map.isEmpty()
    override fun containsKey(key: K): Boolean = map.containsKey(key)
    override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)
    override fun get(key: K): V? = map.get(key)
    override val keys: MutableSet<K> get() = map.keys
    override val values: MutableCollection<V> get() = map.values
    override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries
    override fun put(key: K, value: V): V? = map.put(key, value)
    override fun remove(key: K): V? = map.remove(key)
    override fun putAll(from: Map<out K, V>) = map.putAll(from)
    override fun clear() = map.clear()
    override fun getOrElse(key: K): V = map.getOrElse(key, { default(key) })
}

```

Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("CollectionsKt")
package
kotlin.collections
import kotlin.random.Random

/**
 * Removes a single instance of the specified element
 * from this collection, if it is present.
 * Allows to overcome type-safety restriction of `remove` that requires
 * to pass an element of type `E`.
 * @return `true` if the element has been successfully removed; `false` if it was
 * not present in the collection.
 */
@kotlin.internal.InlineOnly
public inline fun <@kotlin.internal.OnlyInputTypes
T> MutableCollection<out T>.remove(element: T): Boolean =
    @Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).remove(element)

/**
 * Removes all of this collection's elements that are also
 * contained in the specified collection.
 * Allows to overcome type-safety restriction of `removeAll` that requires
 * to pass a collection of type `Collection<E>`.
 * @return `true` if any of the specified elements was removed
 * from the collection, `false` if the collection was not modified.
 */
@kotlin.internal.InlineOnly
public inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean =
    @Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).removeAll(elements)

/**
 * Retains only the elements in this collection that are contained in the specified collection.
 * Allows to overcome type-safety restriction of `retainAll` that requires to pass a collection of type `Collection<E>`.
 * @return `true` if any element was removed from the collection, `false` if the collection was not modified.
 */
@kotlin.internal.InlineOnly
public inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean =
    @Suppress("UNCHECKED_CAST") (this as

```

```

MutableCollection<T>.retainAll(elements)\n\n/**\n * Adds the specified [element] to this mutable collection.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T)
{\n    this.add(element)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this mutable
collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.plusAssign(elements: Iterable<T>) {\n    this.addAll(elements)\n}\n\n/**\n * Adds all elements of the given
[elements] array to this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.plusAssign(elements: Array<T>) {\n    this.addAll(elements)\n}\n\n/**\n * Adds all
elements of the given [elements] sequence to this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic
inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\n
this.addAll(elements)\n}\n\n/**\n * Removes a single instance of the specified [element] from this mutable
collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.minusAssign(element: T) {\n    this.remove(element)\n}\n\n/**\n * Removes all elements contained in the given
[elements] collection from this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun
<T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n    this.removeAll(elements)\n}\n\n/**\n *
Removes all elements contained in the given [elements] array from this mutable collection.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements:
Array<T>) {\n    this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements]
sequence from this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n    this.removeAll(elements)\n}\n\n/**\n * Adds
all elements of the given [elements] collection to this [MutableCollection].\n *\npublic fun <T>
MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\n    when (elements) {\n        is Collection ->
return addAll(elements)\n        else -> {\n            var result: Boolean = false\n            for (item in elements)\n
if (add(item)) result = true\n            return result\n        }\n    }\n}\n\n/**\n * Adds all elements of the given
[elements] sequence to this [MutableCollection].\n *\npublic fun <T> MutableCollection<in T>.addAll(elements:
Sequence<T>): Boolean {\n    var result: Boolean = false\n    for (item in elements) {\n        if (add(item)) result =
true\n    }\n    return result\n}\n\n/**\n * Adds all elements of the given [elements] array to this
[MutableCollection].\n *\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n
return addAll(elements.asList())\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also
contained in the given [elements] collection.\n *\npublic fun <T> MutableCollection<in T>.removeAll(elements:
Iterable<T>): Boolean {\n    return removeAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n *
Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence.\n
*\npublic fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n    val set =
elements.toHashSet()\n    return set.isNotEmpty() && removeAll(set)\n}\n\n/**\n * Removes all elements from this
[MutableCollection] that are also contained in the given [elements] array.\n *\npublic fun <T>
MutableCollection<in T>.removeAll(elements: Array<out T>): Boolean {\n    return elements.isNotEmpty() &&
removeAll(elements.toHashSet())\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained
in the given [elements] collection.\n *\npublic fun <T> MutableCollection<in T>.retainAll(elements: Iterable<T>):
Boolean {\n    return retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only
elements of this [MutableCollection] that are contained in the given [elements] array.\n *\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Array<out T>): Boolean {\n    if (elements.isNotEmpty())\n        return
retainAll(elements.toHashSet())\n    else\n        return retainNothing()\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] sequence.\n *\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n    val set = elements.toHashSet()\n    if
(set.isNotEmpty())\n        return retainAll(set)\n    else\n        return retainNothing()\n}\n\nprivate fun
MutableCollection<*>.retainNothing(): Boolean {\n    val result = isEmpty()\n    clear()\n    return
result\n}\n\n/**\n * Removes all elements from this [MutableIterable] that match the given [predicate].\n *\n@return `true` if any element was removed from this collection, or `false` when no elements were removed and
collection was not modified.\n *\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T) -> Boolean):

```

```

Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that match the
given [predicate].\n * @return `true` if any element was removed from this collection, or `false` when all
elements were retained and collection was not modified.\n */\npublic fun <T>
MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun
<T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n
    var result = false\n    with(iterator()) {\n        while (hasNext())\n            if (predicate(next()) ==
predicateResultToRemove) {\n                remove()\n                result = true\n            }\n    }\n    return
result\n}\n\n/**\n * Removes the element at the specified [index] from this list.\n * In Kotlin one should use the
[MutableList.removeAt] function instead.\n */\n@Deprecated("Use removeAt(index) instead.",
ReplaceWith("removeAt(index)"), level = DeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\n\npublic inline
fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n/**\n * Removes the first element from this
mutable list and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n */\n
@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic fun <T>
MutableList<T>.removeFirst(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(0)\n\n/**\n * Removes the first element from this mutable list and returns that removed element, or
returns `null` if this list is empty.\n */\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic fun <T>
MutableList<T>.removeFirstOrNull(): T? = if (isEmpty()) null else removeAt(0)\n\n/**\n * Removes the last
element from this mutable list and returns that removed element, or throws [NoSuchElementException] if this list is
empty.\n */\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic fun <T>
MutableList<T>.removeLast(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(lastIndex)\n\n/**\n * Removes the last element from this mutable list and returns that removed element,
or returns `null` if this list is empty.\n */\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic fun <T>
MutableList<T>.removeLastOrNull(): T? = if (isEmpty()) null else removeAt(lastIndex)\n\n/**\n * Removes all
elements from this [MutableList] that match the given [predicate].\n * @return `true` if any element was
removed from this collection, or `false` when no elements were removed and collection was not modified.\n */\n
public fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate,
true)\n\n/**\n * Retains only elements of this [MutableList] that match the given [predicate].\n * @return `true`
if any element was removed from this collection, or `false` when all elements were retained and collection was not
modified.\n */\n\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean,
predicateResultToRemove: Boolean): Boolean {\n    if (this !is RandomAccess)\n        return (this as
MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n\n    var writeIndex: Int = 0\n    for
(readIndex in 0..lastIndex) {\n        val element = this[readIndex]\n        if (predicate(element) ==
predicateResultToRemove)\n            continue\n\n        if (writeIndex != readIndex)\n            this[writeIndex] =
element\n\n        writeIndex++\n    }\n    if (writeIndex < size) {\n        for (removeIndex in lastIndex downTo
writeIndex)\n            removeAt(removeIndex)\n\n        return true\n    } else {\n        return false\n    }\n}\n\n", "/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) :
AbstractList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) :
AbstractMutableList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n\n    override fun clear() = delegate.clear()\n\n    override fun removeAt(index:
Int): T = delegate.removeAt(reverseElementIndex(index))\n\n    override fun set(index: Int, element: T): T =
delegate.set(reverseElementIndex(index), element)\n\n    override fun add(index: Int, element: T) {\n

```

```

delegate.add(reversePositionIndex(index), element)\n } }\n\nprivate fun List<*>.reverseElementIndex(index:
Int) =\n if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException("\Element index
$index must be in range [0..lastIndex].")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n if (index
in 0..size) size - index else throw IndexOutOfBoundsException("\Position index $index must be in range
[0..size].")\n\n/**\n * Returns a reversed read-only view of the original List.\n * All changes made in the
original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n
*/\n\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed
mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed
one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n
*/\n\n@kotlin.jvm.JvmName("\asReversedMutable")\n\npublic fun <T> MutableList<T>.asReversed():
MutableList<T> = ReversedList(this)\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\SequencesKt")\n@file:OptIn(Experimenta
lTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport
kotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Builds a
[Sequence] lazily yielding values one by one.\n * @see kotlin.sequences.generateSequence\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*/\n\n@SinceKotlin("1.3")\n\npublic fun <T>
sequence(@BuilderInference block: suspend SequenceScope<T>().() -> Unit): Sequence<T> = Sequence {
iterator(block) }\n\n@SinceKotlin("1.3")\n\n@Deprecated("\Use 'sequence { }' function instead.",
ReplaceWith("\sequence(builderAction)"), level =
DeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> buildSequence(@BuilderInference
noinline builderAction: suspend SequenceScope<T>().() -> Unit): Sequence<T> = Sequence { iterator(builderAction)
}\n\n/**\n * Builds an [Iterator] lazily yielding values one by one.\n * @sample
samples.collections.Sequences.Building.buildIterator\n * @sample samples.collections.Iterables.Building.iterable\n
*/\n\n@SinceKotlin("1.3")\n\npublic fun <T> iterator(@BuilderInference block: suspend SequenceScope<T>().() ->
Unit): Iterator<T> {\n val iterator = SequenceBuilderIterator<T>()\n iterator.nextStep =
block.createCoroutineUnintercepted(receiver = iterator, completion = iterator)\n return
iterator}\n\n@SinceKotlin("1.3")\n\n@Deprecated("\Use 'iterator { }' function instead.",
ReplaceWith("\iterator(builderAction)"), level = DeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun <T> buildIterator(@BuilderInference noinline builderAction: suspend SequenceScope<T>().() -> Unit):
Iterator<T> = iterator(builderAction)\n\n/**\n * The scope for yielding values of a [Sequence] or an [Iterator],
provides [yield] and [yieldAll] suspension functions.\n * @see sequence\n * @see iterator\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*/\n\n@RestrictsSuspension\n@SinceKotlin("1.3")\n\npublic abstract class SequenceScope<in T> internal
constructor() {\n /**\n * Yields a value to the [Iterator] being built and suspends\n * until the next value is
requested.\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*/\n public abstract suspend fun yield(value:
T)\n\n /**\n * Yields all values from the `iterator` to the [Iterator] being built\n * and suspends until all these
values are iterated and the next one is requested.\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n
*/\n public abstract suspend fun yieldAll(iterator: Iterator<T>)\n\n /**\n * Yields a collections of values to
the [Iterator] being built\n * and suspends until all these values are iterated and the next one is requested.\n
*/\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n
*/\n public suspend fun
yieldAll(elements: Iterable<T>) {\n if (elements is Collection && elements.isEmpty()) return\n return
yieldAll(elements.iterator())\n }\n\n /**\n * Yields potentially infinite sequence of values to the [Iterator]

```

```

being built * and suspends until all these values are iterated and the next one is requested. * The
sequence can be potentially infinite. * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll * / public suspend fun yieldAll(sequence:
Sequence<T>) = yieldAll(sequence.iterator())\n\n@Deprecated("Use SequenceScope class instead.",
ReplaceWith("SequenceScope<T>"), level = DeprecationLevel.ERROR)\npublic typealias SequenceBuilder<T> =
SequenceScope<T>\n\nprivate typealias State = Int\n\nprivate const val State_NotReady: State = 0\n\nprivate const
val State_ManyNotReady: State = 1\n\nprivate const val State_ManyReady: State = 2\n\nprivate const val State_Ready:
State = 3\n\nprivate const val State_Done: State = 4\n\nprivate const val State_Failed: State = 5\n\nprivate class
SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> {\n    private var state =
State_NotReady\n    private var nextValue: T? = null\n    private var nextIterator: Iterator<T>? = null\n    var
nextStep: Continuation<Unit>? = null\n\n    override fun hasNext(): Boolean {\n        while (true) {\n            when
(state) {\n                State_NotReady -> {}\n                State_ManyNotReady ->\n                    if
(nextIterator!!.hasNext()) {\n                        state = State_ManyReady\n                        return true\n                    }
else {\n                        nextIterator = null\n                    }\n                State_Done -> return false\n
State_Ready, State_ManyReady -> return true\n                else -> throw exceptionalState()\n            }\n            state
= State_Failed\n            val step = nextStep!!\n            nextStep = null\n            step.resume(Unit)\n        }\n    }\n\n    override fun next(): T {\n        when (state) {\n            State_NotReady, State_ManyNotReady -> return
nextNotReady()\n            State_ManyReady -> {\n                state = State_ManyNotReady\n                return
nextIterator!!.next()\n            }\n            State_Ready -> {\n                state = State_NotReady\n
@Suppress("UNCHECKED_CAST")\n                val result = nextValue as T\n                nextValue = null\n
return result\n            }\n            else -> throw exceptionalState()\n        }\n    }\n\n    private fun nextNotReady(): T
{\n        if (!hasNext()) throw NoSuchElementException() else return next()\n    }\n\n    private fun
exceptionalState(): Throwable = when (state) {\n        State_Done -> NoSuchElementException()\n        State_Failed
-> IllegalStateException("Iterator has failed.")\n        else -> IllegalStateException("Unexpected state of the
iterator: $state")\n    }\n\n    override suspend fun yield(value: T) {\n        nextValue = value\n        state =
State_Ready\n        return suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n
COROUTINE_SUSPENDED\n        }\n    }\n\n    override suspend fun yieldAll(iterator: Iterator<T>) {\n        if
(!iterator.hasNext()) return\n        nextIterator = iterator\n        state = State_ManyReady\n        return
suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n            COROUTINE_SUSPENDED\n
}\n    }\n\n    // Completion continuation implementation\n    override fun resumeWith(result: Result<Unit>) {\n
result.getOrThrow() // just rethrow exception if it is there\n        state = State_Done\n    }\n\n    override val context:
CoroutineContext\n        get() = EmptyCoroutineContext\n    }\n\n    /*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun
checkWindowSizeStep(size: Int, step: Int) {\n    require(size > 0 && step > 0) {\n        if (size != step)\n            "Both size $size and step $step must be greater than zero.\n        }\n        else\n            "size $size must be greater than
zero.\n    }\n}\n\ninternal fun <T> Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean,
reuseBuffer: Boolean): Sequence<List<T>> {\n    checkWindowSizeStep(size, step)\n    return Sequence {\n
windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n}\n\ninternal fun <T>
windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean):
Iterator<List<T>> {\n    if (!iterator.hasNext()) return EmptyIterator\n    return iterator<List<T>> {\n        val
bufferInitialCapacity = size.coerceAtMost(1024)\n        val gap = step - size\n        if (gap >= 0) {\n            var buffer
= ArrayList<T>(bufferInitialCapacity)\n            var skip = 0\n            for (e in iterator) {\n                if (skip > 0) {\n
skip -- 1; continue }\n                buffer.add(e)\n                if (buffer.size == size) {\n                    yield(buffer)\n
                    if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\n                    skip = gap\n                }\n            }\n            if (buffer.isNotEmpty()) {\n                if (partialWindows || buffer.size == size) yield(buffer)\n            }\n        }\n    }\n    else {\n        var buffer = RingBuffer<T>(bufferInitialCapacity)\n        for (e in iterator) {\n
buffer.add(e)\n            if (buffer.isFull()) {\n                if (buffer.size < size) { buffer =

```



```

array[j] = tmp\n        i++\n        j--\n    }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun
quickSort(\n array: UByteArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index
- 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n//
UShortArray
=====
\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n array: UShortArray, left: Int, right: Int): Int {\n var i = left\n
var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n
while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n
array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun
quickSort(\n array: UShortArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left <
index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n//
UIntArray
=====
\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n array: UIntArray, left: Int, right: Int): Int {\n var i = left\n
var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n
while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n
array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun
quickSort(\n array: UIntArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index -
1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n//
ULongArray
=====
\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n array: ULongArray, left: Int, right: Int): Int {\n var i = left\n
var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n
while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n
array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun
quickSort(\n array: ULongArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index
- 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n\n//
Interfaces
=====
\n/**\n
* Sorts the given array using qsort algorithm.\n */\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array:
UByteArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex -
1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UShortArray, fromIndex: Int, toIndex: Int) =
quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UIntArray,
fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex -
1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: ULongArray, fromIndex: Int, toIndex: Int) =
quickSort(array, fromIndex, toIndex - 1)", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.contracts\nimport kotlin.internal.ContractsDsl\nimport
kotlin.internal.InlineOnly\n\n/**\n * This marker distinguishes the experimental contract declaration API and is
used to opt-in for that feature\n * when declaring contracts of user functions.\n */\n * Any usage of a declaration
annotated with `@ExperimentalContracts` must be accepted either by\n * annotating that usage with the [OptIn]
annotation, e.g. `@OptIn(ExperimentalContracts::class)`,\n * or by using the compiler argument `-Xopt-
in=kotlin.contracts.ExperimentalContracts`.\n
*/\n\n@Suppress("DEPRECATION")\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.3")\n@Ex
perimental\n@RequiresOptIn\n@MustBeDocumented\npublic annotation class ExperimentalContracts\n\n/**\n *
Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc.,\n * can be used to
describe the contract of a function.\n */\n * This type is used as a receiver type of the lambda function passed to the
[contract] function.\n */\n * @see contract\n

```



```

*\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin("1.3")\npublic interface ContractBuilder {\n
/**\n
 * Describes a situation when a function returns normally, without any exceptions thrown.\n
 * Use
 [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n
 * \n //
 @sample samples.contracts.returnsContract\n
 @ContractsDsl public fun returns(): Returns\n\n /**\n
 *
 Describes a situation when a function returns normally with the specified return [value].\n
 * The possible
 values of [value] are limited to `true`, `false` or `null`.\n
 * Use [SimpleEffect.implies] function to describe a
 conditional effect that happens in such case.\n
 * \n // @sample samples.contracts.returnsTrueContract\n
 // @sample samples.contracts.returnsFalseContract\n
 // @sample samples.contracts.returnsNullContract\n
 @ContractsDsl public fun returns(value: Any?): Returns\n\n /**\n
 * Describes a situation when a function
 returns normally with any value that is not `null`.\n
 * Use [SimpleEffect.implies] function to describe a
 conditional effect that happens in such case.\n
 * \n // @sample
 samples.contracts.returnsNotNullContract\n
 @ContractsDsl public fun returnsNotNull(): ReturnsNotNull\n\n
 /**\n
 * Specifies that the function parameter [lambda] is invoked in place.\n
 * This contract specifies
 that:\n
 * 1. the function [lambda] can only be invoked during the call of the owner function,\n
 * and it won't be
 invoked after that owner function call is completed;\n
 * 2. _(optionally)_ the function [lambda] is invoked the
 amount of times specified by the [kind] parameter.\n
 * see the [InvocationKind] enum for possible values.\n
 *\n
 * A function declaring the `callsInPlace` effect must be _inline_.\n
 * \n // @sample
 samples.contracts.callsInPlaceAtMostOnceContract\n
 * @sample
 samples.contracts.callsInPlaceAtLeastOnceContract\n
 * @sample
 samples.contracts.callsInPlaceExactlyOnceContract\n
 * @sample
 samples.contracts.callsInPlaceUnknownContract\n
 *\n
 @ContractsDsl public fun <R> callsInPlace(lambda:
 Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\n\n /**\n
 * Specifies how
 many times a function invokes its function parameter in place.\n
 * See [ContractBuilder.callsInPlace] for the
 details of the call-in-place function contract.\n
 *\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin("1.3")\npublic enum class InvocationKind {\n
/**\n
 * A function parameter will be invoked one time or not invoked at all.\n
 * \n // @sample
 samples.contracts.callsInPlaceAtMostOnceContract\n
 @ContractsDsl AT_MOST_ONCE,\n\n /**\n
 * A
 function parameter will be invoked one or more times.\n
 * \n // @sample
 samples.contracts.callsInPlaceAtLeastOnceContract\n
 @ContractsDsl AT_LEAST_ONCE,\n\n /**\n
 * A
 function parameter will be invoked exactly one time.\n
 * \n // @sample
 samples.contracts.callsInPlaceExactlyOnceContract\n
 @ContractsDsl EXACTLY_ONCE,\n\n /**\n
 * A
 function parameter is called in place, but it's unknown how many times it can be called.\n
 * \n // @sample
 samples.contracts.callsInPlaceUnknownContract\n
 @ContractsDsl UNKNOWN\n}\n\n /**\n
 * Specifies the
 contract of a function.\n
 * The contract description must be at the beginning of a function and have at least one
 effect.\n
 * Only the top-level functions can have a contract for now.\n
 * @param builder the lambda where
 the contract of a function is described with the help of the [ContractBuilder] members.\n
 * \n // @sample
 samples.contracts.returnsContract\n* @sample samples.contracts.returnsTrueContract\n* @sample
 samples.contracts.returnsFalseContract\n* @sample samples.contracts.returnsNullContract\n* @sample
 samples.contracts.returnsNotNullContract\n* @sample samples.contracts.callsInPlaceAtMostOnceContract\n*
 @sample samples.contracts.callsInPlaceAtLeastOnceContract\n* @sample
 samples.contracts.callsInPlaceExactlyOnceContract\n* @sample
 samples.contracts.callsInPlaceUnknownContract\n*\n@ContractsDsl\n@ExperimentalContracts\n@InlineOnly\n@
 SinceKotlin("1.3")\n@Suppress("UNUSED_PARAMETER")\npublic inline fun contract(builder:
 ContractBuilder.() -> Unit) { }\n", "/*\n
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
 contributors.\n
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
 license/LICENSE.txt file.\n
 * \n\npackage kotlin.coroutines\n\n/**\n
 * Marks coroutine context element that
 intercepts coroutine continuations.\n
 * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the
 interceptor and\n
 * intercepts all coroutine continuations with [interceptContinuation] invocations.\n
 * \n

```

[ContinuationInterceptor] behaves like a [polymorphic element][AbstractCoroutineContextKey], meaning that its implementation delegates [get][CoroutineContext.Element.get] and [minusKey][CoroutineContext.Element.minusKey] to [getPolymorphicElement] and [minusPolymorphicKey] respectively.

[ContinuationInterceptor] subtypes can be extracted from the coroutine context using either [ContinuationInterceptor.Key] or subtype key if it extends [AbstractCoroutineContextKey].

```

@SinceKotlin("1.3")
public interface ContinuationInterceptor : CoroutineContext.Element {
    // The key that defines the context interceptor.
    companion object Key :
        CoroutineContext.Key<ContinuationInterceptor> {
        // Returns continuation that wraps the original
        // [continuation], thus intercepting all resumptions.
        // This function is invoked by coroutines framework when
        // needed and the resulting continuations are
        // cached internally per each instance of the original [continuation].
        // This function may simply return original [continuation] if it does not want to intercept this particular
        // continuation.
        // When the original [continuation] completes, coroutine framework invokes
        // [releaseInterceptedContinuation] with the resulting continuation if it was intercepted, that is if
        // `interceptContinuation` had previously returned a different continuation instance.
        public fun <T>
            interceptContinuation(continuation: Continuation<T>): Continuation<T> {
            // Invoked for the
            // continuation instance returned by [interceptContinuation] when the original
            // continuation completes and will
            // not be used anymore. This function is invoked only if [interceptContinuation]
            // had returned a different
            // continuation instance from the one it was invoked with.
            // Default implementation does nothing.
            // @param continuation Continuation instance returned by this interceptor's [interceptContinuation] invocation.
            public fun releaseInterceptedContinuation(continuation: Continuation<*>) {
            // do nothing by default
            }
            public override operator fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>):
                E? {
            // getPolymorphicKey specialized for ContinuationInterceptor key
            @OptIn(ExperimentalStdlibApi::class)
            if (key is AbstractCoroutineContextKey<*, *>) {
            @Suppress("UNCHECKED_CAST")
            return if (key.isSubKey(this.key)) key.tryCast(this) as? E else
                null
            }
            @Suppress("UNCHECKED_CAST")
            return if (ContinuationInterceptor === key) this as
                E else null
            }
            public override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext {
            // minusPolymorphicKey specialized for ContinuationInterceptor key
            @OptIn(ExperimentalStdlibApi::class)
            if (key is AbstractCoroutineContextKey<*, *>) {
            return if
                (key.isSubKey(this.key) && key.tryCast(this) != null) EmptyCoroutineContext else this
            }
            return if
                (ContinuationInterceptor === key) EmptyCoroutineContext else this
            }
        }
    }
}
// Copyright 2010-2018
// JetBrains s.r.o. and Kotlin Programming Language contributors.
// Use of this source code is governed by the
// Apache 2.0 license that can be found in the license/LICENSE.txt file.
package kotlin.coroutines
/**
 * Persistent context for the coroutine. It is an indexed set of [Element] instances.
 * An indexed set is a mix between
 * a set and a map.
 * Every element in this set has a unique [Key].
 */
@SinceKotlin("1.3")
public interface
    CoroutineContext {
    // Returns the element with the given [key] from this context or `null`.
    public operator fun <E : Element> get(key: Key<E>): E?
    // Accumulates entries of this context
    // starting with [initial] value and applying [operation]
    // from left to right to current accumulator value and each
    // element of this context.
    public fun <R> fold(initial: R, operation: (R, Element) -> R): R
    // Returns a context containing elements from this context and elements from other [context].
    // The elements
    // from this context with the same key as in the other one are dropped.
    public operator fun plus(context:
        CoroutineContext): CoroutineContext =
        if (context === EmptyCoroutineContext) this else // fast path -- avoid
        lambda creation
        context.fold(this) { acc, element ->
            val removed =
                acc.minusKey(element.key)
            if (removed === EmptyCoroutineContext) element else {
            //
            // make sure interceptor is always last in the context (and thus is fast to get when present)
            val interceptor
                = removed[ContinuationInterceptor]
            if (interceptor == null) CombinedContext(removed, element) else
                {
                val left = removed.minusKey(ContinuationInterceptor)
                if (left ===
                    EmptyCoroutineContext) CombinedContext(element, interceptor) else
                    CombinedContext(CombinedContext(left, element), interceptor)
                }
            }
        }
    }
}

```

```

* Returns a context containing elements from this context, but without an element with
 * the specified [key].
 *
 * public fun minusKey(key: Key<*>): CoroutineContext {
 *     if (this.key == key) EmptyCoroutineContext else this
 * }
 *
 * An element of the [CoroutineContext]. An element of the coroutine context is a singleton context by itself.
 *
 * public interface Element : CoroutineContext {
 *     val key: Key<*>
 *     fun <E : Element> get(key: Key<E>): E? =
 *         if (this.key == key) this as E else null
 *     fun <R> fold(initial: R, operation: (R, Element) -> R): R =
 *         operation(initial, this)
 *     fun minusKey(key: Key<*>): CoroutineContext =
 *         if (this.key == key) EmptyCoroutineContext else this
 * }
 *
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 *
 * package kotlin.coroutines
 * import kotlin.coroutines.CoroutineContext.Element
 * import kotlin.coroutines.CoroutineContext.Key
 *
 * Base class for [CoroutineContext.Element] implementations.
 *
 * @SinceKotlin("1.3")
 * public abstract class AbstractCoroutineContextElement(public override val key:
 * Key<*>) : Element {
 *
 * Base class for [CoroutineContext.Key] associated with polymorphic
 [CoroutineContext.Element] implementation.
 * Polymorphic element implementation implies delegating its
 [get][Element.get] and [minusKey][Element.minusKey] to [getPolymorphicElement] and
 [minusPolymorphicKey] respectively.
 * Polymorphic elements can be extracted from the coroutine context
 using both element key and its supertype key.
 * Example of polymorphic elements:
 *
 * open class BaseElement : CoroutineContext.Element {
 *     companion object Key : CoroutineContext.Key<BaseElement>
 *
 *     override val key: CoroutineContext.Key<*> get() = Key
 *     // It is important to use getPolymorphicKey and
 *     minusPolymorphicKey
 *     override fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>):
 * E? = getPolymorphicElement(key)
 *     override fun minusKey(key: CoroutineContext.Key<*>):
 * CoroutineContext = minusPolymorphicKey(key)
 * }
 *
 * class DerivedElement : BaseElement() {
 *     companion object Key : AbstractCoroutineContextKey<BaseElement, DerivedElement>(BaseElement, { it as?
 * DerivedElement })
 *
 * // Now it is possible to query both `BaseElement` and `DerivedElement`
 * someContext[BaseElement] // Returns BaseElement?, non-null both for BaseElement and DerivedElement
 * instances
 * someContext[DerivedElement] // Returns DerivedElement?, non-null only for DerivedElement
 * instance
 *
 * @param B base class of a polymorphic element
 * @param baseKey an instance of base key
 * @param E element type associated with the current key
 * @param safeCast a function that can safely cast
 * abstract [CoroutineContext.Element] to the concrete [E] type
 * and return the element if it is a subtype
 * of [E] or `null` otherwise.
 *
 * @ExperimentalStdlibApi
 * public abstract class AbstractCoroutineContextKey<B : Element, E : B>(
 *     baseKey: Key<B>,
 *     private val safeCast: (element:
 * Element) -> E?) : Key<E> {
 *     private val topmostKey: Key<*> = if (baseKey is
 * AbstractCoroutineContextKey<*, *>) baseKey.topmostKey else baseKey
 *
 *     internal fun tryCast(element:
 * Element): E? = safeCast(element)
 *     internal fun isSubKey(key: Key<*>): Boolean = key === this || topmostKey
 * === key
 * }
 *
 * Returns the current element if it is associated with the given [key] in a polymorphic manner
 * or `null` otherwise.
 * This method returns non-null value if either [Element.key] is equal to the given [key] or if
 * the [key] is associated
 * with [Element.key] via [AbstractCoroutineContextKey].
 * See
 [AbstractCoroutineContextKey] for the example of usage.
 *
 * @ExperimentalStdlibApi
 * public fun <E : Element>
 * Element.getPolymorphicElement(key: Key<E>): E? {
 *     if (key is AbstractCoroutineContextKey<*, *>) {
 *         @Suppress("UNCHECKED_CAST")
 *         return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null
 *     }
 *     @Suppress("UNCHECKED_CAST")
 *     return if (this.key === key) this as E else null
 * }
 *
 * Returns empty coroutine context if the element is associated with the given [key] in a polymorphic manner
 * or
 * `null` otherwise.
 * This method returns empty context if either [Element.key] is equal to the given [key] or if the
 [key] is associated
 * with [Element.key] via [AbstractCoroutineContextKey].
 * See
 [AbstractCoroutineContextKey] for the example of usage.

```

```

*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Element.minusPolymorphicKey(key: Key<*>):
CoroutineContext {\n    if (key is AbstractCoroutineContextKey<*, *>) {\n        return if (key.isSubKey(this.key)
&& key.tryCast(this) != null) EmptyCoroutineContext else this\n    }\n    return if (this.key === key)
EmptyCoroutineContext else this\n}\n\n/*\n * An empty coroutine context.\n */\n@SinceKotlin("1.3")\npublic
object EmptyCoroutineContext : CoroutineContext, Serializable {\n    private const val serialVersionUID: Long =
0\n    private fun readResolve(): Any = EmptyCoroutineContext\n\n    public override fun <E : Element> get(key:
Key<E>): E? = null\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n    public
override fun plus(context: CoroutineContext): CoroutineContext = context\n    public override fun minusKey(key:
Key<*>): CoroutineContext = this\n    public override fun hashCode(): Int = 0\n    public override fun toString():
String = "EmptyCoroutineContext"\n}\n\n//----- internal impl -----\n\n// this class is not
exposed, but is hidden inside implementations\n// this is a left-biased list, so that `plus` works
naturally\n@SinceKotlin("1.3")\ninternal class CombinedContext(\n    private val left: CoroutineContext,\n    private val element: Element\n) : CoroutineContext, Serializable {\n\n    override fun <E : Element> get(key:
Key<E>): E? {\n        var cur = this\n        while (true) {\n            cur.element[key]?.let { return it }\n            val next
= cur.left\n            if (next is CombinedContext) {\n                cur = next\n            } else {\n                return
next[key]\n            }\n        }\n\n        public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n            operation(left.fold(initial, operation), element)\n\n        public override fun minusKey(key: Key<*>):
CoroutineContext {\n            element[key]?.let { return left }\n            val newLeft = left.minusKey(key)\n            return
when {\n                newLeft === left -> this\n                newLeft === EmptyCoroutineContext -> element\n            } else ->
CombinedContext(newLeft, element)\n        }\n\n        private fun size(): Int {\n            var cur = this\n            var size
= 2\n            while (true) {\n                cur = cur.left as? CombinedContext ?: return size\n                size++\n            }\n        }\n\n        private fun contains(element: Element): Boolean =\n            get(element.key) == element\n\n        private fun
containsAll(context: CombinedContext): Boolean {\n            var cur = context\n            while (true) {\n                if
(!contains(cur.element)) return false\n                val next = cur.left\n                if (next is CombinedContext) {\n                    cur = next\n                } else {\n                    return contains(next as Element)\n                }\n            }\n        }\n\n        override fun
equals(other: Any?): Boolean =\n            this === other || other is CombinedContext && other.size() == size() &&
other.containsAll(this)\n\n        override fun hashCode(): Int = left.hashCode() + element.hashCode()\n\n        override
fun toString(): String = "\n    "[" + fold("\n    ") { acc, element ->\n        if (acc.isEmpty()) element.toString() else
"$acc, $element"\n    } + "]" + "\n\n        private fun writeReplace(): Any {\n            val n = size()\n            val elements =
arrayOfNulls<CoroutineContext>(n)\n            var index = 0\n            fold(Unit) { _, element -> elements[index++] =
element }\n            check(index == n)\n            @Suppress("UNCHECKED_CAST")\n            return Serialized(elements
as Array<CoroutineContext>)\n        }\n\n        private class Serialized(val elements: Array<CoroutineContext>) :
Serializable {\n            companion object {\n                private const val serialVersionUID: Long = 0L\n            }\n\n            private fun readResolve(): Any = elements.fold(EmptyCoroutineContext, CoroutineContext::plus)\n        }\n}\n\n"/\n\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("IntrinsicsKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.coroutines.intrinsics\n\nimport kotlin.contracts.*\nimport kotlin.coroutines.*\nimport
kotlin.internal.InlineOnly\n\n/*\n * Obtains the current continuation instance inside suspend functions and either
suspends\n * currently running coroutine or returns result immediately without suspension.\n * If the [block]
returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution
and will\n * not return any result immediately. In this case, the [Continuation] provided to the [block] shall be\n *
resumed by invoking [Continuation.resumeWith] at some moment in the\n * future when the result becomes
available to resume the computation.\n * Otherwise, the return value of the [block] must have a type assignable
to [T] and represents the result of this suspend function.\n * It means that the execution was not suspended and the
[Continuation] provided to the [block] shall not be invoked.\n * As the result type of the [block] is declared as
`Any?` and cannot be correctly type-checked,\n * its proper return type remains on the conscience of the suspend
function's author.\n * Invocation of [Continuation.resumeWith] resumes coroutine directly in the invoker's

```

thread without going through the `[ContinuationInterceptor]` that might be present in the coroutine's `[CoroutineContext]`. It is the invoker's responsibility to ensure that a proper invocation context is established. `[Continuation.intercepted]` can be used to acquire the intercepted continuation. Note that it is not recommended to call either `[Continuation.resume]` nor `[Continuation.resumeWithException]` functions synchronously in the same stackframe where suspension function is run. Use `[suspendCoroutine]` as a safer way to obtain current continuation instance.

```

*SinceKotlin("1.3")InlineOnlySuppress("UNUSED_PARAMETER",
"RedundantSuspendModifier")public suspend inline fun <T>
suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T {
    contract {
        callsInPlace(block, InvocationKind.EXACTLY_ONCE)
    }
    throw NotImplementedError("Implementation of
suspendCoroutineUninterceptedOrReturn is intrinsic")
}
* This value is used as a return value of
[suspendCoroutineUninterceptedOrReturn] `block` argument to state that
the execution was suspended and will
not return any result immediately.
**Note: this value should not be used in general code.** Using it outside
of the context of `suspendCoroutineUninterceptedOrReturn` function return value (including, but not limited
to, storing this value in other properties, returning it from other functions, etc) can lead to unspecified
behavior of the code.
// It is implemented as property with getter to avoid ProGuard <clinit> problem with
multifile IntrinsicKt
class SinceKotlin("1.3")public val COROUTINE_SUSPENDED: Any get() =
CoroutineSingletons.COROUTINE_SUSPENDED
// Using enum here ensures two important properties:
1. It makes SafeContinuation serializable with all kinds of serialization frameworks (since all of them natively support
enums)
2. It improves debugging experience, since you clearly see toString() value of those objects and what
package they come from
SinceKotlin("1.3")PublishedApi // This class is Published API via serialized
representation of SafeContinuation, don't rename/move
internal enum class CoroutineSingletons {
COROUTINE_SUSPENDED, UNDECIDED, RESUMED }
, /*
* Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.
package kotlin.experimental
** Performs a bitwise AND
operation between the two values.
SinceKotlin("1.1")kotlin.internal.InlineOnlypublic inline infix fun
Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte()
** Performs a bitwise OR operation
between the two values.
SinceKotlin("1.1")kotlin.internal.InlineOnlypublic inline infix fun
Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte()
** Performs a bitwise XOR operation
between the two values.
SinceKotlin("1.1")kotlin.internal.InlineOnlypublic inline infix fun
Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()
** Inverts the bits in this value.
SinceKotlin("1.1")kotlin.internal.InlineOnlypublic inline fun Byte.inv(): Byte =
(this.toInt().inv()).toByte()
** Performs a bitwise AND operation between the two values.
SinceKotlin("1.1")kotlin.internal.InlineOnlypublic inline infix fun Short.and(other: Short): Short =
(this.toInt() and other.toInt()).toShort()
** Performs a bitwise OR operation between the two values.
SinceKotlin("1.1")kotlin.internal.InlineOnlypublic inline infix fun Short.or(other: Short): Short =
(this.toInt() or other.toInt()).toShort()
** Performs a bitwise XOR operation between the two values.
SinceKotlin("1.1")kotlin.internal.InlineOnlypublic inline infix fun Short.xor(other: Short): Short =
(this.toInt() xor other.toInt()).toShort()
** Inverts the bits in this value.
SinceKotlin("1.1")kotlin.internal.InlineOnlypublic inline fun Short.inv(): Short =
(this.toInt().inv()).toShort()
, /*
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
package kotlin.experimental
**
* The experimental marker for type
inference augmenting annotations.
* Any usage of a declaration annotated with
`@ExperimentalTypeInference` must be accepted either by
* annotating that usage with the [OptIn] annotation,
e.g. `@OptIn(ExperimentalTypeInference::class)`
* or by using the compiler argument `-Xopt-
in=kotlin.experimental.ExperimentalTypeInference`
*
@Suppress("DEPRECATION")Experimental(level
= Experimental.Level.ERROR)RequiresOptIn(level =

```

RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@SinceKotlin("1.3")\npublic annotation class ExperimentalTypeInference\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.internal\n/**\n * Specifies that the corresponding type should be ignored during type inference.\n *\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class NoInfer\n/**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n *\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class Exact\n/**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n *\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class LowPriorityInOverloadResolution\n/**\n * Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload resolution over a member with the same signature.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class HidesMembers\n/**\n * The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\n *\n */\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class OnlyInputTypes\n/**\n * Specifies that this function should not be called directly without inlining\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class InlineOnly\n/**\n * Specifies that this declaration can have dynamic receiver type.\n *\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class DynamicExtension\n/**\n * The value of this parameter should be a property reference expression (`this::foo`), referencing a `lateinit` property,\n * the backing field of which is accessible at the point where the corresponding argument is passed.\n *\n */\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.2")\ninternal annotation class AccessibleLateinitPropertyLiteral\n/**\n * Specifies that this declaration is only completely supported since the specified version.\n */\n * The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.\n * The diagnostic message can be specified with [message], or via [errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported, HIDDEN means that the declaration is going to be removed from resolution completely.\n */\n * [versionKind] specifies which version should be compared with the [version] value, when compiling the usage of the annotated declaration.\n * Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported, so the Kotlin compiler before 1.2 is going to\n * treat any [RequireKotlin] as if it requires the language version. Since 1.2, the Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION], [RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n * If the actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n * Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a requirement\n * on the language version.\n */\n * This annotation is erased at compile time; its arguments are stored in a more compact form in the Kotlin metadata.\n */\n@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR, AnnotationTarget.TYPE_ALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@Repeatable\n@SinceKotlin("1.2")\ninternal annotation class RequireKotlin(\n val version: String,\n val message: String = "",\n val level:

```

DeprecationLevel = DeprecationLevel.ERROR,\n  val versionKind: RequireKotlinVersionKind =
RequireKotlinVersionKind.LANGUAGE_VERSION,\n  val errorCode: Int = -1)\n\n/**\n * The kind of the
version that is required by [RequireKotlin].\n */\n@SinceKotlin("1.2")\ninternal enum class
RequireKotlinVersionKind {\n  LANGUAGE_VERSION,\n  COMPILER_VERSION,\n  API_VERSION,\n}\n\n/**\n * Specifies that this declaration is a part of special DSL, used for constructing
function's contract.\n */\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.2")\ninternal annotation
class ContractsDsl\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Standard
property delegates.\n */\npublic object Delegates {\n  /**\n   * Returns a property delegate for a read/write
property with a non-`null` value that is initialized not during\n   * object construction time but at a later time.
Trying to read the property before the initial value has been\n   * assigned results in an exception.\n   */\n   *
@sample samples.properties.Delegates.notNullDelegate\n   */\n   public fun <T : Any> notNull():
ReadWriteProperty<Any?, T> = NotNullVar()\n\n   /**\n   * Returns a property delegate for a read/write property
that calls a specified callback function when changed.\n   * @param initialValue the initial value of the property.\n
   * @param onChange the callback which is called after the change of the property is made. The value of the
property\n   * has already been changed when this callback is invoked.\n   */\n   * @sample
samples.properties.Delegates.observableDelegate\n   */\n   public inline fun <T> observable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\n
ReadWriteProperty<Any?, T> =\n   object : ObservableProperty<T>(initialValue) {\n   override fun
afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\n
   }\n\n   /**\n   * Returns a property delegate for a read/write property that calls a specified callback function when
changed,\n   * allowing the callback to veto the modification.\n   * @param initialValue the initial value of the
property.\n   * @param onChange the callback which is called before a change to the property value is attempted.\n
   * The value of the property hasn't been changed yet, when this callback is invoked.\n   * If the callback returns
`true` the value of the property is being set to the new value,\n   * and if the callback returns `false` the new value
is discarded and the property remains its old value.\n   */\n   * @sample
samples.properties.Delegates.vetoableDelegate\n   * @sample
samples.properties.Delegates.throwVetoableDelegate\n   */\n   public inline fun <T> vetoable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n
ReadWriteProperty<Any?, T> =\n   object : ObservableProperty<T>(initialValue) {\n   override fun
beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue,
newValue)\n   }\n\n}\n\nprivate class NotNullVar<T : Any>() : ReadWriteProperty<Any?, T> {\n  private var
value: T? = null\n  public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n    return value
?: throw IllegalStateException("Property ${property.name} should be initialized before get.")\n  }\n  public
override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n    this.value = value\n  }\n}\n\n"/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Base interface that can be used for
implementing property delegates of read-only properties.\n */\n * This is provided only for convenience; you don't
have to extend this interface\n * as long as your property delegate has methods with the same signatures.\n */\n *
@param T the type of object which owns the delegated property.\n * @param V the type of the property value.\n
*/\npublic fun interface ReadOnlyProperty<in T, out V> {\n  /**\n   * Returns the value of the property for the
given object.\n   * @param thisRef the object for which the value is requested.\n   * @param property the
metadata for the property.\n   * @return the property value.\n   */\n   public operator fun getValue(thisRef: T,
property: KProperty<*>): V\n}\n\n/**\n * Base interface that can be used for implementing property delegates of
read-write properties.\n */\n * This is provided only for convenience; you don't have to extend this interface\n * as
long as your property delegate has methods with the same signatures.\n */\n * @param T the type of object which

```

```

owns the delegated property.\n * @param V the type of the property value.\n */\npublic interface
ReadWriteProperty<in T, V> : ReadOnlyProperty<T, V> {\n    /**\n     * Returns the value of the property for the
given object.\n     * @param thisRef the object for which the value is requested.\n     * @param property the
metadata for the property.\n     * @return the property value.\n     */\n    public override operator fun
getValue(thisRef: T, property: KProperty<*>): V\n\n    /**\n     * Sets the value of the property for the given
object.\n     * @param thisRef the object for which the value is requested.\n     * @param property the metadata for
the property.\n     * @param value the value to set.\n     */\n    public operator fun setValue(thisRef: T, property:
KProperty<*>, value: V)\n}\n\n/**\n * Base interface that can be used for implementing property delegate
providers.\n * This is provided only for convenience; you don't have to extend this interface\n * as long as your
delegate provider has a method with the same signature.\n * @param T the type of object which owns the
delegated property.\n * @param D the type of property delegates this provider provides.\n
*/\n\n@SinceKotlin("1.4")\npublic fun interface PropertyDelegateProvider<in T, out D> {\n    /**\n     * Returns the
delegate of the property for the given object.\n     * This function can be used to extend the logic of creating
the object (e.g. perform validation checks)\n     * to which the property implementation is delegated.\n     *
@param thisRef the object for which property delegate is requested.\n     * @param property the metadata for the
property.\n     * @return the property delegate.\n     */\n    public operator fun provideDelegate(thisRef: T, property:
KProperty<*>): D\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n *
Implements the core logic of a property delegate for a read/write property that calls callback functions when
changed.\n * @param initialValue the initial value of the property.\n */\n\npublic abstract class
ObservableProperty<V>(initialValue: V) : ReadWriteProperty<Any?, V> {\n    private var value = initialValue\n\n
/**\n     * The callback which is called before a change to the property value is attempted.\n     * The value of the
property hasn't been changed yet, when this callback is invoked.\n     * If the callback returns `true` the value of the
property is being set to the new value,\n     * and if the callback returns `false` the new value is discarded and the
property remains its old value.\n     */\n    protected open fun beforeChange(property: KProperty<*>, oldValue: V,
newValue: V): Boolean = true\n\n    /**\n     * The callback which is called after the change of the property is made.
The value of the property\n     * has already been changed when this callback is invoked.\n     */\n    protected open
fun afterChange(property: KProperty<*>, oldValue: V, newValue: V): Unit {}\n\n    public override fun
getValue(thisRef: Any?, property: KProperty<*>): V {\n        return value\n    }\n\n    public override fun
setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n        val oldValue = this.value\n        if
(!beforeChange(property, oldValue, value)) {\n            return\n        }\n        this.value = value\n        afterChange(property, oldValue, value)\n    }\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n@file:Suppress("PackageDirectoryMismatch")\npackage
kotlin\n\nimport kotlin.reflect.*\n\n/**\n * An extension operator that allows delegating a read-only property of type
[V]\n * to a property reference to a property of type [V] or its subtype.\n * @receiver A property reference to a
read-only or mutable property of type [V] or its subtype.\n * The reference is without a receiver, i.e. it either
references a top-level property or\n * has the receiver bound to it.\n * Example:\n * ```\n * class Login(val
username: String)\n * val defaultLogin = Login("Admin")\n * val defaultUsername by defaultLogin::username\n *
// equivalent to\n * val defaultUserName get() = defaultLogin.username\n * ```\n
*/\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V>
KProperty0<V>.getValue(thisRef: Any?, property: KProperty<*>): V {\n    return get()\n}\n\n/**\n * An extension
operator that allows delegating a mutable property of type [V]\n * to a property reference to a mutable property of
the same type [V].\n * @receiver A property reference to a mutable property of type [V].\n * The reference is
without a receiver, i.e. it either references a top-level property or\n * has the receiver bound to it.\n * Example:\n
* ```\n * class Login(val username: String, var incorrectAttemptCounter: Int = 0)\n * val defaultLogin =
Login("Admin")\n * var defaultLoginAttempts by defaultLogin::incorrectAttemptCounter\n * // equivalent to\n *

```



```

var defaultLoginAttempts: Int {
    get() = defaultLogin.incorrectAttemptCounter
    set(value) {
        defaultLogin.incorrectAttemptCounter = value
    }
}

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline operator fun <V>
KMutableProperty0<V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {
    set(value)
}

* An extension operator that allows delegating a read-only member or extension property of type [V]
* to a property reference to a member or extension property of type [V] or its subtype.
* @receiver A property reference to a read-only or mutable property of type [V] or its subtype.
* The reference has an unbound receiver of type [T].
* Example:
* class Login(val username: String)
* val Login.user by
Login::username
* // equivalent to
* val Login.user get() = this.username

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline operator fun <T, V> KProperty1<T,
V>.getValue(thisRef: T, property: KProperty<*>): V {
    return get(thisRef)
}

* An extension operator
that allows delegating a mutable member or extension property of type [V]
* to a property reference to a member
or extension mutable property of the same type [V].
* @receiver A property reference to a read-only or
mutable property of type [V] or its subtype.
* The reference has an unbound receiver of type [T].
* Example:
* class Login(val username: String, var incorrectAttemptCounter: Int)
* var Login.attempts
by Login::incorrectAttemptCounter
* // equivalent to
* var Login.attempts: Int
* get() =
this.incorrectAttemptCounter
* set(value) { this.incorrectAttemptCounter = value }

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline operator fun <T, V> KMutableProperty1<T,
V>.setValue(thisRef: T, property: KProperty<*>, value: V) {
    set(thisRef, value)
}

* Copyright 2010-
2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.
package kotlin.random
import
kotlin.math.nextDown

* An abstract class that is implemented by random number generator algorithms.
* The companion object [Random.Default] is the default instance of [Random].
* To get a seeded instance
of random generator use [Random] function.
* @sample samples.random.Randoms.defaultRandom

@SinceKotlin("1.3")
public abstract class Random {
    /**
     * Gets the next random [bitCount] number
of bits.
     * Generates an `Int` whose lower [bitCount] bits are filled with random values and the remaining
upper bits are zero.
     * @param bitCount number of bits to generate, must be in range 0..32, otherwise the
behavior is unspecified.
     * @sample samples.random.Randoms.nextBits

    public abstract fun
nextBits(bitCount: Int): Int

    /**
     * Gets the next random `Int` from the random number generator.
     * Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE` and `Int.MAX_VALUE`
(inclusive).
     * @sample samples.random.Randoms.nextInt

    public open fun nextInt(): Int =
nextBits(32)

    /**
     * Gets the next random non-negative `Int` from the random number generator less than
the specified [until] bound.
     * Generates an `Int` random value uniformly distributed between `0`
(inclusive) and the specified [until] bound (exclusive).
     * @param until must be positive.
     * @throws IllegalArgumentException if [until] is negative or zero.
     * @sample
samples.random.Randoms.nextIntFromUntil

    public open fun nextInt(until: Int): Int = nextInt(0, until)

    /**
     * Gets the next random `Int` from the random number generator in the specified range.
     * Generates an `Int` random value uniformly distributed between the specified [from] (inclusive) and [until]
(exclusive) bounds.
     * @throws IllegalArgumentException if [from] is greater than or equal to [until].
     * @sample samples.random.Randoms.nextIntFromUntil

    public open fun nextInt(from: Int, until:
Int): Int {
        checkRangeBounds(from, until)
        val n = until - from
        if (n > 0 || n == Int.MIN_VALUE)
        {
            val rnd = if (n and -n == n) {
                val bitCount = fastLog2(n)
                nextBits(bitCount)
            } else {
                var v: Int
                do {
                    val bits = nextInt().ushr(1)
                    v = bits % n
                } while (bits - v + (n - 1) < 0)
                v
            }
            return from + rnd
        } else {
            while
(true) {
                val rnd = nextInt()
                if (rnd in from until until) return rnd
            }
        }
    }

    /**
     * Gets the next random `Long` from the random number generator.
     * Generates a `Long` random
value uniformly distributed between `Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).
     * @sample samples.random.Randoms.nextLong

    public open fun nextLong(): Long =

```

```

nextInt().toLong().shl(32) + nextInt()\n\n /**\n * Gets the next random non-negative `Long` from the random
number generator less than the specified [until] bound.\n *\n * Generates a `Long` random value uniformly
distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @param until must be
positive.\n *\n * @throws IllegalArgumentException if [until] is negative or zero.\n *\n * @sample
samples.random.Randoms.nextLongFromUntil\n *\n public open fun nextLong(until: Long): Long =
nextLong(0, until)\n\n /**\n * Gets the next random `Long` from the random number generator in the specified
range.\n *\n * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive)
and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to
[until].\n *\n * @sample samples.random.Randoms.nextLongFromUntil\n *\n public open fun
nextLong(from: Long, until: Long): Long {\n    checkRangeBounds(from, until)\n    val n = until - from\n
if (n > 0) {\n        val rnd: Long\n        if (n and -n == n) {\n            val nLow = n.toInt()\n            val nHigh
= (n ushr 32).toInt()\n            rnd = when {\n                nLow != 0 -> {\n                    val bitCount =
fastLog2(nLow)\n                    // toUInt().toLong()\n                    nextBits(bitCount).toLong() and
0xFFFF_FFFF\n                    }\n                    nHigh == 1 ->{\n                        // toUInt().toLong()\n
nextInt().toLong() and 0xFFFF_FFFF\n                    } else -> {\n                        val bitCount = fastLog2(nHigh)\n
                        nextBits(bitCount).toLong().shl(32) + nextInt()\n                    }\n                } else {\n
var v: Long\n                    do {\n                        val bits = nextLong().ushr(1)\n                        v = bits % n\n                    }
while (bits - v + (n - 1) < 0)\n                    rnd = v\n                }\n                return from + rnd\n            } else {\n                while
(true) {\n                    val rnd = nextLong()\n                    if (rnd in from until until) return rnd\n                }\n            }\n        }\n    }\n\n /**\n * Gets the next random [Boolean] value.\n *\n * @sample samples.random.Randoms.nextBoolean\n
*\n public open fun nextBoolean(): Boolean = nextBits(1) != 0\n\n /**\n * Gets the next random [Double]
value uniformly distributed between 0 (inclusive) and 1 (exclusive).\n *\n * @sample
samples.random.Randoms.nextDouble\n *\n public open fun nextDouble(): Double =
doubleFromParts(nextBits(26), nextBits(27))\n\n /**\n * Gets the next random non-negative `Double` from the
random number generator less than the specified [until] bound.\n *\n * Generates a `Double` random value
uniformly distributed between 0 (inclusive) and [until] (exclusive).\n *\n * @throws IllegalArgumentException
if [until] is negative or zero.\n *\n * @sample samples.random.Randoms.nextDoubleFromUntil\n *\n
public open fun nextDouble(until: Double): Double = nextDouble(0.0, until)\n\n /**\n * Gets the next random
`Double` from the random number generator in the specified range.\n *\n * Generates a `Double` random value
uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * [from]
and [until] must be finite otherwise the behavior is unspecified.\n *\n * @throws IllegalArgumentException if
[from] is greater than or equal to [until].\n *\n * @sample samples.random.Randoms.nextDoubleFromUntil\n
*\n public open fun nextDouble(from: Double, until: Double): Double {\n    checkRangeBounds(from, until)\n
    val size = until - from\n    val r = if (size.isInfinite() && from.isFinite() && until.isFinite()) {\n        val r1 =
nextDouble() * (until / 2 - from / 2)\n        from + r1 + r1\n    } else {\n        from + nextDouble() * size\n    }\n    return if (r >= until) until.nextDown() else r\n }\n\n /**\n * Gets the next random [Float] value
uniformly distributed between 0 (inclusive) and 1 (exclusive).\n *\n * @sample
samples.random.Randoms.nextFloat\n *\n public open fun nextFloat(): Float = nextBits(24) / (1 shl
24).toFloat()\n\n /**\n * Fills a subrange of the specified byte [array] starting from [fromIndex] inclusive and
ending [toIndex] exclusive\n * with random bytes.\n *\n * @return [array] with the subrange filled with
random bytes.\n *\n * @sample samples.random.Randoms.nextBytes\n *\n public open fun
nextBytes(array: ByteArray, fromIndex: Int = 0, toIndex: Int = array.size): ByteArray {\n    require(fromIndex in
0..array.size && toIndex in 0..array.size) { \"fromIndex ($fromIndex) or toIndex ($toIndex) are out of range:
0..${array.size}.\" }\n    require(fromIndex <= toIndex) { \"fromIndex ($fromIndex) must be not greater than
toIndex ($toIndex).\" }\n    val steps = (toIndex - fromIndex) / 4\n    var position = fromIndex\n    repeat(steps) {\n        val v = nextInt()\n        array[position] = v.toByte()\n        array[position + 1] =
v.ushr(8).toByte()\n        array[position + 2] = v.ushr(16).toByte()\n        array[position + 3] =
v.ushr(24).toByte()\n        position += 4\n    }\n    val remainder = toIndex - position\n    val vr =

```

```

nextBits(remainder * 8)\n    for (i in 0 until remainder) {\n        array[position + i] = vr.ushr(i * 8).toByte()\n    }\n    return array\n }\n\n /**\n  * Fills the specified byte [array] with random bytes and returns it.\n  *\n  * @return [array] filled with random bytes.\n  *\n  * @sample samples.random.Randoms.nextBytes\n  */\n\n public open fun nextBytes(array: ByteArray): ByteArray = nextBytes(array, 0, array.size)\n\n /**\n  * Creates a byte array of the specified [size], filled with random bytes.\n  *\n  * @sample samples.random.Randoms.nextBytes\n  */\n\n public open fun nextBytes(size: Int): ByteArray = nextBytes(ByteArray(size))\n\n /**\n  * The default random number generator.\n  *\n  * On JVM this generator is thread-safe, its methods can be invoked from multiple threads.\n  *\n  * @sample samples.random.Randoms.defaultRandom\n  */\n\n companion object Default : Random() {\n    private val defaultRandom: Random = defaultPlatformRandom()\n\n    override fun nextBits(bitCount: Int): Int = defaultRandom.nextBits(bitCount)\n\n    override fun nextInt(): Int = defaultRandom.nextInt()\n\n    override fun nextInt(until: Int): Int = defaultRandom.nextInt(until)\n\n    override fun nextInt(from: Int, until: Int): Int = defaultRandom.nextInt(from, until)\n\n    override fun nextLong(): Long = defaultRandom.nextLong()\n\n    override fun nextLong(until: Long): Long = defaultRandom.nextLong(until)\n\n    override fun nextLong(from: Long, until: Long): Long = defaultRandom.nextLong(from, until)\n\n    override fun nextBoolean(): Boolean = defaultRandom.nextBoolean()\n\n    override fun nextDouble(): Double = defaultRandom.nextDouble()\n\n    override fun nextDouble(until: Double): Double = defaultRandom.nextDouble(until)\n\n    override fun nextDouble(from: Double, until: Double): Double = defaultRandom.nextDouble(from, until)\n\n    override fun nextFloat(): Float = defaultRandom.nextFloat()\n\n    override fun nextBytes(array: ByteArray): ByteArray = defaultRandom.nextBytes(array)\n\n    override fun nextBytes(size: Int): ByteArray = defaultRandom.nextBytes(size)\n\n    override fun nextBytes(array: ByteArray, fromIndex: Int, toIndex: Int): ByteArray = defaultRandom.nextBytes(array, fromIndex, toIndex)\n\n }
}

 /**\n  * Returns a repeatable random number generator seeded with the given [seed] `Int` value.\n  *\n  * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n  *\n  * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n  * a sequence of values different from the current one for a given seed.\n  *\n  * On JVM the returned generator is NOT thread-safe. Do not invoke it from multiple threads without proper synchronization.\n  *\n  * @sample samples.random.Randoms.seededRandom\n  */\n\n @SinceKotlin("1.3")\n public fun Random(seed: Int): Random = XorWowRandom(seed, seed.shr(31))

 /**\n  * Returns a repeatable random number generator seeded with the given [seed] `Long` value.\n  *\n  * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n  *\n  * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n  * a sequence of values different from the current one for a given seed.\n  *\n  * On JVM the returned generator is NOT thread-safe. Do not invoke it from multiple threads without proper synchronization.\n  *\n  * @sample samples.random.Randoms.seededRandom\n  */\n\n @SinceKotlin("1.3")\n public fun Random(seed: Long): Random = XorWowRandom(seed.toInt(), seed.shr(32).toInt())

 /**\n  * Gets the next random `Int` from the random number generator in the specified [range].\n  *\n  * Generates an `Int` random value uniformly distributed in the specified [range]:\n  * from `range.start` inclusive to `range.endInclusive` inclusive.\n  *\n  * @throws IllegalArgumentException if [range] is empty.\n  */\n\n @SinceKotlin("1.3")\n public fun Random.nextInt(range: IntRange): Int = when {\n    range.isEmpty() -> throw IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last < Int.MAX_VALUE -> nextInt(range.first, range.last + 1)\n    range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n    else -> nextInt()\n }\n\n /**\n  * Gets the next random `Long` from the random number generator in the specified [range].\n  *\n  * Generates a `Long` random value uniformly distributed in the specified [range]:\n  * from `range.start` inclusive to `range.endInclusive` inclusive.\n  *\n  * @throws IllegalArgumentException if [range] is empty.\n  */\n\n @SinceKotlin("1.3")\n public fun Random.nextLong(range: LongRange): Long = when {\n    range.isEmpty() -> throw IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last < Long.MAX_VALUE -> nextLong(range.first, range.last + 1)\n    range.first > Long.MIN_VALUE -> nextLong(range.first - 1, range.last) + 1\n    else -> nextLong()\n }\n\n\n internal expect fun defaultPlatformRandom(): Random\n\n internal expect fun

```

```

doubleFromParts(hi26: Int, low27: Int): Double\n\n@OptIn(ExperimentalStdlibApi::class)\ninternal fun
fastLog2(value: Int): Int = 31 - value.countLeadingZeroBits()\n\n/** Takes upper [bitCount] bits (0..32) from this
number. *\n\ninternal fun Int.takeUpperBits(bitCount: Int): Int =\n    this.ushr(32 - bitCount) and (-
bitCount).shr(31)\n\ninternal fun checkRangeBounds(from: Int, until: Int) = require(until > from) {
boundsErrorMessage(from, until) }\n\ninternal fun checkRangeBounds(from: Long, until: Long) = require(until >
from) { boundsErrorMessage(from, until) }\n\ninternal fun checkRangeBounds(from: Double, until: Double) =
require(until > from) { boundsErrorMessage(from, until) }\n\ninternal fun boundsErrorMessage(from: Any, until:
Any) = \"Random range is empty: [$from, $until].\"\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\n/**\n * Gets the next random [UInt]
from the random number generator.\n *\n * Generates a [UInt] random value uniformly distributed between
[UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).\n\n *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(): UInt =
nextInt().toUInt()\n\n/**\n * Gets the next random [UInt] from the random number generator less than the specified
[until] bound.\n *\n * Generates a [UInt] random value uniformly distributed between `0` (inclusive) and the
specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n\n *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(until: UInt): UInt =
nextUInt(0u, until)\n\n/**\n * Gets the next random [UInt] from the random number generator in the specified
range.\n *\n * Generates a [UInt] random value uniformly distributed between the specified [from] (inclusive) and
[until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n\n *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(from: UInt, until: UInt):
UInt {\n    checkUIntRangeBounds(from, until)\n    val signedFrom = from.toInt() xor Int.MIN_VALUE\n    val
signedUntil = until.toInt() xor Int.MIN_VALUE\n    val signedResult = nextInt(signedFrom, signedUntil) xor
Int.MIN_VALUE\n    return signedResult.toUInt()\n}\n\n/**\n * Gets the next random [UInt] from the random
number generator in the specified [range].\n *\n * Generates a [UInt] random value uniformly distributed in the
specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws
IllegalArgumentException if [range] is empty.\n\n *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(range: UIntRange): UInt = when {\n    range.isEmpty() -> throw
IllegalArgumentException(\"Cannot get random in empty range: $range\")\n    range.last < UInt.MAX_VALUE ->
nextUInt(range.first, range.last + 1u)\n    range.first > UInt.MIN_VALUE -> nextUInt(range.first - 1u, range.last) +
1u\n    else -> nextUInt()\n}\n\n/**\n * Gets the next random [ULong] from the random number generator.\n *\n *
Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and
[ULong.MAX_VALUE] (inclusive).\n\n *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
Random.nextULong(): ULong = nextLong().toULong()\n\n/**\n * Gets the next random [ULong] from the random
number generator less than the specified [until] bound.\n *\n * Generates a [ULong] random value uniformly
distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws
IllegalArgumentException if [until] is zero.\n\n *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\n\n/**\n * Gets the next random [ULong]
from the random number generator in the specified range.\n *\n * Generates a [ULong] random value uniformly
distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws
IllegalArgumentException if [from] is greater than or equal to [until].\n\n *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(from: ULong, until:
ULong): ULong {\n    checkULongRangeBounds(from, until)\n    val signedFrom = from.toLong() xor
Long.MIN_VALUE\n    val signedUntil = until.toLong() xor Long.MIN_VALUE\n    val signedResult =
nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE\n    return signedResult.toULong()\n}\n\n/**\n * Gets
the next random [ULong] from the random number generator in the specified [range].\n *\n * Generates a [ULong]
random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive`
inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(range: ULongRange):
ULong = when {\n    range.isEmpty() -> throw IllegalArgumentException("Cannot get random in empty range:
$range")\n    range.last < ULong.MAX_VALUE -> nextULong(range.first, range.last + 1u)\n    range.first >
ULong.MIN_VALUE -> nextULong(range.first - 1u, range.last) + 1u\n    else -> nextULong()\n}\n\n/**\n * Fills
the specified unsigned byte [array] with random bytes and returns it.\n * \n * @return [array] filled with random
bytes.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array:
UByteArray): UByteArray {\n    nextBytes(array.asByteArray())\n    return array\n}\n\n/**\n * Creates an unsigned
byte array of the specified [size], filled with random bytes.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(size: Int): UByteArray
= nextBytes(size).asUByteArray()\n\n/**\n * Fills a subrange of the specified `UByte` [array] starting from
[fromIndex] inclusive and ending [toIndex] exclusive with random UBytes.\n * \n * @return [array] with the
subrange filled with random bytes.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Random.nextUBytes(array: UByteArray, fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {\n
    nextBytes(array.asByteArray(), fromIndex, toIndex)\n    return
array\n}\n\n@ExperimentalUnsignedTypes\ninternal fun checkUIntRangeBounds(from: UInt, until: UInt) =
require(until > from) { boundsErrorMessage(from, until) }\n@ExperimentalUnsignedTypes\ninternal fun
checkULongRangeBounds(from: ULong, until: ULong) = require(until > from) { boundsErrorMessage(from, until)
}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.random\n\n/**\n * Random number generator, using Marsaglia's "xorwow" algorithm\n * \n
Cycles after 2^192 - 2^32 repetitions.\n * \n * For more details, see Marsaglia, George (July 2003). "Xorshift
RNGs". Journal of Statistical Software. 8 (14). doi:10.18637/jss.v008.i14\n * \n * Available at
https://www.jstatsoft.org/v08/i14/paper\n * \n\ninternal class XorWowRandom\ninternal constructor(\n    private
var x: Int,\n    private var y: Int,\n    private var z: Int,\n    private var w: Int,\n    private var v: Int,\n    private var
addend: Int\n) : Random() {\n    internal constructor(seed1: Int, seed2: Int) : \n        this(seed1, seed2, 0, 0,
seed1.inv(), (seed1 shl 10) xor (seed2 ushr 4))\n    init {\n        require((x or y or z or w or v) != 0) { "Initial state
must have at least one non-zero element." }\n        // some trivial seeds can produce several values with zeroes in
upper bits, so we discard first 64\n        repeat(64) { nextInt() }\n    }\n    override fun nextInt(): Int {\n        //
Equivalent to the xorwow algorithm\n        // From Marsaglia, G. 2003. Xorshift RNGs. J. Statis. Soft. 8, 14, p. 5\n
        var t = x\n        t = t xor (t ushr 2)\n        x = y\n        y = z\n        z = w\n        val v0 = v\n        w = v0\n        t = (t
xor (t shl 1)) xor v0 xor (v0 shl 4)\n        v = t\n        addend += 362437\n        return t + addend\n    }\n    override
fun nextBits(bitCount: Int): Int =\n        nextInt().takeUpperBits(bitCount)\n}\n", "/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage
kotlin.ranges\n\n/**\n * Represents a range of [Comparable] values.\n * \nprivate open class ComparableRange<T> :
Comparable<T>>(\n    override val start: T,\n    override val endInclusive: T\n) : ClosedRange<T> {\n    override
fun equals(other: Any?): Boolean {\n        return other is ComparableRange<*> && (isEmpty() && other.isEmpty())
||\n            start == other.start && endInclusive == other.endInclusive\n    }\n    override fun hashCode(): Int
{\n        return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()\n    }\n    override fun
toString(): String = "$start..$endInclusive"\n}\n\n/**\n * Creates a range from this [Comparable] value to the
specified [that] value.\n * \n * This value needs to be smaller than [that] value, otherwise the returned range will be
empty.\n * \n * @sample samples.ranges.Ranges.rangeFromComparable\n * \npublic operator fun <T> :
Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\n\n\n/**\n * Represents a
range of floating point numbers.\n * \n * Extends [ClosedRange] interface providing custom operation
[lessThanOrEquals] for comparing values of range domain type.\n * \n * This interface is implemented by floating
point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\n * achieve IEEE-754 comparison order
instead of total order of floating point numbers.\n * \n@SinceKotlin("1.1")\n\npublic interface

```

```

ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\n  override fun contains(value: T): Boolean
= lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n  override fun isEmpty(): Boolean =
!lessThanOrEquals(start, endInclusive)\n\n  /**\n   * Compares two values of range domain type and returns true
if first is less than or equal to second.\n   */\n   fun lessThanOrEquals(a: T, b: T): Boolean}\n\n/**\n * A
closed range of values of type `Double`.\n */\n * Numbers are compared with the ends of this range according to
IEEE-754.\n */\nprivate class ClosedDoubleRange(\n  start: Double,\n  endInclusive: Double)\n) :
ClosedFloatingPointRange<Double> {\n  private val _start = start\n  private val _endInclusive = endInclusive\n
override val start: Double get() = _start\n  override val endInclusive: Double get() = _endInclusive\n\n  override
fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\n\n  override fun contains(value: Double): Boolean
= value >= _start && value <= _endInclusive\n  override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n
override fun equals(other: Any?): Boolean {\n  return other is ClosedDoubleRange && (isEmpty() &&
other.isEmpty() ||\n    _start == other._start && _endInclusive == other._endInclusive)\n  }\n\n  override
fun hashCode(): Int {\n  return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n
}\n\n  override fun toString(): String = "$_start..$_endInclusive"\n}\n\n/**\n * Creates a range from this [Double]
value to the specified [that] value.\n */\n * Numbers are compared with the ends of this range according to IEEE-
754.\n * @sample samples.ranges.Ranges.rangeFromDouble\n */\n@SinceKotlin("1.1")\npublic operator fun
Double.rangeTo(that: Double): ClosedFloatingPointRange<Double> = ClosedDoubleRange(this, that)\n\n/**\n *
A closed range of values of type `Float`.\n */\n * Numbers are compared with the ends of this range according to
IEEE-754.\n */\nprivate class ClosedFloatRange(\n  start: Float,\n  endInclusive: Float)\n) :
ClosedFloatingPointRange<Float> {\n  private val _start = start\n  private val _endInclusive = endInclusive\n
override val start: Float get() = _start\n  override val endInclusive: Float get() = _endInclusive\n\n  override
fun lessThanOrEquals(a: Float, b: Float): Boolean = a <= b\n\n  override fun contains(value: Float): Boolean = value
>= _start && value <= _endInclusive\n  override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n
override fun equals(other: Any?): Boolean {\n  return other is ClosedFloatRange && (isEmpty() &&
other.isEmpty() ||\n    _start == other._start && _endInclusive == other._endInclusive)\n  }\n\n  override
fun hashCode(): Int {\n  return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n
}\n\n  override fun toString(): String = "$_start..$_endInclusive"\n}\n\n/**\n * Creates a range from this [Float]
value to the specified [that] value.\n */\n * Numbers are compared with the ends of this range according to IEEE-
754.\n * @sample samples.ranges.Ranges.rangeFromFloat\n */\n@SinceKotlin("1.1")\npublic operator fun
Float.rangeTo(that: Float): ClosedFloatingPointRange<Float> = ClosedFloatRange(this, that)\n\n/**\n * Returns
`true` if this iterable range contains the specified [element].\n */\n * Always returns `false` if the [element] is `null`.\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, R> R.contains(element: T?):
Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\n  element != null &&
contains(element)\n\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n  if (!isPositive)
throw IllegalArgumentException("Step must be positive, was: $step.")\n}\n\n"/**\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("KClasses")\n@file:Suppress("UNCHECKED_CAST")\n\npackage
kotlin.reflect\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Casts the given [value] to the
class represented by this [KClass] object.\n * Throws an exception if the value is `null` or if it is not an instance of
this class.\n */\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on
JVM.\n */\n * @see [KClass.isInstance]\n * @see [KClass.safeCast]\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@LowPriorityInOverloadResoluti
on\nfun <T : Any> KClass<T>.cast(value: Any?): T {\n  if (!isInstance(value)) throw ClassCastException("Value
cannot be cast to $qualifiedOrSimpleName")\n  return value as T\n}\n\n// TODO: replace with qualifiedName
when it is fully supported in K/JS\n\ninternal expect val KClass<*>.qualifiedOrSimpleName: String?\n\n/**\n * Casts
the given [value] to the class represented by this [KClass] object.\n * Returns `null` if the value is `null` or if it is
not an instance of this class.\n */\n * This is an experimental function that behaves as a similar function from

```

```

kotlin.reflect.full on JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.cast]\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@LowPriorityInOverloadResoluti
on\nfun <T : Any> KClass<T>.safeCast(value: Any?): T? {\n    return if (isInstance(value)) value as T else
null\n}\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n*\npackage kotlin.reflect\nimport kotlin.jvm.JvmField\nimport kotlin.jvm.JvmStatic\n\n\n/*\n * Represents
a type projection. Type projection is usually the argument to another type in a type usage.\n * For example, in the
type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class
`Number`.\n *\n * Type projection is either the star projection, or an entity consisting of a specific type plus optional
variance.\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-
projections)\n * for more information.\n *\n@SinceKotlin("1.1")\npublic data class KTypeProjection
constructor(\n    /*\n     * The use-site variance specified in the projection, or `null` if this is a star projection.\n
*\n     * The type specified in the projection, or `null` if this is a star
projection.\n     *\n     * public val variance: KVariance?,\n     * /*\n     * The type specified in the projection, or `null` if this is a star
projection.\n     *\n     * public val type: KType?\n    ) {\n        init {\n            require((variance == null) == (type == null))
{\n                if (variance == null)\n                    "Star projection must have no type specified."
\n                else\n                    "The projection variance $variance requires type to be specified."
\n            }\n        }\n        override fun toString():
String = when (variance) {\n            null -> "\"*\n            KVariance.INVARIANT -> type.toString()\n
KVariance.IN -> \"in $type\"\n            KVariance.OUT -> \"out $type\"\n        }\n        public companion object {\n            //
provided for compiler access\n            @JvmField\n            @PublishedApi\n            internal val star: KTypeProjection =
KTypeProjection(null, null)\n            /*\n             * Star projection, denoted by the `*` character.\n             * For example,
in the type `KClass<*>`, `*` is the star projection.\n             * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections)\n             * for more
information.\n             *\n            public val STAR: KTypeProjection get() = star\n            /*\n             * Creates an
invariant projection of a given type. Invariant projection is just the type itself,\n             * without any use-site variance
modifiers applied to it.\n             * For example, in the type `Set<String>`, `String` is an invariant projection of the type
represented by the class `String`.\n             *\n            @JvmStatic\n            public fun invariant(type: KType):
KTypeProjection =\n                KTypeProjection(KVariance.INVARIANT, type)\n            /*\n             * Creates a
contravariant projection of a given type, denoted by the `in` modifier applied to a type.\n             * For example, in the
type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.\n             *\n            @JvmStatic\n            public fun contravariant(type: KType): KTypeProjection =\n
                KTypeProjection(KVariance.IN, type)\n            /*\n             * Creates a covariant projection of a given type, denoted
by the `out` modifier applied to a type.\n             * For example, in the type `Array<out Number>`, `out Number` is a
covariant projection of the type of class `Number`.\n             *\n            @JvmStatic\n            public fun covariant(type:
KType): KTypeProjection =\n                KTypeProjection(KVariance.OUT, type)\n        }\n    }\n", "/*\n * Copyright 2010-
2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n*\npackage kotlin.reflect\n\n\n/*\n * Represents variance applied to a type parameter on the declaration site (*declaration-site variance*),\n * or to a type
in a projection (*use-site variance*).\n *\n * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/generics.html#variance)\n * for more information.\n *\n * @see [KTypeParameter.variance]\n * @see [KTypeProjection]\n *\n@SinceKotlin("1.1")\nenum class KVariance
{\n    /*\n     * The affected type parameter or type is *invariant*, which means it has no variance applied to it.\n
*\n     * INVARIANT,\n     * /*\n     * The affected type parameter or type is *contravariant*. Denoted by the `in`
modifier in the source code.\n     *\n     * IN,\n     * /*\n     * The affected type parameter or type is *covariant*.
Denoted by the `out` modifier in the source code.\n     *\n     * OUT,\n    }, "/*\n * Copyright 2010-2019 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n *\n*\npackage kotlin.reflect\n\n\n/*\n * Returns a runtime
representation of the given reified type [T] as an instance of [KType].\n *\n@Suppress("unused") // KT-
12448\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <reified T> typeOf(): KType =\n

```

```

throw UnsupportedOperationException("This function is implemented as an intrinsic on all supported
platforms.")\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/**\n * An object to which char sequences and values can be appended.\n */\nexpect interface
Appendable {\n    /**\n     * Appends the specified character [value] to this Appendable and returns this instance.\n
     *\n     * @param value the character to append.\n     */\n    fun append(value: Char): Appendable\n\n    /**\n     *
Appends the specified character sequence [value] to this Appendable and returns this instance.\n     *\n     * @param
value the character sequence to append. If [value] is `null`, then the four characters `"\n"` are appended to this
Appendable.\n     */\n    fun append(value: CharSequence?): Appendable\n\n    /**\n     * Appends a subsequence of
the specified character sequence [value] to this Appendable and returns this instance.\n     *\n     * @param value the
character sequence from which a subsequence is appended. If [value] is `null`,\n     * then characters are appended
as if [value] contained the four characters `"\n"`.\n     * @param startIndex the beginning (inclusive) of the
subsequence to append.\n     * @param endIndex the end (exclusive) of the subsequence to append.\n     *\n     *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of the [value] character sequence indices or when `startIndex > endIndex`.\n     */\n    fun append(value:
CharSequence?, startIndex: Int, endIndex: Int): Appendable\n}\n\n/**\n * Appends a subsequence of the specified
character sequence [value] to this Appendable and returns this instance.\n * @param value the character
sequence from which a subsequence is appended.\n * @param startIndex the beginning (inclusive) of the
subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T : Appendable>
T.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): T {\n
    @Suppress("UNCHECKED_CAST")\n    return append(value, startIndex, endIndex) as T\n}\n\n/**\n * Appends
all arguments to the given [Appendable].\n */\npublic fun <T : Appendable> T.append(vararg value:
CharSequence?): T {\n    for (item in value)\n        append(item)\n    return this\n}\n\n/**\n * Appends a line feed
character (`\n`) to this Appendable. *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
Appendable.appendLine(): Appendable = append("\n")\n\n/**\n * Appends value to the given Appendable and a line
feed character (`\n`) after it. *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
Appendable.appendLine(value: CharSequence?): Appendable = append(value).appendLine()\n\n/**\n * Appends value
to the given Appendable and a line feed character (`\n`) after it.\n
*/\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(value: Char):
Appendable = append(value).appendLine()\n\n\ninternal fun <T> Appendable.appendElement(element: T,
transform: ((T) -> CharSequence)?) {\n    when {\n        transform != null -> append(transform(element))\n
        element is CharSequence? -> append(element)\n        element is Char -> append(element)\n        else ->
append(element.toString())\n    }\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CharsKt")\n\npackage kotlin.text\n\n/**\n
 * Concatenates this Char and a String.\n * @sample samples.text.Chars.plus\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Char.plus(other: String): String = this.toString() +
other\n\n/**\n * Returns `true` if this character is equal to the [other] character, optionally ignoring character case.\n
*\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n * @n * Two
characters are considered the same ignoring case if at least one of the following is `true`:\n * - The two characters
are the same (as compared by the == operator)\n * - Applying the method [toUpperCase] to each character
produces the same result\n * - Applying the method [toLowerCase] to each character produces the same result\n
*\n * @sample samples.text.Chars.equals\n */\n\npublic fun Char.equals(other: Char, ignoreCase: Boolean = false):

```



```

Boolean { \n    if (this == other) return true\n    if (!ignoreCase) return false\n\n    if (this.toUpperCase() ==\n        other.toUpperCase()) return true\n    if (this.toLowerCase() == other.toLowerCase()) return true\n    return\n        false\n}\n\n/**\n * Returns `true` if this character is a Unicode surrogate code unit.\n */\npublic fun\nChar.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\n", /*\n * Copyright\n    2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed\n    by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage\nkotlin.text\n\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source\n    string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n * \n * Doesn't\n    affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.\n * \n * Doesn't preserve the\n    original line endings.\n * \n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is\n    `|` (pipe character).\n * \n * @sample samples.text.Strings.trimMargin\n * @see trimIndent\n * @see\n    kotlin.text.isWhitespace\n */\npublic fun String.trimMargin(marginPrefix: String = "|"): String =\n    replaceIndentByMargin("|", marginPrefix)\n\n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and\n    replace it with [newIndent].\n * \n * @param marginPrefix non-blank string, which is used as a margin delimiter.\n    Default is `|` (pipe character).\n */\npublic fun String.replaceIndentByMargin(newIndent: String = "|",\n    marginPrefix: String = "|"): String {\n    require(marginPrefix.isNotBlank()) { "marginPrefix must be non-blank\n        string." }\n    val lines = lines()\n    return lines.reindent(length + newIndent.length * lines.size,\n        getIndentFunction(newIndent), { line ->\n        val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace()\n        }\n        when {\n            firstNonWhitespaceIndex == -1 -> null\n            line.startsWith(marginPrefix,\n                firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex + marginPrefix.length)\n            else -> null\n        }\n    })\n}\n\n/**\n * Detects a common minimal indent of all the input lines, removes it from every line and\n    also removes the first and the last\n * lines if they are blank (notice difference blank vs empty).\n * \n * Note that\n    blank lines do not affect the detected indent level.\n * \n * In case if there are non-blank lines with no leading\n    whitespace characters (no indent at all) then the\n * common indent is 0, and therefore this function doesn't change\n    the indentation.\n * \n * Doesn't preserve the original line endings.\n */\n@sample\nsamples.text.Strings.trimIndent\n * @see trimMargin\n * @see kotlin.text.isBlank\n */\npublic fun\nString.trimIndent(): String = replaceIndent("|")\n\n/**\n * Detects a common minimal indent like it does\n    [trimIndent] and replaces it with the specified [newIndent].\n */\npublic fun String.replaceIndent(newIndent: String\n    = "|"): String {\n    val lines = lines()\n    val minCommonIndent = lines\n        .filter(String::isNotBlank)\n    .map(String::indentWidth)\n        .minOrNull() ?: 0\n    return lines.reindent(length + newIndent.length *\n        lines.size, getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\n}\n\n/**\n * Prepends [indent]\n    to every line of the original string.\n * \n * Doesn't preserve the original line endings.\n */\npublic fun\nString.prependIndent(indent: String = "\n    "): String =\n    lineSequence()\n        .map {\n            when {\n                it.isBlank() -> {\n                    when {\n                        it.length < indent.length -> indent\n                        else -> it\n                    }\n                }\n                else -> indent + it\n            }\n        }\n        .joinToString("\n")\n\nprivate fun\nString.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\n\nprivate fun\ngetIndentFunction(indent: String) = when {\n    indent.isEmpty() -> { line: String -> line }\n    else -> { line: String -\n        > indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n    resultSizeEstimate: Int,\n    indentAddFunction:\n        (String) -> String,\n    indentCutFunction: (String) -> String?): String {\n    val lastIndex = lastIndex\n    return\n        mapIndexedNotNull { index, value ->\n            if ((index == 0 || index == lastIndex) && value.isBlank())\n                null\n            else\n                indentCutFunction(value)?.let(indentAddFunction)?: value\n        }\n        .joinTo(StringBuilder(resultSizeEstimate), "\n")\n        .toString()\n}\n", /*\n * Copyright 2010-2018 JetBrains\n    s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0\n    license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Defines names for\n    Unicode symbols used in proper Typography.\n */\npublic object Typography {\n    /** The character &#x22;\n        \u2013 quotation mark */\n    public const val quote: Char = "\u0022"\n    /** The character &#x24;\n        \u2013 dollar\n        sign */\n    public const val dollar: Char = "\u0024"\n    /** The character &#x26;\n        \u2013 ampersand */\n    public

```

```

const val amp: Char = '\u0026'\n /** The character &#x3C; \u2013 less-than sign */\n public const val less:
Char = '\u003C'\n /** The character &#x3E; \u2013 greater-than sign */\n public const val greater: Char =
'\u003E'\n /** The non-breaking space character */\n public const val nbsp: Char = '\u00A0'\n /** The
character &#xD7; */\n public const val times: Char = '\u00D7'\n /** The character &#xA2; */\n public const
val cent: Char = '\u00A2'\n /** The character &#xA3; */\n public const val pound: Char = '\u00A3'\n /** The
character &#xA7; */\n public const val section: Char = '\u00A7'\n /** The character &#xA9; */\n public const
val copyright: Char = '\u00A9'\n /** The character &#xAB; */\n public const val leftGuillemete: Char =
'\u00AB'\n /** The character &#xBB; */\n public const val rightGuillemete: Char = '\u00BB'\n /** The
character &#xAE; */\n public const val registered: Char = '\u00AE'\n /** The character &#xB0; */\n public
const val degree: Char = '\u00B0'\n /** The character &#xB1; */\n public const val plusMinus: Char =
'\u00B1'\n /** The character &#xB6; */\n public const val paragraph: Char = '\u00B6'\n /** The character
&#xB7; */\n public const val middleDot: Char = '\u00B7'\n /** The character &#xBD; */\n public const val
half: Char = '\u00BD'\n /** The character &#x2013; */\n public const val ndash: Char = '\u2013'\n /** The
character &#x2014; */\n public const val mdash: Char = '\u2014'\n /** The character &#x2018; */\n public
const val leftSingleQuote: Char = '\u2018'\n /** The character &#x2019; */\n public const val rightSingleQuote:
Char = '\u2019'\n /** The character &#x201A; */\n public const val lowSingleQuote: Char = '\u201A'\n /**
The character &#x201C; */\n public const val leftDoubleQuote: Char = '\u201C'\n /** The character &#x201D;
*/\n public const val rightDoubleQuote: Char = '\u201D'\n /** The character &#x201E; */\n public const val
lowDoubleQuote: Char = '\u201E'\n /** The character &#x2020; */\n public const val dagger: Char =
'\u2020'\n /** The character &#x2021; */\n public const val doubleDagger: Char = '\u2021'\n /** The
character &#x2022; */\n public const val bullet: Char = '\u2022'\n /** The character &#x2026; */\n public
const val ellipsis: Char = '\u2026'\n /** The character &#x2032; */\n public const val prime: Char = '\u2032'\n
/** The character &#x2033; */\n public const val doublePrime: Char = '\u2033'\n /** The character &#x20AC;
*/\n public const val euro: Char = '\u20AC'\n /** The character &#x2122; */\n public const val tm: Char =
'\u2122'\n /** The character &#x2248; */\n public const val almostEqual: Char = '\u2248'\n /** The character
&#x2260; */\n public const val notEqual: Char = '\u2260'\n /** The character &#x2264; */\n public const val
lessOrEqual: Char = '\u2264'\n /** The character &#x2265; */\n public const val greaterOrEqual: Char =
'\u2265'\n"}, "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.text\n\n/**\n * Represents a collection of captured groups in a single match of a regular
expression.\n * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the
regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the
entire match.\n * An element of the collection at the particular index can be `null` if the corresponding
group in the regular expression is optional and\n * there was no match captured by that group.\n */\npublic interface
MatchGroupCollection : Collection<MatchGroup?> {\n\n /**\n * Returns a group with the specified [index].\n *
@return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.\n
*/\n * Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0\n *
corresponds to the entire match.\n */\n public operator fun get(index: Int): MatchGroup?\n\n /**\n * Extends
[MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.\n
*/\n @SinceKotlin("1.1")\npublic interface MatchNamedGroupCollection : MatchGroupCollection {\n\n /**\n *
Returns a named group with the specified [name].\n * @return An instance of [MatchGroup] if the group with the
specified [name] was matched or `null` otherwise.\n * @throws IllegalArgumentException if there is no group
with the specified [name] defined in the regex pattern.\n * @throws UnsupportedOperationException if getting
named groups isn't supported on the current platform.\n */\n public operator fun get(name: String):
MatchGroup?\n\n /**\n * Represents the results from a single regular expression match.\n */\npublic interface
MatchResult {\n\n /**\n * The range of indices in the original string where match was captured.\n */\n public val range:
IntRange\n\n /**\n * The substring from the input string captured by this match.\n */\n public val value: String\n\n /**\n * A collection of groups matched by the regular expression.\n * This collection has size of `groupCount +

```

```

1` where `groupCount` is the count of groups in the regular expression.\n
`groupCount` and group with the index 0 corresponds to the entire match.\n
MatchGroupCollection\n
`groupCount` + 1` where `groupCount` is the count of groups in the regular expression.\n
from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n
regular expression is optional and there were no match captured by that group,\n
[groupValues] is an empty string.\n
samples.text.Regexps.matchDestructuringToGroupValues\n
public val groupValues: List<String>\n
An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment
of group values.\n
component1 corresponds to the value of the first group, component2 of the
second, and so on.\n
component2 of the second, and so on.\n
Returns a new [MatchResult] with the
results for the next match, starting at the position
at which the last match ended (at the character after the last
matched character).\n
Provides components for
destructuring assignment of group values.\n
[component1] corresponds to the value of the first group,
[component2] of the second, and so on.\n
If the group in the regular expression is optional and
there were no match captured by that group,\n
corresponding component value is an empty string.\n
sample samples.text.Regexps.matchDestructuringToGroupValues\n
public class Destructured internal
constructor(public val match: MatchResult) {\n
@kotlin.internal.InlineOnly\n
public operator inline fun
component1(): String = match.groupValues[1]\n
@kotlin.internal.InlineOnly\n
public operator inline fun
component2(): String = match.groupValues[2]\n
@kotlin.internal.InlineOnly\n
public operator inline fun
component3(): String = match.groupValues[3]\n
@kotlin.internal.InlineOnly\n
public operator inline fun
component4(): String = match.groupValues[4]\n
@kotlin.internal.InlineOnly\n
public operator inline fun
component5(): String = match.groupValues[5]\n
@kotlin.internal.InlineOnly\n
public operator inline fun
component6(): String = match.groupValues[6]\n
@kotlin.internal.InlineOnly\n
public operator inline fun
component7(): String = match.groupValues[7]\n
@kotlin.internal.InlineOnly\n
public operator inline fun
component8(): String = match.groupValues[8]\n
@kotlin.internal.InlineOnly\n
public operator inline fun
component9(): String = match.groupValues[9]\n
@kotlin.internal.InlineOnly\n
public operator inline fun
component10(): String = match.groupValues[10]\n
Returns destructured group values as a list of
strings.\n
First value in the returned list corresponds to the value of the first group, and so on.\n
sample samples.text.Regexps.matchDestructuringToGroupValues\n
public fun toList():
List<String> = match.groupValues.subList(1, match.groupValues.size)\n
}\n
}"/\n
Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n
Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
package kotlin.time\n
import
kotlin.contracts.*\n
import kotlin.math.abs\n
@OptIn(ExperimentalTime::class)\n
private inline val storageUnit
get() = DurationUnit.NANOSECONDS\n
Represents the amount of time one instant of time is away from
another instant.\n
A negative duration is possible in a situation when the second instant is earlier than the first
one.\n
An infinite duration value [Duration.INFINITE] can be used to represent infinite timeouts.\n
To
construct a duration use either the extension function [toDuration],\n
or the extension properties [hours],
[minutes], [seconds], and so on,\n
available on [Int], [Long], and [Double] numeric types.\n
To get the value
of this duration expressed in a particular [duration units][DurationUnit]\n
use the functions [toInt], [toLong], and
[toDouble]\n
or the properties [inHours], [inMinutes], [inSeconds], [inNanoseconds], and so on.\n
@SinceKotlin("1.3")\n
@ExperimentalTime\n
@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_O
F_INLINE_CLASS")\n
public inline class Duration internal constructor(internal val value: Double) :
Comparable<Duration> {\n
// TODO: backend fails on init block, wait for KT-28055\n
init {\n
require(_value.isNaN().not())\n
}\n
companion object {\n
/** The duration equal to exactly 0 seconds.
*\n
public val ZERO: Duration = Duration(0.0)\n
/** The duration whose value is positive infinity. It is
useful for representing timeouts that should never expire. *\n
public val INFINITE: Duration =

```

```

Duration(Double.POSITIVE_INFINITY)\n\n    /** Converts the given time duration [value] expressed in the
specified [sourceUnit] into the specified [targetUnit]. */\n    public fun convert(value: Double, sourceUnit:
DurationUnit, targetUnit: DurationUnit): Double =\n        convertDurationUnit(value, sourceUnit, targetUnit)\n}\n\n // arithmetic operators\n\n /** Returns the negative of this value. */\n    public operator fun unaryMinus():
Duration = Duration(-value)\n\n /** Returns a duration whose value is the sum of this and [other] duration values.
*/\n    public operator fun plus(other: Duration): Duration = Duration(value + other.value)\n\n /** Returns a
duration whose value is the difference between this and [other] duration values. */\n    public operator fun
minus(other: Duration): Duration = Duration(value - other.value)\n\n /** Returns a duration whose value is this
duration value multiplied by the given [scale] number. */\n    public operator fun times(scale: Int): Duration =
Duration(value * scale)\n\n /** Returns a duration whose value is this duration value multiplied by the given
[scale] number. */\n    public operator fun times(scale: Double): Duration = Duration(value * scale)\n\n /**
Returns a duration whose value is this duration value divided by the given [scale] number. */\n    public operator fun
div(scale: Int): Duration = Duration(value / scale)\n\n /** Returns a duration whose value is this duration value
divided by the given [scale] number. */\n    public operator fun div(scale: Double): Duration = Duration(value /
scale)\n\n /** Returns a number that is the ratio of this and [other] duration values. */\n    public operator fun
div(other: Duration): Double = this.value / other.value\n\n /** Returns true, if the duration value is less than zero.
*/\n    public fun isNegative(): Boolean = value < 0\n\n /** Returns true, if the duration value is greater than zero.
*/\n    public fun isPositive(): Boolean = value > 0\n\n /** Returns true, if the duration value is infinite. */\n    public fun isInfinite(): Boolean = value.isInfinite()\n\n /** Returns true, if the duration value is finite. */\n    public fun isFinite(): Boolean = value.isFinite()\n\n /** Returns the absolute value of this value. The returned value is
always non-negative. */\n    public val absoluteValue: Duration get() = if (isNegative()) -this else this\n\n override
fun compareTo(other: Duration): Int = this.value.compareTo(other.value)\n\n // splitting to components\n\n /**\n * Splits this duration into days, hours, minutes, seconds, and nanoseconds and executes the given [action]
with these components.\n * The result of [action] is returned as the result of this function.\n *\n * -
`nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than
1_000_000_000;\n * - `seconds` represents the whole number of seconds in this duration, and its absolute value is
less than 60;\n * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less
than 60;\n * - `hours` represents the whole number of hours in this duration, and its absolute value is less than
24;\n * - `days` represents the whole number of days in this duration.\n * If the value doesn't fit in [Int] range,
i.e. it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\n * it is coerced into that range.\n
*/\n    public inline fun <T> toComponents(action: (days: Int, hours: Int, minutes: Int, seconds: Int, nanoseconds:
Int) -> T): T {\n        contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n        return
action(inDays.toInt(), hoursComponent, minutesComponent, secondsComponent, nanosecondsComponent)\n    }\n\n /**\n * Splits this duration into hours, minutes, seconds, and nanoseconds and executes the given [action]
with these components.\n * The result of [action] is returned as the result of this function.\n *\n * -
`nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than
1_000_000_000;\n * - `seconds` represents the whole number of seconds in this duration, and its absolute value is
less than 60;\n * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less
than 60;\n * - `hours` represents the whole number of hours in this duration.\n * If the value doesn't fit in [Int]
range, i.e. it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\n * it is coerced into that
range.\n */\n    public inline fun <T> toComponents(action: (hours: Int, minutes: Int, seconds: Int, nanoseconds:
Int) -> T): T {\n        contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n        return
action(inHours.toInt(), minutesComponent, secondsComponent, nanosecondsComponent)\n    }\n\n /**\n * Splits this duration into minutes, seconds, and nanoseconds and executes the given [action] with these
components.\n * The result of [action] is returned as the result of this function.\n *\n * - `nanoseconds`
represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n
* - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n
* - `minutes` represents the whole number of minutes in this duration.\n * If the value doesn't fit in [Int] range, i.e.

```

```

it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\n * it is coerced into that range.\n */\n
public inline fun <T> toComponents(action: (minutes: Int, seconds: Int, nanoseconds: Int) -> T): T {\n contract
{ callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n return action(inMinutes.toInt(),
secondsComponent, nanosecondsComponent)\n }\n\n /**\n * Splits this duration into seconds, and
nanoseconds and executes the given [action] with these components.\n * The result of [action] is returned as the
result of this function.\n *\n * - `nanoseconds` represents the whole number of nanoseconds in this duration,
and its absolute value is less than 1_000_000_000;\n * - `seconds` represents the whole number of seconds in this
duration.\n * If the value doesn't fit in [Long] range, i.e. it's greater than [Long.MAX_VALUE] or less than
[Long.MIN_VALUE],\n * it is coerced into that range.\n */\n public inline fun <T> toComponents(action:
(seconds: Long, nanoseconds: Int) -> T): T {\n contract { callsInPlace(action,
InvocationKind.EXACTLY_ONCE) }\n return action(inSeconds.toLong(), nanosecondsComponent)\n }\n\n
@PublishedApi\n internal val hoursComponent: Int get() = (inHours % 24).toInt()\n @PublishedApi\n internal
val minutesComponent: Int get() = (inMinutes % 60).toInt()\n @PublishedApi\n internal val
secondsComponent: Int get() = (inSeconds % 60).toInt()\n @PublishedApi\n internal val
nanosecondsComponent: Int get() = (inNanoseconds % 1e9).toInt()\n\n // conversion to units\n\n /** Returns
the value of this duration expressed as a [Double] number of the specified [unit]. */\n public fun toDouble(unit:
DurationUnit): Double = convertDurationUnit(value, storageUnit, unit)\n\n /**\n * Returns the value of this
duration expressed as a [Long] number of the specified [unit].\n *\n * If the value doesn't fit in the range of
[Long] type, it is coerced into that range, see the conversion [Double.toLong] for details.\n */\n public fun
toLong(unit: DurationUnit): Long = toDouble(unit).toLong()\n\n /**\n * Returns the value of this duration
expressed as an [Int] number of the specified [unit].\n *\n * If the value doesn't fit in the range of [Int] type, it is
coerced into that range, see the conversion [Double.toInt] for details.\n */\n public fun toInt(unit: DurationUnit):
Int = toDouble(unit).toInt()\n\n /** The value of this duration expressed as a [Double] number of days. */\n
public val inDays: Double get() = toDouble(DurationUnit.DAYS)\n\n /** The value of this duration expressed as
a [Double] number of hours. */\n public val inHours: Double get() = toDouble(DurationUnit.HOURS)\n\n /**
The value of this duration expressed as a [Double] number of minutes. */\n public val inMinutes: Double get() =
toDouble(DurationUnit.MINUTES)\n\n /** The value of this duration expressed as a [Double] number of seconds.
*/\n public val inSeconds: Double get() = toDouble(DurationUnit.SECONDS)\n\n /** The value of this duration
expressed as a [Double] number of milliseconds. */\n public val inMilliseconds: Double get() =
toDouble(DurationUnit.MILLISECONDS)\n\n /** The value of this duration expressed as a [Double] number of
microseconds. */\n public val inMicroseconds: Double get() = toDouble(DurationUnit.MICROSECONDS)\n\n /**
The value of this duration expressed as a [Double] number of nanoseconds. */\n public val inNanoseconds:
Double get() = toDouble(DurationUnit.NANOSECONDS)\n\n // shortcuts\n\n /**\n * Returns the value of
this duration expressed as a [Long] number of nanoseconds.\n *\n * If the value doesn't fit in the range of
[Long] type, it is coerced into that range, see the conversion [Double.toLong] for details.\n *\n * The range of
durations that can be expressed as a `Long` number of nanoseconds is approximately \u00b1292 years.\n */\n
public fun toLongNanoseconds(): Long = toLong(DurationUnit.NANOSECONDS)\n\n /**\n * Returns the
value of this duration expressed as a [Long] number of milliseconds.\n *\n * The value is coerced to the range
of [Long] type, if it doesn't fit in that range, see the conversion [Double.toLong] for details.\n *\n * The range
of durations that can be expressed as a `Long` number of milliseconds is approximately \u00b1292 million years.\n
*/\n public fun toLongMilliseconds(): Long = toLong(DurationUnit.MILLISECONDS)\n\n /**\n * Returns a
string representation of this duration value expressed in the unit which yields the most compact and readable number
value.\n *\n * Special cases:\n * - zero duration is formatted as `0s`\n * - the infinite duration is
formatted as `Infinity`\n * - very small durations (less than 1e-15 s) are expressed in seconds and
formatted in scientific notation\n * - very big durations (more than 1e+7 days) are expressed in days and
formatted in scientific notation\n *\n * @return the value of duration in the automatically determined unit
followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n *\n * @sample
samples.time.Durations.toStringDefault\n */\n override fun toString(): String = when {\n isInfinite() ->

```

```

value.toString()\n    value == 0.0 -> \"0s\"\n    else -> {\n        val absNs = absoluteValue.inNanoseconds\n        var scientific = false\n        var maxDecimals = 0\n        val unit = when {\n            absNs < 1e-6 ->
DurationUnit.SECONDS.also { scientific = true }\n            absNs < 1 -> DurationUnit.NANOSECONDS.also {\n                maxDecimals = 7 }\n            absNs < 1e3 -> DurationUnit.NANOSECONDS\n            absNs < 1e6 ->
DurationUnit.MICROSECONDS\n            absNs < 1e9 -> DurationUnit.MILLISECONDS\n            absNs <
1000e9 -> DurationUnit.SECONDS\n            absNs < 60_000e9 -> DurationUnit.MINUTES\n            absNs <
3600_000e9 -> DurationUnit.HOURS\n            absNs < 86400e9 * 1e7 -> DurationUnit.DAYS\n            else ->
DurationUnit.DAYS.also { scientific = true }\n        }\n        val value = toDouble(unit)\n        when {\n            scientific -> formatScientific(value)\n            maxDecimals > 0 -> formatUpToDecimals(value,\n                maxDecimals)\n            else -> formatToExactDecimals(value, precision(abs(value)))\n        } +
unit.shortName()\n    }\n\n    private fun precision(value: Double): Int = when {\n        value < 1 -> 3\n        value < 10 -> 2\n        value < 100 -> 1\n        else -> 0\n    }\n\n    /**\n     * Returns a string representation of this
duration value expressed in the given [unit]\n     * and formatted with the specified [decimals] number of digits after
decimal point.\n     * \n     * Special cases:\n     * - the infinite duration is formatted as `\"Infinity\"` without unit\n     * \n     * @return the value of duration in the specified [unit] followed by that unit abbreviated name: `d`, `h`, `m`,
`s`, `ms`, `us`, or `ns`.\n     * \n     * @throws IllegalArgumentException if [decimals] is less than zero.\n     * \n     * @sample samples.time.Durations.toStringDecimals\n     */\n    public fun toString(unit: DurationUnit, decimals: Int
= 0): String {\n        require(decimals >= 0) { \"decimals must be not negative, but was $decimals\" }\n        if
(isInfinite()) return value.toString()\n        val number = toDouble(unit)\n        return when {\n            abs(number) <
1e14 -> formatToExactDecimals(number, decimals.coerceAtMost(12))\n            else -> formatScientific(number)\n        } +
unit.shortName()\n    }\n\n    /**\n     * Returns an ISO-8601 based string representation of this duration.\n     * \n     * The returned value is presented in the format `PTm>s.fS`, where `h`, `m`, `s` are the integer components
of this duration (see [toComponents])\n     * and `f` is a fractional part of second. Depending on the roundness of the
value the fractional part can be formatted with either\n     * 0, 3, 6, or 9 decimal digits.\n     * \n     * If the hours
component absolute value of this duration is greater than [Int.MAX_VALUE], it is replaced with
[Int.MAX_VALUE],\n     * so the infinite duration is formatted as `\"PT2147483647H\"`.\n     * \n     * Negative
durations are indicated with the sign `-` in the beginning of the returned string, for example, `\"-PT5M30S\"`.\n     * \n     * @sample samples.time.Durations.toIsoString\n     */\n    @OptIn(ExperimentalStdlibApi::class)\n    public
fun toIsoString(): String = buildString {\n        if (isNegative()) append('-')\n        append(\"PT\")\n        absoluteValue.toComponents { hours, minutes, seconds, nanoseconds ->\n            val hasHours = hours != 0\n            val hasSeconds = seconds != 0 || nanoseconds != 0\n            val hasMinutes = minutes != 0 || (hasSeconds &&
hasHours)\n            if (hasHours) {\n                append(hours).append('H')\n            }\n            if (hasMinutes) {\n                append(minutes).append('M')\n            }\n            if (hasSeconds || (!hasHours && !hasMinutes)) {\n                append(seconds)\n                if (nanoseconds != 0) {\n                    append('.')\n                    val nss =
nanoseconds.toString().padStart(9, '0')\n                    when {\n                        nanoseconds % 1_000_000 == 0 ->
appendRange(nss, 0, 3)\n                        nanoseconds % 1_000 == 0 -> appendRange(nss, 0, 6)\n                        else
-> append(nss)\n                    }\n                }\n                append('S')\n            }\n        }\n    }\n\n    // constructing
from number of units\n    // extension functions\n\n    /** Returns a [Duration] equal to this [Int] number of the specified
[unit].\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalTime\n    public fun Int.toDuration(unit: DurationUnit): Duration =
toDouble().toDuration(unit)\n\n    /** Returns a [Duration] equal to this [Long] number of the specified [unit].\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalTime\n    public fun Long.toDuration(unit: DurationUnit): Duration =
toDouble().toDuration(unit)\n\n    /** Returns a [Duration] equal to this [Double] number of the specified [unit].\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalTime\n    public fun Double.toDuration(unit: DurationUnit): Duration =
Duration(convertDurationUnit(this, unit, storageUnit))\n\n    // constructing from number of units\n    // extension
properties\n\n    /** Returns a [Duration] equal to this [Int] number of nanoseconds.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalTime\n    public val Int.nanoseconds get() =
toDuration(DurationUnit.NANOSECONDS)\n\n    /** Returns a [Duration] equal to this [Long] number of
nanoseconds.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalTime\n    public val Long.nanoseconds get() =

```

`toDuration(DurationUnit.NANOSECONDS)`\n\n/** Returns a [Duration] equal to this [Double] number of nanoseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.nanoseconds get() =

`toDuration(DurationUnit.NANOSECONDS)`\n\n/** Returns a [Duration] equal to this [Int] number of microseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.microseconds get() =

`toDuration(DurationUnit.MICROSECONDS)`\n\n/** Returns a [Duration] equal to this [Long] number of microseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.microseconds get() =

`toDuration(DurationUnit.MICROSECONDS)`\n\n/** Returns a [Duration] equal to this [Double] number of microseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.microseconds get() =

`toDuration(DurationUnit.MICROSECONDS)`\n\n/** Returns a [Duration] equal to this [Int] number of milliseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.milliseconds get() =

`toDuration(DurationUnit.MILLISECONDS)`\n\n/** Returns a [Duration] equal to this [Long] number of milliseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.milliseconds get() =

`toDuration(DurationUnit.MILLISECONDS)`\n\n/** Returns a [Duration] equal to this [Double] number of milliseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.milliseconds get() =

`toDuration(DurationUnit.MILLISECONDS)`\n\n/** Returns a [Duration] equal to this [Int] number of seconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.seconds get() =

`toDuration(DurationUnit.SECONDS)`\n\n/** Returns a [Duration] equal to this [Long] number of seconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.seconds get() =

`toDuration(DurationUnit.SECONDS)`\n\n/** Returns a [Duration] equal to this [Double] number of seconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.seconds get() =

`toDuration(DurationUnit.SECONDS)`\n\n/** Returns a [Duration] equal to this [Int] number of minutes. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.minutes get() =

`toDuration(DurationUnit.MINUTES)`\n\n/** Returns a [Duration] equal to this [Long] number of minutes. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.minutes get() =

`toDuration(DurationUnit.MINUTES)`\n\n/** Returns a [Duration] equal to this [Double] number of minutes. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.minutes get() =

`toDuration(DurationUnit.MINUTES)`\n\n/** Returns a [Duration] equal to this [Int] number of hours. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.hours get() =

`toDuration(DurationUnit.HOURS)`\n\n/** Returns a [Duration] equal to this [Long] number of hours. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.hours get() =

`toDuration(DurationUnit.HOURS)`\n\n/** Returns a [Duration] equal to this [Double] number of hours. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.hours get() =

`toDuration(DurationUnit.HOURS)`\n\n/** Returns a [Duration] equal to this [Int] number of days. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.days get() =

`toDuration(DurationUnit.DAYS)`\n\n/** Returns a [Duration] equal to this [Long] number of days. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.days get() =

`toDuration(DurationUnit.DAYS)`\n\n/** Returns a [Duration] equal to this [Double] number of days. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.days get() =

`toDuration(DurationUnit.DAYS)`\n\n/** Returns a duration whose value is the specified [duration] value multiplied by this number. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@kotlin.internal.InlineOnly\npublic inline operator fun Int.times(duration: Duration): Duration = duration * this\n\n/** Returns a duration whose value is the specified [duration] value multiplied by this number. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@kotlin.internal.InlineOnly\npublic inline operator fun Double.times(duration: Duration): Duration = duration * this\n\n\ninternal expect fun

`formatToExactDecimals(value: Double, decimals: Int): String`\n\ninternal expect fun `formatUpToDecimals(value: Double, decimals: Int): String`\n\ninternal expect fun `formatScientific(value: Double): String`","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```

*^@file:kotlin.jvm.JvmMultifileClass()@file:kotlin.jvm.JvmName("DurationUnitKt()")@package
kotlin.time\n\n/**\n * The list of possible time measurement units, in which a duration can be expressed.\n *\n *
The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24
[HOURS].\n *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic expect enum class DurationUnit {\n /**\n
* Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n *^ NANOSECONDS,\n
/**\n * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n *^
MICROSECONDS,\n /**\n * Time unit representing one millisecond, which is 1/1000 of a second.\n *^
MILLISECONDS,\n /**\n * Time unit representing one second.\n *^ SECONDS,\n /**\n * Time unit
representing one minute.\n *^ MINUTES,\n /**\n * Time unit representing one hour.\n *^
HOURS,\n /**\n * Time unit representing one day, which is always equal to 24 hours.\n *^
DAYS;\n}\n\n/** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified
[targetUnit]. *\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal expect fun convertDurationUnit(value:
Double, sourceUnit: DurationUnit, targetUnit: DurationUnit):
Double\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal fun DurationUnit.shortName(): String = when
(this) {\n DurationUnit.NANOSECONDS -> "ns"\n DurationUnit.MICROSECONDS -> "us"\n
DurationUnit.MILLISECONDS -> "ms"\n DurationUnit.SECONDS -> "s"\n DurationUnit.MINUTES ->
"m"\n DurationUnit.HOURS -> "h"\n DurationUnit.DAYS -> "d"\n},"*\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.time\nimport
kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the experimental preview of the standard
library API for measuring time and working with durations.\n *\n * > Note that this API is in a preview state and has
a very high chance of being changed in the future.\n * Do not use it if you develop a library since your library will
become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a declaration
annotated with `@ExperimentalTime` must be accepted either by\n * annotating that usage with the [OptIn]
annotation, e.g. `@OptIn(ExperimentalTime::class)`,\n * or by using the compiler argument `-Xopt-
in=kotlin.time.ExperimentalTime`. *\n@Suppress("DEPRECATION")\n@Experimental(level =
Experimental.Level.ERROR)\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(\n
CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n
VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n
PROPERTY_SETTER,\n TYPEALIAS)\n@SinceKotlin("1.3")\npublic annotation class
ExperimentalTime\n","*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\npackage kotlin.time\n\n/**\n * A source of time for measuring time intervals.\n
*\n * The only operation provided by the time source is [markNow]. It returns a [TimeMark], which can be used to
query the elapsed time later.\n *\n * @see [measureTime]\n * @see [measureTimedValue]\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic interface TimeSource {\n /**\n * Marks a point in
time on this time source.\n *\n * The returned [TimeMark] instance encapsulates the captured time point and
allows querying\n * the duration of time interval [elapsed][TimeMark.elapsedNow] from that point.\n *^
public fun markNow(): TimeMark\n\n /**\n * The most precise time source available in the platform.\n *\n
* This time source returns its readings from a source of monotonic time when it is available in a target platform,\n
* and resorts to a non-monotonic time source otherwise.\n *^ public object Monotonic : TimeSource by
MonotonicTimeSource {\n override fun toString(): String = MonotonicTimeSource.toString()\n }\n\n
public companion object {\n\n }\n}\n\n/**\n * Represents a time point notched on a particular [TimeSource].
Remains bound to the time source it was taken from\n * and allows querying for the duration of time elapsed from
that point (see the function [elapsedNow]).\n *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class
TimeMark {\n /**\n * Returns the amount of time passed from this mark measured with the time source from
which this mark was taken.\n *\n * Note that the value returned by this function can change on subsequent

```



```

invocations.\n *^n public abstract fun elapsedNow(): Duration\n\n /**\n * Returns a time mark on the same
time source that is ahead of this time mark by the specified [duration].\n *\n * The returned time mark is more
_late_ when the [duration] is positive, and more _early_ when the [duration] is negative.\n *^n public open
operator fun plus(duration: Duration): TimeMark = AdjustedTimeMark(this, duration)\n\n /**\n * Returns a
time mark on the same time source that is behind this time mark by the specified [duration].\n *\n * The
returned time mark is more _early_ when the [duration] is positive, and more _late_ when the [duration] is
negative.\n *^n public open operator fun minus(duration: Duration): TimeMark = plus(-duration)\n\n\n /**\n
* Returns true if this time mark has passed according to the time source from which this mark was taken.\n *\n
* Note that the value returned by this function can change on subsequent invocations.\n * If the time source is
monotonic, it can change only from `false` to `true`, namely, when the time mark becomes behind the current point
of the time source.\n *^n public fun hasPassedNow(): Boolean = !elapsedNow().isNegative()\n\n\n /**\n
* Returns false if this time mark has not passed according to the time source from which this mark was taken.\n *\n
* Note that the value returned by this function can change on subsequent invocations.\n * If the time source is
monotonic, it can change only from `true` to `false`, namely, when the time mark becomes behind the current point
of the time source.\n *^n public fun hasNotPassedNow(): Boolean =
elapsedNow().isNegative()\n}\n\n\n@ExperimentalTime\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@
Deprecated(\n "\nSubtracting one TimeMark from another is not a well defined operation because these time marks
could have been obtained from the different time sources.\n",\n level =
DeprecationLevel.ERROR)\n\n@Suppress("UNUSED_PARAMETER")\npublic inline operator fun
TimeMark.minus(other: TimeMark): Duration = throw Error("Operation is
disallowed.")\n\n\n@ExperimentalTime\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Deprecated(\n
"\nComparing one TimeMark to another is not a well defined operation because these time marks could have been
obtained from the different time sources.\n",\n level =
DeprecationLevel.ERROR)\n\n@Suppress("UNUSED_PARAMETER")\npublic inline operator fun
TimeMark.compareTo(other: TimeMark): Int = throw Error("\nOperation is
disallowed.")\n\n\n@ExperimentalTime\nprivate class AdjustedTimeMark(val mark: TimeMark, val adjustment:
Duration) : TimeMark() {\n override fun elapsedNow(): Duration = mark.elapsedNow() - adjustment\n\n
override fun plus(duration: Duration): TimeMark = AdjustedTimeMark(mark, adjustment +
duration)\n}\n\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("\nUse TimeSource interface
instead.\n", ReplaceWith("TimeSource", "\nkotlin.time.TimeSource"), DeprecationLevel.ERROR)\npublic typealias
Clock = TimeSource\n\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("\nUse TimeMark class
instead.\n", ReplaceWith("TimeMark", "\nkotlin.time.TimeMark"), DeprecationLevel.ERROR)\npublic typealias
ClockMark = TimeMark\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.time\n\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal
expect object MonotonicTimeSource : TimeSource\n\n\n/**\n * An abstract class used to implement time sources that
return their readings as [Long] values in the specified [unit].\n *\n * @property unit The unit in which this time
source's readings are expressed.\n */\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class
AbstractLongTimeSource(protected val unit: DurationUnit) : TimeSource {\n /**\n * This protected method
should be overridden to return the current reading of the time source expressed as a [Long] number\n * in the unit
specified by the [unit] property.\n */\n protected abstract fun read(): Long\n\n private class
LongTimeMark(private val startedAt: Long, private val timeSource: AbstractLongTimeSource, private val offset:
Duration) : TimeMark() {\n override fun elapsedNow(): Duration = (timeSource.read() -
startedAt).toDuration(timeSource.unit) - offset\n override fun plus(duration: Duration): TimeMark =
LongTimeMark(startedAt, timeSource, offset + duration)\n }\n\n override fun markNow(): TimeMark =
LongTimeMark(read(), this, Duration.ZERO)\n}\n\n\n/**\n * An abstract class used to implement time sources that
return their readings as [Double] values in the specified [unit].\n *\n * @property unit The unit in which this time
source's readings are expressed.\n */\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class

```

```

AbstractDoubleTimeSource(protected val unit: DurationUnit) : TimeSource {
    /**
     * This protected method should be overridden to return the current reading of the time source expressed as a [Double] number
     * in the unit specified by the [unit] property.
     */
    protected abstract fun read(): Double
}

private class DoubleTimeMark(private val startedAt: Double, private val timeSource: AbstractDoubleTimeSource, private val offset: Duration) : TimeMark() {
    override fun elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset
    override fun plus(duration: Duration): TimeMark = DoubleTimeMark(startedAt, timeSource, offset + duration)
}

override fun markNow(): TimeMark = DoubleTimeMark(read(), this, Duration.ZERO)
}

/**
 * A time source that has programmatically updatable readings. It is useful as a predictable source of time in tests.
 * The current reading value can be advanced by the specified duration amount with the operator [plusAssign]:
 *
 * val timeSource = TestTimeSource()
 * timeSource += 10.seconds
 *
 * Implementation note: the current reading value is stored as a [Long] number of nanoseconds,
 * thus it's capable to represent a time range of approximately 1292 years.
 * Should the reading value overflow as the result of [plusAssign] operation, an [IllegalStateException] is thrown.
 */
@SinceKotlin("1.3")
@ExperimentalTime
public class TestTimeSource : AbstractLongTimeSource(unit = DurationUnit.NANOSECONDS) {
    private var reading: Long = 0L

    override fun read(): Long = reading

    /**
     * Advances the current reading value of this time source by the specified [duration].
     * [duration] value is rounded down towards zero when converting it to a [Long] number of nanoseconds.
     * For example, if the duration being added is `0.6.nanoseconds`, the reading doesn't advance because
     * the duration value is rounded to zero nanoseconds.
     * @throws IllegalStateException when the reading value overflows as the result of this operation.
     */
    public operator fun plusAssign(duration: Duration) {
        val delta = duration.toDouble(unit)
        val longDelta = delta.toLong()
        reading = if (longDelta != Long.MIN_VALUE && longDelta != Long.MAX_VALUE) {
            // when delta fits in long, add it as long
            val newReading = reading + longDelta
            if (reading xor longDelta >= 0 && reading xor newReading < 0)
                overflow(duration)
            newReading
        } else {
            // when delta is greater than long, add it as double
            val newReading = reading + delta
            if (newReading > Long.MAX_VALUE || newReading < Long.MIN_VALUE)
                overflow(duration)
            newReading.toLong()
        }
    }

    private fun overflow(duration: Duration) {
        throw IllegalStateException("TestTimeSource will overflow if its reading ${reading}ns is advanced by $duration.")
    }
}

@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use TimeSource.Monotonic instead.", ReplaceWith("TimeSource.Monotonic", "kotlin.time.TimeSource"), DeprecationLevel.ERROR)
public typealias MonoClock = TimeSource.Monotonic

@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use AbstractLongTimeSource instead.", ReplaceWith("AbstractLongTimeSource", "kotlin.time.AbstractLongTimeSource"), DeprecationLevel.ERROR)
public typealias AbstractLongClock = AbstractLongTimeSource

@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use AbstractDoubleTimeSource instead.", ReplaceWith("AbstractDoubleTimeSource", "kotlin.time.AbstractDoubleTimeSource"), DeprecationLevel.ERROR)
public typealias AbstractDoubleClock = AbstractDoubleTimeSource

@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use TestTimeSource instead.", ReplaceWith("TestTimeSource", "kotlin.time.TestTimeSource"), DeprecationLevel.ERROR)
public typealias TestClock = TestTimeSource

/**
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.time

import kotlin.contracts.*

/**
 * Executes the given function [block] and returns the duration of elapsed time interval.
 * The elapsed time is measured with [TimeSource.Monotonic].
 */
@SinceKotlin("1.3")
@ExperimentalTime
public inline fun measureTime(block: () -> Unit): Duration {
    contract {
        callsInPlace(block, InvocationKind.EXACTLY_ONCE)
    }
    return TimeSource.Monotonic.measureTime(block)
}

/**
 * Executes the given function [block] and returns the duration of elapsed time interval.
 * The elapsed time is measured with the specified `this` [TimeSource] instance.
 */

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun TimeSource.measureTime(block: () -> Unit):
Duration {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    val mark =
markNow()\n    block()\n    return mark.elapsedNow()\n}\n\n/**\n * Data class representing a result of executing
an action, along with the duration of elapsed time interval.\n * \n * @property value the result of the action.\n *
@property duration the time elapsed to execute the action.\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic data class TimedValue<T>(val value: T, val duration:
Duration)\n\n/**\n * Executes the given function [block] and returns an instance of [TimedValue] class, containing
both\n * the result of the function execution and the duration of elapsed time interval.\n * \n * The elapsed time is
measured with [TimeSource.Monotonic].\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun <T>
measureTimedValue(block: () -> T): TimedValue<T> {\n    contract {\n        callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n    }\n    return
TimeSource.Monotonic.measureTimedValue(block)\n}\n\n/**\n * Executes the given [block] and returns an
instance of [TimedValue] class, containing both\n * the result of function execution and the duration of elapsed time
interval.\n * \n * The elapsed time is measured with the specified `this` [TimeSource] instance.\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun <T> TimeSource.measureTimedValue(block: ()
-> T): TimedValue<T> {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    val
mark = markNow()\n    val result = block()\n    return TimedValue(result, mark.elapsedNow())\n}\n", "/*\n *
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n\npackage
kotlin\n\nimport kotlin.coroutines.*\nimport kotlin.coroutines.intrinsics.*\n\n/**\n * Defines deep recursive function
that keeps its stack on the heap,\n * which allows very deep recursive computations that do not use the actual call
stack.\n * To initiate a call to this deep recursive function use its [invoke] function.\n * As a rule of thumb, it
should be used if recursion goes deeper than a thousand calls.\n * \n * The [DeepRecursiveFunction] takes one parameter of
type [T] and returns a result of type [R].\n * The [block] of code defines the body of a recursive function. In this
block\n * [callRecursive][DeepRecursiveScope.callRecursive] function can be used to make a recursive call\n * to
the declared function. Other instances of [DeepRecursiveFunction] can be called\n * in this scope with
`callRecursive` extension, too.\n * \n * For example, take a look at the following recursive tree class and a deeply\n *
recursive instance of this tree with 100K nodes:\n * \n * ```\n * class Tree(val left: Tree? = null, val right: Tree? =
null)\n * val deepTree = generateSequence(Tree()) { Tree(it) }.take(100_000).last()\n * ```\n * \n * A regular
recursive function can be defined to compute a depth of a tree:\n * \n * ```\n * fun depth(t: Tree?): Int =\n *     if (t ==
null) 0 else max(depth(t.left), depth(t.right)) + 1\n *     println(depth(deepTree)) // StackOverflowError\n * ```\n * \n *
If this `depth` function is called for a `deepTree` it produces [StackOverflowError] because of deep recursion.\n *
However, the `depth` function can be rewritten using `DeepRecursiveFunction` in the following way, and then\n * it
successfully computes [depth(deepTree)][DeepRecursiveFunction.invoke] expression:\n * \n * ```\n * val depth =
DeepRecursiveFunction<Tree?, Int> { t ->\n *     if (t == null) 0 else max(callRecursive(t.left),
callRecursive(t.right)) + 1\n *     println(depth(deepTree)) // Ok\n * ```\n * \n * Deep recursive functions can also
mutually call each other using a heap for the stack via\n * [callRecursive][DeepRecursiveScope.callRecursive]
extension. For example, the\n * following pair of mutually recursive functions computes the number of tree nodes at
even depth in the tree.\n * \n * ```\n * val mutualRecursion = object {\n *     val even:
DeepRecursiveFunction<Tree?, Int> = DeepRecursiveFunction { t ->\n *         if (t == null) 0 else
odd.callRecursive(t.left) + odd.callRecursive(t.right) + 1\n *     }\n *     val odd: DeepRecursiveFunction<Tree?,
Int> = DeepRecursiveFunction { t ->\n *         if (t == null) 0 else even.callRecursive(t.left) +
even.callRecursive(t.right)\n *     }\n * }\n * \n * \n * @param [T] the function parameter type.\n * @param [R]
the function result type.\n * @param block the function body.\n
*\n@SinceKotlin("1.4")\n@ExperimentalStdlibApi\npublic class DeepRecursiveFunction<T, R>(\n    internal val
block: suspend DeepRecursiveScope<T, R>.(T) -> R)\n\n/**\n * Initiates a call to this deep recursive function,
forming a root of the call tree.\n * \n * This operator should not be used from inside of [DeepRecursiveScope] as it
uses the call stack slot for\n * initial recursive invocation. From inside of [DeepRecursiveScope] use\n *

```

```

[callRecursive][DeepRecursiveScope.callRecursive].\n
*\n@SinceKotlin("1.4")\n@ExperimentalStdlibApi\npublic operator fun <T, R> DeepRecursiveFunction<T, R>.invoke(value: T): R =\n    DeepRecursiveScopeImpl<T, R>(block, value).runCallLoop()\n\n**\n * A scope class for [DeepRecursiveFunction] function declaration that defines [callRecursive] methods to\n * recursively call this function or another [DeepRecursiveFunction] putting the call activation frame on the heap.\n * \n * @param [T] function parameter type.\n * @param [R] function result type.\n\n*\n@RestrictsSuspension\n@SinceKotlin("1.4")\n@ExperimentalStdlibApi\npublic sealed class\nDeepRecursiveScope<T, R> {\n    /**\n     * Makes recursive call to this [DeepRecursiveFunction] function putting the call activation frame on the heap,\n     * as opposed to the actual call stack that is used by a regular recursive call.\n     *\n     * public abstract suspend fun callRecursive(value: T): R\n     *\n     * Makes call to the specified [DeepRecursiveFunction] function putting the call activation frame on the heap,\n     * as opposed to the actual call stack that is used by a regular call.\n     *\n     * public abstract suspend fun <U, S> DeepRecursiveFunction<U, S>.callRecursive(value: U): S\n     *\n     * @Deprecated(\n        level = DeprecationLevel.ERROR,\n        message =\n        \"'invoke' should not be called from DeepRecursiveScope. \" +\n        \"Use 'callRecursive' to do recursion in the heap instead of the call stack.\",\n        replaceWith = ReplaceWith(\"this.callRecursive(value)\")\n    )\n    @Suppress(\"UNUSED_PARAMETER\")\n    public operator fun DeepRecursiveFunction<*, *>.invoke(value: Any?): Nothing =\n        throw UnsupportedOperationException(\"Should not be called from DeepRecursiveScope\")\n\n    // ===== Implementation =====\n\n    @ExperimentalStdlibApi\n    private typealias DeepRecursiveFunctionBlock = suspend DeepRecursiveScope<*, *>.(Any?) -> Any?\n    private val UNDEFINED_RESULT = Result.success(COROUTINE_SUSPENDED)\n\n    @Suppress(\"UNCHECKED_CAST\")\n    @ExperimentalStdlibApi\n    private class DeepRecursiveScopeImpl<T, R>(\n        block: suspend DeepRecursiveScope<T, R>.(T) -> R,\n        value: T\n    ): DeepRecursiveScope<T, R>(), Continuation<R> {\n        // Active function block\n        private var function: DeepRecursiveFunctionBlock = block as DeepRecursiveFunctionBlock\n        // Value to call function with\n        private var value: Any? = value\n        // Continuation of the current call\n        private var cont: Continuation<Any?>? = this as Continuation<Any?>\n        // Completion result (completion of the whole call stack)\n        private var result: Result<Any?> = UNDEFINED_RESULT\n        override val context: CoroutineContext\n            get() = EmptyCoroutineContext\n        override fun resumeWith(result: Result<R>) {\n            this.cont = null\n            this.result = result\n        }\n        override suspend fun callRecursive(value: T): R =\n            suspendCoroutineUninterceptedOrReturn { cont -> \n                // calling the same function that is currently active\n                this.cont = cont as Continuation<Any?>\n                this.value = value\n                COROUTINE_SUSPENDED\n            }\n        override suspend fun <U, S> DeepRecursiveFunction<U, S>.callRecursive(value: U): S =\n            suspendCoroutineUninterceptedOrReturn { cont -> \n                // calling another recursive function\n                val function = block as DeepRecursiveFunctionBlock\n                with(this@DeepRecursiveScopeImpl) {\n                    val currentFunction = this.function\n                    if (function !== currentFunction) {\n                        // calling a different function -- create a trampoline to restore function ref\n                        this.function = function\n                        this.cont = crossFunctionCompletion(currentFunction, cont as Continuation<Any?>)\n                    } else {\n                        // calling the same function -- direct\n                        this.cont = cont as Continuation<Any?>\n                    }\n                    this.value = value\n                }\n                COROUTINE_SUSPENDED\n            }\n        private fun crossFunctionCompletion(\n            currentFunction: DeepRecursiveFunctionBlock,\n            cont: Continuation<Any?>\n        ): Continuation<Any?> = Continuation(EmptyCoroutineContext) {\n            this.function = currentFunction\n            // When going back from a trampoline we cannot just call cont.resume (stack usage!)\n            // We delegate the cont.resumeWith(it) call to runCallLoop\n            this.cont = cont\n            this.result = it\n        }\n        @Suppress(\"UNCHECKED_CAST\")\n        fun runCallLoop(): R {\n            while (true) {\n                // Note: cont is set to null in DeepRecursiveScopeImpl.resumeWith when the whole computation completes\n                val result = this.result\n                val cont = this.cont\n                ?: return (result as Result<R>).getOrNull() // done -- final result\n                // The order of comparison is important here for that case of rogue class with broken equals\n                if (UNDEFINED_RESULT == result) {\n                    // call \"function\" with \"value\" using \"cont\" as completion\n                    val r = try {\n                        // This is

```

```

block.startCoroutine(this, value, cont)\n                function.startCoroutineUninterceptedOrReturn(this, value,
cont)\n                } catch (e: Throwable) {\n                cont.resumeWithException(e)\n                continue\n                }\n                // If the function returns without suspension -- calls its continuation immediately\n                if (r !==
COROUTINE_SUSPENDED)\n                cont.resume(r as R)\n                } else {\n                // we returned from a
crossFunctionCompletion trampoline -- call resume here\n                this.result = UNDEFINED_RESULT // reset
result back\n                cont.resumeWith(result)\n                }\n                }\n                }\n                }\n                }"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.internal.InlineOnly\n\n/**\n * Returns a hash code value for the object or zero if the object is `null`.\n */\n *
@see Any.hashCode\n */\n * @SinceKotlin("1.3")\n */\n * @InlineOnly\n */\n * public inline fun Any?.hashCode(): Int =
this?.hashCode() ?: 0"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Represents a version of the Kotlin standard library.\n */\n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and not
greater than 255 ([MAX_COMPONENT_VALUE]).\n */\n * @constructor Creates a version from all three
components.\n */\n * @SinceKotlin("1.1")\n */\n * public class KotlinVersion(val major: Int, val minor: Int, val patch: Int) :
Comparable<KotlinVersion> {\n    /**\n     * Creates a version from [major] and [minor] components, leaving
[patch] component zero.\n     */\n     * public constructor(major: Int, minor: Int) : this(major, minor, 0)\n     * private val
version = versionOf(major, minor, patch)\n     * private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n
require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in
0..MAX_COMPONENT_VALUE) {\n         \"Version components are out of range: $major.$minor.$patch\"\n     }\n     return major.shl(16) + minor.shl(8) + patch\n     }\n     /**\n     * Returns the string representation of this
version.\n     */\n     * override fun toString(): String = \"$major.$minor.$patch\"\n     * override fun equals(other:
Any?): Boolean {\n         if (this === other) return true\n         val otherVersion = (other as? KotlinVersion) ?: return
false\n         return this.version == otherVersion.version\n     }\n     * override fun hashCode(): Int = version\n     *
override fun compareTo(other: KotlinVersion): Int = version - other.version\n     * /**\n     * Returns `true` if this
version is not less than the version specified\n     * with the provided [major] and [minor] components.\n     */\n     * @n
public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n     this.major > major || (this.major == major &&\n         this.minor >= minor)\n     * /**\n     * Returns `true` if this
version is not less than the version specified\n     * with the provided [major], [minor] and [patch] components.\n     */\n     * @n
public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor,
patch)\n     this.major > major || (this.major == major &&\n         (this.minor > minor || this.minor == minor
&&\n             this.patch >= patch))\n     * companion object {\n     * /**\n     * Maximum value a version
component can have, a constant value 255.\n     */\n     * // NOTE: Must be placed before CURRENT because its
initialization requires this field being initialized in JS\n     * public const val MAX_COMPONENT_VALUE =
255\n     * /**\n     * Returns the current version of the Kotlin standard library.\n     */\n     * @n
@kotlin.jvm.JvmField\n     * public val CURRENT: KotlinVersion = KotlinVersionCurrentValue.get()\n     }\n     }\n     // this class is ignored during classpath normalization when considering whether to recompile dependencies
in Kotlin build\n     * private object KotlinVersionCurrentValue {\n     * @kotlin.jvm.JvmStatic\n     * fun get():
KotlinVersion = KotlinVersion(1, 4, 20) // value is written here automatically during build\n     * }"/*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"LateinitKt\")\n@file:Suppress(\"unused\")\n\npackage kotlin\n\nimport
kotlin.internal.InlineOnly\n\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\n\nimport
kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned a value, and `false`
otherwise.\n */\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n */\n * @n
@SinceKotlin("1.2")\n */\n * @InlineOnly\n */\n * inline val @receiver:AccessibleLateinitPropertyLiteral
KProperty0<*>.isInitialized: Boolean\n     get() = throw NotImplementedError(\"Implementation is

```

```

intrinsic()\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmName("LazyKt")\n\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin\n\nimport
kotlin.reflect.KProperty\n\n/**\n * Represents a value with lazy initialization.\n *\n * To create an instance of
[Lazy] use the [lazy] function.\n *\n\npublic interface Lazy<out T> {\n    /**\n     * Gets the lazily initialized value of
the current Lazy instance.\n     * Once the value was initialized it must not change during the rest of lifetime of this
Lazy instance.\n     *\n     public val value: T\n\n    /**\n     * Returns `true` if a value for this Lazy instance has been
already initialized, and `false` otherwise.\n     * Once this function has returned `true` it stays `true` for the rest of
lifetime of this Lazy instance.\n     *\n     public fun isInitialized(): Boolean\n\n}\n\n/**\n * Creates a new instance of
the [Lazy] that is already initialized with the specified [value].\n *\n\npublic fun <T> lazyOf(value: T): Lazy<T> =
InitializedLazyImpl(value)\n\n/**\n * An extension to delegate a read-only property of type [T] to an instance of
[Lazy].\n *\n * This extension allows to use instances of Lazy for property delegation:\n *\n `val property: String by
lazy { initializer }`\n *\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun <T> Lazy<T>.getValue(thisRef:
Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy] instance synchronizes initialization
among multiple threads.\n *\n\npublic enum class LazyThreadSafetyMode {\n\n    /**\n     * Locks are used to ensure
that only a single thread can initialize the [Lazy] instance.\n     *\n     SYNCHRONIZED,\n\n    /**\n     * Initializer
function can be called several times on concurrent access to uninitialized [Lazy] instance value,\n     * but only the
first returned value will be used as the value of [Lazy] instance.\n     *\n     PUBLICATION,\n\n    /**\n     * No
locks are used to synchronize an access to the [Lazy] instance value; if the instance is accessed from multiple
threads, its behavior is undefined.\n     *\n     * This mode should not be used unless the [Lazy] instance is
guaranteed never to be initialized from more than one thread.\n     *\n     NONE,\n\n}\n\n\n\ninternal object
UNINITIALIZED_VALUE\n\n// internal to be called from lazy in JS\n\ninternal class UnsafeLazyImpl<out
T>(initializer: () -> T) : Lazy<T>, Serializable {\n    private var initializer: (() -> T)? = initializer\n    private var
_value: Any? = UNINITIALIZED_VALUE\n\n    override val value: T\n        get() {\n            if (_value ===
UNINITIALIZED_VALUE) {\n                _value = initializer!!()\n                initializer = null\n            }\n
        }\n\n    @Suppress("UNCHECKED_CAST")\n        return _value as T\n    }\n\n    override fun isInitialized():
Boolean = _value != UNINITIALIZED_VALUE\n\n    override fun toString(): String = if (isInitialized())
value.toString() else "Lazy value not initialized yet."\n\n    private fun writeReplace(): Any =
InitializedLazyImpl(value)\n\n}\n\n\n\ninternal class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>,
Serializable {\n\n    override fun isInitialized(): Boolean = true\n\n    override fun toString(): String =
value.toString()\n\n}\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("NumbersKt")\n\npackage kotlin\n\n/**\n *
Counts the number of set bits in the binary representation of this [Int] number.\n
*\n\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic expect fun
Int.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary
representation of this [Int] number.\n
*\n\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic expect fun
Int.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [Int] number.\n
*\n\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic expect fun
Int.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
*\n\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic expect fun
Int.takeHighestOneBit(): Int\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
*\n\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic expect fun

```

`Int.takeLowestOneBit(): Int`\n\n**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n *^n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun

`Int.rotateLeft(bitCount: Int): Int`\n\n**\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n *^n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun

`Int.rotateRight(bitCount: Int): Int`\n\n**\n * Counts the number of set bits in the binary representation of this [Long] number.\n *^n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun

`Long.countOneBits(): Int`\n\n**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\n *^n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun

`Long.countLeadingZeroBits(): Int`\n\n**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Long] number.\n *^n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun

`Long.countTrailingZeroBits(): Int`\n\n**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is zero.\n *^n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun

`Long.takeHighestOneBit(): Long`\n\n**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n *^n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun

`Long.takeLowestOneBit(): Long`\n\n**\n * Rotates the binary representation of this [Long] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n *^n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun

`Long.rotateLeft(bitCount: Int): Long`\n\n**\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n *^n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun

`Long.rotateRight(bitCount: Int): Long`\n\n**\n * Counts the number of set bits in the binary representation of this [Byte] number.\n *^n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\n\n**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Byte] number.\n *^n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE_BITS - Byte.SIZE_BITS)\n\n**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Byte] number.\n *^n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic

c inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\n\n**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\n\n**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\n\n**\n * Rotates the binary representation of this [Byte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n

*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Byte.rotateLeft(bitCount: Int): Byte =\n(toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and 7))).toByte()\n\n**\n * Rotates the binary representation of this [Byte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n

*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Byte.rotateRight(bitCount: Int): Byte =\n(toInt().shl(8 - (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and 7)).toByte()\n\n**\n * Counts the number of set bits in the binary representation of this [Short] number.\n

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()\n\n**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Short] number.\n

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.countLeadingZeroBits(): Int =\n (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS - Short.SIZE_BITS)\n\n**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Short] number.\n

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.countTrailingZeroBits(): Int = (toInt() or 0x10000).countTrailingZeroBits()\n\n**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Short] number,\n * or zero, if this number is zero.\n

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()\n\n**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Short] number,\n * or zero, if this number is zero.\n

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()\n\n**\n * Rotates the binary representation of this [Short] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n

*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Short.rotateLeft(bitCount: Int): Short =\n(toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount and 15))).toShort()\n\n**\n * Rotates the


```

binary representation of this [Short] number right by the specified [bitCount] number of bits.\n * The least
significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n *
Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n
*/\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\nimport
kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\n\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.2")\n@Suppress("IN
VISIBLE_MEMBER", "INVISIBLE_REFERENCE")\n@RequireKotlin("1.2.30", level =
DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic inline fun
<R> suspend(noinline block: suspend () -> R): suspend () -> R = block\n", "/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("TuplesKt")\n\npackage kotlin\n\n/**\n * Represents a generic pair of two
values.\n *\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Pair exhibits
value semantics, i.e. two pairs are equal if both components are equal.\n *\n * An example of decomposing it into
values:\n * @sample samples.misc.Tuples.pairDestructuring\n *\n * @param A type of the first value.\n * @param
B type of the second value.\n * @property first First value.\n * @property second Second value.\n * @constructor
Creates a new instance of Pair.\n */\n\npublic data class Pair<out A, out B>(\n    public val first: A,\n    public val
second: B\n) : Serializable {\n\n    /**\n     * Returns string representation of the [Pair] including its [first] and
[second] values.\n     */\n    public override fun toString(): String = "$first, $second"\n}\n\n/**\n * Creates a tuple
of type [Pair] from this and [that].\n *\n * This can be useful for creating [Map] literals with less noise, for
example:\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\n\npublic infix fun <A, B>
A.to(that: B): Pair<A, B> = Pair(this, that)\n\n/**\n * Converts this pair into a list.\n * @sample
samples.misc.Tuples.pairToList\n */\n\npublic fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n/**\n *
Represents a triad of values\n *\n * There is no meaning attached to values in this class, it can be used for any
purpose.\n * Triple exhibits value semantics, i.e. two triples are equal if all three components are equal.\n * An
example of decomposing it into values:\n * @sample samples.misc.Tuples.tripleDestructuring\n *\n * @param A
type of the first value.\n * @param B type of the second value.\n * @param C type of the third value.\n * @property
first First value.\n * @property second Second value.\n * @property third Third value.\n */\n\npublic data class
Triple<out A, out B, out C>(\n    public val first: A,\n    public val second: B,\n    public val third: C\n) : Serializable
{\n\n    /**\n     * Returns string representation of the [Triple] including its [first], [second] and [third] values.\n
*/\n    public override fun toString(): String = "$first, $second, $third"\n}\n\n/**\n * Converts this triple into a
list.\n * @sample samples.misc.Tuples.tripleToList\n */\n\npublic fun <T> Triple<T, T, T>.toList(): List<T> =
listOf(first, second, third)\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\nimport
kotlin.internal.*\n\n/**\n * A range of values of type `UInt`.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic class UIntRange(start: UInt, endInclusive: UInt)
: UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n    override val start: UInt get() = first\n    override
val endInclusive: UInt get() = last\n\n    override fun contains(value: UInt): Boolean = first <= value && value <=
last\n\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is UIntRange && (isEmpty() && other.isEmpty()) ||\n            first == other.first && last == other.last\n}\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n\n    override fun
toString(): String = "$first..$last"\n\n    companion object {\n        /** An empty range of values of type UInt. */\n

```

```

    public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE, UInt.MIN_VALUE)\n    }\n\n\n    /**\n * A progression of values of type `UInt`. \n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n\npublic open class UIntProgression(\n    start: UInt,\n    endInclusive: UInt,\n    step: Int\n) : Iterable<UInt> {\n    init {\n        if (step == 0.toInt()) throw kotlin.IllegalArgumentException("Step must be non-zero.")\n        if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE to avoid overflow on negation.")\n    }\n\n    /**\n * The first element in the progression. \n *\n public val first: UInt = start\n\n    /**\n * The last element in the progression. \n *\n public val last: UInt = getProgressionLastElement(start, endInclusive, step)\n\n    /**\n * The step of the progression. \n *\n public val step: Int = step\n\n    override fun iterator(): UIntIterator = UIntProgressionIterator(first, last, step)\n\n    /** Checks if the progression is empty. *\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is UIntProgression && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last == other.last && step == other.step)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step.toInt())\n\n    override fun toString(): String = if (step > 0) "$first..$last step $step" else "$first downTo $last step ${-step}"\n\n    companion object {\n        /**\n * Creates UIntProgression within the specified bounds of a closed range. \n *\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step]. \n *\n * In order to go backwards the [step] must be negative. \n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero. \n *\n public fun fromClosedRange(rangeStart: UInt, rangeEnd: UInt, step: Int): UIntProgression = UIntProgression(rangeStart, rangeEnd, step)\n    }\n\n\n    /**\n * An iterator over a progression of values of type `UInt`. \n *\n @property step the number by which the value is incremented on each step. \n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n\nprivate class UIntProgressionIterator(first: UInt, last: UInt, step: Int) : UIntIterator() {\n    private val finalElement = last\n    private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n    private val step = step.toUInt() // use 2-complement math for negative steps\n    private var next = if (hasNext) first else finalElement\n\n    override fun hasNext(): Boolean = hasNext\n\n    override fun nextUInt(): UInt {\n        val value = next\n        if (value == finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n            hasNext = false\n        } else {\n            next += step\n        }\n        return value\n    }\n}\n\n\n",/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors. \n *\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. \n *\n @n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.collections\n\n\n    /**\n * An iterator over a sequence of values of type `UByte`. \n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n\npublic abstract class UByteIterator : Iterator<UByte> {\n    override fun next() = nextUByte()\n\n    /** Returns the next value in the sequence without boxing. *\n public abstract fun nextUByte(): UByte\n}\n\n\n    /**\n * An iterator over a sequence of values of type `UShort`. \n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n\npublic abstract class UShortIterator : Iterator<UShort> {\n    override fun next() = nextUShort()\n\n    /** Returns the next value in the sequence without boxing. *\n public abstract fun nextUShort(): UShort\n}\n\n\n    /**\n * An iterator over a sequence of values of type `UInt`. \n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n\npublic abstract class UIntIterator : Iterator<UInt> {\n    override fun next() = nextUInt()\n\n    /** Returns the next value in the sequence without boxing. *\n public abstract fun nextUInt(): UInt\n}\n\n\n    /**\n * An iterator over a sequence of values of type `ULong`. \n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n\npublic abstract class ULongIterator : Iterator<ULong> {\n    override fun next() = nextULong()\n\n    /** Returns the next value in the sequence without boxing. *\n public abstract fun nextULong(): ULong\n}\n\n\n",/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors. \n *\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. \n *\n @n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\n\nimport kotlin.internal.*\n\n\n    /**\n * A range of values of type `ULong`. \n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n\npublic class ULongRange(start: ULong, endInclusive: ULong) : ULongProgression(start, endInclusive, 1), ClosedRange<ULong> {\n    override val start: ULong get() = first\n    override val endInclusive: ULong get() = last\n    override fun contains(value: ULong): Boolean = first <=

```

```

value && value <= last\n\n  override fun isEmpty(): Boolean = first > last\n\n  override fun equals(other: Any?):
Boolean =\n    other is ULongRange && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last
== other.last)\n\n  override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() +
(last xor (last shr 32)).toInt())\n\n  override fun toString(): String = "$first..$last"\n\n  companion object {\n
/** An empty range of values of type ULong. */\n    public val EMPTY: ULongRange =
ULongRange(ULong.MAX_VALUE, ULong.MIN_VALUE)\n  }\n}\n\n/**\n * A progression of values of type
`ULong`. \n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic open class
ULongProgression\n\ninternal constructor(\n  start: ULong,\n  endInclusive: ULong,\n  step: Long\n) :
Iterable<ULong> {\n  init {\n    if (step == 0.toLong()) throw kotlin.IllegalArgumentException("Step must be
non-zero.")\n    if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater
than Long.MIN_VALUE to avoid overflow on negation.")\n  }\n\n  /**\n   * The first element in the
progression.\n   */\n  public val first: ULong = start\n\n  /**\n   * The last element in the progression.\n   */\n  public val last: ULong = getProgressionLastElement(start, endInclusive, step)\n\n  /**\n   * The step of the
progression.\n   */\n  public val step: Long = step\n\n  override fun iterator(): ULongIterator =
ULongProgressionIterator(first, last, step)\n\n  /** Checks if the progression is empty. */\n  public open fun
isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n  override fun equals(other: Any?): Boolean =\n
other is ULongProgression && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last ==
other.last && step == other.step)\n\n  override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (31 * (first
xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt()) + (step xor (step ushr 32)).toInt())\n\n  override fun
toString(): String = if (step > 0) "$first..$last step $step" else "$first downTo $last step ${-step}"\n\n  companion
object {\n    /**\n     * Creates ULongProgression within the specified bounds of a closed range.\n     * The
progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the
specified [step].\n     * In order to go backwards the [step] must be negative.\n     * [step] must be
greater than `Long.MIN_VALUE` and not equal to zero.\n     */\n    public fun fromClosedRange(rangeStart:
ULong, rangeEnd: ULong, step: Long): ULongProgression = ULongProgression(rangeStart, rangeEnd, step)\n  }\n}\n\n/**\n * An iterator over a progression of values of type `ULong`. \n */\n@property step the number by which
the value is incremented on each step.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\nprivate class
ULongProgressionIterator(first: ULong, last: ULong, step: Long) : ULongIterator() {\n  private val finalElement =
last\n  private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n  private val step =
step.toULong() // use 2-complement math for negative steps\n  private var next = if (hasNext) first else
finalElement\n\n  override fun hasNext(): Boolean = hasNext\n\n  override fun nextULong(): ULong {\n    val
value = next\n    if (value == finalElement) {\n      if (!hasNext) throw kotlin.NoSuchElementException()\n
      hasNext = false\n    } else {\n      next += step\n    }\n    return value\n  }\n}\n\n"/*\n * Copyright
2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.math\n\n/**\n *
Returns the smaller of two values.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun min(a:
UInt, b: UInt): UInt {\n  return minOf(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun min(a:
ULong, b: ULong): ULong {\n  return minOf(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun max(a:
UInt, b: UInt): UInt {\n  return maxOf(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun max(a:
ULong, b: ULong): ULong {\n  return maxOf(a, b)\n}\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("UNumbersKt")\npackage
kotlin\n\n/**\n * Counts the number of set bits in the binary representation of this [UInt] number.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
```

```

@kotlin.internal.InlineOnly\npublic inline fun UInt.countOneBits(): Int = toInt().countOneBits()\n\n/**\n * Counts
the number of consecutive most significant bits that are zero in the binary representation of this [UInt] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UInt.countLeadingZeroBits(): Int =
toInt().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the
binary representation of this [UInt] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UInt.countTrailingZeroBits(): Int =
toInt().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UInt.takeHighestOneBit(): UInt =
toInt().takeHighestOneBit().toUInt()\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UInt.takeLowestOneBit(): UInt =
toInt().takeLowestOneBit().toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number left by the
specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as
the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as
rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a
multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 32)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UInt.rotateLeft(bitCount: Int): UInt = toInt().rotateLeft(bitCount).toUInt()\n\n/**\n * Rotates
the binary representation of this [UInt] number right by the specified [bitCount] number of bits.\n * The least
significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *
Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [UInt.SIZE_BITS] (32) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UInt.rotateRight(bitCount: Int): UInt = toInt().rotateRight(bitCount).toUInt()\n\n/**\n *
Counts the number of set bits in the binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun ULong.countOneBits(): Int = toLong().countOneBits()\n\n/**\n *
Counts the number of consecutive most significant bits that are zero in the binary representation of this [ULong]
number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun ULong.countLeadingZeroBits(): Int =
toLong().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun ULong.countTrailingZeroBits(): Int =
toLong().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun ULong.takeHighestOneBit(): ULong =
toLong().takeHighestOneBit().toULong()\n\n/**\n * Returns a number having a single bit set in the position of the
least significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n

```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun ULong.takeLowestOneBit(): ULong =
toLong().takeLowestOneBit().toULong()\n\n/**\n * Rotates the binary representation of this [ULong] number left
by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the
number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the
same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *
Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\n *
`number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.rotateLeft(bitCount: Int): ULong = toLong().rotateLeft(bitCount).toULong()\n\n/**\n *
Rotates the binary representation of this [ULong] number right by the specified [bitCount] number of bits.\n * The
least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n
*\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [ULong.SIZE_BITS] (64)
returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.rotateRight(bitCount: Int): ULong = toLong().rotateRight(bitCount).toULong()\n\n/**\n
* Counts the number of set bits in the binary representation of this [UByte] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UByte.countOneBits(): Int = toUInt().countOneBits()\n\n/**\n *
Counts the number of consecutive most significant bits that are zero in the binary representation of this [UByte]
number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UByte.countLeadingZeroBits(): Int =
toByte().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [UByte] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UByte.countTrailingZeroBits(): Int =
toByte().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UByte.takeHighestOneBit(): UByte =
toInt().takeHighestOneBit().toUByte()\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\npublic inline fun UByte.takeLowestOneBit(): UByte =
toInt().takeLowestOneBit().toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number left by
the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the
number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the
same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *
Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n *
`number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByte.rotateLeft(bitCount: Int): UByte = toByte().rotateLeft(bitCount).toUByte()\n\n/**\n *
Rotates the binary representation of this [UByte] number right by the specified [bitCount] number of bits.\n * The
least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n
*\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns

```

```

the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateRight(bitCount: Int): UByte = toByte().rotateRight(bitCount).toUByte()\n\n**\n * Counts the number of set bits in the binary representation of this [UShort] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countOneBits(): Int = toUInt().countOneBits()\n\n**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UShort] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countLeadingZeroBits(): Int = toShort().countLeadingZeroBits()\n\n**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UShort] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countTrailingZeroBits(): Int = toShort().countTrailingZeroBits()\n\n**\n * Returns a number having a single bit set in the position of the most significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeHighestOneBit(): UShort = toInt().takeHighestOneBit().toUShort()\n\n**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeLowestOneBit(): UShort = toInt().takeLowestOneBit().toUShort()\n\n**\n * Rotates the binary representation of this [UShort] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateLeft(bitCount: Int): UShort = toShort().rotateLeft(bitCount).toUShort()\n\n**\n * Rotates the binary representation of this [UShort] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateRight(bitCount: Int): UShort = toShort().rotateRight(bitCount).toUShort()\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:OptIn(ExperimentalUnsignedTypes::class)\npackage kotlin.internal\n\n// (a - b) mod c\nprivate fun differenceModulo(a: UInt, b: UInt, c: UInt): UInt {\n    val ac = a % c\n    val bc = b % c\n    return if (ac >= bc) ac - bc else ac - bc + c\n}\n\nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {\n    val ac = a % c\n    val bc = b % c\n    return if (ac >= bc) ac - bc else ac - bc + c\n}\n\n**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the

```

```

progression\n * @return the final element of the progression\n * @suppress\n
*\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun getProgressionLastElement(start: UInt, end: UInt, step:
Int): UInt = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())\n
step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())\n    else -> throw
kotlin.IllegalArgumentException("Step is zero.")\n}\n\n**\n * Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case
of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n * No validation on passed
parameters is performed. The given parameters should satisfy the condition:\n * - either `step > 0` and `start <=
end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the progression\n * @param end
ending bound for the progression\n * @param step increment, or difference of successive elements in the
progression\n * @return the final element of the progression\n * @suppress\n
*\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun getProgressionLastElement(start: ULong, end: ULong,
step: Long): ULong = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start,
step.toULong())\n    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toULong())\n
else -> throw kotlin.IllegalArgumentException("Step is zero.")\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("UStringsKt") // string
representation of unsigned numbers\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Byte]
value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for
number to string conversion.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun
UByte.toString(radix: Int): String = this.toInt().toString(radix)\n\n**\n * Returns a string representation of this
[Short] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix
for number to string conversion.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun
UShort.toString(radix: Int): String = this.toInt().toString(radix)\n\n**\n * Returns a string representation of this
[Int] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for
number to string conversion.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun
UInt.toString(radix: Int): String = this.toLong().toString(radix)\n\n**\n * Returns a string representation of this
[Long] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix
for number to string conversion.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULong.toString(radix: Int): String = ulongToString(this.toLong(), checkRadix(radix))\n\n**\n * Parses the string
as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
String.toUByte(): UByte = toUByteOrNull() ?: numberFormatException(this)\n\n**\n * Parses the string as a signed
[UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to
number conversion.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUByte(radix:
Int): UByte = toUByteOrNull(radix) ?: numberFormatException(this)\n\n**\n * Parses the string as a [UShort]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUShort(): UShort =
toUShortOrNull() ?: numberFormatException(this)\n\n**\n * Parses the string as a [UShort] number and returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUShort(radix: Int): UShort =
toUShortOrNull(radix) ?: numberFormatException(this)\n\n**\n * Parses the string as an [UInt] number and returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUInt(): UInt = toUIntOrNull() ?:
numberFormatException(this)\n\n**\n * Parses the string as an [UInt] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUInt(radix: Int): UInt =
toUIntOrNull(radix) ?: numberFormatException(this)\n\n**\n * Parses the string as a [ULong] number and returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toULong(): ULong =
toULongOrNull() ?: numberFormatException(this)\n\n**\n * Parses the string as a [ULong] number and returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toULong(radix: Int): ULong =
toULongOrNull(radix) ?: numberFormatException(this)\n\n\n\n**\n * Parses the string as an [UByte] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUByteOrNull(): UByte? =
toUByteOrNull(radix = 10)\n\n**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if
the string is not a valid representation of a number.\n\n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun String.toUByteOrNull(radix: Int): UByte? {\n    val int = this.toUIntOrNull(radix) ?: return null\n    if (int >
UByte.MAX_VALUE) return null\n    return int.toUByte()\n}\n\n**\n * Parses the string as an [UShort] number
and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUShortOrNull(): UShort? =
toUShortOrNull(radix = 10)\n\n**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if
the string is not a valid representation of a number.\n\n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun String.toUShortOrNull(radix: Int): UShort? {\n    val int = this.toUIntOrNull(radix) ?: return null\n    if (int >
UShort.MAX_VALUE) return null\n    return int.toUShort()\n}\n\n**\n * Parses the string as an [UInt] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUIntOrNull(): UInt? =
toUIntOrNull(radix = 10)\n\n**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the
string is not a valid representation of a number.\n\n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun String.toUIntOrNull(radix: Int): UInt? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0)
return null\n\n    val limit: UInt = UInt.MAX_VALUE\n    val start: Int\n\n    val firstChar = this[0]\n    if (firstChar
< '0') {\n        if (length == 1 || firstChar != '+') return null\n        start = 1\n    } else {\n        start = 0\n    }\n\n    val
limitForMaxRadix = 119304647u // limit / 36\n    var limitBeforeMul = limitForMaxRadix\n    val uradix =
radix.toUInt()\n    var result = 0u\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n\n        if
(digit < 0) return null\n        if (result > limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n
                limitBeforeMul = limit / uradix\n                if (result > limitBeforeMul) {\n                    return null\n
                }\n            } else {\n                return null\n            }\n        }\n        result *= uradix\n        val beforeAdding =
result\n        result += digit.toUInt()\n        if (result < beforeAdding) return null // overflow has happened\n    }\n\n    return result\n}\n\n**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is
not a valid representation of a number.\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
String.toULongOrNull(): ULong? = toULongOrNull(radix = 10)\n\n**\n * Parses the string as an [ULong] number
and returns the result\n * or `null` if the string is not a valid representation of a number.\n\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toULongOrNull(radix: Int): ULong?
{\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val limit: ULong =

```



```

ULong.MAX_VALUE\n    val start: Int\n\n    val firstChar = this[0]\n    if (firstChar < '0') {\n        if (length == 1 ||\n        firstChar != '+') return null\n        start = 1\n    } else {\n        start = 0\n    }\n\n    val limitForMaxRadix =\n    512409557603043100uL // limit / 36\n\n    var limitBeforeMul = limitForMaxRadix\n    val uradix =\n    radix.toULong()\n    var result = 0uL\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result > limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / uradix\n                if (result > limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n        }\n        result *= uradix\n\n        val beforeAdding =\n        result\n        result += digit.toUInt()\n        if (result < beforeAdding) return null // overflow has happened\n    }\n\n    return result\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\npackage kotlin\n\nimport\n    kotlin.annotation.AnnotationTarget\n\nimport kotlin.internal.RequireKotlin\n\nimport\n    kotlin.internal.RequireKotlinVersionKind\n\n/**\n * Marks the API that is dependent on the experimental unsigned\n * types, including those types themselves.\n * Usages of such API will be reported as warnings unless an explicit\n * opt-in with\n * the [OptIn] annotation, e.g. `@OptIn(ExperimentalUnsignedTypes::class)`\n * or with the `-Xopt-in=kotlin.ExperimentalUnsignedTypes` compiler option is given.\n * It's recommended to propagate the\n * experimental status to the API that depends on unsigned types by annotating it with this annotation.\n */\n@Suppress("DEPRECATION")\n@Experimental(level =\n    Experimental.Level.WARNING)\n@RequiresOptIn(level =\n    RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Target(CLASS, ANNOTATION_CLASS,\n    PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,\n    PROPERTY_GETTER, PROPERTY_SETTER,\n    TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind =\n    RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalUnsignedTypes\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code\n * is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MathKt")\npackage\n    kotlin.math\n\n// constants, can't use them from nativeMath as they are not constants there\n/** Ratio of the\n * circumference of a circle to its diameter, approximately 3.14159. */\n@SinceKotlin("1.2")\npublic const val PI:\n    Double = 3.141592653589793\n/** Base of the natural logarithms, approximately 2.71828.\n */\n@SinceKotlin("1.2")\npublic const val E: Double = 2.718281828459045\n// region =====\nDouble Math =====\n/** Computes the sine of the angle [x]\n * given in radians.\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\npublic expect fun sin(x: Double): Double\n/** Computes the cosine of the angle [x] given in radians.\n * Special\n * cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\npublic expect fun cos(x: Double):\n    Double\n/** Computes the tangent of the angle [x] given in radians.\n * Special cases:\n * - `tan(NaN|+Inf|-\n * Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\npublic expect fun tan(x: Double): Double\n/** Computes the arc\n * sine of the value [x];\n * the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n * Special\n * cases:\n * - `asin(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n */\n@SinceKotlin("1.2")\npublic expect fun\n    asin(x: Double): Double\n/** Computes the arc cosine of the value [x];\n * the returned value is an angle\n * in the range from  $0.0$  to  $\pi$  radians.\n * Special cases:\n * - `acos(x)` is `NaN`, when  $abs(x) > 1$  or x is\n * `NaN`\n */\n@SinceKotlin("1.2")\npublic expect fun acos(x: Double): Double\n/** Computes the arc tangent\n * of the value [x];\n * the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin("1.2")\npublic expect fun atan(x: Double): Double\n/**\n * Returns the angle  $\theta$  of the polar coordinates  $(r, \theta)$  that correspond\n * to the rectangular coordinates  $(x,$ \n *  $y)$  by computing the arc tangent of the value  $y / x$ ;\n * the returned value is an angle in the range from  $-\pi$  to\n *  $\pi$  radians.\n * Special cases:\n * - `atan2(0.0, 0.0)` is  $0.0$ \n * - `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$ \n * for  $x < 0$ \n * - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$ \n * - `atan2(y, +Inf)` is  $0.0$  for  $0 < y <$ 

```

$+\text{Inf}$ and -0.0 for $-\text{Inf} < y < 0$ * $-\text{atan2}(y, -\text{Inf})$ is PI for $0 < y < +\text{Inf}$ and $-\text{PI}$ for $-\text{Inf} < y < 0$ * $-\text{atan2}(y, 0.0)$ is $\text{PI}/2$ for $y > 0$ and $-\text{PI}/2$ for $y < 0$ * $-\text{atan2}(+\text{Inf}, x)$ is $\text{PI}/2$ for finite x * $-\text{atan2}(-\text{Inf}, x)$ is $-\text{PI}/2$ for finite x * $-\text{atan2}(\text{NaN}, x)$ and $\text{atan2}(y, \text{NaN})$ is NaN

`@SinceKotlin("1.2")\npublic expect fun atan2(y: Double, x: Double): Double\n\n**\n * Computes the hyperbolic sine of the value [x].\n * Special cases:\n * $-\sinh(\text{NaN})$ is NaN \n * $-\sinh(+\text{Inf})$ is $+\text{Inf}$ \n * $-\sinh(-\text{Inf})$ is $-\text{Inf}$ \n`

`@SinceKotlin("1.2")\npublic expect fun sinh(x: Double): Double\n\n**\n * Computes the hyperbolic cosine of the value [x].\n * Special cases:\n * $-\cosh(\text{NaN})$ is NaN \n * $-\cosh(+\text{Inf}-\text{Inf})$ is $+\text{Inf}$ \n`

`@SinceKotlin("1.2")\npublic expect fun cosh(x: Double): Double\n\n**\n * Computes the hyperbolic tangent of the value [x].\n * Special cases:\n * $-\tanh(\text{NaN})$ is NaN \n * $-\tanh(+\text{Inf})$ is 1.0 \n * $-\tanh(-\text{Inf})$ is -1.0 \n`

`@SinceKotlin("1.2")\npublic expect fun tanh(x: Double): Double\n\n**\n * Computes the inverse hyperbolic sine of the value [x].\n * The returned value is `y` such that $\sinh(y) == x$.\n * Special cases:\n * $-\text{asinh}(\text{NaN})$ is NaN \n * $-\text{asinh}(+\text{Inf})$ is $+\text{Inf}$ \n * $-\text{asinh}(-\text{Inf})$ is $-\text{Inf}$ \n`

`@SinceKotlin("1.2")\npublic expect fun asinh(x: Double): Double\n\n**\n * Computes the inverse hyperbolic cosine of the value [x].\n * The returned value is positive `y` such that $\cosh(y) == x$.\n * Special cases:\n * $-\text{acosh}(\text{NaN})$ is NaN \n * $-\text{acosh}(x)$ is NaN when $x < 1$ \n * $-\text{acosh}(+\text{Inf})$ is $+\text{Inf}$ \n`

`@SinceKotlin("1.2")\npublic expect fun acosh(x: Double): Double\n\n**\n * Computes the inverse hyperbolic tangent of the value [x].\n * The returned value is `y` such that $\tanh(y) == x$.\n * Special cases:\n * $-\text{tanh}(\text{NaN})$ is NaN \n * $-\text{tanh}(x)$ is NaN when $x > 1$ or $x < -1$ \n * $-\text{tanh}(1.0)$ is $+\text{Inf}$ \n * $-\text{tanh}(-1.0)$ is $-\text{Inf}$ \n`

`@SinceKotlin("1.2")\npublic expect fun atanh(x: Double): Double\n\n**\n * Computes $\sqrt{x^2 + y^2}$ without intermediate overflow or underflow.\n * Special cases:\n * - returns $+\text{Inf}$ if any of arguments is infinite\n * - returns NaN if any of arguments is NaN and the other is not infinite\n`

`@SinceKotlin("1.2")\npublic expect fun hypot(x: Double, y: Double): Double\n\n**\n * Computes the positive square root of the value [x].\n * Special cases:\n * $-\sqrt{x}$ is NaN when $x < 0$ or x is NaN \n`

`@SinceKotlin("1.2")\npublic expect fun sqrt(x: Double): Double\n\n**\n * Computes Euler's number `e` raised to the power of the value [x].\n * Special cases:\n * $-\exp(\text{NaN})$ is NaN \n * $-\exp(+\text{Inf})$ is $+\text{Inf}$ \n * $-\exp(-\text{Inf})$ is 0.0 \n`

`@SinceKotlin("1.2")\npublic expect fun exp(x: Double): Double\n\n**\n * Computes $\exp(x) - 1$.\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * $-\text{expm1}(\text{NaN})$ is NaN \n * $-\text{expm1}(+\text{Inf})$ is $+\text{Inf}$ \n * $-\text{expm1}(-\text{Inf})$ is -1.0 \n * @see [exp] function.\n`

`@SinceKotlin("1.2")\npublic expect fun expm1(x: Double): Double\n\n**\n * Computes the logarithm of the value [x] to the given [base].\n * Special cases:\n * $-\log(x, b)$ is NaN if either x or b are NaN \n * $-\log(x, b)$ is NaN when $x < 0$ or $b \leq 0$ or $b == 1.0$ \n * $-\log(+\text{Inf}, +\text{Inf})$ is NaN \n * $-\log(+\text{Inf}, b)$ is $+\text{Inf}$ for $b > 1$ and $-\text{Inf}$ for $b < 1$ \n * $-\log(0.0, b)$ is $-\text{Inf}$ for $b > 1$ and $+\text{Inf}$ for $b < 1$ \n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n`

`@SinceKotlin("1.2")\npublic expect fun log(x: Double, base: Double): Double\n\n**\n * Computes the natural logarithm (base `E`) of the value [x].\n * Special cases:\n * $-\ln(\text{NaN})$ is NaN \n * $-\ln(x)$ is NaN when $x < 0.0$ \n * $-\ln(+\text{Inf})$ is $+\text{Inf}$ \n * $-\ln(0.0)$ is $-\text{Inf}$ \n`

`@SinceKotlin("1.2")\npublic expect fun ln(x: Double): Double\n\n**\n * Computes the common logarithm (base 10) of the value [x].\n * @see [ln] function for special cases.\n`

`@SinceKotlin("1.2")\npublic expect fun log10(x: Double): Double\n\n**\n * Computes the binary logarithm (base 2) of the value [x].\n * @see [ln] function for special cases.\n`

`@SinceKotlin("1.2")\npublic expect fun log2(x: Double): Double\n\n**\n * Computes $\ln(x + 1)$.\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * $-\ln1p(\text{NaN})$ is NaN \n * $-\ln1p(x)$ is NaN where $x < -1.0$ \n * $-\ln1p(-1.0)$ is $-\text{Inf}$ \n * $-\ln1p(+\text{Inf})$ is $+\text{Inf}$ \n * @see [ln] function\n * @see [expm1] function\n`

`@SinceKotlin("1.2")\npublic expect fun ln1p(x: Double): Double\n\n**\n * Rounds the given value [x] to an integer towards positive infinity.\n * @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.\n * Special cases:\n * $-\text{ceil}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.\n`

`@SinceKotlin("1.2")\npublic expect fun ceil(x: Double): Double\n\n**\n * Rounds the given value [x] to an integer towards negative infinity.\n * @return the largest double value that is smaller than or equal to the given`

value [x] and is a mathematical integer.
Special cases: $\text{floor}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.
`fun floor(x: Double): Double`
Rounds the given value [x] to an integer towards zero.
Special cases: $\text{truncate}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.
`fun truncate(x: Double): Double`
Rounds the given value [x] towards the closest integer with ties rounded towards even integer.
Special cases: $\text{round}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.
`fun round(x: Double): Double`
Returns the absolute value of the given value [x].
Special cases: $\text{abs}(\text{NaN})$ is NaN
@see `absoluteValue` extension property for [Double]
`fun abs(x: Double): Double`
Returns the sign of the given value [x]: -1.0 if the value is negative, 0 if the value is zero, 1.0 if the value is positive
Special case: $\text{sign}(\text{NaN})$ is NaN
`fun sign(x: Double): Double`
Returns the smaller of two values.
If either value is NaN , then the result is NaN .
`fun min(a: Double, b: Double): Double`
Returns the greater of two values.
If either value is NaN , then the result is NaN .
`fun max(a: Double, b: Double): Double`
Raises this value to the power [x].
Special cases: $b.\text{pow}(0.0)$ is 1.0 , $b.\text{pow}(1.0) == b$, $b.\text{pow}(\text{NaN})$ is NaN , $\text{NaN}.\text{pow}(x)$ is NaN for $x \neq 0.0$, $b.\text{pow}(\text{Inf})$ is NaN for $\text{abs}(b) == 1.0$, $b.\text{pow}(x)$ is NaN for $b < 0$ and x is finite and not an integer
`fun Double.pow(x: Double): Double`
Raises this value to the integer power [n].
See the other overload of [pow] for details.
`fun Double.pow(n: Int): Double`
Returns the absolute value of this value.
Special cases: $\text{NaN}.\text{absoluteValue}$ is NaN
@see `abs` function
`val Double.absoluteValue: Double`
Returns the sign of this value: -1.0 if the value is negative, 0 if the value is zero, 1.0 if the value is positive
Special case: $\text{NaN}.\text{sign}$ is NaN
`val Double.sign: Double`
Returns this value with the sign bit same as of the [sign] value.
If [sign] is NaN the sign of the result is undefined.
`fun Double.withSign(sign: Double): Double`
Returns this value with the sign bit same as of the [sign] value.
`fun Double.withSign(sign: Int): Double`
Returns the ulp (unit in the last place) of this value.
An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.
Special Cases: $\text{NaN}.\text{ulp}$ is NaN , $x.\text{ulp}$ is $+\text{Inf}$ when x is $+\text{Inf}$ or $-\text{Inf}$, $0.0.\text{ulp}$ is `Double.MIN_VALUE`
`val Double.ulp: Double`
Returns the [Double] value nearest to this value in direction of positive infinity.
`fun Double.nextUp(): Double`
Returns the [Double] value nearest to this value in direction of negative infinity.
`fun Double.nextDown(): Double`
Returns the [Double] value nearest to this value in direction from this value towards the value [to].
Special cases: $x.\text{nextTowards}(y)$ is NaN if either x or y are NaN , $x.\text{nextTowards}(x) == x$
`fun Double.nextTowards(to: Double): Double`
Rounds this [Double] value to the nearest integer and converts the result to [Int].
Ties are rounded towards positive infinity.
Special cases: $x.\text{roundToInt}() == \text{Int}.\text{MAX_VALUE}$ when $x > \text{Int}.\text{MAX_VALUE}$, $x.\text{roundToInt}() == \text{Int}.\text{MIN_VALUE}$ when $x < \text{Int}.\text{MIN_VALUE}$
@throws `IllegalArgumentException` when this value is NaN
`fun Double.roundToInt(): Int`
Rounds this [Double] value to the nearest integer and converts the result to [Long].
Ties are rounded towards positive infinity.
Special cases: $x.\text{roundToLong}() == \text{Long}.\text{MAX_VALUE}$ when $x > \text{Long}.\text{MAX_VALUE}$, $x.\text{roundToLong}() == \text{Long}.\text{MIN_VALUE}$ when $x < \text{Long}.\text{MIN_VALUE}$
@throws `IllegalArgumentException` when this value is NaN
`fun Double.roundToLong(): Long`
endregion
region ===== Float Math

```

=====
\n\n** Computes the sine of the angle [x] given in
radians.\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n * ^\n@SinceKotlin("1.2")\npublic expect fun
sin(x: Float): Float\n\n** Computes the cosine of the angle [x] given in radians.\n * Special cases:\n * -
`cos(NaN|+Inf|-Inf)` is `NaN`\n * ^\n@SinceKotlin("1.2")\npublic expect fun cos(x: Float): Float\n\n** Computes
the tangent of the angle [x] given in radians.\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n
*\n@SinceKotlin("1.2")\npublic expect fun tan(x: Float): Float\n\n**\n * Computes the arc sine of the value
[x];\n * the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n * Special cases:\n * -
`asin(x)` is `NaN`, when  $\text{abs}(x) > 1$  or x is `NaN`\n * ^\n@SinceKotlin("1.2")\npublic expect fun asin(x: Float):
Float\n\n**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from  $0.0$ 
to  $\pi$  radians.\n * Special cases:\n * - `acos(x)` is `NaN`, when  $\text{abs}(x) > 1$  or x is `NaN`\n
*\n@SinceKotlin("1.2")\npublic expect fun acos(x: Float): Float\n\n**\n * Computes the arc tangent of the value
[x];\n * the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n * Special cases:\n * -
`atan(NaN)` is `NaN`\n * ^\n@SinceKotlin("1.2")\npublic expect fun atan(x: Float): Float\n\n**\n * Returns the
angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by
computing the arc tangent of the value  $[y] / [x]$ ;\n * the returned value is an angle in the range from  $-\pi$  to  $\pi$ 
radians.\n * Special cases:\n * - `atan2(0.0, 0.0)` is  $0.0$ \n * - `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for
 $x < 0$ \n * - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$ \n * - `atan2(y, +Inf)` is  $0.0$  for  $0 < y <
+Inf$  and  $-0.0$  for  $-Inf < y < 0$ \n * - `atan2(y, -Inf)` is  $\pi$  for  $0 < y < +Inf$  and  $-\pi$  for  $-Inf < y < 0$ \n * -
`atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$ \n * - `atan2(+Inf, x)` is  $\pi/2$  for finite  $x$ \n * -
`atan2(-Inf, x)` is  $-\pi/2$  for finite  $x$ \n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n
*\n@SinceKotlin("1.2")\npublic expect fun atan2(y: Float, x: Float): Float\n\n**\n * Computes the hyperbolic
sine of the value [x].\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is  $+Inf$ \n * - `sinh(-
Inf)` is  $-Inf$ \n * ^\n@SinceKotlin("1.2")\npublic expect fun sinh(x: Float): Float\n\n**\n * Computes the
hyperbolic cosine of the value [x].\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is
 $+Inf$ \n * ^\n@SinceKotlin("1.2")\npublic expect fun cosh(x: Float): Float\n\n**\n * Computes the hyperbolic
tangent of the value [x].\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is  $1.0$ \n * - `tanh(-
Inf)` is  $-1.0$ \n * ^\n@SinceKotlin("1.2")\npublic expect fun tanh(x: Float): Float\n\n**\n * Computes the inverse
hyperbolic sine of the value [x].\n * The returned value is `y` such that  $\text{sinh}(y) == x$ .\n * Special cases:\n *
- `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is  $+Inf$ \n * - `asinh(-Inf)` is  $-Inf$ \n
*\n@SinceKotlin("1.2")\npublic expect fun asinh(x: Float): Float\n\n**\n * Computes the inverse hyperbolic
cosine of the value [x].\n * The returned value is positive `y` such that  $\text{cosh}(y) == x$ .\n * Special cases:\n *
- `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when  $x < 1$ \n * - `acosh(+Inf)` is  $+Inf$ \n
*\n@SinceKotlin("1.2")\npublic expect fun acosh(x: Float): Float\n\n**\n * Computes the inverse hyperbolic
tangent of the value [x].\n * The returned value is `y` such that  $\text{tanh}(y) == x$ .\n * Special cases:\n * -
`tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when  $x > 1$  or  $x < -1$ \n * - `tanh(1.0)` is  $+Inf$ \n * - `tanh(-
1.0)` is  $-Inf$ \n * ^\n@SinceKotlin("1.2")\npublic expect fun atanh(x: Float): Float\n\n**\n * Computes  $\sqrt{x^2 +
y^2}$  without intermediate overflow or underflow.\n * Special cases:\n * - returns  $+Inf$  if any of arguments is
infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n
*\n@SinceKotlin("1.2")\npublic expect fun hypot(x: Float, y: Float): Float\n\n**\n * Computes the positive
square root of the value [x].\n * Special cases:\n * - `sqrt(x)` is `NaN` when  $x < 0$  or  $x$  is `NaN`\n
*\n@SinceKotlin("1.2")\npublic expect fun sqrt(x: Float): Float\n\n**\n * Computes Euler's number `e` raised to
the power of the value [x].\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is  $+Inf$ \n * -
`exp(-Inf)` is  $0.0$ \n * ^\n@SinceKotlin("1.2")\npublic expect fun exp(x: Float): Float\n\n**\n * Computes  $\exp(x)
- 1$ .\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special
cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is  $+Inf$ \n * - `expm1(-Inf)` is  $-1.0$ \n * @see
[exp] function.\n * ^\n@SinceKotlin("1.2")\npublic expect fun expm1(x: Float): Float\n\n**\n * Computes the
logarithm of the value [x] to the given [base].\n * Special cases:\n * -  $\log(x, b)$  is `NaN` if either  $x$  or  $b$  are
`NaN`\n * -  $\log(x, b)$  is `NaN` when  $x < 0$  or  $b \leq 0$  or  $b == 1.0$ \n * -  $\log(+Inf, +Inf)$  is `NaN`\n * -

```

`log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`.
`log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b < 1`.
 * See also logarithm functions for common fixed bases: `[ln]`, `[log10]` and `[log2]`.

`fun log(x: Float, base: Float): Float`
 Computes the natural logarithm (base 'E') of the value `x`.
 * Special cases:
`ln(NaN)` is `NaN`
`ln(x)` is `NaN` when `x < 0.0`
`ln(+Inf)` is `+Inf`
`ln(0.0)` is `-Inf`

`fun ln(x: Float): Float`
 Computes the common logarithm (base 10) of the value `x`.
 * @see `[ln]` function for special cases.

`fun log10(x: Float): Float`
 Computes the binary logarithm (base 2) of the value `x`.
 * @see `[ln]` function for special cases.

`fun log2(x: Float): Float`
 Computes `ln(a + 1)`.
 * This function can be implemented to produce more precise result for `x` near zero.
 * Special cases:
`ln1p(NaN)` is `NaN`
`ln1p(x)` is `NaN` where `x < -1.0`
`ln1p(-1.0)` is `-Inf`
`ln1p(+Inf)` is `+Inf`
 * @see `[ln]` function
 * @see `[expm1]` function

`fun ln1p(x: Float): Float`
 Rounds the given value `x` to an integer towards positive infinity.
 * @return the smallest `Float` value that is greater than or equal to the given value `x` and is a mathematical integer.
 * Special cases:
`ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`fun ceil(x: Float): Float`
 Rounds the given value `x` to an integer towards negative infinity.
 * @return the largest `Float` value that is smaller than or equal to the given value `x` and is a mathematical integer.
 * Special cases:
`floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`fun floor(x: Float): Float`
 Rounds the given value `x` to an integer towards zero.
 * @return the value `x` having its fractional part truncated.
 * Special cases:
`truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`fun truncate(x: Float): Float`
 Rounds the given value `x` towards the closest integer with ties rounded towards even integer.
 * Special cases:
`round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`fun round(x: Float): Float`
 Returns the absolute value of the given value `x`.
 * Special cases:
`abs(NaN)` is `NaN`
 * @see `absoluteValue` extension property for `[Float]`

`fun abs(x: Float): Float`
 Returns the sign of the given value `x`:
`-1.0` if the value is negative,
`0.0` if the value is zero,
`1.0` if the value is positive
 * Special case:
`sign(NaN)` is `NaN`

`fun sign(x: Float): Float`
 Returns the smaller of two values.
 * If either value is `NaN`, then the result is `NaN`.

`fun min(a: Float, b: Float): Float`
 Returns the greater of two values.
 * If either value is `NaN`, then the result is `NaN`.

`fun max(a: Float, b: Float): Float`
`extensions`
 Raises this value to the power `x`.
 * Special cases:
`b.pow(0.0)` is `1.0`
`b.pow(1.0) == b`
`b.pow(NaN)` is `NaN`
`NaN.pow(x)` is `NaN` for `x != 0.0`
`b.pow(Inf)` is `NaN` for `abs(b) == 1.0`
`b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer

`fun Float.pow(x: Float): Float`
 Raises this value to the integer power `[n]`.
 * See the other overload of `[pow]` for details.

`fun Float.pow(n: Int): Float`
 Returns the absolute value of this value.
 * Special cases:
`NaN.absoluteValue` is `NaN`
 * @see `abs` function

`val Float.absoluteValue: Float`
 Returns the sign of this value:
`-1.0` if the value is negative,
`0.0` if the value is zero,
`1.0` if the value is positive
 * Special case:
`NaN.sign` is `NaN`

`val Float.sign: Float`
 Returns this value with the sign bit same as of the `[sign]` value.
 * If `[sign]` is `NaN` the sign of the result is undefined.

`fun Float.withSign(sign: Float): Float`
 Returns this value with the sign bit same as of the `[sign]` value.

`fun Float.withSign(sign: Int): Float`
 Rounds this `[Float]` value to the nearest integer and converts the result to `[Int]`.
 * Ties are rounded towards positive infinity.
 * Special cases:
`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`
`x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`
 * @throws

```

IllegalArgumentException when this value is NaN
@SinceKotlin("1.2")
public expect fun
Float.roundToInt(): Int
Rounds this [Float] value to the nearest integer and converts the result to
[Long].
Ties are rounded towards positive infinity.
Special cases:
- x.roundToLong() ==
Long.MAX_VALUE when x > Long.MAX_VALUE
- x.roundToLong() == Long.MIN_VALUE when x
< Long.MIN_VALUE
@throws IllegalArgumentException when this value is NaN
@SinceKotlin("1.2")
public expect fun Float.roundToLong(): Long
endregion
// region
===== Integer Math =====
Returns
the absolute value of the given value [n].
Special cases:
- abs(Int.MIN_VALUE) is
Int.MIN_VALUE due to an overflow
@see absoluteValue extension property for [Int]
@SinceKotlin("1.2")
public expect fun abs(n: Int): Int
Returns the smaller of two values.
@SinceKotlin("1.2")
public expect fun min(a: Int, b: Int): Int
Returns the greater of two values.
@SinceKotlin("1.2")
public expect fun max(a: Int, b: Int): Int
Returns the absolute value of this
value.
Special cases:
- Int.MIN_VALUE.absoluteValue is Int.MIN_VALUE due to an overflow
@see abs function
@SinceKotlin("1.2")
public expect val Int.absoluteValue: Int
Returns
the sign of this value:
- -1 if the value is negative,
- 0 if the value is zero,
- 1 if the value is
positive
@SinceKotlin("1.2")
public expect val Int.sign: Int
Returns the absolute value of the
given value [n].
Special cases:
- abs(Long.MIN_VALUE) is Long.MIN_VALUE due to an
overflow
@see absoluteValue extension property for [Long]
@SinceKotlin("1.2")
public expect fun
abs(n: Long): Long
Returns the smaller of two values.
@SinceKotlin("1.2")
public expect fun
min(a: Long, b: Long): Long
Returns the greater of two values.
@SinceKotlin("1.2")
public
expect fun max(a: Long, b: Long): Long
Returns the absolute value of this value.
Special cases:
- Long.MIN_VALUE.absoluteValue is Long.MIN_VALUE due to an overflow
@see abs function
@SinceKotlin("1.2")
public expect val Long.absoluteValue: Long
Returns the sign of this value:
- -1 if the value is negative,
- 0 if the value is zero,
- 1 if the value is positive
@SinceKotlin("1.2")
public expect val Long.sign: Int
endregion
], "names": [], "mappings": "AAWC,CAXA,yB;EACG,IAAI,OAAO,MAAO,KAAI,UAAW,IAAG,MAA
M,IAA1C,C;IACI,MAAM,CAAC,QAAD,EA AW,CAAC,SAAD,CAAX,EA AwB,OAAxB,C;SAEL,IAAI,OAAO,O
AAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC
,IAAI,OAAL,C;;CAEd,CAAC,IAAD,EA AO,kB;EACJ,IAAI,IAAI,M;ECPZ,MAAM,eAAgB,GAAE,a;IACpB,OA
AoD,CAA5C,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAE,YAAW,SAAW,KAA G,CAAC,OAAQ,KAAI,c;G
;EAGxE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,SAAU,IAAG,CAAC,OAAQ,KAAI,c;G;EAGID,M
AAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,U;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,Y
AAW,WAAY,IAAG,CAAC,OAAQ,KAAI,W;G;EAGpD,MAAM,WAAY,GAAE,a;IACbB,OAAO,CAAE,YAAW,
U;G;EAGxB,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,Y;G;EAGxB,MAAM,cAAe,GAAE,a;IACnB,O
AAO,CAAE,YAAW,Y;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IA
AG,CAAC,OAAQ,KAAI,W;G;EAG5C,MAAM,QAAS,GAAE,a;IACb,OAAO,KAAK,QAAQ,CAAC,CAAD,CAA
I,IAAG,CAAC,CAAC,O;G;EAGjC,MAAM,WAAY,GAAE,a;IACbB,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,
IAAG,WA AW,OAAO,CAAC,CAAD,C;G;EAGjD,MAAM,cAAe,GAAE,a;IACnB,IAAI,CAAE,KAAI,IAAV,C;M
AAgB,OAAO,M;IACvB,IAAI,WA AW,MAAM,YAAY,CAAC,CAAD,CAAI,GAAE,MAAM,aAAR,GAAwB,MA
AM,S;IACnE,OAAO,GA AI,GAAE,KAAK,UAAU,IAAI,KAAK,CAAC,CAAD,EA AI,a;MAAc,OAAO,QAAQ,CA
AC,CAAD,C;KAAjC,CAAwC,KAAK,CAAC,IAAD,CAAO,GAAE,G;G;EAG/F,MAAM,kBAAmB,GAAE,e;IACv
B,OAAO,MAAM,OAAO,YAAY,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,YAAa,GAAE,gB;IACjB,IAAI,C
AAE,KAAI,CAAV,C;MACI,OAAO,I;KAEX,IAAI,CAAE,KAAI,IAAK,IAAG,CAAE,KAAI,IAAK,IAAG,CAAC,
MAAM,WA AW,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,CAAC,OAAvE,C;MACI,OAAO,K;KAGX,KA
AK,IAAI,IAAI,CAAR,EA AW,IAAI,CAAC,OAAR,B,EA A8B,CAAE,GAAE,CAAIC,EA AqC,CAAC,EAAtC,C;MA
CI,IAAI,CAAC,MAAM,OAAO,CAAC,CAAC,CAAC,CAAD,CAAF,EA AO,CAAC,CAAC,CAAD,CAAR,CAAIB
,C;QACI,OAAO,K;;IAGf,OAAO,I;G;EAGX,MAAM,gBAAiB,GAAE,gB;IACrB,OAAO,MAAM,OAAO,YAAY,s
BAAsB,CAAC,CAAD,EA AI,CAAJ,C;G;EAG1D,MAAM,cAAe,GAAE,e;IACnB,IAAI,GA AI,KAAI,IAAZ,C;MA

```

AkB,OAAO,C;IACzB,IAAI,SAAS,C;IACb,KAAK,IAAI,IAAI,CAAR,EA AW,IAAI,GAAG,OAAvB,EAAGC,CAA
E,GAAE,CAApC,EA AuC,CAAC,EA AxC,C;MACI,MAAO,GAAqB,CAAjB,EAAG,GAAE,MAAO,GAAE,CAAG
,IAAE,MAAM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CAAU,GAAE,C;;IAE7D,OAAO,M;G;EAGX,MAAM,
kBAAmB,GAAE,e;IACvB,OAAO,MAAM,OAAO,YAAY,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,mBAA
oB,GAAE,iB;IACxB,KAAK,KAAK,CAAC,MAAM,gBAAP,C;G;ECpFd,MAAM,eAAgB,GAAE,mB;IACpB,CA
AC,aAAc,GAAE,I;IACjB,OAAO,C;G;EAGX,MAAM,uBAAwB,GAAE,4C;IAC5B,MAAM,IAAK,GAAE,M;IAC
b,MAAM,IAAK,GAAE,M;IACb,MAAM,aAAc,GAAE,I;IACtB,OAAO,mBAAmB,CAAC,MAAD,EAAS,MAAT,
EAAiB,6BAA6B,CAAC,UAAD,CAA9C,C;G;EAG9B,iD;IACI,GAAG,WAAY,GAAE,sBAAsB,CAAC,OAAO,M
AAO,KAAI,UAAW,GAAE,KAAK,QAAP,GAakB,KAAK,UAArD,C;IACvC,GAAG,YAAa,GAAE,G;IACIB,OA
AO,G;G;EAGX,IAAI,gCAAgC,CAChC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,k
B;GADvB,CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CADgC
,EAShC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB,CADb,aAIe,QAAS,I
AAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CATgC,C;EAmBpC,uC;IACI,IAAI,KA
AK,MAAO,KAAI,IAApB,C;MACI,KAAK,MAAO,GAAE,aACE,CAAC,KAAK,qBAAqB,EAA3B,CADF,aAEC,I
AFD,aAGC,EAHD,cAIE,EAJF,SAKH,EALG,iBAMK,EANL,C;KASIB,OAAO,KAAK,M;G;EChDhB,MAAM,QA
AS,GAAE,a;IACb,OAAoB,CAAZ,CAAE,GAAE,KAAQ,KAAG,EAAG,IAAG,E;G;EAGjC,MAAM,OAAQ,GAA
E,a;IACZ,OAAkB,CAAV,CAAE,GAAE,GAAM,KAAG,EAAG,IAAG,E;G;EAG/B,MAAM,OAAQ,GAAE,a;IAC
Z,OAAO,CAAE,GAAE,K;G;EAGf,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,MAAM,KAAM,GAAE,
CAAF,GAAM,MAAM,KAAK,WA AW,CAAC,CAAD,C;G;EAGhE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE
,YAAW,MAAM,KAAM,GAAE,CAAC,MAAM,EAAT,GAAC,MAAM,YAAY,CAAC,CAAD,C;G;EAGpE,MAA
M,cAAe,GAAE,a;IACnB,OAAO,MAAM,QAAQ,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGzB,MA
AM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,M
AAM,eAAgB,GAAE,a;IACpB,OAAO,CAAC,C;G;EAGZ,MAAM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,
CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,GAAE,U
AAR,C;MAAoB,OAAO,U;IAC3B,IAAI,CAAE,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAAE,GAA
E,C;G;EAGf,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAAE,Y
AAW,MAAM,UAAvB,C;MAAmC,OAAO,C;IAC1C,OAAO,IAAI,MAAM,UAAV,CAAqB,CAArB,C;G;EAGX,M
AAM,UAAW,GAAE,a;IACf,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC,
CAAD,C;G;ECIDxB,MAAM,OAAQ,GAAE,sB;IACZ,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;K
AGnB,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,K;KAGX,IAAI,IAAK,KAAI,IAAb,C;MACI,OAAO,IAAK,KAA
LI;KAGpB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAI,OAAQ,KAAI,UAAvD,C;MACI,OAAO,IAAI,O
AAO,CAAC,IAAD,C;KAGtB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAK,KAAI,QAAhD,C;MACI,OA
AO,IAAK,KAAI,IAAK,KAAI,IAAK,KAAI,CAAE,IAAG,CAAE,GAAE,IAAK,KAAI,CAAE,GAAE,IAAnC,C;K
AGzB,OAAO,IAAK,KAAI,I;G;EAGpB,MAAM,SAAU,GAAE,e;IACd,IAAI,GA AI,IAAG,IAAX,C;MACI,OAAO,
C;KAEX,IAAI,UAAU,OAAO,G;IACrB,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,UAAW,KAAI,OAAO,GAA
G,SAAU,GAAE,GAAG,SAAS,EAAd,GAAmB,iBAAiB,CAAC,GAAD,C;KAEIF,IAAI,UAAW,KAAI,OAAnB,C;
MACI,OAAO,iBAAiB,CAAC,GAAD,C;KAE5B,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,MAAM,eAAe,CAA
C,GAAD,C;KAEhC,IAAI,SAAU,KAAI,OA AiB,C;MACI,OAAO,MAAM,CAAC,GAAD,C;KAGjB,IAAI,MAAM,
MAAM,CAAC,GAAD,C;IACHb,OAAO,iBA AiB,CAAC,GAAD,C;G;EAI5B,MAAM,SAAU,GAAE,a;IACd,IAAI,
CAAE,IAAG,IAAT,C;MACI,OAAO,M;WAEN,IAAI,MAAM,WA AW,CAAC,CAAD,CAArB,C;MACD,OAAO,O
;;MAGP,OAAO,CAAC,SAAS,E;;G;EAKzB,IAAI,WA AW,a;EAGf,IAAI,iCAAiC,sB;EAErC,gC;IACI,IAAI,EA AE
,8BAA+B,IAAG,GAApC,CAAJ,C;MACI,IAAI,OAAQ,IAAI,OAAO,EAAG,GAAE,QAAU,GAAE,C;MACxC,MA
AM,eAAe,CAAC,GAAD,EAAM,8BAAN,EAAsC,QAAU,IAAV,cAA4B,KAA5B,CAAtC,C;KAEzB,OAAO,GAA
G,CAAC,8BAAD,C;G;EAGd,gC;IACI,IAAI,OAAO,C;IACX,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,G
AAG,OAAvB,EAAGC,CAAC,EA AjC,C;MACI,IAAI,OAAQ,GAAG,WA AW,CAAC,CAAD,C;MAC1B,IAAM,G
AAG,IAAK,GAAE,EAAG,GAAE,IAAM,GAAE,C;;IAEjC,OAAO,I;G;EAGX,MAAM,iBAakB,GAAE,iB;EC9C1
B,MAAM,KAAM,GAAE,qB;IAKZ,IAAI,KAAM,GAAE,GA AI,GAAE,C;IAMIB,IAAI,MAAO,GAAE,IAAK,GA
AE,C;G;EAGtB,MAAM,KAAK,WAAY,GAAE,OACf,OADe,cAET,MAFS,cAGV,EAHU,C;EAgBzB,MAAM,KA

AK,UAAW,GAAE,E;EAQxB,MAAM,KAAK,QAAS,GAAE,iB;IACpB,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,
GAAE,GAA7B,C;MACE,IAAI,YAAY,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,O
AAO,S;QAIX,IAAI,MAAM,IAAI,MAAM,KA AV,CAAgB,KAAM,GAAE,CAAxB,EAA2B,KAAM,GAAE,CAAE
,GAAE,EAAF,GAAO,CAA5C,C;IACV,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,MAA
M,KAAK,UAAU,CAAC,KAAD,CAAQ,GAAE,G;KAEjC,OAAO,G;G;EAYT,MAAM,KAAK,WAAY,GAAE,iB;I
ACvB,IAAI,KAAK,CAAC,KAAD,CAAT,C;MACE,OAAO,MAAM,KAAK,K;WACb,IAAI,KAAM,IAAG,CAAC,
MAAM,KAAK,gBAAzB,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAE,IAAG,MAAM,
KAAK,gBAA5B,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAZ,C;MACL,OAAO,MAA
M,KAAK,WAAW,CAAC,CAAC,KA AF,CAAQ,OAAO,E;:MAE5C,OAAO,IAAI,MAAM,KA AV,CACF,KAAM,
GAAE,MAAM,KAAK,gBAakB,GAAE,CADrC,EA EF,KAAM,GAAE,MAAM,KAAK,gBAakB,GAAE,CAFrC,C
;G;EAcX,MAAM,KAAK,SAAU,GAAE,6B;IACrB,OAAO,IAAI,MAAM,KA AV,CAAgB,OAAhB,EAAyB,QAAz
B,C;G;EAWT,MAAM,KAAK,WAAY,GAAE,0B;IACvB,IAAI,GAAG,OAAQ,IAAG,CAAIB,C;MACE,MAAM,K
AAK,CAAC,mCAAD,C;KAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,G
AAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAAIB,C;KAGb,IAAI,GAAG,OAAO,CAAC,C
AAD,CAAI,IAAG,GAARb,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAD
,EAAmB,KAA nB,CAAyB,OAAO,E;WACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;MAC
L,MAAM,KAAK,CAAC,+CAA gD,GAAE,GAA nD,C;KAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IA
AI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAA
b,EAAgB,CAAE,GAAE,GAAG,OAAvB,EAAgC,CAAE,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC
,CAAD,EAAI,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAA
D,EAAI,CAAE,GAAE,IAAR,CAAd,EAA6B,KAA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,QAA
Q,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,IAAR,CAAT,C;QACIC,MAAO,GAAE,MAA
M,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAA vB,C;:QAE nC,MAAO,
GAAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW,CA
AC,KAAD,CAA vB,C;:;IAGvB,OAAO,M;G;EAcT,MAAM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MA
AM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,
GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EA0IC,
MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gB
AAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MA
AM,KAAK,gBAAiB,GAAE,C;EAIIC,MAAM,KAAK,KAAM,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EA
IIC,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,
MAAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GACIB,MAAM,KAAK,SAAS,CAAC,aA
AW,GAAE,CAAd,EAAiB,UAAW,GAAE,CAA9B,C;EAIxB,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SAA
S,CAAC,CAAD,EAAI,aAAW,GAAE,CAAjB,C;EA05C,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,C
AAC,CAAE,IAAG,EAAN,C;EAI7C,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAO,IAAI,K;G;EAKb,M
AAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAAiB,GACzC,IAAI
,mBAAmB,E;G;EAIhC,MAAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,IAAI,K;G;E
AQ1B,MAAM,KAAK,UAAU,SAAU,GAAE,qB;IAC/B,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE
,CAAE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAAIB,C;KAGb,IAAI,I
AAI,OAAO,EAAf,C;MACE,OAAO,G;KAGT,IAAI,IAAI,WAAW,EAA nB,C;MACE,IAAI,IAAI,WAAW,CAAC,
MAAM,KAAK,UAAZ,CAAnB,C;QAGE,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,KAAD,C;QACiC,IAAI,M
AAM,IAAI,IAAI,CAAC,SAAD,C;QACIB,IAAI,MAAM,GAAG,SAAS,CAAC,SAAD,CAAW,SAAS,CAAC,IAA
D,C;QAC1C,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG,MAAM,EAAE,SAAS,CAAC,KAAD,C;:
QAEjD,OAAO,GA AI,GAAE,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,C;:KAMvC,IAAI,eAAe,MAAM,KAAK,
WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IA
Cb,OAAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC
,MAAM,SAAS,CAAC,YAAD,CAAhB,CAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C;
MAE5B,GA AI,GAAE,M;MACN,IAAI,GAAG,OAAO,EAA d,C;QACE,OAAO,MAAO,GAAE,M;:QAEhB,OAAO,

MAAM,OAAQ,GAAE,CAA vB,C;UACE,MAAO,GAAE,GAAL,GAAE,M;;QAEjB,MAAO,GAAE,EAAG,GAAE,
MAAO,GAAE,M;;G;EAO7B,MAAM,KAAK,UAAU,YAAa,GAAE,Y;IACIC,OAAO,IAAI,M;G;EAKb,MAAM,K
AAK,UAAU,WAAY,GAAE,Y;IACjC,OAAO,IAAI,K;G;EAKb,MAAM,KAAK,UAAU,mBAAoB,GAAE,Y;IACz
C,OAAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAAiB,GAAE,IAAI,K;G;E
AQpD,MAAM,KAAK,UAAU,cAAe,GAAE,Y;IACpC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,
CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;QAEp,OAAO,IAAI,OAAO,EAAE,cAAc,E;;;MAGpC,
IAAI,MAAM,IAAI,MAAO,IAAG,CAAE,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EA
Af,EAAmB,GAAL,GAAE,CAAzB,EAA4B,GAAG,EAA/B,C;QACE,IAAuB,CAAI,GAAL,GAAG,CAAE,IAAG,
GAAM,KAAG,CAA1B,C;UACE,K;;MAGJ,OAAO,IAAI,MAAO,IAAG,CAAE,GAAE,GAAL,GAAE,EAAR,GAA
a,GAAL,GAAE,C;;G;EAM9C,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,OAAO,IAAI,MAAO,IAAG,CAAE
,IAAG,IAAI,KAAM,IAAG,C;G;EAKzC,MAAM,KAAK,UAAU,WAAY,GAAE,Y;IACjC,OAAO,IAAI,MAAO,G
AAE,C;G;EAKtB,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAuB,CAAf,IAAI,KAAM,GAAE,CAAG,K
AAG,C;G;EAQ5B,MAAM,KAAK,UAAU,WAAY,GAAE,iB;IACjC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,I
AAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,cAAe,GAAE,iB;IACpC,OAAQ,IAAI,MAA
O,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,SAAU,GAAE,iB;
IAC/B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,gBAAiB,GAAE,iB
;IACtC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,YAAa,GAAE,iB;I
ACIC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,mBAAoB,GAAE,iB
;IACzC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAUhC,MAAM,KAAK,UAAU,QAAS,GAAE,iB;I
AC9B,IAAI,IAAI,WAAW,CAAC,KAAD,CAAnB,C;MACE,OAAO,C;KAGT,IAAI,UAAU,IAAI,WAAW,E;IAC7
B,IAAI,WAAW,KAAK,WAAW,E;IAC/B,IAAI,OAAQ,IAAG,CAAC,QAAhB,C;MACE,OAAO,E;KAET,IAAI,C
AAC,OAAQ,IAAG,QAAhB,C;MACE,OAAO,C;KAIT,IAAI,IAAI,SAAS,CAAC,KAAD,CAAO,WAAW,EAAnC,
C;MACE,OAAO,E;;MAEP,OAAO,C;;G;EAMX,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,IAAI,IAAI,WA
AW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,MAAM,KAAK,U;;MAEiB,OAAO,IAAI,IAAI,EAA
E,IAAI,CAAC,MAAM,KAAK,IAAZ,C;;G;EAUzB,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAG1B,IAAI,MAAM
,IAAI,MAAO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;I
ACxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,K
AAK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAA
E,K;IAEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAA sB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GA
AL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GA
AE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,I
AAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,K;IACP,OAAO
,MAAM,KAAK,SAAS,CAAE,GAAL,IAAG,EAAL,GAAE,GA Af,EAAqB,GAAL,IAAG,EAAL,GAAE,GAAL,C;G;
EAS7B,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,C;G;EA
SjB,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,IAAI,IAAI,OAAO,EA Af,C;MACE,OAAO,MAAM,KAAK,K
;WACb,IAAI,KAAK,OAAO,EA AhB,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,CAAC,M
AAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,KAAK,MAAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,M
AAM,KAAK,K;WACrD,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,IAAI,M
AAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAAM,KAAK,K;KAG3D,IAAI,IAAI,WAAW,EAAnB,C;M
ACE,IAAI,KAAK,WAAW,EA ApB,C;QACE,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAK,OAAO,EAAb,C;;
QAE7B,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,CAAO,OAAO,E;;WAExC,IAAI,KAAK,WAAW,EA Ap
B,C;MACL,OAAO,IAAI,SAAS,CAAC,KAAK,OAAO,EAAb,CAAgB,OAAO,E;KAI7C,IAAI,IAAI,SAAS,CAAC,
MAAM,KAAK,YAAZ,CAA0B,IACvC,KAAK,SAAS,CAAC,MAAM,KAAK,YAAZ,CADiB,C;MAEE,OAAO,M
AAM,KAAK,WAAW,CAAC,IAAI,SAAS,EAAG,GAAE,KAAK,SAAS,EAjC,C;KAM/B,IAAI,MAAM,IAAI,M
AAO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB,I
AAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,
MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;I
AEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAA sB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAL,IA

AG,GAAI,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAL,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;I
ACb,GAAL,IAAG,GAAL,KAAL,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,G
AAL,KAAL,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAL,E;IACf,G
AAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAL,E;IACf,GAAL,IAAG,K;IACP,
GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAL,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,
GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,G;IACjD,GAAL,IAA
G,K;IACP,OAAO,MAAM,KAAK,SAAS,CAAE,GAAL,IAAG,EAAL,GAAE,GAAf,EAaqB,GAAL,IAAG,EAAL,G
AAE,GAAL,C;G;EAS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,IAAI,KAAK,OAAO,EAhB,C;MACE
,MAAM,KAAK,CAAC,kBAAD,C;WACN,IAAI,IAAI,OAAO,EAaf,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,
IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,IAAI,KAAK,WAAW,CAAC,MAAM,KAA
K,IAAZ,CAakB,IACIC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADpB,C;QAEe,OAAO,MAAM,KAAK,
U;aACb,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OAAO,MAAM,KAAK,I;;QAGIB,
IAAI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAO,UAAU,C
AAC,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAArB,C;UACE,OAAO,KAAK,W
AAW,EAAG,GAAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;UAEzD,IAAI,MAAM,IAAI,SAAS,CAAC,
KAAK,SAAS,CAAC,MAAD,CAAf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CA
AR,C;UACvB,OAAO,M;;;WAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO
,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,KAAK,WAAW,EAApB,C;QACE,OAAO
,IAAI,OAAO,EAAE,IAAI,CAAC,KAAK,OAAO,EAAb,C;;QAExB,OAAO,IAAI,OAAO,EAAE,IAAI,CAAC,KA
AD,CAAO,OAAO,E;;WAEEnC,IAAI,KAAK,WAAW,EAApB,C;MACL,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,
EAAb,CAAgB,OAAO,E;KAQxC,IAAI,MAAM,MAAM,KAAK,K;IACrB,IAAI,MAAM,I;IACV,OAAO,GAAG,m
BAAmB,CAAC,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EAAL,IAAI,MAAM,CAAC,GA
AG,SAAS,EAAG,GAAE,KAAK,SAAS,EAhC,CAAd,C;MAIrB,IAAI,OAAO,IAAI,KAAK,CAAC,IAAI,IAAI,C
AAC,MAAD,CAAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EAAL,GAAE,CAAF,GAAM,IAAI
,IAAI,CAAC,CAAD,EAAL,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,MAAD,
C;MACtC,IAAI,YAAY,SAAS,SAAS,CAAC,KAAD,C;MACIC,OAAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAA
Y,CAAC,GAAD,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAA
D,C;QACIC,SAAU,GAAE,SAAS,SAAS,CAAC,KAAD,C;;MAKhC,IAAI,SAAS,OAAO,EAApB,C;QACE,SAAU,
GAAE,MAAM,KAAK,I;OAGzB,GAAL,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,GAAL,GAAE,GAAG,SAAS,
CAAC,SAAD,C;;IAEpB,OAAO,G;G;EAST,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC7B,OAAO,IAAI,SAAS,
CAAC,IAAI,IAAI,CAAC,KAAD,CAAO,SAAS,CAAC,KAAD,CAAzB,C;G;EAKtB,MAAM,KAAK,UAAU,IAA
K,GAAE,Y;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAC,IAAI,KAAK,EAaA,CAAC,IAAI,MAAIB,C;G;E
AS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE
,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,GAAL,GAAE,iB
;IACzB,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,K
AAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC
,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,U
AAU,UAAW,GAAE,mB;IAChC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;MAEP,IA
AI,MAAM,IAAI,K;MACd,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,OAAO,IAAI,M;QACf,OAAO,MAAM,KA
AK,SAAS,CACvB,GAAL,IAAG,OADgB,EAEtB,IAAK,IAAG,OAAS,GAAG,GAAL,KAAK,EAAG,GAAE,OAFZ,
C;;QAI3B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAD,EAAL,GAAL,IAAI,OAAQ,GAAE,EAAtB,C;;;G;EAWjC,
MAAM,KAAK,UAAU,WAAW,GAAE,mB;IACjC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OA
AO,I;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OA
AO,MAAM,KAAK,SAAS,CACtB,GAAL,KAAL,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,I
AAG,OAFc,C;;QAI3B,OAAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OAAQ,GAAE,EADI,EAEvB,IAAK,IA
AG,CAAE,GAAE,CAAF,GAAM,EAFO,C;;;G;EAejC,MAAM,KAAK,UAAU,mBAoB,GAAE,mB;IACzC,OAA
Q,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,
GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAL,KAAL,OAAS,G

AAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,KAAl,OAfC,C;aAGtB,IAAI,OAAQ,IAAG,EAaf,C;QACL, OAAO,MAAM,KAAK,SAAS,CAAC,IAAD,EAAO,CAAP,C;;QAE3B,OAAO,MAAM,KAAK,SAAS,CAAC,IAA K,KAAK,OAAQ,GAAE,EAARb,EAA0B,CAA1B,C;;;G;EAMjC,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC3B, OAAO,KAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;G;EAG1D,MAAM,KAAK,UAAU, gBAaiB,GAAE,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,IAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,QAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,QAAS,GAAE,Y;IAC5B,OAAO,IAAI,SAAS ,E;G;EAGxB,MAAM,KAAK,UAAU,UAAW,GAAE,Y;IAC9B,OAAO,I;G;EAGX,MAAM,KAAK,UAAU,WAA Y,GAAE,MAAM,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,IAAK,GAAE,MAAM,KAAK,UAAU,I;EAEjD, MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC5B,OAAO,IAAI,MAAM,OAAO,OAAO,UAAxB,CAAmC,IAAnC,E AAyC,KAAzC,C;G;EC1zBX,MAAM,aAAc,GAAE,2B;G;EAGtB,MAAM,qBAAsB,GAAE,oB;IAC1B,OAAO,G; G;EAGX,MAAM,aAAc,GAAE,e;IACIB,IAAI,IAAI,Y;MACJ,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MA AM,CAAC,IAAD,EAAO,SAAP,C;K;IAEIB,OAAO,Y;MACH,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP ,C;K;G;EAItB,MAAM,SAAU,GAAE,gB;IACd,OAAO,kB;MACH,OAAO,OAAO,MAAO,KAAI,I;K;G;EAIjC,MA AM,aAAc,GAAE,iB;IACIB,OAAO,kB;MACH,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,KAAT,C;K;G;EAI5 B,MAAM,OAAQ,GAAE,c;IACZ,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,C; K;G;EAIc,MAAM,aAAc,GAAE,gB;IACIB,OAAO,kB;MACH,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAA C,CAAC,MAAD,C;K;G;EAI7B,MAAM,qBAAsB,GAAE,wC;G;EAG9B,MAAM,YAAa,GAAE,iB;IACjB,OAAO, K;G;EAGX,MAAM,gBAaiB,GAAE,qB;IACrB,gBAAgB,E;G;EAGpB,MAAM,oBAAqB,GAAE,qB;IACzB,gBA AgB,E;G;EAGpB,MAAM,kBAAmB,GAAE,qB;IACvB,gBAAgB,E;G;EAGpB,MAAM,mBAAoB,GAAE,4B;IACx B,gBAAgB,E;G;EAGpB,MAAM,6BAA8B,GAAE,yB;IACIC,gBAAgB,E;G;EAGpB,4B;IACI,MAAM,IAAI,KAAJ ,CACF,iDAaKd,GACID,qDAAsD,GACtD,uDAHE,C;G;EAMV,MAAM,gBAaiB,GAAE,4B;IACrB,OAAO,Y;M ACH,OAAO,Y;K;G;ECJff,MAAM,UAAW,GAAE,gB;IACf,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,KAAI,Q AAd,C;MACI,IAAI,OAAO,CAAE,KAAI,QAAjB,C;QACI,OAAO,MAAM,gBAAgB,CAAC,CAAD,EAAl,CAAJ, C;OAEjC,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAl,CAAJ,C;KAEpC,IAAI,KAAM,KAAI,QAAS,IAAG,K AAM,KAAI,SAAP,C;MACI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAl,CAAJ,C;KAEpC,OAAO,CAAC,g BAAgB,CAAC,CAAD,C;G;EAG5B,MAAM,mBAAoB,GAAE,gB;IACxB,OAAO,CAAE,GAAE,CAAE,GAAE,E AAF,GAAO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,C;G;EAGpC,MAAM,gBAaiB,GAAE,gB;IACrB,IAAI,C AAE,GAAE,CAAR,C;MAAW,OAAO,E;IACIB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAEIB,IAAI,CA AE,KAAI,CAAV,C;MACI,IAAI,CAAE,KAAI,CAAV,C;QAAa,OAAO,C;MAEpB,IAAI,KAAK,CAAE,GAAE,C; MACb,OAAO,EAAG,KAAI,CAAE,GAAE,CAAE,GAAE,CAAF,GAAO,EAAG,GAAE,CAAE,GAAE,EA AF,GA AO,C;KAG7C,OAAO,CAAE,KAAI,CAAE,GAAG,CAAE,KAAI,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E ;G;EAGzC,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,M AAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MAAM,KAAM, GAAE,IAAI,KAAM,IAAG,I;EAE3B,MAAM,aAAc,GAAE,I;EAEtB,oB;IACI,OAAyB,CAAhB,CAAE,GAAE,YA AY,KAAg,CAAE,GAAE,KAAp,CAAE,GAAe,CAAZ,CAAE,GAAE,KAAQ,KAAg,CAAE,GAAE,CAAP,CAAW ,GAAE,C;G;EA6DtE,CA1DD,Y;IACG,IAAI,MAAM,IAAI,WAAJ,CAAgB,CAAhB,C;IACV,IAAI,aAAa,IAAI,Y AAJ,CAAiB,GAAjB,C;IACjB,IAAI,aAAa,IAAI,YAAJ,CAAiB,GAAjB,C;IACjB,IAAI,WAAW,IAAI,UAAJ,CAA e,GAAf,C;IACf,IAAI,WAAW,C;IACf,IAAI,YAA Y,C;IAEhB,UAAU,CAAC,CAAD,CAAI,GAAE,E;IACb,IAAI, QAAQ,CAAC,QAAD,CAAW,KAAI,CAA3B,C;MACI,QAAS,GAAE,C;MACX,SAAU,GAAE,C;KAGhB,MAAM ,aAAc,GAAE,iB;MACIB,OAAO,MAAM,gBAAgB,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,K AAtB,C;K;IAGjC,MAAM,gBAaiB,GAAE,iB;MACrB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,M AAM,KAAK,SAAS,CAAC,QAAQ,CAAC,QAAD,CAAT,EAAqB,QAAQ,CAAC,SAAD,CAA7B,C;K;IAG/B,MA AM,eAAgB,GAAE,iB;MACpB,QAAQ,CAAC,QAAD,CAAW,GAAE,KAAK,K;MAC1B,QAAQ,CAAC,SAAD,C AAY,GAAE,KAAK,M;MAC3B,OAAO,UAAU,CAAC,CAAD,C;K;IAGrB,MAAM,YAAa,GAAE,iB;MACjB,OA AO,MAAM,eAAe,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,KAAtB,C;K;IAGhC,MAAM,eAAg B,GAAE,iB;MACpB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,CAAD,C;K;IAGnB, MAAM,cAAe,GAAE,iB;MACnB,QAAQ,CAAC,CAAD,CAAI,GAAE,K;MACd,OAAO,UAAU,CAAC,CAAD,C;

K;IAIrB,MAAM,cAAe,GAAE,iB;MACnB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHB,OAAO,QAAQ,CAAC,SAAD,CAAY,GAAE,a;K;IAGjC,MAAM,eAAgB,GAAE,e;MACpB,IAAc,CAAT,GAAl,GAAE,CAAG,MAAI,GAAlB,C;QACI,OAAO,GAAl,GAAE,C;;QAGb,UAAU,CAAC,CAAD,CAAI,GAAE,G;QACHb,OAAc,CAA9B,QA AQ,CAAC,SAAD,CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QAAD,CAAW,GAAE,C;;K;GAGvE ,G;EAEF,MAAM,cAAe,GAAE,a;IACnB,OAAO,CAAE,IAAG,IAAK,GAAE,CAAF,GAAM,MAAM,SAAS,E;G;E C7G1C,IAAI,OAAO,MAAM,UAAU,WAAY,KAAI,WAA3C,C;IACI,MAAM,eAAe,CAAC,MAAM,UAAP,EAA mB,YAAAnB,EAAiC,QAC3C,kC;MACH,QAAS,GAAE,QAAS,IAAG,C;MACvB,OAAO,IAAI,YAAY,CAAC,YA AD,EAAe,QAaf,CAAyB,KAAI,Q;KAHN,CAAJC,C;GAOzB,IAAI,OAAO,MAAM,UAAU,SAAU,KAAI,WAAzC ,C;IACI,MAAM,eAAe,CAAC,MAAM,UAAP,EAAmB,UAAAnB,EAA+B,QACzC,kC;MACH,IAAI,gBAAgB,IAAI ,SAAS,E;MACjC,IAAI,QAAS,KAAI,SAAU,IAAG,QAAS,GAAE,aAAa,OAAtD,C;QACI,QAAS,GAAE,aAAa,O; OAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAAa,QAAQ,CAAC,YAAD,EAAe,QAaf,C;MACrC,OAA O,SAAU,KAAI,EAAG,IAAG,SAAU,KAAI,Q;KARG,CAA/B,C;GAazB,IAAI,OAAO,IAAI,KAAM,KAAI,WAAz B,C;IACI,IAAI,KAAM,GAAE,a;MACR,CAAE,GAAE,CAAC,C;MACL,IAAI,CAAE,KAAI,CAAE,IAAG,KA AK,CAAC,CAAD,CAApB,C;QACI,OAAO,MAAM,CAAC,CAAD,C;OAEjB,OAAO,CAAE,GAAE,CAAE,GAAE,C AAF,GAAM,E;K;GAG3B,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,IAAI ,KAAK,CAAC,CAAD,CAAT,C;QACI,OAAO,G;OAEX,IAAI,CAAE,GAAE,CAAR,C;QACI,OAAO,IAAI,MAA M,CAAC,CAAD,C;OAErB,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;GAuKtB,CAnKD,Y;IACG,IAAI,UAAU,qB;I ACd,IAAI,iBAaiB,IAAI,KAAK,CAAC,OAD,C;IAC9B,IAAI,iBAaiB,IAAI,KAAK,CAAC,cAAD,C;IAC9B,IA AI,uBAAuB,CAAC,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE7B,IAAI,OAAO,IAAI,KAAM,KAAI,W AAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI ,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAA E,GAAE,CAAG,GAAE,C;WAE5B,OAAO,M;;UAEP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;UACHb,IAAI,KAA K,CAAE,GAAE,C;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAakB,OAAO,IAAI,IAAI,CAAC,CAAE, GAAE,IAAI,IAAT,C;UACjC,IAAI,CAAC,QAAQ,CAAC,EAAD,CAAb,C;YAAmB,OAAO,CAAC,IAAI,IAAI,CA AC,CAAC,CAAE,GAAE,IAAI,IAAV,C;UACnC,OAAgB,CAAR,CAAE,GAAE,EAAl,IAAE,C;;O;KAI9B,IAAI,O AAO,IAAI,KAAM,KAAI,WAAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD, C;QACHb,IAAI,KAAK,CAAE,GAAE,C;QACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,QAAQ,C AAC,EAAD,CAA7B,C;UAAmC,OAAO,IAAI,IAAI,CAAC,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,IAAnB, C;QACID,OAAgB,CAAR,CAAE,GAAE,EAAl,IAAE,C;O;KAI1B,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C; MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C ;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE, CAAG,GAAE,C;WAE5B,OAAO,M;;UAGP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,CAAhB,EAASB,IAAI,I AAI,IAAI,CAAC,CAAC,CAAF,C;UACIC,OAAO,CAAE,KAAI,QAAS,GAAE,CAAF,GAAM,CAAE,KAAI,QAAS,GAAE,EAAF,GAAe,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,C;;O;KAQtE,IAAI,OAAO,IAAI ,MAAO,KAAI,WAA1B,C;MACI,IAAI,QAAQ,a;QACR,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAEI,IAAI,CAAE,G AAE,oBAAR,C;YAEI,IAAI,CAAE,GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI, I;cAKzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAE,GAAG,CAAE,IAAG,CAAE,GAAE,CAAP,CAAZ,C;;; YAKnB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAD ,C;;eAGIB,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAED,OAAO,CAAC,KAAK,CAAC,CAAC,CAAF,C;;UAKb,IAA I,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,IAAG,cAAAnB,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAA E,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,C;WAEhB,OAAO,M;;O;MAGf,IAAI,MAAO,GAAE,K;KAEjB,IA AI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,CAAE,GAAE,CAAR,C;U AEI,OAAO,G;eAEN,IAAI,CAAE,GAAE,CAAE,IAAG,cAAAb,C;UAED,IAAI,CAAE,GAAE,oBAAR,C;YAGI,OA AO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;YAIzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK ,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;;UAKnB,IAAI,IAAI,IAAI,KAAK,CAAC,CAAE,GAAE,C AAL,C;UAEjB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,cAAT,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAA E,C;YAEjB,MAAO,IAAG,EAAG,GAAE,E;WAGnB,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE,M;;O;KAI IC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CA

AD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;Y
ACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C;WAE5B,OAAO,M;SAEX,OAAO,IAAI,IAAI,CA
AS,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,CAAT,CAAoB,GAAE,C;O;KAG7C,IAAI,OAAO,I
AAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE
,cAAIB,C;UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,
GAAE,C;UAEd,OAAQ,CAAC,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,G
AAE,C;SAEXC,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAL,C;O;KAGvB,IAAI,OAAO,IAAI,MAAO,KAAI,W
AA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI
,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;UAEd,OAAQ
,EAAG,GAAE,EAAG,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;SAEXC,OAAO,IAAI,I
AAI,CAAC,CAAD,CAAI,GAAE,C;O;MAG/B,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,
MAAO,GAAE,Y;MACT,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IAAI,CAA b,EAAGb,C
AAE,GAAE,MAApB,EAA4B,CAAC,EAA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KAAI,QAAS,IAAG,SA
AS,CAAC,CAAD,CAAI,KAAI,CAAC,QAAnD,C;UACI,OAAO,Q;SAEX,CAAE,IAAG,SAAS,CAAC,CAAD,CA
AI,GAAE,SAAS,CAAC,CAAD,C;;MAEjC,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;GAGxB,IAAI,OAAO,IAAI,
MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IA
AI,O;K;GAGjC,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,GAAE,a;MACR,OAAO,IAAI,IA
AI,CAAC,CAAD,CAAI,GAAE,IAAI,M;K;GAGjC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAA
O,GAAG,oB;MACV,OAAO,a;QACH,IAAI,SAAS,CAAE,KAAI,C;QACnB,IAAI,MAAO,KAAI,CAAf,C;UACI,O
AAO,E;SAEX,OAAO,EAAG,IAAG,GAAG,CAAC,MAAD,CAAS,GAAE,GAAL,GAAE,CAA vB,CAA0B,GAAE,
C;O;KAE5C,CAAC,IAAI,IAAL,EA AW,IAAI,IAAf,C;GAIN,IAAI,OAAO,WAAW,OAAQ,KAAI,WAAIC,C;IACI
,WAAW,OAAQ,GAAE,a;MACjB,OAAO,CAAE,IAAG,IAAK,IAAG,CAAC,UAAW,IAAG,IAAK,IAAG,CAAC,
UAAU,UAAW,KAAI,SAAS,UAAU,U;K;GAIhG,IAAI,OAAO,KAAK,UAAU,KAAM,KAAI,WAApC,C;IAEI,M
AAM,eAAe,CAAC,KAAK,UAA N,EAakB,MAA1B,EAA0B,QACpC,iB;MAGH,IAAI,IAAK,IAAG,IAAZ,C;QAC
I,MAAM,IAAI,SAAJ,CAAc,6BAAd,C;OAGV,IAAI,IAAI,MAAM,CAAC,IAAD,C;MAGd,IAAI,MAAM,CAAC,
OAAQ,KAAI,C;MAGvB,IAAI,QAAQ,SAAS,CAAC,CAAD,C;MACrB,IAAI,gBAAgB,KAAM,IAAG,C;MAG7B,
IAAI,IAAI,aAAc,GAAE,CAAE,GACIB,IAAI,IAAI,CAAC,GAAL,GAAE,aAAP,EAAsB,CAA tB,CADU,GAEIB,I
AAI,IAAI,CAAC,aAAD,EAAGb,GAAhB,C;MAGhB,IAAI,MAAM,SAAS,CAAC,CAAD,C;MACnB,IAAI,cAAc,
GAAL,KAAI,SAAU,GACIB,GADkB,GACZ,GAAL,IAAG,C;MAG/B,IAAI,aAAa,WAA Y,GAAE,CAAE,GACHb,I
AAI,IAAI,CAAC,GAAL,GAAE,WAAP,EAAoB,CAAPb,CADQ,GA EhB,IAAI,IAAI,CAAC,WAAD,EAAc,GAAd,
C;MAGzB,OAAO,CAAE,GAAE,UAA X,C;QACI,CAAC,CAAC,CAAD,CAAI,GAAE,K;QACP,CAAC,E;;MAIL,
OAAO,C;KA vCgC,CAA1B,C;GA4HvB,CahFD,Y;IACG,yC;MACI,IAAI,MAAO,GAAE,CAA b,C;QAAgB,OAA
O,IAAI,IAAI,CAAC,CAAD,EAAI,MAAO,GAAE,MAAb,C;MAC/B,OAAO,IAAI,IAAI,CAAC,MAAD,EAAS,M
AAT,C;K;IAEnB,qC;MACI,IAAI,OAAO,GAAL,KAAI,WAA nB,C;QACI,GAAL,GAAE,IAAI,O;OAE d,KAAM,GA
AE,eAAe,CAAC,KAAM,IAAG,CAAV,EAAa,IAAI,OAAjB,C;MACvB,GAAL,GAAE,IAAI,IAAI,CAAC,KAAD,E
AAQ,eAAe,CAAC,GAAD,EAAM,IAAI,OAAV,CAA vB,C;MACd,OAAO,IAAI,IAAI,YAAR,CAAqB,IAAI,SAAS
,CAAC,KAAD,EAAQ,GAAR,CAAIC,C;K;IAGX,IAAI,SAAS,CAAC,SAAD,EAAY,UAAZ,EAAwB,WAAxB,EA
AqC,UAArC,EAAiD,YAAjD,EAA+D,YAA/D,C;IACb,KAAK,IAAI,IAAI,CAA b,EAAGb,CAAE,GAAE,MAAM,
OAA1B,EAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UA
AU,KAAM,KAAI,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAA X,EAAuB,MAAvB,EAA+B,QACzC,KA
AK,UAAU,KAD0B,CAA/B,C;OAIzB,IAAI,OAAO,UAAU,UAAU,MAAO,KAAI,WAA1C,C;QACI,MAAM,eAA
e,CAAC,UAAU,UAA X,EAAuB,OAAvB,EAAgC,QAC1C,eAD0C,CAAhC,C;;MAQJ,CAAPB,Y;OAAc,MAAM,
CAAC,IAAD,EAAO,IAAI,UAAJ,CAAe,CAAf,CAAP,E;;MAErB,IAAI,QAAQ,QAAQ,UAAU,M;MAC9B,MAA
M,eAAe,CAAC,QAAQ,UAA T,EAAqB,OAARb,EAA8B,QACx C,uB;QACH,OAAO,KAAK,KAAK,CAAC,IAAD,
EAAO,IAAP,EAAa,EAAE,MAAM,KAAK,CAAC,KAAD,CAA1B,C;OAF0B,CAA9B,C;;IASzB,KAAK,IAAI,IA
AI,CAA b,EAAGb,CAAE,GAAE,MAAM,OAA1B,EAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,C
AAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,IAAK,KAAI,WAAx C,C;QACI,MAAM,eAAe,CAAC,UAAU,UAA
X,EAAuB,KA AvB,EAA8B,QACx C,0B;UACH,OAAO,EAAE,MAAM,KAAK,CAAC,IAAD,CAAM,IAAI,CAAC,

QAAD,EAAW,IAAX,C;SAFa,CAA9B,C;;IAU7B,IAAI,uBAAuB,gB;MACvB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,E;MACIB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,C;MAEIB,IAAI,CAAE,KAAI,CAAV,C;QACI,IAAI,CAAE,KAAI,CAAV,C;UAAa,OAAO,C;QAEpB,IAAI,KAAK,CAAE,GAAE,C;QACb,OAAO,EAAG,KAAI,CAAE,GAAE,CAAE,GAAE,CAAF,GAAO,EAAG,GAAE,CAAE,GAAE,EAAF,GAAO,C;OAG7C,OAAO,CAAE,KAAI,CAAE,GAAG,CAAE,KAAI,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;K;IAGzC,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,MAAM,OAAIB,EAAMC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,KAAM,KAAI,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAE,AAuB,MAAvB,EAA+B,QACzC,2B;UACH,OAAO,KAAK,UAAU,KAAK,KAAK,CAAC,IAAD,EAAO,eAAGB,IAAG,oBAA1B,C;SAFY,CAA/B,C;;GAO/B,G;ECxXF,MAAM,KAAM,GAAE,QACH,OADG,aAEC,WAFD,UAGF,QAHE,C;EAMd,MAAM,WAAY,GAAE,2C;IACHb,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,OAAO,kBAAkB,IAAI,KAAK,CAAC,UAAD,C;KAGtC,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,OAAO,UAAU,CAAC,YAAD,C;KAGrB,OAAO,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,C;G;EAG5B,MAAM,WAAY,GAAE,kD;IACHb,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,KAAK,CAAC,UAAD,EAAa,KAAAb,C;MAC3B,M;KAGJ,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,UAAU,CAAC,YAAD,CAAE,GAAE,K;MAC3B,M;KAGJ,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,EAAYD,KAAzD,C;G;EAGrB,iD;IACI,IAAI,IAAK,KAAI,KAAb,C;MAAoB,OAAO,I;IAE3B,IAAI,WAAW,IAAI,W;IACnB,IAAI,QAAS,IAAG,IAAhB,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,UAAU,OAA9B,EAAsC,CAAC,EAAX,C;QACI,IAAI,0BAA0B,CAAC,UAAU,CAAC,CAAD,CAAX,EAAGB,KAAhB,CAA9B,C;UACI,OAAO,I;;KAKnB,IAAI,iBAAiB,IAAI,UAAW,IAAG,IAAK,GAAE,MAAM,eAAe,CAAC,IAAI,UAAAL,CAAvB,GAA0C,I;IACtF,IAAI,mBAAmB,cAAe,IAAG,IAAK,GAAE,cAAc,YAAhB,GAA+B,I;IAC7E,OAAO,gBAAiB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAAMB,KAAAnB,C;G;EASjE,MAAM,OAAQ,GAAE,yB;IACZ,IAAI,KAAM,KAAI,MAAd,C;MACI,QAAQ,OAAO,MAAf,C;aACS,Q;aACA,Q;aACA,S;aACA,U;UACD,OAAO,I;gBAEP,OAAO,MAAO,YAAW,M;;KAiRc,IAAI,MAAO,IAAG,IAAK,IAAG,KAAM,IAAG,IAAK,KAAI,OAAO,MAAO,KAAI,QAAS,IAAG,OAAO,MAAO,KAAI,UAApD,CAApC,C;MACI,OAAO,K;KAGX,IAAI,OAAO,KAAM,KAAI,UAAW,IAAG,MAAO,YAAW,KAArD,C;MACI,OAAO,I;KAGX,IAAI,QAAQ,MAAM,eAAe,CAAC,KAAD,C;IACjC,IAAI,cAAc,KAAM,IAAG,IAAK,GAAE,KAAK,YAAP,GAAsB,I;IACtD,IAAI,WAAY,IAAG,IAAK,IAAG,YAAa,IAAG,WAA3C,C;MACI,IAAI,WAAW,WAAW,W;MAC1B,IAAI,QAAQ,KAAAM,KAAI,MAAM,KAAK,OAAjC,C;QACI,OAAO,MAAO,KAAI,K;QAI1B,IAAI,gBAAgB,KAAK,W;IAGzB,IAAI,aAAc,IAAG,IAArB,C;MACI,OAAO,MAAO,YAAW,K;KAG7B,IAAI,aAAa,KAAM,KAAI,MAAM,KAAK,UAAW,IAAG,MAAM,YAAa,IAAG,IAA1E,C;MACI,OAAO,0BAA0B,CAAC,MAAM,YAAP,EAAGB,KAArB,C;KAGrC,OAAO,K;G;EAGX,MAAM,SAAU,GAAE,a;IACd,OAAO,OAAO,CAAE,IAAG,QAAS,IAAG,CAAE,YAAW,MAAM,K;G;EAGtD,MAAM,OAAQ,GAAE,iB;IACZ,OAAO,KAAM,YAAW,MAAM,U;G;EAGIC,MAAM,aAAAc,GAAE,iB;IACIB,IAAI,OAAO,OAAO,K;IAEIB,OAAO,IAAK,KAAI,QAAS,IACIB,IAAK,KAAI,SAAU,IACnB,MAAM,SAAS,CAAC,KAAD,CAAQ,IACvB,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,WAArB,C;G;EAGxB,MAAM,eAAGB,GAAE,iB;IACpB,OAAO,OAAO,KAAM,KAAI,QAAS,IAAG,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,aArB,C;G;;;;;;aCnDV,gB;;;;ICrE3C,gB;MAkBI,4B;MAjBA,aAA6C,E;MAC7C,gBAAgD,C;K;4EAG5C,Y;MAAQ,iB;K;+EAGR,Y;MAAQ,oB;K;qCAEZ,iB;MAAYC,OAAQ,0BAAR,YAAQ,EA AU,KAAM,QAAb,C;K;4BAEjD,iB;MAAMC,gBAAS,K;K;8BAE5C,Y;MAA+B,OAAAnC,MAAMC,kBAA8B,IAA9B,C;K;8BAE/B,Y;MAA0B,gB;K;IAE1B,0B;MAAA,8B;K;;;IAAA,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;;;IdfJ,mC;MAC4C,oBAAa,MAAS,IAAT,CAAb,EAA6B,SAA7B,C;K;gEAE5C,yB;MAAA,mB;MAAA,6B;QAC2D,YAAa,QAAS,IAAT,C;QAIvD,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IALgF,IAKrE,CAAK,CAAL,C;;QALwC,OAOhD,K;O;KARX,C;gEAGA,uB;MAEiB,Q;MAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,KAAK,CAAL,C;;MAEf,OAAO,K;K;IAGX,kC;MAIiB,IAAN,I;MAFP,aAAsB,MAAe,IAAf,C;MACtB,gBAAkB,c;MAEd,IADS,IACt,mB

ADS,IACT,EAAM,IAAN,E;QAAC,oBAAa,MAAb,EAAqB,KAArB,C;WACd,WAFS,IAET,S;QAAS,a;;QAZA,U;
QAAA,SAaqB,MAbf,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAakC,MAZ9B,CAAM,CAAN,IAYS,C,IA
Z3B,CAAK,CAAL,C;;QAYH,OAAaB,M;;MAHIC,W;K;2EAOJ,yB;MAAA,iC;MAAA,6B;QACoF,YAAa,aAAa,I
AAb,EAAMb,KAAAb,C;QAlBhF,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI
,MAAM,CAAN,IAiBoH,IAjBzG,CAAK,CAAL,C;;QaiBiE,OafzE,K;O;KAcX,C;IAGA,+B;MAKiB,IAAN,I;MAF
P,aAAa,IAAb,WAAa,CAAD,IAAC,C;MACb,gBAakB,W;MAEd,IADS,IACT,mBADs,IACT,EAAM,IAAN,YAD
S,IACT,EAAY,KAAZ,E;QAAqB,a;;QA1BZ,U;QAAA,SA2BkB,MA3BZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CA
AV,mB;UA2B+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;;QA0BH,OAAMb,M;;MAF/B,W;
K;qEAMJ,yB;MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAY,UAAU,IAAV,EAAGB,IAAhB,C;QACC
,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAK,CA
AC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;mFAWA,yB;MAAA,mB;MAAA,gC;MAAA,6B;QAGi
B,Q;QADb,YAAY,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,
YACY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;IAWA,+B;
MAliB,IAAN,I;MAFP,aAAsB,MAAY,IAAZ,C;MActB,gBAakB,W;MAEd,IADS,IACT,mBADs,IACT,EAAM,I
AAN,E;QAAC,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QA3DA,U;QAAA,SA4DkB,MA5DZ,OAAN,G
AAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA4D+B,MA3D3B,CAAM,CAAN,IA2DmC,IA3DxB,CAAK,CAAL,C;;Q
A2DH,OAAMb,M;;MAH/B,W;K;qEAOJ,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,UAAU,IAAV,EAAGB,KAAh
B,C;QAJEvE,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAg
EwG,IAhE7F,CAAK,CAAL,C;;QAgEwD,OA9DhE,K;O;KA6DX,C;IAGA,wC;MACiB,Q;MAAA,OAAA,KAAM,
OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;;MAEf,OAAO,K;K;IEIFX,iC;MA
AA,qC;MAEL,iBAC8B,Q;MAE9B,iBAC8B,sB;MAE9B,yBAEsC,MAAM,G;MAE5C,yBAEsC,CAAC,GAAD,GA
AO,G;MAE7C,WAEwB,EAAE,MAAM,GAAR,C;MAExB,kBACuB,C;MAEvB,iBACsB,E;K;;IAxB1B,6C;MAA
A,4C;QAAA,2B;OAAA,qC;K;IA2BA,gC;MAAA,oC;MAEL,iBAC6B,O;MAE7B,iBAC6B,Y;MAE7B,yBAEqC,M
AAO,G;MAE5C,yBAEqC,CAAC,GAAD,GAAQ,G;MAE7C,WAEuB,EAAE,MAAO,GAAT,C;MAEvB,kBACuB,
C;MAEvB,iBACsB,E;K;;IAxB1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IA2BA,8B;MAAA,kC;MAEL,iBACqB,
W;MAErB,iBACqB,U;MAErB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,0C;MAAA,yC;QAAA,wB;OAAA,kC;
K;IAeA,+B;MAAA,mC;MAEL,iBACJ,MAAM,KAAoB,U;MAEtB,iBACJ,MAAM,KAAoB,U;MAEtB,kBACuB,C;
MAEvB,iBACsB,E;K;;IAZ1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAeA,gC;MAAA,oC;MAEL,iBACuB,U;M
AEvB,iBACuB,K;MAEvB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAe
A,+B;MAAA,mC;MAEL,iBACsB,Q;MAEtB,iBACsB,G;MAEtB,kBACuB,C;MAEvB,iBACsB,C;K;;IAZ1B,2C;M
AAA,0C;QAAA,yB;OAAA,mC;K;IAeA,+B;MAAA,mC;MAEL,iBACmC,C;MAEnC,iBACmC,K;MAEnC,0BAC4
C,K;MAE5C,0BAC4C,K;MAE5C,yBAC2C,K;MAE3C,yBAC2C,K;MAE3C,qBACuC,uB;MAEvC,qBACuC,sB;M
AEvC,kBACuB,C;MAEvB,iBACsB,E;K;;IA9B1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAiCA,iC;MAAA,qC;
K;;IAAA,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IAEA,kC;MAAA,sC;K;;IAAA,8C;MAAA,6C;QAAA,4B;OAA
A,sC;K;;aC8ouBoB,gB;;cC3stB0C,mB;;gBAyEvC,yB;eAAyB,wB;;uBAgBzB,gC;sBAA
wB,+B;mCA4JjC,qB;mCA5ImC,qB;;kBAQ1B,2B;iBAA0B,0B;;eCvegB,wB;sBCQA,sB;iBCPA,0B;;aC1K8B,e
;;gCCxChD,yC;+BCVA,uC;+BCAA,sC;;gCCyJ/B,+B;+BAIW,sC;;gBCIF0D,yB;;
;;ICFrFrF,kD;MAMuF,wC;K;IANvF,4CAOI,Y;MAAuC,8B;K;IAP3C,8E;ICGA,kD;MAQuF,wC;K;IARvF,
4CASI,Y;MAAuC,8B;K;IAT3C,8E;0FZOA,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,
CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;
MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CA
AAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;M
AQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CA
AJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MA
QI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,
C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,
OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;

sB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,
yB;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAA
gB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;
O;KANV,C;IASA,gC;MAII,OAoiNO,qBAAQ,CapiNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII
,OAqiNO,qBAAQ,CariNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAsiNO,qBAAQ,CAtiNR,
GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAuiNO,qBAAQ,CaviNR,GAAe,IAAf,GAAYB,UAA
K,CAAL,C;K;IAGpC,kC;MAII,OAwiNO,qBAAQ,CAXiNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;
MAII,OAyiNO,qBAAQ,CAziNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA0iNO,qBAAQ,CA
liNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA2iNO,qBAAQ,CA3iNR,GAAe,IAAf,GAAYB,
UAAK,CAAL,C;K;IAGpC,kC;MAII,OA4iNO,qBAAQ,CA5iNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;8FAGp
C,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;
UAAwB,OAAO,O;;MACrD,OAAO,I;K;8FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SA
AhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MA
AhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;
MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IA
AI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SA
AhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K
;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,C
AAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cA
AA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB
,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OA
AO,O;;MACrD,OAAO,I;K;+FAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,g
B;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO
,I;O;KALX,C;wFAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,U
AI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,C
AAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAA
A,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa
,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GA
AsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,
SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,y
B;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAs
D,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBA
A3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,
OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0
FAQA,yB;MAAA,8D;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,
KAJ,CAAtC,GAAsD,uBAAa,KAAb,E;O;KALjE,C;IAQA,qC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA
3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GA
AsC,UAAI,KAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,U
AAI,KAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,K
AAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,C
AAtC,GAAsD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAJ,CAAtC,G
AAsD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,I;
K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,I;
K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,I;K;IAGj
E,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,I;K;IAGjE,qC;M
AII,IAAI,eAAJ,C;QACI,wD;UACI,IAAI,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;;QAIIf,8D;UACI,IAAI,gBAAW,
UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;;MAInB,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,U
AAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KA
L,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;

UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,gBAAW,UAAK,KAAL,CAAX,CAAJ,C;UA
CI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,
K;;MAGf,OAAO,E;K;IAGX,uC;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,
OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;
IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;8FAGX,gC;
MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;M
AII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAI
I,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,
wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,w
D;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;
QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;Q
ACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QA
CI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,yB;MAAA,oC;MA
AA,uC;QAIi,wD;UACI,IAAI,UAAU,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,
C;8FAYAY,yB;MAAA,OD;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAA
c,cAAAd,C;UAAC,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KA
TX,C;8FAYAY,yB;MAAA,OD;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,O
AAc,cAAAd,C;UAAC,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;
KATX,C;8FAYAY,yB;MAAA,OD;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAA
d,OAAC,cAAAd,C;UAAC,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E
;O;KATX,C;8FAYAY,yB;MAAA,OD;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;Q
AAd,OAAC,cAAAd,C;UAAC,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAA
O,E;O;KATX,C;8FAYAY,yB;MAAA,OD;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,
W;QAAd,OAAC,cAAAd,C;UAAC,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,
OAAO,E;O;KATX,C;8FAYAY,yB;MAAA,OD;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CA
AR,W;QAAd,OAAC,cAAAd,C;UAAC,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QA
Gf,OAAO,E;O;KATX,C;8FAYAY,yB;MAAA,OD;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,
CAAR,W;QAAd,OAAC,cAAAd,C;UAAC,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;
QAGf,OAAO,E;O;KATX,C;8FAYAY,yB;MAAA,OD;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBA
AQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAC,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO
,K;;QAGf,OAAO,E;O;KATX,C;8FAYAY,yB;MAAA,OD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OA
AQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAC,uB;UACV,IAAI,UAAU,sBAAK,KAAL,EAAV,CAAJ
,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;IAYAY,yB;MAQI,IAg7LO,qBAAQ,CAh7Lf,C;QACI,MAAM,2B
AAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA26LO,qBAAQ,CA36Lf,C;QACI,MAA
M,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA6LO,qBAAQ,CAj6Lf,C;Q
ACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA45LO,qBAAQ,CA5L
f,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAu5LO,qBAAQ,C
Av5Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAk5LO,qBA
AQ,CAI5Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA64LO,
qBAAQ,CA74Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA
w4LO,qBAAQ,CAx4Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;gFAGX,yB;M
AAA,OD;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAA
d,OAAC,cAAAd,C;UAAC,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAav,CAAJ,C;YAAwB,OAAO,
O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;gFAeA,yB;MAAA,OD;MAAA,+C;MAAA,iE;MAAA,uC;Q
AQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAC,uB;UACV,cAAc,U
AAK,KAAL,C;UACd,IAAI,UAAU,OAav,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;
KAZV,C;IFaEa,yB;MAAA,OD;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,

OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa, SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IA AI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C; MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UA CV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C ;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W; QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,O AAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,S AAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAA I,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;M AAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UAC V,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C; 6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ, CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C; YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;kFAaA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,k BAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;K ARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB; MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD; MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI, OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAA P,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFA WA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,qC;MAOI,IAoxK O,qBAAQ,CApxKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX, C;K;IAGX,qC;MAOI,IAgxKO,qBAAQ,CAhxKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MA AO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IA4wKO,qBAAQ,CA5wKf,C;QACI,MAAM,2BAAuB,iBAAvB ,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwwKO,qBAAQ,CAxwKf,C;QA CI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAo wKO,qBAAQ,CApwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CA AX,C;K;IAGX,sC;MAOI,IAgwKO,qBAAQ,CAhwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAA I,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IA4vKO,qBAAQ,CA5vKf,C;QACI,MAAM,2BAAuB,iBA AvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwvKO,qBAAQ,CAxvKf,C; QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IA ovKO,qBAAQ,CApvKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,C AAX,C;K;8FAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB ;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4 D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI, OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb ,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAU A,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MA AA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;Q AOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,2C;MAMI,IA+kKO,qBAAQ,CA/kKf,C;QACI,OAAO,I;MACX,O AAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,2C;MAMI,IA4kKO,qBAAQ,CA5kKf,C;QACI,OAAO,I; MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAykKO,qBAAQ,CAzkKf,C;QACI, OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAskKO,qBAAQ,CAtkKf,C ;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAmkKO,qBAAQ,C AnkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAgkKO,q BAAQ,CAhkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IA 6jKO,qBAAQ,CA7jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;

MAMI,IA0jKO,qBAAQ,CA1jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IA
GX,4C;MAMI,IAUjKO,qBAAQ,CAvjKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,
C;K;IAGX,2B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;
UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;
MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAA
L,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aA
CH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAy
B,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAA
uB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;I
AOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAA
K,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MA
AA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K
;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,
C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kC
AAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iB
AAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,
6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBA
AK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;oFAOJ,yB;MAAA,kF;MAAA,iE;M
AAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACZ,wBAAGB,SAAhB,g
B;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,
gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB
,C;QAEIB,OAAO,6E;O;KafX,C;oFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;Q
AXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OA
AV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGh
B,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAA
A,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAGB,S
AAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8
BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,
mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,U
AST,M;QAXP,aAAmB,I;QACnB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,
UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAA
Q,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakB
A,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,
wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAA
W,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAA
M,gCAAuB,mDAAvB,C;QAEIB,OAAO,iE;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;
QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UA
CI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YA
CT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C
;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAA sB,I;QACtB,YAAY,K;
QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C
;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,
MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MA
AA,uC;QAMoB,UAST,M;QAXP,aAAuB,I;QACvB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAh
B,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SA
S,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4D;O;
KafX,C;qFakBA,yB;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QA
XP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UA

AU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,
 I;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAUb,mDAAvB,C;QAEIB,OAAO,4E;O;KafX,C;IAkBA,iC;
 MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,
 GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,G
 AA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,
 OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe
 ,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B
 ,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW
 ,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;gGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB,YA
 AY,K;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,K
 AAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MAC
 nB,OAAO,M;K;gGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAy,K;MACZ,wBAAGB,SAAhB,gB;QAA
 gB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O
 ;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;igAGX,gC;MAMoB,Q;
 MAFhB,aAAqB,I;MACrB,YAAy,K;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,
 OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,K
 AAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;igAGX,gC;MAMoB,Q;MAFhB,aAAmB,I;MACnB,YAAy,K;MA
 CZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;Y
 AAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAA
 O,M;K;igAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAy,K;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA
 ,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,Q
 AAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;igAGX,gC;MAMoB,Q;MAFhB,a
 AAqB,I;MACrB,YAAy,K;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,C
 AAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;
 QAAY,OAAO,I;MACnB,OAAO,M;K;igAGX,gC;MAMoB,Q;MAFhB,aAAsB,I;MACtB,YAAy,K;MACZ,wBAA
 gB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAA
 O,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;igA
 GX,gC;MAMoB,Q;MAFhB,aAAuB,I;MACvB,YAAy,K;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;
 QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MA
 GhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;igAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;
 QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAy,K;QACZ,wBAAGB,SAAhB,gB;UAAGB,cAAhB,UAGB,SAAhB,O;
 UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;QA
 GhB,IAAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,4B;MazoGI,IAAI,EbipGI,KA
 K,CajpGT,CAAJ,C;QACI,cbgpGc,sD;Qa/oGd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObgpGV,OAAO,oBAAoB,gB
 AAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;MarpGI,IAAI,Eb6pGI,KAAK,Ca7pGT,CAAJ,C
 ;QACI,cb4pGc,sD;Qa3pGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob4pGV,OAAO,sBAAoB,gBAAV,mBAAO,CA
 AP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;MajqGI,IAAI,EbyqGI,KAAK,CazqGT,CAAJ,C;QACI,cbwqGc,sD
 ;QavqGd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObwqGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,
 CAAd,CAApB,C;K;IAGX,8B;Ma7qGI,IAAI,EbqrGI,KAAK,CarrGT,CAAJ,C;QACI,cborGc,sD;QanrGd,MAAM,g
 CAAYB,OAAQ,WAAjC,C;OborGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;I
 AGX,8B;MazrGI,IAAI,EbisGI,KAAK,CajsGT,CAAJ,C;QACI,cbgsGc,sD;Qa/rGd,MAAM,gCAAYB,OAAQ,WAAj
 C,C;ObgsGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;MarsGI,IAAI
 ,Eb6sGI,KAAK,Ca7sGT,CAAJ,C;QACI,cb4sGc,sD;Qa3sGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob4sGV,OAAO
 ,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;MajrGI,IAAI,EbytGI,KAAK,Cazt
 GT,CAAJ,C;QACI,cbwtGc,sD;QavtGd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObwtGV,OAAO,sBAAoB,gBAAV,m
 BAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Ma7tGI,IAAI,EbquGI,KAAK,CaruGT,CAAJ,C;QACI,cb
 ouGc,sD;QanuGd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObouGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAA
 U,EAAC,CAAd,CAApB,C;K;IAGX,8B;MazuGI,IAAI,EbivGI,KAAK,CajvGT,CAAJ,C;QACI,cbgvGc,sD;Qa/uGd,

AW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eAC
J,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YA CL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,
C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UA
Aa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C
;YACD,IAAK,WAAI,IAAJ,C;YA CL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;
QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAA
J,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YA CL,
WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WA
AW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eAC
J,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YA CL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,
C;0FAkBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX
,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,iBAAJ,C;eACJ,IAAI,
CAAC,UAAU,iBAAV,CAAL,C;YACD,IAAK,WAAI,iBAAJ,C;YA CL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;kF
AkBA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmgBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAsB,IAngB
U,SAmgBN,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAngB1D,OAogBO,W;O;KA1gBX,C;oF
ASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAogBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAsB,IApgBa,S
AogBT,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAp gB1D,OAqgBO,W;O;KA3gBX,C;oFASA,
yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqgBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAsB,IArgBc,SAqgB
V,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QArgB1D,OAsgBO,W;O;KA5gBX,C;oFASA,yB;M
AAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsgBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAsB,IAtgBY,SAsgBR,CA
AU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAtgB1D,OAogBO,W;O;KA7gBX,C;oFASA,yB;MAAA,
+D;MAAA,uC;QAMW,kBAAS,gB;QAugBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAsB,IAvgBa,SAugBT,CAAU,O
AAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAv gB1D,OAwgBO,W;O;KA9gBX,C;oFASA,yB;MAAA,+D;
MAAA,uC;QAMW,kBAAS,gB;QAwgBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAsB,IAxgBc,SAwgBV,CAAU,OA
AV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAxgB1D,OAygBO,W;O;KA/gBX,C;oFASA,yB;MAAA,+D;MA
AA,uC;QAMW,kBAAS,gB;QAygBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAsB,IAzgBe,SAygBX,CAAU,OAAV,C
AAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAzgB1D,OA0gBO,W;O;KAhhBX,C;oFASA,yB;MAAA,+D;MAAA,u
C;QAMW,kBAAS,gB;QA0gBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAsB,IA1gBgB,SA0gBZ,CAAU,OAAV,CAA
J,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QA1gB1D,OA2gBO,W;O;KAjhBX,C;oFASA,yB;MAAA,+D;MA2gBA,oC;
MAAA,gC;MA3gBA,uC;QAMW,kBAAS,gB;QA2gBA,Q;QA AhB,iD;UAAgB,cAAhB,0B;UAAsB,IA3gBa,SA2g
BT,CAAU,oBAAV,CAAJ,C;YAAwB,WAA Y,WAAI,oBAAJ,C;;QA3gB1D,OA4gBO,W;O;KAlhBX,C;gGASA,y
B;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QASgTV,gB;QADb,YAA Y,C;QACZ,iD;UAAa,WAAb,e;UA16SI,I
ApGmC,SAoG/B,EAk6SkB,cAl6SIB,EAk6SkB,sBA16SIB,Wak6S2B,IA16S3B,CAAJ,C;YAA2C,sBAk6SZ,IA16S
Y,C;;QApG/C,OAsGO,W;O;KA9GX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAqgTV,gB;Q
ADb,YAA Y,C;QACZ,iD;UAAa,WAAb,e;UA95SI,IAvGsC,SAuGIC,EA85SkB,cA95SIB,EA85SkB,sBA95SIB,W
A85S2B,IA95S3B,CAAJ,C;YAA2C,sBA85SZ,IA95SY,C;;QAvG/C,OAyGO,W;O;KAjHX,C;kGAWA,yB;MAAA,
+D;MAAA,uC;QAQW,kBAAGB,gB;QAogTV,gB;QADb,YAA Y,C;QACZ,iD;UAAa,WAAb,e;UA15SI,IA1GuC,S
A0GnC,EA05SkB,cA15SIB,EA05SkB,sBA15SIB,WA05S2B,IA15S3B,CAAJ,C;YAA2C,sBA05SZ,IA15SY,C;;Q
A1G/C,OA4GO,W;O;KApHX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAmgTV,gB;QADb,Y
AA Y,C;QACZ,iD;UAAa,WAAb,e;UA5SI,IA7GqC,SA6GjC,EAs5SkB,cAt5SIB,EAs5SkB,sBA5SIB,WAs5S2B,I
At5S3B,CAAJ,C;YAA2C,sBA5SZ,IA5SY,C;;QA7G/C,OA+GO,W;O;KA vHX,C;kGAWA,yB;MAAA,+D;MAA
A,uC;QAQW,kBAAGB,gB;QAKgTV,gB;QADb,YAA Y,C;QACZ,iD;UAAa,WAAb,e;UA15SI,IAhHsC,SAgHIC,EA
k5SkB,cA15SIB,EAk5SkB,sBA15SIB,Wak5S2B,IA15S3B,CAAJ,C;YAA2C,sBAk5SZ,IA15SY,C;;QA hH/C,OAkH
O,W;O;KA1HX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAigTV,gB;QADb,YAA Y,C;QACZ,
iD;UAAa,WAAb,e;UA94SI,IA nHuC,SAmHnC,EA84SkB,cA94SIB,EA84SkB,sBA94SIB,WA84S2B,IA94S3B,CA
AJ,C;YAA2C,sBA84SZ,IA94SY,C;;QAnH/C,OAqHO,W;O;KA7HX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQ
W,kBAAGB,gB;QA ggTV,gB;QADb,YAA Y,C;QACZ,iD;UAAa,WAAb,e;UA14SI,IA tHwC,SAsHpC,EA04SkB,cA
14SIB,EA04SkB,sBA14SIB,WA04S2B,IA14S3B,CAAJ,C;YAA2C,sBA04SZ,IA14SY,C;;QAtH/C,OA wHO,W;O;

KAhIX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QA+/SV,gB;QADb,YAAAY,C;QACZ,iD;UAAa,WAAAb,e;UAt4SI,IAzHyC,SAyHrC,EAs4SkB,cAt4SIB,EAs4SkB,sBA4SIB,WAs4S2B,IA4S3B,CAAJ,C;YAA2C,sBA4SZ,IA4SY,C;;QAZH/C,OA2HO,W;O;KAnIX,C;kGAWA,yB;MAAA,+D;MA2HA,gC;MAo4SA,oC;MA//SA,uC;QAQW,kBAAGB,gB;QA8/SV,gB;QADb,YAAAY,C;QACZ,iD;UAAa,WAAAb,0B;UAAmB,eAAO,cAAP,EA AO,sBAAP,S;UAAA,cAAGB,iB;UAI4S/B,IA5HsC,SA4HIC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBA AI,OAAJ,C;;QA5H/C,OA8HO,W;O;KAtIX,C;oGAWA,6C;MA26SiB,gB;MADb,YAAAY,C;MACZ,iD;QAAa,WA Ab,e;QAI6SI,IAAI,Wak6SkB,cAI6SIB,Eak6SkB,sBAI6SIB,Wak6S2B,IAI6S3B,CAAJ,C;UAA2C,sBAk6SZ,IAI6 SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MAu6SiB,gB;MADb,YAAAY,C;MACZ,iD;QAAa,WAAAb,e;QA95SI,IAAI, WA85SkB,cA95SIB,EA85SkB,sBA95SIB,WA85S2B,IA95S3B,CAAJ,C;UAA2C,sBA85SZ,IA95SY,C;;MAE/C,O AAO,W;K;sGAGX,6C;MAM6SiB,gB;MADb,YAAAY,C;MACZ,iD;QAAa,WAAAb,e;QA15SI,IAAI,WA05SkB,cA15 SIB,EA05SkB,sBA15SIB,WA05S2B,IA15S3B,CAAJ,C;UAA2C,sBA05SZ,IA15SY,C;;MAE/C,OAAO,W;K;qGA GX,6C;MA+5SiB,gB;MADb,YAAAY,C;MACZ,iD;QAAa,WAAAb,e;QA5SI,IAAI,WAs5SkB,cAt5SIB,EAs5SkB,sB At5SIB,WAs5S2B,IA5S3B,CAAJ,C;UAA2C,sBA5SZ,IA5SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA25SiB,g B;MADb,YAAAY,C;MACZ,iD;QAAa,WAAAb,e;QA15SI,IAAI,Wak5SkB,cAI5SIB,Eak5SkB,sBAI5SIB,Wak5S2B, IA15S3B,CAAJ,C;UAA2C,sBAk5SZ,IA15SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu5SiB,gB;MADb,YAAAY,C; MACZ,iD;QAAa,WAAAb,e;QA94SI,IAAI,WA84SkB,cA94SIB,EA84SkB,sBA94SIB,WA84S2B,IA94S3B,CAAJ,C ;UAA2C,sBA84SZ,IA94SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAM5SiB,gB;MADb,YAAAY,C;MACZ,iD;QAA a,WAAAb,e;QA14SI,IAAI,WA04SkB,cA14SIB,EA04SkB,sBA14SIB,WA04S2B,IA14S3B,CAAJ,C;UAA2C,sBA04 SZ,IA14SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+4SiB,gB;MADb,YAAAY,C;MACZ,iD;QAAa,WAAAb,e;QA4 SI,IAAI,WAs4SkB,cAt4SIB,EAs4SkB,sBA4SIB,WAs4S2B,IA4S3B,CAAJ,C;UAA2C,sBA4SZ,IA4SY,C;;MAE /C,OAAO,W;K;sGAGX,yB;MAAA,gC;MAo4SA,oC;MAp4SA,oD;QA24SiB,gB;QADb,YAAAY,C;QACZ,iD;UAA a,WAAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UAI4S/B,IAAI,UAAU,OAAV,EAAiB,O AAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QAE/C,OAAO,W;O;KAXX,C;sGAcA,yB;MAAA,+D;MAAA,sC;QAM W,kBAAMB,gB;QASV,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,YAAJ,C;YAAkB,WAAAY,WAAI,OAAJ,C; ;QATpD,OAuO,W;O;KAhBX,C;0GASA,4C;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB, M;QAAsB,IAAI,YAAJ,C;UAAkB,WAAAY,WAAI,OAAJ,C;;MACpD,OAAO,W;K;wFAGX,yB;MAAA,+D;MAA A,uC;QAMW,kBAAY,gB;QAoGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAPGS,SAoGR,CAAU,OAAV ,CAAL,C;YAAyB,WAAAY,WAAI,OAAJ,C;;QApG3D,OAqGO,W;O;KA3GX,C;0FASA,yB;MAAA,+D;MAAA,uC ;QAMW,kBAAY,gB;QAqGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CARGY,SAqGX,CAAU,OAAV,CA AL,C;YAAyB,WAAAY,WAAI,OAAJ,C;;QArG3D,OAsGO,W;O;KA5GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QA MW,kBAAY,gB;QAsGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtGa,SAzGZ,CAAU,OAAV,CAAL,C; YAAyB,WAAAY,WAAI,OAAJ,C;;QAtG3D,OAuGO,W;O;KA7GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,k BAAY,gB;QAUgh,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvGW,SAuGV,CAAU,OAAV,CAAL,C;YA AyB,WAAAY,WAAI,OAAJ,C;;QAvG3D,OAwGO,W;O;KA9GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kB AAY,gB;QAwGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxGY,SAwGX,CAAU,OAAV,CAAL,C;YAA yB,WAAAY,WAAI,OAAJ,C;;QAxG3D,OAYGO,W;O;KA/GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAA Y,gB;QAYGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzGa,SAyGZ,CAAU,OAAV,CAAL,C;YAAyB,W AAY,WAAI,OAAJ,C;;QAzG3D,OA0GO,W;O;KAhHX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB ;QA0GH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1Gc,SA0Gb,CAAU,OAAV,CAAL,C;YAAyB,WAA Y,WAAI,OAAJ,C;;QA1G3D,OA2GO,W;O;KAjHX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA2 GH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3Ge,SA2Gd,CAAU,OAAV,CAAL,C;YAAyB,WAAAY,WA AI,OAAJ,C;;QA3G3D,OA4GO,W;O;KAiHX,C;0FASA,yB;MAAA,+D;MAAA,uC;MA4GA,oC;MAAA,gC;MA5GA,uC;QA MW,kBAAY,gB;QA4GH,Q;QAaHb,iD;UAAgB,cAAhB,0B;UAAsB,IAAI,CA5GY,SA4GX,CAAU,oBAAV,CAA L,C;YAAyB,WAAAY,WAAI,oBAAJ,C;;QA5G3D,OA6GO,W;O;KAnHX,C;IASA,kC;MAMI,OAAO,2BAAgB,gB AAhB,C;K;IAGX,iD;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,eAAJ,C ;UAAqB,WAAAY,WAAI,OAAJ,C;;MACvD,OAAO,W;K;4FAGX,6C;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;Q AAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAAY,WAAI,OAAJ,C;;MAC3 D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,C

AAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;M
AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,W
AAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAA
A,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;
K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,
OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAA
gB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,
OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M
;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6
C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CA
AL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QA
MoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,CAAC,UAAU,oBAAV,
CAAL,C;YAAyB,WAAy,WAAI,oBAAJ,C;;QAC3D,OAAO,W;O;KAPX,C;sFAUA,6C;MAMoB,Q;MAAhB,wBA
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,
C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAA
sB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q
;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAA
Y,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,
SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAG
X,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C
;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OA
AO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU
,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBA
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,
C;;MAC1D,OAAO,W;K;wFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAMoB,Q;QAAhB,wBAAgB,SAAhB,g
B;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAy,WAAI,oBAAJ,C;;
QAC1D,OAAO,W;O;KAPX,C;IAUA,mC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMlrIe,W;ONmrItC,OAA4D,OA
ArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CAAqD,C;K;IAGhE,qC;MAII,IAA
I,OAAQ,UAAZ,C;QAAuB,OMlrIe,W;ON2rItC,OC/pIsC,Od+pl/B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAA
R,GAAuB,CAAvB,IAA3B,Cc/pI+B,C;K;IdkqI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMIsIe,W;ONmsItC,
OC/pluC,Od+plhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Cc/pIgC,C;K;IdkqI3
C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OM1sIe,W;ON2sItC,OC/plqC,Od+pl9B,yBAAY,OAAQ,MAApB,EA
A2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Cc/pI8B,C;K;IdkqIzC,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMIt
Ie,W;ONmtItC,OC/pIsC,Od+pl/B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Cc/pI+
B,C;K;IdkqI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OM1tIe,W;ON2tItC,OC/pluC,Od+plhC,yBAAY,OAAQ,
MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Cc/pIgC,C;K;IdkqI3C,qC;MAII,IAAI,OAAQ,UAAZ,C;
QAAuB,OMluIe,W;ONmultC,OC/plwC,Od+pljC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAA
vB,IAA3B,Cc/pliC,C;K;IdkqI5C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OM1uIe,W;ON2uItC,OC/plYc,Od+pllC,
0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Cc/plkC,C;K;IdkqI7C,qC;MAII,IAAI,O
AAQ,UAAZ,C;QAAuB,OMlvIe,W;ONmvItC,OAA4D,SAArD,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,G
AAuB,CAAvB,IAA3B,CAAqD,C;K;IAGhE,qC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;
MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAAa,IAAb,C;MACG,yB;MAAd,OAAc,cAA
d,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAsB,CAAJ,C;;MAET,OAAO,I;K;IAGX,qC;MAOkB,Q;MAHd,WAA
mB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAA
gB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAsB,CAAJ,C;;MAET,O
AAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ
,C;QAAe,OAAO,W;MACTB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAA

K,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBA Ae,IAAf,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAaKB,IAAiB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAI,KAAJ,EAJ,C;;MAET,OAAO,I;K;IAGX,wC;MAMwB,UACT,M;MAHX,aAAa,aAAa,SAAb,EAAMB,OAAQ,KAA3B,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,cAAU,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,eAAW,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAY,OAAQ,KAApB,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,oBAaA,OAAQ,KAArB,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,yBAAY,CAAZ,EA Ae,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,0C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,cAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAW,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAY,CAAZ,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OAAO,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,4B;MAciB,Q;Ma7IjB,IAAI,EbulJI,KAAK,CavIJT,CAAJ,C;QACI,cbslJc,sD;QarlJd,MAAM,gCAAyB,OAAQ,WAAjC,C;ObslJV,IA

AI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,iB;MACTB,IAAI,MAAK,C
AAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBA Aa,CAAb,C;MAC
X,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,
K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;MannJb,IAAI,Eb6mJI,KAAK,Ca7mJT,CAAJ,C;QACI,cb4mJc,sD;Qa3
mJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob4mJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAA
K,gBAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;M
ACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IA
AK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;MazoJb,IAA
I,EbmoJI,KAAK,CanoJT,CAAJ,C;QACI,cbkoJc,sD;QajoJd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObkoJV,IAAI,M
AAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAA
T,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,
wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;
MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Ma/pJb,IAAI,EbypJI,KAAK,CazpJT,CAAJ,C;QACI,cbwpJc,sD;QavpJd,M
AAM,gCAAYB,OAAQ,WAAjC,C;ObwpJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBA
AT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,
YAAY,C;MACZ,WAAW,iBAAe,CAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI
,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;MarrJb,IAAI,Eb+qJI,K
AAK,Ca/qJT,CAAJ,C;QACI,cb8qJc,sD;Qa7qJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob8qJV,IAAI,MAAK,CAA
T,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY
,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,S
AAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,O
AAO,I;K;IAGX,8B;MAciB,Q;Ma3sJb,IAAI,EbqsJI,KAAK,CarsJT,CAAJ,C;QACI,cbosJc,sD;QansJd,MAAM,gCA
AyB,OAAQ,WAAjC,C;ObosJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae
,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;M
ACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;
QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;MajuJb,IAAI,Eb2tJI,KAAK,Ca3
tJT,CAAJ,C;QACI,cb0tJc,sD;QaztJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob0tJV,IAAI,MAAK,CAAT,C;QAAY,
OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OA
AO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAiB,C;MACX,wBAAa,SAAb,gB;QA
Aa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IA
GX,8B;MAciB,Q;MavvJb,IAAI,EbivJI,KAAK,CajvJT,CAAJ,C;QACI,cbgvJc,sD;Qa/uJd,MAAM,gCAAYB,OAAQ
,WAAjC,C;ObgvJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;
MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW
,iBAAmB,CAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI
,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Ma7wJb,IAAI,EbuwJI,KAAK,CavwJT,CAA
J,C;QACI,cbswJc,sD;QarwJd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObswJV,IAAI,MAAK,CAAT,C;QAAY,OAAO
,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sB
AAK,CAAL,EAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,W
AAb,UAAa,SAAb,O;QACI,IAAK,WAAI,iBAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;I
AGX,gC;MarxJI,IAAI,Eb6xJI,KAAK,Ca7xJT,CAAJ,C;QACI,cb4xJc,sD;Qa3xJd,MAAM,gCAAYB,OAAQ,WAAj
C,C;Ob4xJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,
OAAO,iB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,
WAAW,iBAAa,CAAb,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KA
AL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;MaxyJI,IAAI,EbgzJI,KAAK,CahzJT,CAAJ,C;QACI,cb+yJc,sD;Qa9yJd,
MAAM,gCAAYB,OAAQ,WAAjC,C;Ob+yJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MA
CX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAA
O,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7
B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Ma3zJI,IAAI,Ebm0JI,KAAK,Can0

JT,CAAJ,C;QACI,cbk0Jc,sD;Qaj0Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Obk0JV,IAAI,MAAK,CAAT,C;QAAY,
OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;
QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,
OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;
Ma90JI,IAAI,Ebs1JI,KAAK,Cat1JT,CAAJ,C;QACI,cbq1Jc,sD;Qap1Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Obq1
JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,m
B;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,i
BA Ae,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,
C;MACT,OAAO,I;K;IAGX,kC;Maj2JI,IAAI,Eby2JI,KAAK,Caz2JT,CAAJ,C;QACI,cbw2Jc,sD;Qav2Jd,MAAM,g
CAAYB,OAAQ,WAAjC,C;Obw2JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,
KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,I
AAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QAC
I,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Map3JI,IAAI,Eb43JI,KAAK,Ca53JT,CAAJ,
C;QACI,cb23Jc,sD;Qa13Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob23JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,
W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,
OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,
CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mav4JI
,IAAI,Eb+4JI,KAAK,Ca/4JT,CAAJ,C;QACI,cb84Jc,sD;Qa74Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob84JV,IAA
I,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACt
B,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,
CAAIB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;M
ACT,OAAO,I;K;IAGX,kC;Ma15JI,IAAI,Ebk6JI,KAAK,Cal6JT,CAAJ,C;QACI,cbi6Jc,sD;Qah6Jd,MAAM,gCAAY
B,OAAQ,WAAjC,C;Obi6JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,
IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,C
AAP,C;MACnB,WAAW,iBAAmB,CAAnB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAA
K,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Ma76JI,IAAI,Ebq7JI,KAAK,Car7JT,CAAJ,C;QAC
I,cb07Jc,sD;Qan7Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Obo7JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MAC
nB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,O
AAO,sBAAK,OAAO,CAAP,IAAL,EAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,I
AAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,EA AJ,C;MACT,OAAO,I;K;gGAGX,yB;MAAA,8D;
MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,
KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;
MAAA,8D;MAAA,2C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UA
AU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;
kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,
CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O
;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;U
ACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,O
AAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,C
AA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,
C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd
,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CA
AR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBA
Ac,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK
,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;
QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OA
AO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,oC;MAAA,4C;
MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,EA

AV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;wFAcA,yB;MAAA,+D
;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,
UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;
MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,
UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;
MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,
UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;
MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,
UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;
MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,
UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;
MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,
UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;
MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,
UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;
MAAA,oC;MAAA,gC;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,S
AAb,O;UACI,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,iBAAJ,C;;QAET,OAAO,I;O;K
AZX,C;IAeA,4B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,
M;MACIB,mBAAmB,wB;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAA
K,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mB
AAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,M;MACIB,mBAAmB,0B;MACnB,iBA
Ac,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd
,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MAC
f,IAAI,WAAW,CAAf,C;QAaKB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UA
AU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;
K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,M;M
ACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,K
AAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAA
O,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,C
AAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UA
AK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IA
AI,WAAW,CAAf,C;QAaKB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,
UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IA
IR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,M;MACIB
,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IA
Ac,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAA
P,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAaKB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,W
AAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YA
AL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,W
AW,CAAf,C;QAaKB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,
KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,kD;
MAWI,oCAAA,2BAaKB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,eAAe,CAAC,YAAy,OAAZ,IAAD,I
AAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,S
AAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UA
AK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,kD;MAWI,oCAAA,2BAaKB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC
,C;MACb,eAAe,CAAC,YAAy,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B

,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,U
AAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2B
AAkB,SAAlB,EAA6B,OAA7B,EAA5C,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;
MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QA
A9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAq
B,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAA5C,gBAAtC,C;MACb,eAAe
,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UA
AU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IA
Ac,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAlB,E
AA6B,OAA7B,EAA5C,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAA
a,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UA
AU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;
K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAA5C,gBAAtC,C;MACb,eAAe,CAAC,YAAY,O
AAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MA
CnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL
,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,E
AA5C,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QA
A2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KA
AL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MA
WI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAA5C,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAA
wB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,
UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,
YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAA5C,gBAAtC,C;
MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,m
BAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAA
K,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,6B;MAII,IA+nEO,qBAAQ,
CA/nEf,C;QAAe,OAAO,W;MACTb,WAAW,wB;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IA6
nEO,qBAAQ,CA7nEf,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,
+B;MAII,IA2nEO,qBAAQ,CA3nEf,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OA
AO,I;K;IAGX,+B;MAII,IAynEO,qBAAQ,CAznEf,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAL,IAAK,
C;MACL,OAAO,I;K;IAGX,+B;MAII,IAunEO,qBAAQ,CAvnEf,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,
WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAqnEO,qBAAQ,CArnEf,C;QAAe,OAAO,W;MACTb,WAA
W,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAmnEO,qBAAQ,CAnnEf,C;QAAe,OAAO,W;
MACTb,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAinEO,qBAAQ,CAjnEf,C;QA
Ae,OAAO,W;MACTb,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IA+mEO,qBAAQ,
CA/mEf,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,kC;MAII,IAq
iEO,qBAAQ,CAriEf,C;QAAe,OAAO,S;MACTb,aAAa,aAAa,SAAb,EAAmB,gBAAnB,C;MACb,gBAAGB,wB;M
AChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAA
O,M;K;IAGX,oC;MAII,IAiiEO,qBAAQ,CAjiEf,C;QAAe,OAAO,S;MACTb,aAAa,cAAU,gBAAV,C;MACb,gBAA
gB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC
5B,OAAO,M;K;IAGX,oC;MAII,IA6hEO,qBAAQ,CA7hEf,C;QAAe,OAAO,S;MACTb,aAAa,eAAW,gBAAX,C;M
ACb,gBAAGB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CA
AL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAyhEO,qBAAQ,CAzhEf,C;QAAe,OAAO,S;MACTb,aAAa,eAAS,gB
AAT,C;MACb,gBAAGB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,
UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAqhEO,qBAAQ,CArhEf,C;QAAe,OAAO,S;MACTb,aAA
a,iBAAU,gBAAV,C;MACb,gBAAGB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IA
AP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAihEO,qBAAQ,CAjhEf,C;QAAe,OAAO,S;M
ACtB,aAAa,iBAAW,gBAAX,C;MACb,gBAAGB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAA

Y,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IA6gEO,qBAAQ,CA7gEf,C;QAA
e,OAAO,S;MACtB,aAAa,iBAAy,gBAAZ,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,
OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAygEO,qBAAQ,CA
zgEf,C;QAAe,OAAO,S;MACtB,aAAa,oBAAa,gBAAb,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SA
b,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAqgEO,q
BAAQ,CArgEf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,
OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,4B;MA
KI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;M
AKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;
MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,sC
;MAOI,aAAU,wBAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,U
AAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,sC;MAOI,a
AAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CA
AL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0B
AAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QA
CX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OA
A2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAA
K,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA
3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,I
AAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QA
CI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UA
AK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ
,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL
,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iB
AAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,
UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAA
I,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,C
AAL,IAAU,I;;K;kFAIIB,yB;MAAA,oD;Mer3LA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,
uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;
OA4DI,C;Mf82Lf,sC;QAMI,IAAI,mBAAO,CAAX,C;UAAc,oBep3Ld,eAAW,iBfo3LsB,Qep3LtB,CAAX,Cfo3Lc,
C;U;KANIB,C;SgASA,yB;MAAA,oD;Me32LA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,u
B;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA
+EI,C;Mfo2Lf,sC;QAMI,IAAI,mBAAO,CAAX,C;UAAc,oBe12Ld,eAAW,2Bf02LgC,Qe12LhC,CAAX,Cf02Lc,C;
U;KANIB,C;IASA,mC;MAMI,oBAAS,cAAT,C;K;IAGJ,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;I
AIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QA
CA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,iB;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;
QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO
,CAAX,C;QACI,e;QACA,oB;Q;IAIR,2B;MAMI,OAAqB,OAAAd,sBAAc,C;K;IAGzB,6B;MAI0B,kBAAf,yB;MAA
uB,mB;MAA9B,OAAuC,OgB9+LhC,WhB8+LgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAA
uC,OgBr/LhC,WhBq/LgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OgB5/LhC,WhB4/L
gC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OgBngMhC,WhBmgMgC,C;K;IAG3C,6B;
MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OgB1gMhC,WhB0gMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;
MAAuB,mB;MAA9B,OAAuC,OgBjhMhC,WhBihMgC,C;K;IAG3C,6B;MAI0B,kBAAf,0B;MAAuB,mB;MAA9B,
OAAuC,OgBxhMhC,WhBwhMgC,C;K;IAG3C,gC;MAMI,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,k
BAAd,ScthKiB,Q;MdshKK,mB;MAA7B,OgBliMO,W;K;IhBqiMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,
OAAO,S;MACD,kBAAd,ScphKiB,Q;MdohKK,iB;MAA7B,OgB1iMO,W;K;IhB6iMX,kC;MAII,IA6kDO,qBAAQ,
CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,ScLhKiB,Q;MdkhKK,iB;MAA7B,OgBljMO,W;K;IhBqjMX,kC;MAII,
IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SchhKiB,Q;MdghKK,iB;MAA7B,OgBljMO,W;K;I

hB6jMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,mB;M
AA7B,OgBlkMO,W;K;IhBqkMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,Sc7gKi
B,Q;Md6gKK,iB;MAA7B,OgB1kMO,W;K;IhB6kMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MA
CD,kBAAd,Sc3gKiB,Q;Md2gKK,iB;MAA7B,OgBlIMO,W;K;IhBqlMX,kC;MAII,IAqlDO,qBAAQ,CArIDf,C;QA
Ae,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,iB;MAA7B,OgB1IMO,W;K;IhB6lMX,0C;MAMI,IA2gDO,
qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,ScxlKiB,Q;MdwIKK,sBAAS,cAAT,C;MAA7B,OgBpmMO,
W;K;IhBumMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Sc1KiB,Q;MdsIKK,6B;
MAA7B,OgB5mMO,W;K;IhB+mMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Scp
lKiB,Q;MdolKK,6B;MAA7B,OgBpnMO,W;K;IhBunMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;
MACD,kBAAd,Sc1KiB,Q;MdklKK,6B;MAA7B,OgB5nMO,W;K;IhB+nMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,
C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OgBpoMO,W;K;IhBuoMX,4C;MAII,IA
2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Sc/kKiB,Q;Md+kKK,6B;MAA7B,OgB5oMO,W;K;Ih
B+oMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Sc7kKiB,Q;Md6kKK,6B;MAA7
B,OgBppMO,W;K;IhBupMX,4C;MAII,IAMhDO,qBAAQ,CAanhDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SA
AK,C;MAAiB,6B;MAA7B,OgB5pMO,W;K;IhB+pMX,gD;MAMI,IAy8CO,qBAAQ,CAz8Cf,C;QAAe,OAAO,S;
MACD,kBAAd,Sc1pKiB,Q;Md0pKK,iC;MAA7B,OgBtqMO,W;K;sFhByqMX,yB;MAAA,wD;Me9pMA,sC;MAA
A,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA
5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MfupMf,sC;QAQI,OAAO,sBe/pMP,eAAW,iBf+
pMiB,Qe/pMjB,CAAX,Cf+pMO,C;O;KANX,C;wFAWA,yB;MAAA,wD;MezqMA,sC;MAAA,oC;MAAA,uBAOe
,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,
SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MfkqMf,sC;QAMI,OAAO,sBexqMP,eAAW,iBfwqMiB,QexqMjB,CA
AX,CfwqMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MelrMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqE
e,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CA
A3B,C;W;S;OA4DI,C;Mf2qMf,sC;QAMI,OAAO,sBejrMP,eAAW,iBfirMiB,QeJrMjB,CAAX,CfirMO,C;O;KANX,
C;wFASA,yB;MAAA,wD;Me3rMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,e
AAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;M
forMf,sC;QAMI,OAAO,sBe1rMP,eAAW,iBf0rMiB,Qe1rMjB,CAAX,Cf0rMO,C;O;KANX,C;wFASA,yB;MAAA,
wD;MepsMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5
Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf6rMf,sC;QAMI,OAA
O,sBensMP,eAAW,iBfmsMiB,QensMjB,CAAX,CfmsMO,C;O;KANX,C;wFASA,yB;MAAA,wD;Me7sMA,sC;M
AAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,
CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MfssMf,sC;QAMI,OAAO,sBe5sMP,eAAW,i
Bf4sMiB,Qe5sMjB,CAAX,Cf4sMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MettMA,sC;MAAA,oC;MAAA,uBAO
e,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B
,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf+sMf,sC;QAMI,OAAO,sBertMP,eAAW,iBfqtMiB,QertMjB,CAA
X,CfqtMO,C;O;KANX,C;wFASA,yB;MAAA,wD;Me/tMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4
B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3
B,C;W;S;OA4DI,C;MfwtMf,sC;QAMI,OAAO,sBe9tMP,eAAW,iBf8tMiB,Qe9tMjB,CAAX,Cf8tMO,C;O;KANX,
C;wFASA,yB;MAAA,wD;MexuMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,e
AAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;M
fiuMf,sC;QAMI,OAAO,sBevuMP,eAAW,iBfuMiB,QevuMjB,CAAX,CfuMO,C;O;KANX,C;OGASA,yB;MAA
A,wD;Me9tMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,O
A/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfutMf,sC;QAMI,OAA
O,sBe7tMP,eAAW,2Bf6tM2B,Qe7tM3B,CAAX,Cf6tMO,C;O;KANX,C;4GASA,yB;MAAA,wD;MevuMA,sC;MA
AA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA
/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfguMf,sC;QAII,OAAO,sBepuMP,eAAW,2Bfou
M2B,QepuM3B,CAAX,CfouMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;Me9uMA,sC;MAAA,oC;MAAA,iCAOe,y
B;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA

+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfuMf,sC;QAII,OAAO,sBe3uMP,eAAW,2Bf2uM2B,Qe3uM3B,CAAX,Cf2uMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MervMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf8uMf,sC;QAII,OAAO,sBelvMP,eAAW,2BfkvM2B,QelvM3B,CAAX,CfkvMO,C;O;KAJX,C;4G AOA,yB;MAAA,wD;Me5vMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAs B,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfqvMf, sC;QAII,OAAO,sBezvMP,eAAW,2BfyvM2B,QezvM3B,CAAX,CfyvMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD; MenwMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,c AAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf4vMf,sC;QAII,OAAO,sBeh wMP,eAAW,2BfgwM2B,QehwM3B,CAAX,CfgwMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;Me1wMA,sC;MAA A,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/ EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfmwMf,sC;QAII,OAAO,sBevwMP,eAAW,2Bfu wM2B,QevwM3B,CAAX,CfuwMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MejxMA,sC;MAAA,oC;MAAA,iCAO e,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B, SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf0wMf,sC;QAII,OAAO,sBe9wMP,eAAW,2Bf8wM2B,Qe9wM3B,C AAX,Cf8wMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MexxMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eA wFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,C AA3B,C;W;S;OA+EI,C;MfixMf,sC;QAII,OAAO,sBerxMP,eAAW,2BfqxM2B,QerxM3B,CAAX,CfqxMO,C;O;K AJX,C;IAOA,qC;MAMI,OAAO,sBAAW,cAAX,C;K;IAGX,uC;MAIoB,kBcpzKQ,iB;MdozKA,iB;MAAxB,OAAi C,WgB10M1B,WhB00M0B,C;K;IAGrC,uC;MAIoB,kBczKQ,iB;MdizKA,iB;MAAxB,OAAiC,WgBj1M1B,WhBi 1M0B,C;K;IAGrC,uC;MAIoB,kBc9yKQ,iB;Md8yKA,iB;MAAxB,OAAiC,WgBx1M1B,WhBw1M0B,C;K;IAGrC, uC;MAIoB,kBAAT,oB;MAAiB,mB;MAAxB,OAAiC,WgB/1M1B,WhB+1M0B,C;K;IAGrC,uC;MAIoB,kBczyKQ, iB;MdyKA,iB;MAAxB,OAAiC,WgBt2M1B,WhBs2M0B,C;K;IAGrC,uC;MAIoB,kBctyKQ,iB;MdsyKA,iB;MAA xB,OAAiC,WgB72M1B,WhB62M0B,C;K;IAGrC,uC;MAIoB,kBAAT,oB;MAAiB,iB;MAAxB,OAAiC,WgBp3M1 B,WhBo3M0B,C;K;IAGrC,2C;MAMI,OAAmC,OAA5B,2BAAgB,UAhB,CAA4B,C;K;IAGvC,6C;MAIoB,kBA Af,yB;MAAuB,iC;MAA9B,OAAqD,OgBp4M9C,WhBo4M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;M AA9B,OAAqD,OgB34M9C,WhB24M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OgB15 M9C,WhBk5M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OgBz5M9C,WhBy5M8C,C; K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OgBh6M9C,WhBg6M8C,C;K;IAGzD,6C;MAIoB, kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OgBv6M9C,WhBu6M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,i C;MAA9B,OAAqD,OgB96M9C,WhB86M8C,C;K;IAGzD,6C;MAIoB,kBAAf,0B;MAAuB,iC;MAA9B,OAAqD,O gBr7M9C,WhBq7M8C,C;K;IAkoCrD,gC;MAAQ,oBAAS,CAAT,EAAY,wBAAZ,C;K;IAMR,kC;MAAQ,oBAAS, CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CA AT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT, EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EA AY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;oFAEZ,qB;MAKI,OAAO,qBAAQ,C;K;sF AGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAA Q,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OA AO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;0FAGnB,qB; MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,q B;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX, qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FA GX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;IAOP,kC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BA AAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0B AAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0 BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IA8TZ,yD;MAcI,sBAAS,cAAT,EAAYB,SAAZB,EAoC ,OAApC,C;K;IAGJ,yD;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,qBAAQ,SAAR,EAAMB,OAAAnB,C;K;I

AGJ,yD;MAYI,mBAAK,SAAL,EAAGB,OAaHb,C;MACA,sBAAQ,SAAR,EAAMb,OAAnB,C;K;IAGJ,0D;MAYI ,mBAAK,SAAL,EAAGB,OAaHb,C;MACA,sBAAQ,SAAR,EAAMb,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAA L,EAAGB,OAaHb,C;MACA,sBAAQ,SAAR,EAAMb,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OA AhB,C;MACA,sBAAQ,SAAR,EAAMb,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAaHb,C;MACA ,sBAAQ,SAAR,EAAMb,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAaHb,C;MACA,sBAAQ,SAA R,EAAMb,OAAnB,C;K;IA2B0B,oD;MAAA,wB;QAAW,2BAAK,KAAL,C;O;K;IAJzC,mC;MAII,OAAO,qBAAa, gBAAb,EAAMb,gCAAnB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,+ BAAU,gBAAV,GAAGB,6BAAhB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,O AAO,kBAAU,gBAAV,EAAGB,6BAAhB,C;K;IAOkB,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;K;IAJxC,kC; MAII,OAAO,kCAAY,gBAAZ,GAaKb,+BAAlB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJv C,iC;MAII,OAAO,kCAAW,gBAAX,GAaIb,8BAAjB,C;K;IAOe,4C;MAAA,wB;QAAW,uBAAK,KAAL,C;O;K;I AJrC,+B;MAII,OAAO,gCAAS,gBAAT,GAaE,4BAaF,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O; K;IAJtC,gC;MAII,OAAO,kBAAU,gBAAV,EAAGB,6BAAhB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL, C;O;K;IAJvC,iC;MAII,OAAO,gCAAW,gBAAX,GAaIb,8BAAjB,C;K;wFA2CX,yB;MAAA,0D;MAAA,yD;MAA A,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKb,EAaC,EAaD,C;QAC1B,kBAAY,mBAAoB,QAA pB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO58QnB,wBAAl, IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPkyPA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD; MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKb,EAaC,EAaD,C;QAC1B,kBAAY,mBAAoB, QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO39QnB,w BAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPizPA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA ,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKb,EAaC,EAaD,C;QAC1B,kBAAY,mBA AoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1+Qn B,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPg0PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;M AAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKb,EAaC,EAaD,C;QAC1B,kBAAY, mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO z/QnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP+0PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0 D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKb,EAaC,EAaD,C;QAC1B,kBA AY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C ;UOxgRnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP81PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MA AA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKb,EAaC,EAaD,C;QAC1B, kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OA AV,C;UOvhRnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP62PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB ;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKb,EAaC,EAaD,C;QA C1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU, OAAV,C;UOtiRnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP43PA,OA4qBO,W;O;KAxrBX,C;0FAeA, yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKb,EAaC,EAaD,C; QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CA AU,OAAV,C;UOrjRnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP24PA,OA4qBO,W;O;KAxrBX,C;0F AeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAA4qBA,oC;MAAA,gC;MA5qBA,uC;QAWI,eAAiC,cAAIB,YAAY, gBAAZ,CAaKb,EAaC,EAaD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,0 B;UACI,WA1qB8C,SA0qB/B,CAAU,oBAAV,C;UOpkRnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP0 5PA,OA4qBO,W;O;KAxrBX,C;4FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,Y AAY,gBAAZ,CAaKb,EAaC,EAaD,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAmQL,Q;QAAhB,iD;UAAgB,cAA hB,e;UACI,WAAY,aApQoC,WAoQhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QApQhB,OAsQO,W;O;KAIRX, C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKb,EAaC, EAaD,C;QAC1B,kBAAc,mBAAuB,QAAvB,C;QAoQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArQuC, WAqQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QArQhB,OAuQO,W;O;KANRX,C;8FAeA,yB;MAAA,0D;M AAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKb,EAaC,EAaD,C;QAC1B,kBAAc,m

BAAwB,QAAXB,C;QAqQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtQwC,WAsQpC,CAAY,OAAZ,C
AAJ,EAA0B,OAA1B,C;;QAtQhB,OAwQO,W;O;KApRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAA
A,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAAsB,QAA1B,C;QAsQL
,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvQsC,WAuQIC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAV
QhB,OAyQO,W;O;KArRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YA
AY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAuB,QAAvB,C;QAuQL,Q;QAAhB,iD;UAAgB,cAAh
B,e;UACI,WAAY,aAxQuC,WAwQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAxQhB,OA0QO,W;O;KATRX,
C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,
EAAd,C;QAC1B,kBAAC,mBAAwB,QAAXB,C;QAwQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzQwC
,WAYQpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAZQhB,OA2QO,W;O;KAvRX,C;8FAeA,yB;MAAA,0D;M
AAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,m
BAAyB,QAazB,C;QAYQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1QyC,WA0QrC,CAAY,OAAZ,CA
AJ,EAA0B,OAA1B,C;;QA1QhB,OA4QO,W;O;KAxRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,
yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAA0B,QAA1B,C;QA0QL,
Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3Q0C,WA2QtC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA3
QhB,OA6QO,W;O;KAzRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAA6QA,oC;MAAA,gC;MA7QA,yC;
QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAuB,QAAvB,C;QA2QL,Q;Q
AAhB,iD;UAAgB,cAAhB,0B;UACI,WAAY,aA5QuC,WA4QnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5
QhB,OA8QO,W;O;KA1RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YA
AY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QA6QL,Q;QAAhB,iD;UAAgB,cAAh
B,e;UACI,WAAY,aA9QoC,WA8QhC,CAAY,OAAZ,CAAJ,EA9QiD,cA8QvB,CAAe,OAAf,CAA1B,C;;QA9QhB,
OAgRO,W;O;KA3RX,C;8FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,g
BAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QA+QL,Q;QAAhB,iD;UAAgB,cAAhB,e;U
ACI,WAAY,aAhRoC,WAgRhC,CAAY,OAAZ,CAAJ,EAhRiD,cAgRvB,CAAe,OAAf,CAA1B,C;;QAhRhB,OAkR
O,W;O;KA7RX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAA
Z,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAiRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,
WAAY,aAIrOC,WakRhC,CAAY,OAAZ,CAAJ,EAIRiD,cAkRvB,CAAe,OAAf,CAA1B,C;;QAIRhB,OAoRO,W;
O;KA/RX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAA
kB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAmRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY
,aApRoC,WAoRhC,CAAY,OAAZ,CAAJ,EApRiD,cAoRvB,CAAe,OAAf,CAA1B,C;;QApRhB,OAsoRO,W;O;KAj
SX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EA
Ac,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAqRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtRo
C,WAsRhC,CAAY,OAAZ,CAAJ,EAtrID,cAsRvB,CAAe,OAAf,CAA1B,C;;QAtRhB,OAwoRO,W;O;KAnSX,C;+F
AcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EA
Ad,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAuRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxRoC,WA
wRhC,CAAY,OAAZ,CAAJ,EAxRiD,cAwRvB,CAAe,OAAf,CAA1B,C;;QAxRhB,OA0RO,W;O;KArSX,C;+FAcA,
yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;
QAC1B,kBAAC,mBAAoB,QAAPB,C;QAYRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1RoC,WA0RhC,
CAAY,OAAZ,CAAJ,EA1RiD,cA0RvB,CAAe,OAAf,CAA1B,C;;QA1RhB,OA4RO,W;O;KAvSX,C;+FAcA,yB;M
AAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1
B,kBAAC,mBAAoB,QAAPB,C;QA2RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5RoC,WA4RhC,CAA
Y,OAAZ,CAAJ,EA5RiD,cA4RvB,CAAe,OAAf,CAA1B,C;;QA5RhB,OA8RO,W;O;KazSX,C;+FAcA,yB;MAAA,
0D;MAAA,yD;MAAA,uE;MAA8RA,oC;MAAA,gC;MA9RA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EA
Ac,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QA6RL,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAAY,aA9
RoC,WA8RhC,CAAY,oBAAZ,CAAJ,EA9RiD,cA8RvB,CAAe,oBAAf,CAA1B,C;;QA9RhB,OAgsO,W;O;KA3S
X,C;gGAcA,+C;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAA
Y,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEHb,OAao,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;
QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEHb,OAao,W;K;k

GAGX,+C;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OA
AZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;iGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAA
gB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAG
X,+C;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,C
AAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,c
AAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+C
;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,
EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,
SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;iGAGX,yB;MAA
A,oC;MAAA,gC;MAAA,sD;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,
WAAy,aAAI,YAAy,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;kGAgBA,+D;MAUoB,Q
;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eA
Ae,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAA
A,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;m
GAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OA
AZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SA
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;M
AEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WA
AY,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;M
AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eAAe,
OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S
AAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGA
GX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,
CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,yB;MAAA,oC;MAAA,gC;MAAA,sE;QA
UoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAy,aAAI,YAAy,oBAAZ,C
AAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;2FAGBA,6C;MASoB,Q;MAAhB,wBAAgB,
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO58QnB,wBAALI,IAAK,MAAT,EAAGB,I
AAK,OAArB,C;;MP88QA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA
AhB,M;QACI,WAAe,UAAU,OAAV,C;QO39QnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MP69QA,OA
AO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,
OAAV,C;QO1+QnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MP4+QA,OAAO,W;K;8FAGX,6C;MASoB
,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOz/QnB,wBAALI
IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MP2/QA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,
gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOxgRnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,O
AArB,C;;MP0gRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;
QACI,WAAe,UAAU,OAAV,C;QOvhRnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MPyhRA,OAAO,W;
K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,
C;QOtiRnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MPwiRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAA
hB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOrjRnB,wBAALI,IAAK,MA
AT,EAAGB,IAAK,OAArB,C;;MPujRA,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,Q;QA
AhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAe,UAAU,oBAAV,C;UOpkRnB,wBA
ALI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QPskRA,OAAO,W;O;KAZX,C;gGAeA,yB;MAAA,0D;MAAA,yD;M
AAA,uE;MAAA,2C;QAYI,aAAa,mBAAsC,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EAAD,CAATC,C;QAsJG,Q;QA
AhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAAd,CAAb,C;;QAtJhB,OAAuB,M;
O;KAb3B,C;kGAgBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAyC,cAAIB,YAAy,gB
AAZ,CAAKB,EAAC,EAAD,CAAZC,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJ
e,aAsJF,CAAC,OAAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGAiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;
MAAA,2C;QAaI,aAAa,mBAA0C,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EAAD,CAA1C,C;QAsJG,Q;QAAhB,iD;

UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAAtJe,aAsJF,CAAc,OAAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAwC,cAAIB,YAA,YgBAAZ,CAAkB,EAAC,EAAd,CAAxC,C;QAsJG,Q;QAaHb,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAAtJe,aAsJF,CAAc,OAAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAyC,cAAIB,YAA,YgBAAZ,CAAkB,EAAC,EAAd,CAAzC,C;QAsJG,Q;QAaHb,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAAtJe,aAsJF,CAAc,OAAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA0C,cAAIB,YAA,YgBAAZ,CAAkB,EAAC,EAAd,CAA1C,C;QAsJG,Q;QAaHb,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAAtJe,aAsJF,CAAc,OAAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA2C,cAAIB,YAA,YgBAAZ,CAAkB,EAAC,EAAd,CAA3C,C;QAsJG,Q;QAaHb,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAAtJe,aAsJF,CAAc,OAAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA4C,cAAIB,YAA,YgBAAZ,CAAkB,EAAC,EAAd,CAA5C,C;QAsJG,Q;QAaHb,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAAtJe,aAsJF,CAAc,OAAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA0C,cAAIB,YAA,YgBAAZ,CAAkB,EAAC,EAAd,CAA3C,C;QAsJG,Q;QAaHb,iD;UAAgB,cAAhB,0B;UArJuB,MAsJP,aAAI,oBAAJ,EAAtJe,aAsJF,CAAc,oBAAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;oGaiBA,iD;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,yB;MAAA,oC;MAAA,gC;MAAA,wD;QAWoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAY,aAAI,oBAAJ,EAAa,cAAc,oBAAAd,CAAb,C;;QAeHb,OAAO,W;O;KAdX,C;IAiBA,8C;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAaa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAaa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAaa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAaa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAaa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAaa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAaa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAaa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,8B;MAII,OAAO,wBAAa,eAAw,YAA,YgBAAZ,CAAX,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAA,YgBAAZ,CAAd,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAe,YAA,YgBAAZ,CAAf,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAa,YAA,YgBAAZ,CAAb,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAA,YgBAAZ,CAAd,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAe,YAA,YgBAAZ,CAAf,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAgB,YAA,YgBAAZ,CAAhB,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAiB,YAA,YgBAAZ,CAAJB,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAAiB,eAAL,gBAAK,EAAa,GAAb,CAAJB,CAAd,CAAb,C;K;IAGX,2B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,C;AAP,C;UAAL,K;gBACa,qBAAL,SAAK,C;UAHV,K;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBA

AN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SA
AK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;a
ACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6
B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL
,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gB
AAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,S
AAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K
;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ
,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAA
L,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,g
BAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL
,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL
,K;aACA,C;UAAK,cAAO,sBAAK,CAAL,EAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IA
OJ,kC;MAII,OAAO,iBA Ae,aAAL,SAAK,CAAf,C;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAgB,gBAAhB,C;
MACX,wBA Aa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC
;MAKiB,Q;MADb,WAAW,iBA AiB,gBA AjB,C;MACX,wBA Aa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,IAA
K,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBA Ae,gBA Af,C;MACX,wBA Aa,SA
Ab,gB;QAAa,WAAA,SAAb,M;QAAmB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,
WAAW,iBA AgB,gBA AhB,C;MACX,wBA Aa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,IAAK,WAAI,IAAJ,C;;
MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBA AiB,gBA AjB,C;MACX,wBA Aa,SAAb,gB;QAAa,
WAAA,SAAb,M;QAAmB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBA A
kB,gBA AiB,C;MACX,wBA Aa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,IAAK,WAAI,IAAJ,C;;MACxB,OAA
O,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBA AmB,gBA AnB,C;MACX,wBA Aa,SAAb,gB;QAAa,WAAA,SAAb
,M;QAAmB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBA AgB,gBA AhB,
C;MACX,wBA Aa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QAAmB,IAAK,WAAI,iBA AJ,C;;MACxB,OAAO,I;K
;IAGX,0B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAA
AK,CAAL,CAAN,C;UAAL,K;gBACQ,+BA Aa,qBA AiB,YAAY,gBA AZ,CA AjB,CA Ab,C;UAHL,K;;MAAP,W;K
;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAA
K,CAAL,CAAN,C;UAAL,K;gBACQ,iCA Aa,qBA AoB,YAAY,gBA AZ,CA ArB,CA Ab,C;UAHL,K;;MAAP,W;K;IA
OJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,
CAAL,CAAN,C;UAAL,K;gBACQ,iCA Aa,qBA AmB,YAAY,gBA AZ,CA AnB,CA Ab,C;UAHL,K;;MAAP,W;K;IA
OJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,
CAAL,CAAN,C;UAAL,K;gBACQ,iCA Aa,qBA AqB,YAAY,gBA AZ,CA ArB,CA Ab,C;UAHL,K;;MAAP,W;K;IA
OJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,
CAAL,CAAN,C;UAAL,K;gBACQ,iCA Aa,qBA AsB,YAAY,gBA AZ,CA AtB,CA Ab,C;UAHL,K;;MAAP,W;K;IAO
J,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,C
AAL,CAAN,C;UAAL,K;gBACQ,iCA Aa,qBA AuB,YAAY,gBA AZ,CA AvB,CA Ab,C;UAHL,K;;MAAP,W;K;IAOJ
,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,sBAAK,C
AAL,EAAN,C;UAAL,K;gBACQ,iCA Aa,qBA AoB,YA AiB,eAAL,gBA AK,EA Aa,GA Ab,CA AjB,CA ApB,CA Ab,C
;UAHL,K;;MAAP,W;K;oFAOJ,yB;MAAA,+D;MAwaA,gD;MAxA,uC;QAMW,kBA AU,gB;QAaD,Q;QAaHb,i
D;UAAgB,cAAhB,e;UACI,WAvA6B,SAualB,CAAU,OAAV,C;UACC,OAAZ,WAA Y,EA AO,IAAP,C;;QA xahB,O
A0aO,W;O;KAhbX,C;sFASA,yB;MAAA,+D;MA0aA,gD;MA1aA,uC;QAMW,kBA AU,gB;QAwaD,Q;QAaHb,iD;
UAAgB,cAAhB,e;UACI,WAZa6B,SAyalB,CAAU,OAAV,C;UACC,OAAZ,WAA Y,EA AO,IAAP,C;;QA1ahB,OA
4aO,W;O;KA1bX,C;sFASA,yB;MAAA,+D;MA4aA,gD;MA5aA,uC;QAMW,kBA AU,gB;QA0aD,Q;QAaHb,iD;U

AAgB,cAAhB,e;UACI,WA3a6B,SA2a1B,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5ahB,OA8a
O,W;O;KApbX,C;sFASA,yB;MAAA,+D;MA8aA,gD;MA9aA,uC;QAMW,kBAAU,gB;QA4aD,Q;QAAhB,iD;UA
AgB,cAAhB,e;UACI,WA7a6B,SA6a1B,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ahB,OAgbO
,W;O;KAtbX,C;sFASA,yB;MAAA,+D;MAgbA,gD;MAhbA,uC;QAMW,kBAAU,gB;QA8aD,Q;QAAhB,iD;UAAg
B,cAAhB,e;UACI,WA/a6B,SA+alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhhbB,OAkbO,W
;O;KAXbX,C;sFASA,yB;MAAA,+D;MAkbA,gD;MA1bA,uC;QAMW,kBAAU,gB;QAgbD,Q;QAAhB,iD;UAAgB,
cAAhB,e;UACI,WAjb6B,SAib1B,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlhbB,OAobO,W;O;
KA1bX,C;sFASA,yB;MAAA,+D;MAobA,gD;MApbA,uC;QAMW,kBAAU,gB;QAkbD,Q;QAAhB,iD;UAAgB,cA
AhB,e;UACI,WAnb6B,SAmblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApbhB,OAsoB,W;O;
KA5bX,C;sFASA,yB;MAAA,+D;MAsbA,gD;MAtbA,uC;QAMW,kBAAU,gB;QAobD,Q;QAAhB,iD;UAAgB,cA
AhB,e;UACI,WArb6B,SAqblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtbhB,OAwbO,W;O;K
A9bX,C;sFASA,yB;MAAA,+D;MAwbA,oC;MAAA,gD;MAAA,gC;MAxbA,uC;QAMW,kBAAU,gB;QAsbD,Q;Q
AAhB,iD;UAAgB,cAAhB,0B;UACI,WAvb6B,SAublB,CAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;
QAXhbB,OA0bO,W;O;KAhcX,C;sFASA,yB;MAAA,+D;MA0bA,gD;MA1bA,uC;QAUW,kBAAU,gB;QAwbD,Q;
QAAhB,iD;UAAgB,cAAhB,e;UACI,WAz6B,SAyblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;
QA1bhB,OA4bO,W;O;KAtcX,C;kGAaA,yB;MAAA,+D;MA5JA,gD;MATJA,uC;QAYW,kBAAiB,gB;QAqJR,gB;
QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WAtJoC,SA5JzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,O
AAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAvJhB,OAYJO,W;O;KArKX,C;oGAeA,yB;MAAA,+D;MAyJA
,gD;MAzJA,uC;QAYW,kBAAiB,gB;QAwJR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WazJoC,
SAyJzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1JhB,OA4
JO,W;O;KAXKX,C;oGAeA,yB;MAAA,+D;MA4JA,gD;MA5JA,uC;QAYW,kBAAiB,gB;QA2JR,gB;QADhB,YAA
Y,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA5JoC,SA4JzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UA
CC,OAAZ,WAAY,EAAO,IAAP,C;;QA7JhB,OA+JO,W;O;KA3KX,C;oGAeA,yB;MAAA,+D;MA+JA,gD;MA/JA,
uC;QAYW,kBAAiB,gB;QA8JR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA/JoC,SA+JzB,EAA
U,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhKhB,OAkKO,W;O;KA
9KX,C;oGAeA,yB;MAAA,+D;MAkKA,gD;MA1KA,uC;QAYW,kBAAiB,gB;QAiKR,gB;QADhB,YAAY,C;QAC
Z,iD;UAAgB,cAAhB,e;UACI,WAlKoC,SAkKzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAA
Z,WAAY,EAAO,IAAP,C;;QAnKhB,OAqKO,W;O;KAjLX,C;oGAeA,yB;MAAA,+D;MAqKA,gD;MArKA,uC;QA
YW,kBAAiB,gB;QAoKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WArKoC,SAqKzB,EAAU,cA
AV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtKhB,OAwKO,W;O;KApLX,
C;oGAeA,yB;MAAA,+D;MAwKA,gD;MAxKA,uC;QAYW,kBAAiB,gB;QAUKR,gB;QADhB,YAAY,C;QACZ,iD
;UAAgB,cAAhB,e;UACI,WAxKoC,SAwKzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,
WAAY,EAAO,IAAP,C;;QAZKhB,OA2KO,W;O;KAvLX,C;oGAeA,yB;MAAA,+D;MA2KA,gD;MA3KA,uC;QA
YW,kBAAiB,gB;QAOKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA3KoC,SA2KzB,EAAU,cA
AV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5KhB,OA8KO,W;O;KA1LX,
C;oGAeA,yB;MAAA,+D;MA8KA,oC;MAAA,gD;MAAA,gC;MA9KA,uC;QAYW,kBAAiB,gB;QA6KR,gB;QAD
hB,YAAY,C;QACZ,iD;UAAgB,cAAhB,0B;UACI,WA9KoC,SA8KzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,oB
AAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA/KhB,OaiLO,W;O;KA7LX,C;oGAeA,yB;MAAA,+D;MAiL
A,gD;MAjLA,uC;QAYW,kBAAiB,gB;QAgLR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WajLo
C,SAiLzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAILhB,O
AoLO,W;O;KAhMX,C;sGAeA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,
SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,
OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;uGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UA
CS,M;QAFzB,YAAY,C;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,E
AAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakB
A,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,
C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QAC

YACH,aP26UuC,gB;YAA5B,WO16UX,aP06UgC,GO16UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPu6UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnPT,OaQPO,W;O;KA9PX,C;sFAYA,yB;MAAA,wE;MAqPA,+D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OAAZ,C;UO57UP,U;UADP,YP87Ue,WO97UH,WP87UwB,GO97UxB,C;UACL,IAAI,aAAJ,C;YACH,aP47UuC,gB;YAA5B,WO37UX,aP27UgC,GO37UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPw7UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;O;KAnQX,C;sFAYA,yB;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA3PqD,WA2P3C,CAAY,OAAZ,C;UO78UP,U;UADP,YP+8Ue,WO/8UH,WP+8UwB,GO/8UxB,C;UACL,IAAI,aAAJ,C;YACH,aP68UuC,gB;YAA5B,WO58UX,aP48UgC,GO58UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPy8UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;O;KAxQX,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QASW,kBAAU,oB;QA+PD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UahQsD,WAgQ5C,CAAY,OAAZ,C;UO99UP,U;UADP,YPg+Ue,WOh+UH,WPg+UwB,GOh+UxB,C;UACL,IAAI,aAAJ,C;YACH,aP89UuC,gB;YAA5B,WO79UX,aP69UgC,GO79UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP09UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAIQT,OAoQO,W;O;KA7QX,C;sFAYA,yB;MAAA,wE;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UArQuD,WaQq7C,CAAY,OAAZ,C;UO/+UP,U;UADP,YPi/Ue,Woj/UH,Wpi/UwB,Goj/UxB,C;UACL,IAAI,aAAJ,C;YACH,aP++UuC,gB;YAA5B,WO9+UX,aP8+UgC,GO9+UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP2+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvQT,OAYQO,W;O;KAIRX,C;sFAYA,yB;MAAA,wE;MAyQA,oC;MAAA,+D;MAAA,gC;MAzQA,yC;QASW,kBAAU,oB;QAYQD,Q;QAaHb,iD;UAAgB,cAAhB,0B;UACI,UA1QoD,WA0Q1C,CAAY,oBAAZ,C;UOhgVP,U;UADP,YPkgVe,WolgVH,WpkgVwB,GOlgVxB,C;UACL,IAAI,aAAJ,C;YACH,aPggVuC,gB;YAA5B,WO//UX,aP+/UgC,GO//UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4/UA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5QT,OA8QO,W;O;KAvRX,C;sFAYA,yB;MAAA,wE;MA8QA,+D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA/QiD,WA+QvC,CAAY,OAAZ,C;UOlhVP,U;UADP,YPohVe,WophVH,WPohVwB,GOphVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkhVuC,gB;YAA5B,WOjhVX,aPihVgC,GOjhVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8gVA,iB;UACA,IAAK,WajRyD,cAiRrD,CAAE,OAAf,CAAJ,C;;QAJRT,OAmRO,W;O;KA7RX,C;sFAaA,yB;MAAA,wE;MAmRA,+D;MAnRA,yD;QAUW,kBAAU,oB;QAmRD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UApRiD,WaORvC,CAAY,OAAZ,C;UOpIvP,U;UADP,YPsiVe,WotiVH,WpsiVwB,GOtiVxB,C;UACL,IAAI,aAAJ,C;YACH,aPoiVuC,gB;YAA5B,WOniVX,aPmiVgC,GOmiVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgiVA,iB;UACA,IAAK,WatRyD,cAsRrD,CAAE,OAAf,CAAJ,C;;QAtRT,OAwRO,W;O;KAISX,C;uFAaA,yB;MAAA,wE;MAwRA,+D;MAxRA,yD;QAUW,kBAAU,oB;QAwRD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAzRiD,WaYRvC,CAAY,OAAZ,C;UOtjVP,U;UADP,YPwjVe,WoxjVH,WPwjVwB,GOxjVxB,C;UACL,IAAI,aAAJ,C;YACH,aPsjVuC,gB;YAA5B,WOrjVX,aPqjVgC,GOvjVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPkjVA,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAE,OAAf,CAAJ,C;;QA3RT,OA6RO,W;O;KAvSX,C;uFAaA,yB;MAAA,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAAU,oB;QA6RD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA9RiD,WA8RvC,CAAY,OAAZ,C;UOxkVP,U;UADP,YP0kVe,WO1kVH,WP0kVwB,GO1kVxB,C;UACL,IAAI,aAAJ,C;YACH,aPwkVuC,gB;YAA5B,WovkVX,aPukVgC,GOvkVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPokVA,iB;UACA,IAAK,WahSyD,cAgSrD,CAAE,OAAf,CAAJ,C;;QAhST,OAkSO,W;O;KA5SX,C;uFAaA,yB;MAAA,wE;MAkSA,+D;MAISA,yD;QAUW,kBAAU,oB;QAKSD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,CAAY,OAAZ,C;UO11VP,U;UADP,YP4IVe,WO5IVH,WP4IVwB,GO5IVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0IVuC,gB;YAA5B,WOzIVX,aPylVgC,GOzlVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPsIVA,iB;UACA,IAAK,WArSyD,cAqSrD,CAAE,OAAf,CAAJ,C;;QArST,OAuSO,W;O;KAjTX,C;uFAaA,yB;MAAA,wE;MAuSA,+D;MAvSA,yD;QAUW,kBAAU,oB;QAuSD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAXSiD,WAwSvC,CAAY,OAAZ,C;UO5mVP,U;UADP,YP8mVe,WO9mVH,WP8mVwB,GO9mVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4mVuC,gB;YAA5B,WO3mVX,aP2mVgC,GO3mVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwmVA,iB;UACA,IAAK,WA1SyD,cA0SrD,CAAE,OAAf,CAAJ,C;;QA1ST,OA4SO,W;O;KAtTX,C;uFAaA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA7SiD,WA6SvC,CAAY,OAAZ,C;UO9nVP,U;UADP,YPgoVe,WOhovH,WPgoVwB,GOhovxB,C;UACL,IAAI,aAAJ,C;YACH,aP8nVuC,gB;YAA5B,WO7nVX,aP6nVgC,GO7nVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0nVA,iB;UACA,IAAK,WA/SyD,cA+SrD,CAAE,OAAf,CAAJ,C;;QA/ST,OAiTO,W;O;KA3TX,C;uFAaA,yB;MAAA,wE;MAiTA,+D;MAjTA,yD;QAUW,kBAAU,oB;QAiTD,Q;QAaHb,iD;

UAAgB,cAAhB,e;UACI,UAlTiD,WAKtVc,CAAY,OAAZ,C;UOhpVP,U;UADP,YPkpVe,WOlPVH,WPkpVwB,G
OlpVxB,C;UACL,IAAI,aAAJ,C;YACH,aPgpVuC,gB;YAA5B,WO/oVX,aP+oVgC,GO/oVhC,EAAS,MAAT,C;YA
CA,e;;YAEA,c;;UP4oVA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAe,OAAf,CAAJ,C;;QApTT,OAsTO,W;O;KAhU
X,C;uFAaA,yB;MAAA,wE;MASTa,oC;MAAA,+D;MAAA,gC;MaTtA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAaH
B,iD;UAAgB,cAAhB,OB;UACI,UAvTiD,WAUtVc,CAAY,oBAAZ,C;UOlqVP,U;UADP,YPoqVe,WOpqVH,WPo
qVwB,GOpqVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkvVuC,gB;YAA5B,WOjqVX,aPiQVgC,GOjqVhC,EAAS,MA
AT,C;YACA,e;;YAEA,c;;UP8pVA,iB;UACA,IAAK,WazTyD,cAyTrD,CAAe,oBAAf,CAAJ,C;;QAZTT,OA2TO,
W;O;KArUX,C;wFAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAa
hB,M;UACI,UAAU,YAAY,OAAZ,C;UOx3UP,U;UADP,YP03Ue,WO13UH,WP03UwB,GO13UxB,C;UACL,IAA
I,aAAJ,C;YACH,aPw3UuC,gB;YAA5B,Wov3UX,aPu3UgC,GOv3UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo
3UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,
Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOz4UP,U;UADP,Y
P24Ue,WO34UH,WP24UwB,GO34UxB,C;UACL,IAAI,aAAJ,C;YACH,aPy4UuC,gB;YAA5B,WOx4UX,aPw4Ug
C,GOx4UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq4UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O
;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M
;UACI,UAAU,YAAY,OAAZ,C;UO15UP,U;UADP,YP45Ue,WO55UH,WP45UwB,GO55UxB,C;UACL,IAAI,aA
AJ,C;YACH,aP05UuC,gB;YAA5B,WOz5UX,aPy5UgC,GOz5UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs5UA,i
B;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QA
AhB,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UO36UP,U;UADP,YP66Ue
,WO76UH,WP66UwB,GO76UxB,C;UACL,IAAI,aAAJ,C;YACH,aP26UuC,gB;YAA5B,WO16UX,aP06UgC,GO1
6UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPu6UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX
,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,
UAAU,YAAY,OAAZ,C;UO57UP,U;UADP,YP87Ue,WO97UH,WP87UwB,GO97UxB,C;UACL,IAAI,aAAJ,C;Y
ACH,aP47UuC,gB;YAA5B,WO37UX,aP27UgC,GO37UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPw7UA,iB;UA
CA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,
wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UO78UP,U;UADP,YP+8Ue,WO/
8UH,WP+8UwB,GO/8UxB,C;UACL,IAAI,aAAJ,C;YACH,aP68UuC,gB;YAA5B,WO58UX,aP48UgC,GO58UhC,
EAAS,MAAT,C;YACA,e;;YAEA,c;;UPy8UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0F
AiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAA
U,YAAY,OAAZ,C;UO99UP,U;UADP,YPg+Ue,WOh+UH,WPg+UwB,GOh+UxB,C;UACL,IAAI,aAAJ,C;YACH,
aP89UuC,gB;YAA5B,WO79UX,aP69UgC,GO79UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP09UA,iB;UACA,IA
AK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAA
gB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UO/+UP,U;UADP,YPi/Ue,WOj/UH,WP
i/UwB,GOj/UxB,C;UACL,IAAI,aAAJ,C;YACH,aP++UuC,gB;YAA5B,WO9+UX,aP8+UgC,GO9+UhC,EAAS,M
AAT,C;YACA,e;;YAEA,c;;UP2+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;
MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAhB,UAAgB,
SAaHb,O;UACI,UAAU,YAAY,oBAAZ,C;UOhgVP,U;UADP,YPkgVe,WOlVH,WPkgVwB,GOlgVxB,C;UACL,
IAAI,aAAJ,C;YACH,aPggVuC,gB;YAA5B,WO//UX,aP+/UgC,GO//UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP
4/UA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUo
B,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOlhVP,U;UADP,
YPohVe,WOpHvH,WPohVwB,GOphVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkhVuC,gB;YAA5B,WOjhVX,aPihVg
C,GOjhVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8gVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,
OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAA
A,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOpIvP,U;UADP,YPsiVe,WotiVH,WPsiVwB,GOtiVxB,C;UACL,I
AAI,aAAJ,C;YACH,aPoiVuC,gB;YAA5B,WOniVX,aPmiVgC,GOniVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP
giVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAA
A,sE;QAUoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOtjVP
,U;UADP,YPwjVe,WOxjVH,WPwjVwB,GOxjVxB,C;UACL,IAAI,aAAJ,C;YACH,aPsjVuC,gB;YAA5B,WORjVX

,aPqjVgC,GOrjVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPkjVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;
QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAg
B,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOxkVP,U;UADP,YP0kVe,WO1kVH,WP0kVwB,GO1kVxB,
C;UACL,IAAI,aAAJ,C;YACH,aPwkVuC,gB;YAA5B,WOvkVX,aPukVgC,GOvkVhC,EAAS,MAAT,C;YACA,e;;
YAEA,c;;UPokVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MA
AA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OA
AZ,C;UO11VP,U;UADP,YP4IVe,WO5IVH,WP4IVwB,GO5IVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0IVuC,gB;YA
A5B,WOzIVX,aPylVgC,GOzIVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPsIVA,iB;UACA,IAAK,WAAI,eAAe,O
AAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SA
AhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO5mVP,U;UADP,YP8mVe,WO9mVH,WP8
mVwB,GO9mVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4mVuC,gB;YAA5B,WO3mVX,aP2mVgC,GO3mVhC,EAA
S,MAAT,C;YACA,e;;YAEA,c;;UPwmVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KA
fX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;U
ACI,UAAU,YAAY,OAAZ,C;UO9nVP,U;UADP,YPgoVe,WOhoVH,WPgoVwB,GOhoVxB,C;UACL,IAAI,aAAJ,
C;YACH,aP8nVuC,gB;YAA5B,WO7nVX,aP6nVgC,GO7nVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0nVA,iB;
UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QA
UoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOhpVP,U;UA
DP,YPkpVe,WOlpVH,WPkpVwB,GOlpVxB,C;UACL,IAAI,aAAJ,C;YACH,aPgpVuC,gB;YAA5B,WO/oVX,aP+o
VgC,GO/oVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4oVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QA
ET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAhB,wBAAG
B,SAAhB,gB;UAAgB,cAAhB,UAGB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;UOlqVP,U;UADP,YPoqVe,W
OpqVH,WPoqVwB,GOpqVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkpVuC,gB;YAA5B,WOjqVX,aPiqVgC,GOjqVh
C,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8pVA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W
;O;KafX,C;0FAkBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAA6C,
OAGB,qBAhB,oBAAGB,C;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,yC;QAQI
,2D;O;KARJ,C;4EAca,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,
WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OaiVO,W;O;KaxVX,C;8EAUA,yB;
MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA
hViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OaiVO,W;O;KaxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAO
W,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,
CAAJ,C;;QAhVhB,OaiVO,W;O;KaxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;
QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OaiVO,
W;O;KaxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,
WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OaiVO,W;O;KaxVX,C;8EAUA,yB;
MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA
hViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OaiVO,W;O;KaxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAO
W,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,
CAAJ,C;;QAhVhB,OaiVO,W;O;KaxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;
QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OaiVO,
W;O;KaxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,
WAAb,0B;UACI,WAAY,WAhViB,SAgVb,CAAU,iBAAV,CAAJ,C;;QAhVhB,OaiVO,
W;O;KaxVX,C;0FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAGHP,gB;QADb,YAAY,C;
QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WajHwB,SAiHpB,EAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAA
J,C;;QajHhB,OAkHO,W;O;KazHX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAm
HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApHwB,SAoHpB,EAAU,cAAV,EAAU,sBA
AV,WAAMb,IAAnB,CAAJ,C;;QApHhB,OAqHO,W;O;KA5HX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kB
AAa,eAAa,gBAAb,C;QAsHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvHwB,SAuHpB,
EAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;QAvHhB,OAwhO,W;O;KA/HX,C;4FAUA,yB;MAAA,

gE;MAAA,uC;QAOW,kBAaAa,eAAa,gBAAb,C;QAyHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,W
AAy,WA1HwB,SA0HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1HhB,OA2HO,W;O;KALI
X,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaAa,eAAa,gBAAb,C;QA4HP,gB;QADb,YAAY,C;QACZ,iD;U
AAa,WAAb,e;UACI,WAAY,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7H
hB,OA8HO,W;O;KARIX,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaAa,eAAa,gBAAb,C;QA+HP,gB;QAD
b,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhIwB,SAgIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,I
AAnB,CAAJ,C;;QAhIhB,OAiIO,W;O;KAxIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaAa,eAAa,gBAAb
,C;QakIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnIwB,SAmIpB,EAAU,cAAV,EAAU,
sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnIhB,OAoIO,W;O;KA3IX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,k
BAaAa,eAAa,gBAAb,C;QAqIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtIwB,SAsIpB,E
AAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtIhB,OAuIO,W;O;KA9IX,C;4FAUA,yB;MAAA,gE;M
AuIA,oC;MAAA,gC;MAvIA,uC;QAOW,kBAaAa,eAAa,gBAAb,C;QAwIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,
WAAb,OB;UACI,WAAY,WazIwB,SayIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QazIhB,
OA0IO,W;O;KAjJX,C;wGAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAaAoB,gB;QA8iEd,gB;QADb,YAAY,C;QA
CZ,iD;UAAa,WAAb,e;UApiEmC,U;UAAA,cAVQ,SAUR,EAoiET,cApiES,EAoiET,sBApiES,WaoiEA,IApiEA,
W;YAA6C,6B;;QAVhF,OAwo,W;O;KAIBX,C;4GAUA,yB;MAAA,oD;QA2iEiB,gB;QADb,YAAY,C;QACZ,iD;
UAAa,WAAb,e;UApiEmC,U;UAAA,yBAoiET,cApiES,EAoiET,sBApiES,WaoiEA,IApiEA,W;YAA6C,6B;;QAC
hF,OAao,W;O;KARX,C;8FAWA,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,W
AAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,
W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,
WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQ
iB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,
cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,
YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV
,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBA
Aa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CA
AJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,
WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAA
O,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QA
CI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;+FAGX,6C;M
AQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WA
AU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,yB;MAAA,oC;MAAA,gC;
MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACZ,wBAaAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,
WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QACHB,OAAO,W;O;KAVX,C;0FAa
A,yB;MAAA,+D;MAAA,uC;QAOW,kBAaAa,gB;Qak2DJ,Q;QAaHb,iD;UAAgB,cAaHb,e;UA11DqB,U;UAAA,c
ARe,SAQf,CA01DQ,OA11DR,W;YAAsC,6B;;QAR3D,OASO,W;O;KAhBX,C;8FAUA,yB;MAAA,oD;QA+1DoB
,Q;QAaHb,iD;UAAgB,cAaHb,e;UA11DqB,U;UAAA,wBA01DQ,OA11DR,W;YAAsC,6B;;QAC3D,OAAO,W;O;
KANX,C;gFASA,6C;MAKiB,Q;MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,I
AAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;Q
ACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaAa,SAAb,g
B;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKi
B,Q;MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,O
AAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAA
U,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,
M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaAa,SA
Ab,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;
MAKiB,Q;MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MAC
hB,OAAO,W;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAb,wBAaAa,SAAb,gB;UAAa,WAAb

KA AV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GA AI,EAAU,KA AV,C;MA
CJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GA AI,EAAU,KA AV,C;MACJ,OAAO,G;
K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GA AI,EAAU,KA AV,C;MACJ,OAAO,G;K;IAGX,iC;M
AMI,OAAO,wBAAa,qBAAiB,YAA Y,gBAAZ,CAAjB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAoB,Y
AA Y,gBAAZ,CAApB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAqB,YAA Y,gBAAZ,CAArB,CAAb,C;K
;IAGX,mC;MAMI,OAAO,0BAAa,qBAAmB,YAA Y,gBAAZ,CAAnB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BA
Aa,qBAAoB,YAA Y,gBAAZ,CAApB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAqB,YAA Y,gBAAZ,CA
ArB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAsB,YAA Y,gBAAZ,CAAtB,CAAb,C;K;IAGX,mC;MAMI
,OAAO,0BAAa,qBAAuB,YAA Y,gBAAZ,CAA vB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAoB,YAAi
B,eAAL,gBAAK,EAAa,GAAb,CAAjB,CAApB,CAAb,C;K;IAGX,iC;MAUI,UAAe,aAAL,SAAK,C;MACX,OAAJ
,GA AI,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GA AI,EAAO,
KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GA AI,EAAO,KAAP,C;MA
CJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GA AI,EAAO,KAAP,C;MACJ,OAAO,G;
K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GA AI,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;
MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GA AI,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,
eAAL,SAAK,C;MACX,OAAJ,GA AI,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,
C;MACX,OAAJ,GA AI,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OA
AJ,GA AI,EAAO,KAAP,C;MACJ,OAAO,G;K;4EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cA
AA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;
MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL
,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,
SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;MA
MoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;
UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SA
AhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;MAMo
B,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UA
AyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAh
B,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,
Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAy
B,OAAO,K;;MACtD,OAAO,I;K;8EAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QA AhB,wBAAgB,SA
AhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;;Q
ACtD,OAAO,I;O;KAPX,C;IAUA,wB;MAMI,OAAO,EA5mJA,qBAAQ,CA4mJR,C;K;IAGX,0B;MAMI,OAAO,E
A7mJA,qBAAQ,CA6mJR,C;K;IAGX,0B;MAMI,OAAO,EA9mJA,qBAAQ,CA8mJR,C;K;IAGX,0B;MAMI,OAA
O,EA/mJA,qBAAQ,CA+mJR,C;K;IAGX,0B;MAMI,OAAO,EAhnJA,qBAAQ,CAgnJR,C;K;IAGX,0B;MAMI,OA
AO,EAjnJA,qBAAQ,CAinJR,C;K;IAGX,0B;MAMI,OAAO,EAlnJA,qBAAQ,CAknJR,C;K;IAGX,0B;MAMI,OAA
O,EAnnJA,qBAAQ,CAnmJR,C;K;IAGX,0B;MAMI,OAAO,EApnJA,qBAAQ,CAonJR,C;K;8EAGX,gC;MAMoB,
Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAA
O,I;;MACrD,OAAO,K;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAA
sB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAA
gB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAA
O,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,O
AAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;Q
AAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,g
C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;U
AAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SA
AhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;M
AAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;
MACrD,OAAO,K;K;+EAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QA AhB,wBAAgB,SAAhB,gB;U

MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;U
AAsB,OAAO,oBAAP,C;;O;KAJ1B,C;kGAOA,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB
;QAAa,WAAA,SAAb,M;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UA
Aa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,QAAO,cAAP,EAAO,sBAA
P,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WA
AA,SAAb,M;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1
B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IA
AhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M
;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;
MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;o
GAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,QA
AO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBA
Aa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,yB;
MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1B,YAAY,C;QACZ,wBAAa,SAAb,gB;UAAa,WAAb,U
AAa,SAAb,O;UAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;O;KAPvB,C;IAUA,wB;MAII,OAAO,o
B;K;IAGX,0B;MAII,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,
OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0
B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;gFAGX,yB;MAsDA,8D;MatDA,sC;QAGW,sB;;UA0DP,IA
hxLO,qBAAQ,CAGxLf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,
IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA9DmB,QA8DJ,CAAS,OAAT,C;UACf,aAAU,CA
AV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAjEe,QAIeP,CAAS,CAAT,C;YACR,IAAI,2BAAW,
CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAvEP,yB;O;KAHJ,C;kFAMA,yB;MAu
EA,8D;MAvEA,sC;QAGW,sB;;UA2EP,IA/xLO,qBAAQ,CA+xLf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UA
AK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA/EmB
,QA+EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAIfe,Qak
FP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;
;QAxFP,yB;O;KAHJ,C;kFAMA,yB;MAwFA,8D;MAxFA,sC;QAGW,sB;;UA4FP,IA9yLO,qBAAQ,CA8yLf,C;YA
Ae,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAo
B,qBAAO,O;YAAP,uB;WACpB,eAhGmB,QA9GJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,Q
AAQ,UAAK,CAAL,C;YACR,QAnGe,QAmGP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UA
AU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAzGP,yB;O;KAHJ,C;kFAMA,yB;MAyGA,8D;MAzGA,sC;QAG
W,sB;;UA6GP,IA7zLO,qBAAQ,CA6zLf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBA
AqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAjHmB,QAIHJ,CAAS,OAAT,C;
UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QApHe,QAoHP,CAAS,CAAT,C;YA
CR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA1HP,yB;O;KAHJ,
C;kFAMA,yB;MA0HA,8D;MA1HA,sC;QAGW,sB;;UA8HP,IA50LO,qBAAQ,CA40Lf,C;YAAe,qBAAO,I;YAAP,
uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,u
B;WACpB,eAllmB,QAkIJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;
YACR,QArIe,QAqIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;U
AGnB,qBAAO,O;;;QA3IP,yB;O;KAHJ,C;kFAMA,yB;MA2IA,8D;MA3IA,sC;QAGW,sB;;UA+IP,IA31LO,qBAA
Q,CA21Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,
CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAnJmB,QAmJJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,S
AAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QatJe,QAsJP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ
,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA5JP,yB;O;KAHJ,C;kFAMA,yB;MA4JA,8D;MA5JA
,sC;QAGW,sB;;UAgKP,IA12LO,qBAAQ,CA02Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;U
ACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eApKmB,QAoKJ,CAAS
,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAvKe,QAuKP,CAAS,CA
AT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA7KP,yB;

O;KAHJ,C;kFAMA,yB;MA6KA,8D;MA7KA,sC;QAGW,sB;;UAI LP,IAz3LO,qBAAQ,CAy3Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8D;MAAA,oC;MA9LA,sC;QAGW,sB;;UAKMP,IAx4LO,qBAAQ,CAw4Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAtMmB,QAsMJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzMe,QAyMP,CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA/MP,yB;O;KAHJ,C;4FAMA,yB;MAAA,8D;MAAA,sC;QAOI,IAhxLO,qBAAQ,CAgxLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAxLO,qBAAQ,CAxLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA9yLO,qBAAQ,CA8yLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA7zLO,qBAAQ,CA6zLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA50LO,qBAAQ,CA40Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA31LO,qBAAQ,CA21Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA12LO,qBAAQ,CA02Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAz3LO,qBAAQ,CAy3Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAx4LO,qBAAQ,CAw4Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,sE;MAAA,8D;MiB9kBA,iB;MjB8kBA,sC;QAEiB,Q;QAFb,IAr+LO,qBAAQ,CAq+L f,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBtlbG,MAAK,KjBslbS,QiBtlbT,EjBslbmB,CiBtlbnB,C;;QjBwlbZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiBpmbA,iB;MjBombA,sC;QAEiB,Q;QAFb,IAN/LO,qB

AAQ,CAM/Lf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB5mbG,MAAK,KjB4mbS,QiB5mbT,EjB4mbmB,CiB5mbnB,C;;QjB8mbZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiB1nbA,iB;MjB0nbA,sC;QAeiB,Q;QAFb,IAjgMO,qBAAQ,CAigMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBlobG,MAAK,KjBkobS,QiBlobT,EjBkobmB,CiBlobnB,C;;QjBoobZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiBhpbA,iB;MjBgpba,sC;QAeiB,Q;QAFb,IA/gMO,qBAAQ,CA+gMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBxpbG,MAAK,KjBwps,QiBxpbT,EjBwpsmB,CiBxpsnB,C;;QjB0pbZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiBtqbA,iB;MjBsqba,sC;QAeiB,Q;QAFb,IA7hMO,qBAAQ,CA6hMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB9qbG,MAAK,KjB8qbS,QiB9qbT,EjB8qbmB,CiB9qbnB,C;;QjBgrbZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiB5rbA,iB;MjB4rbA,sC;QAeiB,Q;QAFb,IA3iMO,qBAAQ,CA2iMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBpsbG,MAAK,KjBosbS,QiBpsbT,EjBosbmB,CiBpsbnB,C;;QjBssbZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiBltbA,iB;MjBktbA,sC;QAeiB,Q;QAFb,IAzjMO,qBAAQ,CAyjMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB1tbG,MAAK,KjB0tbS,QiB1tbT,EjB0tmbB,CiB1tbnB,C;;QjB4tbZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiBxubA,iB;MjBwubA,sC;QAeiB,Q;QAFb,IAvkMO,qBAAQ,CAukMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBhvbG,MAAK,KjBgvbS,QiBhvbT,EjBgvbmB,CiBhvb nB,C;;QjBkvbZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MiB9vbA,iB;MjB8vbA,sC;QAeiB,Q;QAFb,IArlMO,qBAAQ,CAqlMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WiBtwbG,MAAK,KjBswbS,QiBtwbT,EjBswbmB,CiBtwbnB,C;;QjBwwbZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiBhybA,iB;MjBgybA,sC;QAeiB,Q;QAFb,IA3qMO,qBAAQ,CA2qMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBxybG,MAAK,KjBwybS,QiBxybT,EjBwybmB,CiBxybnB,C;;QjB0ybZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiBtzbA,iB;MjBszbA,sC;QAeiB,Q;QAFb,IAzrMO,qBAAQ,CAyrMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB9zbG,MAAK,KjB8zbS,QiB9zbT,EjB8zmbB,CiB9zbnB,C;;QjBg0bZ,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MiB50bA,iB;MjB40bA,sC;QAeiB,Q;QAFb,IAvsMO,qBAAQ,CAusMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBp1bG,MAAK,KjBo1bS,QiBp1bT,EjBo1bmB,CiBp1bnB,C;;QjBs1bZ,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MiBl2bA,iB;MjBk2bA,sC;QAeiB,Q;QAFb,IArtMO,qBAAQ,CAqtMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB12bG,MAAK,KjB02bS,QiB12bT,EjB02bmB,CiB12bnB,C;;QjB42bZ,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MiBx3bA,iB;MjBw3bA,sC;QAeiB,Q;QAFb,IAAnuMO,qBAAQ,CamuMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBh4bG,MAAK,KjBg4bS,QiBh4bT,EjBg4bmB,CiBh4bnB,C;;QjBk4bZ,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MiB94bA,iB;MjB84bA,sC;QAeiB,Q;QAFb,IAjvMO,qBAAQ,CAivMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBt5bG,MAAK,KjBs5bS,QiBt5bT,EjBs5bmB,CiBt5bnB,C;;QjBw5bZ,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MiBp6bA,iB;MjBo6bA,sC;QAeiB,Q;QAFb,IA/vMO,qBAAQ,CA+vMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB56bG,MAAK,KjB46bS,QiB56bT,EjB46bmB,CiB56bnB,C;;QjB86bZ,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MiB17bA,iB;MjB07bA,sC;QAeiB,Q;QAFb,IA7wMO,qBAAQ,CA6wMf,C;UAAe,MAAM,6B;QACrB,

eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAA
T,C;UACR,WiB18bG,MAAK,KjBk8bS,QiB18bT,EjBk8bmB,CiB18bnB,C;;QjBo8bZ,OAAO,Q;O;KAnBX,C;mFAs
BA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MiBh9bA,iB;MjBg9bA,sC;QAeiB,Q;QAFb,IA3xMO,qBAAQ,CA2xMf,
C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,AAAU,CAAV,iB;UACI,QA
AQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WiBx9bG,MAAK,KjBw9bS,QiBx9bT,EjBw9bmB,CiBx9bnB,C;;QjB0
9bZ,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA/2MO,qBAAQ,CA
+2Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,AAAU,CAAV,iB;UAC
I,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO
,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA73MO,qBAAQ,CA63Mf,C;U
AAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,S
AAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAn
BX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA34MO,qBAAQ,CA24Mf,C;UAAe,MAA
M,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAA
K,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFA
sBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAz5MO,qBAAQ,CAy5Mf,C;UAAe,MAAM,6B;QAC
rB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,C
AAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;M
AAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAv6MO,qBAAQ,CAu6Mf,C;UAAe,MAAM,6B;QACrB,eAAe,S
AAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U
ACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;
MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAr7MO,qBAAQ,CAq7Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UA
AK,CAAL,CAAT,C;QACF,+B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAA
I,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D
;MAAA,sC;QAaiB,Q;QAFb,IA8MO,qBAAQ,CAm8Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL
,CAAT,C;QACF,+B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,
CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,s
C;QAaiB,Q;QAFb,IAj9MO,qBAAQ,CAi9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;
QACF,+B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K
AAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,
sC;QAaiB,Q;QAFb,IA/9MO,qBAAQ,CA+9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,
C;QACF,+B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,
KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;4FAsBA,yB;MAAA,8D;MiBhqA,iB;MjBgcA,sC;Q
AaiB,Q;QAFb,IArjNO,qBAAQ,CAqjNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+
B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBtqcG,MAAK,KjBsqcS,QiBtq
cT,EjBsqcmB,CiBtqcnB,C;;QjBwqcZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiBprcA,iB;MjBorcA,sC;Q
AaiB,Q;QAFb,IAjkNO,qBAAQ,CAikNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+
B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB1rcG,MAAK,KjB0rcS,QiB1r
cT,EjB0rcmB,CiB1rcnB,C;;QjB4rcZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiBxscA,iB;MjBwscA,sC;Q
AaiB,Q;QAFb,IA7kNO,qBAAQ,CA6kNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,
+B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB9scG,MAAK,KjB8scS,QiB9
scT,EjB8scmB,CiB9scnB,C;;QjBgtcZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiB5tcA,iB;MjB4tcA,sC;Q
AaiB,Q;QAFb,IAz1NO,qBAAQ,CAy1Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+
B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBlucG,MAAK,KjBkucS,QiBlu
cT,EjBkucmB,CiBlucnB,C;;QjBoucZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiBhvcA,iB;MjBgvcA,sC;
QAaiB,Q;QAFb,IArmNO,qBAAQ,CAqmNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QAC
F,+B;QAAb,AAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBtvcG,MAAK,KjBsvcS,Qi
BtvcT,EjBsvcmB,CiBtvcnB,C;;QjBwvcZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiBpwcA,iB;MjBowcA,
sC;QAaiB,Q;QAFb,IAjnNO,qBAAQ,CAinNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA

CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB1wcG,MAAK,KjB0wcS,
QiB1wcT,EjB0wcmB,CiB1wcnB,C;;QjB4wcZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiBxxcA,iB;MjB
wxcA,sC;QAaiB,Q;QAFb,IA7nNO,qBAAQ,CA6nNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAA
T,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB9xcG,MAAK,Kj
B8xcS,QiB9xcT,EjB8xcmB,CiB9xcnB,C;;QjBgyzZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiB5ycA,iB;
MjB4ycA,sC;QAaiB,Q;QAFb,IAzoNO,qBAAQ,CAYoNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,C
AAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBlzcG,MAAK,
KjBkzcS,QiBlzcT,EjBkzcmB,CiBlzcnB,C;;QjBozCZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;M
iBh0cA,iB;MjBg0cA,sC;QAaiB,Q;QAFb,IArpNO,qBAAQ,CAqpNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAA
K,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WiBt
0cG,MAAK,KjBs0cS,QiBt0cT,EjBs0cmB,CiBt0cnB,C;;QjBw0cZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;
MiBh2cA,iB;MjBg2cA,sC;QAaiB,Q;QAFb,IAzuNO,qBAAQ,CAYuNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UA
AK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB
t2cG,MAAK,KjBs2cS,QiBt2cT,EjBs2cmB,CiBt2cnB,C;;QjBw2cZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D
;MiBp3cA,iB;MjBo3cA,sC;QAaiB,Q;QAFb,IArvNO,qBAAQ,CAqvNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UA
AK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB
13cG,MAAK,KjB03cS,QiB13cT,EjB03cmB,CiB13cnB,C;;QjB43cZ,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8
D;MiBx4cA,iB;MjBw4cA,sC;QAaiB,Q;QAFb,IAjwNO,qBAAQ,CAiwNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,
UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,
WiB94cG,MAAK,KjB84cS,QiB94cT,EjB84cmB,CiB94cnB,C;;QjBg5cZ,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MA
AA,8D;MiB55cA,iB;MjB45cA,sC;QAaiB,Q;QAFb,IA7wNO,qBAAQ,CA6wNf,C;UAAe,OAAO,I;QACtB,eAAe,S
AAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U
ACR,WiBl6cG,MAAK,KjBk6cS,QiBl6cT,EjBk6cmB,CiBl6cnB,C;;QjBo6cZ,OAAO,Q;O;KAjBX,C;+FAoBA,yB;
MAAA,8D;MiBh7cA,iB;MjBg7cA,sC;QAaiB,Q;QAFb,IAzxNO,qBAAQ,CAYxNf,C;UAAe,OAAO,I;QACtB,eAA
e,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;
UACR,WiBt7cG,MAAK,KjBs7cS,QiBt7cT,EjBs7cmB,CiBt7cnB,C;;QjBw7cZ,OAAO,Q;O;KAjBX,C;+FAoBA,y
B;MAAA,8D;MiBp8cA,iB;MjBo8cA,sC;QAaiB,Q;QAFb,IAryNO,qBAAQ,CAqyNf,C;UAAe,OAAO,I;QACtB,eA
Ae,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,
C;UACR,WiB18cG,MAAK,KjB08cS,QiB18cT,EjB08cmB,CiB18cnB,C;;QjB48cZ,OAAO,Q;O;KAjBX,C;+FAoB
A,yB;MAAA,8D;MiBx9cA,iB;MjBw9cA,sC;QAaiB,Q;QAFb,IAjzNO,qBAAQ,CAizNf,C;UAAe,OAAO,I;QACtB,
eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAA
T,C;UACR,WiB99cG,MAAK,KjB89cS,QiB99cT,EjB89cmB,CiB99cnB,C;;QjBg+cZ,OAAO,Q;O;KAjBX,C;+FAo
BA,yB;MAAA,8D;MiB5+cA,iB;MjB4+cA,sC;QAaiB,Q;QAFb,IA7zNO,qBAAQ,CA6zNf,C;UAAe,OAAO,I;QACt
B,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,C
AAT,C;UACR,WiBl/cG,MAAK,KjBk/cS,QiBl/cT,EjBk/cmB,CiBl/cnB,C;;QjBo/cZ,OAAO,Q;O;KAjBX,C;+FAoB
A,yB;MAAA,oC;MAAA,8D;MiBhgdA,iB;MjBggdA,sC;QAaiB,Q;QAFb,IAz0NO,qBAAQ,CAY0Nf,C;UAAe,OA
AO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBA
AK,CAAL,EAAT,C;UACR,WiBtgdG,MAAK,KjBsgdS,QiBtgdT,EjBsgdmB,CiBtgdnB,C;;QjBwgdZ,OAAO,Q;O;
KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA35NO,qBAAQ,CA25Nf,C;UAAe,OAAO,I;QA
CtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,
CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;M
AAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv6NO,qBAAQ,CAu6Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,
CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2B
AAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QA
WiB,Q;QAFb,IA7NO,qBAAQ,CAm7Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,
+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA/7NO,q
BAAQ,CA+7Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,i

B;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,
OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA38NO,qBAAQ,CA28Nf,C;UAAe,
OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,U
AAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+
FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv9NO,qBAAQ,CAu9Nf,C;UAAe,OAAO,I;QACtB,eAAe,S
AAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U
ACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;
MAAA,sC;QAWiB,Q;QAFb,IA+NO,qBAAQ,CAm+Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,C
AAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,C
AAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;
QAFb,IA+/NO,qBAAQ,CA++Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAA
b,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,W
AAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3/N
O,qBAAQ,CA2/Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CA
AV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;Q
AGnB,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAj100,qBAAQ,C
AilOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UAC
I,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CA
AtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,
Q;QAFb,IA/100,qBAAQ,CA+IOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;
QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB
,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MA
AA,8D;MAAA,kD;QAaiB,Q;QAFb,IA7m00,qBAAQ,CA6mOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK
,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,U
AAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,
C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA3n00,qBAAQ,CA2nOf,C;UAAe,MAAM,6B
;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CA
AL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;Q
AGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAzo00,qBAAQ,C
AyoOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA
CI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,C
AAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB
,Q;QAFb,IAvp00,qBAAQ,CAupOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B
;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAak
B,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;M
AAA,8D;MAAA,kD;QAaiB,Q;QAFb,IArq00,qBAAQ,CAqqOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK
,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,U
AAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,
C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IANr00,qBAAQ,CAMrOf,C;UAAe,MAAM,6B
;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CA
AL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;Q
AGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAjs00
,qBAAQ,CAisOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CA
AV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,
GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;MAAA,kD;QAWi
B,Q;QAFb,IArx00,qBAAQ,CAqxOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;
QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB
,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;M

AAA,kD;QAWiB,Q;QAFb,IAjyOO,qBAAQ,CAiyOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA7yOO,qBAAQ,CA6yOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAzzOO,qBAAQ,CAyzOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAr000,qBAAQ,CAq0Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAj100,qBAAQ,CAi1Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA7100,qBAAQ,CA61Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAz200,qBAAQ,CAy2Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAr300,qBAAQ,CAq3Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,8B;MASiB,Q;MAFb,IAv800,qBAAQ,CAu8Of,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MiBxjeG,MAAK,KjBwjeI,GiBxjeJ,EjBwjeS,CiBxjeT,C;;MjB0jeZ,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAv900,qBAAQ,CAu9Of,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MiBpleG,MAAK,KjBoleI,GiBpleJ,EjBoleS,CiBpleT,C;;MjBsleZ,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAr+00,qBAAQ,CAq+Of,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KA AJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3+00,qBAAQ,CA2+Of,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAj/00,qBAAQ,CAi/Of,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OA AO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAv/00,qBAAQ,CAu/Of,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7/00,qBAAQ,CA6/Of,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3gPO,qBAAQ,CA2gPf,C;QAAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,wC;MAGI,OAAO,yBAAc,UAA d,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAA d,

+Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAj
B,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK
,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,
C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IA3/PO,qBAAQ,CA2/Pf
,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C
;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,C
AAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;
QAGnB,OAAO,O;O;KApBX,C;gFAuBA,yB;MAAA,sE;MAAA,8D;MiBn+eA,iB;MjBm+eA,sC;QAEiB,Q;QAFb,I
AxIQO,qBAAQ,CAwlQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aA
AU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB3+eG,MAAK,KjB2+eS,QiB3+eT,EjB2+e
mB,CiB3+enB,C;;QjB6+eZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiBz/eA,iB;MjBy/eA,sC;
QAEiB,Q;QAFb,IAtmQO,qBAAQ,CAsmQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;Q
ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBjgfG,MAAK,KjBjgfS,
QiBjgfT,EjBjgfmB,CiBjgfnB,C;;QjBmgfZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiB/gfA,iB
;MjB+gfA,sC;QAEiB,Q;QAFb,IApnQO,qBAAQ,CAonQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAA
L,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBvhfG,MA
AK,KjBuhfS,QiBvhfT,EjBuhfmB,CiBvhfnB,C;;QjByhfZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8
D;MiBrifA,iB;MjBqifA,sC;QAEiB,Q;QAFb,IAloQO,qBAAQ,CAkoQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,
UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,
WiB7ifG,MAAK,KjB6ifS,QiB7ifT,EjB6ifmB,CiB7ifnB,C;;QjB+ifZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,s
E;MAAA,8D;MiB3jfA,iB;MjB2jfA,sC;QAEiB,Q;QAFb,IAhpQO,qBAAQ,CAgpQf,C;UAAe,MAAM,6B;QACrB,e
AAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAA
T,C;UACR,WiBnkfG,MAAK,KjBmkfS,QiBnkfT,EjBmkfmB,CiBnkfnB,C;;QjBqkfZ,OAAO,Q;O;KAnBX,C;kFAs
BA,yB;MAAA,sE;MAAA,8D;MiBjlfA,iB;MjBilfA,sC;QAEiB,Q;QAFb,IA9pQO,qBAAQ,CA8pQf,C;UAAe,MAA
M,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAA
K,CAAL,CAAT,C;UACR,WiBzlfG,MAAK,KjBylfS,QiBzlfT,EjBylfmB,CiBzlfnB,C;;QjB2lfZ,OAAO,Q;O;KAnB
X,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiBvmfA,iB;MjBumfA,sC;QAEiB,Q;QAFb,IA5qQO,qBAAQ,CA4qQf,C;
UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ
,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB/mfG,MAAK,KjB+mfS,QiB/mfT,EjB+mfmB,CiB/mfnB,C;;QjBinfZ,O
AAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiB7nfA,iB;MjB6nfA,sC;QAEiB,Q;QAFb,IA1rQO,qBA
AQ,CA0rQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,i
B;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBrofG,MAAK,KjBqofS,QiBrofT,EjBqofmB,CiBrofnB,
C;;QjBuofZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MiBnfpA,iB;MjBmpfA,sC;QA
eiB,Q;QAFb,IAxsQO,qBAAQ,CAwsQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QAC
F,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WiB3pfG,MAAK,KjB2pfS,Qi
B3pfT,EjB2pfmB,CiB3pfnB,C;;QjB6pfZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MiBrrfA,iB;
MjBqrfA,sC;QAEiB,Q;QAFb,IA9xQO,qBAAQ,CA8xQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,
CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB7rfG,MAA
K,KjB6rfS,QiB7rfT,EjB6rfmB,CiB7rfnB,C;;QjB+rfZ,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;
MiB3sfA,iB;MjB2sfA,sC;QAEiB,Q;QAFb,IA5yQO,qBAAQ,CA4yQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,U
AAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,Wi
BntfG,MAAK,KjBmtfS,QiBntfT,EjBmtfmB,CiBntfnB,C;;QjBqtz,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE
;MAAA,8D;MiBjufA,iB;MjBiufA,sC;QAEiB,Q;QAFb,IA1zQO,qBAAQ,CA0zQf,C;UAAe,MAAM,6B;QACrB,eA
Ae,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,
C;UACR,WiBzufG,MAAK,KjByufS,QiBzufT,EjByufmB,CiBzufnB,C;;QjB2ufZ,OAAO,Q;O;KAnBX,C;mFAsBA,
yB;MAAA,sE;MAAA,8D;MiBvufA,iB;MjBvufA,sC;QAEiB,Q;QAFb,IAx0QO,qBAAQ,CAw0Qf,C;UAAe,MAAM
,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,
CAAL,CAAT,C;UACR,WiB/vfG,MAAK,KjB+vfS,QiB/vfT,EjB+vfM,CiB/vfnB,C;;QjBiwfZ,OAAO,Q;O;KAnB

X,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MiB7wfA,iB;MjB6wfA,sC;QAeiB,Q;QAFb,IA1QO,qBAAQ,CA1Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBrxfG,MAAK,KjBqxfS,QiBrxfT,EjBqxfmB,CiBrxfnB,C;;QjBuxfZ,OA AO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MiBnyfA,iB;MjBmyfA,sC;QAeiB,Q;QAFb,IA2QO,qBA AQ,CAo2Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,i B;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB3yfG,MAAK,KjB2yfS,QiB3yfT,EjB2yfmB,CiB3yfnB, C;;QjB6yfZ,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MiBzzfA,iB;MjByzfA,sC;QAeiB,Q;QAF b,IA13QO,qBAAQ,CAk3Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb, aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBj0fG,MAAK,KjBi0fS,QiBi0fT,EjBi0f mB,CiBi0fnB,C;;QjBm0fZ,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MiB/0fA,iB;MjB+0fA,sC; QAeiB,Q;QAFb,IAh4QO,qBAAQ,CAg4Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;Q ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBv1fG,MAAK,KjBu1fS, QiBv1fT,EjBu1fmB,CiBv1fnB,C;;QjBy1fZ,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8 D;MiBr2fA,iB;MjBq2fA,sC;QAeiB,Q;QAFb,IA94QO,qBAAQ,CA84Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS ,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR ,WiB72fG,MAAK,KjB62fS,QiB72fT,EjB62fmB,CiB72fnB,C;;QjB+2fZ,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MA AA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAI+QO,qBAAQ,CAk+Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SA AS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UA CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;M AAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAh/QO,qBAAQ,CAg/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK, CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2B AAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MA AA,sC;QAaiB,Q;QAFb,IA9/QO,qBAAQ,CA8/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT ,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX, KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAai B,Q;QAFb,IA5gRO,qBAAQ,CA4gRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+ B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;Y ACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA1hRO,qBAAQ,CA0hRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aA AU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW ,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAxiRO,qBA AQ,CAwiRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,i B;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB, OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA1jRO,qBAAQ,CA1jRf, C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QA AQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O; KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IApkRO,qBAAQ,CAokRf,C;UAAe,M AAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,U AAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C; mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA1lRO,qBAAQ,CAklRf,C;UAAe,M AAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,s BAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C; 4FAsBA,yB;MAAA,8D;MiBrjgBA,iB;MjBqjgBA,sC;QAaiB,Q;QAFb,IAxqRO,qBAAQ,CAwqRf,C;UAAe,OAAO ,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,C AAL,CAAT,C;UACR,WiB3jgBG,MAAK,KjB2jgBS,QiB3jgBT,EjB2jgBmB,CiB3jgBnB,C;;QjB6jgBZ,OAAO,Q; O;KAnBX,C;8FAoBA,yB;MAAA,8D;MiBzkgBA,iB;MjBykgBA,sC;QAaiB,Q;QAFb,IAprRO,qBAAQ,CAorRf,C; UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S AAS,UAAK,CAAL,CAAT,C;UACR,WiB/kgBG,MAAK,KjB+kgBS,QiB/kgBT,EjB+kgBmB,CiB/kgBnB,C;;QjBil

gBZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiB7lgBA,iB;MjB6lgBA,sC;QAaiB,Q;QAFb,IAhsRO,qBAA
Q,CAGsRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA
CI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBnmngBG,MAAK,KjBmmgBS,QiBnmngBT,EjBmmgBmB,CiB
nmngBnB,C;;QjBqmgBZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiBjngBA,iB;MjBingBA,sC;QAaiB,Q;Q
AFb,IA5sRO,qBAAQ,CA4sRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,a
AAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBvngBG,MAAK,KjBungBS,QiBvngBT,E
jBungBmB,CiBvngBnB,C;;QjByngBZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiBrogBA,iB;MjBqogBA,
sC;QAaiB,Q;QAFb,IAxtRO,qBAAQ,CAwtRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA
CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB3ogBG,MAAK,KjB2og
BS,QiB3ogBT,EjB2ogBmB,CiB3ogBnB,C;;QjB6ogBZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiBzpgB
A,iB;MjBypgBA,sC;QAaiB,Q;QAFb,IApuRO,qBAAQ,CAouRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,C
AAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB/pgB
G,MAAK,KjB+pgBS,QiB/pgBT,EjB+pgBmB,CiB/pgBnB,C;;QjBiqgBZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAA
A,8D;MiB7qgBA,iB;MjB6qgBA,sC;QAaiB,Q;QAFb,IAhvRO,qBAAQ,CAGvRf,C;UAAe,OAAO,I;QACtB,eAAe,S
AAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U
ACR,WiBnrgBG,MAAK,KjBmrgBS,QiBnrgBT,EjBmrgBmB,CiBnrgBnB,C;;QjBqrgBZ,OAAO,Q;O;KAjBX,C;8F
AoBA,yB;MAAA,8D;MiBjsgBA,iB;MjBisgBA,sC;QAaiB,Q;QAFb,IA5vRO,qBAAQ,CA4vRf,C;UAAe,OAAO,I;
QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CA
AL,CAAT,C;UACR,WiBvsgBG,MAAK,KjBusgBS,QiBvsgBT,EjBusgBmB,CiBvsgBnB,C;;QjBysgBZ,OAAO,Q;
O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MiBrtgBA,iB;MjBqtgBA,sC;QAaiB,Q;QAFb,IAxwRO,qBAAQ,
CAwwRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA
CI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WiB3tgBG,MAAK,KjB2tgBS,QiB3tgBT,EjB2tgBmB,CiB3tgBn
B,C;;QjB6tgBZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiBrvgBA,iB;MjBqvgBA,sC;QAaiB,Q;QAFb,IA
51RO,qBAAQ,CA41Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,
CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB3vgBG,MAAK,KjB2vgBS,QiB3vgBT,EjB2vg
BmB,CiB3vgBnB,C;;QjB6vgBZ,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MiBzwgBA,iB;MjBywgBA,sC;Q
AaiB,Q;QAFb,IAx2RO,qBAAQ,CAw2Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,
+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiB/wgBG,MAAK,KjB+wgBS,
QiB/wgBT,EjB+wgBmB,CiB/wgBnB,C;;QjBixgBZ,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MiB7xgBA,i
B;MjB6xgBA,sC;QAaiB,Q;QAFb,IAp3RO,qBAAQ,CAo3Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAA
L,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBnygBG,
MAAK,KjBmygBS,QiBnygBT,EjBmygBmB,CiBnygBnB,C;;QjBqygBZ,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MA
AA,8D;MiBjzgBA,iB;MjBizgBA,sC;QAaiB,Q;QAFb,IAh4RO,qBAAQ,CAG4Rf,C;UAAe,OAAO,I;QACtB,eAAe,
SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U
ACR,WiBvzgBG,MAAK,KjBuzgBS,QiBvzgBT,EjBuzgBmB,CiBvzgBnB,C;;QjByzgBZ,OAAO,Q;O;KAjBX,C;+F
AoBA,yB;MAAA,8D;MiBr0gBA,iB;MjBq0gBA,sC;QAaiB,Q;QAFb,IA54RO,qBAAQ,CA44Rf,C;UAAe,OAAO,I;
QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CA
AL,CAAT,C;UACR,WiB30gBG,MAAK,KjB20gBS,QiB30gBT,EjB20gBmB,CiB30gBnB,C;;QjB60gBZ,OAAO,Q
;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MiBz1gBA,iB;MjBy1gBA,sC;QAaiB,Q;QAFb,IAx5RO,qBAAQ,CAw5Rf,
C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,
SAAS,UAAK,CAAL,CAAT,C;UACR,WiB/1gBG,MAAK,KjB+1gBS,QiB/1gBT,EjB+1gBmB,CiB/1gBnB,C;;QjBi
2gBZ,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MiB72gBA,iB;MjB62gBA,sC;QAaiB,Q;QAFb,IAp6RO,qB
AAQ,CAo6Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB
;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBn3gBG,MAAK,KjBm3gBS,QiBn3gBT,EjBm3gBmB,Ci
Bn3gBnB,C;;QjBq3gBZ,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MiBj4gBA,iB;MjBi4gBA,sC;QAaiB,Q;Q
AFb,IAh7RO,qBAAQ,CAG7Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WiBv4gBG,MAAK,KjBu4gBS,QiBv4gBT,
EjBu4gBmB,CiBv4gBnB,C;;QjBy4gBZ,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MiBr5gBA,iB

;MjBq5gBA,sC;QAaiB,Q;QAFb,IA57RO,qBAAQ,CA47Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WiB35gBG,MAAK,KjB25gBS,QiB35gBT,EjB25gBmB,CiB35gBnB,C;;QjB65gBZ,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9gSO,qBAAQ,CA8gSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1hSO,qBAAQ,CA0hSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAtiSO,qBAAQ,CAsiSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAIjSO,qBAAQ,CAkjSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAIjSO,qBAAQ,CAkSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAIjSO,qBAAQ,CAkSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAIjSO,qBAAQ,CAkSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAImSO,qBAAQ,CAkmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9mSO,qBAAQ,CA8mSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9mSO,qBAAQ,CA8mSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9mSO,qBAAQ,CA8mSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9uSO,qBAAQ,CA8uSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAhuSO,qBAAQ,CAguSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA9vSO,qBAAQ,CA4vSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA1wSO,qBAAQ,CA0wSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAxxSO,qBA

AQ,CAwxSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAtySO,qBAAQ,CAsySf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAPzSO,qBAAQ,CAozSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx4SO,qBAAQ,CAw4Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAP5SO,qBAAQ,CAo5Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAh6SO,qBAAQ,CAG6Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA56SO,qBAAQ,CA46Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx7SO,qBAAQ,CAw7Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAp8SO,qBAAQ,CAo8Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,8B;MASiB,Q;MAFb,IA1jTO,qBAAQ,CA0jTf,C;QAae,OAAO,I;MActB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MiB78hBG,MAAK,KjB68hBI,GiB78hBJ,EjB68hBS,CiB78hBT,C;;MjB+8hBZ,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IA1kTO,qBAAQ,CA0kTf,C;QAae,OAAO,I;MActB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MiBz+hBG,MAAK,KjBy+hBI,GiBz+hBJ,EjBy+hBS,CiBz+hBT,C;;MjB2+hBZ,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAx1TO,qBAAQ,CAw1Tf,C;QAae,OAAO,I;MActB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAA M,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9lTO,qBAAQ,CA8lTf,C;QAae,OAAO,I;MActB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IApmTO,qBAAQ,CAomTf,C;QAae,OAAO,I;MActB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QAC

I,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAO
iB,Q;MAFb,IA1mTO,qBAAQ,CA0mTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aA
AU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,
G;K;IAGX,gC;MAOiB,Q;MAFb,IAhnTO,qBAAQ,CAgnTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;M
ACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAJ,C;UAAa,M
AAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAxnTO,qBAAQ,CAwnTf,C;QAAe,OAAO,I;MACtB,
UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MiB/jiBG,MA
AK,KjB+jiBI,GiB/jiBJ,EjB+jiBS,CiB/jiBT,C;;MjBikiBZ,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAhoTO,qBAA
Q,CAgoTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,
UAAK,CAAL,C;QACR,MiBnkiBG,MAAK,KjBmkiBI,GiBnkiBJ,EjBmkiBS,CiBnkiBT,C;;MjBqkiBZ,OAAO,G;K
;IAGX,gC;MAOiB,Q;MAFb,IA9nTO,qBAAQ,CA8nTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MAC
G,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;M
AEvB,OAAO,G;K;IAGX,wC;MAGI,OAAO,yBAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAG
X,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2B
AAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,
0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,8C;MAOiB,Q;MAFb,IA
lwTO,qBAAQ,CAkwTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;
QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAA
oC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAxwTO,qBAAQ,CAwwTf,C;QAAe,OAAO,I;M
ACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,U
AAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;
MAOiB,Q;MAFb,IA9wTO,qBAAQ,CA8wTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAA
b,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA
6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IApxTO,qBAAQ,CAoxTf,C;
QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL
C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAA
O,G;K;IAGX,gD;MAOiB,Q;MAFb,IA1xTO,qBAAQ,CA0xTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;
MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CA
Ab,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAhyTO,qBA
AQ,CAgyTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAA
Q,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,
C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAyTO,qBAAQ,CAyTf,C;QAAe,OAAO,I;MACtB,UAAU,
UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,
GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;M
AFb,IA5yTO,qBAAQ,CA4yTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAA
V,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;
UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IALzTO,qBAAQ,CAkzTf,C;QAAe,OAAO,I;
MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,
UAAW,SAAQ,gBAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,y
B;MAMI,OAj4TO,qBAAQ,C;K;IAo4TnB,2B;MAMI,OAI4TO,qBAAQ,C;K;IAq4TnB,2B;MAMI,OAn4TO,qBAA
Q,C;K;IAS4TnB,2B;MAMI,OAp4TO,qBAAQ,C;K;IAu4TnB,2B;MAMI,OAr4TO,qBAAQ,C;K;IAw4TnB,2B;MA
MI,OA4t4TO,qBAAQ,C;K;IAy4TnB,2B;MAMI,OA4v4TO,qBAAQ,C;K;IA04TnB,2B;MAMI,OAx4TO,qBAAQ,C;
K;IA24TnB,2B;MAMI,OA4z4TO,qBAAQ,C;K;gFA44TnB,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,
cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;gFAGX,gC;MA
MoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB
,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;
QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,w
BAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD

,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAA
U,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB
;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX
,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;
UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SA
AhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,yB;MAAA,oC;MA
AA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAAsB,IAAI,U
AAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KAPX,C;kFAUA,6B;MAMmC,Q;MAAhB,iD;QA
AgB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAGB,cAAhB,e;Q
AAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAGB,cAAhB,e;QAAsB,OAAO,OA
AP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAGB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB
;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAGB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MA
MmC,Q;MAAhB,iD;QAAGB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,
iD;QAAGB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAGB,cAAh
B,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAMmC,Q;QAAhB,i
D;UAAgB,cAAhB,0B;UAAAsB,OAAO,oBAAP,C;;QAArC,gB;O;KANJ,C;gGASA,6B;MARjJiB,gB;MADb,YAAY,
C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA8jJnB,gB;K;kGAGJ,6
B;MAvjJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAh
B,C;;MAGkJnB,gB;K;kGAGJ,6B;MAzjJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAA
P,EAAO,sBAAP,WAAgB,IAAhB,C;;MAkkJnB,gB;K;kGAGJ,6B;MA3jJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa
,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAokJnB,gB;K;kGAGJ,6B;MA7jJiB,gB;M
ADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAskJnB,g
B;K;kGAGJ,6B;MA/jJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,
WAAgB,IAAhB,C;;MAwkJnB,gB;K;kGAGJ,6B;MAjkJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAM
B,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA0kJnB,gB;K;kGAGJ,6B;MANkJiB,gB;MADb,YAAY,C;M
ACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA4kJnB,gB;K;kGAGJ,yB;
MAAA,6B;MAAA,sC;MA5kJA,oC;MAAA,gC;MA4kJA,2BASiB,yB;QArIjJb,oC;QAAA,gC;eAqIjJb,0B;UAAA,
4B;YAAE,aAaE,c;YA9kJjB,gB;YADb,YAAY,C;YACZ,iD;cAAa,WAAb,0B;cAAMb,QAAO,cAAP,EAAO,sBAA
P,WAAgB,iBAAhB,C;;YA8kJmB,W;W;S;OAAzB,C;MATjB,oC;QArkJiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,
WAAb,0B;UAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;QA8kJnB,gB;O;KATJ,C;kFAYA,yB;MA
AA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhvUO,qBAAQ,CAgvUf,C;UACI,MAAM,mCAA8B,+BAA9
B,C;QACV,kBAaQb,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,
UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBq
B,Q;QAHjB,IA9vUO,qBAAQ,CA8vUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C
;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OA
AO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5wUO,qBAAQ,CA4w
Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,y
B;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;M
AAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1xUO,qBAAQ,CA0xUf,C;UACI,MAAM,mCAA8B,+BA
A9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAA
uB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QA
gBqB,Q;QAHjB,IAxyUO,qBAAQ,CAwyUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CA
AL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEI
B,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtzUO,qBAAQ,C
AszUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAA
d,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;
MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAp0UO,qBAAQ,CAo0Uf,C;UACI,MAAM,mCAA8B,+B
AA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EA

AuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA11UO,qBAAQ,CAk1Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAh2UO,qBAAQ,CAg2Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAaK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA7UO,qBAAQ,CAs7Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaQB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAp8UO,qBAAQ,CAo8Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9UO,qBAAQ,CAk9Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh+UO,qBAAQ,CAg+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9+UO,qBAAQ,CA8+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5/UO,qBAAQ,CA4/Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1gVO,qBAAQ,CA0gVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAtiVO,qBAAQ,CAsiVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,sBAaK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;4GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5nVO,qBAAQ,CA4nVf,C;UACI,OAAO,I;QACX,kBAaQB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1oVO,qBAAQ,CA0oVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxpVO,qBAAQ,CAwpVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAIqVO,qBAAQ,CAsqVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAIsVO,qBAAQ,CAksVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhtVO,qBAAQ,CAgtVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QA

CD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;
QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9tVO,qBAAQ,CA8tV
f,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,K
AAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D
;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IA5uVO,qBAAQ,CA4uVf,C;UACI,OAAO,I;QACX,kBA
AkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8
B,sBAak,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QA
HjB,IA0VO,qBAAQ,CAM0Vf,C;UACI,OAAO,I;QACX,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,C
AAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA
,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA11VO,qBAAQ,CAk1Vf,C;UACI,OAAO,I;QACX,kBAakB,UA
AK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C
;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IAj2VO,qBAAQ,CAi2
Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,
WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;Q
AIbqB,Q;QAHjB,IAh3VO,qBAAQ,CAg3Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAA
jB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX
,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA/3VO,qBAAQ,CA+3Vf,C;UACI,OAAO,I;QACX,k
BAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAA
L,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA94VO,q
BAAQ,CA84Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,
cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D
;MAAA,uC;QAIbqB,Q;QAHjB,IA75VO,qBAAQ,CA65Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;Q
ACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAA
O,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA56VO,qBAAQ,CA46Vf,C;UACI,O
AAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAA
uB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;M
AAA,uC;QAIbqB,Q;QAHjB,IA37VO,qBAAQ,CA27Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QAC
D,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAak,KAAL,EAAvB,E;;QAEIB,OAAO
,W;O;KApBX,C;4FAuBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE6B,UAE0,M;QAJhC,YAAY,wB;QACZ,IA
AI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACr
B,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,O
AAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QAC
Z,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;Q
ACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEI
B,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;Q
ACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,
O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;Q
AEIB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,w
B;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oB
AAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C
;;QAEIB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAA
Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,o
BAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAx
B,C;;QAEIB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,Y
AAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EA

AI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,W
AAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAe0B,UAEU,M;QAJh
C,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,
EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,
WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,u
C;QAe0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QAC
rB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,E
AAI,sBAAJ,UAAV,EAAwB,wBAxB,E;;QAEIB,OAAO,W;O;KAnBX,C;0GAsBA,yB;MAAA,8D;MAAA,4F;M
AAA,uC;QAe6B,Q;QAFzB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QAC
rB,kBAaqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,
UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;4GAuBA,yB;MAAA,8D;MA
AA,4F;MAAA,uC;QAe0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9
B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV
,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;4GAuBA,yB;MAAA,
8D;MAAA,4F;MAAA,uC;QAe0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+
BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,
KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;4GAuBA,yB;
MAAA,8D;MAAA,4F;MAAA,uC;QAe0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MA
AM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UA
CI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,
C;4GAuBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAe0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;U
AAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAh
B,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;
KApBX,C;4GAuBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAe0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CA
AZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAA
hB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAA
O,W;O;KApBX,C;4GAuBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAe0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QA
AQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAA
O,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAE
J,OAAO,W;O;KApBX,C;4GAuBA,yB;MAAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,Q;QAFt
B,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,
EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EA
A6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;SHAuBA,yB;MAAA,8D;MAAA,uC;QAe6B,Q;QAFz
B,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaqB,UAAI,YAAJ,EAAI,oBAAJ,O;QAC
rB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,
qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAAy,wB;QACZ,IAA
I,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB
,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;K
ApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,
OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,K
AAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;M
AAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAak
B,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAA
J,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe
0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oB

AAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA
7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHauBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAAY,w
B;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,S
AAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,O
AAO,W;O;KApBX,C;wHauBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CA
AZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cA
Ac,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wH
AuBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QA
CtB,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB
,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHauBA,yB;MAAA,8D;MA
AA,oC;MAAA,gC;MAAA,uC;QAe0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACt
B,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAAV,EAAiB,s
BAAI,KAAJ,EAajB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wGAuBA,yB;MAAA,8D;MA
AA,uC;QAgB6B,UAE0,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAqB,U
AAI,YAAJ,EAAl,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAl,sBAAJ,SA
AV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;0GAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M
;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,
O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAl,sBAAJ,SAAV,EAawB,WAAxB,C;;Q
AEIB,OAAO,W;O;KApBX,C;0GAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAY,wB;QACZ,
IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CA
AhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAl,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,
C;0GAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UA
Ae,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAA
U,UAAI,cAAJ,EAAl,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;0GAuBA,yB;MAAA,8
D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBA
AkB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAl,sBA
AJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;0GAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UA
EU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAl,oB
AAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAl,sBAAJ,SAAV,EAawB,WAAxB,
C;;QAEIB,OAAO,W;O;KApBX,C;0GAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAY,wB;Q
ACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SA
AS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAl,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KA
pBX,C;0GAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C
;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,U
AAU,UAAI,cAAJ,EAAl,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;0GAuBA,yB;MAA
A,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;U
AAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBA
AU,sBAAI,cAAJ,EAAl,sBAAJ,UAAV,EAawB,wBAAxB,E;;QAEIB,OAAO,W;O;KApBX,C;4FAuBA,yB;MAA
A,gD;MAAA,gE;MAAA,gD;QAgBoB,Q;QAHhB,IAp0XO,qBAAQ,CAo0Xf,C;UAAe,OAAO,OAAO,OAAP,C;Q
ACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agBn7mBO,W;QhBo7mBP,kBAakB,O;QACI
B,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OAavB,C;UACd,MAAO
,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KApBX,C;8FAuBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QA
HhB,IAp1XO,qBAAQ,CAo1Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C
;QAA+B,8B;QAA5C,agB38mBO,W;QhB48mBP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAh
B,M;UACI,cAAc,UAAU,WAAV,EAauB,OAavB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX
,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp2XO,qBAAQ,CAo2Xf,C;UAAe,OAA
O,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agBn+mBO,W;QhBo+m
BP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OA

AvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAA
A,gD;QAIBoB,Q;QAHhB,Iap3XO,qBAAQ,CAo3Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mB
AAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agB3/mBO,W;QhB4/mBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;U
AAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,
OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,Iap4XO,qBAAQ,CA
o4Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agBn
hnBO,W;QhBohnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,W
AAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD
;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,Iap5XO,qBAAQ,CAo5Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,k
BAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agB3inBO,W;QhB4inBP,kBAAkB,O;QACIB,wBAA
gB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,
WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,Iap
6XO,qBAAQ,CAo6Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,
8B;QAA5C,agBnknBO,W;QhBoknBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI
,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwB
A,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,Iap7XO,qBAAQ,CAo7Xf,C;UAAe,OAAO,OAAO,
OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agB3lnBO,W;QhB4lnBP,kBAAkB,
O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UAC
d,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAA
A,gC;MAAA,gD;QAIBoB,Q;QAHhB,Iap8XO,qBAAQ,CAo8Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAv
B,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agBnnnBO,W;QhBonnBP,kBAAkB,O;QACIB,wBAAGB,S
AAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;UACd,MAAO,W
AAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;0GAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAcI,IA5hYO,qB
AAQ,CA4hYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QA
A5C,agB3onBO,W;QhB4onBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UA
AK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;MAAA,gD;M
AAA,gE;MAAA,gD;QAEI,IA7iYO,qBAAQ,CA6iYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mB
AAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agBpqnBO,W;QhBpqnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,
KAHV,EAAiB,WAAjB,EAA8B,UA AK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;K
AtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IA9jYO,qBAAQ,CA8jYf,C;UAAe,OAAO,OAAO,
OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agB7rnBO,W;QhB8rnBP,kBAAkB,
O;QACIB,wD;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UA AK,KAAL,CAA9B,C;UACd,MAAO,WA
AI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IA/kYO,qBAA
Q,CA+kYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5
C,agBttnBO,W;QhButnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UA AK,
KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAA
A,gE;MAAA,gD;QAEI,IAhmYO,qBAAQ,CAgmYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBA
AO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agB/unBO,W;QhBgvnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,K
AAV,EAAiB,WAAjB,EAA8B,UA AK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KA
tBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IAjnYO,qBAAQ,CAinYf,C;UAAe,OAAO,OAAO,O
AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agBxwnBO,W;QhBywnBP,kBAAkB
,O;QACIB,wD;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UA AK,KAAL,CAA9B,C;UACd,MAAO,WA
AI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IAloYO,qBAA
Q,CAkoYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C
,agBjynBO,W;QhBkynBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UA AK,K
AAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,
gE;MAAA,gD;QAEI,IANpYO,qBAAQ,CAnpYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAA
O,CAAP,IAAb,C;QAA+B,8B;QAA5C,agB1znBO,W;QhB2znBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KA

AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATB
X,C;4GAYBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAAA,gD;QAEI,IAPqYO,qBAAQ,CAoqYf,C;UAAe,OAAO
,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,agBn1nBO,W;QhBo1nBP,
kBAakB,O;QACIB,wD;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAak,KAAL,EAA9B,C;UACd,M
AAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;gGAYBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QACI,IA5v
YO,qBAAQ,CA4vYf,C;UAAe,OAAO,W;QACTB,sBAaQB,UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gB
AAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,agB52nBO,W;QhB62nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBA
Ac,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,
C;kGAwBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAzwYO,qBAAQ,CAYwYf,C;UAAe,OAAO,W;QACTB
,sBAakB,UAAK,CAAL,CAAIb,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,agBj4
nBO,W;QhBk4nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAA
vB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,u
C;QAWI,IAtxYO,qBAAQ,CAsxYf,C;UAAe,OAAO,W;QACTB,sBAakB,UAAK,CAAL,CAAIb,C;QACoC,kBAA
vB,eAAiB,gBAajB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,agBt5nBO,W;QhBu5nBP,iBAAc,CAAd,UAAsB,gBAAtB
,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,
M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAnyYO,qBAAQ,CamyYf,C;UAAe,OAA
O,W;QACTB,sBAakB,UAAK,CAAL,CAAIb,C;QACkC,kBAArB,eAAe,gBAaf,C;QAA6B,sBAAI,aAAJ,C;QAA1
C,agB36nBO,W;QhB46nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAA
L,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;M
AAA,uC;QAWI,IAhzYO,qBAAQ,CAGzYf,C;UAAe,OAAO,W;QACTB,sBAakB,UAAK,CAAL,CAAIb,C;QACm
C,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,agBh8nBO,W;QhBi8nBP,iBAAc,CAAd,UAAsB,
gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX
,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IA7zYO,qBAAQ,CA6zYf,C;UAA
e,OAAO,W;QACTB,sBAakB,UAAK,CAAL,CAAIb,C;QACoC,kBAAvB,eAAiB,gBAajB,C;QAA+B,sBAAI,aAA
J,C;QAA5C,agBr9nBO,W;QhBs9nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,U
AAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;M
AAA,gE;MAAA,uC;QAWI,IA10YO,qBAAQ,CA00Yf,C;UAAe,OAAO,W;QACTB,sBAakB,UAAK,CAAL,CAAI
b,C;QACqC,kBAAxB,eAAkB,gBAAIb,C;QAAgC,sBAAI,aAAJ,C;QAA7C,agB1+nBO,W;QhB2+nBP,iBAAc,CA
Ad,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aA
AJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAv1YO,qBAAQ,CA
u1Yf,C;UAAe,OAAO,W;QACTB,sBAakB,UAAK,CAAL,CAAIb,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAi
C,sBAAI,aAAJ,C;QAA9C,agB//nBO,W;QhBggBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAA
V,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;
MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAWI,IAP2YO,qBAAQ,CAo2Yf,C;UAAe,OAAO,W;Q
ACTB,sBAakB,UAAK,CAAL,CAAIb,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,0BAAJ,C;QAA3
C,agBphoBO,W;QhBqhoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,oBAAU,0BAAV,EAAuB,sBAak,
KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;8GAqBA,yB;MAAA,qD;MAA
A,gE;MAAA,uC;QACI,IA57YO,qBAAQ,CA47Yf,C;UAAe,OAAO,W;QACTB,sBAaQB,UAAK,CAAL,CAArB,C;
QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,agB5ioBO,W;QhB6ioBP,iBAAc,CAAd,UAA
sB,gBAAtB,U;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WA
AI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gHAWBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IA18YO,qBA
AQ,CA08Yf,C;UAAe,OAAO,W;QACTB,sBAakB,UAAK,CAAL,CAAIb,C;QACmC,kBAAtB,eAAgB,gBAAhB,C
;QAA8B,sBAAI,aAAJ,C;QAA3C,agBlkoBO,W;QhBmkoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UA
AU,KAaV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;
KAnBX,C;gHASBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAx9YO,qBAAQ,CAw9Yf,C;UAAe,OAAO,W;
QACTB,sBAakB,UAAK,CAAL,CAAIb,C;QACoC,kBAAvB,eAAiB,gBAajB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,
agBxloBO,W;QhByloBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,
UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHASBA,yB;MAAA,qD;

MAAA,gE;MAAA,uC;QAYI,IAt+YO,qBAAQ,CA+sYf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,CAAL,CAA
IB,C;QACkC,kBAArB,eAAe,gBAaf,C;QAA6B,sBAAI,AAAJ,C;QAA1C,agB9moBO,W;QhB+moBP,iBAAc,CAA
d,UAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,AAAJB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MA
AO,WAAI,AAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAp/Y
O,qBAAQ,CAo/Yf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBA
AhB,C;QAA8B,sBAAI,AAAJ,C;QAA3C,agBpooBO,W;QhBqooBP,iBAAc,CAAd,UAsB,gBAAtB,U;UACI,gBA
Ac,UAAU,KAAV,EAAiB,AAAJB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,AAAJ,C;;QAEX,OAA
O,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAIgzO,qBAAQ,CAkgZf,C;UAAe,OAA
O,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAJB,C;QAA+B,sBAAI,AAAJ,C;Q
AA5C,agB1poBO,W;QhB2poBP,iBAAc,CAAd,UAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,AAAJB,
EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,AAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;M
AAA,qD;MAAA,gE;MAAA,uC;QAYI,IAhhZO,qBAAQ,CAghZf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,C
AAL,CAAIB,C;QACqC,kBAAxB,eAAkB,gBAIIB,C;QAAgC,sBAAI,AAAJ,C;QAA7C,agBhroBO,W;QhBiroBP,i
BAAc,CAAd,UAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,AAAJB,EAA8B,UAAK,KAAL,CAA9B,C;
UACd,MAAO,WAAI,AAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;Q
AYI,IA9hZO,qBAAQ,CA8hZf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACsC,kBAAzB,e
AAmB,gBAAnB,C;QAAiC,sBAAI,AAAJ,C;QAA9C,agBtsoBO,W;QhBusoBP,iBAAc,CAAd,UAsB,gBAAtB,U;
UACI,gBAAc,UAAU,KAAV,EAAiB,AAAJB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,AAAJ,C;;Q
AEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAYI,IA5iZ
O,qBAAQ,CA4iZf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBA
AhB,C;QAA8B,sBAAI,0BAAJ,C;QAA3C,agB5toBO,W;QhB6toBP,iBAAc,CAAd,UAsB,gBAAtB,U;UACI,gBA
Ac,oBAAU,KAAV,EAAiB,0BAAJB,EAA8B,sBAAK,KAAL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,
OAAO,M;O;KAnBX,C;8EAsBA,yB;MA/zBA,gD;MAAA,gE;MA+zBA,gD;QAcW,sB;;UA7zBS,Q;UAHhB,IAp0
XO,qBAAQ,CAo0Xf,C;YAAe,qBAAO,OA0zBH,OA0zBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP
,IAAb,C;UAA+B,sBA+zBzB,OA/zByB,C;UAA5C,agBn7mBO,W;UhBo7mBP,kBA8zBmB,O;UA7zBnB,iD;YAA
gB,cAAhB,e;YACI,cA4zBwB,SA5zBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAE
X,qBAAO,M;;;QAYzBP,yB;O;KAdJ,C;gFAiBA,yB;MAzzBA,gD;MAAA,gE;MAyzBA,gD;QAcW,sB;;UA7zBS,Q
;UAHhB,IAp1XO,qBAAQ,CAo1Xf,C;YAAe,qBAAO,OA0zBH,OA1zBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,
mBAAO,CAAP,IAAb,C;UAA+B,sBAyzBzB,OAzzByB,C;UAA5C,agB38mBO,W;UhB48mBP,kBAwzBmB,O;U
AvzBnB,iD;YAAgB,cAAhB,e;YACI,cAszBwB,SAtzBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI
,WAAJ,C;;UAEX,qBAAO,M;;;QAmzBP,yB;O;KafJ,C;gFAkBA,yB;MAnzBA,gD;MAAA,gE;MAmzBA,gD;QAc
W,sB;;UA7zBS,Q;UAHhB,IAp2XO,qBAAQ,CAo2Xf,C;YAAe,qBAAO,OAozBH,OApzBG,C;YAAP,uB;WACqB,
kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmzBzB,OAnzByB,C;UAA5C,agBn+mBO,W;UhBo+mBP,k
BAkzBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cAgzBwB,SAhzBV,CAAU,WAAV,EAAuB,OAAvB,C;YAC
d,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6yBP,yB;O;KafJ,C;gFAkBA,yB;MA7yBA,gD;MAAA,gE;MA
6yBA,gD;QAcW,sB;;UA3yBS,Q;UAHhB,IAp3XO,qBAAQ,CAo3Xf,C;YAAe,qBAAO,OA8yBH,OA9yBG,C;YA
AP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6yBzB,OA7yByB,C;UAA5C,agB3/mBO,
W;UhB4/mBP,kBA4yBmB,O;UA3yBnB,iD;YAAgB,cAAhB,e;YACI,cA0yBwB,SA1yBV,CAAU,WAAV,EAAuB
,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAuyBP,yB;O;KafJ,C;gFAkBA,yB;MAvyBA,g
D;MAAA,gE;MAuyBA,gD;QAcW,sB;;UAryBS,Q;UAHhB,IAp4XO,qBAAQ,CAo4Xf,C;YAAe,qBAAO,OAwyB
H,OAxyBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuyBzB,OAvyByB,C;UA
A5C,agBnhnBO,W;UhBohnBP,kBAsyBmB,O;UaryBnB,iD;YAAgB,cAAhB,e;YACI,cAoyBwB,SAPyBV,CAAU,
WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiyBP,yB;O;KafJ,C;gFAkBA,
yB;MAjyBA,gD;MAAA,gE;MAiyBA,gD;QAcW,sB;;UA/xBS,Q;UAHhB,IAp5XO,qBAAQ,CAo5Xf,C;YAAe,qB
AAO,OAkyBH,OAlyBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAiyBzB,OAjy
ByB,C;UAA5C,agB3inBO,W;UhB4inBP,kBAgyBmB,O;UA/xBnB,iD;YAAgB,cAAhB,e;YACI,cA8xBwB,SA9xB
V,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA2xBP,yB;O;KafJ,C
;gFAkBA,yB;MA3xBA,gD;MAAA,gE;MA2xBA,gD;QAcW,sB;;UAzxBS,Q;UAHhB,IAp6XO,qBAAQ,CAo6Xf,C

;YAAe,qBAAO,OA4xBH,OA5xBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2
xBzB,OA3xByB,C;UAA5C,agBnknBO,W;UhBoknBP,kBA0xBmB,O;UAzxBnB,iD;YAAgB,cAAhB,e;YACl,cAw
xBwB,SAxxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAqxBP
,yB;O;KafJ,C;gFAkBA,yB;MArxBA,gD;MAAA,gE;MAqxBA,gD;QAEW,sB;;UANxBS,Q;UAHhB,IAp7XO,qBA
AQ,CAo7Xf,C;YAAe,qBAAO,OAsxBH,OAtxBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;
UAA+B,sBAqxBzB,OArxByB,C;UAA5C,agB3lnBO,W;UhB4lnBP,kBAoxBmB,O;UANxBnB,iD;YAAgB,cAAhB,
e;YACl,cAkxBwB,SAIxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,
M;;;QA+wBP,yB;O;KafJ,C;gFAkBA,yB;MA/wBA,gD;MAAA,gE;MAAA,oC;MAAA,gC;MA+wBA,gD;QAEW,s
B;;UA7wBS,Q;UAHhB,IAp8XO,qBAAQ,CAo8Xf,C;YAAe,qBAAO,OAgxBH,OAhxBG,C;YAAP,uB;WACqB,k
BAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+wBzB,OA/wByB,C;UAA5C,agBnnnBO,W;UhBonnBP,kB
A8wBmB,O;UA7wBnB,iD;YAAgB,cAAhB,0B;YACl,cA4wBwB,SA5wBV,CAAU,WAAV,EAAuB,oBAAvB,C;
YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAYwBP,yB;O;KafJ,C;4FAkBA,yB;MAzwBA,gD;MAAA,g
E;MAywBA,gD;QAEW,6B;;UA1wBP,IA5hYO,qBAAQ,CA4hYf,C;YAAe,4BAAO,OA0wBI,OA1wBJ,C;YAAP,8
B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAywBIB,OAzwBkB,C;UAA5C,agB3onBO,W;Uh
B4onBP,kBAwwB0B,O;UAvwB1B,wD;YACl,cAswB+B,SAtwBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAA
K,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAmwBP,gC;O;KafJ,C;8FAkBA,yB;M
AnwBA,gD;MAAA,gE;MAmwBA,gD;QAgBW,6B;;UApwBP,IA7iYO,qBAAQ,CA6iYf,C;YAAe,4BAAO,OAow
BI,OApwBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmwBIB,OAAnwBkB,C;U
AA5C,agBpqnBO,W;UhBqqnBP,kBAkwB0B,O;UAjwB1B,wD;YACl,cAgwB+B,SAhwBjB,CAAU,KAAV,EAAi
B,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA6vBP,gC;O;
KAhBJ,C;8FAmBA,yB;MA7vBA,gD;MAAA,gE;MA6vBA,gD;QAgBW,6B;;UA9vBP,IA9jYO,qBAAQ,CA8jYf,C
;YAAe,4BAAO,OA8vBI,OA9vBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6v
BIB,OA7vBkB,C;UAA5C,agB7rnBO,W;UhB8rnBP,kBA4vB0B,O;UA3vB1B,wD;YACl,cA0vB+B,SA1vBjB,CA
AU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M
;;;QAuvBP,gC;O;KAhBJ,C;8FAmBA,yB;MAvvBA,gD;MAAA,gE;MAuvBA,gD;QAgBW,6B;;UAxvBP,IA/kYO,q
BAAQ,CA+kYf,C;YAAe,4BAAO,OAwwBI,OAxvBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb
,C;UAA+B,sBAuvBIB,OAvvBkB,C;UAA5C,agBttnBO,W;UhButnBP,kBASvB0B,O;UArvB1B,wD;YACl,cAovB+
B,SApvBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UA
EX,4BAAO,M;;;QAivBP,gC;O;KAhBJ,C;8FAmBA,yB;MAjvBA,gD;MAAA,gE;MAivBA,gD;QAgBW,6B;;UAI
vBP,IAhmYO,qBAAQ,CAGmYf,C;YAAe,4BAAO,OAkvBI,OA1vBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAA
O,CAAP,IAAb,C;UAA+B,sBAivBIB,OAjvBkB,C;UAA5C,agB/unBO,W;UhBgvnBP,kBAgvB0B,O;UA/uB1B,wD
;YACl,cA8uB+B,SA9uBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WA
AI,WAAJ,C;;UAEX,4BAAO,M;;;QA2uBP,gC;O;KAhBJ,C;8FAmBA,yB;MA3uBA,gD;MAAA,gE;MA2uBA,gD;
QAgBW,6B;;UA5uBP,IAjnYO,qBAAQ,CAinYf,C;YAAe,4BAAO,OA4uBI,OA5uBJ,C;YAAP,8B;WACqB,kBAA
vB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2uBIB,OA3uBkB,C;UAA5C,agBxwnBO,W;UhBywnBP,kBA0uB
0B,O;UAzuB1B,wD;YACl,cAwuB+B,SAxuBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,
C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAquBP,gC;O;KAhBJ,C;8FAmBA,yB;MARuBA,gD;MAA
A,gE;MAquBA,gD;QAgBW,6B;;UAtuBP,IAloYO,qBAAQ,CAkoYf,C;YAAe,4BAAO,OAAsuBI,OAAtuBJ,C;YAAP,
8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAquBIB,OAruBkB,C;UAA5C,agBjynBO,W;Uh
BkynBP,kBAouB0B,O;UANuB1B,wD;YACl,cAkuB+B,SAluBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,
KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA+tBP,gC;O;KAhBJ,C;8FAmBA,yB;M
A+tBA,gD;MAAA,gE;MA+tBA,gD;QAgBW,6B;;UAhuBP,IANpYO,qBAAQ,CAMPYf,C;YAAe,4BAAO,OAguBI,
OAhuBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+tBIB,OA/tBkB,C;UAA5C,
agB1znBO,W;UhB2znBP,kBA8tB0B,O;UA7tB1B,wD;YACl,cA4tB+B,SA5tBjB,CAAU,KAAV,EAAiB,WAAjB,
EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAytBP,gC;O;KAhBJ,C;8
FAmBA,yB;MAztBA,gD;MAAA,gE;MAAA,oC;MAytBA,gD;QAgBW,6B;;UA1tBP,IApqYO,qBAAQ,CAoqYf,C;
YAAe,4BAAO,OA0tBI,OA1tBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAytBI
B,OAztBkB,C;UAA5C,agBn1nBO,W;UhBo1nBP,kBAwtB0B,O;UAvtB1B,wD;YACl,cAstB+B,SAttBjB,CAAU,K

AAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,EAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;Q
AmtBP,gC;O;KAhBJ,C;0FAMBA,yB;MAntBA,qD;MAAA,gE;MAmtBA,uC;QAIW,wB;;UAzsBP,IA5vYO,qBAA
Q,CA4vYf,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAAqB,UAAK,CAAL,CAArB,C;UACgC,kBAAnB,eAAa,gB
AAb,C;UAA2B,sBAAI,aAAJ,C;UAAxC,agB52nBO,W;Uhb62nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;YACI,gBA
qsBiB,SArSBH,CAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;YACd,MAAO,WAAI,aAAJ,C;;UAEX,uBAAO,
M;;;QAksBP,2B;O;KAJJ,C;4FAOA,yB;MAIsBA,qD;MAAA,gE;MAksBA,uC;QAKW,wB;;UA5rBP,IAzwYO,qB
AAQ,CAyWYf,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAAkB,UAAK,CAAL,CAAIB,C;UACmC,kBAAtB,eAAg
B,gBAAhB,C;UAA8B,sBAAI,aAAJ,C;UAA3C,agBj4nBO,W;Uhb4nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;YAC
I,gBAwrBiB,SAxrBH,CAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;YACd,MAAO,WAAI,aAAJ,C;;UAEX,uB
AAO,M;;;QAqrBP,2B;O;KALJ,C;4FAQA,yB;MArrBA,qD;MAAA,gE;MAqrBA,uC;QAKW,wB;;UA/qBP,IAtxY
O,qBAAQ,CAsxYf,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAAkB,UAAK,CAAL,CAAIB,C;UACoC,kBAAvB,e
AAiB,gBAAjB,C;UAA+B,sBAAI,aAAJ,C;UAA5C,agBt5nBO,W;Uhb5nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;Y
ACI,gBA2qBiB,SA3qBH,CAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;YACd,MAAO,WAAI,aAAJ,C;;UAEX,
uBAAO,M;;;QAwqBP,2B;O;KALJ,C;4FAQA,yB;MAXqBA,qD;MAAA,gE;MAWqBA,uC;QAKW,wB;;UALqBP,I
AnyYO,qBAAQ,CAmyYf,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAAkB,UAAK,CAAL,CAAIB,C;UACkC,kBA
ArB,eAAe,gBAaf,C;UAA6B,sBAAI,aAAJ,C;UAA1C,agB36nBO,W;Uhb46nBP,iBAAc,CAAd,UAAsB,gBAAtB,
U;YACI,gBA8pBiB,SA9pBH,CAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;YACd,MAAO,WAAI,aAAJ,C;;UA
EX,uBAAO,M;;;QA2pBP,2B;O;KALJ,C;4FAQA,yB;MA3pBA,qD;MAAA,gE;MA2pBA,uC;QAKW,wB;;UArpBP
,IAhzYO,qBAAQ,CAgzYf,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAAkB,UAAK,CAAL,CAAIB,C;UACmC,kB
AAtB,eAAgB,gBAAhB,C;UAA8B,sBAAI,aAAJ,C;UAA3C,agBh8nBO,W;Uhb8nBP,iBAAc,CAAd,UAAsB,gB
AAtB,U;YACI,gBAipBiB,SAjpBH,CAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;YACd,MAAO,WAAI,aAAJ,C;;
UAEX,uBAAO,M;;;QA8oBP,2B;O;KALJ,C;4FAQA,yB;MA9oBA,qD;MAAA,gE;MA8oBA,uC;QAKW,wB;;UAx
oBP,IA7zYO,qBAAQ,CA6zYf,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAAkB,UAAK,CAAL,CAAIB,C;UACoC,
kBAAvB,eAAiB,gBAAjB,C;UAA+B,sBAAI,aAAJ,C;UAA5C,agBr9nBO,W;Uhb9nBP,iBAAc,CAAd,UAAsB,gB
AAtB,U;YACI,gBAooBiB,SApoBH,CAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;YACd,MAAO,WAAI,aAAJ,
C;;UAEX,uBAAO,M;;;QAioBP,2B;O;KALJ,C;4FAQA,yB;MAjoBA,qD;MAAA,gE;MAioBA,uC;QAKW,wB;;UA
3nBP,IA10YO,qBAAQ,CA00Yf,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAAkB,UAAK,CAAL,CAAIB,C;UACq
C,kBAAxB,eAAkB,gBAAIB,C;UAAgC,sBAAI,aAAJ,C;UAA7C,agB1+nBO,W;Uhb2+nBP,iBAAc,CAAd,UAA
sB,gBAAtB,U;YACI,gBAunBiB,SAvnBH,CAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;YACd,MAAO,WAAI,a
AAJ,C;;UAEX,uBAAO,M;;;QAonBP,2B;O;KALJ,C;4FAQA,yB;MApnBA,qD;MAAA,gE;MAonBA,uC;QAKW,w
B;;UA9mBP,IAv1YO,qBAAQ,CAu1Yf,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAAkB,UAAK,CAAL,CAAIB,C;
UACsC,kBAAzB,eAAmB,gBAAnB,C;UAAiC,sBAAI,aAAJ,C;UAA9C,agB//nBO,W;Uhb9nBP,iBAAc,CAAd,U
AAsB,gBAAtB,U;YACI,gBA0mBiB,SA1mBH,CAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;YACd,MAAO,W
AAI,aAAJ,C;;UAEX,uBAAO,M;;;QAumBP,2B;O;KALJ,C;4FAQA,yB;MAvmBA,qD;MAAA,gE;MAAA,oC;MA
AA,gC;MAumBA,uC;QAKW,wB;;UAjmBP,IAp2YO,qBAAQ,CAo2Yf,C;YAAe,uBAAO,W;YAAP,yB;WACf,sB
AAkB,UAAK,CAAL,CAAIB,C;UACmC,kBAAtB,eAAgB,gBAAhB,C;UAA8B,sBAAI,0BAAJ,C;UAA3C,agBpho
BO,W;UhbqhoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;YACI,gBAAc,UA6IBG,SA7IBH,CAAU,0BAAV,EAAuB,sB
AAK,KAAL,EAAvB,E;YACd,MAAO,WAAI,0BAAJ,C;;UAEX,uBAAO,M;;;QA0IBP,2B;O;KALJ,C;wGAQA,yB
;MA1IBA,qD;MAAA,gE;MA0IBA,uC;QAIW,+B;;UAhlBP,IA57YO,qBAAQ,CA47Yf,C;YAAe,8BAAO,W;YAAP
,gC;WACf,sBAAqB,UAAK,CAAL,CAArB,C;UACgC,kBAAnB,eAAa,gBAAb,C;UAA2B,sBAAI,aAAJ,C;UAAx
C,agB5ioBO,W;Uhb6ioBP,iBAAc,CAAd,UAAsB,gBAAtB,U;YACI,gBA4kBwB,SA5kBv,CAAU,KAaV,EAAiB
,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,aAAJ,C;;UAEX,8BAAO,M;;;QAYkBP,kC;O;KA
JJ,C;0GAOA,yB;MAzkBA,qD;MAAA,gE;MAykBA,uC;QAKW,+B;;UAIkBP,IA18YO,qBAAQ,CA08Yf,C;YAAe
,8BAAO,W;YAAP,gC;WACf,sBAAkB,UAAK,CAAL,CAAIB,C;UACmC,kBAAtB,eAAgB,gBAAhB,C;UAA8B,s
BAAI,aAAJ,C;UAA3C,agBlkoBO,W;UhbmkBP,iBAAc,CAAd,UAAsB,gBAAtB,U;YACI,gBA8jBwB,SA9jBV,
CAAU,KAaV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,aAAJ,C;;UAEX,8BAAO,
M;;;QA2jBP,kC;O;KALJ,C;0GAQA,yB;MA3jBA,qD;MAAA,gE;MA2jBA,uC;QAKW,+B;;UApjBP,IAx9YO,qB
AQ,CAw9Yf,C;YAAe,8BAAO,W;YAAP,gC;WACf,sBAAkB,UAAK,CAAL,CAAIB,C;UACoC,kBAAvB,eAAiB,

gBAAjB,C;UAA+B,sBAAl,aAAJ,C;UAA5C,agBxloBO,W;UhByloBP,iBAAc,CAAd,UAAsB,gBAAtB,U;YACI,g
BAgjBwB,SAhJbV,CAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,aAAJ,
C;;UAEX,8BAAO,M;;;QA6iBP,kC;O;KALJ,C;0GAQA,yB;MA7iBA,qD;MAAA,gE;MA6iBA,uC;QAKW,+B;;UA
tiBP,IAt+YO,qBAAQ,CAs+Yf,C;YAAe,8BAAO,W;YAAP,gC;WACf,sBAakB,UAAK,CAAL,CAAIB,C;UACkC,
kBAArB,eAAe,gBAAf,C;UAA6B,sBAAl,aAAJ,C;UAA1C,agB9moBO,W;UhB+moBP,iBAAc,CAAd,UAAsB,gB
AAtB,U;YACI,gBAkiBwB,SAlIbV,CAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAA
O,WAAI,aAAJ,C;;UAEX,8BAAO,M;;;QA+hBP,kC;O;KALJ,C;0GAQA,yB;MA/hBA,qD;MAAA,gE;MA+hBA,u
C;QAKW,+B;;UAXhBP,IAp/YO,qBAAQ,CAo/Yf,C;YAAe,8BAAO,W;YAAP,gC;WACf,sBAakB,UAAK,CAAL,
CAAIB,C;UACmC,kBAAtB,eAAgB,gBAAhB,C;UAA8B,sBAAl,aAAJ,C;UAA3C,agBpooBO,W;UhBqooBP,iBA
Ac,CAAd,UAAsB,gBAAtB,U;YACI,gBAohBwB,SAPHbV,CAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,
CAA9B,C;YACd,MAAO,WAAI,aAAJ,C;;UAEX,8BAAO,M;;;QAihBP,kC;O;KALJ,C;0GAQA,yB;MAjhBA,qD;
MAAA,gE;MAihBA,uC;QAKW,+B;;UA1gBP,IALgZO,qBAAQ,CakgZf,C;YAAe,8BAAO,W;YAAP,gC;WACf,s
BAakB,UAAK,CAAL,CAAIB,C;UACoC,kBAAvB,eAAiB,gBAAjB,C;UAA+B,sBAAl,aAAJ,C;UAA5C,agB1po
BO,W;UhB2poBP,iBAAc,CAAd,UAAsB,gBAAtB,U;YACI,gBASgBwB,SAtgBV,CAAU,KAAV,EAAiB,aAAjB,E
AA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,aAAJ,C;;UAEX,8BAAO,M;;;QAmgBP,kC;O;KALJ,C;0G
AQA,yB;MAngBA,qD;MAAA,gE;MAmgBA,uC;QAKW,+B;;UA5fP,IAhhZO,qBAAQ,CaghZf,C;YAAe,8BAAO,
W;YAAP,gC;WACf,sBAakB,UAAK,CAAL,CAAIB,C;UACqC,kBAAxB,eAAkB,gBAAIB,C;UAAgC,sBAAl,aA
AJ,C;UAA7C,agBhroBO,W;UhBiroBP,iBAAc,CAAd,UAAsB,gBAAtB,U;YACI,gBAwfwB,SAxfV,CAAU,KAAV
,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,aAAJ,C;;UAEX,8BAAO,M;;;QAqfP,kC;
O;KALJ,C;0GAQA,yB;MARfA,qD;MAAA,gE;MAqfA,uC;QAKW,+B;;UA9eP,IA9hZO,qBAAQ,CA8hZf,C;YAAe
,8BAAO,W;YAAP,gC;WACf,sBAakB,UAAK,CAAL,CAAIB,C;UACsC,kBAAzB,eAAmB,gBAAnB,C;UAAiC,s
BAAl,aAAJ,C;UAA9C,agBtsoBO,W;UhBusoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;YACI,gBA0ewB,SA1eV,CA
AU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,aAAJ,C;;UAEX,8BAAO,M;;;
QAueP,kC;O;KALJ,C;0GAQA,yB;MAveA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAueA,uC;QAKW,+B;;UAheP
,IA5iZO,qBAAQ,CA4iZf,C;YAAe,8BAAO,W;YAAP,gC;WACf,sBAakB,UAAK,CAAL,CAAIB,C;UACmC,kBA
AtB,eAAgB,gBAAhB,C;UAA8B,sBAAl,0BAAJ,C;UAA3C,agB5toBO,W;UhB6toBP,iBAAc,CAAd,UAAsB,gBA
AtB,U;YACI,gBAAc,UA4dU,SA5dV,CAAU,KAAV,EAAiB,0BAAJB,EAA8B,sBAAK,KAAL,EAA9B,E;YACd,
MAAO,WAAI,0BAAJ,C;;UAEX,8BAAO,M;;;QAydp,kC;O;KALJ,C;gFAQA,+B;MAKoB,Q;MADhB,UAAe,C;M
ACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kF
AGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SA
AS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;Q
AAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADh
B,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,O
AAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QA
CI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,
SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAK
oB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAA
P,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SA
AhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;Q
AKoB,Q;QADhB,UAAe,C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,
oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KARX,C;4FAWA,+B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SA
AhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKoB,Q;M
ADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAE
X,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,
M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAA
gB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKo
B,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;
MAEX,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SA

AhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKOB,Q;MADhB,UAAkB,G;MACIB,w
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;M
AKOB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAA
T,C;;MAEX,OAAO,G;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAKOB,Q;QADhB,UAAkB,G;QACIB,w
BAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,OAAO,SAAS,oBAAT,C;;QAEJ,OAAO,G;O;KA
RX,C;gFAWA,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAC
I,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SA
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;M
ADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAE
X,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,
M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBA
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAU
oB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,
C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA
,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MAC
pB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,y
B;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,UAAoB,C;QACpB,wBAAgB,SAAhB,gB;UAAgB,cAAh
B,UAAgB,SAAhB,O;UACI,OAAO,SAAS,oBAAT,C;;QAEJ,OAAO,G;O;KAbX,C;kFagBA,+B;MAUoB,Q;MAD
hB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,
OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q
ACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAg
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;M
AUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,C
AAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAA
A,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;
MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;
mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,
SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,g
B;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,oC;M
AAA,gC;MAAA,sC;QAUoB,Q;QADhB,UAAe,C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,
O;UACI,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAbX,C;mFagBA,yB;MAAA,SASoB,gB;MATpB,s
C;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CA
AP,C;;QAEJ,OAAO,G;O;KAbX,C;mFagBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wB
AAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;m
FagBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFagBA,yB;MAAA,SASoB,gB;MA
TpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAA
T,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFagBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QAC
A,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAb
X,C;mFagBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cA
AA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFagBA,yB;MAAA,SASoB,g
B;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,
OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFagBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;
QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;
KAbX,C;mFagBA,yB;MAAA,SASoB,gB;MATpB,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,Y;QACA,wBA
AgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,cAAO,SAAS,oBAAT,CAAP,C;;QAEJ,OAAO,G;O;K
AbX,C;mFagBA,yB;MGtmqBA,6B;MHsmqBA,sC;QAWoB,Q;QADhB,UGtmqBmC,cHsmqBnB,CGtmqBmB,C;
QHumqBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGn0qBiD,cHm0qBjD,GGn0qB2D,KAAK,

GHm0qBzD,SAAS,OAAT,CGn0qBoE,KAAX,IAAf,C;;QHq0qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGvniqBA,6B;MHunqBA,sC;QAWoB,Q;QADhB,UGvniqBmC,cHunqBnB,CGvniqBmB,C;QHwnqBnC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGp1qBiD,cHo1qBjD,GGp1qB2D,KAAK,GHo1qBzD,SAAS,OAAT,CGp1qBoE,KAAX,IAAf,C;;QHs1qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGxoqBA,6B;MHwoqBA,sC;QAWoB,Q;QADhB,UGxoqBmC,cHwoqBnB,CGxoqBmB,C;QHyoqBnC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGr2qBiD,cHq2qBjD,GGr2qB2D,KAAK,GHq2qBzD,SAAS,OAAT,CGr2qBoE,KAAX,IAAf,C;;QH2qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGzpqBA,6B;MHypqBA,sC;QAWoB,Q;QADhB,UGzpqBmC,cHypqBnB,CGzpqBmB,C;QH0pqBnC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGt3qBiD,cHs3qBjD,GGt3qB2D,KAAK,GHs3qBzD,SAAS,OAAT,CGt3qBoE,KAAX,IAAf,C;;QHw3qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MG1qqBA,6B;MH0qqBA,sC;QAWoB,Q;QADhB,UG1qqBmC,cH0qqBnB,CG1qqBmB,C;QH2qqBnC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGv4qBiD,cHu4qBjD,GGv4qB2D,KAAK,GHu4qBzD,SAAS,OAAT,CGv4qBoE,KAAX,IAAf,C;;QH4qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MG3rqBA,6B;MH2rqBA,sC;QAWoB,Q;QADhB,UG3rqBmC,cH2rqBnB,CG3rqBmB,C;QH4rqBnC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGx5qBiD,cHw5qBjD,GGx5qB2D,KAAK,GHw5qBzD,SAAS,OAAT,CGx5qBoE,KAAX,IAAf,C;;QH05qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MG5sqBA,6B;MH4sqBA,sC;QAWoB,Q;QADhB,UG5sqBmC,cH4sqBnB,CG5sqBmB,C;QH6sqBnC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGz6qBiD,cHy6qBjD,GGz6qB2D,KAAK,GHy6qBzD,SAAS,OAAT,CGz6qBoE,KAAX,IAAf,C;;QH26qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MG7tqBA,6B;MH6tqBA,sC;QAWoB,Q;QADhB,UG7tqBmC,cH6tqBnB,CG7tqBmB,C;QH8tqBnC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MG17qBiD,cH07qBjD,GG17qB2D,KAAK,GH07qBzD,SAAS,OAAT,CG17qBoE,KAAAX,IAAf,C;;QH47qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MAAA,oC;MAAA,gC;MG9uqBA,6B;MH8uqBA,sC;QAWoB,Q;QADhB,UG9uqBmC,cH8uqBnB,CG9uqBmB,C;QH+uqBnC,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,MG38qBiD,cH28qBjD,GG38qB2D,KAAK,GH28qBzD,SAAS,oBAAT,CG38qBoE,KAAAX,IAAf,C;;QH68qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MkB5vqBA,+B;MIB4vqBA,sC;QAWoB,Q;QADhB,UkB3vqBqC,eAAW,oBIB2vqB/B,CkB3vqB+B,CAAX,C;QIB4vqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MkBz9qBmD,eIBy9qBnD,GkBz9qB8D,KAAK,KIBy9qB5D,SAAS,OAAT,CkBz9qBuE,KAAX,CAAhB,C;;QIB29qBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MkB7wqBA,+B;MIB6wqBA,sC;QAWoB,Q;QADhB,UkB5wqBqC,eAAW,oBIB4wqB/B,CkB5wqB+B,CAAX,C;QIB6wqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MkB1+qBmD,eIB0+qBnD,GkB1+qB8D,KAAK,KIB0+qB5D,SAAS,OAAT,CkB1+qBuE,KAAX,CAAhB,C;;QIB4+qBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MkB9xqBA,+B;MIB8xqBA,sC;QAWoB,Q;QADhB,UkB7xqBqC,eAAW,oBIB6xqB/B,CkB7xqB+B,CAAX,C;QIB8xqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MkB3/qBmD,eIB2/qBnD,GkB3/qB8D,KAAK,KIB2/qB5D,SAAS,OAAT,CkB3/qBuE,KAAX,CAAhB,C;;QIB6/qBvD,OAAO,G;O;KAdX,C;kFAiBA,yB;MkB/yqBA,+B;MIB+yqBA,sC;QAWoB,Q;QADhB,UkB9yqBqC,eAAW,oBIB8yqB/B,CkB9yqB+B,CAAX,C;QIB+yqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MkB5grBmD,eIB4grBnD,GkB5grB8D,KAAK,KIB4grB5D,SAAS,OAAT,CkB5grBuE,KAAX,CAAhB,C;;QIB8grBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MkBh0qBA,+B;MIBg0qBA,sC;QAWoB,Q;QADhB,UkB/zqBqC,eAAW,oBIB+zqB/B,CkB/zqB+B,CAAX,C;QIBg0qBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MkB7hrBmD,eIB6hrBnD,GkB7hrB8D,KAAK,KIB6hrB5D,SAAS,OAAT,CkB7hrBuE,KAAX,CAAhB,C;;QIB+hrBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MkBj1qBA,+B;MIBi1qBA,sC;QAWoB,Q;QADhB,UkBh1qBqC,eAAW,oBIBg1qB/B,CkBh1qB+B,CAAX,C;QIBi1qBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MkB9irBmD,eIB8irBnD,GkB9irB8D,KAAK,KIB8irB5D,SAAS,OAAT,CkB9irBuE,KAAX,CAAhB,C;;QIBgirBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MkB12qBA,+B;MIBk2qBA,sC;QAWoB,Q;QADhB,UkBj2qBqC,eAAW,oBIBi2qB/B,CkBj2qB+B,CAAX,C;QIBk2qBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MkB/jrBmD,eIB+jrBnD,GkB/jrB8D,KAAK,KIB+jrB5D,SAAS,OAAT,CkB/jrBuE,KAAX,CAAhB,C;;QIBikrBvD,OAAO,G;O;KAdX,C;kFAiBA,yB;MkBn3qBA,+B;MIBm3qBA,sC;QAWoB,Q;QADhB,UkB13qBqC,eAAW,oBIBk3qB/B,CkB13qB+B,CAAX,C;QIBm3qBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MkBh1rBmD,eIBglrBnD,GkBh1rB8D,KAAK,KIBglrB5D,SAAS,OAAT,CkBh1rBuE,KAAX,CAAhB,C;;QIBklrBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MAAA,oC;MAAA,gC;MkBp4qBA,+B;MIBo4qBA,sC;QAWoB,Q;QADhB,UkBn4qBqC,eAAW,oBIBm4qB/B,CkBn4qB+B,CAAX,C;QIBo4qBrC,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,MkBjmrBmD,eIBimrBnD,GkBjmrB8D,KA

AK,KlBimrB5D,SAAS,oBAAT,CkBjmrBuE,KAAX,CAAhB,C;;QlBmmrBvD,OAAO,G;O;KAdX,C;IAiBA,mC;M
AlOB,UAMT,M;MANP,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,eAAJ,C;UACI,MAAM,gCA
AyB,2BAAwB,SAAxB,MAAzB,C;;MAId,OAAO,0D;K;wFAGX,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,
Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAA
U,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,E
AAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QAC
Z,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,K
AAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,
C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAg
B,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YA
EN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;
MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAA
A,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;
;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAU
oB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,U
AAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAA
L,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;Q
ACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI
,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjB
X,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBA
AgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;Y
AEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+
D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,c
AAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAA
J,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;
MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAA
hB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,WAAI,oBAAJ,C;;YAEN,MAAO,WA
AI,oBAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;IAoBA,+B;MAkGI,WiB1srBO,MAAK,
KjB0srBK,gBiB1srBL,EjB+mrBD,KA2FkB,OiB1srBjB,C;MjB2srBZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CA
AV,MAAkB,IAAIB,M;QACI,IAAK,WA9FqB,GA8FP,UAAK,CAAL,CA9FO,EAAnB,KA8FqB,CAAM,CAAN,C
A9FF,CA8FrB,C;;MA9FT,OAGGO,I;K;IA7FX,iC;MAwGI,WiB1trBO,MAAK,KjB0trBK,gBiB1trBL,EjBynrBD,K
AiGkB,OiB1trBjB,C;MjB2trBZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,
WApGqB,GAoGP,UAAK,CAAL,CAPGO,EAAnB,KAOgqB,CAAM,CAAN,CAPGF,CAoGrB,C;;MApGT,OAsG
O,I;K;IANGX,iC;MA8GI,WiB1urBO,MAAK,KjB0urBK,gBiB1urBL,EjBmorBD,KAuGkB,OiB1urBjB,C;MjB2urB
Z,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1GqB,GA0GP,UAAK,CAA
L,CA1GO,EAAnB,KA0GqB,CAAM,CAAN,CA1GF,CA0GrB,C;;MA1GT,OA4GO,I;K;IAzGX,iC;MAoHI,WiB1v
rBO,MAAK,KjB0vrBK,gBiB1vrBL,EjB6orBD,KA6GkB,OiB1vrBjB,C;MjB2vrBZ,WAAW,iBAaA,IAAb,C;MAC
X,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAhHqB,GAGHP,UAAK,CAAL,CAhHO,EAAnB,KAGhQb,CA
AM,CAAN,CAhHF,CAGHrB,C;;MAhHT,OAKHO,I;K;IA/GX,iC;MA0HI,WiB1wrBO,MAAK,KjB0wrBK,gBiB1w
rBL,EjBuprBD,KAmHkB,OiB1wrBjB,C;MjB2wrBZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAA
IB,M;QACI,IAAK,WAtHqB,GAsHP,UAAK,CAAL,CAtHO,EAAnB,KAsHqB,CAAM,CAAN,CAtHF,CAsHrB,C;;
MAtHT,OAwhO,I;K;IARHX,iC;MAGII,WiB1xrBO,MAAK,KjB0xrBK,gBiB1xrBL,EjBiqrBD,KAYHkB,OiB1xrBj
B,C;MjB2xrBZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5HqB,GA4HP
,UAAK,CAAL,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;K;IA3HX,iC;M
AsII,WiB1yrBO,MAAK,KjB0yrBK,gBiB1yrBL,EjB2qrBD,KA+HkB,OiB1yrBjB,C;MjB2yrBZ,WAAW,iBAaA,IA
Ab,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlIqB,GAKIP,UAAK,CAAL,CAIIO,EAAnB,KAKI
qB,CAAM,CAAN,CAIIF,CakIrB,C;;MAIIT,OAoIO,I;K;IAjIX,iC;MA4II,WiB1zrBO,MAAK,KjB0zrBK,gBiB1zr
BL,EjBqrrBD,KAqIkB,OiB1zrBjB,C;MjB2zrBZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,

M;QACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,CAxIO,EAAAnB,KAwIqB,CAAM,CAAN,CAxIF,CAwIrB,C;;MA
xIT,OA0IO,I;K;IAvIX,iC;MAkJI,WiB10rBO,MAAK,KjB00rBK,gBiB10rBL,EjB+rrBD,KA2IkB,OiB10rBjB,C;Mj
B20rBZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9IqB,GA8IP,sBAAK,
CAAL,EA9IO,EAAAnB,KA8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9IT,OAgJO,I;K;8EA7IX,yB;MAAA,gE;Mi
BzsrBA,iB;MjBysrBA,8C;QAQI,WiB1srBO,MAAK,KjB0srBK,gBiB1srBL,EjB0srBW,KAAM,OiB1srBjB,C;QjB
2srBZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,
CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;8EA9gBA,yB;MAAA,gE;MiBztrB
A,iB;MjBytrBA,8C;QAQI,WiB1trBO,MAAK,KjB0trBK,gBiB1trBL,EjB0trBW,KAAM,OiB1trBjB,C;QjB2trBZ,W
AAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EA
AmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;8EA9gBA,yB;MAAA,gE;MiBzvrBA,iB;MjBy
vrBA,8C;QAQI,WiB1vrBO,MAAK,KjB0vrBK,gBiB1vrBL,EjB0vrBW,KAAM,OiB1vrBjB,C;QjB2vrBZ,WAAW,
eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EA
AmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MiBzwrBA,iB;MjBywr
BA,8C;QAQI,WiB1wrBO,MAAK,KjB0wrBK,gBiB1wrBL,EjB0wrBW,KAAM,OiB1wrBjB,C;QjB2wrBZ,WAAW,
eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EA
AmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MiBzxrBA,iB;MjByxrB
A,8C;QAQI,WiB1xrBO,MAAK,KjB0xrBK,gBiB1xrBL,EjB0xrBW,KAAM,OiB1xrBjB,C;QjB2xrBZ,WAAW,eA
Aa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EA
AmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MiBzyrBA,iB;MjByyrBA,
8C;QAQI,WiB1yrBO,MAAK,KjB0yrBK,gBiB1yrBL,EjB0yrBW,KAAM,OiB1yrBjB,C;QjB2yrBZ,WAAW,eAAa,
IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EA
AmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MiBzzrBA,iB;MjByzrBA,8C;
QAQI,WiB1zrBO,MAAK,KjB0zrBK,gBiB1zrBL,EjB0zrBW,KAAM,OiB1zrBjB,C;QjB2zrBZ,WAAW,eAAa,IAA
b,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EA
AmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MAAA,oC;MiBz0rBA,iB;MjBy0r
BA,8C;QAQI,WiB10rBO,MAAK,KjB00rBK,gBiB10rBL,EjB00rBW,KAAM,OiB10rBjB,C;QjB20rBZ,WAAW,eA
Aa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EA9V,EA
AmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IA9gBA,kC;MAqGoB,gB;MAHhB,gBAAGB,gB;MA
ChB,WAAW,iBiBr7rBJ,MAAK,KjBq7rBwB,wBA5FzB,KA4FyB,EAAwB,EAAXB,CiBr7rBxB,EjBq7rBqD,SiBr7
rBrD,CjBq7rBD,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IA
AAI,KAACK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhGqB,GA9GP,UAAK,UAAAL,EAACK,kBAAL,SAhGO,EA9GI
,OAhGJ,CAGrB,C;;MAhGT,OAKGO,I;K;IA/FX,kC;MA6GoB,gB;MAHhB,gBAAGB,gB;MAChB,WAAW,iBiBv
8rBJ,MAAK,KjBu8rBwB,wBApGzB,KAoGyB,EAAwB,EAAXB,CiBv8rBxB,EjBu8rBqD,SiBv8rBrD,CjBu8rBD,
C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAACK,SAAT,C;UAAoB,K;
QACpB,IAAK,WAhHqB,GA9HP,UAAK,UAAAL,EAACK,kBAAL,SAhHO,EA9HI,OAhHJ,CAGHrB,C;;MAhHT,O
AkHO,I;K;IA/GX,kC;MA6HoB,gB;MAHhB,gBAAGB,gB;MAChB,WAAW,iBiB3+rBJ,MAAK,KjB2+rBwB,wBA
pHzB,KAoHyB,EAAwB,EAAXB,CiB3+rBxB,EjB2+rBqD,SiB3+rBrD,CjB2+rBD,C;MACX,QAAQ,C;MACQ,OA
tHL,KAsHK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAACK,SAAT,C;UAAoB,K;QACpB,IAAK,
WAhHqB,GA9HP,UAAK,UAAAL,EAACK,kBAAL,SAxHO,EA9HI,OAhHJ,CAwHrB,C;;MAxHT,OA0HO,I;K;IAv
HX,kC;MAqIoB,gB;MAHhB,gBAAGB,gB;MAChB,WAAW,iBiB7/rBJ,MAAK,KjB6/rBwB,wBA5HzB,KA4HyB,
EAAwB,EAAXB,CiB7/rBxB,EjB6/rBqD,SiB7/rBrD,CjB6/rBD,C;MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;M

AAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhIqB,GAgIP,U
AAK,UAAL,EAAK,kBAAL,SAhIO,EAgII,OAhIJ,CAGIrB,C;;MAhIT,OAKIO,I;K;IA/HX,kC;MA6IoB,gB;MAHh
B,gBAAGB,gB;MACHB,WAAW,iBiB/gSBJ,MAAK,KjB+gsBwB,wBApIzB,KAOIyB,EAAwB,EAAxB,CiB/gSBxB,
EjB+gsBqD,SiB/gSBrD,CjB+gsBD,C;MACX,QAAQ,C;MACQ,OAtIL,KAsIK,W;MAAhB,OAAGB,cAAhB,C;QA
AGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAXIqB,GAwIP,UAAK,UAAL,EAAK,kBAAL,
SAXIO,EAwII,OAXIJ,CAwIrB,C;;MAXIT,OA0IO,I;K;IAvIX,kC;MAqJoB,gB;MAHhB,gBAAGB,gB;MACHB,WA
AW,iBiBjisBJ,MAAK,KjBiisBwB,wBA5IzB,KA4IyB,EAAwB,EAAxB,CiBjisBxB,EjBiisBqD,SiBjisBrD,CjBiisB
D,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SA
AT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAgJP,UAAK,UAAL,EAAK,kBAAL,SAhJO,EAgJI,OAhJJ,CAGJrB,C;
;MAhJT,OAKJO,I;K;IA/IX,kC;MA6JoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBiBnjsBJ,MAAK,KjBmjsBw
B,wBApJzB,KAOJyB,EAAwB,EAAxB,CiBnjsBxB,EjBmjsBqD,SiBnjsBrD,CjBmjsBD,C;MACX,QAAQ,C;MAC
Q,OAtJL,KAsJK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IA
AK,WAXJqB,GAwJP,UAAK,UAAL,EAAK,kBAAL,SAXJO,EAwJI,OAXJJ,CAwJrB,C;;MAXJT,OA0JO,I;K;IAvJX
,kC;MAqKoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBiBrksBJ,MAAK,KjBqksBwB,wBA5JzB,KA4JyB,EA
AwB,EAAxB,CiBrksBxB,EjBqksBqD,SiBrksBrD,CjBqksBD,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAA
hB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,sB
AAK,UAAL,EAAK,kBAAL,UAhKO,EAgKI,OAhKJ,CAGKrB,C;;MAhKT,OAKKO,I;K;+EA/JX,yB;MAAA,kF;M
AAA,gE;MiBn7rBA,iB;MjBm7rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,eiBr7rBJ,MAA
K,KjBq7rBwB,wBAAN,KAAM,EAAwB,EAAxB,CiBr7rBxB,EjBq7rBqD,SiBr7rBrD,CjBq7rBD,C;QACX,QAAQ
,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,W
AAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakB
A,yB;MAAA,kF;MAAA,gE;MiB8rBA,iB;MjBq8rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAA
W,eiBv8rBJ,MAAK,KjBu8rBwB,wBAAN,KAAM,EAAwB,EAAxB,CiBv8rBxB,EjBu8rBqD,SiBv8rBrD,CjBu8rB
D,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K
;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O
;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MiBv9rBA,iB;MjBu9rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,
gB;QACHB,WAAW,eiBz9rBJ,MAAK,KjBy9rBwB,wBAAN,KAAM,EAAwB,EAAxB,CiBz9rBxB,EjBy9rBqD,Si
Bz9rBrD,CjBy9rBD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,S
AAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;
QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MiBz+rBA,iB;MjBy+rBA,8C;QAWoB,UAEY,M;
QAL5B,gBAAGB,gB;QACHB,WAAW,eiB3+rBJ,MAAK,KjB2+rBwB,wBAAN,KAAM,EAAwB,EAAxB,CiB3+rB
xB,EjB2+rBqD,SiB3+rBrD,CjB2+rBD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UA
CZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,
OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MiB3/rBA,iB;MjB2/rBA,8C;Q
AWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,eiB7/rBJ,MAAK,KjB6/rBwB,wBAAN,KAAM,EAAwB,
EAAxB,CiB7/rBxB,EjB6/rBqD,SiB7/rBrD,CjB6/rBD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;
UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,
SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MiB7gsBA,iB;
MjB6gsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,eiB/gSBJ,MAAK,KjB+gsBwB,wBAAN,
KAAM,EAAwB,EAAxB,CiB/gSBxB,EjB+gsBqD,SiB/gSBrD,CjB+gsBD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,O
AAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,
EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,g
E;MiB/hsBA,iB;MjB+hsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,eiBjisBJ,MAAK,KjBiis
BwB,wBAAN,KAAM,EAAwB,EAAxB,CiBjisBxB,EjBiisBqD,SiBjisBrD,CjBiisBD,C;QACX,QAAQ,C;QACQ,u
B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,
UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,
kF;MAAA,gE;MiBjisBA,iB;MjBjisBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,eiBnjsBJ,M
AAK,KjBmjsBwB,wBAAN,KAAM,EAAwB,EAAxB,CiBnjsBxB,EjBmjsBqD,SiBnjsBrD,CjBmjsBD,C;QACX,Q

AAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAA
K,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+E
AkBA,yB;MAAA,kF;MAAA,gE;MAAA,oC;MiBnksBA,iB;MjBmksBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,
gB;QAChB,WAAW,eiBrksBJ,MAAK,KjBqksBwB,wBAAN,KAAM,EAAwB,EAAxB,CiBrksBxB,EjBqksBqD,Si
BrksBrD,CjBqksBD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,S
AAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,sBAAK,UAAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C
;;QAET,OAAO,I;O;KafX,C;IAkBA,kC;MAwFI,WiBtqsBO,MAAK,KjBsqsBK,gBiBtqsBL,EjBqlsBD,KAiFkB,Oi
BtqsBjB,C;MjBuqsBZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApFqB,
GAoFP,UAAK,CAAL,CAPFO,EAAAnB,KAoFqB,CAAM,CAAN,CAPFF,CAoFrB,C;;MAPFT,OAsFO,I;K;IANFX,
kC;MA8FI,WiBtrsBO,MAAK,KjBsrsBK,gBiBtrsBL,EjB+lsBD,KAuFkB,OiBtrsBjB,C;MjBursBZ,WAAW,iBAaA,
IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1FqB,GA0FP,UAAK,CAAL,CA1FO,EAAAnB,
KA0FqB,CAAM,CAAN,CA1FF,CA0FrB,C;;MA1FT,OA4FO,I;K;IAzFX,kC;MAoGI,WiBtssBO,MAAK,KjBsssB
K,gBiBtssBL,EjBysmsBD,KA6FkB,OiBtssBjB,C;MjBussBZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAk
B,IAAIB,M;QACI,IAAK,WAhGqB,GAgGP,UAAK,CAAL,CAhGO,EAAAnB,KAgGqB,CAAM,CAAN,CAhGF,CA
gGrB,C;;MAhGT,OAKGO,I;K;IA/FX,kC;MA0GI,WiBttsBO,MAAK,KjBstsBK,gBiBttsBL,EjBmnsBD,KAmGkB,
OiBttsBjB,C;MjButsBZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtGqB,
GAsGP,UAAK,CAAL,CAtGO,EAAAnB,KAsGqB,CAAM,CAAN,CAtGF,CAsGrB,C;;MATGT,OAwGO,I;K;IARGX
,kC;MAGHI,WiBtusBO,MAAK,KjBsusBK,gBiBtusBL,EjB6nsBD,KAyGkB,OiBtusBjB,C;MjBuusBZ,WAAW,iB
AAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5GqB,GA4GP,UAAK,CAAL,CA5GO,E
AAAnB,KA4GqB,CAAM,CAAN,CA5GF,CA4GrB,C;;MA5GT,OA8GO,I;K;IA3GX,kC;MAshI,WiBtvsBO,MAAK,
KjBsvsBK,gBiBtvsBL,EjBuosBD,KA+GkB,OiBtvsBjB,C;MjBuvBZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CA
AV,MAAkB,IAAIB,M;QACI,IAAK,WAlHqB,GakHP,UAAK,CAAL,CAIHO,EAAAnB,KakHqB,CAAM,CAAN,C
AIHF,CakHrB,C;;MAIHT,OAoHO,I;K;IAjHX,kC;MA4HI,WiBtwsBO,MAAK,KjBswsBK,gBiBtwsBL,EjBipsBD,
KAqHkB,OiBtwsBjB,C;MjBuwsBZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAA
K,WaxHqB,GawHP,UAAK,CAAL,CaxHO,EAAAnB,KawHqB,CAAM,CAAN,CaxHF,CAwHrB,C;;MAxHT,OA
0HO,I;K;IAvHX,kC;MAkII,WiBtxsBO,MAAK,KjBsxsBK,gBiBtxsBL,EjB2psBD,KA2HkB,OiBtxsBjB,C;MjBuxs
BZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9HqB,GA8HP,sBAAK,C
AAL,EA9HO,EA8HE,YA9HrB,KA8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OAgIO,I;K;+EA7HX,yB;
MAAA,gE;MiBrqsBA,iB;MjBqqsBA,8C;QAQI,WiBtqsBO,MAAK,KjBsqsBK,gBiBtqsBL,EjBsqsBW,KAAM,OiB
tqsBjB,C;QjBuqsBZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,
UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAA
A,gE;MiBrrsBA,iB;MjBqrsBA,8C;QAQI,WiBtrsBO,MAAK,KjBsrsBK,gBiBtrsBL,EjBsrsBW,KAAM,OiBtrsBjB,
C;QjBursBZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,
CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;Mi
BrssBA,iB;MjBqssBA,8C;QAQI,WiBtssBO,MAAK,KjBsssBK,gBiBtssBL,EjBsssBW,KAAM,OiBtssBjB,C;QjBus
sBZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,
MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MiBrtsBA,iB;MjBqtsBA,
8C;QAQI,WiBttsBO,MAAK,KjBstsBK,gBiBttsBL,EjBstsBW,KAAM,OiBttsBjB,C;QjButsBZ,WAA
W,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EA
AmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MiBrusBA,iB;MjBq
usBA,8C;QAQI,WiBtusBO,MAAK,KjBsusBK,gBiBtusBL,EjBsusBW,KAAM,OiBtusBjB,C;QjBuusBZ,WAAW,e
AAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,
MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MiBrvsBA,iB;MjBqvsBA,
8C;QAQI,WiBtvsBO,MAAK,KjBsvsBK,gBiBtvsBL,EjBsvsBW,KAAM,OiBtvsBjB,C;QjBuvBZ,WAAW,eAAa,I
AAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MA
AM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MiBrwsBA,iB;MjBqwsBA,8C
;QAQI,WiBtwsBO,MAAK,KjBswsBK,gBiBtwsBL,EjBswsBW,KAAM,OiBtwsBjB,C;QjBuwsBZ,WAAW,eAAa,I
AAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MA

AM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MiBrxsBA,iB;MjB
qxsBA,8C;QAQI,WiBtxsBO,MAAK,KjBsxsBK,gBiBtxsBL,EjBsxsBW,KAAM,OiBtxsBjB,C;QjBuxsBZ,WAAW,
eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAA
mB,kBAAM,CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAGBA,4F;MAQ8D,yB;QAAA,YAA0B,I;MA
AM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;
MAAO,yB;QAAA,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,S
AAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IA
AI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,EAAuB,SAAvB,C;;UACJ,K;;MA
EX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAA
P,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,
UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MA
FhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,I
AAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UA
CI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UAC
R,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAA
AO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,u
B;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAG
tN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,
M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KA
A1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WA
Af,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,
MAAO,gBAAO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQuD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAu
B,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YA
AsC,I;MAGIN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAA
A,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,
SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,
OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,
C;MACxC,MAAO,gBAAO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;Q
AAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB
;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;
QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,
CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MA
AO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gB
AAO,SAAP,C;MACxC,MAAO,gBAAO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;M
AAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K
;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,
SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IA
AI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;
YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,
MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQ0D,yB;QAAA,Y
AA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,
YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,
wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;
QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,
CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C
;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQ2D,yB;
QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y
B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,

C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO, SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAA U,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ, KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;M AQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa, E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MAC P,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAhB,UAAgB,SAAhB,O;QACI,IAAI,iCAAU,CAAd,C;UAAi B,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MA AO,gBAAO,UAAU,oBAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IA Ac,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;I AGX,0F;MAQyC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QA AA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MACIN,OAAO,kBAAO,sBAAP,EAAwB ,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5 F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA, QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,S AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F, 4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA, QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,S AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F, 4F;MAQiC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,Q AAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC5M,OAAO,oBAAO,sBAAP,EAAwB,SAA xB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F; MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAA a,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB ,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;M AQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa, E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,E AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQ oC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;M AAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MACIN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAm C,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQqC,y B;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI ,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MACpN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC, MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQkC,yB; QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,M AAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAQxE,4C;MAAA,mB;Q AAe,OAAK,qBAAL,eAAK,C;O;K;IAL3B,+B;MAII,IA5reO,qBAAQ,CA4ref,C;QAAe,OAAO,W;MACtB,kCAAg B,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5reO,qBAAQ,C A4ref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK, C;O;K;IAL3B,iC;MAII,IA5reO,qBAAQ,CA4ref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C; MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5reO,qBAAQ,CA4ref,C;QAAe,OAAO,W;M ACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5r eO,qBAAQ,CA4ref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0 BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5reO,qBAAQ,CA4ref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C; K;IAQgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA5reO,qBAAQ,CA4ref,C;QAAe ,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAL3B,i C;MAII,IA5reO,qBAAQ,CA4ref,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QA

AE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAIL,IA5reO,qBAAQ,CA4ref,C;QAAe,OAAO,W;MACtB,kCAAAGB,8BAAhB,C;K;IAUgB,4C;MAAA,mB;QAAE,OAAK,qBAAL,eAAK,C;O;K;IAP3B,+B;MAMI,IAtweO,qBAAQ,CAswef,C;QAAe,OAAO,e;MACtB,kCAAAGB,4BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAxweO,qBAAQ,CAwwef,C;QAAe,OAAO,e;MACtB,kCAAAGB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA1weO,qBAAQ,CA0wef,C;QAAe,OAAO,e;MACtB,kCAAAGB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA5weO,qBAAQ,CA4wef,C;QAAe,OAAO,e;MACtB,kCAAAGB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA9weO,qBAAQ,CA8wef,C;QAAe,OAAO,e;MACtB,kCAAAGB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAhxeO,qBAAQ,CAgxef,C;QAAe,OAAO,e;MACtB,kCAAAGB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA1xeO,qBAAQ,CAkxef,C;QAAe,OAAO,e;MACtB,kCAAAGB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IApxeO,qBAAQ,CAoxef,C;QAAe,OAAO,e;MACtB,kCAAAGB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAtxeO,qBAAQ,CAsxef,C;QAAe,OAAO,e;MACtB,kCAAAGB,8BAAhB,C;K;IAGJ,4B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,wB;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,Y;MACA,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAiB,G;MACjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAkB,G;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;

MAEJ,OAAO,G;K;IAGX,0B;MAK0B,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA
CI,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAK0B,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;Q
AAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAK0B,Q;MADhB,UAAkB,G;MACiB,
wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IYxzuBX,oD;MAQuF,wC;
K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;4FOOA,qB;MAOI,OAAO,sBAAL,CAAJ,C;K;4FAGX,qB;MAOI,OA
AO,sBAAL,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAL,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAL,CAAJ,C;K
;4FAGX,qB;MAOI,OAAO,sBAAL,CAAJ,C;K;IAGX,wC;MAII,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;M
ACX,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAWG,yC;MAAA,qB;QAAE,MAAM,8BAA0B,iDAA8C,aAA9C,MA
A1B,C;O;K;IAR1C,qC;MAMI,IAAI,8BAAJ,C;QACI,OAAO,sBAAL,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,E
AAuB,uBAAvB,C;K;0FAGX,4B;MAOI,OAAO,sBAAL,KAAJ,C;K;IAGX,2D;MAcqB,Q;MARjB,IAAI,8BAAJ,C;
QACI,OAAoB,KA8Jf,IAAS,CAAT,IA9Je,KA8JD,IAAS,iBA9JvB,SA8JuB,CAA3B,GA9JI,SA8JkC,aA9JnB,KA8J
mB,CAAtC,GA9J0B,YA8J4B,CA9JnC,KA8JmC,C;OA7J7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;
MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,
YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;sGAGX,yB;MAAA,8D;MAAA,
iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAL,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;
KAPjE,C;IAUA,6C;MAcqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAy,YAAL,SAAK,EAAU,KAAV,C;MACHB,IA
AI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cA
Ac,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;sGAGX,y
B;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;gFAUA,gC;MAOW,sB;;QA
yFS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAzFH,SAyFO,CAAU,OAAY,CAAJ,C;YAAw
B,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA1FP,yB;K;wFAGJ,gC;MA6ToB,Q;MADhB,WAAe,I;MACC,2B;
MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,IAVtC,SAuTV,CAAU,OAAY,CAAJ,C;UACI,OAAO,O;;MAXtF,
OA2TO,I;K;wFAxTX,gC;MAOW,qB;;QA0TP,eAAoB,+BAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,c
AAc,QAAS,W;UACvB,IA7Tc,SA6TV,CAAU,OAAY,CAAJ,C;YAAwB,oBAAO,O;YAAP,sB;;QAE5B,oBAAO,I;
;;MA/TP,wB;K;IAGJ,6B;MAMQ,kBADE,SACF,Q;QAAW,OAAY,SAAL,SAAK,C;;QAEhB,eAAe,oB;QACf,IAA
I,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,OAAO,QAAS,O;;K;IAK5B,6B;MAKI,IAAI
,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;K;mFAGX,yB;MAAA,iE;MAA
A,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAY,CAAJ,C;YAAw
B,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;O;KANV,C;IASA,mC;MAKQ,kBADE,SACF,Q;QACI,IAAI,
mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;QAGX,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C
;UACI,OAAO,I;QACX,OAAO,QAAS,O;;K;IAK5B,mC;MAII,OAAY,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CA
AL,C;K;+FAGpC,gC;MAIoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAY,
CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;0FAGX,yB;MAAA,8D;MAAA,iD;QAKI,OAAY,SAAS,CAAT,I
AAc,SAAS,wBAA3B,GAAsC,sBAAL,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;IAQA,uC;MAMI,OA
AW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC,sBAAL,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMiB,Q;MAFb,I
AAI,8BAAJ,C;QAAkB,OAAO,SAAK,eAAQ,OAAR,C;MAC9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QA
Aa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OA
AO,E;K;IAGX,uC;MAKI,OAAO,wBAAQ,OAAR,C;K;gGAGX,yB;MAAA,wE;MAAA,uC;QAKiB,Q;QADb,YA
AY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ
,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAXX,C;gGAcA,gC;MAKiB,Q;MADb,YAAY,C;MACC,2B;M
AAb,OAAa,cAAb,C;QAAA,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;
K;8FAGX,yB;MAAA,wE;MAAA,uC;QAMiB,Q;QAFb,gBAAGB,E;QACHB,YAAY,C;QACC,2B;QAAb,OAAa,c
AAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UACHB,qB;;
QAEJ,OAAO,S;O;KAZX,C;8FAeA,gC;MAII,eAAE,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QA
CI,IAAI,UAAU,QAAS,WAAAnB,CAAJ,C;UACI,OAAO,QAAS,Y;;MAGxB,OAAO,E;K;IAGX,4B;MASQ,kBADE
,SACF,Q;QAAW,OAAY,QAAL,SAAK,C;;QAEhB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,
2BAAuB,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB
,OAAO,I;;K;IAKnB,4B;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,2BA

AL,C;K;iFAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAUoB,UAQT,M;QAVP,WAAe,I;QACf,YAA
Y,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YA
CP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,wDAAvB,C;QAEIB,OAAO,2E;O;KAIBX,
C;iFAqBA,yB;MAAA,iE;MAAA,uC;QAQI,eAAe,SAAK,sBAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI
,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,kDAAvB,
C;O;KAbV,C;IAGBA,2C;MAOiB,Q;MAHb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,mBAAY,OAAZ,C;MAC9B,g
BAAgB,E;MACHb,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAhB,C;QACA,IA
AI,gBAAW,IAAX,CAAJ,C;UACI,YAAy,K;QACbB,qB;;MAEJ,OAAO,S;K;IAGX,2C;MAKI,OAAO,4BAAY,OA
AZ,C;K;IAGX,kC;MAOQ,kBADE,SACF,Q;QAAW,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAA
P,IAAL,C;;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C;UACI,OAAO,I;QACX,WAAW,QAAS,O;QACp
B,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAKnB,kC;MAMI,OAAW,mBAAJ,GAA
e,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,gC;MAOoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB
,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;6FAGX,
gC;MAMI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,cAAc,QAAS,W;QACvB,IAAI,
UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAEnC,OAAO,I;K;qFAGX,yB;MAAA,mC;MAAA,gD;MAAA,4B;
QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,sBAAvB,
C;MACV,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAjB,C;K;iGAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QA
OI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,qBAAU
,MAAO,iBAAQ,cAAR,CAAjB,C;K;IAGX,8B;MAKQ,kBADE,SACF,Q;QAAW,OAAy,UAAL,SAAK,C;;QAEEnB
,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,aAAa,QAAS,O;QACt
B,IAAI,QAAS,UAAb,C;UACI,MAAM,gCAAyB,uCAAzB,C;QACV,OAAO,M;;K;IAKnB,8B;MAIiB,IAAN,I;MA
AA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAuB,gBAAvB,C;aACX,C;UAAK,6BAAK,CAAL,C;UAAL,K;
gBACQ,MAAM,gCAAyB,iCAAzB,C;;MAHIB,W;K;qFAOJ,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MA
AA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAy,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U
ACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAL,C;cAAW,MAAM,8BAAYB,qDAAzB,C;YACjB,SAAS,O;Y
ACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,wDAAvB,C;QAEIB,OAAO,6E;O;KafX,
C;IAkBA,oC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;;
QAEIC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C;UACI,OAAO,I;QACX,aAAa,QAAS,O;QACtB,IAAI,QAA
S,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;;K;IAKnB,oC;MAIL,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,
CAAf,GAA4B,I;K;iGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB,YAAy,K;MACI,2B;MAAhB,OAAgB,cAA
hB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAL,C;YAAW,OAAO,I;UACIB,SAAS,O;U
ACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;K;IAGX,8B;MAoBsC,UAGT,
MAHS,EAarB,M;MN/nBb,IAAI,EMsmBI,KAAK,CNtmBT,CAAJ,C;QACI,cMqmBc,sD;QNpmBd,MAAM,gCAA
yB,OAAQ,WAAjC,C;OMqmBV,IAAI,MAAK,CAAT,C;QAAy,OAAO,mB;MACnB,Q;MACA,IAAI,oCAAJ,C;Q
ACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAIB,C;UACI,OAAO,W;QACX,IAAI,eAAc,CAAIB,C;UACI
,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,IAAI,8BAAJ,C;UACI,IAAI,sCAAJ,C;YAC0B,q
B;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;;YAEI,wCAAa,CAAb,C;YAAb,OAAa,g
BAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;UAEb,OAAO,I;;QAIX,OAAO,gB;;MAEX,YAAy,C;MACC,6B;
MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,SAAS,CAAb,C;UAAgB,IAAK,WAAI,MAAJ,C;;UAAe,qB;;MA
ExC,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MNroBI,IAAI,EM6oBI,KAAK,CN7oBT,CAAJ,C;QACI,cM4oBc,sD;
QN3oBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OM4oBV,OAAO,kBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,C
AAd,CAAhB,C;K;kGAGX,yB;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,IAAI,CAAC,mBAAL,C;UACI,eAAe,+B
AAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UAAU,QAAS,WAAhB,CAAL,C;cACI,OAAO,g
BAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;;SAInB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,uC
;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;Y
ACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAA
W,I;;QAEEnB,OAAO,I;O;KafX,C;oFAkBA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2FA,Q;QAAA,2B;
QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3FU,SA2FN,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,

OAAJ,C;;QA3F1D,OA4FO,W;O;KAIGX,C;kGASA,yB;MAAA,+D;MA6jCA,wE;MA7jCA,uC;QAQW,kBAAGB,gB;QA4jCV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAHjCT,IAZmC,SAY/B,CAgjCkB,oBAAmB,cAAAnB,EAAmB,sBAAnB,UAHjCIB,EAjC+C,IAHjC/C,CAAJ,C;YAA2C,sBAgjCQ,IAHjCR,C;;QAZ/C,OAcO,W;O;KATBX,C;sGAWA,yB;MAKjCA,wE;MALjCA,oD;QAYjCiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAHjCT,IAAI,UAjCkB,oBAAmB,cAAAnB,EAAmB,sBAAnB,UAHjCIB,EAjC+C,IAHjC/C,CAAJ,C;YAA2C,sBAgjCQ,IAHjCR,C;;QAE/C,OAAO,W;O;KAXX,C;wGAcA,yB;MAAA,+D;MAAA,sC;QAMW,kBAAmB,gB;QASV,Q;QAAA,2B;QAAbB,OAAGB,cAAhB,C;UAGB,yB;UAAM,IAAI,YAAJ,C;YAAkB,WAA,Y,WAAI,OAAJ,C;;QATpD,OAuO,W;O;KAhBX,C;4GASA,4C;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAA,Y,WAAI,OAAJ,C;;MACpD,OAAO,W;K;OFAGX,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA4BH,Q;QAAA,2B;QAAbB,OAAGB,cAAhB,C;UAGB,yB;UAAM,IAAI,CA5BS,SA4BR,CAAU,OAAV,CAAL,C;YAAyB,WAA,Y,WAAI,OAAJ,C;;QA5B3D,OA6BO,W;O;KANCX,C;IASA,oC;MAMI,OAAO,6BAAGB,gBAAhB,C;K;IAGX,mD;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAA,Y,WAAI,OAAJ,C;;MACvD,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAA,Y,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAA,Y,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,Ob7uBe,W;Oa8uBtC,OAA6D,SAAtD,SAAK,iBAAQ,OAAQ,MAAhB,EAAuB,OAAQ,aAAR,GAAuB,CAAvB,IAAvB,CAAiD,C;K;IAGjE,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAa,IAAb,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAC,uB;QACV,IAAK,WAAI,sBAAL,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,8B;MAGBiB,Q;MN9zBb,IAAI,EMszBI,KAAK,CNTzBT,CAAJ,C;QACI,cMqzBc,sD;QNpzBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OMqzBV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,oCAAJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAAy,OAAO,OAAO,mBAAP,C;OAEvB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MAeqC,IAGhB,I;MNx1BjB,IAAI,EM80BI,KAAK,CN90BT,CAAJ,C;QACI,cM60Bc,sD;QN50Bd,MAAM,gCAAyB,OAAQ,WAAjC,C;OM60BV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,kBAAP,C;MACnB,WAAW,iBAAa,CAAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;;QAEI,sCAAa,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAK,WAAI,IAAJ,C;;MAEb,OAAO,I;K;kGAGX,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC;QAMI,IAAI,mBAAJ,C;UACI,OAAO,W;QACX,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IAAI,CAAC,UAAU,QAAS,WAAAnB,CAAL,C;YACI,QAAS,O;YACT,mBAAmB,iBAAO,QAAS,YAAhB,I;YACnB,IAAI,iBAAgB,CAApB,C;cAAuB,OAAO,W;YACI,kBAA3B,eAAa,YAAb,C;YACH,OAAGB,kBAAhB,C;cACI,sBAAa,eAAb,C;YAFR,OH5zBD,W;;QGk0BP,OAAO,iB;O;KApBX,C;OFAuBA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;IAoBA,+B;MAII,IAAI,wCAAsB,kBAAQ,CAAIC,C;QAAqC,OAAO,mB;MAC5C,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,uC;MAOI,aAAU,2BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,sBAAK,CAAL,EAAU,SAAK,aAAI,CAAJ,EAAO,sBAAK,CAAL,CAAP,CAAF,C;;K;oFAIR,yB;MAAA,oD;MJr2BA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MI81Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJp2Bd,eAAW,iBiO2BsB,QJp2BtB,CAAX,CiO2Bc,C;U;KANIB,C;wGASA,yB;MAAA,oD;MJ31BA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MIo1Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJ11Bd,eAAW,2BI01BgC,QJ11BhC,CAAX,CiO1Bc,C;U;KANIB,C;IASA,sC;MAMI,sBAAS,cAAT,C;K;IAGJ,6B;MASgB,Q;MAHZ,IAAI,oCAAJ,C;QACI,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEwB,kBAA3C,sBCx9BsD,sBDw9BtD,uB;QAAMd,mB;QAA3D,OAAoE,OHp5BjE,WGo5BiE,C;OAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,OHt5BO,W;K;wFGy5BX,yB;MAAA,wD;MJ94BA,sC;MAAA,

oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5D
hB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MIu4Bf,sC;QAQI,OAAO,sBJ/4BP,eAAW,iBI+4Bi
B,QJ/4BjB,CAAX,CI+4BO,C;O;KARX,C;4GAWA,yB;MAAA,wD;MJt4BA,sC;MAAA,oC;MAAA,iCAOe,yB;Q
AxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+E
M,CA/EN,CAA3B,C;W;S;OA+EI,C;MI+3Bf,sC;QAMI,OAAO,sBJr4BP,eAAW,2BIq4B2B,QJr4B3B,CAAX,CIq4
BO,C;O;KANX,C;IASA,uC;MAMI,OAAO,wBAAW,cAAX,C;K;IAGX,6C;MASE,Q;MAHX,IAAI,oCAAJ,C;QAC
G,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEe,kBAAIC,sBCngCuD,sBDmgCvD,uB;QAA0C,iC;
QAAID,OAAyE,OH/7BrE,WG+7BqE,C;OAErD,kBAAhB,0B;MAAwB,mC;MAA/B,OHj8BO,W;K;IGo8BX,qC;
MAMoB,UACL,M;MAHX,aAAa,oBAAa,cAAb,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAg
B,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,
aAAa,cAAU,cAAV,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,E
AAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MA
Cb,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,oC;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;
MACtB,OAAO,M;K;IAGX,oC;MAMoB,UACL,M;MAHX,aAAa,iBAAy,cAAZ,C;MACb,YAAy,C;MACI,2B;M
AAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAG
X,mC;MAMoB,UACL,M;MAHX,aAAa,iBAAW,cAAX,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C
;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,iC;MAMoB,UACL,M;
MAHX,aAAa,eAAS,cAAT,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,
cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV
,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAA
kB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,eAAW,cAAX,C;MACb,YAAy,C;MACI,
2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K
;0FAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAwD,cAAzC,YAAy,mCAAwB,
EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAYEH,Q;QAAA,2B;QAAhB,OA
AgB,cAAhB,C;UAAgB,yB;UACZ,WA1E8C,SA0E/B,CAAU,OAAV,C;UZxiBnB,wBAAL,IAAK,MAAT,EAAGB,I
AAK,OAARb,C;;QY8dA,OA4EO,W;O;KAXFX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAA
A,yC;QAWI,eAAwD,cAAzC,YAAy,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAc,mBAAo
B,QAApB,C;QA2BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA5BoC,WA4BhC,CA
AY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAA
A,yD;MAAA,uE;MAAA,yD;QAUl,eAAwD,cAAzC,YAAy,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;Q
ACjD,kBAAc,mBAAoB,QAApB,C;QA6BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,
aA9BoC,WA8BhC,CAAy,OAAZ,CAAJ,EA9BiD,cA8BvB,CAAe,OAaf,CAA1B,C;;QA9BhB,OAGCO,W;O;KA3
CX,C;mGAcA,+C;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,YAAy,O
AAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAA
hB,C;QAAgB,yB;QACZ,WAAY,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eAAe,OAaf,CAA1B,C;;MAEhB,OAAO,W;
K;8FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAe,UAAU,OAAV,C;QZ
xiBnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MY0iBA,OAAO,W;K;kGAGX,yB;MAAA,kF;MAAA,0D
;MAAA,yD;MAAA,uE;MAAA,2C;QAYl,aAAa,mBAA6D,cAAzC,YAAy,mCAAwB,EAAxB,CAAZ,CAAyC,EA
Ac,EAAd,CAA7D,C;QAcG,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAbO,MAcP,aAAI,OAAL,EA
e,aAcF,CAAc,OAAd,CAAb,C;;QAdhB,OAauB,M;O;KAb3B,C;sGAGBA,iD;MAUoB,Q;MAAA,2B;MAAhB,OA
AgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,OAAL,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;IAG
X,gD;MALiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAL,IAAJ,C;;MAEhB,OAAO,W;K
;IAGX,gC;MAII,OAAO,0BAAa,eAAW,YAAy,mCAAwB,EAAxB,CAAZ,CAAX,CAAb,C;K;IAGX,6B;MAKqB,
IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,kB;YAAL,K;eACA,C;YAAK,cAAW,8
BAAJ,GAAkB,sBAAL,CAAJ,CAAIB,GAA8B,oBAAW,OAAhD,C;YAAL,K;kBACa,uBAAL,SAAK,C;YAHV,K;;
QAAP,W;OAMJ,OAA4B,qBAAhB,gBAAL,SAAK,CAAgB,C;K;IAGhC,oC;MAII,IAAI,oCAAJ,C;QACI,OAAy,g
BAAL,SAAK,C;MACHB,OAAO,0BAAa,gBAAb,C;K;IAGX,oC;MAII,OAAO,iBAAU,SAAV,C;K;IAGX,4B;MA
OqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAA

U,8BAAJ,GAakB,sBAAK,CAAL,CAAiB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,iCAAa,qBAAiB,YAA
Y,cAAZ,CAAjB,CAAb,C;YAHL,K;;QAAP,W;OAMJ,OAAwC,oBAAjC,0BAAa,sBAAb,CAAiC,C;K;sFAG5C,yB
;MAAA,+D;MAwFA,gD;MAxFA,uC;QAMW,kBAAU,gB;QAsFD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAA
gB,yB;UACZ,WAvF6B,SAuFIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxFhB,OA0FO,W;O;
KAhGX,C;uFASA,yB;MAAA,+D;MA0FA,gD;MA1FA,uC;QAUW,kBAAU,gB;QA wFD,Q;QAAA,2B;QAAhB,O
AAgB,cAAhB,C;UAAgB,yB;UACZ,WAZF6B,SAyFIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;
QA1FhB,OA4FO,W;O;KAiGX,C;oGAaA,yB;MAAA,+D;MA8BA,wE;MAAA,gD;MA9BA,uC;QAYW,kBAAiB,g
B;QA6BR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA9BoC,SA8BzB,CA
AU,oBAAmB,cAAAnB,EAAmB,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA/B
hB,OAIcO,W;O;KA7CX,C;oGAeA,yB;MAAA,+D;MAiCA,wE;MAAA,gD;MAjCA,uC;QAYW,kBAAiB,gB;QA
CR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjCoC,SAiCzB,CAAU,oB
AAmB,cAAAnB,EAAmB,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAiChB,OA
oCO,W;O;KAhDX,C;wGAeA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAWoB,UAC4B,M;QAF5C,YAAY,C;QAC
I,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAAnB,EAAmB,sBAAnB,UAAV,
EAAuC,OAAvC,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,w
E;MAAA,gD;MAAA,oD;QAWoB,UAC4B,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,y
B;UACZ,WAAW,UAAU,oBAAmB,cAAAnB,EAAmB,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAY,
EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;0FakBA,yB;MAAA,gD;MAAA,oD;QAiOB,Q;QAAA,2B;QAAhB,
OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,
OAAO,W;O;KARX,C;2FAWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UA
AgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;
uFAeA,yB;MAAA,wE;MAyBA,+D;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,2B;QAAhB,OAAgB,cAA
hB,C;UAAgB,yB;UACZ,UA1BiD,WA0BvC,CAAY,OAAZ,C;UZ3lCP,U;UADP,YY6lCe,WZ7lCH,WY6lCwB,GZ
7lCxB,C;UACL,IAAI,aAAJ,C;YACH,aY2lCuC,gB;YAA5B,WZ1lCX,aY0lCgC,GZ1lChC,EAAS,MAAT,C;YACA
e;;YAEA,c;;UYulCA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;uFAYA,yB;MAAA,wE
;MA8BA,+D;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA
CZ,UA/BiD,WA+BvC,CAAY,OAAZ,C;UZ7mCP,U;UADP,YY+mCe,WZ/mCH,WY+mCwB,GZ/mCxB,C;UACL,
IAAI,aAAJ,C;YACH,aY6mCuC,gB;YAA5B,WZ5mCX,aY4mCgC,GZ5mChC,EAAS,MAAT,C;YACA,e;;YAEA,c
;;UYymCA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAe,OAAf,CAAJ,C;;QAjCT,OAmCO,W;O;KA7CX,C;0FAaA,y
B;MAAA,+D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OA
AZ,C;UZ3lCP,U;UADP,YY6lCe,WZ7lCH,WY6lCwB,GZ7lCxB,C;UACL,IAAI,aAAJ,C;YACH,aY2lCuC,gB;YA
A5B,WZ1lCX,aY0lCgC,GZ1lChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UYulCA,iB;UACA,IAAK,WAAI,OAAJ,
C;;QAET,OAAO,W;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAA,2B;QAAhB,OAAgB,cAAh
B,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UZ7mCP,U;UADP,YY+mCe,WZ/mCH,WY+mCwB,GZ/mCxB,
C;UACL,IAAI,aAAJ,C;YACH,aY6mCuC,gB;YAA5B,WZ5mCX,aY4mCgC,GZ5mChC,EAAS,MAAT,C;YACA,e
;;YAEA,c;;UYymCA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;4FAkBA,yB;M
AAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAA6C,OAAA,oBAAgB,W;O;MAT
rE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;8EAeA,yB;MAAA,kF;
MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,mCAAwB,EAAxB,CAAb,C;QAuEA,Q;QAAA,2B;QAAb,OAAa,c
AAb,C;UAAa,sB;UACT,WAAY,WAxEwC,SAwEpC,CAAU,IAAV,CAAJ,C;;QAxEhB,OAYEO,W;O;KAhFX,C;4
FAUA,yB;MAAA,kF;MAAA,gE;MA+BA,wE;MA/BA,uC;QAOW,kBAAa,eAAa,mCAAwB,EAAxB,CAAb,C;QA
gCP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjC+C,SAiC3C,CAAU,oB
AAmB,cAAAnB,EAAmB,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QAjChB,OAKCO,W;O;KAzCX,C;0GAUA,yB
;MAAA,+D;MAoSA,wE;MApSA,uC;QAOW,kBAAoB,gB;QAoSd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,c
AAb,C;UAAa,sB;UA1RsB,U;UAAA,cAVQ,SAUR,CA0RT,oBAAmB,cAAAnB,EAAmB,sBAAnB,UA1RS,EA0Ro
B,IA1RpB,W;YAA6C,6B;;QAVhF,OAwo,W;O;KAIBX,C;8GAUA,yB;MA0RA,wE;MA1RA,oD;QAiSiB,gB;QA
Db,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1RsB,U;UAAA,wBA0RT,oBAAmB,cAAAnB,EAAm
B,sBAAnB,UA1RS,EA0RoB,IA1RpB,W;YAA6C,6B;;QACHf,OAAO,W;O;KARX,C;+FAWA,yB;MAAA,wE;M

AAA,oD;QAQiB,UACoC,M;QAFjD,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAAI,
UAAU,oBAAmB,cAAAnB,EAAmB,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QACbB,OAAO,W;O;KAVX,C;4F
AaA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAa,gB;QAwPJ,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;
UahPK,U;UAAA,cARe,SAQf,CAGPQ,OAhPR,W;YAAsC,6B;;QAR3D,OASO,W;O;KAhBX,C;gGAUA,yB;MAA
A,oD;QAqPoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UahPK,U;UAAA,wBAgPQ,OAhPR,W;YA
AsC,6B;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAC
T,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;IAQiB,4C;MAAA,mB;QAAE,gC;O;K;IAL9B,gC;
MAKI,OAAO,qBAaiB,6BAajB,C;K;IAGX,+B;MASI,OAA2B,SAAf,eAAL,SAAK,CAAE,C;K;4FAG/B,yB;MAA
A,2D;MAAA,+D;MAAA,sC;QAYc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;U
AAU,mB;UACN,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAI,GAAl,CAAR,C;YACI,IAAK,WAAI,CAAJ,
C;;QAEb,OAAO,I;O;KAjBX,C;IAoBA,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAl,EAAU,KAAV,C;
MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAl,EAAU,KAAV,C;MACJ,OAAO,
G;K;IAGX,mC;MAMiB,IAAN,I;MACH,kBADs,SACT,c;QAAoB,4BAAc,SAAd,C;;QACZ,iCAAa,sBAAb,C;MA
FZ,W;K;IAMJ,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAl,EAAO,KAAp,C;MACJ,OAAO,G;K;8EAG
X,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAA
hB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAA
O,I;O;KARX,C;IAWA,2B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,CAAC,mB;MACHC,OAAO,oBAAW,U;K;+E
AGtB,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,K;QAC5B,2B;
QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,
K;O;KARX,C;IAWA,6B;MAMoB,Q;MAFhB,IAAI,oCAAJ,C;QAAwB,OAAO,c;MAC/B,YAAy,C;MACI,2B;MA
AhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MACtB,OAAO,K;K;mFAG
X,qB;MAKI,OAAO,c;K;mFAGX,yB;MAAA,gD;MAAA,wE;MAAA,uC;QAMoB,Q;QAFhB,IAAI,wCAAsB,mBA
A1B,C;UAAqC,OAAO,C;QAC5C,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAA
U,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;QAC9C,OAAO,K;O;KAPX,C;gFAUA,yC;
MAUoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAA
V,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;8FAGX,yB;MAAA,wE;MAAA,gD;QAYoB,UAAiD,M;QAFjE,YAA
Y,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAAn
B,EAAmB,sBAAnB,UAAV,EAAuC,WAAvC,EAAoD,OAApD,C;;QACpC,OAAO,W;O;KAbX,C;0FAGBA,yC;M
ASI,kBAAkB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;U
ACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;OAGtB,OAAO,W;K;wGAGX,yC;MAUI,kBAAkB,O;MA
CIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,YAAy,QAAS,g
B;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAsC,WAAtC,C;;OAGtB,OAAO,W;K;sFAGX,6B;MA
KoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;oGAG1B,yB;MAAA,wE;
MAAA,oC;QAOiB,UAAgC,M;QAD7C,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oB
AAmB,cAAAnB,EAAmB,sBAAnB,UAAp,EAAoC,IAApC,C;;O;KAPvB,C;IAUA,0B;MAIL,OAAO,sB;K;IAGX,2B;
MAIL,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;MAGW,sB;;QAUP,eAAe,oB;QACf,IAAI,CAAC,Q
AAS,UAAAd,C;UAAyB,qBAAO,I;UAAp,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAy
B,qBAAO,O;UAAp,uB;SACzB,eAdmB,QAcJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAjBe,QAiBP,C
AAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,
W;QACIB,qBAAO,O;;MAvBP,yB;K;8FAGJ,+B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,O
AAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHC,eAAe,SAAS,O
AAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,U
AAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;mFAGX,yB;MAAA,sE;MF7wDA,iB;M
E6wDA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,
OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WfTxDG,MAAK,KEsx
DS,QfTxDT,EEsxDmB,CfTxDnB,C;;QEwxDZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MFhzDA,iB;MEg
zDA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OA
AIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WfzZDG,MAAK,KEyzDS,

QFzzDT,EEyzDmB,CFzzDnB,C;;QE2zDZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAAA,sC;QAWI,eA
Ae,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OA
AO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAA
W,C;;QAGnB,OAAO,Q;O;KApBX,C;+FAuBA,yB;MF11DA,iB;MEk1DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC
,QAAS,UAAAd,C;UAAyB,OAAO,I;QACChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,
QAAQ,SAAS,QAAS,OAAIB,C;UACR,WFz1DG,MAAK,KEy1DS,QFz1DT,EEy1DmB,CFz1DnB,C;;QE21DZ,O
AAO,Q;O;KAI BX,C;+FAqBA,yB;MFn3DA,iB;MEM3DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,
C;UAAyB,OAAO,I;QACChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,
QAAS,OAAIB,C;UACR,WF13DG,MAAK,KE03DS,QF13DT,EE03DmB,CF13DnB,C;;QE43DZ,OAAO,Q;O;KAI
BX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,eAAe,SAAS,
QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,C
AAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;0FAGX,yB;MAAA,sE;MAAA,kD;QAWI,eAAe,oB;QACf,
IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,U
AAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAA
kC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;sGAuBA,2C;MASI,eAAe,oB;MACf,IAAI,CAAC
,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI
,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;U
ACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,gC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,O
AAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MFh8DG,M
AAK,KEg8DI,GFh8DJ,EEg8DS,CFh8DT,C;;MEk8DZ,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC
,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,Q
AAS,O;QACjB,MF79DG,MAAK,KE69DI,GF79DJ,EE69DS,CF79DT,C;;ME+9DZ,OAAO,G;K;IAGX,iC;MAKI,e
AAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,
UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K
;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QA
AyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,
UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0
B;MAIL,OAAO,sB;K;IAGX,2B;MAIL,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;MAGW,sB;;QAUP
,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAA
I,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eAdmB,QAcJ,CAAS,OAAT,C;;UAEX,QAAQ,Q
AAS,O;UACjB,QAjBe,QAiBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,W
AAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAvBP,yB;K;8FAGJ,+B;MAOI,eAAe,oB;MACf,IAAI,CA
AC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,O
AAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2B
AAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;mFAGX
,yB;MAAA,sE;MFt1DA,iB;MEs1DA,sC;QAAI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;
QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UA
CR,WF/1DG,MAAK,KE+1DS,QF/1DT,EE+1DmB,CF/1DnB,C;;QEi2DZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;M
AAA,sE;MFz3DA,iB;MEy3DA,sC;QAAI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC
/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,
WF14DG,MAAK,KEk4DS,QF14DT,EEk4DmB,CF14DnB,C;;QEo4DZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAA
A,sE;MAAA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,Q
AAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CA
AX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;+FAuBA,yB;MF35DA,iB;ME25DA,sC;QAWI,eA
Ae,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAA
O,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF16DG,MAAK,KEk6DS,QF16DT,EEk6DmB
,CF16DnB,C;;QEo6DZ,OAAO,Q;O;KAI BX,C;+FAqBA,yB;MF57DA,iB;ME47DA,sC;QAWI,eAAe,oB;QACf,IAA
I,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,

C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WFn8DG,MAAK,KEm8DS,QFn8DT,EEem8DmB,CFn8DnB,C;;Q Eq8DZ,OAAO,Q;O;KAIBX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO, I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C; QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;0FAGX,yB;MAAA,sE;MAAA,kD; QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C; QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAak B,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;sGAuBA,2C;MASI,eAAe, oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO, QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CA AX,GAAkC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,gC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QA AS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS, O;QACjB,MFzgEG,MAAK,KEygEI,GFzgEJ,EEygES,CFzgET,C;;ME2gEZ,OAAO,G;K;IAGX,iC;MAOI,eAAe,o B;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAh B,C;QACI,QAAQ,QAAS,O;QACjB,MFtiEG,MAAK,KEsiEI,GFtiEJ,EEsiES,CFtiET,C;;MEwiEZ,OAAO,G;K;IA GX,iC;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB, OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAE vB,OAAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS, UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O ;QACjB,IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO ,G;K;IAGX,4B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,mB;MAC/B,OAAO,CAAC,oBAAW,U;K;iFAGvB,yB;M AAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAA gB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KARX,C; oFAWA,6B;MAKmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,g B;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MAmBA,wE;MAqnBA,2BAQiB,yB;QA7nBjB,wE;eA6nBiB,0B;UAAA,4 B;YAAE,aAAe,c;YAtnBjB,gB;YADb,YAAY,C;YACC,2B;YAAb,OAAa,cAAb,C;AAa,sB;cAAM,OAAO,oBAA mB,cAAAnB,EAAMB,sBAAnB,UAAP,EAaOC,IAAPC,C;;YAsnBmB,W;W;S;OAAzB,C;MARjB,oC;QA9mBiB,gB ;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAAnB,EAAMB,sBAAnB ,UAAP,EAaOC,IAAPC,C;;QAsnBnB,gB;O;KARJ,C;oFAWA,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,SAAK,W;Q ACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B, OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAaUB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KAnBX,C ;kGAsBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAKBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS, UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,Q AAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EAAMB,oBAAAnB,QAaV,EAaUC,WAAvC,EAaOD,QA AS,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;8GAuBA,yB;MAAA,wE;MAAA,uC;QAKBmD,Q;QAL/C,eAAe,S AAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHC,YAAY,C;QACZ,kBAAqB,QAAS,O;QA C9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EAAMB,oBAAAnB,QAaV,EAaUC,WAAv C,EAaOD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,gC;MAcI,eAAe,SAAK,W;MACpB,IAAI, CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,kBAAqB,QAAS,O;MAC9B,OAAO,QAAS,UAAhB,C;QACI,c AAc,UAAU,WAAV,EAaUB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;8FAGX,yB;MAAA,4F;MAAA,uC;QAaI,eA Ae,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,Q AAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;QAEIB,OAA O,W;O;KApBX,C;4GAuBA,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,c AAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI, YAAY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAaIB,QAAS,WAA1B,EAAsC,WAAtC,C;;QAEIB,OAAO,W;O; KArBX,C;wHAwBA,gC;MAaI,eAAe,+BAAa,cAAb,C;MACf,IAAI,CAAC,QAAS,cAAAd,C;QACI,OAAO,I;MACX ,kBAAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,YAAY,QAAS,gB;QACrB,cAAc,UAAU,KAAV,EA AiB,QAAS,WAA1B,EAAsC,WAAtC,C;;MAEIB,OAAO,W;K;0GAGX,gC;MAcI,eAAe,+BAAa,cAAb,C;MACf,I AAI,CAAC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kBAAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,c

AAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;MAEIB,OAAO,W;K;8FAGX,yB;MAAA,kF;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAJhB,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OA AO,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAArD,aHnhFO,W;QGohFP, kBAAkB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAaVb,C;U ACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;MAAA,kF;MAAA,gD;MAAA,gE;M AAA,gD;QAmBoB,UACY,M;QAN5B,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB ,OAAO,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAArD,aH5iFO,W;QG6i FP,YAAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,WAAU,cAAV,E AAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvB X,C;kGA0BA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QAcI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAA S,UAAAd,C;UAAyB,OAAO,W;QACc,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,C AAAb,C;QAAkD,sBAAI,aAAJ,C;QAA/D,aHvkFO,W;QGwkFP,OAAO,QAAS,UAAhB,C;UACI,gBAAc,UAAU,aA AV,EAAuB,QAAS,OAAhC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;gHAyBA,yB;MAAA ,qD;MAAA,kF;MAAA,gE;MAAA,uC;QAoBgC,Q;QAN5B,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C ;UAAyB,OAAO,W;QACc,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,C;QA AkD,sBAAI,aAAJ,C;QAA/D,aHhmFO,W;QGimFP,YAAY,C;QACZ,OAAO,QAAS,UAAhB,C;UACI,gBAAc,WA AU,YAAV,EAAU,oBAAV,SAAmB,aAAnB,EAAgC,QAAS,OAAzC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OA AO,M;O;KAvBX,C;gFA0BA,yB;MArGA,kF;MAAA,gD;MAAA,gE;MAqGA,gD;QAcW,sB;;UAIGS,Q;UAJhB,o BAAoB,mCAAwB,CAAxB,C;UACpB,IAAI,kBAAiB,CAArB,C;YAAwB,qBAAO,OAqGZ,OArGY,C;YAAP,uB; WACqB,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;UAAwC,sBAoGIC,OAqGkC,C;UAArD,aHnhFO,W;UGohFP, kBAAmGmB,O;UAIGH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAiGwB,SAjGV,CAAU,WAAV,EAAu B,OAaVb,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA8FP,yB;O;KADJ,C;8FAiBA,yB;MA9FA,kF; MAAA,gD;MAAA,gE;MA8FA,gD;QAeW,6B;;UA1FS,gB;UALhB,oBAAoB,mCAAwB,CAAxB,C;UACpB,IAAI, kBAAiB,CAArB,C;YAAwB,4BAAO,OA8FL,OA9FK,C;YAAP,8B;WACqB,kBAAhC,eAAa,gBAAGB,CAAhB,IA Ab,C;UAAwC,sBA6F3B,OA7F2B,C;UAArD,aH5iFO,W;UG6iFP,YAAY,C;UACZ,kBA2F0B,O;UA1FV,2B;UAA hB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAyF+B,SAzFjB,EAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAA gC,OAAhC,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QASFP,gC;O;KAFJ,C;4FAkBA,yB;MAtFA,qD ;MAAA,kF;MAAA,gE;MASFA,uC;QAIW,wB;;UA5EP,eAAoB,oB;UACpB,IAAI,CAAC,QAAS,UAAAd,C;YAAyB ,uBAAO,W;YAAP,yB;WACzB,sBAAqB,QAAS,OAA9B,C;UACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,C; UAAkD,sBAAI,aAAJ,C;UAA/D,aHvkFO,W;UGwkFP,OAAO,QAAS,UAAhB,C;YACI,gBAuEiB,SAvEH,CAAU, aAAV,EAAuB,QAAS,OAAhC,C;YACd,MAAO,WAAI,aAAJ,C;;UAEX,uBAAO,M;;;QAoEP,2B;O;KAJJ,C;0GA OA,yB;MApEA,qD;MAAA,kF;MAAA,gE;MAoEA,uC;QAIW,+B;;UApDqB,Q;UAN5B,eAAoB,oB;UACpB,IAAI ,CAAC,QAAS,UAAAd,C;YAAyB,8BAAO,W;YAAP,gC;WACzB,sBAAqB,QAAS,OAA9B,C;UACuD,kBAA1C,e AAa,mCAAwB,EAAxB,CAAb,C;UAAkD,sBAAI,aAAJ,C;UAA/D,aHhmFO,W;UGimFP,YAAY,C;UACZ,OAAO ,QAAS,UAAhB,C;YACI,gBAoDwB,SAPDV,EAAU,YAAV,EAAU,oBAAV,SAAmB,aAAnB,EAAgC,QAAS,OA AzC,C;YACd,MAAO,WAAI,aAAJ,C;;UAEX,8BAAO,M;;;QAI DP,kC;O;KAJJ,C;kFAOA,+B;MAKoB,Q;MADhB ,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAA O,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OA AO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAG B,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,U AAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO ,G;K;mFAGX,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAGB,cAAhB,C;U AAGB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MhBnhFA,6B;MgBm hFA,sC;QAWoB,Q;QADhB,UhBnhFmC,cgBmhFnB,ChBnhFmB,C;QgBohFnB,2B;QAAhB,OAAGB,cAAhB,C;U AAGB,yB;UACZ,MhBhvFiD,cgBgvFjD,GhBhvF2D,KAAK,GgBgvFzD,SAAS,OAAT,ChBhvFoE,KAAX,IAAf,C;; QgBkvFrD,OAAO,G;O;KADx,C;mFAiBA,yB;MDjiFA,+B;MCiiFA,sC;QAWoB,Q;QADhB,UDhiFqC,eAAW,oB CgiF/B,CDhiF+B,CAAX,C;QCiiFrB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,MD9vFmD,eC8vFnD,GD 9vF8D,KAAK,KC8vF5D,SAAS,OAAT,CD9vFuE,KAAX,CAAhB,C;;QCgwFvD,OAAO,G;O;KADx,C;IAiBA,qC;

MAIoB,UAMT,M;MANS,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAA
yB,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,mE;K;IAGX,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,OAAGB,c
AAhB,C;QAAGB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,
+D;K;IAGX,kC;MAWI,OAAO,oBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAGBI,OAAO,sBAAS,
IAAT,EAAe,IAAf,EAAc,IAAtC,EAAwD,SAAXD,C;K;IAGX,mC;MAII,aAAa,iBAAa,mCAAwB,EAAxB,CAAb,
C;MACb,kBAAc,KAAd,C;MA7IEgB,Q;MAAA,OA8IET,SA9IES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,2B;QA
AU,oB;QA8IEK,IAAI,CAAC,SAAD,IAAY,OA9IEX,SA8IEW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;
UAAjD,mBAA8D,I;;QA9IEvE,qB;UA8IED,MA9IEqC,WAAI,SAAJ,C;;MA8IE1D,OAAqB,M;K;IAGzB,sC;MAOI
,IAAI,QnBiyJG,YAAQ,CmBjyJf,C;QAAwB,OAAY,SAAL,SAAK,C;MACpC,YAAqB,UAAT,QAAS,C;MA/oEd,k
BAAY,gB;MA4BH,Q;MAAA,OAonET,SApNES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAonE
F,qBAPnEa,OAonEb,CApNEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAonE3D,OAnnEO,W;K;IASnEX,sC;MAOI,
YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MA5p
ET,kBAAY,gB;MA4BH,Q;MAAA,OAioET,SAjoES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CA
ioEF,qBAjoEa,OAioEb,CAjoEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAioE3D,OAhEO,W;K;IAmoEX,sC;MAO
I,YAAqB,YAAT,QAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAZqET,kBAAY,gB;
MA4BH,Q;MAAA,OA8oET,SA9oES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CA8oEF,qBA9oE
a,OA8oEb,CA9oEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MA8oE3D,OA7oEO,W;K;8FAGpEX,yB;MAAA,8C;MA
AA,qC;QAKI,OAAO,iBAAM,OAAN,C;O;KALX,C;0FAQA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;Q
AFhB,YAAy,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAY
,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAy,M
AAZ,C;O;KAjBX,C;IAoBA,kC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,OAAL,C;MACpC,a
AAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;K;IAGX,oC;M
AII,aAAa,iBAAa,iBAAO,CAAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP
,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;
MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;M
AII,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,OAARB,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,
MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EA
AK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;
MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,KAARb,I
AAb,C;QACb,MAAO,gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;QAEp,eAAa,iBAAa,
SAAb,C;QACN,OAAP,QA AO,EAAO,QAAP,C;QACP,OAAO,Q;;K;IAIf,qC;MAII,aAAa,gB;MACN,OAAP,MAA
O,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,aAAa,iBAAa,SA
AK,KAAL,GAAY,EAAZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MAC
P,OAAO,M;K;4FAGX,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;8FAQA,yB;MAA
A,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;IAQA,yD;MAGB+C,oB;QAAA,OAAY,C;MAAG,8
B;QAAA,iBAA0B,K;MAOzE,Q;MANX,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;
QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAASB,WAAW,IAAX,KAAMb,CAAvB,GAA0B,CAA1
B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAMb,cAAnB,C;QACb,gBAAY,CAAZ,C;QACA,Y;UAAO,c;UAAp,MAA
gB,CAAT,mBAAiB,QAAXB,E;YAAA,K;UACI,iBAASB,eAAL,IAAK,EAAa,WAAW,OAAX,IAAb,C;UACtB,IA
AI,aAAa,IAAb,IAAqB,CAAC,cAA1B,C;YAA0C,K;Ubr8FID,WAAW,iBas8Fa,Ubt8Fb,C;UUCX,mBAAC,CAAd,
YGq8FwB,UHr8FxB,Y;YVA6B,eq8FS,sBHp8F3B,OG08FgC,GA AK,OAAL,IAAL,Cbr8FT,C;;Uaq8FrB,MAAO,
Wbp8FR,Iao8FQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACiE,kBAA9E,iBAAiB,oBAAjB
,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,KAAvE,C;MERkGA,OAAGB,qBAAhB,C;QAAGB,gC;
QFskGL,mBEtkGqB,OFskGrB,C;;MAEX,OAAO,Q;K;IAGX,sE;MAkBkD,oB;QAAA,OAAY,C;MAAG,8B;QAA
A,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SA
AK,K;QACpB,qBAAqB,YAAW,IAAX,SAASB,WAAW,IAAX,KAAMb,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,
K;QACrB,aAAa,iBAAa,cAAb,C;QACb,eAAa,kBAAC,SAAd,C;QACb,YAAy,C;QACZ,OAAGB,CAAT,qBAAiB,
QAAXB,C;UACI,iBAASB,eAAL,IAAK,EAAa,WAAW,KAAX,IAAb,C;UACtB,IAAI,CAAC,cAAD,IAAMb,aAAa

,IAApC,C;YAA0C,K;UAC1C,QAAO,cAAK,KAAL,EAAY,QAAQ,UAAR,IAAZ,C;UACP,MAAO,WAAI,UAU,
QAAV,CAAJ,C;UACP,gBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACgE,kBAA7E,iBAAiB,oBAAjB,E
AA6B,IAA7B,EAAMC,IAAnC,EAAYC,cAAzC,EAaUE,IAAvE,C;ME/mGA,OAAGB,qBAAhB,C;QAAGB,gC;QF
gnGL,mBAAI,UEhnGiB,OFgnGjB,CAAJ,C;;MAEX,OAAO,Q;K;IAGX,kC;MAqBoB,gB;MAHhB,gBAXW,KAW
W,O;MACtB,WAAW,iBFt5FJ,MAAK,KEs5FkB,mCAAwB,EAAXB,CFt5FIB,EEs5F+C,Sft5F/C,CEs5FD,C;MAC
X,QAAQ,C;MACQ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAC,SAAT,C;UAAoB,K;QACpB,
IAAK,WAhBqB,GAAGB,OAAGB,EAANB,KAGBqB,CAAM,UAAN,EAAM,kBAAN,SAhBF,CAGBrB,C;;MAhBT,
OakBO,I;K;+EAfX,yB;MAAA,kF;MAAA,gE;MFp5FA,iB;MEo5FA,8C;QAWoB,UAESB,M;QALtC,gBAAGB,K
AAM,O;QACtB,WAAW,eFt5FJ,MAAK,KEs5FkB,mCAAwB,EAAXB,CFt5FIB,EEs5F+C,Sft5F/C,CEs5FD,C;QA
CX,QAAQ,C;QACQ,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACP
B,IAAK,WAAI,UAU,OAAV,EAAMB,MAAM,UAAN,EAAM,kBAAN,SAANB,CAAJ,C;;QAET,OAAO,I;O;KA
fX,C;IAkBA,kC;MAkBI,YAAy,oB;MACZ,aAZW,KAYQ,W;MACnB,WAAW,iBFn7FJ,MAAK,KEm7FkB,mCA
AwB,EAAXB,CFn7FIB,EEem7FqD,wBAbtD,KAAsD,EAawB,EAAXB,CFn7FrD,CEm7FD,C;MACX,OAAO,KAA
M,UAAN,IAAMB,MAAO,UAAjC,C;QACI,IAAK,WafqB,GAeP,KAAM,OAfC,EAeO,MAAO,OAfd,CAerB,C;;M
AfT,OAIBo,I;K;+EAdX,yB;MAAA,kF;MAAA,gE;MFh7FA,iB;MEg7FA,8C;QAQI,YAAy,oB;QACZ,aAAa,KAA
M,W;QACnB,WAAW,eFn7FJ,MAAK,KEm7FkB,mCAAwB,EAAXB,CFn7FIB,EEem7FqD,wBAAN,KAAM,EA
wB,EAAXB,CFn7FrD,CEm7FD,C;QACX,OAAO,KAAM,UAAN,IAAMB,MAAO,UAAjC,C;UACI,IAAK,WAAI,
UAU,KAAM,OAAGB,EAawB,MAAO,OAA/B,CAAJ,C;;QAET,OAAO,I;O;KAdX,C;IAiBA,gC;MASW,sB;;QA
aP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C;UAAyB,qBAAO,W;UAAP,uB;SACzB,abxoGoD,gB;QayoGpD,c
AAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACP,B,MAAO,WAnBkB,GAmBJ,OA
nBI,EAmBK,IANBL,CAMBiB,C;UACP,UAU,I;;QAEd,qBAAO,M;;MAtBP,yB;K;8FAGJ,yB;MAAA,qD;MbloG
A,+D;MakoGA,uC;QAUI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAd,C;UAAyB,OAAO,W;QACHc,abxoGoD,gB;
QayoGpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACP,B,MAAO,WAAI,UA
AU,OAAV,EAAMB,IAANB,CAAJ,C;UACP,UAU,I;;QAEd,OAAO,M;O;KAnBX,C;IASBA,8F;MAQ6D,yB;QA
AA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;Q
AAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;M
ACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;
QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAAd,EAaUB,SAAvB,C;;U
ACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,g
BAAO,OAAP,C;MACP,OAAO,M;K;IAGX,4F;MAQwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MA
AI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;
MACjN,OAAO,oBAAO,sBAAP,EAawB,SAAXB,EAAMC,MAANc,EAa2C,OAA3C,EAaOd,KAApD,EAa2D,S
AA3D,EAAsE,SAAtE,CAAI,WA,W;K;4FAG5F,qB;MAKI,OAAO,S;K;IASS,8C;MAAA,mB;QAAE,OAAA,eAAK,W
;O;K;IAN3B,iC;MAMI,oCAAGB,8BAAhB,C;K;IAGJ,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MAC
D,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMB,KAAAnB,E;;M
AEJ,OAAW,UAAS,CAAb,GAAGB,wCAAO,IAAvB,GAAGC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAk
B,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qB
AAnB,EAAMB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAGB,wCAAO,IAAvB,GAAGC,MAAM,K;K;IAGjD,+
B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,O
AAO,O;QACP,oBAAmB,qBAAnB,EAAMB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAGB,wCAAO,IAAvB,G
AAGC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cA
AhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb
,GAAGB,wCAAO,IAAvB,GAAGC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MA
CD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMB,KAAAnB,E;;
MAEJ,OAAW,UAAS,CAAb,GAAGB,wCAAO,IAAvB,GAAGC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAA
kB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,q
BAAnB,EAAMB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAGB,wCAAO,IAAvB,GAAGC,MAAM,K;K;IAGjD,
2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,O

AAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YA
AO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAA
gB,yB;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAg
B,cAAhB,C;QAAgB,yB;QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAiB,G;M
ACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;M
ADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IG5z
GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAakC,UAAIC,
C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,CAAnC,GA
A0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,
IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAC3D,OAAO,G;K;IA
+GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAakC,UAAIC,
C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,CAAnC,GA
A0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,
IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAC3D,OAAO,G;K;IC
nXX,6B;MAII,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,W;MACX,eAAe,iBAAQ,W;MACvB,IAAI,CAAC,QAAS,U
AAd,C;QACI,OAAO,W;MACX,YAA,Y,QAAS,O;MACrB,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,OhB0RiD,
SgB1R1C,KhB0R+C,IAAL,EgB1R1C,KhB0RoD,MAAV,CgB1RjD,C;OACX,aAAa,iBAAsB,cAAtB,C;MACb,M
AAO,WhBwRqD,SgBxRjD,KhBwRsD,IAAL,EgBxRjD,KhBwR2D,MAAV,CgBxRrD,C;;QAEwB,kBAAhB,QAA
S,O;QAApB,MAAO,WhBsRiD,SAAK,eAAL,EAAU,iBAAV,CgBtRjD,C;;MACO,QAAT,QAAS,W;MACIB,OAA
O,M;K;uFAGX,yB;MAAA,+D;MAAsBA,gD;MatBA,uC;QAMW,kBAAU,gB;QAoBD,Q;QAAA,OhBiToE,iBAAQ
,W;QgBjT5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArB6B,SAqBIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,E
AAO,IAAP,C;;QatBhB,OAwbO,W;O;KA9BX,C;uFASA,yB;MAAA,+D;MAwBA,gD;MAxBA,uC;QAUW,kBA
AU,gB;QAsBD,Q;QAAA,OhBkSoE,iBAAQ,W;QgBIS5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvB6B,SAuBl
B,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxBhB,OA0BO,W;O;KApCX,C;2FAaA,yB;MAAA,
gD;MAAA,oD;QAIoB,Q;QAAA,OAAA,ShBiToE,QAAQ,W;QgBjT5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA
AW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;2FAWA,yB;MAAA,
gD;MAAA,oD;QAQoB,Q;QAAA,OAAA,ShBkSoE,QAAQ,W;QgBIS5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,W
AAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;8EAeA,yB;MAAA
,gE;MAAA,uC;QAOW,kBAAM,eAAa,cAAb,C;QA2BA,Q;QAAA,OhByPuE,iBAAQ,W;QgBzP5F,OAAa,cAAb,C
;UAAa,sB;UACT,WAAY,WA5BiB,SA4Bb,CAAU,IAAV,CAAJ,C;;QA5BhB,OA6BO,W;O;KApCX,C;4FAUA,y
B;MAAA,+D;MAAA,uC;QAOW,kBAAa,gB;QA4EJ,Q;QAAA,OhB8LoE,iBAAQ,W;QgB9L5F,OAAgB,cAAhB,
C;UAAgB,yB;UApEK,U;UAAA,cARe,SAQf,CAoEQ,OApER,W;YAAsC,6B;;QAR3D,OASO,W;O;KAhBX,C;gG
AUA,yB;MAAA,oD;QAYeOB,Q;QAAA,OhB8LoE,iBAAQ,W;QgB9L5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,
U;UAAA,wBAoEQ,OApER,W;YAAsC,6B;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,OAAA
,ShByPuE,QAAQ,W;MgBzP5F,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAl,UAAU,IAAV,CAAJ,C;;MAChB,
OAAO,W;K;8EAGX,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,I;MACN,OAAA,ShB6OoE,QAAQ,
W;MgB7O5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;M
ACtD,OAAO,I;K;IAGX,2B;MAMI,OAAO,CAAC,mB;K;+EAGZ,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAae,
OAAO,K;MACN,OAAA,ShByNoE,QAAQ,W;MgBzN5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,O
AAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,gC;MAMoB,Q;M
AFhB,IAAI,mBAAJ,C;QAae,OAAO,C;MACtB,YAA,Y,C;MACI,OAAA,ShBuMoE,QAAQ,W;MgBvM5F,OAAg
B,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFAGX,6B;MA
KoB,Q;MAAA,OAAA,ShB8LoE,QAAQ,W;MgB9L5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;
K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,q
BAAO,I;UAAp,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAp,uB;
SACzB,eIjpDmB,QJipDJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIppDe,QJopDP,CAAS,CAAT,C;UA
CR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,
O;;MI1pDP,yB;K;8FAGJ,+B;MAQmB,kBAAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAA

d,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,
O;UAAP,uB;SACzB,eItD2B,QJsoDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIzoDuB,QJyoDf,CAA
S,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;Q
ACIB,qBAAO,O;;;MI/oDP,yB;K;mFAGJ,yB;MJ+oDA,sE;MF7wDA,iB;MM8HA,sC;QJ4pDI,eI/oDO,iBJ+oDQ,W;
QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIjDqB,QJipDN,CAAS,QAAS,OAAIB,C;QACf
,OAAO,QAAS,UAAhB,C;UACI,QInpDiB,QJmpDT,CAAS,QAAS,OAAIB,C;UACR,WFTxDG,MAAK,KEsxDs,Q
FtxDT,EEsxDmB,CfTxDnB,C;;QMkIZ,OJspDO,Q;O;KInqDX,C;mFAGBA,yB;MJspDA,sE;MFhzDA,iB;MM0JA,s
C;QJmqDI,eItpDO,iBJspDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIxpDqB,QJwpD
N,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI1pDiB,QJ0pDT,CAAS,QAAS,OAAIB,C;UA
CR,WfzzDG,MAAK,KEyzDs,QFzzDT,EEyzDmB,CfzzDnB,C;;QM8JZ,OJ6pDO,Q;O;KIIqDX,C;mFAGBA,yB;
MJ6pDA,sE;MI7pDA,sC;QJwqDI,eI7pDO,iBJ6pDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;
QAC/B,eI/pDqB,QJ+pDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIjqDiB,QJiqDT,CAA
S,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QInqDnB,OJsqDO,Q;O;KIjrDX,C;+
FACa,yB;MN5KA,iB;MM4KA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJsqDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,
UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,eIqx2B,QJwqDZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,
UAAhB,C;YACI,QI1qDuB,QJ0qDf,CAAS,QAAS,OAAIB,C;YACR,Wfz1DG,MAAK,KEy1DS,QFz1DT,EEy1D
mB,Cfz1DnB,C;;UE21DZ,qBAAO,Q;;QI7qDP,yB;O;KAXJ,C;+FACa,yB;MNtMA,iB;MMsMA,sC;QAWmB,kB
AAR,iB;QAAQ,sB;;UJ6qDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,
eI/qD2B,QJ+qDZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QIjrDuB,QJirDf,CAAS,QAAS,
OAAIB,C;YACR,Wf13DG,MAAK,KE03DS,QF13DT,EE03DmB,Cf13DnB,C;;UE43DZ,qBAAO,Q;;QIprDP,yB;
O;KAXJ,C;+FACa,+B;MASmB,kBAAR,iB;MAAQ,sB;;QJorDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UA
AyB,qBAAO,I;UAAP,uB;SACzB,eItrD2B,QJsrDZ,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UAC
I,QIxrDuB,QJwrDf,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,qB
AAO,Q;;MI7rDP,yB;K;0FAGJ,yB;MJ6rDA,sE;MI7rDA,kD;QJwsDI,eI7rDO,iBJ6rDQ,W;QACf,IAAI,CAAC,QA
AS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI/rDqC,QJ+rDtB,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAh
B,C;UACI,QIjsDiC,QJisDzB,CAAS,QAAS,OAAIB,C;UACR,IIIsDqB,UJksDN,SAAQ,QAAR,EAakB,CAAlB,CA
AX,GAakC,CAAtC,C;YACI,WAAW,C;;QInsDnB,OJssDO,Q;O;KIjtDX,C;sGAcA,2C;MASmB,kBAAR,iB;MAA
Q,0B;;QJssDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,yBAAO,I;UAAP,2B;SACzB,eIxsD2C,QJws
D5B,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI1sDuC,QJ0sD/B,CAAS,QAAS,OAAIB,C;
UACR,II3sD2B,UJ2sDZ,SAAQ,QAAR,EAakB,CAAlB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,yB
AAO,Q;;MI/sDP,6B;K;sFAGJ,yB;MAOA,8D;MAPA,wC;QAI,OASe,cAAR,iBAAQ,EATM,UASN,C;O;KAbnB,
C;kGAOA,yB;MAAA,8D;MAAA,wC;QAMI,OAAe,cAAR,iBAAQ,EAAC,UAAAd,C;O;KANnB,C;kFASA,+B;MAc
mB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;S
ACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eIvyDmB,QJu
yDJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI1yDe,QJ0yDP,CAAS,CAAT,C;UACR,IAAI,2BAAW,C
AAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MIhzDP,yB;K;8F
AGJ,+B;MAQmB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO
,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,
eI5xD2B,QJ4xDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI/xDuB,QJ+xDf,CAAS,CAAT,C;UACR,IA
AI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MI
ryDP,yB;K;mFAGJ,yB;MJqyDA,sE;MFt1DA,iB;MMiDA,sC;QJkzDI,eIryDO,iBJqyDQ,W;QACf,IAAI,CAAC,QA
AS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIvyDqB,QJuyDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAh
B,C;UACI,QIzyDiB,QJyyDT,CAAS,QAAS,OAAIB,C;UACR,Wf/1DG,MAAK,KE+1DS,QF/1DT,EE+1DmB,Cf/
1DnB,C;;QMqDZ,OJ4yDO,Q;O;KIzzDX,C;mFAGBA,yB;MJ4yDA,sE;MFz3DA,iB;MM6EA,sC;QJyzDI,eI5yDO,i
BJ4yDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI9yDqB,QJ8yDN,CAAS,QAAS,OA
AlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIhzDiB,QJgzDT,CAAS,QAAS,OAAIB,C;UACR,Wf14DG,MAAK
,KEk4DS,QF14DT,EEk4DmB,Cf14DnB,C;;QMIFZ,OJmzDO,Q;O;KIh0DX,C;mFAGBA,yB;MJmzDA,sE;MIInzDA,
sC;QJ8zDI,eInzDO,iBJmzDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIrzDqB,QJqzD

N,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIvzDiB,QJuzDT,CAAS,QAAS,OAAIB,C;UA
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QIzzDnB,OJ4zDO,Q;O;KIv0DX,C;+FAcA,yB;MN/FA,iB;
MM+FA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJ4zDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBA
AO,I;YAAP,uB;WACzB,eI9zD2B,QJ8zDZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QIh0
DuB,QJg0Df,CAAS,QAAS,OAAIB,C;YACR,WfI6DG,MAAK,KEk6DS,QfI6DT,EEk6DmB,CfI6DnB,C;;UEo6D
Z,qBAAO,Q;;;QIn0DP,yB;O;KAXJ,C;+FAcA,yB;MNzHA,iB;MMMyHA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJm0
Df,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,eI90D2B,QJq0DZ,CAAS,
QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QIv0DuB,QJu0Df,CAAS,QAAS,OAAIB,C;YACR,WFn8
DG,MAAK,KEm8DS,QFn8DT,EEem8DmB,CFn8DnB,C;;UEq8DZ,qBAAO,Q;;;QI10DP,yB;O;KAXJ,C;+FAcA,+
B;MASmB,kBAAR,iB;MAAQ,sB;;QJ00Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAA
P,uB;SACzB,eI50D2B,QJ40DZ,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI90DuB,QJ80Df
,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,qBAAO,Q;;;MIn1DP,
yB;K;0FAGJ,yB;MJm1DA,sE;MIn1DA,kD;QJ81DI,eIn1DO,iBjM1DQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UA
AyB,MAAM,6B;QAC/B,eI91DqC,QJq1DtB,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIv1
DiC,QJu1DzB,CAAS,QAAS,OAAIB,C;UACR,Iix1DqB,UJw1DN,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,
CAAtC,C;YACI,WAAW,C;;QIz1DnB,OJ41DO,Q;O;KIv2DX,C;SgAcA,2C;MASmB,kBAAR,iB;MAAQ,0B;;QJ4
1Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,yBAAO,I;UAAp,2B;SACzB,eI91D2C,QJ81D5B,CAA
S,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIh2DuC,QJg2D/B,CAAS,QAAS,OAAIB,C;UACR,Iij
2D2B,UJi2DZ,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,yBAAO,Q;;;
MIR2DP,6B;K;IAGJ,0C;MAGI,OASe,gBAAR,iBAAQ,EATM,UASN,C;K;kGANnB,yB;MAAA,8D;MAAA,wC;Q
AMI,OAAe,cAAR,iBAAQ,EAAC,UAAAd,C;O;KANnB,C;IASA,4B;MAMI,OAAO,mB;K;iFAGX,gC;MAOoB,Q;M
ADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,ShBvHoE,QAAQ,W;MgBuH5F,OAAgB,cAAhB,C;QAAg
B,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;oFAGX,6B;MAKMc,Q;MA
AA,OhBhIqD,iBAAQ,W;MgBgI7E,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;kGA
GJ,yB;MAAA,6B;MAAA,sC;MJwyCA,wE;MIxyCA,2BAQiB,yB;QJgyCjB,wE;eIhyCiB,0B;UAAA,4B;YAAU,kB
AAR,iB;YAAQ,aAAe,c;YJuyCzB,gB;YADb,YAAY,C;YACC,6B;YAAb,OAAa,cAAb,C;cAAa,sB;cAAM,OAAO,
oBAAmB,cAAnB,EAAMB,sBAAnB,UAAp,EAAoC,IAApC,C;;YIvyC2B,W;W;S;OAAjC,C;MARjB,oC;QJ+yCiB
,gB;QADb,YAAY,C;QACC,OIvyCE,iBJuyCF,W;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAA
nB,EAAMB,sBAAnB,UAAp,EAAoC,IAApC,C;;QIvyCnB,gB;O;KARJ,C;4FAWA,qB;MAKI,OAAO,iB;K;IAGX,i
C;MAII,OAAe,aAAR,iBAAQ,C;K;gFtB3fnB,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP
,C;O;KARX,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;gFAW
A,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;;QAQQ,OAAc,Q
AAP,MAAO,EAAQ,SAAR,C;;QAChB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAOJ,sC;;Q
AQQ,OAAc,SAAP,MAAO,EAAS,SAAT,C;;QAChB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K
;IAOJ,sC;;QAQQ,OAAuD,OAAhD,MAAO,iBAAQ,eAAM,IAAd,EAAuB,CAAA,cAAK,IAAL,IAAe,CAAf,IAAv
B,CAAyC,C;;QACzD,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAA
A,uD;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QA
OI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAQI,OAAO,wBAAa,cA
Ab,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,QAAP,MAAO,EAAQ,SAAR,
C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,SAAP,MAAO,EAAS,SAAT,C;K;IAGIB,4C
;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAuD,OAAhD,MAAO,iBAAQ,eAAM,IAAd,EAAuB,CAAA,c
AAK,IAAL,IAAe,CAAf,IAAvB,CAAyC,C;K;mFAG3D,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;oFAG9
B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;I
AG9B,uC;MAKI,OAAO,2BAAE,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAE,oBAAN,KAAM,CAAF,C;K;IAGX,u
C;MAKI,OAAO,2BAAE,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BAAE,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BAAE,
KAAf,C;K;IAGX,uC;MezHW,SfgIM,mBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,
GAakC,K;K;IAG5E,uC;MenIW,Sf0IM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAh
B,GAakC,K;K;IAG7E,uC;Me7IW,SfoJM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAA

hB,GAaKc,K;K;IAG7E,uC;MevJW,Sf8JM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAaKc,K;K;IAG9E,uC;MAKI,OAAO,2BAaE,KAAf,C;K;IAGX,uC;MezKW,SfgLM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAaKc,K;K;IAG5E,uC;MenLW,Sf0LM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAaKc,K;K;IAG7E,uC;Me7LW,SfoMM,oBAAN,KAA M,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAaKc,K;K;IAG7E,uC;MevMW,Sf8MM,qBAAN, KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAaKc,K;K;IAG9E,uC;MAKI,OAAO,2BAaE, KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAaE,oBAAN,KAAM,CAAf,C;K;IAGX,uC;MejOW,SfsOM,kBAAN,KAA M,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAaKc,K;K;IAG7E,uC;MezOW,Sf8OM,mBAAN,K AAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAaKc,K;K;IAG9E,uC;MAOI,OAAO,2BAaE,K AAf,C;K;IAGX,uC;MAOI,OAAO,2BAaE,KAAf,C;K;IAGX,uC;MerQW,Sf0QM,iBAAN,KAAM,C;MAAb,OAA0 C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAaKc,K;K;IAG5E,uC;Me7QW,SfkRM,oBAAN,KAAM,C;MAAb,OA A2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAaKc,K;K;IAG7E,uC;MerRW,Sf0RM,qBAAN,KAAM,C;MAAb, OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAaKc,K;K;IAG9E,uC;MAOI,OAAO,2BAAS,KAAM,WAAf,C; K;IAGX,uC;MAOI,OAAO,2BAAS,KAAM,WAAf,C;K;IAGX,uC;MAKI,OAAO,2BAaE,KAAf,C;K;IAGX,uC;M AKI,OAAO,2BAaE,oBAAN,KAAM,CAAf,C;K;IAGX,uC;MejUW,SfsUM,oBAAN,KAAM,C;MAAb,OAA2C,U AAJ,GAAgB,2BAAS,EAAT,CAAhB,GAaKc,K;K;IAG7E,uC;MAOI,OAAO,2BAaE,KAAf,C;K;IAGX,uC;MAOI ,OAAO,2BAaE,KAAf,C;K;IAGX,+B;MAOI,OAAO,sCAAE,yBAAGB,SAAhB,EAAyB,EAAzB,EAAkC,EAAIC,C ;K;IAG1B,iC;MAOI,OAAO,uCAAGB,yBAAGB,SAAhB,EAAyB,oBAAH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI, OAAO,sCAAE,yBAAGB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,sCAAE,yBAAGB, SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,uCAAGB,yBAAGB,SAAhB,EAAyB,EAAz B,EAA0B,EAA1B,C;K;IAG3B,iC;MAOI,OAAO,sCAAE,yBAAGB,SAAhB,EAAyB,EAAzB,EAA0B,EAA1B,C;K;I AG1B,iC;MAOI,OAAO,uCAAGB,yBAAGB,SAAhB,EAAyB,oBAAH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,OA AO,sCAAE,yBAAGB,SAArB,EAA8B,EAA9B,EAAkC,EAAIC,C;K;IAG1B,iC;MAOI,OAAO,sCAAE,yBAAGB,SA ArB,EAA8B,EAA9B,EAAkC,EAAIC,C;K;IAG1B,iC;MAOI,OAAO,uCAAGB,yBAAGB,oBAAL,SAAK,CAArB,E AA+B,EAA/B,M;K;IAG3B,iC;MAOI,OAAO,uCAAGB,yBAAGB,SAAhB,EAAyB,EAAzB,EAA0B,EAA1B,M;K;IAG3B,kC;MAOI, OAAO,uCAAGB,yBAAGB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;K;IAG3B,kC;MAOI,OAAO,uCAAGB,yBA AGB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;K;IAG3B,kC;MAOI,OAAO,sCAAE,yBAAGB,SAAhB,EAAyB,E AAzB,EAAkC,EAAIC,C;K;IAG1B,kC;MAOI,OAAO,uCAAGB,yBAAGB,SAAhB,EAAyB,oBAAH,EAAG,CAAz B,M;K;IAG3B,kC;MAOI,OAAO,sCAAE,yBAAGB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,kC;MAO I,OAAO,sCAAE,yBAAGB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,+B;MAII,OAAO,sCAAE,yBAAG B,cAAhB,EAAyB,eAAzB,EAA6B,CAAC,cAAD,IAA7B,C;K;IAG1B,gC;MAII,OAAO,uCAAGB,yBAAGB,cAAhB ,EAAyB,eAAzB,EAA6B,cAAD,aAA7B,C;K;IAG3B,gC;MAII,OAAO,uCAAGB,yBAAGB,cAAhB,EAAyB,eAAzB, EAA6B,CAAC,cAAD,IAA7B,C;K;IAG3B,+B;MAII,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO, sCAAE,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAy,CAAhB,GAAmB,IAAnB,GAA6B,CAAC ,IAAD,IAA1D,C;K;IAG1B,iC;MAII,oBAAoB,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAGB,yBA AGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,cAAy,CAAhB,GAAmB,IAAnB,GAA8B,IAAD,aAA1D,C;K; IAG3B,iC;MAII,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAGB,yBAAGB,eAAhB,EAAuB, cAAvB,EAAiC,SAAK,KAAL,GAAy,CAAhB,GAAmB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,sC;M ACI,OAAmB,IAAR,8BAAGC,GAApC,GAAiE,OAAL,SAAK,CAAjE,GAA+E,I;K;IAG1F,wC;MACI,OAAW,mE AAJ,GAAmE,OAAL,SAAK,SAAnE,GAAiF,I;K;IAG5F,wC;MACI,OAAW,YAAQ,aAAA,sCAAE,UAAf,EAA0B, sCAAE,UAAzC,CAAR,YAAJ,GAAqE,OAAL,SAAK,CAArE,GAAmF,I;K;IAG9F,wC;MACI,OAAmB,UAAA,sC AAe,UAAf,EAA2B,sCAAE,UAA1C,CAAR,4BAAJ,GAA+E,OAAR,YAAL,SAAK,CAAQ,CAA/E,GAA6F,I;K;IA GxG,wC;MACI,OAAmB,UAAA,sCAAE,UAAf,EAA0B,sCAAE,UAAzC,CAAR,4BAAJ,GAA6E,OAAR,YAAL,SA AK,CAAQ,CAA7E,GAA2F,I;K;IAGtG,qC;MACI,OAAW,iFAAJ,GAA4D,SAAK,QAAjE,GAA8E,I;K;IAGzF,u C;MACI,OAAmB,UAAc,WAAAd,EAAwC,UAAxC,CAAR,4BAAJ,GAAqE,YAAL,SAAK,CAArE,GAAkF,I;K;IA G7F,uC;MACI,OAAmB,UAAc,WAAAd,EAAuC,UAAvC,CAAR,4BAAJ,GAAmE,YAAL,SAAK,CAAnE,GAAgF,I ;K;IAG3F,sC;MACI,OAAmB,UAAe,mCAAf,EAA0C,mCAA1C,CAAR,4BAAJ,GAAuE,uBAAL,SAAK,CAAvE, GAAqF,I;K;IAGhG,wC;MACI,OAAmB,UAAe,mCAAf,EAAyC,mCAAzC,CAAR,4BAAJ,GAAqE,uBAAL,SAAK

,CAArE,GAAmF,I;K;IAG9F,uC;MACI,OAAmB,MAAR,8BAAiC,KAArC,GAAmE,QAAL,SAAK,CAAnE,GAAk
F,I;K;IAG7F,yC;MACI,OAAW,uEAAJ,GAAqE,QAAL,SAAK,SAArE,GAAoF,I;K;IAG/F,yC;MACI,OAAmB,UA
AA,uCAAgB,UAAhB,EAA4B,uCAAgB,UAA5C,CAAR,4BAAJ,GAAiF,QAAR,YAAL,SAAK,CAAQ,CAAjF,GA
AgG,I;K;IAG3G,yC;MACI,OAAmB,UAAA,uCAAgB,UAAhB,EAA2B,uCAAgB,UAA3C,CAAR,4BAAJ,GAA+E
,QAAR,YAAL,SAAK,CAAQ,CAA/E,GAA8F,I;K;IAGzG,8B;MAMI,OAAO,wBAAY,EAAa,GAAH,CAAG,IAAz
B,C;K;IAGX,gC;MAMI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,O
AAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,OAAO,aAAK,SAAL,EAAoB,EA
Aa,GAAH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,IAAI,MAAM,CAAV,C;QAAoB,OAAO,iCAAU,M;MACrC,OAA
O,yBAAiB,OAAR,EAAQ,GAAH,CAAG,CAAjB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QAAyB,OAAO,
gCAAS,M;MACzC,OAAO,wBAAS,EAAQ,GAAH,CAAG,IAAjB,C;K;IAGX,gC;MAMI,OAAO,kBAAY,oBAAH,
EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QAAyB,OAAO,gCAAS,M;
MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,IAAzB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,
C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,IAAzB,C;K;IAGX,gC;
MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,yBAAL,SAAK,CAAL,SAAkB,EAAQ,8BAAH
,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,kBAAS,EAAQ
,8BAAH,CAAG,EAAjB,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,yBAA
L,SAAK,CAAL,SAAkB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iC
AAU,M;MAC3C,OAAO,yBAAL,SAAK,CAAL,SAAkB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,O
AAO,wBAAY,EAAa,GAAH,CAAG,IAAzB,C;K;IAGX,iC;MAMI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8BAAH
,CAAG,EAA1B,C;K;IAGX,iC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;K;IAGX,iC;
MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;K;IAGX,gD;MAQI,OAAW,4BAAO,YAAP,
KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAG
tD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GA
AyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD
,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GA
AyB,YAAzB,GAA2C,S;K;IAGtD,+C;MAQI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD
;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,Y
AAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OA
AW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAA
zB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,yD;MAQI,IAAI,i
BAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QACI,IAAI,+BAAe,YAAf,KAAJ,C;UAAiC,MAAM,gCAAyB,6DAAiD
,YAAjD,wCAAoF,YAApF,OAAzB,C;QACvC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAChC,IAAI,4B
AAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAGhC,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAk
D,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;MAE7D,OAAO,
S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAA
zB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAC
hC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YA
ApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAA
O,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8B
AAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QA
AyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,6BAAe,YAAf,KAAJ,C;QAAiC,MAAM,gCAAyB,oD
AAiD,YAAjD,yCAAoF,YAApF,iBAAzB,C;MACvC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHC,I
AAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QA
AiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,O
AAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YA
AnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;
QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,sC;MAUW,Q;
MADP,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAGvB,IAAA,KAAM,0

BAAiB,SAAjB,EAAuB,KAAM,MAA7B,CAAN,IAA6C,CAAC,KAAM,0BAAiB,KAAM,MAAvB,EAA8B,SAA9
B,CAApD,C;QAAiG,OAAN,KAAM,M;WAEjG,IAAA,KAAM,0BAAiB,KAAM,aAAvB,EAAqC,SAArC,CAAN,I
AAoD,CAAC,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,aAA7B,CAA3D,C;QAA+G,OAAN,KAAM,a;;QACvG,gB
;MALZ,W;K;IASJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAY,KAAZ,C;OAEhB,IA
AI,KAAM,UAAV,C;QAAqB,MAAM,gCAAYB,4CAAYC,KAAzC,MAAzB,C;MAEvB,gCAAO,KAAM,MAAb,M;
QAA4B,OAAN,KAAM,M;WAC5B,gCAAO,KAAM,aAAb,M;QAAMc,OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;
K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAC,KAAAd,C;OAEhB,IAAI,KAAM,
UAAV,C;QAAqB,MAAM,gCAAYB,4CAAYC,KAAzC,MAAzB,C;MAEvB,gBAAO,KAAM,MAAb,C;QAA4B,O
AAN,KAAM,M;WAC5B,gBAAO,KAAM,aAAb,C;QAAMc,OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;K;IAOJ,sC;
MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAC,KAAf,C;OAEhB,IAAI,KAAM,UAAV,C;Q
AAqB,MAAM,gCAAYB,4CAAYC,KAAzC,MAAzB,C;MAEvB,8BAAO,KAAM,MAAb,M;QAA4B,OAAN,KAA
M,M;WAC5B,8BAAO,KAAM,aAAb,M;QAAMc,OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;K;IU1rCJ,oD;MAMuF
,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3C,gF;IaQA,yC;MAMI,OAAO,sBAAQ,OAAR,KAAoB,C;K;IAWG,2
C;MAAA,qB;QAAE,MAAM,8BAA0B,+CAA4C,aAA5C,MAA1B,C;O;K;IAR1C,uC;MAQI,OAAO,8BAAgB,KA
AhB,EAAuB,yBAAvB,C;K;IAGX,4D;MACqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;M
ACX,eAAe,oB;MACf,YAAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,Y
AAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;IAGX,8C;MACqB,Q;MANjB,IA
AI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cA
Ac,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;8EAGX,g
C;MASW,sB;;QAYDS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAzDH,SAyDO,CAAU,OAA
V,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1DP,yB;K;uFAGJ,gC;MAGMoB,Q;MADhB,
WAAe,I;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAxLc,SAwLV,CAAU,OAAV,CAAJ,C;UACI
,OAAO,O;;MAZLf,OA4LO,I;K;IAzLX,6B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2
BAAuB,oBAAvB,C;MACV,OAAO,QAAS,O;K;IFAGpB,yB;MAAA,iE;MAAA,uC;QAOoB,Q;QAAA,2B;QAAhB
,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAA
uB,sDAAvB,C;O;KARV,C;IAWA,mC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MA
CX,OAAO,QAAS,O;K;6FAGpB,gC;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAA
I,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;IAGX,wC;MAOiB,Q;MADb,YAAAY,C;MACC,
2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,O
AAO,K;QACX,qB;;MAEJ,OAAO,E;K;+FAGX,yB;MAAA,wE;MAAA,uC;QAOiB,Q;QAdB,YAAAY,C;QACC,2B;
QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,
K;UACX,qB;;QAEJ,OAAO,E;O;KAbX,C;6FAGBA,yB;MAAA,wE;MAAA,uC;QAQiB,Q;QAFb,gBAAGB,E;QAC
hB,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAAV
,CAAJ,C;YACI,YAAAY,K;UACHB,qB;;QAEJ,OAAO,S;O;KAdX,C;IAiBA,4B;MAUI,eAAe,oB;MACf,IAAI,CAA
C,QAAS,UAAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAh
B,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;+EAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAYo
B,UAQT,M;QAVP,WAAe,I;QACf,YAAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAA
U,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAuB,sD
AAvB,C;QAEIB,OAAO,2E;O;KApBX,C;IAuBA,4C;MAQiB,Q;MAFb,gBAAGB,E;MACHB,YAAAY,C;MACC,2B;
MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAA
Y,K;QACHB,qB;;MAEJ,OAAO,S;K;IAGX,kC;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAA
O,I;MACX,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;2FA
GX,gC;MASoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,OA
AV,CAAJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;IAGX,8B;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;
QACI,MAAM,2BAAuB,oBAAvB,C;MACV,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAb,C;QACI,MAAM,gCAA
yB,qCAAzB,C;MACV,OAAO,M;K;mFAGX,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAQoB
,UAST,M;QAXP,aAAiB,I;QACjB,YAAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAA
U,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,mDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;

QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO,6E;O;KAjBX,C;IAoBA,oC;
MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,aAAa,QAAS,O;MACtB,IAAI,QAA
S,UAAAb,C;QACI,OAAO,I;MACX,OAAO,M;K;+FAGX,gC;MAQoB,Q;MAFhB,aAAiB,I;MACjB,YAAy,K;MAC
I,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAJ,C;YAAW,
OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K
;IAGX,8B;MAWW,Q;MX9UP,IAAI,EW6UL,KAJK,CX7UT,CAAJ,C;QACI,cW4Uc,sD;QX3Ud,MAAM,gCAAy
B,OAAQ,WAAjC,C;OW6UN,UAAK,CAAL,C;QAAU,gB;WACV,+C;QAAiC,OAAL,SAAK,cAAK,CAAL,C;;QA
CzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAaKB,SAaIB,EAAwB,SAAxB,C
;K;IAGX,wC;MAQI,OAAO,sBAaKB,SAaIB,EAAwB,IAAxB,EAA8B,SAA9B,C;K;IAcqE,iD;MAAA,qB;QAAE,
yBAAU,EAAG,MAAb,EAAoB,EAAG,MAAvB,C;O;K;IAAkC,oC;MAAE,OAAA,EAAG,M;K;IAXzH,+C;MAWI
,OAAO,yBAAqB,sBAaKB,qBAaIB,SAaJB,CAaIB,EAA0C,IAA1C,EAAGD,+BAAhD,CAArB,EAAYG,sBAAzG,
C;K;oGAGX,yB;MA80BA,wE;MA90BA,oD;QAU1BiB,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAAb,C;UA
Aa,sB;UA50BT,IAAI,UA40BkB,oBAAmB,cAAAnB,EAAmB,sBAAAnB,UA50BIB,EA40B+C,IA50B/C,CAAJ,C;YA
A2C,sBA40BQ,IA50BR,C;;QAE/C,OAAO,W;O;KAbX,C;sGAGBA,yB;MAAA,8C;MAAA,0C;MAAA,8B;MASK
B,qD;QAAA,qB;UAAE,c;S;O;MATpB,sC;QASW,Q;QAAP,OAAO,uCAAo,iCAAP,gC;O;KATX,C;0GAYA,4C;
MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,O
AAJ,C;;MACpD,OAAO,W;K;IAGX,2C;MAQI,OAAO,sBAaKB,SAaIB,EAAwB,KAAXB,EAA+B,SAA/B,C;K;IA
YU,kC;MAAE,iB;K;IATvB,oC;MASW,Q;MAAP,OAAO,4CAAU,oBAAV,kC;K;IAGX,mD;MAQoB,Q;MAAA,2
B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;MACvD,OAA
O,W;K;4FAGX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,O
AAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;sFAGX,6C;MAQoB,Q;MAAA,2B;MAAh
B,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1
D,OAAO,W;K;IAGX,8B;MAWW,Q;MXveP,IAAI,EWseI,KAJK,CXteT,CAAJ,C;QACI,cWqec,sD;QXped,MAA
M,gCAAyB,OAAQ,WAAjC,C;OWseN,UAAK,CAAL,C;QAAU,sB;WACV,+C;QAAiC,OAAL,SAAK,cAAK,CA
AL,C;;QACzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAaKB,SAaIB,EAAwB
,SAAxB,C;K;IAWA,2C;MAAA,8B;K;8CACH,Y;MACI,iBAA6B,iBAAZ,gBAAy,C;MACIB,QAAX,UAAW,C;M
ACX,OAAO,UAAW,W;K;;IAZ9B,6B;MAQI,0C;K;sFASJ,yB;MAAA,sD;MT/cA,sC;MAAA,oC;MAAA,uBAOe,y
B;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,S
A4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MSwcf,sC;QAUI,OAAO,sBTldP,eAAW,iBskdiB,QTldjB,CAAX,CSkd
O,C;O;KAVX,C;0GAaA,yB;MAAA,sD;MTzcA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,u
B;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA
+EI,C;MSkcf,sC;QAQI,OAAO,sBT1cP,eAAW,2BS0c2B,QT1c3B,CAAX,CS0cO,C;O;KARX,C;IAWA,uC;MAQI,
OAAO,wBAAW,cAAx,C;K;IAWA,uE;MAAA,sC;MAAA,4C;K;kDACH,Y;MACI,iBAaIC,iBAAhB,oBAAgB,C;
MACTB,WAAx,UAAW,EAAS,uBAAT,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6C;MAQI,0D;K;wFASJ,yB;MAA
A,wE;MAAA,uC;QAaW,kBAAy,oB;QAIhF,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAlFs
C,SAkFvB,CAAU,OAAV,C;UjBnCnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAARb,C;;QiB/CA,OAoFO,W;O;K
AjGX,C;6FAGBA,yB;MAAA,wE;MAAA,yC;QAaW,kBAAc,oB;QA8BL,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C
;UAAgB,yB;UACZ,WAAy,aA/B4B,WA+BxB,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA/BhB,OAiCO,W;O;K
A9CX,C;6FAGBA,yB;MAAA,wE;MAAA,yD;QAYW,kBAAc,oB;QAIcL,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,
C;UAAgB,yB;UACZ,WAAy,aA1C4B,WAKcxB,CAAY,OAAZ,CAAJ,EAIcY,cAkCf,CAAe,OAAf,CAA1B,C;;Q
AlChB,OAoCO,W;O;KAhDX,C;iGAeA,+C;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAC
Z,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;iGAGX,+D;MAYoB,Q;MAAA,2
B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1
B,C;;MAEhB,OAAO,W;K;4FAGX,6C;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,W
AAe,UAAU,OAAV,C;QjBnCnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAARb,C;;MiBqCA,OAAO,W;K;gGAGX
,yB;MAAA,wE;MAAA,2C;QAcI,aAAa,oB;QAGBG,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAFo,
MAGBP,aAAI,OAAJ,EAhBe,aAgBF,CAAc,OAAd,CAAb,C;;QAhBhB,OAuB,M;O;Kaf3B,C;oGakBA,iD;MAY
oB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,

C;;MAEhB,OAAO,W;K;IAGX,gD;MAMiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gC;MAMI,OAAO,0BAAa,cAAb,C;K;IAGX,8B;MAMI,OAA4B,qBAAhB,iBAAL,SAAK,CAAgB,C;K;IAGhC,qC;MAMI,OAAO,0BAAa,gBAAb,C;K;IAGX,4B;MAQI,OAAwC,oBAAjC,0BAAa,sBAAb,CAAI,C;K;IAG5C,0C;MAYI,OAAO,uBAAmB,SAAnB,EAAyB,SAAzB,6BAAoC,qB;;OAApC,E;K;IAGX,0C;MAQI,OAAO,uBAAmB,SAAnB,EAAyB,SAAzB,6BAAoC,qB;;OAApC,E;K;IAGX,iD;MAaI,OAAO,kBAAE,SAAf,EAAqB,SAArB,6BAAgC,qB;;OAAhC,E;K;IAGX,iD;MAaI,OAAO,kBAAE,SAAf,EAAqB,SAArB,6BAAgC,qB;;OAAhC,E;K;sGAGX,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAaoB,UAC4B,M;QAF5C,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAjBX,C;uGAoBA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAaoB,UAC4B,M;QAF5C,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAjBX,C;yFAoBA,yB;MAAA,gD;MAAA,oD;QAuOB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KADx,C;yFAiBA,yB;MAAA,gD;MAAA,oD;QAMoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,wE;MA6BA,+D;MA7BA,yC;QAWW,kBAAU,oB;QA6BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA9BiD,WA8BvC,CAAY,OAAZ,C;UjBjmBP,U;UADP,YiBmmBe,WjBnmBH,WiBmmBwB,GjBnmBxB,C;UACL,IAAI,aAAJ,C;YACH,aiBimBuC,gB;YAA5B,WjBhmBX,aiBgmBgC,GjBhmBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiB6lBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhCT,OAKCO,W;O;KA7CX,C;qFAcA,yB;MAAA,wE;MAKCA,+D;MAICA,yD;QAYW,kBAAU,oB;QAKCD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnCiD,WAmCvC,CAAY,OAAZ,C;UjBrnBP,U;UADP,YiBunBe,WjBvnBH,WiBunBwB,GjBvnBxB,C;UACL,IAAI,aAAJ,C;YACH,aiBqnBuC,gB;YAA5B,WjBpnBX,aiBonBgC,GjBpnBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiBinBA,iB;UACA,IAAK,WArCyD,cAqCrD,CAAe,OAAf,CAAJ,C;;QArCT,OAUcO,W;O;KANdX,C;yFAeA,yB;MAAA,+D;MAAA,sD;QAWoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAy,OAAZ,C;UjBjmBP,U;UADP,YiBmmBe,WjBnmBH,WiBmmBwB,GjBnmBxB,C;UACL,IAAI,aAAJ,C;YACH,aiBimBuC,gB;YAA5B,WjBhmBX,aiBgmBgC,GjBhmBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiB6lBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAhBX,C;yFAmBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAy,OAAZ,C;UjBrnBP,U;UADP,YiBunBe,WjBvnBH,WiBunBwB,GjBvnBxB,C;UACL,IAAI,aAAJ,C;YACH,aiBqnBuC,gB;YAA5B,WjBpnBX,aiBonBgC,GjBpnBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiBinBA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAjBX,C;0FAoBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAUW,sC;QAAA,8C;O;MAVX,oDAWQ,Y;QAA6C,OAAA,oBAAgB,W;O;MAXrE,iDAYQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAZ5C,gF;MAAA,yC;QAUI,2D;O;KAVJ,C;IAGBA,sC;MASI,OAAO,yBAAqB,SAArB,EAA2B,SAA3B,C;K;IAGX,4C;MASI,OAAO,gCAA4B,SAA5B,EAAkC,SAAlC,C;K;IAGX,mD;MASI,OAAoD,gBAA7C,gCAA4B,SAA5B,EAAkC,SAAlC,CAA6C,C;K;4GAGxD,yB;MAuNA,wE;MAvNA,oD;QAGoiB,gB;QADb,YAAy,C;QACC,2B;QAAb,OAaA,cAAb,C;UAAa,sB;UAvNsB,U;UAAA,wBAuNT,oBAAmB,cAAAnB,EAAMb,sBAAnB,UAvNS,EAuNoB,IAvNpB,W;YAA6C,6B;;QACHf,OAAO,W;O;KAVX,C;8FAaA,yB;MAAA,wE;MAAA,oD;QAUIB,UACoC,M;QAFjD,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAAI,UAAU,oBAAmB,cAAAnB,EAAMb,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QACHb,OAAO,W;O;KAZX,C;IAeA,4C;MASI,OAA6C,gBAAtC,yBAaqB,SAArB,EAA2B,SAA3B,CAAsC,C;K;8FAGjD,yB;MAAA,oD;QA4KoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UArKK,U;UAAA,wBAqKQ,OArKR,W;YAA5C,6B;;QAC3D,OAAO,W;O;KARX,C;iFAWA,6C;MAOiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;IAGX,gC;MAOI,OAAO,qBAaiB,SAAjB,C;K;IACgB,6B;MAAE,S;K;IAX7B,+B;MAWI,OAAy,aAAL,SAAK,EAAW,eAAx,C;K;IAGhB,2C;MAYI,OAAO,qBAaiB,SAAjB,EAAuB,QAAvB,C;K;IAGX,mC;MASiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;K;6EAGX,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAQI,OAAO,oBAAW,U;K;6EAGtB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;

MACrD,OAAO,K;K;IAGX,6B;MAOoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB; QAAM,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MACTb,OAAO,K;K;IFAGX,yB;MAAA,wE;MAAA,uC;QAOoB, Q;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YA AwB,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;QAC9C,OAAO,K;O;KARX,C;8EAWA,yC;MAYoB,Q;MADhB,kB AAKB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;M ACpC,OAAO,W;K;4FAGX,yB;MAAA,wE;MAAA,gD;QAcob,UAAiD,M;QAFjE,YAAY,C;QACZ,kBAAKB,O;Q ACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAAnB,EAAMb,sBAAnB,UAA V,EAAuB,WAAvC,EAAoD,OAApD,C;;QACpC,OAAO,W;O;KAFx,C;qFAkBA,6B;MAMoB,Q;MAAA,2B;MAA hB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;kGAG1B,yB;MAAA,wE;MAAA,oC;QASiB,UAA gC,M;QAD7C,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAAnB,EAAMb,s BAAnB,UAAP,EAAoC,IAApC,C;;O;KATvB,C;IAYA,2B;MAII,OAAO,uB;K;IAGX,2B;MAII,OAAO,uB;K;IAG X,2B;MAGI,OAAO,uB;K;IFAGX,+B;MAGW,sB;;QAYP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB, qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB ;SACzB,eAhBmB,QAgBJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAnBe,QAmBP,CAAS,CAAT,C;UA CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO, O;;MAzBP,yB;K;6FAGJ,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,cA Ac,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,Q AAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,W AAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;IFAGX,yB;MAAA,sE;MP9tCA,iB;MO8tCA,sC;QAEI,eA Ae,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OA AO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WPzuCG,MAAK,KOyuCS,QPzuCT,EoyuC mB,CPzuCnB,C;;QO2uCZ,OAAO,Q;O;KATBX,C;iFAyBA,yB;MAAA,sE;MPnwCA,iB;MOMwCA,sC;QAEI,eAAe ,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO ,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WP9wCG,MAAK,KO8wCS,QP9wCT,E08wCm B,CP9wCnB,C;;QOgxCZ,OAAO,Q;O;KATBX,C;iFAyBA,yB;MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,C AAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C ;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO, Q;O;KATBX,C;6FAyBA,yB;MPzyCA,iB;MOyyCA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAy B,OAAO,I;QACHc,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,O AAIB,C;UACR,WPlzCG,MAAK,KOkzCS,QPlzCT,E0kzCmB,CPlzCnB,C;;QOozCZ,OAAO,Q;O;KApBX,C;6FA uBA,yB;MP50CA,iB;MO40CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHc, eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WPr 1CG,MAAK,KOq1CS,QPr1CT,E0q1CmB,CPr1CnB,C;;QOu1CZ,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eA Ae,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAA O,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW, C;;MAGnB,OAAO,Q;K;yFAGX,yB;MAAA,sE;MAAA,kD;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;U AAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,Q AAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;; QAGnB,OAAO,Q;O;KATBX,C;qGAyBA,2C;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAA O,I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB, C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OA AO,Q;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS, O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MPn6CG,MAAK,KOm6CI,GPN6CJ,E0m6C S,CPn6CT,C;;MOq6CZ,OAAO,G;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAA O,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MPI8CG,MAAK ,Kok8CI,GPI8CJ,E0k8CS,CPI8CT,C;;MOo8CZ,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAA S,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O ;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAC,

UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;IFAGX,+B;MAGW,sB;;QAYP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eAhBmB,QAgBJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAnBe,QAmBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAzBP,yB;K;6FAGJ,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;IFAGX,yB;MAAA,sE;MPj0CA,iB;MOi0CA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WP50CG,MAAK,KO40CS,QP50CT,EO40CmB,CP50CnB,C;;QO80CZ,OAAO,Q;O;KAtBX,C;IFAyBA,yB;MAAA,sE;MPt2CA,iB;MOs2CA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WPj3CG,MAAK,KOi3CS,QPj3CT,EOi3CmB,CPj3CnB,C;;QOm3CZ,OAAO,Q;O;KAtBX,C;IFAyBA,yB;MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;6FAyBA,yB;MP54CA,iB;MO44CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WP5CG,MAAK,KOq5CS,QPr5CT,EOq5CmB,CPr5CnB,C;;QOu5CZ,OAAO,Q;O;KApBX,C;6FAuBA,yB;MP/6CA,iB;MO+6CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WPx7CG,MAAK,KOw7CS,QPx7CT,EOw7CmB,CPr7CnB,C;;QO07CZ,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;yFAGX,yB;MAAA,sE;MAAA,kD;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;qGAYBA,2C;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MPtgDG,MAAK,KOsgDI,GPtgDJ,EOsgDS,CPtgDT,C;;MOwgDZ,OAAO,G;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MPriDG,MAAK,KOqiDI,GPriDJ,EOqiDS,CPriDT,C;;MOuiDZ,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4B;MAQI,OAAO,CAAC,oBAAW,U;K;+EAGvB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGb,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;IAUI,uC;MAAA,qB;QACP,eAAO,EAAP,C;QAAA,OACA,E;O;K;IATR,sC;MAOI,OAAO,kBAAL,qBAAJ,C;K;IAEW,8C;MAAA,iC;QACd,eAAO,KAAP,EAAC,OAAAd,C;QAAA,OACA,O;O;K;IAXR,6C;MASI,OAAO,wBAAW,4BAAX,C;K;kFAMX,yB;MAAA,4F;MAAA,uC;QAeI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kB

AAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEI
B,OAAO,W;O;KArBX,C;gGAwBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAoBmD,Q;QAL/C,eAAe,SAAK,W;
QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,YAAy,C;QACZ,kBAAqB,
QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EAAmB,oBAAnB,QAaV,EA
AuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KAtBX,C;4GAyBA,yB;MAAA,wE;MAAA,uC;Q
AoBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHC,YAAy,C;Q
ACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EAAmB,oBA
AnB,QAaV,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KAtBX,C;8FAyBA,gC;MAgBI,eA
Ae,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,kBAAqB,QAAS,O;MAC9B,OAA
O,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;IAoBS,2I;MAA
A,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,gD;MAAA,kD;MAAA,wB;MAAA,+B;MAAA,kC;K;;;sDAAA,
Y;;;cACZ,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;uCAcKb,0B;cACF,wD;cAAhB,g
B;;;cAAA,KAAgB,yBAAhB,C;gBAAA,gB;;;cAAgB,oC;cACZ,yBAAc,6BAAU,sBAaV,EAAuB,OAAvB,C;cACd
,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;K;IAPgB,wF;MAA
A,yD;uBAAA,+H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAjBpB,sD;MAiBI,OAAO,SAAS,iDAAT,C;K;IA4BS,yJ;
MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,8D;MAAA,kD;MAAA,wB;MAAA,yB;MAAA,+B;MAAA,
kC;K;;;6DAAA,Y;;;kBAKmC,I;cAJ/C,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;iCA
CY,C;uCACM,0B;cACF,+D;cAAhB,gB;;;cAAA,KAAgB,yBAAhB,C;gBAAA,gB;;;cAAgB,oC;cACZ,yBAAc,6B
AAU,oBAAmB,uBAAnB,EAAmB,+BAAnB,QAaV,EAAuC,sBAaVc,EAAoD,OAApD,C;cACd,gB;8BAAA,iCA
AM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;K;IARgB,sG;MAAA,yD;uBAAA,6I
;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAIBpB,6D;MAkBI,OAAO,SAAS,wDAAT,C;K;IA2BS,4H;MAAA,wC;MA
AA,6B;MAAA,yB;MAAA,oD;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,kC;K;;;wDAAA,Y;;;oCACG,wC;cAC
f,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2C;yBAAA,yB;g
BAAA,Q;;gBAFJ,gB;;;;;;cAGI,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;cACI,yBAAc,6BAAU,sBAA
V,EAAuB,mBAAS,OAAhC,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;
;cAHJ,gB;;;cAQJ,W;;;;;;K;IAVgB,yE;MAAA,yD;uBAAA,gH;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,
+C;MAgBI,OAAO,SAAS,0CAAT,C;K;IA6BS,0I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,kE;MAAA,kD;MAA
A,4B;MAAA,+B;MAAA,yB;MAAA,kC;K;;;+DAAA,Y;;;cAOuC,Q;oCANpC,+C;cAcF,IAAI,mBAAS,UAAb,C;
yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;;;
iCAGgB,C;cACZ,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;cACI,yBAAc,6BAAU,oBAAmB,uBAAnB
,EAAmB,+BAAnB,QAaV,EAAuC,sBAaVc,EAAoD,mBAAS,OAA7D,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;k
BAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAJJ,gB;;;cASJ,W;;;;;;K;IAXgB,uF;MAAA,yD;uBAAA,8H;YA
AA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,sD;MAgBI,OAAO,SAAS,iDAAT,C;K;IAcX,+C;MAkBI,OAAO,yBAA
Y,OAAZ,EAAqB,SAArB,C;K;IAGX,sD;MAmBI,OAAO,gCAAmB,OAAAnB,EAA4B,SAA5B,C;K;IAGX,4C;MAII
,OAAO,2BAAc,SAAd,C;K;IAGX,mD;MAII,OAAO,kCAAqB,SAArB,C;K;gFAGX,+B;MAOoB,Q;MADhB,UAA
e,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;
4FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SA
AS,OAAT,C;;MAEX,OAAO,G;K;iFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB
,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;iFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MA
CC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;iFAGX,
yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U
ACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAFx,C;iFAkBA,yB;MrB1+DA,6B;MqB0+DA,sC;QAao
B,Q;QADhB,UrB5+DmC,cqB4+DnB,CrB5+DmB,C;QqB6+DnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAC
Z,MrBzsEiD,cqBysEjD,GrBzsE2D,KAAK,GqBysEzD,SAAS,OAAT,CrBzsEoE,KAAAX,IAAf,C;;QqB2sErD,OAA
O,G;O;KAhBX,C;iFAmBA,yB;MN1/DA,+B;MM0/DA,sC;QAaoB,Q;QADhB,UN3/DqC,eAAW,oBM2/D/B,CN3/
D+B,CAAX,C;QM4/DrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MNztEmD,eMytEnD,GNztE8D,KAA
K,KMytE5D,SAAS,OAAT,CNztEuE,KAAAX,CAAhB,C;;QM2tEvD,OAAO,G;O;KAhBX,C;IAYBe,oD;MAAA,qB;
QAAE,e;UAAM,MAAM,gCAAYB,2BAawB,mBAaxB,MAAzB,C;SAAZ,S;O;K;IANjB,qC;MAMI,OAAO,kBAA

I,gCAAJ,C;K;IAGX,oC;MAaI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,EAAwD,SAAXD,C;K;IASA,0D;MAAA,4B;MAAA,sC;K;IAG0B,+E;M AAA,qB;QAAE,IAAI,CAAC,iBAAD,IAAY,WAAM,eAAN,CAAhB,C;UAAiC,oBAAU,I;UAA3C,OAAiD,K;;UA AjD,OAA8D,I;O;K;6CAF7F,Y;MACI,kBAAC,KAAd,C;MACA,OAAkB,SAAX,eAAW,EAAO,kEAAp,CAA8E,W ;K;;IAT5G,qC;MAMI,kD;K;IAqBO,6D;MAAA,wC;MAAA,4B;K;IAG6B,8D;MAAA,qB;QAAE,OAAM,aAAN,m B;O;K;+CAFIC,Y;MACI,YAAqB,UAAAT,qBAAS,C;MACrB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W; K;;IAhBxD,sC;MAYI,IAAI,QxBy0KG,YAAQ,CwBz0Kf,C;QAAwB,OAAO,S;MAC/B,qD;K;IAoBO,6D;MAAA, wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MACI,YAAqB,4BAAT,qBA AS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAAW,EAAU,4CAAV,C AA0B,W;K;;IAIB5D,sC;MAYI,qD;K;IAuBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAAM, aAAN,mB;O;K;+CALtC,Y;MACI,YAAqB,YAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAA W,W;;QAEIB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IAIB5D,sC;MAYI,qD;K;8FAWJ,yB;MAAA, 4C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;KAPX,C;wFAUA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAYo B,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU, OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EA AY,MAAZ,C;O;KAnBX,C;IASBA,oC;MAMI,OAA6C,UAAiC,YAAW,SAAX,EAAiB,YAAW,OAAX,EAAjB,EA AsC,C;K;IAGjD,qC;MASI,OAAY,OAAL,SAAK,EAAc,OAAT,QAAS,CAAd,C;K;IAGhB,qC;MASI,OAA+C,UA AxC,YAAW,SAAX,EAA0B,aAAT,QAAS,CAA1B,EAAwC,C;K;IAGnD,sC;MASI,OAAkC,UAA3B,YAAW,SAAX,EAAiB,QAAjB,EAA2B,C;K;4FAGtC,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;I AUA,2D;MAGb+C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB, IAAvB,EAA6B,cAA7B,EAA2D,KAA3D,C;K;IAGX,sE;MAkBkD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA 0B,K;MACvF,OAAwE,OAAjE,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAiE,EAAI,S AAJ,C;K;IAYpC,4B;MAAY,cAAM,EAAN,C;K;IATpD,kC;MASI,OAAO,oBAAgB,SAAhB,EAASB,KAATB,EAA 6B,UAA7B,C;K;IAGX,6C;MAUI,OAAO,oBAAgB,SAAhB,EAASB,KAATB,EAA6B,SAA7B,C;K;IAcY,kC;MAA U,aAAK,CAAL,C;K;IAXjC,kC;MAWI,OAAO,yBAAY,kBAAZ,C;K;IAeiB,wH;MAAA,wC;MAAA,6B;MAAA,y B;MAAA,gD;MAAA,kD;MAAA,4B;MAAA,2B;MAAA,wB;MAAA,kC;K;;;sDAAA,Y;;;oCACL,sC;cACf,IAAI, CAAC,mBAAS,UAAAd,C;gBAAYB,M;;gBAAZB,gB;;;mCACc,mBAAS,O;cACvB,gB;;cAAA,KAAO,mBAAS, UAAhB,C;gBAAA,gB;;;gCACe,mBAAS,O;cACpB,gB;8BAAA,iCAAM,6BAAU,kBAAV,EAAMB,eAANB,CAA N,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,qBAAU,e;cAHd,gB;;cAKJ,W;;;K;IATwB,uE;MAAA,yD;u BAAA,4G;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAZ5B,6C;MAYI,OAAO,SAAS,0CAAT,C;K;IAYX,8F;MAU6D, yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MA AI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YA AY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO, SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAc,OAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,M AAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,4F;MAUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB, E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA oC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA 2D,SAA3D,EAAe,SAAtE,CAAI,F,W;K;IAOxE,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAJ3B,kC;MAII,oC AAgB,8BAAhB,C;K;2FAGJ,qB;MAKI,OAAO,S;K;IAGX,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C; MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB ,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,U AAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAm B,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IA GjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QA CZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAg B,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,

CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAA nB,E;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB ,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAA mB,qBAAnB,EAAmB,KAA nB,E;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;I AGjD,2B;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;MA EX,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAC Z,YAAO,O;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C; QAAgB,yB;QACZ,YAAO,OAAP,I;MAEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,Y;MACgB,2B;MAAhB,O AAgB,cAAhB,C;QAAgB,yB;QACZ,cAAO,OAAP,C;MAEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB, G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q ;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;MAEX,OAAO,G;K;ICL 0FX,qC;MAMI,aAAa,qBAAiB,YAA Y,cAAZ,CAAjB,C;MACb,kBAAC,KAAd,C;MN8xBgB,Q;MAAA,OM7xBT, SN6xBS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,2B;QAAU,oB;QM7xBK,IAAI,CAAC,SAAD,IAAY,ON6xBX,S M7xBW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;UAAjD,mBAA8D,I;QN6xBvE,qB;UM7xBD,MN6xB qC,WAAI,SAAJ,C;MM7xB1D,OAAqB,M;K;IAGzB,sC;MASI,aAAa,qBAAiB,SAAJB,C;MACN,YAAP,MAAO, EAAU,QAAV,C;MACP,OAAO,M;K;IAGX,sC;MASI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI, KAAM,UAAV,C;QACI,OAA Y,QAAL,SAAK,C;MACHB,IAAI,yBAAJ,C;QACgB,kBAAY,sB;QNqvBZ,Q;QAAA ,OMrvBL,SNqvBK,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CMrvBwB,qBNqvBb,OMrvBa,CNqv B5B,C;YAAyB,WAA Y,WAAI,OAAJ,C;QMrvBvD,ONsvBG,W;OMrvBP,aAAa,qBAAiB,SAAJB,C;MACb,MAA O,mBAAU,KAAV,C;MACP,OAAO,M;K;IAGX,uC;MASI,aAAa,qBAAiB,SAAJB,C;MACN,YAAP,MAAO,EAA U,QAAV,C;MACP,OAAO,M;K;gGAGX,yB;MAAA,8C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;KAPX,C;I AUA,qC;MAMI,aAAa,qBAAiB,YAA Y,iBAAO,CAAP,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP, MAAO,WAAI,OAAJ,C;MACP,OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAA Y,SAAK,KAAL,GAAY,QAAS ,OAArB,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO, M;K;IAGX,sC;MAMuD,UAA T,M;MAA1C,aAAa,qBAAiB,YAA Y,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL, WAAvC,4BAA2D,SAAK,KAAL,GAAY,CAAZ,IAAvE,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAA P,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAA Y,SAAK,KAAL,GAAY,CA AZ,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K ;8FAGX,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;IdhIA,oD;MAMuF,wC;K;IANvF, 8CAOI,Y;MAAuC,8B;K;IAP3C,gF;ICGA,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;gGcYA,y B;MAAA,uD;MAAA,gC;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAAJ,C AAtC,GAAsD,uBAAa,KAAb,E;O;KAPjE,C;gGAUA,yB;MAAA,+C;MAAA,mC;QAOI,OAA Y,UAAL,SAAK,EA AU,KAAV,C;O;KAPhB,C;0EAUUA,yB;MA8CA,6C;MAAA,oC;MAAA,gC;MA9CA,uC;QAOW,sB;;UA2CS,Q;U AAA,0B;UAAhB,OAAgB,cAAhB,C;YAAgB,oC;YAAM,IA3CH,SA2CO,CAAU,oBAAV,CAAJ,C;CAAwB,qBAA O,O;cAAP,uB;;UAC9C,qBAAO,I;;QA5CP,yB;O;KAPJ,C;kFAUA,yB;MA0HA,mD;MAAA,+C;MAAA,oC;MA1 HA,uC;QAOW,qB;;UAyHO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAA d,OAAc,cAA d,C;YAAc,uB;YACV,c AAc,qBAAK,KAAL,C;YACd,IA3Hc,SA2HV,CAAU,oBAAV,CAAJ,C;CAAwB,oBAAO,O;cAAP,sB;;UAE5B,oB AAO,I;;QA7HP,wB;O;KAPJ,C;IAUA,6B;MAKI,ICoKgD,qBAAU,CDpK1D,C;QACI,MAAM,2BAAuB,yBAAvB ,C;MACV,OAAO,qBAAK,CAAL,C;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAK oB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO, O;;QACrD,MAAM,gCAAuB,6DAAvB,C;O;KANV,C;IASA,mC;MAII,OckJgD,qBAAU,CDIJnD,GA Ae,IAAf,GA AyB,qBAAK,CAAL,C;K;wFAGpC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0B;QAAh B,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O; KALX,C;mFAQA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GA AsC,qBAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;O;KALjE,C;IAQA,uC;MAMI,OAAW,SAAS,CAAT,IAAc,S AAS,2BAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,I;K;0FAGjE,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIk B,gC;QAAA,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;

YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;wFAYA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAikB,
Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,iCAAK,KAAL,
EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;IAYA,4B;MAQI,ICsFgD,qBAAU,CDtF1D,C;QACI
,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,2BAAL,C;K;0EAGX,yB;MAAA,mD;MAAA,+C;MAAA,o
C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;
UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MA
AM,gCAAuB,6DAAvB,C;O;KAZV,C;IAeA,kC;MAMI,OC4DgD,qBAAU,CD5DnD,GAAe,IAAf,GAAyB,qBAAK
,mBAAS,CAAT,IAAL,C;K;sFAGpC,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAMkB,Q;QAAA,OAAa
,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,I
AAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;8EAaA,yB;MAAA,mC;MAAA,y
C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IC0BgD,qBAAU,CD1B1D,C;QACI,
MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAl,MAAO,iBAAQ,gBAAR,CAAX,C;K;0FAGX,yB;MAAA,m
C;MAAA,qD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,ICKgD,qBAAU,CDL1D,C
;QACI,OAAO,I;MACX,OAAO,qBAAl,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,8B;MAliB,IAAN,I;MAAA,Q
AAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,yBAAvB,C;aACX,C;UAAK,4BAAK,CAAL,C;UAAL,K;gBA
CQ,MAAM,gCAAYB,0CAAzB,C;;MAHIB,W;K;8EAOJ,yB;MAAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA
,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAaHb,OAAgB,cAA
hB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,wDAAzB,
C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,6DAAvB,C;QAEIB
,OAAO,4E;O;KafX,C;IAkBA,oC;MAII,OAAW,qBAAU,CAAd,GAAiB,qBAAK,CAAL,CAAjB,GAA8B,I;K;0FA
GzC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;
QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAA
O,I;YACIB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,OAAO,I;QACnB,OAAO,M;O;KAd
X,C;IAiBA,+B;Mb3PI,IAAI,EamQI,KAAK,CbnQT,CAAJ,C;QACI,cakQc,wD;QbjQd,MAAM,gCAAYB,OAAQ,W
AAjC,C;OakQV,OAAO,8BAAc,eAAF,CAAE,EAAa,gBAAb,CAAd,EAAoC,gBAApC,C;K;IAGX,+B;MbvQI,IAA
I,Ea+QI,KAAK,Cb/QT,CAAJ,C;QACI,ca8Qc,wD;Qb7Qd,MAAM,gCAAYB,OAAQ,WAAjC,C;Oa8QV,OE9G6E,o
BF8G1D,eAAF,CAAE,EAAa,gBAAb,CE9G0D,C;K;IFiHjF,kC;MbnRI,IAAI,Ea2RI,KAAK,Cb3RT,CAAJ,C;QAC
I,ca0Rc,wD;QbzRd,MAAM,gCAAYB,OAAQ,WAAjC,C;Oa0RV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY
,EAAc,CAAd,CAAI,C;K;IAGX,mC;Mb/RI,IAAI,EauSI,KAAK,CbvST,CAAJ,C;QACI,casSc,wD;QbrSd,MAAM,
gCAAYB,OAAQ,WAAjC,C;OasSV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAI,C;K;2
FAGX,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMi,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAA
U,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;QACf,OAAO,E;O;
KATX,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,C
AAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OE1Jof,0BF0JnE,CE1JmE,EF0JhE,QAAQ,CAAR,IE1JgE,C;
WF2J5F,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,M
AAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU
,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,KAAZ,EAAmB,gBAAnB,C;QACf,OAAO,E;O;KATX,C;
oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,
SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C
;YACI,OErlqE,oBFqLpD,KErLoD,C;WFsL7E,OAAO,E;O;KATX,C;8EAYA,yB;MAAA,yD;MAkFA,oC;MAIFA,
uC;QAMW,kBAAS,oB;QAKfM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAl,KAAJ,C;UACd,IAp
F6B,SAoFzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QApFxC,OAsFO,W;O;KA5FX,C;8EA
SA,yB;MAAA,yD;MAyEA,oC;MAzEA,uC;QAMW,kBAAS,oB;QAYEM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;
UACI,cAAc,qBAAl,KAAJ,C;UACd,IA3E6B,SA2EzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,
C;;QA3ExC,OA6EO,WA7EqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA+sBA,gC;MA+sBA,6C;MAAA,oC;MAr
uBA,uC;QAQW,kBAAGB,oB;QAouBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,e
AAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA7sB/B,IAvBoC,SAuBhC,CAAU,OAAY,EAAiB,OAjB,CAA
J,C;YAA2C,2BAAO,kBAAP,C;;QAvB/C,OAYBO,W;O;KAjCX,C;4FAWA,yB;MAAA,yD;MAWA,gC;MA+sBA,

6C;MAAA,oC;MA1tBA,uC;QAQW,kBAAGB,oB;QAytBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C; UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA7sB/B,IAZOC,SAYhC,CAAU,OAAV,EAA iB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAZ/C,OAcO,WAd4C,W;O;KARvD,C;gGAWA,yB;MAAA,gC; MA+sBA,6C;MAAA,oC;MA/sBA,oD;QAsTBiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC; UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA7sB/B,IAAI,UAAU,OAAV,EAAiB,OAAjB,CAAJ,C ;YAA2C,2BAAO,kBAAP,C;;QAE/C,OAAO,W;O;KAXX,C;oFAcA,yB;MAAA,yD;MAkBA,6C;MAAA,oC;MAA A,gC;MAiBA,uC;QAMW,kBAAY,oB;QAkBH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAA I,CAIBU,SAkBT,CAAU,oBAAV,CAAL,C;YAAyB,WAAY,gBAAO,OAAP,C;;QAlB3D,OAmBO,W;O;KAZBX,C ;oFASA,yB;MAAA,yD;MASA,6C;MAAA,oC;MAAA,gC;MATA,uC;QAMW,kBAAY,oB;QASH,Q;QAAA,0B;Q AAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CATU,SAST,CAAU,oBAAV,CAAL,C;YAAyB,WAAY,gBA AO,OAAP,C;;QAT3D,OAuo,WAVwC,W;O;KANnD,C;wFASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,o D;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C; YAAyB,WAAY,gBAAO,OAAP,C;;QAC3D,OAAO,W;O;KAPX,C;kFAUA,yB;MAAA,oC;MAAA,oD;QAM0B,Q ;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAJ,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAw B,WAAY,gBAAO,OAAP,C;;QAExC,OAAO,W;O;KAVX,C;IAaA,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAA O,E;MAC9B,OAAO,yBAAY,OAAZ,C;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OA AO,uBAAU,OAAV,C;K;IAGX,sC;MAOc,Q;MAHV,WAAMb,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI ,SAAQ,CAAZ,C;QAae,OAAO,E;MACtB,aAAa,mBAAc,IAAd,C;MACH,yB;MAAV,OAAU,cAAV,C;QAAU,mB ;QACN,MAAO,gBAAO,qBAAI,CAAJ,CAAP,C;;MAEX,OAAO,M;K;4EAGX,yB;MAAA,8B;MAAA,uC;MAAA, qC;QAKY,Q;QAAR,OAA8B,MAAtB,2DAAsB,EAAM,OAAN,CAAe,W;O;KALjD,C;IAQA,+B;Mb/dI,IAAI,Eaue I,KAak,CbveT,CAAJ,C;QACI,casec,wD;Qbred,MAAM,gCAAYB,OAAQ,WAAjC,C;OaseV,OAAO,8BAAY,CA AZ,EAAiB,eAAF,CAAE,EAAa,gBAAb,CAAJB,C;K;IAGX,+B;Mb3eI,IAAI,EamfI,KAak,CbnfT,CAAJ,C;QACI, cakfc,wD;Qbjfd,MAAM,gCAAYB,OAAQ,WAAjC,C;OakfV,OE/U4F,oBF+U3E,CE/U2E,EF+UtE,eAAF,CAAE,E AAa,gBAAb,CE/UsE,C;K;IFkVhG,kC;Mbvfi,IAAI,Ea+fI,KAak,Cb/ft,CAAJ,C;QACI,ca8fc,wD;Qb7fd,MAAM,g CAAyB,OAAQ,WAAjC,C;Oa8fV,aAAa,gB;MACb,OAAO,8BAAY,SAAW,eAAF,CAAE,EAAa,MAAb,CAAX,IA AZ,EAA6C,MAA7C,C;K;IAGX,mC;MbpGBl,IAAI,Ea4gBl,KAak,Cb5gBT,CAAJ,C;QACI,ca2gBc,wD;Qb1gBd, MAAM,gCAAYB,OAAQ,WAAjC,C;Oa2gBV,aAAa,gB;MACb,OE5W6E,oBF4W5D,SAAW,eAAF,CAAE,EAAa, MAAb,CAAX,IE5W4D,C;K;2FF+WjF,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CA A/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,QAAQ,CAAR,IAAZ,E AAuB,gBAAvB,C;;QAGf,OAAO,8BAAY,CAAZ,EAAe,gBAaf,C;O;KAXX,C;4FAcA,yB;MAAA,uD;MAAA,oC; MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C ;YACI,OErfYqE,oBFqYpD,QAAQ,CAAR,IErfYd,C;;QFwY7E,OAAO,S;O;KAXX,C;oFAcA,yB;MAAA,oC;MA AA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAJ,EAAV,CAAL, C;YACI,OAAO,8BAAY,CAAZ,EAAe,KAaf,C;WAEf,OAAO,8BAAY,CAAZ,EAAe,gBAaf,C;O;KAVX,C;oFAa A,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI, KAaj,EAAV,CAAL,C;YACI,OE7ZoF,oBF6ZnE,CE7ZmE,EF6ZHE,KE7ZgE,C;WF+Z5F,OAAO,S;O;KAVX,C;I AaA,gC;MAII,OAAO,qBAAc,SAAd,CAAoB,U;K;kFAG/B,yB;MAAA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAA R,OAA8B,SAAtB,2DAAsB,CAAW,W;O;KAL7C,C;oFAQA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4EA,6C; MAAA,oC;MAAA,gC;MA5EA,uC;QAWI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAc,EAAc,C;QAC5B,kBA AY,mBAAoB,QAApB,C;QAYEH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WA1E8C,SA0E/B ,CAAU,oBAAV,C;UnBIDnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,C;;QmBxBa,OA4EO,W;O;KAXFX,C ;wFAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA6BA,6C;MAAA,oC;MAAA,gC;MA7BA,yC;QAWI,eAAmC,c AApB,YAAY,gBAAZ,CAAoB,EAAc,EAAc,C;QAC5B,kBAAc,mBAAuB,QAAvB,C;QA2BL,Q;QAAA,0B;QAA hB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAY,aA5BuC,WA4BnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;; QA5BhB,OA8BO,W;O;KA1CX,C;wFAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA8BA,6C;MAAA,oC;MAAA, gC;MA9BA,yD;QAUl,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAc,EAAc,C;QAC5B,kBAAc,mBAAoB,QAAp B,C;QA6BL,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAY,aA9BoC,WA8BhC,CAAY,oBA AZ,CAAJ,EA9BiD,cA8BvB,CAAe,oBAaf,CAA1B,C;;QA9BhB,OA9CO,W;O;KA3CX,C;4FAcA,yB;MAAA,6C;

MAAA,oC;MAAA,gC;MAAA,sD;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAy,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;4FAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAy,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;wFAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAe,UAAU,oBAAV,C;UnBIDnB,wBAAL,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QmBoDA,OAAO,W;O;KAZX,C;4FAeA,yB;MAAA,uD;MAAA,0D;MAAA,yD;MAAA,uE;MAgBA,6C;MAAA,oC;MAAA,gC;MAhBA,2C;QAYI,aAAa,mBAA6D,cAAtC,YAAmB,aAAP,gBAAO,EAAa,GAAb,CAAnB,CAAsC,EAAc,EAAAd,CAA7D,C;QAcG,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAbO,MAcP,aAAI,oBAAJ,EAd,e,aAcF,CAAc,oBAAAd,CAAb,C;;QAdhB,OAAuB,M;O;KAb3B,C;+FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,wD;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,oBAAJ,EAAa,cAAc,oBAAAd,CAAb,C;;QAEhB,OAAO,W;O;KAbX,C;IAGBA,iD;MAliB,Q;MAAA,4B;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,WAAy,WAAI,iBAAJ,C;;MAEhB,OAAO,W;K;IAGX,iC;MAIL,OAAO,2BAAa,eAAc,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAAd,CAAb,C;K;IAGX,8B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,EAAP,C;UAAL,K;gBACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,qC;MAIL,OAAO,2BAAa,iBAAgB,gBAAhB,CAAb,C;K;IAGX,6B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;gBACQ,kCAAa,qBAAoB,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;gFAOJ,yB;MAAA,+D;MA0CA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MA1CA,uC;QAMW,kBAAU,gB;QAwCD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAzC6B,SAyCIB,CAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA1ChB,OA4CO,W;O;KAIDX,C;8FASA,yB;MAAA,+D;MAeA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAfA,uC;QAYW,kBAAiB,gB;QAcR,gB;QADhB,YAAy,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAfO,C,SAezB,EAAU,cAAV,EAAU,sBAAV,WAAmB,oBAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAhBhB,OakBO,W;O;KA9BX,C;kGAeA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAy,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,oBAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;oFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;gFAWA,yB;MAAA,wE;MAyBA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;UnBzhBP,U;UADP,Ymb2hBe,WnB3hBH,WmB2hBwB,GnB3hBxB,C;UACL,IAAI,aAAJ,C;YACH,amByhBuC,gB;YAA5B,WnBxhBX,ambWhBgC,GnBxhBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UmBqhBA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;gFAYA,yB;MAAA,wE;MA8BA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;UnB3iBP,U;UADP,Ymb6iBe,WnB7iBH,WmB6iBwB,GnB7iBxB,C;UACL,IAAI,aAAJ,C;YACH,amb2iBuC,gB;YAA5B,WnB1iBX,amb0iBgC,GnB1iBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UmBuiBA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAE,oBAAf,CAAJ,C;;QAJCT,OAmCO,W;O;KA7CX,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAy,oBAAZ,C;UnB3iBP,U;UADP,Ymb6iBe,WnB7iBH,WmB6iBwB,GnB7iBxB,C;UACL,IAAI,aAAJ,C;YACH,amb2iBuC,gB;YAA5B,WnB1iBX,amb0iBgC,GnB1iBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UmBuiBA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;qFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAAgD,OAAgB,SAAhB,oBAAgB,C;O;MATxE,iDAUQ,mB;QAAuC,gCAAY,oBAAZ,C;O;MAV/C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;wEAeA,yB;MAAA,gE;MAyEA,6C;MAAA,oC;MAAA,gC;MAzEA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAUeA,Q;QAAA,0B;QAAb,O

AAa,cAAb,C;UAAa,iC;UACT,WAAY,WAXEmB,SAwEf,CAAU,iBAAV,CAAJ,C;;QAxEhB,OAYEO,W;O;KAhF
X,C;sFAUA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,gC;MA/BA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAg
CP,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WAjC0B,SAiCtB,EAAU,cAA
V,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAJChB,OAKCO,W;O;KAZCX,C;mGAUA,yB;MAAA,+D;MAUA
,gC;MAoLA,6C;MAAA,oC;MA9LA,uC;QAOW,kBAAoB,gB;QA8Ld,gB;QADb,YAAY,C;QACC,0B;QAAb,OA
Aa,cAAb,C;UAAa,iC;UApLsB,U;UAAA,cAVQ,SAUR,EAoLT,cApLS,EAoLT,sBApLS,WAoLA,iBApLA,W;YA
A6C,6B;;QAVhF,OAWO,W;O;KAIBX,C;uGAUA,yB;MAAA,gC;MAoLA,6C;MAAA,oC;MApLA,oD;QA2LiB,g
B;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UApLsB,U;UAAA,yBAoLT,cApLS,EAoLT,sBAp
LS,WAoLA,iBApLA,W;YAA6C,6B;;QACHF,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,6C;MAAA,oC;MAAA,g
C;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,W
AAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QACHB,OAAO,W;O;KAVX,C;qFAaA,yB;MAA
A,+D;MAUA,gC;MA2IA,6C;MAAA,oC;MARJA,uC;QAOW,kBAAa,gB;QAKJJ,Q;QAAA,0B;QAAhB,OAAgB,cA
AhB,C;UAAgB,oC;UA1IK,U;UAAA,cARe,SAQf,CA0IQ,oBA1IR,W;YAA6C,6B;;QAR3D,OASO,W;O;KAhBX,
C;yFAUA,yB;MAAA,gC;MA2IA,6C;MAAA,oC;MA3IA,oD;QA+IoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;U
AAgB,oC;UA1IK,U;UAAA,wBA0IQ,oBA1IR,W;YAA6C,6B;;QAC3D,OAAO,W;O;KANX,C;4EASA,yB;MAAA
,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WA
AI,UAAU,iBAAV,CAAJ,C;;QACHB,OAAO,W;O;KAPX,C;IAe4B,4C;MAAA,mB;QAAE,iC;O;K;IAL9B,iC;MA
KI,OAAO,qBAAiB,6BAAjB,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0
B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;;QA
CtD,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,ECryByC,qBAAU,CDqyBnD,C;K;wEAGX,yB;MAAA,6C;M
AAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UA
AU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KAPX,C;4EAU,qB;MAKI,OAAO,gB;K;4EAGX,y
B;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADhB,YAAY,C;QACI,0B;QAAhB,OAAgB,cAAhB
,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB;;QAC9C,OAAO,K;O;KANX,C;0EASA,yB;M
AAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAUoB,Q;QADhB,kBAakB,O;QACF,0B;QAAhB,OAAgB,cAAhB,
C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;;QACpC,OAAO,W;O;KAXX,C;wFAcA,yB;MA
AA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAYoB,UAA8B,M;QAF9C,YAAY,C;QACZ,kBAakB,O;QACF,0B;Q
AAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,o
BAAhC,C;;QACpC,OAAO,W;O;KAbX,C;mFAgBA,yB;MAAA,uD;MAAA,oC;MAAA,gD;QAYoC,Q;QAHhC,Y
AAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,kCAAI,YAAJ,EAAI,oBAAJ,S
AAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;iGaiBA,yB;MAAA,uD;MAAA,oC;MAAA,gD;QAUI,Y
AAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,iCAAI,KAJ,
EAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;gFamBA,yB;MAAA,6C;MAAA,oC;MAA
A,gC;MAAA,oC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;O;KAJ
IB,C;8FAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1B,YAAY,C;QACC,0B;Q
AAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;O;KAPvB,C;IAUA,2B;
MAGI,OAAO,uB;K;4EAGX,yB;MAMA,uD;MAAA,oC;MANA,sC;QAGW,sB;;UAUP,ICz6BgD,qBAAU,CDy6B
ID,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,qBAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAj
B,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAdmB,QAcJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M
;YACI,QAAQ,qBAAK,CAAL,C;YACR,QAJBe,QAiBP,CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAJ,C;cA
CI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QAvBP,yB;O;KAHJ,C;wFAMA,yB;MAAA,uD;MAAA,oC;
MAAA,sC;QAOI,ICz6BgD,qBAAU,CDy6BID,C;UAAe,OAAO,I;QACTB,cAAc,qBAAK,CAAL,C;QACd,gBAAq
B,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,
CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CA
AX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;4EAuBA,yB;MAAA,sE;MAAA,
oC;MAAA,uD;MTvICA,iB;MSulCA,sC;QAeiB,Q;QAFb,ICt8BgD,qBAAU,CDs8BID,C;UAAe,MAAM,6B;QACr
B,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,E
AAT,C;UACR,WT/ICG,MAAK,KS+ICS,QT/ICT,ES+ICmB,CT/ICnB,C;;QSimCZ,OAAO,Q;O;KAnBX,C;4EAsB

A,yB;MAAA,sE;MAAA,oC;MAAA,uD;MTznCA,iB;MSynCA,sC;QAeiB,Q;QAFb,IC59BgD,qBAAU,CD49B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QA AQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WTjoCG,MAAK,KSioCS,QTjoCT,ESioCmB,CTjoCnB,C;;QSmocZ,O AAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,sC;QAaiB,Q;QAFb,ICb/BgD,qBAA U,CDg/B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,i B;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB ,OAAO,Q;O;KAnBX,C;wFAsBA,yB;MAAA,oC;MAAA,uD;MTzpCA,iB;MSypCA,sC;QAaiB,Q;QAFb,ICtgCgD, qBAAU,CDsgC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAA V,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WT/pCG,MAAK,KS+pCS,QT/pCT,ES+pCmB,CT/pCn B,C;;QSiqCZ,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;MTzrCA,iB;MSyrCA,sC;QAaiB,Q;QAF b,IC1hCgD,qBAAU,CD0hC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb, aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WT/rCG,MAAK,KS+rCS,QT/rCT,ES+rCm B,CT/rCnB,C;;QSiCZ,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,sC;QAWiB,Q;QAFb,I C5iCgD,qBAAU,CD4iC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aA AU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAA W,C;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb, IC1kCgD,qBAAU,CDkkC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb ,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAA IB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;gGAsBA,yB;MAAA,oC;MAAA, uD;MAAA,kD;QAWiB,Q;QAFb,ICt1CgD,qBAAU,CDs1C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CA AL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAA W,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;IA oBA,iC;MAOiB,Q;MAFb,ICtmCgD,qBAAU,CDsmC1D,C;QAae,OAAO,I;MActB,UAAU,qBAAK,CAAL,C;MA CG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C ;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOiB,Q;MAFb,IC1nCgD,qBAAU ,CD0nC1D,C;QAae,OAAO,I;MActB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAA Q,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAA M,C;;MAE9C,OAAO,G;K;IAGX,2B;MAGI,OAAO,uB;K;4EAGX,yB;MAMA,uD;MAAA,oC;MANA,sC;QAGW, sB;;UAUP,ICtpCgD,qBAAU,CDspC1D,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,qBAAK,CAAL,C;UACd,gBA AqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAdmB,QAcJ,CAAS,oBAAT,C;U ACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,qBAAK,CAAL,C;YACR,QAjBe,QAiBP,CAAS,cAAT,C;YACR ,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QAvBP,yB;O;KAHJ,C;w FAMA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAoi,ICtpCgD,qBAAU,CDspC1D,C;UAAe,OAAO,I;QACtB,cAAc ,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eA Ae,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,CAAL,C;UACR,QAAQ,SAAS, cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX, C;4EAuBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MTtmCA,iB;MSsmCA,sC;QAeiB,Q;QAFb,ICnrCgD,qBAAU,C DmrC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB; UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WT9mCG,MAAK,KS8mCS,QT9mCT,ES8mCmB,CT9mCn B,C;;QSGnZ,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MTxoCA,iB;MSwoCA,sC;Q AeiB,Q;QAFb,ICzsCgD,qBAAU,CDysC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;Q ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WThpCG,MAAK,KSgpCS ,QThpCT,ESgpCmB,CThpCnB,C;;QSkpCZ,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,u D;MAAA,sC;QAaiB,Q;QAFb,IC7iCgD,qBAAU,CD6tC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CA AL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAA W,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;wFAsBA,yB;MAAA,oC;MAAA,uD;MTxq CA,iB;MSwqCA,sC;QAaiB,Q;QAFb,ICnvCgD,qBAAU,CDmvC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAA K,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WT9q

CG,MAAK,KS8qCS,QT9qCT,ES8qCmB,CT9qCnB,C;;QSgrCZ,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;MTxsCA,iB;MSwsCA,sC;QAaiB,Q;QAFb,ICvWcGd,qBAAU,CDuWC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WT9sCG,MAAK,KS8sCS,QT9sCT,ES8sCmB,CT9sCnB,C;;QSgtCZ,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,sC;QAWiB,Q;QAFb,ICzxCGd,qBAAU,CDyx1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb,IC/yCgD,qBAAU,CD+y1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KANBX,C;gGAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICn0CgD,qBAAU,CDm0C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICn1CgD,qBAAU,CDm1C1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOiB,Q;MAFb,ICv2CgD,qBAAU,CDu2C1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAJ,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4B;MAMI,Oct3CgD,qBAAU,C;K;0EDy3C9D,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KAPX,C;8EAUA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAARc,gB;O;KALJ,C;4FAQA,yB;MAAA,6B;MAAA,sC;MA/fA,6C;MAAA,oC;MAAA,gC;MA+fA,2BAQiB,yB;QAVgBjB,6C;QAAA,oC;QAAA,gC;eAugBiB,0B;UAAA,4B;YAAE,aAAe,c;YAhgBjB,gB;YADb,YAAY,C;YACC,0B;YAAb,OAAa,cAAb,C;cAAa,iC;cAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;YAggBmB,W;W;S;OAAzB,C;MARjB,oC;QAxfiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;QAggBnB,gB;O;KARJ,C;8EAWA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICn6CgD,qBAAU,CDm6C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KANBX,C;4FAsBA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICz7CgD,qBAAU,CDy7C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAY,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KANBX,C;wGAsBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IC/8CgD,qBAAU,CD+8C1D,C;UACI,OAAO,I;QACX,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAY,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KANBX,C;0FAsBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAiBqB,Q;QAHjB,ICt+CgD,qBAAU,CDs+C1D,C;UACI,OAAO,I;QACX,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KApBX,C;uFAuBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAakB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O;KANBX,C;qGAsBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAakB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAAY,EAAiB,iCAAI,KAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;iHAuBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAAY,EAAiB,iCAAI,KAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;mGAuB

A,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,sBAAl,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UAC I,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O;KApBX,C;wFAu BA,yB;MAAA,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAgBoB,Q;QAHhB,ICvIdgD,qBA AU,CDulD1D,C;UAAe,OAAO,OAAO,OAAP,C;QACgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QA A9C,aV9uDO,W;QU+uDP,kBAAkB,O;QACF,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,cAAc,UAAU,W AAV,EAAuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KApBX,C;sGAuBA,yB;MAAA,g D;MAAA,gE;MAAA,mD;MAAA,oC;MAAA,gD;QAIbKB,gC;QAHd,IC/mdgD,qBAAU,CD+mD1D,C;UAAe,OA AO,OAAO,OAAP,C;QACgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,aVtwDO,W;QUuwDP, kBAAkB,O;QACJ,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,E AA8B,iCAAK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4FAwBA,yB;M AAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,Q;QAHtB,ICtoDgD,qBAAU,CDsoD1D,C;UAA e,OAAO,W;QACtB,sBAAkB,qBAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAGB,gBAAhB,C;QAAgC,sBAAl,0B AAJ,C;QAA7C,aV9xDO,W;QU+xDe,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,0BAAV,EAAuB,iCA AK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;M AAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAIb0B,Q;QAHtB,IC9pDgD,qBAAU,CD8pD1D,C;UAAe,OAAO,W; QACtB,sBAAkB,qBAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAGB,gBAAhB,C;QAAgC,sBAAl,0BAAJ,C;QA A7C,aVtzDO,W;QUuzDe,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,KAAV,EAAiB,0BAAJB,EAA8B,i CAAK,KAAL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KArBX,C;0EAwBA,yB;MA9FA,g D;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MA8FA,gD;QAcW,sB;;UA5FS,Q;UAHhB,ICvIdgD,qBAAU,CD ulD1D,C;YAAe,qBAAO,OA+FH,OA/FG,C;YAAP,uB;WACuB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;UAAiC,s BA8F3B,OA9F2B,C;UAA9C,aV9uDO,W;UU+uDP,kBA6FmB,O;UA5FH,0B;UAAhB,OAAGB,cAAhB,C;YAAgB ,oC;YACZ,cA2FwB,SA3FV,CAAU,WAAV,EAAuB,oBAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO, M;;QAwFP,yB;O;KADJ,C;wFAiBA,yB;MAxFA,gD;MAAA,gE;MAAA,mD;MAAA,oC;MAwFA,gD;QAEw,6B;; UAAtFO,gC;UAHd,IC/mdgD,qBAAU,CD+mD1D,C;YAAe,4BAAO,OAYFI,OAZFJ,C;YAAP,8B;WACuB,kBAAzB ,eAAa,mBAAS,CAAT,IAAb,C;UAAiC,sBAwFpB,OAxFoB,C;UAA9C,aVtwDO,W;UUuwDP,kBAuF0B,O;UAAtFZ ,6B;UAAA,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAQf+B,SArFjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,i CAAK,KAAL,EAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;QakFP,gC;O;KAFJ,C;SFAKBA,yB; MAIFA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAkFA,uC;QAIW,wB;;UAAtEe,Q;UAHtB,ICtoDgD,qBAAU,CDso D1D,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAAkB,qBAAK,CAAL,CAAIB,C;UACqC,kBAAxB,eAAGB,gBAA hB,C;UAAgC,sBAAl,0BAAJ,C;UAA7C,aV9xDO,W;UU+xDe,uB;UAAtB,iBA Ac,CAAd,wB;YACI,gBAAc,UAOdu,SApDV,CAAU,KAAV,EAAiB,0BAAJB,EAA8B,iCAAK,KAAL,EAA9B,E; YACd,MAAO,WAAI,0BAAJ,C;;UAEX,8BAAO,M;;QAIbDP,kC;O;KAJJ,C;4EAOA,yB;MAAA,6C;MAAA,oC;M AAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,YAA O,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KARX,C;wFAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,s C;QAKoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,OAAO,SAAS,oBAAT ,C;;QAEX,OAAO,G;O;KARX,C;4EAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,U AAoB,C;QACJ,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;O; KAbX,C;4EAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,UAAe,C;QACC,0B;QAA hB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAbX,C;4EAgBA,y B;MAAA,SASoB,gB;MATpB,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,Y;QACgB,0B;QAAhB,O AAGB,cAAhB,C;UAAgB,oC;UACZ,cAAO,SAAS,oBAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;4EAgBA,yB;M AAA,6C;MAAA,oC;MAAA,gC;MvBxuDA,6B;MuBwuDA,sC;QAWoB,Q;QADhB,UvBxuDmC,cuBwuDnB,CvB xuDmB,C;QuByuDnB,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,MvBr8DiD,cuBq8DjD,GvBr8D2D,KAA

K,GuBq8DzD,SAAS,oBAAT,CvBr8DoE,KAAX,IAAf,C;;QuBu8DrD,OAAO,G;O;KAdX,C;4EaiBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MRtvDA,+B;MQsvDA,sC;QAWoB,Q;QADhB,URrvDqC,eAAW,oBQqvD/B,CRrvD+B,CAAX,C;QQsvDrB,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,MRn9DmD,eQm9DnD,GRn9D8D,KAAK,KQm9D5D,SAAS,oBAAT,CRn9DuE,KAAX,CAAhB,C;;QQq9DvD,OAAO,G;O;KAdX,C;IAiBA,oC;MAWI,OA AO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAgBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IA AtC,EAAwD,SAAXD,C;K;IAcsB,oC;MAAE,OAAA,EAAG,W;K;IAXtC,0C;MAWI,OAAO,6BAAgB,IAAhB,E AAsB,sBAAtB,C;K;IAGX,uD;MAgBI,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA8C,IAA9C,EAAgE,SAAhE,C ;K;oFAGX,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,o B;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YAC I,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAL,EAAy,MAAZ,C;O;K AjBX,C;oFAoBA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,Y AAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ, C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAM,WAAx,EAA uB,MAAO,WAA9B,C;O;KAjBX,C;IAqCgD,6B;MAAE,OAAA,EAAG,W;K;IAjBrD,2D;MAgB4C,oB;QAAA,OA AY,C;MAAG,8B;QAAA,iBAA0B,K;MACjF,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAqB,cAArB,EAAqC,eAArC,C ;K;IAGX,sE;MAkBgD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MAQhE,Q;MAPrB,oBAAoB,IAApB, EAA0B,IAA1B,C;MACA,eAAe,SAAK,O;MACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAMB,CA AvB,GAA0B,CAA1B,GAAiC,CAAnD,K;MACrB,aAAa,iBAAa,cAAb,C;MACb,YAAY,C;MACZ,OAAgB,CAAT, qBAAiB,QAAxB,C;QACI,UAAU,QAAQ,IAAR,I;QACO,IAAI,MAAM,CAAN,IAAW,MAAM,QAAR,B,C;UAAiC, IAAI,cAAJ,C;YAAoB,e;;YAAc,K;;UAAa,U;QAAjG,qB;QACA,MAAO,WAAI,UAAU,8BAAy,KAAZ,EAAmB, UAAAnB,CAAV,CAAJ,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO,M;K;IAoB6C,qC;MAAE,OAAA,EAAG,W;K;IAj B7D,iE;MAgBoD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACzF,OAAO,8BAAiB,IAAjB,EAAuB,I AAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;K;IAwByB,2F;MAAA,wB;QAC5B,UAAU,QAAQ,YAAR,I;QACV,iB AAqB,MAAM,CAAN,IAAW,MAAM,4BAAR,B,GAA6B,4BAA7B,GAAyC,G;QAD1D,OAEA,kBAAU,0CAAy,K AAZ,EAAmB,UAAAnB,CAAV,C;O;K;IAxBR,gF;MAkBWd,sB;QAAA,SAAY,C;MAAG,8B;QAAA,iBAA0B,K;M AC7F,oBAAoB,IAApB,EAA0B,MAA1B,C;MACA,cAAc,KAAK,cAAJ,GAAoB,yBAAPB,GAAiC,WAAQ,mBA AS,IAAT,GAAgB,CAAhB,IAAR,CAAI,EAAkE,MAAIE,C;MACd,OAA4B,OAAb,aAAR,OAAQ,CAAa,EAAI,q DAAJ,C;K;IAOhC,kC;MAkBI,aT1/DO,MAAK,KS0/DY,gBT1/DZ,ES++DD,KAW2B,OT1/D1B,C;MS2/DZ,WAA W,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAIB,M;QACI,IAAK,WAdqB,GAcP,iCAAK,CAAL,EAdO ,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CACrB,C;;MADT,OAgBO,I;K;wEAbX,yB;MAAA,gE;MAAA,oC;M Tz/DA,iB;MSy/DA,8C;QAQI,aT1/DO,MAAK,KS0/DO,SAAK,OT1/DZ,ES0/DoB,KAAM,OT1/D1B,C;QS2/DZ,W AAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,MAAIB,M;UACI,IAAK,WAAI,UAAU,iCAAK,CAAL,EAA V,EAAmB,6BAAM,CAAN,EAAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAGBA,kC;MASW,sB;;QAAP,WAAW, mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,qBAAO,W;UAAP,uB;SACd,aAAa,iBAAa,IAAb,C;QACb, iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WAjBkB,GAiBJ,iCAAK,KAAL,EAjBI,EAiBS,iCAAK,QAAQ,CA AR,IAAL,EAjBT,CAiBIB,C;;QAEX,qBAAO,M;;;MANBP,yB;K;uFAGJ,yB;MAAA,qD;MAAA,gE;MAAA,oC;M AAA,uC;QAUI,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,OAAO,W;QACrB,aAAa,eAAa,I AAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WAAI,UAAU,iCAAK,KAAL,EAAV,EAAuB,iCAA K,QAAQ,CAAR,IAAL,EAAvB,CAAJ,C;;QAEX,OAAO,M;O;KAhBX,C;IAwBoB,8C;MAAA,mB;QAAE,OAAK, WAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;QAAKB,OC7kE0B,qBAAU,C;OD6kE1D,S;QAAiC,OAAO, W;MACxC,oCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,WAAL,eAAK,C;O;K;IAL3B,kC;MAI Q,wC;MAAA,S;QAAKB,OCrIE0B,qBAAU,C;ODqIE1D,S;QAAiC,OAAO,e;MACxC,oCAAgB,8BAAhB,C;K;IGn vEkC,yC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,C3B6FV,K;O;K;I4B7FH,wC;MAAA,wB;QAAW,OAAA,aAA K,KAAL,C3ByHV,K;O;K;I4BzHC,yC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,CboIV,K;O;K;IcpIC,0C;MAAA, wB;QAAW,OAAA,aAAK,KAAL,C5BwGV,K;O;K;4F6BhKzC,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB; MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI, CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,q B;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBA

B;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OA AO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C; QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;2FAGX,yB;MAkqGI,8 D;MAlqGJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBA2pGT,cAAR,iBAAQ,C;SA3pGhB,OAAO,OAAc,sBAAI,K AAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MAgqGI,8D;MAhqGJ,iD;QAOe,oBAAS,C;QAAT, S;UAAc,gBAypGT,cAAR,iBAAQ,C;SAzpGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O; KAPjE,C;2FAUA,yB;MA8pGI,8D;MA9pGJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBAupGT,cAAR,iBAAQ,C;SA vpGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA4pGI,8D;MA5 pGJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBAqpGT,cAAR,iBAAQ,C;SArpGhB,OAAO,OAAc,sBAAI,KAAJ,C AAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;IAUA,wC;MAQe,oBAAS,C;MAAT,S;QAAc,gBAknGT,gBAAR,iBAA Q,C;OAlnGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAc,g BA+mGT,gBAAR,iBAAQ,C;OA/mGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oB AAS,C;MAAT,S;QAAc,gBA4mGT,gBAAR,iBAAQ,C;OA5mGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD ,I;K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAc,gBAymGT,gBAAR,iBAAQ,C;OAZmGhB,OAAO,OAAc,sBA AI,KAAJ,CAAtC,GAAsD,I;K;uFAGjE,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,O9B9jBU, K8B8jBIB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,Of7jBY,Ke6jB pB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,O/B9mBY,K+B8mBp B,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,O7B7mBc,K6B6mBtB, C;O;KAPnB,C;iGAUA,yB;MAAA,sC;M9BpgBA,6B;M8BogBA,0BAOgC,yB;Q9B3gBhC,6B;e8B2gBgC,6B;UA AA,qB;YAAE,yB9BjgBK,c8BigBK,E9BjgBL,C8BigBL,C;W;S;OAAF,C;MAPhC,uC;QAOMb,kBAAR,iB;QAAQ ,uB;;UjC8yBf,0D;YACI,IiC/yB0B,U9BjgBK,cHgzCjB,YAAK,KAAL,CGhzCiB,C8BigBL,CjC+yB1B,C;cACI,sB AAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QiCnzBP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;Mf/fA,+B;Me+fA,0BAOg C,yB;QftgBhC,+B;eesgBgC,6B;UAAA,qB;YAAE,yBf5fQ,ee4fE,Ef5fF,Ce4fR,C;W;S;OAAF,C;MAPhC,uC;QAO mB,kBAAR,iB;QAAQ,uB;;UjCgzBf,0D;YACI,IiCzjB0B,Uf5fQ,elB6yCpB,YAAK,KAAL,CkB7yCoB,Ce4fR,CjCi zB1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QiCrzBP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;M/B1jBA, +B;M+B0jBA,0BAOgC,yB;Q/BjkBhC,+B;e+BikBgC,6B;UAAA,qB;YAAE,yB/BvjBQ,e+BujBE,E/BvjBF,C+Buj BR,C;W;S;OAAF,C;MAPhC,uC;QAOMb,kBAAR,iB;QAAQ,uB;;UjCkwBf,0D;YACI,IiCnwB0B,U/BvjBQ,eF0zC pB,YAAK,KAAL,CE1zCoB,C+BujBR,CjCmwB1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QiCvwpB,0 B;O;KAPJ,C;iGAUA,yB;MAAA,sC;M7BvjBA,iC;M6BujBA,0BAOgC,yB;Q7B9jBhC,iC;e6B8jBgC,6B;UAAA,q B;YAAE,yB7BpjBW,gB6BojBD,E7BpjBC,C6BojBX,C;W;S;OAAF,C;MAPhC,uC;QAOMb,kBAAR,iB;QAAQ,u B;;UjCowBf,0D;YACI,IiCnwB0B,U7BpjBW,gBjyzCvB,YAAK,KAAL,CizzCuB,C6BojBX,CjCqwB1B,C;cACI,s BAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QiCzwBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MjCq3BA,0D;MAAA,+ C;MGj6CA,6B;M8B4iBA,yBAO+B,yB;Q9BnjB/B,6B;e8BmjB+B,6B;UAAA,qB;YAAE,yB9BziBM,c8ByiBI,E9B ziBJ,C8ByiBN,C;W;S;OAAF,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UjCk3BD,Q;UAAA,OAAQ,SAAR,w BAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IiCn3ByB,U9BziBM,cH45CjB,YAAK,KAAL,CG55Ci B,C8ByiBN,CjCm3BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QiCv3BP,yB;O;KAPJ,C;+FAUA,yB;M AAA,sC;MjCu3BA,0D;MAAA,+C;MkB95CA,+B;MeuiBA,yBAO+B,yB;Qf9iB/B,+B;ee8iB+B,6B;UAAA,qB;YA AE,yBfpiBS,eeoiBC,EfpiBD,CeoiBT,C;W;S;OAAF,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UjC03BD,Q;U AAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IiCr3ByB,UfpiBS,elBy5CpB,YA AK,KAAL,CkBz5CoB,CeoiBT,CjCq3BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QiCz3BP,yB;O;KAP J,C;+FAUA,yB;MAAA,sC;MjCy0BA,0D;MAAA,+C;ME36CA,+B;M+BkmBA,yBAO+B,yB;Q/BzmB/B,+B;e+By mB+B,6B;UAAA,qB;YAAE,yB/B/IBS,e+B+IBC,E/B/IBD,C+B+IBT,C;W;S;OAAF,C;MAP/B,uC;QAOMb,kBAA R,iB;QAAQ,sB;;UjCs0BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,Ii Cv0ByB,U/B/IBS,eFs6CpB,YAAK,KAAL,CEt6CoB,C+B+IBT,CjCu0BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,q BAAO,E;;;QiC30BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MjC20BA,0D;MAAA,+C;MI16CA,iC;M6B+IBA,yBA O+B,yB;Q7BtmB/B,iC;e6BsmB+B,6B;UAAA,qB;YAAE,yB7B5IBY,gB6B4IBF,E7B5IBE,C6B4IBZ,C;W;S;OAA

F,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UjCw0BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAd,C;YAAc,uB;YACV,IiCz0ByB,U7B5lBY,gBJq6CvB,YAAK,KAAL,Clr6CuB,C6B4lBZ,CjCy0BzB,C;cACl,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QiC70BP,yB;O;KAPJ,C;iFAUA,yB;MAAA,4C;M9BplBA,6B;M8B olBA,4B;QAWI,O9BrlBmC,c8BqlBpB,KAAR,iBAAQ,C9BrlBoB,C;O;K8B0kbvC,C;iFAcA,yB;MAAA,4C;Mfml BA,+B;MemlBA,4B;QAWI,OfplBsC,eeolBvB,KAAR,iBAAQ,CfplBuB,C;O;KeykBlC,C;iFAcA,yB;MAAA,4C;M /BlpBA,+B;M+BkpbBA,4B;QAWI,O/BnpBsC,e+BmpBvB,KAAR,iBAAQ,C/BnpBuB,C;O;K+BwoBlC,C;iFAcA,y B;MAAA,4C;M7BnpBA,iC;M6BmpBA,4B;QAWI,O7BppByC,gB6BopBlB,KAAR,iBAAQ,C7BppB0B,C;O;K6B yoB7C,C;iFAcA,yB;MAAA,+C;MAAA,iE;MA83FI,0D;MA93FJ,uC;QAWkB,Q;QAAA,OAAa,sAm3FX,YAn3FF ,sAm3FN,QAAQ,CAn3FW,CAAb,W;QAAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IA AI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;iFAkBA,yB;M AAA,+C;MAAA,iE;MAo3FI,0D;MAp3FJ,uC;QAWkB,Q;QAAA,OAAa,sAy2FX,YAz2FF,sAy2FN,QAAQ,CAz2 FW,CAAb,W;QAAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MA 02FI,0D;MA12FJ,uC;QAWkB,Q;QAAA,OAAa,sA+1FX,YA/1FF,sA+1FN,QAAQ,CA/1FW,CAAb,W;QAAAd,OA Ac,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q AEnC,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MAG2FI,0D;MAh2FJ,uC;QA WkB,Q;QAAA,OAAa,sAq1FX,YAr1FF,sAq1FN,QAAQ,CAr1FW,CAAb,W;QAAAd,OAAc,cAAd,C;UAAc,uB;U ACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB, mDAAvB,C;O;KafV,C;+FAkBA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAY,O9BtzBM,K8Bs zBlB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAY,O/Bt2BQ,K+Bst2BpB,C;O; KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAY,O7Br2BU,K6Bq2BtB,C;O;KA PnB,C;IAUA,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MA QI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,G AAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sB AAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,yB;MAAA,+C;MAkuFI,0D;MALuFJ,uC;QASkB,Q;QAAA,OAAa,sAyTF X,YAZtFF,sAyTFN,QAAQ,CAZtFW,CAAb,W;QAAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;U ACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX,C;6FagBA,yB;MAAA,+C;MA 0tFI,0D;MA1tFJ,uC;QASkB,Q;QAAA,OAAa,sAitFX,YAjtFF,sAitFN,QAAQ,CAjtFW,CAAb,W;QAAAd,OAAc,c AAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX,C;6FagBA,yB;MAAA,+C;MAktFI,0D;MAItFJ,uC;QASkB,Q;QAAA,OAAa,sAysFX,YAZsF F,sAysFN,QAAQ,CAZsFW,CAAb,W;QAAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IA AI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX,C;6FagBA,yB;MAAA,+C;MA0sFI,0D ;MA1sFJ,uC;QASkB,Q;QAAA,OAAa,sAisFX,YAjsFF,sAisFN,QAAQ,CAjsFW,CAAb,W;QAAAd,OAAc,cAAd,C; UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAA O,I;O;KAbX,C;qFagBA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;qFA YA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;M AAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B; QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYA,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C; MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAA uB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI, MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,m BAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;iGAGX,y B;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB;MAAA,mC;MAAA ,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI ,OAAO,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAA b,C;O;KARX,C;IAWA,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR, CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAA

X,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;
K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;qF
AGX,yB;MAAA,gD;M9BxiCA,6B;M8BwiCA,4B;QAOI,O9BriCmC,c8BqiCpB,OAAR,iBAAQ,C9BriCoB,C;O;K
8B8hCvC,C;qFAUA,yB;MAAA,gD;MfniCA,+B;MemiCA,4B;QAOI,OfhiCsC,eegeiCvB,OAAR,iBAAQ,CfhiCuB,
C;O;KeyhC1C,C;qFAUA,yB;MAAA,gD;M/B9ICA,+B;M+B8ICA,4B;QAOI,O/B3ICsC,e+B2ICvB,OAAR,iBAAQ,
C/B3ICuB,C;O;K+BoLC1C,C;qFAUA,yB;MAAA,gD;M7B3ICA,iC;M6B2ICA,4B;QAOI,O7BxlCyC,gB6BwlC1B,
OAAR,iBAAQ,C7BxlC0B,C;O;K6BilC7C,C;qFAUA,yB;MAAA,kF;MAAA,iE;MAAA,wB;MAAA,8B;MAAA,uC
;QASoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UACZ,I
AAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,
QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,0D;O;KAIBX,C;q
FAqBA,yB;MAAA,kF;MAAA,iE;MAAA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,Y
AAY,K;QACI,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAA
J,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA
Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KAIBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,0B;
MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAaHb,OAAgB,cAAhB,C
;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YA
CjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OA
AO,2D;O;KAIBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,4B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QA
XP,aAAoB,I;QACtB,YAAY,K;QACI,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CA
AJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,
CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4D;O;KAIBX,C;IAqBA,oC;MAMI,OAA
W,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAF,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,s
BAAK,CAAL,CAAF,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAF,GAA4
B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAF,GAA4B,I;K;iGAGvC,gC;MASoB,
Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,O
AAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KA
AL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2
B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OA
AO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iG
AGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAC
Z,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB
,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAoB,I;MACTB,Y
AAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KA
AJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACn
B,OAAO,M;K;IAGX,+B;MpBrhDI,IAAI,EoB+hDI,KAAK,CpB/hDT,CAAJ,C;QACI,coB8hDc,sD;QpB7hDd,MA
AM,gCAAyB,OAAQ,WAAjC,C;OoB8hDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,
C;K;IAGX,+B;MpBniDI,IAAI,EoB6iDI,KAAK,CpB7iDT,CAAJ,C;QACI,coB4iDc,sD;QpB3iDd,MAAM,gCAA
yB,OAAQ,WAAjC,C;OoB4iDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAG
X,+B;MpBjjDI,IAAI,EoB2jDI,KAAK,CpB3jDT,CAAJ,C;QACI,coB0jDc,sD;QpBzjDd,MAAM,gCAAyB,OAAQ,
WAAjC,C;OoB0jDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MpB/j
DI,IAAI,EoBykDI,KAAK,CpBzkDT,CAAJ,C;QACI,coBwkDc,sD;QpBvkDd,MAAM,gCAAyB,OAAQ,WAAjC,C
;OoBwkDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,mC;MpB7kDI,IAA
I,EoBulDI,KAAK,CpBvlDT,CAAJ,C;QACI,coBslDc,sD;QpBrlDd,MAAM,gCAAyB,OAAQ,WAAjC,C;OoBslDV,
OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MpB3lDI,IAAI,EoBqmDI,
KAAK,CpBrmDT,CAAJ,C;QACI,coBomDc,sD;QpBnmDd,MAAM,gCAAyB,OAAQ,WAAjC,C;OoBomDV,OAA
O,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MpBzmDI,IAAI,EoBmnDI,KA
AK,CpBnnDT,CAAJ,C;QACI,coBknDc,sD;QpBjnDd,MAAM,gCAAyB,OAAQ,WAAjC,C;OoBknDV,OAAO,mB
AAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MpBvnDI,IAAI,EoBioDI,KAAK,CpB

joDT,CAAJ,C;QACI,coBgoDc,sD;QpB/nDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OoBgoDV,OAAO,mBAAgB,gB
AAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;mGAGX,yB;MAAA,4C;MAAA,qD;MAkqEI,8D;MAIqEJ,
uC;QASI,iBAypEgB,cAAR,iBAAQ,CAzpEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CA
AV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAiBA,yB;MAAA,4
C;MAAA,qD;MAypEI,8D;MAzpEJ,uC;QASI,iBAgpEgB,cAAR,iBAAQ,CAhpEhB,WAA+B,CAA/B,U;UACI,IA
AI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,
W;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MAgpEI,8D;MAhpEJ,uC;QASI,iBAuoEgB,cAAR,iBAAQ,CA
voEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QA
AQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MAuoEI,8D;MAvoEJ,uC;
QASI,iBA8nEgB,cAAR,iBAAQ,CA9nEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV
,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;2FAiBA,yB;MAAA,+D;M
AAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,Q
AAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAC
L,WAAW,I;;QAEEnB,OAAO,I;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,
WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,I
AAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAIBX,C
;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,
C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,
IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWi
B,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IA
AK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QA
EnB,OAAO,I;O;KAIBX,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgRA,Q;QAAA,2B;QAAhB
,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhRa,SAgRT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;
QAhR1D,OAIRO,W;O;KA1RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAIrA,Q;QAAA,2B;Q
AAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjRc,SAiRV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OA
AJ,C;;QAJR1D,OAKRO,W;O;KA3RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAKRA,Q;QAA
A,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAIRc,SAkRV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,W
AAI,OAAJ,C;;QAIR1D,OAmRO,W;O;KA5RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmRA
,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IANRe,SAmRX,CAAU,OAAV,CAAJ,C;YAAwB,
WAAy,WAAI,OAAJ,C;;QAnR1D,OAoRO,W;O;KA7RX,C;kGAYA,yB;MAAA,+D;MAAA,uC;QAWW,kBAAg
B,gB;QAm5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA11HT,IAZDsC,SAyDIC,EA0
1HkB,cA11HIB,EA01HkB,sBA11HIB,WA01H2B,IA11H3B,CAAJ,C;YAA2C,sBA01HZ,IA11HY,C;;QAzD/C,OA
2DO,W;O;KAtEX,C;mGAcA,yB;MAAA,+D;MAAA,uC;QAWW,kBAAgB,gB;QAK5HV,gB;QADb,YAAY,C;QA
CC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA11HT,IA5DuC,SA4DnC,EAs1HkB,cAt1HIB,EAs1HkB,sBA11HIB,WA
s1H2B,IA11H3B,CAAJ,C;YAA2C,sBAS1HZ,IA11HY,C;;QA5D/C,OA8DO,W;O;KAZEX,C;mGAcA,yB;MAAA,+
D;MAAA,uC;QAWW,kBAAgB,gB;QAI5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA
11HT,IA/DuC,SA+DnC,EAK1HkB,cA11HIB,EAK1HkB,sBA11HIB,WAK1H2B,IA11H3B,CAAJ,C;YAA2C,sBAk1H
Z,IA11HY,C;;QA/D/C,OAIEO,W;O;KA5EX,C;mGAcA,yB;MAAA,+D;MAAA,uC;QAWW,kBAAgB,gB;QAG5H
V,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA90HT,IAIEwC,SAkEpC,EA80HkB,cA90HI
B,EA80HkB,sBA90HIB,WA80H2B,IA90H3B,CAAJ,C;YAA2C,sBA80HZ,IA90HY,C;;QAIE/C,OAoEO,W;O;KA/
EX,C;uGAcA,6C;MAS2HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA11HT,IAAI,WA
01HkB,cA11HIB,EA01HkB,sBA11HIB,WA01H2B,IA11H3B,CAAJ,C;UAA2C,sBA01HZ,IA11HY,C;;MAE/C,O
AAO,W;K;uGAGX,6C;MAK2HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAT1HT,IA
AI,WAs1HkB,cAt1HIB,EAs1HkB,sBA11HIB,WAs1H2B,IA11H3B,CAAJ,C;UAA2C,sBAS1HZ,IA11HY,C;;MAE/
C,OAAO,W;K;uGAGX,6C;MA81HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA11HT,
IAAI,WAK1HkB,cA11HIB,EAK1HkB,sBA11HIB,WAK1H2B,IA11H3B,CAAJ,C;UAA2C,sBAk1HZ,IA11HY,C;;MA
E/C,OAAO,W;K;uGAGX,6C;MA01HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA90
HT,IAAI,WA80HkB,cA90HIB,EA80HkB,sBA90HIB,WA80H2B,IA90H3B,CAAJ,C;UAA2C,sBA80HZ,IA90HY,

C;;MAE/C,OAAO,W;K;2FAGX,yB;MAAA,+D;MAAA,uC;QASW,kBAAY,gB;QAghDh,Q;QAAA,2B;QAAhB,O
AAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAhDY,SAgDX,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OA
AJ,C;;QAhD3D,OAI DO,W;O;KA1DX,C;2FAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAY,gB;QAiDH,Q;QAA
A,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAjDa,SAiDZ,CAAU,OAAV,CAAL,C;YAAyB,WA
AY,WAAI,OAAJ,C;;QAJD3D,OAKDO,W;O;KA3DX,C;2FAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAY,gB;Q
AKDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAIDa,SAkDZ,CAAU,OAAV,CAAL,
C;YAAyB,WAAY,WAAI,OAAJ,C;;QAID3D,OAmDO,W;O;KA5DX,C;2FAYA,yB;MAAA,+D;MAAA,uC;QAS
W,kBAAY,gB;QAmDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAnDc,SAmDb,CAA
U,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnD3D,OAoDO,W;O;KA7DX,C;+FAYA,6C;MASoB,Q;
MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAA
Y,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,
yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX
,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;
UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAA
hB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAA
O,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,C
AAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAA
gB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAA
O,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,C
AAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAA
gB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAA
O,W;K;IAGX,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,O3BvjEe,W;O2BwjEtC,OAA4D,SA0iDrD,cAAkB,cAA
R,iBAAQ,EA1iDN,OAAQ,MA0iDF,EA1iDS,OAAQ,aAAR,GAAuB,CAAvB,IA0iDT,CAAI B,CA1iDqD,C;K;IAG
hE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,O3BjkEe,W;O2BkkEtC,OAA4D,SAgjDrD,eAAmB,cAAR,iBAAQ,
EAhjDP,OAAQ,MAgjDD,EAhjDQ,OAAQ,aAAR,GAAuB,CAAvB,IAgjDR,CAAnB,CAhjDqD,C;K;IAGhE,sC;M
AMI,IAAI,OAAQ,UAAZ,C;QAAuB,O3B3kEe,W;O2B4kEtC,OAA4D,UAsjDrD,eAAmB,cAAR,iBAAQ,EAjDP,
OAAQ,MAsjDD,EAjDQ,OAAQ,aAAR,GAAuB,CAAvB,IASjDR,CAAnB,CAtjDqD,C;K;IAGhE,sC;MAMI,IAAI,
OAAQ,UAAZ,C;QAAuB,O3BrlEe,W;O2BslEtC,OAA4D,UA4jDrD,gBAAoB,cAAR,iBAAQ,EA5jDR,OAAQ,MA
4jDA,EA5jDO,OAAQ,aAAR,GAAuB,CAAvB,IA4jDP,CAApB,CA5jDqD,C;K;IAGhE,sC;MASkB,Q;MAHd,WA
AmB,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAae,OAAO,W;MACTB,WAAW,iBA
AgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAC,uB;QACV,IAAK,WAAI,sBAAL,KAAJ,CAAJ,C;;MAET,
OAAO,I;K;IAGX,sC;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB,IAAI,SAAQ,CAA
Z,C;QAae,OAAO,W;MACTB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAC,uB;QACV,IA
AK,WAAI,sBAAL,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EA
AwB,EAaxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAae,OAAO,W;MACTB,WAAW,iBAAiB,IAAjB,C;MACG,yB;
MAAd,OAAc,cAAAd,C;QAAC,uB;QACV,IAAK,WAAI,sBAAL,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAS
kB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAae,OAAO,W;MA
CTB,WAAW,iBAAkB,IAAI B,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAC,uB;QACV,IAAK,WAAI,sBAAL,KAAJ,
CAAJ,C;;MAET,OAAO,I;K;IAGX,2C;MAMI,OAAO,cAAkB,aAAR,iBAAQ,EAaw,OAAX,CAAI B,C;K;IAGX,2
C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAaw,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iB
AAQ,EAaw,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,aAAR,iBAAQ,EAaw,OAAX,CAApB,C;K;
IAGX,2C;MAMI,OAAO,cAAkB,cAAR,iBAAQ,EAaw,OAAX,CAAI B,C;K;IAGX,2C;MAMI,OAAO,eAAmB,cA
AR,iBAAQ,EAaw,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAaw,OAAX,CAAnB
,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,cAAR,iBAAQ,EAaw,OAAX,CAApB,C;K;IAGX,+B;MAGBiB,Q;MpB7
xEb,IAAI,EoBuxEI,KAAK,CpBvxET,CAAJ,C;QACI,coBsxEc,sD;QpBrxEd,MAAM,gCAAYB,OAAQ,WAAjC,C;
OoBsxEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAae,OAAO,mB;MACTB,IA
AI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,
CAAhB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAF

V,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KafX,C;uFakBA,yB;MAAA,kD;MAAA,4B;QAQY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAQY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAQY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,gD;QAaY,QAAR,iBAAQ,EAAQ,SAAR,EAAMB,OAAAnB,C;O;KAbZ,C;uFagBA,yB;MAAA,kD;MAAA,gD;QAaY,QAAR,iBAAQ,EAAQ,SAAR,EAAMB,OAAAnB,C;O;KAbZ,C;uFagBA,yB;MAAA,kD;MAAA,gD;QAaY,QAAR,iBAAQ,EAAQ,SAAR,EAAMB,OAAAnB,C;O;KAbZ,C;IAgBA,gC;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,W;MACtB,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,W;MACtB,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,W;MACtB,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;KAGX,yB;MAAA,8D;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAkB,cAAR,iBAAQ,CAAIB,C;O;KAPX,C;kGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAmB,cAAR,iBAAQ,CAAAnB,C;O;KAPX,C;mGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAmB,cAAR,iBAAQ,CAAAnB,C;O;KAPX,C;mGAUA,yB;MAAA,8D;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAoB,cAAR,iBAAQ,CAApB,C;O;KAPX,C;IAUA,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,uC;MAQI,aA8+BgB,gBAAR,iBAAQ,CA9+BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aAs+BgB,gBAAR,iBAAQ,Cat+BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aA89BgB,gBAAR,iBAAQ,CA99BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aAs9BgB,gBAAR,iBAAQ,Cat9BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QApsIUAR,iBAAQ,C;Q;IAySZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QatSI,UAAR,iBAAQ,C;Q;IA2SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QaxSI,UAAR,iBAAQ,C;Q;IA6SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QA1SI,UAAR,iBAAQ,C;Q;IA+SZ,6B;MAMoB,kBA+nBT,cAAU,iBnB58EO,QmB48EjB,C;MA/nBiB,mB;MAAxB,OAAiC,SjBv3F1B,WiBu3F0B,C;K;IAGrC,8B;MAMoB,kBAkoBT,eAAmB,UAAR,iBAAQ,CAAAnB,C;MAloBiB,mB;MAAxB,OAAiC,SjBh4F1B,WiBg4F0B,C;K;IAGrC,8B;MAMoB,kBAqoBT,eAAW,iBnBx/EM,QmBw/EjB,C;MAroBiB,mB;MAAxB,OAAiC,UjBz4F1B,WiBy4F0B,C;K;IAGrC,8B;MAMoB,kBAwoBT,gBAAy,iBnB1/EK,QmB0/EjB,C;MAxoBiB,mB;MAAxB,OAAiC,UjB15F1B,WiBk5F0B,C;K;IAGrC,kC;MAMI,IAAI,mBAAJ,C;QAae,OAAO,S;MACD,kBA0IBd,cA11BA,SA0IBU,QnB58EO,QmB48EjB,C;MA11BsB,mB;MAA7B,OjB55FO,W;K;liB+5FX,kC;MAMI,IAAI,mBAAJ,C;QAae,OAAO,S;MACD,kBA4IBd,eAAmB,UA5IBnB,SA4IBW,QAAQ,CAAAnB,C;MA51BsB,mB;MAA7B,OjBt6FO,W;K;liBy6FX,kC;MAMI,IAAI,mBAAJ,C;QAae,OAAO,S;MACD,kBA8IBd,eA9IBA,SA8IBW,QnBx/EM,QmBw/EjB,C;MA9IBsB,mB;MAA7B,OjBh7FO,W;K;liBm7FX,mC;MAMI,IAAI,mBAAJ,C;QAae,OAAO,S;MACD,kBAgmBd,gBAhmBA,SAgmBY,QnB1/EK,QmB0/EjB,C;MAhmBsB,mB;MAA7B,OjB17FO,W;K;liB67FX,4C;MAMI,IAAI,mBAAJ,C;QAae,OAAO,S;MACD,kBAkjBd,cAljBA,SAkjBU,QnB58EO,QmB48EjB,C;MAljBsB,8B;MAA7B,OjBp8FO,W;K;liBu8FX,4C;MAMI,IAAI,mBAAJ,C;QAae,OAAO,S;MACD,kBAojBd,eAAmB,UApjBnB,SAojBW,QAAQ,CAAAnB,C;MApjBsB,8B;MAA7B,OjB98FO,W;K;liBi9FX,4C;MAMI,IAAI,mBAAJ,C;QAae,OAAO,S;MACD,kBASjBd,eAtjBA,SAsjBW,QnBx/EM,QmBw/EjB,C;MATjBsB,8B;MAA7B,OjBx9FO,W;K;liB29FX,6C;MAMI,IAAI,mBAAJ,C;QAae,OAAO,S;MACD,kBAwjBd,gBAxjBA,SAwjBY,QnB1/EK,QmB0/EjB,C;MAxjBsB,8B;MAA7B,OjBl+FO,W;K;liBq+FX,uC;MAQoB,kBAygBT,cAAU,iBnB58EO,QmB48EjB,C;MAzgBiB,mB;MAAxB,OAAiC,YjB7+F1B,WiB6+F0B,C;K;IAGrC,wC;MAQoB,kBA0gBT,eAAmB,UAAR,iBAAQ,CAAAnB,C;MA1gBiB,mB;MAAxB,OAAiC,YjBx/F1B,WiBw/F0B,C;K;IAGrC,wC;MAQoB,kBA2gBT,eAAW,iBnBx/EM,QmBw/EjB,C;MA3gBiB,mB;MAAxB,OAAiC,YjBngG1B,WiBmgG0B,C;K;IAGrC,wC;MAQoB,kBA4gBT,gBAAy,iBnB1/EK,QmB0/EjB,C;MA5gBiB,mB;MAAxB,OAAiC,YjB9gG1B,WiB8

gG0B,C;K;4FAGrC,qB;MAQI,OAAO,iB;K;0FAGX,qB;MAQI,OAAO,iB;K;4FA+BX,qB;MAQI,OAAO,iB;K;8FAGX,qB;MAQI,OAAO,iB;K;8FAGX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;4FAWA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,SAAV,C;O;KARX,C;8FAWA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;gGAWA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SAAZ,C;O;KARX,C;IAWA,2C;MASI,OAAy,gBAAL,SAAK,EAAC,KAAAd,C;K;IAGhB,2C;MASI,OAAy,gBAAL,SAAK,EAAC,KAAAd,C;K;IAGhB,2C;MASI,OAAy,gBAAL,SAAK,EAAC,KAAAd,C;K;IAGhB,2C;MAOI,OAAqB,cAAAd,4CAAC,EAAC,oCAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAAd,4CAAC,EAAC,oCAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAAd,4CAAC,EAAC,oCAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAAd,4CAAC,EAAC,oCAAd,C;K;IAGzB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAMI,OAAqB,gBAAd,4CAAC,C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAC,C;K;IAGzB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAYB,GAAZB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAYB,GAAZB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAYB,GAAZB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,yB;MnBxhFA,8C;MmBwhFA,kF;QAmB6D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QnBvhF1H,UmBwhFA,iBnBxhFA,EmBwhFiB,WAAy,QnBxhF7B,EmBwhFsC,iBnBxhFtC,EmBwhFyD,UnBxhFzD,EmBwhFqE,QnBxhFrE,C;QmByhFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MnBxhFA,8C;MmBwhFA,kF;QAmB+D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QnBvhF5H,UmBwhFA,iBnBxhFA,EmBwhFiB,WAAy,QnBxhF7B,EmBwhFsC,iBnBxhFtC,EmBwhFyD,UnBxhFzD,EmBwhFqE,QnBxhFrE,C;QmByhFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MnBxnFA,8C;MmBwnFA,kF;QAmB+D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QnBvnF5H,UmBwnFA,iBnBxnFA,EmBwnFiB,WAAy,QnBxnF7B,EmBwnFsC,iBnBxnFtC,EmBwnFyD,UnBxnFzD,EmBwnFqE,QnBxnFrE,C;QmBynFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MnBxnFA,8C;MmBwnFA,kF;QAmBiE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QnBvnF9H,UmBwnFA,iBnBxnFA,EmBwnFiB,WAAy,QnBxnF7B,EmBwnFsC,iBnBxnFtC,EmBwnFyD,UnBxnFzD,EmBwnFqE,QnBxnFrE,C;QmBynFA,OAAO,W;O;KArBX,C;kFAwBA,yB;MAAA,uC;MAAA,4B;QASI,OAAO,mBAAU,iBnB58EO,QmB48EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAW,iBnBx/EM,QmBw/EjB,C;O;KATX,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAY,iBnB1/EK,QmB0/EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAaKB,OAAR,iBAAQ,EAAO,OAAP,CAAIB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;QAWI,OAAO,qBAaOB,OAAR,iBAAQ,EAAO,OAAP,CAApB,C;O;KAXX,C;4FAcA,yB;MAAA,0D;MAAA,uC;MAAA,gD;QAaI,OAAO,mBAaKB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAIB,C;O;KAbX,C;8FAgBA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAaI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAnB,C;O;KAbX,C;8FAgBA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAaI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAnB,C;O;KAbX,C;6FAgBA,yB;MAAA,0D;MAAA,2C;MAAA,gD;QAaI,OAAO,qBAaOB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAApB,C;O;KAbX,C;IAGBA,sD;MAWYc,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACH,E,OAAR,iBAAQ,EAAK,09B/iHoB,K8B+iHzB,EAA5B,SAAtB,EAAiC,OAAjC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAK,OfnjHsB,KemjH3B,EAAuB,SAAvB,EAAkC,OAaIC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAK,O/BzmHsB,K+BymH3B,EAAuB,SAAvB,EAAkC,OAaIC,C;K;IAGZ,wD;MAW6C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACpE,OAAR,iBAAQ,EAAK,07B7mHwB,K6B6mH7B,EAAwB,SAAxB,EAAmC,OAAnC,C;K;8FASR,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;8FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAA

Q,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;kGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;kGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;iFAEJ,yB;MAAA,uC;MnBvoEA,iD;MmBuoEA,qC;QAOqB,4B;QAAA,gBAAU,O9BtqHM,K;Q8BsqHjC,OAAO,mBnBzoEA,2BAxIK,gBAAW,SAAX,EAwIL,CmByoEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MnBzoEA,iD;MmByoEA,qC;QAOI,OAAO,oBnB3oEA,qBmB2oEW,iBnB3oEX,EAxIK,mBmBmxEGb,OfrqHO,KJk5CvB,CAwIL,CmB2oEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MnB3qEA,iD;MmB2qEA,qC;QAOsB,4B;QAAA,gBAAU,O/BttHO,K;Q+BstHnC,OAAO,oBnB7qEA,2BAxIK,eAAY,SAAZ,EAwIL,CmB6qEA,C;O;KAPX,C;iFAUA,yB;MAAA,2C;MnB7qEA,iD;MmB6qEA,qC;QAOuB,4B;QAAA,gBAAU,O7BrHq,K;Q6BqtHrC,OAAO,qBnB/qEA,2BAxIK,gBAAa,SAAb,EAwIL,CmB+qEA,C;O;KAPX,C;IAUA,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,O9B/sHX,K;;M8BgHjC,OAAO,cAAU,MAAV,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,O/ftHT,K;;MeitHnC,OAAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,O/BnwHT,K;;M+BowHnC,OAAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,O7BpwHP,K;;M6BqwHrC,OAAO,gBAAY,MAAZ,C;K;iFAGX,yB;MAAA,uC;MnB/tEA,iD;MmB+tEA,sC;QAOI,OAAO,mBnBjuEA,qBmBiuEU,iBnBjuEV,EmBiuEoB,QAAS,QnBjuE7B,CmBiuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MnBjuEA,iD;MmBiuEA,sC;QAOI,OAAO,oBnBnuEA,qBmBmuEW,iBnBnuEX,EmBmuEqB,QAAS,QnBnuE9B,CmBmuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MnBnwEA,iD;MmBmwEA,sC;QAOI,OAAO,oBnBrwEA,qBmBqwEW,iBnBrwEX,EmBqwEqB,QAAS,QnBrwE9B,CmBqwEA,C;O;KAPX,C;iFAUA,yB;MAAA,2C;MnBrwEA,iD;MmBqwEA,sC;QAOI,OAAO,qBnBvwEA,qBmBuwEY,iBnBvwEZ,EmBuwEsB,QAAS,QnBvwE/B,CmBuwEA,C;O;KAPX,C;IAUA,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAMb,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAMb,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAMb,cAAnB,C;K;IAGIB,+C;MAA0B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACzD,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,+C;MAA2B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC1D,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,+C;MAA4B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC3D,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,0D;MAAl,kBAAK,SAAL,EAAGB,OAAhB,C;MAh8CQ,WAAR,iBAAQ,EAi8CA,SAj8CA,EAi8CW,Oaj8CX,C;K;IAo8CZ,0D;MAAl,kBAAK,SAAL,EAAGB,OAAhB,C;MAj8CQ,WAAR,iBAAQ,EAk8CA,SAi8CA,EAk8CW,OAl8CX,C;K;IAq8CZ,0D;MAAl,kBAAK,SAAL,EAAGB,OAAhB,C;MAl8CQ,UAAR,iBAAQ,EA8CA,SA8CA,EA8CW,OAn8CX,C;K;IAS8CZ,0D;MAAl,kBAAK,SAAL,EAAGB,OAAhB,C;MAN8CQ,WAAR,iBAAQ,EAo8CA,SAp8CA,EAo8CW,OAp8CX,C;K;8FAu8CZ,qB;MAQI,OAAO,iBnB3jGiB,Q;K;4FmB8jG5B,qB;MAQI,OAAO,iBnBljGiB,Q;K;8FmBqjG5B,yB;MAAA,gD;MAAA,4B;QAQI,OAAE,OAAR,iBAAQ,C;O;KARNb,C;gGAWA,qB;MAQI,OAAO,iBnBlIgiB,Q;K;ImB2lGL,gD;MAAA,wB;QAAW,qCAAK,KAAL,C;O;K;IANIC,iC;MAMI,OAAO,iBAAM,cAAN,EAAY,8BAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCAAK,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCAAK,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IANvC,iC;MA

MI,OJtqIO,eAAW,+BIsqIA,gBJtqIA,GAAgB,kBIsqIV,8BJtqIU,CAAhB,CAAX,C;K;gGIyqIX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SnBppGM,QmBopGjB,C;O;KARX,C;IAiB2B,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IANtC,gC;MAMI,OH1rIO,cAAU,gCG0rIA,gBH1rIA,GAAe,iBG0rIT,6BH1rIS,CAAF,CAAV,C;K;8FG6rIX,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,SnBppGO,QmBopGjB,C;O;KARX,C;IAiB4B,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IANvC,iC;MAMI,OF9sIO,eAAW,kBE8sIA,gBF9sIA,EAAgB,kBE8sIV,8BF9sIU,CAAhB,CAAX,C;K;gGEitIX,yB;MAAA,gD;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAGB,OAAL,SAAK,CAAhB,C;O;KARX,C;IAiB6B,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;K;IANxC,kC;MAMI,ODluIO,gBAAY,gCCkuIA,gBDluIA,GAAiB,mBCKuIX,+BDluIW,CAAjB,CAAZ,C;K;kGCquIX,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SnBtsGK,QmBssGjB,C;O;KARX,C;mGAWA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAAYc,cAAIB,YAAY,cAAZ,CAAKB,EAAc,EAAd,CAAzC,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAc,OAAd,CAAb,C;;QAtEhB,OAaUB,M;O;Kaf3B,C;mGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA0C,cAAIB,YAAY,cAAZ,CAAKB,EAAc,EAAd,CAA1C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAc,OAAd,CAAb,C;;QAtEhB,OAaUB,M;O;Kaf3B,C;kGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA0C,cAAIB,YAAY,cAAZ,CAAKB,EAAc,EAAd,CAA1C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAc,OAAd,CAAb,C;;QAtEhB,OAaUB,M;O;Kaf3B,C;mGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA2C,cAAIB,YAAY,cAAZ,CAAKB,EAAc,EAAd,CAA3C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAc,OAAd,CAAb,C;;QAtEhB,OAaUB,M;O;Kaf3B,C;uGakBA,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uFAGX,yB;MAAA,+D;MAoLA,gD;MApLA,uC;QASW,kBAAU,gB;QAKLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAnL6B,SAmLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApLhB,OAsLO,W;O;KA/LX,C;uFAYA,yB;MAAA,+D;MAsLA,gD;MatLA,uC;QASW,kBAAU,gB;QAoLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WArL6B,SAqLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtLhB,OAwLO,W;O;KAjMX,C;uFAYA,yB;MAAA,+D;MAwLA,gD;MAxLA,uC;QASW,kBAAU,gB;QAsLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAvL6B,SAuLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxLhB,OA0LO,W;O;KAnMX,C;uFAYA,yB;MAAA,+D;MA0LA,gD;MA1LA,uC;QASW,kBAAU,gB;QAwLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAzL6B,SAyLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1LhB,OA4LO,W;O;KArMX,C;qGAYA,yB;MAAA,+D;MA4DA,gD;MA5DA,uC;QAYW,kBAAiB,gB;QA2DR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WA5DoC,SA4DzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7DhB,OA+DO,W;O;KA3EX,C;qGAeA,yB;MAAA,+D;MA+DA,gD;MA/DA,uC;QAYW,kBAAiB,gB;QA8DR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WA/DoC,SA+DzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9EX,C;qGAeA,yB;MAAA,+D;MAkEA,gD;MAIEA,uC;QAYW,kBAAiB,gB;QAiER,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAlEoC,SAkEzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAnEhB,OAqEO,W;O;KAjFX,C;qGAeA,yB;MAAA,+D;MAqEA,gD;MArEA,uC;QAYW,kBAAiB,gB;QAoER,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WArEoC,SAqEzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtEhB,OAwEO,W;O;KApFX,C;yGAeA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,

WAAmB,OAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAy,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WA AW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAy,C;QACI,2B;QAAhB,OAAG B,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAA Y,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAA hB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAE hB,OAAO,W;O;KAXX,C;2FAcA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;U AAAGB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX, C;2FAcA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAA W,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2FAcA,yB;MAAA,gD ;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UAC C,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;uFAcA,yB;MAAA,wE;MA4HA,+D;MA5HA,y C;QAYW,kBAAU,oB;QA4HD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UA7HoD,WA6H1C, CAAY,OAAZ,C;U1B99IP,U;UADP,Y0Bg+Ie,W1Bh+IH,W0Bg+IwB,G1Bh+IxB,C;UACL,IAAI,aAAJ,C;YACH,a 0B89IuC,gB;YAA5B,W1B79IX,a0B69IgC,G1B79IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U0B09IA,iB;UACA,I AAK,WAAI,OAAJ,C;;QA/HT,OAIIO,W;O;KA7IX,C;uFAeA,yB;MAAA,wE;MAiIA,+D;MAjIA,yC;QAYW,kBA AU,oB;QaiID,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAlIqD,WAKI3C,CAAY,OAAZ,C;U 1BI/IP,U;UADP,Y0Bo/Ie,W1Bp/IH,W0Bo/IwB,G1Bp/IxB,C;UACL,IAAI,aAAJ,C;YACH,a0Bk/IuC,gB;YAA5B, W1Bj/IX,a0Bi/IgC,G1Bj/IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U0B8+IA,iB;UACA,IAAK,WAAI,OAAJ,C;;Q ApIT,OAsIO,W;O;KAIJX,C;sFAeA,yB;MAAA,wE;MAsIA,+D;MAiIA,yC;QAYW,kBAAU,oB;QAsID,Q;QAAA, 2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAvIqD,WAU13C,CAAY,OAAZ,C;U1BtgJP,U;UADP,Y0Bwg Je,W1BxgJH,W0BwgJwB,G1BxgJxB,C;UACL,IAAI,aAAJ,C;YACH,a0BsgJuC,gB;YAA5B,W1BrgJX,a0BqgJgC, G1BrgJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U0BkgJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzIT,OA2IO,W;O; KAvJX,C;uFAeA,yB;MAAA,wE;MA2IA,+D;MA3IA,yC;QAYW,kBAAU,oB;QA2ID,Q;QAAA,2B;QAAhB,OAAG B,cAAhB,C;UAAgB,yB;UACZ,UA5IsD,WA4I5C,CAAY,OAAZ,C;U1B1hJP,U;UADP,Y0B4hJe,W1B5hJH,W0 B4hJwB,G1B5hJxB,C;UACL,IAAI,aAAJ,C;YACH,a0B0hJuC,gB;YAA5B,W1BzhJX,a0ByhJgC,G1BzhJhC,EAAS ,MAAT,C;YACA,e;;YAEA,c;;U0BshJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9IT,OA9JO,W;O;KA5JX,C;uFAeA ,yB;MAAA,wE;MAgJA,+D;MAhJA,yD;QAaW,kBAAU,oB;QA9JD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UA AgB,yB;UACZ,UAjJiD,WaiJvC,CAAY,OAAZ,C;U1B/iJP,U;UADP,Y0BijJe,W1BjjJH,W0BijJwB,G1BjjJxB,C;U ACL,IAAI,aAAJ,C;YACH,a0B+iJuC,gB;YAA5B,W1B9iJX,a0B8iJgC,G1B9iJhC,EAAS,MAAT,C;YACA,e;;YAE A,c;;U0B2iJA,iB;UACA,IAAK,WAnJyD,cAmJrD,CAAe,OAAf,CAAJ,C;;QAnJT,OAqJO,W;O;KAIKX,C;uFAGB A,yB;MAAA,wE;MAqJA,+D;MArJA,yD;QAaW,kBAAU,oB;QAqJD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;U AAAGB,yB;UACZ,UAtJiD,WAsJvC,CAAY,OAAZ,C;U1BpkJP,U;UADP,Y0BskJe,W1BtkJH,W0BskJwB,G1BtkJx B,C;UACL,IAAI,aAAJ,C;YACH,a0BokJuC,gB;YAA5B,W1BnkJX,a0BmkJgC,G1BnkJhC,EAAS,MAAT,C;YAC A,e;;YAEA,c;;U0BkgJA,iB;UACA,IAAK,WAxJyD,cAwJrD,CAAe,OAAf,CAAJ,C;;QAxJT,OA0JO,W;O;KAvKX, C;uFAGBA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAAU,oB;QA0JD,Q;QAAA,2B;QAAhB,OAAGB,cA AhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAZ,C;U1BzlJP,U;UADP,Y0B2IJe,W1B3IJH,W0B2IwB, G1B3IJxB,C;UACL,IAAI,aAAJ,C;YACH,a0BylJuC,gB;YAA5B,W1BxlJX,a0BwlJgC,G1BxlJhC,EAAS,MAAT,C; YACA,e;;YAEA,c;;U0BqlJA,iB;UACA,IAAK,WA7JyD,cA6JrD,CAAe,OAAf,CAAJ,C;;QA7JT,OA+JO,W;O;KA 5KX,C;uFAGBA,yB;MAAA,wE;MA+JA,+D;MA/JA,yD;QAaW,kBAAU,oB;QA+JD,Q;QAAA,2B;QAAhB,OAAG B,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,CAAY,OAAZ,C;U1B9mJP,U;UADP,Y0BgnJe,W1BhnJH,W0 BgnJwB,G1BhnJxB,C;UACL,IAAI,aAAJ,C;YACH,a0B8mJuC,gB;YAA5B,W1B7mJX,a0B6mJgC,G1B7mJhC,EA AS,MAAT,C;YACA,e;;YAEA,c;;U0B0mJA,iB;UACA,IAAK,WAlKyD,cAkKrD,CAAe,OAAf,CAAJ,C;;QAiKT,O AoKO,W;O;KAjLX,C;2FAGBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UA AgB,yB;UACZ,UAAU,YAAy,OAAZ,C;U1B99IP,U;UADP,Y0Bg+Ie,W1Bh+IH,W0Bg+IwB,G1Bh+IxB,C;UACL ,IAAI,aAAJ,C;YACH,a0B89IuC,gB;YAA5B,W1B79IX,a0B69IgC,G1B79IhC,EAAS,MAAT,C;YACA,e;;YAEA,c ;;U0B09IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;

QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U1BI/IP,U;UADP,
Y0Bo/Ie,W1Bp/IH,W0Bo/IwB,G1Bp/IxB,C;UACL,IAAI,aAAJ,C;YACH,a0Bk/IuC,gB;YAA5B,W1Bj/IX,a0Bi/Ig
C,G1Bj/IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U0B8+IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O
;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA
CZ,UAAU,YAAY,OAAZ,C;U1BtgJP,U;UADP,Y0BwgJe,W1BxgJH,W0BwgJwB,G1BxgJxB,C;UACL,IAAI,aAA
J,C;YACH,a0BsgJuC,gB;YAA5B,W1BrgJX,a0BqgJgC,G1BrgJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U0BkgJA,
iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;
QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U1B1hJP,U;UADP,Y0B4hJe,
W1B5hJH,W0B4hJwB,G1B5hJxB,C;UACL,IAAI,aAAJ,C;YACH,a0B0hJuC,gB;YAA5B,W1BzhJX,a0ByhJgC,G1
BzhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U0BshJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAj
BX,C;2FAoBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,U
AAU,YAAY,OAAZ,C;U1B/iJP,U;UADP,Y0BijJe,W1BijJH,W0BijJwB,G1BijJxB,C;UACL,IAAI,aAAJ,C;YACH,
a0B+iJuC,gB;YAA5B,W1B9iJX,a0B8iJgC,G1B9iJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U0B2iJA,iB;UACA,IA
AK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;Q
AAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U1BpkJP,U;UADP,Y0BskJe,W
1BtkJH,W0BskJwB,G1BtkJxB,C;UACL,IAAI,aAAJ,C;YACH,a0BokJuC,gB;YAA5B,W1BnkJX,a0BmkJgC,G1Bn
kjhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U0BgkJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO
,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB
;UACZ,UAAU,YAAY,OAAZ,C;U1BzIJP,U;UADP,Y0B2IJe,W1B3IJH,W0B2IJwB,G1B3IJxB,C;UACL,IAAI,aA
AJ,C;YACH,a0ByIJuC,gB;YAA5B,W1BxIjX,a0BwlJgC,G1BxIjHc,EAAS,MAAT,C;YACA,e;;YAEA,c;;U0BqlJA
,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE
;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U1B9mJP,U;UAD
P,Y0BgnJe,W1BhnJH,W0BgnJwB,G1BhnJxB,C;UACL,IAAI,aAAJ,C;YACH,a0B8mJuC,gB;YAA5B,W1B7mJX,
a0B6mJgC,G1B7mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U0B0mJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAA
J,C;;QAET,OAAO,W;O;KAIBX,C;+EAqBA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,
Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,
OAwKO,W;O;KAILX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B
;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;
O;KAILX,C;8EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OA
Aa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX,
C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C
;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX,C;4FAaA,yB
;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAqDP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAA
b,C;UAAa,sB;UACT,WAAy,WAtDwB,SAsDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtD
hB,OAUdO,W;O;KAjEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAwdP,gB;QADb,
YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAZDwB,SAyDpB,EAAU,cAAV,EAAU,sB
AAV,WAAmB,IAAnB,CAAJ,C;;QAZDhB,OA0DO,W;O;KApEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kB
AAa,eAAa,cAAb,C;QA2DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WA5
DwB,SA4DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5DhB,OA6DO,W;O;KAvEX,C;4FAa
A,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA8DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa
,cAAb,C;UAAa,sB;UACT,WAAy,WA/DwB,SA+DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;
QA/DhB,OAgEO,W;O;KA1EX,C;iGAaA,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cA
Ab,C;QAAa,sB;QACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,
W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAA
Y,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,U
ACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,WAAU,cAAV,EA
AU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;
MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAn

AI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MA9wDI,8D;M
A8wDJ,gD;QAEoC,Q;QAHhC,YA1xDgB,cAAR,iBAAQ,C;QA2xDhB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,
C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;y
GAoBA,yB;MA1zDI,8D;MA0zDJ,gD;QAaI,YAv0DgB,cAAR,iBAAQ,C;QAw0DhB,kBAaKB,O;QACIB,OAAO,
SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,
OAAO,W;O;KAnBX,C;yGAsBA,yB;MAx0DI,8D;MAw0DJ,gD;QAaI,YAr1DgB,cAAR,iBAAQ,C;QAs1DhB,kBA
AkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA
7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MAT1DI,8D;MA51DJ,gD;QAaI,YAn2DgB,cAAR,iB
AAQ,C;QAo2DhB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAA
J,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MAP2DI,8D;MAo2DJ,gD;Q
AaI,YAj3DgB,cAAR,iBAAQ,C;QAk3DhB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KA
AV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;uFAsBA,6B;MA
OoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6B;MAOoB,Q;
MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6B;MAOoB,Q;MAAA,2B;MA
AhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;qGAG1B,6B;MAUiB,UAAa,M;MAD1B,YAAY,
C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAG
vB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,E
AAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,
cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;M
AD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAA
hB,C;;K;IAGvB,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;
MAKI,OAAO,uB;K;mFAGX,yB;MA9gEI,8D;MA8gEJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qBAAO,I;
YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jEgB,cAAR,iBAAQ,C;UA8jEhB,IAAI,cAAa,CAAjB,C;Y
AAoB,qBAAO,O;YAAP,uB;WACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,
QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI
,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApDP,yB;O;KANJ,C;mFASA,yB;MA/gEI,8D;MA+gEJ,sC;Q
AMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kEgB
,cAAR,iBAAQ,C;UA+kEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3DmB,QA2DJ,CA
AS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,CAAS
,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApEP,
yB;O;KANJ,C;mFASA,yB;MAhhEI,8D;MAghEJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAA
P,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBAIEgB,cAAR,iBAAQ,C;UAgmEhB,IAAI,cAAa,CAAjB,C;YAAo
B,qBAAO,O;YAAP,uB;WACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,Q
AAQ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UA
AU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApFP,yB;O;KANJ,C;mFASA,yB;MAjhEI,8D;MAihEJ,sC;QAM
W,sB;;UAuFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBAhnEgB,cA
AR,iBAAQ,C;UAinEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3FmB,QA2FJ,CAAS,O
AAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAA
T,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApGP,yB;O;
KANJ,C;+FASA,yB;MALjEI,8D;MAkjEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,
C;QACd,gBA7jEgB,cA6jEA,SA7jER,QAAQ,C;QA8jEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe
,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAA
T,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+F
AyBA,yB;MANkEI,8D;MAMkEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QAC
d,gBA9kEgB,cA8kEA,SA9KER,QAAQ,C;QA+kEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SA
AS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C
;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAy

BA,yB;MAplEI,8D;MAolEI,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gB
A/IEgB,cA+IEA,SA/IER,QAAQ,C;QAgmEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OA
AT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UAC
R,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB
;MArmEI,8D;MAqmEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhn
EgB,cAgnEA,SAhnER,QAAQ,C;QAinEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,
C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IA
AI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MA
AA,sE;MATpEI,8D;MhB/vHJ,iB;MgBq5LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eA
Ae,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqEG,cAAR,iBAAQ,C;QAsqEhB,aAAU,CAAV,iB;UACI,QAAQ,S
AAS,sBAAK,CAAL,CAAT,C;UACR,WhB95LG,MAAK,KgB85LS,QhB95LT,EgB85LmB,ChB95LnB,C;;QgBg6
LZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MARqEI,8D;MhBvwHJ,iB;MgB46LA,sC;QAgBiB,Q;QAFb,I
AAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrEG,cAAR,iBAAQ,
C;QAqrEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBr7LG,MAAK,KgBq7LS,
QhBr7LT,EgBq7LmB,ChBr7LnB,C;;QgBu7LZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAprEI,8D;MhB
/wHJ,iB;MgBm8LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAA
L,CAAT,C;QACF,OApS EG,cAAR,iBAAQ,C;QAosEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CA
AT,C;UACR,WhB58LG,MAAK,KgB48LS,QhB58LT,EgB48LmB,ChB58LnB,C;;QgB88LZ,OAAO,Q;O;KApBX,
C;mFAuBA,yB;MAAA,sE;MAnsEI,8D;MhBvxHJ,iB;MgB09LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,M
AAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntEG,cAAR,iBAAQ,C;QamtEhB,aAAU,CAA
V,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBn+LG,MAAK,KgBm+LS,QhBn+LT,EgBm+LmB,
ChBn+LnB,C;;QgBq+LZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAIvEI,8D;MhB3wHJ,iB;MgB6/LA,s
C;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA
lwEG,cAAR,iBAAQ,C;QakwEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBtg
MG,MAAK,KgBsgMS,QhBtgMT,EgBsgMmB,ChBtgMnB,C;;QgBwgMZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;M
AAA,sE;MAjwEI,8D;MhBnxHJ,iB;MgBohMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,
eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjxEG,cAAR,iBAAQ,C;QAixEhB,aAAU,CAAV,iB;UACI,QAAQ
,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhB7hMG,MAAK,KgB6hMS,QhB7hMT,EgB6hMmB,ChB7hMnB,C;;Q
gB+hMZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxEI,8D;MhB3xHJ,iB;MgB2iMA,sC;QAgBiB,Q;Q
AFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhyEG,cAAR,iB
AAQ,C;QAgYehB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBpjMG,MAAK,Kg
BojMS,QhBpjMT,EgBojMmB,ChBpjMnB,C;;QgBsjMZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/xEI,
8D;MhBnyHJ,iB;MgBkkMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBA
AK,CAAL,CAAT,C;QACF,OA/yEG,cAAR,iBAAQ,C;QA+yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,
CAAL,CAAT,C;UACR,WhB3kMG,MAAK,KgB2kMS,QhB3kMT,EgB2kMmB,ChB3kMnB,C;;QgB6kMZ,OAAO
,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA90EI,8D;MA80EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAA
M,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51EG,cAAR,iBAAQ,C;QA41EhB,aAAU,CAAV,i
B;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGn
B,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA71EI,8D;MA61EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UA
Ae,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32EG,cAAR,iBAAQ,C;QA22EhB,aAAU
,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C
;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA52EI,8D;MA42EJ,sC;QAcIB,Q;QAFb,IAAI,mBAA
J,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13EG,cAAR,iBAAQ,C;QA03EhB
,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,W
AAW,C;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33EI,8D;MA23EJ,sC;QAcIB,Q;QAFb,IAAI
,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA24EG,cAAR,iBAAQ,C;Q
Ay4EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;Y
ACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16EI,8D;MhB/vHJ,iB;MgByqMA,sC;QAcIB,Q;

QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAx7EG,cAAR,iBA
AQ,C;QAw7EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBhrMG,MAAK,KgB
grMS,QhBhrMT,EgBgrMmB,ChBhrMnB,C;;QgBkrMZ,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAv7EI,8D;MhBvw
HJ,iB;MgB8rMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAA
T,C;QACF,OAr8EG,cAAR,iBAAQ,C;QAq8EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;
UACR,WhBrsMG,MAAK,KgBqsMS,QhBrsMT,EgBqsMmB,ChBrsMnB,C;;QgBusMZ,OAAO,Q;O;KAlBX,C;+F
AqBA,yB;MAp8EI,8D;MhB/wHJ,iB;MgBmtMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eA
Ae,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAI9EG,cAAR,iBAAQ,C;QAK9EhB,aAAU,CAAV,iB;UACI,QAAQ,S
AAS,sBAAK,CAAL,CAAT,C;UACR,WhB1tMG,MAAK,KgB0tMS,QhB1tMT,EgB0tMmB,ChB1tMnB,C;;QgB4t
MZ,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAj9EI,8D;MhBvxHJ,iB;MgBwuMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,
C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9EG,cAAR,iBAAQ,C;QA+9EhB,aA
AU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhB/uMG,MAAK,KgB+uMS,QhB/uMT,Eg
B+uMmB,ChB/uMnB,C;;QgBivMZ,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA9/EI,8D;MhB3wHJ,iB;MgBywMA,s
C;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5gF
G,cAAR,iBAAQ,C;QA4gFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBhxMG,
MAAK,KgBgxMS,QhBhxMT,EgBgxMmB,ChBhxMnB,C;;QgBkxMZ,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA3g
FI,8D;MhBnxHJ,iB;MgB8xMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK
,CAAL,CAAT,C;QACF,OAZhFG,cAAR,iBAAQ,C;QAyhFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CA
AL,CAAT,C;UACR,WhBryMG,MAAK,KgBqyMS,QhBryMT,EgBqyMmB,ChBryMnB,C;;QgBuyMZ,OAAO,Q;O
;KAlBX,C;+FAqBA,yB;MAxhFI,8D;MhB3xHJ,iB;MgBmzMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO
,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtiFG,cAAR,iBAAQ,C;QAsiFhB,aAAU,CAAV,iB;UA
CI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhB1zMG,MAAK,KgB0zMS,QhB1zMT,EgB0zMmB,ChB1z
MnB,C;;QgB4zMZ,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAriFI,8D;MhBnyHJ,iB;MgBw0MA,sC;QAcIB,Q;QAFb,
IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAnjFG,cAAR,iBAAQ,C;
QAmjFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhB/0MG,MAAK,KgB+0MS,
QhB/0MT,EgB+0MmB,ChB/0MnB,C;;QgBi1MZ,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAlFI,8D;MAkIFJ,sC;QA
YiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9IFG,cAA
R,iBAAQ,C;QA8IFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CA
AX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/IFI,8D;MA+IFJ,sC;QAYiB,Q;Q
AFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mFG,cAAR,iBA
AQ,C;QA2mFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K
AAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5mFI,8D;MA4mFJ,sC;QAYiB,Q;QAFb
,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnFG,cAAR,iBAAQ,C;
QAWNfHb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C
;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAznFI,8D;MAynFJ,sC;QAYiB,Q;QAFb,IAAI,
mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArFG,cAAR,iBAAQ,C;QAqo
FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI
,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;2FAqBA,yB;MAAA,sE;MAtqFI,8D;MASqFJ,kD;QAcIB,Q;QAFb,IA
AI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprFG,cAAR,iBAAQ,C;
QAorFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EA
AkB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,sE
;MArrFI,8D;MAqrFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL
,CAAT,C;QACF,OAnsFG,cAAR,iBAAQ,C;QAmsFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CA
AT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,
OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MApsFI,8D;MAosFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,
MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAltFG,cAAR,iBAAQ,C;QAktFhB,aAAU,CAA
V,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,G
AAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MAntFI,8D;MAmtFJ,

kD;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAj uFG,cAAR,iBAAQ,C;QAIuFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UA AW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAPbX,C; uGAuBA,yB;MAIwFI,8D;MAkwFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sB AAK,CAAL,CAAT,C;QACF,OA9wFG,cAAR,iBAAQ,C;QA8wFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAA K,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW, C;;QAGnB,OAAO,Q;O;KAlBX,C;sGAqBA,yB;MA/wFI,8D;MA+wFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAA e,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3xFG,cAAR,iBAAQ,C;QA2xFhB,aAAU,CA AV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX, GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA5xFI,8D;MA4xFJ,kD;QAY iB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyFG,cAA R,iBAAQ,C;QAWyFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAA Q,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA, yB;MAzyFI,8D;MAyyFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAA L,CAAT,C;QACF,OA9zFG,cAAR,iBAAQ,C;QAqzFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CA AT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB, OAAO,Q;O;KAlBX,C;IAqBA,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CA AL,C;MACG,OA91FG,gBAAR,iBAAQ,C;MA81FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,I9 B7mN8D,Y8B6mN1D,G9B7mN2E,KAAjB,E8B6mNpD,C9B7mNiF,KAA7B,C8B6mN1D,IAAJ,C;UAAa,MAAM ,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CA AL,C;MACG,OA92FG,gBAAR,iBAAQ,C;MAq2FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,Ifp nN+D,aeonN3D,GfpnN6E,KAAIB,EeonNrD,CfpnNmF,KAA9B,CeonN3D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OA AO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,O A52FG,gBAAR,iBAAQ,C;MA42FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,I/B3pN4E,0B+B2 pNx,E/G/B3gN8B,KAAL,GAAiB,GAhJ8B,E+B2pNIE,C/B3gNwB,KAAL,GAAiB,GAhJ8B,C+B2pNx,E,IAAJ,C;U AAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAA U,sBAAK,CAAL,C;MACG,OAn3FG,gBAAR,iBAAQ,C;MAm3FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CA AL,C;QACR,I7BlqN6E,0B6BkqNzE,G7BzhN8B,KAAL,GAAiB,KAZI+B,E6BkqNnE,C7BzhNwB,KAAL,GAAiB, KAZI+B,C6BkqNzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K; IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAA O,4BAAc,UAAAd,C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAA L,C;MACG,OA17FG,gBAAR,iBAAQ,C;MA07FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAA I,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,i D;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAj8FG,gBAAR,i BAAQ,C;MAi8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa, CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mB AAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAx8FG,gBAAR,iBAAQ,C;MAw8FhB,aAAU, CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAA jC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACt B,UAAU,sBAAK,CAAL,C;MACG,OA/8FG,gBAAR,iBAAQ,C;MA+8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAA K,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE 9C,OAAO,G;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAG X,2B;MAKI,OAAO,uB;K;mfAGX,yB;MA9gGI,8D;MA8gGJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qB AAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jGgB,cAAR,iBAAQ,C;UA8jGhB,IAAI,cAAa,CAA jB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb ,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ, C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApDP,yB;O;KANJ,C;mfASA,yB;MA/gGI,8D;MA+g GJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gB

A9kGgB,cAAR,iBAAQ,C;UA+kGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3DmB,QA
2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8D
P,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;
QApEP,yB;O;KANJ,C;mFASA,yB;MAhhGI,8D;MAghGJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAA
O,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA/IGgB,cAAR,iBAAQ,C;UAgmGhB,IAAI,cAAa,CAAjB,
C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;
YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;c
ACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApFP,yB;O;KANJ,C;mFASA,yB;MAjhGI,8D;MAihGJ,s
C;QAMW,sB;;UAuFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBAhn
GgB,cAAR,iBAAQ,C;UAinGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3FmB,QA2FJ,
CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CA
AS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAp
GP,yB;O;KANJ,C;+FASA,yB;MAIjGI,8D;MAkjGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBA
AK,CAAL,C;QACd,gBA7jGgB,cA6jGA,SA7jGR,QAAQ,C;QA8jGhB,IAAI,cAAa,CAAjB,C;YAAoB,OAAO,O;Q
AC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,
SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;
KAtBX,C;+FAyBA,yB;MANkGI,8D;MAMkGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,C
AAL,C;QACd,gBA9kGgB,cA8kGA,SA9kGR,QAAQ,C;QA+kGhB,IAAI,cAAa,CAAjB,C;YAAoB,OAAO,O;QAC
3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,S
AAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;K
AtBX,C;+FAyBA,yB;MAplGI,8D;MAolGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAA
L,C;QACd,gBA/IGgB,cA+IGA,SA/IGR,QAAQ,C;QAgmGhB,IAAI,cAAa,CAAjB,C;YAAoB,OAAO,O;QAC3B,e
AAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,
CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,
C;+FAyBA,yB;MARMGI,8D;MAqmGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;
QACd,gBAhnGgB,cAgnGA,SAhnGR,QAAQ,C;QAinGhB,IAAI,cAAa,CAAjB,C;YAAoB,OAAO,O;QAC3B,eAA
e,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CA
AT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;k
FAyBA,yB;MAAA,sE;MATpGI,8D;MhBjiHJ,iB;MgBurNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,
6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqGG,cAAR,iBAAQ,C;QAsqGhB,aAAU,CAAV,iB;
UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBhsNG,MAAK,KgBgsNS,QhBhsNT,EgBgsNmB,ChBhs
NnB,C;;QgBksNZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MARqGI,8D;MhBziHJ,iB;MgB8sNA,sC;QAg
BiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrGG,c
AAR,iBAAQ,C;QAqrGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBvtNG,MA
AK,KgButNS,QhBvtNT,EgButNmB,ChBvtNnB,C;;QgBytNZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;M
AprGI,8D;MhBjjHJ,iB;MgBquNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,
sBAAK,CAAL,CAAT,C;QACF,OAsGG,cAAR,iBAAQ,C;QAosGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBA
AK,CAAL,CAAT,C;UACR,WhB9uNG,MAAK,KgB8uNS,QhB9uNT,EgB8uNmB,ChB9uNnB,C;;QgBgvNZ,OAA
O,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MANSGL,8D;MhBzjHJ,iB;MgB4vNA,sC;QAgBiB,Q;QAFb,IAAI,mBA
AJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntGG,cAAR,iBAAQ,C;QAMtG
hB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBrwNG,MAAK,KgBqwNS,QhBrw
NT,EgBqwNmB,ChBrwNnB,C;;QgBuwNZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MALvGI,8D;MhB7iH
J,iB;MgB+xNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CA
AT,C;QACF,OAlwGG,cAAR,iBAAQ,C;QakwGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,
C;UACR,WhBxyNG,MAAK,KgBwyNS,QhBxyNT,EgBwyNmB,ChBxyNnB,C;;QgB0yNZ,OAAO,Q;O;KApBX,C
;mFAuBA,yB;MAAA,sE;MAjwGI,8D;MhBrjHJ,iB;MgBszNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAA
M,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAJxGG,cAAR,iBAAQ,C;QAixGhB,aAAU,CAAV,i
B;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhB/zNG,MAAK,KgB+zNS,QhB/zNT,EgB+zNmB,ChB/

zNnB,C;;QgBi0NZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxGI,8D;MhB7jHJ,iB;MgB60NA,sC;QA
gBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhyGG
,cAAR,iBAAQ,C;QAgYghB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBt1NG,M
AAK,KgBs1NS,QhBt1NT,EgBs1NmB,ChBt1NnB,C;;QgBw1NZ,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;
MA/xGI,8D;MhBrkHJ,iB;MgBo2NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SA
AS,sBAAK,CAAL,CAAT,C;QACF,OA/yGG,cAAR,iBAAQ,C;QA+yGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,s
BAAK,CAAL,CAAT,C;UACR,WhB72NG,MAAK,KgB62NS,QhB72NT,EgB62NmB,ChB72NnB,C;;QgB+2NZ,O
AAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA90GI,8D;MA80GJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,
MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51GG,cAAR,iBAAQ,C;QA41GhB,aAAU,C
AAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;
QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA71GI,8D;MA61GJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ
,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32GG,cAAR,iBAAQ,C;QA22GhB
,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,W
AAW,C;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA52GI,8D;MA42GJ,sC;QAcIB,Q;QAFb,IAA
I,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13GG,cAAR,iBAAQ,C;
QA03GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33GI,8D;MA23GJ,sC;QAcIB,Q;Q
AFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA4zGG,cAAR,iB
AAQ,C;QAy4GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,
KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16GI,8D;MhBjiHJ,iB;MgB28NA,sC;
QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA7GG,
cAAR,iBAAQ,C;QAw7GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhB19NG,M
AAK,KgBk9NS,QhB19NT,EgBk9NmB,ChB19NnB,C;;QgBo9NZ,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAv7GI,8D
;MhBziHJ,iB;MgBg+NA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAA
L,CAAT,C;QACF,OA8GG,cAAR,iBAAQ,C;QAq8GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,C
AAT,C;UACR,WhBv+NG,MAAK,KgBu+NS,QhBv+NT,EgBu+NmB,ChBv+NnB,C;;QgBy+NZ,OAAO,Q;O;KAI
BX,C;+FAqBA,yB;MAp8GI,8D;MhBjjHJ,iB;MgBq/NA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QA
CtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA19GG,cAAR,iBAAQ,C;Qak9GhB,aAAU,CAAV,iB;UACI,Q
AAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhB5/NG,MAAK,KgB4/NS,QhB5/NT,EgB4/NmB,ChB5/NnB,C;;Q
gB8/NZ,OAAO,Q;O;KAI BX,C;+FAqBA,yB;MAj9GI,8D;MhBzjHJ,iB;MgB0gOA,sC;QAcIB,Q;QAFb,IAAI,mBA
AJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/9GG,cAAR,iBAAQ,C;QA+9GhB,
aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBjhOG,MAAK,KgBihOS,QhBjhOT,Eg
BihOmB,ChBjhOnB,C;;QgBmhOZ,OAAO,Q;O;KAI BX,C;+FAqBA,yB;MA9/GI,8D;MhB7iHJ,iB;MgB2iOA,sC;Q
AcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5gHG,c
AAR,iBAAQ,C;QA4gHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBljOG,MA
AK,KgBkjOS,QhBljOT,EgBkjOmB,ChBljOnB,C;;QgBojOZ,OAAO,Q;O;KAI BX,C;+FAqBA,yB;MA3gHI,8D;Mh
BrjHJ,iB;MgBgkOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CA
AT,C;QACF,OAzhHG,cAAR,iBAAQ,C;QayhHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,
C;UACR,WhBvkOG,MAAK,KgBukOS,QhBvkOT,EgBukOmB,ChBvkOnB,C;;QgBykOZ,OAAO,Q;O;KAI BX,C;
+FAqBA,yB;MAxhHI,8D;MhB7jHJ,iB;MgBqlOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,e
AAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtiHG,cAAR,iBAAQ,C;QAsiHhB,aAAU,CAAV,iB;UACI,QAAQ,
SAAS,sBAAK,CAAL,CAAT,C;UACR,WhB5lOG,MAAK,KgB4lOS,QhB5lOT,EgB4lOmB,ChB5lOnB,C;;QgB8l
OZ,OAAO,Q;O;KAI BX,C;+FAqBA,yB;MAriHI,8D;MhBrkHJ,iB;MgB0mOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C
;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAanjHG,cAAR,iBAAQ,C;QAmjHhB,aAA
U,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WhBjnOG,MAAK,KgBinOS,QhBjnOT,EgBin
OmB,ChBjnOnB,C;;QgBmnOZ,OAAO,Q;O;KAI BX,C;+FAqBA,yB;MAlIHI,8D;MAklHI,sC;QAYiB,Q;QAFb,IA
AI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9IHG,cAAR,iBAAQ,C;Q
A8lHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;Y

ACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA/IHI,8D;MA+IHJ,sC;QAYiB,Q;QAFb,IAAI,mB
AAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mHG,cAAR,iBAAQ,C;QA2mH
hB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,
WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA5mHI,8D;MA4mHJ,sC;QAYiB,Q;QAFb,IAAI,mBA
AJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnHG,cAAR,iBAAQ,C;QAwnHhB
,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,W
AAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAznHI,8D;MAynHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C
;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAroHG,cAAR,iBAAQ,C;QAqoHhB,aAA
U,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,
C;;QAGnB,OAAO,Q;O;KAIBX,C;2FAqBA,yB;MAAA,sE;MATqHI,8D;MASqHJ,kD;QACiB,Q;QAFb,IAAI,mBA
AJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprHG,cAAR,iBAAQ,C;QAorHh
B,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CA
AIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,sE;MArrH
I,8D;MAqrHJ,kD;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT
,C;QACF,OAnsHG,cAAR,iBAAQ,C;QAmshhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;
UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,
Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MApsHI,8D;MAosHJ,kD;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAA
M,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAltHG,cAAR,iBAAQ,C;QAktHhB,aAAU,CAAV,iB
;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAak
C,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MAntHI,8D;MAmtHJ,kD;
QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjuH
G,cAAR,iBAAQ,C;QAiuHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAA
W,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;u
GAuBA,yB;MALwHI,8D;MAkwHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sB
AAK,CAAL,CAAT,C;QACF,OA9wHG,cAAR,iBAAQ,C;QA8wHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBA
AK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAA
W,C;;QAGnB,OAAO,Q;O;KAIBX,C;sGAqBA,yB;MA/wHI,8D;MA+wHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;U
AAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3xHG,cAAR,iBAAQ,C;QA2xHhB,aAAU,
CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CA
AX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;uGAqBA,yB;MA5xHI,8D;MA4xHJ,kD;
QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyHG,
cAAR,iBAAQ,C;QAwyHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW
,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;uGA
qBA,yB;MAzyHI,8D;MAyyHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAA
K,CAAL,CAAT,C;QACF,OArzHG,cAAR,iBAAQ,C;QAqzHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,C
AAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;
QAGnB,OAAO,Q;O;KAIBX,C;IAqBA,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sBA
AK,CAAL,C;MACG,OA9IHG,gBAAR,iBAAQ,C;MA81HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;Q
ACR,I9B7mP8D,Y8B6mP1D,G9B7mP2E,KAAjB,E8B6mPpD,C9B7mPiF,KAA7B,C8B6mP1D,IAAJ,C;UAAa,M
AAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sBAA
K,CAAL,C;MACG,OAr2HG,gBAAR,iBAAQ,C;MAq2HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QA
CR,IfpnP+D,aeonP3D,GfnpP6E,KAAIB,EeonPrD,CfnpPmF,KAA9B,CeonP3D,IAAJ,C;UAAa,MAAM,C;;MAEvB
,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MAC
G,OA52HG,gBAAR,iBAAQ,C;MA42HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,I/B3pP4E,0B
+B2pPxE,G/B3gP8B,KAAL,GAAiB,GAhJ8B,E+B2pPIE,C/B3gPwB,KAAL,GAAiB,GAhJ8B,C+B2pPxE,IAAJ,C;
UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UA
AU,sBAAK,CAAL,C;MACG,OAn3HG,gBAAR,iBAAQ,C;MAm3HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,C
AAL,C;QACR,I7BlqP6E,0B6BkqPzE,G7BzhP8B,KAAL,GAAiB,KAZI+B,E6BkqPnE,C7BzhPwB,KAAL,GAAiB,

KAZI+B,C6BkqPzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K; IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAA O,4BAAc,UAAAd,C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAA L,C;MACG,OA17HG,gBAAR,iBAAQ,C;MA07HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IA AI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAG X,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OAj8HG,gBA AR,iBAAQ,C;MAi8HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,E AAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI ,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OAx8HG,gBAAR,iBAAQ,C;MAw8HhB,aA AU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B, CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I; MAcTb,UAAU,sBAAK,CAAL,C;MACG,OA/8HG,gBAAR,iBAAQ,C;MA+8HhB,aAAU,CAAV,iB;QACI,QAAQ ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C ;;MAE9C,OAAO,G;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO, mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB; QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B; MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAA O,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CA AJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAA gB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;qFAGX,6B;MAOmC,Q;MA AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q; MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC, Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOm C,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;mGAGJ,6B;MA trEiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WA AgB,IAAhB,C;;MAGsEnB,gB;K;mGAGJ,6B;MAttrEiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;Q AAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAGB,IAAhB,C;;MAGsEnB,gB;K;mGAGJ,6B;MAttrEiB,gB;MA Db,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAGB,IAAhB, C;;MAGsEnB,gB;K;mGAGJ,6B;MAttrEiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAA M,QAAO,cAAP,EAAO,sBAAP,WAAGB,IAAhB,C;;MAGsEnB,gB;K;qFAGJ,yB;MAAA,4F;MA9qII,8D;MA8qIJ, uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C ;QACD,OAjsID,cAAR,iBAAQ,C;QAisIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL ,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MA/rII,8D;MA+rIJ,uC;QAmBqB,Q;QAHjB,I AAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OAlID,cAAR,iB AAQ,C;QAktIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAA O,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MAhtII,8D;MAGtIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,M AAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OAnuID,cAAR,iBAAQ,C;QAmulhB,iBA Ac,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;qF AyBA,yB;MAAA,4F;MAjuII,8D;MAiuIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BA A9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OApyID,cAAR,iBAAQ,C;QAovIhB,iBAAc,CAAd,yB;UACI,c AAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;MAAA,4F; MAIxII,8D;MAKxIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAA kB,sBAAK,CAAL,C;QACD,OArYID,cAAR,iBAAQ,C;QAqyIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,E AAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;MAAA,4F;MAN yII,8D;MAmyIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,s BAAK,CAAL,C;QACD,OAtzID,cAAR,iBAAQ,C;QAszIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB ,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;MAAA,4F;MAPzII,8D ;MAozIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK

,CAAL,C;QACD,OA0ID,cAAR,iBAAQ,C;QAU0IhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KATBX,C;mGAYBA,yB;MAAA,4F;MAR0II,8D;MAq0IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OAx1ID,cAAR,iBAAQ,C;QAw1IhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KATBX,C;+GAYBA,yB;MAT3II,8D;MAS3IJ,uC;QAKBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAakB,sBAAK,CAAL,C;QACD,OAx4ID,cAAR,iBAAQ,C;QAw4IhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAWBA,yB;MAT4II,8D;MAS4IJ,uC;QAKBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAakB,sBAAK,CAAL,C;QACD,OAx5ID,cAAR,iBAAQ,C;QAw5IhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAWBA,yB;MAT5II,8D;MAS5IJ,uC;QAKBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAakB,sBAAK,CAAL,C;QACD,OAx6ID,cAAR,iBAAQ,C;QAw6IhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAWBA,yB;MAT6II,8D;MAS6IJ,uC;QAKBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAakB,sBAAK,CAAL,C;QACD,OAx7ID,cAAR,iBAAQ,C;QAw7IhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;iGAYBA,yB;MAV+II,8D;MAU+IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAakB,sBAAK,CAAL,C;QACD,OA1ID,cAAR,iBAAQ,C;QA0IhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KATBX,C;iGAYBA,yB;MAX/II,8D;MAW/IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAakB,sBAAK,CAAL,C;QACD,OA3gJD,cAAR,iBAAQ,C;QA2gJhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KATBX,C;iGAYBA,yB;MAZgJI,8D;MAyGJJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAakB,sBAAK,CAAL,C;QACD,OA5hJD,cAAR,iBAAQ,C;QA4hJhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KATBX,C;+FAYBA,yB;MAAA,4F;MA1jJI,8D;MA0jJJ,uC;QAKB0B,UAEU,M;QAJhC,YA1kJgB,cAAR,iBAAQ,C;QA2kJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KATBX,C;+FAYBA,yB;MAAA,4F;MA3kJI,8D;MA2kJJ,uC;QAKB0B,UAEU,M;QAJhC,YA3lJgB,cAAR,iBAAQ,C;QA4lJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KATBX,C;+FAYBA,yB;MAAA,4F;MA5lJI,8D;MA4lJJ,uC;QAKB0B,UAEU,M;QAJhC,YA5mJgB,cAAR,iBAAQ,C;QA6mJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KATBX,C;+FAYBA,yB;MAAA,4F;MA7mJI,8D;MA6mJJ,uC;QAKB0B,UAEU,M;QAJhC,YA7nJgB,cAAR,iBAAQ,C;QA8nJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KATBX,C;6GAYBA,yB;MAAA,4F;MA9pJI,8D;MA8pJJ,uC;QAKB0B,Q;QAFtB,YA9qJgB,cAAR,iBAAQ,C;QA+qJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAVBX,C;6GA0BA,yB;MAAA,4F;MAhrJI,8D;MAgrJJ,uC;QAKB0B,Q;QAFtB,YAhsJgB,cAAR,iBAAQ,C;QAisJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAVBX,C;6GA0BA,yB;MAAA,4F;MAIsJI,8D;MAksJJ,uC;QAKB0B,Q;QAFtB,YAltJgB,cAAR,iBAAQ,C;QAmTJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KA

vBX,C;6GA0BA,yB;MAAA,4F;MAptJI,8D;MAotJJ,uC;QakB0B,Q;QAFtB,YApuJgB,cAAR,iBAAQ,C;QAquJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAvBX,C;yHA0BA,yB;MAtwJI,8D;MASwJJ,uC;QaiB0B,Q;QAFtB,YArxJgB,cAAR,iBAAQ,C;QAsxJhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;yHAYBA,yB;MAvxJI,8D;MAuxJJ,uC;QaiB0B,Q;QAFtB,YAtyJgB,cAAR,iBAAQ,C;QAuyJhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;yHAYBA,yB;MAxyJI,8D;MAwyJJ,uC;QaiB0B,Q;QAFtB,YAvzJgB,cAAR,iBAAQ,C;QAwzJhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;yHAYBA,yB;MAzzJI,8D;MAyzJJ,uC;QaiB0B,Q;QAFtB,YAx0JgB,cAAR,iBAAQ,C;QAY0JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;2GAYBA,yB;MA12JI,8D;MA02JJ,uC;QakB0B,UAEU,M;QAJhC,YA13JgB,cAAR,iBAAQ,C;QA23JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;2GAYBA,yB;MA33JI,8D;MA23JJ,uC;QakB0B,UAEU,M;QAJhC,YA34JgB,cAAR,iBAAQ,C;QA44JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;2GAYBA,yB;MA54JI,8D;MA44JJ,uC;QakB0B,UAEU,M;QAJhC,YA55JgB,cAAR,iBAAQ,C;QA65JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;2GAYBA,yB;MA75JI,8D;MA65JJ,uC;QakB0B,UAEU,M;QAJhC,YA76JgB,cAAR,iBAAQ,C;QA86JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OA AO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajBrTRO,W;QiBstRP,kBAakB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAavB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OA AO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajB9uRO,W;QiB+uRP,kBAakB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAavB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OA AO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajBvRO,W;QiBwwRP,kBAakB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAavB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OA AO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajBhyRO,W;QiBiyRP,kBAakB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAavB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;6GAYBA,yB;MAAA,gD;MAAA,gE;MAllKI,0D;MAkIKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OA AO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajB1zRO,W;QiB2zRP,kBAakB,O;QACJ,OArmKE,YAAR,iBAAQ,C;QAqmKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,K AAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MApmKI,0D;MAomKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OA AO,OAAP,C;QACc,kBA AvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajBp1RO,W;QiBq1RP,kBAakB,O;QACJ,OAvnKE,YAAR,iBAAQ,C;QAunKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,s

BAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MAAtKI,0D;MAsnKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAp,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajB92RO,W;QiB+2RP,kBAAkB,O;QACJ,OAzoKE,YAAR,iBAAQ,C;QAyoKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MAxoKI,0D;MAwoKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAp,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajBx4RO,W;QiBy4RP,kBAAkB,O;QACJ,OA3pKE,YAAR,iBAAQ,C;QA2pKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;mGA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAL,aAAJ,C;QAA3C,ajB16RO,W;QiBm6Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAL,aAAJ,C;QAA5C,ajB37RO,W;QiB47Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,cAAlB,C;QAAgC,sBAAL,aAAJ,C;QAA7C,ajB7+RO,W;QiB8+Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAL,aAAJ,C;QAA3C,ajBvgSO,W;QiBwgSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAL,aAAJ,C;QAA5C,ajBjiSO,W;QiBkiSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,cAAlB,C;QAAgC,sBAAL,aAAJ,C;QAA7C,ajBrlSO,W;QiBslSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAxZA,gD;MAAA,gE;MAwZA,gD;QAgBW,sB;;UAtZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAYZH,OAyZG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAwZzB,OAxZyB,C;UAA5C,ajBrRO,W;UiBstRP,kBAuZmB,O;UAtZH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAqZwB,SArZV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QakZP,yB;O;KAhBJ,C;iFamBA,yB;MAIZA,gD;MAAA,gE;MAKZA,gD;QAgBW,sB;;UAhZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAmZH,OAnZG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAkZzB,OAlZyB,C;UAA5C,ajB9uRO,W;UiB+uRP,kBAiZmB,O;UAhZH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cA+YwB,SA/YV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA4YP,yB;O;KAhBJ,C;iFamBA,yB;MA5YA,gD;MAAA,gE;MA4YA,gD;QAgBW,sB;;UA1YS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OA6YH,OA7YG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA4YzB,OA5YyB,C;UAA5C,ajBvwRO,W;UiBwwRP,kBA2YmB,O;UA1

YH,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAyYwB,SAzYV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAsYP,yB;O;KAhBJ,C;iFamBA,yB;MAtYA,gD;MAAA,gE;MA sYA,gD;QAgBW,sB;;UApYS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAuYH,OA vYG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA sYzB,OAtYyB,C;UAA5C,ajBhyRO,W;UiBiyRP,kBAqYmB,O;UApYH,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAmYwB,SA nYV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAgYP,yB;O;KAhBJ,C;+FamBA,yB;MAhYA,gD;MAA A,gE;MAIiKI,0D;MAK9KJ,gD;QAIbW,6B;;UA9XO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OAIYI,OAjYJ,C; YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAgYIB,OAHykB,C;UAA5C,ajB1zRO,W; UiB2zRP,kBA+X0B,O;UA9XZ,OArmKE,YAAR,iBAAQ,C;UAqmKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI ,cA6X+B,SA7XjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WA AJ,C;;UAEX,4BAAO,M;;;QA0XP,gC;O;KAjBJ,C;+FAoBA,yB;MA1XA,gD;MAAA,gE;MApmKI,0D;MA89KJ,g D;QAIbW,6B;;UAxXO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OA2XI,OA3XJ,C;YAAP,8B;WACqB,kBAAv B,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA0XIB,OA1XkB,C;UAA5C,ajBp1RO,W;UiBq1RP,kBAyX0B,O;UAx XZ,OA v nKE,YAAR,iBAAQ,C;UAunKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAuX+B,SAvXjB,CAAU,K AAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;Q AoXP,gC;O;KAjBJ,C;+FAoBA,yB;MApXA,gD;MAAA,gE;MATnKI,0D;MA0+KJ,gD;QAIbW,6B;;UAI XO,gC;U AHd,IAAI,mBAAJ,C;YAAe,4BAAO,OAqXI,OA rXJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb, C;UAA+B,sBAoXIB,OA pXkB,C;UAA5C,ajB92RO,W;UiB+2RP,kBA mX0B,O;UAI XZ,OAzoKE,YAAR,iBAAQ, C;UAyoKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAiX+B,SAjXjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B, sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA8WP,gC;O;KAjBJ,C;+FAoBA, yB;MA9WA,gD;MAAA,gE;MAxoKI,0D;MAS/KJ,gD;QAIbW,6B;;UA5WO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4B AAO,OA+WI,OA/WJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA8WIB,OA9Wk B,C;UAA5C,ajBx4RO,W;UiBy4RP,kBA6W0B,O;UA5WZ,OA3pKE,YAAR,iBAAQ,C;UA2pKF,mB;UAAA,kB;U AAA,kB;UAAAd,0D;YACI,cA2W+B,SA3WjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C; YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAwWP,gC;O;KAjBJ,C;6FAoBA,yB;MAxWA,qD;MAAA,g E;MAwWA,uC;QAMW,wB;;UA5Ve,Q;UAHtB,IAAI,mBAAJ,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAaKB,sB AAK,CAAL,CAAIB,C;UACmC,kBAAtB,eAAgB,cAAhB,C;UAA8B,sBAAI,aAAJ,C;UAA3C,ajB16RO,W;UiBm6 Re,qB;UAAAtB,iBAAC,CAAd,wB;YACI,gBA2ViB,SA3VH,CAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;YAC d,MAAO,WAAI,aAAJ,C;;UAEX,uBAAO,M;;;QAwVP,2B;O;KANJ,C;6FASA,yB;MAxVA,qD;MAAA,gE;MAw VA,uC;QAMW,wB;;UA5Ue,Q;UAHtB,IAAI,mBAAJ,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAaKB,sBAAK,C AAL,CAAIB,C;UACoC,kBAAvB,eAAiB,cAAjB,C;UAA+B,sBAAI,aAAJ,C;UAA5C,ajB37RO,W;UiB47Re,qB;U AAtB,iBAAC,CAAd,wB;YACI,gBA2UiB,SA3UH,CAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;YACd,MAA O,WAAI,aAAJ,C;;UAEX,uBAAO,M;;;QAwUP,2B;O;KANJ,C;6FASA,yB;MAxUA,qD;MAAA,gE;MAwUA,uC; QAMW,wB;;UA5Te,Q;UAHtB,IAAI,mBAAJ,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAaKB,sBAAK,CAAL,CA AIB,C;UACoC,kBAAvB,eAAiB,cAAjB,C;UAA+B,sBAAI,aAAJ,C;UAA5C,ajBp9RO,W;UiBq9Re,qB;UAAAtB,iB AAc,CAAd,wB;YACI,gBA2TiB,SA3TH,CAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;YACd,MAAO,WAAI, aAAJ,C;;UAEX,uBAAO,M;;;QAwTP,2B;O;KANJ,C;6FASA,yB;MAxTA,qD;MAAA,gE;MAwTA,uC;QAMW,wB ;UA5Se,Q;UAHtB,IAAI,mBAAJ,C;YAAe,uBAAO,W;YAAP,yB;WACf,sBAaKB,sBAAK,CAAL,CAAIB,C;UAC qC,kBAAXB,eAAKB,cAAIB,C;UAAgC,sBAAI,aAAJ,C;UAA7C,ajB7+RO,W;UiB8+Re,qB;UAAAtB,iBAAC,CAAd, wB;YACI,gBA2SiB,SA3SH,CAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;YACd,MAAO,WAAI,aAAJ,C;;UA EX,uBAAO,M;;;QAwSP,2B;O;KANJ,C;2GASA,yB;MAxSA,qD;MAAA,gE;MAwSA,uC;QAMW,+B;;UA3Re,Q; UAHtB,IAAI,mBAAJ,C;YAAe,8BAAO,W;YAAP,gC;WACf,sBAaKB,sBAAK,CAAL,CAAIB,C;UACmC,kBAAt B,eAAgB,cAAhB,C;UAA8B,sBAAI,aAAJ,C;UAA3C,ajBvgSO,W;UiBwgSe,qB;UAAAtB,iBAAC,CAAd,wB;YACI, gBA0RwB,SA1RV,CAAU,KAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,aAAJ, C;;UAEX,8BAAO,M;;;QAuRP,kC;O;KANJ,C;2GASA,yB;MAvRA,qD;MAAA,gE;MAuRA,uC;QAMW,+B;;UA1 Qe,Q;UAHtB,IAAI,mBAAJ,C;YAAe,8BAAO,W;YAAP,gC;WACf,sBAaKB,sBAAK,CAAL,CAAIB,C;UACoC,k BAAvB,eAAiB,cAAjB,C;UAA+B,sBAAI,aAAJ,C;UAA5C,ajBjiSO,W;UiBkiSe,qB;UAAAtB,iBAAC,CAAd,wB;YA CI,gBAyQwB,SAzQV,CAAU,KAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,aA

AJ,C;;UAEX,8BAAO,M;;;QAsQP,kC;O;KANJ,C;2GASA,yB;MAtQA,qD;MAAA,gE;MAAsQA,uC;QAMW,+B;;U
AzPe,Q;UAHtB,IAAI,mBAAJ,C;YAAe,8BAAO,W;YAAP,gC;WACf,sBAAkB,sBAAK,CAAL,CAAlB,C;UACoC,
kBAAvB,eAAiB,cAAjB,C;UAA+B,sBAAl,aAAJ,C;UAA5C,ajB3jSO,W;UiB4jSe,qB;UAAtB,iBAAc,CAAd,wB;Y
ACl,gBAwPwB,SAXPV,CAAU,KAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,a
AAJ,C;;UAEX,8BAAO,M;;;QAqPP,kC;O;KANJ,C;2GASA,yB;MArPA,qD;MAAA,gE;MAqPA,uC;QAMW,+B;;
UAxOe,Q;UAHtB,IAAI,mBAAJ,C;YAAe,8BAAO,W;YAAP,gC;WACf,sBAAkB,sBAAK,CAAL,CAAlB,C;UACq
C,kBAAxB,eAAkB,cAAIB,C;UAAgC,sBAAl,aAAJ,C;UAA7C,ajBrlSO,W;UiBslSe,qB;UAAtB,iBAAc,CAAd,wB;
YACl,gBAuOwB,SAvOV,CAAU,KAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAA
I,aAAJ,C;;UAEX,8BAAO,M;;;QAoOP,kC;O;KANJ,C;mFASA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UA
AgB,W;QACA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,M9B90SiD,S8B80SjD,G9B90S2D,KAAK,G8B
80Szd,SAAS,OAAT,C9B90SoE,KAAX,IAAf,C;;Q8Bg1SrD,OAAO,G;O;KAXX,C;mFACa,yB;MAAA,wB;MAA
A,sC;QAQoB,Q;QADhB,UAAGB,W;QACA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,M9B51SiD,S8B4
1SjD,G9B51S2D,KAAK,G8B41Szd,SAAS,OAAT,C9B51SoE,KAAX,IAAf,C;;Q8B81SrD,OAAO,G;O;KAXX,C;
mFACa,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAGB,W;QACA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB
,yB;UACZ,M9B12SiD,S8B02SjD,G9B12S2D,KAAK,G8B02Szd,SAAS,OAAT,C9B12SoE,KAAX,IAAf,C;;Q8B4
2SrD,OAAO,G;O;KAXX,C;mFACa,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAGB,W;QACA,2B;QAAh
B,OAAGB,cAAhB,C;UAAgB,yB;UACZ,M9Bx3SiD,S8Bw3SjD,G9Bx3S2D,KAAK,G8Bw3Szd,SAAS,OAAT,C9
Bx3SoE,KAAX,IAAf,C;;Q8B03SrD,OAAO,G;O;KAXX,C;8FACa,+B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;
MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAQoB
,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAE
X,OAAO,G;K;+FAGX,+B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;Q
ACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAh
B,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAYoB,Q;MA
DhB,UAAoB,C;MACJ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAA
O,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OA
AO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAG
B,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,U
AAoB,C;MACJ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;
mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SA
AS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,c
AAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,
UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO
,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAA
O,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;
QACgB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KA
fX,C;mFAkBA,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAGB,cAAhB,C
;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;mFAkBA,yB;MAAA,SAWoB,gB;
MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OA
AT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;mFAkBA,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QA
CgB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,
C;mFAkBA,yB;M9B57SA,6B;M8B47SA,sC;QAYoB,Q;QADhB,U9B77SmC,c8B67SnB,C9B77SmB,C;Q8B87Sn
B,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,M9B1pTiD,c8B0pTjD,G9B1pT2D,KAAK,G8B0pTzD,SAAS
,OAAT,C9B1pToE,KAAX,IAAf,C;;Q8B4pTrD,OAAO,G;O;KafX,C;mFAkBA,yB;M9B98SA,6B;M8B88SA,sC;Q
AYoB,Q;QADhB,U9B/8SmC,c8B+8SnB,C9B/8SmB,C;Q8Bg9SnB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;U
ACZ,M9B5qTiD,c8B4qTjD,G9B5qT2D,KAAK,G8B4qTzD,SAAS,OAAT,C9B5qToE,KAAX,IAAf,C;;Q8B8qTrD
,OAAO,G;O;KafX,C;mFAkBA,yB;M9Bh+SA,6B;M8Bg+SA,sC;QAYoB,Q;QADhB,U9Bj+SmC,c8Bi+SnB,C9Bj
+SmB,C;Q8Bk+SnB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,M9B9rTiD,c8B8rTjD,G9B9rT2D,KAAK,
G8B8rTzD,SAAS,OAAT,C9B9rToE,KAAX,IAAf,C;;Q8BgsTrD,OAAO,G;O;KafX,C;mFAkBA,yB;M9B1/SA,6B;

M8Bk/SA,sC;QAYoB,Q;QADhB,U9Bn/SmC,c8Bm/SnB,C9Bn/SmB,C;Q8Bo/SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M9BhtTiD,c8BgtTjD,G9BhtT2D,KAAK,G8BgtTzD,SAAS,OAAT,C9BhtToE,KAAx,IAAf,C;;Q8BktTrD,OAAO,G;O;KafX,C;mFAkBA,yB;MfjgTA,+B;MeigTA,sC;QAYoB,Q;QADhB,UfjgTqC,eAAW,oBeigT/B,CfjgT+B,CAAX,C;QekgTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,Mf/tTmD,ee+tTnD,Gf/tT8D,KAAK,Ke+tT5D,SAAS,OAAT,Cf/tTuE,KAAx,CAAhB,C;;QeiuTvD,OAAO,G;O;KafX,C;mFAkBA,yB;MfnhTA,+B;MemhTA,sC;QAYoB,Q;QADhB,UfnhTqC,eAAW,oBemhT/B,CfnhT+B,CAAX,C;QeohTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MfjvTmD,eeivTnD,GfjvT8D,KAAK,KeivT5D,SAAS,OAAT,CfjvTuE,KAAx,CAAhB,C;;QemvTvD,OAAO,G;O;KafX,C;mFAkBA,yB;MfriTA,+B;MeqiTA,sC;QAYoB,Q;QADhB,UfriTqC,eAAW,oBeqiT/B,CfriT+B,CAAX,C;QesiTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MfnwTmD,eeiwTnD,GfnwT8D,KAAK,KemwT5D,SAAS,OAAT,CfnwTuE,KAAx,CAAhB,C;;QeqwTvD,OAAO,G;O;KafX,C;mFAkBA,yB;MfvjTA,+B;MeujTA,sC;QAYoB,Q;QADhB,UfvjTqC,eAAW,oBeujT/B,CfvjT+B,CAAX,C;QewjTrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MfrxTmD,eeqxTnD,GfrxT8D,KAAK,KeqxT5D,SAAS,OAAT,CfrxTuE,KAAx,CAAhB,C;;QeuxTvD,OAAO,G;O;KafX,C;IAkBA,kC;MA2DI,WhBtpTO,MAAK,KgBspTK,chBtpTL,EgBomTD,KakDkB,OhBtpTjB,C;MgBupTZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CArDO,EAAnB,KAqDqB,CAAM,CAAN,CArDF,CAqDrB,C;;MARDT,OAuDO,I;K;IApDX,kC;MAkEI,WhBzqTO,MAAK,KgByqTK,chBzqTL,EgBgnTD,KAyDkB,OhBzqTjB,C;MgB0qTZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAAnB,KA4DqB,CAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;K;IA3DX,kC;MAyEI,WhB5rTO,MAAK,KgB4rTK,chB5rTL,EgB4nTD,KAgEkB,OhB5rTjB,C;MgB6rTZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAnB,KAmEqB,CAAM,CAAN,CAnEF,CAmErB,C;;MAnET,OAqEO,I;K;IAIEX,kC;MAgFI,WhB/sTO,MAAK,KgB+sTK,chB/sTL,EgBwoTD,KAuEkB,OhB/sTjB,C;MgBgtTZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EAAnB,KA0EqB,CAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;K;+EAzEX,yB;MAAA,gE;MhBlpTA,iB;MgBkpTA,8C;QAWI,WhBtpTO,MAAK,KgBspTK,chBtpTL,EgBspTW,KAAM,OhBtpTjB,C;QgBupTZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhBrqTA,iB;MgBqqTA,8C;QAWI,WhBzqTO,MAAK,KgByqTK,chBzqTL,EgByqTW,KAAM,OhBzqTjB,C;QgB0qTZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhB3sTA,iB;MgB2sTA,8C;QAWI,WhB/sTO,MAAK,KgB+sTK,chB/sTL,EgB+sTW,KAAM,OhB/sTjB,C;QgBgtTZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmBA,kC;MA8DoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBhBnxTj,MAAK,KgBmxTwB,wBAnDzB,KAmDyB,EAAwB,EAAxB,ChBnxTxB,EgBmxTqD,ShBnxTrD,CgBmxTD,C;MACX,QAAQ,C;MACQ,OArDL,KAqDK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAvDqB,GAuDP,uBAAK,UAAAL,EAkBAAL,UAvDO,EAuDI,OAvDJ,CAuDrB,C;;MAvDT,OAYDO,I;K;IAtDX,kC;MAuEoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBhBxyTj,MAAK,KgBwyTwB,wBA5DzB,KA4DyB,EAAwB,EAAxB,ChBxyTxB,EgBwyTqD,ShBxyTrD,CgBwyTD,C;MACX,QAAQ,C;MACQ,OA9DL,KA8DK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhEqB,GAgEP,uBAAK,UAAAL,EAkBAAL,UAhEO,EAgEI,OAHEJ,CAGErB,C;;MAhET,OAKEO,I;K;IA/DX,kC;MAGFoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBhB7zTj,MAAK,KgB6zTwB,wBArEzB,KAqEyB,EAAwB,EAAxB,ChB7zTxB,EgB6zTqD,ShB7zTrD,CgB6zTD,C;MACX,QAAQ,C;MACQ,OAvEL,KAuEK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAZEqB,GAYEP,uBAAK,UAAAL,EAkBAAL,UAZEO,EAYEI,OAZeJ,CAYErB,C;;MAzET,OA2EO,I;K;IAXEX,kC;MAYFoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBhB11Tj,MAAK,KgBk1TwB,wBA9EzB,KA8EyB,EAAwB,EAAxB,ChB11TxB,EgBk1TqD,ShB11TrD,CgBk1TD,C;M

ACX,QAAQ,C;MACQ,OAhFL,KAgFK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;
UAAoB,K;QACpB,IAAK,WAlFqB,GAKFP,uBAAK,UAAL,EAAK,kBAAL,UAlFO,EAKFI,OAlFJ,CakFrB,C;;M
AlFT,OAoFO,I;K;+EAjFX,yB;MAAA,kF;MAAA,gE;MhB9wTA,iB;MgB8wTA,8C;QAcOB,UAEY,M;QAL5B,gB
AAgB,c;QACHB,WAAW,ehBnxTJ,MAAK,KgBmxTwB,wBAAN,KAAM,EAawB,EAaxB,ChBnxTxB,EgBmxTq
D,ShBnxTrD,CgBmxTD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KA
AK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAARb,C
AAJ,C;;QAET,OAAO,I;O;KAIBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MhBnyTA,iB;MgBmyTA,8C;QAcOB,U
AEY,M;QAL5B,gBAAGb,c;QACHB,WAAW,ehBxyTJ,MAAK,KgBwyTwB,wBAAN,KAAM,EAawB,EAaxB,Ch
BxyTxB,EgBwyTqD,ShBxyTrD,CgBwyTD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,y
B;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,
EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MhBxzTA,iB;MgBwz
TA,8C;QAcOB,UAEY,M;QAL5B,gBAAGb,c;QACHB,WAAW,ehB7zTJ,MAAK,KgB6zTwB,wBAAN,KAAM,EA
AwB,EAaxB,ChB7zTxB,EgB6zTqD,ShB7zTrD,CgB6zTD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAh
B,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,k
BAAL,UAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;8EAqBA,yB;MAAA,kF;MAAA,gE;MhB70
TA,iB;MgB60TA,8C;QAcOB,UAEY,M;QAL5B,gBAAGb,c;QACHB,WAAW,ehB11TJ,MAAK,KgBk1TwB,wBAA
N,KAAM,EAawB,EAaxB,ChB11TxB,EgBk1TqD,ShB11TrD,CgBk1TD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,O
AAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UA
AL,EAAK,kBAAL,UAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;IAqBA,kC;MA2DI,WhBt5TO,
MAAK,KgBs5TK,chBt5TL,EgBo2TD,KAKdKb,KhBt5TjB,C;MgBu5TZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,
CAAV,MAAkB,IAAIB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CARDO,EAAnB,KAqDqB,aAAM,CAA
N,CARDF,CAqDrB,C;;MARDT,OAuDO,I;K;IApDX,kC;MAkEI,WhBz6TO,MAAK,KgBy6TK,chBz6TL,EgB3TD
,KAyDkB,KhBz6TjB,C;MgB06TZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAA
K,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAAnB,KA4DqB,aAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8
DO,I;K;IA3DX,kC;MAyEI,WhB57TO,MAAK,KgB47TK,chB57TL,EgB43TD,KAgEkB,KhB57TjB,C;MgB67TZ,
WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL
,CAnEO,EAAnB,KAmEqB,aAAM,CAAN,CAnEF,CAMerB,C;;MANET,OAqEO,I;K;IAIEX,kC;MAGFI,WhB/8TO
,MAAK,KgB+8TK,chB/8TL,EgBw4TD,KAuEkB,KhB/8TjB,C;MgBg9TZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,
CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlEqB,GA0EP,sBAAK,CAAL,CA1EO,EAAnB,KA0EqB,aAAM,CAA
N,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;K;+EAzEX,yB;MAAA,gE;MhB15TA,iB;MgBk5TA,8C;QAWI,WhB5T
O,MAAK,KgBs5TK,chBt5TL,EgBs5TW,KAAM,KhBt5TjB,C;QgBu5TZ,WAAW,eAAa,IAAb,C;QACX,aAAU,C
AAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,kBAAM,CAAN,CAAnB,C
AAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhBr6TA,iB;MgBq6TA,8C;QAWI,WhBz6TO,M
AAK,KgBy6TK,chBz6TL,EgBy6TW,KAAM,KhBz6TjB,C;QgB06TZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAA
V,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,kBAAM,CAAN,CAAnB,CAAJ
,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhBx7TA,iB;MgBw7TA,8C;QAWI,WhB57TO,MAA
K,KgB47TK,chB57TL,EgB47TW,KAAM,KhB57TjB,C;QgB67TZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,
MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,kBAAM,CAAN,CAAnB,CAAJ,C;
;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhB38TA,iB;MgB28TA,8C;QAWI,WhB/8TO,MAAK,K
gB+8TK,chB/8TL,EgB+8TW,KAAM,KhB/8TjB,C;QgBg9TZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAA
kB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,kBAAM,CAAN,CAAnB,CAAJ,C;;QAE
T,OAAO,I;O;KAhBX,C;IAmBA,2B;MAQoB,Q;MADhB,UAAgB,W;MACHb,wBAAGb,SAAhB,gB;QAAgB,cAA
A,SAAhB,M;QACI,M9BlqUiD,S8BkqUjD,G9BlqU2D,KAAK,G8BkqUzD,O9BlqUoE,KAAx,IAAf,C;;M8BoqUr
D,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACjB,wBAAGb,SAAhB,gB;QAAgB,cAAA,SAAhB,
M;QACI,Mf7qUmD,Ue6qUnD,Gf7qU8D,KAAK,Ke6qU5D,Of7qUuE,KAAx,CAAhB,C;;Me+qUvD,OAAO,G;K;I
AGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACHb,wBAAGb,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,M9B9r
UiD,S8B8rUjD,G9B9rU2D,KAAK,GAAW,CDGj5C,S+B8iUxB,O/B9iUkC,KAAAL,GAAiB,GAAtB,CChJ4C,MAA
X,IAAf,C;;M8BgsUrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACHb,wBAAGb,SAAhB,gB;QA

AgB,cAAA,SAAhB,M;QACI,M9B5sUiD,S8B4sUjD,G9B5sU2D,KAAK,GAAW,CCiJ5C,S6B2jUxB,O7B3jUkC,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;M8B8sUrD,OAAO,G;K;+EAGX,yB;MAAA,0C;M9BhgUA,6B;M8BggUA,4B;QAOI,O9B7/TmC,c8B6/tpB,IAAR,iBAAQ,C9B7/ToB,C;O;K8Bs/TvC,C;+EAUA,yB;MAAA,0C;Mf3/TA,+B;Me2/TA,4B;QAOI,Ofx/TsC,eew/TvB,IAAR,iBAAQ,Cfx/TuB,C;O;Kei/T1C,C;+EAUA,yB;MAAA,sC;MAP4BA,wB;MAo4BA,iBAOiB,yB;Q/BrmUb,6B;e+BqmUa,c;UAAE,O/B5IUoB,c+B4IUpB,E/B5IU8B,KAAL,GAAiB,GAAtB,C;S;O+B4IUtB,C;MAPjB,4B;QA53BoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M9B12SiD,S8B02SjD,G9B12S2D,KAAK,GAAW,CDgJ5C,S+B0tSf,O/B1tSyB,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;Q8B4uUrD,OAh4BO,G;O;KAY3BX,C;+EAUA,yB;MAAA,sC;MAh4BA,wB;MAg4BA,iBAOiB,yB;Q7B9mUb,6B;e6B8mUa,c;UAAE,O7BrmUoB,c6BqmUpB,E7BrmU8B,KAAL,GAAiB,KAAtB,C;S;O6BqmUtB,C;MAPjB,4B;QAx3BoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M9Bx3SiD,S8Bw3SjD,G9Bx3S2D,KAAK,GAAW,CCiJ5C,S6BuuSf,O7BvuSyB,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;Q8BsvUrD,OA53BO,G;O;KAq3BX,C;IC3yUA,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAiB,C;;MACJ,OAAO,M;K;IAGX,kC;MAQoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAiB,C;;MACJ,OAAO,M;K;IAGX,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAiB,C;;MACJ,OAAO,M;K;IAGX,oC;MAQoB,UACL,M;MAHX,aAAa,iBAAY,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAiB,C;;MACJ,OAAO,M;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,M/BDiD,S+BCjD,G/BD2D,KAAK,G+BCzD,O/BDoe,KAAAX,IAAf,C;;M+BGrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MhBZmD,UgBYnD,GhBZ8D,KAAK,KgBY5D,OhBZuE,KAAAX,cAAhB,C;;MgBcvD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,M/B7BiD,S+B6BjD,G/B7B2D,KAAK,GAAW,CDgJ5C,SgCnHxB,OhCmHkC,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;M+B+BrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,M/B3CiD,S+B2CjD,G/B3C2D,KAAK,GAAW,CCiJ5C,S8BtGxB,O9BsGkC,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;M+B6CrD,OAAO,G;K;IC3GX,wB;MAMI,OhCsCkE,YgCtCvD,ChCsCwE,KAAjB,EgCtCID,ChCsC+E,KAA7B,CgCtCvD,KAAJ,GAAY,CAAZ,GAAM,B,C;K;IAG9B,wB;MAMI,OjBqCmE,aiBrCxD,CjBqC0E,KAAiB,EiBrCnD,CjBqCiF,KAA9B,CiBrCxD,KAAJ,GAAY,CAAZ,GAAM,B,C;K;IAG9B,wB;MAMI,OjCiGf,0BiCjRf,CjCoJ2B,KAAL,GAAiB,GAhJ8B,EiCjHe,CjCoJsB,KAAL,GAAiB,GAhJ8B,CiCjRe,KAAJ,GAAY,CAAZ,GAAM,B,C;K;IAG9B,wB;MAMI,O/BGiF,0B+BHtE,C/B4I2B,KAAL,GAAiB,KAZI+B,E+BHjE,C/B4IsB,KAAL,GAAiB,KAZI+B,C+BHtE,KAAJ,GAAY,CAAZ,GAAM,B,C;K;mFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,wB;MAMI,OhCfFkE,YgCkFvD,ChCfFwE,KAAjB,EgCkFID,ChCfF+E,KAA7B,CgCkFvD,KAAJ,GAAY,CAAZ,GAAM,B,C;K;IAG9B,wB;MAMI,OjBnFmE,aiBmFxD,CjBnF0E,KAAiB,EiBmFnD,CjBnFiF,KAA9B,CiBmFxD,KAAJ,GAAY,CAAZ,GAAM,B,C;K;IAG9B,wB;MAMI,OjCpHgF,0BiCoHrE,CjC4B2B,KAAL,GAAiB,GAhJ8B,EiCoHhE,CjC4BsB,KAAL,GAAiB,GAhJ8B,CiCoHrE,KAAJ,GAAY,CAAZ,GAAM,B,C;K;IAG9B,wB;MAMI,O/BrHiF,0B+BqHtE,C/BoB2B,KAAL,GAAiB,KAZI+B,E+BqHjE,C/BoBsB,KAAL,GAAiB,KAZI+B,C+BqHtE,KAAJ,GAAY,CAAZ,GAAM,B,C;K;mFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EA

S,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,C
AAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAA
O,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;
QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,4B;MAOc,Q;MA
DV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;
MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAA
O,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,u
B;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IA
GX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAA
N,EAAW,CAAX,C;;MACvB,OAAO,G;K;gFC7OX,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,
cAAP,C;O;KATX,C;gFAYA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;I
AYA,sC;;QASQ,OAAc,WAAP,MAAO,EAAS,SAAT,C;;QACHb,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;
UAHV,O;;K;IAOJ,sC;;QASQ,OAAc,YAAP,MAAO,EAAU,SAAV,C;;QACHb,+C;UACE,MAAM,2BAAuB,CAA
E,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAR
X,C;4FAWA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;IAWA,4C;MAOI
,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,WAAP,MAAO,EAAS,SAAT,C;K;IAGIb,4C;MAOI,IAAI,mBAAJ
,C;QACI,OAAO,I;MACX,OAAc,YAAP,MAAO,EAAU,SAAV,C;K;oFAGIb,8B;MASI,OAAO,WAAW,IAAX,IA
AmB,2BAAS,OAAT,C;K;oFAG9B,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;IAG9B,uC;MA
MI,OAAO,2BIC4E4B,SkC5EnB,KIC4E6B,KAAL,GAAiB,GAAtB,CkC5E5B,C;K;IAGX,uC;MAMI,OAAO,2BIC6
E8B,UAAW,oBkC7EhC,KIC6E2B,KAAK,CAAL,UAAW,CkC7E9B,C;K;IAGX,uC;MAMI,OAAO,2BjC4E8B,UA
AW,oBiC5EhC,KjC4E2B,KAAK,CAAL,iBAAN,CiC5E9B,C;K;IAGX,uC;MAMY,Q;MAAD,cAAC,OIBtB4C,Uk
BsB5C,KIBtBkD,yBkBsBxC,EIBtBwC,CAAN,CkBsB7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,oCjCwIR,SiC
xIiB,KIBiEiB,KfuEW,QAAV,CiCxIQ,C;OAA5C,a;K;IAGJ,uC;MAMI,OAAO,2BhCyC4B,SgCzCnB,KhCyC6B,K
AAL,GAAiB,KAAAtB,CgCzC5B,C;K;IAGX,uC;MAMI,OAAO,2BhC0C8B,UAAW,oBgC1ChC,KhC0C2B,KAAK,
CAAL,YAAN,CgC1C9B,C;K;IAGX,kC;MASI,OAAO,uCAAgB,yBICmBY,SkCnBI,SlCmBM,KAAL,GAAiB,GA
AtB,CkCnBZ,EiCmBY,SkCnBmB,EiCmBT,KAAL,GAAiB,GAAtB,CkCnBZ,EAA4C,EAA5C,C;K;IAG3B,kC;M
ASI,OAAO,uCAAgB,yBAAGB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG3B,kC;MASI,OAAO,wCAAiB,
yBAAGB,SAAhB,EAAsB,EAAtB,M;K;IAG5B,kC;MASI,OAAO,uCAAgB,yBhChBY,SgCgBI,ShChBM,KAAL,G
AAiB,KAAAtB,CgCgBZ,EhChBY,SgCgBmB,EhChBT,KAAL,GAAiB,KAAAtB,CgCgBZ,EAA4C,EAA5C,C;K;IAG
3B,gC;MAMI,OAAO,uCAAgB,yBAAGB,cAAhB,EAAsB,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;K;IAG3B,gC;
MAMI,OAAO,wCAAiB,yBAAGB,cAAhB,EAAsB,eAAtB,EAA8B,cAAD,aAA7B,C;K;IAG5B,iC;MAMI,oBAAo
B,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,K
AAL,GAAY,CAAhB,GAAMB,IAANB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,iC;MAMI,oBAAoB,kBAAO,C
AA3B,EAA8B,IAA9B,C;MACA,OAAO,wCAAiB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,cAA
Y,CAAhB,GAAMB,IAANB,GAA8B,IAAD,aAA1D,C;K;IAG5B,iC;MAQI,IICpPgF,0BkCoP5E,EiCpGkC,KAAL,
GAAiB,GAhJ8B,EkCoPtE,6BAAM,UICpGsB,KAAL,GAAiB,GAhJ8B,CkCoP5E,KAAJ,C;QAA2B,OAAO,iCAA
U,M;MACHC,WICnEuB,SkCmE5B,SlCnEsC,KAAL,GAAiB,GAAtB,C;MkCmEV,YAAK,W;MAA9B,OjCjJ6D,o
BArDP,SAAU,CDmI7B,SkCmEV,EiCnEoB,KAAL,GAAiB,GAAtB,CCnI6B,MAAK,GDAK,KCAO,KAAZ,IAAf,
CAqDO,C;K;IiCoJjE,iC;MAQI,IjChPkE,YiCgP9D,EjChP+E,KAAjB,EiCgPxD,4BAAK,UjChPgF,KAA7B,CiCgP9
D,KAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OjC7J6D,ciC6JtD,SjC7JsD,EArDP,SiCkNtC,EjCINgD,KAAK,GA
AY,CiCkN5D,WjCIN4D,MAAZ,IAAf,CAqDO,C;K;IiCgKjE,iC;MAQI,IIBpPmE,akBoP/D,EIBpPiF,KAAIB,EkBo
PzD,6BAAM,UlBpPiF,KAA9B,CkBoP/D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OIBzK+D,iBkByKxD,Sl
BzKwD,EAlDP,UkB2NxC,EIB3NmD,KAAK,UAA Y,CfkJ/C,UAAW,oBAAL,CiCyEtB,WjCzEsB,MAAK,CAAL,i
BAAN,CeIJ+C,MAAZ,CAAhB,CAKDO,C;K;IkB4KnE,iC;MAQI,IhChRiF,0BgCgR7E,EhCvIkC,KAAL,GAAiB,K
AzI+B,EgCgRvE,8BAAO,UhCvIqB,KAAL,GAAiB,KAzI+B,CgCgR7E,KAAJ,C;QAA4B,OAAO,iCAAU,M;MAC
jC,WhCtGuB,SgCsG5B,ShCtGsC,KAAL,GAAiB,KAAAtB,C;MgCsGV,YAAK,W;MAA9B,OjCrL6D,oBArDP,SA
U,CCoI7B,SgCsGV,EhCtGoB,KAAL,GAAiB,KAAAtB,CDpI6B,MAAK,GCAK,KDAO,KAAZ,IAAf,CAqDO,C;K;I
iCwLjE,kD;MAUI,OjCtRkE,YiCsRvD,SjCtRwE,KAAjB,EiCsRhD,YjCtR6E,KAA7B,CiCsRvD,IAAJ,GAAyB,YA

AzB,GAA2C,S;K;IAGtD,kD;MAUI,OIB3RmE,akB2RxD,SIB3R0E,KAAiB,EkB2RjD,YiB3R+E,KAA9B,CkB2Rx
D,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OiChUgF,0BkCgUrE,SiChL2B,KAAL,GAAiB,GAhJ8B,
EkCgU9D,YiChLoB,KAAL,GAAiB,GAhJ8B,CkCgUrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,Oh
CrUiF,0BgCqUeE,ShC5L2B,KAAL,GAAiB,KAZI+B,EgCqU/D,YhC5LoB,KAAL,GAAiB,KAZI+B,CgCqUeE,IAA
J,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OjC1UkE,YiC0UvD,SjC1UwE,KAAjB,EiC0UhD,YjC1U6E,KA
A7B,CiC0UvD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OIB/Ume,akB+UxD,SIB/U0E,KAAiB,EkB
+UjD,YiB/U+E,KAA9B,CkB+UxD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OiCpXgF,0BkCoXrE,Si
CpO2B,KAAL,GAAiB,GAhJ8B,EkCoX9D,YiCpOoB,KAAL,GAAiB,GAhJ8B,CkCoXrE,IAAJ,GAAyB,YAAzB,
GAA2C,S;K;IAGtD,iD;MAUI,OhCzXiF,0BgCyXtE,ShChP2B,KAAL,GAAiB,KAZI+B,EgCyX/D,YhChPoB,KAA
L,GAAiB,KAZI+B,CgCyXtE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,4D;MAUI,IjC9XkE,YiC8X9D,YjC9X+E
,KAAjB,EiC8X/C,YjC9X4E,KAA7B,CiC8X9D,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAaiD,YAAjD,8BAAoF,YA
ApF,MAAzB,C;MACvC,IjC/XkE,YiC+X9D,SjC/X+E,KAAjB,EiC+XvD,YjC/XoF,KAA7B,CiC+X9D,IAAJ,C;QA
AyB,OAAO,Y;MACHC,IjChYkE,YiCgY9D,SjChY+E,KAAjB,EiCgYvD,YjChYoF,KAA7B,CiCgY9D,IAAJ,C;Q
AAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,4D;MAUI,IIBtYmE,akBsY/D,YiBtYiF,KAAiB,EkBsYhD,YiBtY8E,
KAA9B,CkBsy/D,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAaiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IIB
vYmE,akBuY/D,SIBvYiF,KAAiB,EkBuYxD,YiBvYsF,KAA9B,CkBvY/D,IAAJ,C;QAAyB,OAAO,Y;MACHC,IIB
xYmE,akBwY/D,SIBxYiF,KAAiB,EkBwYxD,YiBxYsF,KAA9B,CkBwY/D,IAAJ,C;QAAyB,OAAO,Y;MACHC,O
AAO,S;K;IAGX,4D;MAUI,IIC9agF,0BkC8a5E,YiC9RkC,KAAL,GAAiB,GAhJ8B,EkC8a7D,YiC9RmB,KAAL,G
AAiB,GAhJ8B,CkC8a5E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAaiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAC
vC,IIC/agF,0BkC+a5E,SiC/RkC,KAAL,GAAiB,GAhJ8B,EkC+arE,YiC/R2B,KAAL,GAAiB,GAhJ8B,CkC+a5E,I
AAJ,C;QAAyB,OAAO,Y;MACHC,IIC9agF,0BkCgb5E,SiChSkC,KAAL,GAAiB,GAhJ8B,EkCgbrE,YiChS2B,KA
AL,GAAiB,GAhJ8B,CkCgb5E,IAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,4D;MAUI,IhCtbiF,0BgCsb
7E,YhC7SkC,KAAL,GAAiB,KAZI+B,EgCsb9D,YhC7SmB,KAAL,GAAiB,KAZI+B,CgCsb7E,IAAJ,C;QAAiC,M
AAM,gCAAyB,oDAaiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IhCvbiF,0BgCub7E,ShC9SkC,KAAL,GA
AiB,KAZI+B,EgCubtE,YhC9S2B,KAAL,GAAiB,KAZI+B,CgCub7E,IAAJ,C;QAAyB,OAAO,Y;MACHC,IhCxbiF,
0BgCwb7E,ShC/SkC,KAAL,GAAiB,KAZI+B,EgCwb7E,YhC/S2B,KAAL,GAAiB,KAZI+B,CgCwb7E,IAAJ,C;QA
AyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,uC;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EA
Ae,KAAf,C;OAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,IjC
nc8D,YiCmc9D,SjCnc+E,KAAjB,EiCmcd,KAAM,MjCnc8E,KAA7B,CiCmc9D,K;QAA4B,OAAN,KAAM,M;;Q
AC5B,IjCpc8D,YiCoc9D,SjCpc+E,KAAjB,EiCocvD,KAAM,ajCpc8E,KAA7B,CiCoc9D,K;UAAmC,OAAN,KAAM,
a;;UAC3B,gB;;MAHZ,W;K;IAOJ,uC;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAGB,K
AAhB,C;OAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,IIBhd+
D,akBgd/D,SIBhdiF,KAAiB,EkBgdxD,KAAM,IIBhdgF,KAA9B,CkBgd/D,K;QAA4B,OAAN,KAAM,M;;QAC5
B,IIBjd+D,akBid/D,SIBjdiF,KAAiB,EkBidxD,KAAM,alBjdgF,KAA9B,CkBid/D,K;UAAmC,OAAN,KAAM,a;;U
AC3B,gB;;MAHZ,W;K;ICngBJ,2B;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAA
gB,yB;QACZ,MiCmDiD,SkCnDjD,GiCmD2D,KAAK,GkCnDzD,OiCmDoE,KAAAX,IAAf,C;;MkCjDrD,OAAO,G;
K;IAGX,2B;MAUoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MnBsCm
D,UmBtCnD,GnBsC8D,KAAK,KmBtC5D,OnBsCuE,KAAAX,CAAhB,C;;MmBpCvD,OAAO,G;K;IAGX,2B;MAU
oB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MiCmBiD,SkCnBjD,GiCm
B2D,KAAK,GAAW,CDgJ5C,SmCnKxB,OnCmKkC,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;MkCjBrD,
OAAO,G;K;IAGX,2B;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ
,MiCGiD,SkCHjD,GiCG2D,KAAK,GAAW,CCiJ5C,SiCpJxB,OjCoJkC,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,I
AAf,C;;MkCDrD,OAAO,G;K;ICuCP,iD;MAAA,qE;MAAgB,4B;MANpB,uC;MAMI,Y;K;IACA,4D;MAAA,qE
;MAAgC,wBAAM,OAAN,Q;MAPpC,uC;MAOI,Y;K;IACA,mE;MAAA,qE;MAAmD,6BAAM,OAAN,EA Ae,KA
Af,C;MARvD,uC;MAQI,Y;K;IACA,0D;MAAA,qE;MAAiC,wBAAM,KAAN,Q;MATrC,uC;MASI,Y;K;ICxGJ,gC
;K;ICnYf,wB;K;kCAEI,Y;MAA4B,sB;K;;IAMhC,wB;K;kCAEI,Y;MAA4B,mC;K;;IAMhC,yB;K;mCAEI,Y;MAA4B,uB;K
;;IAMhC,uB;K;iCAEI,Y;MAA4B,qB;K;;IAMhC,wB;K;kCAEI,Y;MAA4B,sB;K;;IAMhC,yB;K;mCAEI,Y;MAA4

B,uB;K;;IAMhC,0B;K;oCAEI,Y;MAA4B,wB;K;;IAMhC,2B;K;qCAEI,Y;MAA4B,yB;K;;ICtDM,oD;MAA2C,uB;
MAAjB,gB;MAC5D,sBAA2B,IAAK,I;MACHC,iBAAmC,YAAO,CAAX,GAAC,SAAS,IAAvB,GAAiC,SAAS,I;M
ACzE,cAAuB,cAAJ,GAAa,KAAM,IAAnB,GAAgC,mB;K;gDAEnD,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAY,
W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BA
AQ,SAAR,I;;MAEJ,OAAa,OAAN,KAAM,C;K;;IAQgB,mD;MAAyC,sB;MAAjB,gB;MACzD,sBAA2B,I;MAC3B
,iBAAmC,YAAO,CAAX,GAAC,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB
;K;+CAE3C,Y;MAAkC,qB;K;+CAEIC,Y;MACI,YAAY,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cA
AL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAO,K;K;;IAQuB,oD;MAA4C,uB;
MAAIB,gB;MAC5D,sBAA2B,I;MAC3B,iBAAmC,uBAAO,CAAX,GAAC,sBAAS,IAAT,MAAd,GAAiC,sBAAS,I
AAT,M;MACHc,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAY
,W;MACZ,IAAI,cAAS,mBAAT,CAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAG
V,8BAAQ,SAAR,C;;MAEJ,OAAO,K;K;;IC9DX,oD;MAwCA,uC;MAjCI,IAAI,SAAQ,CAAZ,C;QAaE,MAAa,gC
AAyB,wBAAzB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAyB,wEAAzB,C;MAG5C,aAGyB,K;MA
EzB,YAG6F,OAArE,0BAA0B,KAAM,IAAhC,EAAyC,YAAa,IAAtD,EAA+D,IAA/D,CAAqE,C;MAE7F,YAGuB
,I;K;yCAEvB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MACqC,OAAI,Y
AAO,CAAX,GAAC,aAAQ,SAAtB,GAAgC,aAAQ,S;K;uCAE7E,iB;MACI,iDAA6B,kBAAa,KAAM,UAAnB,KA
C7B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAAM,KAD/B,CAA7B,C;K;yCAGJ,Y;
MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,OAkK,UAAM,IAAX,UAAqB,SAAK,IAA1B,KAAN,SAA2C,S
AA3C,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAC,oBAAE,UAAF,+BAAU,SAAV,eAAqB,SAAnC,GA
A8C,oBAAE,UAAF,qCAAgB,SAAhB,gBAA4B,CAAC,SAAD,IAA5B,C;K;IAEHf,qC;MAAA,yC;K;kEACI,sC;M
AQ2F,2BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAAtC,C;K;;;IAT/F,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;IA
iBA,mD;MAwCA,sC;MAjCI,IAAI,SAAQ,CAAZ,C;QAaE,MAAa,gCAAyB,wBAAzB,C;MAC5B,IAAI,SAAQ,W
AAZ,C;QAA2B,MAAa,gCAAyB,wEAAzB,C;MAG5C,aAGwB,K;MAExB,YAG4F,0BAArC,KAAqC,EAAf,YAA
e,EAN,IAAM,C;MAE5F,YAGuB,I;K;wCAEvB,Y;MAAuC,kCAAuB,UAAvB,EAA8B,SAA9B,EAAoC,SAAPC,
C;K;uCAEvC,Y;MACqC,OAAI,YAAO,CAAX,GAAC,aAAQ,SAAtB,GAAgC,aAAQ,S;K;sCAE7E,iB;MACI,gDA
A4B,kBAAa,KAAM,UAAnB,KAC5B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KA
AM,KADhC,CAA5B,C;K;wCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,UAAL,QAAa,SAA
b,IAAN,SAA2B,SAA3B,I;K;wCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAGB,UAAF,qBAAU,SAAV,cAAqB,S
AAnC,GAAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;IAEHf,oC;MAAA,wC;K;iEACI,sC;
MAQwF,0BAAe,UAAf,EAA2B,QAA3B,EAAqC,IAArC,C;K;;;IAT5F,gD;MAAA,+C;QAAA,8B;OAAA,wC;K;;I
AiBA,oD;MAwCA,uC;MAjCI,IAAI,gBAAJ,C;QAAGB,MAAa,gCAAyB,wBAAzB,C;MAC7B,IAAI,sCAAJ,C;QA
A4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAGyB,K;MAEzB,YAG+F,4BAAvC,KAAuC,EAAhB,YAAgB,EAN
,IAAM,C;MAE/F,YAGwB,I;K;yCAExB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wC
AExC,Y;MACqC,OAAI,uBAAO,CAAX,GAAC,2BAAQ,SAAR,KAAd,GAAgC,2BAAQ,SAAR,K;K;uCAErE,iB;
MACI,iDAA6B,kBAAa,KAAM,UAAnB,KAC7B,mBAAS,KAAM,MAAf,KAawB,kBAAQ,KAAM,KAAd,CAAx
B,IAA8C,kBAAQ,KAAM,KAAd,CADjB,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAA
M,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BAAU,EA AV,CAAV,CAAPC,CAAN,MAAu
E,cAAU,6BAAU,EA AV,CAAV,CAA vE,CAAiG,Q;K;yCAE7H,Y;MAAkC,OAAI,uBAAO,CAAX,GAAGB,UAAF
,qBAAU,SAAV,yBAAqB,SAArB,WAA d,GAAGD,UAAF,2BAAgB,SAAhB,yBAA6B,SAAD,aAA5B,W;K;IAEHf,
qC;MAAA,yC;K;kEACI,sC;MAQ4F,2BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAAtC,C;K;;;IAThG,iD;MAAA,
gD;QAAA,+B;OAAA,yC;K;;;6CCnJA,iB;MAGkD,+BAAS,UAAT,UAAkB,wBAAS,iBAAT,M;K;oCAEpE,Y;M
AGgC,oCAAQ,iBAAR,K;K;;IvClBd,wC;MAiBIB,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,YAAvB,EAAqC,CAAr
C,C;K;kFAC7B,Y;MAAQ,8B;K;yFACD,Y;MAAQ,6B;K;2CAExC,iB;MAA8C,qBAAS,KAAT,IAAkB,SAAS,S;K
;kCAEzE,Y;MAAkC,oBAAQ,S;K;iCAE1C,iB;MACI,2CAAuB,kBAAa,KAAM,UAAnB,KACvB,eAAS,KAAM,M
AAf,IAAwB,cAAQ,KAAM,KADf,CAA vB,C;K;mCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAkK,UA
AM,IAAX,UAAqB,SAAK,IAA1B,K;K;mCAE5B,Y;MAAkC,2BAAE,UAAF,+BAAU,SAAV,C;K;IAEIC,+B;MA
AA,mC;MACI,aAC8B,cAAy,OAAF,CAAE,CAAZ,EAAwB,OAAF,CAAE,CAAxB,C;K;;;IAFIC,2C;MAAA,0C;Q
AAA,yB;OAAA,mC;K;;IASiB,uC;MAiBjB,gC;MAjBmD,0BAAe,KAAf,EAA5B,YAAtB,EAAoC,CAAPC,C;K;IF

AC3B,Y;MAAQ,iB;K;wFACD,Y;MAAQ,gB;K;0CAEvC,iB;MAA6C,qBAAS,KAAT,IAAkB,SAAS,S;K;iCAExE,
Y;MAAkC,oBAAQ,S;K;gCAE1C,iB;MACI,0CAAsB,kBAaA,KAAM,UAAAnB,KACtB,eAAS,KAAM,MAAf,IAA
wB,cAAQ,KAAM,KADhB,CAAtB,C;K;kCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAAL,QA
Aa,SAAb,I;K;kCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,8B;MAAA,kC;MACI,aAC6B,aAAS,CAAT
,EAAy,CAAZ,C;K;;IAFjC,0C;MAAA,yC;QAAA,wB;OAAA,kC;K;;IASkB,wC;MAiBIB,iC;MAjBsD,2BAAgB,K
AAhB,EAAuB,YAAvB,K;K;kFAC7B,Y;MAAQ,iB;K;yFACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,kCAAS,KA
AT,UAAkB,sBAAS,SAAT,M;K;kCAEhE,Y;MAAkC,kCAAQ,SAAR,K;K;iCAEIC,iB;MACI,2CAAuB,kBAaA,K
AAM,UAAAnB,KACvB,mBAAS,KAAM,MAAf,KAawB,kBAAQ,KAAM,KAAd,CADD,CAAvB,C;K;mCAGJ,Y;
MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,eAAW,8BAAW,EAAx,CAAX,CAAN,MAAoC,cAAU,6BAA
U,EAAV,CAAV,CAApC,CAA8D,Q;K;mCAE1F,Y;MAAkC,OAAE,UAAF,qBAAU,SAAV,W;K;IAEIC,+B;MAA
A,mC;MACI,aAC8B,qB;K;;IAFIC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;IwC/DJ,gB;MAAA,oB;K;8BAII,Y;M
AA0B,oB;K;;IAJ9B,4B;MAAA,2B;QAAA,U;OAAA,oB;K;ICEA,yC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,u
C;MAAA,0C;O;MAII,kE;MAEA,wF;MAEA,oF;MAEA,wE;MAEA,kE;MAEA,oF;MAEA,sF;MAEA,8E;MAEA,w
E;MAEA,sF;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MAEA,2E;K;;IA5BA,8C;MAAA,6B;MAAA,sC;K;;IAEA
,yD;MAAA,6B;MAAA,iD;K;;IAEA,uD;MAAA,6B;MAAA,+C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,8C;
MAAA,6B;MAAA,sC;K;;IAEA,uD;MAAA,6B;MAAA,+C;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,oD;MA
AA,6B;MAAA,4C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,wD;MAAA,
6B;MAAA,gD;K;;IAEA,6C;MAAA,6B;MAAA,qC;K;;IAEA,mD;MAAA,6B;MAAA,2C;K;;IAEA,6C;MAAA,6B;
MAAA,qC;K;;IAEA,kD;MAAA,6B;MAAA,0C;K;;IAhCJ,mC;MAAA,+oB;K;;IAAA,wC;MAAA,a;aAAA,O;UAA
A,2C;aAAA,kB;UAAA,sD;aAAA,gB;UAAA,oD;aAAA,U;UAAA,8C;aAAA,O;UAAA,2C;aAAA,gB;UAAA,oD;a
AAA,iB;UAAA,qD;aAAA,a;UAAA,iD;aAAA,U;UAAA,8C;aAAA,iB;UAAA,qD;aAAA,iB;UAAA,qD;aAAA,M;
UAAA,0C;aAAA,Y;UAAA,gD;aAAA,M;UAAA,0C;aAAA,W;UAAA,+C;gBAAA,uE;;K;;IAqCA,4C;MAAA,e;M
AAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAMI,0E;MAEA,0E;MAEA,4E;K;;IAJA,kD;MAAA,gC;MAAA,0
C;K;;IAEA,kD;MAAA,gC;MAAA,0C;K;;IAEA,mD;MAAA,gC;MAAA,2C;K;;IAVJ,sC;MAAA,sI;K;;IAAA,2C;M
AAA,a;aAAA,Q;UAAA,+C;aAAA,Q;UAAA,+C;aAAA,S;UAAA,gD;gBAAA,0E;;K;;IAwB8B,gC;MAAC,oC;K;;I
AQE,0B;MAAC,qB;QAAA,iD;MAAA,kB;K;;IAEIC,sB;K;;IAMA,4B;K;;IC/EA,yB;K;;IAQA,6B;K;;ICnBA,mB;
MAEI,UAAU,IAAI,C;MACd,OAAW,OAAO,CAAX,GAAC,GAAd,GAAuB,MAAM,CAAN,I;K;IAGIC,qB;MACI,
UAAU,SAAI,CAAJ,C;MACV,OAAW,kBAAO,CAAX,GAAC,GAAd,GAAuB,QAAM,CAAN,C;K;IAGIC,mC;MA
EI,OAAO,IAAI,IAAI,CAAJ,EAAO,CAAP,IAAY,IAAI,CAAJ,EAAO,CAAP,CAAZ,IAAJ,EAA2B,CAA3B,C;K;I
AGX,qC;MACI,OAAO,MAAI,MAAI,CAAJ,EAAO,CAAP,WAAy,MAAI,CAAJ,EAAO,CAAP,CAAZ,CAAJ,EA
A2B,CAA3B,C;K;IAGX,qD;MAkBI,WAAO,CAAP,C;QAD2E,OAC3D,SAAS,GAAb,GAakB,GAAIB,GAA2B,M
AAM,iBAAiB,GAAjB,EAAsB,KAAtB,EAA6B,IAA7B,CAAN,I;WACvC,WAAO,CAAP,C;QAF2E,OAE3D,SAA
S,GAAb,GAakB,GAAIB,GAA2B,MAAM,iBAAiB,KAAjB,EAAwB,GAAxB,EAA6B,CAAC,IAAD,IAA7B,CAA
N,I;;QAC/B,MAAa,gCAAyB,eAAzB,C;K;IAGzB,uD;MAkBI,sBAAO,CAAP,C;QAD+E,OAC/D,sBAAS,GAAT,
MAAJ,GAakB,GAAIB,GAA2B,aAAM,mBAAiB,GAAjB,EAA6B,IAA7B,CAAN,C;WACvC,sB
AAO,CAAP,C;QAF+E,OAE/D,sBAAS,GAAT,MAAJ,GAakB,GAAIB,GAA2B,QAAM,mBAAiB,KAAjB,EAAw
B,GAAxB,EAA8B,IAAD,aAA7B,CAAN,C;;QAC/B,MAAa,gCAAyB,eAAzB,C;K;IC7DjB,kD;MAAA,8B;MACI,
aAAy,C;K;oDACZ,Y;MAAyB,oBAAQ,gBAAI,O;K;iDACrC,Y;MAAgD,Q;MAA1B,IAAI,aAAQ,gBAAI,OAAhB
,C;QAAA,OAAsB,iBAAI,iBAAJ,EAAI,yBAAJ,O;;QAAkB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAPhF,oC;M
AEI,IAD8D,IAC9D,S;QACI,UAA0B,K;QAF0B,2C;;QAAA,QAAM,IAAN,C;eASxD,c;YATwD,OAStC,qBAAqB,
KAArB,C;eACIB,W;YAVwD,OAuzC,kBAAkB,KAAIB,C;eACf,Y;YAXwD,OAWxC,mBAAMB,KAAAnB,C;eAC
hB,W;YAZwD,OAYzC,kBAAkB,KAAIB,C;eACf,U;YAbwD,OAA1C,iBAAiB,KAAjB,C;eACd,W;YAdwD,OAcz
C,kBAAkB,KAAIB,C;eACf,Y;YAfWd,OAexC,mBAAMB,KAAAnB,C;eAChB,a;YAhBwD,OAgBvC,oBAAoB,KA
ApB,C;kBACT,MAAM,6BAAsB,2DAA+C,IAA/C,CAAtB,C;;K;IAIuC,2D;MAAA,kC;MAAS,0B;MAC9D,aAAY,
C;K;2DACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;+DACvC,Y;MAA2D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;
QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJnF,qC;
MACyD,oD;K;IAON,wD;MAAA,kC;MAAS,uB;MACxD,aAAy,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;
yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBA

AN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJhF,kC;MACmD,iD;K;IAOE,yD;MAAA,kC;MAAS,w
B;MAC1D,aAAY,C;K;yDACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAYD,Q;MAA9B,IAAI,aAAQ,k
BAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAA
vB,C;K;;IAJfF,mC;MACqD,kD;K;IAOF,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,C;K;wDACZ,Y;MAAYB,oBA
AQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iB
AAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJhF,kC;MACmD,iD;K;IAOF,uD;MA
AA,kC;MAAS,sB;MACiD,aAAY,C;K;uDACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;uDACvC,Y;MAAuD,Q;MAA9
B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAY
B,UAAF,WAAvB,C;K;;IAJ/E,iC;MACiD,gD;K;IAOI,yD;MAAA,kC;MAAS,wB;MAC1D,aAAY,C;K;yDACZ,Y;
MAAYB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAYD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB
,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJfF,mC;MACqD,kD;K;I
AOE,0D;MAAA,kC;MAAS,yB;MAC5D,aAAY,C;K;0DACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;6DACvC,Y;MAA
0D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,M
AAM,2BAAYB,UAAF,WAAvB,C;K;;IAJfF,oC;MACuD,mD;K;IAOJ,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,
C;K;wDACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C
;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJhF,kC
;MACmD,iD;K;IAOpB,gC;MAAC,wB;K;;IAEhC,+B;MAC8C,MAAM,mC;K;IAEpD,8C;MAEL,IAAI,qBAAJ,C;Q
ACI,OAAO,CrB6GfE,WqB7GrE,UrB6GqE,EqB7GzD,QrB6GyD,C;;QqB3GxF,OAAS,CAAY,qBAAsB,UAAtB,E
AAkC,QAAIC,C;;K;IAI7B,2C;MAEL,IAAI,KAAY,kBAAhB,C;QAGI,KAAY,mBAAkB,QAAIB,C;;QAEH,QAAT
,SAA+C,CAAIB,IAAjC,KAAiC,EAakB,O;;K;IAIvD,sC;MAGwB,Q;MADpB,gBAAgB,IAAhB,KAAGB,E;MACI,
IAAI,OCnGkB,ODmGT,OAAT,EAAqB,WAArB,CAAJ,C;QACHB,OAAI,aAAJ,GAAMB,KAAM,WAAzB,GAAy
C,I;;QAEzC,c;;MAHJ,wB;MAKA,kBAakB,K;MACIB,iBAAiB,W;MACjB,OAAO,S;K;IAIa,sB;MAAC,U;K;iCA
CrB,iB;MACI,OAAO,mCAAsB,WAAK,KAAM,E;K;mCAG5C,Y;MACI,OAAO,M;K;mCAGX,Y;MACI,OAAuC,
oBAAnB,UAA5B,IAAe,EAAa,CAAM,B,C;K;0CAG3C,iB;MACI,OAAR,IAAI,EAAW,GAAN,K;K;kCAGL,Y;MA
EL,OAAO,M;K;;+DAIf,gB;MAEI,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV,a;QACI,UAAU,KA
AK,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;UAE1B,MAAM,
CAAN,IAAW,G;;MAGnB,OAAO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;K;IAG3B,2B;MAMW,WAA
O,S;MAIBd,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV,a;QACI,UAAU,KA
AK,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;MA
YnB,OATO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;K;IAY3B,oC;MAWI,WAAqB,S;MACrB,IAAI,qBA
AmB,CAAY,OAAAd,KAA2B,SAAhD,C;QAJCA,YAAY,MAkCM,IAICW,OAAjB,C;QACZ,sBAiCkB,IAjCIB,a;U
ACI,UAGCc,IAhCJ,CAAK,CAAL,C;UACV,IAAI,oBAAJ,C;YACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,
GAAL,C;;YAE1B,MAAM,CAAN,IAAW,G;;QA4Bf,OAzBG,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;;
QA2BnB,WAAW,C;QACX,0BAAU,IAAV,e;UACY,IAAoB,I;UAA5B,eAAQ,QAAoB,OAApB,IAAQ,CAAH,GA
AG,CAAY,OAApB,oCAAR,K;;QAEJ,aAAa,IAAjB,CAAC,YAAGB,CAAH,IAAG,C;QE3FjB,IF4FyB,CE5FhB,O
AAL,KAakB,SAAtB,C;UF4F4B,ME3FxB,UF2FqB,CE3FF,O;SF4FnB,OAAO,C;QACP,0BAAU,IAAV,e;UAE0B,
YACX,M;UAFX,YAAU,IAAQ,CAAH,GAAG,C;UACI,SAAJ,KAAI,O;UAAtB,aAAU,CAAV,kB;YACI,OAAO,a
AAP,EAAO,qBAAP,YAAiB,MAAI,CAAJ,C;;QAGzB,OAAO,M;;K;IAIf,0B;MACgC,WAAS,c;MAAT,YAAhC,E
AAE,MAAM,KAAiD,CAA3C,SAA2C,C;MAWrD,eAAiB,I;MAXW,OAYrB,K;K;IAVX,uB;MAC6B,WAAS,W;M
AAT,YAAsB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KA
AK,CAAC,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,
OASIB,K;K;IAPX,uB;MAC6B,WAAS,W;MAAT,YAA7B,EAAE,MAAM,KAA2C,CAArC,SAAqC,C;MAK/C,eA
AiB,I;MALQ,OAMIB,K;K;2DAJX,uB;MAGI,eAAiB,I;MACjB,OAAO,K;K;IG1M0B,2C;MAAC,8C;MACiC,eAA
sB,C;MACTb,wBAA+B,C;MAC/B,gBAA6B,I;MAC7B,mBAAsC,I;MACtC,qBAAyC,I;MAEzC,yBAAGD,yBAAM
B,Q;MAEnE,sBAAGD,I;K;wFAFhD,Y;MAAA,6B;K;0CAIA,Y;MAEY,kBADr,M;MAAA,U;MAAA,2C;QAAA,e
;;QAES,gBADD,2CAAQ,yCAAR,gDAAwD,IAAxD,6BAAiE,I;QACzD,sBpCwEd,S;QoC1EF,SpC2EG,S;;MoC3E
H,a;K;iDAIJ,kB;MACI,kBAAc,IAAd,C;MACiC,oB;MCsBrB,Q;MADR,IdrBsB,MCqBtB,W;QADJ,mBACiB,I;;Q
ADjB,mBAEY,QDtBc,MCsBd,+D;;MDtBZ,yC;MACA,2BAAMc,MAAO,kBAA1C,C;MAGA,OAAO,IAAP,C;Qp
CoCY,gBoCnCH,S;;QACD,iBAAiB,8B;QAGjB,IAAI,0BAAJ,C;UACI,qBAAc,e;;UAEd,oBAAQ,0B;UACR,wBA

AY,kB;;;UAIZ,cAAc,oB;UACd,IAAI,YAAY,yBAAhB,C;YAAqC,M;UACrC,kBAAgB,O;UACHB,qBAAmB,I;U
AEnB,kBAAgB,I;UACHB,qBAAmB,S;;QAGvB,gC;QAEA,IAAI,wCAAJ,C;UAEI,YAAU,U;;UAGV,U;UAAA,0C
;YETHB,8BD+CQ,WAAO,qBAAP,CC/CR,C;YFSgB,a;;YAAA,a;UAAA,mB;YAEK,UepBrB,oBD+CQ,WD3B+B
,eC2B/B,CC/CR,C;WFqBgB,M;;;K;mDAMhB,Y;MACI,kBAAkB,mB;MAClB,IAAI,uBAAuB,gBAAgB,IAA3C,C
;QACl,uCAAQ,yCAAR,EAAmC,wCAA+B,WAA/B,C;OAEvC,sBAAoB,mC;K;;IAM5B,iC;MAAA,qC;K;gGAEQ
,Y;MvC0DyC,MAAM,6BuC1DjC,uCvC0D+D,WAA9B,C;K;yDuCxDnD,kB;MvCwD6C,MAAM,6BuCvDzC,uCv
CuDuE,WAA9B,C;K;;+CuCpDnD,Y;MAAkC,8C;K;;;IARtC,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IGyDA,mG;I
AAA,yH;IAAA,6F;MAKW,kC;MAAS,4C;K;IALpB,sEAMQ,Y;MACI,Q;MAAA,sC;QAAiB,U;OACjB,OAAO,oB
;K;IARnB,6G;sJAJIA,iC;MAGBU,OAAK,SAAL,CAAiB,UAAjB,EAA6B,KAA7B,C;K;wJAEV,2C;MAiBU,OAA
K,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAAvC,C;K;wJAEV,kD;MAKU,OAAK,SAAL,CAAiB,QAAj
B,EAA2B,KAA3B,EAAkC,UAAiC,EAA8C,KAA9C,C;K;IAGC6C,oG;MAAA,mB;QAC3C,OAAK,iCAAL,CAAi
B,kBAAjB,C;O;K;IA/BZ,6D;MA0BI,IAAS,SAAY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,UAAj
B,EAA6B,IAA7B,C;;QA8D0B,Q;QAHE9B,4DAImD,0DAJnD,EAGe8B,qBA5DS,UA4DT,qCAHE9B,C;;K;IAwC
mD,wH;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,gBAAjB,EAA2B,kBAA3B,C;O;K;IAhCZ,yE;MA2BI,IAAS,
SAAY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,IAAvC,C;;QA0
B0B,Q;QA5B9B,4DAImD,sEAJnD,EA4B8B,qBAxBS,UAWBT,qCA5B9B,C;;K;IASJ,gC;MAWK,kBAAD,M;MA
AA,kBAAC,qEAAD,4DAA2C,S;K;6CAG/C,yB;MAAA,mG;MAAA,yH;MAAA,6F;QAKW,kC;QAAS,4C;O;MA
LpB,sEAMQ,Y;QACI,Q;QAAA,sC;UAAiB,U;SACjB,OAAO,oB;O;MARnB,6G;MAAA,oC;QAKkC,Q;QAA9B,m
EAA8B,oEAA9B,C;O;KALJ,C;iFC7HA,a;MAC6C,OAAA,MAAa,YAAW,CAAX,C;K;ICM3B,iC;;MAA6E,Q;M
AAA,+BAAS,I;sCAAlB,O,2DAAA,O;;;K;;;IAC/F,2B;MAAA,iD;MAAuB,oBAAK,IAAL,EAAW,IAAX,C;M
AAvB,Y;K;IACA,sC;MAAA,iD;MAAuC,oBAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,oC;MAAA,iD;MA
AwC,oBAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAI+B,mC;;MAA6E,Q;MAAA,+BAAS,I;sCAAlB,O,2DA
AA,O;;;K;;;IACnG,+B;MAAA,mD;MAAuB,sBAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,0C;MAAA,
mD;MAAuC,sBAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,wC;MAAA,mD;MAAwC,sBAAK,SAAL,EAAG
B,KAAhB,C;MAAxC,Y;K;IAGsC,0C;MAA0D,qBAAU,OAAs,EAAmB,KAAhB,C;;K;;IACHG,sC;MAAA,0D;M
AAuB,6BAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,iD;MAAA,0D;MAAuC,6BAAK,OAAL,EAAC,IAAd,
C;MAAvC,Y;K;IACA,+C;MAAA,0D;MAAwC,6BAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG8C,kD;MA
A0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACxG,8C;MAAA,kE;MAAuB,qCAAK,IAAL,EAAW,IAAX,C;MA
AvB,Y;K;IACA,yD;MAAA,kE;MAAuC,qCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,uD;MAAA,kE;MAA
wC,qCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG2C,+C;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;
;IACrG,2C;MAAA,+D;MAAuB,kCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,sD;MAAA,+D;MAAuC,kC
AAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,oD;MAAA,+D;MAAwC,kCAAK,SAAL,EAAGB,KAAhB,C;MA
AxC,Y;K;IAG+C,4C;8BAAwD,O;;K;;IACvG,+C;MAAA,mE;MAAuB,sCAAK,IAAL,C;MAAvB,Y;K;IAGqD,yD;
MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC/G,qD;MAAA,yE;MAAuB,4CAAK,IAAL,EAAW,IAAX,C;
MAAvB,Y;K;IACA,gE;MAAA,yE;MAAuC,4CAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,8D;MAAA,yE;M
AAwC,4CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAGmD,uD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,
C;;K;;IAC7G,mD;MAAA,uE;MAAuB,0CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,8D;MAAA,uE;MAAu
C,0CAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,4D;MAAA,uE;MAAwC,0CAAK,SAAL,EAAGB,KAAhB,C
;MAAxC,Y;K;IAI2C,wC;sCAAGe,O;;K;;IAC3G,2C;MAAA,+D;MAAuB,kCAAK,IAAL,C;MAAvB,Y;K;IAI0C,u
C;8BAAwD,O;;K;;IACIG,0C;MAAA,8D;MAAuB,iCAAK,IAAL,C;MAAvB,Y;K;IAGwC,qC;8BAAwD,O;;K;;IA
ChG,wC;MAAA,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;K;IAIJ,wC;MACmD,mBAAM,OAAN,EAae,KAAf,C;
;K;;IAC/C,oC;MAAA,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,Y;K;IACA,+C;MAAA,wD;MAAgC,2BAAK,OAAL,
EAAC,IAAd,C;MAAhC,Y;K;IACA,+C;MAAA,wD;MAAiD,IAAY,I;MAAZB,2BAaA,SAAR,OAAQ,CAAb,EA
AyB,sDAAzB,C;MAApC,Y;K;IAG4C,yC;8BAAwD,O;;K;;IACpG,4C;MAAA,gE;MAAuB,mCAAK,IAAL,C;MA
AvB,Y;K;IAIyC,sC;8BAAwD,O;;K;;IACjG,yC;MAAA,6D;MAAuB,gCAAK,IAAL,C;MAAvB,Y;K;IAGkD,sD;M
AA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC5G,kD;MAAA,sE;MAAuB,yCAAK,IAAL,EAAW,IAAX,C;M
AAvB,Y;K;IACA,6D;MAAA,sE;MAAuC,yCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,2D;MAAA,sE;MA
AwC,yCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG0D,8D;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;

K;;IACpH,0D;MAAA,8E;MAAuB,iDAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,qE;MAAA,8E;MAAuC,iD
AAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,mE;MAAA,8E;MAAwC,iDAAK,SAAL,EAAGb,KAAhB,C;MA
AxC,Y;K;6FCIGJ,yB;MAEI,OAAG,GAAG,CAAC,QAAD,C;K;mFAGV,oB;MAEI,OAAJ,GAAL,GAAE,G;K;6ER
VN,a;MAK8C,cAAvC,C;K;6EChP,Y;MAG+C,S;K;IA6B/C,2B;MAG4D,0BAAe,WAAf,C;K;IAE5D,mC;MAIwF,
0BAAe,WAAf,C;K;IAExF,mC;MAKwE,0BAAe,WAAf,C;K;IAGxE,4B;MAI8D,Q;MAH1D,aAAkB,GAAL,O;MA
CtB,aAAkB,GAAL,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,QAAQ,MAAjC,C;QAAyC,IAAL,
KAAJ,IAAa,IAAI,YAAJ,EAAL,oBAAJ,O;;MACtD,OAAO,G;K;IAIX,wD;MAMuC,Q;MALnC,aAAa,MAAO,OA
AM,CAAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KAAkB,SAAtB,C;QAzBsB,MA0BIB,UA1BU,MA0
BS,O;OAZBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAAd,C;QACI,gBAAgB,O;QChB,OAAO,QAAQ,OA
Af,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;OAE9C,OAAO,M;K;IAGX,gD;MAK0B,UAAmB,M;M
AJnC,aAAa,KAAm,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;MAc5B,IAbc,KAAaL,OAAL,KAAkB,SAAtB,C;Q
AbqB,MACjB,UAdU,KAcS,O;OAbvB,YAAiB,KAAm,O;MACP,4B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QA
AY,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAC9C,OAAO,M;K;IAGX,yD;MAEoB,UAAgB,M;MADhC,YAA
Y,U;MACI,4B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QAAY,IAAI,cAAJ,EAAL,sBAAJ,YAAe,O;;MAC3C,OAA
O,G;K;oFAGX,oB;MACI,IAALI,IAAK,OAAL,KAAkB,SAAtB,C;QACI,YAAc,IAAK,O;Q;0EAI3B,wB;MAA+D,O
AAA,MAAa,QAAO,GAAP,EAAY,OAAZ,C;K;IQ/F5E,mC;MAOI,kBAAkB,MAAa,eAAc,SAAd,C;MAC/B,iBAA
iB,MAAa,eAAc,IAAd,C;MAC9B,OAAW,gBAAe,UAAhB,GAA+B,SAA/B,GAAYC,CAAC,S;K;0ECUrD,2B;MA
KyE,OAAA,MAAa,gBAAe,IAAf,C;K;4EAyBtF,2B;MAKsE,OAAA,MAAa,eAAc,IAAd,C;K;kEAGnF,qB;MACg
D,OAAA,MAAa,KAAK,UAAS,GAAT,EAAC,IAAd,C;K;wEAcHc,qB;MAAQ,OAAK,SAAY,a;K;0EACxB,qB;M
AAQ,OAAK,SAAY,c;K;IC3D5D,0D;MAGI,OAAO,I;K;ICHX,sC;MAMsD,OAAA,SAAY,UAAS,WAAW,KAAAX,
CAAT,C;K;IhDKIE,uC;Md2nBW,Q;MAAA,IcnnBgB,KdqnBZ,IAAS,CAAT,IcnnBY,KdqnBE,IAAS,wBAA3B,C;
QAAA,OAAsC,UcnnBtB,KdqnBsB,C;;QcnnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IA
GJ,uC;Md4nBW,Q;MAAA,IcnnBgB,KdsnBZ,IAAS,CAAT,IcnnBY,KdsnBE,IAAS,0BAA3B,C;QAAA,OAAsC,Uc
nBtB,KdsnBsB,C;;QcnnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Md6nBW,Q;
MAAA,IcnnBgB,KdnnBZ,IAAS,CAAT,IcnnBY,KdnnBE,IAAS,0BAA3B,C;QAAA,OAAsC,UcnnBtB,KdnnBsB,C
;;QcnnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Md8nBW,Q;MAAA,IcnnBgB,
KdnnBZ,IAAS,CAAT,IcnnBY,KdnnBE,IAAS,0BAA3B,C;QAAA,OAAsC,UcnnBtB,KdnnBsB,C;;QcnnBb,MAA
M,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Md+nBW,Q;MAAA,IcnnBgB,KdynBZ,IAAS,
CAAT,IcnnBY,KdynBE,IAAS,0BAA3B,C;QAAA,OAAsC,UcnnBtB,KdynBsB,C;;QcnnBb,MAAM,8BAA0B,iCA
AuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MdgoBW,Q;MAAA,Ic1nBgB,Kd0nBZ,IAAS,CAAT,Ic1nBY,K
d0nBE,IAAS,0BAA3B,C;QAAA,OAAsC,Uc1nBtB,Kd0nBsB,C;;Qc1nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,M
AA1B,C;;MAAtC,W;K;IAGJ,uC;MdioBW,Q;MAAA,Ic3nBgB,Kd2nBZ,IAAS,CAAT,Ic3nBY,Kd2nBE,IAAS,0B
AA3B,C;QAAA,OAAsC,Uc3nBtB,Kd2nBsB,C;;Qc3nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAt
C,W;K;IAGJ,uC;MdkoBW,Q;MAAA,Ic5nBgB,Kd4nBZ,IAAS,CAAT,Ic5nBY,Kd4nBE,IAAS,0BAA3B,C;QAAA,
OAAsC,Uc5nBtB,Kd4nBsB,C;;Qc5nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,wC;
MdmobW,Q;MAAA,Ic7nBgB,Kd6nBZ,IAAS,CAAT,Ic7nBY,Kd6nBE,IAAS,0BAA3B,C;QAAA,OAAsC,Uc7nBt
B,Kd6nBsB,C;;Qc7nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,2B;MAIL,OAAO,cA
Aa,SAAb,C;K;oFAGX,yB;MAAA,gD;MAAA,4B;QAKI,OAAsC,OAA/B,SAA+B,C;O;KAL1C,C;oFAQA,yB;MA
AA,gD;MAAA,4B;QAKI,OA AuC,OA AhC,SAAGC,C;O;KAL3C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OA
AqC,OAA9B,SAA8B,C;O;KALzC,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAsC,OAA/B,SAA+B,C;O;KA
L1C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OA AuC,OA AhC,SAAGC,C;O;KAL3C,C;oFAQA,yB;MAAA,gD
;MAAA,4B;QAKI,OA AwC,OA AjC,SA AiC,C;O;KAL5C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OA AyC,OA
AIC,SAAkC,C;O;KAL7C,C;IAYW,2C;MAAA,8B;MAAS,uB;K;4FACW,Y;MAAQ,OAAA,gBAAy,O;K;6CAC3
C,Y;MAAKC,OAAA,gBdyIP/B,YAAQ,C;K;oDcxlPX,mB;MAAGD,OAAY,WAAZ,gBAAy,EAAS,OAAT,C;K;iD
AC5D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAYB,SAAZB,C;MACb,OAAO,6BAAy,KAAZ,E;K;mDAEX,mB;M
AES,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAGC,OAAO,E;MACvC,OA AmB,UAAZ,gBAAy,EAAY,OAAR,
C;K;uDAEvB,mB;MAES,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAGC,OAAO,E;MACvC,OA AmB,cAAZ,gB
AAy,EAAY,OAAZ,C;K;;IApB/B,6B;MAIL,0C;K;IAqBJ,+C;MAAI,OAAY,kBAAL,SAAK,EAkB,KAAIB,C;K;I

AqBhB,0C;MASI,OAAy,oBAAL,SAAK,C;K;IAehB,0C;MAYI,OAAy,oBAAL,SAAK,C;K;IAkBhB,2C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAAd,C;K;IAGhB,2C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAAd,C;K;IAwHhB,sC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,sC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IAoFhB,sC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,sC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;wFAsGhB,yB;MAAA,8C;MAAA,kF;QAmB0E,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAAgB,WAAhB,EAA6B,iBAA7B,EAAgD,UAAhD,EAA4D,QAA5D,C;QACA,OA AO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAk B,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,E AAqH,QAAhH,C;QACA,OA AO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAk B,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAA mF,iBAAnF,EAAgG,UAAtG,EAAkH,QAAIH,C;QACA,OA AO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA, kF;QAmBkE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QAC/H,UAAU, SAAV,EAAyC,WAAzC,EAA+E,iBAA/E,EAAkG,UAAIG,EAA8G,QAA9G,C;QACA,OA AO,W;O;KArBX,C;wF AwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAA A,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAqH,QAAhH,C;QAC A,OA AO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAYB,C;QAAG,0B;UAA A,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAmF,iBAAnF,EAAgG,U AAAtG,EAAkH,QAAIH,C;QACA,OA AO,W;O;KArBX,C;uFAwBA,yB;MAAA,8C;MAAA,kF;QAmBwE,iC;UAA A,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACrI,UAAU,SAAV,EAA4C,WAA5 C,EAAqF,iBAArF,EAAwG,UAAxG,EAAoH,QAApH,C;QACA,OA AO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C; MAAA,kF;QAmB0E,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI, UAAU,SAAV,EAA6C,WAA7C,EAAuF,iBAAvF,EAA0G,UAA1G,EAAhH,QAAtH,C;QACA,OA AO,W;O;KArB X,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,w B;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAqH,QAAhH, C;QACA,OA AO,W;O;KArBX,C;oFAwBA,qB;MAOI,OAAy,SAAY,Q;K;oFAG5B,qB;MAOI,OAAy,SAAY,Q;K; oFAG5B,qB;MAOI,OAAy,SAAY,Q;K;qFAG5B,qB;MAOI,OAAy,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,W;M AAT,YAA2B,SAAY,Q;MmC17B9C,eAAiB,I;MnCk7BjB,OmCj7BO,K;K;qFnCo7BX,qB;MAOI,OAAy,SAAY,Q; K;qFAG5B,qB;MAOI,OAAy,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,c;MAAT,YAA8B,SAAY,Q;MmC/8BjD,eA AiB,I;MnC+8BjB,OmC98BO,K;K;InC9BX,8B;MAMW,WAAS,W;MAAT,YAA2B,SAAY,Q;MmCx9B9C,eAAiB ,I;MnCw9BjB,OmCv9BO,K;K;InC09BX,uC;MD5oCI,IAAI,ECspCI,WAAW,CDtpCf,CAAJ,C;QACI,cCqpCoB,0C ;QDppCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCqpCV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,CAAF,C;K;I AGX,uC;MD1pCI,IAAI,ECsqCI,WAAW,CDpqCf,CAAJ,C;QACI,cCmqCoB,0C;QDlqCpB,MAAM,gCAAYB,OA AQ,WAAjC,C;OCmqCV,OAAO,SAAS,SAAT,EAAe,eAAW,OAAX,CAAF,C;K;IAGX,uC;MDxqCI,IAAI,ECKrCI, WAAW,CDlrCf,CAAJ,C;QACI,cCirCoB,0C;QDhrCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCirCV,OAAO,SAAS, SAAT,EAAe,eAAS,OAAT,CAAF,C;K;IAGX,uC;MDtrCI,IAAI,ECgsCI,WAAW,CDhsCf,CAAJ,C;QACI,cC+rC oB,0C;QD9rCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OC+rCH,WAAS,W;MAAT,YAAsB,gBAAGB,SAAhB,EA AsB,OAAtB,K;MmChhC7B,eAAiB,I;MnCghCjB,OmC/gCO,K;K;InCkhCX,uC;MDpsCI,IAAI,EC8sCI,WAAW,C D9sCf,CAAJ,C;QACI,cC6sCoB,0C;QD5sCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OC6sCV,OAAO,SAAS,SAAT,EAAe,iBAAW,OAAX,CAAF,C;K;IAGX,uC;MDltCI,IAAI,EC4tCI,WAAW,CD5tCf,CAAJ,C;QACI,cC2tCoB,0C

;QD1tCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OC2tCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAF,C;K;IAGX,uC;MDhuCI,IAAI,EC0uCI,WAAW,CD1uCf,CAAJ,C;QACI,cCyuCoB,0C;QDxuCpB,MAAM,gCAAYB,OA AQ,WAAjC,C;OCyuCH,WAAS,c;MAAT,YAAyB,gBAAGB,SAAhB,EAAAsB,OAAtB,EAA+B,KAA/B,C;MmC1jChC,eAAiB,I;MnC0jCjB,OmCzjCO,K;K;InC4jCX,uC;MD9uCI,IAAI,ECwvCI,WAAW,CDxvCf,CAAJ,C;QACI,cC uvCoB,0C;QDtvCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCuvCH,WAAS,W;MAAT,YAAAsB,SAAS,SAAT,EA Ae,iBAAU,OAAV,CAAF,C;MmCxC7B,eAAiB,I;MnCwkCjB,OmCvkCO,K;K;InC0kCX,uC;MD5vCI,IAAI,ECu wCI,WAAW,CDvwCf,CAAJ,C;QACI,cCswCoB,0C;QDrwCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCswCV,O AAO,gBAAGB,SAAhB,EAAAsB,OAAtB,EAA+B,IAA/B,C;K;IAGX,sD;MAWI,oCAAA,2BAAkB,SAAlB,EAA6B, OAA7B,EAAAsC,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAA, 2BAAkB,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;I AG5B,sD;MAUI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SA AN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC,C;MACb, OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,E AAAsC,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;MmC9pC9C,eAAi B,I;MnC8pCjB,OmC7pCO,K;K;InCgqCX,sD;MAUI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC, C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAA,2BAAkB,SAAlB,EAA6B, OAA7B,EAAAsC,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,uD;MAUI,oCAAA, 2BAAkB,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC,C;MACN,WAAS,c;MAAT,YAA8B,SAAY,OAAM,SAAN,E AAiB,OAAjB,C;MmCxsCjD,eAAiB,I;MnCwsCjB,OmCvsCO,K;K;InC0sCX,uD;MAUI,oCAAA,2BAAkB,SAAlB, EAA6B,OAA7B,EAAAsC,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C; MmCttC9C,eAAiB,I;MnCstCjB,OmCrtCO,K;K;InCwtCX,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA, UAAe,gB;MAC/E,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EA Ac,SAAd,EAAyB,OAazB,C;K;IAGrB,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/ E,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAy B,OAazB,C;K;IAGrB,wD;MAWkD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjF,oCAAA,2BAAk B,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAyB,OAazB,C;K;I AGrB,wD;MAW8C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC7E,oCAAA,2BAAkB,SAAlB,EAA6 B,OAA7B,EAAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAyB,OAazB,C;K;IAGrB,wD;MA WgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAA sC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAyB,OAazB,C;K;IAGrB,wD;MAWkD,yB;QAAA, YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjF,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC,C;M ACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAyB,OAazB,C;K;IAGrB,wD;MAWoD,yB;QAAA,YAAiB,C;MAAG ,uB;QAAA,UAAe,gB;MACnF,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC,C;MACR,SAAY,MA AK,OAAL,EAAC,SAAd,EAAyB,OAazB,C;K;IAGrB,yD;MAWsD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAA e,gB;MACrF,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC, SAAd,EAAyB,OAazB,C;K;IAGrB,yD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCA Aa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAyB,OA AzB,C;K;iFAGrB,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;K;iFAG5B,yB;MAwIA,iD;MAxIA,q C;QAKI,OAwIO,gCaxIK,eAAy,OAAZ,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO ,gCaxIK,gBAAa,OAAb,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,gBAA W,OAAX,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,mBAAY,OAAZ,CA wIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,kBAAa,OAAb,EAwIL,C;O;KA7I X,C;gFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,kBAAC,OAAd,EAwIL,C;O;KA7IX,C;iFAQA,yB ;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,sBAAE,OAaf,CAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MA xIA,qC;QAKI,OAwIO,gCaxIK,mBAAY,OAAZ,CAwIL,C;O;KA7IX,C;IAQA,sC;MAKI,OAAO,oBAAoB,SAAP B,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP, CAAXB,EAAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mB AA0,QAAS,KAAhB,IAAP,CAAXB,EAAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAA

wB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IA
GX,sC;MAII,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EA
AO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,
mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,
C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SA
AK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;iFAGX,+B;MA
KI,OAAy,SAAY,QAAO,QAAP,C;K;iFAG5B,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,
QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;K
ALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,
yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;
MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QA
KI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBA
AqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EA
A2B,QAA3B,C;O;KALX,C;8FAQA,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;K;IAmBL,2B;MA
AsB,OAAA,CAAe,iBAAU,CAAV,C;K;IAN/C,2B;MAMI,IAAI,mBAAO,CAAX,C;QA8PY,eA9PO,WA8PP,C;Q;I
AzMhB,2B;MAQI,IAAI,mBAAO,CAAX,C;QAAC,UAAU,SAAV,C;K;IAGIB,wC;MAMI,IAAI,mBAAO,CAAX,C
;QAAC,cAAc,SAAd,EAAoB,UAApB,C;K;IAGIB,gD;MAewD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;
MACvF,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,gBAAc,SAAd,EAAoB,SAApB,EA
A+B,OAA/B,EAawC,cAAxC,C;K;IAGJ,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACHe,
oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAp
B,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjE,o
CAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAp
B,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAagC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/D,oC
AAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,
C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACHe,oCA
Aa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,gBAAc,SAAd,EAA8C,SAA9C,EAAyD,OAAzD
,EAAkE,cAAIE,C;K;IAGJ,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjE,oCAAA,2BAA
kB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,C;MACvB,
KAAT,QAAS,C;K;IAGb,gD;MAamC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACIE,oCAAA,2BAAk
B,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,C;MACvB,
KAAT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACHe,oCAAA,2BAAk
B,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,C;MACvB,
KAAT,QAAS,C;K;iFAGb,iC;MAKI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;iF
AGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SA
AY,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,
C;K;IAGhB,yC;MAMI,IAAI,mBAAO,CAAX,C;QAAC,gBAAc,SAAd,EAAoB,UAApB,C;K;IAGIB,+D;MAA0E,y
B;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACzG,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gB
AAtC,C;MACb,gBAAc,SAAd,EAAoB,SAApB,EA+B,OAA/B,EAawC,UAAxC,C;K;IAGJ,mC;MAII,OAAO,EA
AS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,
OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,m
C;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;I
AG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAOH,kD;MAAA,wB;QAAW,qCAAK,KAAL,E;O;K;
IAJIC,oC;MAII,OAAO,iBAAM,gBAAN,EAAY,gCAAZ,C;K;IiD9nEX,+B;MAII,eAAe,CAAC,iBAAO,CAAP,IA
AD,IAAa,CAAb,I;MACf,IAAI,WAaw,CAAf,C;QAaKB,M;MACIB,mBAAM,2B;MACnB,iBAAC,CAAd,WAAi
B,QAAjB,U;QACI,UAAU,sBAAK,KAAL,C;QACV,sBAAK,KAAL,EAAC,sBAAK,YAAL,CAAd,C;QACA,sBAA
K,YAAL,EAAqB,GAAR,B,C;QACA,mC;;K;I9CbR,wB;MAOI,OAaw,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAA
mB,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,C;O;KAPhB,C
;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,C;O;KAPhB,C;mFAUA

,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;O;KAPhB,C;mFAUA,gB;MAMI, OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QASI,OAAO,MA AK,KAAI,CAAJ,EAAO,CAAP,C;O;KAThB,C;mFAYA,yB;MAAA,iB;MAAA,uB;QASI,OAAO,MAAK,KAAI, CAAJ,EAAO,CAAP,C;O;KAThB,C;IAYA,2B;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT, CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CA A5B,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,EA A4B,CAA5B,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAA P,EAAU,CAAV,C;O;KAPhB,C;mFAUA,mB;MAMW,UAAe,CAzEX,iBAyEc,CAzEd,MAAJ,GAYeE,CAzEf,GAY EkB,C;MAAzB,OAAa,CAzEF,iBAAK,GAAL,MAAJ,GAYEM,CAzEN,GAAM,B,G;K;mFA4E9B,yB;MAAA,iB;M AAA,0B;QASI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KAThB,C;mFAYA,yB;MAAA,iB; MAAA,0B;QASI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KAThB,C;IAYA,4B;MAQc,Q; MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAAM,SAAM,GAAN,EAAW,C AAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA, KAAV,M;QAAiB,MANJV,MAAK,KAmJiB,GAnJjB,EAmJsB,CAnJtB,C;;MAoJZ,OAAO,G;K;IAGX,4B;MAMc, Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MANJV,MAAK,KAmJiB,GAn JjB,EAmJsB,CAnJtB,C;;MAoJZ,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;Q AAU,QAAA,KAAV,M;QAAiB,MANJV,MAAK,KAmJiB,GAnJjB,EAmJsB,CAnJtB,C;;MAoJZ,OAAO,G;K;IAG X,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAuB,UAAAM,G;QAA Z,MApJN,oBAoJuB,CAPjvB,MAAJ,GAAY,GAAZ,GAoJ2B,C;;MACiC,OAAO,G;K;IAGX,4B;MAQc,Q;MADV, UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MApJV,MAAK,KAOjIB,GApJjB,EAoJsB ,CAPjTb,C;;MAqJZ,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA ,KAAV,M;QAAiB,MApJV,MAAK,KAOjIB,GApJjB,EAoJsB,CAPjTb,C;;MAqJZ,OAAO,G;K;IAGX,wB;MAOI,O AAW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MA AK,KAAI,CAAJ,EAAO,CAAP,C;O;KAThB,C;mFAYA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAA M,CAAN,EAAiB,CAAjB,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ, EAAO,CAAP,C;O;KAPhB,C;mFAUA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;mF AG9B,yB;MAAA,iB;MAAA,uB;QASI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;O;KAThB,C;mFAYA,yB;M AAA,iB;MAAA,uB;QASI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;O;KAThB,C;IAYA,2B;MAOI,OAAO,SA AM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MA AK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OA AO,MAAK,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;Q AOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KAPhB,C;mFAUA,mB;MAMW,UAAe,CAz EX,iBAyEc,CAzEd,MAAJ,GAYeE,CAzEf,GAYEkB,C;MAAzB,OAAa,CAzEF,iBAAK,GAAL,MAAJ,GAYEM,CA zEN,GAAM,B,G;K;mFA4E9B,yB;MAAA,iB;MAAA,0B;QASI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU, CAAV,C;O;KAThB,C;mFAYA,yB;MAAA,iB;MAAA,0B;QASI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAA U,CAAV,C;O;KAThB,C;IAYA,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAA V,M;QAAiB,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU, C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MANJV,MAAK,KAmJiB,GAnJjB,EAmJsB,CAnJ tB,C;;MAoJZ,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAA V,M;QAAiB,MANJV,MAAK,KAmJiB,GAnJjB,EAmJsB,CAnJtB,C;;MAoJZ,OAAO,G;K;IAGX,4B;MAMc,Q;MA DV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MANJV,MAAK,KAmJiB,GAnJjB,E AmJsB,CAnJtB,C;;MAoJZ,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU ,QAAA,KAAV,M;QAAuB,UAAAM,G;QAAZ,MApJN,oBAoJuB,CAPjvB,MAAJ,GAAY,GAAZ,GAoJ2B,C;;MACI C,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAi B,MApJV,MAAK,KAOjIB,GApJjB,EAoJsB,CAPjTb,C;;MAqJZ,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU, C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MApJV,MAAK,KAOjIB,GApJjB,EAoJsB,CAPjT b,C;;MAqJZ,OAAO,G;K;I+CzbX,wC;MtCiBW,Q;MAAA,IsCXgB,KtCWZ,IAAS,CAAT,IsCXY,KtCWE,IAAS,2 BAA3B,C;QAAA,OAAsC,qBsCXtB,KtCWsB,C;;QsCXb,MAAM,8BAA0B,mCAAyB,gBAAzB,MAA1B,C;;MAA

tC,W;K;ICJJ,wC;MhCqTe,WgC7SY,KhC6SZ,IAAS,C;MAAT,S;QAAC,OgC7SF,KhC6SE,IAqgHT,gBAAR,iBAA Q,C;OArgHT,U;MAAA,S;QAAA,SAAsC,sBgC7StB,KhC6SsB,C;;QgC7Sb,MAAM,8BAA0B,iCAAuB,cAAvB,M AA1B,C;;MAAtC,a;K;IAGJ,wC;MhCsTe,WgC9SY,KhC8SZ,IAAS,C;MAAT,S;QAAC,OgC9SF,KhC8SE,IAigHT, gBAAR,iBAAQ,C;OAJgHT,U;MAAA,S;QAAA,SAAsC,sBgC9StB,KhC8SsB,C;;QgC9Sb,MAAM,8BAA0B,iCAA uB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MhCuTe,WgC/SY,KhC+SZ,IAAS,C;MAAT,S;QAAC,OgC/SF,KhC +SE,IA6/GT,gBAAR,iBAAQ,C;OA7/GT,U;MAAA,S;QAAA,SAAsC,sBgC/StB,KhC+SsB,C;;QgC/Sb,MAAM,8B AA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MhCwTe,WgChTY,KhCgTZ,IAAS,C;MAAT,S;QAAC ,OgChTF,KhCgTE,IAy/GT,gBAAR,iBAAQ,C;OAZ/GT,U;MAAA,S;QAAA,SAAsC,sBgChTtB,KhCgTsB,C;;QgC hTb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IASO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;M AAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAKC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAGD,OAAA,gBAAY,gBA AS,OAAT,C;K;mDAC5D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,SAAZB,C;MACb,OAAO,6BAAY,KAAZ, C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OhCsrBO,UgCtrBA, gBhCsrBR,QAAQ,EgCtrBoB,O9DwHF,K8B8jBIB,C;K;yDgCprBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,O AAJ,C;QAAgC,OAAO,E;MACvC,OhCy6BO,cgCz6BA,gBhCy6BR,QAAQ,EgCz6BwB,O9DmHN,K8BsZBIB,C; K;;Igc/7BnB,6B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CA C3C,Y;MAAKC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC7D,iB;M ACI,oCAAA,2BAAkB,KAAIB,EAAyB,SAAZB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAA L,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OhCqqBO,UgCrqBA,gBhCqqBR,QAAQ,EgCrqBoB,O /CwGA,Ke6jBpB,C;K;yDgCnqBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC ,OhCw5BO,cgCx5BA,gBhCw5BR,QAAQ,EgCx5BwB,O/CmGJ,KeqzBpB,C;K;;Igc96BnB,6B;MAMI,4C;K;IA2B O,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAKC,OAAA,gBAAY,U;K ;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC7D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAy B,SAAZB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QA AiC,OAAO,E;MACxC,OhCopBO,UgCpBA,gBhCopBR,QAAQ,EgCpBoB,O/DsCA,K+B8mBpB,C;K;yDgClpB X,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OhCu4BO,cgCv4BA,gBhCu4B R,QAAQ,EgCv4BwB,O/DiCJ,K+B82BpB,C;K;;Igc75BnB,8B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8 FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAKC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAKD,OAAA,g BAAY,gBAAS,OAAT,C;K;mDAC9D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,SAAZB,C;MACb,OAAO,6BA AY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,OhCmoB O,UgCnoBA,gBhCmoBR,QAAQ,EgCnoBoB,O7DsBE,K6B6mBtB,C;K;yDgCjoBX,mB;MAES,Q;MAAL,IAAI,e AAC,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,OhCs3BO,cgCt3BA,gBhCs3BR,QAAQ,EgCt3BwB,O7DiBF,K 6Bq2BtB,C;K;;Igc54BnB,8B;MAMI,4C;K;+ECTIJ,qB;MAC+C,OAAA,SAAY,Y;K;yEAE3D,qB;MAC4C,OAAA, SAAY,S;K;2EAExD,6B;MACwD,OAAA,SAAY,QAAO,MAAP,C;K;2EAEpE,kC;MACqE,OAAA,SAAY,QAAO, IAAP,EAAa,KAAb,C;K;2EAEjF,2B;MACwD,OAAA,SAAY,QAAO,IAAP,C;K;0EAEpE,yC;MACoF,OAAA,SA AY,QAAO,IAAP,EAAa,KAAb,EAAoB,KAApB,C;K;yEAEhG,qB;MAC4C,OAAA,SAAY,S;K;+EAExD,qB;MAC +C,OAAA,SAAY,Y;K;+EAE3D,6B;MAC2D,OAAA,SAAY,WAAU,MAAV,C;K;iFAEvE,qB;MACgD,OAAA,SA AY,a;K;;;mCChCxD,gB;;K;;ICAJ,wB;K;;IAIA,wB;K;;IAIA,wB;K;;IAKiC,uB;MAAC,oB;QAAA,OAA0B,E;MA A1B,gB;K;;IAEIC,kB;K;;IAqCqC,sB;MAAC,gB;K;;IAgCN,4B;MAAC,sB;K;;IAEjC,uB;K;;IA8DmC,4B;MAAC,k B;K;;IAEpC,oB;K;;ICpJA,oB;K;;IAIA,wB;K;;oFjDLA,qB;MAEqE,uC+BAtB,E;K;iG/BE/C,yB;MAAA,kD;MAA A,4B;QACsE,mBAAY,SAAZ,C;O;KADtE,C;IAGA,iC;MAGI,OAAsB,UAAy,QAAvB,KAAmC,SAAY9C,GACe,U AAY,UAD3B,GAGI,gBAAgB,UAAhB,C;K;IAGR,qC;MAEI,Y+BhB2C,E;M/BiB3C,eAAe,UAAW,W;MAC1B,O AAO,QAAS,UAAhB,C;QACU,KAAy,MAAK,QAAS,OAAd,C;MACTB,OAAO,K;K;IAGX,8C;MAQc,Q;MANV,I AAI,KAAM,OAAN,GAAa,UAAW,KAA5B,C;QACI,OAAO,gBAAgB,UAAhB,C;OAEX,eAAe,UAAW,W;MAC1 B,YAAy,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,I AAI,QAAQ,KAAM,OAAIB,C;QACI,MAAM,KAAN,IAAe,I;OAEhB,OAAO,K;K;IAIX,yB;MAG6C,sBAAY,OA AZ,E;K;wGAE7C,yB;MAAA,+D;MAAA,gC;QAK0B,gBAaf,gB;QAAqB,aJoB5B,W;QIPBA,OJqBO,SIRBoC,Q;O ;KAL/C,C;yGAQA,yB;MAAA,4E;MAAA,gE;MAAA,0C;QAKI,qBAAqB,QAArB,C;QAC8B,gBAAvB,eAAa,QA Ab,C;QAA6B,aJWpC,W;QIXA,OJYO,SIZ4C,Q;O;KANvD,C;IAUA,wB;MAG2C,oBAAU,OAAV,E;K;sGAE3C,y

B;MAAA,uE;MAAA,gC;QAK8B,gBAAnB,oB;QAAyB,aJHhC,W;QIGA,OJFO,SIEwC,Q;O;KALnD,C;wGAQA,y
B;MAAA,wE;MAAA,0C;QAKsC,gBAA3B,mBAAiB,QAAjB,C;QAAiC,aJXxC,W;QIWA,OJVO,SIUgD,Q;O;KA
L3D,C;IASA,qB;MAIuD,oBAAU,IAAV,E;K;sGAEvD,yB;MAAA,wE;MAAA,gC;QAKiC,gBAAtB,oB;QAA4B,aJ
lBnC,W;QIOBA,OJzBO,SIyB2C,Q;O;KALtD,C;uGAQA,yB;MAAA,uE;MAAA,0C;QAKyC,gBAA9B,mBAAoB,
QAApB,C;QAAoC,aJlC3C,W;QIkCA,OJjCO,SliCmD,Q;O;KAL9D,C;IASA,mC;MAOqB,Q;MAAA,kC;MAAjB,i
BAAc,CAAd,yB;QACI,sBAAK,KAAL,EAAC,KAAd,C;;K;IAIR,+B;MAMuD,sBAAQ,4BAAR,C;K;IAEvD,6B;M
AIwE,kBAAhB,0B;MAAwB,uB;MAAxB,OJ7D7C,W;K;II+DX,4B;MAMI,gBAAgB,SAAhB,EAAsB,cAAtB,C;K;
IAGJ,2C;MAMI,gBAAgB,SAAhB,EAAsB,UAAtB,C;K;IAGJ,2C;MACI,IAAI,IAAK,KAAL,IAAa,CAAjB,C;QA
AoB,M;MAEpB,YAAy,YAAy,IAAZ,C;MACZ,gBAAc,KAAd,EAAqB,UAArB,C;MAEA,aAAU,CAAV,MAAkB
,KAAM,OAAxB,M;QACI,iBAAK,CAAL,EAU,MAAM,CAAN,CAAV,C;;K;IAIR,uC;MACI,OAAO,gBAAkB,I
AAIB,O;K;IAGX,iF;MAII,oCAAA,2BAAkB,UAAIB,EAA8B,QAA9B,EAAwC,MAAO,OAA/C,C;MACb,gBAAg
B,WAAW,UAAx,I;MACHB,oCAAA,2BAAkB,iBAAlB,EAAqC,oBAAoB,SAAPB,IAArC,EAAoE,WAAy,OAAh
F,C;MAEb,IAAI,WAAkB,QAAO,WAAp,CAAI,IAAyC,WAAkB,QAAO,MAAP,CAAD,C;QACI,eAAsB,MAA
Y,UAAAS,UAAAT,EAAqB,QAArB,C;QACtB,WAAy,KAAI,QAAJ,EAAC,iBAAd,C;;QAExB,IAAI,WAAW,WAAx
,IAA0B,qBAAqB,UAAAnD,C;UACI,iBAAC,CAAd,UAAAS,SAAtB,U;YACI,YAAy,oBAAoB,KAApB,IAAZ,IAAy
C,OAAO,aAAa,KAAb,IAAP,C;;;UAG7C,mBAAC,YAAy,CAAZ,IAAd,aAAmC,CAAnC,Y;YACI,YAAy,oBAAo
B,OAApB,IAAZ,IAAyC,OAAO,aAAa,OAAb,IAAP,C;;;K;8GAMzD,qB;MAEgF,gB;K;kGAehF,yB;MAAA,4D;
MAAA,4B;QAC8E,OAAK,aAAL,SAAK,C;O;KADnF,C;sGAIA,gC;MAEI,OAAI,SAAJ,GAEL,SAFJ,GAIL,SNs4B
oB,Q;K;IMl4B5B,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;OAEJ,OAAO,K;K;IAGX,mC;MAEI,IAAI,QAAQ,
CAAZ,C;QACI,oB;OAEJ,OAAO,K;K;IAIX,mC;MAIqD,mB;K;IAErD,wC;MPjNI,IAAI,EOyNI,YAAy,CPzNhB,
CAAJ,C;QACI,cOwNqB,gC;QPvNrB,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;IyDzB4C,qC;MAAiC,6B;K;uDAlvF
,mB;MACI,qB;MACA,eAAe,e;MACf,OAAO,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,OAAAT,EAAMB,OAA
nB,CAAJ,C;UACI,QAAS,S;UACT,OAAO,I;;MAGf,OAAO,K;K;yDAGX,oB;MAGoB,Q;MAFhB,qB;MACA,eAA
e,K;MACC,0B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,I;;M
AEjC,OAAO,Q;K;IAKuC,sE;MAAA,qB;QAAE,OAAM,gBAAN,mB;O;K;4DAFpD,oB;MAEY,Q;MADR,qB;MA
CA,OAAoC,YAA5B,iEAA4B,EAAU,oDAAV,C;K;IAKU,sE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;4DAFp
D,oB;MAEY,Q;MADR,qB;MACA,OAAoC,YAA5B,iEAA4B,EAAU,oDAAV,C;K;gDAGxC,Y;MACI,qB;MACA,
eAAe,IAAK,W;MACpB,OAAO,QAAS,UAAhB,C;QACI,QAAS,O;QACT,QAAS,S;;K;iDAIjB,Y;MACyB,OAAA,
IAAK,U;K;yDAG9B,Y;K;;IC1CgD,+B;MAAiC,oC;MACjF,gBAA8B,C;K;8CAM9B,mB;MAMI,qB;MACA,iBAA
I,SAAJ,EAAU,OAAV,C;MACA,OAAO,I;K;mDAGX,2B;MAIc,UACF,M;MAJR,qB;MACA,aAAa,K;MACb,cAA
c,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAI,eAAJ,EAAI,uBAAJ,WAAc,CAAd,C;QACA,U
AAU,I;;MAEd,OAAO,O;K;0CAGX,Y;MACI,qB;MACA,yBAAY,CAAZ,EAAe,SAAf,C;K;IAKiB,gE;MAAA,qB;
QAAE,OAAM,gBAAN,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;IAKU,gE;MAAA,q
B;QAAE,QAAO,gBAAP,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;6CAIX,Y;MAAq
D,iD;K;mDAErD,mB;MAAoD,0BAAQ,OAAR,KAAoB,C;K;kDAExE,mB;MACqB,Q;MAAA,6B;MAAjB,iBAAc
,CAAd,yB;QACI,IAAI,wBAAI,KAAJ,GAAC,OAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;sDAGX,mB;M
ACI,iBAAc,sBAAd,WAA+B,CAA/B,U;QACI,IAAI,wBAAI,KAAJ,GAAC,OAAd,CAAJ,C;UACI,OAAO,K;;MAG
f,OAAO,E;K;iDAGX,Y;MAA6D,iCAAA,CAAb,C;K;yDAC7D,iB;MAAuE,sDAAiB,KAAjB,C;K;oDAGvE,8B;M
AA4E,uCAAQ,IAAR,EAAC,SAAd,EAAyB,OAAzB,C;K;wDAE5E,8B;MAII,eAAe,0BAAa,SAAb,C;MACf,YAA
O,UAAU,SAAV,I;MvDyDX,iBAAC,CAAd,UAAAS,KAAtB,U;QuDxDiB,e;QACA,iB;;K;2CAIjB,iB;MAMI,IAAI,
UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,oCAAA,uBAAC,IA
Ad,EAAoB,KAApB,C;K;6CAGxB,Y;MAG+B,OAAA,oCAAA,yBAAGB,IAAhB,C;K;IAG5C,kD;MAAA,oB;MAC
I,eACsB,C;MACtB,cAIqB,E;K;yDAErB,Y;MAAkC,sBAAQ,gB;K;sDAE1C,Y;MAEW,Q;MADP,IAAI,CAAC,cA
AL,C;QAAgB,MAAM,6B;MACtB,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBAAI,WAAJ,C;K;wDAG
X,Y;M1D1CJ,IAAI,E0D2CU,gBAAQ,E1D3CIB,CAAJ,C;QACI,c0D0CwB,sE;Q1DzCxB,MAAM,6BAASB,OAA
Q,WAA9B,C;00D2CF,6BAAS,WAAAT,C;MACA,eAAQ,W;MACR,cAAO,E;K;;IAOqB,6D;MAHpC,oB;MAGmD,
wD;MAG3C,oCAAA,4BAAMB,KAAAnB,EAA0B,WAAyB,KAAAnD,C;MACb,eAAa,K;K;iEAGjB,Y;MAAsC,sBA
AQ,C;K;+DAE9C,Y;MAAgC,mB;K;8DAEhC,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAE1B,eA

AO,mCAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;K;mEAGX,Y;MAAoC,sBAAQ,CAAR,I;K;+DAE
pC,mB;MACI,wBAAI,YAAJ,EAAW,OAAAX,C;MACA,mC;MACA,cAAO,E;K;+DAGX,mB;M1DhFJ,IAAI,E0DiF
U,gBAAQ,E1DjFIB,CAAJ,C;QACI,c0DgFwB,4E;Q1D/ExB,MAAM,6BAAsB,OAAQ,WAA9B,C;O0DgFF,wBAA
I,WAAJ,EAAU,OAAV,C;K;;IAIgB,+D;MAAuF,8B;MAAtf,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,oCAAA,2
BAAkB,gBAAIB,EAA6B,OAA7B,EAAc,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;K;wDAGjB,0B;MA
CI,oCAAA,4BAAmB,KAAmB,EAA0B,YAA1B,C;MAEb,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;
MACL,mC;K;wDAGJ,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mBAAY,K
AAZ,IAAL,C;K;6DAGX,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kBAAS,m
BAAY,KAAZ,IAAT,C;MACIB,mC;MACA,OAAO,M;K;wDAGX,0B;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,Y
AAzB,C;MAEb,OAAO,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;K;mGAGO,Y;MAAQ,mB;K;2D
AE/B,Y;MAA+C,WAAK,iB;K;;;ICtMN,8B;MAAiC,sB;MAGCnF,uBAAoC,I;MA+CpC,yBAA6C,I;K;IA1ER,oD;
MAAC,wB;MAGIC,gBAAqB,K;K;iFAHa,Y;MAAA,yB;K;uGAKZ,Y;MAAQ,oB;K;8DAE9B,oB;MAKI,eAAe,IA
AK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAAc,IAAd,C;K;wDAC/B,Y;MAAkC,iEAAc,
IAAd,C;K;sDACIC,iB;MAA4C,+DAAY,IAAZ,EAaKB,KAAIB,C;K;;IAIB5C,8E;MAAA,wE;MAAsC,2CAAK,K
AAM,IAAX,EAAGB,KAAM,MAAtB,C;MAAtC,Y;K;yCAsBJ,Y;MACI,YAAQ,Q;K;IAOQ,+F;MAAA,sD;MAAS,
6B;K;uFACb,mB;MAAwC,MAAM,qCAA8B,8BAA9B,C;K;mFAC9C,Y;MACI,4BAAwB,Q;K;4FAG5B,mB;MA
AsD,sDAAY,OAAZ,C;K;IAI3C,oH;MAAA,kD;K;4GACH,Y;MAAkC,OAAA,0BAAc,U;K;yGACHD,Y;MAAyB,
OAAA,0BAAc,OAAO,I;K;2GAC9C,Y;MAAwB,0BAAc,S;K;;sFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5B,6
G;K;0FAOJ,mB;MACI,qB;MACA,IAAI,+CAAY,OAAZ,CAAJ,C;QACI,4BAAwB,cAAO,OAAP,C;QACxB,OAA
O,I;OAEX,OAAO,K;K;oIAGY,Y;MAAQ,OAAA,4BAAwB,K;K;4FAEvD,Y;MAAsC,4BAAwB,iB;K;;0FA9B1E,
Y;MACI,IAAI,4BAAJ,C;QACI,6F;OA+BJ,OAAO,mC;K;kDAKf,gB;MAEyB,Q;MADrB,qB;MACqB,OAAA,IjEo
R2D,QAAQ,W;MiEpRxF,OAAqB,cAARb,C;QAAqB,wB;QAAf,UjEuMsD,U;QiEvMjD,YjEoNiD,Y;QiEnNxD,iB
AAI,GAJ,EAAS,KAAT,C;;K;IAQc,iG;MAAA,sD;MAAS,oC;K;yFACf,mB;MAAwC,MAAM,qCAA8B,gCAA9
B,C;K;qFAC9C,Y;MAAuB,4BAAwB,Q;K;8FAE/C,mB;MAAsD,wDAAc,OAAd,C;K;IAI3C,sH;MAAA,kD;K;8G
ACH,Y;MAAkC,OAAA,0BAAc,U;K;2GACHD,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;6GAC9C,Y;MAAwB,0B
AAc,S;K;;wFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5B,+G;K;sIAOmB,Y;MAAQ,OAAA,4BAAwB,K;K;sFA
EvD,iB;MAEL,IAAI,SAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,iCAAJ,C;QAA6B,OAAO,K;MACpC,OAA
O,oCAAA,uBAAc,IAAd,EAAoB,KAApB,C;K;wFAGxB,Y;MAA+B,OAAA,oCAAA,yBAAGB,IAAhB,C;K;8FAE5
C,Y;MAAsC,4BAAwB,iB;K;;4FA5B1E,Y;MACI,IAAI,8BAAJ,C;QACI,iG;OA6BJ,OAAO,qC;K;gDAGf,e;MACI,
qB;MACA,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YAA,Y,IAAK,O;QACjB,QAAQ,KAAM,I;
QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAA,Y,KAAM,M;UACIB,IAAK,S;UACL,OAAO,K;;MAGf,OAAO,I;
K;kDAIX,Y;K;;IC5I+C,8B;MAAiC,oC;K;0CAEHf,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IA
AI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAAGB,KAAbB,C;K;4CAGvB,Y;MAG
+B,OAAA,mCAAY,2BAAkB,IAAIB,C;K;;ICbT,0B;MAAuD,8B;MAAIC,4B;MACvD,4BAAkC,K;K;gCAmBIC,Y
;MAEL,qB;MACA,4BAAA,I;MACb,OAAO,I;K;qCAGX,Y;K;iDAGA,uB;K;iFAG8B,Y;MAAQ,OAAA,oBAAM,O
;K;sCAC5C,iB;MACyC,Q;MAAA,oCAAM,0BAAW,KAAX,CAAN,4D;K;sCACzC,0B;MAIW,IAAa,I;MAHpB,q
B;MACA,0BAAW,KAAX,C;MAEoB,gBAAb,qBAAM,KAAN,C;MAAqB,qC;MAA5B,OAAO,CAAA,O1D6BjB,S
0D7BI,2D;K;oCAGX,mB;MACI,qB;MACM,oBAAY,MAAK,OAAL,C;MACIB,qC;MACA,OAAO,I;K;sCAGX,0
B;MACI,qB;MACM,oBAAY,QAAO,mCAAoB,KAApB,CAAP,EAAmC,CAAnC,EAAc,OAAtC,C;MACIB,qC;K
;yCAGJ,oB;MACI,qB;MACA,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE/B,uBAAA,oB5DgoDoB,QM3rD0C,
YsD2DrD,QtD3DqD,CN2rD1C,C;M4D/nDpB,qC;MACA,OAAO,I;K;yCAGX,2B;MACI,qB;MACA,mCAAoB,K
AApB,C;MAEA,IAAI,UAAS,SAAb,C;QAAMB,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,C;QAAw
B,OAAO,K;MAE3B,IADE,KACF,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAEF,O;QAAK,uBtDxEqD,Y
sDwE7C,QtDxE6C,CN2rD1C,Q4DnnD6B,oB5Dmnd7B,C;;Q4DlnDR,uBAAoC,cAA5B,oBAA4B,EAAV,CAAU,
EAAP,KAAO,CAAY,QtDzEE,YsDyEK,QtDzEL,CsDyEF,EAA4C,cAAN,oBAAM,EAAY,KAAZ,EAAmB,SAAn
B,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;K;2CAGX,iB;MACI,qB;MACA,0BAAW,KAAX,C;MACA,qC;MAC
A,OAAW,UAAS,sBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KAAP,EAAC,CAAd,CAIB,CAAmC,C
AAnC,C;K;uCAGR,mB;MAEkB,Q;MADD,qB;MACc,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAGB,OAAH

B,CAAJ,C;UACU,oBAAY,QAAO,KAAP,EAAC,CAAd,C;UACIB,qC;UACA,OAAO,I;;MAGf,OAAO,K;K;8CAG X,8B;MACI,qB;MACA,qC;MACM,oBAAY,QAAO,SAAP,EAakB,UAAU,SAAV,IAAlB,C;K;gCAGtB,Y;MACI, qB;MACA,uBvBjHuC,E;MuBkHvC,qC;K;wCAIJ,mB;MAA+C,OAAM,QAAN,oBAAM,EAQ,OAAR,C;K;4CA ErD,mB;MAAmD,OAAM,YAAN,oBAAM,EAAY,OAaz,C;K;mCAEzD,Y;MAA0B,uBAAc,oBAAd,C;K;kCAC1 B,Y;MAAsC,OAAA,EAAS,MAAM,MAAK,oBAAL,C;K;yCAGrD,Y;MACI,IAAI,yBAAJ,C;QAAgB,MAAM,oC; K;+CAG1B,iB;MACI,oCAAA,kCAAyB,SAazB,C;MADoB,Y;K;wDAIrC,iB;MACI,oCAAA,mCAA0B,SAAlB,C; MAD6B,Y;K;;IAjI9C,+B;MAAA,mD;MAG8B,sBvBRa,EuBQb,C;MAH9B,Y;K;IAKA,kD;MAK0B,+B;QAAA,kB AAuB,C;MALjD,mD;MAKsD,sBvBfX,EuBeW,C;MALtD,Y;K;IAOA,2C;MAAA,mD;MAGqD,sBtDjBa,YsDiBR, QtDjBQ,CsDiBb,C;MAHrD,Y;K;ICtBJ,0C;MACI,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAAL,C;;QAEIB,UAA U,KAAY,EAawC,CAAxC,EAaiD,cAAN,KAAM,CAAjD,EAA4D,eAAW,UAAx,CAA5D,C;;K;IAMiB,kD;MAA A,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAaw,CAAX,C;O;K;IAFpD,4C;MACI,IAAI,6BAAJ,C;QACI,iBA AiB,gC;QACX,KAAY,MAAK,UAAAL,C;;QAEIB,UAAU,KAAY,EAawC,CAAxC,EAaiD,cAAN,KAAM,CAAjD, EAA4D,UAA5D,C;;K;IAIR,gE;MACI,IAAI,aAAY,UAAU,CAAV,IAAZ,CAAJ,C;QACI,UAAU,KAAY,EAawC, SAAxC,EAAM,D,UAAU,CAAV,IAAnD,EAAGe,UAAhE,C;Q;IAMiB,gC;MAAgB,OAAE,iBAAF,CAAE,EAAU, CAAV,C;K;IAF3C,0B;MACI,IAAI,6BAAJ,C;QACI,iBAAiB,gB;QACX,KAAY,MAAK,UAAAL,C;;QAEIB,UAAU ,KAAY,EAawC,CAAxC,EAaiD,cAAN,KAAM,CAAjD,EAA4D,cAA5D,C;;K;;IAaa,kD;MAAoB,QAAC,IAAM, CAAP,KAAa,IAAM,CAAnB,K;K;IARzC,uC;MACI,sC;QAAiC,OAAjC,yB;OACA,4BAA4B,K;MAE5B,YAAY,E ;MAGZ,iBAAc,CAAd,UAAAsB,GAATB,U;QAAiC,KAAY,MAAK,KAAL,C;MAC7C,iBAAiB,kC;MACX,KAAY, MAAK,UAAAL,C;MACIB,mBAAc,CAAd,YAAsB,KAAM,OAA5B,Y;QACI,QAAQ,MAAM,UAAQ,CAAR,IAAN, C;QACR,QAAQ,MAAM,OAAN,C;QACR,IAAI,CAAC,IAAM,CAAP,OAAc,IAAM,CAAPB,KAA0B,KAAC,CA AnC,C;UAAAsC,OAAO,K;;MAEjD,4BAA4B,I;MAC5B,OAAO,I;K;IAIX,2D;MACI,aAAa,gBAAMB,KAAM,OAA zB,O;MACb,aAAa,YAAU,KAAY,EAaiB,MAAjB,EAAYB,KAAzB,EAAGC,YAAhC,EAA8C,UAA9C,C;MACb,I AAI,WAAW,KAaf,C;QACI,aAAU,KAAY,OAAiB,YAAjB,M;UAA+B,MAAM,CAAN,IAAW,OAAO,CAAP,C;Q ;IAIID,4D;MAEL,IAAI,UAAAsB,GAATB,C;QACI,OAAO,K;OAGX,aAAa,CAAC,QAAQ,GAAR,IAAD,IAAGB,CAAh B,I;MACb,WAAW,YAAU,KAAY,EAaiB,MAAjB,EAAYB,KAAzB,EAAGC,MAAhC,EAawC,UAAxC,C;MACX ,YAAY,YAAU,KAAY,EAaiB,MAAjB,EAAYB,SAAS,CAAT,IAAZB,EAAqC,GAAR,C,EAA0C,UAA1C,C;MAEZ ,aAAiB,SAAS,MAAb,GAAqB,KAArB,GAAgC,M;MAG7C,gBAAGB,K;MACb,iBAAiB,SAAS,CAAT,I;MACjB ,aAAU,KAAY,OAAiB,GAAjB,M;QAEQ,iBAAA,MAAb,IAAuB,cAAc,GAAR,C;UACI,gBAAGB,KAAK,SAAL, C;UACb,iBAAiB,MAAM,UAAAN,C;UAEjB,IAAI,UAAW,SAAQ,SAAR,EAAMB,UAAANB,CAAX,IAA6C,CAAj D,C;YACI,OAAO,CAAP,IAAY,S;YACZ,6B;;YAEA,OAAO,CAAP,IAAY,U;YACZ,+B;;eAGR,iBAAA,MAAb,C; UACI,OAAO,CAAP,IAAY,KAAK,SAAL,C;UACZ,6B;;UAGA,OAAO,CAAP,IAAY,MAAM,UAAAN,C;UACZ,+ B;;MAMZ,OAAO,M;K;ICrGX,4C;MAMoB,UACM,M;MAHtB,IAAI,iBAAJ,C;QAAkB,OAAO,C;MACzB,aAAa, C;MACb,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAEQ,oB;UAAmB,U;;UACnB,IpBFiC,MAAA,YoBEn C,OpBFmC,CoBE9C,C;YAAwD,iCAAhC,OAAgC,C;iBAExD,uC;YAAmC,2BAAR,OAAQ,C;eACnC,wC;YAAm C,2BAAR,OAAQ,C;eACnC,sC;YAAmC,2BAAR,OAAQ,C;eACnC,uC;YAAmC,2BAAR,OAAQ,C;;YAEA,kBAA R,OAAQ,C;;QATvC,wB;QAYA,SAAS,MAAK,MAAL,QAAC,WAAAd,I;;MAEb,OAAO,M;K;;ICTP,uC;MAAA,2 C;K;2DACI,0B;MAA2D,sBAAU,MAAV,C;K;gEAE3D,iB;MAA6C,Q;MAAA,wEAAqB,C;K;;IAHtE,mD;MAAA ,kD;QAAA,iC;OAAA,2C;K;;MCyBA,iC;MAKA,8B;MA8CA,0BAAMe,I;;IA1EnE,kC;MAAA,oB;MAA+B,6B;K; 2CAE3B,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;uCAC/D,Y;MACI,WAAa,Q;K;gDAGjB,mB;MAAuE,yCA Ac,OAAAd,C;K;0CAEvE,Y;MAAwE,OAAA,iCAAY,W;K;8CAEpF,mB;MACI,IAAI,oBAAS,OAAT,CAAJ,C;QAC I,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;OAEX,OAAO,K;K;wFAGY,Y;MAAQ,OAAA,WAAa,K;K;;8BA8 ChD,Y;MACI,0BAAY,Q;K;0CAIhB,e;MAAmD,OAAA,0BAAY,gBAAS,GAAT,C;K;4CAE/D,iB;MAAMe,gBAA Z,0B;MAAY,c;;Q3DilDnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAp,e;SACrB,2B;QAAhB ,OAAgB,cAAhB,C;UAAgB,yB;UAAAM,I2DjIDmD,uBAAS,gB3DiID9C,O2DjIDwD,MAAV,Q3DiID5D,C;YAAw B,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;M2DIIIDgD,iB;K;kFAInD,Y;MACI,IAAI,+BAAJ,C;QACI,0BAAW,qB;O AEF,OAAO,sC;K;uCAGf,Y;MAAiF,iC;K;kCAEjF,e;MAA+C,OAAA,0BAAY,WAAI,GAAJ,C;K;oCAE3D,sB;MA AgD,OAAA,0BAAY,aAAI,GAAJ,EAAS,KAAT,C;K;qCAE5D,e;MAAyC,OAAA,0BAAY,cAAO,GAAP,C;K;+E AEvB,Y;MAAQ,OAAA,0BAAY,K;K;;IA7DID,0C;MAAA,iD;MAAuD,8B;MAvC3D,mB;MAwCQ,8BAAMB,W;

MACnB,2BAAGb,WAAY,S;MAFhC,Y;K;IAKA,+B;MAAA,iD;MAGuB,aAAK,kEAAL,Q;MAHvB,Y;K;IAKA,4
D;MASyC,0B;QAAA,aAAoB,G;MAT7D,iD;MASqE,qB;MjEpCrE,IAAI,EiEsCQ,mBAAMb,CjEtC3B,CAAJ,C;Q
ACI,ciEqCgC,+C;QjEpChC,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EiEuCQ,cAAc,CjEvCtB,CAAJ,C;Q
ACI,gBiEsC2B,yC;QjErC3B,MAAM,gCAAyB,SAAQ,WAAjC,C;OiEyBV,Y;K;IAeA,gD;MAAA,iD;MAA2C,eA
AK,eAAL,EAAsb,GAAtB,Q;MAA3C,Y;K;IAGA,yC;MAAA,iD;MAG8C,qB;MAC1C,KAAK,gBAAO,QAAP,C;
MAJT,Y;K;IAqCJ,4B;MAK8E,gBAAnE,aAAmB,gEAAnB,C;MAA2E,wB;MAAIF,O9DvCo,S;K;;M+DjEP,uB;;k
CAOCA,mB;MACI,UAAU,gBAAI,aAAI,OAAJ,EAAa,IAAb,C;MACd,OAAO,W;K;8BAGX,Y;MACI,gBAAI,Q;K
;uCAOR,mB;MAA6D,OAAA,gBAAI,mBAAY,OAAZ,C;K;gCAEjE,Y;MAAYC,OAAA,gBAAI,U;K;iCAE7C,Y;
MAAqD,OAAA,gBAAI,KAAK,W;K;qCAE9D,mB;MAAkD,OAAA,gBAAI,cAAO,OAAP,CAAJ,Q;K;+EAEPB,Y
;MAAQ,OAAA,gBAAI,K;K;;IA7D1C,6B;MAAA,iD;MAGoB,8B;MAZxB,mB;MAAq,oBAAM,gB;MAJV,Y;K;IA
OA,yC;MAAA,iD;MAG2C,8B;MAAnB/C,mB;MAoBQ,oBAAM,eAAGB,QAAS,KAAzB,C;MACN,qBAAO,QAAP,
C;MALJ,Y;K;IAQA,4D;MASyC,0B;QAAA,aAAoB,G;MAT7D,iD;MASkE,8B;MAjCtE,mB;MAkCQ,oBAAM,eA
AgB,eAAhB,EAAiC,UAAjC,C;MAVV,Y;K;IAaA,gD;MAAA,iD;MAA2C,eAAK,eAAL,EAAsb,GAAtB,Q;MAA3
C,Y;K;IAEA,oC;MAAA,iD;MAM0C,8B;MA7C9C,mB;MA8CQ,oBAAW,G;MAPf,Y;K;IAMCJ,+B;MAKuC,gBA
A5B,eAAQ,eAAR,C;MAAoC,6B;MAA3C,O/DPO,S;K;IgzD6B,uC;MAAC,kC;MAErC,oBAAkC,kB;MACIC,sB
AAyB,C;K;2EAHY,Y;MAAA,8B;K;2FAGrC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;gDAGA,sB;MACI,eAAe,a
AAS,qBAAy,GAAZ,C;MACxB,mBAAMb,6BAAsB,QAAtB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,QAAX,I
AAuB,mCAAY,GAAZ,EAAiB,KAAjB,C;;QAEvB,IAAI,6BAAJ,C;UAEI,YAA+B,Y;UAC/B,IAAI,aAAS,gBAAO
,KAAM,IAAb,EAAkB,GAAIB,CAAb,C;YACI,OAAO,KAAM,gBAAS,KAAT,C;;YAEb,kBAAW,QAAX,IAAuB,
CAAQ,KAAR,EAAe,mCAAY,GAAZ,EAAiB,KAAjB,CAAf,C;YACvB,6B;YACA,OAAO,I;;UAIX,YAAuC,Y;U
ACvC,cAAkB,wBAAN,KAAM,EAAiB,GAAjB,C;UACIB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KAAT,C;
WAEX,KAAy,MAAK,mCAAY,GAAZ,EAAiB,KAAjB,CAAL,C;;MAG1B,6B;MAEA,OAAO,I;K;iDAGX,e;MA
EuB,Q;MADnB,eAAe,aAAS,qBAAy,GAAZ,C;MACL,oCAAsB,QAAtB,C;MAAA,iB;QAAMC,OAAO,I;OAA7D,
mBAAMb,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QACHC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAAkB,GAAI
B,CAAb,C;UtBzDR,OsB0D6B,iBtB1DvB,CsB0DmC,QtB1DnC,C;UsB2DM,6B;UACA,OAAO,KAAM,M;;UAEb,
OAAO,I;;QAGX,YAAuC,Y;QACvC,8BAAc,KAAd,iB;UACI,cAAy,MAAM,KAAN,C;UACZ,IAAI,aAAS,gBAA
O,GAAP,EAAY,OAAM,IAAIB,CAAb,C;YACI,IAAI,KAAM,OAAN,KAAc,CAAIB,C;cACU,KAAN,UAA2B,C;c
tBtE/C,OsBwEqC,iBtBxE/B,CsBwE2C,QtBxE3C,C;;csB2EoB,KAAy,QAAO,KAAP,EAAc,CAAd,C;;YAEtB,6B;
YAEA,OAAO,OAAM,M;;MAIzB,OAAO,I;K;0CAGX,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;mDAGX,e;MAA
yC,uBAAS,GAAT,S;K;8CAEzC,e;MAA+B,Q;MAAA,+BAAS,GAAT,8B;K;+CAE/B,e;MACuB,Q;MAAA,oCAA
sB,aAAS,qBAAy,GAAZ,CAA/B,C;MAAA,iB;QAAoD,OAAO,I;OAA9E,mBAAMb,I;MACnB,IAAI,6BAAJ,C;Q
ACI,YAAgC,Y;QACHC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAAkB,GAAIB,CAAb,C;UACI,OAAO,K;;UAEP,OA
AO,I;;QAGX,YAAuC,Y;QACvC,OAAa,wBAAN,KAAM,EAAiB,GAAjB,C;;K;uDAlrB,0B;MACI,sB;;QhFimCY
,Q;QAAb,iD;UAAgB,cAAhB,e;UAAsB,IgFjmCK,aAAS,gBhFimCA,OgFjmCa,IAAb,MhFimCd,C;YAAwB,qBA
AO,O;YAAP,uB;;QAC9C,qBAAO,I;;MgFlmCH,yB;K;IAIO,8E;MAAA,wD;MACH,aAAY,E;MAEZ,YAA0B,M
AAa,MAAK,qCAAL,C;MACvC,gBAAe,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAAgB,E;MACHb,iBAAq
C,I;K;yEAErC,Y;MACI,IAAI,6BAAwB,YAA5B,C;QACI,gBAAqB,iBAAqD,O;QAC1E,IAAI,4DAAc,SAIIB,C;
UACI,OAAO,C;OAGf,IAAI,yDAAa,SAAK,OAAtB,C;QACI,oBAAe,2CAAW,UAAK,aAAL,CAAX,C;QACf,eA
AU,iC;QACV,iBAAy,C;QACZ,OAAO,C;;QAEp,oBAAe,I;QACf,OAAO,C;;K;mEAIf,Y;MACI,IAAI,eAAS,EAA
b,C;QACI,aAAQ,oB;MACZ,OAAO,eAAS,C;K;gEAGpB,Y;MAEoB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAgB,M
AAM,6B;MACN,IAAI,YAAJ,C;QACZ,yBAAqD,cAARd,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAAiB,S;MACj
B,aAAQ,E;MACR,OAAO,S;K;kEAGX,Y;MnE/CR,ImEgDyB,cnEhDrB,QAAJ,C;QACI,cAhByB,0B;QAIbZB,MA
AM,6BAAsB,OAAQ,WAA9B,C;OmE+CE,6BAAyB,cAAO,6BAAy,IAAnB,C;MACzB,iBAAy,I;MAEZ,uC;K;;6
CAtdZ,Y;MAEL,2D;K;4DAyDJ,oB;MACI,mBAAMb,kBAAW,QAAX,C;MACnB,OAAW,iBAAiB,SAArB,GAAG
C,IAAhC,GAA0C,Y;K;;wCCtKrD,Y;MACI,aAAR,MAAM,OAAe,CAAP,IAAO,C;MAEb,OAAO,KAAP,IAAgB,
C;MvBXpB,OuBYqB,MvBZf,CuBYuB,KvBZvB,C;MuBaF,OAAO,M;K;;ICNuB,qC;MAAC,kC;MAEnC,oBAAk
C,kB;MACIC,sBAAyB,C;K;yEAHU,Y;MAAA,8B;K;yFAGnC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;iDAWA,
e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,K;MAC3B,OAAO,kBAAW,GAAX,MAAoB,S;K;4CAG/B,e;MACI,IAAI

,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,OAAW,UAAU,SAArB,GAAGC,KAAhC,GAA2D,I;K;8CAI/D,sB;MrEVA,IAAI,EqEWQ,uBrEXR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;OqEUN,eAAe,kBAAW,GAAX,C;MACf,kBAAW,GAAX,IAAkB,K;MAEIB,IAAI,aAAa,SAAjB,C;QACI,6B;QAEA,OAAO,I;QAGP,OAAO,Q;K;+CAIf,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,IAAI,UAAU,SAAd,C;QxBnDJ,OwBoDyB,iBxBpDnB,CwBoD+B,GxBpD/B,C;QwBqDE,6B;QAEA,OAAO,K;QAGP,OAAO,I;K;wCAKf,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;IAKA,0E;MAAA,oD;MACH,cAAkC,MAAA,MAAK,mCAAL,C;MAC/C,kBAA4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;K;IEAE/B,Y;MAAkC,OAAA,eAAS,U;K;8DAE3C,Y;MAIuB,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;MAES,+E;MAAnB,OAAO,iD;K;gEAGX,Y;MAEkC,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;MrEchD,uB;MAeP,IAfoB,KAehB,QAAJ,C;QACI,cAhByB,0B;QAIbZB,MAAM,6BAAsB,OAAQ,WAA9B,C;QAEN,sBAnBgB,K;MqEde,oBAAO,sFAAP,C;K;2CAjBnC,Y;MACI,yD;K;IAqBkD,0F;MAAA,8B;MAAA,oD;K;kHAC9B,Y;MAAQ,uB;K;oHACN,Y;MAAQ,6CAAuB,gBAAvB,C;K;2EAE9B,oB;MAAwC,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;K;qEAE/D,Y;MAA+B,OAAA,mCAAY,uBAAc,IAAd,C;K;qEAC3C,Y;MAAkC,OAAA,mCAAY,uBAAc,IAAd,C;K;mEAC9C,iB;MAA4C,OAAA,mCAAY,qBAAY,IAAZ,EAakB,KAAIB,C;K;gDAR5D,e;MAASD,iE;K;MCGtD,sBAOsC,I;MA6CtC,yB;MAOA,4BAAkC,K;IArIE,sD;MAZpC,oB;MAYyD,0CAAqC,GAARc,EAA0C,KAA1C,C;MACrD,oBAAuC,I;MACvC,oBAAuC,I;K;wDAEvC,oB;MACI,WAAmB,iB;MACnB,OAAa,mEAAS,QAAT,C;K;IAIrB,wC;MAAA,oB;MAA+B,6B;K;IAE3B,sD;MAAA,oB;MACI,cACsC,I;MAEtC,cACsC,I;MAGIC,cAAO,iC;K;6DAIX,Y;MACI,OAAO,gBAAS,I;K;0DAGpB,Y;MAEL,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;MAAf,cnE2DS,SmE3DoB,KAAO,iCnE2DzC,GAAqB,SAArB,GAA+B,I;MmE1D1B,OAAO,O;K;4DAGX,Y;MtEyBR,IAAI,EsExBc,eAAQ,ItEwBtB,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OsEzBE,WAAc,iB;MAGP,oCAAP,0BAAO,C;MACP,gCAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;K;iDAIf,mB;MAAYD,MAAM,qCAA8B,iCAA9B,C;K;6CAC/D,Y;MACI,WAAmB,Q;K;sDAGvB,mB;MAAuE,yCAAc,OAAc,C;K;gDAEvE,Y;MAAwE,qD;K;oDAExE,mB;MACI,qB;MACA,IAAI,oBAAS,OAAAT,CAAJ,C;QACI,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;OAEX,OAAO,K;K;8FAGY,Y;MAAQ,OAAA,WAAmB,K;K;sDAEID,Y;MAAsC,WAAmB,iB;K;iDAa7D,qB;MtEpBA,IAAI,EsEyBM,0BAAQ,IAAR,IAAgB,0BAAQ,ItEzB9B,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OsEyBN,YAAY,mB;MACZ,IAAI,SAAS,IAAb,C;QACI,sBAAO,S;QACP,yBAAO,S;QACP,yBAAO,S;QAGK,YAAa,KAAM,a;QtEjBhC,uB;QAeP,IAfoB,KAehB,QAAJ,C;UACI,gBAhByB,0B;UAIbZB,MAAM,6BAAsB,SAAQ,WAA9B,C;UAEN,sBAnBgB,K;QsEiBZ,+B;QAEA,yBAAO,K;QACP,yBAAO,K;QAEP,qBAAa,S;QACb,qBAAa,S;K;+CAIrB,qB;MAII,IAAI,SAAK,aAAL,KAAC,SAAlB,C;QAEI,sBAAO,I;QAEF,IAAI,wBAAS,SAAb,C;UAEL,sBAAO,sB;SAEX,qDAAc,sB;QACd,qDAAc,sB;MAEIB,yBAAO,I;MACP,yBAAO,I;K;oCA+CX,Y;MAEI,qB;MACA,4BAAa,I;MACb,OAAO,I;K;oCAGX,Y;MACI,qB;MACA,kBAAI,Q;MACJ,sBAAO,I;K;gDASX,e;MAAmD,OAAA,kBAAI,mBAA,Y,GAAZ,C;K;kDAEvD,iB;MACiC,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;OAA5C,WAA6B,I;QAEzB,IAAI,OAAA,IAAK,MAAL,EAAC,KAAd,CAAJ,C;UACI,OAAO,I;SAEX,OAAO,cAAA,IAAK,aAAL,C;MACF,iBAAS,mBAAT,C;MACT,OAAO,K;K;6CAIX,Y;MAA2E,uC;K;wCAE3E,e;MAAmD,Q;MAAJ,QAAL,OAAJ,kBAAI,WAAI,GAAJ,CAAJ,6B;K;0CAE/C,sB;MACI,qB;MAEA,UAAU,kBAAI,WAAI,GAAJ,C;MACd,IAAI,OAAO,IAAX,C;QACI,eAAe,mCAAW,GAAX,EAAGB,KAAhB,C;QACf,kBAAI,aAAI,GAAJ,EAAS,QAAT,C;QACK,wBAAT,QAAS,C;QACT,OAAO,I;QAEF,OAAO,GAAL,gBAAS,KAAT,C;K;2CAInB,e;MACI,qB;MAEA,YAAY,kBAAI,cAAO,GAAP,C;MACHB,IAAI,SAAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;OAEjB,OAAO,I;K;qFAGmB,Y;MAAQ,OAAA,kBAAI,K;K;6CAE1C,Y;MACI,IAAI,yBAAJ,C;QAAGB,MAAM,oC;K;IApG1B,mC;MAAA,uD;MAGuB,qB;MA9J3B,yB;MA+JQ,sBAAM,gB;MAJV,Y;K;IAOA,iD;MAAA,uD;MAAoD,qB;MAIKxD,yB;MAoKc,Q;MAAN,sBAAM,+D;MAFV,Y;K;IAKA,KE;MASyC,0B;QAAA,aAAoB,G;MAT7D,uD;MASqE,eAAM,eAAN,EAauB,UAAvB,Q;MAhLzE,yB;MAiLQ,sBAAM,gB;MAVV,Y;K;IAaA,sD;MAAA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAEA,+C;MAAA,uD;MAG2C,qB;MAzL/C,yB;MA0LQ,sBAAM,gB;MACN,KAAK,gBAAO,QAAP,C;MALT,Y;K;IA6EJ,kC;MAKwD,gBAA7C,qBAAYB,eAAzB,C;MAAqD,wB;MAA5D,OnEjMO,S;K;CoEtCP,Y;MAEK,Q;MAA8B,CAA9B,2EAA8B,S;MAC/B,OAAO,I;K;6CAGX,Y;MAA+C,gBAAI,iB;K;IAjCnD,wC;MAAA,uD;MAAmD,eAAM,GAAN,Q;MAPvD,yB;MAOI,Y;K;IAEA,qC;MAAA,uD;MAGuB,eAAM,oBAAN,Q;MAZ3B,yB;MASI,Y;K;IAKA,+C;MAAA,uD;MAG8C,eAAM,oBAAN,Q;MAjBID,

yB;MAkBQ,qBAAO,QAAP,C;MAJJ,Y;K;IAOA,kE;MASyC,0B;QAAA,aAAoB,G;MAT7D,uD;MASqE,eAAM,q
BAAsB,eAAtB,EAAuC,UAAvC,CAAN,Q;MA9BzE,yB;MAqBI,Y;K;IAWA,sD;MAAA,uD;MAA2C,qBAAK,eA
AL,EAAAsB,GAAtB,Q;MAA3C,Y;K;IAgBJ,qC;MAKMD,gBAAXC,mBAAC,qBAAd,C;MAAgD,6B;MAAvD,OpE
mBO,S;K;;;kFqEzEX,uB;MAKI,OAAO,O;K;ICRX,sB;K;mCACI,Y;MACI,mBAAM,IAAN,C;K;2CAGJ,mB;MA
CI,mBAAM,OAAN,C;MACA,c;K;iCAKJ,Y;K;;IAKuB,oC;MAA8B,qB;MAA7B,gC;K;2CACxB,mB;MAEI,oBA+
DyC,OA/Dd,OA+Dc,C;MA9DzC,iBAAa,OAAM,aAAN,C;K;;IAIrB,8B;MAEoC,qB;K;iDACHC,mB;MACI,OAA
Q,KAAI,OAAJ,C;K;mDAGZ,mB;MACI,OAAQ,KAAI,OAAJ,C;K;2CAGZ,Y;MACI,OAAQ,KAAI,EAAJ,C;K;;IA
IhB,0B;MAEqC,qB;MACjC,cAAa,E;K;6CAEb,mB;MACI,eAoCyC,OApcxB,OAoCwB,C;K;qCAjC7C,Y;MACI,c
AAS,E;K;;IAIjB,sC;MAE4C,yB;K;yDACxC,mB;MACI,QAwbYc,OAxB1B,OAwb0B,C;MAvBzC,QAAQ,C1Dy
HoF,a0DzHhE,I1DyHgE,E0DzH1D,C1DyH0D,C;M0DxH5F,IAAI,KAAK,CAAT,C;QACI,4BAAU,C1DmI0E,W0
DnI9D,C1DmI8D,E0DnI3D,C1DmI2D,C;Q0DIIpF,Y;QACA,IAAI,C1D8HiE,W0D9HrD,IAAI,CAAJ,I1D8HqD,C;
00D5HzE,4BAAU,C;K;iDAGd,Y;MACI,OAAQ,KAAI,WAAJ,C;MACR,cAAS,E;K;;;IAWjB,yB;MACiD,cAAa,K
AAb,C;K;IAEjD,mB;MAEI,MAAO,U;K;IAGX,4B;MAEI,MAAO,iBAAQ,OAAR,C;K;IAGX,wB;MAEI,MAAO,e
AAM,OAAN,C;K;IC3FX,mD;MACI,0B;MASA,gBAA2B,a;K;2FAFvB,Y;MAAQ,OAAA,eAAS,Q;K;oDAIrB,kB;
MACI,UAAU,IAAK,S;MAEX,YAAQ,2CAAR,C;QACI,gBAAC,MAAO,M;WAEzB,YAAQ,yBAAR,C;QACI,gBA
Ac,yC;QACd,eAAS,oBAAW,MAAX,C;;QAEI,MAAM,6BAAsB,iBAAtB,C;K;4CAItB,Y;MAOW,Q;MALP,IAAI
,kBAAW,2CAAf,C;QACI,gBAAS,yB;QACT,OAAO,yB;OAEX,aAAa,IAAK,S;MAEd,eAAW,yCAAX,C;QAAsB,
gC;WACtB,0C;QAA4B,MAAM,MAAO,U;;QACjC,a;MAHZ,W;K;;IA7BJ,gD;MAAA,0D;MACyD,6BAAK,QAA
L,EAAe,2CAAf,C;MADzD,Y;K;;;ICRA,2C;MAAA,+D;MAAuB,iC;MAF3B,iC;MAEI,Y;K;IACA,sD;MAAA,+
D;MAAuC,6BAAM,OAAN,Q;MAH3C,iC;MAGI,Y;K;IACA,6D;MAAA,+D;MAAmD,kCAAM,OAAN,EAAe,KA
Af,C;MAJvD,iC;MAII,Y;K;IACA,oD;MAAA,+D;MAAiC,6BAAM,KAAN,Q;MALrC,iC;MAKI,Y;K;IIC4CJ,yE;
MASI,sC;MAAA,4C;K;IATJ,iGAWY,Y;MAAQ,2B;KAXpB,E;IAAA,0DAaQ,kB;MACI,wBAAW,MAAX,C;K;IA
dZ,sF;ImC5C2E,0C;MpCiKhE,Q;MADP,eoC/JA,MpC+JA,C;MACO,QoChKP,MpCgKO,+D;MoC/JX,W;K;;+FCu
HA,gB;MACI,aAAa,IAAb,MAAa,E;MACb,KAAK,MAAL,C;MACA,OAAO,M;K;wFC3HX,yB;MAAA,uD;MAA
A,wC;QAWqG,OAAC,cAAL,SAAK,EAAiB,IAAjB,EAAuB,IAAvB,C;O;KAX1G,C;wFAaA,yB;MAAA,uD;MAA
A,wC;QAWoG,OAAC,cAAL,SAAK,EAAiB,IAAjB,EAAuB,IAAvB,C;O;KAXzG,C;8ECbA,yB;MAAA,6C;MAA
A,sC;QAOyD,OAAC,SAAL,SAAK,EAAy,QAAs,C;O;KAP9D,C;8EASA,yB;MAAA,6C;MAAA,wC;QAWkE,O
AAK,SAAL,SAAK,EAAa,UAAb,S;O;KAXvE,C;ofAaA,yB;MAAA,mD;MAAA,wC;QAWqE,OAAC,YAAL,SA
AK,EAAgB,UAAhB,S;O;KAX1E,C;kFCZI,yB;MAAA,iD;MAAA,4B;QAae,OAAC,WAAL,SAAK,C;O;KAApB,
C;wFAYA,yB;MAAA,uD;MAAA,4B;QAae,OAAC,cAAL,SAAK,C;O;KAApB,C;IC5BJ,gC;MAAoE,gCAAQb,O
AArB,C;K;IAEIC,uC;MAAC,wB;K;iDAC/B,iB;MACI,eAAQ,KAAR,C;K;8CAGJ,Y;MAAyC,iCAAuB,cAAvB,M;
K;;ICCO,6C;MAAA,8B;MAAS,uB;K;8FACIC,Y;MAAQ,OAAA,gBAAY,O;K;mDAE3C,iB;MACI,IADoC,KACp
C,IAAG,CAAH,IADoC,KACpC,IAAM,sBAAN,C;QAD8B,OACX,gBAAY,MAAK,KAAL,C;;QACvB,MAAM,8B
AA0B,WAAQ,KAAR,6BAAMC,sBAANc,MAA1B,C;K;;IARtB,8B;MAGoD,4C;K;wECFpD,yB;MAAA,uC;MAA
A,4B;QAOsC,MAAL,SAAK,C;O;KAPtC,C;kFASA,yB;MAAA,iD;MAAA,kC;QAWuD,OAAC,WAAL,SAAK,EA
Ac,IAAd,C;O;KAX5D,C;+ECfA,qB;MAI8C,gB;K;iFAE9C,qB;MAIsE,OAAC,S;K;kFAE3E,qB;MAMyE,gB;K;IA
EzE,6B;MAiBa,UAPF,M;MAFP,QAAC,S;MAGV,cAAK,UAAU,U;QACI,mBAAC,UAAU,G;;QACJ,IzCzBqC,MA
Aa,YyCyBvC,CzCzBuC,CyCyBID,C;UAC6B,8BAAzB,CAAYB,C;;UAGN,UAAIB,uDAaKB,Y;;MAP3B,a;K;IC9
BJ,2B;MAEI,MAAM,yBAAqB,OAARb,C;K;IAGV,sB;MAEI,MAAM,uBAAMb,cAAnB,C;K;IAGV,2B;MAEI,M
AAM,6BAAsB,OAAtB,C;K;IAGV,iC;MAEI,MAAM,4CAAqC,uBAAqB,YAArB,8BAArC,C;K;ICIBV,8B;MC8C
W,kB7FqBiD,oB;M6FM9C,Q;MAAA,OAAC,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CA
AN,C;QACV,kBAaKB,sBAAY,GAAZ,C;QAKFiD,U;QAJFnE,W7FqKJ,a6FrKgB,G7FqKhB,E4F1OoB,CCqEkC,u
BAAuB,CAAC,WAAY,mBAAY,GAAZ,CaiFhD,GdtJrC,CCsJqC,GAA6B,UajFjC,WaiFiC,6DDtJnD,IAAM,CA
AN,I5F0OpB,C;;M4F1OA,OCuEO,W;K;;;ICUX,iC;MAK8C,OAAC,kBAAC,CAAL,MAAJ,GAAy,CAAZ,GAAM
B,C;K;IAEjE,iC;MAK8C,OAAC,kBAAC,CAAL,MAAJ,GAAy,CAAZ,GAAMb,C;K;ICvDjE,qB;MAK0B,Q;MAD
tB,UAAmB,E;MACnB,wBAAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QAAK,IAAC,0BAAD,EAAO,2B;QACR,I
AAI,IAAJ,IAAY,K;;MAEhB,OAAO,G;K;IAGX,+B;MAMgB,Q;MADZ,WAA0B,MAAa,MAAK,KAAL,C;MACv
C,wBAAY,IAAZ,gB;QAAY,UAAA,IAAZ,M;QACI,IAAU,KAAY,gBAae,GAAf,CAAtB,C;UACI,UAAK,GAAL,

IAAY,MAAM,GAAN,C;;MAGpB,OAAO,S;K;qEC3DX,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAA
I,CAAJ,C;O;KAP7D,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAP7D,C;q
EASA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAP7D,C;uEASA,yB;MAAA,iB;MA
AA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAA
A,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CA
AL,C;O;KAT9D,C;yEAWA,yB;MAAA,iB;MAAA,uB;QAKB+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;
O;KAIB1E,C;uEAoBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;uEAY
A,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MA
AA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAYoD,OAA
A,MAAW,OAAM,CAAN,C;O;KAZ/D,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAA
N,C;O;KAZ/D,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAaoD,OAAA,MAAW,OAAM,CAAN,C;O;KAb/D,C;yEAeA
,yB;MAAA,iB;MAAA,uB;QAS+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;O;KAT1E,C;uEAWA,yB;MA
AA,iB;MAAA,oB;QAQmD,OAAA,MAAW,MAAK,CAAL,C;O;KAR9D,C;qEAUA,yB;MAAA,iB;MAAA,oB;QA
UkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAV7D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAcO,D,OAAA,MAAW,OA
AM,CAAN,C;O;KAd/D,C;IAgBA,sB;MAcI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;QAAgC,OAAO,wCAA
O,I;MAC9C,OAAO,IAAW,KAAI,CAAJ,CAAX,GAAoB,IAAW,KAAI,IAAJ,C;K;mEAG1C,yB;MAAA,iB;MAA
A,oB;QAWiD,OAAA,MAAW,KAAI,CAAJ,C;O;KAX5D,C;yEAaA,yB;MAAA,iB;MAAA,oB;QAOoD,OAAA,M
AAW,OAAM,CAAN,C;O;KAP/D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOmD,OAAA,MAAW,MAAK,CAAL,C
;O;KAP9D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAgBmD,OAAA,MAAW,OAAM,CAAN,C;O;KAhB9D,C;uEak
BA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;M
AAA,oB;QAUoD,OAAA,MAAW,OAAM,CAAN,C;O;KAV/D,C;+EAYA,yB;MAAA,iB;MAAA,oB;QAUuD,OA
AA,MAAW,OAAM,CAAN,C;O;KAVIE,C;IAYA,kB;MAQI,IAAI,IAAI,GAAJ,KAAW,GAaf,C;QACI,OAAO,IA
AW,OAAM,CAAN,C;OAEtB,YAzBgD,MAAW,OAYBzC,CAZByC,C;MA0B3D,OAAW,QAAQ,CAAR,KAAa,G
AAxB,GAA6B,KAA7B,GAtC+C,MAAW,MAcCb,CAtCa,C;K;qEAyC9D,yB;MAAA,iB;MAAA,oB;QAUkD,OA
AA,MAAW,KAAI,CAAJ,C;O;KAV7D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QAWmD,OAAA,MAAW,MAAK,C
AAL,C;O;KAX9D,C;wEAcA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;
KAPxE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPxE,C;
qEAWA,yB;MAAA,iB;MAAA,+B;QAayD,OAAA,MAAW,KAAI,SAAJ,EAAU,CAAV,C;O;KAbpE,C;uEAeA,yB
;MAAA,iB;MAAA,+B;QAOsD,OAAA,MAAW,KAAI,SAAJ,EAAY,CAAZ,C;O;KAPjE,C;iGAmBsD,yB;MAAA,i
B;MAAA,4B;QAAQ,OAAA,MAAW,KAAI,SAAJ,C;O;KAAAnB,C;+EAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAA
A,MAAW,MAAK,SAAL,C;O;KAAAnB,C;iFAE7C,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SAAL,SAAK,EAac
,IAAd,C;O;KALnE,C;IAkBqC,4B;MACjC,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CAAC,SAAM,C;WACpB,I
AAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAFyC,OAeW,S;WACpD,kBAAQ,wCAAO,UA
Af,C;QAHyC,OAGb,YAAy,SAAL,SAAK,C;;QAHc,OAI5B,OAAL,SAAK,CAAL,GAAGB,S;K;IAG5B,2B;MAK
I,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QADwC,OACY,S;WACpD,kBAAQ,GAAR,C;Q
AFwC,OAeZB,wCAAO,U;;QACP,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAC,CAAd,GAAGB,E
AAxC,E;QAHgB,O3Cjb6B,MAAA,gBA Ae,IAAf,C;;K;I2CubtF,6B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cA
AQ,wCAAO,kBAA/B,C;QAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;QAF0C,OAe3B,CAAC,wCAAO,U;;QAC
R,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAC,EAAd,GAAsB,CAAzC,E;QAHkB,O3C3b2B,MA
Aa,gBA Ae,IAAf,C;;K;I2CkctF,oC;MAUI,IAAK,QAAL,SAAK,CAAL,IAAmB,QA AH,EAAG,CAAnB,C;QADuD,
OACzB,wCAAO,I;WACrC,WAAM,SAAN,C;QAFuD,OAeZC,E;WACd,SAAK,SAAL,C;QAHuD,OAGrC,OAAL,
SAAK,C;;QAHqC,OAI1B,SAAL,SAAK,C;K;IAIjC,+B;MAYI,uB;QAAW,MAAM,gCAAYB,yBAazB,C;WACjB,
gBAAO,UAAP,C;QAFyC,OAeJB,U;WACxB,gBAAO,WAAP,C;QAHyC,OAGjB,W;;QAHiB,OAIW,YAA5C,IAA
W,OAAM,SAAN,CAAiC,C;;K;IAGxD,gC;MAYI,uB;QAAW,MAAM,gCAAYB,yBAazB,C;WACjB,oD;QAF2C,
+B;WAG3C,oD;QAH2C,+B;;QAAA,OAIS,uBAA5C,IAAW,OAAM,SAAN,CAAiC,C;;K;uEASxD,yB;MAAA,iB;
MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,O
AAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,
CAAY,C;O;KAP7E,C;yEASA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;y

EAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;2EAWA,yB;MAAA,iB;MAAA,uB;QakB4D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KAlBzG,C;yEAoBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAcA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAcA,yB;MAAA,iB;MAAA,oB;QAakD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAbjF,C;2EAeA,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KATzG,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAR/E,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAcKd,OAAA,MAA+B,OAAZ,CAAY,C;O;KAdjF,C;uEAgBA,yB;MAAA,mC;MAAA,0B;QAc6D,OAAmC,IAA7B,CAA6B,EAAZ,IAAY,C;O;KAdhG,C;qEAgBA,yB;MAAA,iB;MAAA,oB;QAW+C,OAAA,MAA6B,KAAZ,CAAY,C;O;KAX5E,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOKD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAPjF,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAP/E,C;yEASA,yB;MAAA,iB;MAAA,oB;QAgBiD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAhBhF,C;yEAKBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAVjF,C;iFAYA,yB;MA3gBA,iB;MA2gBA,oB;QAUqD,OA3gBE,MAAW,OA2gBF,CA3gBE,C;O;KAigBlE,C;2EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAoB,MAAZ,CAAY,C;O;KARtE,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAX/E,C;wEAeA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;SEAYA,yB;MAAA,iB;MAAA,+B;QAAsD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAbpG,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAoD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAPiG,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAgC,KAAZ,SAA Y,C;O;KAAxC,C;gFAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MAAZ,SAAY,C;O;KAAzC,C;gFAE3 C,yB;MAAA,6C;MAAA,kC;QAO8D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KAPxG,C;iFASA,yB;MAAA,6C ;MAAA,kC;QAK4D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KALtG,C;oFAQA,yB;MAAA,iD;MAAA,4B;QAYmD,OAAW,WAAX,SAAW,C;O;KAZ9D,C;sFAcA,yB;MAAA,mD;MAAA,4B;QAYqD,OAAW,YAAX,SAAW,C;O;KAZhE,C;IAoBA,kB;MAUqC,OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAAM,CAAIB,GAA0B,C;K;wEA E/D,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;wEAOA,yB;M AAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;mGAIbGd,yB;MAAA,m C;MAAA,4B;QAAQ,WAAL,SAAJ,C;O;KAAR,C;IAShB,+B;MAC5B,gBAAO,CAAP,C;QADoC,OACxB,E;WAC Z,gBAAO,CAAP,C;QAFoC,OAExB,C;;QAFwB,OAG5B,C;K;IAKZ,kB;MASuC,OAAI,eAAI,CAAR,GAAY,CAA D,aAX,GAAM,B,C;K;wEAE1D,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;wEAE1 E,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;mGAYxB,yB;MAAA,mC;MAAA,4B;Q AAQ,WAAL,SAAJ,C;O;KAAR,C;IASjB,+B;MAC7B,2BAAO,CAAP,C;QADqC,OACzB,E;WACZ,2BAAO,CAA P,C;QAFqC,OAEzB,C;;QAFyB,OAG7B,C;K;IC3kCZ,4B;MAI4C,qBAAQ,S;K;IAEpD,4B;MAI2C,qBAAQ,S;K;I AEnD,+B;MAGiD,qBAAQ,wCAAo,kBAAf,IAAoC,cAAQ,wCAAo,kB;K;IAEpG,iC;MAGgD,qBAAQ,uCAAM,k BAAAd,IAAmC,cAAQ,uCAAM,kB;K;IAEjG,6B;MAG+C,QAAC,qBAAD,IAAiB,CAAC,kB;K;IAEjE,+B;MAG8C, QAAC,uBAAD,IAAiB,CAAC,kB;K;IAGhE,iC;MAOI,QAAQ,S;MACR,IAAI,CAAC,IAAM,UAAP,KAAsB,CAA E,KAAK,CAAP,GAAc,UAApC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAAE,KAAK,CAAP,GAAc,SAAP C,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAAE,KAAK,CAAP,GAAc,SAAPC,K;MACJ,IAAI,CAAC,IAAM ,QAAP,KAAsB,CAAE,KAAK,CAAP,GAAc,QAAPC,K;MACJ,IAAI,CAAC,IAAM,KAAP,KAAsB,CAAE,KAAK ,EAA7B,K;MACJ,OAAO,C;K;kGAGX,yB;MAAA,iB;MAAA,4B;QAO2D,OAAe,aAAM,SAAN,C;O;KAP1E,C;I ASA,0C;MAOI,YATsE,aAStC,EAAf,aAAQ,CAAC,SAAD,IAAR,CAAE,CATsC,CAStE,I;K;IAEJ,sC;MAOI,OAA L,cAAQ,CAAZ,GAAe,CAAF,GAAsB,CAAE,IAAI,EAAJ,GAIB8C,uB;K;IAoB1E,qC;MAQI,oBAAS,CAAC,SAA D,IAAT,C;K;IAEJ,yC;MAaI,oBAAI,QAAJ,GAAiB,cAAK,EAAL,GAAqB,Q;K;IAG1C,0C;MAaI,oBAAI,EAAJ,G AAoB,QAAPB,GAAiC,cAAK,Q;K;IAG1C,mC;MAMI,OAAK,a5CjEmD,uB4CiEnD,CAAL,GAA0B,a5CIE6B,sB4

CkE7B,CAA1B,I;K;IAEJ,2C;MAMU,WAAW,S5CzEuC,c;M4C0EpD,e;QADJ,OACS,KA7E6D,a5CEf,sB4CFE,C
A6E7D,I;QADT,OA5EsE,aA8E1D,IA9E0D,C;K;IAiF1E,4C;MAMU,UAAU,S5CrFuC,a;M4CsFnD,c;QADJ,OA
CS,KAAqB,sB5CrF0B,uB4CqF1B,CAArB,I;QADT,OAEgB,sBAAJ,GAAl,C;K;IAGpB,wC;MAOU,WAAW,S5C
hGuC,c;M4CiGpD,e;QAAK,UAAAS,kB5ClGqC,sB4CkGrC,C;QADIB,O5ClG4C,MAAA,KAAK,UAAAS,GAAT,E4C
mGvB,C5CnGuB,C;Q4CoG1D,aAAa,kBAAL,IAAK,C;QAFzB,O5ClG4C,MAAA,KAAK,U4CoG7C,C5CpG6C,E
AAc,MAAd,C;K;I4CuGlE,uC;MAOU,UAAU,S5C7GuC,a;M4C8GnD,c;QAAK,WAAa,iB5C7GkC,uB4C6G1C,C;
QADtB,O5C9G4C,MAAA,KAAK,U4C+GhD,C5C/GgD,EAAc,IAAd,C;Q4CgHID,YAAS,iBAAJ,GAAl,C;QAFrB
,O5C9G4C,MAAA,KAAK,UAAAS,KAAT,E4CgHrB,C5ChHqB,C;K;I4CmHIE,2C;MAAl,IAAI,CAAC,WAAa,EAA
d,MAAqB,CAAzB,C;QACI,UAAU,S5ChIyC,a;Q4CiInD,WAAW,S5ChIyC,c;Q4CiIpD,aAAa,GAAl,IAAI,QAAR,
GAAqB,IAAK,MAAK,CAAC,QAAD,IAAL,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAl,MAAK,CAAC,
QAAD,IAAL,C;QACxC,OAAW,CAAC,WAAa,EAAd,MAAqB,CAAhC,G5CrIwC,MAAA,KAAK,U4CqIIB,M5Cr
IkB,E4CqIV,O5CrIU,C4CqI1D,G5CrIwC,MAAA,KAAK,U4CqIS,O5CrIT,E4CqIkB,M5CrIIB,C;Q4CuInD,Q;QA
AA,IAAI,CAAC,WAAa,EAAd,MAAqB,CAAzB,C;UAAA,OAA4B,S;uB5CrIiB,uB;U4CqIP,a5CtIM,sB;U4CsI5C
,O5CvliC,MAAA,KAAK,kBAAc,MAAd,C;Q4CuI1D,W;K;kFAKR,yB;MAAA,4C;MAAA,sC;QAaiE,6BAAW,C
AAC,QAAD,IAAX,C;O;KAbjE,C;qEC1KA,kC;MAII,OAAO,SAA8B,MAAK,WAAL,C;K;uEAGzC,8C;MAII,OA
AO,SAA8B,MAAK,WAAL,EAakB,UAA1B,C;K;ICpCzC,iC;MACI,gBAAH,IAAI,OAAO,EAAG,GAAE,IAAI,IA
AI,CAAC,CAAD,EAAI,EAAJ,CAAd,GAAyB,CAAhC,C;K;IAKJ,sC;MACI,cAAO,QAAP,GAakB,QAAQ,Q;K;I
CP9B,yC;K;IAWA,+B;K;4GAYA,yB;MAAA,gC;MAAA,yD;MAAA,sC;QAQI,OAAK,qBAAL,SAAK,iB;O;KA
RT,C;ICPI,2B;MAAS,Q;MAAD,OAAwB,CAAvB,iEAAuB,Q;K;IAMhC,+B;MAAQ,iBAAU,SAAV,C;K;ICtB
+B,4B;MACvC,8B;K;gEAAA,Y;MAAA,4B;K;2FAII,Y;M7FO4B,MAAM,yB;K;kC6FLtC,iB;MACI,OAAO,oCA
A0B,oBAAU,KAAM,OAAhB,C;K;oCAGrC,Y;MAC+B,gB;MAAA,8FAA0B,C;K;oCAEzD,Y;MAEI,OAAO,oBA
AQ,eAAR,C;K;IAIyB,kC;MAAuB,sBAAc,MAAd,C;MACL,Q;MAAtD,4BAAmC,CAAmB,OAAZ,MAAY,WAA
nB,kC;K;8FAAnC,Y;MAAA,gC;K;oDAEA,iB;MACW,cAAgB,W;MAAvB,O1DoEuD,MAAA,Q0DpEpD,K1DoEo
D,EAAy,OAAZ,C;K;I0DhEjC,0E;MAIvC,sBAAc,MAAd,C;MAFA,wC;MACA,8C;K;2CAEA,iB;MACI,IAAI,0C
AAJ,C;QAAsC,OAAO,K;MAC7C,OAAa,uCAAO,KAAP,CAAN,IAAuB,+BAAmB,KAAM,kBAAzB,C;K;iGAGD
,Y;MAAQ,6B;K;uDAEzC,iB;MACI,OAAO,0BAAmB,KAAnB,C;K;IAIf,6B;MAAA,iC;MAAoC,sBAAoB,MAAp
B,C;MACHc,4BAakC,S;K;+FAAIC,Y;MAAA,gC;K;qDAEA,iB;MAAgD,Y;K;2FAG5C,Y;MAAQ,MAAM,qCAA
8B,6CAA9B,C;K;yCAEIB,iB;MAA4C,iBAAU,I;K;2CAEtD,Y;MAA+B,Q;K;IAVnC,yC;MAAA,wC;QAAA,uB;
OAAA,iC;K;IAaA,uB;K;yFACqC,Y;MhG0EY,MAAM,6BgG1EJ,oChG0EkC,WAA9B,C;K;4FgGzEf,Y;MhGyES,
MAAM,6BgGzED,uChGyE+B,WAA9B,C;K;+CgGvEnD,iB;MhGuE6C,MAAM,6BgGvEG,uChGuE2B,WAA9B,
C;K;mCgGrEnD,iB;MAA4C,iBAAU,I;K;qCAEtD,Y;MAA+B,Q;K;oHCnE/B,qB;MAAQ,2B;K;I
;ICKZ,gE;MAMI,qBAAU,UAAV,EAAGC,OAAV,WAAU,CAAhC,EAA0C,gBAA1C,C;K;IAEJ,8B;MAC2C,iC;
K;IAE3C,kC;MAC+C,qBAAU,cAAA,KAAM,WAAN,CAAV,EAA8B,KAAM,UAApC,EAA+C,IAA/C,C;K;IAE/
C,2D;MAM0B,IAAN,I;MAAA,QAAM,QAAN,C;aACZ,I;UAAA,K;aACA,K;UAAA,K;UAFY,K;MAAhB,oB;
MAMA,OAAO,uBAAmB,IAAnB,EAAqC,OAAZ,WAAY,CAArC,EAA+C,SAA/C,EAA0D,KAA1D,C;K;IAGX,k
C;MAEI,OAAA,uCAAgB,K;K;IAEpB,8C;MAEI,OAAA,uCAAgB,mBAAU,IAAV,C;K;IAEpB,8C;MAEI,OAAA,
uCAAgB,mBAAU,IAAV,C;K;IAEpB,kD;MAEI,OAAA,uCAAgB,uBAAc,IAAd,C;K;IC/CI,8D;MACpB,sC;MAC
A,sC;MACA,kD;K;mEAFa,Y;MAAA,gC;K;kEACA,Y;MAAA,+B;K;yEACA,Y;MAAA,sC;K;iCAEA,iB;MACI,0
CACQ,wBAAc,KAAM,WAAPB,CADR,IAC0C,uBAAa,KAAM,UAAAnB,CAD1C,IAC0E,0BAAoB,KAAM,iB;K;
mCAExG,Y;MACI,SAAC,CAAW,SAAX,eAAW,CAAX,GAAwB,EAAxB,QAAuC,SAAV,cAAU,CAAvC,IAAD,I
AAsD,EAAtD,QAA4E,SAAjB,qBAAiB,CAA5E,I;K;IAYgD,mD;MAAA,qB;QAAE,OAAG,0BAAH,EAAG,C;O;
K;mCAVzD,Y;MACkB,UACO,M;MADrB,aAAc,2D;MAEV,cAAU,IAAV,C;QAA6B,SAAX,eAAW,W;WAC7B,I
AAA,MAAO,WAAP,S;QAAoC,SAAP,MAAO,W;QAC5B,+B;MAHZ,2B;MAMA,WACQ,cAAU,UAAAd,GAAYB,
EAAzB,GACe,eAAV,cAAU,EAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAXB,kBAA6B,+BAA7B,C;MACnB,eAA
mB,qBAAJ,GAAsB,GAAtB,GAA+B,E;MAE9C,OAAO,iBAAiB,IAAjB,GAAwB,Q;K;qCAGnC,qB;MAEI,IAAI,s
BAAY,IAAhB,C;QAAsB,OAAO,G;MAC7B,OAAGB,aAAT,kBAAS,CAAT,GAA+B,SAAL,cAAK,C;K;IAI9C,w
B;MAAA,4B;MACI,4BAAwC,I;MACx2C,2BAAGD,W;MACHd,kCAAyC,K;K;0FAFzC,Y;MAAA,gC;K;yFACA,Y
;MAAA,+B;K;gGACA,Y;MAAA,sC;K;sCACA,Y;MAAkC,gB;K;IAJtC,oC;MAAA,mC;QAAA,kB;OAAA,4B;K;

IAOA,iC;MACI,QAAM,SAAN,M;aACI,W;UADJ,OAC2B,E;aACvB,I;UAFJ,OAEoB,K;aAChB,K;UAHJ,OAGqB,
M;gBAHrB,mC;;K;IC3CkC,oE;MACIC,0B;MACA,wC;MACA,kC;MACA,oC;K;sEAHA,Y;MAAA,0B;K;6EACA
,Y;MAAA,iC;K;0EACA,Y;MAAA,8B;K;2EACA,Y;MAAA,+B;K;4CAEA,Y;MAAkC,gB;K;;8CANtC,Y;MACI,g
B;K;8CADJ,Y;MAEI,uB;K;8CAFJ,Y;MAGI,oB;K;8CAHJ,Y;MAII,qB;K;gDAJJ,kD;MAAA,8BACI,kCADJ,EAEI
,uDAFJ,EAGI,8CAHJ,EAIL,iDAJJ,C;K;4CAAA,Y;MAAA,c;MACI,qD;MACA,4D;MACA,yD;MACA,0D;MAJJ,a
;K;0CAAA,iB;MAAA,4IACI,oCADJ,IAEI,kDAFJ,IAGI,4CAHJ,IAII,8CAJJ,I;K;ICAA,4B;MAAA,gC;MAEI,gBA
Ce,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAEf,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE
,EAA0E,mCAA1E,C;MAEIB,oBACmB,+B;MAEnB,oBACmB,wBAAoB,OAApB,EAAkE,SAAIE,EAA6E,oCAA
7E,C;MAEnB,iBACgB,wBAAoB,MAApB,EAA8D,MAA9D,EAASe,iCAAtE,C;MAEhB,kBACiB,wBAAoB,MAA
pB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MAEjB,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,
C;MAEf,kBACiB,wBAAoB,MAApB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MAEjB,mBACkB,wBAAoB,MAApB,
EAAgE,QAAhE,EAA0E,mCAA1E,C;MAEIB,kBACiB,wBAAoB,KAApB,EAAiE,OAAjE,EAA0E,kCAA1E,C;M
AEjB,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAEIB,sBACqB,wBAAoB,KAApB,EA
AkE,WAAIE,EAA+E,sCAA/E,C;MAErB,yBACwB,wBAAoB,KAApB,EAAqE,cAArE,EAAqF,yCAArF,C;MAEx
B,sBACqB,wBAAoB,WAApB,EAAwE,WAAxE,EAAqF,sCAArF,C;MAErB,sBACqB,wBAAoB,SAApB,EAASe,
WAAIE,EAAmF,sCAAnF,C;MAErB,uBACsB,wBAAoB,UAApB,EAAwE,YAAxE,EAAf,uCAATF,C;MAEtB,qB
ACoB,wBAAoB,UAApB,EAASe,UAAIE,EAkF,qCAAI,F,C;MAEpB,sBACqB,wBAAoB,KAApB,EAAkE,WAAI
E,EAA+E,sCAA/E,C;MAErB,uBACsB,wBAAoB,YAApB,EAA0E,YAA1E,EAAwF,uCAAxF,C;MAEtB,wBACu
B,wBAAoB,YAApB,EAA2E,AA3E,EAA0F,wCAA1F,C;K;IAMkB,qE;MAAA,qB;QAAE,OhE/DD,OgE+DU,EA
AT,KAAiB,UAAjB,IAAkC,EAAY,OAAf,KAA0B,a;O;K;+CAJpG,iB;MAE2B,Q;MAAhB,U;MAAA,KAAgB,OA
AhB,eAAgB,CAAI,KAAJ,CAAhB,U;QAAA,a;;QACH,aAAa,wBAAoB,QAApB,EAA+D,kBAA/D,EACoB,mDA
DpB,C;QAEG,eAAhB,UAAqC,M;QAHIC,SAIH,M;;MAJJ,a;K;IA7D+E,8C;MAAE,6B;K;IAGO,iD;MAAE,0B;K;I
AME,kD;MAAE,8B;K;IAGZ,+C;MAAE,6B;K;IAGC,gD;MAAE,6B;K;IAGR,8C;MAAE,6B;K;IAGI,gD;MAAE,6
B;K;IAGC,iD;MAAE,6B;K;IAGH,gD;MAAE,yB;K;IAGD,iD;MAAE,6B;K;IAGM,oD;MAAE,mC;K;IAGO,uD;M
AAE,gC;K;IAGL,oD;MAAE,6B;K;IAGJ,oD;MAAE,6B;K;IAGE,qD;MAAE,8B;K;IAGR,mD;MAAE,4B;K;IAGJ,
oD;MAAE,6B;K;IAGQ,qD;MAAE,8B;K;IAGC,sD;MAAE,+B;K;;IA5DvH,wC;MAAA,uC;QAAA,sB;OAAA,gC;
K;;ICCA,2B;MAEW,Q;MAAA,IAAI,KAAY,SAAQ,MAAR,CAAhB,C;QACH,kBAAW,MAAX,C;;QAEA,kBAA
W,MAAX,C;;MAHJ,W;K;IAOJ,8B;MAC4E,QAAM,QAAS,OAAf,C;aACxE,C;UADwE,OACnE,WAAW,SAAS,
CAAT,CAAX,C;aACL,C;UAFwE,OAEnE,+B;gBAFmE,OAGhE,iB;;K;IAGZ,oC;MAEU,IAAN,I;MAAA,QjEhB0
C,OiEgB3B,CAAf,C;aACI,Q;UAA6B,OAAjB,8BAAiB,Y;UAA7B,K;aACA,Q;UAAAY,OAAI,CAAY,CzDbhC,Gy
DamC,CAAf,MAAkC,CAATC,GAAyC,8BAAiB,SAA1D,GAAwE,8BAAiB,Y;UAArG,K;aACA,S;UAA8B,OAAj
B,8BAAiB,a;UAA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAgB,CAAY,OAA5B,C;UAA/B,K;gBAGQ,6B;YA
AsC,OAAjB,8BAAiB,kB;eACtC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,
2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;eAClC,0B;YAAmC,OAAjB,8BAAiB,e;e
ACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,4B;YAAqC,OAAjB,8BAAiB,iB;eACrC,6B;;eACA,sB;YAAkC,O
AAjB,8BAAiB,W;;YAE9B,kBAAkB,MAAA,gBAAE,CAAf,CAAkB,Y;YAE7C,oBAAGB,MAAhB,C;cAAiD,OAAj
B,8BAAiB,S;iBACjD,oBAAGB,KAAhB,C;cAAGD,OAAjB,8BAAiB,e;;cAE5C,cAA0B,W;cAC1B,kBAAW,OAA
X,C;;;UAXbxB,K;;MAAA,W;K;IAGCJ,4B;MAMW,Q;MAJP,IAAI,WAAW,MAAf,C;QAA6B,OAAO,8BAAiB,Y;
OAErD,eAAsB,MAAY,W;MAE3B,IAAI,gBAAJ,C;QACH,IAAI,QAAS,SAAT,QAAJ,C;UACI,aAAa,qBAAiB,M
AAjB,C;UACb,oBAAsB,M;UACtB,a;;UAES,OAAT,QAAS,S;;;QAGb,4BAAiB,MAAjB,C;;MATJ,W;K;ICrCJ,0B;
MAII,sBAAY,C;K;qEAChB,4B;MAIkE,iBAAY,KAAZ,C;K;2EAEIE,qB;MAI8D,gB;K;ICIDb,2C;MAC7C,qBAA
wC,Q;K;iDAExC,Y;MACmB,Q;MAAA,yB;MAAA,iB;QAAe,MAAM,6BAAsB,0CAAtB,C;OAApC,eAAe,I;MAC
f,qBAAC,I;MACd,OAAO,QAAS,W;K;;;ICDyB,2C;uBAA+B,O;K;;IAC5E,8C;MAAA,kE;MAAuB,qCAAK,IAA
L,C;MAAvB,Y;K;ICD8B,gC;MAE9B,gBAAiC,YAA,Y,SAAhB,GAA2B,OAA3B,GAAwC,E;K;uFAGjE,Y;MAAQ,
OAAO,aAY,O;K;yCAE/B,iB;MACW,gBAAP,a;M7FsEG,Q;MAAA,I6FtEc,K7FsEV,IAAS,CAAT,I6FtEU,K7Fs
EL,IAAS,2BAA3B,C;QAAA,OAAc,qB6FtExB,K7FsEwB,C;;Q6FtEf,MAAM,8BAA0B,mCAAYB,WAAzB,MAA
1B,C;;MAAhC,W;K;kDAEJ,gC;MAAgF,OAAA,a3FqKY,W2FrKK,U3FqKL,E2FrKiB,Q3FqKjB,C;K;6C2FnK5F,i
B;MACI,qCAAU,KAAV,C;MACA,OAAO,I;K;6CAGX,iB;MACI,iBAAGB,SAAN,KAAM,C;MACHB,OAAO,I;K;

6CAGX,uC;MACI,OAAA,IAAK,qBAAY,wBAAS,MAArB,EAA6B,UAA7B,EAAyC,QAAzC,C;K;sCAET,Y;MA
ayB,UAEK,M;MAL1B,eAAe,E;MACf,YAAY,aAAO,OAAP,GAAgB,CAAhB,I;MACZ,OAAO,SAAS,CAAhB,C;
QACI,UAAU,0BAAO,YAAP,EAAO,oBAAP,Q;QACV,IAAQ,eAAJ,GAAL,CAAJ,IAAwB,SAAS,CAArC,C;UACI
,WAAW,0BAAO,cAAP,EAAO,sBAAP,U;UACX,IAAS,gBAAL,IAAK,CAAT,C;YACI,WAAW,+BAAW,iBAAX,
wBAAkB,gBAAIB,C;;YAEX,WAAW,+BAAW,gBAAX,wBAAiB,iBAAjB,C;;UAGf,gCAAY,GAAZ,C;;MAGR,
gBAAS,Q;MACT,OAAO,I;K;6CAGX,iB;MAOI,iBAAgB,SAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MAQ
I,iBAAU,K;MACV,OAAO,I;K;6CAGX,iB;MASI,iBAAgB,eAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MA
C2C,2BAAO,KAAP,C;K;6CAE3C,iB;MAOI,gBAAA,IAAK,SAAL,IAAe,wBAAS,MAAxB,C;MACA,OAAO,I;K;
uCAGX,Y;MAU6B,kB;K;qDAE7B,2B;K;8CAcA,kB;MAO0C,OAAA,IAAY,SAAY,SAAQ,MAAR,C;K;8CAEIE,
8B;MAQ2D,OAAA,IAAY,SAAY,SAAQ,MAAR,EAAgB,UAAhB,C;K;kDAEnF,kB;MAQ8C,OAAA,IAAY,SAA
Y,aAAY,MAAZ,C;K;kDAEtE,8B;MASI,IAAI,M5FwCwC,YAAU,C4FxCID,IAAoB,aAAa,CAArC,C;QAAwC,O
AAO,E;MAC/C,OAAO,IAAY,SAAY,aAAY,MAAZ,EAAoB,UAApB,C;K;4CAGnC,wB;MAWI,oCAAA,4BAAm
B,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3FV+E,W2FU9D,C3FV8D,E2FU3D,K3FV2D,C2FU/E,YAA6B,K
AA7B,IAAqC,a3Fb2B,W2FaV,K3FbU,C;M2FczE,OAAO,I;K;6CAGX,wB;MAQI,oCAAA,4BAAmB,KAAAnB,EA
A0B,WAA1B,C;MAEb,gBAAS,a3FxB+E,W2FwB9D,C3FxB8D,E2FwB3D,K3FxB2D,C2FwB/E,uBAA6B,kBAA
7B,IAAqC,a3F3B2B,W2F2BV,K3F3BU,C;M2F4BzE,OAAO,I;K;6CAGX,wB;MAUI,oCAAA,4BAAmB,KAAAnB,
EAA0B,WAA1B,C;MAGb,gBAAS,a3FzC+E,W2FyC9D,C3FzC8D,E2FyC3D,K3FzC2D,C2FyC/E,GAAmC,eAA
N,KAAM,CAAnC,GAAsD,a3F5CU,W2F4CO,K3F5CP,C;M2F6CzE,OAAO,I;K;6CAGX,wB;MAAI,oCAAA,4BAA
mB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3F5D+E,W2F4D9D,C3F5D8D,E2F4D3D,K3F5D2D,C2F4D/E,G
AAmC,SAAN,KAAM,CAAnC,GAAgD,a3F/DgB,W2F+DC,K3F/DD,C;M2FgEzE,OAAO,I;K;6CAGX,wB;MAWI
,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3F7E+E,W2F6E9D,C3F7E8D,E2F6E3D,K3F7E2
D,C2F6E/E,GAAmC,SAAN,KAAM,CAAnC,GAAgD,a3FhFgB,W2FgFC,K3FhFD,C;M2FiFzE,OAAO,I;K;6CAG
X,wB;MACuD,2BAAO,KAAP,EAAc,KAAc,C;K;6CAEvD,wB;MAUI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1
B,C;MAEb,eAAe,wBAAS,M;MACxB,gBAAc,IAAK,S3FjGqE,W2FiGpD,C3FjGoD,E2FiGjD,K3FjGiD,C2FiG1E,
GAAkC,QAAIC,GAA6C,IAAK,S3FpGS,W2FoGQ,K3FpGR,C;M2FqGzE,OAAO,I;K;gDAGX,qB;MAcI,IAAI,YA
AY,CAAhB,C;QACI,MAAM,gCAAYB,0BAAuB,SAAvB,MAAzB,C;OAGV,IAAI,aAAa,WAAjB,C;QACI,gBAA
S,a3FxBH2E,W2FwH1D,C3FxBH0D,E2FwHvD,S3FxBuH,D,C;;Q2F0HpF,aAAU,WAAV,MAAuB,SAAvB,M;UACI,q
CAAU,CAAV,C;;K;gDAKZ,sB;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,WAA/B,C;MAEb,OAAO,a3F7Ike,W
2F6IjD,U3F7IiD,C;K;gD2FgJ7E,gC;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,WAAzC,C;MAE
b,OAAO,a3FvJiF,W2FuJhE,U3FvJgE,E2FuJpD,Q3FvJoD,C;K;yC2F0J5F,Y;K;uCACa,Y;MAAkC,oB;K;oCAEIC,
Y;MAOI,gBAAS,E;MACT,OAAO,I;K;0CAGX,wB;MAQI,oCAAA,2BAAkB,KAAIB,EAAyB,WAAzB,C;MAEb,g
BAAS,a3F/L+E,W2F+L9D,C3F/L8D,E2F+L3D,K3F/L2D,C2F+L/E,uBAA6B,kBAA7B,IAAqC,a3FIM2B,W2FkM
V,QAAQ,CAAR,I3FIMU,C;K;+C2FqM7E,uC;MAYI,yBAAkB,UAAIB,EAA8B,QAA9B,EAAwC,WAAxC,C;MA
EA,gBAAc,IAAK,S3FhNqE,W2FgNpD,C3FhNoD,E2FgNjD,U3FhNiD,C2FgN1E,GAAuC,KAAvC,GAA+C,IAA
K,S3FnNO,W2FmNU,Q3FnNV,C;M2FoNzE,OAAO,I;K;kDAGX,wC;MACI,IAAI,aAAa,CAAb,IAAkB,aAAa,MA
AnC,C;QACI,MAAM,8BAA0B,iBAAc,UAAAd,kBAAmC,MAA7D,C;OAEV,IAAI,aAAa,QAAjB,C;QACI,MAAM,
gCAAYB,gBAAa,UAAb,qBAAqC,QAArC,MAAzB,C;Q;+CAId,iB;MAYI,oCAAA,2BAAkB,KAAIB,EAAyB,WA
AzB,C;MAEb,gBAAS,a3F3O+E,W2F2O9D,C3F3O8D,E2F2O3D,K3F3O2D,C2F2O/E,GAA6B,a3F9OmC,W2F8
OIB,QAAQ,CAAR,I3F9OkB,C;M2F+OzE,OAAO,I;K;kDAGX,gC;MAWI,yBAAkB,UAAIB,EAA8B,QAA9B,EA
AwC,WAAxC,C;MAEA,gBAAS,a3F5P+E,W2F4P9D,C3F5P8D,E2F4P3D,U3F5P2D,C2F4P/E,GAAkC,a3F/P8B,
W2F+Pb,Q3F/Pa,C;M2FgQzE,OAAO,I;K;kDAGX,gE;MAc+C,iC;QAAA,oBAAyB,C;MAAG,0B;QAAA,aAAkB,
C;MAAG,wB;QAAA,WAAgB,IAAK,O;MAKIF,IACf,I;MALhB,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAA
yC,WAAzC,C;MACb,oCAAA,4BAAmB,iBAAAnB,EAAc,oBAAoB,QAApB,GAA+B,UAA/B,IAAtC,EAAiF,WA
AY,OAA7F,C;MAEb,eAAe,iB;MACf,iBAAc,UAAAd,UAA+B,QAA/B,U;QACI,YAAY,eAAZ,EAAy,uBAAZ,UA
A0B,yBAAO,KAAP,C;;K;kDAIIC,uC;MAeI,iBAAgB,iBAAN,KAAM,EAAe,UAAf,EAA2B,QAA3B,C;MACHB,
OAAO,I;K;kDAGX,uC;MAYI,gBAAgB,KAAM,W;MACTB,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,
SAAU,OAAAnD,C;MAEb,iBAAU,S3F1T8E,W2F0T1D,U3F1T0D,E2F0T9C,Q3F1T8C,C;M2F2TxF,OAAO,I;K;kD
AGX,8C;MAGBI,oCAAA,4BAAmB,KAAAnB,EAA0B,IAAK,OAA/B,C;MAGb,gBAAS,a3FjV+E,W2FiV9D,C3FjV

8D,E2FiV3D,K3FjV2D,C2FiV/E,GAAmC,iBAAN,KAAM,EAAe,UAAf,EAA2B,QAA3B,CAAnC,GAA0E,a3FpV
V,W2FoV2B,K3FpV3B,C;M2FqVzE,OAAO,I;K;kDAGX,8C;MAGbI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1
B,C;MAEb,gBAAGB,KAAM,W;MACtB,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAAU,OAAAnD,C;
MAEb,gBAAS,a3F1W+E,W2F0W9D,C3F1W8D,E2F0W3D,K3F1W2D,C2F0W/E,GAA6B,S3F1WkD,W2F0W9B
,U3F1W8B,E2F0W1B,Q3F1WkB,C2F0W/E,GAAyE,a3F7WT,W2F6W0B,K3F7W1B,C;M2F8WzE,OAAO,I;K;;IA
tiBX,6C;MAAA,uD;MAKOC,2B;MALpC,Y;K;IAQA,8C;MAAA,uD;MAC4C,0BAAK,OAAQ,WAAb,C;MAD5C,
Y;K;IAGA,qC;MAAA,uD;MACuB,0BAAK,EAAL,C;MADvB,Y;K;2EAgIBJ,qB;MAOG,E,OAAA,SAAK,Q;K;uE
AErE,mC;MAQ+E,SAAK,aAAI,KAAJ,EAAW,KAAX,C;K;+EAEpF,kD;MAaI,OAAA,SAAK,kBAAS,UAAT,EA
AqB,QAArB,EAA+B,KAA/B,C;K;+EAET,4B;MAY6E,OAAA,SAAK,kBAAS,KAAT,C;K;qFAEIF,2C;MAWoG,
OAAA,SAAK,qBAAY,UAAZ,EAAwB,QAAxB,C;K;uFAEZG,2E;MAe2E,iC;QAAA,oBAAYB,C;MAAG,0B;QA
AA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC7I,SAAK,qBAAY,WAAZ,EAAyB,iBAAzB,EAA4C,U
AA5C,EAAwD,QAAxD,C;K;qFAET,kD;MAeI,OAAA,SAAK,qBAAY,KAAZ,EAAMB,UAAAnB,EAA+B,QAA/B,
C;K;uFAET,kD;MAaI,OAAA,SAAK,qBAAY,KAAZ,EAAMB,UAAAnB,EAA+B,QAA/B,C;K;qFAET,yD;MAiBI,
OAAA,SAAK,qBAAY,KAAZ,EAAMB,KAAAnB,EAA0B,UAA1B,EAAsC,QAAtC,C;K;uFAET,yD;MAiBI,OAAA
,SAAK,qBAAY,KAAZ,EAAMB,KAAAnB,EAA0B,UAA1B,EAAsC,QAAtC,C;K;ICpsBT,iC;MACiD,OAAW,QAA
X,8BAAW,EAAQ,YAAR,C;K;qFAE5D,yB;MAAA,0B;MAAA,4B;QACoD,OAAiF,OAARi,MAAoD,cAA0B,aAA
1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,C;O;KADrI,C;qFAGA,yB;MAAA,0B;MAAA,4B;QACoD,OAAiF,OA
ArI,MAAoD,cAA0B,aAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,C;O;KADrI,C;IAGA,oC;MAGoD,QAAQ,cA
AA,sCAAK,mBAAL,EAAyB,sCAAK,mBAA9B,CAAR,6B;K;IAEpD,mC;MAGmD,QAAQ,cAAA,sCAAK,kBAA
L,EAAwB,sCAAK,kBAA7B,CAAR,6B;K;iFChBnD,yB;MAAA,+C;MAAA,4B;QAMuD,OAAK,UAAAL,SAAK,C;
O;KAN5D,C;IAQA,gC;MAiD,4B;MAAA,S;QAAGB,cAAA,S7FkKG,c6FIKH,EAAsB,MAAtB,C;OAAhB,W;K;I
AEjD,6B;MAiOC,Q;MAAA,yDAaKB,kBAaKB,SAaIB,C;K;IAE5D,oC;MAKOD,Q;MAAA,yCAAA,KAAb,oBAA
uB,kBAaKB,SAaIB,C;K;IAG3E,8B;MAi4C,Q;MAAA,0DAAMb,kBAaKB,SAaIB,C;K;IAE/D,qC;MAKsD,Q;M
AAA,0CAAc,KAAAd,oBAAwB,kBAaKB,SAaIB,C;K;IAE9E,0B;MAiWc,Q;MAAA,wDAaiB,kBAaKB,SAaIB,C;
K;IAEzD,mC;MAKkD,Q;MAAA,wCAAY,KAAZ,oBAAsB,kBAaKB,SAaIB,C;K;IAExE,2B;MAiOC,Q;MAAA,y
DAaKB,kBAaKB,SAaIB,C;K;IAE5D,oC;MAKOD,Q;MAAA,yCAAA,KAAb,oBAAuB,kBAaKB,SAaIB,C;K;IAE
3E,6B;MAiYf,kBAA1C,CAAO,S;MACiD,IAAO,QzGiBD,WyGjBC,CAAH,IAAc,CAAM,kBAApB,KzGiBE,Wy
GjB6B,KAAM,GAAN,IAAKB,kBAajD,CAAJ,C;QACI,4B;MAFsC,OzGmBnC,W;K;6EyGdX,yB;MAAA,6C;MA
AA,4B;QAKmD,0B;O;KALnD,C;IAOA,mC;MAiGg,kBAA1C,CAAO,S;MAAR,OACjD,EAAK,QzG6BgB,WyG7
BhB,CAAH,IAAc,CAAM,kBAApB,KzG6BmB,WyG7BY,KAAM,GAAN,IAAKB,kBAajD,CAAF,CzG6BO,GAA
qB,WAArB,GAA+B,I;K;yFyG1B1C,yB;MAAA,yD;MAAA,4B;QAK0D,gC;O;KALID,C;iFAOA,yB;MAAA,6C;
MAAA,mC;QAO6D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP1E,C;iFASA,yB;MAAA,6C;MAAA,mC;QAO8
D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP3E,C;IASA,sC;MAMqD,OAAA,SAAY,UAAS,WAAW,KAAX,C
AAT,C;K;IAEjE,4B;MAAsC,QAAM,S7FkDwB,c6FID9B,C;aACIC,K;aAAA,M;aAAA,M;UADkC,OACT,I;gBAD
S,OAE1B,K;;K;IAGZ,2B;MAKI,IAAI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,WAAQ,KA
AR,kCAAzB,C;OAEV,OAAO,K;K;IAGX,8B;MAA2D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8
B,cAAO,E;WACrC,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ
,EAAR,IAAe,QAAQ,GAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;;QACTB,S;MzGzCD,a;MyGqCgD,OAK/C,
WAAJ,GAAiB,EAAjB,GAAyB,E;K;IC7IG,2C;MAHpC,e;MAGqC,kB;MAHrC,iB;MAAA,uB;K;IAAA,kC;MAA
A,qC;O;MAiI,qEACY,GADZ,C;MAEA,iEAIU,GAJV,C;K;;IAFA,+C;MAAA,wB;MAAA,uC;K;;IAEA,6C;MAAA
,wB;MAAA,qC;K;;IANJ,8B;MAAA,mF;K;;IAAA,mC;MAAA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0C;gBAAA
,4D;;K;;IAmBmC,2B;MAAC,kB;K;;sCALpC,Y;MAKOC,iB;K;wCALpC,iB;MAAA,sBAKoC,qCALpC,C;K;oCAA
A,Y;MAAA,OAKoC,iDALpC,M;K;oCAAA,Y;MAAA,c;MAKOC,sD;MALpC,a;K;kCAAA,iB;MAAA,2IAKoC,sC
ALpC,G;K;IAiB0B,iC;MA+ItB,6B;MATIA,eACoC,O;MACpC,eACsD,QAAR,OAAQ,C;MvGw7C/C,kBAAM,iBA
Aa,wBuGv7C0B,OvGu7C1B,EAAwB,EAAXB,CAAb,C;MAuEA,Q;MAAA,OuG9/CuC,OvG8/CvC,W;MAAb,OA
Aa,cAAb,C;QAAA,sB;QACT,WAAy,WAAc,IuG//CuC,MvG+/CrD,C;;MuG//ChB,uBAAoC,WAAO,OAAP,EAAY
C,evGggDtE,WuGhgDsE,EAAyB,EAzB,CAAzB,GAAwD,GAAxE,C;K;sCAEpC,iB;MAEKb,MAAd,oBAAc,C;
MACd,YAAy,oBAAc,MAAK,KAAM,WAAx,C;MAC1B,OAAO,iBAAiB,KAAM,MAAN,KAAe,CAAhC,IAAqC

,oBAAc,UAAAd,KAA2B,KAAM,O;K;8CAGjF,iB;MAEkB,MAAd,oBAAc,C;MACd,OAAO,oBAAc,MAAK,KAA
M,WAAX,C;K;mCAGzB,6B;MAO4C,0B;QAAA,aAAkB,C;MAC1D,IAAI,aAAa,CAAb,IAAkB,aAAa,KAAM,O
AAzC,C;QACI,MAAM,8BAA0B,gCAA6B,UAA7B,wBAAYD,KAAM,OAAzF,C;OAEV,OAAqB,SAAd,oBAAc,
EAAS,KAAM,WAAf,EAA2B,UAA3B,C;K;IAeG,6E;MAAA,mB;QAAE,+BAAK,aAAL,EAAY,kBAAZ,C;O;K;I
AA2B,uC;MAAW,OAAA,KAAM,O;K;sCAZ1E,6B;MAQ+C,0B;QAAA,aAAkB,C;MAC7D,IAAI,aAAa,CAAb,IA
AkB,aAAa,KAAM,OAAzC,C;QACI,MAAM,8BAA0B,gCAA6B,UAA7B,wBAAYD,KAAM,OAAzF,C;OAEV,OA
AO,mBAAiB,6CAAjB,EAA8C,sBAA9C,C;K;0CAGX,iB;MAMI,IAAY,aAAR,YAAQ,EAAW,EAAX,CAAR,IAA
mC,WAAR,YAAQ,EAAS,EAAT,CAAvC,C;QACI,OAAO,kBAAK,KAAL,C;;QAEp,OAAkE,CAA3D,UAAm,M
AA2B,UAAf,YAAR,YAAQ,qBAAU,EAAY,EAAe,qBAAQ,EAAR,EAA3B,MAAN,EAakD,YAAID,CAA2D,eA
AK,KAAL,C;K;sCAG1E,8B;MAK8E,OAAA,KAAM,W9FkGa,S8FIGY,oB9FkGZ,E8FIG2B,W9FkG3B,C;K;uG8
FhGjG,yB;MAAA,iE;MAAA,wC;MAAA,mC;QAMI,YAAY,kBAAK,KAAL,C;QACZ,IAAI,AAAJ,C;UAAmB,OA
AO,KAAM,W;QAEhC,gBAAgB,C;QACbB,aAAa,KAAM,O;QACnB,SAAS,mBAAc,MAAd,C;;UAEL,iBAAiB,o
B;UACjB,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAYB,UAAW,MAAM,MAA1C,C;UACH,EAAG,gBAAO,UAA
U,UAAV,CAAP,C;UACH,YAAY,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;UACZ,QAAQ,UAAW,O;;QACd,oB
AAy,MAAZ,IAAsB,aAAtB,C;QAET,IAAI,YAAY,MAAhB,C;UACI,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAY
B,MAAZB,C;SAGP,OAAO,EAAG,W;O;KAXbD,C;2CA2BA,8B;MAMmC,gBAAR,Y;MvGu1CpB,kBAAM,iBAA
a,mCAAwB,EAAXB,CAAb,C;MAuEA,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAc,IuG
/5Cc,MvG+5C5B,C;;MuG/5CZ,uBAAgD,evGg6C7C,WuGh6C6C,EAAYB,EAazB,C;MACHD,OAAO,KAAM,W9
F8DgF,S8F9DvD,WAAO,YAAP,EAAGB,gBAAhB,C9F8DuD,E8F9DpB,W9F8DoB,C;K;oC8F3DjG,wB;MAO6C,
qB;QAAA,QAAa,C;MAMxC,Q;M7GnIIB,IAAI,E6G8HQ,SAAS,C7G9HjB,CAAJ,C;QACI,c6G6HsB,8C;Q7G5Ht
B,MAAM,gCAAYB,OAAQ,WAAjC,C;OG0EH,S0GmDW,qBAAQ,KAAR,C;MAAd,cAAuC,UAAAS,CAAb,GAAg
B,EAAhB,GAA2B,OAAH,EAAG,EAAK,QAAQ,CAAR,IAAL,C;MAC9D,apHxEgD,gB;MoHyEhD,gBAAgB,C;
MAEF,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAauB,KAA
M,MAAM,MAAnC,CAA0C,WAApD,C;QACP,YAAY,KAAM,MAAM,aAAZ,GAA2B,CAA3B,I;;MAEhB,MAA
O,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAauB,KAAM,OAA7B,CAAqC,WAA/C,C;MACP,OAAO,M;K;+BAI
X,Y;MAMyC,OAAA,oBAAc,W;K;IAEvD,2B;MAAA,+B;MAMBI,uBAA4B,WAAO,wBAAP,EAakC,GAAIC,C;
MAC5B,2BAAgC,WAAO,KAAP,EAaiB,GAAjB,C;K;oDAnBhC,mB;MAIwD,oBAAM,oBAAO,OAAP,CAAN,C
;K;+CAExD,mB;MAIoD,OAAA,O9FkByC,S8FIBnB,oB9FkBmB,E8FIBJ,M9FkBI,C;K;0D8FhB7F,mB;MAI+D,O
AAA,O9FY8B,S8FZR,wB9FYQ,E8FZW,M9FYX,C;K;;;I8F7BjG,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;;IA7IA,
4C;MAAA,+C;MACKe,kBAAK,OAAL,EAAC,MAAM,MAAN,CAAd,C;MADIE,Y;K;IAGA,sC;MAAA,+C;MAC
6C,kBAAK,OAAL,EAAC,UAAAd,C;MAD7C,Y;K;IAkKJ,kC;MAGkE,iBAAM,OAAN,EAae,MAAM,MAAN,CAA
f,C;K;IAEIE,0B;MAG6C,iBAAM,OAAN,EAae,UAAf,C;K;IAWIC,4F;MAAA,kC;MAAA,kC;MAAA,kC;MAAA,
kC;MACH,uBAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;K;+FAX1C,Y;MAAA,2B;K;+FAEI,Y;MAAQ,qBAAA,kBNI
L8C,CMkLxC,CNIlwC,CMkL9C,C;K;gGAEZ,Y;MAAA,4B;K;IAY2B,oG;MAAA,kC;MAAS,uB;K;mJACG,Y;M
AAQ,OAAA,kBAAM,O;K;wGACrC,iB;MAAuC,Q;MAAA,eAAA,kBNIMG,CMkMG,KNIMH,CMkMH,mBAAg
B,E;K;;qGAJnE,Y;MACI,IAAI,2BAAJ,C;QACI,yH;OAKJ,OAAO,kC;K;4CAGf,Y;MAAOc,OAAc,SAAd,kBAAc,
EAAS,kBAAT,EAAoB,kBAAM,UAAV,GAAqB,kBAAM,MAAN,GAAC,CAAd,IAArB,GAA0C,kBAAM,aAN,
GAAqB,CAArB,IAA1D,C;K;IApBN,oE;MAAA,kC;MAA+B,6B;K;mHACHD,Y;MAAQ,OAAA,kBAAM,O;K;IA
CqC,4E;MAAA,qB;QAAE,yBAAK,EAAL,C;O;K;qEAA5E,Y;MAAiD,OAAqB,OAAb,aAAR,oBAAQ,CAAa,EA
AI,iEAAJ,CAAiB,W;K;wEACvF,iB;MAA4C,Q;MAAA,eAAA,kBNvLU,CMuLJ,KNvLI,CMuLV,YAAoB,oBAAp
B,O;K;;;IAdxD,0C;MACI,sBAAiB,I;MACjB,YAAY,eAAK,KAAL,C;MACZ,IAAI,AAAJ,C;QAAMB,OAAO,I;MA
C1B,YAAY,aAAA,KAAM,MAAN,EAAsB,BAAY,CAAZ,IAAb,C;MAEZ,iE;K;I9FzNJ,yB;MAOiB,Q;MADb,aAA
a,E;MACb,wBAAa,KAAb,gB;QAAa,WAAb,UAAa,KAAb,O;QACI,8BAAU,IAAV,C;;MAEJ,OAAO,M;K;IAGX,
yC;MAY+B,Q;MAH3B,IAAI,SAAS,CAAT,IAAc,SAAS,CAAvB,IAA4B,CAAA,KAAM,OAAN,GAAa,MAAb,Q
AAsB,MAAtD,C;QACI,MAAM,8BAA0B,WAAS,KAAM,OAAf,kBAA+B,MAA/B,kBAAgD,MAA1E,C;MACV,a
AAa,E;MACc,gBAAS,MAAT,I;MAA3B,iBAAc,MAAd,wB;QACI,8BAAU,MAAM,KAAN,CAAV,C;;MAEJ,OA
AO,M;K;IAGX,mC;MAOiB,Q;MADb,aAAa,E;MACb,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QACI,8B
AAU,IAAV,C;;MAEJ,OAAO,M;K;IAGX,2D;MAY2C,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,

O;MACjF,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb,aAAa,E;MACb,iBAAc,U
AAAd,UAA+B,QAA/B,U;QACI,8BAAU,UAAK,KAAL,CAAV,C;;MAEJ,OAAO,M;K;IASkB,gD;MAAA,qB;QAA
E,+CAAI,EAAJ,E;O;K;IAN/B,kC;MAMI,OAAO,kBAAU,gBAAV,EAakB,+BAAIB,C;K;IAiBiC,oE;MAAA,qB;
QAAE,+CAAI,qBAAa,EAAb,IAAJ,E;O;K;IAd9C,wD;MAYqC,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB
,SAAK,O;MAC3E,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,gBAAzC,C;MACb,OAAO,kBAAU,WAA
W,UAAAX,IAAV,EAaiC,2CAAjC,C;K;IAGX,mC;MAQI,OAAO,WAAW,SAAX,EAaiB,CAAjB,EAAoB,gBAAp
B,EAA0B,KAA1B,C;K;IAGX,mF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,WAAgB,SAAK,O;MACrB,sC;
QAAA,yBAakC,K;MAEIC,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb,OAAO
,WAAW,SAAX,EAaiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;IAGX,sC;MAQI,OAAO,WAAW,SAAX,
EAaiB,CAAjB,EAAoB,gBAApB,EAA4B,KAA5B,C;K;IAGX,sF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,
WAAgB,SAAK,O;MACrB,sC;QAAA,yBAakC,K;MAEIC,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,g
BAAzC,C;MACb,OAAO,WAAW,SAAX,EAaiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;uFAGX,qB;MA
MwD,OAAA,SAAY,c;K;uFAEpE,qB;MAMwD,OAAA,SAAY,c;K;yFAEpE,qC;MACoF,OAAA,SAAY,SAAQ,G
AAR,EAAa,SAAb,C;K;iGAehG,qC;MACwF,OAAA,SAAY,aAAy,GAaz,EAaiB,SAajB,C;K;+FAEpG,kC;MA
CiF,OAAA,SAAY,YAAW,CAAX,EAac,QAAd,C;K;2FAE7F,wB;MACgE,OAAA,SAAY,UAAS,CAAT,C;K;iFA
E5E,iC;MACqE,OAAA,SAAY,WAAU,UAAV,C;K;mFAEjF,2C;MACoF,OAAA,SAAY,WAAU,UAAV,EAAsB,
QAAtB,C;K;4EAehG,0B;MACuD,OAAA,SAAY,QAAO,GAAP,C;K;wEAEnE,4B;MACgE,OAAA,SAAY,OAA
M,KAAAN,C;K;yFAK5E,2C;MACyF,OAAA,SAAY,SAAQ,OAAR,EAaiB,WAAjB,C;K;IAErG,iD;MAEkD,0B;Q
AAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QACI,SAAS,SAAK,O;QACd,SAAS,KAAM,O;QACf,UXqDG,MAAK,K
WrDQ,EXqDR,EWtDY,EXqDZ,C;QWpDR,IAAI,QAAO,CAAX,C;UAAc,OAAO,KAAK,EAAL,I;QACrB,YAA
Y,C;QACZ,OAAO,IAAP,C;UACI,UXiDD,MAAK,KWjDY,QAAQ,EAAR,IXiDZ,EWjDwB,GXiDxB,C;UWhDJ,SA
AS,SAzB2E,WAyB5D,KAzB4D,EAyBrD,GAzBqD,C;UA0BpF,SAAS,KA1B2E,WA0B3D,KA1B2D,EA0BpD,G
A1BoD,C;UA2BpF,IAAI,YAAM,EAAN,CAAJ,C;YACI,KAAK,EAitD+C,c;YAuDpD,KAAK,EAvD+C,c;YAwDp
D,IAAI,YAAM,EAAN,CAAJ,C;cACI,KAAK,EAjD2C,c;cAkDhD,KAAK,EAID2C,c;cAmDhD,IAAI,YAAM,EA
AN,CAAJ,C;gBACI,OAAU,iBAAH,EAAG,EAAU,EAAV,C;iBAitB,IAAI,QAAO,GAAX,C;YAAgB,K;UACHB,QA
AQ,G;;QAEZ,OAAO,KAAK,EAAL,I;;QAEp,OAAO,4BAAU,KAAV,C;;K;IAKgd,oD;MAAU,OAAE,UAAF,CA
AE,EAAU,CAAV,EAA0B,IAA1B,C;K;;IAIvE,+C;MAAQ,oC;K;2F+FnPZ,oC;MACiF,O/F+Ke,kB+F/KE,oBAAH,
EAAG,C/F+KF,E+F/Kc,S/F+Kd,C;K;mG+F7KhG,oC;MACqF,O/F+Ke,sB+F/KM,oBAAH,EAAG,C/F+KN,E+F/K
kB,S/F+KIB,C;K;I+F7KpG,mD;MAIoD,0B;QAAA,aAAsB,K;MACtE,IAAI,CAAC,UAAL,C;QACI,O/F0KqF,qB+
F1K7D,M/F0K6D,E+F1KrD,C/F0KqD,C;;Q+FxKrF,OAAO,yBAAc,CAAd,EAaiB,MAAjB,EAAyB,CAAzB,EAA
4B,MAAO,OAAAnC,EAA2C,UAA3C,C;K;IAGf,iE;MAIqE,0B;QAAA,aAAsB,K;MACvF,IAAI,CAAC,UAAL,C;Q
ACI,O/F+JqF,qB+F/J7D,M/F+J6D,E+F/JrD,U/F+JqD,C;;Q+F7JrF,OAAO,yBAAc,UAAAd,EAA0B,MAA1B,EAak
C,CAAlC,EAAqC,MAAO,OAA5C,EAAoD,UAApD,C;K;IAGf,iD;MAIkD,0B;QAAA,aAAsB,K;MACpE,IAAI,C
AAC,UAAL,C;QACI,O/FuJoE,mB+FvJ9C,M/FuJ8C,C;;Q+FvJpE,OAAO,yBAAc,mBAAS,MAAO,OAAhB,IAAd,
EAAsC,MAAtC,EAA8C,CAA9C,EAaiD,MAAO,OAAxD,EAAG,EAAhE,C;K;IAIf,mC;MACI,aAAa,S/F4J2D,O
+F5JhD,K/F4JgD,C;M+F3JxE,OAAO,kBAakB,MAAO,OAAP,KAAe,C;K;IAG5C,4B;MAAoD,4BAAU,CAAV,I
AA+D,QAA3C,6BAAJ,GAAoB,SAApB,GAA8B,SAAK,WAAy,EAAQ,eAAR,C;K;IAEnH,gD;MACiD,0B;QAA
A,aAAsB,K;MACnE,Q;MAAA,IAAI,iBAAJ,C;QAAA,OACI,a;;QACC,U;QAAA,IAAI,CAAC,UAAL,C;UAAA,S
ACD,kBAAQ,KAAR,C;;UAEA,0B;UAAA,W;YAAiB,gBAAA,S/FuH2C,c+FvH3C,EAAsB,K/FuHqB,c+FvH3C,C
;WAHhB,e;;QAFI,a;;MAAA,W;K;IAQJ,sF;MACkH,0B;QAAA,aAAsB,K;MACpI,oCAakB,UAAIB,EAA8B,KA
A9B,EAAqC,WAArC,EAakD,MAAID,EAA0D,UAA1D,C;K;IAGJ,+B;MAUI,OhGgKmD,mBAAS,CgGhK5D,G/
FuH4F,oB+FvHzD,C/FuHyD,E+FvHtD,C/FuHsD,CA1B5B,c+F7FvC,G/FoHoD,oB+FpHV,C/FoHU,C+FpH7E,GA
A2E,S;K;IAG/E,iC;MAOI,OhGsJmD,mBAAS,CgGtJ5D,G/F6G4F,oB+F7GzD,C/F6GyD,E+F7GtD,C/F6GsD,CA1
B5B,c+F3FvC,G/F0GoD,oB+F1GV,C/F0GU,C+F1G7E,GAA2E,S;K;IAG/E,8B;MAMIb,IAAN,I;M9GjEP,IAALE
8GgEI,KAAK,C9GhET,CAAJ,C;QACI,c8G+Dc,oD;Q9G9Dd,MAAM,gCAAYB,OAAQ,WAAjC,C;O8G+DH,QA
AM,CAAN,C;aACH,C;UAAK,S;UAAL,K;aACA,C;UAAU,OAAL,SAAK,W;UAAV,K;gBAEI,aAAa,E;UACb,IA
AI,EhGgIoC,qBAAU,CgGhI9C,CAAJ,C;YACI,QAAQ,SAAK,W;YACb,YAAy,C;YACZ,OAAO,IAAP,C;cACI,I
AAI,CAAC,QAAU,CAAX,MAAiB,CAArB,C;gBACI,UAAU,C;eAEd,QAAQ,UAAW,C;cACnB,IAAI,UAAS,CA

Ab,C;gBACl,K;eAEJ,KAAK,C;;;UAGb,OAAO,M;;MAnBf,W;K;IAwBJ,4D;MACqE,0B;QAAA,aAAsB,K;MACv
F,O/FsFiG,kB+FtFnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAGb,IAAhB,GAA0B,GAAzD,C
/FsFmF,E+FtFpB,6BAAM,2BAAkB,QAAIB,C/FsFc,C;K;I+FpFrG,4D;MAC+D,0B;QAAA,aAAsB,K;MACjF,O/F
kFiG,kB+FIFnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAGb,IAAhB,GAA0B,G
AAAnE,C/FkFmF,E+FIFF,oBAAR,OAAQ,C/FkFE,C;K;I+FhFrG,iE;MAC0E,0B;QAAA,aAAsB,K;MAC5F,O/F8Ei
G,kB+F9EnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAGb,GAAhB,GAAyB,EAAxD,C/F8Em
F,E+F9EtB,6BAAM,2BAAkB,QAAIB,C/F8EgB,C;K;I+F5ErG,iE;MACoE,0B;QAAA,aAAsB,K;MACtF,O/F0EiG,
kB+F1EnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAGb,GAAhB,GAAyB,EAAI
E,C/F0EmF,E+F1EJ,oBAAR,OAAQ,C/F0EI,C;K;IgG7MrG,kD;MAGI,IAAI,gBAAJ,C;QAAsB,MAAM,6BAAyB,
qCAAKC,QAAQ,CAAR,IAAIC,CAAzB,C;MAC5B,OAAO,CAAC,IAAD,I;K;IAGX,iF;MAQI,IAAI,EAAS,KAAT
,oBAAiB,KAAjB,KAA2B,SAAS,QAAxC,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAE
X,UAAU,kBAAO,KAAP,CAAc,I;MACxB,IAAI,EAAQ,KAAR,kBAAGb,KAAhB,CAAJ,C;QACI,OAAO,UAAU,
CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAO,SAAW,CAAC,OAAS,IAAV,KAAqB,EAAhC,IAAwC,M
AAQ,I;K;IAG3D,yE;MAQI,IAAI,SAAU,EAAV,MAAkB,CAAIB,IAAuB,SAAS,QAApC,C;QACI,OAAO,UAAU,
CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,GAAV,M
AAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,CAAX,G
AAkB,KAAIB,GAA4B,I;K;IAGvC,yE;MASI,IAAI,SAAS,QAAb,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,E
AAoB,gBAApB,C;OAGX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QACI,
IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,I
AAI,SAAU,EAAV,MAAiB,EAARb,C;QACH,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAA
V,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACH,OAAO,UAAU,CAA
V,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,E
AAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GA
AV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,OAAQ,SAAU,EA
AX,GAAoB,SAAU,CAA9B,GAAqC,KAArC,GAA+C,O;K;IAG1D,yE;MASI,IAAI,SAAS,QAAb,C;QACI,UAAU,
CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGJ,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EAAV,MA
AiB,CAArB,C;QACI,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,
gBAApB,C;gBAER,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QACH,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEI
,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,EAAV,IAAGb,CAApB,C;QACH,
OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;aACJ,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACH,O
AAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAA
O,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7
B,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,
IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YA
AY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACI,OAAO,UAA
U,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,EAAX,GAAoB,SAAU,EA9B,GAAuC,SAAU
,CAAjD,GAAwD,KAAxD,GAAkE,O;K;;;IAmB7E,oE;MAkB0B,UAGJ,MAHI,EAKJ,MALI,EAMJ,MANI,EASJ,
MATI,EAUJ,MAVI,EAUJ,MAXI,EAAGb,MAhBA,EAiBA,MAjBA,EAkBA,MAlBA,EAoBA,MApBA,EAqBA,O
ArBA,EASBA,OAtBA,EAuBA,O;M/G/JtB,IAAI,E+GiII,cAAc,CAAd,IAAmB,YAAY,MAAO,OAAtC,IAAgD,cA
Ac,Q/GjIIE,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;O+GiIV,YAAY,cAAU,CAAC,W
AAW,UAAAX,IAAD,IAA0B,CAA1B,IAAV,C;MACZ,gBAAGb,C;MACHb,gBAAGb,U;MAEhB,OAAO,YAAY,Q
AAAnB,C;QACI,WAAW,mBAAO,gBAAP,EAAO,wBAAP,QAAoB,I;QAE3B,WAAO,GAAP,C;UACI,MAAM,kB
AAN,EAAM,0BAAN,YAA0B,OAAL,IAAK,C;eAC9B,WAAO,IAAP,C;UACI,MAAM,kBAAN,EAAM,0BAAN,
YAA4C,OAARb,QAAS,CAAV,GAAGb,GAAM,C;UAC5C,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAxB,O
AAS,EAAV,GAAMb,GAAM,C;eAEnD,WAAO,KAAP,IAAiB,QAAQ,KAAzB,C;UACI,MAAM,kBAAN,EAAM,
0BAAN,YAA6C,OAAtB,QAAS,EAAV,GAAiB,GAAM,C;UAC7C,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAx
B,OAAS,EAAV,GAAMb,GAAM,C;;UAG/C,gBAAGb,uBAAuB,MAAvB,EAA+B,IAA/B,EAAqC,SAARc,EAAG

D,QAAhD,EAA0D,gBAA1D,C;UACHB,IAAI,aAAa,CAAjB,C;YACI,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;;YAErB,MAAM,kBAAN,EAAM,0BAAN,YAAkD,OAA3B,aAAc,EAaf,GAAsB,GAAM,C;YACID,MAAM,mBAAN,EAAM,2BAAN,aAA6D,OAArC,aAAc,EAaf,GAAuB,EAAXB,GAAiC,GAAM,C;YAC7D,MAAM,mBAAN,EAAM,2BAAN,aAA4D,OAApC,aAAc,CAAf,GAAsB,EAavB,GAAGC,GAAM,C;YAC5D,MAAM,mBAAN,EAAM,2BAAN,aAAoD,OAA7B,YAAc,EAaf,GAAwB,GAAM,C;YACpD,6B;;;MAMhB,OAAW,KAAM,OAAN,KAAc,SAAIB,GAA6B,KAA7B,GAA8C,UAAN,KAAM,EAAO,SAApC,K;;IAQzD,mE;MAiByB,Q;M/G/LrB,IAAI,E+GyLI,cAAc,CAAd,IAAmB,YAAY,KAAM,OAArC,IAA6C,cAAc,Q/GzL/D,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;O+GyLV,gBAAgB,U;MACHB,oBAAoB,sB;MAEpB,OAAO,YAAY,QAAAnB,C;QACI,WAAW,KAAmB,CAAb,gBAAa,EAAb,wBAAa,O;QAE1B,YAAQ,CAAR,C;UACI,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;aACIB,YAAS,CAAT,KAAc,EAAd,C;UACI,WAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAaiD,gBAAjD,C;UACX,IAAI,QAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,IAAD,IAAb,K;;YAEA,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAc,EAAd,C;UACI,aAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAaiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,aAAc,gBAAY,OAAL,MAAK,CAAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAc,EAAd,C;UACI,aAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAaiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,WAAW,MAAD,GAAQ,KAAR,IAAqB,EAARb,GAA2B,K;YACtC,UAAW,SAAS,IAAV,GAAoB,K;YAC9B,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;YACd,aAAc,gBAAW,OAAJ,GAAI,CAAX,C;YACd,wBAAa,CAAb,I;;UAIJ,UAAU,CAAV,EAAa,SAAb,EAawB,gBAAxB,C;UACA,aAAc,gBAAO,gBAAP,C;;MAK1B,OAAO,aAAc,W;K;ICvQzB,uC;MAU2D,OAAwB,CAAXB,2BAAwB,mBAAS,SAAT,C;K;IAEnF,oC;MAKI,OAAQ,OAAW,mBAAL,SAAK,CAAX,C;K;IAGZ,6C;MAMI,IAAI,cAAS,SAAb,C;QACI,iBAAsB,SAAY,Y;QACIC,IAAI,kBAAJ,C;UACS,SAAL,eAA+B,iBAAc,SAAd,E;;UAE/B,UAAW,WAAI,SAAJ,C;;Q;IAUnB,6C;MAC4B,UAAjB,M;MAAP,OAAO,WAAiB,OAAZ,SAAY,YAAjB,4CAA+D,W;K;IAI9E,iC;MACI,gBAAqB,sB;MACrB,iBAAsB,E;MACtB,kBAA+B,E;MAC/B,uBAAiC,C;K;uDAEjC,qB;MACc,qBAAV,SAAU,EAAc,EAAd,EAakB,EAAlB,C;MACV,OAAO,aAAO,W;K;gDAGIB,qB;MAA6D,gBAAR,c;MAAQ,c;;Q7H8zY7C,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAc,O6H9zY+B,c7H8zY7C,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;M6H/zY8C,iB;K;sDAErD,wC;MACI,KAAK,qBAAL,SAAK,EAAc,MAAd,EAAsB,SAAtB,CAAL,C;QAAyC,M;MAEzC,YAAY,SAAK,M;MACjB,OAAO,aAAP,C;QACI,KAAM,qBAAN,KAAM,EAAc,MAAd,EAAsB,aAAtB,CAAN,C;UAA8C,M;QAC9C,QAAQ,KAAM,M;;K;sDAItB,wC;MASgB,IAAiB,IAAjB,EA2BE,M;MANCd,aAAO,gBAAO,MAAP,CAAE,gBAAO,SAAP,C;MACtB,gBAAgB,SAAK,W;MACrB,IAAI,eAAQ,SAAR,CAAJ,C;QACI,aAAO,gBAAO,kCAAP,CAA2C,gBAAO,SAAP,CAAKB,gBAAO,KAAP,C;QACpE,OAAO,K;OAEH,cAAY,MAAK,SAAL,C;MAEpB,YAAY,CAAiB,OAAZ,SAAY,MAAjB,2D;MACZ,IAAI,aAAJ,C;Q7GyBG,S6GxBwB,WAAAN,KAAAM,EAAQ,SAAR,C;QAAvB,iBAAoD,KAAK,CAAT,GAAY,CAAZ,GAAMB,KAAe,gBAaf,I;QACnE,IAAI,eAAc,CAAlB,C;UAAqB,aAAO,gBAAO,SAAP,CAAKB,gBAAO,IAAP,C;QAC9C,IAAI,elGgJoC,YAAU,CkGhJID,C;UACI,kBAAW,K;UACX,uBAAgB,U;;UAEhB,QAAQ,wBAAiB,KAAjB,EAawB,UAAxB,C;;QAEZ,IAAI,MIGkJuC,UAAAS,CkGIJpD,C;UAEuB,U;UAAA,IAAI,eAAc,CAAlB,C;YAAA,SAAQB,C;;YnGu8BpC,U;YADhB,YAAY,C;YACI,oBmGv8B+C,SnGu8B/C,C;YAAhB,OAAgB,gBAAhB,C;cAAGB,sC;cAAM,ImGv8BgE,UnGu8BID,oBmGv8BkD,MAAK,EnGu8BrE,C;gBAAwB,qB;;YmGv8Bf,SAA4B,InGw8BpD,KmGx8BoD,I;;UAA/C,yB;UrGkpCC,kB;UADb,YAAY,C;UACC,SqGjpCK,aAAN,KAAM,CrGipCL,W;UAAb,OAAa,gBAAb,C;YAAa,wB;YqGhpCG,IrGgpCU,oBAAmB,cAAnB,EAAMb,sBAAnB,UqGhpCN,gBAAJ,C;cAA2B,aAAO,uB;YACIC,aAAO,gBrG+oCgC,IqG/oChC,CAAA,gBAAO,IAAP,C;;UAGxB,aAAO,gBAAO,KAAP,CAAc,gBAAO,IAAP,C;;QAGzB,aAAO,gBAAO,SAAP,CAAKB,gBAAO,IAAP,C;;MAG7B,iBAAiB,mC;MACjB,IvHqHoD,CuHrHhD,UvHqHiD,UuHrHrD,C;QACI,uBAAuB,SAAS,M;QACtB,8B;QAAV,OAAU,gBAAV,C;UAAU,qB;UACJ,qBAAF,CAAE,EAAc,gBAAAd,EAAgC,cAAhC,C;;OAGV,OAAO,I;K;yDAGX,6B;MAIwB,Q;MAHpB,mBAAwB,C;MACxB,gBAAqB,C;MACrB,mBAAwB,C;MACJ,O5GsJjB,MAAK,K4GtJkB,eAAS,OAAT,GAAKB,oBAAIB,I5GsJIB,E4GtJmD,KAAM,OAAAN,GA Ae,UAAf,I5GsJnD,C;M4GtJR,eAAY,CAAZ,oB;QACI,QAAQ,iBAAy,iBAAN,KAAM,CAAN,GAAKB,G

AAIB,IAAN,C;QACR,IAAI,MAAK,2BAaKB,iBAAT,eAAS,CAAT,GAAqB,GAARb,IAAT,CAAT,C;UAA6C,K;
QAC7C,IAAI,MAAK,EAAT,C;UACI,8BAAGb,CAAhB,I;UACA,eAAe,S;UAcF,YAAy,G;;MAGpB,IAAI,gBAAg
B,CAApB,C;QAAuB,OOAO,K;MAC9B,OOAO,eAAe,CAAf,IAAoB,iBAAY,iBAAN,KAAM,CAAN,IAAmB,YA
AnB,GAaKc,CAAlC,KAAN,MAA+C,EAAIE,C;QACI,8BAAGb,CAAhB,I;MAGJ,OAAa,YAAN,KAAM,EAAS,
YAAT,CAAN,IAA+B,cAAW,eAAe,CAAf,IAAX,uCAA/B,C;K;;IChIsB,4C;MAFrC,e;MAEsC,0B;MAFtC,iB;MA
AA,uB;K;IAAA,mC;MAAA,sC;O;MAGI,uEAGY,GAHZ,C;MAIA,yEAGa,MAHb,C;MAIA,yEAGa,SAHb,C;MAI
A,+DAGQ,KAHR,C;MAIA,+DAGQ,MAHR,C;MAIA,2DAGM,MAHN,C;MAIA,yDAGK,OAHL,C;K;;IAxBA,gD
;MAAA,yB;MAAA,wC;K;;IAIA,iD;MAAA,yB;MAAA,yC;K;;IAIA,iD;MAAA,yB;MAAA,yC;K;;IAIA,4C;MAA
A,yB;MAAA,oC;K;;IAIA,4C;MAAA,yB;MAAA,oC;K;;IAIA,0C;MAAA,yB;MAAA,kC;K;;IAIA,yC;MAAA,yB;
MAAA,iC;K;;IA3BJ,+B;MAAA,4Q;K;;IAAA,oC;MAAA,a;AAAA,a;UAAA,6C;aAAA,c;UAAA,8C;aAAA,c;UAA
A,8C;aAAA,S;UAAA,yC;aAAA,S;UAAA,yC;aAAA,O;UAAA,uC;aAAA,M;UAAA,sC;gBAAA,6D;;K;;IAiCA,4D
;MAIW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EAAU,UAAW,cAArB,C;MAEvC,0BAAsB,CAAtB,C;QAA2
B,gBAAS,UAAW,cAAX,GAAMb,UAAW,cAAvC,C;WAC3B,0BAAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAA
X,GAAMb,UAAW,cAAvC,C;QACnB,Y;MAHZ,W;K;ICICJ,+B;MAAA,mC;MAUuB,wB;MALf,aAAR,OOAO,O
AAQ,KAAl,WAAY,IAAG,OOAO,SAAX,IAAwB,CAAC,CAAC,OOAO,SAAS,K;MADpE,sBAGQ,MAHR,GAIQ
,iBAaA,OAAb,CAJR,GAMQ,qBAAW,OAAX,IAAA,4GACO,+B;K;4CAIf,Y;MAAmC,OOAA,mBAaA,U;K;;;IAf
pD,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAwB2B,+B;MAAC,sB;K;IAEW,+D;MAAA,0C;MAAS,mB;MACxC,
iBAAGb,yBAAQ,S;K;8DACxB,Y;M/GyEG,Q+GxEC,8BAAQ,QAAO,cAAP,C;MAAyB,c/HZIC,EAAI,CAAJ,C;
M+HY2C,Y/HuF3C,EAAI,CAAJ,C;M+HvFC,OOA4D,cAAR,OOAQ,CAAR,aAAwB,kBAAN,KAAM,CAAxB,C;
K;;qCAH5D,Y;MAAmC,mD;K;sCAMnC,Y;MAAkC,qC;K;;IAKF,4C;MAAiC,4E;MAAhC,8B;K;2CACjC,Y;MA
A8B,OOAA,gBAAY,M;K;+CAC1C,Y;MAAkC,2C;K;;IAGtC,6B;MAAA,iC;MAEoC,4E;K;uCACHc,Y;MAA8B,
OOAe,U;K;2CAC7C,Y;MAAkC,+B;K;;;IAJtC,yC;MAAA,wC;QAAA,uB;OAAA,iC;K;IC1CA,gD;MACkB,Q;MA
AA,IAAI,aAAY,CAAhB,C;QACV,Y;;QAEA,UzByY8C,MAAW,KyBzY/C,IzByY+C,EyBzYtC,QzByYsC,C;QyB
vYzD,OOAe,WzB6U2B,MAAW,KyB7U5B,KzB6U4B,CyB7UhC,GAAa,GAAnB,CAAf,GAAYC,GAZc,GzB0V
2C,MAAW,MyB1VF,KzB0VE,C;;MyB/V1D,kB;MAOA,OOAe,OOAY,SAAQ,QAAR,C;K;IAG/B,6C;MACI,OA
Aa,KAAy,gBAaE,OAaf,EAAwB,MAAK,4BAA2B,QAA3B,CAAL,EAAxB,C;K;IAG7B,iC;MACI,OOAa,KAAy
,eAAc,CAAd,C;K;IChB7B,gD;MAQ+B,kBAApB,wBAAc,IAAd,C;MAA0B,IjHgEjC,a;MiHhEA,OjHiEO,W;K;IiH
9DX,gD;MAQqD,kBAA1B,gBAAhB,sCAAAGB,EAAc,IAAd,EAAoB,IAApB,C;MAAiC,sBjHoElD,WiHpEkD,C;M
AAxD,OjHqEO,W;K;IkHFX,yC;MAEkD,8B;MAAA,OCGN,aDHwB,yBAAa,QAAb,mCCGxB,CxG+rBgC,sB;K;
IuGhsB5E,2C;MIlk+HW,kBAAY,gB;MAoGH,Q;MAAhB,wBkl/jIqB,Ull+jIrB,gB;QAAgB,ckI/jIK,Ull+jIrB,M;Q
AAsB,IAAI,ckI/jIkB,sBII+jIP,OkI/jIO,CII+jItB,C;UAAyB,WAAY,WAAI,OOAJ,C;;MkI/jI3D,qBIlgkIO,W;MkI/jI
P,I5H8MwD,C4H9MpD,c5H8MqD,U4H9MzD,C;QvGkGuC,U;QuGjGnC,qBvGiGyD,OOAtB,+BuGjGd,mBvGiG
c,uBAAsB,CAAO,W;QyGgS7C,kBAAhB,sB;QF/XC,0C;QACA,IAAI,EvGgNoC,0BAAU,CuGhN9C,CAAJ,C;UA
CI,2BAAO,GAAP,C;SAEW,sCAAa,GAAb,C;QALnB,sBIH4DG,WoHoUqC,W;QFzXxC,OOAO,I;OAGX,OOAO,
K;K;IAGX,8C;MAOmB,c;;QIIm1YC,Q;QAAhB,wBkIn1YI,Ullm1YJ,gB;UAAgB,ckIn1YZ,Ullm1YJ,M;UAAsB,I
kIn1YD,sBllm1Ye,OkIn1Yf,CIIIm1YC,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;;MkIp1YP,e;QACI,kBAA
6B,MAAX,UAAW,C;QvG2EM,U;QuG1Eb,avG0EmC,OOAtB,+BuG1EvB,mBvG0EuB,uBAAsB,CAAO,W;QuG1
EX,kBC/BjB,aD+BD,MC/BC,CxG6uC6C,uBAAZB,CAAyB,C;QR9hB9E,kBAAS,gB;QA2FA,U;QAAA,+B;QAA
hB,OOAgB,gBAAhB,C;UAAgB,6B;UAAm,I+G3wB4C,4B/G2wB9B,S+G3wB8B,C/G2wB5C,C;YAAwB,WAAY
,WAAI,SAAJ,C;;Q+G3wBtD,sBAAMf,e/G4wBhF,W+G5wBgF,EAAa,GAAb,C;QACnF,OOAO,I;OAGX,OOAO,
K;K;IGnCP,iC;MAAQ,8BAAY,IAAK,UAAjB,IAA8B,uBAAY,IAAK,mB;K;IAOvD,oC;MAAQ,8BAAY,IAAK,a;
K;ICZ7B,4B;MAGI,OOAO,yBAAP,C;QACI,sBAAY,mCAAZ,C;;K;IAIR,uC;MAOI,sBAAY,sCAAAGB,gBAaE,IA
Af,CAA5B,C;MACA,OOAO,S;K;ICbP,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;IAKX,4B;MAAQ,mB;K;I
ACR,mC;MACI,eAAO,K;K;iHCofC,sJ;MACyC,qB;QAAA,QAaKB,I;MAAM,qB;QAAA,QAaKB,I;MAAM,uB;Q
AAA,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MAAM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAaKc,K;MA
AO,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+BAAYC,K;MAcTt,QAAQ,E;MACR,EAAE,OAaf,IAAa,K;MAC
b,EAAE,OAaf,IAAa,K;MACb,EAAE,SAaf,IAAe,O;MACf,EAAE,WAAf,IAAiB,S;MACjB,EAAE,oBAaf,IAA
0B,kB;MAC1B,EAAE,uBAaf,IAA6B,qB;MAC7B,EAAE,iCAaf,IAAuC,+B;MACvC,EAAE,8BAaf,IAAoC,4B;

MACpC,OAAO,C;K;+GAw0BX,wD;MACwC,6B;QAAA,gBAAYB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/I,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6EA6CX,4B;MAC6D,iBAAY,KAAZ,C;K;6EAE7D,mC;MACoE,UAAAY,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAC8D,iBAAY,KAAZ,C;K;6EAE9D,mC;MACqE,UAAAY,KAAZ,IAAqB,K;K;6EAuB1F,4B;MACqE,iBAAY,KAAZ,C;K;6EAErE,mC;MAC4E,UAAAY,KAAZ,IAAqB,K;K;6EAuBjG,4B;MAC+D,iBAAY,KAAZ,C;K;6EAE/D,mC;MACsE,UAAAY,KAAZ,IAAqB,K;K;6EAuB3F,4B;MACgE,iBAAY,KAAZ,C;K;6EAEhE,mC;MACuE,UAAAY,KAAZ,IAAqB,K;K;6EAuB5F,4B;MAC6D,iBAAY,KAAZ,C;K;6EAE7D,mC;MACoE,UAAAY,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAC8D,iBAAY,KAAZ,C;K;6EAE9D,mC;MACqE,UAAAY,KAAZ,IAAqB,K;K;6EAuB1F,4B;MACiE,iBAAY,KAAZ,C;K;6EAEjE,mC;MACwE,UAAAY,KAAZ,IAAqB,K;K;6EAuB7F,4B;MACkE,iBAAY,KAAZ,C;K;6EAEIE,mC;MACyE,UAAAY,KAAZ,IAAqB,K;K;6GCxnC9F,wD;MACqC,6B;QAAA,gBAA+B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpJ,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;mIAiCX,+B;MACgD,mC;QAAA,sBAAgC,K;MAC5E,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,OAAO,C;K;4EC3CX,4B;MACgE,iBAAY,KAAZ,C;K;4EAgChE,4B;MACyE,iBAAY,KAAZ,C;K;4EaiBzE,4B;MACmE,iBAAY,KAAZ,C;K;4EayYnE,4B;MAC0E,iBAAY,KAAZ,C;K;oIC7a1E,4H;MAC8C,qB;QAAA,QAAiB,E;MAAI,6B;QAAA,gBAAgC,E;MAAW,iC;QAAA,oBAA2D,E;MAAW,iC;QAAA,oBAA2D,E;MAAW,qC;QAAA,wBAoIvJ,U;OApIqO,+B;QAAA,kBAoIrO,U;OApI6S,4B;QAAA,eAA+B,S;MAC3a,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,eAAF,IAAqB,a;MACrB,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,cAAF,IAAoB,Y;MACpB,OAAO,C;K;wIAYX,mC;MACgD,2B;QAAA,cAAuB,E;MAAI,0B;QAAA,aAAsB,E;MAC7F,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MACnB,EAAE,YAAF,IAAkB,U;MACIB,OAAO,C;K;8HAuDX,+D;MACqG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;4HAwBX,iE;MAC0C,4B;QAAA,eAAwB,E;MAAI,wB;QAAA,WAAyB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;sGASqE,qB;MAAQ,OAAW,U;K;sGAEnB,qB;MAAQ,OAAW,U;K;4GAehB,qB;MAAQ,OAAc,a;K;wGAQ1B,qB;MAAQ,OAAy,W;K;0HAEX,qB;MAAQ,OAAqB,oB;K;kGAQnD,qB;MAAQ,OAAAS,Q;K;oGAehB,qB;MAAQ,OAAU,S;K;sGAEjB,qB;MAAQ,OAAW,U;K;wHAEV,qB;MAAQ,OAAoB,mB;K;wHAE5B,qB;MAAQ,OAAoB,mB;K;kHAE/B,qB;MAAQ,OAAiB,gB;K;kHAEzB,qB;MAAQ,OAAiB,gB;K;oHAQd,qB;MAAQ,OAAkB,iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;wIAehB,qB;MAAQ,OAA4B,2B;K;4FCnLnI,uD;MAC8B,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGAuBX,sE;MACiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvL,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGA8DX,8U;MACiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf

,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wGAgDX,kQ;MACoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAc,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7IB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGAsCX,iX;MACiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAc,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACr2B,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAc,M;MACd,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGA2BX,0E;MACiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAc,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtM,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wGAmDX,4S;MACoC,mB;QAAA,MAAc,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QAAA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAc,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,I

AAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBA AF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB; MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EA AE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;M ACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;8GAuBX,6D;MACuC,oB;QAAA,OAAgB,E;MAAI,oB;QAA A,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB; QAAA,WAAqB,K;MAC7K,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE ,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;M AChB,OAAO,C;K;wECvbX,4B;MACyE,iBAAY,KAAZ,C;K;wEAEzE,2B;MACgG,iBAAY,IAAZ,C;K;wEAWBh G,oC;MAC+F,UAAAY,KAAZ,IAAqB,M;K;wEAmFpH,2B;MACqE,iBAAY,IAAZ,C;K;wEAErE,kC;MAC2E,UAA Y,IAAZ,IAAoB,K;K;wEAssC/F,4B;MACyE,iBAAY,KAAZ,C;K;wEA0BzE,4B;MACyE,iBAAY,KAAZ,C;K;wE AsBzE,4B;MACuE,iBAAY,KAAZ,C;K;wEAYBvE,4B;MAC6E,iBAAY,KAAZ,C;K;2FA4C7E,gD;MACiC,qB;QA AA,QAAiD,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACIK ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,E AAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;uEA+UX,4B;MACuE,iBAAY,KAAZ,C;K;wEAEvE,2B;MAC6F,iBA AY,IAAZ,C;K;wEAqN7F,4B;MACyE,iBAAY,KAAZ,C;K;wEAEzE,oC;MAC2F,UAAAY,KAAZ,IAAqB,M;K;+FA uehH,wD;MACmC,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,w B;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAA E,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;uGAuIX,mB;MACuC,uB;QAAA,UAAo B,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+HAyCX,iB;MACmD,qB;QAAA,QAAk B,I;MACjE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;+FA0MX,sE;MACmC,oB;QAAA,OAAg B,I;MAAM,wB;QAAA,WAAu7G4B,S;OAv7GwB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;Q AAA,SAAkB,S;MAAW,uB;QAAA,UAAoB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,IAAF,IAAU,E;MACV ,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa, K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;qIAGDX,iB;MACsD,qB;QAAA,QAAkB,I;MACpE,QAAQ,E; MACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;+GAKBX,qB;MAC2C,yB;QAAA,YAAmB,S;MAC1D,QAAQ,E ;MACR,EAAE,SAAF,IAAe,S;MACf,OAAO,C;K;wEAKCX,4B;MACqF,iBAAY,KAAZ,C;K;yFAGCrF,4V;MACg C,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C ;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gB AA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;Q AAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K; MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,k BAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO, kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;M AAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC9yB,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;M ACpB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAA e,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QA AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd, EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YA AF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;M ACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAA E,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O ;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEAWEX,2B;MAC+D,iB AAY,IAAZ,C;K;iGA2D/D,gD;MACoC,qB;QAAA,QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aA AuB,K;MAAO,wB;QAAA,WAAqB,K;MACII,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe ,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;qGA2BX,yD;MACsC,sB

;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5J,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAuBX,oD;MAC0C,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;2FAoFX,kF;MACiC,uB;QAAA,UAAmB,E;MAAI,wB;QAAA,WAAoB,E;MAAI,sB;QAAA,SAAe,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjN,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;iHA2BX,0D;MACqE,sB;QAAA,SAAe,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACzK,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEAmXX,4B;MACkE,iBAAY,KAAZ,C;K;wEAEIE,2B;MACoE,iBAAY,IAAZ,C;K;wEAUpE,4B;MACsE,iBAAY,KAAZ,C;K;wEAEtE,2B;MACwE,iBAAY,IAAZ,C;K;wEAaxE,4B;MAC+D,iBAAY,KAAZ,C;K;wEAE/D,2B;MACiE,iBAAY,IAAZ,C;K;mGA0CjE,8G;MACqC,gC;QAAA,mBAwlf8C,M;OAxIfE,gC;QAAA,mBAsmFT,S;OAtmFyE,oC;QAAA,uBAgnFjE,S;OahnF6l,2B;QAAA,cAAoB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,6B;QAAA,gBA0nFIO,K;OAZnFvE,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,sBAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAqB,a;MACrB,OAAO,C;K;+FAwCX,mF;MACmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cAAuB,E;MAAI,sB;QAAA,SAAyC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACxQ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6FA4BX,2B;MACkC,+B;QAAA,kBAA4B,K;MAC1D,QAAQ,E;MACR,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;2FA2DX,iE;MACiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yFA8FX,6B;MACgC,oB;QAAA,OAK5E6C,S;OAl5EL,2B;QAAA,cCzHe,M;ODyzHnF,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,OAAO,C;K;wEAoDX,0B;MAC+D,iBAAY,GAAZ,C;K;wEAE/D,iC;MACqE,UAAy,GAAZ,IAAmB,K;K;+FAoDxF,oF;MACmC,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAoB,I;MAAM,mB;QAAA,MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvO,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,KAAF,IAAW,G;MACX,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;iFAwNX,yC;MAC4B,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtG,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6FAwBX,iD;MACkC,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;uGASX,mB;MACuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAYX,kC;MAC0C,uB;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wEAkEX,4B;MAC6D,iBAAY,KAAZ,C;K;wEAU7D,4B;MACsE,iBAAY,KAAZ,C;K;wEAEtE,2B;MACwE,iBAAY,IAAZ,C;K;uGAsCxE,oH;MACuC,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gBAA0B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAaKc,S;MAAW,+B;QAAA,kBAaKc,S;MAC1R,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,E

AAE,YAAF,IAAkB,U;MACIB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAA
yB,iB;MACzB,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;mGAgFX,oB;M
ACqC,wB;QAAA,WAAqB,K;MACtD,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wEA+MX,
2B;MACiE,iBAAY,IAAZ,C;K;2GakCjE,c;MACyC,kB;QAAA,KAAgB,S;MACrD,QAAQ,E;MACR,EAAE,IAAF,
IAAU,E;MACV,OAAO,C;K;2FAyMX,gB;MAEI,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;wE
AgBX,4B;MACiE,iBAAY,KAAZ,C;K;wEAEjE,oC;MAC4E,iBAAY,aAAZ,C;K;wEAuT5E,4B;MACmE,iBAAY,
KAAZ,C;K;uFA2CnE,sB;MAC+B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MA
AK,iB;QAAA,IAAa,G;MAC9F,QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EA
AE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,OAAO,C;K;qFA0CX,+B;MAC8B,iB;QAAA,IAAa,G;M
AAK,iB;QAAA,IAAa,G;MAAK,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAaKB,G;MACtG,QAAQ,E;MACR,EA
AE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;M
ACd,OAAO,C;K;wEAOX,4B;MACmE,iBAAY,KAAZ,C;K;yFAiHnE,oB;MACgC,wB;QAAA,WA80B+C,M;OA7
0B3E,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6FAeX,+B;MACkC,oB;QAAA,OAAgB,S;
MAAW,mB;QAAA,MAAe,S;MAAW,wB;QAAA,WA2zBR,M;OA1zB3E,QAAQ,E;MACR,EAAE,MAAF,IAAY,I
;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6GAwCX,yD;MAC0C,qB;
QAAA,QAAiB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAA
O,wB;QAAA,WAAqB,K;MACpK,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,E
AAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;yGaiC
X,mC;MACwC,qB;QAAA,QAkvByD,Q;OAlvBK,sB;QAAA,SAkvBL,Q;OAlvBoE,wB;QAAA,WAouBtF,M;OAn
uB3E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MA
ChB,OAAO,C;K;2FAYX,2B;MACiC,mB;QAAA,MA8uB0C,Q;OA9uBJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;
MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,YAAF,IAAkB,U;MACIB,OAAO,C;K;+GAYX,0B;MAC2C,uB;QA
AA,UA6tBgC,Q;OA7tBU,qB;QAAA,QA6tBV,Q;OA5tBvE,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,
OAAF,IAAa,K;MACb,OAAO,C;K;wEAgCX,4B;MAC+D,iBAAY,KAAZ,C;K;qFAwaY,qB;MAAQ,OAAU,S;K;6
FAEd,qB;MAAQ,OAAc,a;K;uFAEzB,qB;MAAQ,OAAW,U;K;iFAQxB,qB;MAAQ,OAAQ,E;K;iFAEX,qB;MAA
Q,OAAQ,O;K;uFAEb,qB;MAAQ,OAAW,U;K;uFAQ3B,qB;MAAQ,OAAW,U;K;mFAErB,qB;MAAQ,OAAS,Q;K
;qFAEhB,qB;MAAQ,OAAU,S;K;yFAQhB,qB;MAAQ,OAAW,W;K;uFAErB,qB;MAAQ,OAAW,U;K;+FAEf,qB;
MAAQ,OAAe,c;K;uFAE3B,qB;MAAQ,OAAW,U;K;uFAEnB,qB;MAAQ,OAAW,U;K;mFAQRb,qB;MAAQ,OAA
S,Q;K;iFAEIB,qB;MAAQ,OAAQ,O;K;6EAEIB,qB;MAAQ,OAAM,K;K;uFAET,qB;MAAQ,OAAW,U;K;qFAQIB
,qB;MAAQ,OAAU,S;K;qFAEIB,qB;MAAQ,OAAU,S;K;6EAQR,qB;MAAQ,OAAM,K;K;mFAEX,qB;MAAQ,OA
AS,Q;K;+EAEnB,qB;MAAQ,OAAO,M;K;+EAQ/B,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFA
Ef,qB;MAAQ,OAAS,Q;K;mFAQhB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ
,OAAQ,O;K;mFAQd,qB;MAAQ,OAAQ,O;K;+EAEIB,qB;MAAQ,OAAM,K;K;+EAEb,qB;MAAQ,OAAO,M;K;iF
AEf,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,OAAS,Q;K;6EAQd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,
OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;2FAEb,qB;MAAQ,OAAa,Y;K;6FAEpB,qB;MAAQ,OAac,a;K;mFA
E3B,qB;MAAQ,OAAS,Q;K;6EAQ1B,qB;MAAQ,OAAM,K;K;6EAEd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAA
Q,OAAU,S;K;+EAQjB,qB;MAAQ,OAAO,M;K;mFAEb,qB;MAAQ,OAAS,Q;K;+EAQRb,qB;MAAQ,OAAO,M;K
;iFAEd,qB;MAAQ,OAAQ,O;K;iFAQjB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAac,a;K;qFAE1B,qB;MA
AQ,OAAU,S;K;iFAQb,qB;MAAQ,OAAO,M;K;uFAEZ,qB;MAAQ,OAAU,S;K;yFAQ9B,qB;MAAQ,OAAW,W;K;
+EAE1B,qB;MAAQ,OAAM,K;K;qFAEX,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;+EAQRb,qB;
MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAac,a;K;qFAQ1B,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,
Q;K;+EAQX,qB;MAAQ,OAAO,M;K;mFAEb,qB;MAAQ,OAAS,Q;K;iFAQnB,qB;MAAQ,OAAO,M;K;qFAEZ,q
B;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;kFAQJ,qB;MAAQ,OAAQ,O;K;oFAEf,qB;MAAQ,OAAS,
Q;K;8EAEPB,qB;MAAQ,OAAM,K;K;oFAEV,qB;MAAQ,OAAU,S;K;mFAQzC,qB;MAAQ,OAAS,Q;K;mFAEjB,
qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OAAU,S;K;qFAEIB,qB;MAAQ,OAAU,S;K;wIEv4M7E,wM;MACiD
,qB;QAAA,QAakB,I;MAAM,sB;QAAA,SAAmB,I;MAAM,2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;M
AAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,sB;QAAA,SAAmB,I;MAAM,0B;QAAA,aAAuB,
I;MAAM,0B;QAAA,aAAuB,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,

mBAA6B,I;MAAM,uB;QAAA,UAAoB,I;MAAM,4B;QAAA,eAAyB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAf,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OA AO,C;K;wHAsDX,wM;MACyC,qB;QAAA,QAAqB,S;MAAW,sB;QAAA,SAAsB,S;MAAW,2B;QAAA,cAA4B,S ;MAAW,yB;QAAA,YAA0B,S;MAAW,0B;QAAA,aAA6B,S;MAAW,0B;QAAA,aAA6B,S;MAAW,sB;QAAA,SA AuB,S;MAAW,0B;QAAA,aAA0B,S;MAAW,0B;QAAA,aAA0B,S;MAAW,gC;QAAA,mBAAoC,S;MAAW,+B;Q AAA,kBAAmC,S;MAAW,gC;QAAA,mBAAoC,S;MAAW,uB;QAAA,UAAwB,S;MAAW,4B;QAAA,eAA4B,S;M AAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACtnB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;M ACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAf,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YA AF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;M ACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EA AE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAA gB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;sHAYX,kN;MACwC,wB;QAAA,WAA4C,S;MAAW,qB; QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAA W,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAsB,S; MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA, mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW ,uB;QAAA,UAAmB,S;MAC9IB,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,OAAF,IAAa,K;MACb ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAf,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,I AAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB ,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EA AE,kB AAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q; MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;0HAsDX,wM;MAC0C,qB;QAAA,QAAiB,S;MAAW,sB;QAA A,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0 B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MA AAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,U AAmB,S;MAAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACziB, QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAf,IAAmB,W;MACnB,E AAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,I AAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MA CxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,c AAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;gHAYDX,w M;MACqC,qB;QAAA,QAAc,S;MAAW,sB;QAAA,SAAs,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YA AqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAA A,aAAmB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAA W,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAA oB,S;MAAW,uB;QAAA,UAAmB,S;MACxB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAA c,M;MACd,EAAE,aAAf,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,E AAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAA kB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;M ACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SA AF,IAAe,O;MACf,OAAO,C;K;8HAuBX,gD;MACsE,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO, wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EA AE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;sIAoBX,gD;MACgD,qB;QAAA,QAAi B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;

MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAA
F,IAAgB,Q;MAChB,OAAO,C;K;wHAWCX,wB;MACyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MA
C9E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;kGAYBX,oB;MA
C8B,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MAAe,S;MACnE,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX
,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;oHAYX,kC;MACuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAi
B,S;MAAW,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MAAe,S;MACpI,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;
MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;
gGAYX,oB;MAC6B,mB;QAAA,MAAY,S;MAAW,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MACR,EAAE,KAA
F,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;kHAYX,kC;MACsC,qB;QAAA,QAAc,S;MAAW,
qB;QAAA,QAAc,S;MAAW,mB;QAAA,MAAY,S;MAAW,mB;QAAA,MAAY,S;MACvH,QAAQ,E;MACR,EAA
E,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;M
ACX,OAAO,C;K;gIAeX,wB;MAC6C,qB;QAAA,QAAkB,S;MAAW,qB;QAAA,QAAkB,S;MACxF,QAAQ,E;MA
CR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;oIAeX,wB;MAC+C,qB;QAAA,QAA
iB,S;MAAW,qB;QAAA,QAAiB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K
;MACb,OAAO,C;K;4FAKX,Y;MAEI,QAAQ,E;MACR,OAAO,C;K;oFAKX,Y;MAEI,QAAQ,E;MACR,OAAO,C;
K;8FAKX,Y;MAEI,QAAQ,E;MACR,OAAO,C;K;kGASX,oB;MAC8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;
MACR,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;4FASmE,qB;MAAQ,OAAO,M;K;8FAEd,qB;MAAQ,OAA
Q,O;K;4FAQrB,qB;MAAQ,OAAO,M;K;0GAER,qB;MAAQ,OAAc,a;K;8FAE7B,qB;MAAQ,OAAO,M;K;gGAEd,
qB;MAAQ,OAAQ,O;K;8FAQjB,qB;MAAQ,OAAO,M;K;gHAEL,qB;MAAQ,OAAiB,gB;K;wGAQrC,qB;MAAQ,
OAAa,Y;K;0GAEPB,qB;MAAQ,OAAc,a;K;wGAEvB,qB;MAAQ,OAAa,Y;K;oFC1nB7F,4B;MAC6E,iBAAY,KA
AZ,C;K;iGAQnB,qB;MAAQ,OAAS,Q;K;6FAEnB,qB;MAAQ,OAAO,M;K;+FAEd,qB;MAAQ,OAAQ,O;K;iGAQ
F,qB;MAAQ,OAAU,S;K;+FAEnB,qB;MAAQ,OAAS,Q;K;mGAQ3B,qB;MAAQ,OAAW,U;K;mGAEnB,qB;MAA
Q,OAAW,U;K;6GC7C/E,mb;MACmC,yB;QAAA,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SA
AkB,G;MAAK,wB;QAAA,WAAmB,G;MAAI,kC;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C;MAAG,qB;QA
AA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,K;MAAO,uB;Q
AAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAA
G,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;
MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,U
AAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8
B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,
K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAA
A,OAAgB,I;MAAM,sB;QAAA,SAAc,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;
QAAA,WAAqB,K;MACiB,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,IAAa,K;MACb,EAA
E,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MACiB,EAAE,OAAF,IAA
a,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,aAAF,IAAmB,W;MACnB,EAAE,
WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,
EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;
MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QA
AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;
MACxB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE
,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MACiB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IA
AsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MACiB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,
SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6GCz
BX,0C;MACwC,oB;QAAA,OAAiB,I;MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;Q
AAA,UAAoB,K;MACpI,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,S
AAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;4EAmIX,4B;MACkE,iBAAY,KAAZ,C;K;4EAEIE,
qC;MAC2E,UAA,Y,KAAZ,IAAqB,O;K;4EAIhBhG,4B;MACuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAC+E,UAA,Y,
KAAZ,IAAqB,O;K;4EAIbPg,4B;MACuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAC+E,UAA,Y,KAAZ,IAAqB,O;K;4

EAIgP,4B;MACoE,iBAAY,KAAZ,C;K;2EAEpE,qC;MAC4E,UAAy,KAAZ,IAAqB,O;K;4EAKcJG,4B;MAC6E,iBAAY,KAAZ,C;K;4EAE7E,qC;MACqF,UAAy,KAAZ,IAAqB,O;K;4EAgP1G,4B;MACqE,iBAAY,KAAZ,C;K;4EAErE,qC;MAC6E,UAAy,KAAZ,IAAqB,O;K;uFJ/6BIG,+H;MAC8B,sB;QAAA,SAaKB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,8B;QAAA,iBAA0B,S;MAAW,oB;QAAA,OAAqB,S;MAAW,2B;QAAA,cAAmC,S;MAAW,qB;QAAA,QAAuB,S;MAAW,wB;QAAA,WAA6B,S;MAAW,yB;QAAA,YAAqB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,wB;QAAA,WAAe,S;MAC5Z,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,OAAF,IAAa,K;MACb,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,QAAF,IAAc,Q;MACd,OAAO,C;K;yFA0CX,uC;MAC+B,sB;QAAA,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MAAM,uB;QAAA,UAAmB,S;MACHg,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;qFASgD,qB;MAAQ,OAAgE,K;mFAEX,qB;MAAQ,OAAQ,O;K;iFAEjB,qB;MAAQ,OAAO,M;K;mFAEd,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;mFAEiB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;qFAQF,qB;MAAQ,OAAgE,K;yFAER,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;qFAEd,qB;MAAQ,OAAQ,O;K;yFAEb,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qFAEjB,qB;MAAQ,OAAS,Q;K;uFAEjB,qB;MAAQ,OAAS,Q;K;mGAEV,qB;MAAQ,OAAgB,e,K;iGAeZB,qB;MAAQ,OAAe,c;K;qFAE9B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;yFAQzB,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;iFAErB,qB;MAAQ,OAAO,M;K;iFAQD,qB;MAAQ,OAAO,M;K;iGAER,qB;MAAQ,OAAc,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;yFAQ9B,qB;MAAQ,OAAU,S;K;yFAEjB,qB;MAAQ,OAAW,U;K;qFAErB,qB;MAAQ,OAAS,Q;K;yFAEf,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,a;K;qGAEnB,qB;MAAQ,OAAiB,gB;K;qFAQ3B,qB;MAAQ,OAAS,Q;K;mFAEiB,qB;MAAQ,OAAQ,O;K;uFAEf,qB;MAAQ,OAAS,Q;K;mFAQxB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;yFAEZ,qB;MAAQ,OAAU,S;K;qFAEpB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qGAET,qB;MAAQ,OAAiB,gB;K;+FK3Q/F,gB;MACkC,oB;QAAA,OAAgB,E;MAC9C,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;+FAiBX,8B;MACkC,4B;QAAA,eAAqB,S;MAAW,oB;QAAA,OAAgB,E;MAC9E,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;0EAUX,4B;MAC6D,iBAAY,KAAZ,C;K;+GCiC7D,sJ;MACsC,mB;QAAA,MA6GuD,M;OA7GG,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,mB;QAAA,MAAe,E;MAAI,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAc,E;MAC/gB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,oBAAF,IAA0B,kB;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAeX,+B;MACsE,oB;QAAA,OAAgB,S;MACiF,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;qHASX,e;MACyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;mHA2BX,+D;MACqE,sB;QAAA,SAaKB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;iGASwE,qB;MAAQ,OAAU,S;K;6FAEnB,qB;MAAQ,OAAS,Q;K;+FAEhB,qB;MAAQ,OAAU,S;K;2FAQvB,qB;MAAQ,OAAO,M;K;yFAEhB,qB;MAAQ,OAAM,K;K;yFAEd,qB;MAAQ,OAAM,K;K;yGCvJ3F,uB;MACsC,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,OR+3MW,S;OQ93MzE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;6HAuCX,mF;MACgD,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAaKB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAa2C,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAA

uB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;uGA2DX,qC;MACqC,mC;QAAA,sBAAgC,K;MAAO,oB;QAAA,OA2UD,Q;OA1UvE,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;yGAmbX,yC;MACsC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHh,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yGA0BX,2B;MAEI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FAGCX,sE;MACoD,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAYBX,0D;MAC2D,sB;QAAA,SAAkB,M;MAAQ,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/J,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;2GAeX,qC;MAC4D,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAA0B,S;MAC/G,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;uHAuCX,mF;MAC6C,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAAmD,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpT,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;qGA+BX,6D;MACoC,4B;QAAA,eAAyB,K;MAAO,4B;QAAA,eAAyB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,yB;QAAA,YAAqB,S;MACnJ,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,WAAF,IAAiB,S;MACjB,OAAO,C;K;yGakBX,4C;MACsC,oB;QAAA,OAAgB,S;MAAW,uB;QAAA,UAAoB,S;MAAW,wB;QAAA,WAAsB,S;MAAW,uB;QAAA,UAA8B,S;MAC3J,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FAiCmE,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MAAQ,OAAy,W;K;+FAEnB,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MAAQ,OAAy,W;K;6FAEpB,qB;MAAQ,OAAy,W;K;6FAQtC,qB;MAAQ,OAAy,W;K;6FAEpB,qB;MAAQ,OAAy,W;K;uFAEvB,qB;MAAQ,OAAS,Q;K;qFAEnB,qB;MAAQ,OAAO,M;K;uFAQX,qB;MAAQ,OAAS,Q;K;yFAEjB,qB;MAAQ,OAAS,Q;K;qGAEX,qB;MAAQ,OAAe,c;K;iFAEhC,qB;MAAQ,OAAM,K;K;iGC3ZrE,0E;MACoC,gC;QAAA,mBAA6B,K;MAAO,sB;QAAA,SAAkB,C;MAAG,qB;QAAA,QAAiB,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3L,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;mFAS8E,qB;MAAQ,OAAG,E;K;+FAEL,qB;MAAQ,OAac,a;K;iFAE7B,qB;MAAQ,OAAO,M;K;yFAEX,qB;MAAQ,OAaw,U;K;+EAEvB,qB;MAAQ,OAAM,M;K;+EAEf,qB;MAAQ,OAAM,M;K;ICzHnE,6B;MAAC,qB;QAAA,8C;MAAA,kB;K;IACjC,2C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,yC;MAAA,4C;O;MAKI,0E;MAEA,sE;K;IAFA,kD;MAAA,+B;MAAA,0C;K;IAEA,gD;MAAA,+B;MAAA,wC;K;IAPJ,qC;MAAA,yF;K;IAAA,0C;MAAA,a;MAAA,S;UAAA,+C;aAAA,O;UAAA,6C;gBAAA,8D;K;IAYBmC,sC;MACnC,8B;K;IAMqC,sC;MACrC,8B;K;IC1DJ,iC;K;ICMA,4B;K;IA6BA,gD;K;IC5BA,qC;K;IA4BA,+B;K;ICRqC,uC;MACjC,uB;QAAA,UAAsB,E;MACtB,qB;QAAA,+C;MADA,sB;MACA,kB;K;IAEA,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAKI,4E;MAGA,wE;K;IAHA,mD;MAAA,gC;MAAA,2C;K;IAGA,iD;MAAA,gC;MAAA,yC;K;IARJ,sC;MAAA,2F;K;IAAA,2C;MAAA,a;MAAA,S;UAAA,gD;aAAA,O;UAAA,8C;gBAAA,+D;K;IAYByB,4B;MACzB,8B;K;IC/C4C,8B;K;kDAI5C,mB;MAAA6D,c;QzI6pD7C,Q;QADhB,IAAI,mCAAsB,cAA1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,sB;QAAhB,OAAgB,cAAhB,C;UAAgB,2B;UAAM,IyI7pD6C,OzI6pD/B,SyI7pD+B,UzI6pD7C,C;YAAwB,aAAO,I;YAAP,e;QAC9C,aAAO,K;MyI9pDsD,iB;K;uDAE7D,oB;MACa,c;QzIqoDG,Q;QADhB,IAAI,cyIpoDA,QzIooDA,iByIpoDA,QzIooDsB,UAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,OyIroDZ,QzIqoDY,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CyIroDP,oBzIqoDkB,OyIroDIB,CzIqoDG,C;YAAyB,aAAO,K;YAAP,e;QAC/C,aAAO,I;MyItoDH

,iB;K;2CAEJ,Y;MAAkC,qBAAQ,C;K;IAEqB,qE;MAAA,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,G
AA6C,SAAH,EAAG,C;O;K;4CADjD,Y;MAAkC,4BAAa,IAAb,EAAMB,GAAAnB,EAaWb,GAAxB,kBAA6B,wC
AA7B,C;K;2CAIIC,Y;MAI4C,uBAAGb,IAAhB,C;K;mDAE5C,iB;MAI4D,yBAAGb,IAAhB,EAAsB,KAAtB,C;K;
;IC/BhE,8B;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,4B;MAAA,+B;O;MACI,4C;MACA,kD;MACA,0C;MACA,
8C;K;;IAHA,mC;MAAA,kB;MAAA,2B;K;;IACA,sC;MAAA,kB;MAAA,8B;K;;IACA,kC;MAAA,kB;MAAA,0B;
K;;IACA,oC;MAAA,kB;MAAA,4B;K;;IAJJ,wB;MAAA,sH;K;;IAAA,6B;MAAA,a;aAAA,O;UAAA,gC;aAAA,U;
UAAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA,iC;gBAAA,6D;;K;;IAOA,4B;MAKI,mD;MACA,2BAA4B,I;K;y
CAE5B,Y;MAEiB,IAAN,I;MhJUX,IAAI,EgJXQ,mDhJWR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OA
AQ,WAAjC,C;OgJZC,QAAM,oBAAN,M;aACH,M;UAAc,Y;UAAAd,K;aACA,O;UAAe,W;UAAf,K;gBACQ,wC;U
AHL,K;;MAAP,W;K;sCAOJ,Y;MAIW,Q;MAHP,IAAI,CAAC,cAAL,C;QAAGb,MAAM,6B;MACtB,mD;MAEA,
OAAO,2F;K;4DAGX,Y;MACI,iD;MACA,kB;MACA,OAAO,kD;K;+CAeX,iB;MAII,2BAAy,K;MACZ,gD;K;sC
AGJ,Y;MAII,+C;K;;ICjDkC,wB;MAoFtC,oC;MApFgE,6B;K;sCAIhE,Y;MAAuC,0C;K;2CAEvC,mB;MAAwD,uB
;;Q3IoS3C,Q;QADb,YAAY,C;QACC,sB;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,I2IrSmE,O3IqSrD,I2IrSqD,U3Iq
SnE,C;YACI,sBAAO,K;YAAP,wB;WACJ,qB;;QAEJ,sBAAO,E;;M2IzSiD,0B;K;+CAExD,mB;MAA4D,sB;;Q3I6
T5D,eAAoB,0BAAa,SAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,I2I/TsE,O3I+TxD,QAAS,W2I/T+C,U3I+Tt
E,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;;QAGR,qBAAO,E;;M2InUqD,yB;K;0CAE5D,Y;MAA+C,+CAAiB,CA
Ajb,C;K;kDAE/C,iB;MAAyD,+CAAiB,KAAjB,C;K;6CAEzD,8B;MAA8D,gCAAQ,IAAR,EAAC,SAAd,EAAYB,
OAAzB,C;K;IAEIC,wD;MAAGf,uB;MAA/E,kB;MAAMC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAIB,EA
A6B,OAA7B,EAAsC,WAAK,KAA3C,C;MACA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAIB,
EAAYB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;K;4FAGY,Y;MAAQ,mB;K;;oCAGnC,iB;M
AMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,2DAAC,
IAAd,EAAoB,KAApB,C;K;sCAGX,Y;MAG+B,oEAAGb,IAAhB,C;K;IAE/B,2C;MAAA,oB;MACI,eACsB,C;K;k
DAEtB,Y;MAAkC,sBAAQ,gB;K;+CAE1C,Y;MAEe,gB;MADX,IAAI,CAAC,cAAL,C;QAAGb,MAAM,6B;MAC
X,iE;MAAX,OAAO,+B;K;;IAO0B,sD;MAHzC,oB;MAGwD,iD;MAGhD,gEAAMb,KAAAnB,EAA0B,WAAkB,KA
A5C,C;MACA,eAAa,K;K;0DAGjB,Y;MAAsC,sBAAQ,C;K;wDAE9C,Y;MAAGC,mB;K;uDAEhC,Y;MACI,IAAI,
CAAC,kBAAL,C;QAAoB,MAAM,6B;MAC1B,OAAO,yBAAI,mCAAJ,EAAL,YAAJ,E;K;4DAGX,Y;MAAoC,sB
AAQ,CAAR,I;K;;IAGxC,kC;MAAA,sC;K;iEACI,uB;MACI,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,M
AAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAJD,C;Q;KEAIId,uB;MACI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAZB,C
;QACI,MAAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAJD,C;Q;iEAIId,oC;MACI,IAAI,YAAY,CAAZ,IAAiB,UAA
U,IAA/B,C;QACI,MAAM,8BAA0B,gBAAa,SAAb,mBAaKc,OAAIC,gBAAKD,IAA5E,C;OAEV,IAAI,YAAY,O
AAhB,C;QACI,MAAM,gCAAYB,gBAAa,SAAb,oBAAMC,OAA5D,C;Q;KEAIId,sC;MACI,IAAI,aAAa,CAAb,IAA
kB,WAAW,IAAjC,C;QACI,MAAM,8BAA0B,iBAAC,UAAAd,oBAaQc,QAArC,gBAASD,IAAhF,C;OAEV,IAAI,a
AAa,QAAjB,C;QACI,MAAM,gCAAYB,iBAAC,UAAAd,qBAASc,QAA/D,C;Q;+DAId,a;MAEc,UACsB,M;MAFhC
,iBAAE,C;MACL,mB;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,aAAW,MAAK,UAAAL,SAAiB,6DAAiB,CAAI
C,K;;MAEf,OAAO,U;K;6DAGX,oB;MAIiB,Q;MAHb,IAAI,CAAE,KAAF,KAAU,KAAM,KAApB,C;QAA0B,OA
AO,K;MAEjC,oBAAoB,KAAM,W;MACb,mB;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,gBAAGb,aAAc,O;QAC9
B,IAAI,cAAQ,SAAR,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,I;K;;IAjDf,8C;MAAA,6C;QAAA,4B;OAAA,sC;K
;;ICnFwC,uB;MAyHxC,mC;MAzCA,uBAC6B,I;MAMc7B,yBACsC,I;K;8CAnHtC,e;MACI,OAAO,6BAAc,GAA
d,S;K;gDAGX,iB;MAAwE,gBAAR,Y;MAAQ,c;;Q5IopDxD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAA
O,K;UAAp,e;SACrB,2B;QAAhB,OAGb,cAAhB,C;UAAgB,yB;UAAM,I4IppDwD,O5IopD1C,O4IppD6C,MAA
H,Q5IopDxD,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;M4IrpDyD,iB;K;kDAEhE,iB;MAEI,IAAI,gCAAJ,
C;QAA+B,OAAO,K;MACiC,UAAU,KAAM,I;MACHB,YAAY,KAAM,M;MxJ+MO,Q;MwJ9MzB,exJ8M4C,CAA
nB,mDAAMB,YwJ9MzB,GxJ8MyB,C;MwJ5M5C,IAAI,eAAS,QAAT,CAAJ,C;QACI,OAAO,K;OAIP,6B;MAAA,
W;QxJwNqB,U;QwJxND,UxJwNoB,CAAnB,uDAAMB,oBwJxNP,GxJwNO,C;OwJxN5C,W;QACI,OAAO,K;OA
GX,OAAO,I;K;mCAIX,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAyB,OAA
O,K;MACHC,IAAI,cAAQ,KAAM,KAAIB,C;QAAwB,OAAO,K;MAEV,gBAAd,KAAM,Q;MAAQ,c;;Q5I+IDT,Q;
QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAp,e;SACrB,2B;QAAhB,OAGb,cAAhB,C;UAAgB,y
B;UAAM,IAAI,C4I/IDK,2B5I+IDM,O4I/IDN,C5I+IDT,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;M4IhmD

H,iB;K;sCAGJ,e;MAAwC,Q;MAAA,4CAAc,GAAd,8B;K;qCAGx C,Y;MAK+B,OAAQ,SAAR,YAAQ,C;K;oCAE vC,Y;MAAkC,qBAAQ,C;K;mFACnB,Y;MAAQ,OAAA,YAAQ,K;K;IAWnB,0E;MAAA,wC;MAAS,sB;K;8EACb ,mB;MAASD,+CAAY,OAAZ,C;K;IAI3C,sG;MAAA,kD;K;8FACH,Y;MAAkC,OAAA,0BAAc,U;K;2FACHd,Y;M AAYB,OAAA,0BAAc,OAAO,I;K;;wEAJtD,Y;MACI,oBAAoB,6BAAQ,W;MAC5B,+F;K;sHAMmB,Y;MAAQ,O AAA,qBAAiB,K;K;;mFAB5D,Y;MACI,IAAI,4BAAJ,C;QACI,+E;OAcJ,OAAO,mC;K;IAOwD,uD;MAAA,qB;QA AE,2CAAS,EAAT,C;O;K;qCAAzE,Y;MAAkC,OAAQ,eAAR,YAAQ,EAaA,IAAb,EAAMB,GAAAnB,EAAwB,GA AxB,kBAA6B,iCAA7B,C;K;+CAE1C,iB;MAAuD,+BAAS,KAAM,IAAf,IAAsB,GAAtB,GAA4B,wBAAS,KAAM ,MAAf,C;K;+CAEnF,a;MAAwC,OAAI,MAAM,IAAV,GAAgB,YAAhB,GAAoC,SAAF,CAAE,C;K;IAWtD,4E;M AAA,wC;MAAS,6B;K;gFACf,mB;MAAsE,iDAAC,OAAd,C;K;IAI3D,wG;MAAA,kD;K;gGACH,Y;MAAkC,OA AA,0BAAc,U;K;6FACHd,Y;MAAYB,OAAA,0BAAc,OAAO,M;K;;0EAJtD,Y;MACI,oBAAoB,6BAAQ,W;MAC5 B,iG;K;wHAMmB,Y;MAAQ,OAAA,qBAAiB,K;K;;qFAB5D,Y;MACI,IAAI,8BAAJ,C;QACI,mF;OAcJ,OAAO,qC ;K;oDAMf,e;MAA8D,gBAAR,Y;MAAQ,sB;;Q5ImH9C,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAGB,yB;UA AM,I4InHsD,O5ImHxC,O4InH2C,IAAH,M5ImHtD,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;M4IpH +C,yB;K;IAEtD,iC;MAAA,qC;K;4DAEI,a;MAAI,e,gC;MAAX,OAAU,CAAC,kBAAN,CAAM,0DAAMB,CAApB, KAA4B,oBAAjC,CAAiC,8DAAqB,CAAjD,C;K;4DACHe,a;MAAYD,OAAU,SAAL,CAAO,IAAF,mBAAL,CAA Y,MAAP,C;K;0DACnE,oB;MACI,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,OAAO,OAAA,CAAE,IAAF,EAAS ,KAAM,IAAf,KAAsB,OAAA,CAAE,MAAF,EAAW,KAAM,MAAjB,C;K;;IANrC,6C;MAAA,4C;QAAA,2B;OA AA,qC;K;;IChIqC,uB;MAkBrC,mC;MAIB+D,6B;K;mCAE/D,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I; MAC3B,IAAI,0BAAJ,C;QAASB,OAAO,K;MAC7B,OAAO,sDAAU,IAAV,EAAGB,KAhB,C;K;qCAGX,Y;MA G+B,qEAAkB,IAAIB,C;K;IAE/B,iC;MAAA,qC;K;gEACI,a;MAEoB,Q;MADhB,iBA Ae,C;MACC,mB;MAAhB,O AAgB,cAAhB,C;QAAgB,yB;QACC,U;QAAb,2BAAa,yEAAuB,CAApC,K;;MAEJ,OAAO,U;K;wDAGX,oB;MAC I,IAAI,CAAE,KAAF,KAAU,KAAM,KAAPB,C;QAA0B,OAAO,K;MACjC,OAAO,C1J0Og,qB0J1Ox,F,K1J0Ow F,C;K;;I0JrPrH,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;;MCmfA,kC;MAJgBA,cAAwB,C;MACxB,yB;MAEA,sB AAYB,C;;kFAAZB,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;4CA8BA,uB;MAOI,IAAI,cAAc,CAAIB,C;QAAqB, MAAM,6BAAsB,mBAAtB,C;MAC3B,IAAI,eAAe,kBAAY,OAA/B,C;QAAqC,M;MACrC,IAAI,uBAAgB,qDAAP B,C;QACI,qBAAc,gBAAYB,gBAAZ,WAA Y,EAAC,EAAd,CAAzB,O;QACd,M;OAGJ,kBAAkB,uDAAY,kBAAY ,OAAxB,EA8B,WAA9B,C;MACIB,oBAAa,WAAb,C;K;0CAGJ,uB;MAIL,kBAAkB,gBAAMB,WAAAnB,O;MnJ2 0BtB,UmJ10BI,kBnJ00BJ,EmJ10ByB,WnJ00BzB,EmJ10BsC,CnJ00BtC,EmJ10ByC,WnJ00BzC,EmJ10B+C,kBA AY,OnJ00B3D,C;MAAA,UmJz0BI,kBnJy0BJ,EmJz0ByB,WnJy0BzB,EmJz0BsC,kBAAY,OAAZ,GAAmB,WAA nB,InJy0BtC,EmJz0B+D,CnJy0B/D,EmJz0BkE,WnJy0BIE,C;MmJx0BI,cAAO,C;MACP,qBAAc,W;K;yCAGIb,y B;MAGW,Q;MAAP,OAAO,2BAAY,aAAZ,4D;K;yCAGX,iB;MAA2C,OAAI,SAAS,kBAAY,OAAzB,GAA+B,Q AAQ,kBAAY,OAApB,IAA/B,GAA6D,K;K;yCAExG,iB;MAA2C,OAAI,QAAQ,CAAZ,GAAe,QAAQ,kBAAY,O AApB,IAAf,GAA6C,K;K;2CAExF,iB;MACoD,0BAAY,cAAO,KAAP,IAAZ,C;K;yCAEpD,iB;MAA2C,OAAI,UA AqB,cAAZ,kBAAY,CAAzB,GAAoC,CAApC,GAA2C,QAAQ,CAAR,I;K;yCAEtF,iB;MAA2C,OAAI,UAAS,CA Ab,GAA4B,cAAZ,kBAAY,CAA5B,GAA2C,QAAQ,CAAR,I;K;mCAEtF,Y;MAAkC,qBAAQ,C;K;iCAE1C,Y;MA GwB,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;;QAnBIC,Q;QAmBa,OAnBb,2BAmBkG,WAnBIG,4D;; K;uCAqBX,Y;MAG+B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAxBnC,U;QAwBoB,OAxBpB,6BAwByD,WA xBzD,gE;;MAwBoB,W;K;gCAE/B,Y;MAGuB,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;;QA7BjC,Q;Q A6BY,OA7BZ,2BAQyC,mBAAY,cAqB0D,sBArB1D,IAAZ,CARzC,4D;;K;sCA+BX,Y;MAG8B,Q;MAAA,IAAI, cAAJ,C;QAAA,OAAe,I;;QAICIC,U;QAKcMB,OAIcNB,6BAQyC,mBAAY,cA0BiB,sBA1BjB,IAAZ,CARzC,gE;; MAkCmB,W;K;0CAE9B,mB;MAIL,sBA Ae,YAAO,CAAP,IAAf,C;MAEA,cAAO,mBAAY,WAAZ,C;MACP,mBA AY,WAAZ,IAAoB,O;MACpB,wBAAQ,CAAR,I;K;yCAGJ,mB;MAIL,sBA Ae,YAAO,CAAP,IAAf,C;MAEA,mBA 7CgD,mBAAY,cA6CIC,SA7CkC,IAAZ,CA6ChD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAIL,IAAI,c AAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Dd,Q;MA+DP,cA/DO,2BA+DmB,WA/DnB,4D;MAGeP,mBAA Y,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y; MAGqC,OAAI,cAAJ,GAAe,IAAf,GAAyB,kB;K;sCAE9D,Y;MAIL,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAA vB,C;MAErB,wBAzEgD,mBAAY,cAyEtB,sBAzEsB,IAAZ,C;MARzC,Q;MAkFP,cAlFO,2BAkFmB,iBAIFnB,4D; MAmFP,mBAAY,iBAAZ,IAAiC,I;MACjC,wBAAQ,CAAR,I;MACA,OAAO,O;K;4CAGX,Y;MAGoC,OAAI,cAA

J,GAAe,IAAf,GAAYB,iB;K;qCAE7D,mB;MAEI,mBAAQ,OAAR,C;MACA,OAAO,I;K;uCAGX,0B;MACI,oCAA
a,4BAAmB,KAAAnB,EAA0B,SAA1B,C;MAEb,IAAI,UAAS,SAAb,C;QACI,mBAAQ,OAAR,C;QACA,M;aACG,I
AAI,UAAS,CAAb,C;QACH,oBAAS,OAAT,C;QACA,M;OAGJ,sBA Ae,YAAO,CAAP,IAAf,C;MA2BA,oBAjIgd,
mBAAy,cAiI1B,KAJI0B,IAAZ,C;MAMlhD,IAAI,QAAS,SAAD,GAAQ,CAAR,IAAe,CAA3B,C;QAEI,+BAA+B,
mBAAy,aAAZ,C;QAC/B,sBAAsB,mBAAy,WAAZ,C;QAEtB,IAAI,4BAA4B,WAAhC,C;UACI,mBAAy,eAAZ,I
AA+B,mBAAy,WAAZ,C;UnJgrB3C,UmJ/qBY,kBnJ+qBZ,EmJ/qBiC,kBnJ+qBjC,EmJ/qB8C,WnJ+qB9C,EmJ/qB
oD,cAAO,CAAP,InJ+qBpD,EmJ/qB8D,2BAA2B,CAA3B,InJ+qB9D,C;;UAAA,UmJ7qBY,kBnJ6qBZ,EmJ7qBiC,
kBnJ6qBjC,EmJ7qB8C,cAAO,CAAP,InJ6qB9C,EmJ7qBwD,WnJ6qBxD,EmJ7qB8D,kBAAy,OnJ6qB1E,C;UmJ5
qBY,mBAAy,kBAAy,OAAZ,GAAMB,CAAnB,IAAZ,IAAO,c,mBAAy,CAAZ,C;UnJ4qBhD,UmJ3qBY,kBnJ2qB
Z,EmJ3qBiC,kBnJ2qBjC,EmJ3qB8C,CnJ2qB9C,EmJ3qBiD,CnJ2qBjD,EmJ3qBoD,2BAA2B,CAA3B,InJ2qBpD,C
;;QmJxqBQ,mBAAy,wBAAZ,IAAwC,O;QACxC,cAAO,e;;QAGP,WArJ4C,mBAAy,cAqJ/B,SArJ+B,IAAZ,C;Q
AuJ5C,IAAI,gBAAGB,IAAPB,C;UnJkqBR,UmJjqBY,kBnJiqBZ,EmJjqBiC,kBnJiqBjC,EmJjqB8C,gBAAGB,CAA
hB,InJiqB9C,EmJjqBiE,anJiqBjE,EmJjqBgF,InJiqBhF,C;;UAAA,UmJ/pBY,kBnJ+pBZ,EmJ/pBiC,kBnJ+pBjC,EmJ
/pB8C,CnJ+pB9C,EmJ/pBiD,CnJ+pBjD,EmJ/pBoD,InJ+pBpD,C;UmJ9pBY,mBAAy,CAAZ,IAAiB,mBAAy,kBA
AY,OAAZ,GAAMB,CAAnB,IAAZ,C;UnJ8pB7B,UmJ7pBY,kBnJ6pBZ,EmJ7pBiC,kBnJ6pBjC,EmJ7pB8C,gBAA
gB,CAAhB,InJ6pB9C,EmJ7pBiE,anJ6pBjE,EmJ7pBgF,kBAAy,OAAZ,GAAMB,CAAnB,InJ6pBhF,C;;QmJ1pBQ,
mBAAy,aAAZ,IAA6B,O;;MAEjC,wBAAQ,CAAR,I;K;oDAGJ,mC;MAGkD,UAIxB,M;MANtB,eAAe,QAAS,W;
MAEsB,OAAZ,kBAAy,O;MAA9C,iBAAc,aAAAd,wB;QACI,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,K;QACzB,mB
AAy,KAAZ,IAAqB,QAAS,O;;MAEZ,oB;MAAtB,mBAAC,CAAd,8B;QACI,IAAI,CAAC,QAAS,UAAAd,C;UAAy
B,K;QACzB,mBAAy,OAAZ,IAAqB,QAAS,O;;MAGIC,wBAAQ,QAAS,KAAjB,I;K;0CAGJ,oB;MACI,IAAI,QA
AS,UAAAb,C;QAAwB,OAAO,K;MAC/B,sBA Ae,IAAK,KAAL,GAAY,QAAS,KAArB,IAAf,C;MACA,8BAAtLgD,
mBAAy,cAsLvB,SAtLuB,IAAZ,CAsLhD,EAA4C,QAA5C,C;MACA,OAAO,I;K;0CAGX,2B;MACI,oCAAa,4BA
AmB,KAAAnB,EAA0B,SAA1B,C;MAEb,IAAI,QAAS,UAAAb,C;QACI,OAAO,K;aACJ,IAAI,UAAS,SAAb,C;QAC
H,OAAO,oBAAO,QAAP,C;OAGX,sBA Ae,IAAK,KAAL,GAAY,QAAS,KAArB,IAAf,C;MAEA,WArMgD,mBA
AY,cAqMnC,SArMmC,IAAZ,C;MAsMhD,oBAAtMgD,mBAAy,cAsM1B,KAtM0B,IAAZ,C;MAuMhD,mBAAmB,
QAAS,K;MAE5B,IAAI,QAAS,SAAD,GAAQ,CAAR,IAAe,CAA3B,C;QAGI,kBAAkB,cAAO,YAAP,I;QAEIB,IA
AI,iBAAiB,WAArB,C;UACI,IAAI,eAAe,CAAnB,C;YnJ0mBZ,UmJzmBgB,kBnJymBhB,EmJzmBqC,kBnJymBrC
,EmJzmBkD,WnJymBID,EmJzmB+D,WnJymB/D,EmJzmBqE,anJymBrE,C;;YmJvmBgB,4BA Ae,kBAAy,OAA3
B,I;YACA,sBAAsB,gBAAGB,WAAhB,I;YACtB,kBAAkB,kBAAy,OAAZ,GAAMB,WAAAnB,I;YAEIB,IAAI,eAA
e,eAAAnB,C;cnJmmBhB,UmJlmBoB,kBnJkmBpB,EmJlmByC,kBnJkmBzC,EmJlmBsD,WnJkmBtD,EmJlmBmE,W
nJkmBnE,EmJlmByE,anJkmBzE,C;;cAAA,UmJhmBoB,kBnJgmBpB,EmJhmByC,kBnJgmBzC,EmJhmBsD,WnJg
mBtD,EmJhmBmE,WnJgmBnE,EmJhmByE,cAAO,WAAP,InJgmBzE,C;cAAA,UmJ/lBoB,kBnJ+lBpB,EmJ/lByC,
kBnJ+lBzC,EmJ/lBsD,CnJ+lBtD,EmJ/lByD,cAAO,WAAP,InJ+lBzD,EmJ/lB6E,anJ+lB7E,C;;;UAAA,UmJ3lBY,k
BnJ2lBZ,EmJ3lBiC,kBnJ2lBjC,EmJ3lB8C,WnJ2lB9C,EmJ3lB2D,WnJ2lB3D,EmJ3lBiE,kBAAy,OnJ2lB7E,C;Um
J1lBY,IAAI,gBAAGB,aAAPB,C;YnJ0lBZ,UmJzlBgB,kBnJylBhB,EmJzlBqC,kBnJylBrC,EmJzlBkD,kBAAy,OAA
Z,GAAMB,YAAnB,InJylBID,EmJzlBmF,CnJylBnF,EmJzlBsF,anJylBtF,C;;YAAA,UmJvlBgB,kBnJulBhB,EmJvl
qC,kBnJulBrC,EmJvlBkD,kBAAy,OAAZ,GAAMB,YAAnB,InJulBID,EmJvlBmF,CnJulBnF,EmJvlBsF,YnJulBtF,
C;YAAA,UmJtlBgB,kBnJslBhB,EmJtlBqC,kBnJslBrC,EmJtlBkD,CnJslBID,EmJtlBqD,YnJslBrD,EmJtlBmE,anJsl
BnE,C;;;QmJnlBQ,cAAO,W;QACP,8BA AuB,mBAAy,gBAAGB,YAAhB,IAAZ,CAA vB,EA AKe,QAAIE,C;;QAI
A,2BAA2B,gBAAGB,YAAhB,I;QAE3B,IAAI,gBAAGB,IAAPB,C;UACI,IAAI,QAAO,YAAP,SA AuB,kBAAy,O
AAvC,C;YnJ2kBZ,UmJ1kBgB,kBnJ0kBhB,EmJ1kBqC,kBnJ0kBrC,EmJ1kBkD,oBnJ0kBID,EmJ1kBwE,anJ0kBx
E,EmJ1kBuF,InJ0kBvF,C;;YmJxkBgB,IAAI,wBAAwB,kBAAy,OAAxC,C;cnJwkBhB,UmJvkBoB,kBnJukBpB,E
mJvkByC,kBnJukBzC,EmJvkBsD,uBAAuB,kBAAy,OAAAnC,InJukBtD,EmJvkB+F,anJukB/F,EmJvkB8G,InJukB9
G,C;;cmJrkBoB,mBAAmB,OAAO,YAAP,GAAsB,kBAAy,OAAIC,I;cnJqkBvC,UmJpkBoB,kBnJokBpB,EmJpkB
yC,kBnJokBzC,EmJpkBsD,CnJokBtD,EmJpkByD,OAAO,YAAP,InJokBzD,EmJpkB8E,InJokB9E,C;cAAA,UmJn
kBoB,kBnJmkBpB,EmJnkByC,kBnJmkBzC,EmJnkBsD,oBnJmkBtD,EmJnkB4E,anJmkB5E,EmJnkB2F,OAAO,Y
AAP,InJmkB3F,C;;;UAAA,UmJ/jBY,kBnJ+jBZ,EmJ/jBiC,kBnJ+jBjC,EmJ/jB8C,YnJ+jB9C,EmJ/jB4D,CnJ+jB5
D,EmJ/jB+D,InJ+jB/D,C;UmJ9jBY,IAAI,wBAAwB,kBAAy,OAAxC,C;YnJ8jBZ,UmJ7jBgB,kBnJ6jBhB,EmJ7jB

qC,kBnJ6jBrC,EmJ7jBkD,uBAAuB,kBAAY,OAAnc,InJ6jBID,EmJ7jB2F,anJ6jB3F,EmJ7jB0G,kBAAY,OnJ6jBt
H,C;;YAAA,UmJ3jBgB,kBnJ2jBhB,EmJ3jBqC,kBnJ2jBrC,EmJ3jBkD,CnJ2jBID,EmJ3jBqD,kBAAY,OAAZ,GA
AmB,YAAnB,InJ2jBrD,EmJ3jBsF,kBAAY,OnJ2jBIG,C;YAAA,UmJ1jBgB,kBnJ0jBhB,EmJ1jBqC,kBnJ0jBrC,E
mJ1jBkD,oBnJ0jBID,EmJ1jBwE,anJ0jBxE,EmJ1jBuF,kBAAY,OAAZ,GAAMb,YAAnB,InJ0jBvF,C;;;QmJvjBQ,8
BAAuB,aAAvB,EAAcC,QAAcC,C;MAGJ,OAAO,I;K;uCAGX,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,SAAZ
B,C;MAjRN,Q;MAmRP,OAnRO,2BAQyC,mBAAY,cA2Q3B,KA3Q2B,IAAZ,CARzC,4D;K;uCArRX,0B;MACI,
oCAAa,2BAAkB,KAAIB,EAAyB,SAAZB,C;MAEb,oBAjRgD,mBAAY,cAiR1B,KAjR0B,IAAZ,C;MARzC,Q;MA
0RP,iBA1RO,2BA0RsB,aA1RtB,4D;MA2RP,mBAAY,aAAZ,IAA6B,O;MAE7B,OAAO,U;K;0CAGX,mB;MAAo
D,0BAAQ,OAAr,MAAoB,E;K;yCAExE,mB;MAIsB,IAIA,IAJA,EAIuB,M;MAPzC,WA3RgD,mBAAY,cA2RnC,
SA3RmC,IAAZ,C;MA6RhD,IAAI,cAAO,IAAX,C;QACI,iBAAc,WAAd,UAAyB,IAAZB,U;UACI,IAAI,gBAAW,
mBAAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,WAAR,I;;aAE3C,IAAI,eAAQ,IAAZ,C;QACW,kB;QA
AuB,SAAZ,kBAAY,O;QAARc,qD;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAA
Q,WAAR,I;;QAE9C,mBAAc,CAAd,YAAsB,IAAtB,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YA
AmC,OAAO,UAAQ,kBAAY,OAApB,GAA2B,WAA3B,I;;OAIID,OAAO,E;K;6CAGX,mB;MAIsC,UAOJ,MAPI,
EAOa,M;MAV/C,WA9SgD,mBAAY,cA8SnC,SA9SmC,IAAZ,C;MAGThD,IAAI,cAAO,IAAX,C;QACKc,kB;QA
A9B,iBAAc,OAAO,CAAP,IAAd,yB;UACI,IAAI,gBAAW,mBAAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QA
AQ,WAAR,I;;aAE3C,IAAI,cAAO,IAAX,C;QACH,mBAAc,OAAO,CAAP,IAAd,aAA8B,CAA9B,Y;UACI,IAAI,g
BAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,kBAAY,OAApB,GAA2B,WAA3B,I;;QAEpB,u
BAAZ,kBAAY,C;QAAiB,oB;QAA3C,wD;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAA
O,UAAQ,WAAR,I;;OAIID,OAAO,E;K;wCAGX,mB;MACI,YAAy,mBAAQ,OAAr,C;MACZ,IAAI,UAAS,EAA
b,C;QAAiB,OAAO,K;MACxB,sBAAS,KAAT,C;MACA,OAAO,I;K;4CAGX,iB;MACI,oCAAa,2BAAkB,KAAIB,
EAAyB,SAAZB,C;MAEb,IAAI,UAAS,sBAAb,C;QACI,OAAO,iB;aACJ,IAAI,UAAS,CAAb,C;QACH,OAAO,kB;
OAGX,oBAhVgD,mBAAY,cAgV1B,KAhV0B,IAAZ,C;MARzC,Q;MAyVP,cAzVO,2BAyVmB,aAzVnB,4D;MA
2VP,IAAI,QAAQ,aAAS,CAArB,C;QAEI,IAAI,iBAAiB,WAAR,B,C;UnJoeR,UmJneY,kBnJmeZ,EmJneiC,kBnJmej
C,EmJne8C,cAAO,CAAP,InJme9C,EmJnewD,WnJmexD,EmJne8D,anJme9D,C;;UAAA,UmJjeY,kBnJjeZ,EmJjei
C,kBnJjeJ,C,EmJje8C,CnJje9C,EmJjeiD,CnJjejD,EmJjeoD,anJjepD,C;UmJheY,mBAAY,CAAZ,IAAiB,mBAAY,k
BAAY,OAAZ,GAAMb,CAAnB,IAAZ,C;UnJge7B,UmJdY,kBnJ+dZ,EmJ/diC,kBnJ+djC,EmJ/d8C,cAAO,CAAP,
InJ+d9C,EmJ/dwD,WnJ+dxD,EmJ/d8D,kBAAY,OAAZ,GAAMb,CAAnB,InJ+d9D,C;;QmJ5dQ,mBAAY,WAAZ,I
AAoB,I;QACpB,cAAO,mBAAY,WAAZ,C;;QAGP,wBAjW4C,mBAAY,cAiWIB,sBAjWkB,IAAZ,C;QAmW5C,I
AAI,iBAAiB,iBAArB,C;UnJsdR,UmJrdY,kBnJqdZ,EmJrdiC,kBnJqdjC,EmJrd8C,anJqd9C,EmJrd6D,gBAAgB,CA
AhB,InJqd7D,EmJrdgF,oBAAoB,CAApB,InJqdhF,C;;UAAA,UmJndY,kBnJmdZ,EmJndiC,kBnJmdjC,EmJnd8C,a
nJmd9C,EmJnd6D,gBAAgB,CAAhB,InJmd7D,EmJndgF,kBAAY,OnJmd5F,C;UmJldY,mBAAY,kBAAY,OAAZ,
GAAMb,CAAnB,IAAZ,IAAoC,mBAAY,CAAZ,C;UnJkdhD,UmJjdY,kBnJidZ,EmJjdiC,kBnJidjC,EmJjd8C,CnJid
9C,EmJjdiD,CnJidjD,EmJjdoD,oBAAoB,CAApB,InJidpD,C;;QmJ9cQ,mBAAY,iBAAZ,IAAiC,I;;MAErC,wBAA
Q,CAAR,I;MAEA,OAAO,O;K;6CAGX,oB;MAAkE,0B;;QAa5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SA
AZ,kBjK+uOnB,YAAQ,C;SiK/uOX,W;UACI,yBAAO,K;UAAp,2B;SAEJ,WA1XgD,mBAAY,cA0XnC,SA1XmC,
IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAd,UAAyB,IAAZB,U;
YACI,cAAc,mBAAY,KAAZ,C;YAGd,IAjBsE,CAAU,wBAiBIE,0EAjBKE,CAiBhF,C;cACI,mBAAY,gBAAZ,EA
AY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAK,IAAL,EAAW,OAAZ,EAAoB,IAApB,
C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IA
AqB,I;YAGrB,IA/BsE,CAAU,wBA+BIE,kFA/BkE,CA+BhF,C;cACI,mBAAY,gBAAZ,EAAyB,wBAAZ,YAAyB,S
;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,m
BAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA5CsE,CAAU,wBA4CIE,kFA5CkE,CA4ChF,C;cACI,
mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QA AJ,C;UACI,YA
AO,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;MAvDuD,6B;K;6CAEIE,oB;MAAkE,0B;;QAW5C,wD;
QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kBjK+uOnB,YAAQ,C;SiK/uOX,W;UACI,yBAAO,K;UAAp,2B;
SAEJ,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAA
X,C;UACI,iBAAc,WAAd,UAAyB,IAAZB,U;YACI,cAAc,mBAAY,KAAZ,C;YAGd,IAf+E,wBAejE,0EAfiE,CAe/

E,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAC,IAAL,EA
AAW,OAAZ,EAaOb,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAC,mBAAY,OAAZ
,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA7B+E,wBA6BjE,kFA7BiE,CA6B/E,C;cACI,mBAAY,gBAAZ,EA
Y,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAC,CAAd,YAAsB,IAAt
B,Y;YACI,gBAAC,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA1C+E,wBA0CjE,kFA1CiE,CA0
C/E,C;cACI,mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QAAJ,
C;UACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;MArDuD,6B;K;2CAEIE,qB;MASsB,IAII,I
AJJ,EAKM,MALN,EAaA,MAbA,EAauB,MAbvB,EAKBI,MAIBJ,EAmBM,MANBN,EA+BI,M;MAvCb,aAAL,IA
AK,U;MAAL,Y;QAA8B,SAAZ,kBjK+uOnB,YAAQ,C;OiK/uOX,W;QACI,OAAO,K;MAEX,WA1XgD,mBAAY,
cA0XnC,SA1XmC,IAAZ,C;MA2XhD,cAAc,W;MACd,eAAe,K;MAEf,IAAI,cAAO,IAAX,C;QACI,iBAAC,WAA
d,UAAyB,IAAZB,U;UACI,cAAc,mBAAY,KAAZ,C;UAGd,IAAI,UAAU,0EAAV,CAAJ,C;YACI,mBAAY,gBAAZ,
EAAY,wBAAZ,YAAyB,O;;YAEzB,WAAW,I;;QAGP,OAAZ,kBAAY,EAAC,IAAL,EAAW,OAAZ,EAaOb,IAA
pB,C;;QAGE,oB;QAAuB,SAAZ,kBAAY,O;QAArC,uD;UACI,gBAAC,mBAAY,OAAZ,C;UACd,mBAAY,OAAZ,
IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;YAEzB,WA
AW,I;;QAGnB,UAAU,mBAAY,OAAZ,C;QAEV,mBAAC,CAAd,YAAsB,IAAtB,Y;UACI,gBAAC,mBAAY,OAA
Z,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAY,OAAZ,IAAuB,S;YA
CvB,UAAU,mBAAY,OAAZ,C;;YAEV,WAAW,I;;;MAIvB,IAAI,QAAJ,C;QACI,YAAO,mBAAY,UAAU,WAAV
,IAAZ,C;MAEX,OAAO,Q;K;iCAGX,Y;MACI,WA7agD,mBAAY,cA6anC,SA7amC,IAAZ,C;MA8ahD,IAAI,cAA
O,IAAX,C;QACgB,OAAZ,kBAAY,EAAC,IAAL,EAAW,WAAW,EAaiB,IAAjB,C;;QACT,I3JxS6C,CAAC,c2Jw
S9C,C;UACS,OAAZ,kBAAY,EAAC,IAAL,EAAW,WAAW,EAaiB,kBAAY,OAA7B,C;UACA,OAAZ,kBAAY,E
AAK,IAAL,EAAW,CAAX,EAAC,IAAd,C;;MAEhB,cAAO,C;MACP,YAAO,C;K;IAGX,gC;MAAA,oC;MACI,0B
9GxgBuC,E;M8GygBvC,sBAaIC,U;MACjC,4BAAuC,E;K;yDAEvC,oC;MAEI,kBAaKB,eAAe,eAAgB,CAA/B,K
;MACIB,IAAI,eAAc,WAAAd,QAA4B,CAAhC,C;QACI,cAAc,W;MACIB,IAAI,eAAc,UAAAd,QAA6B,CAAJ,C;Q
ACI,cAAkB,cAAc,UAAIB,GAAgC,UAAhC,GAAmD,U;MACrE,OAAO,W;K;;IAZf,4C;MAAA,2C;QAAA,0B;O
AAA,oC;K;qDAgBA,qB;MAEI,WA1cgD,mBAAY,cA0cnC,SA1cmC,IAAZ,C;MA4chD,IAAI,cAAJ,C;QACI,UA
AU,WAAV,E9G5hBmC,E8G4hBnC,C;QACA,M;OAGJ,eAAe,gBAAmB,SAAnB,O;MACf,IAAI,cAAO,IAAX,C;
QnJuWJ,UmJtWQ,kBnJsWR,EmJtW6B,QnJsW7B,EAD+F,CAC/F,EmJtWoD,WnJsWpD,EmJtWqE,InJsWrE,C;Q
mJrWQ,UAAU,WAAV,EAAGB,QAAhB,C;;QAEY,gBAAZ,kB;QnJmWR,UAAU,SAAV,EmJnW6B,QnJmW7B,E
AD+F,CAC/F,EmJnWoD,WnJmWpD,EADuI,gBACvI,C;QAAA,UmJIWQ,kBnJkWR,EmJIW6B,QnJkW7B,EmJI
WuC,kBAAY,OAAZ,GAAmB,WAAAnB,InJkWvC,EmJIW6E,CnJkW7E,EmJIW2F,InJkW3F,C;QmJjWQ,UAAU,c
AAO,kBAAY,OAAAnB,IAAV,EAAMC,QAAAnC,C;;K;;IA3hBR,iD;MAAA,oD;MAGwC,+B;MApB5C,sB;MAqBsB
,Q;MACV,wBAAMB,CAAnB,C;QAAwB,4D;WACxB,sBAaKB,CAAlB,C;QAAuB,uBAAa,eAAb,O;;QACf,MAA
M,gCAAYB,uBAAOb,eAA7C,C;MAHIB,0B;MAJJ,Y;K;IAWA,kC;MAAA,oD;MAGoB,+B;MA/BxB,sB;MAGCQ,
sBAAC,qD;MAJIB,Y;K;IAOA,4C;MAAA,oD;MAG2C,+B;MAT/C,sB;MAuCQ,sB7I/B8D,Y6I+BhD,Q7I/BgD,C;
M6Igc9D,aAAO,mBAAY,O;MACnB,IAAI,mBjKipPD,YAAQ,CiKjpPX,C;QAA2B,sBAAC,qD;MAN7C,Y;K;IC5
BJ,4B;MAMoB,Q;MIKiwpBA,U;MADhB,UAAe,C;MACf,uD;QAAgB,cAAhB,iB;QACI,YAAgB,OkKnwpBiB,Ol
KmwpBjC,I;;MkKnwpBJ,aAAa,iBIKqwpBN,GkKrwPBM,C;MACb,wBAAGB,SAAhB,gB;QAAgB,gBAAA,SAAh
B,M;QACW,SAAP,MAAO,EA AO,SAAP,C;;MAEX,OAAO,M;K;IAGX,0B;MASiB,Q;MAFb,YAAy,iBAAa,gBA
Ab,C;MACZ,YAAy,iBAAa,gBAAb,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,KAAM,WAAI,I
AAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;gGAGX,qB;MAWW,4
B;MAAA,U;QAAqB,OAAL,SIK4oPhB,YAAQ,C;OkK5oPf,W;K;oFAGJ,mC;MAUI,OIK+nPO,qBAAQ,CkK/nPf,
GAAe,cAAf,GAAmC,S;K;IAGvC,iD;MAMI,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAGB,aAA
hB,IAAiC,SAAK,OAAL,KAAa,KAAM,OAAxD,C;QAA8D,OAAO,K;MAErE,4C;QACI,SAAS,UAAK,CAAL,C;
QACT,SAAS,MAAM,CAAN,C;QAET,IAAI,OAAO,EAAX,C;UACI,Q;eACG,IAAI,cAAc,UAAIB,C;UACH,OAA
O,K;SAIP,0BAAsB,kBAAtB,C;UAA4C,IAAI,CAAI,kBAAH,EAAG,EAaKB,EAaIB,CAAR,C;YAA+B,OAAO,K;
eACIF,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,
+BAAsB,uBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,6BAAs
B,qBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBA

AtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB,uBAAtB,C;
UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,gCAAsB,wBAAtB,C;UAA4
C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;UAA4C,IAAI
,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,iCAAsB,yBAAtB,C;UAA4C,IAAI,CAAI,
cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAE9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAA
H,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,sCAAsB,8BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EA
AG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,oCAAsB,4BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,E
AAc,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC,
EAAd,CAAR,C;YAA2B,OAAO,K;eAEtE,IAAI,YAAM,EAAN,CAAJ,C;UAAc,OAAO,K;MAIrC,OAAO,I;K;IAG
X,4C;MAKI,IAAI,iBAAJ,C;QAaKB,OAAO,M;MACzB,aAAa,CAAK,eAAL,gBAAK,EAAa,SAAb,CAAL,GAA6
C,CAA7C,QAAiD,CAAjD,I;M9B6SkB,kBAAXB,mB8B5SY,M9B4SZ,C;M8B3SH,oD5J5BgD,gB4J4BhD,C;MAD
J,OIJnCO,WoH+U6C,W;K;I8BvSxD,mE;MAEI,IAAY,SAAR,0BAAJ,C;QACI,MAAO,gBAAO,OAAP,C;QACP,
M;OAEJ,SAAU,WAAI,SAAJ,C;MACV,MAAO,gBAAO,EAAP,C;MAEP,4C;QACI,IAAI,MAAK,CAAT,C;UACI,
MAAO,gBAAO,IAAP,C;SAEX,cAAc,UAAK,CAAL,C;QAEV,IADE,OACF,S;UAAmB,MAAO,gBAAO,MAAP,
C;aAC1B,mBAFE,OAfE,E;UAA2B,4BAAR,OAAQ,EAA4B,MAA5B,EAAoC,SAAP,C;aAC3B,uBAHE,OAGF,
E;UAAmB,MAAO,gBAAe,gBAAR,OAAQ,CAAF,C;aAC1B,wBAJE,OAIF,E;UAAmB,MAAO,gBAAe,gBAAR,O
AAQ,CAAF,C;aAC1B,sBALE,OAKF,E;UAAmB,MAAO,gBAAe,gBAAR,OAAQ,CAAF,C;aAC1B,uBANE,OAM
F,E;UAAmB,MAAO,gBAAe,gBAAR,OAAQ,CAAF,C;aAC1B,wBAPE,OAOF,E;UAAmB,MAAO,gBAAe,gBAA
R,OAAQ,CAAF,C;aAC1B,yBARE,OAQF,E;UAAmB,MAAO,gBAAe,gBAAR,OAAQ,CAAF,C;aAC1B,uBATE,O
ASF,E;UAAmB,MAAO,gBAAe,gBAAR,OAAQ,CAAF,C;aAC1B,0BAVE,OAUF,E;UAAmB,MAAO,gBAAe,gBA
AR,OAAQ,CAAF,C;aAE1B,kBAZE,OAYF,c;UAAmB,MAAO,gBAAe,kBAAR,OAAQ,CAAF,C;aAC1B,kBAeE,O
AaF,e;UAAmB,MAAO,gBAAe,kBAAR,OAAQ,CAAF,C;aAC1B,kBADE,OAfA;UAAmB,MAAO,gBAAe,kBAA
R,OAAQ,CAAF,C;aAC1B,kBAfE,OAfE,c;UAAmB,MAAO,gBAAe,kBAAR,OAAQ,CAAF,C;UAEP,MAAO,gBA
AO,OAAQ,WAAf,C;MAIIC,MAAO,gBAAO,EAAP,C;MACP,SAAU,kBAAmB,iBAAV,SAAU,CAAnB,C;K;I5Jj
Jd,yB;MAAA,6B;K;sCACI,Y;MAAkC,Y;K;0CACIC,Y;MAAsC,Y;K;wCACtC,Y;MAAgC,Q;K;4CACHC,Y;MAA
oC,S;K;mCACpC,Y;MAA+B,MAAM,6B;K;uCACrC,Y;MAAmC,MAAM,6B;K;;IAN7C,qC;MAAA,oC;QAAA,
mB;OAAA,6B;K;IASA,qB;MAAA,yB;MACI,+C;K;iCAEA,iB;MAA4C,qCAAoB,KAAM,U;K;mCACtE,Y;MAA
+B,Q;K;mCAC/B,Y;MAAkC,W;K;iFAEX,Y;MAAQ,Q;K;kCAC/B,Y;MAAkC,W;K;yCACIC,mB;MAAmD,Y;K;8
CACnD,oB;MAAmE,OAAA,QAAS,U;K;sCAE5E,iB;MAAwC,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;K;
wCAC9C,mB;MAA8C,S;K;4CAC9C,mB;MAAKD,S;K;mCAEID,Y;MAA6C,kC;K;uCAC7C,Y;MAAQd,kC;K;+C
ACrD,iB;MACI,IAAI,UAAS,CAAb,C;QAAGB,MAAM,8BAA0B,YAAS,KAAnc,C;MACtB,OAAO,2B;K;0CAG
X,8B;MACI,IAAI,cAAa,CAAb,IAAkB,YAAW,CAAJ,C;QAAoC,OAAO,I;MAC3C,MAAM,8BAA0B,gBAAa,S
AAb,mBAAkC,OAA5D,C;K;wCAGV,Y;MAAiC,8B;K;;IA5BrC,iC;MAAA,gC;QAAA,e;OAAA,yB;K;IA+BA,iC;
MAA8D,6BAAkB,SAAlB,EAAoC,KAApC,C;K;IAE5B,8C;MAAC,oB;MAA0B,0B;K;yFACIC,Y;MAAQ,OAAA,
WAAO,O;K;0CACtC,Y;MAAkC,OAAA,WnuoP3B,YAAQ,C;K;iDMtoPf,mB;MAA6C,OAAO,SAAP,WAAO,EA
AS,OAAT,C;K;sDACpD,oB;MAAsE,c;;Qa8lDtD,Q;QADhB,IAAI,Cb7lDyD,Qa6lDzD,iBb7lDyD,Qa6lDnC,UAA1
B,C;UAAqC,aAAO,I;UAAP,e;SACrB,Ob9lD6C,Qa8lD7C,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAA
I,Cb9lDkD,oBa8lDvC,Ob9lDuC,Ca8lDtD,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;Mb/lDsD,iB;K;2CAC7
D,Y;MAAuC,OAAO,qBAAP,WAAO,C;K;0CAC9C,Y;MAC+C,gBAAP,W;MAAA,OAAwB,cAAxB,GcwJpC,Sdx
JoC,Gc0JpC,SNs4BoB,Q;K;;IR7hC5B,qB;MAIsC,8B;K;IAEtC,4B;MAIqD,OAAI,QAAS,OAAT,GAAgB,CAApB,
GAAgC,OAAT,QAAS,CAAhC,GAA8C,W;K;mFAEnG,yB;MAAA,qD;MAAA,mB;QAK0C,kB;O;KAL1C,C;+FA
OA,yB;MAAA,+D;MAAA,mB;QAMwD,uB;O;KANxD,C;2FAQA,yB;MAAA,+D;MAAA,mB;QAMoD,uB;O;KA
NpD,C;IAQA,mC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAxB,GAAyC,iBAAU,sBAAkB,QA
AlB,EAAwC,IAAxC,CAAV,C;K;IAE7C,iC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAxB,GAA
yC,iBAAU,sBAAkB,QAAlB,EAAwC,IAAxC,CAAV,C;K;IAE7C,gC;MAI2D,OAAI,eAAJ,GAAqB,OAAO,OAAP
,CAArB,GAA0C,W;K;IAErG,mC;MAImE,OAAS,cAAT,QAAS,C;K;gFAE5E,yB;MAAa,gE;MAbA,6B;QAYBI,W
AAW,eAduE,IAcvE,C;QUCX,iBAAc,CAAd,UVfkF,IUeIF,U;UVA6B,eAf2D,IAevD,CUCtB,KVDsB,CAAJ,C;;Q
AfyC,OAgB/D,I;O;KA3BX,C;8FAaA,yB;MAAA,gE;MAAA,6B;QAYI,WAAW,eAAa,IAAb,C;QUCX,iBAAc,CA

Ad,UVAO,IUAP,U;UVA6B,eAAI,KUCtB,KVDsB,CAAJ,C;;QAC7B,OAAO,I;O;KAdX,C;wFAiBA,yB;McpGA,+
D;MdoGA,gC;Qc/F0B,gBAAf,gB;Qd6GkB,aUzFzB,W;QVyFA,OUxFO,SIrBoC,Q;O;Kd+F/C,C;yFAuBA,yB;Mcn
HA,4E;MAAA,gE;MdmHA,0C;Qc9GI,qBdgIyB,QchIzB,C;QAC8B,gBAAvB,ed+HkB,Qc/HIB,C;Qd+H4B,aUpHn
C,W;QVoHA,OUUnHO,SIZ4C,Q;O;Kd6GvD,C;IAGCI,mC;MAAQ,uBAAG,iBAAO,CAAP,IAAH,C;K;IAQR,qC;M
AAQ,OAAA,SAAK,KAAL,GAAY,CAAZ,I;K;4FAEZ,qB;MAK4D,QAAC,mB;K;kGAE7D,qB;MAWI,OAAO,qB
AAgB,SAAK,U;K;sFAGhC,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;O;KALxE,C;sFAOA,yB;MAAA,qD;
MAAA,4B;QAKoD,uCAAQ,W;O;KAL5D,C;sFAOA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAmC,S;K;4FAG
vC,+B;MAQoH,OAAA,SAAK,qBAAY,QA AZ,C;K;IAGzH,uC;MAK+E,kBAAhB,0B;MAAwB,+B;MAAxB,OU1
MpD,W;K;IV6MX,yC;MAAkD,QAAM,cAAN,C;aAC9C,C;UAD8C,OACzC,W;aACL,C;UAF8C,OAEzC,OAAO,
sBAAK,CAAL,CAAP,C;gBAFyC,OAGtC,S;;K;IAGZ,8D;MAGbKe,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UA
Ae,c;MACjG,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,
I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;Q
ACb,UAAU,cAAc,MAAd,EAA5B,OAAtB,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aAC
L,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAA
N,IAAF,K;K;IAGX,4E;MAe8E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB
,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QA
CI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,
EAAgB,OAAhB,C;QAErB,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C
;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;kGAGX,yB;
MAAA,8D;MAAA,4D;MA5BqC,8D;QAAA,qB;UAAE,qBAAc,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;S;O;MA
tBvC,+D;QAKBI,yB;UAAA,YAAiB,C;QACjB,uB;UAAA,UAAe,c;QAGf,+BAAa,SAAb,EAAwB,OAAxB,EAAiC
,oCAAjC,C;O;KAtBJ,C;IA6BA,mE;MAmBoC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW
,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OA
AO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW
,MAAX,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,
OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;IAGX,8C;MAMQ,gB
AAY,OAAZ,C;QAAuB,MAAM,gCAAYB,gBAAa,SAAb,mCAAKD,OAAID,OAAzB,C;WAC7B,gBAAY,CAAZ,C
;QAAiB,MAAM,8BAA0B,gBAAa,SAAb,yBAA1B,C;WACvB,cAAU,IAAV,C;QAAkB,MAAM,8BAA0B,cAAW,
OAAx,gCAA2C,IAA3C,OAA1B,C;K;IAChC,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;IAE1C,8B;MAEoC,M
AAM,wBAAoB,8BAApB,C;K;;;wF8F/a1C,yB;M7FgCA,wE;M6FhCA,uC;QAmBW,kB7FqBiD,oB;Q6FM9C,Q;Q
AAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,G
AAZ,C;UACIB,W7FqKJ,a6FrKgB,G7FqKhB,E6FnMyC,SA8BIB,CAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,E
AA+B,uBAAuB,CAAC,WAAy,mBAAY,GA AZ,CAAnE,C7FqKvB,C;;Q6FnMA,OAgCO,W;O;KAnDX,C;4FAsB
A,6C;MAwBc,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;
QACV,kBAAkB,sBAAY,GA AZ,C;QACIB,W7FqKJ,a6FrKgB,G7FqKhB,E6FrKuB,UAAU,GAAV,EAAe,WAAf,
EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAy,mBAAY,GA AZ,CAAnE,C7FqKvB,C;;M6FnKA,OAAO,W;K;i
FAGX,yB;MAAA,gB;MAAA,8B;M7FtBA,wE;M6FsBA,6D;QAnCW,kB7FqBiD,oB;Q6FM9C,Q;QAAA,OAAK,0
B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GA AZ,C;UA8B
wE,U;UA7B1F,W7FqKJ,a6FrKgB,G7FqKhB,E6FxlkC,UA7BD,GA6BC,EA7BoB,uBAAuB,CAAC,WAAy,mBA
AY,GA AZ,CA6BzC,GAAW,qBA7B3B,GA6B2B,EA7BT,CA6BS,CAAX,GAA6C,UA7BxD,WA6BwD,6DAA5D,
EA7BiB,CA6BjB,C7FwllC,C;;Q6FzIA,OA1BO,W;O;KAGX,C;kFA0BA,yB;MAAA,gB;MAAA,8B;MAAA,0E;Q
AICc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6DQ,
WA7DU,WAAy,GA AZ,C;UA6DuF,U;UAAjG,W7FyGZ,a6FrKgB,G7FqKhB,E6FzGiD,UA5DhB,GA4DgB,EA5
DK,uBAAuB,CA4DjE,WA5D8E,mBAAY,GA AZ,CA4D1B,GAAW,qBA5D1C,GA4D0C,EA5DxB,CA4DwB,CA
AX,GAA6C,UA5DvE,WA4DuE,6DAA5D,EA5DE,CA4DF,C7FyGjD,C;;Q6F1GA,OACY,W;O;KA7BhB,C;iFAg
CA,yB;MAAA,gB;MAAA,8B;M7FhFA,wE;M6FgFA,qD;QA7FW,kB7FqBiD,oB;Q6FM9C,Q;QAAA,OAAK,0B;
QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GA AZ,C;UAKFiD,
U;UAjFnE,W7FqKJ,a6FrKgB,G7FqKhB,E6FpFgC,UAjFsB,uBAAuB,CAAC,WAAy,mBAAY,GA AZ,CAiFhD,kB

AA6B,UAjFjC,WaIFiC,6DAAvC,EAjFmB,CAiFnB,C7FoFhC,C;;Q6FrFA,OA9EO,W;O;KA6DX,C;oFAoBA,yB; MAAA,gB;MAAA,8B;MAAA,kE;QAAtFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU, sBAAM,CAAN,C;UACV,kBA2GQ,WA3GU,WAAy,GAaz,C;UA2GgE,U;UAA1E,W7F2DZ,a6FrKgB,G7FqKh B,E6F3D+C,UA1GO,uBAAuB,CA0GjE,WA1G8E,mBAAY,GAaz,CA0GjC,kBAA6B,UA1GhD,WA0GgD,6DA AvC,EA1GI,CA0GJ,C7F2D/C,C;;Q6F5DA,OACY,W;O;KAvBhB,C;qFA0BA,yB;MAAA,gB;MAAA,8B;M7F9H A,wE;M6F8HA,uC;QA3IW,kB7FqBiD,oB;Q6FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UA CN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAaz,C;UACC,oB;UAKIc,U;UAAjC,IAIikD,uBAAuB,C AAC,WAAy,mBAAY,GAaz,CAkItF,C;YADA,mBAJi+C,C;;YAIi/C,mBACKB,UAIIW,GAKIX,EAAe,UAIIC,W AKID,6DAAf,EAII6B,CAkI7B,C;;UAIIB,W7FqKJ,a6FrKgB,G7FqKhB,mB;;Q6FrCA,OA9HO,W;O;KA2GX,C;sF AwBA,yB;MAAA,gB;MAAA,8B;MAAA,oD;QAxIc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UA CN,UAAU,sBAAM,CAAN,C;UACV,kBA6JQ,WA7JU,WAAy,GAaz,C;UACC,oB;UA8Jc,U;UAAjC,IA9JkD,uB AAuB,CA4JjE,WA5J8E,mBAAY,GAaz,CA8Jf,C;YADA,mBA7J+C,C;;YA6J/C,mBACKB,UA9JW,GA8JX,EA Ae,UA9JC,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,W7FSZ,a6FrKgB,G7FqKhB,mB;;Q6FTA,OAAy,W;O;K AvBhB,C;IA6BA,6C;MArKc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,C AAN,C;QACV,kBA+KG,WA/Ke,WAAy,GAaz,C;QA2GgE,U;QAoE/E,W7FTP,a6FrKgB,G7FqKhB,E6FSmC,C A9Kmb,uBAAuB,CA8KtE,WA9KmF,mBAAY,GAaz,CA0GjC,GAoErC,CAPeQc,GAA6B,UA1GhD,WA0GgD, 6DAoEnD,IAAM,CAAN,I7FTnC,C;;M6FSA,OAAO,W;K;I+DnP0B,oC;MAAC,kB;MAAuB,kB;K;;wCAN7D,Y; MAMsC,iB;K;wCANtC,Y;MAM6D,iB;K;0CAN7D,wB;MAAA,wBAMsC,qCANtC,EAM6D,qCAN7D,C;K;sCAA A,Y;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;K;sCAA,Y;MAAA,c;MAMsC,sD;MAAuB,sD;MAN7D,a; K;oCAA,iB;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;K;wFxJEA,yB;MAAA,kC;MAAA,4C;MAAA,kD;QA MuF,wC;O;MANvF,4CAOI,Y;QAAuC,8B;O;MAP3C,8E;MAAA,2B;QAMuF,2C;O;KANvF,C;IAcsC,2C;MAAC, wC;K;0CACnC,Y;MAAQD,4BAAiB,wBAajB,C;K;;IAIzD,yC;MAI4D,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GA A0C,I;K;IAEtG,uD;MAI0E,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,S;K;IAEPH,uC;MACqD,wBAAO,CA AP,IAAY,mC;K;IAEjE,4D;MAGQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAEQ,yCAAwB,M AAO,KAAP,GAAC,CAAtC,C;UAJZ,OAIuD,S;;UAJvD,OAK6B,mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAAg D,S;;QALpE,OAoY,sB;K;IAGhB,gD;MAGQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAFJ,OA E8B,mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAAgD,S;;QAFrE,OAGY,sB;K;IAIhB,8B;MAMoB,Q;MADhB,aA Aa,gB;MACG,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACL,OAAP,MAAO,EAAO,OAAP,C;;MAEX,OAAO ,M;K;IAGX,4B;MAUiB,Q;MAHb,mBAAmB,mCAAwB,EAAxB,C;MACnB,YAAy,iBAAa,YAAb,C;MACZ,YA AY,iBAAa,YAAb,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN, KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;wFU/EX,qB;MAKqE,gB;K;IAErE,iC;MAMoE ,4BAAiB,SAAjB,C;K;uFAEpE,gC;MAKI,OAAgB,mBAAhB,C;QAAgB,8B;QAAM,UAAU,OAAV,C;;K;IAMY,o C;MAAC,0B;MACnC,eAAoB,C;K;yCACpB,Y;MAAwC,OAAA,eAAS,U;K;sCACjD,Y;MAA6E,Q;MAAhC,wBA Aa,oBAAmB,mBAAnB,EAAmB,2BAAnB,QAAb,EAA0C,eAAS,OAAnD,C;K;;sF+I5BjD,yB;MAAA,4E;MAAA, gB;MAAA,8B;MAAA,+C;QAUIC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAVjC,C;wFAYA,yB;MA AA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAXjC,C; sFAaA,+C;MAQI,SAAK,aAAI,QAAS,aAAb,EAAmB,KAAAnB,C;K;ICnCT,8C;MAUI,IAAI,wCAAJ,C;QACI,OA AO,SAAK,4BAAqB,GAAR,B,C;MAET,4B;M9JkTI,Q;MALX,YAAy,oB8J7Sa,G9J6Sb,C;MACZ,IAAI,iBAAiB,C AAC,4B8J9SG,G9J8SH,CAAtB,C;Q8J9SgC,MAAM,2BAAuB,wCAAvB,C;;Q9JkTIC,2BAAO,sE;;M8JITX,+B;K; IAGJ,8C;MAUQ,kBADE,SACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAy,YAAZ,C;;QADIC,OAey,uBAAm B,SAAnB,EAAyB,YAAzB,C;K;IAGhB,gD;MAWQ,kBADE,SACF,yB;QADJ,OACyC,cAAT,SAAK,IAAI,EAAy, YAAZ,C;;QADzC,OAey,8BAA0B,SAA1B,EAAgC,YAAhC,C;K;:::;IAc0B,4C;MAAC,wB;MAAoC,0B;K;qEA ApC,Y;MAAA,yB;K;0CACvC,iB;MAA4C,OAAI,OAAJ,QAAL,EAAO,KAAP,C;K;4CAChD,Y;MAA+B,OAAI,S AAJ,QAAL,C;K;4CACnC,Y;MAAkC,OAAA,QAAL,W;K;0FACf,Y;MAAQ,OAAA,QAAL,K;K;2CACnC,Y;MAAk C,OAAA,QAAL,U;K;qDACtC,e;MAA4C,OAAA,QAAL,mBAAY,GAaz,C;K;uDACHD,iB;MAAgE,OAAA,QAAL, qBAAC,KAAAd,C;K;6CACpE,e;MAA+B,OAAA,QAAL,WAAI,GAaj,C;K;0FACT,Y;MAAQ,OAAA,QAAL,K;K;4F ACH,Y;MAAQ,OAAA,QAAL,O;K;6FACJ,Y;MAAQ,OAAA,QAAL,Q;K;8DAEvD,e;MAAmD,gBAAJ,Q;MAAI,4 B;M9J0PxC,Q;MALX,YAAy,oB8JrPyD,G9JqPzD,C;MACZ,IAAI,iBAAiB,CAAC,4B8JtP+C,G9JsP/C,CAAtB,C;

QACI,2B8JvPwE,mB;;Q9J0PxE,2BAAO,sE;;M8J1PoC,+B;K;;IAGN,mD;MAAC,wB;MAA2C,0B;K;4EAA3C,Y;
MAAA,yB;K;iDAC1C,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;mDACHd,Y;MAA+B,OAAI,SAAJ,QA
AI,C;K;mDACnC,Y;MAAkC,OAAA,QAAI,W;K;iGACf,Y;MAAQ,OAAA,QAAI,K;K;kDACnC,Y;MAAkC,OAA
A,QAAI,U;K;4DACtC,e;MAA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;8DACHd,iB;MAAgE,OAAA,QAAI,qBAAc
,KAAd,C;K;oDACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;iGACF,Y;MAAQ,OAAA,QAAI,K;K;mGACH,
Y;MAAQ,OAAA,QAAI,O;K;oGACU,Y;MAAQ,OAAA,QAAI,Q;K;sDAE5E,sB;MAAyC,OAAA,QAAI,aAAI,GA
AJ,EAAS,KAAT,C;K;uDAC7C,e;MAAkC,OAAA,QAAI,cAAO,GAAP,C;K;yDACtC,gB;MAA2C,QAAI,gBAAO,
IAAP,C;K;gDAC/C,Y;MAAuB,QAAI,Q;K;qEAE3B,e;MAAmD,gBAAJ,Q;MAAI,4B;M9JqOxC,Q;MALX,YAAY
,oB8JhOyD,G9JgOzD,C;MACZ,IAAI,iBAAiB,CAAC,4B8JJo+C,G9JiO/C,CAAtB,C;QACI,2B8JIOwE,mB;;Q9Jq
OxE,2BAAO,sE;;M8JrOoC,+B;K;;I9JvFnD,oB;MAAA,wB;MACI,8C;K;gCAEA,iB;MAA4C,oCAAsB,KAAM,U;
K;kCACxE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K;iCAC/B,Y;MAAkC,W;K;2CAEiC,e
;MAA+C,Y;K;6CAC/C,iB;MAAsD,Y;K;mCACtD,e;MAAwC,W;K;mFACY,Y;MAAQ,6B;K;gFAC/B,Y;MAAQ,6
B;K;kFACI,Y;MAAQ,8B;K;uCAEjD,Y;MAAiC,6B;K;;IAjBrC,gC;MAAA,+B;QAAA,c;OAAA,wB;K;IAoBA,oB
;MAMuE,Q;MAA7B,OAA6B,uE;K;IAEvE,wB;MAaI,OAAI,KAAM,OAAN,GAAa,CAAjB,GAA0B,QAAN,KAA
M,EAAM,qBAAc,YAAY,KAAM,OAAIB,CAAd,CAAN,CAA1B,GAA6E,U;K;kFAEjF,yB;MAAA,oD;MAAA,m
B;QAO8C,iB;O;KAP9C,C;8FASA,yB;MAAA,wE;MAAA,mB;QAQ4D,2B;O;KAR5D,C;IAUA,+B;MAYiD,gBA
A7C,qBAAoB,YAAY,KAAM,OAAIB,CAApB,C;MAAqD,wB;MAArD,OSJO,S;K;wFTMX,yB;MAAA,4D;MAA
A,mB;QAOSD,qB;O;KAPtD,C;IASA,4B;MAM8G,gBAAvC,eAAc,YAAY,KAAM,OAAIB,CAAd,C;MAA+C,wB;
MAA/C,OSrB5D,S;K;4FTuBX,yB;MAAA,wE;MAAA,mB;QAK8D,2B;O;KAL9D,C;IAOA,8B;MAU+E,OAAM,
QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAIB,CAAd,CAAN,C;K;sFAErF,yB;MatBA,wE;MbsBA,gC;Qaj
BiC,gBAAtB,oB;QbiCiB,aS3DxB,W;QT2DA,OS1DO,SIyB2C,Q;O;KbiBtD,C;uFAyBA,yB;MavCA,uE;MbuCA,0
C;QalCyC,gBAA9B,mBbsDiB,QatDjB,C;QbsD2B,aSxFiC,W;QTwFA,OSvFO,SliCmD,Q;O;KbkC9D,C;4FAmCA,
qB;MAK+D,QAAC,mB;K;kGAhEh,qB;MAWI,OAAO,qBAAgB,mB;K;sFAG3B,yB;MAAA,oD;MAAA,4B;QAM
2D,uCAAQ,U;O;KANnE,C;sFAQA,mC;MASI,OAAI,mBAAJ,GA Ae,cAAf,GAAMC,S;K;yFAEvC,yB;MAYBA,k
C;MAAA,8B;MAzBA,iC;QAgCiC,Q;QAxB2E,OAwBxD,CAAnB,wDAAmB,oBAxBoE,GAwBpE,C;O;KAhCpD,
C;+EAUA,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAKiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,YAAI,GAAJ,C;
O;KALpD,C;+EAOA,iC;MAKI,sBAAI,GAAJ,EAAS,KAAT,C;K;4FAGJ,yB;MAAA,kC;MAAA,8B;MAAA,iC;Q
AOiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,oBAAY,GAAZ,C;O;KAPpD,C;gGASA,4B;MASsG,OAAA,SAAK,
qBAAc,KAAd,C;K;kFAG3G,yB;MAAA,gD;MAAA,8B;MAAA,iC;QASiC,Q;QAA7B,OAAuD,CAA1B,+DAA0B,
eAAO,GAAP,C;O;KAT3D,C;6FAWA,qB;MAWoE,oB;K;6FAEpE,qB;MAWoE,sB;K;kFAEpE,yB;MAAA,6B;MA
AA,4B;QAIgE,qBAAK,aAAL,EAU,eAAV,C;O;KAJhE,C;2FAMA,wC;MAMiF,Q;MAAA,mCAAI,GAAJ,oBAA
Y,c;K;uGAG7F,yB;MAAA,gB;MAAA,8B;MAAA,+C;QAMe,Q;QALX,YAAY,oBAAI,GAAJ,C;QACZ,IAAI,iBA
AiB,CAAC,4BAAY,GAAZ,CAAtB,C;UACI,OAAO,c;;UAGP,OAAO,sE;;O;KANf,C;IAUA,oC;MAUkD,uCAAqB
,GAAR,B;K;sFAEID,wC;MAUW,Q;MADP,YAAY,oBAAI,GAAJ,C;MACL,IAAI,aAAJ,C;QACH,aAAa,c;QACb,
sBAAI,GAAJ,EAAS,MAAT,C;QACA,a;;QAEA,Y;;MALJ,W;K;wFASJ,qB;MAMwF,OAAA,iBAAQ,W;K;wFAE
hG,qB;MAMgH,OAAA,iBAAQ,W;K;4FAExH,6C;MYyzBoB,Q;MAAA,OZpzBT,iBYozBS,W;MAAhB,OAAgB,c
AAhB,C;QAAgB,yB;QZpzBa,WYqzBb,aAAgB,OZrzBe,IYqzB/B,EZrzBsC,SYqzBZ,CAAe,OAAf,CAA1B,C;;MZ
rzBhB,OAA6B,W;K;wFAGjC,6C;MYizBoB,Q;MAAA,OZzyBT,iBYyyBS,W;MAAhB,OAAgB,cAAhB,C;QAAg
B,yB;QZzyBa,WY0yBb,aZ1yB0B,SY0yBtB,CAAY,OAAZ,CAAJ,EAAYC,OZ1yBC,MY0yB1C,C;;MZ1yBhB,OA
A6B,W;K;IAGjC,kC;MAIyB,Q;MAArB,wBAAqB,KAAR,B;QAAqB,aAAA,KAAR,B;QAAK,IAAC,yBAAD,
EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;IAIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;Q
AAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;IAIR,oC;MAIyB,Q;MAA
A,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KA
AT,C;;K;wFAIR,yB;MAAA,0D;MAAA,uE;MAAA,uC;QASW,kBAAY,mBAAoB,YAAY,cAAZ,CAApB,C;QYk
wBH,Q;QAAA,OZpzBT,iBYozBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UZpzBa,WYqzBb,aAAgB,OZrzBe,
IYqzB/B,EZnwB2C,SYmwBjB,CAAe,OAAf,CAA1B,C;;QZnwBhB,OAID6B,W;O;KAYCjC,C;oFAYA,yB;MAAA
,0D;MAAA,uE;MAAA,uC;QAYW,kBAAU,mBAAoB,YAAY,cAAZ,CAApB,C;QYmvBD,Q;QAAA,OZzyBT,iBY
yyBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UZzyBa,WY0yBb,aZpvByC,SYovBrC,CAAY,OAAZ,CAAJ,EA

AyC,OZ1yBC,MY0yB1C,C;;QZpvBhB,OAtD6B,W;O;KA0CjC,C;0FAeA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;
QADd,aAAa,oB;QACC,OAAA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAA
M,IAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;QAGf,OAAO,M;O;KAbX,C;8F
AgBA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3GsE,QAAQ,W;QA2G5F,OAAc,
cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAA
M,MAArB,C;;QAGf,OAAO,M;O;KAbX,C;yFAiBA,6C;MAOoB,Q;MAAA,OAAA,SA3HoE,QAAQ,W;MA2H5F,
OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,O
AAQ,MAAzB,C;;MAGpB,OAAO,W;K;qFAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QafA,Q;QAAA,
OA3HoE,iBAAQ,W;QA2H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAcmC,SAAd/B,CAAU,OAAV,CAAJ,C;YAC
I,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;QAapB,OAVO,W;O;KAGX,C;+FAUA,6C;MAOoB,Q;
MAAA,OAAA,SAPJoE,QAAQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,CAAC,UAAU,OAAV,C
AAL,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGpB,OAAO,W;K;2FAGX,yB;MAAA,
wE;MAAA,uC;QAOW,kBAAY,oB;QafH,Q;QAAA,OAPJoE,iBAAQ,W;QAoJ5F,OAAgB,cAAhB,C;UAAgB,yB;
UACZ,IAAI,CackC,SAadjC,CAAU,OAAV,CAAL,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C
;;QAapB,OAVO,W;O;KAGX,C;IAUA,0B;MAQqB,IAANI;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eAC
H,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GAA+B,oBAAW,OAAh
D,C;YAAL,K;kBACQ,0BAAM,qBAAoB,YAAY,cAAZ,CAApB,CAAN,C;YAHL,K;;QAAP,W;OAMJ,OAAoC,o
BAA7B,mBAAM,oBAAN,CAA6B,C;K;IAGxC,yC;MAIwB,SAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAM6D
,QAAM,gBAAN,C;aACzD,C;UADyD,OACpD,U;aACL,C;UAFyD,OAEpD,MAAM,UAAK,CAAL,CAAN,C;gBA
FoD,OAGjD,mBAAM,qBAAoB,YAAY,gBAAZ,CAApB,CAAN,C;;K;IAGZ,yC;MAIwB,OAApB,WAAoB,Y;MA
ApB,kB;K;IAEJ,4B;MAM4D,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAEzF,yC;MAIwB,SAApB,WAA
oB,Y;MAApB,kB;K;IAEJ,4B;MAMqD,QAAM,cAAN,C;aACjD,C;UADiD,OAC5C,U;aACL,C;UAFiD,OarY8B,u
B;gBbqY9B,OAGzC,uB;;K;IAGZ,iC;MAMmE,4BAAC,SAAd,C;K;IAEnE,yC;MAKI,WAAoB,0B;MAApB,kB;K;I
AEJ,kC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAAoB,MAAM,IAAN,C;;QAAqC,kBAApB,qBAAc,SA
Ad,C;QAA4B,wBAAS,UAAT,EAAqB,WAArB,C;QAAjE,OS9hBO,W;;MT8hBP,W;K;IAEJ,mC;MAOI,Q;MAAA
,IAAI,SAAK,UAAT,C;QAAA,OAA0B,MAAN,KAAM,C;;QAAiC,kBAApB,qBAAc,SAAd,C;QAA4B,4B;QAA
nE,OSviBO,W;;MTuiBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,QAAN,KAAM,C;
;QAAiC,kBAApB,qBAAc,SAAd,C;QAA4B,0B;QAAne,OSHjBO,W;;MTgjBP,W;K;IAEJ,mC;MAOwB,kBAApB,
qBAAc,SAAd,C;MAA4B,4B;MAA5B,OAA4C,oBSzjBrC,WTyjBqC,C;K;IAEhD,iC;MAOwB,kBAApB,qBAAc,S
AAd,C;MAA4B,+B;MAA5B,OSIkBO,W;K;OFTqkBX,2B;MAKI,sBAALI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;
K;4FAGJ,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,gD;MAAA,mC;QA
KI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,
0B;MAKI,yBAAO,GAAP,C;K;IAGJ,kC;MAOwB,kBAAf,aAAL,SAAK,C;MAsCL,6B;MAiCA,OAA+C,oBSpnBx
C,WTonBwC,C;K;IAEnD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,O;MArCV,OAAgD,oBS
9nBzC,WT8nByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAoCK,YAAL,gBAAK,O;MApCV,OAAg
D,oBSxoBzC,WTwoByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAmCK,YAAL,gBAAK,O;MANCV,
OAAgD,oBSlpBzC,WTkpByC,C;K;4FAEpD,0B;MAMI,uBAAO,GAAP,C;K;8FAGJ,yB;MAAA,sD;MAAA,kC;Q
AMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,
KAAK,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV
,C;O;KANd,C;IAUA,wC;MACsD,QAAM,cAAN,C;aACID,C;UADkD,OAC7C,U;aACL,C;UAFkD,gB;gBAAA,O
AG1C,S;;K;oF+JpwBZ,yB;MAAA,8D;MAAA,8B;MAAA,qC;QAUiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,eAA
O,OAAP,C;O;KAV/D,C;wFAYA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEA
A8B,oBAAU,QAAV,C;O;KAT/D,C;wFAWA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,C
AA9B,sEAA8B,oBAAU,QAAV,C;O;KAT/D,C;4FAWA,8B;MAKI,SAAK,WAAI,OAAJ,C;K;4FAGT,yB;MAAA,
gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OA
L,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O
;KALT,C;8FAQA,8B;MAKI,SAAK,cAAO,OAAP,C;K;8FAGT,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,E
AAU,QAAV,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;

8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;IAQA,qC;MAIU,IAIe,I;MAHjB,kBADE,QACF,c;QAAiB,OAAO,yBAAO,QAAP,C;;QAEpB,aAAsB,K;QACT,0B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,oBAAL,IAAJ,CAAJ,C;YAAe,SAAS,I;;QAC5B,OAAO,M;;K;IAKnB,uC;MAKiB,Q;MADb,aAAsB,K;MACT,0B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,oBAAL,IAAJ,CAAJ,C;UAAe,SAAS,I;;MAE5B,OAAO,M;K;IAGX,uC;MAII,OAAO,yBAAgB,OAAT,QAAS,CAAhB,C;K;IAGX,0C;MAIW,iBAAmB,gCAAT,QAAS,EAAGc,SAAhC,C;MAIHG,Q;MAKH7B,OAIH2D,CAA9B,sEAA8B,oBAAU,UAAV,C;K;IAqH/D,0C;MAII,UAAmB,YAAT,QAAS,C;MACnB,OhKwEwD,CgKxEjD,GhKwEkD,UgKxEID,IAAoB,4BAAU,GAAV,C;K;IAG/B,0C;MAII,OtKumPO,EsKvmPA,QtK+hPA,YAAQ,CAwER,CsKvmPA,IAAyB,4BAAmB,UAAAT,QAAS,CAAnB,C;K;IAGpC,0C;MAIW,iBAAmB,gCAAT,QAAS,EAAGc,SAAhC,C;MA7HG,Q;MA6H7B,OA7H2D,CAA9B,sEA8B,oBAAU,UAAV,C;K;IAGI/D,0C;MAII,ItKylPO,EsKzIIPH,QtKihPG,YAAQ,CAwER,CsKzIIPP,C;QACI,OAAO,4BAAmB,UAAAT,QAAS,CAAnB,C;;QAEp,OAAO,wB;K;IAGf,0C;MAII,UAAmB,YAAT,QAAS,C;MACnB,IhKwCwD,CgKxCpD,GhKwCqD,UgKxCzD,C;QACI,OAAO,4BAAU,GAAV,C;;QAEp,OAAO,wB;K;IAGf,kC;MACI,ahKiCwD,CAAC,mB;MgKhCzD,iB;MACA,OAAO,M;K;IAIX,2C;MAKkF,gCAAc,SAAd,EAAYB,IAAZB,C;K;IAEIF,2C;MAKkF,gCAAc,SAAd,EAAYB,KAAZB,C;K;IAEIF,sE;MACI,iBAAa,KAAb,C;MtJjgB,kBsJmJX,oB;MACD,OAAO,qBAAP,C;QACI,IAAI,UAAU,kBAAV,6BAAJ,C;UACI,oB;UACA,WAAS,I;SAGrB,OAAO,Q;K;oFAIX,4B;MAM6D,kCAAS,KAAT,C;K;IAE7D,gC;MAKiD,IAAI,mBAAJ,C;QAAe,MAAM,2BAAuB,gBAAvB,C;;QAArB,OAAmE,2BAAS,CAAT,C;K;IAEpH,sC;MAKwD,OAAI,mBAAJ,GAAe,IAAf,GAAyB,2BAAS,CAAT,C;K;IAEjF,+B;MAKgD,IAAI,mBAAJ,C;QAAe,MAAM,2BAAuB,gBAAvB,C;;QAArB,OAAmE,2BAAS,2BAAT,C;K;IAEnH,qC;MAKuD,OAAI,mBAAJ,GAAe,IAAf,GAAyB,2BAAS,2BAAT,C;K;IAEHf,2C;MAK8E,kCAAc,SAAd,EAAYB,IAAZB,C;K;IAE9E,2C;MAK8E,kCAAc,SAAd,EAAYB,KAAZB,C;K;IAE9E,wE;MAEgB,UAGS,MAHT,EAcY,MAZ,EAc6B,M;MAfzC,IAAI,uCAAJ,C;QACI,OAAoC,cAA5B,sEAA4B,EAAC,SAAd,EAAYB,uBAAZB,C;MAExC,iBAAAsB,C;MACD,oC;MAArB,qBAaKB,CAAIB,mC;QACI,cAAc,sBAAK,SAAL,C;QACd,IAAI,UAAU,OAAV,MAAsB,uBAA1B,C;UACI,Q;QAEJ,IAAI,eAAc,SAAI,B,C;UACI,sBAAK,UAAL,EAAMB,OAAnB,C;QAEJ,+B;;MAEJ,IAAI,aAAa,cAAjB,C;QACwB,oC;QAAiB,mB;QAArC,oE;UACI,2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEp,OAAO,K;;K;IChS+B,wC;MAAkC,uB;MAAjC,0B;K;4FACpB,Y;MAAQ,OAAA,eAAS,K;K;iDACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;IAGT,gC;MAAyC,8B;MAAxC,0B;K;oFACH,Y;MAAQ,OAAA,eAAS,K;K;yCACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;mCAEIC,Y;MAAuB,eAAS,Q;K;8CACHC,iB;MAAuC,OAAA,eAAS,kBAAS,0BAAoB,KAApB,CAAT,C;K;yCAEHd,0B;MAA8C,OAAA,eAAS,aAAI,0BAAoB,KAApB,CAAJ,EAAGc,OAAhC,C;K;yCACvD,0B;MACI,eAAS,aAAI,2BAAqB,KAArB,CAAJ,EAAC,OAjC,C;K;;IAIjB,+C;MACoB,Q;MAAA,kC;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAA2B,8BAAy,KAAZ,I;;QAuB,MAAM,8BAA0B,mBAAgB,KAAhB,2BAA0C,gBAAG,2BAAH,CAA1C,OAA1B,C;K;IAE5D,gD;MACoB,Q;MAAA,qB;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAAsB,iBAAO,KAAp,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;K;IAGID,+B;MAK+C,gCAAqB,SAArB,C;K;IAE/C,iC;MAM6D,wBAAa,SAAb,C;K;;;I3JpC7D,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;I4JY8G,wC;MAAA,mB;QAAE,kBAAS,aAAT,C;O;K;IAThY,yB;MASqG,oCAAS,sBAAT,C;K;8FAErG,yB;MAAA,kD;M5JdA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;M4JiB2I,qD;QAAA,mB;UAAE,gBAAS,qBAAT,C;S;O;MAH7I,gC;QAGkI,kCAAS,mCAAT,C;O;KAHII,C;IAKA,2B;MAQI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAWC,QAAxC,EAAD,QAA/D,C;MAC1B,OAAO,Q;K;8FAGX,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;O;KAHII,C;IAGB0C,yB;K;+CAoBtC,kC;MAOI,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,QAAS,WAAIB,e;K;+CAGX,kC;MAQqD,6BAAS,QAAS,WAAIB,e;K;;;IAezD,mC;MAA2C,wB;MACvC,eAAoB,C;MACpB,mBAA4B,I;MAC5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;YAAA,K;eACA,C;YACI,IAAI,kCAAe,UAAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBAAe,I;;YALvB,K;eAOA,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,yB;;QAGIB,eAAQ,C;QACR,WAAW,4B;QACX,gBAAW,I;QACX,IIH/FR,oBD+CQ,WmHgDY,kBnHhDZ,CC/CR,C;;K;6CkHmGA,Y;MACU,IASe,I;MATrB,QAAM,YAAN,C;aACI,C;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAAe,O;aAE1B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAy,I;UACZ,OAAO,M;gBAEH,MAAM,yB;;K;uDAItB,Y;MACI,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;;QAA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,YAAN,C;aACxC,C;UADwC,OAC1B,6B;aACd,C;UAFwC

,OAExB,6BAAsB,sBAAtB,C;gBAFwB,OAGhC,6BAAsB,uCAAoC,YAA1D,C;;K;IAOqC,4E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;oDALR,+B;MACI,mBAAY,K;MACZ,eAAQ,C;MACR,OAA6C,0CAAtC,c;K;IAUsC,+E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;yDANR,kC;MACI,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,M;MACzB,sBA Ae,Q;MACf,eAAQ,C;MACR,OAA6C,6CAAtC,c;K;2DAMX,kB;MnHlBO,Q;MADP,e mHqBI,MnHrBJ,C;MACO,QmHoBH,MnHpBG,+D;MmHqBH,eAAQ,C;K;kGAIR,Y;MAAQ,0C;K;;I5J1LhB,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;sFAAA,yB;MAAA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MAAA,2B;QAQuF,2C;O;KARvF,C;IAiBgE,+C;MAAA,mB;QAAE,sB;O;K;IALIE,kC;MAKuD,OAAkB,2CAAT,+BAAS,E;K;IAEzE,8B;MAK6D,OAAI,QZ6pPtD,YAAQ,CY 7pP0C,GAAwB,eAAxB,GAA sD,WAAT,QAAS,C;K;IAEnH,yB;MAG8C,kC;K;IAE9C,yB;MAAA,6B;K;uCACI,Y ;MAA6C,kC;K;2CAC7C,a;MAA4B,kC;K;2CAC5B,a;MAA4B,kC;K;;IAHhC,qC;MAAA,oC;QAAA,mB;OAAA,6 B;K;oFAMA,yB;MAAA,2D;MAAA,4B;QAM4D,uCAAQ,e;O;KANpE,C;IAGb4F,mH;MAAA,wC;MAAA,6B;M AAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;K;;;kDAAA,Y;;;;cACxFeAAe,uBAAa,W;cAC5B,IAAI,QAAS,UA Ab,C;gBACI,gB;gCAAA,sCAAS,QAAT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAEA,gB;gCAAA,sCAAS,iCA AT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;;;cAJJ,W;;cAAA,W;;;;K;IADwF,gE;MAAA,yD;uBAAA,uG; YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAP5F,4C;MAOmF,gBAAS,uCAAT,C;K;IAGbB,4B;MAAE,OAAA,EAAG, W;K;IAP3E,8B;MAO8D,4BAAQ,cAAR,C;K;IAUQ,8B;MAAE,OAAA,EAAG,W;K;IAR3E,8B;MAQ8D,4BAAQ, gBAAR,C;K;IAM1B,8B;MAAE,S;K;IAJtC,wC;MAEgB,Q;MADZ,IAAI,8CAAJ,C;QACI,OAA4C,CAApC,2EAA oC,kBAAQ,QAAR,C;OAEhD,OAAO,uBAAmB,SAAnB,EAAYB,gBAzB,EAaIc,QAAjC,C;K;IAGX,4B;MAYi B,Q;MAFb,YAAY,gB;MACZ,YAAY,gB;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAl,IAA K,MAAT,C;QACN,KAAM,WAAl,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;IAGX,+B;MAQqD,6BAA S,4BAAT,C;K;IAW0B,+G;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,0C;MAAA,4C;MAAA,0B;MAAA,kC;K;;; mDAAA,Y;;;;kCAC9D,0C;cACb,gB;;;;cAAA,IAAO,iBNuFkD,UMvFzD,C;gBAAA,gB;;;cACI,QAAQ,yBAAO,i BAAQ,iBAAO,KAAf,C;cACf,WAAuD,WAAP,iBAAO,C;cACvD,YAAgB,IAAI,iBAAO,KAAf,GAAqB,iBAAO,a AAI,CAAJ,EAAO,IAAP,CAA5B,GAA8C,I;cAC1D,gB;8BAAA,iCAAM,KAAN,O;kBAAA,2C;uBAAA,yB;cAAA ,Q;;cAJJ,gB;;cAMJ,W;;;;K;IAR+E,4D;MAAA,yD;uBAAA,mG;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAT/ E,uC;MASmE,gBAAY,kCAAZ,C;K;IAkBhC,0D;MAE/B,wB;QAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4 B;K;IAGuC,0E;MAAA,oD;MACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;M ACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,MAAmB,sCAA vB,C;UACI, gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;MASW,Q;MARP,IAAI,mBAAa,EAAjB, C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,a;MACb,gBAAW,I;MACX,iBAAY, E;MAEZ,OAAO,yE;K;iEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAhC5 B,Y;MAAuC,yD;K;;IA2C3C,qD;MAAY,0B;MAAmC,gC;K;IACJ,gF;MAAA,0D;MACnC,gBA Ae,oCAAS,W;K;i EACxB,Y;MACI,OAAO,6CAAY,aAAS,OAAR,B,C;K;oEAGX,Y;MACI,OAAO,aAAS,U;K;;8CAPxB,Y;MAAuC,4 D;K;qDAWvC,oB;MACI,OAAO,uBAA4B,eAA5B,EAAsC,kBAAtC,EAAMd,QAAAnD,C;K;;IAUf,4D;MAAY,0B; MAAMC,gC;K;IACJ,8F;MAAA,wE;MACnC,gBA Ae,2CAAS,W;MACxB,aAAY,C;K;wEACZ,Y;MAC0C,Q;MA AtC,OAAO,oDAAY,oBAAmB,iBAAnB,EAAMB,yBAAnB,QAAZ,EAAYC,aAAS,OAAID,C;K;2EAGX,Y;MACI, OAAO,aAAS,U;K;;qDARxB,Y;MAAuC,mE;K;;IAkB3C,oC;MAAY,0B;K;IAC6C,wE;MACjD,gBA Ae,gCAAS,W ;MACxB,aAAY,C;K;6DACZ,Y;MAC2C,Q;MAAvC,OAAO,iBAAa,oBAAmB,iBAAnB,EAAMB,yBAAnB,QAAb, EAA0C,aAAS,OAAAnD,C;K;gEAGX,Y;MACI,OAAO,aAAS,U;K;;0CARxB,Y;MAAqD,wD;K;;IAmBzD,0D;MAC I,4B;MACA,4B;MACA,4B;K;IAEuC,sE;MAAA,gD;MACnC,iBAAgB,gCAAU,W;MAC1B,iBAAgB,gCAAU,W; K;4DAC1B,Y;MACI,OAAO,sCAAU,cAAU,OAAPB,EAA4B,cAAU,OAATC,C;K;+DAGX,Y;MACI,OAAO,cAA U,UAAV,IAAuB,cAAU,U;K;;yCARhD,Y;MAAuC,uD;K;;IAc3C,6D;MACI,0B;MACA,gC;MACA,0B;K;IAEuC,4 E;MAAA,sD;MACnC,gBA Ae,kCAAS,W;MACxB,oBAaIc,I;K;+DAEjC,Y;MACI,IAAI,CAAC,2BAAL,C;QACI, MAAM,6B;MACV,OAAO,gCA Ae,O;K;kEAG1B,Y;MACI,OAAO,2B;K;+EAGX,Y;MACQ,Q;MAAJ,IAAI,iEAA 2B,KAA/B,C;QACI,oBA Ae,I;MAEnB,OAAO,yBAAP,C;QACI,IAAI,CAAC,aAAS,UAAAd,C;UACI,OAAO,K;;UA EP,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ,CAAT,C;UACvB,IAAI,gBAAiB,UAArB,C;YACI,o BAAe,gB;YACf,OAAO,I;;;MAInB,OAAO,I;K;;4CA9Bf,Y;MAAuC,0D;K;;IAoC9B,6I;MAAA,wC;MAAA,6B;M AAA,yB;MAAA,4C;MAAA,kD;MAAA,gD;MAAA,wB;MAAA,yB;MAAA,kC;K;;;yDAAA,Y;;;;kBAGyC,I;iCA

FIC,C;cACI,sD;cAAhB,gB;;;cAAA,KAAgB,yBAAhB,C;gBAAA,gB;;;cAAgB,oC;cACZ,aAAa,6BAAU,oBAAM
B,uBAAnB,EAAmB,+BAAnB,QAAV,EAAuC,OAAvC,C;cACb,gB;8BAAA,sCAAS,4BAAS,MAAT,CAAT,O;kB
AAA,2C;uBAAA,yB;cAAA,Q;cAFJ,gB;;;cAIJ,W;;;K;IANS,0F;MAAA,yD;uBAAA,iI;YAAA,S;iBAAA,Q
;iBAAA,uB;O;K;IADb,wD;MACI,gBAAS,kDAAT,C;K;;;IAoByB,qD;MACzB,0B;MACA,8B;MACA,0B;MC3T
A,IAAI,ED+TQ,qBAAC,CC/TtB,CAAJ,C;QACI,cD8T2B,+CAA4C,iB;QC7TvE,MAAM,gCAAyB,OAAQ,WAAjC
,C;OAFV,IAAI,EDgUQ,mBAAyB,CChUpB,CAAJ,C;QACI,gBD+TyB,6CAA0C,e;QC9TnE,MAAM,gCAAyB,SA
AQ,WAAjC,C;OAFV,IAAI,EDiUQ,mBAAyB,iBcJUpB,CAAJ,C;QACI,gBDgUkC,0DAAuD,eAAvD,WAAmE,iB;
QC/TrG,MAAM,gCAAyB,SAAQ,WAAjC,C;Q;sFDkUa,Y;MAAQ,yBAAW,iBAAX,I;K;yCAE/B,a;MAAyC,OAA
I,KAAK,YAAT,GAAGB,eAAhB,GAAqC,gBAAy,eAAZ,EAASB,oBAAa,CAAb,IAAtB,EAASc,eAAtC,C;K;yCA
C9E,a;MAAyC,OAAI,KAAK,YAAT,GAAGB,IAAhB,GAA0B,gBAAy,eAAZ,EAASB,iBAAtB,EAAC,oBAAa,C
AAb,IAAIC,C;K;IAEzC,8D;MAAA,wC;MAEtB,gBAAE,2BAAS,W;MACxB,gBAAE,C;K;0DAEF,Y;MAEI,OAAO
,gBAAW,kCAAX,IAAyB,aAAS,UAAzC,C;QACI,aAAS,O;QACT,qC;;K;2DAIR,Y;MACI,a;MACA,OAAQ,gBA
AW,gCAAZ,IAAyB,aAAS,U;K;wDAG7C,Y;MACI,a;MACA,IAAI,iBAAY,gCAAhB,C;QACI,MAAM,6B;MACV
,qC;MACA,OAAO,aAAS,O;K;;qCAvBxB,Y;MAA0B,mD;K;;IAGCA,uC;MAC1B,0B;MACA,oB;MC3WA,IAAI,E
D+WQ,gBAAS,CC/WjB,CAAJ,C;QACI,cD8WsB,yCAASc,YAAtC,M;QC7WtB,MAAM,gCAAyB,OAAQ,WAAj
C,C;Q;0CDgXV,a;MAAyC,OAAI,KAAK,YAAT,GAAGB,eAAhB,GAAqC,gBAAy,eAAZ,EAASB,CAAtB,EAAY
B,YAAzB,C;K;0CAC9E,a;MAAyC,OAAI,KAAK,YAAT,GAAGB,IAAhB,GAA0B,iBAAa,eAAb,EAAuB,CAAvB,
C;K;IAE5B,gE;MACnC,YAAW,yB;MACX,gBAAE,4BAAS,W;K;yDAExB,Y;MACI,IAAI,cAAQ,CAAZ,C;QACI,
MAAM,6B;MACV,6B;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,OAAO,YAAO,CAAP,IAAY,aAAS,U;K;;sC
AZpC,Y;MAAuC,oD;K;;IAsB3C,gD;MACI,0B;MACA,4B;K;IAEuC,0E;MAAA,oD;MACnC,gBAAE,iCAAS,W;
MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,IAAI,aAAS,UAAb,C;QACI,WAAW,aAAS,O;QAC
pB,IAAI,wCAAU,IAAV,CAAJ,C;UACI,iBAAY,C;UACZ,gBAAW,I;UACX,M;UAGR,iBAAY,C;K;8DAGhB,Y;
MAMiB,Q;MALb,IAAI,mBAAa,EAJb,C;QACI,iB;MACJ,IAAI,mBAAa,CAJb,C;QACI,MAAM,6B;MACV,a
ACa,gF;MAGb,gBAAW,I;MACX,iBAAY,E;MACZ,OAAO,M;K;IEAGX,Y;MACI,IAAI,mBAAa,EAJb,C;QACI
,iB;MACJ,OAAO,mBAAa,C;K;;2CAIC5B,Y;MAAuC,yD;K;;IA2Cb,uC;MAC1B,0B;MACA,oB;MC5bA,IAAI,ED
+bQ,gBAAS,CC/bjB,CAAJ,C;QACI,cD8bsB,yCAASc,YAAtC,M;QC7btB,MAAM,gCAAyB,OAAQ,WAAjC,C;Q
;0CDgcV,a;MItXO,SJsXmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAAY,yBAAZ,GAAuC,iBAAa,eAA
b,EAAuB,EAAvB,C;K;0CACxG,a;MIvXO,SJvXmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAAY,yBA
AZ,GAAuC,gBAAy,eAAZ,EAASB,YAAtB,EAA6B,EAA7B,C;K;IAEjE,gE;MACnC,gBAAE,4BAAS,W;MACxB,
YAAW,yB;K;2DAEX,Y;MAEI,OAAO,YAAO,CAAP,IAAY,aAAS,UAA5B,C;QACI,aAAS,O;QACT,6B;;K;yDAI
R,Y;MACI,a;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,a;MACA,OAAO,aAAS,U;K;;sCAnBxB,Y;MAAuC,o
D;K;;IA6B3C,gD;MACI,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;MACnC,gBAAE,iCAAS,W;MACxB,iBAAqB,E;
MACrB,gBAAmB,I;K;gEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,
wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;MAMqB
,Q;MALjB,IAAI,mBAAa,EAJb,C;QACI,a;MAEJ,IAAI,mBAAa,CAJb,C;QACI,aACa,gF;QACb,gBAAW,I;QA
CX,iBAAY,C;QACZ,OAAO,M;OAEX,OAAO,aAAS,O;K;IEAGpB,Y;MACI,IAAI,mBAAa,EAJb,C;QACI,a;M
ACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;K;;2CAIC1C,Y;MAAuC,yD;K;;IAuCN,+C;MAAC,sB;MAAiC,gC;K
;0CACnE,Y;MAAuC,4BAAiB,aAAO,WAAxB,EAAoC,kBAApC,C;K;;IAGP,+C;MAAuE,2B;MAAE,sB;MAAiC,
gC;MACIE,kBAAuB,c;K;6CAEvB,Y;MACI,OAAO,aAAO,UAAAd,C;QACI,WAAW,aAAO,O;QACIB,UAAU,mB
AAy,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI,mBAAQ,IAAR,C;UACA,M;;MAIR,W;K;;IAKgC
,0D;MAAC,wC;MAAuC,kC;K;IACrC,0E;MAAA,oD;MACnC,gBAAmB,I;MACnB,iBAAqB,E;K;oEAErB,Y;MA
CI,gBAAE,mBAAa,EAJb,GAAqB,+CAArB,GAA4C,2CAAa,4BAAb,C;MACvD,iBAAGB,qBAAJ,GAAASB,CAAt
B,GAA6B,C;K;8DAG7C,Y;MAMiB,Q;MALb,IAAI,iBAAY,CAAhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAJb,C;
QACI,MAAM,6B;MACV,aAAa,8D;MAEb,iBAAY,E;MACZ,OAAO,M;K;IEAGX,Y;MACI,IAAI,iBAAY,CAAhB
,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAx5B,Y;MAAuC,yD;K;;IA6B3C,kC;MAWI,OAAW,iDAAJ,GAAw
C,SAAxC,GAAD,4BAAwB,SAAxB,C;K;IAelB,uD;MAAA,qB;QAAE,6B;O;K;IAX7C,wC;MAWI,OAA2D,cAA
pD,sBAAkB,YAAIB,EAAgC,qCAAhC,CAAO,C;K;IAqBrC,iD;MAAA,mB;QAAE,mB;O;K;IAlB5B,gD;MAeI,O
AAI,YAAJ,GACI,2BADJ,GAGI,sBAAkB,+BAAIB,EAA4B,YAA5B,C;K;IAER,wD;MACI,6BAAkB,YAAIB,EAA

gC,YAAhC,C;K;IJxpBJ,oB;MAAA,wB;MACI,8C;K;gCAEA,iB;MAA4C,oCAAmB,KAAM,U;K;kCACrE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K;iCAC/B,Y;MAAkC,W;K;wCACIC,mB;MAAmD,Y;K;6CACnD,oB;MAAmE,OAAA,QAAS,U;K;kCAE5E,Y;MAA6C,kC;K;uCAE7C,Y;MAAiC,6B;K;;;IAdrC,gC;MAAA,+B;QAAA,c;OAAA,wB;K;IAkBA,oB;MAIoC,6B;K;IAEpC,2B;MAMmD,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAgC,MAAT,QAAS,CAAhC,GAA6C,U;K;iFAEhG,yB;MAAA,mD;MAAA,mB;QAKwC,iB;O;KALx,C;6FAOA,yB;MAAA,uE;MAAA,mB;QAQsD,2B;O;KARtD,C;IAUA,kC;MAKiE,OAAAS,aAAT,QAAS,EAAa,qBAAc,YAAY,QAAS,OAArB,CAAd,CAAb,C;K;uFAE1E,yB;MAAA,2D;MAAA,mB;QAGgD,qB;O;KAHhD,C;IAKA,+B;MAC2D,OAAAS,aAAT,QAAS,EAAa,eAAQ,YAAY,QAAS,OAArB,CAAR,CAAb,C;K;2FAEpE,yB;MAAA,uE;MAAA,mB;QAMwD,2B;O;KANxD,C;IAQA,iC;MAKME,OAAAS,aAAT,QAAS,EAAa,qBAAc,YAAY,QAAS,OAArB,CAAd,CAAb,C;K;IAE5E,+B;MAMyD,OAAI,eAAJ,GAAqB,MAAM,OAAN,CAArB,GAAyC,U;K;IAEIG,kC;MAQI,OAAgB,gBAAT,QAAS,EAAgB,sBAAhB,C;K;sFAGpB,yB;MY/BA,uE;MZ+BA,gC;QY1B8B,gBAAnB,oB;QZ0CiB,aQ7CxB,W;QR6CA,OQ5CO,SIEwC,Q;O;KZ0BnD,C;wFAyBA,yB;MYhDA,wE;MZgDA,0C;QY3CsC,gBAA3B,mBZ+DiB,QY/DjB,C;QZ+D2B,aQ1EiC,W;QR0EA,OQzEO,SIUgD,Q;O;KZ2C3D,C;sFA8BA,yB;MAAA,mD;MAAA,4B;QAEkD,uCAAQ,U;O;KAF1D,C;IAIA,wC;MAAgD,QAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,U;aACL,C;UAF4C,OAEvC,MAAM,oBAAW,OAAjB,C;gBAFuC,OAGpC,S;;;K;IijKZ,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAUc,8B;K;IAT3C,gF;I6JLA,yC;M5J4BI,IAAI,E4J3BI,OAAO,CAAP,IAAY,OAAO,C5J2BvB,CAAJ,C;QACI,c4J3BI,aAAJ,GACI,yEADJ,GAGI,8C;Q5JyBJ,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;I4JnBM,mI;MAAA,mB;QAAE,wBAAiB,gCAAjB,EAA6B,YAA7B,EAAmC,YAAnC,EAAyC,sBAAzC,EAAyD,mBAAzD,C;O;K;IAFtB,gF;MACI,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,oCAAgB,6EAAhB,C;K;IAKyB,yL;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wC;MAAA,gD;MAAA,sD;MAAA,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4B;MAAA,kC;K;;;2DAAA,Y;;;cACrB,4BAAiC,eAAL,uBAAK,EA Aa,IAAb,C;+BACvB,0BAAO,uBAAP,I;cACV,IAAI,kBAAO,CAAX,C;oCACiB,iBAAa,qBAAb,C;kCACF,C;gBACD,6C;gBAAV,iB;;;cAaa,gBAAc,qBAAd,C;gBACH,+C;gBAAV,gB;;;cAAA,KAAU,2BAAV,C;gBAAA,gB;;;cAAU,kC;cACN,mBAAO,WAAI,GAAJ,C;cACP,IAAI,mBAAO,SAAX,C;gBACI,IAAI,mBAAO,KAAP,GAAc,uBAAIB,C;kBAA0B,sBAAS,mBAAO,kBAAuB,uBAAvB,C;kBAA8B,gB;;;kBAAxE,gB;;;gBADJ,gB;;;cAGI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;cACA,mBAAO,qBAAY,uBAAZ,C;cAJX,gB;;;cAFJ,gB;;;cASA,IAAI,iCAAJ,C;gBACI,gB;;;gBADJ,iB;;;cACI,IAAO,mBAAO,KAAAd,IAAqB,uBAArB,C;gBAAA,gB;;;cACI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;cACA,mBAAO,qBAAY,uBAAZ,C;cAFX,gB;;;cAIA,InK0K4C,CmK1KxC,mBnK0KyC,UmK1K7C,C;gBAAyB,iB;gCAAA,iCAAM,mBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;gBAAzB,iB;;;cAjCR,W;;;cA4BI,iB;;;cA1BJ,iB;;;cAGI,KAAU,yBAAV,C;gBAAA,iB;;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAgB,oCAAQ,CAAR,I;gBAAW,iB;;;gBAA3B,iB;;;cACA,iBAAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAnB,C;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;gBADJ,iB;;;cAEL,IAAI,8BAAJ,C;gBAAiB,iBAAO,Q;gBAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,InK6LgD,CmK7L5C,iBnK6L6C,UmK7LjD,C;gBACI,IAAI,qCAAkB,iBAAO,KAAP,KAAe,uBAArC,C;kBAA2C,iB;kCAAA,iCAAM,iBAAN,O;sBAAA,2C;2BAAA,yB;kBAAA,Q;kBAA3C,iB;;;gBADJ,iB;;;cAdJ,W;cAcI,iB;cAZJ,iB;cAkCJ,W;;;K;IARCyB,sI;MAAA,yD;uBAAA,6K;YAAA,S;iBAAA,Q;iBAAA,uB;O;K;IAF7B,6E;MACI,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,2B;MACHC,OAAO,WAAkB,0EAAIB,C;K;IAwCwB,6B;MAA8B,uB;MAA7B,kB;MACHC,mBAA6B,C;MAC7B,eAAyB,C;K;2CAEzB,8B;MACI,+DAAkB,SAAlB,EAA6B,OAA7B,EAAc,WAAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;K;0CAGjB,iB;MACI,+DAAkB,KAAIB,EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAA Y,KAAZ,IAAL,C;K;qFAGY,Y;MAAQ,mB;K;IASR,wC;MAAQd,uB;MAApD,sB;M5JrDxB,IAAI,E4JuDQ,cAAc,C5JvDtB,CAAJ,C;QACI,c4JsD2B,wE;Q5JrD3B,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,E4JwDQ,cAAc,aAAO,O5JxD7B,CAAJ,C;QACI,gB4JuDqC,wFAA+E,aAAO,O;Q5JtD3H,MAAM,gCAAYB,SAAQ,WAAjC,C;O4J2DV,kBAAuB,aAAO,O;MAC9B,oBAA8B,C;MAE9B,sBAAyB,U;K;kFAAzB,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;uCAGA,iB;MAGW,Q;MAFP,+DAAkB,KAAIB,EAAyB,SAAzB,C;MAEA,OAAO,sBAAGmC,CAnG5B,iBAAG6B,GAnGV,KAmGU,IAAD,IAAa,eAnGhD,4D;K;kCAGX,Y;MAAe,qBAAQ,e;K;IAEgB,4D;MAAA,sC;MAAS,2B;MAC5C,eAAoB,oB;MACpB,eAAoB,4B;K;8DAEpB,Y;MAKgB,Q;MAJZ,IAAI,iBAAS,CAAb,C;QACI,

W;;QAGA,mBAAQ,sCAAO,YAAP,4DAAR,C;QACA,eAoFkC,CaPFIb,YaOf2B,GApFb,CAoFa,IAAD,IAAa,+
B;QAnF/C,mC;;K;;oCAXZ,Y;MAAuC,kD;K;2CAGbVc,iB;MAGiE,UAQ1C,MAR0C,EAe1C,MAf0C,EAqBtD,M;
MAtBP,aACQ,KAAM,OAAN,GAAa,IAAK,KAAtB,GAakC,UAAN,KAAM,EAAO,IAAK,KAAZ,CAAIC,GAAy
D,kD;MAE7D,WAAW,IAAK,K;MAEHb,WAAW,C;MACX,UAAU,iB;MAEV,OAAO,OAAO,IAAP,IAAe,MAA
M,eAA5B,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAGJ,MAAM,C;MACN,OAA
O,OAAO,IAAd,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAEJ,IAAI,MAAO,OAA
P,GAAc,IAAK,KAAvB,C;QAA6B,OAAO,IAAK,KAAZ,IAAoB,I;MAEjD,OAAO,uD;K;mCAGX,Y;MACI,OAA
O,qBAAQ,gBAAa,SAAb,OAAR,C;K;4CAGX,uB;MAKI,kBAAoD,eAAjC,mBAAY,mBAAa,CAAzB,IAA8B,CA
A9B,IAAiC,EAAa,WAAb,C;MACpD,gBAAoB,sBAAC,CAAIB,GAA4B,UAAP,aAAO,EAAO,WAAP,CAA5B,G
AAqD,qBAAQ,gBAAa,WAAb,OAAR,C;MACrE,OAAO,eAAW,SAAX,EAAsB,SAAtB,C;K;qCAGX,mB;MAII,I
AAI,aAAJ,C;QACI,MAAM,6BAAsB,qBAAtB,C;OAGV,cA6B0C,CA7BnC,iBA6BoC,GA7BjB,SA6BiB,IAAD,IA
Aa,eA7BvD,IAAmC,O;MACnC,6B;K;+CAGJ,a;M5JhJA,IAAI,E4JoJQ,KAAK,C5JpJb,CAAJ,C;QACI,c4JmJkB,w
C;Q5JIJB,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,E4JqJQ,KAAK,S5JrJb,CAAJ,C;QACI,gB4JoJqB,wE
AA8D,S;Q5JnJnF,MAAM,gCAAyB,SAAQ,WAAjC,C;O4JqJN,IAAI,IAAI,CAAR,C;QACI,YAAy,iB;QACZ,UAg
BsC,CAhB5B,KAgB6B,GAhBf,CAGBe,IAAD,IAAa,e;QAdnD,IAAI,QAAQ,GAAZ,C;UACW,OAAP,aAAO,EAA
K,IAAL,EAAW,KAAx,EAakB,eAAIB,C;UACA,OAAP,aAAO,EAAK,IAAL,EAAW,CAAX,EAAc,GAAd,C;;UA
EA,OAAP,aAAO,EAAK,IAAL,EAAW,KAAx,EAakB,GAAIB,C;;QAGX,oBAAa,G;QACb,wBAAQ,CAAR,I;Q;q
CAKR,wB;MAC8C,QAAC,YAAO,CAAP,IAAD,IAAa,e;K;;IA9G3D,0C;MAAA,oD;MAA6B,uBAAK,gBAAMb,
QAAAnB,OAAL,EAAMc,CAANc,C;MAA7B,Y;K;IcVfJ,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBA
AM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OxK8B4E,0Bw
K9BrE,kBAAM,CAAN,CxK8K2B,KAAL,GAAiB,GAhJ8B,EwK9B1D,KxK8KgB,KAAL,GAAiB,GAhJ8B,CwK9
BrE,IAAP,C;UACI,a;;QACJ,OxK4B4E,0BwK5BrE,kBAAM,CAAN,CxK4K2B,KAAL,GAAiB,GAhJ8B,EwK5B1
D,KxK4KgB,KAAL,GAAiB,GAhJ8B,CwK5BrE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kB
AAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX
,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,uC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB
,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,UAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAA
R,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,UAAU,KAAV,EAAiB,IAAjB,EAAwB,KAAxB,C;K;IAGR,0C;
MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;M
ACZ,OAAO,KAAK,CAAZ,C;QACI,OtKK6E,0BsKLtE,kBAAM,CAAN,CtK8I2B,KAAL,GAAiB,KAZI+B,EsKL3
D,KtK8IgB,KAAL,GAAiB,KAZI+B,CsKLtE,IAAP,C;UACI,a;;QACJ,OtKG6E,0BsKHtE,kBAAM,CAAN,CtK4I2
B,KAAL,GAAiB,KAZI+B,EsKH3D,KtK4IgB,KAAL,GAAiB,KAZI+B,CsKHtE,IAAP,C;UACI,a;;QACJ,IAAI,KA
AK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,
kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,
EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,
IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,E
AAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IA
AD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OvKpB8D,YuKoBvD,kBAAM,CAAN,CvKpB
wE,KAAjB,EuKoB5C,KvKpByE,KAA7B,CuKoBvD,IAAP,C;UACI,a;;QACJ,OvKtB8D,YuKsBvD,kBAAM,CAA
N,CvKtBwE,KAAjB,EuKsB5C,KvKtByE,KAA7B,CuKsBvD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UA
CI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,E
AAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EA
AuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,
QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;
K;IAGR,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB
,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OxJ7C+D,awJ6CxD,kBAAM,CAAN,CxJ7C0E,KAAIB,EwJ6C7
C,KxJ7C2E,KAA9B,CwJ6CxD,IAAP,C;UACI,a;;QACJ,OxJ/C+D,awJ+CxD,kBAAM,CAAN,CxJ/C0E,KAAIB,Ew
J+C7C,KxJ/C2E,KAA9B,CwJ+CxD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAA
N,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a

;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAY,aaaU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAKR,gD;MAI6E,UAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IAC7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IAC7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;I3J9I7E,0C;MF0BI,IAAI,EEjBI,SAAU,OAAV,GAAiB,CfiBrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;OEIBV,OAAO,oBAAoB,CAApB,EAAuB,CAAvB,EAA0B,SAA1B,C;K;IAGX,8C;MACe,Q;MAAX,wBAAW,SAAX,gB;QAAW,SAAA,SAAX,M;QACI,SAAS,GAAG,CAAH,C;QACT,SAAS,GAAG,CAAH,C;QACT,WAAW,cAAc,EAAAd,EAAkB,EAAiB,C;QACX,IAAI,SAAQ,CAAZ,C;UAAe,OAAO,I;;MAE1B,OAAO,C;K;sGAGX,yB;MAAA,8D;MAAA,iC;QASI,OAAO,cAAc,SAAS,CAAT,CAAd,EAA2B,SAAS,CAAT,CAA3B,C;O;KATX,C;sGAYA,sC;MASI,OAAO,UAAW,SAAQ,SAAS,CAAT,CAAR,EAAqB,SAAS,CAAT,CAArB,C;K;IAatB,6B;MAWY,Q;MALR,IAAI,MAAM,CAAV,C;QAAa,OAAO,C;MACpB,IAAI,SAAJ,C;QAAe,OAAO,E;MACtB,IAAI,SAAJ,C;QAAe,OAAO,C;MAGtB,OAA8B,iBAAtB,mDAAsB,EAAU,CAAV,C;K;IAaZ,6C;MAAA,uB;QAAU,2BAAoB,CAApB,EAAuB,CAAvB,EAA0B,iBAA1B,C;O;K;IAVhC,8B;MF7CI,IAAI,EEsDI,SAAU,OAAV,GAAiB,CfDrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;OEQDV,OAAO,eAAW,2BAAAX,C;K;0FAIX,yB;MAAA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OASDd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MAPf,2B;QAOI,sBAAW,0BAAAX,C;O;KAPJ,C;0FASA,yB;MAAA,oC;MAQe,gE;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAIC,OA1Dd,UAAW,SAAQ,SA0DW,CA1DX,CAAR,EAAqB,SA0DC,CA1DD,CAArB,C;S;O;MAkDtB,uC;QAQI,sBAAW,sCAAX,C;O;KARJ,C;4GAUA,yB;MAAA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EGb,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MAPf,2B;QAOI,sBAAW,oCAAX,C;O;KAPJ,C;8GASA,yB;MAAA,oC;MAUe,0E;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAIC,OA/Ed,UAAW,SAAQ,SA+EW,CA/EX,CAAR,EAAqB,SA+EC,CA/ED,CAArB,C;S;O;MAqEtB,uC;QAUI,sBAAW,gDAAX,C;O;KAVJ,C;kFAYA,yB;MAAA,sC;MAAA,oC;MAAA,oBAQe,yB;QA9Gf,8D;eA8Ge,yC;UAAA,uB;YACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;YACIC,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAvgG,cAAc,SAuG8C,CAvG9C,CAAd,EAA2B,SAuGoC,CAvGpC,CAA3B,C;;YAsGH,W;W;S;OADO,C;MARf,sC;QAQI,sBAAW,kCAAX,C;O;KARJ,C;oFAaA,yB;MAAA,oC;MAQe,0E;QAAA,uB;UACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;UACIC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAxxGG,UAAW,SAAQ,SAwGyC,CAXGzC,CAAR,EAAqB,SAwG+B,CAXG/B,CAArB,C;;UAUgD,W;S;O;MATR,kD;QAQI,sBAAW,8CAAX,C;O;KARJ,C;sGAaA,yB;MAAA,sC;MAAA,oC;MAAA,8BAQe,yB;QAxIf,8D;eAwIe,mD;UAAA,uB;YACP,sBAAsB,qBAAsB,SAAQ,CAAR,EAAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAjIG,cAAc,SAiI8C,CAjI9C,CAAd,EAA2B,SAiIoC,CAjIpC,CAA3B,C;;YAgIH,W;W;S;OADO,C;MARf,sC;QAQI,sBAAW,4CAAX,C;O;KARJ,C;wGAaA,yB;MAAA,oC;MAQe,8F;QAAA,uB;UACP,sBAAsB,qBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAIIg,UAAW,SAAQ,SAkIyC,CAIIzC,CAAR,EAAqB,SAkI+B,CAII/B,CAArB,C;;UAIId,W;S;O;MATR,kD;QAQI,sBAAW,wDAAX,C;O;KARJ,C;kGAcaA,yB;MAAA,oC;MAOe,wE;QAAA,uB;UACP,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;UAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,mBAAW,CAAX,EAAc,CAAd,C;S;O;MATvD,wC;QAOI,sBAAW,4CAAX,C;O;KAPJ,C;IAmBe,oD;MAAA,uB;QACP,sBAAsB,SAAU,SAAQ,CAAR,EAAW,CAAX,C;QAAhC,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IATIE,uC;MAOIsBAAW,kCAAX,C;K;IAyC,wE;MAAA,uB;QACV,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;QAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IATIE,+C;MAOIsBAAc,4CAAd,C;K;IAAw,+C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAEiB,E;aACb,c;UAHJ,OAGiB,C;;UAHjB,OAiY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,gC;MAOI,sBAAW,6BAAX,C;K;4FASJ,yB;MAAA,4D;MAAA,wD;MAAA,mB;QAQe,kBAAW,cAAAX,C;O;KAPrE,C;IAgBe,8C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAEiB,C;aACb,c;UAHJ,OAGiB,E;;UAHjB,OAI

Y,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,+B;MAOI,sBAAW,4BAAX,C;K;0FASJ,yB;MAAA,4D;M
AAA,sD;MAAA,mB;QAOoE,iBAAU,cAAV,C;O;KAPpE,C;IASA,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IAE5F,
wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IAE5F,gC;MAK+D,IAEJ,IAFI,EAGJ,M;MAFvD,kBAD2D,SAC3D,sB;QA
DqD,OAC5B,SAAK,W;WAC9B,WAF2D,SAE3D,wC;QAFqD,OAE,4F;WACvD,WAH2D,SAG3D,wC;QAHqD,
OAGE,gG;;QAHF,OAI7C,uBAAmB,SAAnB,C;K;IAIuB,wC;MAAC,4B;K;2CACHC,gB;MAAwC,OAAA,eAAW,
SAAQ,CAAR,EAAW,CAAX,C;K;4CACnD,Y;MACgC,sB;K;;IAGpC,kC;MAAA,sC;K;+CACI,gB;MAAoE,OAA
E,iBAAF,CAAE,EAAU,CAAV,C;K;gDACtE,Y;MAC8C,2C;K;;IAHID,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;I
AMA,kC;MAAA,sC;K;+CACI,gB;MAAoE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDACtE,Y;MAC8C,2C;K;;
IAHID,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;I4J/SA,iC;K;;;oDA2DI,0C;MAiB+D,oB;QAAA,2C;aAjB/D,kG;K;
;IAoBJ,uC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,qC;MAAA,wC;O;MASI,4E;MAMA,8E;MAOA,4E;MAOA,k
E;K;;IApBA,mD;MAAA,2B;MAAA,2C;K;;IAMA,oD;MAAA,2B;MAAA,4C;K;;IAOA,mD;MAAA,2B;MAAA,2
C;K;;IAOA,8C;MAAA,2B;MAAA,sC;K;;IA7BJ,iC;MAAA,+K;K;;IAAA,sC;MAAA,a;aAAA,c;UAAA,gD;aAAA,
e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAAA,2C;gBAAA,oE;;K;;oFAqCA,mB;K;;;IrHiBiD,gD;MA
AA,oB;QACzC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;QACX,cAAM,IAAN,C;QADA,OAEA,IAAK,a;O;K;;
;IAthb,+B;K;;iFAUA,yB;MAAA,4B;MAAA,mC;QAMI,6BD+CQ,WC/CkB,KD+CIB,CC/CR,C;O;KANJ,C;2GA
QA,yB;MAAA,4B;MD+CQ,kD;MC/CR,uC;QAOI,6BD+CQ,WAAO,cC/CW,SD+CX,CAAP,CC/CR,C;O;KAPJ,C;
+FAUA,yB;MAAA,kC;MAAA,mD;MAAA,yE;QASI,sC;QAAA,4C;O;MATJ,iGAWY,Y;QAAQ,2B;OAXpB,E;M
AAA,0DAaQ,kB;QACI,wBAAW,MAAX,C;O;MADZ,sF;MAAA,sC;QASI,0D;O;KATJ,C;IAiBA,gD;MAaI,4BAA
0D,YAAzC,wCAA6B,UAA7B,CAAyC,CAA1D,EAAYE,yBAAzE,C;K;IAEJ,4D;MAcI,4BAAoE,YAAnD,0CAA6
B,QAA7B,EAAuC,UAAvC,CAAmD,CAApE,EAAMF,yBAAnF,C;K;IAEJ,+C;MAU6C,YAAzC,wCAA6B,UAA7
B,CAAyC,CAtEzC,oBD+CQ,WCuBsD,kBDvBtD,CC/CR,C;K;IAyEJ,2D;MAWuD,YAAnD,0CAA6B,QAA7B,EA
AuC,UAAvC,CAAmD,CAPFnD,oBD+CQ,WCqCgE,kBDrChE,CC/CR,C;K;IAuFJ,+C;MAYI,OAA6C,8BAAtC,c;
K;8EAZX,yB;MAAA,oE;MAAA,6E;MAyID,gD;QAAA,oB;UACzC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;
UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,a;S;O;MAfb,sC;QAYW,mBAAsC,8BAAtC,6B;QAAP,OAAO,kD;O;
KAZX,C;qGA0BI,yB;MAAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;O;KADV,C;;MsHzIA,yC;;IAA
A,uC;MAAA,2C;K;;IAAA,mD;MAAA,kD;QAAA,iC;OAAA,2C;K;+EAkBA,wB;K;oDAaA,e;MAK2C,IAAI,IAA
J,EAGK,M;MAL5C,IAAI,+CAAJ,C;QAEI,OAAW,GAAL,kBAAS,IAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAA
I,iBAAQ,IAAR,CAAJ,yCAA5B,GAAyD,I;OAGpE,OAAW,8CAA4B,GAAhC,GAAqC,8EAAR,C,GAAoD,I;K;yDA
I/D,e;MAGI,IAAI,+CAAJ,C;QACI,OAAW,GAAL,kBAAS,IAAK,IAAd,CAAJ,IAA0B,GAAL,iBAAQ,IAAR,CAAJ
,QAA9B,GAAyD,mCAAzD,GAAoF,I;OAE/F,OAAW,8CAA4B,GAAhC,GAAqC,mCAAR,C,GAAgE,I;K;;ICtCh
D,oD;MACf,cAAc,GAAL,kBAAS,OAAQ,IAAjB,C;MACIB,IAAI,YAAY,mCAAhB,C;QADA,OACuC,O;;QAEhC,
kBAAB,oBAAQ,yCAAR,C;QACIB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EAAYB,OAAzB,C;;UACr
B,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAAYB,WAAz
B,CAAPC,GACI,oBAAgB,oBAAgB,IAAhB,EAAsB,OAAtB,CAAhB,EAAGD,WAAhD,C;;K;8CAdxB,mB;MAKI
,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;K;;;qDAiCZ,e;MAEyB
,Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAY,GAAZ,CAAJ,GAAqB,0EAAR,B,GAAoC,I;K;sDAExC,8B;MACI,iB
AAU,OAAV,EAAMB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,OAAA,IAAK,IAAL,EAAY,GAAZ,CAAJ,GAAqB,mC
AArB,GAAgD,I;K;;IC1DP,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAiCe,wD;MAEjE,kC;MAEA,4BAAqC,m
DAAJ,GAAkD,OAAQ,qBAA1D,GAA0E,O;K;4DAE3G,mB;MAA6C,+BAAS,OAAT,C;K;6DAC7C,e;MAA8C,e
AAQ,IAAR,IAAgB,8BAAE,G;K;;IAGjF,+C;MAW2C,IAAI,IAAJ,EAGV,M;MAL7B,IAAI,+CAAJ,C;QAEI,OAA
W,GAAL,kBAAS,SAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAAL,iBAAQ,SAAR,CAAJ,yCAA5B,GAAyD,I;OA
GpE,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mFAAtB,GAAqC,I;K;IAGhD,6C;MAUL,IAAI,+CAAJ,C;QACI
,OAAW,GAAL,kBAAS,SAAK,IAAd,CAAJ,IAA0B,GAAL,iBAAQ,SAAR,CAAJ,QAA9B,GAAyD,mCAAzD,GAA
oF,S;OAE/F,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mCAAtB,GAAiD,S;K;IAG5D,iC;MAAA,qC;MAKI,4B
;K;oDACA,Y;MAAiC,0C;K;kDAEjC,e;MAAyD,W;K;mDACzD,8B;MAA4E,c;K;mDAC5E,mB;MAAwE,c;K;uD
ACxE,e;MAA8D,W;K;+CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAyC,8B;K;;IAb7C,6C;MAAA,4C;QAAA,2B;O
AAA,qC;K;IAqB8B,wC;MAC1B,kB;MACA,wB;K;4CAGA,e;MAGQ,Q;MAFJ,UAAU,I;MACV,OAAO,IAAP,C;
QACI,YAAA,GAAL,UAAJ,aAAy,GAAZ,W;UAAwB,W;SACxB,WAAW,GAAL,O;QACf,IAAI,oCAAJ,C;UACI,

MAAM,I;;UAEN,OAAO,iBAAK,GAAL,C;;;K;6CAKnB,8B;MACI,iBAAU,WAAK,cAAK,OAAL,EAAc,SAAd,C
AAf,EAAYc,cAAzC,C;K;iDAEJ,e;UAGW,I;MAFP,+BAAQ,GAAR,U;QAAoB,OAAO,W;OAC3B,cAAc,WAAK,
kBAAS,GAAT,C;MAEf,gBAAY,WAAZ,C;QAAoB,W;WACpB,gBAAY,mCAAZ,C;QAAqC,qB;;QAC7B,2BAAg
B,OAaHb,EAAYb,cAAzB,C;MAHZ,W;K;uCAOJ,Y;MAIc,IAAI,IAAJ,Q;MAHV,UAAU,I;MACV,WAAW,C;MA
CX,OAAO,IAAP,C;QACU,uBAAI,OAAJ,GAAL,OAAJ,gC;QAAA,mB;UAAgC,OAAO,I;SAA7C,MAAM,M;QAC
N,mB;;K;2CAIR,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAAPB,C;K;8CAEJ,mB;MAQ4B,Q;MAPxB,UAAU,
O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAL,UAAb,CAAL,C;UAA4B,OAAO,K;QACnC,WAAW
,GAAL,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,0EAAT,C;;;K;uCAKnB,iB;MACI,gBAA
S,KAAT,KAAkB,yCAA4B,KAAM,SAAN,KAAgB,aAA5C,IAAsD,KAAM,eAAY,IAAZ,CAA9E,C;K;yCAEJ,Y;
MAA+B,OAAK,SAAL,WAAK,CAAL,GAA0B,SAAR,cAAQ,CAA1B,I;K;IAGZ,uD;MACX,OAAI,GnJ2DoC,YA
AU,CmJ3DID,GAAmB,OAAQ,WAA3B,GAA6C,GAAF,UAAQ,O;K;yCAF3D,Y;MACI,aAAM,kBAAK,EAAL,E
AAS,+BAAT,CAAN,GAEL,G;K;IAMO,8E;MAAA,6B;QAAyB,Q;QAAT,iBAAS,sBAAT,EAAS,8BAAT,UAAoB,
O;QAAQ,W;O;K;+CAJ3D,Y;MAOsB,Q;MANIB,QAAQ,a;MACR,eAAe,gBAA+B,CAA/B,O;MACf,gBAAY,CA
AZ,C;MACA,kBAAK,kBAAL,EAAW,oDAAX,C;MjKtFJ,IAAI,EiKuFM,YAAS,CjKvFf,CAAJ,C;QACI,cAdW,e;
QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OiKuFN,OAAO,+BAAW,qDAAX,C;K;IAGa,8C;MACpB,kD;MADq
B,wB;K;IACrB,gD;MAAA,oD;MACI,4B;K;;;IADJ,4D;MAAA,2D;QAAA,0C;OAAA,oD;K;yDAIA,Y;MAA0C,g
BAAT,a;M9Kq7YrB,Q;MADhB,kB8Kp7YmD,mC;M9Kq7YnD,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;
QAAsB,cAAwB,yBAAa,OAAb,C;;M8Kr7YT,09Ks7Y9B,W;K;;;I+KxmZX,oE;MA4BI,MAAM,wBAAoB,sEAP
B,C;K;8GA5BV,yB;MAAA,2D;MAAA,sC;QA4BI,MAAM,6BAAoB,sEAPB,C;O;KA5BV,C;IA0CoC,mC;MAA
Q,4D;K;IAE5C,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAK0C,oG;MAAqB,gF;MAAW,4
E;K;;IAAhC,+D;MAAA,gC;MAAA,uD;K;;IAAqB,qD;MAAA,gC;MAAA,6C;K;;IAAW,mD;MAAA,gC;MAAA,2
C;K;;IAL1E,sC;MAAA,sJ;K;;IAAA,2C;MAAA,a;aAAA,qB;UAAA,4D;aAAA,W;UAAA,kD;aAAA,S;UAAA,gD;
gBAAA,qF;;K;;6ECnDA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;O;KAHvF
,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,OAAgC,OAA1B,SAAL,GAAuB,KAAS,C;O;KAHrF,C;6EAKA,y
B;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;O;KAHvF,C;6EAKA,yB;MAAA,0B;
MAAA,4B;QAGqC,OAAqB,OAAP,CAAR,SAAE,C;O;KAH1D,C;+EAMA,yB;MAAA,4B;MAAA,mC;QAGyD,O
AAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;6EAKA,yB;MAAA,4B;MAAA,mC;QAGwD,OAAgC,QAA
1B,SAAL,GAAuB,KAAS,C;O;KAHxF,C;+EAKA,yB;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GA
AuB,KAAS,C;O;KAH1F,C;+EAKA,yB;MAAA,4B;MAAA,4B;QAGuC,OAAqB,QAAP,CAAR,SAAE,C;O;KAH5
D,C;ICpCA,qC;K;;ICAA,mB;K;;IAOA,iB;K;;IAOA,2C;K;;IAOA,wB;K;;IAQA,0B;K;;IAOA,sB;K;;IAOA,4B;K;;I
AOA,6C;K;;IA+BuC,wE;MAEnC,uB;QAAA,UAAsB,E;MACTB,qB;QAAA,8B;MACA,2B;QAAA,qE;MACA,yB;
QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0B;K;;IAGJ,iD;MAAA,e;MAAA,iB;MAA
A,uB;K;IAAA,+C;MAAA,kD;O;MAKI,wG;MACA,wG;MACA,8F;K;;IAFA,iE;MAAA,qC;MAAA,yD;K;;IACA,i
E;MAAA,qC;MAAA,yD;K;;IACA,4D;MAAA,qC;MAAA,oD;K;;IAPJ,2C;MAAA,6K;K;;IAAA,gD;MAAA,a;AA
A,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;gBAAA,6E;;K;;IAUA,wB;K;;ICjGA,qB;MAAA,yB;K;
0CAII,Y;MAO6D,uB;K;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;MAAA,4E;QAUI,wC;QAAS,
2C;O;MAVb,mEAWQ,wC;QAA6E,sBAAS,QAAT,EAAMB,QAANB,EAA6B,QAA7B,C;O;MAXrF,oG;MAAA,y
C;QAUI,wDAA+B,YAA/B,C;O;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;MAAA,yF;MAAA,0E;Q
AcI,wC;QAAS,2C;O;MAdB,kEAeQ,wC;QAuF,6BAAS,QAAT,EAAMB,QAANB,EAA6B,QAA7B,C;O;MAf/F,k
G;MAAA,yC;QAcI,sDAA+B,YAA/B,C;O;KAdJ,C;;IA3BJ,iC;MAAA,gC;QAAA,e;OAAA,yB;K;IAGDiC,sB;MA
C7B,eAAwB,I;K;4CAExB,6B;MACW,Q;MAAA,mB;MAAA,iB;QAAS,MAAM,6BAAsB,cAAY,QAAS,aAArB,u
CAAtB,C;OAAtB,OAAO,I;K;4CAGX,oC;MACI,eAAa,K;K;;;kDC9CjB,6B;;K;;;iEA+CA,6B;;K;;ICrDuC,0C;
MACvC,uBAAoB,Y;K;wDAEpB,wC;MAM6F,W;K;uDAE7F,wC;K;oDAMA,6B;MACI,OAAO,oB;K;oDAGX,oC
;MACI,eAAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,QAAb,EAAuB,QAAvB,EAAiC,KAAjC,CAAL,C;QACI,M;
OAEJ,uBAAa,K;MACb,yBAAY,QAAZ,EAAsB,QAAtB,EAAgC,KAAhC,C;K;;4EC9BR,wC;MAqBI,OAAO,e;K;
4EAGX,+C;MAuBI,cAAI,KAAJ,C;K;4EAIJ,wC;MAMBI,OAAO,cAAI,OAAJ,C;K;4EAGX,+C;MAqBI,cAAI,OA
AJ,EAAa,KAAb,C;K;IC/FJ,kB;MA6PI,4B;K;+BAtoA,Y;MAOiC,6BAAS,EAAT,C;K;uCAEjC,iB;MAW2C,4BA
AQ,CAAR,EAAW,KAAAX,C;K;uCAE3C,uB;MAakB,Q;MAHd,iBAAiB,IAAJB,EAAuB,KAAvB,C;MACA,QAAQ

,QAAQ,IAAR,I;MACR,IAAI,IAAI,CAAJ,IAAS,MAAK,WAAIB,C;QACc,IAAI,MAAM,CAAC,CAAD,IAAN,OAAY,CAAhB,C;UACN,eAAe,SAAS,CAAT,C;UACf,6BAAS,QAAT,C;;UAEA,K;;YAEI,WAAW,cAAU,KAAK,C;YAC1B,IAAI,OAAO,C;;UACN,gBAAO,CAAP,IAAY,CAAZ,GAAgB,CAAhB,SAAqB,CAArB,C;UACT,Q;;QATJ,c;QAWA,OAAO,OAAO,GAAP,I;;QAEP,OAAO,IAAP,C;UACI,YAAU,c;UACV,IAAW,IAAP,qBAAkB,KAAtB,C;YAA6B,OAAO,K;;;K;gCAKhD,Y;MAOmC,OAAU,oBAAV,cAAU,CAAS,WAAI,EAAJ,CAAnB,yBAA6B,cA7B,E;K;wCAEnC,iB;MAW8C,iCAAy,KAAZ,C;K;wCAE9C,uB;MAiBkB,Q;MAPd,mBAAiB,IAAjB,EAAuB,KAAvB,C;MACA,QAAQ,eAAQ,IAAR,C;MACR,IAAI,eAAI,CAAR,C;QACI,O;QACA,IAAI,aAAO,CAAD,aAN,GAAY,CAAZ,CAAJ,C;UACI,WAAW,CAAE,Q;UACb,YAAa,qBAAO,EAAP,CAAW,Q;UAEpB,aAAQ,CAAR,C;YACI,eAAe,SAAS,IAAT,C;YAEf,OAAmB,oBAAAnB,sBAAS,QAAT,CAAmB,CAAnB,iB;iBAEJ,cAAS,CAAT,C;YAEI,OAAU,oBAAV,cAAU,CAAV,iB;;YAEA,iBA Ae,SAAS,KAAT,C;YACf,OAAmB,oBAAAnB,sBAAS,UAAT,CAAmB,CAAS,WAAI,EAAJ,CAA5B,yBAAsC,cAAtC,E;;UAXR,U;;UAeA,K;;YAEI,WAAW,eAAW,oBAAK,CAAL,C;YACtB,IAAI,YAAO,CAAP,C;;UACC,sBAAO,CAAP,MAAY,+BAAI,CAAJ,EAAZ,eAAqB,CAArB,C;UACT,MAAM,C;;QAEV,OAAO,SAAO,GAAP,C;;QAEP,OAAO,IAAP,C;UACI,YAAU,e;UACV,IAAW,IAAP,0CAAkB,KAAIB,CAAJ,C;YAA6B,OAAO,K;;;K;mCAKhD,Y;MAKyC,6BAAS,CAAT,MAAe,C;K;kCAExD,Y;MAKuC,uBAAgB,sBAAS,EAAT,CAAhB,EAA8B,sBAAS,EAAT,CAA9B,C;K;OCAEvC,iB;MASoD,+BAAW,GAAX,EAAGB,KAAhB,C;K;0CAEpD,uB;MAcY,Q;MAFR,mBAAiB,IAAjB,EAAuB,KAAvB,C;MACA,WAAW,QAAQ,I;MACX,IAAS,WAAI,IAAK,CAAL,IAA0B,SAAL,IAAK,CAA1B,IAA8C,SAAN,KAAM,CAAID,C;QACJ,SAAS,qBAAgB,QAAQ,CAAR,GAAY,OAAO,CAAnC,C;QACT,cAAO,EAAP,GAAY,E;;QAEZ,cAAO,oBA Ae,I;;MAJ1B,Y;MAMA,OAAW,KAAK,KAAT,GAAsB,SAAN,KAAM,CAAtB,GAAsC,C;K;iCAGjD,Y;MAKqC,6BAAS,EAAT,IAA0B,Q;K;IAWK,oF;MAAA,mB;QAAE,uBAAa,iBAAb,sBAAqC,eAArC,+BAAqE,aAAM,OAA3E,M;O;K;iDATtE,qC;M1KjLA,IAAI,E0K0LqB,CAAb,8BAAgB,KAAM,O1K1L9B,G0K0LiD,CAAX,0BAAc,KAAM,O1K1L1D,G0K0LsC,K1K1LtC,CAAJ,C;QACI,c0KyLgE,kD1KzLID,E;QACd,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,E0K2LQ,aAAa,O1K3LrB,CAAJ,C;QACI,gB0K0LgC,mF;Q1KzLhC,MAAM,gCAAYB,SAAQ,WAAjC,C;O0K2LN,YAAY,CAAC,UAAU,SAAV,IAAD,IAAwB,CAAxB,I;MAEZ,mBAAe,SAAf,C;MvKzEJ,iBAAc,CAAd,UuK0EW,KvK1EX,U;QuK2EQ,QAAQ,c;QACR,MAAM,UAAN,IAAoB,OAAF,CAAE,C;QACpB,MAAM,aAAW,CAAX,IAAN,IAAgC,OAAV,CAAE,KAAK,CAAG,C;QAChC,MAAM,aAAW,CAAX,IAAN,IAAiC,OAAx,CAAE,KAAK,EAAL,C;QACjC,MAAM,aAAW,CAAX,IAAN,IAAiC,OAAx,CAAE,KAAK,EAAL,C;QACjC,0BAAy,CAAZ,I;;MAGJ,gBAAgB,UAAU,UAAV,I;MACHb,SAAS,sBAAS,YAAY,CAAZ,IAAT,C;MACT,aAAU,CAAV,MAAkB,SAAIB,M;QACI,MAAM,aAAW,CAAX,IAAN,IAAqC,OAAf,EAAG,MAAK,IAAI,CAAJ,IAAL,CAAY,C;;MAGzC,OAAO,K;K;yCACX,uD;MAvB4C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,KAAM,O;aARrF,0H;K;yCAiCA,iB;MAOyD,8BAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,OAA1B,C;K;yCAEzD,gB;MAKkD,8BAAU,cAAU,IAAV,CAAV,C;K;IAGID,0B;MAAA,8B;MAO2B,iB;MAEvB,uBAAoC,uB;K;gDAEpC,oB;MAA4C,OAAA,oBAAc,kBAAS,QAAT,C;K;uCAC1D,Y;MAA8B,OAAA,oBAAc,U;K;+CAC5C,iB;MAAwC,OAAA,oBAAc,iBAAQ,KAAR,C;K;+CACtD,uB;MAAmD,OAAA,oBAAc,iBAAQ,IAAR,EAAC,KAAd,C;K;wCAEjE,Y;MAAgC,OAAA,oBAAc,W;K;gDAC9C,iB;MAA2C,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACzD,uB;MAAuD,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;K;2CAErE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDACID,iB;MAAiD,OAAA,oBAAc,oBAAW,KAAX,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBAAW,IAAX,EAAiB,KAAjB,C;K;yCAE7E,Y;MAAkC,OAAA,oBAAc,Y;K;iDAEhD,iB;MAAsD,OAAA,oBAAc,mBAAU,KAAV,C;K;iDACpE,gB;MAA+C,OAAA,oBAAc,mBAAU,IAAV,C;K;yDAC7D,qC;MAAoF,OAAA,oBAAc,mBAAU,KAAV,EAAiB,SAAjB,EAA4B,OAA5B,C;K;;;IA9BtG,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;;IAkCJ,wB;MAAuC,yBAAa,IAAb,EAAMB,IAAK,IAAI,EAA5B,C;K;IAEvC,wB;MAawC,yBAAa,IAAK,QAAIB,EAA2B,IAAK,YAAI,EAAJ,CAAQ,QAAxC,C;K;IAIxC,mC;MAUI,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAYB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,GAAa,UAAb,C;QAF8C,OAEB,0BAAQ,KAAM,MAAd,EAAGB,KAAM,KAAN,GAAa,CAAb,IAArB,C;WAC9B,IAAA,KAAM,MAAN,GAAC,WAAAd,C;QAH8C,OAGf,0BAAQ,KAAM,MAAN,GAAC,CAAd,IAAR,EAAYB,KAAM,KAA/B,IAAuC,CAAvC,I;;QAHe,OAIc,mB;K;IAGZ,oC;MAUI,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAYB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAAN,+C;QAFiD,OAEB,2BAAS,KAAM,MAAf,EAAsB,KAAM,KAAN,yBAAa,CAAb,EAAtB,C;WAC/B,IAAA,KAAM,MAAN,+C;QAHiD,OAGjB,2BAAS,KAAM,MAAN,8BAAC,CAAd,EAAT,EAA0B,KAAM,KAAhC,0BAAW

C,CAAxC,E;;QAHiB,OAIzC,oB;K;IAOZ,yB;MACyC,Y/E9SiC,a+E8S5B,K/E9S4B,C+E8SjC,I;K;IAEzC,4C;MAE I,OAAA,SAAK,KAAK,EAAL,GAAU,QAAf,GAAyC,CAAX,CAAC,QAAD,IAAW,KAAI,E;K;IAEjD,uC;M1KhV I,IAAI,E0KgVuD,QAAQ,I1KhV/D,CAAJ,C;QACI,c0K+UuE,+B;Q1K9UvE,MAAM,gCAAyB,OAAQ,WAAjC,C; Q;I0K+Ud,yC;M1KjVI,IAAI,E0KiVyD,sBAAQ,IAAR,K1KjVzD,CAAJ,C;QACI,c0KgVyE,+B;Q1K/UzE,MAAM, gCAAyB,OAAQ,WAAjC,C;Q;I0KgVd,yC;M1KIVI,IAAI,E0KkV6D,QAAQ,I1KIVrE,CAAJ,C;QACI,c0KiV6E,+B ;Q1KhV7E,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;I0KkVd,yC;MAAyD,oCAA0B,IAA1B,qBAAiC,KAAjC,kB;K; IC/WzD,6B;MAOqC,OrL2RE,SqL3RF,mBrL2RE,C;K;IqLzRvC,sC;MASgD,6BAAS,WAAT,EAAa,KAAb,C;K;I AEhD,4C;MAUI,qBAAqB,IAArB,EAA2B,KAA3B,C;MAEA,iBAAiB,IrL6JgB,KqL7JhB,GAAiB,W;MAClC,kBA AkB,KrL4Je,KqL5Jf,GAAkB,W;MAEpC,mBAAmB,0BAAQ,UAAR,EAAoB,WAApB,IAAqC,W;MACxD,OrL8P mC,SqL9P5B,YrL8P4B,C;K;IqL3PvC,sC;MAWI,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAyB,uCAAoC,K AA7D,C;;QACzB,IrLEkE,YqLFIE,KAAM,KrLE6E,KAAjB,EqLFrD,4BAAK,UrLE6E,KAA7B,CqLFIE,K;UAFiD ,OAEiB,sBAAS,KAAM,MAAf,ErLoBsB,SqLpBA,KAAM,KrLoBI,KAAK,GAAW,CqLpBb,WrLoBa,MAAX,IAA f,CqLpBtB,C;;UAC/B,IrLCkE,YqLDIE,KAAM,MrLC6E,KAAjB,EqLDpD,4BAAK,UrLC4E,KAA7B,CqLDIE,K; YAHiD,OrLsBI,SqLnBrB,sBrLgCsB,SqLhCb,KAAM,MrLgCiB,KAAK,GAAy,CqLhC1B,WrLgC0B,MAAZ,IAAf ,CqLhCtB,EAA2B,KAAM,KAAjC,CrLmB+B,KAAK,GAAW,CqLnBN,WrLmBM,MAAX,IAAf,C;;YqLtbJ,OAIz C,mB;;K;IAGZ,8B;MAOuC,OtKkPG,UsKIPH,oBtKkPG,C;K;IsKhP1C,uC;MASmD,8BAAU,2BAAV,EAAe,KA Af,C;K;IAEnD,6C;MAUI,sBAAsB,IAAtB,EAA4B,KAA5B,C;MAEA,iBAAiB,ItKgHkB,KsKhHIB,8B;MACjB,kB AAKB,KtK+GiB,KsK/GjB,8B;MAEiB,mBAAmB,2BAAS,UAAT,EAAqB,WAArB,+B;MACnB,OtKqNsC,UsKrN/ B,YtKqN+B,C;K;IsKIN1C,uC;MAWI,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAyB,uCAAoC,KAA7D,C;; QACzB,ItK9CmE,asK8CnE,KAAM,KtK9C+E,KAAiB,EsK8CtD,6BAAM,UtK9C8E,KAA9B,CsK8CnE,K;UAFo D,OAEpB,uBAAU,KAAM,MAAhB,EtKjCuB,UsKiCA,KAAM,KtKjCK,KAAK,KAAW,Cf+J7C,UAAW,oBAAL, CqL9HyB,WrL8HzB,MAAK,CAAL,iBAAN,Ce/J6C,MAAX,CAAhB,CsKiCvB,C;;UACHC,ItK/CmE,asK+CnE,K AAM,MtK/C+E,KAAiB,EsK+CrD,6BAAM,UtK/C6E,KAA9B,CsK+CnE,K;YAHoD,OtK/BG,UsKkCtB,uBtKrBu B,UsKqBb,KAAM,MtKrBkB,KAAK,UAAy,CfkJ/C,UAAW,oBAAL,CqL7Hc,WrL6Hd,MAAK,CAAL,iBAAN,Ce lJ+C,MAAZ,CAAhB,CsKqBvB,EAA4B,KAAM,KAAiC,CtKiCiC,KAAK,KAAW,Cf+J7C,UAAW,oBAAL,CqL7 HgC,WrL6HhC,MAAK,CAAL,iBAAN,Ce/J6C,MAAX,CAAhB,C;;YsK+BH,OAI5C,oB;;K;IAGZ,sC;MAQI,4BA AU,KvJ4+FH,QuJ5+FP,C;MACA,OAAO,K;K;IAGX,uC;MAKsD,OvJ2iG3C,euJ3iG2C,4BAAU,IAAV,CvJ2iG3C, C;K;IuJziGX,4D;MAOGD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,KAAM,K;MACrF,4BAAU,KvJy9FH,Q uJz9FP,EAA+B,SAA/B,EAA0C,OAA1C,C;MACA,OAAO,K;K;IAIX,2C;M3KrHI,IAAI,EV0B8D,YqL4FD,KrL5F kB,KAAjB,EqL4FO,IrL5FsB,KAA7B,CqL4FD,I3KiH7D,CAAJ,C;QACI,c2KqH6E,+B;Q3KpH7E,MAAM,gCAA yB,OAAQ,WAAjC,C;Q;I2KqHd,4C;M3KvHI,IAAI,EKkC+D,asKsFC,KtKtFiB,KAAiB,EsKsFs,ItKtFqB,KAA9B, CsKsFC,I3KxHhE,CAAJ,C;QACI,c2KuHgF,+B;Q3KtHhF,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;I4KnBd,6C;M AOI,iB;MANA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,sB;M5KWA,IAAI,E4KJQ,CAAC,WAAK,QA AL,GAAU,QAAV,GAAe,QAAf,GAAoB,QAARB,MAA2B,C5KiInC,CAAJ,C;QACI,c4KLwC,wD;Q5KMxC,MAA M,gCAAyB,OAAQ,WAAjC,C;OGOHV,iBAAC,CAAd,UyKvHW,EzKuHX,U;QyKvHiB,c;;K;qCAGjB,Y;MAGI,Q AAQ,Q;MACR,IAAI,IAAO,MAAO,C;MACiB,WAAI,Q;MACJ,WAAI,Q;MACJ,WAAI,Q;MACJ,SAAS,Q;MAC T,WAAI,E;MACJ,IAAK,IAAO,KAAM,CAAd,GAAsB,EAAtB,GAA8B,MAAO,C;MACzC,WAAI,C;MACJ,gCA AU,MAAV,I;MACA,OAAO,IAAI,aAAJ,I;K;8CAGX,oB;MACI,OAAU,cAAV,cAAU,EAAC,QAAd,C;K;;IA3Bd,g D;MAAA,sD;MACQ,yBAAK,KAAL,EAAY,KAAZ,EAAMB,CAANB,EAAsB,CAAtB,EAA+B,CAAN,KAAzB,E AAuC,SAAU,EAAX,GAAoB,UAAW,CAArE,C;MADR,Y;K;ICdiD,8C;MACjD,4B;MACA,0C;K;oEADA,Y;MA AA,2B;K;2EACA,Y;MAAA,kC;K;uCAGA,iB;MACI,OAAO,0CAAgC,kBAaA,KAAM,UAAAnB,KAC/B,mBAAS, KAAM,MAAf,KAAwB,0BAAgB,KAAM,aAAtB,CADO,CAAhC,C;K;yCAIX,Y;MACI,OAAW,cAAJ,GAAe,EA Af,GAAuB,MAAW,SAAN,UAAW,CAAX,QAAqC,SAAb,iBAAa,CAArC,I;K;yCAGIC,Y;MAAkC,OAAE,UAAf, qBAAU,iB;K;;IAGhD,kC;MAM6E,2BAAGB,SAAhB,EAAsB,IAAtB,C;K;;;0DAYzE,iB;MAA2C,qCAAiB,UAAjB ,EAAwB,KAAxB,KAAkC,8BAAiB,KAAjB,EAAwB,iBAAxB,C;K;iDAC7E,Y;MAAkC,QAAC,8BAAiB,UAAjB, EAAwB,iBAAxB,C;K;;IaCR,gD;MAI3B,gBAAqB,K;MACrB,uBAA4B,Y;K;0FACD,Y;MAAQ,oB;K;iGACD,Y; MAAQ,2B;K;2DAE1C,gB;MAA+D,YAAK,C;K;mDAEpE,iB;MAAGD,gBAAS,aAAT,IAAMB,SAAS,oB;K;0CAC 5E,Y;MAAkC,SAAE,iBAAU,oBAAZ,C;K;yCAEIC,iB;MACI,OAAO,4CAA+B,kBAaA,KAAM,UAAAnB,KAC9B,

kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADnB,CAA/B,C;K;2CAIX,Y;MACI,OAAW,cAAJ,GAAe,E
AAf,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAc,CAAvC,I;K;2CAGIC,Y;MAAkC,OAAE,aAAF,
qBAAW,oB;K;;IAGjD,oC;MAOqF,6BAAkB,SAAlB,EAAwB,IAAxB,C;K;IAQvD,+C;MAI1B,gBAAqB,K;MACr
B,uBAA4B,Y;K;yFACF,Y;MAAQ,oB;K;gGACD,Y;MAAQ,2B;K;0DAEzC,gB;MAA6D,YAAK,C;K;kDAEIE,iB;
MAA+C,gBAAS,aAAT,IAAmB,SAAS,oB;K;yCAC3E,Y;MAAkC,SAAE,iBAAU,oBAAZ,C;K;wCAEIC,iB;MACI
,OAAO,2CAA8B,kBAaA,KAAM,UAAAnB,KAC7B,kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADpB,C
AA9B,C;K;0CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAAf,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oB
AAc,CAAvC,I;K;0CAGIC,Y;MAAkC,OAAE,aAAF,qBAAW,oB;K;;IAGjD,oC;MAOkF,4BAAiB,SAAjB,EAAuB,
IAAvB,C;K;oFAGIF,8B;MAQI,0BAAmB,2BAAS,OAAT,C;K;IAGvB,+C;MACI,IAAI,CAAC,UAAAL,C;QAAiB,
MAAM,gCAAYB,iCAA8B,IAA9B,iBAAzB,C;K;IC5I3B,gC;MAcW,Q;MADP,IAAI,CAAC,6BAAW,KAAx,CAA
L,C;QAAwB,MAAM,uBAAmB,sC7EjBzC,oB6EiByC,CAAnB,C;OAC9B,OAAO,sD;K;IAMX,oC;MAAkC,Q;MA
A9B,OAAW,6BAAW,KAAx,CAAJ,GAAuB,sDAAvB,GAAuC,I;K;,,,,,;ICvBhB,yC;MA2B9B,uC;MA1BA,wB;M
AIA,gB;M/KQA,IAAI,E+KDS,iBAAY,IAAb,MAAuB,iBAAvB,C/KCR,CAAJ,C;QACI,c+KDQ,iBAAY,IAAhB,G
ACI,8CADJ,GAGI,sCAA0B,aAA1B,qC;Q/KDR,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;yC+KKV,Y;MAAwC,Q;
MAAA,oB;MACpC,iB;QAD8B,OACtB,G;WACR,oD;QAF8B,OAef,SAAL,SAAK,C;WAC5B,6C;QAH8B,OAG
d,iBAAK,SAAL,C;WACHB,8C;QAJ8B,OAIb,kBAAM,SAAN,C;;QAJa,mC;K;IAOIC,qC;MAAA,yC;MACI,YAGq
C,oBAAgB,IAAhB,EAAsB,IAAtB,C;K;iGAQJ,Y;MAAQ,gB;K;4DAEzC,gB;MAOI,8DAAqC,IAArC,C;K;gEAEJ,
gB;MAMI,uDAA8B,IAA9B,C;K;4DAEJ,gB;MAMI,wDAA+B,IAA/B,C;K;;;IArCR,iD;MAAA,gD;QAAA,+B;OA
AA,yC;K;;2CarCJ,Y;MAWI,oB;K;2CAXJ,Y;MAeI,gB;K;6CAfJ,0B;MAAA,2BAWI,8CAXJ,EAeI,kCAfJ,C;K;yC
AAA,Y;MAAA,c;MAWI,yD;MAIA,qD;MAfJ,a;K;uCAAA,iB;MAAA,4IAWI,4CAXJ,IAeI,oCAfJ,I;K;ICLA,kC;M
AAA,e;MAAA,iB;MAAA,uB;K;IAAA,gC;MAAA,mC;O;MAYI,4D;MAKA,8C;MAKA,gD;K;;IAVA,2C;MAAA,s
B;MAAA,mC;K;;IAKA,oC;MAAA,sB;MAAA,4B;K;;IAKA,qC;MAAA,sB;MAAA,6B;K;;IAtBJ,4B;MAAA,mG;
K;;IAAA,iC;MAAA,a;aAAA,W;UAAA,wC;aAAA,I;UAAA,iC;aAAA,K;UAAA,kC;gBAAA,6D;;K;;6ECAa,yB;
MAAA,4F;MAAA,2B;QAOI,MAAM,mCAA8B,0EAA9B,C;O;KAPV,C;ICkCA,+D;MAaW,Q;MAAP,OAAO,8C
AAO,KAAP,EAAC,UAAAd,EAA0B,QAA1B,oC;K;IAGX,kC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,K
AAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;mFAGX,qB;MAGwD,gCAAO,EAAP,C;K;qFAExD,4B;MAG
4E,OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFAOxD,4B;MAGmE,OAAA,yBAAO,KAAP,CAVX,gB
AAO,EAAP,C;K;IAxuD,wD;MAEQ,sB;QAAqB,yBAAO,UAAU,OAAV,CAAP,C;WACrB,sD;QAA4B,yBAAO,O
AAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,yBAAe,SAAR,OAAQ,CAAf,C;K;0EC7EhB,4B;MAM8
D,OAAK,oBAAL,SAAK,CAAL,GAAB,K;K;IAEHf,gD;MAYoC,0B;QAAA,aAAsB,K;MACtD,IAAI,cAAQ,KA
AZ,C;QAAmB,OAAO,I;MAC1B,IAAI,CAAC,UAAAL,C;QAAiB,OAAO,K;MAExB,IxEpBiI,OAARi,MAAoD,cwE
oB5C,SxEpBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,CwEoB7H,KxEpB6H,OAARi,MAAoD,cwEoBtB,
KxEpBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,CwEoBjI,C;QAA+C,OAAO,I;MACtD,IxEpBiI,OAARi,
MAAoD,cwEwB5C,SxEpBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,CwEwB7H,KxEpB6H,OAARi,MAA
oD,cwEwBtB,KxEpBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,CwEwBjI,C;QAA+C,OAAO,I;MACtD,O
AAO,K;K;IAGX,gC;MAGyC,QAAQ,cAAA,sCAAK,cAAL,EAAoB,sCAAK,cAAzB,CAAR,6B;K;IChCzC,6C;M
Ac6B,4B;QAAA,eAAuB,G;MACHD,wCAAsB,EAAtB,EAA0B,YAA1B,C;K;IAEJ,mE;MAKwC,yB;QAAA,YAA
oB,E;MAAI,4B;QAAA,eAAuB,G;MPLGnF,IAAI,Cc0N+C,CAAC,QsK5N5C,YtK4N4C,Cd1NpD,C;QACI,coLHi
C,wC;QpLjC,MAAM,gCAAYB,OAAQ,WAAjC,C;OoLHV,cAAY,gB;MAEC,yBAAS,mBAAS,YAAA,SAAU,OA
AV,EAAMB,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAlB,C;MA0E9D,gBAAgB,iBA1ET,OA0ES,
C;M9Kk5CT,kBAAoB,gB;MAoSd,gB;MADb,YAAY,C;MACC,08KhWdN,09KgwDM,W;kBAAb,OAAa,cAAb,
C;QAAA,sB;QA1RsB,U;QAAA,cA0RT,oBAAmB,cAAnB,EAAMB,sBAAnB,U;Q8KjrDIB,kB;;YAHA,CAAC,YA
AS,CAAT,IAAc,qBAAf,KAA4C,Q9KorDG,I8KprDH,C;UAC5C,a;;UAEA,4B;UA9E+B,uB;;YvKkFzB,kC;YAAA
,wBP6qDyC,IO7qDzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAAd,gE;cACI,IuKnFkD,CAAI,aAAH,UvKmFrC,YP
4qDqC,IO5qDrC,YAAK,OAAL,EuKnFqC,CAAG,CvKmFtD,C;gBACI,sBAAO,O;gBAAP,wB;;YAGR,sBAAO,E;
;UuKvFH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;iBACjC,IAAK,a9K2vD0C,I8K3vD1C,gBAAyB,uBA
AzB,CAAL,C;YAJJ,2B9K+vDmD,IS/IDSB,WqK5JI,0BAAuC,mBAAvC,IrK4JJ,C;;YqKhKzE,2BAKY,I;UYaYER,i
EjLJD,yBiLIC,4B9KirD+C,I;;QA1RpB,8B;UAA6C,6B;;M8Kt+ChF,OAIkF,S9Ks5CE,W8Kt5CF,EAAO,mBAAc,

kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAvET,+B;MAeyC,gCAAc,EAAAd,C;K;IAEzC,6C;MAGgC,yB;QAA
A,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;M9KypBL,kBAAS,gB;MA2FA,U;MAAA,S8KlvBM,O9KkvBN,W;M
AAhB,OAAgB,gBAAhB,C;QAAgB,2B;QAAM,IQ3jB6B,CAAC,QR2jBhB,OQ3jBgB,CR2jB9B,C;UAAwB,WAA
Y,WAAI,OAAJ,C;M8KKhvBrD,kB9KivBE,W;MAMrBA,oBAAM,iBAaA,qCAAwB,EAAxB,CAAb,C;MAuEA,U;
MAAA,+B;MAAb,OAAa,gBAAb,C;QAAa,wB;QACT,aAAY,uBAAc,IAAd,E;M8K9+ChB,sBAAsB,CAGjB,oB9
K4+CE,a8K5+CF,CAHiB,mBAGF,C;MAEP,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAmB,OAAM,KAAzB,C
AAT,I;MAAT,wBAAiD,kBAAkB,SAAIB,C;MAMc9D,gBAAGB,iBAnCT,OAmCS,C;M9Kk5CT,oBAAoB,gB;M
AoSd,kB;MADb,YAAY,C;MACC,S8KztDN,O9KytDM,W;MAAb,OAAa,gBAAb,C;QAAa,0B;QA1RsB,U;QAAA
,cAORT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;Q8KjrDIB,kB;Q9Ku5C2B,c8K15C3B,CAAC,YAAS,CAAT,IAAc
,qBAAf,KAA4C,Q9KorDG,M8KprDH,C9K05CjB,G8Kz5C3B,I9Ky5C2B,G8Kv5C3B,oBAxCmG,Q9KytDpD,M8
KztDoD,kBAwCnG,YjLJD,yBiLIC,4B9KirD+C,MA1RpB,U;UAA6C,+B;M8K/7ChF,OA0CK,S9Ks5CE,a8Kt5CF
,EAAO,mBAAC,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAjCI,8C;MAAA,qB;QAEG,IAAG,QAAH,EAAG,C
AAH,C;UAEQ,IAAA,EAAG,OAAH,GAAY,cAAO,OAAAnB,C;YAHZ,OAGyC,c;YAHZC,OAIoB,E;UAJpB,OA
Y,iBAAS,E;O;K;IAfjC,0C;MAKgC,sB;QAAA,SAAiB,M;MAC7C,OAYK,eAXA,OADL,uBACK,EAAI,4BAAJ,C
AWA,EAAa,IAAb,C;K;IAET,gC;MAAwC,uB;QvKqBtB,gC;QAAA,gC;QAAA,mB;QAAA,kB;QAAA,kB;QAAd
,0D;UACI,IuKtB+C,CAAI,aAAH,UvKsBIC,iCAAK,KAAL,EuKtBkC,CAAG,CvKsBnD,C;YACI,sBAAO,K;YAA
P,wB;QAGR,sBAAO,E;MVbA,4B;MiLb6B,OAA8C,OAAM,EAAV,GAAC,gBAAd,GAA0B,E;K;IAGpF,wC;M
AAkB,W;K;IAC9B,oD;MAAA,uB;QAkB,wBAAS,I;O;K;IAFvC,mC;MACI,IAAA,MtKoIgd,YAAU,CsKpI1D,C
;QAD4C,OACxB,wB;QADwB,OAEPc,kC;K;mBAGZ,yB;M9Kg5CA,+D;MAoSA,wE;M8KprDA,sF;QAKI,gBA
AgB,2B;Q9Kk5CT,kBAAoB,gB;QAoSd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1Rs
B,U;UAAA,cAORT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;U8KjrDIB,kB;U9Ku5C2B,c8K15C3B,CAAC,YAAS,
CAAT,IAAc,qBAAf,KAA4C,Q9KorDG,I8KprDH,C9K05CjB,G8Kz5C3B,I9Ky5C2B,G8Kv5C3B,sC9KirD+C,I8
KjrD/C,ajLJD,yBiLIC,4B9KirD+C,IA1RpB,U;YAA6C,6B;Q8K35ChF,OAMK,S9Ks5CE,W8Kt5CF,EAAO,mBA
Ac,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;O;KAbT,C;6E7DkSA,0B;MAGmE,OAAA,SAAK,gBAAO,GAAP,C;
K;qFAExE,yB;MAAA,yD;MAAA,gC;QA02B,gBAAhB,oB;QAAsB,apHrU7B,W;QoHqUA,OpHpUO,SoHoUqC,
W;O;KAPhD,C;uFAUA,yB;MAAA,iE;MAAA,0C;QAQmC,gBAAXB,mBAAC,QAAd,C;QAA8B,apHhVrC,W;Qo
HgVA,OpH/UO,SoH+U6C,W;O;KARxD,C;IAWA,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,
M;QACI,yBAAO,IAAP,C;MACJ,OAAO,S;K;IAGX,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KA
Ab,M;QACI,yBAAO,IAAP,C;MACJ,OAAO,S;K;qFAGX,qB;MAG8D,gCAAQ,EAAP,C;K;qFAE9D,4B;MAGkF,
OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFA09D,4B;MAG4E,OAAA,yBAAO,KAAP,CAVd,gBAAO,
EAAP,C;K;qFAY9D,4B;MAGyE,OAAA,yBAAO,KAAP,CAfX,gBAAO,EAAP,C;K;qFAiB9D,4B;MAG8E,OAA
A,yBAAO,KAAP,CAPhB,gBAAO,EAAP,C;K;qFAsB9D,4B;MAGyE,OAAA,yBAAO,KAAP,CAzBX,gBAAO,E
AAP,C;K;qFA2B9D,4B;MAG4E,OAAA,yBAAO,KAAP,CA9Bd,gBAAO,EAAP,C;K;I3H/a9D,iC;MAK0C,iCAAq
B,EAARb,C;K;IAE1C,0C;MAQmB,Q;MAAA,qBAAL,SAAK,EAAy,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;OAA
5C,UAAU,I;MACV,IAAI,MAAM,sCAAK,UAAx,IAAwB,MAAM,sCAAK,UAAvC,C;QAakD,OAAO,I;MACzD
,OAAW,OAAJ,GAAL,C;K;IAGf,kC;MAK4C,kCAAsB,EAATB,C;K;IAE5C,2C;MAQmB,Q;MAAA,qBAAL,SA
AK,EAAy,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,MAAM,uCAAM,UAAZ,IAAyB,
MAAM,uCAAM,UAAzC,C;QAAoD,OAAO,I;MAC3D,OAAW,QAAJ,GAAL,C;K;IAGf,gC;MAKwC,gCAAoB,E
AApB,C;K;IAExC,yC;MAQI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,O
AAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAGB,qBAAK,CAAL,C;MACHb,IAAI,YAAY,EAHb,C;QACI,
IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAAjB,C;UACI,aAAa,I;UACb,QA
AQ,W;eACL,IAAI,cAAa,EAAjB,C;UACH,aAAa,K;UACb,QAAQ,W;UAER,OAAO,I;QAEZ,QAAQ,C;QACR,a
AAa,K;QACb,QAAQ,W;MAIZ,uBAAUb,S;MAEvB,qBAAQb,gB;MACrB,aAAa,C;MACb,aAAU,KAAY,MAAs
B,MAATB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe
,OAAO,I;QACtB,IAAI,SAAS,cAAb,C;UACI,IAAI,mBAAkB,gBAATB,C;YACI,iBAAiB,QAAQ,KAAR,I;YAEjB,
IAAI,SAAS,cAAb,C;cACI,OAAO,I;YAGX,OAAO,I;SAIf,6BAAU,KAAY,C;QAEA,IAAI,UAAAS,QAAQ,KAAR,
IAAT,CAAJ,C;UAA4B,OAAO,I;QAEEnC,kBAAU,KAAY,I;MAGJ,OAAW,UAAJ,GAAGB,MAAhB,GAA4B,CA
AC,MAAD,I;K;IAGvC,iC;MAK0C,iCAAqB,EAARb,C;K;IAE1C,0C;MAQI,WAAW,KAAX,C;MAEA,aAAa,SA

K,O;MACiB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAgB,qBAAK,C
AAL,C;MACHb,IAAI,YAAy,EAAbB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,
IAAI,cAAa,EAAbB,C;UACI,aAAa,I;UACb,gC;eACG,IAAI,cAAa,EAAbB,C;UACH,aAAa,K;UACb,6B;;UAEA,O
AAO,I;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,6B;;MAIJ,2C;MAEA,qBAAqB,gB;MACrB,e;MACA,aAAU,KA
AV,MAAsB,MAAtB,M;QACI,YAAy,QAAQ,qBAAK,CAAL,CAAR,EAAbB,KAAjB,C;QAEZ,IAAI,QAAQ,CAA
Z,C;UAAe,OAAO,I;QACtB,IAAI,uBAAS,cAAT,KAAJ,C;UACI,IAAI,uBAAkB,gBAAiB,CAAJ,C;YACI,iBAAiB
,8BAAQ,KAAr,E;YAEjB,IAAI,uBAAS,cAAT,KAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,6CAAU,KAAV,E;
QAEA,IAAI,uBAAS,8BAAQ,KAAr,EAAT,KAAJ,C;UAA4B,OAAO,I;QAEEnC,6CAAU,KAAV,E;;MAGJ,OAA
W,UAAJ,GAAgB,MAAbB,GAA6B,MAAD,a;K;IAIvC,kC;MAAyD,MAAM,0BAAsB,6BAA0B,KAA1B,MAAtB,
C;K;uEkB9L/D,yB;MAAA,oC;MAAA,uC;QAIi,iBAAiB,C;QACjB,eAAe,mBAAS,CAAT,I;QACf,iBAAiB,K;QA
EjB,OAAO,cAAc,QAAR,B,C;UACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAAy,UAAU,iCA
AK,KAAI,EAAB,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAI,C;cACI,aAAa,I;;cAEb,0BAAc,CA
Ad,I;;YAEJ,IAAI,CAAC,KAAI,C;cACI,K;;cAEA,sBAAy,CAAZ,I;;;QAIz,OAAO,8BAAy,UAAZ,EAAB,W
AAW,CAAX,IAAxB,C;O;KAZBX,C;yEA4BA,yB;MAAA,8B;MA5BA,oC;MA4BA,uC;QAIK,Q;QAAsB,kBAAtB,2
D;QA5BD,iBAAiB,C;QACjB,eAAe,qBAAS,CAAT,I;QACf,iBAAiB,K;QAEjB,OAAO,cAAc,QAAR,B,C;UACI,YA
AgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAsBwB,SAAtBZ,CAAU,mCAAK,KAAI,EAAB,C;UAEZ
,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAI,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,K
AAI,C;cACI,K;;cAEA,sBAAy,CAAZ,I;;;QAWZ,OAPo,gCAAY,UAAZ,EAAB,WAAW,CAAX,IAAxB,CAOGC,
W;O;KAJ3C,C;iFAMA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;Q
AAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAI,E
AAV,CAAL,C;YACI,OAAO,8BAAy,KAAZ,EAAB,mB,gBAAnB,C;QAEf,OAAO,E;O;KARX,C;mFAWA,yB;MA
AA,8B;MAXA,mD;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;;UAXJ,kC;UAAA,qBAAL,
WAAK,C;UAAL,qB;UAAA,oB;UAAA,oB;UAAAd,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCAAK,KAAI,EA
AV,CAAL,C;cACI,mBAAO,gCAAY,KAAZ,EAAB,mB,kBAAnB,C;cAAP,qB;aAER,mBAAO,E;;QAOP,OAA4C,2B;
O;KAJhD,C;6EAMA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,S
AAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,KAAI,EAAB,CAA
L,C;YACI,OAAO,8BAAy,CAAZ,EAAB,QAAQ,CAAR,IAAf,C;;QAEf,OAAO,E;O;KARX,C;+EAWA,yB;MAAA
,8B;MAXA,mD;MAAA,+C;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,kB;;UAXT,U;UAAA,S
AAa,SAAR,YAAL,WAAK,CAAQ,CAAb,W;UAAAd,OAAc,gBAAd,C;YAAc,yB;YACV,IAAI,CAUuB,SAVtB,CA
AU,mCAAK,KAAI,EAAB,CAAL,C;cACI,iBAAO,gCAAY,CAAZ,EAAB,QAAQ,CAAR,IAAf,C;cAAP,mB;;UA
ER,iBAAO,E;;QAOP,OAA0C,yB;O;KAJ9C,C;IAMA,kC;MAHEI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MA
Cf,iBAAiB,K;MAEjB,OAAO,cAAc,QAAR,B,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,
YA6DgE,4BA7D1C,iCAAK,KAAI,EA6D0C,E;QA3DhE,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAI,C;YA
CI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UA EJ,IAAI,CAAC,KAAI,C;YACI,K;;YAEA,sBAAy,CAAZ,I;;MAkDiD,OA
9CtD,8BAAy,UAAZ,EAAB,WAAW,CAAX,IAAxB,C;K;IAGDX,kC;MAzCK,Q;MAAsB,kBAAtB,2D;MA5BD,
iBAAiB,C;MACjB,eAAe,qBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAAR,B,C;QACI,YAAgB,CA
AC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YAkEoD,4BAIE9B,mCAAK,KAAI,EAkE8B,E;QAhEpD,IAAI,C
AAC,UAAL,C;UACI,IAAI,CAAC,KAAI,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UA EJ,IAAI,CAAC,KAAI,C;
YACI,K;;YAEA,sBAAy,CAAZ,I;;MAuDqC,OAnD1C,gCAAY,UAAZ,EAAB,WAAW,CAAX,IAAxB,CAOGC,
W;K;IA8C3C,uC;MAGsE,oB;;QA3C/C,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,C
A0CsE,4BA1C3D,iCAAK,KAAI,EA0C2D,EA1C1E,C;YACI,mBAAO,8BAAy,KAAZ,EAAB,mB,gBAAnB,C;YA
AP,qB;;QAER,mBAAO,E;;MAuC2D,uB;K;IAEtE,uC;MAICK,Q;MAAsB,kBAAtB,2D;MAAsB,oB;;QAXJ,kC;Q
AAA,wBAAL,WAAK,C;QAAL,qB;QAAA,oB;QAAA,oB;QAAd,0D;UACI,IAAI,CA+C0D,4BA/C/C,mCAAK,K
AAL,EA+C+C,EA/C9D,C;YACI,mBAAO,gCAAY,KAAZ,EAAB,mB,kBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;M
A4C+C,OArCV,2B;K;IAuChD,qC;MAGoE,kB;;QApCID,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OAA
c,cAAAd,C;UAAc,uB;UACV,IAAI,CAMcKE,4BAnCvD,iCAAK,KAAI,EAACuD,EAncTE,C;YACI,iBAAO,8BAA
Y,CAAZ,EAAB,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;MAGCyD,qB;K;IAEpE,qC;MA3BK,Q;MA
AsB,kBAAtB,2D;MAAsB,kB;;QAXT,U;QAAA,SAAa,WAAR,eAAL,WAAK,CAAQ,CAAb,W;QAAd,OAAc,gB

AAd,C;UAAc,yB;UACV,IAAI,CAwCsD,4BAxC3C,mCAAK,KAAL,EAwC2C,EAxC1D,C;YACI,iBAAO,gCAA
Y,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAqC6C,OA9BV,yB;K;IAgC9C,2B;MA9
FI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;QACI,YAAgB,
CAAC,UAAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,mCAAsB,iCAAK,KAAL,EAAtB,E;QAEA,IAAI,CAAC,UAAAL
,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YA
EA,sBAAY,CAAZ,I;;MAGf+B,OA5EpC,8BAAY,UAAZ,EAAwB,WAaw,CAAX,IAAxB,C;K;yEA8EX,yB;MA
AA,8B;MAAA,qC;MAAA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DAAsB,CAAO,W;O;KAJxE,C;IAMA,gC;MA
GoD,oB;;QA1E7B,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,wBAAW,iCAAK,KA
AL,EAAX,EAAJ,C;YACI,mBAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MAsEy
C,uB;K;mFAEpD,yB;MAAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAAD,OAAuB,UAAAtB,2DAAsB,CAAY,W;O
;KAJIF,C;IAMA,8B;MAGkD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UA
Ac,uB;UACV,IAAI,wBAAW,iCAAK,KAAL,EAAX,EAAJ,C;YACI,iBAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR
,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAGeUc,qB;K;+EAEID,yB;MAAA,8B;MAAA,2C;MAAA,4B;QAI8C,Q;
QAAD,OAAuB,QAAAtB,2DAAsB,CAAU,W;O;KAJ9E,C;IAMA,8C;MAU8C,uB;QAAA,UAAgB,E;MAO5C,Q;M
ANd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UAAU,SAAK,O
AAnB,C;QACI,OAAy,mBAAL,SAAK,EAAy,CAAZ,EAAe,SAAK,OAAPB,C;MAEhB,SAAS,mBAAc,MAAd,C;
MACK,gBAAS,SAAK,OAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,EAAG,gBAAO,
SAAP,C;MACH,OAAO,E;K;IAGX,gD;MASwC,uB;QAAA,UAAgB,E;MACnD,Q;MAAD,OAAuB,SAAtB,6DAA
sB,EAAS,MAAT,EAAiB,OAAjB,CAA0B,W;K;IAErD,4C;MAU4C,uB;QAAA,UAAgB,E;MAQ1C,Q;MAPd,IAAI
,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UAAU,SAAK,OAAnB,C;Q
ACI,OAAy,mBAAL,SAAK,EAAy,CAAZ,EAAe,SAAK,OAAPB,C;MAEhB,SAAS,mBAAc,MAAd,C;MACT,EA
AG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;M
ACP,OAAO,E;K;IAGX,8C;MASsC,uB;QAAA,UAAgB,E;MACjD,Q;MAAD,OAAuB,OAAtB,6DAAsB,EAAO,M
AAP,EAAe,OAAf,CAAwB,W;K;2FAEnD,qB;MAWI,OAAO,qBAAGB,SAAK,OAAL,KAAe,C;K;+EAG1C,qB;M
AMoD,4BAAU,C;K;sFAE9D,qB;MAMuD,0BAAS,C;K;mFAMhE,yB;MAAA,2C;MAAA,4B;QAMuD,QAAC,kB;
O;KANxD,C;yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qBAAqB,QAAL,SAAK,C;O;KAXhC,C;IAiB4D,+
C;MAAA,kC;MAAS,uB;MACjE,eAAoB,C;K;gDAEpB,Y;MAA2C,gB;MAAA,iE;MAAJ,4C;K;+CAEvC,Y;MAA
yC,sBAAQ,yB;K;;IARrD,+B;MAG4D,4C;K;+EAQ5D,qB;MAE8C,uCAAQ,E;K;+EAETd,mC;MASI,OA5DgD,qB
AAU,CA4D1D,GAAe,cAAf,GAAMC,S;K;6EAEvC,yB;MAAA,2C;MAAA,0C;QASI,OAAI,kBAAJ,GAAe,cAAf,
GAAMC,S;O;KATvC,C;IAeI,mC;MAAQ,uBAAG,mBAAS,CAAT,IAAH,C;K;IAMR,qC;MAAQ,OAAA,SAAK,O
AAL,GAAc,CAAd,I;K;IAEZ,8C;MAIuB,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAgB,CAAT,8BACgB,gBAAZ,q
BAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAgB,C;K;IAG/B,uC;MAGuD,OC
llyC,oBDkI/B,KAAM,MCIIyB,EDkIIB,KAAM,aAAN,GAAqB,CAArB,ICIIkB,C;K;IDoIhG,yC;MAGqE,qCAAY,
KAAM,MAAIB,EAAyB,KAAM,aAAN,GAAqB,CAArB,IAAzB,C;K;uFAErE,iC;MAS2E,2BAAY,KAAZ,EAAm
B,GAAAnB,C;K;mFAE3E,2C;MAO0D,wB;QAAA,WAAGB,gB;MAAkB,OAAA,8BAAY,UAAZ,EAAwB,QAAXB,
CAAKC,W;K;IAE9H,uC;MAG6D,OAAA,8BAAY,KAAM,MAAIB,EAAyB,KAAM,aAAN,GAAqB,CAArB,IAAz
B,CAAiD,W;K;IAE9G,sE;MAImD,qC;QAAA,wBAAGC,S;MAC/E,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UA
AS,EAAPB,GAAwB,qBAAXB,GCxK4F,oBDwK/B,CCxK+B,EDwK5B,KCxC4B,C;K;ID2KhG,wE;MAIqD,qC;Q
AAA,wBAAGC,S;MACjF,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAXB,GCjL4F,o
BDiL/B,CCjL+B,EDiL5B,KCjL4B,C;K;IDoLhG,qE;MAIkD,qC;QAAA,wBAAGC,S;MAC9E,YAAy,sBAAQ,SA
AR,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAXB,GC1L4F,oBD0L/B,QAAQ,CAAR,IC1L+B,ED0LpB,gB
C1LoB,C;K;ID6LhG,uE;MAIoD,qC;QAAA,wBAAGC,S;MACHf,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,
EAAPB,GAAwB,qBAAXB,GCnM4F,oBDmM/B,QAAQ,SAAU,OAAIB,ICnM+B,EDmML,gBCnMK,C;K;IDsmh
G,0E;MAIuD,qC;QAAA,wBAAGC,S;MACnF,YAAy,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,
qBAAXB,GC5M4F,oBD4M/B,CC5M+B,ED4M5B,KC5M4B,C;K;ID+MhG,4E;MAIyD,qC;QAAA,wBAAGC,S;M
ACrF,YAAy,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAXB,GCrN4F,oBDqN/B,CCrN+B,E
DqN5B,KCrN4B,C;K;IDwNhG,yE;MAIsD,qC;QAAA,wBAAGC,S;MACIF,YAAy,0BAAY,SAAZ,C;MACZ,OAA
W,UAAS,EAAPB,GAAwB,qBAAXB,GC9N4F,oBD8N/B,QAAQ,CAAR,IC9N+B,ED8NpB,gBC9NoB,C;K;IDiOh

G,2E;MAIwD,qC;QAAA,wBAAGC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAXB,GCvO4F,oBDuO/B,QAAQ,SAAU,OAAIB,ICvO+B,EDuOL,gBCvOK,C;K;ID00hG,oE;MAQI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,qBAAY,SAAZ,EAakB,CAAlB,EAAqB,UAArB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,qBAAY,SAAZ,EAakB,QAAIB,EAA4B,gBAA5B,C;MACH,OAAO,E;K;yFAGX,yB;MAAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,UAAb,EAAYB,QAazB,EAAmC,WAAnc,CAAGD,W;O;KAP3E,C;IASA,uD;MAOI,+BAAa,KAAM,MAAnB,EAA0B,KAAM,aAN,GAAqB,CAArB,IAA1B,EAakD,WAAID,C;K;yFAEJ,yB;MAAA,8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,KAAb,EAAoB,WAApB,CAAiC,W;O;KAP5D,C;IASA,sD;MAUI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAA1B,C;MAEV,IAAI,aAAY,UAAhB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAae,gBAaf,C;MAEHb,SAAS,mBAAc,oBAAU,QAaV,GAAqB,UAArB,KAAd,C;MACT,EAAG,qBAAY,SAAZ,EAakB,CAAlB,EAAqB,UAArB,C;MACH,EAAG,qBAAY,SAAZ,EAakB,QAAIB,EAA4B,gBAA5B,C;MACH,OAAO,E;K;uFAGX,yB;MAAA,8B;MAAA,mD;MAAA,kD;QASK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,UAAZ,EAAwB,QAAxB,CAAKC,W;O;KAT7D,C;IAWA,yC;MAKqE,8BAAY,KAAM,MAAIB,EAAYB,KAAM,aAN,GAAqB,CAArB,IAAZB,C;K;uFAErE,yB;MAAA,8B;MAAA,mD;MAAA,mC;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,KAazB,CAAmB,W;O;KAP9C,C;IASA,yC;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OAAO,8BAAY,MAAO,OAAAnB,EAA2B,gBAA3B,C;OAEX,OAAO,8BAAY,CAAZ,EAae,gBAaf,C;K;IAGX,2C;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OC3VyE,oBD2VxD,MAAO,OC3ViD,C;OD6V7E,OAAO,S;K;IAGX,yC;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OAAO,8BAAY,CAAZ,EAae,mBAAS,MAAO,OAAhB,IAAf,C;OAEX,OAAO,8BAAY,CAAZ,EAae,gBAaf,C;K;IAGX,2C;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OC9WwF,oBD8WvE,CC9WuE,ED8WpE,mBAAS,MAAO,OAAhB,IC9WoE,C;ODgX5F,OAAO,S;K;IAGX,sD;MAMI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAY,MAAO,OAAAnB,EAA2B,mBAAS,MAAO,OAAhB,IAA3B,C;OAEX,OAAO,8BAAY,CAAZ,EAae,gBAaf,C;K;IAGX,wD;MAMI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OCtYwF,oBDsYvE,MAAO,OCtYgE,EDsYxD,mBAAS,MAAO,OAAhB,ICtYwD,C;ODwY5F,OAAO,S;K;IAGX,mD;MAKmf,oCAAKB,SAAlB,EAA6B,SAA7B,C;K;IAEnF,mD;MAKuE,sCAAKB,SAAlB,EAA6B,SAA7B,C;K;IAEvE,iF;MAIsE,qC;QAAA,wBAAGC,S;MACIG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA7JvB,U;QA6JM,OA7JgB,aAAtB,+DAAsB,EA6JyC,CA7JzC,EA6J4C,KA7J5C,EA6JmD,WA7JnD,CAAGD,W;;MA6JvE,W;K;IAGJ,mF;MAIwE,qC;QAAA,wBAAGC,S;MACpG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAtKvB,U;QAsKM,OAtKgB,aAAtB,+DAAsB,EAsKyC,CAtKzC,EAsK4C,KAtK5C,EAsKmD,WAtKnD,CAAGD,W;;MAskvE,W;K;IAGJ,gF;MAIqE,qC;QAAA,wBAAGC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA/K1E,U;QA+KM,OA/KgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EA+K4D,WA/K5D,CAAGD,W;;MA+KvE,W;K;IAGJ,kF;MAIuE,qC;QAAA,wBAAGC,S;MACnG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAxLzF,U;QAwLM,OAxLgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EAwL2E,WAxL3E,CAAGD,W;;MAwLvE,W;K;IAGJ,oF;MAI2E,qC;QAAA,wBAAGC,S;MACvG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QajMzF,U;QaiMM,OAjMgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EAiM2E,WajM3E,CAAGD,W;;MAiMvE,W;K;IAGJ,sF;MAIyE,qC;QAAA,wBAAGC,S;MACrG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA1M1E,U;QA0MM,OA1MgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EA0M4D,WA1M5D,CAAGD,W;;MA0MvE,W;K;IAGJ,qF;MAI0E,qC;QAAA,wBAAGC,S;MACtG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5NvB,U;QA4NM,OA5NgB,aAAtB,+DAAsB,EA4NyC,CA5NzC,EA4N4C,KA5N5C,EA4NmD,WA5NnD,CAAGD,W;;MA4NvE,W;K;+EA0J,yC;MAQoF,OAAA,KAAM,iBAAQ,SAA

R,EAAc,WAAd,C;K;+EAE1F,yB;M+FnkBI,iE;MAAA,wC;M/FmkBJ,8C;QAOU,yB;;U+FpkBF,Y/FokBJ,K+FpkB
gB,c/FokBF,S+FpkBE,C;UACZ,IAAI,aAAJ,C;YAAmB,wB/FmkBT,S+FnkBsB,W;YAAb,0B;WAEnB,gBAAGB,C
;UACbB,a/FgkBU,S+FhkBS,O;UACnB,SAAS,mBAAC,MAAd,C;;YAEL,iBAAiB,oB;YACjB,EAAG,gB/F4jBG,S
+F5jBH,EAAC,SAAd,EAAYB,UAAW,MAAM,MAA1C,C;YACH,EAAG,gB/F2jBS,S+F3jBF,CAAU,UAAV,CAA
P,C;YACH,YAAY,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;YACZ,QAAQ,UAAW,O;;UACd,oBAAy,MAAZ,I
AAsB,aAAtB,C;UAET,IAAI,YAAY,MAAhB,C;YACI,EAAG,gB/FqjBG,S+FrjBH,EAAC,SAAd,EAAYB,MAAZB,
C;WAGP,wBAAO,EAAG,W;;;Q/FkjBd,4B;O;KAPJ,C;yFASA,yC;MAMyF,OAAA,KAAM,sBAAa,SAAb,EAAM
B,WAAAnB,C;K;+EAG/F,4B;MAIsE,OAAA,KAAM,iBAAQ,SAAR,C;K;IAE5E,0F;MAKI,IAAK,cAAc,CAAf,IAA
sB,aAAa,CAAnC,IAA0C,cAAa,SAAK,OAAL,GAAC,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAAe,
MAAf,IAAd,CAArF,C;QACI,OAAO,K;OAGX,iBAAC,CAAd,UAAsB,MAAtB,U;QACI,IAAI,CAA0B,SAAzB,qB
AAK,aAAa,KAAb,IAAL,CAAYB,EAAO,iBAAM,cAAc,KAAd,IAAN,CAAP,EAAMC,UAAAnC,CAA9B,C;UACI,
OAAO,K;;MAEf,OAAO,I;K;IAGX,mD;MAG+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAC,CAA
d,IAA2B,SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;K;IAE/B,iD;MAG6C,0B;QAAA,aAAsB,K;
MAC/D,OAAA,SAAK,OAAL,GAAC,CAAd,IAAMC,SAAhB,qBAAK,2BAAL,CAAGB,EAAO,IAAP,EAAa,UAA
b,C;K;IAEvC,qD;MAGyD,0B;QAAA,aAAsB,K;MAC3E,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;Q
ACI,OAAy,WAAL,SAAK,EAAW,MAAX,C;;QAEZ,OAAO,6BAAkB,CAAIB,EAAqB,MAArB,EAA6B,CAA7B,
EAAgC,MAAO,OAAvC,EAA+C,UAA/C,C;K;IAGf,iE;MAG0E,0B;QAAA,aAAsB,K;MAC5F,IAAI,CAAC,UAA
D,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,aAAL,SAAK,EAAW,MAAX,EAAMB,UAAAnB,C;;QAEZ,OAA
O,6BAAkB,UAAIB,EAA8B,MAA9B,EAAc,CAAtC,EAAYC,MAAO,OAAd,EAAwD,UAAxD,C;K;IAGf,mD;
MAGuD,0B;QAAA,aAAsB,K;MACzE,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,SAAL
,SAAK,EAAS,MAAT,C;;QAEZ,OAAO,6BAAkB,mBAAS,MAAO,OAAd,IAAIB,EAA0C,MAA1C,EAAd,CA
AID,EAAqD,MAAO,OAA5D,EAAoE,UAApE,C;K;IAMf,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,qBVpgBO,
MAAK,KUogBe,SAAK,OVpgBpB,EUogB4B,KAAM,OVpgB1C,C;MUSgBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ
,IAA8B,SAAR,qBAAK,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EAA8B,UAA9B,CAArC,C;QACI,a;;MAEJ,
IAAS,mBAAL,SAAK,EAAMB,IAAI,CAAJ,IAAnB,CAAL,IAAwC,mBAAN,KAAM,EAAMB,IAAI,CAAJ,IAAnB
,CAA5C,C;QACI,a;OAEJ,OAAO,8BAAY,CAAZ,EAAe,CAAF,CAAKB,W;K;IAG7B,wD;MAQ8D,0B;QAAA,aA
AsB,K;MACHf,iBAAiB,SAAK,O;MACtB,kBAAkB,KAAM,O;MACxB,qBV3hBO,MAAK,KU2hBe,UV3hBf,EU
2hB2B,WV3hB3B,C;MU6hBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA+C,SAAzB,qBAAK,aAAa,CAAb,GAAi
B,CAAjB,IAAL,CAAYB,EAAO,iBAAM,cAAc,CAAd,GAAB,CAAIB,IAAN,CAAP,EAAgD,UAAhD,CAAtD,C;
QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAMB,aAAa,CAAb,GAAiB,CAAjB,IAAnB,CAAL,IAAqD,mBAAN,KA
AM,EAAMB,cAAc,CAAd,GAAB,CAAIB,IAAnB,CAAZD,C;QACI,a;OAEJ,OAAO,8BAAY,aAAa,CAAb,IAAZ,
EAA4B,UAA5B,CAAwC,W;K;IAMnD,8D;MAQqD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAMnE,
UAAkB,M;MAL3C,IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,
SAAN,KAAM,C;QACjB,OC7oBwF,kB+F/KE,oBhG4zBrE,IgG5zBqE,C/F+KF,ED6oB7D,UC7oB6D,C;ODgpBnE
,uBAAX,UAAW,EAAC,CAAd,C;MAAkB,oC;kBAA3C,gD;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;;U3BmoXE
,U;UAAhB,4B2BnoXQ,K3BmoXR,kB;YAAgB,cAAhB,U2BnoXQ,K3BmoXR,S;YAAsB,I2BnoXC,SAAH,U3Bm
oXgB,oB2BnoXhB,CAAG,0B3BmoXD,C;cAAwB,aAAO,I;cAAP,e;;UAC9C,aAAO,K;;Q2BpoXH,e;UACI,OAA
O,K;;MAEf,OAAO,E;K;IAGX,kE;MASyD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACxG,IAAI,C
AAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,O
CjqB4F,sB+F/KM,oBhGg1BzE,IgGh1ByE,C/F+KN,EDiqB7D,UCjqB6D,C;mBDqqBhG,iBAAYB,eAAX,UAAW,
EAAa,2BAAb,CAAzB,WAAwD,CAAxD,U;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;;U3B2mXE,Q;UAAhB,wB
2B3mXQ,K3B2mXR,gB;YAAgB,cAAhB,U2B3mXQ,K3B2mXR,O;YAAsB,I2B3mXC,SAAH,U3B2mXgB,oB2B
3mXhB,CAAG,0B3B2mXD,C;cAAwB,aAAO,I;cAAP,e;;UAC9C,aAAO,K;;Q2B5mXH,e;UACI,OAAO,K;;MAGf
,OAAO,E;K;IAIX,8E;MAA2G,oB;QAAA,OAAGB,K;MAOrG,UAKA,M;MAXIB,cAAkB,CAAC,IAAL,GACV,aA
AW,gBAAX,UAAW,EAAC,CAAd,CAAX,EAAc,eAAT,QAAS,EAAa,gBAAb,CAAtC,CADU,GAGV,SAAW,eA
AX,UAAW,EAAa,2BAAb,CAAX,EAAMd,gBAAT,QAAS,EAAC,CAAd,CAAnD,C;MAEJ,IAAI,cAAkB,yBAAt
B,C;QACkB,yB;QAAd,OAAC,cAAc,C;UAAc,uB;UACV,IAAU,cAAN,KAAM,EAAC,CAAd,EAiB,SAAjB,EA
uB,KAAvB,EAA8B,KAAM,OAApC,EAA4C,UAA5C,CAAV,C;YACI,OAAO,K;;QAGD,2B;QAAd,OAAC,gBA

Ad,C;UAAc,2B;UACV,IAAU,kBAAN,KAAM,EAakB,CAAIB,EAAqB,SAArB,EAA2B,OAA3B,EAakC,KAAM,
OAAxC,EAAGD,UAAhD,CAAV,C;YACI,OAAO,O;;;MAGnB,OAAO,E;K;IAGX,qE;MAUsB,UAMA,M;MAfIB,I
AAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KAAGB,CAAnC,C;QACI,AAaQb,UAAR,OAAQ,C;QACrB,YAAgB,CA
AC,IAAL,GAAW,sBAAQ,MAAR,EAAGB,UAAhB,CAAX,GAA4C,0BAAY,MAAZ,EAAoB,UAApB,C;QACxD,
OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAyB,UAAS,MAAT,C;OAGpC,cAAkB,CAAC,IAAL,GAAW,aAAW,gBA
AX,UAAW,EAAC,CAAD,CAAX,EAA6B,gBAA7B,CAAX,GAAoD,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,
EAA0C,CAA1C,C;MAEIE,IAAI,6BAAJ,C;QACkB,yB;oBAAd,OAAc,cAAAd,C;UAAc,yB;UACmB,sB;;YR3oBrB,
U;YAAA,SQ2oBa,OR3oBb,W;YAAhB,OAAGB,gBAAhB,C;cAAGB,2B;cAAM,IQ2oBgC,cR3oBIB,OQ2oBkB,EA
Ac,CAAd,sBR3oBIB,OQ2oBmD,OAAjC,aR3oBhC,C;gBAAwB,qBAAO,O;gBAAP,uB;;YAC9C,qBAAO,I;;;UQ0
oBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YAAS,cAAT,C;;;QAGD,2B;oBAAd,OAAc,gBAAd,C;UAAc,2B;U
ACmB,wB;;YRjpBrB,U;YAAA,SQipBa,ORjpBb,W;YAAhB,OAAGB,gBAAhB,C;cAAGB,6B;cAAM,IQipBgC,kB
RjpBIB,SQipBkB,EAakB,CAAIB,sBRjpBIB,SQipBuD,OAArC,aRjpBhC,C;gBAAwB,uBAAO,S;gBAAP,uB;;YA
C9C,uBAAO,I;;;UQgpBC,2C;UACA,IAAI,wBAAJ,C;YACI,OAAO,YAAS,gBAAT,C;;;MAInB,OAAO,I;K;IAGX
,iE;MAY+D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACtG,4BAAU,OAAV,EAAMb,UAAAnB,EAA+
B,UAA/B,EAakD,KAAID,C;K;IAEJ,mE;MAYmE,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACIH,4
BAAU,OAAV,EAAMb,UAAAnB,EAA+B,UAA/B,EAakD,IAAID,C;K;IAEJ,kE;MAWgE,0B;QAAA,aAAkB,C;M
AAG,0B;QAAA,aAAsB,K;MACvG,gB;MAAA,8CAAU,OAAV,EAAMb,UAAAnB,EAA+B,UAA/B,EAakD,KAAI
D,mDAAMe,E;K;IAEvE,sE;MAYoE,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnH,gB;MAAA,8C
AAU,OAAV,EAAMb,UAAAnB,EAA+B,UAA/B,EAakD,IAAID,mDAAMe,E;K;IAKtE,6D;MAM4C,0B;QAAA,aA
AkB,C;MAAG,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAW,mBAAY,IAAZ,CAAX,EAA
8B,UAA9B,EAA0C,UAA1C,CADJ,GCryB4F,kB+F/KE,oBhGu9B5E,IgGv9B4E,C/F+KF,EDwyBpE,UCxyBoE,C;
K;ID2yBhG,+D;MAQgD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvF,OAAW,cAAc,gCAAzB,GA
CI,sBAAQ,MAAR,EAAGB,UAAhB,EAA4B,gBAA5B,EAAoC,UAApC,CADJ,GCpzB4F,kBDuzB1E,MCvzB0E,E
DuzB1E,UCvzBkE,C;K;ID0zBhG,iE;MAQgD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAC/F,OAA
W,cAAc,gCAAzB,GACI,0BAAe,mBAAY,IAAZ,CAAf,EAakC,UAAIC,EAA8C,UAA9C,CADJ,GCh0BgG,sB+F/
KM,oBhGk/BhF,IgGI/BgF,C/F+KN,EDm0BpE,UCn0BoE,C;K;ID0BpG,mE;MAQoD,0B;QAAA,aAAkB,2B;MA
AW,0B;QAAA,aAAsB,K;MACnG,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAGB,UAAhB,EAA4B,CAA
5B,EAA+B,UAA/B,EAakD,IAAID,CADJ,GC/0BgG,sBDk1B1E,MC11B0E,EDk1B1E,UC11BkE,C;K;IDq1BpG,m
D;MAM+D,0B;QAAA,aAAsB,K;MACjF,OAAI,yBAAJ,GACI,sBAAQ,KAAR,UAA4B,UAA5B,KAA2C,CAD/C,
GAGI,sBAAQ,KAAR,EAAGB,CAAf,EAakB,gBAAIB,EAA0B,UAA1B,KAAyC,C;K;IAIjD,kD;MAMsD,0B;QAA
A,aAAsB,K;MACxE,6BAAQ,IAAR,UAA2B,UAA3B,KAA0C,C;K;kFAE9C,4B;MAI0E,OAAA,KAAM,yBAAGB
,SAAhB,C;K;IAM3C,yE;MACjC,oB;MACA,8B;MACA,oB;MACA,kC;K;IAG8C,sF;MAAA,gE;MAC1C,iBAAqB
,E;MACrB,yBAAwC,WAAx,yCAAW,EAAS,CAAT,EAAY,oCAAM,OAAIB,C;MACxC,uBAA2B,sB;MAC3B,g
BAA0B,I;MAC1B,eAAmB,C;K;0EAEnB,Y;MACI,IAAI,uBAAkB,CAAtB,C;QACI,iBAAyC,C;QACZ,gBAAW,I;
QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAaA,yCAA1B,IAAmC,uBAAkB,yCAAM,OAA/D,C;UACI,gBAAW,qCAA
yB,iBAAN,yCAAM,CAAzB,C;UACX,uBAAkB,E;;UAEIB,YAAkB,iDAAN,yCAAM,EAAa,oBAAb,C;UACIB,IA
AI,SAAS,IAAb,C;YACI,gBAAW,qCAAyB,iBAAN,yCAAM,CAAzB,C;YACX,uBAAkB,E;;YAEIB,IAAK,QAAi
B,KAAjB,aAAL,EAAY,SAAU,KAAY,a;YACZ,gBAAW,gCAAwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR,I;
YACpB,uBAAkB,0BAAwB,WAAU,CAAd,GAAiB,CAAjB,GAAwB,CAA5C,K;;;QAG1B,iBAAyC,;K;oEAIpB,
Y;MAKiB,Q;MAJb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,a
AAa,mE;MAEb,gBAAW,I;MACX,iBAAyE;MACZ,OAAO,M;K;uEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QAC
I,iB;MACJ,OAAO,mBAAa,C;K;;iDA9C5B,Y;MAA8C,+D;K;;IAGeU,0E;MAAA,0C;QX1gCjD,SW2gCH,sBAAW
,kBAAX,EAAuB,YAAvB,EAakD,kBAAID,C;QAAA,OAAwE,KAAK,CAAT,GAAY,IAAZ,GAAsB,OAAM,CA
AN,C;O;K;IAdIG,iF;MAUkE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;Mdn
IC7H,IAAI,EcolCI,SAAS,CdplCb,CAAJ,C;QACI,ccmlCb,oD;QdllCIB,MAAM,gCAAyB,OAAQ,WAAjC,C;Ocol
CV,OAAO,4BAAwB,SAAXB,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;K;IAwBiD,gF;MAAA,0C;Q
AAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kBAArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EA
Ae,WAAO,OAAtB,CAAtF,O;O;K;IAIB9E,mF;MACoE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO

,qB;QAAA,QAAa,C;Md1mCrI,IAAI,Ec2mCI,SAAS,Cd3mCb,CAAJ,C;QACI,cc0mCkB,oD;QdzmCIB,MAAM,gC
AAyB,OAAQ,WAAjC,C;Oc0mCV,qBAAGC,OAAX,UAAW,C;MAEhC,OAAO,4BAAwB,SAAsB,EAA8B,UAA9
B,EAA0C,KAA1C,EAAiD,sDAAjD,C;K;IAmBmE,sD;MAAA,qB;QAAE,yCAAU,EAAV,C;O;K;IAZhF,mE;MA
WmE,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACzG,OAAsE,OAAtE,+BAAkB,UAAIB,UAA2C,UAA
3C,EAA+D,KAA/D,CAAsE,EAAI,iCAAJ,C;K;IAE1E,yD;MAWyD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAA
a,C;MACF,IAAI,UAAW,OAAX,KAAMb,CAAvB,C;QACI,gBAAGB,WAAW,CAAX,C;QACHb,IAAI,EAAC,SA
38BuC,YAAU,CA28BID,CAAJ,C;UACI,OAAO,mBAAM,SAAN,EAAiB,UAAjB,EAA6B,KAA7B,C;UAI2E,kBA
Ab,cAAAtE,+BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;MRmTtE,kBAAM,iBAAa,qCAAwB,E
AAxB,CAAb,C;MAuEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WQ3XgF,uBR2XIE,IQ3
XkE,CR2XhF,C;;MQ3XhB,OR4XO,W;K;IQjXmE,wD;MAAA,qB;QAAE,yCAAU,EAAV,C;O;K;IARhF,qE;MAO
iE,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACvG,OAAsE,OAAtE,6BAAkB,UAAIB,UAA2C,UAA3C,
EAA+D,KAA/D,CAAsE,EAAI,mCAAJ,C;K;IAE1E,2D;MAOuD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,
C;MAC7F,IAAI,UAAW,OAAX,KAAMb,CAAvB,C;QACI,OAAO,mBAAoB,oBAAd,WAAW,CAAX,CAAc,CA
ApB,EAAgC,UAAhC,EAA4C,KAA5C,C;OAG+E,kBAAb,cAAAtE,6BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KA
A/D,CAAsE,C;MR0RtE,kBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAuEA,Q;MAAA,6B;MAAb,OAAa,cAAb,
C;QAAa,sB;QACT,WAAy,WQIWgF,uBRkWiE,IQIWkE,CRkWhF,C;;MQIWhB,ORmWO,W;K;IQhWX,0D;Mdlr
CI,IAAI,Ec2rCI,SAAS,Cd3rCb,CAAJ,C;QACI,cc0rCkB,oD;QdzrCIB,MAAM,gCAAyB,OAAQ,WAAjC,C;Oc2rC
V,oBAAoB,C;MACpB,gBAAGB,sBAAQ,SAAR,EAAmB,aAAnB,EAAkC,UAAIC,C;MACHb,IAAI,cAAa,EAAb,I
AAmB,UAAAS,CAAhC,C;QACI,OAAO,OAAO,SAAK,WAAZ,C;OAGX,gBAAGB,QAAQ,C;MACxB,aAAa,iBAA
sB,SAAJ,GAAqB,eAAN,KAAM,EAAa,EAAb,CAArB,GAA2C,EAA7D,C;;QAET,MAAO,WAt4B6E,8BAs4B/D,a
At4B+D,EAs4BhD,SA4BhD,CAAkC,WAs4B/G,C;QACP,gBAAGB,YAAy,SAAU,OAAtB,I;QAEhB,IAAI,aAAa,
MAAO,KAAP,MAAe,QAAQ,CAAR,IAAf,CAAjB,C;UAA2C,K;QAC3C,YAAy,sBAAQ,SAAR,EAAmB,aAAnB,
EAAkC,UAAIC,C;;MACP,sBAAa,EAAb,C;MAET,MAAO,WA74BiF,8BA64BnE,aA74BmE,EA64BpD,gBA74B
oD,CAAkC,WA64BnH,C;MACP,OAAO,M;K;2EAGX,mC;MAOmD,qB;QAAA,QAAa,C;MAAmB,OAAA,KAA
M,eAAM,SAAN,EAAy,KAAZ,C;K;IAEzF,iC;MAK2D,mCAAGB,MAAhB,EAAwB,IAAxB,EAA8B,IAA9B,E;K;
IAE3D,0B;MAKgD,OAAe,UAAf,uBA Ae,C;K;IuKlwC/D,sB;MAAA,0B;MAII,aAC+B,e;MAC/B,cACgC,e;MACH
C,WAC6B,e;MAC7B,YAC8B,e;MAC9B,eACiC,e;MACjC,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,YAC8B,gB;
MAC9B,aAC+B,gB;MAC/B,eACiC,gB;MACjC,iBACmC,gB;MACnC,sBACwC,gB;MACxC,uBACyC,gB;MACz
C,kBACoC,gB;MACpC,cACgC,gB;MACHC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,Y
AC8B,gB;MAC9B,aAC+B,iB;MAC/B,aAC+B,iB;MAC/B,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,i
B;MACxC,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,cACgC,iB;MACHC,oBACsC,iB;MA
CtC,cACgC,iB;MACHC,gBACkC,iB;MACiC,aAC+B,iB;MAC/B,mBACqC,iB;MACrC,YAC8B,iB;MAC9B,UAC4
B,iB;MAC5B,mBACqC,iB;MACrC,gBACkC,iB;MACiC,mBACqC,iB;MACrC,sBACwC,iB;K;;;IAjF5C,kC;MAA
A,iC;QAAA,gB;OAAA,0B;K;;;;2FCuE0C,Y;MAAQ,oCAAA,IAAb,C;K;IAiBpB,yC;MAAqB,kB;K;mIAC3C,Y
;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAA
IB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,Y
AAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACm
D,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;
mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,a
AAkB,CAAIB,C;K;qIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;gDAEnD,Y;MAMoC,OAAA
,UAAM,YAAy,iBAAQ,CAAR,EAAW,UAAM,YAAy,KAA7B,C;K;;;6EhEjH9D,yB;MAAA,iD;MAAA,4B;QAI4
C,kBAAM,SAAN,C;O;KAJ5C,C;+EAMA,yB;MAAA,gD;MAAA,oC;QAI+D,kBAAM,SAAN,EAAy,MAAZ,C;O;
KAJ/D,C;+EAMA,yB;MAAA,oC;MAAA,qC;QAIqE,sBAAM,SAAN,EAAy,OAAs,C;O;KAJrE,C;IiEX+B,2B;M
AAQ,6C;K;IAmBV,yB;MAOzB,gC;MAP8C,0B;K;IAO9C,8B;MAAA,kC;MACI,YAC4B,aAAS,GAAT,C;MAE5B
,gBACgC,aAAS,wCAAO,kBAAhB,C;K;mDAEhC,yC;MAEI,2BAAoB,KAAPB,EAA2B,UAA3B,EA AuC,UAAvC
,C;K;;;IATR,0C;MAAA,yC;QAAA,wB;OAAA,kC;K;oCAcA,Y;MAC6C,oBAAS,CAAC,kBAAV,C;K;qCAE7C,iB
;MACsD,oBAAS,qBAAQ,KAAM,cAAvB,C;K;sCAEtD,iB;MACuD,oBAAS,qBAAQ,KAAM,cAAvB,C;K;uCAEv
D,iB;MACkD,oBAAS,qBAAQ,KAAjB,C;K;uCAEID,iB;MACqD,oBAAS,qBAAQ,KAAjB,C;K;qCAErD,iB;MAC

gD,oBAAS,qBAAQ,KAAjB,C;K;qCAEHd,iB;MACmD,oBAAS,qBAAQ,KAAjB,C;K;oCAEnD,iB;MACmD,OAA
A,IAAK,cAAL,GAAa,KAAm,c;K;oCAEtE,Y;MACmC,4BAAQ,C;K;oCAE3C,Y;MACmC,4BAAQ,C;K;oCAE3C
,Y;MACmC,OAAM,WAAN,kBAAM,C;K;kCAEzC,Y;MACiC,OAAM,SAAN,kBAAM,C;K;yFAGJ,Y;MAAQ,OA
Al,iBAAJ,GAAMb,IAAD,aAAiB,GAA6B,I;K;yCAExE,iB;MAA+C,OAAW,iBAAx,IAAK,cAAM,EAAU,KAAM
,cAAhB,C;K;uHAK1D,yB;MAAA,oC;MAAA,yB;QAcI,OAAO,OAAC,YAAP,WAAO,CAAd,EAAuB,mBAAvB,E
AAuC,qBAAvC,EAAyD,qBAAzD,EAA2E,yBAA3E,C;O;KAdX,C;uHAIbA,yB;MAAA,oC;MAAA,yB;QAaI,OA
AO,OAae,YAAR,YAAQ,CAAf,EAAwB,qBAAxB,EAA0C,qBAA1C,EAA4D,yBAA5D,C;O;KAbX,C;uHAgBA,y
B;MAAA,oC;MAAA,yB;QAYI,OAAO,OAaiB,YAAV,cAAU,CAAjB,EAA0B,qBAA1B,EAA4C,yBAA5C,C;O;K
AZX,C;uHAeA,kB;MAWI,OAAO,OAaiB,uBAAV,cAAU,CAAjB,EAA2B,yBAA3B,C;K;0FAIsB,Y;MAAQ,OAA
e,YAAAd,eAAU,EAAI,C;K;4FAErB,Y;MAAQ,OAAiB,YAAhB,iBAAy,EAAI,C;K;4FAEzB,Y;MAAQ,OAAiB,YA
AhB,iBAAy,EAAI,C;K;gGAErB,Y;MAAQ,OAAsB,YAArB,qBAAgB,KAAK,C;K;0CAKreB,gB;MACkD,2BAAo
B,kBAApB,0CAAwC,IAAxC,C;K;wCAEID,gB;MAK8C,OAae,uBAAf,sBAAS,IAAT,CAAE,C;K;uCAE7D,gB;M
AK4C,OAae,YAAf,sBAAS,IAAT,CAAE,C;K;kFAGjC,Y;MAAQ,6D;K;mFAGP,Y;MAAQ,8D;K;qFAGN,Y;MA
AQ,gE;K;qFAGR,Y;MAAQ,gE;K;0FAGH,Y;MAAQ,qE;K;0FAGR,Y;MAAQ,qE;K;yFAGT,Y;MAAQ,oE;K;2CAI
zC,Y;MAOuC,kE;K;4CAEvC,Y;MAOwC,mE;K;kCAExC,Y;MAoBmB,UAAx,M;MANBJ,sB;QAD8B,OACd,kBA
AM,W;WACtB,2BAAS,GAAT,C;QAF8B,OAEd,I;QAEZ,YAAy,kBAAc,c;QAC1B,qBAAiB,KAAjB,C;QACA,s
BAAkB,CAAiB,C;QAEI,YAAQ,MAAR,C;UAAqC,kD;UAAO,eAAa,I;UAApB,OpLtlJ1C,S;eoLwJK,YAAQ,CAA
R,C;UAAsC,wD;UAAO,gBAAc,C;UAArB,OpLvJ3C,W;eoLwJK,YAAQ,MAAR,C;;aACA,YAAQ,SAAR,C;;aAC
A,YAAQ,KAAR,C;;aACA,YAAQ,MAAR,C;;aACA,YAAQ,MAAR,C;;aACA,YAAQ,MAAR,C;;aACA,YAAQ,U
AAU,KAAiB,C;;;UAC0B,iD;UAAO,eAAa,I;UAApB,OpL/J/B,W;;;QoLqJC,e;QAYA,YAAy,sBAAS,IAAT,C;QAE
R,iB;UAAc,0BAAiB,KAAjB,C;aACd,oBAAc,CAAd,C;UAAmB,4BAAmB,KAAmB,EAA0B,aAA1B,C;;UACX,+
BAAsB,KAAiB,EAA6B,iB7FsFH,MAAW,K6FtFM,K7FsFN,C6FtFR,CAA7B,C;;QAvBc,OAoB1B,SAIS,UAAI,I
AAK,C;;K;qCAIjB,iB;MACI,YAAQ,CAAR,C;QADwC,OAC3B,C;WACb,YAAQ,EAAR,C;QAFwC,OAElB,C;W
ACd,YAAQ,GAAR,C;QAHwC,OAGzB,C;;QAHyB,OAIhC,C;K;0CAGZ,0B;MAAwC,wB;QAAA,WAAgB,C;MAI
7C,Q;MvLjQX,IAAI,euL8PQ,YAAy,CvL9PpB,CAAJ,C;QACI,cuL6PyB,oD;QvL5PzB,MAAM,gCAAyB,OAAQ,
WAAjC,C;OuL6PN,IAAI,iBAAJ,C;QAAkB,OAAO,kBAAM,W;MAC/B,aAAa,sBAAS,IAAT,C;MAET,I7FwDsC,
MAAW,K6FxD7C,M7FwD6C,C6FxDjD,GAAC,MAAd,C;QAAsB,6BAAsB,MAAtB,EAAuC,eAAT,QAAS,EAAa,
EAAb,CAAvC,C;;QACd,wBAAiB,MAAjB,C;MAFZ,OAAO,OAGE,UAAI,IAAK,C;K;qCAIb,Y;MhE4GuB,gBA
AhB,sB;MgE5FH,IAAI,iBAAJ,C;QAAkB,yBAAO,EAAP,C;MACiB,yBAAO,IAAP,C;MACc,YAAAd,kB;MAhMO,
YAAe,YAAR,aAAQ,C;MAAf,cAAwB,sB;MAAxB,cAA0C,sB;MAA1C,kBAA4D,0B;MAiM/D,eAAe,UAAAS,C;M
ACxB,iBAAiB,YAAW,CAAX,IAAgB,gBAAe,C;MACHd,iBAAiB,YAAW,CAAX,KAAiB,cAAc,QAA/B,C;MAC
jB,IAAI,QAAJ,C;QACI,yBAAO,KAAP,CAAc,gBAAO,EAAP,C;OAEiB,IAAI,UAAJ,C;QACI,yBAAO,OAAP,CA
AgB,gBAAO,EAAP,C;OAEpB,IAAI,eAAe,CAAC,QAAD,IAAa,CAAC,UAA7B,CAAJ,C;QACI,yBAAO,OAAP,
C;QACA,IAAI,gBAAe,CAAnB,C;UACI,yBAAO,EAAP,C;UACA,UAAiC,WAAvB,WAAy,WAAW,EAAS,CAA
T,EAAy,EAAZ,C;UAE7B,kBAAc,OAAd,KAA2B,CAA3B,C;YAAgC,8BAAy,GAAZ,EAAiB,CAAjB,EAAoB,C
AApB,C;eAChC,kBAAc,IAAd,KAAuB,CAAvB,C;YAA4B,8BAAy,GAAZ,EAAiB,CAAjB,EAAoB,CAApB,C;;Y
ACpB,yBAAO,GAAP,C;SAGhB,yBAAO,EAAP,C;OAxBuB,OpLvO5B,SoHoUqC,W;K;,,,,;kCgE1YhD,Y;MAAA,
c;MAiBkD,8D;MAjBID,a;K;gCAAA,iB;MAAA,2IAiBkD,sDAjBID,G;K;IA+UA,qC;MAG0D,OAAW,aAAX,SA
AW,EAAW,IAAX,C;K;IAErE,uC;MAG2D,OAAW,aAAX,oBAAW,EAAW,IAAX,C;K;IAEtE,uC;MAG6D,oBAAS,
oBAAoB,SAApB,EAA0B,IAA1B,yCAAT,C;K;IAQIC,oC;MAAQ,oE;K;IAKP,sC;MAAQ,sE;K;IAKN,sC;MAAQ,
sE;K;IAKV,qC;MAAQ,qE;K;IAKP,uC;MAAQ,uE;K;IAKN,uC;MAAQ,uE;K;IAKX,qC;MAAQ,qE;K;IAKP,uC;M
AAQ,uE;K;IAKN,uC;MAAQ,uE;K;IAKhB,gC;MAAQ,gE;K;IAKP,kC;MAAQ,kE;K;IAKN,kC;MAAQ,kE;K;IAK
X,gC;MAAQ,gE;K;IAKP,kC;MAAQ,kE;K;IAKN,kC;MAAQ,kE;K;IAKb,8B;MAAQ,8D;K;IAKP,gC;MAAQ,gE;
K;IAKN,gC;MAAQ,gE;K;IAKZ,6B;MAAQ,6D;K;IAKP,+B;MAAQ,+D;K;IAKN,+B;MAAQ,+D;K;yEAG/B,+B;
MAIqE,8BAAW,SAAX,C;K;2EAErE,+B;MAIwE,8BAAW,SAAX,C;K;IC3axE,8B;MAEgD,QAAM,SAAN,M;aA
C5C,a;UAD4C,OACbB,I;aAC5B,c;UAF4C,OAef,I;aAC7B,c;UAH4C,OAGf,I;aAC7B,S;UAJ4C,OAIpB,G;aACxB
,S;UAL4C,OAKpB,G;aACxB,O;UAN4C,OAMtB,G;aACtB,M;UAP4C,OAovB,G;gBAPuB,mC;;K;IChDhD,4B;K;
;MC4BI,kC;;IAXA,gC;MAAA,oC;MAM0B,2BAAc,iC;K;8CACpC,Y;MAAkC,OAAA,iCAAoB,W;K;6CADhC,Y

;MAAA,yC;K;;;IAN1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAWA,gC;MAAA,oC;K;;;IAAA,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;;IAKJ,oB;K;qCAcI,oB;MAK8D,4BAaIB,IAAJB,EAAuB,QAAvB,C;K;sCAE9D,oB;MAK+D,wBAAM,QAAD,aAL,C;K;sCAG/D,Y;MAMqC,QAAC,iBAaA,a;K;yCAEnD,Y;MAMwC,OAAA,iBAaA,a;K;;4EAIzD,yB;MAAA,4C;MAAA,mC;QAQuE,MAAM,WAAM,0BAAN,C;O;KAR7E,C;mFAUA,yB;MAAA,4C;MAAAA,mC;QAQsE,MAAM,WAAM,0BAAN,C;O;KAR5E,C;IAY8B,4C;MAAiD,mB;MAAhD,gB;MAAoB,4B;K;4CAC/C,Y;MAAsC,OAAA,SAAK,aAL,cAAoB,eAaP,B,C;K;6CAEtC,oB;MAAKD,4BAaIB,SAAJB,EAAuB,4BAaA,QAAb,CAAvB,C;K;;IChGV,sC;MAAC,gB;K;IAOf,4E;MAA8G,mB;MAA7G,4B;MAA6B,8B;MAAgD,sB;K;+DACpG,Y;MAAsC,OAAgC,aAA/B,iBAAW,OAAx,UAAoB,gBAaP,B,CAA+B,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,aAA9D,C;K;gEACtC,oB;MAAKD,+CAAA,gBAAb,EAAwB,iBAAxB,EAAoC,0BAAS,QAAT,CAApC,C;K;;+CAGtD,Y;MAAmC,+CAAA,WAAb,EAAqB,IAArB,EAA2B,gCAAS,KAApC,C;K;;IAUO,wC;MAAC,gB;K;IAOf,gF;MAAkH,mB;MAAJH,4B;MAA+B,8B;MAAKD,sB;K;mEAC1G,Y;MAAsC,OAAgC,aAA/B,iBAAW,OAAx,GAAoB,gBAAW,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,aAA9D,C;K;oEACtC,oB;MAAKD,mDAaE,gBAAf,EAA0B,iBAA1B,EAAc,0BAAS,QAAT,CAAtC,C;K;;iDAGtD,Y;MAAmC,mDAaE,WAAf,EAAuB,IAAvB,EAA6B,gCAAS,KAAtC,C;K;;IAGvC,0B;MAGb8B,yE;MAC1B,mB;K;oCAEA,Y;MAA4B,qB;K;iDAE5B,oB;MAYc,Q;MAFV,YAAY,QAAS,kBAAS,SAAT,C;MACrB,gBAAsB,uBAAN,KAAM,C;MACZ,IAAI,gDAA+B,4CAAnC,C;QAEN,iBAaIB,mBAAU,SAAV,C;QACjB,IAAI,mBAAY,SAAZ,gBAAYB,CAAzB,IAA8B,mBAAY,UAAZ,eAAyB,CAA3D,C;UAA8D,gBAAS,QAAT,C;QAC9D,iB;;QAGA,mBAaIB,4BAAU,K;QAC3B,IAAI,sDAA+B,kDAAnC,C;UAAgE,gBAAS,QAAT,C;QACrD,8BAAX,YAAW,C;;MATf,qB;K;0CAaJ,oB;MACI,MAAM,6BAAsB,iDAA+C,CAA/C,qCAA0E,QAA1E,MAAtB,C;K;;qFC7Fd,yB;MAAA,yC;MAAA,wB;QA2BI,WAAW,8B;QAhB6B,KAI Bx,C,E;QAjBA,OAKBO,IAAK,a;O;KA7BhB,C;uFAeA,4B;MAYI,WAAW,mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;MAAc,wB;K;;sCAR9C,Y;MAQgC,iB;K;sCARhC,Y;MAQ8C,oB;K;wCAR9C,2B;MAAA,sBAQgC,qCARhC,EAQ8C,8CAR9C,C;K;oCAAA,Y;MAAA,OAQgC,iDARhC,IAQ8C,8CAR9C,O;K;oCAAA,Y;MAAA,c;MAQgC,sD;MAAc,yD;MAR9C,a;K;kCAAA,iB;MAAA,4IAQgC,sCARhC,IAQ8C,4CAR9C,I;K;iGAUA,yB;MAAA,yC;MAGBA,8C;MAhBA,wB;QA6BI,WAAW,8B;QACX,aAjB8C,KAIbJc,E;QAjBb,OAKBO,oBAAW,MAAX,EAAmB,IAAK,aAAxB,C;O;KA/BX,C;mGAgBA,yB;MAAA,8C;MAAA,mC;QAaI,WAAW,mB;QACX,aAAa,O;QACb,OAAO,oBAAW,MAAX,EAAmB,IAAK,aAAxB,C;O;KAFX,C;InJZA,2E;MASI,sC;MAAA,4C;K;IA TJ,mGAWY,Y;MAAQ,2B;KAXpB,E;IAAA,4DAaQ,kB;MACI,wBAAW,MAAX,C;K;IADz,wF;IoJcwC,sC;MACp C,0B;K;;IAGJ,kC;MAUI,OAA2C,CAA3C,2BAA6B,uBAA7B,EAAoC,KAApC,CAA2C,e;K;IAE/C,8B;K;kDAuBI ,4B;MASI,MAAM,qCAA8B,8CAA9B,C;K;;IAY4B,8C;MAGtC,6B;MAEmD,UAMX,M;MAPxC,kBACmD,mE;MAEnD,eAC0B,K;MAE1B,cACwC,KE;MAExC,gBACmC,gB;K;iGAG/B,Y;MAAQ,0C;K;0DAEZ,kB;MACI,cAA Y,I;MACZ,gBAAc,M;K;IAGsE,iG;MAAA,uB;QAExE,Q;QAAZ,qCAAY,8D;QACZ,sCAAA,a;QAFb,OAGA,yB;O ;K;2DAJJ,+B;MAAKD,OAAc,wDAAtC,c;K;IAOYe,uH;MAAA,uB;QAExG,Q;QAaf,iBAaE,8F;QACf,eAAK,2B ;QAA6B,mC;QIL/FtB,gBAAT,Q;Q0LoG0D,kB;QAJzD,sBAAsB,SAAK,W;QAC3B,IAAI,eAAa,eAAjB,C;UAEL,i C;UACA,mBAAY,oCAAwB,eAAxB,EAAyC,kEAAzC,C;;UAGZ,mBAAY,KE;;QAEhB,oBAAa,e;QAZjB,OAcA,y B;O;K;6DAfJ,0C;MAAQf,OAAc,qEAAtC,c;K;IAqBzB,mI;MAAA,qB;QACxD,yCAAgB,uB;QAGhB,qCAAY,Y ;QACZ,uCAAc,E;QACIB,W;O;K;iEATA,iC;MAGwB,wCAAA,mCAAb,EAAoC,kFAApC,C;K;mDAQxB,Y;MAM uB,UADC,MACD,EAIH,MAJG,EAAk,M;MAjxBB,OAAO,IAAP,C;QAEI,aAAa,IAAK,S;QACF,SAAL,IAAK,O; QAAL,mB;UACyB,gBAArB,0D;UrJvBhB,U;UADP,yB;UqJwBe,OrJvBR,sF;SqJsBC,WAAW,M;QAGX,IAAI,mD AAoB,MAApB,QAaj,C;;YAlIB,SAAT,enJtJV,CmJsJuD,InJtJvD,EmJsJ6D,YnJtJ7D,EmJsJoE,InJtJpE,EAA8C,KA A9C,C;;YmJuJQ,gC;cACE,IpJvJhB,oBD+CQ,WAAO,cqJwG0B,CrJxG1B,CAAP,CC/CR,C;coJwJgB,Q;;cALI,O;; UAAR,c;UAQA,IAAI,MAAM,yBAAV,C;YACI,IpJrKhB,oBD+CQ,WqJsHoB,0ErJtHpB,CC/CR,C;;UoJwKY,gBA Ac,gB;UACd,IAAK,oBAAW,MAAX,C;;K;;4EC3MrB,yB;MAAA,8B;MAAA,4B;QA0yC,Q;QAAA,gFAAoB,C; O;KAP7D,C;ICM0B,4C;MA+CtB,qC;MA/CuB,kB;MAAgB,kB;MAAgB,kB;MAMvD,iBAAsB,iBAAU,UAAV,E AAiB,UAAjB,EAAwB,UAAxB,C;K;0CAEtB,+B;M/LWA,IAAI,E+LViB,CAAT,sBAAY,GAAZ,KAA4C,CAAT,s BAAY,GAA/C,MAA+E,CAAT,sBAAY,GAAIF,C/LUR,CAAJ,C;QACI,c+LVI,2E;Q/LWJ,MAAM,gCAAYB,OAA Q,WAAjC,C;O+LTN,OAAO,CAA,KAAAM,IAAI,EAAV,KAAgB,KAAAM,IAAI,CAA1B,IAA+B,KAA/B,I;K;uCA GX,Y;MAGkC,OAAE,UAAF,oBAAS,UAAT,SAAGB,U;K;qCAEID,iB;MAEwB,gB;MADpB,IAAI,SAAS,KAAb, C;QAAoB,OAAO,I;MACP,iE;MAAD,mB;QAA6B,OAAO,K;OAAvD,mBAAmB,M;MACnB,OAAO,IAAK,UAA

L,KAAGB,YAAa,U;K;uCAGxC,Y;MAA+B,qB;K;8CAE/B,iB;MAAoD,wBAAU,KAAM,UAAhB,I;K;gDAEpD,w
B;MAKI,OAAA,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAC,KAAd,IACf,IAAK,MAAL,IAAc,KA
DtB,C;K;gDAGJ,+B;MAKI,OAAA,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAC,KAAd,KACd,IAA
K,MAAL,GAAa,KAAb,KAAsB,IAAK,MAAL,KAAC,KAAd,IACf,IAAK,MAAL,IAAc,KADrB,CADc,CAAvB,C;
K;IAIJ,mC;MAAA,uC;MACI,2BAIuC,G;MAEvC,eAIoC,uCAA0B,M;K;;;IAXIE,+C;MAAA,8C;QAAA,6B;OAA
A,uC;K;;IA9CA,iD;MAAA,uD;MAG6C,0BAAK,KAAL,EAAY,KAAZ,EAAMb,CAAnB,C;MAH7C,Y;K;IA6DJ,q
C;MAAA,yC;K;8CAEI,Y;MAC2B,yBAAc,CAAd,EAAiB,CAAjB,EAAoB,EAAPB,C;K;;;IAH/B,iD;MAAA,gD;Q
AAA,+B;OAAA,yC;K;4FCxDI,yB;MAAA,2D;MAAA,4B;QAAQ,MAAM,6BAAoB,6BAAPB,C;O;KAAd,C;;;IC
SJ,uB;MAG2C,+BAAoB,KAAPB,C;K;4EAE3C,wC;MAO4F,sB;K;IAE5F,6C;MAAA,e;MAAA,iB;MAAA,uB;K;I
AAA,2C;MAAA,8C;O;MAKI,wF;MAKA,sF;MAMA,wE;K;;IAXA,yD;MAAA,iC;MAAA,iD;K;;IAKA,wD;MAA
A,iC;MAAA,gD;K;;IAMA,iD;MAAA,iC;MAAA,yC;K;;IAhBJ,uC;MAAA,iJ;K;;IAAA,4C;MAAA,a;AAAA,c;UA
AA,sD;aAAA,a;UAAA,qD;aAAA,M;UAAA,8C;gBAAA,gE;;K;;IAyBA,+B;MAAA,mC;K;;IAAA,2C;MAAA,0C;
QAAA,yB;OAAA,mC;K;IAGoC,qC;MACHc,qBAAsC,W;MACtC,gBAA2B,iC;K;uFAGvB,Y;MAMW,Q;MALP,I
AAI,kBAAW,iCAAf,C;QACI,gBAAS,mC;QACT,qBAAc,I;OAGIB,OAAO,gF;K;6CAGf,Y;MAAwC,yBAAW,iC;
K;wCAEnD,Y;MAAkC,OAAI,oBAAJ,GAA2B,SAAN,UAAM,CAA3B,GAA2C,iC;K;8CAE7E,Y;MAAkC,+BAA
oB,UAApB,C;K;;IAGG,oC;MAAC,4B;K;wEAAA,Y;MAAA,2B;K;kDAEtC,Y;MAAwC,W;K;6CAExC,Y;MAAk
C,OAAM,SAAN,UAAM,C;K;;oFC2C5C,yB;MAAA,gD;MAAA,4B;QAM6C,OAAMb,aAAlB,YAAY,GAAM,C;
O;KANhE,C;oGAQA,yB;MvG7FA,iB;MuG6FA,4B;QAMqD,OvG5FqB,auG4FpB,YAAY,GvG5FQ,CuG4FrB,GA
A6C,EAA7C,I;O;KANrD,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMsD,OAAMb,sBAAlB,YAAW,GAAO,C;O;K
ANzE,C;8FAQA,yB;MAAA,0D;MAAA,0B;MAAA,4B;QAOmD,OAAuC,OAAPB,kBAAlB,YAAY,GAAM,CAA
oB,C;O;KAP1F,C;4FASA,yB;MAAA,wD;MAAA,0B;MAAA,4B;QAOkD,OAA2B,OAAnB,iBAAR,SAAQ,CAA
mB,C;O;KAP7E,C;IAUA,2C;MAaI,OAA+E,OAA9E,SAAQ,KAAI,WAAa,CAAjB,CAAR,GAakD,CAAlB,YAA
Y,GAAM,MAAK,CAAL,IAAU,WAAa,CAAvB,CAA4B,C;K;IAEnF,4C;MAaI,OAA+E,OAA9E,SAAQ,IAAI,CA
AJ,IAAS,WAAa,CAAtB,CAAR,GAAwD,CAAlB,YAAY,GAAM,OAAK,WAAa,CAAlB,CAAsB,C;K;oFAEnF,yB
;MAAA,gD;MAAA,4B;QAM8C,OAAqB,aAAPB,YAAY,KAAQ,C;O;KANnE,C;oGAQA,yB;MvGtKA,iB;MuGsK
A,4B;QAOI,OvGtKsE,auGsKrE,YAAY,KvGtKyD,CuGsKtE,GAA+C,EAA/C,I;O;KAPJ,C;sGASA,yB;MAAA,kE;
MAAA,4B;QAMuD,OAAqB,sBAAPB,YAAW,KAAS,C;O;KAN5E,C;8FAQA,yB;MAAA,0D;MAAA,4B;MAAA,
4B;QAOqD,OAAyC,QAAPB,kBAAPB,YAAY,KAAQ,CAAoB,C;O;KAP9F,C;4FASA,yB;MAAA,wD;MAAA,4B
;MAAA,4B;QAOoD,OAA2B,QAAnB,iBAAR,SAAQ,CAAMb,C;O;KAP/E,C;IAUA,2C;MAaI,OAAoF,QAAnF,S
AAQ,KAAI,WAAa,EAAjB,CAAR,GAAqD,CAAPB,YAAY,KAAQ,MAAK,EAAL,IAAW,WAAa,EAAxB,CAA8
B,C;K;IAExF,4C;MAaI,OAAoF,QAAnF,SAAQ,IAAI,EAJ,IAAU,WAAa,EAAvB,CAAR,GAA4D,CAAPB,YAA
Y,KAAQ,OAAK,WAAa,EAAIB,CAAuB,C;K;0ElMIRxF,yB;MAaA,kF;MAbA,wB;QAUbI,IAAI,CAbI,KAArC;U
ACI,cAda,qB;UAeb,MAAM,8BAAyB,OAAQ,WAAjC,C;U;KAZbd,C;0EAaA,yB;MAAA,kF;MAAA,qC;QAUI,IA
AI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,8BAAyB,OAAQ,WAAjC,C;U;KAZd,C;sFAGBA,yB;MAWA,k
F;MAXA,wB;QAQW,yB;QAeP,IAfsB,KAeIB,QAaj,C;UACI,cAhB2B,0B;UAIb3B,MAAM,8BAAyB,OAAQ,W
AAjC,C;UAEN,wBAnBkB,K;;QAAtB,4B;O;KARJ,C;wFAWA,yB;MAAA,kF;MAAA,qC;QAYL,IAAI,aAAJ,C;U
ACI,cAAc,a;UACd,MAAM,8BAAyB,OAAQ,WAAjC,C;;UAEN,OAAO,K;;O;KAhBf,C;oEAoBA,yB;MAaA,4E;
MAbA,wB;QAUbI,IAAI,CAbE,KAArN,C;UACI,cAdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;U;KAZbd,C;
sEAaA,yB;MAAA,4E;MAAA,qC;QAUI,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,W
AA9B,C;U;KAZd,C;kFAGBA,yB;MAcA,4E;MAdA,wB;QAWW,uB;QAeP,IAfoB,KAehB,QAaj,C;UACI,cAhBy
B,0B;UAIbZB,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QAAPB,0B;O;KAXJ,C;oFAcA,yB;MA
AA,4E;MAAA,qC;QAYL,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,OAAO
,K;;O;KAhBf,C;oEAqBA,yB;MAAA,4E;MAAA,0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;O;KANvD,C;I
wCpHkC,uB;MA2D9B,8B;MA1DA,kB;K;mFAS8B,Y;MAAQ,iD;K;mFAMR,Y;MAAQ,gD;K;wFAItC,yB;MAAA
,gB;MAAA,8B;MAAA,mB;QAWgB,Q;QADR,mB;UADJ,OACiB,I;;UADjB,OAeY,2E;O;KAXhB,C;uCAcA,Y;M
AQQ,kBADE,UACf,kB;QADJ,OACkB,UAAM,U;;QADxB,OAeY,I;K;gCAGhB,Y;MAOQ,kBADE,UACf,kB;Q
ADJ,OACkB,UAAM,W;;QADxB,OAeY,sBAAU,UAAV,O;K;IAKhB,4B;MAAA,gC;K;wHAKI,yB;MAAA,iC;M
AAA,wB;QAOI,uBAAO,KAAP,C;O;KAPJ,C;wHASA,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAOI,uBAAO,cAA

c,SAAd,CAAP,C;O;KAPJ,C;;;IADJ,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;IAwBsB,mC;MACIB,0B;K;sCAGA,i
B;MAA4C,+CAAoB,uBAAa,KAAM,UAAAnB,C;K;wCACH,e,Y;MAA+B,OAAU,SAAV,cAAU,C;K;wCACzC,Y;
MAAkC,oBAAU,cAAV,M;K;gCA/F1C,Y;MAAA,c;MAOI,sD;MAPJ,a;K;8BAAA,iB;MAAA,2IAOI,sCAPJ,G;
K;IAmGA,kC;MAOI,OAAO,mBAAQ,SAAR,C;K;IAEX,mC;MAQI,IAAI,8CAAJ,C;QAA6B,MAAM,eAAM,U;K;
gFAG7C,yB;MAAA,4B;MAAA,qB;MAxCQ,kD;MAwCR,wB;QAOW,Q;UACI,OAIDH,WakDW,OAIDX,C;;UA
mDN,gC;YACS,OA3CH,WAAO,cA2CI,CA3CJ,CAAP,C;;YAwCD,O;;QAAP,W;O;KAPJ,C;kFAcA,yB;MAAA,4
B;MAAA,qB;MAtdQ,kD;MAsDR,mC;QAOW,Q;UACI,OAHEH,WAgEW,gBAhEX,C;;UAIEN,gC;YACS,OAzD
H,WAAO,cAyDI,CAzDJ,CAAP,C;;YAsDD,O;;QAAP,W;O;KAPJ,C;8EAgBA,yB;MAAA,oD;MAAA,gB;MAAA,
8B;MAAA,4B;QAUW,Q;QADP,yB;QACA,OAAO,gF;O;KAVX,C;+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;
QAegB,UADL,M;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,yF;UACA,mBAAU,SAAV,C;QAFZ,a;O;KAdJ,C;kFA
oBA,yB;MAAA,gB;MAAA,8B;MAAA,0C;QAUW,Q;QADP,IAAI,mBAAJ,C;UAAe,OAAO,Y;QActB,OAAO,gF;
O;KAVX,C;qEAaA,yB;MAAA,gB;MAAA,8B;MAAA,kD;QAIb0B,UAdf,M;QAAM,gBAAgB,2B;QACzB,sB;U
AAQ,mBAAU,gFAAV,C;;UACA,mBAAU,SAAV,C;QAFZ,a;O;KAhBJ,C;mEawBA,yB;MAAA,4B;MAAA,gB;
MAAA,8B;MAAA,uC;YAE8C,I;YADnC,M;QACH,wB;UAAa,gB;UAAO,SA7JhB,WA6JwB,UAAU,gFAAV,CA7
JxB,C;;UA8JI,oBAAO,eAAP,C;QAFZ,a;O;KAdJ,C;gFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,iC;MA1GA,qB;
MAtdQ,kD;MAgKR,uC;QAWW,Q;QACH,wB;UA/GG,U;;YA+GkC,U;YA9G9B,SAhEH,gBA8KuB,UAAU,sFA
AV,CA9KvB,C;;YAIEN,gC;cACS,SAzDH,gBAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UA+GU,a;;UACL,uBAA
O,eAAP,C;QAFZ,W;O;KAXJ,C;wEAIbA,yB;MAAA,4B;MAAA,uC;QAcW,Q;QAAM,gBAAgB,2B;QACzB,sB;U
AAQ,gB;;UACO,OAnMX,WAmMmB,UAAU,SAAV,CAnMnB,C;;QAIrMR,W;O;KAdJ,C;wFAoBA,yB;MA/IA,4
B;MAAA,qB;MAtdQ,kD;MAqMR,uC;QAWW,Q;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,gB;;UApJL,U;;YACI,
SAhEH,WAoNkB,oBApNIB,C;;YAIEN,gC;cACS,SAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UAqJK,a;;
QAFZ,W;O;KAXJ,C;4EAmBA,6B;MAUI,Q;MAAA,iD;QAAyB,Y;OACzB,OAAO,S;K;4EAGX,yB;MAAA,gB;M
AAA,8B;MAAA,oC;QAU0B,Q;QAAtB,IAAI,mBAAJ,C;UAAe,OAAO,gFAAP,C;SACf,OAAO,S;O;KAXX,C;IrC
rTgC,sC;MAAC,uB;QAAA,UAAkB,kC;mBAA4C,O;;K;;0DAE/F,yB;MAAA,2D;MAAA,mB;QAKoC,MAAM,8B
;O;KAL1C,C;oEAOA,yB;MAAA,2D;MAAA,yB;QAMkD,MAAM,6BAAoB,sCAAmC,MAAvD,C;O;KANxD,C;g
EAUA,iB;MAUI,OAAO,O;K;KEAGX,4B;MAUI,OAAO,gB;K;OAGX,2B;MAUI,OAAgB,MAAT,QAAS,C;K;OEG
AGpB,4B;MAUI,gB;MACA,OAAO,S;K;KEAGX,4B;MAWI,MAAM,SAAN,C;MACA,OAAO,S;K;KEAGX,4B;M
AUI,OAAO,MAAM,SAAN,C;K;SEAGX,gC;MAWI,OAAW,UAAU,SAAV,CAAJ,GAAqB,SAArB,GAA+B,I;K;8
EAG1C,gC;MAWI,OAAW,CAAC,UAAU,SAAV,CAAL,GAAsB,SAAtB,GAAgC,I;K;wEAG3C,yB;MAWI,iBAA
c,CAAd,UAAsB,KAAtB,U;QACI,OAAO,KAAP,C;;K;wEgMjJR,iB;MAIkF,Y;K;ICY9C,6B;MACHc,kB;MACA,o
B;K;8BAGA,Y;MAGyC,aAAG,UAAH,UAAW,WAAX,M;K;;gCAvB7C,Y;MAGBI,iB;K;gCAhBJ,Y;MAiBI,kB;K;
kCAjBJ,yB;MAAA,gBAGBI,qCAhBJ,EAIbI,wCAjBJ,C;K;8BAAA,Y;MAAA,c;MAGBI,sD;MACA,uD;MAjBJ,a;
K;4BAAA,iB;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,I;K;IA0BA,6B;MAMoD,gBAAK,SAAL,EAaw,IAAX,C;K
;IAEpD,8B;MAI8C,iBAAO,eAAP,EAAC,gBAAd,EAAsB,eAAtB,E;K;I/MnEzB,qB;MAEtB,6B;MA
FyD,gB;K;IAEzD,2B;MAAA,+B;MACI,iBAGoC,UAAAM,CAAN,C;MAEpC,iBAGoC,UAAAM,MAAN,C;MAEpC,
kBAGmC,C;MAEnC,iBAGkC,C;K;;IANbtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;kGAsBA,iB;MAOmE,OAAa
,0BAGJ1C,SAAL,GAAiB,GAhJ8B,EAAU,KAgJpD,KAAL,GAAiB,GAhJ8B,C;K;sGAehF,iB;MAM2D,OAAa,0B
AwIIC,SAAL,GAAiB,GAxIsB,EAAU,KEyI5C,KAAL,GAAiB,KFzIsB,C;K;sGAExE,yB;MA+JA,6B;MChKA,8C;
MDCA,wB;QAMyD,OCAS,YAAiB,CDkKhD,cAAU,SAAL,GAAiB,GAAtB,CCIKgD,MAAjB,EDAe,KCAc,KAA
7B,C;O;KDNIE,C;sGAQA,yB;MAiKA,WAS6D,wB;MAT7D,+B;MgBIKA,gD;MhBCA,wB;QAM0D,OgBAS,aAA
kB,ChBoKhD,eAAW,oBAAL,SAAK,CAAL,UAAAN,CgBpKgD,MAAIb,EhBAgB,KgBAc,KAA9B,C;O;KhBNnE,
C;4FAQA,yB;MA+IA,6B;MA/IA,wB;QAEsD,OCMD,cAAU,CDgJ5B,cAAU,SAAL,GAAiB,GAAtB,CChJ4B,MA
AK,GAAW,CDgJ5C,cAtJsC,KAsJ5B,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;O;KDRrD,C;4FAGA,yB;M
A4IA,6B;MA5IA,wB;QAEuD,OCGF,cAAU,CDgJ5B,cAAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GAAW,CCi

J5C,cFpJuC,KEoJ7B,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;O;KDLrD,C;4FAGA,yB;MAyIA,6B;MAzIA,wB;QAEqD,OCAA,cAAU,CDgJ5B,cAAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GDAI,KCAO,KAAx,IAAf,C;O;KDFrD,C;4FAGA,yB;MAGJA,WAS6D,wB;MAT7D,+B;MAhJA,wB;QAEuD,OgBAA,eAAW,ChBuJ7B,eAAW,oBAAL,SAAK,CAAL,UAAN,CgBvJ6B,MAAK,KhBAI,KgBAO,KAAx,CAAhB,C;O;KhBFvD,C;8FAIA,yB;MAkIA,6B;MAIIA,wB;QAEuD,OCMD,cAAU,CDmI7B,cAAU,SAAL,GAAiB,GAAtB,CCnI6B,MAAK,GAAY,CDmI9C,cAzIwC,KAyI9B,KAAL,GAAiB,GAAtB,CCnI8C,MAAZ,IAAf,C;O;KDRtD,C;8FAGA,yB;MA+HA,6B;MA/H A,wB;QAEwD,OCGF,cAAU,CDmI7B,cAAU,SAAL,GAAiB,GAAtB,CCnI6B,MAAK,GAAY,CCoI9C,cFvIyC,KEul/B,KAAL,GAAiB,KAAtB,CDpI8C,MAAZ,IAAf,C;O;KDLtD,C;8FAGA,yB;MA4HA,6B;MA5HA,wB;QAEsD,OCAA,cAAU,CDmI7B,cAAU,SAAL,GAAiB,GAAtB,CCnI6B,MAAK,GDAK,KCAO,KAAZ,IAAf,C;O;KDFtD,C;8FAGA,yB;MAmIA,WAS6D,wB;MAT7D,+B;MAnIA,wB;QAEwD,OgBAA,eAAW,ChB0I9B,eAAW,oBAAL,SAAK,CAAL,UAAN,CgBII8B,MAAK,UhBAK,KgBAO,KAAZ,CAAhB,C;O;KhBFxD,C;8FAIA,yB;MAqHA,6B;MARHA,wB;QAEuD,OCMD,cAAe,YAAL,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EAAY,CDsH9C,cA5HwC,KA4H9B,KAAL,GAAiB,GAAtB,CCtH8C,MAAZ,CAAf,C;O;KDRtD,C;8FAGA,yB;MAkHA,6B;MAlHA,wB;QAEwD,OCGF,cAAe,YAAL,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EAAY,CCuH9C,cFIHyC,KE0H/B,KAAL,GAAiB,KAAtB,CDvH8C,MAAZ,CAAf,C;O;KDLtD,C;8FAGA,yB;MA+GA,6B;MA/GA,wB;QAEsD,OCAA,cAAe,YAAL,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EDAK,KCAO,KAAZ,CAAf,C;O;KDFtD,C;8FAGA,yB;MAshA,WAS6D,wB;MAT7D,+B;MatHA,wB;QAEwD,OgBAA,eAAW,ChB6H9B,eAAW,oBAAL,SAAK,CAAL,UAAN,CgB7H8B,MAAK,UhBAK,KgBAO,KAAZ,CAAhB,C;O;KhBFxD,C;0FAIA,yB;MAwGA,6B;MCIGA,4C;MDNA,wB;QAEqD,OCMD,WdyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGiB,EDyGjB,cA/GoC,KA+G1B,KAAL,GAAiB,GAAtB,CCzGiB,C;O;KDRpD,C;0FAGA,yB;MAqGA,6B;MCIGA,4C;MDHA,wB;QAEsD,OCGF,WdyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGiB,EC0GjB,cF7GqC,KE6G3B,KAAL,GAAiB,KAAtB,CD1GiB,C;O;KDLpD,C;0FAGA,yB;MAkGA,6B;MCIGA,4C;MDAA,wB;QAEoD,OCAA,WdyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGiB,EDakB,KCAIB,C;O;KDFpD,C;0FAGA,yB;MAyGA,WAS6D,wB;MAT7D,+B;MgBzGA,8C;MhBAA,wB;QAEsD,OgBAA,YhBgHjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CgBhHiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;0FAIA,yB;MA2FA,6B;McrFA,kD;MDNA,wB;QAEqD,OCMD,cD4FjB,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,ED4FjB,cAlGoC,KakG1B,KAAL,GAAiB,GAAtB,CC5FiB,C;O;KDRpD,C;0FAGA,yB;MAwFA,6B;McrFA,kD;MDHA,wB;QAEsD,OCGF,cD4FjB,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,EC6FjB,cFhGqC,KEgG3B,KAAL,GAAiB,KAAtB,CD7FiB,C;O;KDLpD,C;0FAGA,yB;MAqFA,6B;McrFA,kD;MDAA,wB;QAEoD,OCAA,cD4FjB,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,EDakB,KCAIB,C;O;KDFpD,C;0FAGA,yB;MA4FA,WAS6D,wB;MAT7D,+B;MgB5FA,oD;MhBAA,wB;QAEsD,OgBAA,ehBmGjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CgBnGiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;0EAIA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAE0C,sBAAW,OAAL,SAAK,KAAx,C;O;KAF1C,C;0EAGA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAE0C,sBAAW,OAAL,SAAK,KAAx,C;O;KAF1C,C;kGAIA,yB;MAAA,8C;MAuEA,6B;MAvEA,wB;QAE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,cA9EoD,KA8E1C,KAAL,GAAiB,GAAtB,CA9E2B,C;O;KAF9D,C;0FAIA,yB;MAAA,+B;M8K5IJ,0B;M9K4II,wB;QAEmD,sB8K3Igc,O9K2I1B,IAAK,K8K3IX,G9K2IoB,KAAM,K8K3IM,C9K2IhC,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;M8K1IJ,0B;M9K0II,wB;QAEkD,sB8KzI+B,O9KyIzB,IAAK,K8KzIX,G9KyImB,KAAM,K8KzIM,C9KyI/B,C;O;KAFID,C;0FAGA,yB;MAAA,+B;M8KxIJ,0B;M9KwII,wB;QAEEmD,sB8KvIgc,O9KuI1B,IAAK,K8KvIX,G9KuIoB,KAAM,K8KvIM,C9KuIhC,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;M8KtIJ,0B;M9KsII,mB;QAEiC,sB8KrlqB,OAAP,C9KqIR,S8KrlE,C9KqIrB,C;O;KAFjC,C;gFAIA,Y;MASmC,gB;K;kFACnC,yB;M8K9IJ,4B;M9K8II,mB;QASqC,O8KpJiD,Q9Koj5C,S8KpJY,G9KojE,G8KpJ8B,C;O;K9K2ItF,C;8EAUA,Y;MASiC,OAAL,SAAL,GAAiB,G;K;gFACID,yB;MAAA,WASqD,wB;MATrD,mB;QASmC,OAAL,oBAAL,SAAK,CAAL,U;O;KATnC,C;kFAWA,Y;MAEqC,W;K;oFACrC,yB;MAAA,iC;M8KhLJ,4B;M9KgLL,mB;QASuC,uB8KtL+C,Q9KsLnC,S8KtLG,G9KsLW,G8KtLqB,C9KsL/C,C;O;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAAtB,C;O;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,UAAN,C;O;KATrC,C;kFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,G;K;oFAqDID,Y;MAMuC,OA3DD,SAAL,GAAiB,G;K;+BA6DID,Y;MAAyC,OAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;K;+BA/OrD,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;6BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;wEAmPA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAM,SAAN,C;O;KAV1C,C;0EAWA,yB;MAAA,0B;MAA

A,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,CAAX,C;O;KAX3C,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAWyC,sBAAW,OAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW0C,sBAAW,OAAL,SAAK,SAAX,C;O;KAX1C,C;I2BrRA,6B;MAEqB,sB;K;uCAKjB,iB;MAM6C,O3B+OP,U2B/OO,aAAQ,KAAR,C3B+OP,C;K;uC2B7OtC,wB;MAOI,aAAQ,KAAR,IAAiB,K3BuIc,K;K;kf2BnIL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MACyD,+BAAS,YAAT,C;K;IAEnC,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAlB,C;QAAA,O3B0NO,U2B1NiB,aAAM,mBAAN,EAAM,2BAAN,O3B0NjB,C;;Q2B1N+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;0CAG3F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAAR,YAAQ,EAAS,O3BkHO,K2BIHhB,C;K;+CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QV+IDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAGB,gBAAhB,C;UAAgB,2B;UU/ID6B,2BV+IDR,OU/IDQ,Q;UAAA,W;YAAuB,oBAAR,YAAQ,EV+ID/B,OjBj/CF,K2B9GiC,C;WV+ID9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MUhmDH,iB;K;mCAGJ,Y;MAAKC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA9CvD,sC;MAAA,oD;MACgC,uBAAK,cAAU,IAAV,CAAL,C;MADhC,Y;K;;;oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAwDA,yB;MAAA,yC;MAWSc,yC;QAAA,wB;UAAW,OAAA,aAAK,KAAL,C3B6FV,K;S;O;M2BxGvC,6B;QAWI,OAAO,oBAAW,+BAAU,IAAV,GAAGB,uBAAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I1BpE5C,oB;MAErB,4B;MAFwD,gB;K;IAExD,0B;MAAA,8B;MACI,iBAGmC,SAAK,CAAL,C;MAEnC,iBAGmC,SAAK,EAAL,C;MAEnC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IANtC,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;oGAsBA,yB;MDgLA,6B;MChKA,8C;MAhBA,wB;QAM0D,OaiBQ,YAAy,IAAK,KAAjB,EAA6B,CDkK5D,cCnLsC,KDmL5B,KAAL,GAAiB,GAAtB,CCIK4D,MAA7B,C;O;KAvBIE,C;oGAQA,yB;MCyKA,6B;MDjKA,8C;MARA,wB;QAM2D,OASO,YAAy,IAAK,KAAjB,EAA6B,CCmK5D,cD5KuC,KC4K7B,KAAL,GAAiB,KAAtB,CDnK4D,MAA7B,C;O;KAFIE,C;gGAQA,yB;MAAA,8C;MAAA,wB;QAOkE,mBAAY,IAAK,KAAjB,EAAuB,KAAM,KAA7B,C;O;KAPIE,C;oGASA,yB;MAyKA,kBAS6D,sB;MAT7D,+B;Me1KA,gD;MfCA,wB;QAM0D,OeAS,aAAkB,Cf4KhD,eAAW,oBAAL,SAAK,CAAL,iBAAN,Ce5KgD,MAAIB,EfAgB,KeAc,KAA9B,C;O;KfNnE,C;0FAQA,yB;MD+IA,6B;MC/IA,wB;QAEsD,OAMD,cAAK,IAAK,KAAK,GAAW,CDgJ5C,cCtJ6B,KDsJnB,KAAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;O;KARrD,C;0FAGA,yB;MC6IA,6B;MD7IA,wB;QAEuD,OAGF,cAAK,IAAK,KAAK,GAAW,CCiJ5C,cDpJ8B,KCoJpB,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;O;KALrD,C;0FAGA,yB;MAAA,6B;MAAA,wB;QAEqD,qBAAK,IAAK,KAAK,GAAK,KAAM,KAAX,IAAf,C;O;KAFrD,C;0FAGA,yB;MAwJA,kBAS6D,sB;MAT7D,+B;MAxJA,wB;QAEuD,OeAA,eAAW,Cf+J7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,Ce/J6B,MAAK,KfAI,KeAO,KAAX,CAAhB,C;O;KffvD,C;4FAIA,yB;MDkIA,6B;MCIIA,wB;QAEuD,OAMD,cAAK,IAAK,KAAK,GAAY,CDmI9C,cCzI+B,KDyIrB,KAAL,GAAiB,GAAtB,CCnI8C,MAAZ,IAAf,C;O;KARtD,C;4FAGA,yB;MCgIA,6B;MDhIA,wB;QAEwD,OAGF,cAAK,IAAK,KAAK,GAAY,CCoI9C,cDvIgC,KCuItB,KAAL,GAAiB,KAAtB,CDpI8C,MAAZ,IAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK,IAAK,KAAK,GAAM,KAAM,KAAX,IAAf,C;O;KAFtD,C;4FAGA,yB;MA2IA,kBAS6D,sB;MAT7D,+B;MA3IA,wB;QAEwD,OeAA,eAAW,CfkJ9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CelJ8B,MAAK,UfAK,KeAO,KA AZ,CAAhB,C;O;KffxD,C;4FAIA,yB;MDqHA,6B;MCRHA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAAK,EAA Y,CDsH9C,cC5H+B,KD4HrB,KAAL,GAAiB,GAAtB,CCtH8C,MAAZ,CAAf,C;O;KARtD,C;4FAGA,yB;MCmHA,6B;MDnHA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAK,EAA Y,CCuH9C,cD1HgC,KC0HtB,KAAL,GAAi B,KAAtB,CDvH8C,MAAZ,CAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAE,YAAV,IAAK,KAAK,EAAM,KAAM,KAAX,CAAf,C;O;KAFtD,C;4FAGA,yB;MA8HA,kBAS6D,sB;MAT7D,+B;MA9HA,w B;QAEwD,OeAA,eAAW,CfqI9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CerI8B,MAAK,UfAK,KeAO,KAAX,CA AhB,C;O;KffxD,C;wFAIA,yB;MDwGA,6B;MCIGA,4C;MANA,wB;QAEqD,OAMD,WAAW,IAAX,EDyGjB,cC/ G2B,KD+GjB,KAAL,GAAiB,GAAtB,CCzGiB,C;O;KARpD,C;wFAGA,yB;MCsGA,6B;MDnGA,4C;MAHA,wB; QAEsD,OAGF,WAAW,IAAX,EC0GjB,cD7G4B,KC6GIB,KAAL,GAAiB,KAAtB,CD1GiB,C;O;KALpD,C;wFAG A,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAiHA,kBAS 6D,sB;MAT7D,+B;MejHA,8C;MfAA,wB;QAEsD,OeAA,YfwHjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CexHiB, EfAmB,KeAnB,C;O;KfFtD,C;wFAIA,yB;MD2FA,6B;MCRFA,kD;MANA,wB;QAEqD,OAMD,cAAc,IAAd,ED4Fj B,cClG2B,KDkGjB,KAAL,GAAiB,GAAtB,CC5FiB,C;O;KARpD,C;wFAGA,yB;MCyFA,6B;MDtFA,kD;MAHA,

wB;QAEsD,OAGF,cAAc,IAAd,EC6FjB,cDhG4B,KCgGIB,KAAL,GAAiB,KAAtB,CD7FiB,C;O;KALpD,C;wFAG
GA,yB;MAAA,kD;MAAA,wB;QAEoD,qBAAc,IAAd,EAAoB,KAApB,C;O;KAFpD,C;wFAGA,yB;MAoGA,kBA
S6D,sB;MAT7D,+B;MepGA,oD;MfAA,wB;QAEsD,OeAA,ef2GjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,Ce3GiB
,EfAmB,KeAnB,C;O;KfFiD,C;wEAIa,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,SAAK,QAAV,C;O;KAFzC,C;
wEAGA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,SAAK,QAAV,C;O;KAFzC,C;gGAIA,yB;MAAA,8C;MAA
A,wB;QAE6D,0BAAU,IAAV,EAAGB,KAAhB,C;O;KAF7D,C;wFAIA,yB;MAAA,6B;MAAA,2B;QAEmD,qBAA
K,aAAS,QAAAd,C;O;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,2B;QAEmD,qBAAK,cAAU,QAAf,C;O;KAFnD,C
;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAc,KAAM,KAAzB,C;O;KAFjD,C;wFAGA
,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,IAAK,KAAL,GAAa,KAAM,KAAxB,C;O;KAFhD,C;wFAGA,yB;M
AAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAc,KAAM,KAAzB,C;O;KAFjD,C;wEAGA,yB;MAAA,6
B;MAAA,mB;QAEgC,qBAAU,CAAL,SAAL,C;O;KAFhC,C;8EAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,
OAAAL,SAAK,C;O;KAVxC,C;gFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAAL,SAAK,C;O;KAV1C,C;
4EAWA,Y;MASiC,gB;K;8EACjC,yB;MAAA,kBASqD,sB;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,iB
;O;KATnC,C;gFAWA,yB;MDoEJ,0B;MAAA,+B;MCPeI,mB;QASqC,ODsEA,eAAW,OCtEX,SDsEW,CAAX,C;
O;KC/ErC,C;kFAUA,yB;MC2DJ,4B;MAAA,iC;MD3DI,mB;QASuC,OC6DA,gBAAY,QD7DZ,SC6DY,CAAZ,C;
O;KDtEvC,C;8EAUA,Y;MAEmC,W;K;gFACnC,yB;MAAA,kBAS6D,sB;MAT7D,+B;MAAA,mB;QASqC,sBAA
W,oBAAL,SAAK,CAAL,iBAAN,C;O;KATrC,C;gFAWA,yB;MASA,gD;MATA,mB;QAQqC,OAoE,aAAa,SAAb
,C;O;KAFvC,C;kFASA,yB;MAAA,gD;MAAA,mB;QAMuC,oBAAa,SAAb,C;O;KANvC,C;8BAQA,Y;MAAyC,O
ArDD,oBAAL,SAAK,CAAL,iBAqDe,W;K;8BAzPtD,Y;MAAA,c;MAG4D,qD;MAH5D,a;K;4BAAA,iB;MAA
A,2IAG4D,oCAH5D,G;K;8EA6PA,yB;MAAA,6B;MAAA,4B;QAWwC,qBAAU,SAAV,C;O;KAXxC,C;wEAYA,
yB;MAAA,6B;MAAA,4B;QAWyC,qBAAU,SAAV,C;O;KAXzC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAUuC,q
BAAK,SAAL,C;O;KAVvC,C;wEAWA,yB;MAAA,6B;MAAA,4B;QAWwC,qBAAK,SAAK,QAAV,C;O;KAXxC,
C;uEAaA,yB;MAAA,gD;MAAA,4B;QASyC,oBAAkB,SAaIB,C;O;KATzC,C;wEUAU,yB;MAAA,gD;MAAA,4B
;QAS0C,oBAAa,SAAb,C;O;KAT1C,C;I2BtTA,4B;MAEqB,sB;K;sCAKjB,iB;MAM4C,O3BiRT,S2BjRS,aAAQ,K
AAR,C3BiRT,C;K;sC2B/QnC,wB;MAOI,aAAQ,KAAAR,IAAiB,K3BmKY,K;K;IF2B/JH,Y;MAAQ,OAAA,YAAQ,
O;K;mCAE9C,Y;MACwD,8BAAS,YAAT,C;K;IAEIC,mC;MAAgC,uB;MAA/B,oB;MACnB,eAAoB,C;K;2CACp
B,Y;MAAyB,sBAAQ,YAAM,O;K;4CACvC,Y;MAAwD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,O3B4
PK,S2B5PmB,aAAM,mBAAN,EAAM,2BAAN,O3B4PnB,C;;Q2B5PgD,MAAM,2BAAuB,YAAM,WAA7B,C;K;;
yCAGzF,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,K;MAEvC,OAAe,WAAR,YAAQ,E
AAS,O3B8IK,K2B9Id,C;K;8CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QX+IDvB,U;QADhB,IAAI,
wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UW/ID6B,
2BX+IDR,OW/IDQ,O;UAAA,W;YAAsB,oBAAR,YAAQ,EX+ID9B,OhBr9CJ,K2BIIkC,C;WX+ID7C,IAAI,OAAJ
,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MWhmDH,iB;K;kCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb
,KAAqB,C;K;;IA9CvD,qC;MAAA,mD;MACgC,sBAAK,eAAS,IAAT,CAAL,C;MADhC,Y;K;;mCAPJ,Y;MAAA
,OAKqB,oDALrB,M;K;mCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;iCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;
8EAwDA,yB;MAAA,uC;MAWoC,wC;QAAA,wB;UAAW,OAAA,aAAK,KAAL,C3ByHV,K;S;O;M2BpIrC,6B;Q
AWI,OAAO,mBAAU,gCAAS,IAAT,GAAe,sBAAf,CAAV,C;O;KAXX,C;gFAcA,oB;MAGkE,e;K;IoLhE5C,wC;
MAiBIB,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,YAAvB,EAAqC,CAArC,C;K;kFAC7B,Y;MAAQ,iB;K;yFACD,
Y;MAAQ,gB;K;2CAExC,iB;MAA8C,W/MuCoB,Y+MvCpB,U/MuCqC,KAAjB,E+MvCX,K/MuCwC,KAA7B,C+
MvCpB,K;MAAA,S;QAAkB,O/MuCE,Y+MvCF,K/MuCmB,KAAjB,E+MvCO,S/MuCsB,KAA7B,C+MvCF,K;O
AAIB,W;K;kCAE9C,Y;MAAkC,O/MqCgC,Y+MrChC,U/MqCiD,KAAjB,E+MrCxB,S/MqCqD,KAA7B,C+MrCh
C,I;K;iCAEIC,iB;MAEY,UAAwB,M;MADhC,2CAAuB,kBAAa,KAAM,UAAAnB,KACf,2CAAS,KAAM,MAAf,c
AAwB,6CAAQ,KAAM,KAAAd,QAAxB,CADe,CAAxB,C;K;mCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,
MAAK,U/MsKA,K+MtKL,QAAqB,S/MsKhB,K+MtKL,I;K;mCAE5B,Y;MAAkC,OAAE,UAAf,qBAAU,S;K;IA
E5C,+B;MAAA,mC;MACI,aAC8B,cAAU,4BAAK,UAAf,EAA0B,4BAAK,UAA/B,C;K;;IAFIC,2C;MAAA,0C;Q
AAA,yB;OAAA,mC;K;;IAYJ,oD;MAuCI,uC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAuB,MAAA,gCAAYB,wBAAzB,C
;MACpC,IAAI,SAAQ,WAAZ,C;QAA2B,MAAA,gCAAYB,wEAAzB,C;MAG5C,aAGyB,K;MAEZB,YAGwB,4BA
A0B,KAAIB,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,YAGuB,I;K;yCAEvB,Y;MAAwC,mCAAwB,UAAxB,E

AA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MACqC,OAAI,YAAO,CAAX,G/Md6B,Y+Mcf,U/MdgC,KAAjB,
E+McP,S/MdoC,KAA7B,C+Mcf,IAAd,G/Md6B,Y+McG,U/Mdc,KAAjB,E+McW,S/MdkB,KAA7B,C+McG,I;K;u
CAErE,iB;MAEY,UAAwB,M;MADhC,iDAA6B,kBAAa,KAAM,UAAAnB,KACrB,2CAAS,KAAM,MAAf,cAAwB
,6CAAQ,KAAM,KAAd,QAAXB,KAA8C,cAAQ,KAAM,KADvC,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GA
Ae,EAAf,GAAwB,OAAM,MAAK,U/MmHN,K+MnHC,QAAqB,S/MmHtB,K+MnHC,IAAN,SAAGD,SAAhD,I;K;
yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,GAAgD,UAAF,2BAA
gB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;IAEHf,qC;MAAA,yC;K;KEACI,sC;MAQ2F,2BAAgB,UAAhB,EA
A4B,QAA5B,EAAc,IAAtC,C;K;;;IAT/F,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;IAoBiC,oD;MAAuC,uB;MACx
E,sBAA2B,I;MAC3B,iBAAmC,OAAO,CAA1C,G/M/CkE,Y+M+CrB,K/M/CsC,KAAjB,E+M+CZ,I/M/CyC,KAA
7B,C+M+CrB,KAA7C,G/M/CkE,Y+M+CF,K/M/CmB,KAAjB,E+M+CO,I/M/CsB,KAA7B,C+M+CF,K;MACHe,c
/M6LmC,S+M7LhB,I/M6LgB,C;M+M5LnC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C,Y;MAAkC,qB;
K;iDAEIC,Y;MACI,YAAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAA
,6B;QAC3B,iBAAU,K;;QAEV,c/MzC6C,S+MyC7C,W/MzCuD,KAAK,G+MyCpD,W/MzC+D,KAAAX,IAAf,C;;M
+M2CjD,OAAO,K;K;;ICjHf,yB;K;mCAII,Y;MAA4B,uB;K;;IAMhC,0B;K;oCAII,Y;MAA4B,wB;K;;IAMhC,wB;
K;kCAII,Y;MAA4B,sB;K;;IAMhC,yB;K;mCAII,Y;MAA4B,uB;K;;IjM7BN,qB;MAEtB,6B;MAFYD,gB;K;IAEzD,
2B;MAAA,+B;MACI,iBAGoC,a;MAEpC,iBAGoC,c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;K;;;IANBtC,uC;M
AAA,sC;QAAA,qB;OAAA,+B;K;sGAsBA,yB;MhB0LA,WAS6D,wB;MAT7D,+B;MgBIKA,gD;MAxBA,wB;QA
M0D,OAYBS,aAAa,IAAK,KAAIB,EAA8B,ChBok5D,eAAW,oBgB7LyB,KhB6L9B,KAAK,CAAL,UAAN,CgBp
K4D,MAA9B,C;O;KA/BnE,C;sGAQA,yB;MdmLA,aAS6D,0B;MAT7D,+B;McnKA,gD;MAhBA,wB;QAM2D,O
AiBQ,aAAa,IAAK,KAAIB,EAA8B,CdqK5D,eAAW,oBctL0B,KdsL/B,KAAK,CAAL,YAAN,CcrK4D,MAA9B,C;
O;KA/BnE,C;sGAQA,yB;MfkLA,kBAS6D,sB;MAT7D,+B;Me1KA,gD;MARA,wB;QAMyD,OASU,aAAa,IAAK,
KAAIB,EAA8B,Cf4K5D,eAAW,oBerLwB,KfqL7B,KAAK,CAAL,iBAAN,Ce5K4D,MAA9B,C;O;KAfnE,C;kGA
QA,yB;MAAA,gD;MAAA,wB;QAOME,oBAAa,IAAK,KAAIB,EAAwB,KAAM,KAA9B,C;O;KAPnE,C;4FASA,y
B;MhByJA,WAS6D,wB;MAT7D,+B;MgBzJA,wB;QAEuD,OASA,eAAM,IAAK,KAAK,KAAW,ChBuJ7C,eAAW
,oBgBhKiB,KhBgKiB,KAAK,CAAL,UAAN,CgBvJ6C,MAAX,CAAhB,C;O;KAXvD,C;4FAGA,yB;MduJA,aAS6
D,0B;MAT7D,+B;McvJA,wB;QAEwD,OAMD,eAAM,IAAK,KAAK,KAAW,CdwJ7C,eAAW,oBc9JkB,Kd8JvB,K
AAK,CAAL,YAAN,CcxJ6C,MAAX,CAAhB,C;O;KARvD,C;4FAGA,yB;Mf2JA,kBAS6D,sB;MAT7D,+B;Me3JA
,wB;QAEsD,OAGC,eAAM,IAAK,KAAK,KAAW,Cf+J7C,eAAW,oBelKgB,KfkKrB,KAAK,CAAL,iBAAN,Ce/J6
C,MAAX,CAAhB,C;O;KALvD,C;4FAGA,yB;MAAA,+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAK,KAAK,KA
AM,KAAAX,CAAhB,C;O;KAFvD,C;8FAIA,yB;MhB4IA,WAS6D,wB;MAT7D,+B;MgB5IA,wB;QAEwD,OASA,e
AAM,IAAK,KAAK,UAAAY,ChB0I/C,eAAW,oBgBnJmB,KhBmJxB,KAAK,CAAL,UAAN,CgB1I+C,MAAZ,CAA
hB,C;O;KAXxD,C;8FAGA,yB;Md0IA,aAS6D,0B;MAT7D,+B;Mc1IA,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,
UAAAY,Cd2I/C,eAAW,oBcjJoB,KdiJzB,KAAK,CAAL,YAAN,Cc3I+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,y
B;Mf8IA,kBAS6D,sB;MAT7D,+B;Me9IA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAAY,CfkJ/C,eAAW,oBerJ
kB,KfqJvB,KAAK,CAAL,iBAAN,CeIJ+C,MAAZ,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QA
EwD,sBAAM,IAAK,KAAK,UAAAM,KAAM,KAAZ,CAAhB,C;O;KAFxD,C;8FAIA,yB;MhB+HA,WAS6D,wB;M
AT7D,+B;MgB/HA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,UAAAY,ChB6H/C,eAAW,oBgBtImB,KhBsIxB,KA
AK,CAAL,UAAN,CgB7H+C,MAAZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;Md6HA,aAS6D,0B;MAT7D,+B;Mc7H
A,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAAY,Cd8H/C,eAAW,oBcpIoB,KdoIzB,KAAK,CAAL,YAAN,Cc9
H+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;MfiIA,kBAS6D,sB;MAT7D,+B;MejIA,wB;QAEuD,OAGC,eAA
M,IAAK,KAAK,UAAAY,CfqI/C,eAAW,oBexIkB,KfwIvB,KAAK,CAAL,iBAAN,CerI+C,MAAZ,CAAhB,C;O;KA
LxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAAM,KAAM,KAAZ,CAAhB,C;O;
KAFxD,C;0FAIA,yB;MhBkHA,WAS6D,wB;MAT7D,+B;MgBzGA,8C;MATA,wB;QAEsD,OASA,YAAAY,IAAZ,
EhBgHjB,eAAW,oBgBzHe,KhByHpB,KAAK,CAAL,UAAN,CgBhHiB,C;O;KAXtD,C;0FAGA,yB;MdgHA,aAS6
D,0B;MAT7D,+B;Mc1GA,8C;MANA,wB;QAEuD,OAMD,YAAAY,IAAZ,EdiHjB,eAAW,oBcvHgB,KduHrB,KAA
K,CAAL,YAAN,CcjHiB,C;O;KARtD,C;0FAGA,yB;MfoHA,kBAS6D,sB;MAT7D,+B;MejHA,8C;MAHA,wB;QA
EqD,OAGC,YAAAY,IAAZ,EfwHjB,eAAW,oBe3Hc,Kf2HnB,KAAK,CAAL,iBAAN,CexHiB,C;O;KALtD,C;0FAG
A,yB;MAAA,8C;MAAA,wB;QAEsD,mBAAY,IAAZ,EAakB,KAAIB,C;O;KAFtD,C;0FAIA,yB;MhBqGA,WAS6

D,wB;MAT7D,+B;MgB5FA,oD;MATA,wB;QAEsD,OASA,eAAe,IAAf,EhBmGjB,eAAW,oBgB5Ge,KhB4GpB,KAAK,CAAL,UAAN,CgBnGiB,C;O;KAXtD,C;0FAGA,yB;MdmGA,aAS6D,0B;MAT7D,+B;Mc7FA,oD;MANA,wB;QAEuD,OAMD,eAAe,IAAf,EdoGjB,eAAW,oBc1GgB,Kd0GrB,KAAK,CAAL,YAAN,CcpGiB,C;O;KARtD,C;0FAGA,yB;MfuGA,kBAS6D,sB;MAT7D,+B;MepGA,oD;MAHA,wB;QAEqD,OAGC,eAAe,IAAf,Ef2GjB,eAAW,oBe9Gc,Kf8GnB,KAAK,CAAL,iBAAN,Ce3GiB,C;O;KALtD,C;0FAGA,yB;MAAA,oD;MAAA,wB;QAEsD,sBA Ae,IAAf,EAAqB,KAArB,C;O;KAFtD,C;0EAIA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;O;KAF1C,C;0EAGA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;O;KAF1C,C;KGAIA,yB;MAAA ,gD;MAAA,wB;QAE+D,2BAAW,IAAX,EAAiB,KAAjB,C;O;KAF/D,C;0FAIA,yB;MAAA,+B;MAAA,2B;QAEo D,sBAAM,oBAAS,QAAT,CAAN,C;O;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,2B;QAEoD,sBAAM,6BAAU,Q AAV,CAAN,C;O;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,KAAC,KAAM,K AApB,CAAN,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;MAAA,wB;QAEkD,sBAAM,IAAK,KAAL,IAAa,KAAM,K AAnB,CAAN,C;O;KAFID,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,KAAC,KAAM, KAApB,CAAN,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;MAAA,mB;QAEiC,sBAAM,SAAK,MAAX,C;O;KAFjC, C;gFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,S;O;KAVxC,C;kFAWA,yB;MAAA,4B;MA AA,mB;QAUqC,OAAK,QAAL,SAAK,S;O;KAV1C,C;8EAWA,Y;MAUiC,OAAA,SAAK,Q;K;gFACtC,Y;MASm C,gB;K;kFAEnC,yB;MhB+EJ,0B;MAAA,+B;MgB/El,mB;QASqC,OhBiFC,eAAW,OgBjFZ,ShBiFY,SAAX,C;O; KgB1FtC,C;oFAUA,yB;MdsEJ,4B;MAAA,iC;MctEI,mB;QASuC,OdWEC,gBAAY,QcxEb,SdwEa,SAAZ,C;O;Kcj FxC,C;gFAUA,yB;MfqEJ,6B;MerEI,mB;QASmC,OfuEC,cevED,SfuEW,QAAV,C;O;KehFpC,C;kFAUA,Y;MAEq C,W;K;kFAErC,yB;MASA,kD;MATA,mB;QAQqC,OASE,cAAc,SAAd,C;O;KAjBvC,C;oFASA,yB;MAAA,kD;M AAA,mB;QAQuC,qBAAc,SAAd,C;O;KARvC,C;+BAUA,Y;MAAyC,qBAAc,SAAd,C;K;+BA5P7C,Y;MAAA, c;MAG6D,qD;MAH7D,a;K;6BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;wEAgQA,yB;MAAA,+B;MAAA,4B;QA W0C,sBAAW,oBAAL,SAAK,CAAX,C;O;KAX1C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAW2C,sBAAW,oBAA L,SAAK,CAAX,C;O;KAX3C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAWyC,sBAAW,oBAAL,SAAK,CAAX,C;O ;KAXzC,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAM,SAAN,C;O;KAV1C,C;yEAYA,yB;MAAA,kD;M AAA,4B;QAS2C,qBAAmB,SAAnB,C;O;KAT3C,C;0EAUA,yB;MAAA,kD;MAAA,4B;QAS4C,qBAAc,SAAd,C; O;KAT5C,C;IazTA,6B;MAEqB,sB;K;uCAKjB,iB;MAM6C,ObgSP,UahSO,aAAQ,KAAR,CbgSP,C;K;uCa9RtC,w B;MAOI,aAAQ,KAAR,IAAiB,Kb8Kc,K;K;kFa1KL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MACyD,+BAAS, YAAT,C;K;IAEnC,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K; 8CACvC,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,Ob2QO,Ua3QiB,aAAM,mBAAN,EAAM, 2BAAN,Ob2QjB,C;Qa3Q+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;0CAG3F,mB;MAIS,Q;MAAL,IAAI,eAAC ,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,ObyJO,KazJhB,C;K;+CAGnB,oB;MA CY,Q;MAA2B,gBAA3B,gE;MAA2B,c;QZ+IDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAA P,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UY/ID6B,2BZ+IDR,OY/IDQ,Q;UAAA,W;YAAuB,oBA AR,YAAQ,EZ+ID/B,OD18CF,KarJiC,C;WZ+ID9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;QAC/C,aAAO,I; MYhmDH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;IA9CvD,sC;MAAA,oD;MACgC, uBAAK,iBAAU,IAAV,CAAL,C;MADhC,Y;K;+CAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;MAAA,c;M AKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAwDA,yB;MAAA,yC;MAWsC,yC;QAAA, wB;UAAW,OAAA,aAAK,KAAL,CboIV,K;S;O;Ma/IvC,6B;QAWI,OAAO,oBAAW,kBAAU,IAAV,EAAgB,uBA AhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;IqLhE9C,2C;MAiBnB,kC;MAjByD,4BAAiB,KAAjB,EAAwB ,YAAxB,K;K;qFAC/B,Y;MAAQ,iB;K;4FACD,Y;MAAQ,gB;K;8CAEzC,iB;MAA+C,WIM+CoB,akM/CpB,UIM+ CsC,KAAIB,EkM/CX,KIM+CyC,KAA9B,CkM/CpB,K;MAAA,S;QAAkB,OIM+CE,akM/CF,KIM+CoB,KAAIB,E km/CO,SIM+CuB,KAA9B,CkM/CF,K;OAAIB,W;K;qCAE/C,Y;MAAkC,OIM6CiC,akM7CjC,UIM6CmD,KAAIB, EkM7CzB,SIM6CuD,KAA9B,CkM7CjC,I;K;oCAEIC,iB;MAEY,UAAwB,M;MADhC,8CAAwB,kBAAa,KAAM, UAAAnB,KACHB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADgB,CAAXB,C;K;sCAGJ,Y ;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MIMuKK,CARckB,UkMIjB,UIMki4B,KAAL,KAAoB,CATzB,UkMz HP,UIMyHa,yBkMzHH,ElMyHG,CAAN,CASyB,MAApB,CAAN,CAqCIB,MAAK,QkMvKV,QIMuKK,CARckB, UkMIoB,SIMkiT,KAAL,KAAoB,CATzB,UkMzH6B,SIMyHvB,yBkMzHgC,ElMyHhC,CAAN,CASyB,MAApB, CAAN,CAqCIB,MAAK,QkMvKV,I;K;sCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,gC;MAAA,oC;M

ACI,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAIC,C;K;;IAFnC,4C;MAAA,2C;QAAA,0B;OAAA,o
C;K;;IAyJ,qD;MAuCI,wC;MAjCI,IAAI,gBAAJ,C;QAawB,MAAA,gCAAyB,wBAAzB,C;MACrC,IAAI,sCAAJ,C
;QAA4B,MAAA,gCAAyB,yEAAzB,C;MAG7C,aAG0B,K;MAE1B,YAGyB,4BAA0B,KAA1B,EAAiC,YAAjC,EA
A+C,IAA/C,C;MAEzB,YAGwB,I;K;0CAExB,Y;MAAyC,oCAAyB,UAAzB,EAAGC,SAAhC,EAAcC,SAATC,C;K;
yCAEzC,Y;MACqC,OAAI,uBAAO,CAAX,GIMN8B,akMMhB,UIMNkC,KAAIB,EkMMR,SIMNsC,KAA9B,CkM
MhB,IAAd,GIMN8B,akMME,UIMNgB,KAAIB,EkMMU,SIMNoB,KAA9B,CkMME,I;K;wCAErE,iB;MAEY,UA
AwB,M;MADhC,kDAA8B,kBAAa,KAAM,UAAAnB,KACtB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KA
Ad,QAAxB,KAA8C,kBAAQ,KAAM,KAAd,CADxB,CAA9B,C;K;0CAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GA
AwB,OAAM,MIMoHD,CArCkB,UkM/EX,UIM+EsB,KAAL,KAAoB,CATzB,UkMtED,UIMsEO,yBkMtEG,EIMs
EH,CAAN,CASyB,MAApB,CAAN,CAqClB,MAAK,QkMpHJ,QIMoHD,CArCkB,UkM/E0B,SIM+Ef,KAAL,KA
AoB,CATzB,UkMtEmC,SIMsE7B,yBkMtEsC,EIMsEtC,CAAN,CASyB,MAApB,CAAN,CAqClB,MAAK,QkMpH
J,IAAN,SAAQf,cAAU,6BAAU,EAAY,CAAQ,CAAyB,QAA9G,I;K;0CAE5B,Y;MAAkC,OAAI,uBAAO,CAAX,
GAAgB,UAAf,qBAAU,SAAV,cAAqB,SAArB,WAAd,GAAgD,UAAf,2BAAgB,SAAhB,cAA6B,SAAD,aAA5B,
W;K;IAEHF,sC;MAAA,0C;K;mEACI,sC;MAQ+F,4BAAiB,UAAjB,EAA6B,QAA7B,EAAuC,IAAvC,C;K;;IATn
G,kD;MAAA,iD;QAAA,gC;OAAA,0C;K;;IAoBkC,qD;MAA0C,wB;MAC5E,sBAA2B,I;MAC3B,iBAAMc,kBAA
O,CAA1C,GIMvCmE,akMuCtB,KIMvCwC,KAAIB,EkMuCb,IIMvC2C,KAA9B,CkMuCtB,KAA7C,GIMvCmE,ak
MuCH,KIMvCqB,KAAIB,EkMuCM,IIMvCwB,KAA9B,CkMuCH,K;MACHe,cIM4MsC,UkM5MnB,IIM4MmB,C;
MkM3MtC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;iDAE3C,Y;MAAkC,qB;K;mDAEIC,Y;MACI,YAAAY,W;
MACZ,IAAI,6BAAS,mBAAT,QA AJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAA,6B;QAC3B,iBAAU,K;;QAEV,
cIMtC+C,UkMsC/C,WIMtC0D,KAAK,KkMsCvD,WIMtCkE,KAAX,CAAhB,C;;MkMwCnD,OAAO,K;K;;wECnH
f,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;MAAA,8C;M
AAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAOI,O
AAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CA
AN,EAAS,CAAT,C;O;KAPX,C;oFC7BA,yB;MAAA,gD;MAAA,4B;QAO6C,OAAQ,anNsLhB,cmNtLgB,C;O;KA
PrD,C;oGASA,yB;M9GuCA,iB;M8GvCA,4B;QAOqD,O9GuCqB,arGsIrC,cqGtIqC,C;O;K8G9C1E,C;sGASA,yB;
MAAA,kE;MAAA,4B;QAOsD,OAAQ,sBnNoKzB,cmNpKyB,C;O;KAP9D,C;8FASA,yB;MAAA,0D;MnN6PA,6B
;MmN7PA,4B;QAQmD,OnN+PZ,cmN/PoB,kBnN0JtB,cmN1JsB,CnN+PpB,C;O;KmNvQvC,C;4FAUA,yB;MAA
A,wD;MnNmPA,6B;MmNnPA,4B;QAQkD,OnNqPX,cmNrPmB,iBnNgJrB,cmNhJqB,CnNqPnB,C;O;KmN7PvC,C
;gFAUA,yB;MAAA,4C;MnNyOA,6B;MmNzOA,sC;QAcYD,OnNqOIB,cmNrO0B,WnNgI5B,cmNhI4B,EAAW,Q
AAX,CnNqO1B,C;O;KmNnPvC,C;kFAiBA,yB;MAAA,8C;MnNwNA,6B;MmNxNA,sC;QAc0D,OnNoNnB,cmNp
N2B,YnN+G7B,cmN/G6B,EAAY,QAAZ,CnNoN3B,C;O;KmNI0vC,C;oFAiBA,yB;MAAA,gD;MAAA,4B;QAO8
C,OAAS,apMgHhB,coMhHgB,C;O;KAPvD,C;oGASA,yB;MAAA,gE;MAAA,4B;QAOsD,OAAS,qBpMuGxB,co
MvGwB,C;O;KAP/D,C;sGASA,yB;MAAA,kE;MAAA,4B;QAOuD,OAAS,sBpM8FzB,coM9FyB,C;O;KAPhE,C;8
FASA,yB;MAAA,0D;MpM2LA,+B;MoM3LA,4B;QAQqD,OpM6LX,eoM7LoB,kBpMoFvB,coMpFuB,CpM6LpB
C;O;KoMrM1C,C;4FAUA,yB;MAAA,wD;MpMiLA,+B;MoMjLA,4B;QAQoD,OpMmLV,eoMnLmB,iBpM0EtB,
coM1EsB,CpMmLnB,C;O;KoM3L1C,C;+EAUA,yB;MAAA,4C;MpMuKA,+B;MoMvKA,sC;QAc2D,OpMmKjB,
eoMnK0B,WpM0D7B,coM1D6B,EAAW,QAAX,CpMmK1B,C;O;KoMjL1C,C;iFAGBA,yB;M9GoDA,4C;MtFmG
A,+B;MoMvJA,sC;QAc4D,OpMmJIB,esFhGuB,WtFT1B,esFS0B,EAAW,C8GnDK,Q9GmDL,IAAX,CtFgGvB,C;
O;KoMjK1C,C;oFAGBA,yB;MpN8CI,6B;MoN9MJ,gD;MAGKA,4B;QAO8C,OAhKO,anNsLhB,CD0BE,cAAU,cA
AL,GAAiB,GAAtB,CC1BF,MmNtLgB,C;O;KAyJrD,C;oGASA,yB;M9GzHA,iB;M8GyHA,4B;QAOsD,O9GzHoB
,atG0GnC,c6Mde,GAAY,GvG5FQ,CuG4FrB,GAA6C,EAA7C,I;O;KOsBrD,C;sGASA,yB;MP7BA,kE;MO6BA,4B
;QAOUd,OP9BkB,sB7MMIC,c6MNgB,GAAW,GAAO,C;O;KOUbZ,E,C;8FASA,yB;MAAA,0D;MpNkFA,0B;MA
AA,+B;MoNIFA,4B;QAQqD,OpNqFZ,eAAW,OoNrFS,kBpNdnB,cAAL,GAAiB,GoNcO,CpNqFT,CAAX,C;O;Ko
N7FzC,C;4FAUA,yB;MAAA,wD;MpNwEA,0B;MAAA,+B;MoNxEA,4B;QAQoD,OpN2EX,eAAW,OoN3EQ,iBp
NxBiB,cAAL,GAAiB,GoNwBM,CpN2ER,CAAX,C;O;KoNnFzC,C;gFAWA,yB;MAAA,4C;MpNsCA,+B;MoNtC
A,sC;QAc2D,OpNkCjB,eoNIC0B,WpN7D7B,coN6D6B,EAAW,QAAX,CpNkC1B,C;O;KoNhD1C,C;kFAGBA,yB
;MAAA,8C;MpNsBA,+B;MoNtBA,sC;QAc4D,OpNkBIB,eoNIB2B,YpN7E9B,coN6E8B,EAAY,QAAZ,CpNkB3B
C;O;KoNhC1C,C;oFAGBA,yB;MINjCI,6B;MkN/MJ,gD;MAGPA,4B;QAO+C,OAhPM,anNsLhB,CC2BE,cAAU,c

AAL,GAAiB,KAAtB,CD3BF,MmNtLgB,C;O;KAyOrD,C;oGASA,yB;M9GzMA,iB;M8GyMA,4B;QAouD,O9Gz
MmB,apGqHjC,c2MiDpC,GAAY,KvGtKyD,CuGsKtE,GAA+C,EAA/C,I;O;KO4BJ,C;sGASA,yB;MPnCA,kE;MO
mCA,4B;QAOWD,OPpCoB,sB3MzDnC,c2MyDe,GAAW,KAAS,C;O;KO6B5E,C;8FASA,yB;MAAA,0D;MINGA,
4B;MAAA,iC;MkNHA,4B;QAQuD,OINMZ,gBAAy,QkNNQ,kBIN7FrB,cAAL,GAAiB,KkN6FS,CINMR,CAAZ,
C;O;KkNd3C,C;4FAUA,yB;MAAA,wD;MINPA,4B;MAAA,iC;MkNOA,4B;QAQsD,OINJX,gBAAy,QkNIO,iBIN
vGpB,cAAL,GAAiB,KkNuGQ,CINJP,CAAZ,C;O;KkNJ3C,C;gFAWA,yB;MAAA,4C;MIN7BA,iC;MkN6BA,sC;
QAc6D,OINjChB,gBkNiC0B,WINII9B,ckNkI8B,EAAW,QAAX,CINjC1B,C;O;KkNmB7C,C;kFAgBA,yB;MAAA
,8C;MIN7CA,iC;MkN6CA,sC;QAc8D,OINjDjB,gBkNiD2B,YINIJ/B,ckNkJ+B,EAAy,QAAX,CINjD3B,C;O;KkN
mC7C,C;IChTA,qC;MAEI,SpNyHoD,coNzH3C,CpNyH2C,EoNzHvC,CpNyHuC,C;MoNxHpD,SpNwHoD,coNxH
3C,CpNwH2C,EoNxHvC,CpNwHuC,C;MoNvHpD,OpNiDkE,YoNjDvD,EpNiDwE,KAAjB,EoNjDjD,EpNiD8E,K
AA7B,CoNjDvD,KAAX,GpNgFsD,SoNhFjC,EpNgF2C,KAAK,GoNhF3C,EpNgFuD,KAAX,IAAf,CoNhFtD,GpN
mEqD,SAAU,CAAT,SoNhFpB,EpNgF8B,KAAK,GoNhF9B,EpNgF0C,KAAX,IAAf,CABs,MAAK,GoNnExB,CpN
mEmC,KAAAX,IAAf,C;K;IoNhEzD,qC;MACI,SrMsHsD,eqMth7C,CrMsH6C,EqMthzC,CrMsHyC,C;MqMrHtD,S
rMqHsD,eqMrH7C,CrMqH6C,EqMrHzC,CrMqHyC,C;MqMpHtD,OrMmDmE,aqMnDxD,ErMmD0E,KAAIB,Eq
MnDID,ErMmDgF,KAA9B,CqMnDxD,KAAAX,GrM6EwD,UqM7EnC,ErM6E8C,KAAK,UqM7E9C,ErM6E0D,K
AAZ,CAAhB,CqM7ExD,GrMgEuD,UAAW,CAAv,UqM7EtB,ErM6EiC,KAAK,UqM7EjC,ErM6E6C,KAAX,CAA
hB,CABU,MAAK,KqMhE3B,CrMgEsC,KAAAX,CAAhB,C;K;IqM7D3D,uD;MAMBI,WAAO,CAAP,C;QAD8E,Op
NsBZ,YoNrBID,KpNqBmE,KAAjB,EoNrBzC,GpNqBsE,KAA7B,CoNrBID,KAD8D,GACHD,GADgD,GpNqDxB,
SoNpDf,GpNoDyB,KAAK,GoNpDxB,mBAAiB,GAAjB,EAAsB,KAAtB,EpNkQV,SoNIQuC,IpNkQvC,CoNIQU,
CpNoDoC,KAAX,IAAf,C;aoNnDtD,WAAO,CAAP,C;QAF8E,OpNsBZ,YoNpBID,KpNoBmE,KAAjB,EoNpBzC,
GpNoBsE,KAA7B,CoNpBID,KAF8D,GAehD,GAfgD,GpNwCzB,SoNtCd,GpNsCwB,KAAK,GoNtCvB,mBAAi
B,KAAjB,EAAwB,GAAxB,EpNiQV,SoNjQwC,CAAC,IAAD,IpNiQx,C,CoNjQU,CpNsCkC,KAAAX,IAAf,C;;QoNr
C7C,MAAA,gCAAYB,eAAzB,C;K;IAGzB,uD;MAMBI,sBAAO,CAAP,C;QADkF,OrMMf,aqMLnD,KrMKqE,KA
AIB,EqML1C,GrMKwE,KAA9B,CqMLnD,KADkE,GACpD,GADoD,GrMgC1B,UqM/BjB,GrM+B4B,KAAK,Uq
M/B3B,mBAAiB,GAAjB,EAAsB,KAAtB,ErMyPP,UqMzPoC,IrMyPpC,CqMzPO,CrM+BuC,KAAX,CAAhB,C;aq
M9BxD,sBAAO,CAAP,C;QAFkF,OrMMf,aqMJnD,KrMIqE,KAAIB,EqMJ1C,GrMIwE,KAA9B,CqMJnD,KAFkE
,GAEPD,GAFOd,GrMmB3B,UqMjBhB,GrMiB2B,KAAK,KqMjB1B,mBAAiB,KAAjB,EAAwB,GAAxB,ErMwP
P,UqMxPsC,IAAD,arMwPrC,CqMxPO,CrMiBqC,KAAAX,CAAhB,C;;QqMhB/C,MAAA,gCAAYB,eAAzB,C;K;InN
pDE,sB;MAEvB,8B;MAF0D,gB;K;IAE1D,4B;MAAA,gC;MACI,iBAGqC,WAAO,CAAP,C;MAErC,iBAGqC,WA
AO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IANtC,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;wGA
sBA,iB;MAM0D,OAAa,0BAkJjC,SAAL,GAAiB,KAlJqB,EAAU,KFiJ3C,KAAL,GAAiB,GEjJqB,C;K;oGAEvE,i
B;MAOOE,OAAa,0BAyI3C,SAAL,GAAiB,KazI+B,EAAU,KAYIrD,KAAL,GAAiB,KazI+B,C;K;wGAEjF,yB;M
AgKA,6B;MDjKA,8C;MCCA,wB;QAMyD,ODAS,YAAiB,CCmKhD,cAAU,SAAL,GAAiB,KAAtB,CDnKgD,M
AAjB,ECAe,KDac,KAA7B,C;O;KCNIE,C;wGAQA,yB;MAkKA,aAS6D,0B;MAT7D,+B;McnKA,gD;MdCA,wB;
QAM0D,OcAS,aAAkB,CdqKhD,eAAW,oBAAL,SAAK,CAAL,YAAN,CcrKgD,MAAIB,EdAgB,KcAc,KAA9B,C
;O;KdNnE,C;8FAQA,yB;MAgJA,6B;MAhJA,wB;QAEsD,ODMD,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,C
DjJ4B,MAAK,GAAW,CDgJ5C,cEtJsC,KFsJ5B,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;O;KCRrD,C;8FA
GA,yB;MA6IA,6B;MA7IA,wB;QAEuD,ODGF,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,CDjJ4B,MAAK,GA
AW,CCiJ5C,cApJuC,KAOJ7B,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;O;KCLrD,C;8FAGA,yB;MA0IA,6
B;MA1IA,wB;QAEqD,ODAA,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,CDjJ4B,MAAK,GCAI,KDAO,KAA
X,IAAf,C;O;KCFrD,C;8FAGA,yB;MAiJA,aAS6D,0B;MAT7D,+B;MAjJA,wB;QAEuD,OcAA,eAAW,CdwJ7B,eA
AW,oBAAL,SAAK,CAAL,YAAN,CcxJ6B,MAAK,KdAl,KcAO,KAAAX,CAAhB,C;O;KdFvD,C;gGAIA,yB;MAM
IA,6B;MANIA,wB;QAEuD,ODMD,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,GAAY,CDmI9
C,cEzIwC,KFyI9B,KAAL,GAAiB,GAAtB,CCnI8C,MAAZ,IAAf,C;O;KCRtD,C;gGAGA,yB;MAgIA,6B;MAhIA,
wB;QAEwD,ODGF,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,GAAY,CCoI9C,cAvIyC,KAuI
/B,KAAL,GAAiB,KAAtB,CDpI8C,MAAZ,IAAf,C;O;KCLtD,C;gGAGA,yB;MA6HA,6B;MA7HA,wB;QAEsD,O
DAA,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,GCAK,KDAO,KAAZ,IAAf,C;O;KCFtD,C;g
GAGA,yB;MAoIA,aAS6D,0B;MAT7D,+B;MAPIA,wB;QAEwD,OcAA,eAAW,Cd2I9B,eAAW,oBAAL,SAAK,C

AAL,YAAN,Cc3I8B,MAAK,UdAK,KcAO,KAAZ,CAAhB,C;O;KdFxD,C;gGAIA,yB;MAshA,6B;MAthA,wB;QAEuD,ODMD,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDvH6B,MAAK,EAAY,CDsH9C,cE5HwC,KF4H9B,KAAL,GAAiB,GAAtB,CCtH8C,MAAZ,CAAf,C;O;KCRtD,C;gGAGA,yB;MAmHA,6B;MAhHA,wB;QAEwD,ODGF,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDvH6B,MAAK,EAAY,CCuH9C,cA1HyC,KA0H/B,KAAL,GAAiB,KAAtB,CDvH8C,MAAZ,CAAf,C;O;KCLtD,C;gGAGA,yB;MAgHA,6B;MAhHA,wB;QAEsD,ODAA,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDvH6B,MAAK,ECAK,KDAO,KAAZ,CAAF,C;O;KCFtD,C;gGAGA,yB;MAuHA,aAS6D,0B;MAT7D,+B;MAvHA,wB;QAEwD,OcAA,eAAW,Cd8H9B,eAAW,oBAAL,SAAK,CAAL,YAAN,Cc9H8B,MAAK,UdAK,KcAO,KAAZ,CAAhB,C;O;KdFxD,C;4FAIA,yB;MAyGA,6B;MDnGA,4C;MCNA,wB;QAEqD,ODMD,WCOGjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,EDyGjB,cE/GoC,KF+G1B,KAAL,GAAiB,GAAtB,CCzGiB,C;O;KCRpD,C;4FAGA,yB;MAsgA,6B;MDnGA,4C;MCHA,wB;QAEsD,ODGF,WCOGjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,EC0GjB,cA7GqC,KA6G3B,KAAL,GAAiB,KAAtB,CD1GiB,C;O;KCLpD,C;4FAGA,yB;MAmGA,6B;MDnGA,4C;MCAA,wB;QAEoD,ODAA,WCOGjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,ECAkB,KDAIB,C;O;KCFpD,C;4FAGA,yB;MA0GA,aAS6D,0B;MAT7D,+B;Mc1GA,8C;MdAA,wB;QAEsD,OcAA,YdiHjB,eAAW,oBAAL,SAAK,CAAL,YAAN,CcjHiB,EdAmB,KcAnB,C;O;KdFtD,C;4FAIA,yB;MA4FA,6B;MDtFA,kD;MCNA,wB;QAEqD,ODMD,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,ED4FjB,cElGoC,KFkG1B,KAAL,GAAiB,GAAtB,CC5FiB,C;O;KCRpD,C;4FAGA,yB;MAyFA,6B;MDtFA,kD;MCHA,wB;QAEsD,ODGF,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,EC6FjB,cAhGqC,KAgG3B,KAAL,GAAiB,KAAtB,CD7FiB,C;O;KCLpD,C;4FAGA,yB;MAsfA,6B;MDtFA,kD;MCAA,wB;QAEoD,ODAA,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,ECAkB,KDAIB,C;O;KCFpD,C;4FAGA,yB;MA6FA,aAS6D,0B;MAT7D,+B;Mc7FA,oD;MdAA,wB;QAEsD,OcAA,edoGjB,eAAW,oBAAL,SAAK,CAAL,YAAN,CcpGiB,EdAmB,KcAnB,C;O;KdFtD,C;4EAlA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAE2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAF3C,C;4EAGA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAE2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAF3C,C;oGAIA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QAE+D,0BA+E5B,cAAU,SAAL,GAAiB,KAAtB,CA/E4B,EA+E5B,cA/EqD,KA+E3C,KAAL,GAAiB,KAAtB,CA/E4B,C;O;KAF/D,C;4FAIA,yB;MAAA,iC;M4KvHJ,4B;M5KuHI,wB;QAEqD,uB4KtHiC,Q5KsH1B,IAAK,K4KtHX,G5KsHoB,KAAM,K4KtHM,C5KsHjC,C;O;KAFrD,C;0FAGA,yB;MAAA,iC;M4KrHJ,4B;M5KqHI,wB;QAEoD,uB4KpHgC,Q5KoHzB,IAAK,K4KpHX,G5KoHmB,KAAM,K4KpHM,C5KoHhC,C;O;KAFpD,C;4FAGA,yB;MAAA,iC;M4KnHJ,4B;M5KmHI,wB;QAEqD,uB4KIHiC,Q5KkH1B,IAAK,K4KIHX,G5KkHoB,KAAM,K4KIHM,C5KkHjC,C;O;KAFrD,C;4EAGA,yB;MAAA,iC;M4KjHJ,4B;M5KiHI,mB;QAEkC,uB4KhHsB,QAAP,C5KgHR,S4KhHe,C5KgHtB,C;O;KAFIC,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAAL,SAAK,C;O;KAVxC,C;oFAWA,Y;MASqC,gB;K;gFACrC,Y;MASiC,OAAK,SAAL,GAAiB,K;K;kFACID,yB;MAAA,aASqD,0B;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,Y;O;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OFiEE,eAAW,OEjEb,SFiEa,CAAX,C;O;KE1EvC,C;sFAUA,Y;MAEuC,W;K;kFACvC,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,KAAtB,C;O;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,YAAN,C;O;KATrC,C;oFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,K;K;sFAqDID,Y;MAMuC,OA3DD,SAAL,GAAiB,K;K;gCA6DID,Y;MAAYC,OAAQ,CA7DX,SAAL,GAAiB,KA6DD,Y;K;gCAhPrD,Y;MAAA,c;MAG8D,qD;MAH9D,a;K;8BAAA,iB;MAAA,2IAG8D,oCAH9D,G;K;0EAoPA,yB;MAAA,iC;MAAA,4B;QAW4C,uBAAY,SAAZ,C;O;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QAU6C,uBAAO,SAAP,C;O;KAV7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAAY,QAAL,SAAK,CAAZ,C;O;KAX3C,C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAAY,QAAL,SAAK,SAAZ,C;O;KAX5C,C;I4BtRA,8B;MAEqB,sB;K;wCAKjB,iB;MAM8C,O5B4PL,W4B5PK,aAAQ,KAAR,C5B4PL,C;K;wC4B1PzC,wB;MAOI,aAAQ,KAAR,IAAiB,K5BkJgB,K;K;mf4B9IP,Y;MAAQ,OAAA,YAAQ,O;K;qCAE9C,Y;MAC0D,gCAAS,YAAT,C;K;IAEpC,qC;MAAkC,yB;MAAjC,oB;MACnB,eAAoB,C;K;6CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;gDACvC,Y;MAA0D,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,O5BuOS,W4BvOe,aAAM,mBAAN,EAAM,2BAAN,O5BuOf,C;;Q4BvO8C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;2CAG7F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAaKc,OAAO,K;MAEzC,OAAe,WAAR,YAAQ,EAAS,O5B6HS,K4B7HIB,C;K;gDAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;Qb+IDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;Ua/ID6B,2Bb+IDR,Oa/IDQ,S;UAAA,W;YAAwB,oBAAR,YAAQ,Eb+IDhC,Oft+CA,K4BzHgC,C;Wb+ID/C,IAAI,O

AAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;;MahmDH,iB;K;oCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OA
Ab,KAAqB,C;K;;IA9CvD,uC;MAAA,qD;MACgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;K;;;qCAPJ,Y;MA
AA,OAKqB,sDALrB,M;K;qCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;mCAAA,iB;MAAA,2IAKqB,0CALrB,
G;K;kFawDA,yB;MAAA,2C;MAWwC,0C;QAAA,wB;UAAW,OAAA,aAAK,KAAL,C5BwGV,K;S;O;M4BnHzC
,6B;QAWI,OAAO,qBAAY,gCAAW,IAAX,GAAiB,wBAAjB,CAAZ,C;O;KAXX,C;oFACa,oB;MAGwE,e;K;IwLz
ExE,sC;MAQ2D,OAAa,WAAb,StN4KjB,KAAL,GAAiB,GsN5Kkb,EAAS,KAAT,C;K;IAExE,sC;MAQ4D,OAAa
,WAAb,SpNmKIB,KAAL,GAAiB,KoNnKmB,EAAS,KAAT,C;K;IAGzE,sC;MAQ0D,OAAc,WrNyK5B,oBqNzKc
,SrNyKnB,KAAK,CAAL,iBqNzKiC,EAAS,KAAT,C;K;IAExE,sC;MAOgD,uBAAc,StMiKvB,KsMjKS,EAA6B,
WAAW,KAAX,CAA7B,C;K;IAGhD,8B;MAMqC,Q;MAAA,0DAAmB,kBAAkB,SAAlB,C;K;IAExD,qC;MAO+C
,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAAkB,SAAlB,C;K;IAGvE,+B;MAMuC,Q;MAAA,2DAAoB,kBAAkB,SA
AlB,C;K;IAE3D,sC;MAOiD,Q;MAAA,2CAAe,KAAf,oBAAYB,kBAAkB,SAAlB,C;K;IAE1E,6B;MAMmC,Q;MA
AA,yDAAkB,kBAAkB,SAAlB,C;K;IAErD,oC;MAO6C,Q;MAAA,yCAAA,KAAb,oBAAuB,kBAAkB,SAAlB,C;K
;IAEpE,8B;MAMqC,Q;MAAA,0DAAmB,kBAAkB,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAd,oB
AAwB,kBAAkB,SAAlB,C;K;IAMvE,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASmB,Q;MAAA,sBAAL,S
AAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;OAA7C,UAAU,I;MACV,IrNhFkE,YqNgF9D,GrNhF+E,KAAj
B,EAA6B,CDkK5D,SsNIFzB,6BAAM,UtNkF6B,KAAL,GAAiB,GAAtB,CCIK4D,MAA7B,CqNgF9D,IAAJ,C;Q
AA2B,OAAO,I;MACIC,OtNkJqC,UAAW,OsNIJzC,GrN4E8B,KDsEW,CAAX,C;K;IsN/IzC,mC;MAM8C,mCAAu
B,EAAvB,C;K;IAE9C,4C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;OAA7
C,UAAU,I;MACV,IrNtGkE,YqNsG9D,GrNtG+E,KAAjB,EAA6B,CCmK5D,SoN7DzB,8BAAO,UpN6D4B,KAA
L,GAAiB,KAAtB,CDnK4D,MAA7B,CqNsG9D,IAAJ,C;QAA4B,OAAO,I;MACnC,OpN6HuC,WAAy,QoN7H5C
,GrNgEgC,KC6DY,CAAZ,C;K;IoN1H3C,iC;MAM0C,iCAAqB,EAArB,C;K;IAE1C,0C;MASI,WAAW,KAAX,C;
MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAkB,4BAAK,U;MACvB,S;
MAEA,gBAAgB,qBAAK,CAAL,C;MACHB,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EA
AhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,QAAQ,C;;MAGZ,uBAAuB,mB;MAEvB,qBAAQb,gB;MACr
B,arN+FmC,SqN/FtB,KrN+Fsb,C;MqN9FnC,aAAa,W;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,Q
AAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IrNpJ8D,Yq
NoJ1D,MrNpJ2E,KAAjB,EqNoJjD,crNpJ8E,KAA7B,CqNoJ1D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAIB,QAAJ,C;
YACI,iBrN7FwC,WqN6FvB,KrN7FuB,EqN6Ff,MrN7Fe,C;YqN+FxC,IrNxsJsD,YqNwJID,MrNxsJmE,KAAjB,EqN
wJzC,crNxsJsE,KAA7B,CqNwJID,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,SrNpHkD,SA Ae,YqNoHjE,MrN
pH4D,KAAK,EqNoHvD,MrNpHmE,KAAZ,CAAf,C;QqNsHID,mBAAmB,M;QACnB,SrNjJiD,SqNiJjD,MrNjJ2D,
KAAK,GAAW,CA2N5C,SqN1ErB,KrN0EqB,CA3N4C,MAAX,IAAf,C;QqNkJjD,IrNpK8D,YqNoK1D,MrNpK2E
,KAAjB,EqNoKjD,YrNpK8E,KAA7B,CqNoK1D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IAGX,kC;MA
M4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CA
Ad,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM,U;MACzB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHB,IAAI
,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EA AhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER
,QAAQ,C;;MAIZ,uBAAuB,gD;MAEvB,qBAAQb,gB;MACrB,atMkCqC,UAAW,oBsMICnC,KtMkCmC,CAAX,C;
MsMjCrC,aAAa,2B;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAi
B,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,ItM7M+D,asM6M3D,MtM7M6E,KAAIB,EsM
6MID,ctM7MgF,KAA9B,CsM6M3D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAIB,QAAJ,C;YACI,iBtM3J0C,YsM2JzB,
KtM3JyB,EsM2JjB,MtM3JiB,C;YsM6J1C,ItMjNuD,asMiNnD,MtMjNqE,KAAIB,EsMiN1C,ctMjNwE,KAA9B,Cs
MiNnD,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,StMILoD,UsMkLpD,MtMIL+D,KAAK,UsMkL1D,MtMILs
E,KAAZ,CAAhB,C;QsMoLpD,mBAAmB,M;QACnB,StM/MmD,UsM+MnD,MtM/M8D,KAAK,KAAW,Cf+J7C,
UAAW,oBAAL,CAyDR,SqNTrB,KrNSqB,CAzDQ,MAAK,CAAL,iBAAN,Ce/J6C,MAAX,CAAhB,C;QsMgNnD,
ItM7N+D,asM6N3D,MtM7N6E,KAAIB,EsM6NID,YtM7NgF,KAA9B,CsM6N3D,IAAJ,C;UAA2B,OAAO,I;;MA
GtC,OAAO,M;K;I9M7RX,6B;MACkD,OAAuB,0BAAtB,KAAO,WAAe,EAAU,KAAO,WAAjB,C;K;IACzE,8B;
MACqD,OAAc,gCAAuB,iBAAU,gCAAV,C;K;IAE7E,4B;MACoD,OPwSZ,SAvGI,oBOjMS,EPiMd,KAAK,CAA
L,iBOjMc,KPiMT,oBOjMuB,EPiM5B,KAAK,CAAL,iBOjMc,CPwSH,QAAV,C;K;IOvSxC,+B;MACuD,OPsSf,S
AvGI,oBO/LY,EP+LjB,KAAK,CAAL,iBO/LiB,QP+LZ,oBO/L0B,EP+L/B,KAAK,CAAL,iBO/LiB,CPsSN,QAAV

C,CAAC,OAAO,SAAS,K;aAChE,MAAJ,GAA Y,iBAAhB,OAA6B,OAAb,CAAZ,GAAoD,gC;uD G1EJ,mC,EAAu B,wB;ec2YrB,MAAW,KG1YIC,GH0YkC,EG1Y1B,GH0Y0B,C;eAAX,MAAW,KGzYIC,GHyYkC,EGzY1B,GHy Y0B,C;sBWrUnC,gBAA8B,CAA9B,O;oCtFsKc,eAAmB,oCAAnB,C;yBgGtGL,C;gCAKY,eAAiB,OAAL,GA AK,CAAjB,EAAgC,OAAL,GA AK,CAAhC,EAA+C,OAAL,GA AK,CAA/C,E;uBAwDd,K;qB4CpGK,C;yBACI,C;sBA CH,C;kBACJ,C;iBACD,C;mBACE,C;uBnHrB5B,WqJmCkC,yBrJnCIC,C;;;ClEhFX,E;" }

Found in path(s):

* /opt/cola/permits/1701706016_1685558313.6762283/0/kotlin-1-4-20-2-tgz/package/kotlin.js.map

1.58 scanelf 1.3.7-r1

1.58.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the

source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty;

and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY

YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be

mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.59 micronaut-http-client-core 3.9.2

1.59.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
 * Copyright 2017-2020 original authors  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 * https://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS,  
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 * See the License for the specific language governing permissions and  
 * limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-jar/io/micronaut/http/client/interceptor/configuration/package-info.java  
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-jar/io/micronaut/http/client/multipart/MultipartBody.java  
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-jar/io/micronaut/http/client/bind/ClientRequestUriContext.java  
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
```

jar/io/micronaut/http/client/exceptions/HttpClientErrorDecoder.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/DefaultLoadBalancerResolver.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/filter/ClientFilterResolutionContext.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/loadbalance/DiscoveryClientRoundRobinLoadBalancer.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/bind/AnnotatedClientArgumentRequestBinder.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/ReactiveClientResultTransformer.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/interceptor/configuration/DefaultClientVersioningConfiguration.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/loadbalance/ServiceInstanceListRoundRobinLoadBalancer.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/exceptions/ContentLengthExceededException.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/sse/SseClient.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/multipart/FilePart.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/ServiceHttpClientConfiguration.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/exceptions/EmptyResponseException.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/ServiceHttpClientCondition.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/loadbalance/package-info.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/filters/ClientServerRequestTracingPublisher.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/exceptions/HttpClientResponseException.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/bind/AnnotatedClientRequestBinder.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/package-info.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/bind/DefaultHttpClientBinderRegistry.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/exceptions/HttpClientException.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/loadbalance/LoadBalancerConverters.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/HttpClientRegistry.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/ServiceHttpClientFactory.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-

jar/io/micronaut/http/client/bind/HttpClientBinderRegistry.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/DefaultHttpClientConfiguration.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/LoadBalancerResolver.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/bind/TypedClientArgumentRequestBinder.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/exceptions/NoHostException.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/filter/DefaultHttpClientFilterResolver.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/HttpClientConfiguration.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/loadbalance/DiscoveryClientLoadBalancerFactory.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/loadbalance/ServiceInstanceListLoadBalancerFactory.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/filters/package-info.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/interceptor/HttpClientIntroductionAdvice.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/sse/SseClientRegistry.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/ProxyHttpClientRegistry.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/loadbalance/AbstractRoundRobinLoadBalancer.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/StreamingHttpClient.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/multipart/BytePart.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/HttpClient.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/ProxyHttpClient.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/multipart/MultipartDataFactory.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/StreamingHttpClientRegistry.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/annotation/Client.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/multipart/Part.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/BlockingHttpClient.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/filters/ClientServerContextFilter.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-

jar/io/micronaut/http/client/loadbalance/FixedLoadBalancer.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/multipart/InputStreamPart.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/LoadBalancer.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/multipart/StringPart.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/multipart/AbstractFilePart.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/interceptor/configuration/NamedClientVersioningConfiguration.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/exceptions/package-info.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/exceptions/ReadTimeoutException.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/interceptor/configuration/ClientVersioningConfiguration.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/interceptor/package-info.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/multipart/package-info.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/bind/ClientArgumentRequestBinder.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/annotation/package-info.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2022 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/ProxyRequestOptions.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2021 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/StreamingHttpClientFactoryResolver.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/bind/ClientRequestBinder.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/sse/package-info.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/bind/binders/AttributeClientRequestBinder.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/sse/SseClientFactoryResolver.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/bind/binders/VersionClientRequestBinder.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/HttpClientFactory.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/HttpClientFactoryResolver.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/ProxyHttpClientFactoryResolver.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/bind/binders/HeaderClientRequestBinder.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/sse/SseClientFactory.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/ProxyHttpClientFactory.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/StreamingHttpClientFactory.java
* /opt/cola/permits/1701214182_1685496846.8710787/0/micronaut-http-client-core-3-9-2-sources-
jar/io/micronaut/http/client/bind/binders/QueryValueClientArgumentRequestBinder.java
```

1.60 failureaccess 1.0.1

1.61 ssl-client 1.36.0-r9

1.61.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source of bzip2 version 1.0.4. bzip2 source is distributed under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2006 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.
jseward@bzip.org
bzip2/libbzip2 version 1.0.4 of 20 December 2006
--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their

rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License

along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER

PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.62 xorg-randr 1.0.7

1.62.1 Available under license :

Copyright 2001 Keith Packard, member of The XFree86 Project, Inc.
Copyright 2002 Hewlett Packard Company, Inc.
Copyright 2006 Intel Corporation

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of the copyright holders not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. The copyright holders make no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

THE COPYRIGHT HOLDERS DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.63 animal-sniffer-annotation 1.19

1.63.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

* /opt/cola/permits/1258876677_1643115784.16/0/animal-sniffer-annotations-1-19-sources-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* The MIT License

*

* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*
*/

Found in path(s):

* /opt/cola/permits/1258876677_1643115784.16/0/animal-sniffer-annotations-1-19-sources-jar/org/codehaus/mojo/animal_sniffer/IgnoreJRERequirement.java

1.64 musl 1.2.4-r0

1.64.1 Available under license :

musl as a whole is licensed under the following standard MIT license:

Copyright 2005-2020 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Authors/contributors include:

A. Wilcox
Ada Worcester
Alex Dowad
Alex Suykov
Alexander Monakov
Andre McCurdy

Andrew Kelley
Anthony G. Basile
Aric Belsito
Arvid Picciani
Bartosz Brachaczek
Benjamin Peterson
Bobby Bingham
Boris Brezillon
Brent Cook
Chris Spiegel
Clment Vasseur
Daniel Micay
Daniel Sabogal
Daurnimator
David Carlier
David Edelsohn
Denys Vlasenko
Dmitry Ivanov
Dmitry V. Levin
Drew DeVault
Emil Renner Berthing
Fangrui Song
Felix Fietkau
Felix Janda
Gianluca Anzolin
Hauke Mehrtens
He X
Hiltjo Posthuma
Isaac Dunham
Jaydeep Patil
Jens Gustedt
Jeremy Huntwork
Jo-Philipp Wich
Joakim Sindholt
John Spencer
Julien Ramseier
Justin Cormack
Kaarle Ritvanen
Khem Raj
Kylie McClain
Leah Neukirchen
Luca Barbato
Luka Perkov
M Farkas-Dyck (Strake)
Mahesh Bodapati
Markus Wichmann
Masanori Ogino
Michael Clark

Michael Forney
Mikhail Kremnyov
Natanael Copa
Nicholas J. Kain
orc
Pascal Cuoq
Patrick Oppenlander
Petr Hosek
Petr Skocik
Pierre Carrier
Reini Urban
Rich Felker
Richard Pennington
Ryan Fairfax
Samuel Holland
Segev Finer
Shiz
sin
Solar Designer
Stefan Kristiansson
Stefan O'Rear
Szabolcs Nagy
Timo Ters
Trutz Behn
Valentin Ochs
Will Dietz
William Haddon
William Pitcock

Portions of this software are derived from third-party works licensed under terms compatible with the above MIT license:

The TRE regular expression implementation (`src/regex/reg*` and `src/regex/tre*`) is Copyright 2001-2008 Ville Laurikari and licensed under a 2-clause BSD license (license text in the source files). The included version has been heavily modified by Rich Felker in 2012, in the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (`src/math/*` and `src/complex/*`) is Copyright 1993,2004 Sun Microsystems or Copyright 2003-2011 David Schultz or Copyright 2003-2009 Steven G. Kargl or Copyright 2003-2009 Bruce D. Evans or Copyright 2008 Stephen L. Moshier or Copyright 2017-2018 Arm Limited and labelled as such in comments in the individual source files. All have been licensed under extremely permissive terms.

The ARM memcpy code (src/string/arm/memcpy.S) is Copyright 2008 The Android Open Source Project and is licensed under a two-clause BSD license. It was taken from Bionic libc, used on Android.

The AArch64 memcpy and memset code (src/string/aarch64/*) are Copyright 1999-2019, Arm Limited.

The implementation of DES for crypt (src/crypt/crypt_des.c) is Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (src/crypt/crypt_blowfish.c) was originally written by Solar Designer and placed into the public domain. The code also comes with a fallback permissive license for use in jurisdictions that may not recognize the public domain.

The smoothsort implementation (src/stdlib/qsort.c) is Copyright 2011 Valentin Ochs and is licensed under an MIT-style license.

The x86_64 port was written by Nicholas J. Kain and is licensed under the standard MIT terms.

The mips and microblaze ports were originally written by Richard Pennington for use in the ellcc project. The original code was adapted by Rich Felker for build system and code conventions during upstream integration. It is licensed under the standard MIT terms.

The mips64 port was contributed by Imagination Technologies and is licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington, and later supplemented and integrated by John Spencer. It is licensed under the standard MIT terms.

All other files which have no copyright comments are original works produced specifically for use as part of this library, written either by Rich Felker, the main author of the library, or by one or more contributors listed above. Details on authorship of individual files can be found in the git version control history of the project. The omission of copyright and license comments in each file is in the interest of source tree size.

In addition, permission is hereby granted for all public header files (include/* and arch/*/bits/*) and crt files intended to be linked into applications (crt/*, ldso/dlstart.c, and arch/*/crt_arch.h) to omit the copyright notice and permission notice otherwise required by the license, and to use these files without any requirement of attribution. These files include substantial contributions from:

Bobby Bingham
John Spencer
Nicholas J. Kain
Rich Felker
Richard Pennington
Stefan Kristiansson
Szabolcs Nagy

all of whom have explicitly granted such permission.

This file previously contained text expressing a belief that most of the files covered by the above exception were sufficiently trivial not to be subject to copyright, resulting in confusion over whether it negated the permissions granted in the license. In the spirit of permissive licensing, and of not having licensing issues being an obstacle to adoption, that text has been removed.

1.65 musl-utils 1.2.4-r0

1.65.1 Available under license :

The tools in this package are licensed under either (exclusive) a BSD license or the GPLv2. See below for more details.

getconf:

Copyright (c) 1996, 1998 The NetBSD Foundation, Inc.
All rights reserved.

This code is derived from software contributed to The NetBSD Foundation by J.T. Conklin.

Mostly rewritten to be used in Alpine Linux (with musl c-library) by Timo Ters.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

getent:

Copyright (c) 2004-2006 The NetBSD Foundation, Inc.
All rights reserved.

This code is derived from software contributed to The NetBSD Foundation
by Luke Mewburn.
Timo Ters cleaned up the code for use in Alpine Linux with musl libc.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

iconv:

iconv.c
Implementation of SUSv4 XCU iconv utility
Copyright 2011 Rich Felker
Licensed under the terms of the GNU General Public License, v2 or later

1.66 httpcomponents-client 4.5.13

1.66.1 Available under license :

Apache HttpComponents Client
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and

all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its

Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the

Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such

Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
* repair, or correction. This disclaimer of warranty constitutes an
* essential part of this License. No use of any Covered Software is
* authorized under this License except under this disclaimer.
*
```

```
*
*
* 7. Limitation of Liability
* -----
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
```

* Contributor, or anyone who distributes Covered Software as *
 * permitted above, be liable to You for any direct, indirect, *
 * special, incidental, or consequential damages of any character *
 * including, without limitation, damages for lost profits, loss of *
 * goodwill, work stoppage, computer failure or malfunction, or any *
 * and all other commercial damages or losses, even if such party *
 * shall have been informed of the possibility of such damages. This *
 * limitation of liability shall not apply to liability for death or *
 * personal injury resulting from such party's negligence to the *
 * extent applicable law prohibits such limitation. Some *
 * jurisdictions do not allow the exclusion or limitation of *
 * incidental or consequential damages, so this exclusion and *
 * limitation may not apply to You. *

*

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.67 commons-compress 1.21

1.67.1 Available under license :

Apache Commons Compress
Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

The files in the package `org.apache.commons.compress.archivers.sevenz` were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/), which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

The test file `lbzip2_32767.bz2` has been copied from `libbzip2`'s source repository:

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2019 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@acm.org

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.68 jackson 2.13.2

1.68.1 Available under license :

Camel :: Jackson
Copyright 2007-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                    ==
== in this case for the Apache Camel distribution.      ==
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of
this distribution.

/**

- * Licensed to the Apache Software Foundation (ASF) under one or more
- * contributor license agreements. See the NOTICE file distributed with
- * this work for additional information regarding copyright ownership.
- * The ASF licenses this file to You under the Apache License, Version 2.0
- * (the "License"); you may not use this file except in compliance with
- * the License. You may obtain a copy of the License at
- *
* <http://www.apache.org/licenses/LICENSE-2.0>
- *
* Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and

* limitations under the License.

*/

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.69 busybox 1.36.0-r9

1.69.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source
of bzip2 version 1.0.4. bzip2 source is distributed
under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2006 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must
not claim that you wrote the original software. If you use this
software in a product, an acknowledgment in the product
documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must
not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@bzip.org

bzip2/libbzip2 version 1.0.4 of 20 December 2006

--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the

Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made

generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.70 micronaut-json-core 3.9.2

1.70.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017-2020 original authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/codec/MapperMediaTypeCodec.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/codec/JsonMediaTypeCodec.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/codec/JsonStreamMediaTypeCodec.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/bind/JsonBeanPropertyBinder.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/JsonObjectSerializer.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/convert/JsonNodeConvertibleValues.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/bind/package-info.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright 2017-2021 original authors
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <https://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/tree/JsonContainer.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/tree/JsonArray.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/tree/JsonBoolean.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/convert/JsonConverterRegistrar.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/tree/JsonScalar.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/JsonStreamConfig.java
- * /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/JsonMapper.java

* /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/JsonConfiguration.java
* /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/JsonFeatures.java
* /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/tree/JsonNull.java
* /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/tree/JsonNumber.java
* /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/tree/JsonString.java
* /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/tree/JsonNode.java
* /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/tree/JsonObject.java
* /opt/cola/permits/1701214142_1685496830.4668133/0/micronaut-json-core-3-9-2-sources-jar/io/micronaut/json/bind/JsonBeanPropertyBinderExceptionHandler.java

1.71 micronaut-router 3.9.2

1.71.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017-2020 original authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/naming/HyphenatedUriNamingStrategy.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/package-info.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedHeaderRouteException.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/resolution/ParameterVersionResolver.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/StatusRouteMatch.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedCookieValueRouteException.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/RouteMatchUtils.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/qualifier/ConsumesMediaTypeQualifier.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/exceptions/RoutingException.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedPathVariableRouteException.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/package-info.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/resolution/RequestVersionResolver.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/AnnotatedFilterRouteBuilder.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/resolution/ParameterVersionResolverConfiguration.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/filter/FilteredRouter.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/ErrorMessage.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/resolution/HeaderVersionResolverConfiguration.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/ResourceRoute.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/UnresolvedArgument.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/resource/StaticResourceConfiguration.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/StatusRoute.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/RoutesVersioningConfiguration.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/resolution/VersionResolver.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/BasicObjectRouteMatch.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/ConfigurationDefaultVersionProvider.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/DefaultFilterRoute.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/RouteMatch.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/ErrorMessageMatch.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/MethodBasedRoute.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedPartRouteException.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/FilterRoute.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedRequestAttributeRouteException.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/qualifier/package-info.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/resolution/package-info.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedRouteException.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/NullArgument.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/naming/ConfigurableUriNamingStrategy.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/resolution/HeaderVersionResolver.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/RouteBuilder.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedBodyRouteException.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/resource/package-info.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/DefaultVersionProvider.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/exceptions/package-info.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/UriRouteMatch.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/GroovyRouteBuilder.groovy

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/exceptions/DuplicateRouteException.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/DefaultRouteBuilder.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedQueryValueRouteException.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/naming/package-info.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/RouteInfo.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/AbstractRouteMatch.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/Route.java

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/filter/RouteMatchFilter.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/resource/StaticResourceResolver.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/RouteVersionFilter.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/AnnotatedMethodRouteBuilder.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/Router.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/qualifier/ProducesMediaTypeQualifier.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/VersionAwareRouterListener.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/version/VersionRouteMatchFilter.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/UriRoute.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/MethodBasedRouteMatch.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/DefaultRouter.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/DefaultUriRouteMatch.java
* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/BeanDefinitionFilterRoute.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2021 original authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1701214111_1685496841.8451972/0/micronaut-router-3-9-2-sources-jar/io/micronaut/web/router/resource/StaticResourceResolverFactory.java

1.72 httpcore-nio 4.4.13

1.72.1 Available under license :

Apache HttpCore NIO
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.73 pax-utils 1.3.7-r1

1.73.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you

have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering

access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES

PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.74 Lombok 1.18.24

1.74.1 Available under license :

Copyright (C) 2009-2021 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
Licenses for included components:

org.ow2.asm:asm

org.ow2.asm:asm-analysis

org.ow2.asm:asm-commons

org.ow2.asm:asm-tree

org.ow2.asm:asm-util

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

rzwitserloot/com.zwitsersloot.cmdreader

Copyright 2010 Reinier Zwitsersloot.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

projectlombok/lombok.patcher

Copyright (C) 2009-2021 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.75 error_prone_annotations 2.3.4

1.75.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/FormatString.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/DoNotMock.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/CompatibleWith.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/RestrictedApi.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/MustBeClosed.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/FormatMethod.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
```

*/

Found in path(s):

- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/DoNotCall.java
- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/CheckReturnValue.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Error Prone Authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/Immutable.java
- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/ForOverride.java
- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/Var.java
- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/IncompatibleModifiers.java
- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/CompileTimeConstant.java
- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
- * /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/RequiredModifiers.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/NoAllocation.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/concurrent/LockMethod.java
```

1.76 micronaut-buffer-netty 3.9.2

1.76.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- * /opt/cola/permits/1701214104_1685496849.7807288/0/micronaut-buffer-netty-3-9-2-sources-jar/io/micronaut/buffer/netty/NettyByteBuffer.java
- * /opt/cola/permits/1701214104_1685496849.7807288/0/micronaut-buffer-netty-3-9-2-sources-jar/io/micronaut/buffer/netty/NettyFeature.java
- * /opt/cola/permits/1701214104_1685496849.7807288/0/micronaut-buffer-netty-3-9-2-sources-jar/io/micronaut/buffer/netty/package-info.java
- * /opt/cola/permits/1701214104_1685496849.7807288/0/micronaut-buffer-netty-3-9-2-sources-jar/io/micronaut/buffer/netty/NettyByteBufferFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2021 original authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1701214104_1685496849.7807288/0/micronaut-buffer-netty-3-9-2-sources-jar/io/micronaut/buffer/netty/DefaultByteBufAllocatorConfiguration.java
- * /opt/cola/permits/1701214104_1685496849.7807288/0/micronaut-buffer-netty-3-9-2-sources-jar/io/micronaut/buffer/netty/ByteBufAllocatorConfiguration.java

1.77 micronaut-http-server 3.9.2

1.77.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2022 original authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/cors/CrossOrigin.java
- * /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/response/HateoasErrorResponseProcessorReplacement.java
- * /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/cors/CrossOriginUtil.java
- * /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/util/locale/HttpLocalizedMessageSource.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright 2017-2020 original authors
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <https://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/context/package-info.java
- * /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/package-info.java
- * /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/util/locale/CookieLocaleResolver.java
- * /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/util/locale/HttpFixedLocaleResolver.java
- * /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/util/locale/HttpLocaleResolver.java
- * /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/types/CustomizableResponseType.java
- * /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-

jar/io/micronaut/http/server/util/locale/RequestLocaleResolver.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/binding/package-info.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/util/ProxyHeaderParser.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/binding/RequestArgumentSatisfier.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/exceptions/HttpStatusHandler.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/exceptions/InternalServerErrorException.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/exceptions/ConversionErrorHandler.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/util/locale/CompositeHttpLocaleResolver.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/util/HttpHostResolver.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/multipart/MultipartBody.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/context/ServerRequestContextInstrumentation.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/context/ServerRequestContextInvocationInstrumenter.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/util/locale/HttpLocaleResolutionConfiguration.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/websocket/ServerWebSocketProcessor.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/binding/LocaleArgumentBinder.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/exceptions/ExceptionHandler.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/util/DefaultHttpClientAddressResolver.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/cors/CorsFilter.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/cors/CorsUtil.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/types/package-info.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/types/files/FileCustomizableResponseType.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/types/files/StreamedFile.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/exceptions/UnsatisfiedArgumentHandler.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-
jar/io/micronaut/http/server/util/HttpClientAddressResolver.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-

jar/io/micronaut/http/server/binding/BasicAuthArgumentBinder.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/util/locale/package-info.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/util/package-info.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/DuplicateRouteHandler.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/cors/CorsOriginConfiguration.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/types/CustomizableResponseTypeException.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/types/files/package-info.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/util/locale/HttpAbstractLocaleResolver.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/codec/TextStreamCodec.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/ContentLengthExceededHandler.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/cors/package-info.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/HttpServerConfiguration.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/package-info.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/UnsatisfiedRouteHandler.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/HttpServerException.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/ServerStartupException.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/multipart/package-info.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/JsonExceptionHandler.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/types/files/SystemFile.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/cors/CorsOriginConverter.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/util/DefaultHttpHostResolver.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/codec/package-info.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/URISyntaxHandler.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/ExecutableRouteInfo.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/response/HateoasErrorResponseProcessor.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/response/DefaultErrorContext.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/RouteExecutor.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/response/ErrorResponseProcessor.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/response/ErrorContext.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/CoroutineHelper.java
* /opt/cola/permits/1701214176_1685496843.3541024/0/micronaut-http-server-3-9-2-sources-jar/io/micronaut/http/server/exceptions/response/Error.java

1.78 jackson-dataformat-yaml 2.13.2

1.78.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

This copy of Jackson JSON processor YAML module is licensed under the
Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.79 servlet-api 3.0.1

1.79.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone,

and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER

CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer

software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation

software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This

alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.80 httpcomponents-mime 4.5.12

1.80.1 Available under license :

Apache HttpClient Mime
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.81 openjdk 17.0.4

1.81.1 Available under license :

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s

Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2021 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.
Copyright (c) 1999-2003 David Corcoran <corcoran@muscard.com>
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are under GNU GPL v3 or any later version

- doc/example/pcsc_demo.c
- the files in src/spy/
- the files in UnitaryTests/

Copyright (C) 2003-2014 Ludovic Rousseau

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Files src/auth.c and src/auth.h are:

- * Copyright (C) 2013 Red Hat
- *
- * All rights reserved.

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
* AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
* THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
* DAMAGE.
*
* Author: Nikos Mavrogiannopoulos <nmav@redhat.com>

Files src/simelist.c and src/simelist.h are:

```
* Copyright (c) 2007,2008,2009,2010,2011 Mij <mij@bitchx.it>  
*  
* Permission to use, copy, modify, and distribute this software for any  
* purpose with or without fee is hereby granted, provided that the above  
* copyright notice and this permission notice appear in all copies.  
*  
* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF  
* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR  
* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES  
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN  
* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF  
* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.  
## c-libutl 20160225  
  
### c-libutl License  
````
```

This software is distributed under the terms of the BSD license.

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
xwd v1.0.7
```

```
xwd utility
```

```
<pre>
```

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.

Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

```
</pre>
```

```
Harfbuzz v2.8
```

```
Harfbuzz License
```

<https://github.com/harfbuzz/harfbuzz/blob/master/COPYING>

```
<pre>
```

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow. For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020 Google, Inc.

Copyright 2018,2019,2020 Ebrahim Byagowi

Copyright 2019,2020 Facebook, Inc.  
Copyright 2012 Mozilla Foundation  
Copyright 2011 Codethink Limited  
Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)  
Copyright 2009 Keith Stribley  
Copyright 2009 Martin Hosken and SIL International  
Copyright 2007 Chris Wilson  
Copyright 2006 Behdad Esfahbod  
Copyright 2005 David Turner  
Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.  
Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:  
The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN

ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.



```
</pre>
zlib v1.2.11
```

```
zlib License
<pre>
```

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

```
</pre>
CUP Parser Generator for Java v 0.11b
```

```
CUP Parser Generator License
<pre>
```

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever

resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

</pre>

## Apache Santuario v2.2.1

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java  
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

This is the copyright file

## The Unicode Standard, Unicode Character Database, Version 13.0.0

### Unicode Character Database

^^^

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s  
Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.

...

## Unicode Common Local Data Repository (CLDR) v39

### CLDR License

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s  
Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2021 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.



Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the Unicode Privacy Policy.

Unicode Copyright

Copyright 1991-2021 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

All images in this directory are copyright 1995 by Jeff Dinkins.  
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

```
http://www.theFixx.org/Jeff
jpackage test license file (just some sample text).
Thai Dictionary
```

```
Thai Dictionary License
<pre>
```

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

```
</pre>
Apache Xerces v2.12.1
```

```
Apache Xerces Notice
<pre>
```

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java

Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

```
Eastman Kodak Company: Portions of color management and imaging software
```

```
Eastman Kodak Notice
```

<pre>

```
Portions Copyright Eastman Kodak Company 1991-2003
```

</pre>

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files: \*

Copyright: APPLICATION\_COPYRIGHT

License: APPLICATION\_LICENSE\_TEXT

### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others.



For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would

necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.

- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

#### JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian  
Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

</pre>

```
Cryptix AES v3.2.0
```

```
Cryptix General License
```

<pre>

Cryptix General License



Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
jopt-simple v5.0.4
```

```
MIT License
<pre>
```

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## PC/SC Lite v1.8.26

### PC/SC Lite License

<pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## JLine v3.14.0

### JLine License

<pre>

Copyright (c) 2002-2018, the original author or authors.  
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

```
jQuery v3.5.1
```

```
jQuery License
```

```
...
```

```
jQuery v 3.5.1
```

```
Copyright JS Foundation and other contributors, https://js.foundation/
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v3.5.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

...

## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

#### W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS

MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

All images in this directory are copyright 1995 by Jeff Dinkins.  
COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising

from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may



result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

## GIFLIB v5.2.1

### GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>

SPDX-License-Identifier: MIT

## libpng v1.6.37

### libpng License

<pre>

## COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

### PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

### PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell

Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners,  
but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are  
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"  
is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing  
Authors and Group 42, Inc. disclaim all warranties, expressed or  
implied, including, without limitation, the warranties of  
merchantability and of fitness for any purpose. The Contributing  
Authors and Group 42, Inc. assume no liability for direct, indirect,  
incidental, special, exemplary, or consequential damages, which may  
result from the use of the PNG Reference Library, even if advised of  
the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this  
source code, or portions hereof, for any purpose, without fee, subject  
to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not  
be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any  
source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,  
without fee, and encourage the use of this source code as a component  
to supporting the PNG file format in commercial products. If you use  
this source code in a product, acknowledgment is not required but would  
be appreciated.

</pre>

## The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of

this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in

object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution



of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of

the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  
- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## ASM Bytecode Manipulation Framework v8.0.1

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jQuery UI v1.12.1

### jQuery UI License

...

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## Independent JPEG Group: JPEG release 6b

### JPEG License

...

\*\*\*\*\*

Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.



The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

\*\*\*\*\*

\*\*\*

## International Components for Unicode (ICU4J) v67.1

### ICU4J License

\*\*\*

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder

shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----

### Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

#### 1. ICU License - ICU 1.8.1 to ICU 57.1

### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

From: <https://www.unicode.org/copyright.html>:

## Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

### Unicode Copyright

Copyright 1991-2020 Unicode, Inc. All rights reserved.

### Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS

202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

## ## Mozilla Public Suffix List

### ### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/cbbba1d234670453df9c930dfbf510c0474d4301/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/cbbba1d234670453df9c930dfbf510c0474d4301/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

### ### MPL v2.0

...

#### Mozilla Public License Version 2.0

=====

#### 1. Definitions

-----

##### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

##### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

##### 1.3. "Contribution"

means Covered Software of a particular Contributor.

##### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case

including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- (a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- (b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- (a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- (b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General

Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

-----

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

#### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this



License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any

liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \* \*  
 \* 6. Disclaimer of Warranty \*  
 \* ----- \*  
 \* \*  
 \* Covered Software is provided under this License on an "as is" \*  
 \* basis, without warranty of any kind, either expressed, implied, or \*  
 \* statutory, including, without limitation, warranties that the \*  
 \* Covered Software is free of defects, merchantable, fit for a \*  
 \* particular purpose or non-infringing. The entire risk as to the \*  
 \* quality and performance of the Covered Software is with You. \*  
 \* Should any Covered Software prove defective in any respect, You \*  
 \* (not any Contributor) assume the cost of any necessary servicing, \*  
 \* repair, or correction. This disclaimer of warranty constitutes an \*  
 \* essential part of this License. No use of any Covered Software is \*  
 \* authorized under this License except under this disclaimer. \*  
 \* \*  
 \* \*\*\*\*\*

\*\*\*\*\*  
 \* \*  
 \* 7. Limitation of Liability \*  
 \* ----- \*  
 \* \*  
 \* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*  
 \* \*  
 \* \*\*\*\*\*

8. Litigation  
 -----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions.

Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

---

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.5.0

### Apache Commons BCEL Notice

<pre>

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Commons BCEL distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

```
 Apache License
 Version 2.0, January 2004
 http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly



negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## The FreeType Project: Freetype v2.10.4

### FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products

alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
""
Portions of this software are copyright <year> The FreeType
Project (www.freetype.org). All rights reserved.
""
```

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType

engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

#### 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

#### 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on

the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>

...

### GPL v2

...

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
  
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
  
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:
- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
  
  - b) Accompany it with a written offer, valid for at least three



years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the

original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will

be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#####

--- fthash.c and fthash.h are covered by the following notices ---

```
/*
 * Copyright 2000 Computing Research Labs, New Mexico State University
 * Copyright 2001-2015
 * Francesco Zappa Nardelli
 *
 * Permission is hereby granted, free of charge, to any person obtaining a
 * copy of this software and associated documentation files (the "Software"),
 * to deal in the Software without restriction, including without limitation
 * the rights to use, copy, modify, merge, publish, distribute, sublicense,
 * and/or sell copies of the Software, and to permit persons to whom the
 * Software is furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be included in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
 * THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY
 * CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
 * OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
 * THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

/\*\*\*\*\*\*

```
*
 * This file is based on code from bdf.c,v 1.22 2000/03/16 20:08:50
 *
 * taken from Mark Leisher's xmbdfed package
 *
 */
```

#####

--- FreeType 2 PSaux module is covered by the following notices ---

Copyright 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

#####

...

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

| Component      | Location              | License        |
|----------------|-----------------------|----------------|
| -----          |                       |                |
| Main Mesa code | src/ mesa/            | MIT            |
| Device drivers | src/ mesa/ drivers/ * | MIT, generally |
| <br>           |                       |                |
| Gallium code   | src/ gallium/         | MIT            |
| <br>           |                       |                |
| Ext headers    | GL/ glxext.h          | Khronos        |
|                | GL/ glxext.h          | Khronos        |
|                | GL/ wglxext.h         | Khronos        |
|                | KHR/ khrplatform.h    | Khronos        |

\*\*\*\*\*

----  
include/GL/gl.h :

Mesa 3-D graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.  
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

```
include/GL/glex.h
include/GL/glxext.h
include/GL/wglxext.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

```
include/KHR/khrplatform.h :
```

Copyright (c) 2008 - 2018 The Khronos Group Inc.



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

---

## Little Color Management System (LCMS) v2.12

### LCMS License

<pre>

Little Color Management System  
Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
Bert Belder: wepoll v 1.5.8

wepoll License
...

wepoll - epoll for Windows
https://github.com/piscisaureus/wepoll

Copyright 2012-2020, Bert Belder <bertbelder@gmail.com>
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

...

## 1.82 javax-inject 1

### 1.82.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

/\*

\* Copyright (C) 2009 The JSR-330 Expert Group

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

## 1.83 javassist 3.27.0-GA

### 1.83.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Javassist, a Java-bytecode translator toolkit.

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

\*

\* The contents of this file are subject to the Mozilla Public License Version

\* 1.1 (the "License"); you may not use this file except in compliance with

\* the License. Alternatively, the contents of this file may be used under

\* the terms of the GNU Lesser General Public License Version 2.1 or later,

\* or the Apache License Version 2.0.

\*

\* Software distributed under the License is distributed on an "AS IS" basis,

\* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License

\* for the specific language governing rights and limitations under the

\* License.

\*/

Found in path(s):

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/Proxy.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Visitor.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Member.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotInvokeException.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-

jar/javassist/CtNewWrappedConstructor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/LoaderClassPath.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/AppletServer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtConstructor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/ObjectNotFoundException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ArrayInit.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Mnemonic.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewClass.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SignatureAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtArray.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformNewClass.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Parser.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/DefineClassHelper.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/SubroutineScanner.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtMember.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ExceptionTable.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/ConstructorCall.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/StubGenerator.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/FieldInfo.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/CodeGen.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeAnalyzer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/IntQueue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/DotClass.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/URLClassPath.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObjectInputStream.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/InstructionPrinter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/NestMembersAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotReflectException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-



jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LocalVariableAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CallExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AttributeInfo.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/KeywordTable.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeIterator.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/SymbolTable.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Subroutine.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Inner.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/DefinePackageHelper.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LineNumberAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolFactory.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Modifier.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/AnnotationsWriter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CannotCompileException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Expr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformFieldAccess.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtPrimitiveType.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/BasicBlock.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/Callback.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/MethodInfo.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/JvstCodeGen.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/NewExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/TypeData.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFile.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtMethod.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CondExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPool.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/NewExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotCreateException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/EnclosingMethodAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/BinExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SourceFileAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/SecurityActions.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassMap.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/TypeChecker.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/FieldDecl.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CodeConverter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/ClassMetaobject.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/NestHostAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AccessFlag.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ASTree.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/StackMap.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/NotFoundException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Metalevel.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Variable.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Sample.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Instanceof.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFilePrinter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Stmnt.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/framedump.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/AnnotationImpl.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/AssignExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Bytecode.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ConstantAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Desc.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyFactory.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/FactoryHelper.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewMethod.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/RemoteException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/InstanceOfExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Declarator.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtClassType.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/NoSuchClassError.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtBehavior.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Expr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ByteArray.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/RemoteRef.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/TypedBlock.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Keyword.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/MemberCodeGen.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Descriptor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Reflection.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFileWriter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Frame.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Compiler.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/FramePrinter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/DoubleConst.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/TypeTag.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformAfter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Analyzer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/SerializedProxy.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/MemberResolver.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/StringL.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Util.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ParameterAnnotationsAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/BadHttpRequest.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/BadBytecode.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPool.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/Proxy.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewWrappedMethod.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Type.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SyntheticAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/ObjectImporter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/ExprEditor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ProceedHandler.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ExceptionsAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformAccessArrayField.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AnnotationDefaultAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/SoftValueHashMap.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Loader.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtField.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/Dump.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/MethodDecl.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/CompileError.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Handler.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ByteStream.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/Tracer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/HotSwapAgent.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/FieldAccess.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/InnerClassesAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/Viewer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObject.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformCall.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Symbol.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ByteArrayClassPath.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/AccessorMaker.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Lex.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ASTList.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/MethodCall.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/SerialVersionUID.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformBefore.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Cflow.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/Transformer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AnnotationsAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LocalVariableTypeAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/DuplicateMemberException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/MethodFilter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/MultiArrayType.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Metaobject.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/MapMaker.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/JvstTypeChecker.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformReadField.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Loader.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/StackMapTable.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPoolTail.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPath.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/HotSwapper.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Javac.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/ControlFlow.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Opcodes.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Executor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/Webserver.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LongVector.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObjectOutputStream.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CastExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/DeprecatedAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtClass.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Translator.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/Sample.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/NewArray.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassClassPath.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/IntConst.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/MethodHandler.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformNew.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolRepository.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Cast.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/NoFieldException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/SyntaxError.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/TokenId.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/RuntimeSupport.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Pair.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformWriteField.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewConstructor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ConstPool.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/MultiType.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Javassist, a Java-bytecode translator toolkit.  
\* Copyright (C) 2004 Bill Burke. All Rights Reserved.  
\*  
\* The contents of this file are subject to the Mozilla Public License Version  
\* 1.1 (the "License"); you may not use this file except in compliance with  
\* the License. Alternatively, the contents of this file may be used under  
\* the terms of the GNU Lesser General Public License Version 2.1 or later,  
\* or the Apache License Version 2.0.  
\*  
\* Software distributed under the License is distributed on an "AS IS" basis,  
\* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License  
\* for the specific language governing rights and limitations under the  
\* License.  
\*/

Found in path(s):

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/MemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/EnumMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/ByteMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/ClassMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/MemberValueVisitor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/FloatMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/IntegerMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/StringMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/ArrayMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/BooleanMemberValue.java

```
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/Annotation.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/DoubleMemberValue.java
```

## 1.84 guava 30.1.1-android

### 1.84.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
*/
```



\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/  
/\*  
\* This following method is a modified version of one found in  
\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>  
\* which contained the following notice:  
\*  
\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to  
\* the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>  
\*  
\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/MoreExecutors.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2010 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/net/package-info.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/Atomics.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Strings.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Ascii.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ContiguousSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Monitor.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Equivalence.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/SortedLists.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/annotations/Beta.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ListeningExecutorService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/annotations/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/IncidentEdgeSet.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CompactHashing.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/SubscriberRegistry.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/MoreObjects.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/math/Quantiles.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/Subscriber.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/Dispatcher.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ListenerCallQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/util/concurrent/ForwardingFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/ByteArrayDataInput.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/annotations/GwtIncompatible.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ForwardingListenableFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/MapMakerInternalMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/annotations/GwtCompatible.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Cut.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/Escapers.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/net/HostSpecifier.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/LocalCache.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/JdkFutureAdapters.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AbstractIdleService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/CacheBuilder.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/SparseImmutableTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/TypeResolver.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/MapMaker.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/net/InternetDomainName.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/html/HtmlEscapers.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/DenseImmutableTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/Callables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/SignedBytes.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ForwardingFluentFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/ArrayBasedCharEscaper.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/ByteProcessor.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/UnsignedBytes.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Platform.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in

```
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
*
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby disclaims copyright to this source code.
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/Hashing.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2020 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

```
/**
```

```
* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular
* version.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/primitives/FloatsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2011 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
```

```
* the License.
*/
/*
* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
* and released to the public domain, as explained at
* http://creativecommons.org/licenses/publicdomain
*
* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
* java.util.HashMap class.
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/util/concurrent/Striped.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/hash/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
```

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractTable.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/reflect/TypeVisitor.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/VerifyException.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Runnables.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Verify.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/HashingInputStream.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/eventbus/SubscriberExceptionHandlerContext.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Utf8.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/FilteredMultimapValues.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/CharSequenceReader.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/eventbus/SubscriberExceptionHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/



Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/MultimapBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Preconditions.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/Resources.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/package-info.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/FinalizablePhantomReference.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Suppliers.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Charsets.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/LineReader.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/FinalizableSoftReference.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/CharStreams.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Predicate.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/ByteStreams.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/Primitives.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/LineBuffer.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/base/FinalizableWeakReference.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Predicates.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/DeadEvent.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/Subscribe.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Objects.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Supplier.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/MultiInputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Interners.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ExecutionList.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Function.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/FinalizableReferenceQueue.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/Closeables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/Files.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/AsyncEventBus.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/io/LittleEndianDataOutputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/CountingOutputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Throwables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ListenableFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/DirectExecutor.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/CountingInputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Converter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/net/PercentEscaper.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/thirdparty/publicsuffix/TrieParser.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Booleans.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/internal/Finalizer.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/primitives/Doubles.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/CharMatcher.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Floats.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/SequentialExecutor.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Bytes.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ListenableFutureTask.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/FluentIterable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Stopwatch.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/FileBackedOutputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Shorts.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Ints.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Chars.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/MultiReader.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Joiner.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/UnicodeEscaper.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Longs.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/net/InetAddresses.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/Escaper.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the

\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either

\* express or implied. See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RangeSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/SortedIterable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/SortedIterables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/AbstractRangeSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableSortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/GeneralRange.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RegularImmutableSortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingSortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Count.java

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <http://creativecommons.org/publicdomain/zero/1.0/>  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/LongAdder.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/Striped64.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/LongAdder.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/Striped64.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AtomicDoubleArray.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

```
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/primitives/DoublesMethodsForWeb.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Not supported. You are attempting to create a map that may contain a non-{@code Comparable}
* key. Proper calls will resolve to the version in { @code ImmutableSortedMap }, not this dummy
* version.
*
* @throws UnsupportedOperationException always
* @deprecated Pass a key of type { @code Comparable } to use { @link
* ImmutableSortedMap#of(Comparable, Object)}.
*/
```

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2005 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/reflect/Reflection.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/GwtTransient.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/IgnoreJRERRequirement.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*



```

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Returns an array containing all of the elements in the specified collection. This method
 * returns the elements in the order they are returned by the collection's iterator. The returned
 * array is "safe" in that no references to it are maintained by the collection. The caller is
 * thus free to modify the returned array.
 *
 * <p>This method assumes that the collection size doesn't change while the method is running.
 *
 * <p>TODO(kevinb): support concurrently modified collections?
 *
 * @param c the collection for which to return an array of elements
 */

```

Found in path(s):

```

* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/ObjectArrays.java

```

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (C) 2014 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/TopKSelector.java

```

```

* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/SuccessorsFunction.java

```

```

* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-

```

jar/com/google/common/graph/Graph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/graph/PredecessorsFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/graph/ImmutableGraph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/graph/Graphs.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/graph/MutableGraph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/graph/Network.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/graph/MutableNetwork.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/graph/ImmutableNetwork.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/FilteredEntrySetMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingImmutableSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/SortedMultisetBridge.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/DescendingImmutableSortedSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/FilteredKeySetMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableEnumMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/FilteredEntryMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/TreeRangeMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AllEqualOrdering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/TreeTraverser.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CompactHashMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/TransformedIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingDeque.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingNavigableMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/TransformedListIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingImmutableList.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CompactHashSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/EvictingQueue.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/FilteredSetMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CompactLinkedHashMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CompactLinkedHashSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractNavigableMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingImmutableMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/FilteredKeyListMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/UnmodifiableSortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RangeMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/FilteredMultimap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/JdkPattern.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/PatternCompiler.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/CommonPattern.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/CommonMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/LittleEndianByteArray.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/InterruptibleTask.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/MacHashFunction.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/ReaderInputStream.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AggregateFutureState.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Platform.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ConsumingQueueIterator.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AsyncCallable.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/FarmHashFingerprint64.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/CombinedFuture.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/ImmutableSupplier.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ExecutionSequencer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

```
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/math/BigDecimalMath.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/io/Java8Compatibility.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/hash/Java8Compatibility.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/math/ToDoubleRounder.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

```
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
```

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Partially.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ServiceManagerBridge.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Java8Usage.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/MutableTypeToInstanceMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/CharSource.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/CartesianList.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/LongAddable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/BaseEncoding.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/ByteSource.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/math/PairedStatsAccumulator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/AbstractInvocationHandler.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/ClassPath.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/math/StatsAccumulator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/Closer.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/xml/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/SmoothRateLimiter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ListenableScheduledFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/math/PairedStats.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/TypeCapture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/math/Stats.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/RateLimiter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/Parameter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/TypeToInstanceMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-



jar/com/google/common/reflect/Element.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/LongAddables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/LongAddables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/ByteSink.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ServiceManager.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/StandardSystemProperty.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/CharSink.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/AbstractByteHasher.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/math/LinearTransformation.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/html/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/SipHashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/ChecksumHashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableRangeSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/FilteredKeyMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/LongAddable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/AbstractHashFunction.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingLock.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingCondition.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/ImmutableDoubleArray.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/ImmutableIntArray.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/ImmutableLongArray.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2017 The Guava Authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ObjectCountLinkedHashMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/Traverser.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractBaseGraph.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/BaseGraph.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ObjectCountHashMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ClosingFuture.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/cache/package-info.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/hash/AbstractHasher.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/primitives/UnsignedInts.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/primitives/UnsignedLongs.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/hash/Crc32cHashFunction.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/cache/CacheLoader.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/cache/AbstractCache.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/math/package-info.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/util/concurrent/AsyncFunction.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/hash/AbstractNonStreamingHashFunction.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/primitives/ParseRequest.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/hash/Funnel.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/TreeRangeSet.java
```

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/Weigher.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Uninterruptibles.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/net/HostAndPort.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/AbstractCompositeHashFunction.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/BloomFilterStrategies.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/HashCode.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ExecutionError.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/MessageDigestHashFunction.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Murmur3\_128HashFunction.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/IntMath.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Hashing.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Optional.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/UncheckedExecutionException.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/LongMath.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/BoundType.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/UnsignedLong.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/BloomFilter.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/RemovalListeners.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Queues.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/BigIntegerMath.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/CacheBuilderSpec.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/net/HttpHeaders.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingExecutorService.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/reflect/Types.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Funnels.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/FutureCallback.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/ForwardingLoadingCache.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/PrimitiveSink.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/HashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/RemovalListener.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Hasher.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Enums.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/LoadingCache.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Present.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/MathPreconditions.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractSortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AbstractScheduledService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RegularContiguousSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/CacheStats.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/AbstractStreamingHasher.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/Cache.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AtomicLongMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/RemovalCause.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/WrappingExecutorService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/PairwiseEquivalence.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/AbstractLoadingCache.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/ForwardingCache.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/FunctionalEquivalence.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/DoubleUtils.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/EmptyContiguousSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/net/MediaType.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/collect/SortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/SortedMultisets.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/AbstractNetwork.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/UndirectedNetworkConnections.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/MapIteratorCache.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/ForwardingNetwork.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/DirectedGraphConnections.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/StandardValueGraph.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/NetworkBuilder.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/EdgesConnecting.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
```

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ElementOrder.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/StandardMutableGraph.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/GraphConstants.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ImmutableValueGraph.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractGraphBuilder.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/NetworkConnections.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/MutableValueGraph.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/StandardMutableValueGraph.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractGraph.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/StandardNetwork.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/MapRetrievalCache.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/UndirectedGraphConnections.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ValueGraph.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/GraphBuilder.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/EndpointPairIterator.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Comparators.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/DirectedNetworkConnections.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ForwardingGraph.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/StandardMutableNetwork.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/GraphConnections.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/EndpointPair.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RangeGwtSerializationDependencies.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java



\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/MultiEdgesConnecting.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractValueGraph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ValueGraphBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingSetMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingSortedSetMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RowSortedTable.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingImmutableCollection.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractSequentialIterator.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/UnmodifiableListIterator.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingListMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/MinMaxPriorityQueue.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/SortedMapDifference.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Platform.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableClassToInstanceMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RegularImmutableSortedSet.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ArrayTable.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableSortedMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/collect/ForwardingTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/DiscreteDomain.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RegularImmutableList.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableSetMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableAsList.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/SingletonImmutableTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/EmptyImmutableSetMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ComputationException.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ComparisonChain.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/AbstractIndexedListAdapter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableEnumSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableTable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in  
\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the  
\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author  
\* hereby disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2006 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/annotations/VisibleForTesting.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/PatternFilenameFilter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/CaseFormat.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableEntry.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CollectPreconditions.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMapEntrySet.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMapKeySet.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableCollection.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Table.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableSortedSet.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/UnmodifiableIterator.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableBiMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/TreeBasedTable.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RegularImmutableBiMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Platform.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableListMultimap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Tables.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Range.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/HashBasedTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RegularImmutableMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Collections2.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/StandardTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Serialization.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/StandardRowSortedTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/PeekingIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/EmptyImmutableListMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMapValues.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/IndexedImmutableSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/BaseImmutableMultimap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/EnumBiMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingCollection.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ClassToInstanceMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ListMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/SortedSetMultimap.java



\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/TreeMultiset.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/LinkedListMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Interner.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/UsingToStringOrdering.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractIterator.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Maps.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingIterator.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ComparatorOrdering.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingSortedMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/SetMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Lists.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingMultiset.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Multiset.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/MutableClassToInstanceMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RegularImmutableSet.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/package-info.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingQueue.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractBiMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractMapBasedMultiset.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ExplicitOrdering.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Iterators.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/LinkedHashMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ConcurrentHashMultiset.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Multimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/LexicographicalOrdering.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingConcurrentMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingObject.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/BiMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Iterables.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractSortedSetMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/MapDifference.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractListMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/HashMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Multimaps.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ReverseNaturalOrdering.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractMultiset.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Sets.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingListIterator.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Synchronized.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CompoundOrdering.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/NaturalOrdering.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ReverseOrdering.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ArrayListMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ByFunctionOrdering.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/NullsFirstOrdering.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingList.java

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/HashMultiset.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/EnumHashBiMap.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/LinkedHashMultiset.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/primitives/ShortsMethodsForWeb.java
```

## 1.85 jackson-databind 2.13.3

### 1.85.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0  
To find the details that apply to this artifact see the accompanying LICENSE file.

## ## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.86 alpine-keys 2.4-r1

### 1.86.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.87 openjdk-jre 17.0.4u1

## 1.87.1 Available under license :

## Harfbuzz v2.7.2

### Harfbuzz License

<https://github.com/harfbuzz/harfbuzz/blob/master/COPYING>

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.  
For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020 Google, Inc.

Copyright 2018,2019,2020 Ebrahim Byagowi

Copyright 2019,2020 Facebook, Inc.

Copyright 2012 Mozilla Foundation

Copyright 2011 Codethink Limited

Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)

Copyright 2009 Keith Stribley

Copyright 2009 Martin Hosken and SIL International

Copyright 2007 Chris Wilson

Copyright 2006 Behdad Esfahbod

Copyright 2005 David Turner

Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.

Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:

The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@muslecard.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are under GNU GPL v3 or any later version

- doc/example/pcsc\_demo.c
- the files in src/spy/
- the files in UnitaryTests/

Copyright (C) 2003-2014 Ludovic Rousseau

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Files src/auth.c and src/auth.h are:

- \* Copyright (C) 2013 Red Hat
- \*
- \* All rights reserved.
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
- \* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
- \* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
- \* COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
- \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
- \* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
- \* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
- \* AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF  
\* THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH  
\* DAMAGE.  
\*  
\* Author: Nikos Mavrogiannopoulos <nnav@redhat.com>

Files src/simclist.c and src/simclist.h are:

\* Copyright (c) 2007,2008,2009,2010,2011 Mij <mij@bitchx.it>  
\*  
\* Permission to use, copy, modify, and distribute this software for any  
\* purpose with or without fee is hereby granted, provided that the above  
\* copyright notice and this permission notice appear in all copies.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
\* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF  
\* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR  
\* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES  
\* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN  
\* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF  
\* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.  
## c-libutl 20160225

### c-libutl License  
^^^

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

```
xwd v1.0.7
```

```
xwd utility
```

```
<pre>
```

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.

Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

```
</pre>
```

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
zlib v1.2.11
```

```
zlib License
<pre>
```

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

```
</pre>
The FreeType Project: Freetype v2.10.2
```

```
FreeType Notice
```

```
...
```

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is

a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

## Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (^ as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (^ royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge



somewhere in your documentation that you have used the FreeType code. (^credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
""""
Portions of this software are copyright <year> The FreeType
Project (www.freetype.org). All rights reserved.
""""
```

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner,

Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

### 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

### 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

#### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>

...

### GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and

modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such

interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such

an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.



10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
#####
```

--- fthash.c and fthash.h are covered by the following notices ---

/\*

\* Copyright 2000 Computing Research Labs, New Mexico State University

\* Copyright 2001-2015

\* Francesco Zappa Nardelli

\*

\* Permission is hereby granted, free of charge, to any person obtaining a  
\* copy of this software and associated documentation files (the "Software"),  
\* to deal in the Software without restriction, including without limitation  
\* the rights to use, copy, modify, merge, publish, distribute, sublicense,  
\* and/or sell copies of the Software, and to permit persons to whom the  
\* Software is furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in  
\* all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL  
\* THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY  
\* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT  
\* OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR  
\* THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

/\*\*\*\*\*\*

\*

\* This file is based on code from bdf.c,v 1.22 2000/03/16 20:08:50

\*

\* taken from Mark Leisher's xmbdfed package

\*

\*/

#####

--- FreeType 2 PSaux module is covered by the following notices ---

Copyright 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or  
object code form as indicated by the copyright notice(s) included  
herein (collectively, the "Work") is made available, and may only be  
used, modified, and distributed under the FreeType Project License,  
LICENSE.TXT. Additionally, subject to the terms and conditions of the  
FreeType Project License, each contributor to the Work hereby grants  
to any individual or legal entity exercising permissions granted by  
the FreeType Project License and this section (hereafter, "You" or

"Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

#####

...

## CUP Parser Generator for Java v 0.11b

### CUP Parser Generator License

<pre>

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

</pre>

This is the copyright file

## The Unicode Standard, Unicode Character Database, Version 13.0.0

### Unicode Character Database  
^^^

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s  
Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder

shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder

shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.  
jpackage test license file (just some sample text).

All images in this directory are copyright 1995 by Jeff Dinkins.  
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

</pre>

## Apache Xerces v2.12.1

### Apache Xerces Notice

<pre>

=====

== NOTICE file corresponding to section 4(d) of the Apache License, ==

== Version 2.0, in this case for the Apache Xerces Java distribution. ==

---

Apache Xerces Java  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.



"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
</pre>
```

```
Eastman Kodak Company: Portions of color management and imaging software
```

```
Eastman Kodak Notice
```

```
<pre>
```

```
Portions Copyright Eastman Kodak Company 1991-2003
```

```
</pre>
```

```
Little Color Management System (LCMS) v2.11
```

```
LCMS License
```

```
<pre>
```

```
Little Color Management System
```

```
Copyright (c) 1998-2020 Marti Maria Saguer
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,

and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files: \*

Copyright: APPLICATION\_COPYRIGHT

License: APPLICATION\_LICENSE\_TEXT

#### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further

distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by

implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution. The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

```
 Apache License
 Version 2.0, January 2004
 http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.



"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

**JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.**

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

</pre>

## Mesa 3-D Graphics Library v19.2.1

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
| Gallium code   | src/gallium/       | MIT            |
| Ext headers    | GL/glxt.h          | Khronos        |
|                | GL/glxt.h          | Khronos        |
|                | GL/wglxt.h         | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----  
include/GL/gl.h :

Mesa 3-D graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.  
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR

OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

```
include/GL/glext.h
include/GL/glxt.h
include/GL/wglxt.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

```
include/KHR/khrplatform.h :
```

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## PC/SC Lite v1.8.26

### PC/SC Lite License

<pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>  
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.



```
</pre>
jopt-simple v5.0.4
```

```
MIT License
<pre>
```

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
Cryptix AES v3.2.0
```

```
Cryptix General License
<pre>
```

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in

the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
JLine v3.14.0
```

```
JLine License
<pre>
```

Copyright (c) 2002-2018, the original author or authors.  
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,  
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING  
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Apache Santuario v2.1.4

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java  
Copyright 1999-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
</pre>
```

```
jQuery v3.5.1
```

```
jQuery License
```

```
``
```

```
jQuery v 3.5.1
```

Copyright JS Foundation and other contributors, <https://js.foundation/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v3.5.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.



THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

...

## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and

non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire

risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of

merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

All images in this directory are copyright 1995 by Jeff Dinkins.

## Unicode Common Local Data Repository (CLDR) v38

### CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

----- Terms of Use -----

-

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

#### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

## Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

## Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

## GIFLIB v5.2.1

### GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE



AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>

SPDX-License-Identifier: MIT

## libpng v1.6.37

### libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.

3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are

Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

</pre>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
  
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
  
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
  
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically

performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.



10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free

Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are

subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF

ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## ASM Bytecode Manipulation Framework v8.0.1

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## jQuery UI v1.12.1

### jQuery UI License

---

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

## Independent JPEG Group: JPEG release 6b

### JPEG License

...

\*\*\*\*\*

Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding

cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

\*\*\*\*\*

...

## International Components for Unicode (ICU4J) v67.1

### ICU4J License

...

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS



NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----

#### Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

#### 1. ICU License - ICU 1.8.1 to ICU 57.1

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use

or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

From: <https://www.unicode.org/copyright.html>:

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode, Inc. Unicode, Inc. shall have the right to modify this Agreement at any time by

posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

...

## Mozilla Public Suffix List

### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/cbbba1d234670453df9c930dfbf510c0474d4301/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/cbbba1d234670453df9c930dfbf510c0474d4301/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

### MPL v2.0

...

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the

License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

-----

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

#### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms



You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
* repair, or correction. This disclaimer of warranty constitutes an
* essential part of this License. No use of any Covered Software is
* authorized under this License except under this disclaimer.
*
```

\*\*\*\*\*

\*\*\*\*\*

```
*
*
* 7. Limitation of Liability
* -----
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
* Contributor, or anyone who distributes Covered Software as
* permitted above, be liable to You for any direct, indirect,
* special, incidental, or consequential damages of any character
* including, without limitation, damages for lost profits, loss of
* goodwill, work stoppage, computer failure or malfunction, or any
* and all other commercial damages or losses, even if such party
* shall have been informed of the possibility of such damages. This
* limitation of liability shall not apply to liability for death or
* personal injury resulting from such party's negligence to the
* extent applicable law prohibits such limitation. Some
* jurisdictions do not allow the exclusion or limitation of
* incidental or consequential damages, so this exclusion and
* limitation may not apply to You.
*
```

\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.4.1

### Apache Commons BCEL Notice

<pre>

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Commons BCEL distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

```
 Apache License
 Version 2.0, January 2004
 http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>



Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## 1.88 bean-validation-api 2.0.1.Final

### 1.88.1 Available under license :

Bean Validation API

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

## 1.89 httpcomponents-core 4.4.13

### 1.89.1 Available under license :

Apache HttpCore

Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.90 netty 4.1.91.Final

## 1.90.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.common

Built-By: norman

Bnd-LastModified: 1680521397750  
Implementation-Vendor-Id: io.netty  
Bundle-DocURL: <https://netty.io/>  
Import-Package: sun.misc;resolution:=optional,com.oracle.svm.core.annotate;resolution:=optional,io.netty.util;resolution:=optional,io.netty.util.concurrent;resolution:=optional,io.netty.util.internal;resolution:=optional,io.netty.util.internal.logging;resolution:=optional,javax.security.cert;resolution:=optional,org.apache.commons.logging;resolution:=optional;version="[1.2,2)",org.apache.log4j;resolution:=optional;version="[2.17,3)",org.apache.logging.log4j;resolution:=optional;version="[2.17,3)",org.apache.logging.log4j.message;resolution:=optional;version="[2.17,3)",org.apache.logging.log4j.spi;resolution:=optional;version="[2.17,3)",org.slf4j;resolution:=optional;version="[1.7,2)",org.slf4j.helpers;resolution:=optional;version="[1.7,2)",org.slf4j.spi;resolution:=optional;version="[1.7,2)",reactor.blockhound;resolution:=optional,reactor.blockhound.integration;resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
DynamicImport-Package: \*  
Export-Package: io.netty.util;uses:="io.netty.util.concurrent,io.netty.util.internal";version="4.1.91",io.netty.util.collection;version="4.1.91",io.netty.util.concurrent;uses:="io.netty.util.internal";version="4.1.91",io.netty.util.internal;uses:="io.netty.util,io.netty.util.concurrent,io.netty.util.internal.logging,javax.security.cert,reactor.blockhound,reactor.blockhound.integration";version="4.1.91",io.netty.util.internal.logging;version="4.1.91",io.netty.util.internal.svm;version="4.1.91"  
Bundle-Name: Netty/Common  
Build-Jdk-Spec: 1.8  
Implementation-Title: Netty/Common  
Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.  
Automatic-Module-Name: io.netty.common  
Implementation-Version: 4.1.91.Final  
Bundle-ManifestVersion: 2  
Bundle-Vendor: The Netty Project  
Tool: Bnd-6.3.1.202206071316  
Implementation-Vendor: The Netty Project  
Bundle-Version: 4.1.91.Final  
Created-By: Apache Maven Bundle Plugin 5.1.8  
Build-Jdk: 1.8.0\_252  
Implementation-URL: <https://netty.io/netty-common/>

Found in path(s):

\* /opt/cola/permits/1629578961\_1681533568.115673/0/netty-common-4-1-91-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

```

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
 <modelVersion>4.0.0</modelVersion>

 <artifactId>jctools-core</artifactId>
 <groupId>org.jctools</groupId>
 <version>3.1.0</version>
 <name>Java Concurrency Tools Core Library</name>
 <description>Java Concurrency Tools Core Library</description>
 <packaging>bundle</packaging>

 <dependencies>
 <dependency>
 <groupId>org.hamcrest</groupId>
 <artifactId>hamcrest-all</artifactId>
 <version>${hamcrest.version}</version>
 <scope>test</scope>
 </dependency>

 <dependency>
 <groupId>junit</groupId>
 <artifactId>junit</artifactId>
 <version>${junit.version}</version>
 <scope>test</scope>
 </dependency>

 <dependency>
 <groupId>com.google.guava</groupId>
 <artifactId>guava-testlib</artifactId>
 <version>${guava-testlib.version}</version>
 <scope>test</scope>
 </dependency>
 </dependencies>

 <build>
 <plugins>
 <plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-surefire-plugin</artifactId>
 <version>3.0.0-M3</version>
 <configuration>
 <includes>
 <include>*</include>
 </includes>
 </configuration>
 </plugin>
 <plugin>
 <groupId>org.apache.felix</groupId>
 <artifactId>maven-bundle-plugin</artifactId>

```

```

<version>4.2.1</version>
<extensions>>true</extensions>
<configuration>
 <instructions>
 <Import-Package>sun.misc;resolution:=optional</Import-Package>
 </instructions>
</configuration>
</plugin>
<plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-source-plugin</artifactId>
 <version>3.2.0</version>
 <executions>
 <execution>
 <id>attach-sources</id>
 <phase>verify</phase>
 <goals>
 <goal>jar-no-fork</goal>
 </goals>
 </execution>
 </executions>
</plugin>
<plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-javadoc-plugin</artifactId>
 <version>3.1.1</version>
 <configuration>
 <additionalOptions>
 <additionalOption>-Xdoclint:none</additionalOption>
 </additionalOptions>
 <source>8</source>
 </configuration>
 <executions>
 <execution>
 <id>attach-javadocs</id>
 <goals>
 <goal>jar</goal>
 </goals>
 </execution>
 </executions>
</plugin>
</plugins>
</build>

<distributionManagement>
 <repository>
 <id>bintray-jctools-jctools</id>
 <name>jctools-jctools</name>

```



```
<url>https://api.bintray.com/maven/jctools/jctools/jctools-core/;publish=1</url>
</repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>
<license>
<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
<distribution>repo</distribution>
</license>
</licenses>

<scm>
<url>https://github.com/JCTools/JCTools</url>
<connection>scm:git:https://github.com/JCTools/JCTools</connection>
<tag>HEAD</tag>
</scm>

<developers>
<developer>
<url>https://github.com/nitsanw</url>
</developer>
<developer>
<url>https://github.com/mjpt777</url>
</developer>
<developer>
<url>https://github.com/RichardWarburton</url>
</developer>
<developer>
<url>https://github.com/kay</url>
</developer>
<developer>
<url>https://github.com/franz1981</url>
</developer>
</developers>

<prerequisites>
<maven>3.5.0</maven>
</prerequisites>

<properties>
<project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
<java.version>1.6</java.version>
<java.test.version>1.8</java.test.version>
```

```
<maven.compiler.source>${java.version}</maven.compiler.source>
<maven.compiler.target>${java.version}</maven.compiler.target>
<maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
<maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

<hamcrest.version>1.3</hamcrest.version>
<junit.version>4.12</junit.version>
<guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>
```

Found in path(s):

```
* /opt/cola/permits/1629578961_1681533568.115673/0/netty-common-4-1-91-final-jar/META-INF/maven/org.jctools/jctools-core/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1629578961_1681533568.115673/0/netty-common-4-1-91-final-jar/META-INF/maven/io.netty/netty-common/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
Copyright 2019 The Netty Project
#
The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
#
https://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
License for the specific language governing permissions and limitations
under the License.
io.netty.util.internal.Hidden$NettyBlockHoundIntegration
```

Found in path(s):

```
* /opt/cola/permits/1629578961_1681533568.115673/0/netty-common-4-1-91-final-jar/META-
INF/services/reactor.blockhound.integration.BlockHoundIntegration
No license file was found, but licenses were detected in source scan.
```

```
The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

```
* /opt/cola/permits/1629578961_1681533568.115673/0/netty-common-4-1-91-final-jar/META-INF/native-
image/io.netty.netty-common/native-image.properties
```

## 1.91 jsr305 3.0.2

### 1.91.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2005 Brian Goetz
 * Released under the Creative Commons Attribution License
 * (http://creativecommons.org/licenses/by/2.5)
 * Official home: http://www.jcip.net
 */
```

Found in path(s):

```
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-
jar/javax/annotation/concurrent/ThreadSafe.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-
jar/javax/annotation/concurrent/NotThreadSafe.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-
jar/javax/annotation/concurrent/Immutable.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-
jar/javax/annotation/concurrent/GuardedBy.java
```

## 1.92 micronaut-context 3.9.2

### 1.92.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

\* Copyright 2017-2022 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/server/watch/event/FileWatchRestartListener.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2020 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/cron/package-info.java

\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/ReactiveInvocationInstrumenterFactory.java

\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/package-info.java

\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/io/watch/WatchServiceFactory.java

\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/io/watch/package-info.java

\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-

jar/io/micronaut/runtime/converters/reactive/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/io/watch/event/FileChangedEvent.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/scope/ThreadLocal.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/io/watch/event/WatchEventType.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/InstrumentedExecutorService.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/ExecutorServiceInstrumenter.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/async/AsyncInterceptor.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/event/annotation/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/env/ConfigurationAdvice.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/annotation/Async.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/DefaultThreadFactory.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/server/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/exceptions/ApplicationStartupException.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/scope/Refreshable.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/ApplicationConfiguration.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/annotation/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/NextFireTime.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/io/watch/DefaultWatchThread.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/ExecutorSelector.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/exceptions/SchedulerConfigurationException.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/event/AbstractEmbeddedApplicationEvent.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/io/watch/FileWatchCondition.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/InstrumentedExecutor.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/async/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-

jar/io/micronaut/scheduling/DefaultTaskExceptionHandler.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/scope/ScopedProxy.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/UserExecutorConfiguration.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/IOExecutorServiceConfig.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/Instrumentation.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/scope/refresh/RefreshScope.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/server/event/ServerStartupEvent.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/processor/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/TaskScheduler.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/ExecutorType.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/event/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/InvocationInstrumenterWrappedCallable.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/NoopInstrumentation.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/event/ApplicationShutdownEvent.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/ExecutorConfiguration.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/converters/time/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/event/annotation/EventListener.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/InstrumentedScheduledExecutorService.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/annotation/Scheduled.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/event/ApplicationStartupEvent.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/InvocationInstrumenterWrappedRunnable.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/EmbeddedApplication.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-

jar/io/micronaut/runtime/context/scope/refresh/RefreshInterceptor.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/server/event/ServerShutdownEvent.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/DefaultExecutorSelector.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/NamedThreadFactory.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/converters/time/TimeConverterRegistrar.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/env/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/exceptions/TaskExecutionException.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/annotation/Schedules.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/InvocationInstrumenter.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/TaskExecutors.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/scope/refresh/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/scope/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/server/EmbeddedServer.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/env/ConfigurationIntroductionAdvice.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/server/event/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/annotation/ExecuteOn.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/scope/ThreadLocalCustomScope.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/exceptions/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/ThreadSelection.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/TaskExceptionHandler.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/ScheduledExecutorServiceConfig.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/InvocationInstrumenterFactory.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/MultipleInvocationInstrumenter.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-

jar/io/micronaut/runtime/Micronaut.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/instrument/RunnableInstrumenter.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/ReschedulingTask.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/executor/ExecutorFactory.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/scope/refresh/RefreshEvent.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/exceptions/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/io/watch/event/package-info.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/processor/ScheduledMethodProcessor.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/io/watch/FileWatchConfiguration.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/CompositeMessageSource.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/scheduling/ScheduledExecutorTaskScheduler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2021 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/context/scope/refresh/RefreshEventListener.java  
\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-  
jar/io/micronaut/runtime/converters/reactive/ReactiveTypeConverterRegistrar.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2012- Frode Carlsen.



\*  
 \* Licensed under the Apache License, Version 2.0 (the "License");  
 \* you may not use this file except in compliance with the License.  
 \* You may obtain a copy of the License at  
 \*  
 \* <https://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS,  
 \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 \* See the License for the specific language governing permissions and  
 \* limitations under the License.  
 \*MapClaims.java  
 \* Note: rewritten to standard Java 8 DateTime by zemiak (c) 2016  
 \* Forked from: <https://github.com/frode-carlsen/cron>  
 \*/

Found in path(s):

\* /opt/cola/permits/1701214126\_1685496832.1246424/0/micronaut-context-3-9-2-sources-jar/io/micronaut/scheduling/cron/CronExpression.java

## 1.93 okhttp 4.9.3

### 1.93.1 Available under license :

Note that `publicsuffixes.gz` is compiled from The Public Suffix List:  
[https://publicsuffix.org/list/public\\_suffix\\_list.dat](https://publicsuffix.org/list/public_suffix_list.dat)

It is subject to the terms of the Mozilla Public License, v. 2.0:

<https://mozilla.org/MPL/2.0/>

Mozilla Public License

Version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. “Executable Form”

means any form of the work other than Source Code Form.

1.7. “Larger Work”

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. “License”

means this document.

1.9. “Licensable”

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. “Modifications”

means any of the following:

any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

any new file in Source Code Form that contains any Covered Software.

1.11. “Patent Claims” of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. “Secondary License”

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. “Source Code Form”

means the form of the work preferred for making modifications.

1.14. “You” (or “Your”)

means an individual or a legal entity exercising rights under this License. For legal entities, “You” includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, “control” means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

for any code that a Contributor has removed from Covered Software; or

for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are

reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

## 6. Disclaimer of Warranty

Covered Software is provided under this License on an “as is” basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

## 7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party’s negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

## 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party’s ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

/\*

\* Copyright (C) 2012 The Android Open Source Project

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

# 1.94 jackson-dataformat-yaml 2.13.3

## 1.94.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

### ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.95 log4j-api 2.17.1

## 1.95.1 Available under license :

Apache Log4j 1.x Compatibility API  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of



the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.96 commons-codec 1.14

### 1.96.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Codec

Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

`src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java`  
contains test data from <http://aspell.net/test/orig/batch0.tab>.  
Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

=====

The content of package `org.apache.commons.codec.language.bm` has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

## 1.97 alpine-baselayout-data 3.4.3-r1

### 1.97.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Create mount directories in fstab

\*

\* Copyright(c) 2008 Natanael Copa <[natanael.copa@gmail.com](mailto:natanael.copa@gmail.com)>



\* May be distributed under the terms of GPL-2

\*

\* usage: mkmntdirs [fstab]

\*

\*/

Found in path(s):

\* /opt/cola/permits/1690300026\_1684996389.3603017/0/alpine-baselayout-master-zip/alpine-baselayout-master/src/mkmntdirs.c

## 1.98 perfmark-api 0.17.0

### 1.98.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 Carl Mastrangelo

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1656707133\_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/Impl.java

\* /opt/cola/permits/1656707133\_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-

jar/io/perfmark/PerfMark.java

\* /opt/cola/permits/1656707133\_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/package-info.java

\* /opt/cola/permits/1656707133\_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/Link.java

\* /opt/cola/permits/1656707133\_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/Tag.java

## 1.99 jackson-databind 2.13.2.2

### 1.99.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

## ## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0  
To find the details that apply to this artifact see the accompanying LICENSE file.

## ## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.100 opentelemetry-proto 0.11.0

## 1.100.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents



of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.101 guava 30.1-jre

### 1.101.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ContiguousSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Monitor.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedLists.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Ascii.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Strings.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Atomics.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Equivalence.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/Beta.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2016 The Guava Authors  
\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/PatternCompiler.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/CommonMatcher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/CommonPattern.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/JdkPattern.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/GwtTransient.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AtomicLongMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MoreCollectors.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ElementOrder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ValueGraphBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/NetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Comparators.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphConstants.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EdgesConnecting.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/graph/EndpointPairIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/AbstractValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/EndpointPair.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/DirectedNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/StandardMutableNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/UndirectedNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/ValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/StandardMutableValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/UndirectedGraphConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/ForwardingNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/MultiEdgesConnecting.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RangeGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/LinkedHashMapMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/StandardValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/DirectedGraphConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/StandardNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/CollectCollectors.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/MapRetrievalCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/DirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/GraphConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/AbstractGraphBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

```
jar/com/google/common/graph/NetworkBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/MapIteratorCache.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/AbstractDirectedNetworkConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/StandardMutableGraph.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Doubles}. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/DoublesMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
```

\* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the

\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either

\* express or implied. See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableSortedAsList.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/CollectSpliterators.java



\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/package-info.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSet.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMultiset.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMapEntry.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractIterator.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Sets.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultiset.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multimaps.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/BiMap.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multisets.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingQueue.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingConcurrentMap.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/EnumHashMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/CompoundOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/MutableClassToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/UsingToStringOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/TreeMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/LinkedHashMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/LinkedHashMapMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/HashMapMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingCollection.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ClassToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingObject.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/EnumBiMap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/Resources.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Predicates.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Function.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Throwables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/AsyncEventBus.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/Primitives.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/base/FinalizableWeakReference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ExecutionList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/DeadEvent.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Files.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/LineReader.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Predicate.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Preconditions.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FinalizableSoftReference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FinalizableReferenceQueue.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Objects.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Charsets.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/Subscribe.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/MultiInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Supplier.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Interners.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/Closeables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FinalizablePhantomReference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/LineBuffer.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/DirectExecutor.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CountingOutputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CountingInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataOutputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CharStreams.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteStreams.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/ImmutableDoubleArray.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/ImmutableIntArray.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingLock.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractHashFunction.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/ImmutableLongArray.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingCondition.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Java8Compatibility.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/ToDoubleRounder.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/BigDecimalMath.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Java8Compatibility.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you

\* may not use this file except in compliance with the License. You may  
\* obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/Platform.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Internal.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License



\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LittleEndianByteArray.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncCallable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/FarmHashFingerprint64.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ReaderInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/MacHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ConsumingQueueIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CombinedFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/InterruptibleTask.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFutureState.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/JdkBackedImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/ImmutableSupplier.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ExecutionSequencer.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/IgnoreJRERRequirement.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

```
/*
 * This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
 * and released to the public domain, as explained at
 * http://creativecommons.org/licenses/publicdomain
 *
 * As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
 * java.util.HashMap class.
 */
```

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Striped.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInts.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/WrappingExecutorService.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractScheduledService.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedExecutionException.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/Weigher.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheStats.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractCompositeHashFunction.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Hashing.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/package-info.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/ForwardingLoadingCache.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/base/Optional.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Present.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/PrimitiveSink.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/BoundType.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/RemovalListeners.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/UnsignedLong.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/Types.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/PairwiseEquivalence.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RegularContiguousSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/RemovalNotification.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Hasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/hash/HashCode.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/net/MediaType.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/AbstractStreamingHasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Uninterruptibles.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/net/HostAndPort.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Murmur3\_128HashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Enums.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/MathPreconditions.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/MessageDigestHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/RemovalListener.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/RemovalCause.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FunctionalEquivalence.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AsyncFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/Cache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/BloomFilterStrategies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/BigIntegerMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/AbstractCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ExecutionError.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/IntMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/EmptyContiguousSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Funnels.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/CacheLoader.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Funnel.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/ForwardingCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Queues.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/LongMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/DoubleUtils.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractSortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/LoadingCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/ParseRequest.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/FutureCallback.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/BloomFilter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/HashFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the

\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either

\* express or implied. See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/GeneralRange.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedIterable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RangeSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractRangeSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Count.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedIterables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultiset.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* Returns an array containing all of the elements in the specified collection. This method

\* returns the elements in the order they are returned by the collection's iterator. The returned

\* array is "safe" in that no references to it are maintained by the collection. The caller is

\* thus free to modify the returned array.

\*

\* <p>This method assumes that the collection size doesn't change while the method is running.

\*

```
* <p>TODO(kevinb): support concurrently modified collections?
*
* @param c the collection for which to return an array of elements
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ObjectArrays.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2012 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

```
/*
```

```
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
```

```
*
```

```
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby disclaims copyright to this source code.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/SmallCharMatcher.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2014 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
```



express

- \* or implied. See the License for the specific language governing permissions and limitations under
- \* the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberRegistry.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/Dispatcher.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/MoreObjects.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenerCallQueue.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/Quantiles.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/Subscriber.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2020 The Guava Authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManagerBridge.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Java8Usage.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2006 The Guava Authors
- \*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CaseFormat.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/PatternFilenameFilter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/annotations/VisibleForTesting.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/TypeVisitor.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/HashingInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/VerifyException.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/SubscriberExceptionHandler.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Runnables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Verify.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/SubscriberExceptionContext.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/FilteredMultimapValues.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/io/CharSequenceReader.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Utf8.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/BaseImmutableMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/IndexedImmutableSet.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

\*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredKeySetMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyListMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AllEqualOrdering.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TransformedListIterator.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredEntrySetMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMultisetBridge.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashSet.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredSetMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableSortedMultiset.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableList.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingBlockingDeque.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingDeque.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TransformedIterator.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeTraverser.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashSet.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/FilteredEntryMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RangeMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/TreeRangeMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/DescendingImmutableSortedSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/EvictingQueue.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingNavigableMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractNavigableMap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for extra methods of { @code Objects } only in web. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This following method is a modified version of one found in
* http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
* which contained the following notice:
*
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
* the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/
*
* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
```

jar/com/google/common/util/concurrent/MoreExecutors.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntry.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MultimapBuilder.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/MoreFiles.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEntry.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-



jar/com/google/common/collect/Tables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Serialization.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/StandardTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/PeekingIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/SingletonImmutableBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableSortedSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMapValues.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Collections2.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMapEntrySet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableCollection.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Table.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/EmptyImmutableListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/CollectPreconditions.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/HashBasedTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/TreeBasedTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/StandardRowSortedTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/ImmutableMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Range.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/UnmodifiableIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMapKeySet.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular
* version.
*/
```

Found in path(s):  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/ShortsMethodsForWeb.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeSet.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/LinearTransformation.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CharSink.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAddable.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SmoothRateLimiter.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Parameter.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteSink.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Closer.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/Stats.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/html/package-info.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/PairedStatsAccumulator.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Element.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CharSource.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/package-info.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/StatsAccumulator.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/package-info.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/MutableTypeToInstanceMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/SipHashFunction.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeCapture.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LongAddable.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteSource.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/ChecksumHashFunction.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/RateLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/StandardSystemProperty.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractByteHasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/AbstractInvocationHandler.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/BaseEncoding.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/PairedStats.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LongAddables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAddables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CartesianList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/ClassPath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/xml/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManager.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractBaseGraph.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/BaseGraph.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Traverser.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ClosingFuture.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/IncidentEdgeSet.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashing.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

```
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
*
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby disclaims copyright to this source code.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Hashing.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2005 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/Reflection.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
```

```
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/Partially.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2014 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TopKSelector.java
```

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/ImmutableGraph.java
```

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/SuccessorsFunction.java
```

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/MutableNetwork.java
```

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/ImmutableNetwork.java
```

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Graphs.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/InsecureRecursiveDeleteException.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Graph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/RecursiveDeleteOption.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/PredecessorsFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Network.java

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <http://creativecommons.org/publicdomain/zero/1.0/>  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicDoubleArray.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAdder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LongAdder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/Striped64.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Striped64.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.



\*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/FileBackedOutputStream.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Shorts.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Doubles.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SequentialExecutor.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CharMatcher.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FluentIterable.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Booleans.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Chars.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/PercentEscaper.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Joiner.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Floats.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFutureTask.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/UnicodeEscaper.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Bytes.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/MultiReader.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Stopwatch.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Converter.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Longs.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Ints.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/internal/Finalizer.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/InetAddresses.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Escaper.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/thirdparty/publicsuffix/TrieParser.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSetMultimap.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MinMaxPriorityQueue.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSequentialIterator.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingListMultimap.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RowSortedTable.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSetMultimap.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableCollection.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableListIterator.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMapDifference.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not

\* use this file except in compliance with the License. You may obtain a copy of

\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/SortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/SortedMultisets.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/DenseImmutableTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/UnsignedBytes.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/net/HostSpecifier.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/JdkFutureAdapters.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/SignedBytes.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/annotations/GwtIncompatible.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/SparseImmutableTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/MapMakerInternalMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/TypeResolver.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/MapMaker.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/CacheBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Cut.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/ByteArrayDataInput.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Callables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractIdleService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingFluentFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/html/HtmlEscapers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingListenableFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

```
jar/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/ByteProcessor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/escape/ArrayBasedCharEscaper.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/AbstractService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Splitter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/escape/Escapers.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Not supported. You are attempting to create a map that may contain a non-{@code Comparable}
* key. Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
* version.
*
* @throws UnsupportedOperationException always
* @deprecated Pass a key of type {@code Comparable} to use {@link
* ImmutableSortedMap#of(Comparable, Object)}.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/FloatsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ComputationException.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/DiscreteDomain.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableClassToInstanceMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
```

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableAsList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TableCollectors.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ComparisonChain.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractIndexedListIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java

## 1.102 asm 3.2

### 1.102.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2007 INRIA, France Telecom
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright

- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/

Found in path(s):

- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/JumpInsnNode.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/Value.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/FieldWriter.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/VarInsnNode.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/SourceValue.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/SmallSet.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/StaticInitMerger.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceClassVisitor.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/AnnotationWriter.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/InsnList.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/CheckSignatureAdapter.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/FrameNode.java
- \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/AnnotationVisitor.java



\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/ASMifierMethodVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/ASMifierAbstractVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/MethodInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/Subroutine.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/InnerClassNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/ClassAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/AdviceAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/ASMifierFieldVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceAbstractVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/LdcInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/LineNumberNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/signature/SignatureReader.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/FieldNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/ClassNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/Remapper.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/AbstractInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Label.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Item.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Type.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/LabelNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/RemappingMethodAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/MethodNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceMethodVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/BasicValue.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/TableSwitchGenerator.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/LocalVariableNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Handler.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/MethodVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceFieldVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/Frame.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/Method.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/AbstractVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/FieldVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/TryCatchBlockNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/EmptyVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/signature/SignatureVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/InsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/SimpleRemapper.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/ClassVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/MethodAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/CheckClassAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/GeneratorAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceSignatureVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/ASMifierAnnotationVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/Interpreter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/ByteVector.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/LocalVariablesSorter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/AnnotationNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/AnalyzerAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/IntInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Attribute.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/TypeInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/ClassWriter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Frame.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/ClassReader.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/InsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/RemappingClassAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/CheckMethodAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/ASMifierClassVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/signature/SignatureWriter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/MemberNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/CheckFieldAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Edge.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/MethodWriter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Opcodes.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/FieldInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-

jar/org/objectweb/asm/tree/analysis/Analyzer.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM XML Adapter

\* Copyright (c) 2004, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-

jar/org/objectweb/asm/xml/SAXCodeAdapter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-

jar/org/objectweb/asm/xml/SAXClassAdapter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-

jar/org/objectweb/asm/xml/ASMContentHandler.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-

jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/Processor.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-

jar/org/objectweb/asm/xml/SAXFieldAdapter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-

jar/org/objectweb/asm/xml/SAXAdapter.java

No license file was found, but licenses were detected in source scan.

```
* ASM XML Adapter
* Copyright (c) 2004, Eugene Kuleshov
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
```

Found in path(s):

```
* /opt/cola/permits/1136493993_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/package.html
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2007 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
```

\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-  
jar/org/objectweb/asm/util/ASMifiable.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/Traceable.java

No license file was found, but licenses were detected in source scan.

ASM XML Adapter

Copyright (c) 2004, Eugene Kuleshov

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

## THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/asm-xml.dtd  
No license file was found, but licenses were detected in source scan.

2005 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-

jar/org/objectweb/asm/commons/package.html

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-

jar/org/objectweb/asm/tree/analysis/package.html

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/package.html

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/package.html

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/attrs/package.html

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/package.html

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-

jar/org/objectweb/asm/signature/package.html

# 1.103 httpclient-cache 4.5.13

## 1.103.1 Available under license :

Apache HttpClient Cache  
Copyright 2010-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work



(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.104 log4j-jcl 2.17.1

### 1.104.1 Available under license :

Apache Log4j Commons Logging Bridge  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.105 jeromq 0.3.5



## 1.105.1 Available under license :

GNU General Lesser Public License (LGPL) version 3.0

<http://www.gnu.org/licenses/lgpl-3.0.html>

# 1.106 namespace 1.4.01

## 1.106.1 Available under license :

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas \$

This license came from: <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip> (COPYRIGHT.html)

### W3C SOFTWARE NOTICE AND LICENSE

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date

changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission.

Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache xml-commons xml-apis ==  
== distribution. ==  
=====

Apache XML Commons XML APIs  
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>  
xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215  
2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

## W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising

or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) \$  
xml-commons/java/external/LICENSE.sax.txt \$Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at  
<http://www.saxproject.org/> for more up-to-date  
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)  
2000-05-05

## 1.107 dom 1.0



## 1.107.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2001 World Wide Web Consortium,
 * (Massachusetts Institute of Technology, Institut National de
 * Recherche en Informatique et en Automatique, Keio University). All
 * Rights Reserved. This program is distributed under the W3C's Software
 * Intellectual Property License. This program is distributed in the
 * hope that it will be useful, but WITHOUT ANY WARRANTY; without even
 * the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
 * PURPOSE.
 * See W3C License http://www.w3.org/Consortium/Legal/ for more details.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ElementEditAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASNotationDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASObject.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/CharacterDataEditAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DOMImplementationAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASModel.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DocumentAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASAttributeDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASElementDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASEntityDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASNamedObjectMap.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASDataType.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASContentModel.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DOMASWriter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DocumentEditAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASObjectList.java
```

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DOMASBuilder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DOMASException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/NodeEditAS.java

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>  
2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2000 World Wide Web Consortium,  
\* (Massachusetts Institute of Technology, Institut National de  
\* Recherche en Informatique et en Automatique, Keio University). All  
\* Rights Reserved. This program is distributed under the W3C's Software  
\* Intellectual Property License. This program is distributed in the  
\* hope that it will be useful, but WITHOUT ANY WARRANTY; without even  
\* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR  
\* PURPOSE. See W3C License <http://www.w3.org/Consortium/Legal/> for more  
\* details.  
\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/w3c/dom/html/HTMLDOMImplementation.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more

```

* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Checks if this content model has had its min/maxOccurs values reduced for
 * purposes of speeding up UPA. If so, this content model should not be used
 * for any purpose other than checking unique particle attribution
 *
 * @return a boolean that says whether this content has been compacted for UPA
 */

```

Found in path(s):

```

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/XSCMValidator.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * DOM Level 3 LS CR - Experimental.
 * Create a new LSParser. The newly constructed parser may
 * then be configured by means of its DOMConfiguration
 * object, and used to parse documents by means of its parse

```

- \* method.
- \* @param mode The `mode` argument is either
  - \* `MODE_SYNCHRONOUS` or `MODE_ASYNCHRONOUS`, if
  - \* `mode` is `MODE_SYNCHRONOUS` then the
  - \* `LSParser` that is created will operate in synchronous
  - \* mode, if it's `MODE_ASYNCHRONOUS` then the
  - \* `LSParser` that is created will operate in asynchronous
  - \* mode.
- \* @param schemaType An absolute URI representing the type of the schema
  - \* language used during the load of a `Document` using the
  - \* newly created `LSParser`. Note that no lexical checking
  - \* is done on the absolute URI. In order to create a
  - \* `LSParser` for any kind of schema types (i.e. the
  - \* `LSParser` will be free to use any schema found), use the value
  - \* `null`.
- \* 

**Note:** For W3C XML Schema [[XML Schema Part 1](http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/)]

  - \* , applications must use the value
  - \* `"http://www.w3.org/2001/XMLSchema"`. For XML DTD [[XML 1.0](http://www.w3.org/TR/2000/REC-xml-20001006/)],
  - \* applications must use the value
  - \* `"http://www.w3.org/TR/REC-xml"`. Other Schema languages
  - \* are outside the scope of the W3C and therefore should recommend an
  - \* absolute URI in order to use this method.
- \* @return The newly created `LSParser` object. This
  - \* `LSParser` is either synchronous or asynchronous
  - \* depending on the value of the `mode` argument.
- \* 

**Note:** By default, the newly created `LSParser`

  - \* does not contain a `DOMErrorHandler`, i.e. the value of
  - \* the "[parameter-error-handler](http://www.w3.org/TR/2003/WD-DOM-Level-3-Core-20030609/core.html#parameter-error-handler)
  - \* `error-handler`" configuration parameter is `null`. However, implementations
  - \* may provide a default error handler at creation time. In that case,
  - \* the initial value of the `"error-handler"` configuration
  - \* parameter on the new created `LSParser` contains a
  - \* reference to the default error handler.
- \* @exception DOMException
  - \* `NOT_SUPPORTED_ERR`: Raised if the requested mode or schema type is
  - \* not supported.

Found in path(s):

- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CoreDOMImplementationImpl.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more

\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMImplementationListImpl.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

/\*\*  
\* used to check the 3 constraints against each complex type  
\* (should be each model group):  
\* Unique Particle Attribution, Particle Derivation (Restriction),  
\* Element Declarations Consistent.  
\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSConstraints.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDocumentInfo.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDElementTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLErrorHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLFrameElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLEntityDescriptionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/ShadowedSymbolTable.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/ObjectListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLImgElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLOptgroupElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLImgElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredCDATASectionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDAbstractIDConstraintTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLTimerElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSParticle.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLWmlElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AnySimpleDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/StringList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTimerElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/CaseInsensitiveMap.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOMImplementation.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultXMLDocumentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLAnchorElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/HTMLSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHtmlElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/DefaultNamespaceContext.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/MultipleScopeNamespaceSupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaParsingConfig.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XML11NSDTDValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLMetaElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLQuoteElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/EncodingMap.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XIncludeTextReader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMInputImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLCatalogResolver.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/TeeXMLDocumentFilterImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableSectionElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMStateSet.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/Base64BinaryDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DraconianErrorHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/JAXPValidatorComponent.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTitleElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11NonValidatingConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ElementDefinitionImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLElementDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAttributeGroupDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/AbstractDOMParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLSelectElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLabelElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFieldSetElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLCardElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/ShortListImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/util/Base64.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CDATASectionImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XSGrammarPoolContainer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/CMBuilder.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLMetaElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/XSSimpleType.java



\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDelegate.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOMParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RegularExpression.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/ElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/UIEventImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Method.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EntityReferenceImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/ByteList.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBodyElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLNSDTDValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMBinOp.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredAttrImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMUtil.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLIElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/SAXParserFactoryImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/ElementSchemePointer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XMLMessageFormatter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/SoftReferenceGrammarPool.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/AbstractXMLSchema.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/AttrNSImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/DurationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTdElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLEntityDescription.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDScanner.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SecurityManager.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSModel.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLErrorCode.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMResultAugmentor.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/FieldActivator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ParentNode.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XIntPool.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableCellElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SchemaSymbols.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ObjectFactory.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/UTF16Reader.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/TextImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMStringListImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/NonValidatingConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLImageElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DecimalDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSModelImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ShortList.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/ListDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXEventResultBuilder.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredAttrNSImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/DTDGrammar.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredEntityReferenceImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/ObjectList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/XPathMatcher.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLHeadElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/PSVLErrorList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11NMTOKENDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/StartDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XMLSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/KeyRef.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSDDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLAttributes.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLHeadElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredEntityImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXDocumentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/Latin1Reader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/LCount.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDProcessor.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/BooleanDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLEntityResolver.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SchemaGrammar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/ValidatedInfo.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ChildNode.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSNamedMapImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/Constants.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/MouseEventImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDValidatorFilter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLDocumentScannerImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/Util.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XInclude11TextReader.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/DefaultValidationErrorHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLOptgroupElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/SchemaValidatorConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLPostfieldElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/StAXSchemaParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredNotationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CoreDocumentImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLNSDocumentScannerImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ReadOnlyGrammarPool.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMErrorImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLAttributesImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAttributeTraverser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLDocumentParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDComplexTypeTraverser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DatatypeMessageFormatter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLIElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLNoopElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/SecuritySupport.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DatatypeException.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/ENTITYDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLInputElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTableElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/ElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/SchemaContentHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SoftReferenceSymbolTableConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/BalancedDTDGrammar.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/ShortHandPointer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLParserConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/BasicParserConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLPreElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SecurityConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/AbstractXMLDocumentParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/ValidationState.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/HTMLdtd.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLDOMImplementation.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/AugmentationsImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSImplementation.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDocumentScanner.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SAXLocatorWrapper.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SynchronizedSymbolTable.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSGrammarBucket.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLNoopElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerErrorHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDSources.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/ProcessingInstructionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/NamespacesContext.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XMLSchemaFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTdElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDListElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DayTimeDurationDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLUElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSNamedMap4Types.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSDateTime.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultText.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMLLeaf.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSTerm.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLComponent.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLSmallElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/DocumentBuilderImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTextAreaElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/AttributePSVI.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/Token.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredNode.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XML11Serializer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAttributeGroupTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/HexBinaryDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLGoElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/SimpleLocator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/MessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLErrorHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSLoaderImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11NamespaceBinder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/SecuritySupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFormElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLResourceIdentifierImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/XPath.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMenuElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLCollectionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDocumentFragmentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSComplexTypeDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SAXInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XPointerParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/SerializedDuration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/UTF8Reader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/InvalidDatatypeValueException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSNotationDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLAreaElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLBigElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLChar.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLPostfieldElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeepNodeListImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/EntityReferenceImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ProcessingInstructionImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLPrevElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMXSImplementationSourceImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/MixedContentModel.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/Augmentations.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/BaseDVFactory.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLVersionDetector.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLDTDDescription.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/IDDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXValidatorHelper.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSComplexTypeDefinition.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NotationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLBElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/UniqueOrKey.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/DatatypeFactoryImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLAnchorElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/DOMSerializerImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLIFrameElementImpl.java



\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/LineSeparator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLLocatorWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSWildcard.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StreamValidatorHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/StAXLocationWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLDoElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/IntegratedParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLNotationDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ValidatorHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/BaseSchemaDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/IdentityConstraint.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSDouble.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/SecuritySupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CommentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredProcessingInstructionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/CommentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLSetvarElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ASDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/NotationDeclarationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SoftReferenceSymbolTable.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/EntityState.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XHTMLSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLWmlElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ASModelImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredDocumentTypeImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMValidatorHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSAnnotationInfo.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11DTDSscannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/NodeImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLGrammarCachingConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBaseElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerPart.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/QName.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLemElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFormControl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredTextImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/FloatDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11DocumentScannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ErrorHandlerWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSAttributeGroupDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMAny.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/StartElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/DOMSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSModelGroupDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EndElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/QNameDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLBrElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLScriptElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLStringBuffer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/events/MutationEventImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDGroupTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/FullDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xinclude/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/DTDImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/DOMParserImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLTrElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/CMUniOp.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DocumentFragmentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLSelectElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDSimpleTypeTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XML11EntityScanner.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/StringDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/IDREFDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLButtonElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/identity/Field.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/TextImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLOneventElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/util/ByteListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XIncludeParserConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLStrongElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/CachingParserPool.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ParserConfigurationSettings.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLDocument.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/EmptyXMLSchema.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSObjectList.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultNode.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMapElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11NSDocumentScannerImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLSmallElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDTDCContentModelHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLEmElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIDocumentImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/DTDGrammarBucket.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/ElementPSVImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/REUtil.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLParseException.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/Op.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDCContentModelSource.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11DTDCConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTemplateElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/SecuritySupport.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLInputElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/NMTOKENDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLParagraphElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/OutputFormat.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/NOTATIONDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DTDParse.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SymbolHash.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/ListDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLULListElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMImplementationSourceImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLBrElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CharacterDataImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/RangeImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/SerializerFactoryImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XMLSchemaLoader.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLScanner.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLGrammarPoolImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLStrongElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSNotationDeclaration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/EncodingInfo.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMetaElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/CMNodeFactory.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFontElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTableElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLAppletElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/IDDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/SecuritySupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSObject.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/SchemaDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLEntityDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ErrorHandlerProxy.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/DTDDVFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMNode.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/StringListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTemplateElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11Configurable.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/InvalidDatatypeFacetException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractParticleTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXStreamResultBuilder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/XMLGregorianCalendarImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XInt.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSConstants.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Serializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SubstitutionGroupHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/TypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/SAXParserImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSGroupDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DoubleDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/Version.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/IntStack.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/ASCIIReader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSIDCDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLCardElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLFieldsetElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/AttrImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLAElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultDocument.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/FilePathToURI.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLPrevElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/util/HexBin.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/SerializedXMLGregorianCalendar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDContentModelFilter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSModelGroup.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBaseFontElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDLoader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredElementDefinitionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSElementDeclHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLComponentManager.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/PrimeNumberSequenceGenerator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLOneventElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/SchemaDVFactoryImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/ImmutableLocation.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XMLSchema.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSLoader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/UnionDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XNIException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDocumentSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XSGrammar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLBElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SAXParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSDecimal.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSWildcardDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMConfigurationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableColElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTrElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMUniOp.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarLoader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/ConfigurableValidationState.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/IndentPrinter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/ElementState.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/DFACContentModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/AttributeMap.java



\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EndDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLPElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSFloat.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/StringDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMRepeatingLeaf.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIAttrNSImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLDocumentFragmentScannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/ValidationContext.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/Grammar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLAccessElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/Match.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/TextSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/NamespaceImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSAttributeDeclaration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/JAXPConstants.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLAElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/EntityResolverWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMOutputImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SecuritySupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/ExternalSubsetResolver.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NodeListCache.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIElementNSImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XIncludeHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SAXMessageFormatter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredCommentImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHRElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSNamespaceItemList.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMEntityResolverWrapper.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RegexParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ElementNSImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/AttributeImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/IDREFDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLUElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHeadElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMLLeaf.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/LocatorProxy.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/Selector.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11IDDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSElementDeclaration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAnnotationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/LSInputList.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/XPathException.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EntityDeclarationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/AbstractSAXParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLBigElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLLocator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSTypeDefinition.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ItemPSVI.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/URI.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLObjectElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AnyAtomicDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/NamedNodeMapImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBuilder.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/WeakReferenceXMLSchema.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSQName.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NodeIteratorImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DefaultErrorHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/BMPattern.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DTDCConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/SimpleXMLSchema.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLegendElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/YearMonthDurationDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDWildcardTraverser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHeadingElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/XSFacets.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ElementPSVI.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLRefreshElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSGrammarPool.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLResourceIdentifier.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/html/dom/HTMLDirectoryElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XML11Configuration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/EntityImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/io/MalformedByteSequenceException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/UnparsedEntityHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLAccessElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLSymbols.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xpointer/XPointerProcessor.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLSetvarElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/XMLDTDHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSMultiValueFacet.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSAnnotation.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLLinkElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/events/EventImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/DTDDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/identity/ValueStore.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/ValidatorHandlerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/DOMErrorHandlerWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/XMLEventImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/XS10TypeHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLDivElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSNamespaceItem.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XML11Char.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLFrameSetElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/XMLNamespaceBinder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XMLGrammarPreparser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLBRElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/RangeExceptionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/PSVIProvider.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XMLSchemaException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSNamedMap.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLStyleElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSAttributeUseImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/validation/ValidationManager.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/EntityResolver2Wrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSElementDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/DOMParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLAttributeDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLLIElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSParticleDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/ContentModelValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/StAXInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLContentSpec.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DocumentTypeImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLOptionElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xinclude/XIncludeMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/xs/AttributePSVImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLSelectElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/XMLString.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/XMLSchemaValidatorComponentManager.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLTableRowElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLListElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/SchemaDOM.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLDTDSscannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLInputElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/PrecisionDecimalDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/DOMDocumentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLPullParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/SecureProcessingConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLDocumentFilter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/XSObjectListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/NamedNodeMapImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSFacet.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLGoElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDAbstractTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/Printer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XML11DTDProcessor.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLDTDDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLRefreshElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/ParserForXMLSchema.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/dom/DOMNormalizer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/IntegerDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/DocumentBuilderFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLsIndexElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/SimpleContentModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSSimpleTypeDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/EmptyLocation.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/SerializerFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/HTTPInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/Encodings.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSAttributeUse.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/BaseMarkupSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/CharactersImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/XMLEventFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/JAXPNamespacerContextWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/NamespacerSupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/XMLDocumentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMLocatorImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/LSInputListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSDeclarationPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/JAXPValidationMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/CMBinOp.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dv/xs/ExtendedSchemaDVFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XML11DTDValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/EntityDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/SymbolTable.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/AnyURIDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLEntityScanner.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLEntityManager.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSAttributeDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xinclude/XIncludeNamespaceSupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/models/XSEmptyCM.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLOptGroupElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/DVFactoryException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/SchemaDateTimeException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLOptionElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLPElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLOptionElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLParamElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/TreeWalkerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/XML11DTDDVFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/ParseException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLDTDFilter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLDTDValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-



jar/org/apache/xerces/impl/xs/traversers/XSDNotationTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/grammars/XMLSchemaDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/DOMResultBuilder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLAnchorElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLModElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredElementNSImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLTableCaptionElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLEntityHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/StandardParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/models/XSAllCM.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/AttrImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLFieldsetElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLDoElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/RangeToken.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/DOMASBuilderImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/NameNodeListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/io/UCSReader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XIncludeAwareParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/RevalidationHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSValue.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/NodeImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/XML11IDREFDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/xni/parser/XMLConfigurationException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/AttributesProxy.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/ValidatorImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XMLGrammarParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLSimpleType.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/SchemaNamespaceSupport.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/AbstractDateTimeDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/YearDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDKeyrefTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DateDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DateTimeDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDUniqueOrKeyTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/MonthDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DurationDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dv/xs/MonthDayDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/TimeDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSAttributeChecker.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/YearMonthDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSModelGroupImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DayDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XMLSchemaValidator.java  
No license file was found, but licenses were detected in source scan.

# The ASF licenses this file to You under the Apache License, Version 2.0  
# (the "License"); you may not use this file except in compliance with  
# the License. You may obtain a copy of the License at  
# <http://www.apache.org/licenses/LICENSE-2.0>  
# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/XMLSchemaMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/message.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/DOMMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/XPointerMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/DatatypeMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/message\_fr.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/SAXMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/XIncludeMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/XMLMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/XMLSerializerMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/message\_ja.properties

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/JAXPValidationMessages.properties
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

```
// Unique Particle Attribution
```

```
Found in path(s):
```

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/XSDFACM.java
```

## 1.108 error\_prone\_annotations 2.3.3

### 1.108.1 Available under license :

```
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2014 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

Found in path(s):

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/NoAllocation.java

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/LockMethod.java

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CompatibleWith.java

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/FormatMethod.java

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/MustBeClosed.java

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/RestrictedApi.java

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/FormatString.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/DoNotCall.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CheckReturnValue.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2015 The Error Prone Authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CompileTimeConstant.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Immutable.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/RequiredModifiers.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Var.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/ForOverride.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/LazyInit.java

\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java  
\* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/IncompatibleModifiers.java

# 1.109 netty-codec-socks 4.1.91.Final

## 1.109.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksSubnegotiationVersion.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressType.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthStatus.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksResponseType.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandType.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksProtocolVersion.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksCmdStatus.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksMessageType.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksAuthScheme.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandStatus.java
```

```
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-
jar/io/netty/handler/codec/socks/SocksAddressType.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-
jar/io/netty/handler/codec/socks/SocksAuthStatus.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5AuthMethod.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-
jar/io/netty/handler/codec/socksx/SocksVersion.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-
jar/io/netty/handler/codec/socks/SocksRequestType.java
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-
jar/io/netty/handler/codec/socks/SocksCmdType.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
~ Copyright 2012 The Netty Project
```

```
~
```

```
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
```

```
~
```

```
~ https://www.apache.org/licenses/LICENSE-2.0
```

```
~
```

```
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
```

```
-->
```

Found in path(s):

```
* /opt/cola/permits/1629578959_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/META-
INF/maven/io.netty/netty-codec-socks/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2012 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
```



\* under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksMessage.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponse.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/package-info.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponse.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthRequest.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequestDecoder.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksResponse.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponse.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponseDecoder.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequest.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/package-info.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandRequest.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponse.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequest.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksResponse.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandRequest.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequest.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksMessageEncoder.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksRequest.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequestDecoder.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandRequest.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialResponse.java

\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientDecoder.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequest.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandType.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandResponse.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandStatus.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksCommonUtils.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponse.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequest.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponseDecoder.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerDecoder.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialRequest.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponseDecoder.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthResponse.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequestDecoder.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandResponse.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandResponse.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksRequest.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/SocksMessage.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponse.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequest.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/SocksPortUnificationServerHandler.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressDecoder.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressEncoder.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5Message.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequestDecoder.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequestDecoder.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponseDecoder.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/AbstractSocks4Message.java  
\* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/AbstractSocks5Message.java

- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequestDecoder.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4Message.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponseDecoder.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponseDecoder.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/package-info.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientEncoder.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5ServerEncoder.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5ClientEncoder.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/AbstractSocksMessage.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/package-info.java
- \* /opt/cola/permits/1629578959\_1681819594.8287127/0/netty-codec-socks-4-1-91-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerEncoder.java

## 1.110 netty-handler 4.1.91.Final

### 1.110.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2019 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */

```

Found in path(s):

- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslMasterKeyHandler.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/PseudoRandomFunction.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/TrustManagerFactoryWrapper.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/SimpleKeyManagerFactory.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/X509KeyManagerWrapper.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/KeyManagerFactoryWrapper.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/address/package-info.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/address/DynamicAddressConnectHandler.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslPrivateKeyMethod.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
*/
```

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-  
jar/io/netty/handler/ssl/SslHandshakeCompletionEvent.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version  
\* 2.0 (the "License"); you may not use this file except in compliance with the  
\* License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-  
jar/io/netty/handler/ssl/OpenSslCertificateCompressionConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslHandler.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/logging/LogLevel.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/timeout/WriteTimeoutHandler.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/package-info.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/stream/ChunkedNioStream.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/stream/ChunkedStream.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/stream/ChunkedNioFile.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/stream/ChunkedWriteHandler.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/logging/package-info.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/timeout/IdleStateEvent.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/timeout/TimeoutException.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/stream/ChunkedFile.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/timeout/ReadTimeoutException.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/logging/LoggingHandler.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/timeout/IdleState.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/stream/ChunkedInput.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/timeout/ReadTimeoutHandler.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/timeout/package-info.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/timeout/IdleStateHandler.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/package-info.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/stream/package-info.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/NotSslRecordException.java
- \* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/timeout/WriteTimeoutException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/traffic/TrafficCounter.java
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/traffic/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/OpenSslCertificateCompressionAlgorithm.java
```



\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/BouncyCastlePemReader.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNames.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslContextBuilder.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ClientAuth.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/LazyJavaxX509Certificate.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-  
jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2023 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-  
jar/io/netty/handler/ssl/StacklessSSLHandshakeException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/pcap/PcapHeaders.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/pcap/EthernetPacket.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/pcap/PcapWriteHandler.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/pcap/package-info.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/pcap/TCPpacket.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/pcap/PcapWriter.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/pcap/IPPacket.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/pcap/UDPPacket.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OptionalSslHandler.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/AbstractSniHandler.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SniCompletionEvent.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslCloseCompletionEvent.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslClientHelloHandler.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-

jar/io/netty/handler/ssl/JdkAlpnSslUtils.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ocsp/package-info.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JdkAlpnSslEngine.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslCompletionEvent.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/Conscrypt.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslHandshakeTimeoutException.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilter.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilterRuleComparator.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslClosedEngineException.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/logging/ByteBufFormat.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/address/ResolveAddressHandler.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactoryBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

```
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/flow/FlowControlHandler.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/META-
INF/maven/io.netty/netty-handler/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2023 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
```

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/pcap/State.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolConfig.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/PemReader.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslContext.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslEngine.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslContext.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/CipherSuiteFilter.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolUtil.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JdkSslClientContext.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JdkSslEngine.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JettyAlpnSslEngine.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JettyNpnSslEngine.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslProvider.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslEngineMap.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/CipherSuiteConverter.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslSessionContext.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ipfilter/IpFilterRuleType.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslUtils.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslSessionStats.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/LazyX509Certificate.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslClientContext.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ipfilter/UniqueIpFilter.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SniHandler.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSsl.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslServerSessionContext.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ipfilter/IpFilterRule.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslServerContext.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JdkSslServerContext.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/Java7SslParametersUtils.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ipfilter/package-info.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/JdkSslContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software



\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/flush/FlushConsolidationHandler.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateException.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/flush/package-info.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/PemPrivateKey.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/PemEncoded.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/Java8SslUtils.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/PemX509Certificate.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/DelegatingSslContext.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/flow/package-info.java  
\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/PemValue.java

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/META-INF/native-

image/io.netty.netty-handler/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/BouncyCastleAlpnSslEngine.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/Ciphers.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/AsyncRunnable.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslSessionCache.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslProtocols.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/GroupsConverter.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/BouncyCastle.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslContextOption.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslAsyncPrivateKeyMethod.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/BouncyCastleAlpnSslUtils.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslSessionId.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/SslContextOption.java

\* /opt/cola/permits/1629578964\_1680777697.7182336/0/netty-handler-4-1-91-final-sources-jar/io/netty/handler/ssl/OpenSslClientSessionCache.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
// Try the OpenJDK's proprietary implementation.
```

Found in path(s):

```
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/util/SelfSignedCertificate.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/OpenSslX509TrustManagerWrapper.java
```

```
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/OpenSslPrivateKey.java
```

```
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/OpenSslKeyMaterialProvider.java
```

```
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/ExtendedOpenSslSession.java
```

```
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
```

```

jar/io/netty/handler/ssl/SignatureAlgorithmConverter.java
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/OpenSslX509KeyManagerFactory.java
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/OpenSslSession.java
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/DefaultOpenSslKeyMaterial.java
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/OpenSslKeyMaterial.java
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/OpenSslCachingX509KeyManagerFactory.java
* /opt/cola/permits/1629578964_1680777697.7182336/0/netty-handler-4-1-91-final-sources-
jar/io/netty/handler/ssl/OpenSslCachingKeyMaterialProvider.java

```

# 1.111 picocontainer 2.15

## 1.111.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
*****/

```

Found in path(s):

```

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/ProviderAdapter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/ComponentLifecycle.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/security/CustomPermissionsURLClassLoader.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/ComponentMonitorStrategy.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Stored.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/FactoryInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/references/SimpleReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Guarded.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/Provider.java

```

```

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/CompositeInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Injector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/InjectInto.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/references/ThreadLocalMapObjectReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/CompositeInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/Injector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/MultiInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/ObjectReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Decorated.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/Reinjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/references/ThreadLocalReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/Reinjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/MultiInjection.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by *
*****/

```

Found in path(s):

```

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/AnnotatedFieldInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/NamedFieldInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Automated.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Locked.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/NameBinding.java

```

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/AdaptingBehavior.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/PropertyApplicator.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/AnnotatedFieldInjector.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/LifecycleComponentMonitor.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoContainer.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Automating.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ComponentFactory.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/adapters/AbstractAdapter.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/Injectors.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Characteristics.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/PropertyApplying.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/annotations/Inject.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/TransientPicoContainer.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/DefaultPicoContainer.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/NullLifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/BasicComponentParameter.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Synchronizing.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/NamedMethodInjector.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoVerificationException.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoException.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/annotations/Cache.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/CommandLinePicoContainer.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/TypedFieldInjection.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/adapters/InstanceAdapter.java

```

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/TypedFieldInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/NamedFieldInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/parameters/CollectionComponentParameter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Locking.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/annotations/Nullable.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Behaviors.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/AbstractInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/BehaviorFactory.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/PicoBuilder.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/InjectionFactory.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/AnnotatedMethodInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/ImplementationHiding.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/HiddenImplementation.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/parameters/ComponentParameter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/containers/ImmutablePicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Synchronized.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/SetterInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/PicoClassNotFoundException.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
*****/

```

Found in path(s):

```

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-

```

jar/org/picocontainer/lifecycle/LifecycleState.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/lifecycle/StartableLifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/visitors/MethodCallingVisitor.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/lifecycle/AbstractMonitoringLifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/visitors/TraversalCheckingVisitor.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/converters/Converter.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/lifecycle/ReflectionLifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/PicoVisitor.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/ComponentAdapter.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/lifecycle/JavaEE5LifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/Converters.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/LifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/visitors/VerifyingVisitor.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/lifecycle/DefaultLifecycleState.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/lifecycle/CompositeLifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/lifecycle/ReflectionLifecycleException.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/visitors/AbstractPicoVisitor.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by the committers *
*/
```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/containers/AbstractDelegatingMutablePicoContainer.java



No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Paul Hammaant *
*****/

```

Found in path(s):

- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/ComponentMonitorHelper.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/WriterComponentMonitor.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/ConsoleComponentMonitor.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Paul Hammant & Obie Fernandez & Aslak Hellesøy *
*****/

```

Found in path(s):

- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/NullComponentMonitor.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) NanoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Joerg Schaibe *
*****/

```

Found in path(s):

- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-

jar/org/picocontainer/behaviors/Decorating.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/behaviors/FieldDecorating.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) PicoContainer Organization. All rights reserved.
 * -----
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Original code by Jon Tirsen
 */
```

Found in path(s):  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/behaviors/AbstractBehavior.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) PicoContainer Organization. All rights reserved.
 * -----
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Idea by Rachel Davies, Original code by various
 */
```

Found in path(s):  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/containers/CompositePicoContainer.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/MutablePicoContainer.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) PicoContainer Organization. All rights reserved.
 * -----
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 * Original Code By: Centerline Computers, Inc.
 */
```

Found in path(s):  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-

jar/org/picocontainer/injectors/PrimitiveMemberChecker.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Committers. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Joerg Schaibe *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/BindKey.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Paul Hammant & Obie Fernandez & Aslak *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ComponentMonitor.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Mauro Talevi *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/AbstractComponentMonitor.java

No license file was found, but licenses were detected in source scan.

```

/*****

```

```
* Copyright (c) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
*
*****/
```

Found in path(s):

- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/PropertiesPicoContainer.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/MethodInjector.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Intercepting.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoLifecycleException.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/ForgetfulConstructorInjection.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Intercepted.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/SystemPropertiesPicoContainer.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/CommandLineArgumentsPicoContainer.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/ParameterNameBinding.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/AbstractParameter.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/SingleMemberInjector.java

No license file was found, but licenses were detected in source scan.

```

* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD * style
* license a copy of which has been included with this distribution in * the
* LICENSE.txt file. * * Original code by *
*****/
```

Found in path(s):

- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/AbstractBehaviorFactory.java

No license file was found, but licenses were detected in source scan.

```

* Copyright (c) PicoContainer Organization. All rights reserved. *
```

```
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
*****/
```

Found in path(s):

```
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/composers/RegexComposer.java
```

```
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/monitors/ComposingMonitor.java
```

No license file was found, but licenses were detected in source scan.

```
/*-----*/
* Copyright (c) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Idea by Rachel Davies, Original code by Jon Tirsen *
*****/
```

Found in path(s):

```
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/parameters/ConstantParameter.java
```

```
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Parameter.java
```

No license file was found, but licenses were detected in source scan.

```
/*-----*/
* Copyright (C) PicoContainer Organization. All rights reserved.
* -----
* The software in this package is published under the terms of the BSD style
* license a copy of which has been included with this distribution in the
* LICENSE.txt file.
*****/
```

Found in path(s):

```
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/classname/ClassPathElement.java
```

```
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/classname/ClassName.java
```

```
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/classname/ClassLoadingPicoContainer.java
```

```
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/parameters/DefaultConstructorParameter.java
```

```
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/classname/DefaultClassLoadingPicoContainer.java
```

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/NullParameter.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the license.html file. *
* *
* Idea by Rachel Davies, Original code by Aslak Hellesoy and Paul Hammant *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Disposable.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Startable.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Paul Hammant *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Behavior.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/EmptyPicoContainer.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Idea by Rachel Davies, Original code by Aslak Hellesoy and Paul Hammant *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-

jar/org/picocontainer/behaviors/ThreadCached.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/behaviors/Guarding.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/injectors/SetterInjection.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/injectors/MethodInjection.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/injectors/AnnotatedMethodInjection.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/injectors/AdaptingInjection.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/injectors/ConstructorInjection.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/behaviors/ThreadCaching.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/injectors/ConstructorInjector.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/behaviors/Storing.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/behaviors/Caching.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/PicoCompositionException.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/behaviors/OptInCaching.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-  
jar/org/picocontainer/behaviors/Cached.java

## 1.112 opentelemetry-sdk 1.13.0

### 1.112.1 Available under license :

Apache-2.0

## 1.113 micronaut-inject 3.9.2

### 1.113.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/META-INF/native-
image/io.micronaut/micronaut-inject/native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2022 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/inject/annotation/AnnotationConvertersRegistrar.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/inject/writer/BeanClassWriter.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/context/env/yaml/ConstructIsoTimestampString.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/context/LocalizedMessageSource.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/context/env/PropertyExpressionResolver.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/inject/writer/ClassOutputWriter.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/context/AbstractLocalizedMessageSource.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/context/NoInjectionBeanDefinition.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/context/BeanDisposingRegistration.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/context/RuntimeBeanDefinition.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/context/MessageSourceUtils.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/context/DefaultBeanContext.java
* /opt/cola/permits/1701214180_1685496825.7066572/0/micronaut-inject-3-9-2-sources-
jar/io/micronaut/context/DefaultRuntimeBeanDefinition.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```



\* Copyright 2017-2020 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ConstructorInjectionPoint.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/BeanContext.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/DefaultFieldInjectionPoint.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/DefaultConstructorInjectionPoint.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/DisposableBeanDefinition.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ReflectionConstructorInjectionPoint.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/ApplicationEvent.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/processor/package-info.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AbstractBeanContextConditional.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AnnotationMetadataReference.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/beans/AbstractExecutableBeanMethod.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Parameter.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/proxy/InterceptedBeanProxy.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/TypedAnnotationTransformer.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/BeanCreationException.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/beans/visitor/MappedSuperClassIntrospectionMapper.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/BeanContextConfiguration.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/configuration/ConfigurationMetadata.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/util/VisitorContextUtils.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AbstractExecutable.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/BeanCreatedEvent.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/InitializingBeanDefinition.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/NamedAnnotationTransformer.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/ClassGenerationException.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/internal/PersistenceContextAnnotationMapper.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/BeanDefinitionReference.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AbstractEnvironmentAnnotationMetadata.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AnnotationMetadataException.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/banner/Banner.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/configuration/JsonConfigurationMetadataWriter.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/converters/ContextConverterRegistrar.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/DelegatingBeanDefinition.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/processing/JavaModelUtils.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/PropertySourceReader.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/yaml/YamlPropertySourceLoader.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/ConfigurationProperties.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Replaces.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/CallableInjectionPoint.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/ConfigurationReader.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ValidatedBeanDefinition.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/SystemPropertiesPropertySource.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/scope/CustomScope.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Factory.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/beans/visitor/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/PrimitiveElement.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AbstractMessageSource.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/AbstractClassWriterOutputVisitor.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/visitor/TypeElementVisitor.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AbstractInitializableBeanDefinition.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Bean.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ExecutableMethod.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/BeanInitializedEventListener.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/condition/OperatingSystem.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Requires.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/PropertySource.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/TypedElement.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/Element.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/condition/ConditionContext.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/beans/visitor/jakarta/persistence/JakartaEntityIntrospectedAnnotationMapper.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Primary.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/condition/Condition.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AnnotationMetadataHierarchy.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Secondary.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/ApplicationEventPublisher.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/ClassElement.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/AnnotationStereotypeQualifier.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/MethodInjectionPoint.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/ActiveEnvironment.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/FieldInjectionPoint.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Type.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/GeneratedFile.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ApplicationContext.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/DefaultBeanResolutionContext.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Prototype.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/TypeAnnotationQualifier.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/TypeArgumentQualifier.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/AbstractClassFileWriter.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/NonUniqueBeanException.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/BeanDefinition.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/ArrayableClassElement.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Aliases.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/processing/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ProxyBeanDefinition.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AnnotatedElementValidator.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/EnvironmentAnnotationValue.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/DefaultOriginatingElements.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Context.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/BeanFactory.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/beans/visitor/EntityInspectedAnnotationMapper.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/ConfigBuilderState.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/NoSuchMessageException.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/ElementModifier.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/ProxyingBeanDefinitionVisitor.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/StaticMessageSource.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/BeanRegistration.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Executable.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/EnvironmentPropertySource.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AnnotationRemapper.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/validation/BeanDefinitionValidator.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/BeanContextException.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/BeanCreatedEventListener.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/DefaultCustomScopeRegistry.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/Environment.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/EnvironmentConfigurable.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/BeanIdentifier.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/configuration/package-info.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/condition/Failure.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AbstractBeanDefinitionReference.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/ConfigurationException.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/DefaultPropertyPlaceholderResolver.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/internal/FindBugsRemapper.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/Qualifiers.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/validation/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/processor/AnnotationProcessor.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/EnvironmentConvertibleValuesMap.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/FileBackedGeneratedFile.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/TypedAnnotationMapper.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/SingletonScope.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/BeanResolutionContext.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/BeanDefinitionVisitor.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/PropertySourceLocator.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/PropertyElement.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/DirectoryClassWriterOutputVisitor.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/visitor/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/DefaultMethodConstructorInjectionPoint.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/StaticOriginatingElements.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/DefaultConditionContext.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/EnumConstantElement.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/beans/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/NoOpApplicationEventPublisher.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/CompositeQualifier.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/BootstrapPropertySourceLocator.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/internal/KotlinNullableMapper.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/AnnotationMetadataQualifier.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/DefaultApplicationBuilder.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/BeanDefinitionWriter.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/MessageSource.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/MemberElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/BeanInitializingEvent.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AbstractBeanConfiguration.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/scope/package-info.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/MapPropertySource.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ArgumentInjectionPoint.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/NoSuchBeanException.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/DefaultMessageContext.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/visitor/VisitorConfiguration.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AbstractInitializableBeanDefinitionReference.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/BeanLocator.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ParametrizedBeanFactory.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/package-info.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/MethodReference.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/EnumElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/ConfigurationInject.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/provider/package-info.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/QualifierUtils.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/beans/visitor/BeanIntrospectionWriter.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/PackageRenameRemapper.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/StartupEvent.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/banner/ResourceBanner.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ApplicationContextProvider.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/CommandLinePropertySource.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/CircularDependencyException.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/DefaultScope.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AnnotationMapper.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/DependencyInjectionException.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AnnotationProcessorListener.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/ElementQuery.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/LifeCycle.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/EnvironmentOptionalValuesMap.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/proxy/InterceptedBean.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/condition/TrueCondition.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ApplicationContextLifeCycle.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/condition/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/MessageUtils.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Requirements.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/AbstractPropertySourceLoader.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/DefaultMethodInjectionPoint.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/EnvironmentAnnotationMetadata.java



\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/EachProperty.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Parallel.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/converters/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/DefaultImplementation.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ArgumentBeanType.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/internal/KotlinNotNullMapper.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/DisabledBeanException.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/internal/TimedAnnotationMapper.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/beans/visitor/JsonCreatorAnnotationMapper.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/PropertyPlaceholderResolver.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/configuration/ConfigurationMetadataBuilder.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/PropertySourceLoader.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/MethodExecutionHandle.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ReflectionMethodInjectionPoint.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/configuration/PropertyMetadata.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AnnotationMetadataSupport.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/processor/BeanDefinitionProcessor.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/processor/ExecutableMethodProcessor.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ExecutionHandleLocator.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/AliasFor.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/ConstructorElement.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Provided.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AbstractBeanResolutionContext.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/BeanConfigurationWriter.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/BeanContextEvent.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/beans/visitor/jakarta/persistence/JakartaMappedSuperClassIntrospectionMapper.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/BootstrapContextCompatible.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ProviderUtils.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/Qualified.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/PropertySource.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/EachBean.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/ComputePlatform.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Configuration.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ExecutionHandle.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/BeanConfiguration.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/ClassWriterOutputVisitor.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AbstractBeanDefinition.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AbstractParametrizedBeanDefinition.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/RequiresCondition.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/yaml/CustomSafeConstructor.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/BeanDefinitionDelegate.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/ElementFactory.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/util/KotlinExecutableMethodUtils.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/visitor/VisitorContext.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/MissingMethodInjectionPoint.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/i18n/ResourceBundleMessageSource.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/EmptyPropertySource.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/BeanEvent.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/processing/ProcessedTypes.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AbstractAnnotationMetadata.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AnnotationMetadataWriter.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/BeanContextConditional.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/DefaultBeanDefinitionMethodReference.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AbstractAnnotationMetadataBuilder.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/PropertiesPropertySourceLoader.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/ParameterElement.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Value.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/InjectionPoint.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/DefaultEnvironment.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/ReflectClassElement.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Infrastructure.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/DefaultBeanIdentifier.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ParametrizedProvider.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/EnvironmentAwareArgument.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/ClosestTypeArgumentQualifier.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/ExecutableMethodsDefinitionWriter.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/AbstractAnnotationMetadataWriter.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/MutableAnnotationMetadata.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/OriginatingElements.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/AnnotationTransformer.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/ApplicationEventListener.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/NameQualifier.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/AnnotationQualifier.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/ConfigurationBuilder.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/DefaultAnnotationMetadata.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/PropertySourcePropertyResolver.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/BeanDefinitionMethodReference.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ReflectionMethodConstructorInjectionPoint.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/exceptions/BeanInstantiationException.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/DefaultApplicationContext.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ReflectionFieldInjectionPoint.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/BeanDefinitionRegistry.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/BeanType.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ApplicationContextConfiguration.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/scope/CustomScopeRegistry.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/BeanDefinitionReferenceWriter.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/FieldElement.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/DelegatingExecutableMethod.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/writer/ExecutableMethodWriter.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/AbstractExecutableMethod.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/configuration/ConfigurationMetadataWriter.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/env/yaml/package-info.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/event/ShutdownEvent.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/beans/visitor/IntropectedTypeElementVisitor.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ApplicationContextBuilder.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/Qualifier.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/Property.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/AdvisedBeanType.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/MethodElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/NamedAnnotationMapper.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/annotation/internal/package-info.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/ast/ReflectParameterElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/ProxyTarget.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/banner/MicronautBanner.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/visitor/BeanElementVisitorLoader.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/context/annotation/ContextConfigurer.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-jar/io/micronaut/inject/qualifiers/InterceptorBindingQualifier.java

\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-

jar/io/micronaut/context/visitor/BeanImportHandler.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/annotation/internal/CoreNonNullTransformer.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/visitor/BeanElementVisitor.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/provider/BeanProviderDefinition.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/annotation/InjectScope.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/annotation/Any.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/GenericPlaceholderElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/beans/BeanMethodElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/annotation/internal/CoreNullableTransformer.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/event/BeanDestroyedEventListener.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/ReflectWildcardElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/qualifiers/NoneQualifier.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/writer/StringSwitchWriter.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/qualifiers/AnyQualifier.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/ReflectGenericPlaceholderElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/provider/JavaxProviderBeanDefinition.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/env/KubernetesEnvironmentPropertySource.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/BeanProvider.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/PackageElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/event/ApplicationEventPublisherFactory.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/DefaultFieldConstructorInjectionPoint.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/event/BeanDestroyedEvent.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/event/BeanPreDestroyEventListener.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/SimplePackageElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-

jar/io/micronaut/inject/qualifiers/NamedAnnotationStereotypeQualifier.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/env/ConstantPropertySources.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/writer/ArrayAwareSignatureWriter.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/WildcardElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/beans/BeanParameterElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/beans/InjectableElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/beans/BeanElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/qualifiers/PrimaryQualifier.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/annotation/Import.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/annotation/internal/JakartaPostConstructTransformer.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/annotation/internal/JakartaPreDestroyTransformer.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/provider/ProviderTypeInfoInformationProvider.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/writer/AbstractBeanDefinitionBuilder.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/env/CachedEnvironment.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/annotation/internal/JakartaRemapper.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/AnnotationElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/beans/visitor/EntityReflectiveAccessAnnotationMapper.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/provider/JakartaProviderBeanDefinition.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/visitor/BeanElementVisitorContext.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/qualifiers/RepeatableAnnotationQualifier.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/scope/CreatedBean.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/provider/AbstractProviderDefinition.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/InitializableBeanContext.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/AbstractConstructorInjectionPoint.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-

jar/io/micronaut/inject/ast/beans/BeanConstructorElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/visitor/package-info.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/ApplicationContextConfigurer.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/DefaultElementQuery.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/exceptions/BeanDestructionException.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ExecutableMethodsDefinition.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/ReflectTypeElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/beans/BeanElementBuilder.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/beans/BeanFieldElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/qualifiers/ExactTypeArgumentNameQualifier.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/writer/DispatchWriter.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/event/BeanPreDestroyEvent.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/visitor/BeanImportVisitor.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/scope/AbstractConcurrentCustomScope.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/beans/ConfigurableElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/visitor/ContextConfigurerVisitor.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/ast/SimpleClassElement.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/annotation/NonBinding.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/AbstractExecutableMethodsDefinition.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/inject/beans/AbstractInitializableBeanIntrospection.java  
\* /opt/cola/permits/1701214180\_1685496825.7066572/0/micronaut-inject-3-9-2-sources-  
jar/io/micronaut/context/scope/BeanCreationContext.java

## 1.114 auto-value-annotations 1.4



## 1.114.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1696278559\_1685059167.8450336/0/auto-value-annotations-1-4-sources-jar/META-INF/maven/com.jakewharton.auto.value/auto-value-annotations/pom.xml

## 1.115 jctools-core 3.1.0

### 1.115.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
  - \* you may not use this file except in compliance with the License.
  - \* You may obtain a copy of the License at
  - \*
  - \* <http://www.apache.org/licenses/LICENSE-2.0>
  - \*
  - \* Unless required by applicable law or agreed to in writing, software
  - \* distributed under the License is distributed on an "AS IS" BASIS,
  - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/Ordering.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpMCAtomicArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MessagePassingQueueUtil.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpMCAtomicArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeJvmInfo.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/LinkedQueueAtomicNode.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpSCLinkedQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-

jar/org/jctools/queues/MpscUnboundedXaddArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/spec/Preference.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/MpscAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MessagePassingQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/SupportsIterator.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscGrowableArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/BaseSpscLinkedAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/AtomicQueueFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpmcArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/SpscAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/SpmcArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/AbstractEntry.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpmcUnboundedXaddChunk.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscChunkedArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/NonBlockingHashMapLong.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/UnsafeLongArrayAccess.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscBlockingConsumerArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/NonBlockingHashMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/BaseMpscLinkedArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-

jar/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/NonBlockingIdentityHashMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/BaseLinkedQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/InternalAPI.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/NonBlockingHashSet.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/Pow2.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/spec/ConcurrentQueueSpec.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/SpSCChunkedAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/ConcurrentAutoTable.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscUnboundedXaddChunk.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/LinkedQueueNode.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/SpSCUnboundedArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/PortableJvmInfo.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/ConcurrentCircularArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/NonBlockingSetInt.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscLinkedQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/UnsafeRefArrayAccess.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscCompoundQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/SpSCChunkedArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/SpSCArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-

```

jar/org/jctools/queues/QueueFactory.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/UnsafeAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscUnboundedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SpSCGrowAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/IndexedQueueSizeUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SpSCGrowArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/RangeUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/package-info.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/BaseSpSCLinkedArrayQueue.java
No license file was found, but licenses were detected in source scan.

```

```

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
 <modelVersion>4.0.0</modelVersion>

```

```

 <artifactId>jctools-core</artifactId>
 <groupId>org.jctools</groupId>
 <version>3.1.0</version>
 <name>Java Concurrency Tools Core Library</name>
 <description>Java Concurrency Tools Core Library</description>
 <packaging>bundle</packaging>

```

```

 <dependencies>
 <dependency>
 <groupId>org.hamcrest</groupId>
 <artifactId>hamcrest-all</artifactId>
 <version>${hamcrest.version}</version>
 <scope>test</scope>
 </dependency>

```

```

 <dependency>
 <groupId>junit</groupId>
 <artifactId>junit</artifactId>
 <version>${junit.version}</version>
 <scope>test</scope>
 </dependency>

```

```

<dependency>
 <groupId>com.google.guava</groupId>
 <artifactId>guava-testlib</artifactId>
 <version>${ guava-testlib.version }</version>
 <scope>test</scope>
</dependency>
</dependencies>
<build>
 <plugins>
 <plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-surefire-plugin</artifactId>
 <version>3.0.0-M3</version>
 <configuration>
 <includes>
 <include>*</include>
 </includes>
 </configuration>
 </plugin>
 <plugin>
 <groupId>org.apache.felix</groupId>
 <artifactId>maven-bundle-plugin</artifactId>
 <version>4.2.1</version>
 <extensions>>true</extensions>
 <configuration>
 <instructions>
 <Import-Package>sun.misc;resolution:=optional</Import-Package>
 </instructions>
 </configuration>
 </plugin>
 <plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-source-plugin</artifactId>
 <version>3.2.0</version>
 <executions>
 <execution>
 <id>attach-sources</id>
 <phase>verify</phase>
 <goals>
 <goal>jar-no-fork</goal>
 </goals>
 </execution>
 </executions>
 </plugin>
 <plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-javadoc-plugin</artifactId>

```

```

<version>3.1.1</version>
<configuration>
 <additionalOptions>
 <additionalOption>-Xdoclint:none</additionalOption>
 </additionalOptions>
 <source>8</source>
</configuration>
<executions>
 <execution>
 <id>attach-javadocs</id>
 <goals>
 <goal>jar</goal>
 </goals>
 </execution>
</executions>
</plugin>
</plugins>
</build>

<distributionManagement>
 <repository>
 <id>bintray-jctools-jctools</id>
 <name>jctools-jctools</name>
 <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/;publish=1</url>
 </repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>
 <license>
 <name>Apache License, Version 2.0</name>
 <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
 <distribution>repo</distribution>
 </license>
</licenses>

<scm>
 <url>https://github.com/JCTools/JCTools</url>
 <connection>scm:git:https://github.com/JCTools/JCTools</connection>
 <tag>HEAD</tag>
</scm>

<developers>
 <developer>
 <url>https://github.com/nitsanw</url>
 </developer>

```

```

<developer>
 <url>https://github.com/mjpt777</url>
</developer>
<developer>
 <url>https://github.com/RichardWarburton</url>
</developer>
<developer>
 <url>https://github.com/kay</url>
</developer>
<developer>
 <url>https://github.com/franz1981</url>
</developer>
</developers>

<prerequisites>
 <maven>3.5.0</maven>
</prerequisites>

<properties>
 <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
 <java.version>1.6</java.version>
 <java.test.version>1.8</java.test.version>

 <maven.compiler.source>${java.version}</maven.compiler.source>
 <maven.compiler.target>${java.version}</maven.compiler.target>
 <maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
 <maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

 <hamcrest.version>1.3</hamcrest.version>
 <junit.version>4.12</junit.version>
 <guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>

```

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/META-INF/maven/org.jctools/jctools-core/pom.xml

## 1.116 jackson-dataformat-yaml 2.14.2

### 1.116.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported

commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.117 micronaut-http-server-netty 3.9.2

## 1.117.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1701214102_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-
jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteIpElement.java
```



\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/BytesSentElement.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/multipart/MultipartBodyArgumentBinder.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/HttpDataReference.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/DefaultCustomizableResponseTypeHandlerRegistry.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/ssl/HttpRequestCertificateHandler.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ElapseTimeElement.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalHostElement.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalHostElementBuilder.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteIpElementBuilder.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/HeadersElement.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/DelegateHttpResponse.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/CookieElement.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/websocket/NettyServerWebSocketHandler.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestUriElement.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/binders/NettyBinderRegistrar.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/multipart/NettyPartData.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalIpElement.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/jackson/JsonViewCodecResolver.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/BytesSentElementBuilder.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/HttpContentProcessor.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/async/ContextCompletionAwareSubscriber.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestProtocolElementBuilder.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/binders/InputStreamBodyBinder.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/binders/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/NettyHttpResponseFactory.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/HttpContentProcessorResolver.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/DefaultHttpContentProcessorResolver.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/jackson/JsonHttpContentSubscriberFactory.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/CookieElementBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LogElementBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/NettyEmbeddedServerInstance.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestMethodElementBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/binders/CompletableFutureBodyBinder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/jackson/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/DelegateHttpMessage.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/DateTimeElement.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/ChannelOutboundHandlerFactory.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/AbstractBufferingHttpContentProcessor.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/decoders/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/DefaultHttpContentProcessor.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/HeaderElement.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/DateTimeElementBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/CookiesElement.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteHostElement.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/files/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/NettyFileCustomizableResponseType.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ResponseCodeElement.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/files/NettySystemFileCustomizableResponseType.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/NettyRequestArgumentSatisfier.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/NettyHttpRequest.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/files/FileTypeHandlerConfiguration.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/multipart/NettyCompletedAttribute.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestUriElementBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/async/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/multipart/NettyCompletedFileUpload.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/converters/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ResponseCodeElementBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/encoders/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LogElement.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/multipart/NettyStreamingFileUpload.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestProtocolElement.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/websocket/NettyServerWebSocketUpgradeHandler.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/AbstractHttpMessageLogElement.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/HttpCompressionStrategy.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalPortElementBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestMethodElement.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/MicronautHttpPostMultipartRequestDecoder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/HeaderElementBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/NettyCustomizableResponseType.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestLineElementBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/NettyCustomizableResponseTypeHandler.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/ssl/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/HttpContentSubscriberFactory.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ElapseTimeElementBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/FormDataHttpContentProcessor.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/IdentityWrapper.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/converters/NettyConverters.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/ssl/ServerSslBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/websocket/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/AbstractHttpContentProcessor.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteHostElementBuilder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/ByteBufDelegate.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ConstantElement.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/multipart/package-info.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/DefaultHttpCompressionStrategy.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/DelegateStreamedHttpResponse.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/jackson/JsonViewServerFilter.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/RoutingInBoundHandler.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/AccessLogFormatParser.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/encoders/HttpResponseEncoder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/NettyCustomizableResponseTypeHandlerRegistry.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/binders/PublisherBodyBinder.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/files/FileTypeHandler.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/SmartHttpContentCompressor.java

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/FormDataHttpContentSubscriberFactory.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalIpElementBuilder.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/multipart/NettyFileUploadInputStream.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/configuration/package-info.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalPortElement.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/package-info.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/decoders/HttpRequestDecoder.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/jackson/JsonViewMediaTypeCodecFactory.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestLineElement.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/jackson/JsonContentProcessor.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/files/NettyStreamedFileCustomizableResponseType.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/DelegateNettyEmbeddedServices.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/StreamTypeHandler.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/ServerAttributeKeys.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-

jar/io/micronaut/http/server/netty/NettyEmbeddedServerFactory.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/NettyEmbeddedServices.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/NettyEmbeddedServer.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/HttpToHttpsRedirectHandler.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/DefaultNettyEmbeddedServerFactory.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/NotImplementedElementBuilder.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/types/stream/NettyStreamedCustomizableResponseType.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2022 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/CompositeNettyServerCustomizer.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/HttpAccessLogHandler.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/AccessLog.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/NettyServerCustomizer.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/HttpPipelineBuilder.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/configuration/NettyHttpServerConfiguration.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/ssl/SslEnabledCondition.java  
\* /opt/cola/permits/1701214102\_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-jar/io/micronaut/http/server/netty/ssl/SelfSignedSslBuilder.java

```
* /opt/cola/permits/1701214102_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-
jar/io/micronaut/http/server/netty/ssl/BuildSelfSignedCondition.java
* /opt/cola/permits/1701214102_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-
jar/io/micronaut/http/server/netty/ssl/CertificateProvidedSslBuilder.java
* /opt/cola/permits/1701214102_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-
jar/io/micronaut/http/server/netty/NettyHttpServer.java
* /opt/cola/permits/1701214102_1685496837.987133/0/micronaut-http-server-netty-3-9-2-sources-
jar/io/micronaut/http/server/netty/converters/NettyConvertersSpi.java
```

## 1.118 bridgeutils 1.7.1-r2

### 1.118.1 Available under license :

```
/*
* Copyright (C) 2000 Lennert Buytenhek
*
* This program is free software; you can redistribute it and/or
* modify it under the terms of the GNU General Public License as
* published by the Free Software Foundation; either version 2 of the
* License, or (at your option) any later version.
*
* This program is distributed in the hope that it will be useful, but
* WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
* General Public License for more details.
*
* You should have received a copy of the GNU General Public License
* along with this program; if not, write to the Free Software
* Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.
*/
```

GNU GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to

your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law:



that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the

operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

along with this program; if not, write to the Free Software  
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19yy name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate  
parts of the General Public License. Of course, the commands you use may  
be called something other than ``show w'` and ``show c'`; they could even be  
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Library General  
Public License instead of this License.

## 1.119 jackson-datatype-jsr310 2.14.2

### 1.119.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the  
Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the  
specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.120 micronaut-http-client 3.9.2

## 1.120.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/ConnectTTLHandler.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/converters/package-info.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/FullNettyClientHttpResponse.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/NettyHttpClientFactory.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/NettyStreamedHttpResponse.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/ssl/NettyClientSslBuilder.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/package-info.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/NettyClientHttpRequest.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/ssl/package-info.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/websocket/package-info.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/IdlingConnectionHandler.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/NettyClientHttpRequestFactory.java
```

\* /opt/cola/permits/1701214184\_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-jar/io/micronaut/http/client/netty/websocket/NettyWebSocketClientHandler.java  
\* /opt/cola/permits/1701214184\_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-jar/io/micronaut/http/client/netty/DefaultNettyHttpClientRegistry.java  
\* /opt/cola/permits/1701214184\_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-jar/io/micronaut/http/client/netty/IdleTimeoutHandler.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1701214184\_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-jar/io/micronaut/http/client/netty/MicronautFlux.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2022 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1701214184\_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-jar/io/micronaut/http/client/netty/DefaultHttpClient.java



```
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/ForwardingSubscriber.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/SimpleChannelInboundHandlerInstrumented.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/NettyClientCustomizer.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/ConnectionManager.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/NettyPromiseSubscriber.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/CompositeNettyClientCustomizer.java
* /opt/cola/permits/1701214184_1685496839.8799798/0/micronaut-http-client-3-9-2-sources-
jar/io/micronaut/http/client/netty/NettyFuturePublisher.java
```

## 1.121 annotations 4.1.1.4

### 1.121.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2012 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-
jar/android/annotation/SuppressLint.java
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-
jar/android/annotation/TargetApi.java
```

## 1.122 jre 17.0.4.1+1-LTS

## 1.122.1 Available under license :

```
c-libutl 20160225
```

```
c-libutl License
```

```
...
```

This software is distributed under the terms of the BSD license.

```
== BSD LICENSE =====
```

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

```
...
```

```
Harfbuzz v2.8
```

```
Harfbuzz License
```

<https://github.com/harfbuzz/harfbuzz/blob/master/COPYING>

```
<pre>
```

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow. For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020 Google, Inc.  
Copyright 2018,2019,2020 Ebrahim Byagowi  
Copyright 2019,2020 Facebook, Inc.  
Copyright 2012 Mozilla Foundation  
Copyright 2011 Codethink Limited  
Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)  
Copyright 2009 Keith Stribley  
Copyright 2009 Martin Hosken and SIL International  
Copyright 2007 Chris Wilson  
Copyright 2006 Behdad Esfahbod  
Copyright 2005 David Turner  
Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.  
Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:

The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR

ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```
</pre>
xwd v1.0.7
```

```
xwd utility
<pre>
```

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.  
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

```
</pre>
IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1
```

```
IAIK License
<pre>
```

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:  
  
"This product includes software developed by IAIK of Graz University of Technology."  
  
Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
JLine v3.20.0
```

```
JLine License
<pre>
```

Copyright (c) 2002-2018, the original author or authors.  
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
CUP Parser Generator for Java v 0.11b
```

```
CUP Parser Generator License
<pre>
```

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and

fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

</pre>

## The Unicode Standard, Unicode Character Database, Version 13.0.0

### Unicode Character Database

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS

NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Copyright 1993, 2018, Oracle and/or its affiliates.  
All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.



This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

## Unicode Common Local Data Repository (CLDR) v39

### CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE

TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2021 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

----- Terms of Use -----

-

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the Unicode Privacy Policy.

Unicode Copyright

Copyright 1991-2021 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO

RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Xerces v2.12.1

### Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions



of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

## Apache Santuario v2.3.0

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java  
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

Your use of this Program is governed by the No-Fee Terms and Conditions set forth below, unless you have received this Program (alone or as part of another Oracle product) under an Oracle license agreement (including but not limited to the Oracle Master Agreement), in which case your use of this Program is governed solely by such license agreement with Oracle.

## Oracle No-Fee Terms and Conditions (NFTC)

### Definitions

"Oracle" refers to Oracle America, Inc. "You" and "Your" refers to (a) a company or organization (each an "Entity") accessing the Programs, if use of the Programs will be on behalf of such Entity; or (b) an individual accessing the Programs, if use of the Programs will not be on behalf of an Entity.

"Program(s)" refers to Oracle software provided by Oracle pursuant to the following terms and any updates, error corrections, and/or Program Documentation provided by Oracle. "Program Documentation" refers to Program user manuals and Program installation manuals, if any. If available, Program Documentation may be delivered with the Programs and/or may be accessed from [www.oracle.com/documentation](http://www.oracle.com/documentation). "Separate Terms" refers to separate license terms that are specified in the Program Documentation, readmes or notice files and that apply to Separately Licensed Technology. "Separately Licensed Technology" refers to Oracle or third party technology that is licensed under Separate Terms and not under the terms of this license.

### Separately Licensed Technology

Oracle may provide certain notices to You in Program Documentation, readmes or notice files in connection with Oracle or third party technology provided as or with the Programs. If specified in the Program Documentation, readmes or notice files, such technology will be licensed to You under Separate Terms. Your rights to use Separately Licensed Technology under Separate Terms are not restricted in any way by the terms herein. For clarity, notwithstanding the existence of a notice, third party technology that is not Separately Licensed Technology shall be deemed part of the Programs licensed to You under the terms of this license.

### Source Code for Open Source Software

For software that You receive from Oracle in binary form that is licensed under an open source license that gives You the right to receive the source code for that binary, You can obtain a copy of the applicable source code from <https://oss.oracle.com/sources/> or <http://www.oracle.com/goto/opensourcecode>. If the source code for such software was not provided to You with the binary, You can also receive a copy of the source code on physical media by submitting a written request pursuant to the instructions in the "Written Offer for Source Code" section of the latter website.

-----

The following license terms apply to those Programs that are not provided to You under Separate Terms.

#### License Rights and Restrictions

Oracle grants to You, as a recipient of this Program, subject to the conditions stated herein, a nonexclusive, nontransferable, limited license to:

- (a) internally use the unmodified Programs for the purposes of developing, testing, prototyping and demonstrating your applications, and running the Program for Your own personal use or internal business operations; and
- (b) redistribute the unmodified Program and Program Documentation, under the terms of this License, provided that You do not charge Your licensees any fees associated with such distribution or use of the Program, including, without limitation, fees for products that include or are bundled with a copy of the Program or for services that involve the use of the distributed Program.

You may make copies of the Programs to the extent reasonably necessary for exercising the license rights granted herein and for backup purposes. You are granted the right to use the Programs to provide third party training in the use of the Programs and associated Separately Licensed Technology only if there is express authorization of such use by Oracle on the Program's download page or in the Program Documentation.

Your license is contingent on compliance with the following conditions:

- You do not remove markings or notices of either Oracle's or a licensor's proprietary rights from the Programs or Program Documentation;
- You comply with all U.S. and applicable export control and economic sanctions laws and regulations that govern Your use of the Programs (including technical data);
- You do not cause or permit reverse engineering, disassembly or decompilation of the Programs (except as allowed by law) by You nor allow an associated party to do so.

For clarity, any source code that may be included in the distribution with the Programs is provided solely for reference purposes and may not be modified, unless such source code is under Separate Terms permitting modification.

#### Ownership

Oracle or its licensors retain all ownership and intellectual property rights to the Programs.



## Information Collection

The Programs' installation and/or auto-update processes, if any, may transmit a limited amount of data to Oracle or its service provider about those processes to help Oracle understand and optimize them. Oracle does not associate the data with personally identifiable information. Refer to Oracle's Privacy Policy at [www.oracle.com/privacy](http://www.oracle.com/privacy).

## Disclaimer of Warranties; Limitation of Liability

THE PROGRAMS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. ORACLE FURTHER DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW WILL ORACLE BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be

revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

```
 Apache License
 Version 2.0, January 2004
 http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

#### JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian  
Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty

disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

```
</pre>
```

```
PC/SC Lite v1.8.26
```

```
PC/SC Lite License
```

```
<pre>
```

```
Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF



THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Cryptix AES v3.2.0

### Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jopt-simple v5.0.4

### MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

```
jQuery v3.5.1
```

```
jQuery License
```

```
...
```

```
jQuery v 3.5.1
```

```
Copyright JS Foundation and other contributors, https://js.foundation/
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v3.5.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

...

## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so

as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

```
</pre>
GIFLIB v5.2.1
```

```
GIFLIB License
...
```

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <[otto@drijf.net](mailto:otto@drijf.net)>

SPDX-License-Identifier: MIT

```
libpng v1.6.37
```

```
libpng License
```

```
<pre>
```

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu

Mandar Sahastrabuddhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

```
</pre>
Apache Commons Byte Code Engineering Library (BCEL) Version 6.5.0
```

```
Apache Commons BCEL Notice
```

```
<pre>
```

```
Apache Commons BCEL
Copyright 2004-2020 The Apache Software Foundation
```

```
This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).
```

```
</pre>
```



### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

</pre>

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER  
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR  
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF  
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## ASM Bytecode Manipulation Framework v8.0.1

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jQuery UI v1.12.1

### jQuery UI License

...

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

## Independent JPEG Group: JPEG release 6b

### JPEG License

...

\*\*\*\*\*

Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are



no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

\*\*\*\*\*

\*\*\*

## International Components for Unicode (ICU4J) v67.1

### ICU4J License

\*\*\*

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----  
Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

1. ICU License - ICU 1.8.1 to ICU 57.1

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

From: <https://www.unicode.org/copyright.html>:

## Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

### Unicode Copyright

Copyright 1991-2020 Unicode, Inc. All rights reserved.

### Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed

exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining

provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

...

## Mozilla Public Suffix List

### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

### MPL v2.0

...

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached

the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- (a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- (b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- (a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- (b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

-----

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

#### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a

Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under



the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any

such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \*  
 \* 6. Disclaimer of Warranty \*  
 \* ----- \*  
 \* \*  
 \* Covered Software is provided under this License on an "as is" \*  
 \* basis, without warranty of any kind, either expressed, implied, or \*  
 \* statutory, including, without limitation, warranties that the \*  
 \* Covered Software is free of defects, merchantable, fit for a \*  
 \* particular purpose or non-infringing. The entire risk as to the \*  
 \* quality and performance of the Covered Software is with You. \*  
 \* Should any Covered Software prove defective in any respect, You \*  
 \* (not any Contributor) assume the cost of any necessary servicing, \*  
 \* repair, or correction. This disclaimer of warranty constitutes an \*  
 \* essential part of this License. No use of any Covered Software is \*  
 \* authorized under this License except under this disclaimer. \*  
 \* \*

\*\*\*\*\*

\*\*\*\*\*

\* \*  
 \* 7. Limitation of Liability \*  
 \* ----- \*  
 \* \*  
 \* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*  
 \* \*

\*\*\*\*\*

8. Litigation  
 -----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal

place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

-----  
This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice  
-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

---

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

---

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms

of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
| Gallium code   | src/gallium/       | MIT            |
| Ext headers    | GL/gltext.h        | Khronos        |
|                | GL/gltext.h        | Khronos        |
|                | GL/wglext.h        | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----

include/GL/gl.h :

Mesa 3-D graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.

Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

include/GL/glext.h  
include/GL/glxext.h  
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

```
Little Color Management System (LCMS) v2.12
```

```
LCMS License
```

```
<pre>
```

```
Little Color Management System
Copyright (c) 1998-2020 Marti Maria Saguer
```

```
Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the Software
is furnished to do so, subject to the following conditions:
```

```
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
```

```
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO
THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
```

```
</pre>
```

## 1.123 netty-transport 4.1.91.Final

### 1.123.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2012 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```



- \* version 2.0 (the "License"); you may not use this file except in compliance
- \* with the License. You may obtain a copy of the License at:
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/Channel.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/FileRegion.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/oio/AbstractOioChannel.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/RecvByteBufAllocator.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/nio/NioEventLoopGroup.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/ChannelPromiseAggregator.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/ChannelPipelineException.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/ThreadPerChannelEventLoop.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/oio/OioServerSocketChannel.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/ChannelInputShutdownEvent.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/ChannelPromise.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/oio/OioEventLoopGroup.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/ChannelHandlerContext.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/group/CombinedIterator.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/EventLoopGroup.java
- \* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-

jar/io/netty/channel/AbstractChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/bootstrap/ServerBootstrap.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/VoidChannelPromise.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/nio/NioTask.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/group/DefaultChannelGroupFuture.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelMetadata.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ServerChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/CombinedChannelDuplexHandler.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/embedded/package-info.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/group/ChannelGroupFuture.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/local/LocalChannelRegistry.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/bootstrap/package-info.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultEventLoopGroup.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/nio/AbstractNioMessageChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/oio/AbstractOioMessageChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelConfig.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/EventLoopException.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/local/LocalChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/nio/AbstractNioChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/CompleteChannelFuture.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/oio/AbstractOioByteChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/AbstractServerChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-

jar/io/netty/channel/socket/nio/NioSocketChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/nio/NioServerSocketChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/oio/package-info.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/package-info.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultChannelConfig.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelFlushPromiseNotifier.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/oio/OioDatagramChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/nio/package-info.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultFileRegion.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/oio/OioSocketChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/DatagramChannelConfig.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/EventLoop.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/FailedChannelFuture.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/nio/AbstractNioByteChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/bootstrap/AbstractBootstrap.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelDuplexHandler.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/ServerSocketChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/InternetProtocolFamily.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/nio/NioDatagramChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultEventLoop.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/embedded/EmbeddedChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/DefaultSocketChannelConfig.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelPipeline.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-

jar/io/netty/channel/DefaultChannelPipeline.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/local/LocalAddress.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/nio/package-info.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/package-info.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelInboundHandlerAdapter.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelFuture.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/group/ChannelGroupFutureListener.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultChannelPromise.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/DatagramChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelInboundHandler.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/local/package-info.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/local/LocalEventLoopGroup.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/embedded/EmbeddedEventLoop.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/SocketChannel.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelException.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/SocketChannelConfig.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelOutboundHandler.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelInitializer.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/bootstrap/Bootstrap.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/oio/package-info.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelFutureListener.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelPromiseNotifier.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelOutboundHandlerAdapter.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-

jar/io/netty/channel/group/package-info.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/FixedRecvByteBufAllocator.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/SucceededChannelFuture.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/ChannelOption.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/SingleThreadEventLoop.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/nio/NioEventLoop.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/DatagramPacket.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/embedded/EmbeddedSocketAddress.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/AbstractChannelHandlerContext.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/ServerSocketChannelConfig.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/MultithreadEventLoopGroup.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/local/LocalServerChannel.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/nio/SelectedSelectionKeySetSelector.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/bootstrap/FailedChannel.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/internal/package-info.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/ChannelOutputShutdownException.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/internal/ChannelUtils.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/PendingBytesTracker.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/DelegatingChannelPromiseNotifier.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2020 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/StacklessClosedChannelException.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/DuplexChannelConfig.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\*/

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/pool/ChannelHealthChecker.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolHandler.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/pool/ChannelPool.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/pool/SimpleChannelPool.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/pool/ChannelPoolMap.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolMap.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/pool/FixedChannelPool.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/pool/ChannelPoolHandler.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/pool/package-info.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2022 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/nio/SelectorProviderUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelInboundInvoker.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultSelectStrategy.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/bootstrap/ServerBootstrapConfig.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/WriteBufferWaterMark.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/PreferHeapByteBufAllocator.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/SelectStrategy.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelOutboundInvoker.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/DuplexChannel.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultSelectStrategyFactory.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/bootstrap/AbstractBootstrapConfig.java



```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/SelectStrategyFactory.java
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/group/VoidChannelGroupFuture.java
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/bootstrap/BootstrapConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2013 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/ChannelProgressivePromise.java
```

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java
```

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/group/ChannelGroupException.java
```

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/ChannelOutboundBuffer.java
```

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/AbstractEventLoopGroup.java
```

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/ChannelId.java
```

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/ChannelHandlerAdapter.java
```

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/nio/SelectedSelectionKeySet.java
```

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/group/ChannelGroup.java
```

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java
```

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java
```

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
```

jar/io/netty/channel/ConnectTimeoutException.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultChannelId.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelProgressiveFutureListener.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/SimpleChannelInboundHandler.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/ChannelProgressiveFuture.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/group/ChannelMatchers.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/MessageSizeEstimator.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultAddressedEnvelope.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/group/ChannelMatcher.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/AddressedEnvelope.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/group/DefaultChannelGroup.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/bootstrap/ChannelFactory.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultMessageSizeEstimator.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultChannelProgressivePromise.java  
No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/META-INF/maven/io.netty/netty-transport/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/CoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/embedded/EmbeddedChannelId.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/ReflectiveChannelFactory.java

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/ChannelFactory.java

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/PendingWriteQueue.java
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/AbstractEventLoop.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/ExtendedClosedChannelException.java
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/ChannelHandlerMask.java
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/EventLoopTaskQueueFactory.java
No license file was found, but licenses were detected in source scan.
```

```
The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/META-INF/native-
image/io.netty.netty-transport/native-image.properties
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*/
```

```

* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in
* its { @link ChannelPipeline }.
*
* <h3>Sub-types</h3>
* <p>
* { @link ChannelHandler } itself does not provide many methods, but you usually have to implement one of its
subtypes:
*
* { @link ChannelInboundHandler } to handle inbound I/O events, and
* { @link ChannelOutboundHandler } to handle outbound I/O operations.
*
* <p>
* <p>
* Alternatively, the following adapter classes are provided for your convenience:
*
* { @link ChannelInboundHandlerAdapter } to handle inbound I/O events,
* { @link ChannelOutboundHandlerAdapter } to handle outbound I/O operations, and
* { @link ChannelDuplexHandler } to handle both inbound and outbound events
*
* <p>
* <p>
* For more information, please refer to the documentation of each subtype.
* </p>
*
* <h3>The context object</h3>
* <p>
* A { @link ChannelHandler } is provided with a { @link ChannelHandlerContext }
* object. A { @link ChannelHandler } is supposed to interact with the
* { @link ChannelPipeline } it belongs to via a context object. Using the
* context object, the { @link ChannelHandler } can pass events upstream or
* downstream, modify the pipeline dynamically, or store the information
* (using { @link AttributeKey }s) which is specific to the handler.
*
* <h3>State management</h3>
*
* A { @link ChannelHandler } often needs to store some stateful information.
* The simplest and recommended approach is to use member variables:
* <pre>
* public interface Message {

```

```

* // your methods here
* }
*
* public class DataServerHandler extends { @link SimpleChannelInboundHandler } <Message > {
*
* private boolean loggedIn;
*
* { @code @Override }
* public void channelRead0({ @link ChannelHandlerContext } ctx, Message message) {
* if (message instanceof LoginMessage) {
* authenticate((LoginMessage) message);
* loggedIn = true;
* } else (message instanceof GetDataMessage) {
* if (loggedIn) {
* ctx.writeAndFlush(fetchSecret((GetDataMessage) message));
* } else {
* fail();
* }
* }
* }
* ...
* }
* </pre>

```

\* Because the handler instance has a state variable which is dedicated to  
 \* one connection, you have to create a new handler instance for each new  
 \* channel to avoid a race condition where an unauthenticated client can get  
 \* the confidential information:

```

* <pre>
* // Create a new handler instance per channel.
* // See { @link ChannelInitializer#initChannel(Channel)}.
* public class DataServerInitializer extends { @link ChannelInitializer } <{ @link Channel } > {
* { @code @Override }
* public void initChannel({ @link Channel } channel) {
* channel.pipeline().addLast("handler", new DataServerHandler());
* }
* }
*
* </pre>

```

\* <h4>Using { @link AttributeKey }s</h4>

\* Although it's recommended to use member variables to store the state of a  
 \* handler, for some reason you might not want to create many handler instances.  
 \* In such a case, you can use { @link AttributeKey }s which is provided by  
 \* { @link ChannelHandlerContext }:

```

* <pre>
* public interface Message {
* // your methods here

```

```

* }
*
* { @code @Sharable }
* public class DataServerHandler extends { @link SimpleChannelInboundHandler } < Message > {
* private final { @link AttributeKey } < { @link Boolean } > auth =
* { @link AttributeKey #valueOf(String) AttributeKey.valueOf("auth") };
*
* { @code @Override }
* public void channelRead({ @link ChannelHandlerContext } ctx, Message message) {
* { @link Attribute } < { @link Boolean } > attr = ctx.attr(auth);
* if (message instanceof LoginMessage) {
* authenticate((LoginMessage) o);
* attr.set(true);
* } else (message instanceof GetDataMessage) {
* if (Boolean.TRUE.equals(attr.get())) {
* ctx.writeAndFlush(fetchSecret((GetDataMessage) o));
* } else {
* fail();
* }
* }
* }
* }
* ...
* }
* </pre>

```

\* Now that the state of the handler is attached to the { @link ChannelHandlerContext }, you can add the same handler instance to different pipelines:

```

* <pre>
* public class DataServerInitializer extends { @link ChannelInitializer } < { @link Channel } > {
*
* private static final DataServerHandler SHARED = new DataServerHandler();
*
* { @code @Override }
* public void initChannel({ @link Channel } channel) {
* channel.pipeline().addLast("handler", SHARED);
* }
* }
* </pre>

```

\* <h4>The { @code @Sharable } annotation</h4>

\* <p>

\* In the example above which used an { @link AttributeKey }, you might have noticed the { @code @Sharable } annotation.

\* <p>

\* If a { @link ChannelHandler } is annotated with the { @code @Sharable } annotation, it means you can create an instance of the handler just once and add it to one or more { @link ChannelPipeline }s multiple times without a race condition.

```
* <p>
* If this annotation is not specified, you have to create a new handler
* instance every time you add it to a pipeline because it has unshared state
* such as member variables.
* <p>
* This annotation is provided for documentation purpose, just like
* the JCIP annotations.
*
* <h3>Additional resources worth reading</h3>
* <p>
* Please refer to the { @link ChannelHandler}, and
* { @link ChannelPipeline} to find out more about inbound and outbound operations,
* what fundamental differences they have, how they flow in a pipeline, and how to handle
* the operation in your application.
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/ChannelHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578952_1680777700.298524/0/netty-transport-4-1-91-final-sources-
jar/io/netty/channel/ServerChannelRecvByteBufAllocator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
```



\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/AbstractCoalescingBufferQueue.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-  
jar/io/netty/channel/DefaultChannelHandlerContext.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2018 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/SimpleUserEventChannelHandler.java  
\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/socket/nio/NioChannelOption.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578952\_1680777700.298524/0/netty-transport-4-1-91-final-sources-jar/io/netty/channel/oio/OioByteStreamChannel.java

## 1.124 micronaut-runtime 3.9.2

### 1.124.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2023 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/logging/impl/LogbackLoggingSystem.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/logging/impl/LogbackUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2019 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/reactive/reactor/instrument/ReactorInstrumentation.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2022 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/logging/LoggingSystemException.java

No license file was found, but licenses were detected in source scan.

```
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/META-INF/native-image/io.micronaut/micronaut-runtime/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/reactive/reactor/instrument/ReactorSubscriber.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/config/DefaultCompositeConfigurationClient.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/event/ServiceReadyEvent.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/event/AbstractServiceInstanceEvent.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/exceptions/package-info.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/intercept/AnnotationRetryStateBuilder.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/exceptions/DiscoveryException.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/exceptions/NoAvailableServiceException.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/DefaultServiceInstanceIdGenerator.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/logging/LoggingSystem.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/health/HeartbeatTask.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/annotation/DefaultRetryPredicate.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/health/CurrentHealthStatus.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/health/HeartbeatDiscoveryClientCondition.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/health/package-info.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/registration/RegistrationConfiguration.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/ServiceInstanceIdGenerator.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/runtime/http/scope/RequestAware.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/exception/package-info.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/cloud/ComputeInstanceMetadata.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/DiscoveryClient.java
- \* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/exception/CircuitOpenException.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/RetryState.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/ServiceInstance.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/config/ConfigDiscoveryConfiguration.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/config/package-info.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/health/HeartbeatEvent.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/exception/RetryException.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/health/HeartbeatConfiguration.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/intercept/SimpleRetry.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/runtime/http/scope/RequestCustomScope.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/annotation/Fallback.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/metadata/ServiceInstanceMetadataContributor.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/annotation/Recoverable.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/annotation/Retryable.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/logging/impl/Log4jLoggingSystem.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/cloud/package-info.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/registration/RegistrationException.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/intercept/RecoveryInterceptor.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/package-info.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/cloud/digitalocean/DigitalOceanMetadataResolver.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/event/RetryEvent.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/reactive/package-info.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/runtime/http/codecs/TextPlainCodec.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/event/CircuitOpenEvent.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/runtime/http/codecs/MediaTypeCodecRegistryFactory.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/health/DefaultCurrentHealthStatus.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/annotation/package-info.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/runtime/http/scope/RequestScope.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/health/HealthStatus.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/StaticServiceInstanceList.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/logging/LogLevel.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/cloud/digitalocean/DigitalOceanInstanceMetadata.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/event/RetryEventListener.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/event/package-info.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/EmbeddedServerInstance.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/metadata/package-info.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/event/package-info.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/event/ServiceStoppedEvent.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/cloud/ComputeInstanceMetadataResolverUtils.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/registration/package-info.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/RetryStateBuilder.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/DefaultServiceInstance.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/cloud/NetworkInterface.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/event/CircuitClosedEvent.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/exception/FallbackException.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/cloud/AbstractComputeInstanceMetadata.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/DefaultCompositeDiscoveryClient.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/intercept/MutableRetryState.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/cloud/digitalocean/DigitalOceanMetadataConfiguration.java

\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/cloud/digitalocean/DigitalOceanNetworkInterface.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/cloud/digitalocean/DigitalOceanMetadataKeys.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/runtime/http/codec/package-info.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/CompositeDiscoveryClient.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/registration/AutoRegistration.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/intercept/package-info.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/cloud/ComputeInstanceMetadataResolver.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/DiscoveryConfiguration.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/ServiceInstanceList.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/logging/PropertiesLoggingLevelsConfigurer.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/intercept/CircuitBreakerRetry.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/package-info.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/CircuitState.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/discovery/config/ConfigurationClient.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/intercept/DefaultRetryInterceptor.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/reactive/flow/converters/FlowConverterRegistrar.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/annotation/CircuitBreaker.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/health/HeartbeatEnabled.java  
\* /opt/cola/permits/1701214178\_1685496848.4589/0/micronaut-runtime-3-9-2-sources-jar/io/micronaut/retry/annotation/RetryPredicate.java

## 1.125 micronaut-core-reactive 3.9.2

### 1.125.1 Available under license :

No license file was found, but licenses were detected in source scan.

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

# You may obtain a copy of the License at



# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1701214174\_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-jar/META-INF/native-image/io.micronaut/micronaut-core-reactive/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1701214174\_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-jar/io/micronaut/core/async/ReactiveStreamsTypeInfoProvider.java

\* /opt/cola/permits/1701214174\_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-jar/io/micronaut/core/async/publisher/PublishersOptimizations.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1701214174\_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-

```

jar/io/micronaut/core/async/subscriber/SingleThreadedBufferingSubscriber.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/processor/SingleSubscriberProcessor.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/subscriber/TypedSubscriber.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/processor/package-info.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/subscriber/Completable.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/subscriber/Emitter.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/subscriber/CompletionAwareSubscriber.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/subscriber/package-info.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/publisher/AsyncSingleResultPublisher.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/publisher/package-info.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/publisher/Publishers.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/package-info.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/publisher/SingleSubscriberPublisher.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/publisher/CompletableFuturePublisher.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/annotation/SingleResult.java
* /opt/cola/permits/1701214174_1685496834.1353533/0/micronaut-core-reactive-3-9-2-sources-
jar/io/micronaut/core/async/processor/SingleThreadedBufferingProcessor.java

```

# 1.126 ca-certificates-bundle 20230506-r0

## 1.126.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

* You may opt to use, copy, modify, merge, publish, distribute and/or sell
* furnished to do so, under the terms of the COPYING file.

```

Found in path(s):

```

* /opt/cola/permits/1679450782_1685340861.071418/0/ca-certificates-20230506-tar-bz2/ca-certificates-
20230506/mk-ca-bundle.pl

```

No license file was found, but licenses were detected in source scan.

```

/* c_rehash.c - Create hash symlinks for certificates
* C implementation based on the original Perl and shell versions

```

```
*
* Copyright (c) 2013-2014 Timo Teräs <timo.teras@iki.fi>
* All rights reserved.
*
* This software is licensed under the MIT License.
* Full license available at: http://opensource.org/licenses/MIT
*/
```

Found in path(s):

```
*/opt/cola/permits/1679450782_1685340861.071418/0/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/c_rehash.c
```

No license file was found, but licenses were detected in source scan.

```
#
This Source Code Form is subject to the terms of the Mozilla Public
License, v. 2.0. If a copy of the MPL was not distributed with this
file, You can obtain one at http://mozilla.org/MPL/2.0/.
```

```
#
certdata.txt
#
This file contains the object definitions for the certs and other
information "built into" NSS.
#
Object definitions:
#
Certificates
#
-- Attribute -- -- type -- -- value --
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 (varies)
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT DER+base64 (varies)
CKA_ID byte array (varies)
CKA_ISSUER DER+base64 (varies)
CKA_SERIAL_NUMBER DER+base64 (varies)
CKA_VALUE DER+base64 (varies)
CKA_NSS_EMAIL ASCII7 (unused here)
CKA_NSS_SERVER_DISTRUST_AFTER DER+base64 (varies)
CKA_NSS_EMAIL_DISTRUST_AFTER DER+base64 (varies)
#
Trust
#
-- Attribute -- -- type -- -- value --
CKA_CLASS CK_OBJECT_CLASS CKO_TRUST
```

```

CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 (varies)
CKA_ISSUER DER+base64 (varies)
CKA_SERIAL_NUMBER DER+base64 (varies)
CKA_CERT_HASH binary+base64 (varies)
CKA_EXPIRES CK_DATE (not used here)
CKA_TRUST_DIGITAL_SIGNATURE CK_TRUST (varies)
CKA_TRUST_NON_REPUDIATION CK_TRUST (varies)
CKA_TRUST_KEY_ENCIPHERMENT CK_TRUST (varies)
CKA_TRUST_DATA_ENCIPHERMENT CK_TRUST (varies)
CKA_TRUST_KEY_AGREEMENT CK_TRUST (varies)
CKA_TRUST_KEY_CERT_SIGN CK_TRUST (varies)
CKA_TRUST_CRL_SIGN CK_TRUST (varies)
CKA_TRUST_SERVER_AUTH CK_TRUST (varies)
CKA_TRUST_CLIENT_AUTH CK_TRUST (varies)
CKA_TRUST_CODE_SIGNING CK_TRUST (varies)
CKA_TRUST_EMAIL_PROTECTION CK_TRUST (varies)
CKA_TRUST_IPSEC_END_SYSTEM CK_TRUST (varies)
CKA_TRUST_IPSEC_TUNNEL CK_TRUST (varies)
CKA_TRUST_IPSEC_USER CK_TRUST (varies)
CKA_TRUST_TIME_STAMPING CK_TRUST (varies)
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL (varies)
(other trust attributes can be defined)
#

```

```

#

```

```

The object to tell NSS that this is a root list and we don't
have to go looking for others.
#

```

```

BEGINDATA

```

```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_BUILTIN_ROOT_LIST

```

```

CKA_TOKEN CK_BBOOL CK_TRUE

```

```

CKA_PRIVATE CK_BBOOL CK_FALSE

```

```

CKA_MODIFIABLE CK_BBOOL CK_FALSE

```

```

CKA_LABEL UTF8 "Mozilla Builtin Roots"

```

```

#

```

```

Certificate "GlobalSign Root CA"
#

```

```

Issuer: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE

```

```

Serial Number:04:00:00:00:00:01:15:4b:5a:c3:94

```

```

Subject: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE

```

```

Not Valid Before: Tue Sep 01 12:00:00 1998

```

```

Not Valid After : Fri Jan 28 12:00:00 2028

```

```

Fingerprint (SHA-256):

```

```

EB:D4:10:40:E4:BB:3E:C7:42:C9:E3:81:D3:1E:F2:A4:1A:48:B6:68:5C:96:E7:CE:F3:C1:DF:6C:D4:33:1C:99

```

# Fingerprint (SHA1): B1:BC:96:8B:D4:F4:9D:62:2A:A8:9A:81:F2:15:01:52:A4:1D:82:9C

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\127\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\020\060\016\006\003
\125\004\013\023\007\122\157\157\164\040\103\101\061\033\060\031
\006\003\125\004\003\023\022\107\154\157\142\141\154\123\151\147
\156\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\127\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\020\060\016\006\003
\125\004\013\023\007\122\157\157\164\040\103\101\061\033\060\031
\006\003\125\004\003\023\022\107\154\157\142\141\154\123\151\147
\156\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\004\000\000\000\000\001\025\113\132\303\224
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\165\060\202\002\135\240\003\002\001\002\002\013\004
\000\000\000\000\001\025\113\132\303\224\060\015\006\011\052\206
\110\206\367\015\001\001\005\005\000\060\127\061\013\060\011\006
\003\125\004\006\023\002\102\105\061\031\060\027\006\003\125\004
\012\023\020\107\154\157\142\141\154\123\151\147\156\040\156\166
\055\163\141\061\020\060\016\006\003\125\004\013\023\007\122\157
\157\164\040\103\101\061\033\060\031\006\003\125\004\003\023\022
\107\154\157\142\141\154\123\151\147\156\040\122\157\157\164\040
\103\101\060\036\027\015\071\070\060\071\060\061\061\062\060\060
\060\060\132\027\015\062\070\060\061\062\070\061\062\060\060\060
\060\132\060\127\061\013\060\011\006\003\125\004\006\023\002\102
\105\061\031\060\027\006\003\125\004\012\023\020\107\154\157\142
\141\154\123\151\147\156\040\156\166\055\163\141\061\020\060\016
\006\003\125\004\013\023\007\122\157\157\164\040\103\101\061\033
\060\031\006\003\125\004\003\023\022\107\154\157\142\141\154\123
\151\147\156\040\122\157\157\164\040\103\101\060\202\001\042\060
\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202
\001\017\000\060\202\001\012\002\202\001\001\000\332\016\346\231
\215\316\243\343\117\212\176\373\361\213\203\045\153\352\110\037
\361\052\260\271\225\021\004\275\360\143\321\342\147\146\317\034
```

\335\317\033\110\053\356\215\211\216\232\257\051\200\145\253\351  
\307\055\022\313\253\034\114\160\007\241\075\012\060\315\025\215  
\117\370\335\324\214\120\025\034\357\120\356\304\056\367\374\351  
\122\362\221\175\340\155\325\065\060\216\136\103\163\362\101\351  
\325\152\343\262\211\072\126\071\070\157\006\074\210\151\133\052  
\115\305\247\124\270\154\211\314\233\371\074\312\345\375\211\365  
\022\074\222\170\226\326\334\164\156\223\104\141\321\215\307\106  
\262\165\016\206\350\031\212\325\155\154\325\170\026\225\242\351  
\310\012\070\353\362\044\023\117\163\124\223\023\205\072\033\274  
\036\064\265\213\005\214\271\167\213\261\333\037\040\221\253\011  
\123\156\220\316\173\067\164\271\160\107\221\042\121\143\026\171  
\256\261\256\101\046\010\310\031\053\321\106\252\110\326\144\052  
\327\203\064\377\054\052\301\154\031\103\112\007\205\347\323\174  
\366\041\150\357\352\362\122\237\177\223\220\317\002\003\001\000  
\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004  
\024\140\173\146\032\105\015\227\312\211\120\057\175\004\315\064  
\250\377\374\375\113\060\015\006\011\052\206\110\206\367\015\001  
\001\005\005\000\003\202\001\001\000\326\163\347\174\117\166\320  
\215\277\354\272\242\276\064\305\050\062\265\174\374\154\234\054  
\053\275\011\236\123\277\153\136\252\021\110\266\345\010\243\263  
\312\075\141\115\323\106\011\263\076\303\240\343\143\125\033\362  
\272\357\255\071\341\103\271\070\243\346\057\212\046\073\357\240  
\120\126\371\306\012\375\070\315\304\013\160\121\224\227\230\004  
\337\303\137\224\325\025\311\024\101\234\304\135\165\144\025\015  
\377\125\060\354\206\217\377\015\357\054\271\143\106\366\252\374  
\337\274\151\375\056\022\110\144\232\340\225\360\246\357\051\217  
\001\261\025\265\014\035\245\376\151\054\151\044\170\036\263\247  
\034\161\142\356\312\310\227\254\027\135\212\302\370\107\206\156  
\052\304\126\061\225\320\147\211\205\053\371\154\246\135\106\235  
\014\252\202\344\231\121\335\160\267\333\126\075\141\344\152\341  
\134\326\366\376\075\336\101\314\007\256\143\122\277\123\123\364  
\053\351\307\375\266\367\202\137\205\322\101\030\333\201\263\004  
\034\305\037\244\200\157\025\040\311\336\014\210\012\035\326\146  
\125\342\374\110\311\051\046\151\340

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GlobalSign Root CA"  
# Issuer: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE  
# Serial Number:04:00:00:00:01:15:4b:5a:c3:94  
# Subject: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE  
# Not Valid Before: Tue Sep 01 12:00:00 1998  
# Not Valid After : Fri Jan 28 12:00:00 2028  
# Fingerprint (SHA-256):

```

EB:D4:10:40:E4:BB:3E:C7:42:C9:E3:81:D3:1E:F2:A4:1A:48:B6:68:5C:96:E7:CE:F3:C1:DF:6C:D4:33:1C:99
Fingerprint (SHA1): B1:BC:96:8B:D4:F4:9D:62:2A:A8:9A:81:F2:15:01:52:A4:1D:82:9C
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\261\274\226\213\324\364\235\142\052\250\232\201\362\025\001\122
\244\035\202\234
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\076\105\122\025\011\121\222\341\267\135\067\237\261\207\051\212
END
CKA_ISSUER MULTILINE_OCTAL
\060\127\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\020\060\016\006\003
\125\004\013\023\007\122\157\157\164\040\103\101\061\033\060\031
\006\003\125\004\003\023\022\107\154\157\142\141\154\123\151\147
\156\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\004\000\000\000\000\001\025\113\132\303\224
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Verisign Class 1 Public Primary Certification Authority - G3"
#
Issuer: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
Serial Number:00:8b:5b:75:56:84:54:85:0b:00:cf:af:38:48:ce:b1:a4
Subject: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
Not Valid Before: Fri Oct 01 00:00:00 1999
Not Valid After : Wed Jul 16 23:59:59 2036
Fingerprint (SHA-256):
CB:B5:AF:18:5E:94:2A:24:02:F9:EA:CB:C0:ED:5B:B8:76:EE:A3:C1:22:36:23:D0:04:47:E4:F3:BA:55:4B:65
Fingerprint (SHA1): 20:42:85:DC:F7:EB:76:41:95:57:8E:13:6B:D4:B7:D1:E9:8E:46:A5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Verisign Class 1 Public Primary Certification Authority - G3"

```

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\061\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\061\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\021\000\213\133\165\126\204\124\205\013\000\317\257\070\110
\316\261\244
```

END

CKA\_VALUE MULTILINE\_OCTAL

```
\060\202\004\032\060\202\003\002\002\021\000\213\133\165\126\204
\124\205\013\000\317\257\070\110\316\261\244\060\015\006\011\052
\206\110\206\367\015\001\001\005\005\000\060\201\312\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003
\125\004\012\023\016\126\145\162\151\123\151\147\156\054\040\111
\156\143\056\061\037\060\035\006\003\125\004\013\023\026\126\145
\162\151\123\151\147\156\040\124\162\165\163\164\040\116\145\164
\167\157\162\153\061\072\060\070\006\003\125\004\013\023\061\050
\143\051\040\061\071\071\071\040\126\145\162\151\123\151\147\156
\054\040\111\156\143\056\040\055\040\106\157\162\040\141\165\164
\150\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171
```



\061\105\060\103\006\003\125\004\003\023\074\126\145\162\151\123  
\151\147\156\040\103\154\141\163\163\040\061\040\120\165\142\154  
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151  
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151  
\164\171\040\055\040\107\063\060\036\027\015\071\071\061\060\060  
\061\060\060\060\060\060\060\132\027\015\063\066\060\067\061\066  
\062\063\065\071\065\071\132\060\201\312\061\013\060\011\006\003  
\125\004\006\023\002\125\123\061\027\060\025\006\003\125\004\012  
\023\016\126\145\162\151\123\151\147\156\054\040\111\156\143\056  
\061\037\060\035\006\003\125\004\013\023\026\126\145\162\151\123  
\151\147\156\040\124\162\165\163\164\040\116\145\164\167\157\162  
\153\061\072\060\070\006\003\125\004\013\023\061\050\143\051\040  
\061\071\071\071\040\126\145\162\151\123\151\147\156\054\040\111  
\156\143\056\040\055\040\106\157\162\040\141\165\164\150\157\162  
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\105\060  
\103\006\003\125\004\003\023\074\126\145\162\151\123\151\147\156  
\040\103\154\141\163\163\040\061\040\120\165\142\154\151\143\040  
\120\162\151\155\141\162\171\040\103\145\162\164\151\146\151\143  
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040  
\055\040\107\063\060\202\001\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012  
\002\202\001\001\000\335\204\324\271\264\371\247\330\363\004\170  
\234\336\075\334\154\023\026\331\172\335\044\121\146\300\307\046  
\131\015\254\006\010\302\224\321\063\037\360\203\065\037\156\033  
\310\336\252\156\025\116\124\047\357\304\155\032\354\013\343\016  
\360\104\245\127\307\100\130\036\243\107\037\161\354\140\366\155  
\224\310\030\071\355\376\102\030\126\337\344\114\111\020\170\116  
\001\166\065\143\022\066\335\146\274\001\004\066\243\125\150\325  
\242\066\011\254\253\041\046\124\006\255\077\312\024\340\254\312  
\255\006\035\225\342\370\235\361\340\140\377\302\177\165\053\114  
\314\332\376\207\231\041\352\272\376\076\124\327\322\131\170\333  
\074\156\317\240\023\000\032\270\047\241\344\276\147\226\312\240  
\305\263\234\335\311\165\236\353\060\232\137\243\315\331\256\170  
\031\077\043\351\134\333\051\275\255\125\310\033\124\214\143\366  
\350\246\352\307\067\022\134\243\051\036\002\331\333\037\073\264  
\327\017\126\107\201\025\004\112\257\203\047\321\305\130\210\301  
\335\366\252\247\243\030\332\150\252\155\021\121\341\277\145\153  
\237\226\166\321\075\002\003\001\000\001\060\015\006\011\052\206  
\110\206\367\015\001\001\005\005\000\003\202\001\001\000\253\146  
\215\327\263\272\307\232\266\346\125\320\005\361\237\061\215\132  
\252\331\252\106\046\017\161\355\245\255\123\126\142\001\107\052  
\104\351\376\077\164\013\023\233\271\364\115\033\262\321\137\262  
\266\322\210\134\263\237\315\313\324\247\331\140\225\204\072\370  
\301\067\035\141\312\347\260\305\345\221\332\124\246\254\061\201  
\256\227\336\315\010\254\270\300\227\200\177\156\162\244\347\151  
\023\225\145\037\304\223\074\375\171\217\004\324\076\117\352\367  
\236\316\315\147\174\117\145\002\377\221\205\124\163\307\377\066  
\367\206\055\354\320\136\117\377\021\237\162\006\326\270\032\361

```
\114\015\046\145\342\104\200\036\307\237\343\335\350\012\332\354
\245\040\200\151\150\241\117\176\341\153\317\007\101\372\203\216
\274\070\335\260\056\021\261\153\262\102\314\232\274\371\110\042
\171\112\031\017\262\034\076\040\164\331\152\303\276\362\050\170
\023\126\171\117\155\120\352\033\260\265\127\261\067\146\130\043
\363\334\017\337\012\207\304\357\206\005\325\070\024\140\231\243
\113\336\006\226\161\054\362\333\266\037\244\357\077\356
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
For Email Distrust After: Wed Aug 31 00:00:00 2022
```

```
CKA_NSS_EMAIL_DISTRICT_AFTER MULTILINE_OCTAL
```

```
\062\062\060\070\063\061\060\060\060\060\060\060\132
```

END

```
Trust for "Verisign Class 1 Public Primary Certification Authority - G3"
```

```
Issuer: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
```

```
Serial Number:00:8b:5b:75:56:84:54:85:0b:00:cf:af:38:48:ce:b1:a4
```

```
Subject: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
```

```
Not Valid Before: Fri Oct 01 00:00:00 1999
```

```
Not Valid After : Wed Jul 16 23:59:59 2036
```

```
Fingerprint (SHA-256):
```

```
CB:B5:AF:18:5E:94:2A:24:02:F9:EA:CB:C0:ED:5B:B8:76:EE:A3:C1:22:36:23:D0:04:47:E4:F3:BA:55:4B:65
```

```
Fingerprint (SHA1): 20:42:85:DC:F7:EB:76:41:95:57:8E:13:6B:D4:B7:D1:E9:8E:46:A5
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Verisign Class 1 Public Primary Certification Authority - G3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\040\102\205\334\367\353\166\101\225\127\216\023\153\324\267\321
\351\216\106\245
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\261\107\274\030\127\321\030\240\170\055\354\161\350\052\225\163
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
```

```
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\061\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\021\000\213\133\165\126\204\124\205\013\000\317\257\070\110
\316\261\244
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Verisign Class 2 Public Primary Certification Authority - G3"

#

# Issuer: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US

# Serial Number:61:70:cb:49:8c:5f:98:45:29:e7:b0:a6:d9:50:5b:7a

# Subject: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US

# Not Valid Before: Fri Oct 01 00:00:00 1999

# Not Valid After : Wed Jul 16 23:59:59 2036

# Fingerprint (SHA-256):

92:A9:D9:83:3F:E1:94:4D:B3:66:E8:BF:AE:7A:95:B6:48:0C:2D:6C:6C:2A:1B:E6:5D:42:36:B6:08:FC:A1:BB

# Fingerprint (SHA1): 61:EF:43:D7:7F:CA:D4:61:51:BC:98:E0:C3:59:12:AF:9F:EB:63:11

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Verisign Class 2 Public Primary Certification Authority - G3"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\062\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123  
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125  
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165  
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003  
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145  
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106  
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163  
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023  
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040  
\062\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171\040\055\040\107\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\141\160\313\111\214\137\230\105\051\347\260\246\331\120  
\133\172

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\031\060\202\003\001\002\020\141\160\313\111\214\137  
\230\105\051\347\260\246\331\120\133\172\060\015\006\011\052\206  
\110\206\367\015\001\001\005\005\000\060\201\312\061\013\060\011  
\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003\125  
\004\012\023\016\126\145\162\151\123\151\147\156\054\040\111\156  
\143\056\061\037\060\035\006\003\125\004\013\023\026\126\145\162  
\151\123\151\147\156\040\124\162\165\163\164\040\116\145\164\167  
\157\162\153\061\072\060\070\006\003\125\004\013\023\061\050\143  
\051\040\061\071\071\071\040\126\145\162\151\123\151\147\156\054  
\040\111\156\143\056\040\055\040\106\157\162\040\141\165\164\150  
\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171\061  
\105\060\103\006\003\125\004\003\023\074\126\145\162\151\123\151  
\147\156\040\103\154\141\163\163\040\062\040\120\165\142\154\151  
\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164  
\171\040\055\040\107\063\060\036\027\015\071\071\061\060\060\061  
\060\060\060\060\060\060\132\027\015\063\066\060\067\061\066\062  
\063\065\071\065\071\132\060\201\312\061\013\060\011\006\003\125  
\004\006\023\002\125\123\061\027\060\025\006\003\125\004\012\023  
\016\126\145\162\151\123\151\147\156\054\040\111\156\143\056\061  
\037\060\035\006\003\125\004\013\023\026\126\145\162\151\123\151  
\147\156\040\124\162\165\163\164\040\116\145\164\167\157\162\153  
\061\072\060\070\006\003\125\004\013\023\061\050\143\051\040\061  
\071\071\071\040\126\145\162\151\123\151\147\156\054\040\111\156  
\143\056\040\055\040\106\157\162\040\141\165\164\150\157\162\151  
\172\145\144\040\165\163\145\040\157\156\154\171\061\105\060\103  
\006\003\125\004\003\023\074\126\145\162\151\123\151\147\156\040

\103\154\141\163\163\040\062\040\120\165\142\154\151\143\040\120  
\162\151\155\141\162\171\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\055  
\040\107\063\060\202\001\042\060\015\006\011\052\206\110\206\367  
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002  
\202\001\001\000\257\012\015\302\325\054\333\147\271\055\345\224  
\047\335\245\276\340\260\115\217\263\141\126\074\326\174\303\364  
\315\076\206\313\242\210\342\341\330\244\151\305\265\342\277\301  
\246\107\120\136\106\071\213\325\226\272\265\157\024\277\020\316  
\047\023\236\005\107\233\061\172\023\330\037\331\323\002\067\213  
\255\054\107\360\216\201\006\247\015\060\014\353\367\074\017\040  
\035\334\162\106\356\245\002\310\133\303\311\126\151\114\305\030  
\301\221\173\013\325\023\000\233\274\357\303\110\076\106\140\040  
\205\052\325\220\266\315\213\240\314\062\335\267\375\100\125\262  
\120\034\126\256\314\215\167\115\307\040\115\247\061\166\357\150  
\222\212\220\036\010\201\126\262\255\151\243\122\320\313\034\304  
\043\075\037\231\376\114\350\026\143\216\306\010\216\366\061\366  
\322\372\345\166\335\265\034\222\243\111\315\315\001\315\150\315  
\251\151\272\243\353\035\015\234\244\040\246\301\240\305\321\106  
\114\027\155\322\254\146\077\226\214\340\204\324\066\377\042\131  
\305\371\021\140\250\137\004\175\362\032\366\045\102\141\017\304  
\112\270\076\211\002\003\001\000\001\060\015\006\011\052\206\110  
\206\367\015\001\001\005\005\000\003\202\001\001\000\064\046\025  
\074\300\215\115\103\111\035\275\351\041\222\327\146\234\267\336  
\305\270\320\344\135\137\166\042\300\046\371\204\072\072\371\214  
\265\373\354\140\361\350\316\004\260\310\335\247\003\217\060\363  
\230\337\244\346\244\061\337\323\034\013\106\334\162\040\077\256  
\356\005\074\244\063\077\013\071\254\160\170\163\113\231\053\337  
\060\302\124\260\250\073\125\241\376\026\050\315\102\275\164\156  
\200\333\047\104\247\316\104\135\324\033\220\230\015\036\102\224  
\261\000\054\004\320\164\243\002\005\042\143\143\315\203\265\373  
\301\155\142\153\151\165\375\135\160\101\271\365\277\174\337\276  
\301\062\163\042\041\213\130\201\173\025\221\172\272\343\144\110  
\260\177\373\066\045\332\225\320\361\044\024\027\335\030\200\153  
\106\043\071\124\365\216\142\011\004\035\224\220\246\233\346\045  
\342\102\105\252\270\220\255\276\010\217\251\013\102\030\224\317  
\162\071\341\261\103\340\050\317\267\347\132\154\023\153\111\263  
\377\343\030\174\211\213\063\135\254\063\327\247\371\332\072\125  
\311\130\020\371\252\357\132\266\317\113\113\337\052

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
# For Email Distrust After: Wed Aug 31 00:00:00 2022  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER MULTILINE\_OCTAL  
\062\062\060\070\063\061\060\060\060\060\060\060\132

END

# Trust for "Verisign Class 2 Public Primary Certification Authority - G3"

```

Issuer: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
Serial Number:61:70:cb:49:8c:5f:98:45:29:e7:b0:a6:d9:50:5b:7a
Subject: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
Not Valid Before: Fri Oct 01 00:00:00 1999
Not Valid After : Wed Jul 16 23:59:59 2036
Fingerprint (SHA-256):
92:A9:D9:83:3F:E1:94:4D:B3:66:E8:BF:AE:7A:95:B6:48:0C:2D:6C:6C:2A:1B:E6:5D:42:36:B6:08:FC:A1:BB
Fingerprint (SHA1): 61:EF:43:D7:7F:CA:D4:61:51:BC:98:E0:C3:59:12:AF:9F:EB:63:11
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Verisign Class 2 Public Primary Certification Authority - G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\141\357\103\327\177\312\324\141\121\274\230\340\303\131\022\257
\237\353\143\021
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\370\276\304\143\042\311\250\106\164\213\270\035\036\112\053\366
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\062\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\141\160\313\111\214\137\230\105\051\347\260\246\331\120
\133\172
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Entrust.net Premium 2048 Secure Server CA"

```

```

#
Issuer: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net
Limited,OU=www.entrust.net/CPS_2048 incorp. by ref. (limits liab.),O=Entrust.net
Serial Number: 946069240 (0x3863def8)
Subject: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net
Limited,OU=www.entrust.net/CPS_2048 incorp. by ref. (limits liab.),O=Entrust.net
Not Valid Before: Fri Dec 24 17:50:51 1999
Not Valid After : Tue Jul 24 14:15:12 2029
Fingerprint (SHA-256):
6D:C4:71:72:E0:1C:BC:B0:BF:62:58:0D:89:5F:E2:B8:AC:9A:D4:F8:73:80:1E:0C:10:B9:C8:37:D2:1E:B1:77
Fingerprint (SHA1): 50:30:06:09:1D:97:D4:F5:AE:39:F7:CB:E7:92:7D:7D:65:2D:34:31
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust.net Premium 2048 Secure Server CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\264\061\024\060\022\006\003\125\004\012\023\013\105\156
\164\162\165\163\164\056\156\145\164\061\100\060\076\006\003\125
\004\013\024\067\167\167\167\056\145\156\164\162\165\163\164\056
\156\145\164\057\103\120\123\137\062\060\064\070\040\151\156\143
\157\162\160\056\040\142\171\040\162\145\146\056\040\050\154\151
\155\151\164\163\040\154\151\141\142\056\051\061\045\060\043\006
\003\125\004\013\023\034\050\143\051\040\061\071\071\071\040\105
\156\164\162\165\163\164\056\156\145\164\040\114\151\155\151\164
\145\144\061\063\060\061\006\003\125\004\003\023\052\105\156\164
\162\165\163\164\056\156\145\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\050\062\060\064\070\051
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\264\061\024\060\022\006\003\125\004\012\023\013\105\156
\164\162\165\163\164\056\156\145\164\061\100\060\076\006\003\125
\004\013\024\067\167\167\167\056\145\156\164\162\165\163\164\056
\156\145\164\057\103\120\123\137\062\060\064\070\040\151\156\143
\157\162\160\056\040\142\171\040\162\145\146\056\040\050\154\151
\155\151\164\163\040\154\151\141\142\056\051\061\045\060\043\006
\003\125\004\013\023\034\050\143\051\040\061\071\071\071\040\105
\156\164\162\165\163\164\056\156\145\164\040\114\151\155\151\164
\145\144\061\063\060\061\006\003\125\004\003\023\052\105\156\164
\162\165\163\164\056\156\145\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\050\062\060\064\070\051
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\070\143\336\370

```

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\052\060\202\003\022\240\003\002\001\002\002\004\070  
\143\336\370\060\015\006\011\052\206\110\206\367\015\001\001\005  
\005\000\060\201\264\061\024\060\022\006\003\125\004\012\023\013  
\105\156\164\162\165\163\164\056\156\145\164\061\100\060\076\006  
\003\125\004\013\024\067\167\167\167\056\145\156\164\162\165\163  
\164\056\156\145\164\057\103\120\123\137\062\060\064\070\040\151  
\156\143\157\162\160\056\040\142\171\040\162\145\146\056\040\050  
\154\151\155\151\164\163\040\154\151\141\142\056\051\061\045\060  
\043\006\003\125\004\013\023\034\050\143\051\040\061\071\071\071  
\040\105\156\164\162\165\163\164\056\156\145\164\040\114\151\155  
\151\164\145\144\061\063\060\061\006\003\125\004\003\023\052\105  
\156\164\162\165\163\164\056\156\145\164\040\103\145\162\164\151  
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151  
\164\171\040\050\062\060\064\070\051\060\036\027\015\071\071\061  
\062\062\064\061\067\065\060\065\061\132\027\015\062\071\060\067  
\062\064\061\064\061\065\061\062\132\060\201\264\061\024\060\022  
\006\003\125\004\012\023\013\105\156\164\162\165\163\164\056\156  
\145\164\061\100\060\076\006\003\125\004\013\024\067\167\167\167  
\056\145\156\164\162\165\163\164\056\156\145\164\057\103\120\123  
\137\062\060\064\070\040\151\156\143\157\162\160\056\040\142\171  
\040\162\145\146\056\040\050\154\151\155\151\164\163\040\154\151  
\141\142\056\051\061\045\060\043\006\003\125\004\013\023\034\050  
\143\051\040\061\071\071\071\040\105\156\164\162\165\163\164\056  
\156\145\164\040\114\151\155\151\164\145\144\061\063\060\061\006  
\003\125\004\003\023\052\105\156\164\162\165\163\164\056\156\145  
\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040  
\101\165\164\150\157\162\151\164\171\040\050\062\060\064\070\051  
\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001\001  
\000\255\115\113\251\022\206\262\352\243\040\007\025\026\144\052  
\053\113\321\277\013\112\115\216\355\200\166\245\147\267\170\100  
\300\163\102\310\150\300\333\123\053\335\136\270\166\230\065\223  
\213\032\235\174\023\072\016\037\133\267\036\317\345\044\024\036  
\261\201\251\215\175\270\314\153\113\003\361\002\014\334\253\245  
\100\044\000\177\164\224\241\235\010\051\263\210\013\365\207\167  
\235\125\315\344\303\176\327\152\144\253\205\024\206\225\133\227  
\062\120\157\075\310\272\146\014\343\374\275\270\111\301\166\211  
\111\031\375\300\250\275\211\243\147\057\306\237\274\161\031\140  
\270\055\351\054\311\220\166\146\173\224\342\257\170\326\145\123  
\135\074\326\234\262\317\051\003\371\057\244\120\262\324\110\316  
\005\062\125\212\375\262\144\114\016\344\230\007\165\333\177\337  
\271\010\125\140\205\060\051\371\173\110\244\151\206\343\065\077  
\036\206\135\172\172\025\275\357\000\216\025\042\124\027\000\220  
\046\223\274\016\111\150\221\277\370\107\323\235\225\102\301\016  
\115\337\157\046\317\303\030\041\142\146\103\160\326\325\300\007  
\341\002\003\001\000\001\243\102\060\100\060\016\006\003\125\035



```
\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125\035
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125
\035\016\004\026\004\024\125\344\201\321\021\200\276\330\211\271
\010\243\061\371\241\044\011\026\271\160\060\015\006\011\052\206
\110\206\367\015\001\001\005\005\000\003\202\001\001\000\073\233
\217\126\233\060\347\123\231\174\172\171\247\115\227\327\031\225
\220\373\006\037\312\063\174\106\143\217\226\146\044\372\100\033
\041\047\312\346\162\163\362\117\376\061\231\375\310\014\114\150
\123\306\200\202\023\230\372\266\255\332\135\075\361\316\156\366
\025\021\224\202\014\356\077\225\257\021\253\017\327\057\336\037
\003\217\127\054\036\311\273\232\032\104\225\353\030\117\246\037
\315\175\127\020\057\233\004\011\132\204\265\156\330\035\072\341
\326\236\321\154\171\136\171\034\024\305\343\320\114\223\073\145
\074\355\337\075\276\246\345\225\032\303\265\031\303\275\136\133
\273\377\043\357\150\031\313\022\223\047\134\003\055\157\060\320
\036\266\032\254\336\132\367\321\252\250\047\246\376\171\201\304
\171\231\063\127\272\022\260\251\340\102\154\223\312\126\336\376
\155\204\013\010\213\176\215\352\327\230\041\306\363\347\074\171
\057\136\234\321\114\025\215\341\354\042\067\314\232\103\013\227
\334\200\220\215\263\147\233\157\110\010\025\126\317\277\361\053
\174\136\232\166\351\131\220\305\174\203\065\021\145\121
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Entrust.net Premium 2048 Secure Server CA"

# Issuer: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net  
Limited,OU=www.entrust.net/CPS\_2048 incorp. by ref. (limits liab.),O=Entrust.net  
# Serial Number: 946069240 (0x3863def8)

# Subject: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net  
Limited,OU=www.entrust.net/CPS\_2048 incorp. by ref. (limits liab.),O=Entrust.net

# Not Valid Before: Fri Dec 24 17:50:51 1999

# Not Valid After : Tue Jul 24 14:15:12 2029

# Fingerprint (SHA-256):

6D:C4:71:72:E0:1C:BC:B0:BF:62:58:0D:89:5F:E2:B8:AC:9A:D4:F8:73:80:1E:0C:10:B9:C8:37:D2:1E:B1:77

# Fingerprint (SHA1): 50:30:06:09:1D:97:D4:F5:AE:39:F7:CB:E7:92:7D:7D:65:2D:34:31

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Entrust.net Premium 2048 Secure Server CA"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

```
\120\060\006\011\035\227\324\365\256\071\367\313\347\222\175\175
\145\055\064\061
```

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

```
\356\051\061\274\062\176\232\346\350\265\367\121\264\064\161\220
```

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\264\061\024\060\022\006\003\125\004\012\023\013\105\156  
\164\162\165\163\164\056\156\145\164\061\100\060\076\006\003\125  
\004\013\024\067\167\167\167\056\145\156\164\162\165\163\164\056  
\156\145\164\057\103\120\123\137\062\060\064\070\040\151\156\143  
\157\162\160\056\040\142\171\040\162\145\146\056\040\050\154\151  
\155\151\164\163\040\154\151\141\142\056\051\061\045\060\043\006  
\003\125\004\013\023\034\050\143\051\040\061\071\071\071\040\105  
\156\164\162\165\163\164\056\156\145\164\040\114\151\155\151\164  
\145\144\061\063\060\061\006\003\125\004\003\023\052\105\156\164  
\162\165\163\164\056\156\145\164\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\040\050\062\060\064\070\051

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\004\070\143\336\370

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Baltimore CyberTrust Root"

#

# Issuer: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE

# Serial Number: 33554617 (0x20000b9)

# Subject: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE

# Not Valid Before: Fri May 12 18:46:00 2000

# Not Valid After : Mon May 12 23:59:00 2025

# Fingerprint (SHA-256):

16:AF:57:A9:F6:76:B0:AB:12:60:95:AA:5E:BA:DE:F2:2A:B3:11:19:D6:44:AC:95:CD:4B:93:DB:F3:F2:6A:EB

# Fingerprint (SHA1): D4:DE:20:D0:5E:66:FC:53:FE:1A:50:88:2C:78:DB:28:52:CA:E4:74

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Baltimore CyberTrust Root"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\132\061\013\060\011\006\003\125\004\006\023\002\111\105\061  
\022\060\020\006\003\125\004\012\023\011\102\141\154\164\151\155  
\157\162\145\061\023\060\021\006\003\125\004\013\023\012\103\171  
\142\145\162\124\162\165\163\164\061\042\060\040\006\003\125\004  
\003\023\031\102\141\154\164\151\155\157\162\145\040\103\171\142  
\145\162\124\162\165\163\164\040\122\157\157\164

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\132\061\013\060\011\006\003\125\004\006\023\002\111\105\061  
\022\060\020\006\003\125\004\012\023\011\102\141\154\164\151\155  
\157\162\145\061\023\060\021\006\003\125\004\013\023\012\103\171  
\142\145\162\124\162\165\163\164\061\042\060\040\006\003\125\004  
\003\023\031\102\141\154\164\151\155\157\162\145\040\103\171\142  
\145\162\124\162\165\163\164\040\122\157\157\164

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\004\002\000\000\271

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\167\060\202\002\137\240\003\002\001\002\002\004\002  
\000\000\271\060\015\006\011\052\206\110\206\367\015\001\001\005  
\005\000\060\132\061\013\060\011\006\003\125\004\006\023\002\111  
\105\061\022\060\020\006\003\125\004\012\023\011\102\141\154\164  
\151\155\157\162\145\061\023\060\021\006\003\125\004\013\023\012  
\103\171\142\145\162\124\162\165\163\164\061\042\060\040\006\003  
\125\004\003\023\031\102\141\154\164\151\155\157\162\145\040\103  
\171\142\145\162\124\162\165\163\164\040\122\157\157\164\060\036  
\027\015\060\060\060\065\061\062\061\070\064\066\060\060\132\027  
\015\062\065\060\065\061\062\062\063\065\071\060\060\132\060\132  
\061\013\060\011\006\003\125\004\006\023\002\111\105\061\022\060  
\020\006\003\125\004\012\023\011\102\141\154\164\151\155\157\162  
\145\061\023\060\021\006\003\125\004\013\023\012\103\171\142\145  
\162\124\162\165\163\164\061\042\060\040\006\003\125\004\003\023  
\031\102\141\154\164\151\155\157\162\145\040\103\171\142\145\162  
\124\162\165\163\164\040\122\157\157\164\060\202\001\042\060\015  
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001  
\017\000\060\202\001\012\002\202\001\001\000\243\004\273\042\253  
\230\075\127\350\046\162\232\265\171\324\051\342\341\350\225\200  
\261\260\343\133\216\053\051\232\144\337\241\135\355\260\011\005  
\155\333\050\056\316\142\242\142\376\264\210\332\022\353\070\353  
\041\235\300\101\053\001\122\173\210\167\323\034\217\307\272\271  
\210\265\152\011\347\163\350\021\100\247\321\314\312\142\215\055  
\345\217\013\246\120\322\250\120\303\050\352\365\253\045\207\212  
\232\226\034\251\147\270\077\014\325\367\371\122\023\057\302\033  
\325\160\160\360\217\300\022\312\006\313\232\341\331\312\063\172  
\167\326\370\354\271\361\150\104\102\110\023\322\300\302\244\256  
\136\140\376\266\246\005\374\264\335\007\131\002\324\131\030\230  
\143\365\245\143\340\220\014\175\135\262\006\172\363\205\352\353  
\324\003\256\136\204\076\137\377\025\355\151\274\371\071\066\162  
\165\317\167\122\115\363\311\220\054\271\075\345\311\043\123\077  
\037\044\230\041\134\007\231\051\275\306\072\354\347\156\206\072  
\153\227\164\143\063\275\150\030\061\360\170\215\166\277\374\236  
\216\135\052\206\247\115\220\334\047\032\071\002\003\001\000\001  
\243\105\060\103\060\035\006\003\125\035\016\004\026\004\024\345

```
\235\131\060\202\107\130\314\254\372\010\124\066\206\173\072\265
\004\115\360\060\022\006\003\125\035\023\001\001\377\004\010\060
\006\001\001\377\002\001\003\060\016\006\003\125\035\017\001\001
\377\004\004\003\002\001\006\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\003\202\001\001\000\205\014\135\216\344
\157\121\150\102\005\240\335\273\117\047\045\204\003\275\367\144
\375\055\327\060\343\244\020\027\353\332\051\051\266\171\077\166
\366\031\023\043\270\020\012\371\130\244\324\141\160\275\004\141
\152\022\212\027\325\012\275\305\274\060\174\326\351\014\045\215
\206\100\117\354\314\243\176\070\306\067\021\117\355\335\150\061
\216\114\322\263\001\164\356\276\165\136\007\110\032\177\160\377
\026\134\204\300\171\205\270\005\375\177\276\145\021\243\017\300
\002\264\370\122\067\071\004\325\251\061\172\030\277\240\052\364
\022\231\367\243\105\202\343\074\136\365\235\236\265\310\236\174
\056\310\244\236\116\010\024\113\155\375\160\155\153\032\143\275
\144\346\037\267\316\360\362\237\056\273\033\267\362\120\210\163
\222\302\342\343\026\215\232\062\002\253\216\030\335\351\020\021
\356\176\065\253\220\257\076\060\224\172\320\063\075\247\145\017
\365\374\216\236\142\317\107\104\054\001\135\273\035\265\062\322
\107\322\070\056\320\376\201\334\062\152\036\265\356\074\325\374
\347\201\035\031\303\044\102\352\143\071\251
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Baltimore CyberTrust Root"

# Issuer: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE

# Serial Number: 33554617 (0x20000b9)

# Subject: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE

# Not Valid Before: Fri May 12 18:46:00 2000

# Not Valid After : Mon May 12 23:59:00 2025

# Fingerprint (SHA-256):

16:AF:57:A9:F6:76:B0:AB:12:60:95:AA:5E:BA:DE:F2:2A:B3:11:19:D6:44:AC:95:CD:4B:93:DB:F3:F2:6A:EB

# Fingerprint (SHA1): D4:DE:20:D0:5E:66:FC:53:FE:1A:50:88:2C:78:DB:28:52:CA:E4:74

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Baltimore CyberTrust Root"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

```
\324\336\040\320\136\146\374\123\376\032\120\210\054\170\333\050
\122\312\344\164
```

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

```
\254\266\224\245\234\027\340\327\221\122\233\261\227\006\246\344
```

END

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\132\061\013\060\011\006\003\125\004\006\023\002\111\105\061
\022\060\020\006\003\125\004\012\023\011\102\141\154\164\151\155
\157\162\145\061\023\060\021\006\003\125\004\013\023\012\103\171
\142\145\162\124\162\165\163\164\061\042\060\040\006\003\125\004
\003\023\031\102\141\154\164\151\155\157\162\145\040\103\171\142
\145\162\124\162\165\163\164\040\122\157\157\164
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\004\002\000\000\271
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Entrust Root Certification Authority"

#

# Issuer: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is incorporated by reference,O="Entrust, Inc.",C=US

# Serial Number: 1164660820 (0x456b5054)

# Subject: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is incorporated by reference,O="Entrust, Inc.",C=US

# Not Valid Before: Mon Nov 27 20:23:42 2006

# Not Valid After : Fri Nov 27 20:53:42 2026

# Fingerprint (SHA-256):

73:C1:76:43:4F:1B:C6:D5:AD:F4:5B:0E:76:E7:27:28:7C:8D:E5:76:16:C1:E6:E6:14:1A:2B:2C:BC:7D:8E:4C

# Fingerprint (SHA1): B3:1E:B1:B7:40:E3:6C:84:02:DA:DC:37:D4:4D:F5:D4:67:49:52:F9

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Entrust Root Certification Authority"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\260\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\071\060\067\006\003\125\004
\013\023\060\167\167\167\056\145\156\164\162\165\163\164\056\156
\145\164\057\103\120\123\040\151\163\040\151\156\143\157\162\160
\157\162\141\164\145\144\040\142\171\040\162\145\146\145\162\145
\156\143\145\061\037\060\035\006\003\125\004\013\023\026\050\143
\051\040\062\060\060\066\040\105\156\164\162\165\163\164\054\040
\111\156\143\056\061\055\060\053\006\003\125\004\003\023\044\105
\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162
\151\164\171
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\260\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165  
\163\164\054\040\111\156\143\056\061\071\060\067\006\003\125\004  
\013\023\060\167\167\167\056\145\156\164\162\165\163\164\056\156  
\145\164\057\103\120\123\040\151\163\040\151\156\143\157\162\160  
\157\162\141\164\145\144\040\142\171\040\162\145\146\145\162\145  
\156\143\145\061\037\060\035\006\003\125\004\013\023\026\050\143  
\051\040\062\060\060\066\040\105\156\164\162\165\163\164\054\040  
\111\156\143\056\061\055\060\053\006\003\125\004\003\023\044\105  
\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162  
\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\004\105\153\120\124

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\221\060\202\003\171\240\003\002\001\002\002\004\105  
\153\120\124\060\015\006\011\052\206\110\206\367\015\001\001\005  
\005\000\060\201\260\061\013\060\011\006\003\125\004\006\023\002  
\125\123\061\026\060\024\006\003\125\004\012\023\015\105\156\164  
\162\165\163\164\054\040\111\156\143\056\061\071\060\067\006\003  
\125\004\013\023\060\167\167\167\056\145\156\164\162\165\163\164  
\056\156\145\164\057\103\120\123\040\151\163\040\151\156\143\157  
\162\160\157\162\141\164\145\144\040\142\171\040\162\145\146\145  
\162\145\156\143\145\061\037\060\035\006\003\125\004\013\023\026  
\050\143\051\040\062\060\060\066\040\105\156\164\162\165\163\164  
\054\040\111\156\143\056\061\055\060\053\006\003\125\004\003\023  
\044\105\156\164\162\165\163\164\040\122\157\157\164\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171\060\036\027\015\060\066\061\061\062\067\062  
\060\062\063\064\062\132\027\015\062\066\061\061\062\067\062\060  
\065\063\064\062\132\060\201\260\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\026\060\024\006\003\125\004\012\023\015  
\105\156\164\162\165\163\164\054\040\111\156\143\056\061\071\060  
\067\006\003\125\004\013\023\060\167\167\167\056\145\156\164\162  
\165\163\164\056\156\145\164\057\103\120\123\040\151\163\040\151  
\156\143\157\162\160\157\162\141\164\145\144\040\142\171\040\162  
\145\146\145\162\145\156\143\145\061\037\060\035\006\003\125\004  
\013\023\026\050\143\051\040\062\060\060\066\040\105\156\164\162  
\165\163\164\054\040\111\156\143\056\061\055\060\053\006\003\125  
\004\003\023\044\105\156\164\162\165\163\164\040\122\157\157\164  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171\060\202\001\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000  
\060\202\001\012\002\202\001\001\000\266\225\266\103\102\372\306

\155\052\157\110\337\224\114\071\127\005\356\303\171\021\101\150  
\066\355\354\376\232\001\217\241\070\050\374\367\020\106\146\056  
\115\036\032\261\032\116\306\321\300\225\210\260\311\377\061\213  
\063\003\333\267\203\173\076\040\204\136\355\262\126\050\247\370  
\340\271\100\161\067\305\313\107\016\227\052\150\300\042\225\142  
\025\333\107\331\365\320\053\377\202\113\311\255\076\336\114\333  
\220\200\120\077\011\212\204\000\354\060\012\075\030\315\373\375  
\052\131\232\043\225\027\054\105\236\037\156\103\171\155\014\134  
\230\376\110\247\305\043\107\134\136\375\156\347\036\264\366\150  
\105\321\206\203\133\242\212\215\261\343\051\200\376\045\161\210  
\255\276\274\217\254\122\226\113\252\121\215\344\023\061\031\350  
\116\115\237\333\254\263\152\325\274\071\124\161\312\172\172\177  
\220\335\175\035\200\331\201\273\131\046\302\021\376\346\223\342  
\367\200\344\145\373\064\067\016\051\200\160\115\257\070\206\056  
\236\177\127\257\236\027\256\353\034\313\050\041\137\266\034\330  
\347\242\004\042\371\323\332\330\313\002\003\001\000\001\243\201  
\260\060\201\255\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\053\006\003\125\035\020\004\044\060\042  
\200\017\062\060\060\066\061\061\062\067\062\060\062\063\064\062  
\132\201\017\062\060\062\066\061\061\062\067\062\060\065\063\064  
\062\132\060\037\006\003\125\035\043\004\030\060\026\200\024\150  
\220\344\147\244\246\123\200\307\206\146\244\361\367\113\103\373  
\204\275\155\060\035\006\003\125\035\016\004\026\004\024\150\220  
\344\147\244\246\123\200\307\206\146\244\361\367\113\103\373\204  
\275\155\060\035\006\011\052\206\110\206\366\175\007\101\000\004  
\020\060\016\033\010\126\067\056\061\072\064\056\060\003\002\004  
\220\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000  
\003\202\001\001\000\223\324\060\260\327\003\040\052\320\371\143  
\350\221\014\005\040\251\137\031\312\173\162\116\324\261\333\320  
\226\373\124\132\031\054\014\010\367\262\274\205\250\235\177\155  
\073\122\263\052\333\347\324\204\214\143\366\017\313\046\001\221  
\120\154\364\137\024\342\223\164\300\023\236\060\072\120\343\264  
\140\305\034\360\042\104\215\161\107\254\310\032\311\351\233\232  
\000\140\023\377\160\176\137\021\115\111\033\263\025\122\173\311  
\124\332\277\235\225\257\153\232\330\236\351\361\344\103\215\342  
\021\104\072\277\257\275\203\102\163\122\213\252\273\247\051\317  
\365\144\034\012\115\321\274\252\254\237\052\320\377\177\177\332  
\175\352\261\355\060\045\301\204\332\064\322\133\170\203\126\354  
\234\066\303\046\342\021\366\147\111\035\222\253\214\373\353\377  
\172\356\205\112\247\120\200\360\247\134\112\224\056\137\005\231  
\074\122\101\340\315\264\143\317\001\103\272\234\203\334\217\140  
\073\363\132\264\264\173\256\332\013\220\070\165\357\201\035\146  
\322\367\127\160\066\263\277\374\050\257\161\045\205\133\023\376  
\036\177\132\264\074

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Entrust Root Certification Authority"

# Issuer: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is incorporated by reference,O="Entrust, Inc.",C=US

# Serial Number: 1164660820 (0x456b5054)

# Subject: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is incorporated by reference,O="Entrust, Inc.",C=US

# Not Valid Before: Mon Nov 27 20:23:42 2006

# Not Valid After : Fri Nov 27 20:53:42 2026

# Fingerprint (SHA-256):

73:C1:76:43:4F:1B:C6:D5:AD:F4:5B:0E:76:E7:27:28:7C:8D:E5:76:16:C1:E6:E6:14:1A:2B:2C:BC:7D:8E:4C

# Fingerprint (SHA1): B3:1E:B1:B7:40:E3:6C:84:02:DA:DC:37:D4:4D:F5:D4:67:49:52:F9

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Entrust Root Certification Authority"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\263\036\261\267\100\343\154\204\002\332\334\067\324\115\365\324  
\147\111\122\371

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\326\245\303\355\135\335\076\000\301\075\207\222\037\035\077\344

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\260\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165  
\163\164\054\040\111\156\143\056\061\071\060\067\006\003\125\004  
\013\023\060\167\167\167\056\145\156\164\162\165\163\164\056\156  
\145\164\057\103\120\123\040\151\163\040\151\156\143\157\162\160  
\157\162\141\164\145\144\040\142\171\040\162\145\146\145\162\145  
\156\143\145\061\037\060\035\006\003\125\004\013\023\026\050\143  
\051\040\062\060\060\066\040\105\156\164\162\165\163\164\054\040  
\111\156\143\056\061\055\060\053\006\003\125\004\003\023\044\105  
\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162  
\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\004\105\153\120\124

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#



```

Certificate "Certum Root CA"
#
Issuer: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL
Serial Number: 65568 (0x10020)
Subject: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL
Not Valid Before: Tue Jun 11 10:46:39 2002
Not Valid After : Fri Jun 11 10:46:39 2027
Fingerprint (SHA-256):
D8:E0:FE:BC:1D:B2:E3:8D:00:94:0F:37:D2:7D:41:34:4D:99:3E:73:4B:99:D5:65:6D:97:78:D4:D8:14:36:24
Fingerprint (SHA1): 62:52:DC:40:F7:11:43:A2:2F:DE:9E:F7:34:8E:06:42:51:B1:81:18
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145\164
\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060\020
\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145\164
\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060\020
\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\001\000\040
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\014\060\202\001\364\240\003\002\001\002\002\003\001
\000\040\060\015\006\011\052\206\110\206\367\015\001\001\005\005
\000\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145
\164\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060
\020\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103
\101\060\036\027\015\060\062\060\066\061\061\061\060\064\066\063
\071\132\027\015\062\067\060\066\061\061\061\060\064\066\063\071
\132\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145
\164\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060
\020\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103
\101\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001
\001\000\316\261\301\056\323\117\174\315\045\316\030\076\117\304

```

\214\157\200\152\163\310\133\121\370\233\322\334\273\000\134\261  
\240\374\165\003\356\201\360\210\356\043\122\351\346\025\063\215  
\254\055\011\305\166\371\053\071\200\211\344\227\113\220\245\250  
\170\370\163\103\173\244\141\260\330\130\314\341\154\146\176\234  
\363\011\136\125\143\204\325\250\357\363\261\056\060\150\263\304  
\074\330\254\156\215\231\132\220\116\064\334\066\232\217\201\210  
\120\267\155\226\102\011\363\327\225\203\015\101\113\260\152\153  
\370\374\017\176\142\237\147\304\355\046\137\020\046\017\010\117  
\360\244\127\050\316\217\270\355\105\366\156\356\045\135\252\156  
\071\276\344\223\057\331\107\240\162\353\372\246\133\257\312\123  
\077\342\016\306\226\126\021\156\367\351\146\251\046\330\177\225  
\123\355\012\205\210\272\117\051\245\102\214\136\266\374\205\040  
\000\252\150\013\241\032\205\001\234\304\106\143\202\210\266\042  
\261\356\376\252\106\131\176\317\065\054\325\266\332\135\367\110  
\063\024\124\266\353\331\157\316\315\210\326\253\033\332\226\073  
\035\131\002\003\001\000\001\243\023\060\021\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\015\006\011  
\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000  
\270\215\316\357\347\024\272\317\356\260\104\222\154\264\071\076  
\242\204\156\255\270\041\167\322\324\167\202\207\346\040\101\201  
\356\342\370\021\267\143\321\027\067\276\031\166\044\034\004\032  
\114\353\075\252\147\157\055\324\315\376\145\061\160\305\033\246  
\002\012\272\140\173\155\130\302\232\111\376\143\062\013\153\343  
\072\300\254\253\073\260\350\323\011\121\214\020\203\306\064\340  
\305\053\340\032\266\140\024\047\154\062\167\214\274\262\162\230  
\317\315\314\077\271\310\044\102\024\326\127\374\346\046\103\251  
\035\345\200\220\316\003\124\050\076\367\077\323\370\115\355\152  
\012\072\223\023\233\073\024\043\023\143\234\077\321\207\047\171  
\345\114\121\343\001\255\205\135\032\073\261\325\163\020\244\323  
\362\274\156\144\365\132\126\220\250\307\016\114\164\017\056\161  
\073\367\310\107\364\151\157\025\362\021\136\203\036\234\174\122  
\256\375\002\332\022\250\131\147\030\333\274\160\335\233\261\151  
\355\200\316\211\100\110\152\016\065\312\051\146\025\041\224\054  
\350\140\052\233\205\112\100\363\153\212\044\354\006\026\054\163  
END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Certum Root CA"

# Issuer: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL

# Serial Number: 65568 (0x10020)

# Subject: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL

# Not Valid Before: Tue Jun 11 10:46:39 2002

# Not Valid After : Fri Jun 11 10:46:39 2027

# Fingerprint (SHA-256):

D8:E0:FE:BC:1D:B2:E3:8D:00:94:0F:37:D2:7D:41:34:4D:99:3E:73:4B:99:D5:65:6D:97:78:D4:D8:14:36:24

# Fingerprint (SHA1): 62:52:DC:40:F7:11:43:A2:2F:DE:9E:F7:34:8E:06:42:51:B1:81:18

```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\142\122\334\100\367\021\103\242\057\336\236\367\064\216\006\102
\121\261\201\030
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\054\217\237\146\035\030\220\261\107\046\235\216\206\202\214\251
END
CKA_ISSUER MULTILINE_OCTAL
\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145\164
\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060\020
\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\001\000\040
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Comodo AAA Services root"
#
Issuer: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB
Serial Number: 1 (0x1)
Subject: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB
Not Valid Before: Thu Jan 01 00:00:00 2004
Not Valid After : Sun Dec 31 23:59:59 2028
Fingerprint (SHA-256):
D7:A7:A0:FB:5D:7E:27:31:D7:71:E9:48:4E:BC:DE:F7:1D:5F:0C:3E:0A:29:48:78:2B:C8:3E:E0:EA:69:9E:F4
Fingerprint (SHA1): D1:EB:23:A4:6D:17:D6:8F:D9:25:64:C2:F1:F1:60:17:64:D8:E3:49
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Comodo AAA Services root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061
\033\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145
\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016
\006\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032

```

\060\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040  
\103\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003  
\125\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151  
\143\141\164\145\040\123\145\162\166\151\143\145\163

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061  
\033\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145  
\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016  
\006\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032  
\060\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040  
\103\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003  
\125\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151  
\143\141\164\145\040\123\145\162\166\151\143\145\163

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\001

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\062\060\202\003\032\240\003\002\001\002\002\001\001  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060  
\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061\033  
\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145\162  
\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016\006  
\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032\060  
\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040\103  
\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003\125  
\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151\143  
\141\164\145\040\123\145\162\166\151\143\145\163\060\036\027\015  
\060\064\060\061\060\061\060\060\060\060\060\132\027\015\062  
\070\061\062\063\061\062\063\065\071\065\071\132\060\173\061\013  
\060\011\006\003\125\004\006\023\002\107\102\061\033\060\031\006  
\003\125\004\010\014\022\107\162\145\141\164\145\162\040\115\141  
\156\143\150\145\163\164\145\162\061\020\060\016\006\003\125\004  
\007\014\007\123\141\154\146\157\162\144\061\032\060\030\006\003  
\125\004\012\014\021\103\157\155\157\144\157\040\103\101\040\114  
\151\155\151\164\145\144\061\041\060\037\006\003\125\004\003\014  
\030\101\101\101\040\103\145\162\164\151\146\151\143\141\164\145  
\040\123\145\162\166\151\143\145\163\060\202\001\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017  
\000\060\202\001\012\002\202\001\001\000\276\100\235\364\156\341  
\352\166\207\034\115\105\104\216\276\106\310\203\006\235\301\052  
\376\030\037\216\344\002\372\363\253\135\120\212\026\061\013\232  
\006\320\305\160\042\315\111\055\124\143\314\266\156\150\106\013  
\123\352\313\114\044\300\274\162\116\352\361\025\256\364\124\232  
\022\012\303\172\262\063\140\342\332\211\125\363\042\130\363\336  
\334\317\357\203\206\242\214\224\117\237\150\362\230\220\106\204

\047\307\166\277\343\314\065\054\213\136\007\144\145\202\300\110  
\260\250\221\371\141\237\166\040\120\250\221\307\146\265\353\170  
\142\003\126\360\212\032\023\352\061\243\036\240\231\375\070\366  
\366\047\062\130\157\007\365\153\270\373\024\053\257\267\252\314  
\326\143\137\163\214\332\005\231\250\070\250\313\027\170\066\121  
\254\351\236\364\170\072\215\317\017\331\102\342\230\014\253\057  
\237\016\001\336\357\237\231\111\361\055\337\254\164\115\033\230  
\265\107\305\345\051\321\371\220\030\307\142\234\276\203\307\046  
\173\076\212\045\307\300\335\235\346\065\150\020\040\235\217\330  
\336\322\303\204\234\015\136\350\057\311\002\003\001\000\001\243  
\201\300\060\201\275\060\035\006\003\125\035\016\004\026\004\024  
\240\021\012\043\076\226\361\007\354\342\257\051\357\202\245\177  
\320\060\244\264\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\173\006\003\125\035\037\004\164\060\162  
\060\070\240\066\240\064\206\062\150\164\164\160\072\057\057\143  
\162\154\056\143\157\155\157\144\157\143\141\056\143\157\155\057  
\101\101\101\103\145\162\164\151\146\151\143\141\164\145\123\145  
\162\166\151\143\145\163\056\143\162\154\060\066\240\064\240\062  
\206\060\150\164\164\160\072\057\057\143\162\154\056\143\157\155  
\157\144\157\056\156\145\164\057\101\101\101\103\145\162\164\151  
\146\151\143\141\164\145\123\145\162\166\151\143\145\163\056\143  
\162\154\060\015\006\011\052\206\110\206\367\015\001\001\005\005  
\000\003\202\001\001\000\010\126\374\002\360\233\350\377\244\372  
\326\173\306\104\200\316\117\304\305\366\000\130\314\246\266\274  
\024\111\150\004\166\350\346\356\135\354\002\017\140\326\215\120  
\030\117\046\116\001\343\346\260\245\356\277\274\164\124\101\277  
\375\374\022\270\307\117\132\364\211\140\005\177\140\267\005\112  
\363\366\361\302\277\304\271\164\206\266\055\175\153\314\322\363  
\106\335\057\306\340\152\303\303\064\003\054\175\226\335\132\302  
\016\247\012\231\301\005\213\253\014\057\363\134\072\317\154\067  
\125\011\207\336\123\100\154\130\357\374\266\253\145\156\004\366  
\033\334\074\340\132\025\306\236\331\361\131\110\060\041\145\003  
\154\354\351\041\163\354\233\003\241\340\067\255\240\025\030\217  
\372\272\002\316\247\054\251\020\023\054\324\345\010\046\253\042  
\227\140\370\220\136\164\324\242\232\123\275\362\251\150\340\242  
\156\302\327\154\261\243\017\236\277\353\150\347\126\362\256\362  
\343\053\070\072\011\201\265\153\205\327\276\055\355\077\032\267  
\262\143\342\365\142\054\202\324\152\000\101\120\361\071\203\237  
\225\351\066\226\230\156

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Comodo AAA Services root"

# Issuer: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB

# Serial Number: 1 (0x1)

```

Subject: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB
Not Valid Before: Thu Jan 01 00:00:00 2004
Not Valid After : Sun Dec 31 23:59:59 2028
Fingerprint (SHA-256):
D7:A7:A0:FB:5D:7E:27:31:D7:71:E9:48:4E:BC:DE:F7:1D:5F:0C:3E:0A:29:48:78:2B:C8:3E:E0:EA:69:9E:F4
Fingerprint (SHA1): D1:EB:23:A4:6D:17:D6:8F:D9:25:64:C2:F1:F1:60:17:64:D8:E3:49
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Comodo AAA Services root"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\321\353\043\244\155\027\326\217\331\045\144\302\361\361\140\027
\144\330\343\111
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\111\171\004\260\353\207\031\254\107\260\274\021\121\233\164\320
END
CKA_ISSUER MULTILINE_OCTAL
\060\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061
\033\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145
\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016
\006\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032
\060\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040
\103\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003
\125\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151
\143\141\164\145\040\123\145\162\166\151\143\145\163
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "QuoVadis Root CA 2"
#
Issuer: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM
Serial Number: 1289 (0x509)
Subject: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM
Not Valid Before: Fri Nov 24 18:27:00 2006
Not Valid After : Mon Nov 24 18:23:33 2031
Fingerprint (SHA-256):
85:A0:DD:7D:D7:20:AD:B7:FF:05:F8:3D:54:2B:20:9D:C7:FF:45:28:F7:D6:77:B1:83:89:FE:A5:E5:C4:9E:86
Fingerprint (SHA1): CA:3A:FB:CF:12:40:36:4B:44:B2:16:20:88:80:48:39:19:93:7C:F7
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\002\005\011
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\267\060\202\003\237\240\003\002\001\002\002\002\005
\011\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\060\036\027\015\060\066\061\061\062
\064\061\070\062\067\060\060\132\027\015\063\061\061\061\062\064
\061\070\062\063\063\063\132\060\105\061\013\060\011\006\003\125
\004\006\023\002\102\115\061\031\060\027\006\003\125\004\012\023
\020\121\165\157\126\141\144\151\163\040\114\151\155\151\164\145
\144\061\033\060\031\006\003\125\004\003\023\022\121\165\157\126
\141\144\151\163\040\122\157\157\164\040\103\101\040\062\060\202
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\232
\030\312\113\224\015\000\055\257\003\051\212\360\017\201\310\256
\114\031\205\035\010\237\253\051\104\205\363\057\201\255\062\036
\220\106\277\243\206\046\032\036\376\176\034\030\072\134\234\140
\027\052\072\164\203\063\060\175\141\124\021\313\355\253\340\346
\322\242\176\365\153\157\030\267\012\013\055\375\351\076\357\012
\306\263\020\351\334\302\106\027\370\135\375\244\332\377\236\111
\132\234\346\063\346\044\226\367\077\272\133\053\034\172\065\302
\326\147\376\253\146\120\213\155\050\140\053\357\327\140\303\307
\223\274\215\066\221\363\177\370\333\021\023\304\234\167\166\301
```

\256\267\002\152\201\172\251\105\203\342\005\346\271\126\301\224  
\067\217\110\161\143\042\354\027\145\007\225\212\113\337\217\306  
\132\012\345\260\343\137\136\153\021\253\014\371\205\353\104\351  
\370\004\163\362\351\376\134\230\214\365\163\257\153\264\176\315  
\324\134\002\053\114\071\341\262\225\225\055\102\207\327\325\263  
\220\103\267\154\023\361\336\335\366\304\370\211\077\321\165\365  
\222\303\221\325\212\210\320\220\354\334\155\336\211\302\145\161  
\226\213\015\003\375\234\277\133\026\254\222\333\352\376\171\174  
\255\353\257\367\026\313\333\315\045\053\345\037\373\232\237\342  
\121\314\072\123\014\110\346\016\275\311\264\166\006\122\346\021  
\023\205\162\143\003\004\340\004\066\053\040\031\002\350\164\247  
\037\266\311\126\146\360\165\045\334\147\301\016\141\140\210\263  
\076\321\250\374\243\332\035\260\321\261\043\124\337\104\166\155  
\355\101\330\301\262\042\266\123\034\337\065\035\334\241\167\052  
\061\344\055\365\345\345\333\310\340\377\345\200\327\013\143\240  
\377\063\241\017\272\054\025\025\352\227\263\322\242\265\276\362  
\214\226\036\032\217\035\154\244\141\067\271\206\163\063\327\227  
\226\236\043\175\202\244\114\201\342\241\321\272\147\137\225\007  
\243\047\021\356\026\020\173\274\105\112\114\262\004\322\253\357  
\325\375\014\121\316\120\152\010\061\371\221\332\014\217\144\134  
\003\303\072\213\040\077\156\215\147\075\072\326\376\175\133\210  
\311\136\373\314\141\334\213\063\167\323\104\062\065\011\142\004  
\222\026\020\330\236\047\107\373\073\041\343\370\353\035\133\002  
\003\001\000\001\243\201\260\060\201\255\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\013\006\003\125  
\035\017\004\004\003\002\001\006\060\035\006\003\125\035\016\004  
\026\004\024\032\204\142\274\110\114\063\045\004\324\356\320\366  
\003\304\031\106\321\224\153\060\156\006\003\125\035\043\004\147  
\060\145\200\024\032\204\142\274\110\114\063\045\004\324\356\320  
\366\003\304\031\106\321\224\153\241\111\244\107\060\105\061\013  
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006  
\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114  
\151\155\151\164\145\144\061\033\060\031\006\003\125\004\003\023  
\022\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103  
\101\040\062\202\002\005\011\060\015\006\011\052\206\110\206\367  
\015\001\001\005\005\000\003\202\002\001\000\076\012\026\115\237  
\006\133\250\256\161\135\057\005\057\147\346\023\105\203\304\066  
\366\363\300\046\014\015\265\107\144\135\370\264\162\311\106\245  
\003\030\047\125\211\170\175\166\352\226\064\200\027\040\334\347  
\203\370\215\374\007\270\332\137\115\056\147\262\204\375\331\104  
\374\167\120\201\346\174\264\311\015\013\162\123\370\166\007\007  
\101\107\226\014\373\340\202\046\223\125\214\376\042\037\140\145  
\174\137\347\046\263\367\062\220\230\120\324\067\161\125\366\222  
\041\170\367\225\171\372\370\055\046\207\146\126\060\167\246\067  
\170\063\122\020\130\256\077\141\216\362\152\261\357\030\176\112  
\131\143\312\215\242\126\325\247\057\274\126\037\317\071\301\342  
\373\012\250\025\054\175\115\172\143\306\154\227\104\074\322\157  
\303\112\027\012\370\220\322\127\242\031\121\245\055\227\101\332



```
\007\117\251\120\332\220\215\224\106\341\076\360\224\375\020\000
\070\365\073\350\100\341\264\156\126\032\040\314\157\130\215\355
\056\105\217\326\351\223\077\347\261\054\337\072\326\042\214\334
\204\273\042\157\320\370\344\306\071\351\004\210\074\303\272\353
\125\172\155\200\231\044\365\154\001\373\370\227\260\224\133\353
\375\322\157\361\167\150\015\065\144\043\254\270\125\241\003\321
\115\102\031\334\370\165\131\126\243\371\250\111\171\370\257\016
\271\021\240\174\267\152\355\064\320\266\046\142\070\032\207\014
\370\350\375\056\323\220\177\007\221\052\035\326\176\134\205\203
\231\260\070\010\077\351\136\371\065\007\344\311\142\156\127\177
\247\120\225\367\272\310\233\346\216\242\001\305\326\146\277\171
\141\363\074\034\341\271\202\134\135\240\303\351\330\110\275\031
\242\021\024\031\156\262\206\033\150\076\110\067\032\210\267\135
\226\136\234\307\357\047\142\010\342\221\031\134\322\361\041\335
\272\027\102\202\227\161\201\123\061\251\237\366\175\142\277\162
\341\243\223\035\314\212\046\132\011\070\320\316\327\015\200\026
\264\170\245\072\207\114\215\212\245\325\106\227\362\054\020\271
\274\124\042\300\001\120\151\103\236\364\262\357\155\370\354\332
\361\343\261\357\337\221\217\124\052\013\045\301\046\031\304\122
\020\005\145\325\202\020\352\302\061\315\056
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "QuoVadis Root CA 2"
```

```
Issuer: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM
```

```
Serial Number: 1289 (0x509)
```

```
Subject: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM
```

```
Not Valid Before: Fri Nov 24 18:27:00 2006
```

```
Not Valid After : Mon Nov 24 18:23:33 2031
```

```
Fingerprint (SHA-256):
```

```
85:A0:DD:7D:D7:20:AD:B7:FF:05:F8:3D:54:2B:20:9D:C7:FF:45:28:F7:D6:77:B1:83:89:FE:A5:E5:C4:9E:86
```

```
Fingerprint (SHA1): CA:3A:FB:CF:12:40:36:4B:44:B2:16:20:88:80:48:39:19:93:7C:F7
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "QuoVadis Root CA 2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\312\072\373\317\022\100\066\113\104\262\026\040\210\200\110\071
\031\223\174\367
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\136\071\173\335\370\272\354\202\351\254\142\272\014\124\000\053
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
```

```
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\002\005\011
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "QuoVadis Root CA 3"

#

# Issuer: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM

# Serial Number: 1478 (0x5c6)

# Subject: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM

# Not Valid Before: Fri Nov 24 19:11:23 2006

# Not Valid After : Mon Nov 24 19:06:44 2031

# Fingerprint (SHA-256):

18:F1:FC:7F:20:5D:F8:AD:DD:EB:7F:E0:07:DD:57:E3:AF:37:5A:9C:4D:8D:73:54:6B:F4:F1:FE:D1:E1:8D:35

# Fingerprint (SHA1): 1F:49:14:F7:D8:74:95:1D:DD:AE:02:C0:BE:FD:3A:2D:82:75:51:85

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "QuoVadis Root CA 3"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\002\005\306
```

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\006\235\060\202\004\205\240\003\002\001\002\002\002\005  
\306\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000  
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061  
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144  
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003  
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157  
\157\164\040\103\101\040\063\060\036\027\015\060\066\061\061\062  
\064\061\071\061\061\062\063\132\027\015\063\061\061\061\062\064  
\061\071\060\066\064\064\132\060\105\061\013\060\011\006\003\125  
\004\006\023\002\102\115\061\031\060\027\006\003\125\004\012\023  
\020\121\165\157\126\141\144\151\163\040\114\151\155\151\164\145  
\144\061\033\060\031\006\003\125\004\003\023\022\121\165\157\126  
\141\144\151\163\040\122\157\157\164\040\103\101\040\063\060\202  
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\314  
\127\102\026\124\234\346\230\323\323\115\356\376\355\307\237\103  
\071\112\145\263\350\026\210\064\333\015\131\221\164\317\222\270  
\004\100\255\002\113\061\253\274\215\221\150\330\040\016\032\001  
\342\032\173\116\027\135\342\212\267\077\231\032\315\353\141\253  
\302\145\246\037\267\267\275\267\217\374\375\160\217\013\240\147  
\276\001\242\131\317\161\346\017\051\166\377\261\126\171\105\053  
\037\236\172\124\350\243\051\065\150\244\001\117\017\244\056\067  
\357\033\277\343\217\020\250\162\253\130\127\347\124\206\310\311  
\363\133\332\054\332\135\216\156\074\243\076\332\373\202\345\335  
\362\134\262\005\063\157\212\066\316\320\023\116\377\277\112\014  
\064\114\246\303\041\275\120\004\125\353\261\273\235\373\105\036  
\144\025\336\125\001\214\002\166\265\313\241\077\102\151\274\057  
\275\150\103\026\126\211\052\067\141\221\375\246\256\116\300\313  
\024\145\224\067\113\222\006\357\004\320\310\234\210\333\013\173  
\201\257\261\075\052\304\145\072\170\266\356\334\200\261\322\323  
\231\234\072\356\153\132\153\263\215\267\325\316\234\302\276\245  
\113\057\026\261\236\150\073\006\157\256\175\237\370\336\354\314  
\051\247\230\243\045\103\057\357\361\137\046\341\210\115\370\136  
\156\327\331\024\156\031\063\151\247\073\204\211\223\304\123\125  
\023\241\121\170\100\370\270\311\242\356\173\272\122\102\203\236  
\024\355\005\122\132\131\126\247\227\374\235\077\012\051\330\334  
\117\221\016\023\274\336\225\244\337\213\231\276\254\233\063\210  
\357\265\201\257\033\306\042\123\310\366\307\356\227\024\260\305  
\174\170\122\310\360\316\156\167\140\204\246\351\052\166\040\355  
\130\001\027\060\223\351\032\213\340\163\143\331\152\222\224\111  
\116\264\255\112\205\304\243\042\060\374\011\355\150\042\163\246  
\210\014\125\041\130\305\341\072\237\052\335\312\341\220\340\331  
\163\253\154\200\270\350\013\144\223\240\234\214\031\377\263\322  
\014\354\221\046\207\212\263\242\341\160\217\054\012\345\315\155  
\150\121\353\332\077\005\177\213\062\346\023\134\153\376\137\100  
\342\042\310\264\264\144\117\326\272\175\110\076\250\151\014\327  
\273\206\161\311\163\270\077\073\235\045\113\332\377\100\353\002

\003\001\000\001\243\202\001\225\060\202\001\221\060\017\006\003  
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\201\341  
\006\003\125\035\040\004\201\331\060\201\326\060\201\323\006\011  
\053\006\001\004\001\276\130\000\003\060\201\305\060\201\223\006  
\010\053\006\001\005\005\007\002\002\060\201\206\032\201\203\101  
\156\171\040\165\163\145\040\157\146\040\164\150\151\163\040\103  
\145\162\164\151\146\151\143\141\164\145\040\143\157\156\163\164  
\151\164\165\164\145\163\040\141\143\143\145\160\164\141\156\143  
\145\040\157\146\040\164\150\145\040\121\165\157\126\141\144\151  
\163\040\122\157\157\164\040\103\101\040\063\040\103\145\162\164  
\151\146\151\143\141\164\145\040\120\157\154\151\143\171\040\057  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\120  
\162\141\143\164\151\143\145\040\123\164\141\164\145\155\145\156  
\164\056\060\055\006\010\053\006\001\005\005\007\002\001\026\041  
\150\164\164\160\072\057\057\167\167\167\056\161\165\157\166\141  
\144\151\163\147\154\157\142\141\154\056\143\157\155\057\143\160  
\163\060\013\006\003\125\035\017\004\004\003\002\001\006\060\035  
\006\003\125\035\016\004\026\004\024\362\300\023\340\202\103\076  
\373\356\057\147\062\226\065\134\333\270\313\002\320\060\156\006  
\003\125\035\043\004\147\060\145\200\024\362\300\023\340\202\103  
\076\373\356\057\147\062\226\065\134\333\270\313\002\320\241\111  
\244\107\060\105\061\013\060\011\006\003\125\004\006\023\002\102  
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126  
\141\144\151\163\040\114\151\155\151\164\145\144\061\033\060\031  
\006\003\125\004\003\023\022\121\165\157\126\141\144\151\163\040  
\122\157\157\164\040\103\101\040\063\202\002\005\306\060\015\006  
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\002\001  
\000\117\255\240\054\114\372\300\362\157\367\146\125\253\043\064  
\356\347\051\332\303\133\266\260\203\331\320\320\342\041\373\363  
\140\247\073\135\140\123\047\242\233\366\010\042\052\347\277\240  
\162\345\234\044\152\061\261\220\172\047\333\204\021\211\047\246  
\167\132\070\327\277\254\206\374\356\135\203\274\006\306\321\167  
\153\017\155\044\057\113\172\154\247\007\226\312\343\204\237\255  
\210\213\035\253\026\215\133\146\027\331\026\364\213\200\322\335  
\370\262\166\303\374\070\023\252\014\336\102\151\053\156\363\074  
\353\200\047\333\365\246\104\015\237\132\125\131\013\325\015\122  
\110\305\256\237\362\057\200\305\352\062\120\065\022\227\056\301  
\341\377\361\043\210\121\070\237\362\146\126\166\347\017\121\227  
\245\122\014\115\111\121\225\066\075\277\242\113\014\020\035\206  
\231\114\252\363\162\021\223\344\352\366\233\332\250\135\247\115  
\267\236\002\256\163\000\310\332\043\003\350\371\352\031\164\142  
\000\224\313\042\040\276\224\247\131\265\202\152\276\231\171\172  
\251\362\112\044\122\367\164\375\272\116\346\250\035\002\156\261  
\015\200\104\301\256\323\043\067\137\273\205\174\053\222\056\350  
\176\245\213\335\231\341\277\047\157\055\135\252\173\207\376\012  
\335\113\374\216\365\046\344\156\160\102\156\063\354\061\236\173  
\223\301\344\311\151\032\075\300\153\116\042\155\356\253\130\115  
\306\320\101\301\053\352\117\022\207\136\353\105\330\154\365\230

```
\002\323\240\330\125\212\006\231\031\242\240\167\321\060\236\254
\314\165\356\203\365\260\142\071\317\154\127\342\114\322\221\013
\016\165\050\033\232\277\375\032\103\361\312\167\373\073\217\141
\270\151\050\026\102\004\136\160\052\034\041\330\217\341\275\043
\133\055\164\100\222\331\143\031\015\163\335\151\274\142\107\274
\340\164\053\262\353\175\276\101\033\265\300\106\305\241\042\313
\137\116\301\050\222\336\030\272\325\052\050\273\021\213\027\223
\230\231\140\224\134\043\317\132\047\227\136\013\005\006\223\067
\036\073\151\066\353\251\236\141\035\217\062\332\216\014\326\164
\076\173\011\044\332\001\167\107\304\073\315\064\214\231\365\312
\341\045\141\063\262\131\033\342\156\327\067\127\266\015\251\022
\332
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "QuoVadis Root CA 3"
```

```
Issuer: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM
```

```
Serial Number: 1478 (0x5c6)
```

```
Subject: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM
```

```
Not Valid Before: Fri Nov 24 19:11:23 2006
```

```
Not Valid After : Mon Nov 24 19:06:44 2031
```

```
Fingerprint (SHA-256):
```

```
18:F1:FC:7F:20:5D:F8:AD:DD:EB:7F:E0:07:DD:57:E3:AF:37:5A:9C:4D:8D:73:54:6B:F4:F1:FE:D1:E1:8D:35
```

```
Fingerprint (SHA1): 1F:49:14:F7:D8:74:95:1D:DD:AE:02:C0:BE:FD:3A:2D:82:75:51:85
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "QuoVadis Root CA 3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\037\111\024\367\330\164\225\035\335\256\002\300\276\375\072\055
```

```
\202\165\121\205
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\061\205\074\142\224\227\143\271\252\375\211\116\257\157\340\317
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
```

```
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
```

```
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
```

```
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
```

```
\157\164\040\103\101\040\063
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\002\005\306
```

END

```

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Security Communication Root CA"
#
Issuer: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
Serial Number: 0 (0x0)
Subject: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
Not Valid Before: Tue Sep 30 04:20:49 2003
Not Valid After : Sat Sep 30 04:20:49 2023
Fingerprint (SHA-256):
E7:5E:72:ED:9F:56:0E:EC:6E:B4:80:00:73:A4:3F:C3:AD:19:19:5A:39:22:82:01:78:95:97:4A:99:02:6B:6C
Fingerprint (SHA1): 36:B1:2B:49:F9:81:9E:D7:4C:9E:BC:38:0F:C6:56:8F:5D:AC:B2:F7
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040
\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125
\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155
\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103
\101\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040
\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125
\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155
\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103
\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\132\060\202\002\102\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061\030
\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040\124
\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125\004

```

\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155\155  
\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103\101  
\061\060\036\027\015\060\063\060\071\063\060\060\064\062\060\064  
\071\132\027\015\062\063\060\071\063\060\060\064\062\060\064\071  
\132\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120  
\061\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115  
\040\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003  
\125\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157  
\155\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164  
\103\101\061\060\202\001\042\060\015\006\011\052\206\110\206\367  
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002  
\202\001\001\000\263\263\376\177\323\155\261\357\026\174\127\245  
\014\155\166\212\057\113\277\144\373\114\356\212\360\363\051\174  
\365\377\356\052\340\351\351\272\133\144\042\232\232\157\054\072  
\046\151\121\005\231\046\334\325\034\152\161\306\232\175\036\235  
\335\174\154\306\214\147\147\112\076\370\161\260\031\047\251\011  
\014\246\225\277\113\214\014\372\125\230\073\330\350\042\241\113  
\161\070\171\254\227\222\151\263\211\176\352\041\150\006\230\024  
\226\207\322\141\066\274\155\047\126\236\127\356\300\300\126\375  
\062\317\244\331\216\302\043\327\215\250\363\330\045\254\227\344  
\160\070\364\266\072\264\235\073\227\046\103\243\241\274\111\131  
\162\114\043\060\207\001\130\366\116\276\034\150\126\146\257\315  
\101\135\310\263\115\052\125\106\253\037\332\036\342\100\075\333  
\315\175\271\222\200\234\067\335\014\226\144\235\334\042\367\144  
\213\337\141\336\025\224\122\025\240\175\122\311\113\250\041\311  
\306\261\355\313\303\225\140\321\017\360\253\160\370\337\313\115  
\176\354\326\372\253\331\275\177\124\362\245\351\171\372\331\326  
\166\044\050\163\002\003\001\000\001\243\077\060\075\060\035\006  
\003\125\035\016\004\026\004\024\240\163\111\231\150\334\205\133  
\145\343\233\050\057\127\237\275\063\274\007\110\060\013\006\003  
\125\035\017\004\004\003\002\001\006\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\015\006\011\052\206  
\110\206\367\015\001\001\005\005\000\003\202\001\001\000\150\100  
\251\250\273\344\117\135\171\263\005\265\027\263\140\023\353\306  
\222\135\340\321\323\152\376\373\276\233\155\277\307\005\155\131  
\040\304\034\360\267\332\204\130\002\143\372\110\026\357\117\245  
\013\367\112\230\362\077\236\033\255\107\153\143\316\010\107\353  
\122\077\170\234\257\115\256\370\325\117\317\232\230\052\020\101  
\071\122\304\335\331\233\016\357\223\001\256\262\056\312\150\102  
\044\102\154\260\263\072\076\315\351\332\110\304\025\313\351\371  
\007\017\222\120\111\212\335\061\227\137\311\351\067\252\073\131  
\145\227\224\062\311\263\237\076\072\142\130\305\111\255\142\016  
\161\245\062\252\057\306\211\166\103\100\023\023\147\075\242\124  
\045\020\313\361\072\362\331\372\333\111\126\273\246\376\247\101  
\065\303\340\210\141\311\210\307\337\066\020\042\230\131\352\260  
\112\373\126\026\163\156\254\115\367\042\241\117\255\035\172\055  
\105\047\345\060\301\136\362\332\023\313\045\102\121\225\107\003  
\214\154\041\314\164\102\355\123\377\063\213\217\017\127\001\026

```

\057\317\246\356\311\160\042\024\275\375\276\154\013\003
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Security Communication Root CA"
Issuer: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
Serial Number: 0 (0x0)
Subject: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
Not Valid Before: Tue Sep 30 04:20:49 2003
Not Valid After : Sat Sep 30 04:20:49 2023
Fingerprint (SHA-256):
E7:5E:72:ED:9F:56:0E:EC:6E:B4:80:00:73:A4:3F:C3:AD:19:19:5A:39:22:82:01:78:95:97:4A:99:02:6B:6C
Fingerprint (SHA1): 36:B1:2B:49:F9:81:9E:D7:4C:9E:BC:38:0F:C6:56:8F:5D:AC:B2:F7
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\066\261\053\111\371\201\236\327\114\236\274\070\017\306\126\217
\135\254\262\367
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\361\274\143\152\124\340\265\047\365\315\347\032\343\115\156\112
END
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040
\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125
\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155
\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103
\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Camerfirma Chambers of Commerce Root"
#
Issuer: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
A82743287,C=EU

```



```
Serial Number: 0 (0x0)
Subject: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
A82743287,C=EU
Not Valid Before: Tue Sep 30 16:13:43 2003
Not Valid After : Wed Sep 30 16:13:44 2037
Fingerprint (SHA-256):
0C:25:8A:12:A5:67:4A:EF:25:F2:8B:A7:DC:FA:EC:EE:A3:48:E5:41:E6:F5:CC:4E:E6:3B:71:B3:61:60:6A:C3
Fingerprint (SHA1): 6E:3A:55:A4:19:0C:19:5C:93:84:3C:C0:DB:72:2E:31:30:61:F0:B1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Camerfirma Chambers of Commerce Root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157
\164
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157
\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\275\060\202\003\245\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061\047
\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155\145
\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101\070
\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004\013
\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150\141
```

\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060\040  
\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163\040  
\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157\164  
\060\036\027\015\060\063\060\071\063\060\061\066\061\063\064\063  
\132\027\015\063\067\060\071\063\060\061\066\061\063\064\064\132  
\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061  
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155  
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101  
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004  
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150  
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060  
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163  
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157  
\164\060\202\001\040\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\001\015\000\060\202\001\010\002\202\001  
\001\000\267\066\125\345\245\135\030\060\340\332\211\124\221\374  
\310\307\122\370\057\120\331\357\261\165\163\145\107\175\033\133  
\272\165\305\374\241\210\044\372\057\355\312\010\112\071\124\304  
\121\172\265\332\140\352\070\074\201\262\313\361\273\331\221\043  
\077\110\001\160\165\251\005\052\255\037\161\363\311\124\075\035  
\006\152\100\076\263\014\205\356\134\033\171\302\142\304\270\066  
\216\065\135\001\014\043\004\107\065\252\233\140\116\240\146\075  
\313\046\012\234\100\241\364\135\230\277\161\253\245\000\150\052  
\355\203\172\017\242\024\265\324\042\263\200\260\074\014\132\121  
\151\055\130\030\217\355\231\236\361\256\342\225\346\366\107\250  
\326\014\017\260\130\130\333\303\146\067\236\233\221\124\063\067  
\322\224\034\152\110\311\311\362\245\332\245\014\043\367\043\016  
\234\062\125\136\161\234\204\005\121\232\055\375\346\116\052\064  
\132\336\312\100\067\147\014\124\041\125\167\332\012\014\314\227  
\256\200\334\224\066\112\364\076\316\066\023\036\123\344\254\116  
\072\005\354\333\256\162\234\070\213\320\071\073\211\012\076\167  
\376\165\002\001\003\243\202\001\104\060\202\001\100\060\022\006  
\003\125\035\023\001\001\377\004\010\060\006\001\001\377\002\001  
\014\060\074\006\003\125\035\037\004\065\060\063\060\061\240\057  
\240\055\206\053\150\164\164\160\072\057\057\143\162\154\056\143  
\150\141\155\142\145\162\163\162\157\157\164\056\143\162\154\060  
\035\006\003\125\035\016\004\026\004\024\343\224\365\261\115\351  
\333\241\051\133\127\213\115\166\006\166\341\321\242\212\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\021  
\006\011\140\206\110\001\206\370\102\001\001\004\004\003\002\000  
\007\060\047\006\003\125\035\021\004\040\060\036\201\034\143\150  
\141\155\142\145\162\163\162\157\157\164\100\143\150\141\155\142  
\145\162\163\151\147\156\056\157\162\147\060\047\006\003\125\035  
\022\004\040\060\036\201\034\143\150\141\155\142\145\162\163\162  
\157\157\164\100\143\150\141\155\142\145\162\163\151\147\156\056  
\157\162\147\060\130\006\003\125\035\040\004\121\060\117\060\115  
\006\013\053\006\001\004\001\201\207\056\012\003\001\060\076\060

\074\006\010\053\006\001\005\005\007\002\001\026\060\150\164\164  
\160\072\057\057\143\160\163\056\143\150\141\155\142\145\162\163  
\151\147\156\056\157\162\147\057\143\160\163\057\143\150\141\155  
\142\145\162\163\162\157\157\164\056\150\164\155\154\060\015\006  
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001  
\000\014\101\227\302\032\206\300\042\174\237\373\220\363\032\321  
\003\261\357\023\371\041\137\004\234\332\311\245\215\047\154\226  
\207\221\276\101\220\001\162\223\347\036\175\137\366\211\306\135  
\247\100\011\075\254\111\105\105\334\056\215\060\150\262\011\272  
\373\303\057\314\272\013\337\077\167\173\106\175\072\022\044\216  
\226\217\074\005\012\157\322\224\050\035\155\014\300\056\210\042  
\325\330\317\035\023\307\360\110\327\327\005\247\317\307\107\236  
\073\074\064\310\200\117\324\024\273\374\015\120\367\372\263\354  
\102\137\251\335\155\310\364\165\317\173\301\162\046\261\001\034  
\134\054\375\172\116\264\001\305\005\127\271\347\074\252\005\331  
\210\351\007\106\101\316\357\101\201\256\130\337\203\242\256\312  
\327\167\037\347\000\074\235\157\216\344\062\011\035\115\170\064  
\170\064\074\224\233\046\355\117\161\306\031\172\275\040\042\110  
\132\376\113\175\003\267\347\130\276\306\062\116\164\036\150\335  
\250\150\133\263\076\356\142\175\331\200\350\012\165\172\267\356  
\264\145\232\041\220\340\252\320\230\274\070\265\163\074\213\370  
\334

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
# For Email Distrust After: Mon Mar 01 00:00:00 2021  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER MULTILINE\_OCTAL  
\062\061\060\063\060\061\060\060\060\060\060\060\132  
END

# Trust for "Camerfirma Chambers of Commerce Root"  
# Issuer: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF  
A82743287,C=EU  
# Serial Number: 0 (0x0)  
# Subject: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF  
A82743287,C=EU  
# Not Valid Before: Tue Sep 30 16:13:43 2003  
# Not Valid After : Wed Sep 30 16:13:44 2037  
# Fingerprint (SHA-256):  
0C:25:8A:12:A5:67:4A:EF:25:F2:8B:A7:DC:FA:EC:EE:A3:48:E5:41:E6:F5:CC:4E:E6:3B:71:B3:61:60:6A:C3  
# Fingerprint (SHA1): 6E:3A:55:A4:19:0C:19:5C:93:84:3C:C0:DB:72:2E:31:30:61:F0:B1  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE  
CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE  
CKA\_LABEL UTF8 "Camerfirma Chambers of Commerce Root"  
CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL  
\156\072\125\244\031\014\031\134\223\204\074\300\333\162\056\061

```

\060\141\360\261
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\260\001\356\024\331\257\051\030\224\166\216\361\151\063\052\204
END
CKA_ISSUER MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157
\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "XRamp Global CA Root"
#
Issuer: CN=XRamp Global Certification Authority,O=XRamp Security Services
Inc,OU=www.xrampsecurity.com,C=US
Serial Number:50:94:6c:ec:18:ea:d5:9c:4d:d5:97:ef:75:8f:a0:ad
Subject: CN=XRamp Global Certification Authority,O=XRamp Security Services
Inc,OU=www.xrampsecurity.com,C=US
Not Valid Before: Mon Nov 01 17:14:04 2004
Not Valid After : Mon Jan 01 05:37:19 2035
Fingerprint (SHA-256):
CE:CD:DC:90:50:99:D8:DA:DF:C5:B1:D2:09:B7:37:CB:E2:C1:8C:FB:2C:10:C0:FF:0B:CF:0D:32:86:FC:1A:A2
Fingerprint (SHA1): B8:01:86:D1:EB:9C:86:A5:41:04:CF:30:54:F3:4C:52:B7:E5:58:C6
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "XRamp Global CA Root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\036\060\034\006\003\125\004\013\023\025\167\167\167\056\170
\162\141\155\160\163\145\143\165\162\151\164\171\056\143\157\155
\061\044\060\042\006\003\125\004\012\023\033\130\122\141\155\160

```

\040\123\145\143\165\162\151\164\171\040\123\145\162\166\151\143  
\145\163\040\111\156\143\061\055\060\053\006\003\125\004\003\023  
\044\130\122\141\155\160\040\107\154\157\142\141\154\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\036\060\034\006\003\125\004\013\023\025\167\167\167\056\170  
\162\141\155\160\163\145\143\165\162\151\164\171\056\143\157\155  
\061\044\060\042\006\003\125\004\012\023\033\130\122\141\155\160  
\040\123\145\143\165\162\151\164\171\040\123\145\162\166\151\143  
\145\163\040\111\156\143\061\055\060\053\006\003\125\004\003\023  
\044\130\122\141\155\160\040\107\154\157\142\141\154\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\120\224\154\354\030\352\325\234\115\325\227\357\165\217  
\240\255

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\060\060\202\003\030\240\003\002\001\002\002\020\120  
\224\154\354\030\352\325\234\115\325\227\357\165\217\240\255\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\201  
\202\061\013\060\011\006\003\125\004\006\023\002\125\123\061\036  
\060\034\006\003\125\004\013\023\025\167\167\167\056\170\162\141  
\155\160\163\145\143\165\162\151\164\171\056\143\157\155\061\044  
\060\042\006\003\125\004\012\023\033\130\122\141\155\160\040\123  
\145\143\165\162\151\164\171\040\123\145\162\166\151\143\145\163  
\040\111\156\143\061\055\060\053\006\003\125\004\003\023\044\130  
\122\141\155\160\040\107\154\157\142\141\154\040\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162  
\151\164\171\060\036\027\015\060\064\061\061\060\061\061\067\061  
\064\060\064\132\027\015\063\065\060\061\060\061\060\065\063\067  
\061\071\132\060\201\202\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\036\060\034\006\003\125\004\013\023\025\167\167  
\167\056\170\162\141\155\160\163\145\143\165\162\151\164\171\056  
\143\157\155\061\044\060\042\006\003\125\004\012\023\033\130\122  
\141\155\160\040\123\145\143\165\162\151\164\171\040\123\145\162  
\166\151\143\145\163\040\111\156\143\061\055\060\053\006\003\125  
\004\003\023\044\130\122\141\155\160\040\107\154\157\142\141\154  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171\060\202\001\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000  
\060\202\001\012\002\202\001\001\000\230\044\036\275\025\264\272  
\337\307\214\245\047\266\070\013\151\363\266\116\250\054\056\041

\035\134\104\337\041\135\176\043\164\376\136\176\264\112\267\246  
\255\037\256\340\006\026\342\233\133\331\147\164\153\135\200\217  
\051\235\206\033\331\234\015\230\155\166\020\050\130\344\145\260  
\177\112\230\171\237\340\303\061\176\200\053\265\214\300\100\073  
\021\206\320\313\242\206\066\140\244\325\060\202\155\331\156\320  
\017\022\004\063\227\137\117\141\132\360\344\371\221\253\347\035  
\073\274\350\317\364\153\055\064\174\342\110\141\034\216\363\141  
\104\314\157\240\112\251\224\260\115\332\347\251\064\172\162\070  
\250\101\314\074\224\021\175\353\310\246\214\267\206\313\312\063  
\073\331\075\067\213\373\172\076\206\054\347\163\327\012\127\254  
\144\233\031\353\364\017\004\010\212\254\003\027\031\144\364\132  
\045\042\215\064\054\262\366\150\035\022\155\323\212\036\024\332  
\304\217\246\342\043\205\325\172\015\275\152\340\351\354\354\027  
\273\102\033\147\252\045\355\105\203\041\374\301\311\174\325\142  
\076\372\362\305\055\323\375\324\145\002\003\001\000\001\243\201  
\237\060\201\234\060\023\006\011\053\006\001\004\001\202\067\024  
\002\004\006\036\004\000\103\000\101\060\013\006\003\125\035\017  
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\306\117\242\075\006\143\204\011\234\316\142\344\004\254  
\215\134\265\351\266\033\060\066\006\003\125\035\037\004\057\060  
\055\060\053\240\051\240\047\206\045\150\164\164\160\072\057\057  
\143\162\154\056\170\162\141\155\160\163\145\143\165\162\151\164  
\171\056\143\157\155\057\130\107\103\101\056\143\162\154\060\020  
\006\011\053\006\001\004\001\202\067\025\001\004\003\002\001\001  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003  
\202\001\001\000\221\025\071\003\001\033\147\373\112\034\371\012  
\140\133\241\332\115\227\142\371\044\123\047\327\202\144\116\220  
\056\303\111\033\053\232\334\374\250\170\147\065\361\035\360\021  
\275\267\110\343\020\366\015\337\077\322\311\266\252\125\244\110  
\272\002\333\336\131\056\025\133\073\235\026\175\107\327\067\352  
\137\115\166\022\066\273\037\327\241\201\004\106\040\243\054\155  
\251\236\001\176\077\051\316\000\223\337\375\311\222\163\211\211  
\144\236\347\053\344\034\221\054\322\271\316\175\316\157\061\231  
\323\346\276\322\036\220\360\011\024\171\134\043\253\115\322\332  
\041\037\115\231\171\235\341\317\047\237\020\233\034\210\015\260  
\212\144\101\061\270\016\154\220\044\244\233\134\161\217\272\273  
\176\034\033\333\152\200\017\041\274\351\333\246\267\100\364\262  
\213\251\261\344\357\232\032\320\075\151\231\356\250\050\243\341  
\074\263\360\262\021\234\317\174\100\346\335\347\103\175\242\330  
\072\265\251\215\362\064\231\304\324\020\341\006\375\011\204\020  
\073\356\304\114\364\354\047\174\102\302\164\174\202\212\011\311  
\264\003\045\274

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

Trust for "XRamp Global CA Root"
Issuer: CN=XRamp Global Certification Authority,O=XRamp Security Services
Inc,OU=www.xrampsecurity.com,C=US
Serial Number:50:94:6c:ec:18:ea:d5:9c:4d:d5:97:ef:75:8f:a0:ad
Subject: CN=XRamp Global Certification Authority,O=XRamp Security Services
Inc,OU=www.xrampsecurity.com,C=US
Not Valid Before: Mon Nov 01 17:14:04 2004
Not Valid After : Mon Jan 01 05:37:19 2035
Fingerprint (SHA-256):
CE:CD:DC:90:50:99:D8:DA:DF:C5:B1:D2:09:B7:37:CB:E2:C1:8C:FB:2C:10:C0:FF:0B:CF:0D:32:86:FC:1A:A2
Fingerprint (SHA1): B8:01:86:D1:EB:9C:86:A5:41:04:CF:30:54:F3:4C:52:B7:E5:58:C6
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "XRamp Global CA Root"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\270\001\206\321\353\234\206\245\101\004\317\060\124\363\114\122
\267\345\130\306
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\241\013\104\263\312\020\330\000\156\235\017\330\017\222\012\321
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\036\060\034\006\003\125\004\013\023\025\167\167\167\056\170
\162\141\155\160\163\145\143\165\162\151\164\171\056\143\157\155
\061\044\060\042\006\003\125\004\012\023\033\130\122\141\155\160
\040\123\145\143\165\162\151\164\171\040\123\145\162\166\151\143
\145\163\040\111\156\143\061\055\060\053\006\003\125\004\003\023
\044\130\122\141\155\160\040\107\154\157\142\141\154\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\120\224\154\354\030\352\325\234\115\325\227\357\165\217
\240\255
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Go Daddy Class 2 CA"
#
Issuer: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US
Serial Number: 0 (0x0)

```

```
Subject: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US
Not Valid Before: Tue Jun 29 17:06:20 2004
Not Valid After : Thu Jun 29 17:06:20 2034
Fingerprint (SHA-256):
C3:84:6B:F2:4B:9E:93:CA:64:27:4C:0E:C6:7C:1E:CC:5E:02:4F:FC:AC:D2:D7:40:19:35:0E:81:FE:54:6A:E4
Fingerprint (SHA1): 27:96:BA:E6:3F:18:01:E2:77:26:1B:A0:D7:77:70:02:8F:20:EE:E4
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Go Daddy Class 2 CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\041\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157
\040\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156
\143\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040
\104\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\041\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157
\040\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156
\143\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040
\104\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\000\060\202\002\350\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061\041
\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157\040
\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156\143
\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040\104
\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171\060\036\027\015\060\064\060\066\062\071\061\067
\060\066\062\060\132\027\015\063\064\060\066\062\071\061\067\060
\066\062\060\132\060\143\061\013\060\011\006\003\125\004\006\023
\002\125\123\061\041\060\037\006\003\125\004\012\023\030\124\150
\145\040\107\157\040\104\141\144\144\171\040\107\162\157\165\160
```



\054\040\111\156\143\056\061\061\060\057\006\003\125\004\013\023  
\050\107\157\040\104\141\144\144\171\040\103\154\141\163\163\040  
\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040  
\101\165\164\150\157\162\151\164\171\060\202\001\040\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\015  
\000\060\202\001\010\002\202\001\001\000\336\235\327\352\127\030  
\111\241\133\353\327\137\110\206\352\276\335\377\344\357\147\034  
\364\145\150\263\127\161\240\136\167\273\355\233\111\351\160\200  
\075\126\030\143\010\157\332\362\314\320\077\177\002\124\042\124  
\020\330\262\201\324\300\165\075\113\177\307\167\303\076\170\253  
\032\003\265\040\153\057\152\053\261\305\210\176\304\273\036\260  
\301\330\105\047\157\252\067\130\367\207\046\327\330\055\366\251  
\027\267\037\162\066\116\246\027\077\145\230\222\333\052\156\135  
\242\376\210\340\013\336\177\345\215\025\341\353\313\072\325\342  
\022\242\023\055\330\216\257\137\022\075\240\010\005\010\266\134  
\245\145\070\004\105\231\036\243\140\140\164\305\101\245\162\142  
\033\142\305\037\157\137\032\102\276\002\121\145\250\256\043\030  
\152\374\170\003\251\115\177\200\303\372\253\132\374\241\100\244  
\312\031\026\376\262\310\357\136\163\015\356\167\275\232\366\171  
\230\274\261\007\147\242\025\015\335\240\130\306\104\173\012\076  
\142\050\137\272\101\007\123\130\317\021\176\070\164\305\370\377  
\265\151\220\217\204\164\352\227\033\257\002\001\003\243\201\300  
\060\201\275\060\035\006\003\125\035\016\004\026\004\024\322\304  
\260\322\221\324\114\021\161\263\141\313\075\241\376\335\250\152  
\324\343\060\201\215\006\003\125\035\043\004\201\205\060\201\202  
\200\024\322\304\260\322\221\324\114\021\161\263\141\313\075\241  
\376\335\250\152\324\343\241\147\244\145\060\143\061\013\060\011  
\006\003\125\004\006\023\002\125\123\061\041\060\037\006\003\125  
\004\012\023\030\124\150\145\040\107\157\040\104\141\144\144\171  
\040\107\162\157\165\160\054\040\111\156\143\056\061\061\060\057  
\006\003\125\004\013\023\050\107\157\040\104\141\144\144\171\040  
\103\154\141\163\163\040\062\040\103\145\162\164\151\146\151\143  
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\202  
\001\000\060\014\006\003\125\035\023\004\005\060\003\001\001\377  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003  
\202\001\001\000\062\113\363\262\312\076\221\374\022\306\241\007  
\214\216\167\240\063\006\024\134\220\036\030\367\010\246\075\012  
\031\371\207\200\021\156\151\344\226\027\060\377\064\221\143\162  
\070\356\314\034\001\243\035\224\050\244\061\366\172\304\124\327  
\366\345\061\130\003\242\314\316\142\333\224\105\163\265\277\105  
\311\044\265\325\202\002\255\043\171\151\215\270\266\115\316\317  
\114\312\063\043\350\034\210\252\235\213\101\156\026\311\040\345  
\211\236\315\073\332\160\367\176\231\046\040\024\124\045\253\156  
\163\205\346\233\041\235\012\154\202\016\250\370\302\014\372\020  
\036\154\226\357\207\015\304\017\141\213\255\356\203\053\225\370  
\216\222\204\162\071\353\040\352\203\355\203\315\227\156\010\274  
\353\116\046\266\163\053\344\323\366\114\376\046\161\342\141\021  
\164\112\377\127\032\207\017\165\110\056\317\121\151\027\240\002

```
\022\141\225\325\321\100\262\020\114\356\304\254\020\103\246\245
\236\012\325\225\142\232\015\317\210\202\305\062\014\344\053\237
\105\346\015\237\050\234\261\271\052\132\127\255\067\017\257\035
\177\333\275\237
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "Go Daddy Class 2 CA"

# Issuer: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US

# Serial Number: 0 (0x0)

# Subject: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US

# Not Valid Before: Tue Jun 29 17:06:20 2004

# Not Valid After : Thu Jun 29 17:06:20 2034

# Fingerprint (SHA-256):

C3:84:6B:F2:4B:9E:93:CA:64:27:4C:0E:C6:7C:1E:CC:5E:02:4F:FC:AC:D2:D7:40:19:35:0E:81:FE:54:6A:E4

# Fingerprint (SHA1): 27:96:BA:E6:3F:18:01:E2:77:26:1B:A0:D7:77:70:02:8F:20:EE:E4

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Go Daddy Class 2 CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\047\226\272\346\077\030\001\342\167\046\033\240\327\167\160\002
\217\040\356\344
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\221\336\006\045\253\332\375\062\027\014\273\045\027\052\204\147
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\041\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157
\040\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156
\143\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040
\104\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\001\000
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

```

Certificate "Starfield Class 2 CA"
#
Issuer: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US
Serial Number: 0 (0x0)
Subject: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US
Not Valid Before: Tue Jun 29 17:39:16 2004
Not Valid After : Thu Jun 29 17:39:16 2034
Fingerprint (SHA-256):
14:65:FA:20:53:97:B8:76:FA:A6:F0:A9:95:8E:55:90:E4:0F:CC:7F:AA:4F:B7:C2:C8:67:75:21:FB:5F:B6:58
Fingerprint (SHA1): AD:7E:1C:28:B0:64:EF:8F:60:03:40:20:14:C3:D0:E3:37:0E:B5:8A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Class 2 CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\045\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151
\145\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163
\054\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023
\051\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163
\040\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\045\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151
\145\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163
\054\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023
\051\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163
\040\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\017\060\202\002\367\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061\045
\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151\145
\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163\054
\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023\051
\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163\040
\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040
\101\165\164\150\157\162\151\164\171\060\036\027\015\060\064\060

```

\066\062\071\061\067\063\071\061\066\132\027\015\063\064\060\066  
\062\071\061\067\063\071\061\066\132\060\150\061\013\060\011\006  
\003\125\004\006\023\002\125\123\061\045\060\043\006\003\125\004  
\012\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143  
\150\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061  
\062\060\060\006\003\125\004\013\023\051\123\164\141\162\146\151  
\145\154\144\040\103\154\141\163\163\040\062\040\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162  
\151\164\171\060\202\001\040\060\015\006\011\052\206\110\206\367  
\015\001\001\001\005\000\003\202\001\015\000\060\202\001\010\002  
\202\001\001\000\267\062\310\376\351\161\246\004\205\255\014\021  
\144\337\316\115\357\310\003\030\207\077\241\253\373\074\246\237  
\360\303\241\332\324\330\156\053\123\220\373\044\244\076\204\360  
\236\350\137\354\345\047\104\365\050\246\077\173\336\340\052\360  
\310\257\123\057\236\312\005\001\223\036\217\146\034\071\247\115  
\372\132\266\163\004\045\146\353\167\177\347\131\306\112\231\045  
\024\124\353\046\307\363\177\031\325\060\160\217\257\260\106\052  
\377\255\353\051\355\327\237\252\004\207\243\324\371\211\245\064  
\137\333\103\221\202\066\331\146\074\261\270\271\202\375\234\072  
\076\020\310\073\357\006\145\146\172\233\031\030\075\377\161\121  
\074\060\056\137\276\075\167\163\262\135\006\154\303\043\126\232  
\053\205\046\222\034\247\002\263\344\077\015\257\010\171\202\270  
\066\075\352\234\323\065\263\274\151\312\365\314\235\350\375\144  
\215\027\200\063\156\136\112\135\231\311\036\207\264\235\032\300  
\325\156\023\065\043\136\337\233\137\075\357\326\367\166\302\352  
\076\273\170\015\034\102\147\153\004\330\370\326\332\157\213\362  
\104\240\001\253\002\001\003\243\201\305\060\201\302\060\035\006  
\003\125\035\016\004\026\004\024\277\137\267\321\316\335\037\206  
\364\133\125\254\334\327\020\302\016\251\210\347\060\201\222\006  
\003\125\035\043\004\201\212\060\201\207\200\024\277\137\267\321  
\316\335\037\206\364\133\125\254\334\327\020\302\016\251\210\347  
\241\154\244\152\060\150\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\045\060\043\006\003\125\004\012\023\034\123\164  
\141\162\146\151\145\154\144\040\124\145\143\150\156\157\154\157  
\147\151\145\163\054\040\111\156\143\056\061\062\060\060\006\003  
\125\004\013\023\051\123\164\141\162\146\151\145\154\144\040\103  
\154\141\163\163\040\062\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\202\001  
\000\060\014\006\003\125\035\023\004\005\060\003\001\001\377\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003\202  
\001\001\000\005\235\077\210\235\321\311\032\125\241\254\151\363  
\363\131\332\233\001\207\032\117\127\251\241\171\011\052\333\367  
\057\262\036\314\307\136\152\330\203\207\241\227\357\111\065\076  
\167\006\101\130\142\277\216\130\270\012\147\077\354\263\335\041  
\146\037\311\124\372\162\314\075\114\100\330\201\257\167\236\203  
\172\273\242\307\365\064\027\216\331\021\100\364\374\054\052\115  
\025\177\247\142\135\056\045\323\000\013\040\032\035\150\371\027  
\270\364\275\213\355\050\131\335\115\026\213\027\203\310\262\145

```
\307\055\172\245\252\274\123\206\155\335\127\244\312\370\040\101
\013\150\360\364\373\164\276\126\135\172\171\365\371\035\205\343
\055\225\276\365\161\220\103\314\215\037\232\000\012\207\051\351
\125\042\130\000\043\352\343\022\103\051\133\107\010\335\214\101
\152\145\006\250\345\041\252\101\264\225\041\225\271\175\321\064
\253\023\326\255\274\334\342\075\071\315\275\076\165\160\241\030
\131\003\311\042\264\217\234\325\136\052\327\245\266\324\012\155
\370\267\100\021\106\232\037\171\016\142\277\017\227\354\340\057
\037\027\224
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Starfield Class 2 CA"

# Issuer: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US

# Serial Number: 0 (0x0)

# Subject: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US

# Not Valid Before: Tue Jun 29 17:39:16 2004

# Not Valid After : Thu Jun 29 17:39:16 2034

# Fingerprint (SHA-256):

14:65:FA:20:53:97:B8:76:FA:A6:F0:A9:95:8E:55:90:E4:0F:CC:7F:AA:4F:B7:C2:C8:67:75:21:FB:5F:B6:58

# Fingerprint (SHA1): AD:7E:1C:28:B0:64:EF:8F:60:03:40:20:14:C3:D0:E3:37:0E:B5:8A

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Starfield Class 2 CA"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

```
\255\176\034\050\260\144\357\217\140\003\100\040\024\303\320\343
\067\016\265\212
```

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

```
\062\112\113\273\310\143\151\233\276\164\232\306\335\035\106\044
```

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\045\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151
\145\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163
\054\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023
\051\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163
\040\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\001\000
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "DigiCert Assured ID Root CA"

#

# Issuer: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:0c:e7:e0:e5:17:d8:46:fe:8f:e5:60:fc:1b:f0:30:39

# Subject: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Fri Nov 10 00:00:00 2006

# Not Valid After : Mon Nov 10 00:00:00 2031

# Fingerprint (SHA-256):

3E:90:99:B5:01:5E:8F:48:6C:00:BC:EA:9D:11:1E:E7:21:FA:BA:35:5A:89:BC:F1:DF:69:56:1E:3D:C6:32:5C

# Fingerprint (SHA1): 05:63:B8:63:0D:62:D7:5A:BB:C8:AB:1E:4B:DF:B5:A8:99:B2:4D:43

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert Assured ID Root CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151  
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040  
\122\157\157\164\040\103\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151  
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040  
\122\157\157\164\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\014\347\340\345\027\330\106\376\217\345\140\374\033\360  
\060\071

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\267\060\202\002\237\240\003\002\001\002\002\020\014  
\347\340\345\027\330\106\376\217\345\140\374\033\360\060\071\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\145

\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060  
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164  
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167  
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061  
\044\060\042\006\003\125\004\003\023\033\104\151\147\151\103\145  
\162\164\040\101\163\163\165\162\145\144\040\111\104\040\122\157  
\157\164\040\103\101\060\036\027\015\060\066\061\061\061\060\060  
\060\060\060\060\060\132\027\015\063\061\061\061\061\060\060\060  
\060\060\060\060\132\060\145\061\013\060\011\006\003\125\004\006  
\023\002\125\123\061\025\060\023\006\003\125\004\012\023\014\104  
\151\147\151\103\145\162\164\040\111\156\143\061\031\060\027\006  
\003\125\004\013\023\020\167\167\167\056\144\151\147\151\143\145  
\162\164\056\143\157\155\061\044\060\042\006\003\125\004\003\023  
\033\104\151\147\151\103\145\162\164\040\101\163\163\165\162\145  
\144\040\111\104\040\122\157\157\164\040\103\101\060\202\001\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\001\017\000\060\202\001\012\002\202\001\001\000\255\016\025  
\316\344\103\200\134\261\207\363\267\140\371\161\022\245\256\334  
\046\224\210\252\364\316\365\040\071\050\130\140\014\370\200\332  
\251\025\225\062\141\074\265\261\050\204\212\212\334\237\012\014  
\203\027\172\217\220\254\212\347\171\123\134\061\204\052\366\017  
\230\062\066\166\314\336\335\074\250\242\357\152\373\041\362\122  
\141\337\237\040\327\037\342\261\331\376\030\144\322\022\133\137  
\371\130\030\065\274\107\315\241\066\371\153\177\324\260\070\076  
\301\033\303\214\063\331\330\057\030\376\050\017\263\247\203\326  
\303\156\104\300\141\065\226\026\376\131\234\213\166\155\327\361  
\242\113\015\053\377\013\162\332\236\140\320\216\220\065\306\170  
\125\207\040\241\317\345\155\012\310\111\174\061\230\063\154\042  
\351\207\320\062\132\242\272\023\202\021\355\071\027\235\231\072  
\162\241\346\372\244\331\325\027\061\165\256\205\175\042\256\077  
\001\106\206\366\050\171\310\261\332\344\127\027\304\176\034\016  
\260\264\222\246\126\263\275\262\227\355\252\247\360\267\305\250  
\077\225\026\320\377\241\226\353\010\137\030\167\117\002\003\001  
\000\001\243\143\060\141\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\105\353\242\257\364\222\313\202\061\055\121\213\247\247  
\041\235\363\155\310\017\060\037\006\003\125\035\043\004\030\060  
\026\200\024\105\353\242\257\364\222\313\202\061\055\121\213\247  
\247\041\235\363\155\310\017\060\015\006\011\052\206\110\206\367  
\015\001\001\005\005\000\003\202\001\001\000\242\016\274\337\342  
\355\360\343\162\163\172\144\224\277\367\162\146\330\062\344\102  
\165\142\256\207\353\362\325\331\336\126\263\237\314\316\024\050  
\271\015\227\140\134\022\114\130\344\323\075\203\111\105\130\227  
\065\151\032\250\107\352\126\306\171\253\022\330\147\201\204\337  
\177\011\074\224\346\270\046\054\040\275\075\263\050\211\367\137  
\377\042\342\227\204\037\351\145\357\207\340\337\301\147\111\263  
\135\353\262\011\052\353\046\355\170\276\175\077\053\363\267\046

```
\065\155\137\211\001\266\111\133\237\001\005\233\253\075\045\301
\314\266\177\302\361\157\206\306\372\144\150\353\201\055\224\353
\102\267\372\214\036\335\142\361\276\120\147\267\154\275\363\361
\037\153\014\066\007\026\177\067\174\251\133\155\172\361\022\106
\140\203\327\047\004\276\113\316\227\276\303\147\052\150\021\337
\200\347\014\063\146\277\023\015\024\156\363\177\037\143\020\036
\372\215\033\045\155\154\217\245\267\141\001\261\322\243\046\241
\020\161\235\255\342\303\371\303\231\121\267\053\007\010\316\056
\346\120\262\247\372\012\105\057\242\360\362
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DigiCert Assured ID Root CA"

# Issuer: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:0c:e7:e0:e5:17:d8:46:fe:8f:e5:60:fc:1b:f0:30:39

# Subject: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Fri Nov 10 00:00:00 2006

# Not Valid After : Mon Nov 10 00:00:00 2031

# Fingerprint (SHA-256):

3E:90:99:B5:01:5E:8F:48:6C:00:BC:EA:9D:11:1E:E7:21:FA:BA:35:5A:89:BC:F1:DF:69:56:1E:3D:C6:32:5C

# Fingerprint (SHA1): 05:63:B8:63:0D:62:D7:5A:BB:C8:AB:1E:4B:DF:B5:A8:99:B2:4D:43

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert Assured ID Root CA"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

```
\005\143\270\143\015\142\327\132\273\310\253\036\113\337\265\250
\231\262\115\103
```

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

```
\207\316\013\173\052\016\111\000\341\130\161\233\067\250\223\162
```

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\103\101
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\014\347\340\345\027\330\106\376\217\345\140\374\033\360
\060\071
```

END



CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "DigiCert Global Root CA"

#

# Issuer: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:08:3b:e0:56:90:42:46:b1:a1:75:6a:c9:59:91:c7:4a

# Subject: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Fri Nov 10 00:00:00 2006

# Not Valid After : Mon Nov 10 00:00:00 2031

# Fingerprint (SHA-256):

43:48:A0:E9:44:4C:78:CB:26:5E:05:8D:5E:89:44:B4:D8:4F:96:62:BD:26:DB:25:7F:89:34:A4:43:C7:01:61

# Fingerprint (SHA1): A8:98:5D:3A:65:E5:E5:C4:B2:D7:D6:6D:40:C6:DD:2F:B1:9C:54:36

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert Global Root CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151  
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164  
\040\103\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151  
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164  
\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\010\073\340\126\220\102\106\261\241\165\152\311\131\221  
\307\112

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\257\060\202\002\227\240\003\002\001\002\002\020\010  
\073\340\126\220\102\106\261\241\165\152\311\131\221\307\112\060

\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\141  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060  
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164  
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167  
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061  
\040\060\036\006\003\125\004\003\023\027\104\151\147\151\103\145  
\162\164\040\107\154\157\142\141\154\040\122\157\157\164\040\103  
\101\060\036\027\015\060\066\061\061\061\060\060\060\060\060\060  
\060\132\027\015\063\061\061\061\061\060\060\060\060\060\060\060  
\132\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103  
\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013  
\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143  
\157\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147  
\151\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157  
\164\040\103\101\060\202\001\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012  
\002\202\001\001\000\342\073\341\021\162\336\250\244\323\243\127  
\252\120\242\217\013\167\220\311\242\245\356\022\316\226\133\001  
\011\040\314\001\223\247\116\060\267\123\367\103\304\151\000\127  
\235\342\215\042\335\207\006\100\000\201\011\316\316\033\203\277  
\337\315\073\161\106\342\326\146\307\005\263\166\047\026\217\173  
\236\036\225\175\356\267\110\243\010\332\326\257\172\014\071\006  
\145\177\112\135\037\274\027\370\253\276\356\050\327\164\177\172  
\170\231\131\205\150\156\134\043\062\113\277\116\300\350\132\155  
\343\160\277\167\020\277\374\001\366\205\331\250\104\020\130\062  
\251\165\030\325\321\242\276\107\342\047\152\364\232\063\370\111  
\010\140\213\324\137\264\072\204\277\241\252\112\114\175\076\317  
\117\137\154\166\136\240\113\067\221\236\334\042\346\155\316\024  
\032\216\152\313\376\315\263\024\144\027\307\133\051\236\062\277  
\362\356\372\323\013\102\324\253\267\101\062\332\014\324\357\370  
\201\325\273\215\130\077\265\033\350\111\050\242\160\332\061\004  
\335\367\262\026\362\114\012\116\007\250\355\112\075\136\265\177  
\243\220\303\257\047\002\003\001\000\001\243\143\060\141\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\035\006\003\125\035\016\004\026\004\024\003\336\120\065\126\321  
\114\273\146\360\243\342\033\033\303\227\262\075\321\125\060\037  
\006\003\125\035\043\004\030\060\026\200\024\003\336\120\065\126  
\321\114\273\146\360\243\342\033\033\303\227\262\075\321\125\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003\202  
\001\001\000\313\234\067\252\110\023\022\012\372\335\104\234\117  
\122\260\364\337\256\004\365\171\171\010\243\044\030\374\113\053  
\204\300\055\271\325\307\376\364\301\037\130\313\270\155\234\172  
\164\347\230\051\253\021\265\343\160\240\241\315\114\210\231\223  
\214\221\160\342\253\017\034\276\223\251\377\143\325\344\007\140  
\323\243\277\235\133\011\361\325\216\343\123\364\216\143\372\077  
\247\333\264\146\337\142\146\326\321\156\101\215\362\055\265\352

```
\167\112\237\235\130\342\053\131\300\100\043\355\055\050\202\105
\076\171\124\222\046\230\340\200\110\250\067\357\360\326\171\140
\026\336\254\350\016\315\156\254\104\027\070\057\111\332\341\105
\076\052\271\066\123\317\072\120\006\367\056\350\304\127\111\154
\141\041\030\325\004\255\170\074\054\072\200\153\247\353\257\025
\024\351\330\211\301\271\070\154\342\221\154\212\377\144\271\167
\045\127\060\300\033\044\243\341\334\351\337\107\174\265\264\044
\010\005\060\354\055\275\013\277\105\277\120\271\251\363\353\230
\001\022\255\310\210\306\230\064\137\215\012\074\306\351\325\225
\225\155\336
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "DigiCert Global Root CA"
```

```
Issuer: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
Serial Number:08:3b:e0:56:90:42:46:b1:a1:75:6a:c9:59:91:c7:4a
```

```
Subject: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
Not Valid Before: Fri Nov 10 00:00:00 2006
```

```
Not Valid After : Mon Nov 10 00:00:00 2031
```

```
Fingerprint (SHA-256):
```

```
43:48:A0:E9:44:4C:78:CB:26:5E:05:8D:5E:89:44:B4:D8:4F:96:62:BD:26:DB:25:7F:89:34:A4:43:C7:01:61
```

```
Fingerprint (SHA1): A8:98:5D:3A:65:E5:E5:C4:B2:D7:D6:6D:40:C6:DD:2F:B1:9C:54:36
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert Global Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\250\230\135\072\145\345\345\304\262\327\326\155\100\306\335\057
\261\234\124\066
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\171\344\251\204\015\175\072\226\327\300\117\342\103\114\211\056
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\010\073\340\126\220\102\106\261\241\165\152\311\131\221
\307\112
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "DigiCert High Assurance EV Root CA"
#
Issuer: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
Serial Number:02:ac:5c:26:6a:0b:40:9b:8f:0b:79:f2:ae:46:25:77
Subject: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
Not Valid Before: Fri Nov 10 00:00:00 2006
Not Valid After : Mon Nov 10 00:00:00 2031
Fingerprint (SHA-256):
74:31:E5:F4:C3:C1:CE:46:90:77:4F:0B:61:E0:54:40:88:3B:A9:A0:1E:D0:0B:A6:AB:D7:80:6E:D3:B1:18:CF
Fingerprint (SHA1): 5F:B7:EE:06:33:E2:59:DB:AD:0C:4C:9A:E6:D3:8F:1A:61:C7:DC:25
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert High Assurance EV Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\053\060\051\006\003\125\004\003\023\042\104\151\147\151
\103\145\162\164\040\110\151\147\150\040\101\163\163\165\162\141
\156\143\145\040\105\126\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\053\060\051\006\003\125\004\003\023\042\104\151\147\151
\103\145\162\164\040\110\151\147\150\040\101\163\163\165\162\141
\156\143\145\040\105\126\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\002\254\134\046\152\013\100\233\217\013\171\362\256\106
\045\167
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\305\060\202\002\255\240\003\002\001\002\002\020\002

```

\254\134\046\152\013\100\233\217\013\171\362\256\106\045\167\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\154  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060  
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164  
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167  
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061  
\053\060\051\006\003\125\004\003\023\042\104\151\147\151\103\145  
\162\164\040\110\151\147\150\040\101\163\163\165\162\141\156\143  
\145\040\105\126\040\122\157\157\164\040\103\101\060\036\027\015  
\060\066\061\061\061\060\060\060\060\060\060\060\132\027\015\063  
\061\061\061\061\060\060\060\060\060\060\060\132\060\154\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\025\060\023\006  
\003\125\004\012\023\014\104\151\147\151\103\145\162\164\040\111  
\156\143\061\031\060\027\006\003\125\004\013\023\020\167\167\167  
\056\144\151\147\151\143\145\162\164\056\143\157\155\061\053\060  
\051\006\003\125\004\003\023\042\104\151\147\151\103\145\162\164  
\040\110\151\147\150\040\101\163\163\165\162\141\156\143\145\040  
\105\126\040\122\157\157\164\040\103\101\060\202\001\042\060\015  
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001  
\017\000\060\202\001\012\002\202\001\001\000\306\314\345\163\346  
\373\324\273\345\055\055\062\246\337\345\201\077\311\315\045\111  
\266\161\052\303\325\224\064\147\242\012\034\260\137\151\246\100  
\261\304\267\262\217\320\230\244\251\101\131\072\323\334\224\326  
\074\333\164\070\244\112\314\115\045\202\367\112\245\123\022\070  
\356\363\111\155\161\221\176\143\266\253\246\137\303\244\204\370  
\117\142\121\276\370\305\354\333\070\222\343\006\345\010\221\014  
\304\050\101\125\373\313\132\211\025\176\161\350\065\277\115\162  
\011\075\276\072\070\120\133\167\061\033\215\263\307\044\105\232  
\247\254\155\000\024\132\004\267\272\023\353\121\012\230\101\101  
\042\116\145\141\207\201\101\120\246\171\134\211\336\031\112\127  
\325\056\346\135\034\123\054\176\230\315\032\006\026\244\150\163  
\320\064\004\023\134\241\161\323\132\174\125\333\136\144\341\067  
\207\060\126\004\345\021\264\051\200\022\361\171\071\210\242\002  
\021\174\047\146\267\210\267\170\362\312\012\250\070\253\012\144  
\302\277\146\135\225\204\301\241\045\036\207\135\032\120\013\040  
\022\314\101\273\156\013\121\070\270\113\313\002\003\001\000\001  
\243\143\060\141\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024  
\261\076\303\151\003\370\277\107\001\324\230\046\032\010\002\357  
\143\144\053\303\060\037\006\003\125\035\043\004\030\060\026\200  
\024\261\076\303\151\003\370\277\107\001\324\230\046\032\010\002  
\357\143\144\053\303\060\015\006\011\052\206\110\206\367\015\001  
\001\005\005\000\003\202\001\001\000\034\032\006\227\334\327\234  
\237\074\210\146\006\010\127\041\333\041\107\370\052\147\252\277  
\030\062\166\100\020\127\301\212\363\172\331\021\145\216\065\372  
\236\374\105\265\236\331\114\061\113\270\221\350\103\054\216\263  
\170\316\333\343\123\171\161\326\345\041\224\001\332\125\207\232

```
\044\144\366\212\146\314\336\234\067\315\250\064\261\151\233\043
\310\236\170\042\053\160\103\343\125\107\061\141\031\357\130\305
\205\057\116\060\366\240\061\026\043\310\347\342\145\026\063\313
\277\032\033\240\075\370\312\136\213\061\213\140\010\211\055\014
\006\134\122\267\304\371\012\230\321\025\137\237\022\276\174\066
\143\070\275\104\244\177\344\046\053\012\304\227\151\015\351\214
\342\300\020\127\270\310\166\022\221\125\362\110\151\330\274\052
\002\133\017\104\324\040\061\333\364\272\160\046\135\220\140\236
\274\113\027\011\057\264\313\036\103\150\311\007\047\301\322\134
\367\352\041\271\150\022\234\074\234\277\236\374\200\134\233\143
\315\354\107\252\045\047\147\240\067\363\000\202\175\124\327\251
\370\351\056\023\243\167\350\037\112
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "DigiCert High Assurance EV Root CA"
```

```
Issuer: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
Serial Number:02:ac:5c:26:6a:0b:40:9b:8f:0b:79:f2:ae:46:25:77
```

```
Subject: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
Not Valid Before: Fri Nov 10 00:00:00 2006
```

```
Not Valid After : Mon Nov 10 00:00:00 2031
```

```
Fingerprint (SHA-256):
```

```
74:31:E5:F4:C3:C1:CE:46:90:77:4F:0B:61:E0:54:40:88:3B:A9:A0:1E:D0:0B:A6:AB:D7:80:6E:D3:B1:18:CF
```

```
Fingerprint (SHA1): 5F:B7:EE:06:33:E2:59:DB:AD:0C:4C:9A:E6:D3:8F:1A:61:C7:DC:25
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert High Assurance EV Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\137\267\356\006\063\342\131\333\255\014\114\232\346\323\217\032
```

```
\141\307\334\045
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\324\164\336\127\134\071\262\323\234\205\203\305\300\145\111\212
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\154\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
```

```
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
```

```
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
```

```
\155\061\053\060\051\006\003\125\004\003\023\042\104\151\147\151
```

```
\103\145\162\164\040\110\151\147\150\040\101\163\163\165\162\141
```

```
\156\143\145\040\105\126\040\122\157\157\164\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

\002\020\002\254\134\046\152\013\100\233\217\013\171\362\256\106  
\045\167

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "SwissSign Gold CA - G2"

#

# Issuer: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH

# Serial Number:00:bb:40:1c:43:f5:5e:4f:b0

# Subject: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH

# Not Valid Before: Wed Oct 25 08:30:35 2006

# Not Valid After : Sat Oct 25 08:30:35 2036

# Fingerprint (SHA-256):

62:DD:0B:E9:B9:F5:0A:16:3E:A0:F8:E7:5C:05:3B:1E:CA:57:EA:55:C8:68:8F:64:7C:68:81:F2:C8:35:7B:95

# Fingerprint (SHA1): D8:C5:38:8A:B7:30:1B:1B:6E:D4:7A:E6:45:25:3A:6F:9F:1A:27:61

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "SwissSign Gold CA - G2"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\105\061\013\060\011\006\003\125\004\006\023\002\103\110\061  
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123  
\151\147\156\040\101\107\061\037\060\035\006\003\125\004\003\023  
\026\123\167\151\163\163\123\151\147\156\040\107\157\154\144\040  
\103\101\040\055\040\107\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\105\061\013\060\011\006\003\125\004\006\023\002\103\110\061  
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123  
\151\147\156\040\101\107\061\037\060\035\006\003\125\004\003\023  
\026\123\167\151\163\163\123\151\147\156\040\107\157\154\144\040  
\103\101\040\055\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\273\100\034\103\365\136\117\260

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\272\060\202\003\242\240\003\002\001\002\002\011\000  
\273\100\034\103\365\136\117\260\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\060\105\061\013\060\011\006\003\125  
\004\006\023\002\103\110\061\025\060\023\006\003\125\004\012\023

\014\123\167\151\163\163\123\151\147\156\040\101\107\061\037\060  
\035\006\003\125\004\003\023\026\123\167\151\163\163\123\151\147  
\156\040\107\157\154\144\040\103\101\040\055\040\107\062\060\036  
\027\015\060\066\061\060\062\065\060\070\063\060\063\065\132\027  
\015\063\066\061\060\062\065\060\070\063\060\063\065\132\060\105  
\061\013\060\011\006\003\125\004\006\023\002\103\110\061\025\060  
\023\006\003\125\004\012\023\014\123\167\151\163\163\123\151\147  
\156\040\101\107\061\037\060\035\006\003\125\004\003\023\026\123  
\167\151\163\163\123\151\147\156\040\107\157\154\144\040\103\101  
\040\055\040\107\062\060\202\002\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002  
\012\002\202\002\001\000\257\344\356\176\213\044\016\022\156\251  
\120\055\026\104\073\222\222\134\312\270\135\204\222\102\023\052  
\274\145\127\202\100\076\127\044\315\120\213\045\052\267\157\374  
\357\242\320\300\037\002\044\112\023\226\217\043\023\346\050\130  
\000\243\107\307\006\247\204\043\053\273\275\226\053\177\125\314  
\213\301\127\037\016\142\145\017\335\075\126\212\163\332\256\176  
\155\272\201\034\176\102\214\040\065\331\103\115\204\372\204\333  
\122\054\363\016\047\167\013\153\277\021\057\162\170\237\056\330  
\076\346\030\067\132\052\162\371\332\142\220\222\225\312\037\234  
\351\263\074\053\313\363\001\023\277\132\317\301\265\012\140\275  
\335\265\231\144\123\270\240\226\263\157\342\046\167\221\214\340  
\142\020\002\237\064\017\244\325\222\063\121\336\276\215\272\204  
\172\140\074\152\333\237\053\354\336\336\001\077\156\115\345\120  
\206\313\264\257\355\104\100\305\312\132\214\332\322\053\174\250  
\356\276\246\345\012\252\016\245\337\005\122\267\125\307\042\135  
\062\152\227\227\143\023\333\311\333\171\066\173\205\072\112\305  
\122\211\371\044\347\235\167\251\202\377\125\034\245\161\151\053  
\321\002\044\362\263\046\324\153\332\004\125\345\301\012\307\155  
\060\067\220\052\344\236\024\063\136\026\027\125\305\133\265\313  
\064\211\222\361\235\046\217\241\007\324\306\262\170\120\333\014  
\014\013\174\013\214\101\327\271\351\335\214\210\367\243\115\262  
\062\314\330\027\332\315\267\316\146\235\324\375\136\377\275\227  
\076\051\165\347\176\247\142\130\257\045\064\245\101\307\075\274  
\015\120\312\003\003\017\010\132\037\225\163\170\142\277\257\162  
\024\151\016\245\345\003\016\170\216\046\050\102\360\007\013\142  
\040\020\147\071\106\372\251\003\314\004\070\172\146\357\040\203  
\265\214\112\126\216\221\000\374\216\134\202\336\210\240\303\342  
\150\156\175\215\357\074\335\145\364\135\254\121\357\044\200\256  
\252\126\227\157\371\255\175\332\141\077\230\167\074\245\221\266  
\034\214\046\332\145\242\011\155\301\342\124\343\271\312\114\114  
\200\217\167\173\140\232\036\337\266\362\110\036\016\272\116\124  
\155\230\340\341\242\032\242\167\120\317\304\143\222\354\107\031  
\235\353\346\153\316\301\002\003\001\000\001\243\201\254\060\201  
\251\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\035\006\003\125\035\016\004\026\004\024\133\045\173  
\226\244\145\121\176\270\071\363\300\170\146\136\350\072\347\360



\356\060\037\006\003\125\035\043\004\030\060\026\200\024\133\045  
\173\226\244\145\121\176\270\071\363\300\170\146\136\350\072\347  
\360\356\060\106\006\003\125\035\040\004\077\060\075\060\073\006  
\011\140\205\164\001\131\001\002\001\001\060\056\060\054\006\010  
\053\006\001\005\005\007\002\001\026\040\150\164\164\160\072\057  
\057\162\145\160\157\163\151\164\157\162\171\056\163\167\151\163  
\163\163\151\147\156\056\143\157\155\057\060\015\006\011\052\206  
\110\206\367\015\001\001\005\005\000\003\202\002\001\000\047\272  
\343\224\174\361\256\300\336\027\346\345\330\325\365\124\260\203  
\364\273\315\136\005\173\117\237\165\146\257\074\350\126\176\374  
\162\170\070\003\331\053\142\033\000\271\370\351\140\315\314\316  
\121\212\307\120\061\156\341\112\176\030\057\151\131\266\075\144  
\201\053\343\203\204\346\042\207\216\175\340\356\002\231\141\270  
\036\364\270\053\210\022\026\204\302\061\223\070\226\061\246\271  
\073\123\077\303\044\223\126\133\151\222\354\305\301\273\070\000  
\343\354\027\251\270\334\307\174\001\203\237\062\107\272\122\042  
\064\035\062\172\011\126\247\174\045\066\251\075\113\332\300\202  
\157\012\273\022\310\207\113\047\021\371\036\055\307\223\077\236  
\333\137\046\153\122\331\056\212\361\024\306\104\215\025\251\267  
\277\275\336\246\032\356\256\055\373\110\167\027\376\273\354\257  
\030\365\052\121\360\071\204\227\225\154\156\033\303\053\304\164  
\140\171\045\260\012\047\337\337\136\322\071\317\105\175\102\113  
\337\263\054\036\305\306\135\312\125\072\240\234\151\232\217\332  
\357\262\260\074\237\207\154\022\053\145\160\025\122\061\032\044  
\317\157\061\043\120\037\214\117\217\043\303\164\101\143\034\125  
\250\024\335\076\340\121\120\317\361\033\060\126\016\222\260\202  
\205\330\203\313\042\144\274\055\270\045\325\124\242\270\006\352  
\255\222\244\044\240\301\206\265\112\023\152\107\317\056\013\126  
\225\124\313\316\232\333\152\264\246\262\333\101\010\206\047\167  
\367\152\240\102\154\013\070\316\327\165\120\062\222\302\337\053  
\060\042\110\320\325\101\070\045\135\244\351\135\237\306\224\165  
\320\105\375\060\227\103\217\220\253\012\307\206\163\140\112\151  
\055\336\245\170\327\006\332\152\236\113\076\167\072\040\023\042  
\001\320\277\150\236\143\140\153\065\115\013\155\272\241\075\300  
\223\340\177\043\263\125\255\162\045\116\106\371\322\026\357\260  
\144\301\001\236\351\312\240\152\230\016\317\330\140\362\057\111  
\270\344\102\341\070\065\026\364\310\156\117\367\201\126\350\272  
\243\276\043\257\256\375\157\003\340\002\073\060\166\372\033\155  
\101\317\001\261\351\270\311\146\364\333\046\363\072\244\164\362  
\111\044\133\311\260\320\127\301\372\076\172\341\227\311

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "SwissSign Gold CA - G2"  
# Issuer: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH  
# Serial Number:00:bb:40:1c:43:f5:5e:4f:b0

```
Subject: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH
Not Valid Before: Wed Oct 25 08:30:35 2006
Not Valid After : Sat Oct 25 08:30:35 2036
Fingerprint (SHA-256):
62:DD:0B:E9:B9:F5:0A:16:3E:A0:F8:E7:5C:05:3B:1E:CA:57:EA:55:C8:68:8F:64:7C:68:81:F2:C8:35:7B:95
Fingerprint (SHA1): D8:C5:38:8A:B7:30:1B:1B:6E:D4:7A:E6:45:25:3A:6F:9F:1A:27:61
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SwissSign Gold CA - G2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\330\305\070\212\267\060\033\033\156\324\172\346\105\045\072\157
\237\032\047\141
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\044\167\331\250\221\321\073\372\210\055\302\377\370\315\063\223
END
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\037\060\035\006\003\125\004\003\023
\026\123\167\151\163\163\123\151\147\156\040\107\157\154\144\040
\103\101\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\273\100\034\103\365\136\117\260
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
Certificate "SwissSign Silver CA - G2"
#
Issuer: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH
Serial Number:4f:1b:d4:2f:54:bb:2f:4b
Subject: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH
Not Valid Before: Wed Oct 25 08:32:46 2006
Not Valid After : Sat Oct 25 08:32:46 2036
Fingerprint (SHA-256):
BE:6C:4D:A2:BB:B9:BA:59:B6:F3:93:97:68:37:42:46:C3:C0:05:99:3F:A9:8F:02:0D:1D:ED:BE:D4:8A:81:D5
Fingerprint (SHA1): 9B:AA:E5:9F:56:EE:21:CB:43:5A:BE:25:93:DF:A7:F0:40:D1:1D:CB
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "SwissSign Silver CA - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023
\030\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145
\162\040\103\101\040\055\040\107\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023
\030\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145
\162\040\103\101\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\117\033\324\057\124\273\057\113
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\275\060\202\003\245\240\003\002\001\002\002\010\117
\033\324\057\124\273\057\113\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\060\107\061\013\060\011\006\003\125\004
\006\023\002\103\110\061\025\060\023\006\003\125\004\012\023\014
\123\167\151\163\163\123\151\147\156\040\101\107\061\041\060\037
\006\003\125\004\003\023\030\123\167\151\163\163\123\151\147\156
\040\123\151\154\166\145\162\040\103\101\040\055\040\107\062\060
\036\027\015\060\066\061\060\062\065\060\070\063\062\064\066\132
\027\015\063\066\061\060\062\065\060\070\063\062\064\066\132\060
\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061\025
\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123\151
\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023\030
\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145\162
\040\103\101\040\055\040\107\062\060\202\002\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000
\060\202\002\012\002\202\002\001\000\304\361\207\177\323\170\061
\367\070\311\370\303\231\103\274\307\367\274\067\347\116\161\272
\113\217\245\163\035\134\156\230\256\003\127\256\070\067\103\057
\027\075\037\310\316\150\020\301\170\256\031\003\053\020\372\054
\171\203\366\350\271\150\271\125\362\004\104\247\071\371\374\004
\213\036\361\242\115\047\371\141\173\272\267\345\242\023\266\353
\141\076\320\154\321\346\373\372\136\355\035\264\236\240\065\133
\241\222\313\360\111\222\376\205\012\005\076\346\331\013\342\117
\273\334\225\067\374\221\351\062\065\042\321\037\072\116\047\205
\235\260\025\224\062\332\141\015\107\115\140\102\256\222\107\350
\203\132\120\130\351\212\213\271\135\241\334\335\231\112\037\066
\147\273\110\344\203\266\067\353\110\072\257\017\147\217\027\007
```

\350\004\312\357\152\061\207\324\300\266\371\224\161\173\147\144  
\270\266\221\112\102\173\145\056\060\152\014\365\220\356\225\346  
\362\315\202\354\331\241\112\354\366\262\113\345\105\205\346\155  
\170\223\004\056\234\202\155\066\251\304\061\144\037\206\203\013  
\052\364\065\012\170\311\125\317\101\260\107\351\060\237\231\276  
\141\250\006\204\271\050\172\137\070\331\033\251\070\260\203\177  
\163\301\303\073\110\052\202\017\041\233\270\314\250\065\303\204  
\033\203\263\076\276\244\225\151\001\072\211\000\170\004\331\311  
\364\231\031\253\126\176\133\213\206\071\025\221\244\020\054\011  
\062\200\140\263\223\300\052\266\030\013\235\176\215\111\362\020  
\112\177\371\325\106\057\031\222\243\231\247\046\254\273\214\074  
\346\016\274\107\007\334\163\121\361\160\144\057\010\371\264\107  
\035\060\154\104\352\051\067\205\222\150\146\274\203\070\376\173  
\071\056\323\120\360\037\373\136\140\266\251\246\372\047\101\361  
\233\030\162\362\365\204\164\112\311\147\304\124\256\110\144\337  
\214\321\156\260\035\341\007\217\010\036\231\234\161\351\114\330  
\245\367\107\022\037\164\321\121\236\206\363\302\242\043\100\013  
\163\333\113\246\347\163\006\214\301\240\351\301\131\254\106\372  
\346\057\370\317\161\234\106\155\271\304\025\215\070\171\003\105  
\110\357\304\135\327\010\356\207\071\042\206\262\015\017\130\103  
\367\161\251\110\056\375\352\326\037\002\003\001\000\001\243\201  
\254\060\201\251\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024  
\027\240\315\301\344\101\266\072\133\073\313\105\235\275\034\302  
\230\372\206\130\060\037\006\003\125\035\043\004\030\060\026\200  
\024\027\240\315\301\344\101\266\072\133\073\313\105\235\275\034  
\302\230\372\206\130\060\106\006\003\125\035\040\004\077\060\075  
\060\073\006\011\140\205\164\001\131\001\003\001\001\060\056\060  
\054\006\010\053\006\001\005\005\007\002\001\026\040\150\164\164  
\160\072\057\057\162\145\160\157\163\151\164\157\162\171\056\163  
\167\151\163\163\163\151\147\156\056\143\157\155\057\060\015\006  
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\002\001  
\000\163\306\201\340\047\322\055\017\340\225\060\342\232\101\177  
\120\054\137\137\142\141\251\206\152\151\030\014\164\111\326\135  
\204\352\101\122\030\157\130\255\120\126\040\152\306\275\050\151  
\130\221\334\221\021\065\251\072\035\274\032\245\140\236\330\037  
\177\105\221\151\331\176\273\170\162\301\006\017\052\316\217\205  
\160\141\254\240\315\013\270\071\051\126\204\062\116\206\273\075  
\304\052\331\327\037\162\356\376\121\241\042\101\261\161\002\143  
\032\202\260\142\253\136\127\022\037\337\313\335\165\240\300\135  
\171\220\214\033\340\120\346\336\061\376\230\173\160\137\245\220  
\330\255\370\002\266\157\323\140\335\100\113\042\305\075\255\072  
\172\237\032\032\107\221\171\063\272\202\334\062\151\003\226\156  
\037\113\360\161\376\343\147\162\240\261\277\134\213\344\372\231  
\042\307\204\271\033\215\043\227\077\355\045\340\317\145\273\365  
\141\004\357\335\036\262\132\101\042\132\241\237\135\054\350\133  
\311\155\251\014\014\170\252\140\306\126\217\001\132\014\150\274

```
\151\031\171\304\037\176\227\005\277\305\351\044\121\136\324\325
\113\123\355\331\043\132\066\003\145\243\301\003\255\101\060\363
\106\033\205\220\257\145\265\325\261\344\026\133\170\165\035\227
\172\155\131\251\052\217\173\336\303\207\211\020\231\111\163\170
\310\075\275\121\065\164\052\325\361\176\151\033\052\273\073\275
\045\270\232\132\075\162\141\220\146\207\356\014\326\115\324\021
\164\013\152\376\013\003\374\243\125\127\211\376\112\313\256\133
\027\005\310\362\215\043\061\123\070\322\055\152\077\202\271\215
\010\152\367\136\101\164\156\303\021\176\007\254\051\140\221\077
\070\312\127\020\015\275\060\057\307\245\346\101\240\332\256\005
\207\232\240\244\145\154\114\011\014\211\272\270\323\271\300\223
\212\060\372\215\345\232\153\025\001\116\147\252\332\142\126\076
\204\010\146\322\304\066\175\247\076\020\374\210\340\324\200\345
\000\275\252\363\116\006\243\172\152\371\142\162\343\011\117\353
\233\016\001\043\361\237\273\174\334\334\154\021\227\045\262\362
\264\143\024\322\006\052\147\214\203\365\316\352\007\330\232\152
\036\354\344\012\273\052\114\353\011\140\071\316\312\142\330\056
\156
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "SwissSign Silver CA - G2"
```

```
Issuer: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH
```

```
Serial Number:4f:1b:d4:2f:54:bb:2f:4b
```

```
Subject: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH
```

```
Not Valid Before: Wed Oct 25 08:32:46 2006
```

```
Not Valid After : Sat Oct 25 08:32:46 2036
```

```
Fingerprint (SHA-256):
```

```
BE:6C:4D:A2:BB:B9:BA:59:B6:F3:93:97:68:37:42:46:C3:C0:05:99:3F:A9:8F:02:0D:1D:ED:BE:D4:8A:81:D5
```

```
Fingerprint (SHA1): 9B:AA:E5:9F:56:EE:21:CB:43:5A:BE:25:93:DF:A7:F0:40:D1:1D:CB
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "SwissSign Silver CA - G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\233\252\345\237\126\356\041\313\103\132\276\045\223\337\247\360
\100\321\035\313
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\340\006\241\311\175\317\311\374\015\300\126\165\226\330\142\023
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023
```

```

\030\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145
\162\040\103\101\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\117\033\324\057\124\273\057\113
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "SecureTrust CA"
#
Issuer: CN=SecureTrust CA,O=SecureTrust Corporation,C=US
Serial Number:0c:f0:8e:5c:08:16:a5:ad:42:7f:f0:eb:27:18:59:d0
Subject: CN=SecureTrust CA,O=SecureTrust Corporation,C=US
Not Valid Before: Tue Nov 07 19:31:18 2006
Not Valid After : Mon Dec 31 19:40:55 2029
Fingerprint (SHA-256):
F1:C1:B5:0A:E5:A2:0D:D8:03:0E:C9:F6:BC:24:82:3D:D3:67:B5:25:57:59:B4:E7:1B:61:FC:E9:F7:37:5D:73
Fingerprint (SHA1): 87:82:C6:C3:04:35:3B:CF:D2:96:92:D2:59:3E:7D:44:D9:34:FF:11
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SecureTrust CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\027\060\025\006\003\125\004\003\023\016\123\145\143\165
\162\145\124\162\165\163\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\027\060\025\006\003\125\004\003\023\016\123\145\143\165
\162\145\124\162\165\163\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\014\360\216\134\010\026\245\255\102\177\360\353\047\030
\131\320
END
CKA_VALUE MULTILINE_OCTAL

```

\060\202\003\270\060\202\002\240\240\003\002\001\002\002\020\014  
\360\216\134\010\026\245\255\102\177\360\353\047\030\131\320\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\110  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\040\060  
\036\006\003\125\004\012\023\027\123\145\143\165\162\145\124\162  
\165\163\164\040\103\157\162\160\157\162\141\164\151\157\156\061  
\027\060\025\006\003\125\004\003\023\016\123\145\143\165\162\145  
\124\162\165\163\164\040\103\101\060\036\027\015\060\066\061\061  
\060\067\061\071\063\061\061\070\132\027\015\062\071\061\062\063  
\061\061\071\064\060\065\065\132\060\110\061\013\060\011\006\003  
\125\004\006\023\002\125\123\061\040\060\036\006\003\125\004\012  
\023\027\123\145\143\165\162\145\124\162\165\163\164\040\103\157  
\162\160\157\162\141\164\151\157\156\061\027\060\025\006\003\125  
\004\003\023\016\123\145\143\165\162\145\124\162\165\163\164\040  
\103\101\060\202\001\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202  
\001\001\000\253\244\201\345\225\315\365\366\024\216\302\117\312  
\324\342\170\225\130\234\101\341\015\231\100\044\027\071\221\063  
\146\351\276\341\203\257\142\134\211\321\374\044\133\141\263\340  
\021\021\101\034\035\156\360\270\273\370\336\247\201\272\246\110  
\306\237\035\275\276\216\251\101\076\270\224\355\051\032\324\216  
\322\003\035\003\357\155\015\147\034\127\327\006\255\312\310\365  
\376\016\257\146\045\110\004\226\013\135\243\272\026\303\010\117  
\321\106\370\024\134\362\310\136\001\231\155\375\210\314\206\250  
\301\157\061\102\154\122\076\150\313\363\031\064\337\273\207\030  
\126\200\046\304\320\334\300\157\337\336\240\302\221\026\240\144  
\021\113\104\274\036\366\347\372\143\336\146\254\166\244\161\243  
\354\066\224\150\172\167\244\261\347\016\057\201\172\342\265\162  
\206\357\242\153\213\360\017\333\323\131\077\272\162\274\104\044  
\234\343\163\263\367\257\127\057\102\046\235\251\164\272\000\122  
\362\113\315\123\174\107\013\066\205\016\146\251\010\227\026\064  
\127\301\146\367\200\343\355\160\124\307\223\340\056\050\025\131  
\207\272\273\002\003\001\000\001\243\201\235\060\201\232\060\023  
\006\011\053\006\001\004\001\202\067\024\002\004\006\036\004\000  
\103\000\101\060\013\006\003\125\035\017\004\004\003\002\001\206  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\035\006\003\125\035\016\004\026\004\024\102\062\266\026  
\372\004\375\376\135\113\172\303\375\367\114\100\035\132\103\257  
\060\064\006\003\125\035\037\004\055\060\053\060\051\240\047\240  
\045\206\043\150\164\164\160\072\057\057\143\162\154\056\163\145  
\143\165\162\145\164\162\165\163\164\056\143\157\155\057\123\124  
\103\101\056\143\162\154\060\020\006\011\053\006\001\004\001\202  
\067\025\001\004\003\002\001\000\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\003\202\001\001\000\060\355\117\112  
\341\130\072\122\162\133\265\246\243\145\030\246\273\121\073\167  
\351\235\352\323\237\134\340\105\145\173\015\312\133\342\160\120  
\262\224\005\024\256\111\307\215\101\007\022\163\224\176\014\043  
\041\375\274\020\177\140\020\132\162\365\230\016\254\354\271\177

```
\335\172\157\135\323\034\364\377\210\005\151\102\251\005\161\310
\267\254\046\350\056\264\214\152\377\161\334\270\261\337\231\274
\174\041\124\053\344\130\242\273\127\051\256\236\251\243\031\046
\017\231\056\010\260\357\375\151\317\231\032\011\215\343\247\237
\053\311\066\064\173\044\263\170\114\225\027\244\006\046\036\266
\144\122\066\137\140\147\331\234\305\005\164\013\347\147\043\322
\010\374\210\351\256\213\177\341\060\364\067\176\375\306\062\332
\055\236\104\060\060\154\356\007\336\322\064\374\322\377\100\366
\113\364\146\106\006\124\246\362\062\012\143\046\060\153\233\321
\334\213\107\272\341\271\325\142\320\242\240\364\147\005\170\051
\143\032\157\004\326\370\306\114\243\232\261\067\264\215\345\050
\113\035\236\054\302\270\150\274\355\002\356\061
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "SecureTrust CA"
```

```
Issuer: CN=SecureTrust CA,O=SecureTrust Corporation,C=US
```

```
Serial Number:0c:f0:8e:5c:08:16:a5:ad:42:7f:f0:eb:27:18:59:d0
```

```
Subject: CN=SecureTrust CA,O=SecureTrust Corporation,C=US
```

```
Not Valid Before: Tue Nov 07 19:31:18 2006
```

```
Not Valid After : Mon Dec 31 19:40:55 2029
```

```
Fingerprint (SHA-256):
```

```
F1:C1:B5:0A:E5:A2:0D:D8:03:0E:C9:F6:BC:24:82:3D:D3:67:B5:25:57:59:B4:E7:1B:61:FC:E9:F7:37:5D:73
```

```
Fingerprint (SHA1): 87:82:C6:C3:04:35:3B:CF:D2:96:92:D2:59:3E:7D:44:D9:34:FF:11
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "SecureTrust CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\207\202\306\303\004\065\073\317\322\226\222\322\131\076\175\104
\331\064\377\021
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\334\062\303\247\155\045\127\307\150\011\235\352\055\251\242\321
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\110\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\027\060\025\006\003\125\004\003\023\016\123\145\143\165
\162\145\124\162\165\163\164\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\014\360\216\134\010\026\245\255\102\177\360\353\047\030
\131\320
```



```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Secure Global CA"
#
Issuer: CN=Secure Global CA,O=SecureTrust Corporation,C=US
Serial Number:07:56:22:a4:e8:d4:8a:89:4d:f4:13:c8:f0:f8:ea:a5
Subject: CN=Secure Global CA,O=SecureTrust Corporation,C=US
Not Valid Before: Tue Nov 07 19:42:28 2006
Not Valid After : Mon Dec 31 19:52:06 2029
Fingerprint (SHA-256):
42:00:F5:04:3A:C8:59:0E:BB:52:7D:20:9E:D1:50:30:29:FB:CB:D4:1C:A1:B5:06:EC:27:F1:5A:DE:7D:AC:69
Fingerprint (SHA1): 3A:44:73:5A:E5:81:90:1F:24:86:61:46:1E:3B:9C:C4:5F:F5:3A:1B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Secure Global CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\031\060\027\006\003\125\004\003\023\020\123\145\143\165
\162\145\040\107\154\157\142\141\154\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\031\060\027\006\003\125\004\003\023\020\123\145\143\165
\162\145\040\107\154\157\142\141\154\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\007\126\042\244\350\324\212\211\115\364\023\310\360\370
\352\245
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\274\060\202\002\244\240\003\002\001\002\002\020\007
\126\042\244\350\324\212\211\115\364\023\310\360\370\352\245\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\112
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\040\060
\036\006\003\125\004\012\023\027\123\145\143\165\162\145\124\162

```

\165\163\164\040\103\157\162\160\157\162\141\164\151\157\156\061  
\031\060\027\006\003\125\004\003\023\020\123\145\143\165\162\145  
\040\107\154\157\142\141\154\040\103\101\060\036\027\015\060\066  
\061\061\060\067\061\071\064\062\062\070\132\027\015\062\071\061  
\062\063\061\061\071\065\062\060\066\132\060\112\061\013\060\011  
\006\003\125\004\006\023\002\125\123\061\040\060\036\006\003\125  
\004\012\023\027\123\145\143\165\162\145\124\162\165\163\164\040  
\103\157\162\160\157\162\141\164\151\157\156\061\031\060\027\006  
\003\125\004\003\023\020\123\145\143\165\162\145\040\107\154\157  
\142\141\154\040\103\101\060\202\001\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202  
\001\012\002\202\001\001\000\257\065\056\330\254\154\125\151\006  
\161\345\023\150\044\263\117\330\314\041\107\370\361\140\070\211  
\211\003\351\275\352\136\106\123\011\334\134\365\132\350\367\105  
\052\002\353\061\141\327\051\063\114\316\307\174\012\067\176\017  
\272\062\230\341\035\227\257\217\307\334\311\070\226\363\333\032  
\374\121\355\150\306\320\156\244\174\044\321\256\102\310\226\120  
\143\056\340\376\165\376\230\247\137\111\056\225\343\071\063\144  
\216\036\244\137\220\322\147\074\262\331\376\101\271\125\247\011  
\216\162\005\036\213\335\104\205\202\102\320\111\300\035\140\360  
\321\027\054\225\353\366\245\301\222\243\305\302\247\010\140\015  
\140\004\020\226\171\236\026\064\346\251\266\372\045\105\071\310  
\036\145\371\223\365\252\361\122\334\231\230\075\245\206\032\014  
\065\063\372\113\245\004\006\025\034\061\200\357\252\030\153\302  
\173\327\332\316\371\063\040\325\365\275\152\063\055\201\004\373  
\260\134\324\234\243\342\134\035\343\251\102\165\136\173\324\167  
\357\071\124\272\311\012\030\033\022\231\111\057\210\113\375\120  
\142\321\163\347\217\172\103\002\003\001\000\001\243\201\235\060  
\201\232\060\023\006\011\053\006\001\004\001\202\067\024\002\004  
\006\036\004\000\103\000\101\060\013\006\003\125\035\017\004\004  
\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024  
\257\104\004\302\101\176\110\203\333\116\071\002\354\354\204\172  
\346\316\311\244\060\064\006\003\125\035\037\004\055\060\053\060  
\051\240\047\240\045\206\043\150\164\164\160\072\057\057\143\162  
\154\056\163\145\143\165\162\145\164\162\165\163\164\056\143\157  
\155\057\123\107\103\101\056\143\162\154\060\020\006\011\053\006  
\001\004\001\202\067\025\001\004\003\002\001\000\060\015\006\011  
\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000  
\143\032\010\100\175\244\136\123\015\167\330\172\256\037\015\013  
\121\026\003\357\030\174\310\343\257\152\130\223\024\140\221\262  
\204\334\210\116\276\071\212\072\363\346\202\211\135\001\067\263  
\253\044\244\025\016\222\065\132\112\104\136\116\127\372\165\316  
\037\110\316\146\364\074\100\046\222\230\154\033\356\044\106\014  
\027\263\122\245\333\245\221\221\317\067\323\157\347\047\010\072  
\116\031\037\072\247\130\134\027\317\171\077\213\344\247\323\046  
\043\235\046\017\130\151\374\107\176\262\320\215\213\223\277\051  
\117\103\151\164\166\147\113\317\007\214\346\002\367\265\341\264

```
\103\265\113\055\024\237\371\334\046\015\277\246\107\164\006\330
\210\321\072\051\060\204\316\322\071\200\142\033\250\307\127\111
\274\152\125\121\147\025\112\276\065\007\344\325\165\230\067\171
\060\024\333\051\235\154\305\151\314\107\125\242\060\367\314\134
\177\302\303\230\034\153\116\026\200\353\172\170\145\105\242\000
\032\257\014\015\125\144\064\110\270\222\271\361\264\120\051\362
\117\043\037\332\154\254\037\104\341\335\043\170\121\133\307\026
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "Secure Global CA"
```

```
Issuer: CN=Secure Global CA,O=SecureTrust Corporation,C=US
```

```
Serial Number:07:56:22:a4:e8:d4:8a:89:4d:f4:13:c8:f0:f8:ea:a5
```

```
Subject: CN=Secure Global CA,O=SecureTrust Corporation,C=US
```

```
Not Valid Before: Tue Nov 07 19:42:28 2006
```

```
Not Valid After : Mon Dec 31 19:52:06 2029
```

```
Fingerprint (SHA-256):
```

```
42:00:F5:04:3A:C8:59:0E:BB:52:7D:20:9E:D1:50:30:29:FB:CB:D4:1C:A1:B5:06:EC:27:F1:5A:DE:7D:AC:69
```

```
Fingerprint (SHA1): 3A:44:73:5A:E5:81:90:1F:24:86:61:46:1E:3B:9C:C4:5F:F5:3A:1B
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Secure Global CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\072\104\163\132\345\201\220\037\044\206\141\106\036\073\234\304
\137\365\072\033
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\317\364\047\015\324\355\334\145\026\111\155\075\332\277\156\336
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\031\060\027\006\003\125\004\003\023\020\123\145\143\165
\162\145\040\107\154\157\142\141\154\040\103\101
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\007\126\042\244\350\324\212\211\115\364\023\310\360\370
\352\245
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```

#
Certificate "COMODO Certification Authority"
#
Issuer: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
Serial Number:4e:81:2d:8a:82:65:e0:0b:02:ee:3e:35:02:46:e5:3d
Subject: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
Not Valid Before: Fri Dec 01 00:00:00 2006
Not Valid After : Mon Dec 31 23:59:59 2029
Fingerprint (SHA-256):
0C:2C:D6:3D:F7:80:6F:A3:99:ED:E8:09:11:6B:57:5B:F8:79:89:F0:65:18:F9:80:8C:86:05:03:17:8B:AF:66
Fingerprint (SHA1): 66:31:BF:9E:F7:4F:9E:B6:C9:D5:A6:0C:BA:6A:BE:D1:F7:BD:EF:7B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "COMODO Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\201\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\047\060\045\006
\003\125\004\003\023\036\103\117\115\117\104\117\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\201\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\047\060\045\006
\003\125\004\003\023\036\103\117\115\117\104\117\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\116\201\055\212\202\145\340\013\002\356\076\065\002\106
\345\075
END
CKA_VALUE MULTILINE_OCTAL

```

\060\202\004\035\060\202\003\005\240\003\002\001\002\002\020\116  
\201\055\212\202\145\340\013\002\356\076\065\002\106\345\075\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\201  
\201\061\013\060\011\006\003\125\004\006\023\002\107\102\061\033  
\060\031\006\003\125\004\010\023\022\107\162\145\141\164\145\162  
\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016\006  
\003\125\004\007\023\007\123\141\154\146\157\162\144\061\032\060  
\030\006\003\125\004\012\023\021\103\117\115\117\104\117\040\103  
\101\040\114\151\155\151\164\145\144\061\047\060\045\006\003\125  
\004\003\023\036\103\117\115\117\104\117\040\103\145\162\164\151  
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151  
\164\171\060\036\027\015\060\066\061\062\060\061\060\060\060\060  
\060\060\132\027\015\062\071\061\062\063\061\062\063\065\071\065  
\071\132\060\201\201\061\013\060\011\006\003\125\004\006\023\002  
\107\102\061\033\060\031\006\003\125\004\010\023\022\107\162\145  
\141\164\145\162\040\115\141\156\143\150\145\163\164\145\162\061  
\020\060\016\006\003\125\004\007\023\007\123\141\154\146\157\162  
\144\061\032\060\030\006\003\125\004\012\023\021\103\117\115\117  
\104\117\040\103\101\040\114\151\155\151\164\145\144\061\047\060  
\045\006\003\125\004\003\023\036\103\117\115\117\104\117\040\103  
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164  
\150\157\162\151\164\171\060\202\001\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202  
\001\012\002\202\001\001\000\320\100\213\213\162\343\221\033\367  
\121\301\033\124\004\230\323\251\277\301\346\212\135\073\207\373  
\273\210\316\015\343\057\077\006\226\360\242\051\120\231\256\333  
\073\241\127\260\164\121\161\315\355\102\221\115\101\376\251\310  
\330\152\206\167\104\273\131\146\227\120\136\264\324\054\160\104  
\317\332\067\225\102\151\074\060\304\161\263\122\360\041\115\241  
\330\272\071\174\034\236\243\044\235\362\203\026\230\252\026\174  
\103\233\025\133\267\256\064\221\376\324\142\046\030\106\232\077  
\353\301\371\361\220\127\353\254\172\015\213\333\162\060\152\146  
\325\340\106\243\160\334\150\331\377\004\110\211\167\336\265\351  
\373\147\155\101\351\274\071\275\062\331\142\002\361\261\250\075  
\156\067\234\342\057\342\323\242\046\213\306\270\125\103\210\341  
\043\076\245\322\044\071\152\107\253\000\324\241\263\251\045\376  
\015\077\247\035\272\323\121\301\013\244\332\254\070\357\125\120  
\044\005\145\106\223\064\117\055\215\255\306\324\041\031\322\216  
\312\005\141\161\007\163\107\345\212\031\022\275\004\115\316\116  
\234\245\110\254\273\046\367\002\003\001\000\001\243\201\216\060  
\201\213\060\035\006\003\125\035\016\004\026\004\024\013\130\345  
\213\306\114\025\067\244\100\251\060\251\041\276\107\066\132\126  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\111\006\003\125\035\037\004\102\060\100\060\076\240  
\074\240\072\206\070\150\164\164\160\072\057\057\143\162\154\056  
\143\157\155\157\144\157\143\141\056\143\157\155\057\103\117\115  
\117\104\117\103\145\162\164\151\146\151\143\141\164\151\157\156

\101\165\164\150\157\162\151\164\171\056\143\162\154\060\015\006  
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001  
\000\076\230\236\233\366\033\351\327\071\267\170\256\035\162\030  
\111\323\207\344\103\202\353\077\311\252\365\250\265\357\125\174  
\041\122\145\371\325\015\341\154\364\076\214\223\163\221\056\002  
\304\116\007\161\157\300\217\070\141\010\250\036\201\012\300\057  
\040\057\101\213\221\334\110\105\274\361\306\336\272\166\153\063  
\310\000\055\061\106\114\355\347\235\317\210\224\377\063\300\126  
\350\044\206\046\270\330\070\070\337\052\153\335\022\314\307\077  
\107\027\114\242\302\006\226\011\326\333\376\077\074\106\101\337  
\130\342\126\017\074\073\301\034\223\065\331\070\122\254\356\310  
\354\056\060\116\224\065\264\044\037\113\170\151\332\362\002\070  
\314\225\122\223\360\160\045\131\234\040\147\304\356\371\213\127  
\141\364\222\166\175\077\204\215\125\267\350\345\254\325\361\365  
\031\126\246\132\373\220\034\257\223\353\345\034\324\147\227\135  
\004\016\276\013\203\246\027\203\271\060\022\240\305\063\025\005  
\271\015\373\307\005\166\343\330\112\215\374\064\027\243\306\041  
\050\276\060\105\061\036\307\170\276\130\141\070\254\073\342\001  
\145

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "COMODO Certification Authority"

# Issuer: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater  
Manchester,C=GB

# Serial Number:4e:81:2d:8a:82:65:e0:0b:02:ee:3e:35:02:46:e5:3d

# Subject: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater  
Manchester,C=GB

# Not Valid Before: Fri Dec 01 00:00:00 2006

# Not Valid After : Mon Dec 31 23:59:59 2029

# Fingerprint (SHA-256):

0C:2C:D6:3D:F7:80:6F:A3:99:ED:E8:09:11:6B:57:5B:F8:79:89:F0:65:18:F9:80:8C:86:05:03:17:8B:AF:66

# Fingerprint (SHA1): 66:31:BF:9E:F7:4F:9E:B6:C9:D5:A6:0C:BA:6A:BE:D1:F7:BD:EF:7B

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "COMODO Certification Authority"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\146\061\277\236\367\117\236\266\311\325\246\014\272\152\276\321  
\367\275\357\173

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\134\110\334\367\102\162\354\126\224\155\034\314\161\065\200\165

END

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\201\201\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\047\060\045\006
\003\125\004\003\023\036\103\117\115\117\104\117\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\116\201\055\212\202\145\340\013\002\356\076\065\002\106
\345\075
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "COMODO ECC Certification Authority"

#

# Issuer: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater Manchester,C=GB

# Serial Number:1f:47:af:aa:62:00:70:50:54:4c:01:9e:9b:63:99:2a

# Subject: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater Manchester,C=GB

# Not Valid Before: Thu Mar 06 00:00:00 2008

# Not Valid After : Mon Jan 18 23:59:59 2038

# Fingerprint (SHA-256):

17:93:92:7A:06:14:54:97:89:AD:CE:2F:8F:34:F7:F0:B6:6D:0F:3A:E3:A3:B8:4D:21:EC:15:DB:BA:4F:AD:C7

# Fingerprint (SHA1): 9F:74:4E:9F:2B:4D:BA:EC:0F:31:2C:50:B6:56:3B:8E:2D:93:C3:11

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "COMODO ECC Certification Authority"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\105\103\103
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102  
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164  
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060  
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061  
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117  
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006  
\003\125\004\003\023\042\103\117\115\117\104\117\040\105\103\103  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\037\107\257\252\142\000\160\120\124\114\001\236\233\143  
\231\052

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\211\060\202\002\017\240\003\002\001\002\002\020\037  
\107\257\252\142\000\160\120\124\114\001\236\233\143\231\052\060  
\012\006\010\052\206\110\316\075\004\003\003\060\201\205\061\013  
\060\011\006\003\125\004\006\023\002\107\102\061\033\060\031\006  
\003\125\004\010\023\022\107\162\145\141\164\145\162\040\115\141  
\156\143\150\145\163\164\145\162\061\020\060\016\006\003\125\004  
\007\023\007\123\141\154\146\157\162\144\061\032\060\030\006\003  
\125\004\012\023\021\103\117\115\117\104\117\040\103\101\040\114  
\151\155\151\164\145\144\061\053\060\051\006\003\125\004\003\023  
\042\103\117\115\117\104\117\040\105\103\103\040\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162  
\151\164\171\060\036\027\015\060\070\060\063\060\066\060\060\060  
\060\060\060\132\027\015\063\070\060\061\061\070\062\063\065\071  
\065\071\132\060\201\205\061\013\060\011\006\003\125\004\006\023  
\002\107\102\061\033\060\031\006\003\125\004\010\023\022\107\162  
\145\141\164\145\162\040\115\141\156\143\150\145\163\164\145\162  
\061\020\060\016\006\003\125\004\007\023\007\123\141\154\146\157  
\162\144\061\032\060\030\006\003\125\004\012\023\021\103\117\115  
\117\104\117\040\103\101\040\114\151\155\151\164\145\144\061\053  
\060\051\006\003\125\004\003\023\042\103\117\115\117\104\117\040  
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\060\166\060\020\006  
\007\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003  
\142\000\004\003\107\173\057\165\311\202\025\205\373\165\344\221  
\026\324\253\142\231\365\076\122\013\006\316\101\000\177\227\341  
\012\044\074\035\001\004\356\075\322\215\011\227\014\340\165\344  
\372\373\167\212\052\365\003\140\113\066\213\026\043\026\255\011  
\161\364\112\364\050\120\264\376\210\034\156\077\154\057\057\011  
\131\133\245\133\013\063\231\342\303\075\211\371\152\054\357\262  
\323\006\351\243\102\060\100\060\035\006\003\125\035\016\004\026



```
\004\024\165\161\247\031\110\031\274\235\235\352\101\107\337\224
\304\110\167\231\323\171\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\012\006\010\052\206\110\316\075
\004\003\003\003\150\000\060\145\002\061\000\357\003\133\172\254
\267\170\012\162\267\210\337\377\265\106\024\011\012\372\240\346
\175\010\306\032\207\275\030\250\163\275\046\312\140\014\235\316
\231\237\317\134\017\060\341\276\024\061\352\002\060\024\364\223
\074\111\247\063\172\220\106\107\263\143\175\023\233\116\267\157
\030\067\200\123\376\335\040\340\065\232\066\321\307\001\271\346
\334\335\363\377\035\054\072\026\127\331\222\071\326
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "COMODO ECC Certification Authority"
```

```
Issuer: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
```

```
Serial Number: 1f:47:af:aa:62:00:70:50:54:4c:01:9e:9b:63:99:2a
```

```
Subject: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
```

```
Not Valid Before: Thu Mar 06 00:00:00 2008
```

```
Not Valid After : Mon Jan 18 23:59:59 2038
```

```
Fingerprint (SHA-256):
```

```
17:93:92:7A:06:14:54:97:89:AD:CE:2F:8F:34:F7:F0:B6:6D:0F:3A:E3:A3:B8:4D:21:EC:15:DB:BA:4F:AD:C7
```

```
Fingerprint (SHA1): 9F:74:4E:9F:2B:4D:BA:EC:0F:31:2C:50:B6:56:3B:8E:2D:93:C3:11
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "COMODO ECC Certification Authority"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\237\164\116\237\053\115\272\354\017\061\054\120\266\126\073\216
\055\223\303\021
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\174\142\377\164\235\061\123\136\150\112\325\170\252\036\277\043
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\105\103\103
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
```

\165\164\150\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\037\107\257\252\142\000\160\120\124\114\001\236\233\143

\231\052

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "OISTE WISeKey Global Root GA CA"

#

# Issuer: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)  
2005,O=WISeKey,C=CH

# Serial Number:41:3d:72:c7:f4:6b:1f:81:43:7d:f1:d2:28:54:df:9a

# Subject: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)  
2005,O=WISeKey,C=CH

# Not Valid Before: Sun Dec 11 16:03:44 2005

# Not Valid After : Fri Dec 11 16:09:51 2037

# Fingerprint (SHA-256):

41:C9:23:86:6A:B4:CA:D6:B7:AD:57:80:81:58:2E:02:07:97:A6:CB:DF:4F:FF:78:CE:83:96:B3:89:37:D7:F5

# Fingerprint (SHA1): 59:22:A1:E1:5A:EA:16:35:21:F8:98:39:6A:46:46:B0:44:1B:0F:A9

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "OISTE WISeKey Global Root GA CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\212\061\013\060\011\006\003\125\004\006\023\002\103\110

\061\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113

\145\171\061\033\060\031\006\003\125\004\013\023\022\103\157\160

\171\162\151\147\150\164\040\050\143\051\040\062\060\060\065\061

\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040

\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162

\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111

\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142

\141\154\040\122\157\157\164\040\107\101\040\103\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\212\061\013\060\011\006\003\125\004\006\023\002\103\110

\061\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113

\145\171\061\033\060\031\006\003\125\004\013\023\022\103\157\160

\171\162\151\147\150\164\040\050\143\051\040\062\060\060\065\061

\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040

\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162  
\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111  
\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142  
\141\154\040\122\157\157\164\040\107\101\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\101\075\162\307\364\153\037\201\103\175\361\322\050\124  
\337\232

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\361\060\202\002\331\240\003\002\001\002\002\020\101  
\075\162\307\364\153\037\201\103\175\361\322\050\124\337\232\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\201  
\212\061\013\060\011\006\003\125\004\006\023\002\103\110\061\020  
\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145\171  
\061\033\060\031\006\003\125\004\013\023\022\103\157\160\171\162  
\151\147\150\164\040\050\143\051\040\062\060\060\065\061\042\060  
\040\006\003\125\004\013\023\031\117\111\123\124\105\040\106\157  
\165\156\144\141\164\151\157\156\040\105\156\144\157\162\163\145  
\144\061\050\060\046\006\003\125\004\003\023\037\117\111\123\124  
\105\040\127\111\123\145\113\145\171\040\107\154\157\142\141\154  
\040\122\157\157\164\040\107\101\040\103\101\060\036\027\015\060  
\065\061\062\061\061\061\066\060\063\064\064\132\027\015\063\067  
\061\062\061\061\061\066\060\071\065\061\132\060\201\212\061\013  
\060\011\006\003\125\004\006\023\002\103\110\061\020\060\016\006  
\003\125\004\012\023\007\127\111\123\145\113\145\171\061\033\060  
\031\006\003\125\004\013\023\022\103\157\160\171\162\151\147\150  
\164\040\050\143\051\040\062\060\060\065\061\042\060\040\006\003  
\125\004\013\023\031\117\111\123\124\105\040\106\157\165\156\144  
\141\164\151\157\156\040\105\156\144\157\162\163\145\144\061\050  
\060\046\006\003\125\004\003\023\037\117\111\123\124\105\040\127  
\111\123\145\113\145\171\040\107\154\157\142\141\154\040\122\157  
\157\164\040\107\101\040\103\101\060\202\001\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000  
\060\202\001\012\002\202\001\001\000\313\117\263\000\233\075\066  
\335\371\321\111\152\153\020\111\037\354\330\053\262\306\370\062  
\201\051\103\225\114\232\031\043\041\025\105\336\343\310\034\121  
\125\133\256\223\350\067\377\053\153\351\324\352\276\052\335\250  
\121\053\327\146\303\141\134\140\002\310\365\316\162\173\073\270  
\362\116\145\010\232\315\244\152\031\301\001\273\163\246\327\366  
\303\335\315\274\244\213\265\231\141\270\001\242\243\324\115\324  
\005\075\221\255\370\264\010\161\144\257\160\361\034\153\176\366  
\303\167\235\044\163\173\344\014\214\341\331\066\341\231\213\005  
\231\013\355\105\061\011\312\302\000\333\367\162\240\226\252\225  
\207\320\216\307\266\141\163\015\166\146\214\334\033\264\143\242  
\237\177\223\023\060\361\241\047\333\331\377\054\125\210\221\240  
\340\117\007\260\050\126\214\030\033\227\104\216\211\335\340\027  
\156\347\052\357\217\071\012\061\204\202\330\100\024\111\056\172

\101\344\247\376\343\144\314\301\131\161\113\054\041\247\133\175  
\340\035\321\056\201\233\303\330\150\367\275\226\033\254\160\261  
\026\024\013\333\140\271\046\001\005\002\003\001\000\001\243\121  
\060\117\060\013\006\003\125\035\017\004\004\003\002\001\206\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\035\006\003\125\035\016\004\026\004\024\263\003\176\256\066  
\274\260\171\321\334\224\046\266\021\276\041\262\151\206\224\060  
\020\006\011\053\006\001\004\001\202\067\025\001\004\003\002\001  
\000\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000  
\003\202\001\001\000\113\241\377\013\207\156\263\371\301\103\261  
\110\363\050\300\035\056\311\011\101\372\224\000\034\244\244\253  
\111\117\217\075\036\357\115\157\275\274\244\366\362\046\060\311  
\020\312\035\210\373\164\031\037\205\105\275\260\154\121\371\066  
\176\333\365\114\062\072\101\117\133\107\317\350\013\055\266\304  
\031\235\164\305\107\306\073\152\017\254\024\333\074\364\163\234  
\251\005\337\000\334\164\170\372\370\065\140\131\002\023\030\174  
\274\373\115\260\040\155\103\273\140\060\172\147\063\134\305\231  
\321\370\055\071\122\163\373\214\252\227\045\134\162\331\010\036  
\253\116\074\343\201\061\237\003\246\373\300\376\051\210\125\332  
\204\325\120\003\266\342\204\243\246\066\252\021\072\001\341\030  
\113\326\104\150\263\075\371\123\164\204\263\106\221\106\226\000  
\267\200\054\266\341\343\020\342\333\242\347\050\217\001\226\142  
\026\076\000\343\034\245\066\201\030\242\114\122\166\300\021\243  
\156\346\035\272\343\132\276\066\123\305\076\165\217\206\151\051  
\130\123\265\234\273\157\237\134\305\030\354\335\057\341\230\311  
\374\276\337\012\015

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "OISTE WISeKey Global Root GA CA"

# Issuer: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)  
2005,O=WISeKey,C=CH

# Serial Number:41:3d:72:c7:f4:6b:1f:81:43:7d:f1:d2:28:54:df:9a

# Subject: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)  
2005,O=WISeKey,C=CH

# Not Valid Before: Sun Dec 11 16:03:44 2005

# Not Valid After : Fri Dec 11 16:09:51 2037

# Fingerprint (SHA-256):

41:C9:23:86:6A:B4:CA:D6:B7:AD:57:80:81:58:2E:02:07:97:A6:CB:DF:4F:FF:78:CE:83:96:B3:89:37:D7:F5

# Fingerprint (SHA1): 59:22:A1:E1:5A:EA:16:35:21:F8:98:39:6A:46:46:B0:44:1B:0F:A9

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "OISTE WISeKey Global Root GA CA"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\131\042\241\341\132\352\026\065\041\370\230\071\152\106\106\260  
\104\033\017\251

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\274\154\121\063\247\351\323\146\143\124\025\162\033\041\222\223

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\212\061\013\060\011\006\003\125\004\006\023\002\103\110  
\061\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113  
\145\171\061\033\060\031\006\003\125\004\013\023\022\103\157\160  
\171\162\151\147\150\164\040\050\143\051\040\062\060\060\065\061  
\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040  
\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162  
\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111  
\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142  
\141\154\040\122\157\157\164\040\107\101\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\101\075\162\307\364\153\037\201\103\175\361\322\050\124  
\337\232

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Certigna"

#

# Issuer: CN=Certigna,O=Dhimyotis,C=FR

# Serial Number:00:fe:dc:e3:01:0f:c9:48:ff

# Subject: CN=Certigna,O=Dhimyotis,C=FR

# Not Valid Before: Fri Jun 29 15:13:05 2007

# Not Valid After : Tue Jun 29 15:13:05 2027

# Fingerprint (SHA-256):

E3:B6:A2:DB:2E:D7:CE:48:84:2F:7A:C5:32:41:C7:B7:1D:54:14:4B:FB:40:C1:1F:3F:1D:0B:42:F5:EE:A1:2D

# Fingerprint (SHA1): B1:2E:13:63:45:86:A4:6F:1A:B2:60:68:37:58:2D:C4:AC:FD:94:97

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Certigna"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\064\061\013\060\011\006\003\125\004\006\023\002\106\122\061  
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157  
\164\151\163\061\021\060\017\006\003\125\004\003\014\010\103\145  
\162\164\151\147\156\141

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\064\061\013\060\011\006\003\125\004\006\023\002\106\122\061  
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157  
\164\151\163\061\021\060\017\006\003\125\004\003\014\010\103\145  
\162\164\151\147\156\141

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\376\334\343\001\017\311\110\377

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\250\060\202\002\220\240\003\002\001\002\002\011\000  
\376\334\343\001\017\311\110\377\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\060\064\061\013\060\011\006\003\125  
\004\006\023\002\106\122\061\022\060\020\006\003\125\004\012\014  
\011\104\150\151\155\171\157\164\151\163\061\021\060\017\006\003  
\125\004\003\014\010\103\145\162\164\151\147\156\141\060\036\027  
\015\060\067\060\066\062\071\061\065\061\063\060\065\132\027\015  
\062\067\060\066\062\071\061\065\061\063\060\065\132\060\064\061  
\013\060\011\006\003\125\004\006\023\002\106\122\061\022\060\020  
\006\003\125\004\012\014\011\104\150\151\155\171\157\164\151\163  
\061\021\060\017\006\003\125\004\003\014\010\103\145\162\164\151  
\147\156\141\060\202\001\042\060\015\006\011\052\206\110\206\367  
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002  
\202\001\001\000\310\150\361\311\326\326\263\064\165\046\202\036  
\354\264\276\352\134\341\046\355\021\107\141\341\242\174\026\170  
\100\041\344\140\236\132\310\143\341\304\261\226\222\377\030\155  
\151\043\341\053\142\367\335\342\066\057\221\007\271\110\317\016  
\354\171\266\054\347\064\113\160\010\045\243\074\207\033\031\362  
\201\007\017\070\220\031\323\021\376\206\264\362\321\136\036\036  
\226\315\200\154\316\073\061\223\266\362\240\320\251\225\022\175  
\245\232\314\153\310\204\126\212\063\251\347\042\025\123\026\360  
\314\027\354\127\137\351\242\012\230\011\336\343\137\234\157\334  
\110\343\205\013\025\132\246\272\237\254\110\343\011\262\367\364  
\062\336\136\064\276\034\170\135\102\133\316\016\042\217\115\220  
\327\175\062\030\263\013\054\152\277\216\077\024\021\211\040\016  
\167\024\265\075\224\010\207\367\045\036\325\262\140\000\354\157  
\052\050\045\156\052\076\030\143\027\045\077\076\104\040\026\366  
\046\310\045\256\005\112\264\347\143\054\363\214\026\123\176\134  
\373\021\032\010\301\106\142\237\042\270\361\302\215\151\334\372  
\072\130\006\337\002\003\001\000\001\243\201\274\060\201\271\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\035\006\003\125\035\016\004\026\004\024\032\355\376\101\071  
\220\264\044\131\276\001\362\122\325\105\366\132\071\334\021\060  
\144\006\003\125\035\043\004\135\060\133\200\024\032\355\376\101  
\071\220\264\044\131\276\001\362\122\325\105\366\132\071\334\021  
\241\070\244\066\060\064\061\013\060\011\006\003\125\004\006\023

```
\002\106\122\061\022\060\020\006\003\125\004\012\014\011\104\150
\151\155\171\157\164\151\163\061\021\060\017\006\003\125\004\003
\014\010\103\145\162\164\151\147\156\141\202\011\000\376\334\343
\001\017\311\110\377\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\006\060\021\006\011\140\206\110\001\206\370\102
\001\001\004\004\003\002\000\007\060\015\006\011\052\206\110\206
\367\015\001\001\005\005\000\003\202\001\001\000\205\003\036\222
\161\366\102\257\341\243\141\236\353\363\300\017\362\245\324\332
\225\346\326\276\150\066\075\176\156\037\114\212\357\321\017\041
\155\136\245\122\143\316\022\370\357\052\332\157\353\067\376\023
\002\307\313\073\076\042\153\332\141\056\177\324\162\075\335\060
\341\036\114\100\031\214\017\327\234\321\203\060\173\230\131\334
\175\306\271\014\051\114\241\063\242\353\147\072\145\204\323\226
\342\355\166\105\160\217\265\053\336\371\043\326\111\156\074\024
\265\306\237\065\036\120\320\301\217\152\160\104\002\142\313\256
\035\150\101\247\252\127\350\123\252\007\322\006\366\325\024\006
\013\221\003\165\054\154\162\265\141\225\232\015\213\271\015\347
\365\337\124\315\336\346\330\326\011\010\227\143\345\301\056\260
\267\104\046\300\046\300\257\125\060\236\073\325\066\052\031\004
\364\134\036\377\317\054\267\377\320\375\207\100\021\325\021\043
\273\110\300\041\251\244\050\055\375\025\370\260\116\053\364\060
\133\041\374\021\221\064\276\101\357\173\235\227\165\377\227\225
\300\226\130\057\352\273\106\327\273\344\331\056
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "Certigna"

# Issuer: CN=Certigna,O=Dhimyotis,C=FR

# Serial Number:00:fe:dc:e3:01:0f:c9:48:ff

# Subject: CN=Certigna,O=Dhimyotis,C=FR

# Not Valid Before: Fri Jun 29 15:13:05 2007

# Not Valid After : Tue Jun 29 15:13:05 2027

# Fingerprint (SHA-256):

E3:B6:A2:DB:2E:D7:CE:48:84:2F:7A:C5:32:41:C7:B7:1D:54:14:4B:FB:40:C1:1F:3F:1D:0B:42:F5:EE:A1:2D

# Fingerprint (SHA1): B1:2E:13:63:45:86:A4:6F:1A:B2:60:68:37:58:2D:C4:AC:FD:94:97

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certigna"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\261\056\023\143\105\206\244\157\032\262\140\150\067\130\055\304
\254\375\224\227
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\253\127\246\133\175\102\202\031\265\330\130\046\050\136\375\377
```

```

END
CKA_ISSUER MULTILINE_OCTAL
\060\064\061\013\060\011\006\003\125\004\006\023\002\106\122\061
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\021\060\017\006\003\125\004\003\014\010\103\145
\162\164\151\147\156\141
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\376\334\343\001\017\311\110\377
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "ePKI Root Certification Authority"
#
Issuer: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW
Serial Number: 15:c8:bd:65:47:5c:af:b8:97:00:5e:e4:06:d2:bc:9d
Subject: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW
Not Valid Before: Mon Dec 20 02:31:27 2004
Not Valid After : Wed Dec 20 02:31:27 2034
Fingerprint (SHA-256):
C0:A6:F4:DC:63:A2:4B:FD:CF:54:EF:2A:6A:08:2A:0A:72:DE:35:80:3E:2F:F5:FF:52:7A:E5:D8:72:06:DF:D5
Fingerprint (SHA1): 67:65:0D:F1:7E:8E:7E:5B:82:40:A4:F4:56:4B:CF:E2:3D:69:C6:F0
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ePKI Root Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\136\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\052\060\050\006\003\125\004\013\014\041\145
\120\113\111\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\136\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\052\060\050\006\003\125\004\013\014\041\145
\120\113\111\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171

```



END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\025\310\275\145\107\134\257\270\227\000\136\344\006\322  
\274\235

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\260\060\202\003\230\240\003\002\001\002\002\020\025  
\310\275\145\107\134\257\270\227\000\136\344\006\322\274\235\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\136  
\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043\060  
\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167\141  
\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114\164  
\144\056\061\052\060\050\006\003\125\004\013\014\041\145\120\113  
\111\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060\036  
\027\015\060\064\061\062\062\060\060\062\063\061\062\067\132\027  
\015\063\064\061\062\062\060\060\062\063\061\062\067\132\060\136  
\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043\060  
\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167\141  
\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114\164  
\144\056\061\052\060\050\006\003\125\004\013\014\041\145\120\113  
\111\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060\202  
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\341  
\045\017\356\215\333\210\063\165\147\315\255\037\175\072\116\155  
\235\323\057\024\363\143\164\313\001\041\152\067\352\204\120\007  
\113\046\133\011\103\154\041\236\152\310\325\003\365\140\151\217  
\314\360\042\344\037\347\367\152\042\061\267\054\025\362\340\376  
\000\152\103\377\207\145\306\265\032\301\247\114\155\042\160\041  
\212\061\362\227\164\211\011\022\046\034\236\312\331\022\242\225  
\074\332\351\147\277\010\240\144\343\326\102\267\105\357\227\364  
\366\365\327\265\112\025\002\130\175\230\130\113\140\274\315\327  
\015\232\023\063\123\321\141\371\172\325\327\170\263\232\063\367  
\000\206\316\035\115\224\070\257\250\354\170\121\160\212\134\020  
\203\121\041\367\021\075\064\206\136\345\110\315\227\201\202\065  
\114\031\354\145\366\153\305\005\241\356\107\023\326\263\041\047  
\224\020\012\331\044\073\272\276\104\023\106\060\077\227\074\330  
\327\327\152\356\073\070\343\053\324\227\016\271\033\347\007\111  
\177\067\052\371\167\170\317\124\355\133\106\235\243\200\016\221  
\103\301\326\133\137\024\272\237\246\215\044\107\100\131\277\162  
\070\262\066\154\067\377\231\321\135\016\131\012\253\151\367\300  
\262\004\105\172\124\000\256\276\123\366\265\347\341\370\074\243  
\061\322\251\376\041\122\144\305\246\147\360\165\007\006\224\024  
\201\125\306\047\344\001\217\027\301\152\161\327\276\113\373\224  
\130\175\176\021\063\261\102\367\142\154\030\326\317\011\150\076  
\177\154\366\036\217\142\255\245\143\333\011\247\037\042\102\101  
\036\157\231\212\076\327\371\077\100\172\171\260\245\001\222\322

\235\075\010\025\245\020\001\055\263\062\166\250\225\015\263\172  
\232\373\007\020\170\021\157\341\217\307\272\017\045\032\164\052  
\345\034\230\101\231\337\041\207\350\225\006\152\012\263\152\107  
\166\145\366\072\317\217\142\027\031\173\012\050\315\032\322\203  
\036\041\307\054\277\276\377\141\150\267\147\033\273\170\115\215  
\316\147\345\344\301\216\267\043\146\342\235\220\165\064\230\251  
\066\053\212\232\224\271\235\354\314\212\261\370\045\211\134\132  
\266\057\214\037\155\171\044\247\122\150\303\204\065\342\146\215  
\143\016\045\115\325\031\262\346\171\067\247\042\235\124\061\002  
\003\001\000\001\243\152\060\150\060\035\006\003\125\035\016\004  
\026\004\024\036\014\367\266\147\362\341\222\046\011\105\300\125  
\071\056\167\077\102\112\242\060\014\006\003\125\035\023\004\005  
\060\003\001\001\377\060\071\006\004\147\052\007\000\004\061\060  
\057\060\055\002\001\000\060\011\006\005\053\016\003\002\032\005  
\000\060\007\006\005\147\052\003\000\000\004\024\105\260\302\307  
\012\126\174\356\133\170\014\225\371\030\123\301\246\034\330\020  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003  
\202\002\001\000\011\263\203\123\131\001\076\225\111\271\361\201  
\272\371\166\040\043\265\047\140\164\324\152\231\064\136\154\000  
\123\331\237\362\246\261\044\007\104\152\052\306\245\216\170\022  
\350\107\331\130\033\023\052\136\171\233\237\012\052\147\246\045  
\077\006\151\126\163\303\212\146\110\373\051\201\127\164\006\312  
\234\352\050\350\070\147\046\053\361\325\265\077\145\223\370\066  
\135\216\215\215\100\040\207\031\352\357\047\300\075\264\071\017  
\045\173\150\120\164\125\234\014\131\175\132\075\101\224\045\122  
\010\340\107\054\025\061\031\325\277\007\125\306\273\022\265\227  
\364\137\203\205\272\161\301\331\154\201\021\166\012\012\260\277  
\202\227\367\352\075\372\372\354\055\251\050\224\073\126\335\322  
\121\056\256\300\275\010\025\214\167\122\064\226\326\233\254\323  
\035\216\141\017\065\173\233\256\071\151\013\142\140\100\040\066  
\217\257\373\066\356\055\010\112\035\270\277\233\134\370\352\245  
\033\240\163\246\330\370\156\340\063\004\137\150\252\047\207\355  
\331\301\220\234\355\275\343\152\065\257\143\337\253\030\331\272  
\346\351\112\352\120\212\017\141\223\036\342\055\031\342\060\224  
\065\222\135\016\266\007\257\031\200\217\107\220\121\113\056\115  
\335\205\342\322\012\122\012\027\232\374\032\260\120\002\345\001  
\243\143\067\041\114\104\304\233\121\231\021\016\163\234\006\217  
\124\056\247\050\136\104\071\207\126\055\067\275\205\104\224\341  
\014\113\054\234\303\222\205\064\141\313\017\270\233\112\103\122  
\376\064\072\175\270\351\051\334\166\251\310\060\370\024\161\200  
\306\036\066\110\164\042\101\134\207\202\350\030\161\213\101\211  
\104\347\176\130\133\250\270\215\023\351\247\154\303\107\355\263  
\032\235\142\256\215\202\352\224\236\335\131\020\303\255\335\342  
\115\343\061\325\307\354\350\362\260\376\222\036\026\012\032\374  
\331\363\370\047\266\311\276\035\264\154\144\220\177\364\344\304  
\133\327\067\256\102\016\335\244\032\157\174\210\124\305\026\156  
\341\172\150\056\370\072\277\015\244\074\211\073\170\247\116\143  
\203\004\041\010\147\215\362\202\111\320\133\375\261\315\017\203

```

\204\324\076\040\205\367\112\075\053\234\375\052\012\011\115\352
\201\370\021\234
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "ePKI Root Certification Authority"
Issuer: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW
Serial Number:15:c8:bd:65:47:5c:af:b8:97:00:5e:e4:06:d2:bc:9d
Subject: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW
Not Valid Before: Mon Dec 20 02:31:27 2004
Not Valid After : Wed Dec 20 02:31:27 2034
Fingerprint (SHA-256):
C0:A6:F4:DC:63:A2:4B:FD:CF:54:EF:2A:6A:08:2A:0A:72:DE:35:80:3E:2F:F5:FF:52:7A:E5:D8:72:06:DF:D5
Fingerprint (SHA1): 67:65:0D:F1:7E:8E:7E:5B:82:40:A4:F4:56:4B:CF:E2:3D:69:C6:F0
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ePKI Root Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\147\145\015\361\176\216\176\133\202\100\244\364\126\113\317\342
\075\151\306\360
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\033\056\000\312\046\006\220\075\255\376\157\025\150\323\153\263
END
CKA_ISSUER MULTILINE_OCTAL
\060\136\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\052\060\050\006\003\125\004\013\014\041\145
\120\113\111\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\025\310\275\145\107\134\257\270\227\000\136\344\006\322
\274\235
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "certSIGN ROOT CA"
#

```

```
Issuer: OU=certSIGN ROOT CA,O=certSIGN,C=RO
Serial Number:20:06:05:16:70:02
Subject: OU=certSIGN ROOT CA,O=certSIGN,C=RO
Not Valid Before: Tue Jul 04 17:20:04 2006
Not Valid After : Fri Jul 04 17:20:04 2031
Fingerprint (SHA-256):
EA:A9:62:C4:FA:4A:6B:AF:EB:E4:15:19:6D:35:1C:CD:88:8D:4F:53:F3:FA:8A:E6:D7:C4:66:A9:4E:60:42:BB
Fingerprint (SHA1): FA:B7:EE:36:97:26:62:FB:2D:B0:2A:F6:BF:03:FD:E8:7C:4B:2F:9B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "certSIGN ROOT CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123\111
\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145\162
\164\123\111\107\116\040\122\117\117\124\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123\111
\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145\162
\164\123\111\107\116\040\122\117\117\124\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\006\040\006\005\026\160\002
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\070\060\202\002\040\240\003\002\001\002\002\006\040
\006\005\026\160\002\060\015\006\011\052\206\110\206\367\015\001
\001\005\005\000\060\073\061\013\060\011\006\003\125\004\006\023
\002\122\117\061\021\060\017\006\003\125\004\012\023\010\143\145
\162\164\123\111\107\116\061\031\060\027\006\003\125\004\013\023
\020\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103
\101\060\036\027\015\060\066\060\067\060\064\061\067\062\060\060
\064\132\027\015\063\061\060\067\060\064\061\067\062\060\060\064
\132\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117
\061\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123
\111\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145
\162\164\123\111\107\116\040\122\117\117\124\040\103\101\060\202
\001\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005
\000\003\202\001\017\000\060\202\001\012\002\202\001\001\000\267
\063\271\176\310\045\112\216\265\333\264\050\033\252\127\220\350
\321\042\323\144\272\323\223\350\324\254\206\141\100\152\140\127
\150\124\204\115\274\152\124\002\005\377\337\233\232\052\256\135
```

\007\217\112\303\050\177\357\373\053\372\171\361\307\255\360\020  
\123\044\220\213\146\311\250\210\253\257\132\243\000\351\276\272  
\106\356\133\163\173\054\027\202\201\136\142\054\241\002\145\263  
\275\305\053\000\176\304\374\003\063\127\015\355\342\372\316\135  
\105\326\070\315\065\266\262\301\320\234\201\112\252\344\262\001  
\134\035\217\137\231\304\261\255\333\210\041\353\220\010\202\200  
\363\060\243\103\346\220\202\256\125\050\111\355\133\327\251\020  
\070\016\376\217\114\133\233\106\352\101\365\260\010\164\303\320  
\210\063\266\174\327\164\337\334\204\321\103\016\165\071\241\045  
\100\050\352\170\313\016\054\056\071\235\214\213\156\026\034\057  
\046\202\020\342\343\145\224\012\004\300\136\367\135\133\370\020  
\342\320\272\172\113\373\336\067\000\000\032\133\050\343\322\234  
\163\076\062\207\230\241\311\121\057\327\336\254\063\263\117\002  
\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023\001  
\001\377\004\005\060\003\001\001\377\060\016\006\003\125\035\017  
\001\001\377\004\004\003\002\001\306\060\035\006\003\125\035\016  
\004\026\004\024\340\214\233\333\045\111\263\361\174\206\326\262  
\102\207\013\320\153\240\331\344\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\003\202\001\001\000\076\322\034\211  
\056\065\374\370\165\335\346\177\145\210\364\162\114\311\054\327  
\062\116\363\335\031\171\107\275\216\073\133\223\017\120\111\044  
\023\153\024\006\162\357\011\323\241\241\343\100\204\311\347\030  
\062\164\074\110\156\017\237\113\324\367\036\323\223\206\144\124  
\227\143\162\120\325\125\317\372\040\223\002\242\233\303\043\223  
\116\026\125\166\240\160\171\155\315\041\037\317\057\055\274\031  
\343\210\061\370\131\032\201\011\310\227\246\164\307\140\304\133  
\314\127\216\262\165\375\033\002\011\333\131\157\162\223\151\367  
\061\101\326\210\070\277\207\262\275\026\171\371\252\344\276\210  
\045\335\141\047\043\034\265\061\007\004\066\264\032\220\275\240  
\164\161\120\211\155\274\024\343\017\206\256\361\253\076\307\240  
\011\314\243\110\321\340\333\144\347\222\265\317\257\162\103\160  
\213\371\303\204\074\023\252\176\222\233\127\123\223\372\160\302  
\221\016\061\371\233\147\135\351\226\070\136\137\263\163\116\210  
\025\147\336\236\166\020\142\040\276\125\151\225\103\000\071\115  
\366\356\260\132\116\111\104\124\130\137\102\203

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "certSIGN ROOT CA"

# Issuer: OU=certSIGN ROOT CA,O=certSIGN,C=RO

# Serial Number:20:06:05:16:70:02

# Subject: OU=certSIGN ROOT CA,O=certSIGN,C=RO

# Not Valid Before: Tue Jul 04 17:20:04 2006

# Not Valid After : Fri Jul 04 17:20:04 2031

# Fingerprint (SHA-256):

EA:A9:62:C4:FA:4A:6B:AF:EB:E4:15:19:6D:35:1C:CD:88:8D:4F:53:F3:FA:8A:E6:D7:C4:66:A9:4E:60:42:BB

```

Fingerprint (SHA1): FA:B7:EE:36:97:26:62:FB:2D:B0:2A:F6:BF:03:FD:E8:7C:4B:2F:9B
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "certSIGN ROOT CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\372\267\356\066\227\046\142\373\055\260\052\366\277\003\375\350
\174\113\057\233
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\030\230\300\326\351\072\374\371\260\365\014\367\113\001\104\027
END
CKA_ISSUER MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123\111
\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145\162
\164\123\111\107\116\040\122\117\117\124\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\006\040\006\005\026\160\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "NetLock Arany (Class Gold) Ftanúsítvány"
#
Issuer: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification
Services),O=NetLock Kft.,L=Budapest,C=HU
Serial Number:49:41:2c:e4:00:10
Subject: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification
Services),O=NetLock Kft.,L=Budapest,C=HU
Not Valid Before: Thu Dec 11 15:08:21 2008
Not Valid After : Wed Dec 06 15:08:21 2028
Fingerprint (SHA-256):
6C:61:DA:C3:A2:DE:F0:31:50:6B:E0:36:D2:A6:FE:40:19:94:FB:D1:3D:F9:C8:D4:66:59:92:74:C4:46:EC:98
Fingerprint (SHA1): 06:08:3F:59:3F:15:A1:04:A0:69:A4:6B:A9:03:D0:06:B7:97:09:91
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "NetLock Arany (Class Gold) Ftanúsítvány"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\247\061\013\060\011\006\003\125\004\006\023\002\110\125

```

\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160  
\145\163\164\061\025\060\023\006\003\125\004\012\014\014\116\145  
\164\114\157\143\153\040\113\146\164\056\061\067\060\065\006\003  
\125\004\013\014\056\124\141\156\303\272\163\303\255\164\166\303  
\241\156\171\153\151\141\144\303\263\153\040\050\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\123\145\162\166\151\143  
\145\163\051\061\065\060\063\006\003\125\004\003\014\054\116\145  
\164\114\157\143\153\040\101\162\141\156\171\040\050\103\154\141  
\163\163\040\107\157\154\144\051\040\106\305\221\164\141\156\303  
\272\163\303\255\164\166\303\241\156\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\247\061\013\060\011\006\003\125\004\006\023\002\110\125  
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160  
\145\163\164\061\025\060\023\006\003\125\004\012\014\014\116\145  
\164\114\157\143\153\040\113\146\164\056\061\067\060\065\006\003  
\125\004\013\014\056\124\141\156\303\272\163\303\255\164\166\303  
\241\156\171\153\151\141\144\303\263\153\040\050\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\123\145\162\166\151\143  
\145\163\051\061\065\060\063\006\003\125\004\003\014\054\116\145  
\164\114\157\143\153\040\101\162\141\156\171\040\050\103\154\141  
\163\163\040\107\157\154\144\051\040\106\305\221\164\141\156\303  
\272\163\303\255\164\166\303\241\156\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\006\111\101\054\344\000\020

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\025\060\202\002\375\240\003\002\001\002\002\006\111  
\101\054\344\000\020\060\015\006\011\052\206\110\206\367\015\001  
\001\013\005\000\060\201\247\061\013\060\011\006\003\125\004\006  
\023\002\110\125\061\021\060\017\006\003\125\004\007\014\010\102  
\165\144\141\160\145\163\164\061\025\060\023\006\003\125\004\012  
\014\014\116\145\164\114\157\143\153\040\113\146\164\056\061\067  
\060\065\006\003\125\004\013\014\056\124\141\156\303\272\163\303  
\255\164\166\303\241\156\171\153\151\141\144\303\263\153\040\050  
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145  
\162\166\151\143\145\163\051\061\065\060\063\006\003\125\004\003  
\014\054\116\145\164\114\157\143\153\040\101\162\141\156\171\040  
\050\103\154\141\163\163\040\107\157\154\144\051\040\106\305\221  
\164\141\156\303\272\163\303\255\164\166\303\241\156\171\060\036  
\027\015\060\070\061\062\061\061\061\065\060\070\062\061\132\027  
\015\062\070\061\062\060\066\061\065\060\070\062\061\132\060\201  
\247\061\013\060\011\006\003\125\004\006\023\002\110\125\061\021  
\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145\163  
\164\061\025\060\023\006\003\125\004\012\014\014\116\145\164\114  
\157\143\153\040\113\146\164\056\061\067\060\065\006\003\125\004

\013\014\056\124\141\156\303\272\163\303\255\164\166\303\241\156  
\171\153\151\141\144\303\263\153\040\050\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\123\145\162\166\151\143\145\163  
\051\061\065\060\063\006\003\125\004\003\014\054\116\145\164\114  
\157\143\153\040\101\162\141\156\171\040\050\103\154\141\163\163  
\040\107\157\154\144\051\040\106\305\221\164\141\156\303\272\163  
\303\255\164\166\303\241\156\171\060\202\001\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000  
\060\202\001\012\002\202\001\001\000\304\044\136\163\276\113\155  
\024\303\241\364\343\227\220\156\322\060\105\036\074\356\147\331  
\144\340\032\212\177\312\060\312\203\343\040\301\343\364\072\323  
\224\137\032\174\133\155\277\060\117\204\047\366\237\037\111\274  
\306\231\012\220\362\017\365\177\103\204\067\143\121\213\172\245  
\160\374\172\130\315\216\233\355\303\106\154\204\160\135\332\363  
\001\220\043\374\116\060\251\176\341\047\143\347\355\144\074\240  
\270\311\063\143\376\026\220\377\260\270\375\327\250\300\300\224  
\103\013\266\325\131\246\236\126\320\044\037\160\171\257\333\071  
\124\015\145\165\331\025\101\224\001\257\136\354\366\215\361\377  
\255\144\376\040\232\327\134\353\376\246\037\010\144\243\213\166  
\125\255\036\073\050\140\056\207\045\350\252\257\037\306\144\106  
\040\267\160\177\074\336\110\333\226\123\267\071\167\344\032\342  
\307\026\204\166\227\133\057\273\031\025\205\370\151\205\365\231  
\247\251\362\064\247\251\266\246\003\374\157\206\075\124\174\166  
\004\233\153\371\100\135\000\064\307\056\231\165\235\345\210\003  
\252\115\370\003\322\102\166\300\033\002\003\000\250\213\243\105  
\060\103\060\022\006\003\125\035\023\001\001\377\004\010\060\006  
\001\001\377\002\001\004\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004  
\024\314\372\147\223\360\266\270\320\245\300\036\363\123\375\214  
\123\337\203\327\226\060\015\006\011\052\206\110\206\367\015\001  
\001\013\005\000\003\202\001\001\000\253\177\356\034\026\251\234  
\074\121\000\240\300\021\010\005\247\231\346\157\001\210\124\141  
\156\361\271\030\255\112\255\376\201\100\043\224\057\373\165\174  
\057\050\113\142\044\201\202\013\365\141\361\034\156\270\141\070  
\353\201\372\142\241\073\132\142\323\224\145\304\341\346\155\202  
\370\057\045\160\262\041\046\301\162\121\037\214\054\303\204\220  
\303\132\217\272\317\364\247\145\245\353\230\321\373\005\262\106  
\165\025\043\152\157\205\143\060\200\360\325\236\037\051\034\302  
\154\260\120\131\135\220\133\073\250\015\060\317\277\175\177\316  
\361\235\203\275\311\106\156\040\246\371\141\121\272\041\057\173  
\276\245\025\143\241\324\225\207\361\236\271\363\211\363\075\205  
\270\270\333\276\265\271\051\371\332\067\005\000\111\224\003\204  
\104\347\277\103\061\317\165\213\045\321\364\246\144\365\222\366  
\253\005\353\075\351\245\013\066\142\332\314\006\137\066\213\266  
\136\061\270\052\373\136\366\161\337\104\046\236\304\346\015\221  
\264\056\165\225\200\121\152\113\060\246\260\142\241\223\361\233  
\330\316\304\143\165\077\131\107\261

END



```

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "NetLock Arany (Class Gold) Ftanúsítvány"
Issuer: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification
Services),O=NetLock Kft.,L=Budapest,C=HU
Serial Number:49:41:2c:e4:00:10
Subject: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification
Services),O=NetLock Kft.,L=Budapest,C=HU
Not Valid Before: Thu Dec 11 15:08:21 2008
Not Valid After : Wed Dec 06 15:08:21 2028
Fingerprint (SHA-256):
6C:61:DA:C3:A2:DE:F0:31:50:6B:E0:36:D2:A6:FE:40:19:94:FB:D1:3D:F9:C8:D4:66:59:92:74:C4:46:EC:98
Fingerprint (SHA1): 06:08:3F:59:3F:15:A1:04:A0:69:A4:6B:A9:03:D0:06:B7:97:09:91
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "NetLock Arany (Class Gold) Ftanúsítvány"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\006\010\077\131\077\025\241\004\240\151\244\153\251\003\320\006
\267\227\011\221
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\305\241\267\377\163\335\326\327\064\062\030\337\374\074\255\210
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\247\061\013\060\011\006\003\125\004\006\023\002\110\125
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160
\145\163\164\061\025\060\023\006\003\125\004\012\014\014\116\145
\164\114\157\143\153\040\113\146\164\056\061\067\060\065\006\003
\125\004\013\014\056\124\141\156\303\272\163\303\255\164\166\303
\241\156\171\153\151\141\144\303\263\153\040\050\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\123\145\162\166\151\143
\145\163\051\061\065\060\063\006\003\125\004\003\014\054\116\145
\164\114\157\143\153\040\101\162\141\156\171\040\050\103\154\141
\163\163\040\107\157\154\144\051\040\106\305\221\164\141\156\303
\272\163\303\255\164\166\303\241\156\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\006\111\101\054\344\000\020
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

```

```

#
Certificate "Hongkong Post Root CA 1"
#
Issuer: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK
Serial Number: 1000 (0x3e8)
Subject: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK
Not Valid Before: Thu May 15 05:13:14 2003
Not Valid After : Mon May 15 04:52:29 2023
Fingerprint (SHA-256):
F9:E6:7D:33:6C:51:00:2A:C0:54:C6:32:02:2D:66:DD:A2:E7:E3:FF:F1:0A:D0:61:ED:31:D8:BB:B4:10:CF:B2
Fingerprint (SHA1): D6:DA:A8:20:8D:09:D2:15:4D:24:B5:2F:CB:34:6E:B2:58:B2:8A:58
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hongkong Post Root CA 1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040
\122\157\157\164\040\103\101\040\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040
\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\002\003\350
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\060\060\202\002\030\240\003\002\001\002\002\002\003
\350\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000
\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040
\122\157\157\164\040\103\101\040\061\060\036\027\015\060\063\060
\065\061\065\060\065\061\063\061\064\132\027\015\062\063\060\065
\061\065\060\064\065\062\062\071\132\060\107\061\013\060\011\006
\003\125\004\006\023\002\110\113\061\026\060\024\006\003\125\004
\012\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164
\061\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153

```

\157\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101  
\040\061\060\202\001\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202  
\001\001\000\254\377\070\266\351\146\002\111\343\242\264\341\220  
\371\100\217\171\371\342\275\171\376\002\275\356\044\222\035\042  
\366\332\205\162\151\376\327\077\011\324\335\221\265\002\234\320  
\215\132\341\125\303\120\206\271\051\046\302\343\331\240\361\151  
\003\050\040\200\105\042\055\126\247\073\124\225\126\042\131\037  
\050\337\037\040\075\155\242\066\276\043\240\261\156\265\261\047  
\077\071\123\011\352\253\152\350\164\262\302\145\134\216\277\174  
\303\170\204\315\236\026\374\365\056\117\040\052\010\237\167\363  
\305\036\304\232\122\146\036\110\136\343\020\006\217\042\230\341  
\145\216\033\135\043\146\073\270\245\062\121\310\206\252\241\251  
\236\177\166\224\302\246\154\267\101\360\325\310\006\070\346\324  
\014\342\363\073\114\155\120\214\304\203\047\301\023\204\131\075  
\236\165\164\266\330\002\136\072\220\172\300\102\066\162\354\152  
\115\334\357\304\000\337\023\030\127\137\046\170\310\326\012\171  
\167\277\367\257\267\166\271\245\013\204\027\135\020\352\157\341  
\253\225\021\137\155\074\243\134\115\203\133\362\263\031\212\200  
\213\013\207\002\003\001\000\001\243\046\060\044\060\022\006\003  
\125\035\023\001\001\377\004\010\060\006\001\001\377\002\001\003  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\306  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003  
\202\001\001\000\016\106\325\074\256\342\207\331\136\201\213\002  
\230\101\010\214\114\274\332\333\356\047\033\202\347\152\105\354  
\026\213\117\205\240\363\262\160\275\132\226\272\312\156\155\356  
\106\213\156\347\052\056\226\263\031\063\353\264\237\250\262\067  
\356\230\250\227\266\056\266\147\047\324\246\111\375\034\223\145  
\166\236\102\057\334\042\154\232\117\362\132\025\071\261\161\327  
\053\121\350\155\034\230\300\331\052\364\241\202\173\325\311\101  
\242\043\001\164\070\125\213\017\271\056\147\242\040\004\067\332  
\234\013\323\027\041\340\217\227\171\064\157\204\110\002\040\063  
\033\346\064\104\237\221\160\364\200\136\204\103\302\051\322\154  
\022\024\344\141\215\254\020\220\236\204\120\273\360\226\157\105  
\237\212\363\312\154\117\372\021\072\025\025\106\303\315\037\203  
\133\055\101\022\355\120\147\101\023\075\041\253\224\212\252\116  
\174\301\261\373\247\326\265\047\057\227\253\156\340\035\342\321  
\034\054\037\104\342\374\276\221\241\234\373\326\051\123\163\206  
\237\123\330\103\016\135\326\143\202\161\035\200\164\312\366\342  
\002\153\331\132

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Hongkong Post Root CA 1"  
# Issuer: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK  
# Serial Number: 1000 (0x3e8)

```

Subject: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK
Not Valid Before: Thu May 15 05:13:14 2003
Not Valid After : Mon May 15 04:52:29 2023
Fingerprint (SHA-256):
F9:E6:7D:33:6C:51:00:2A:C0:54:C6:32:02:2D:66:DD:A2:E7:E3:FF:F1:0A:D0:61:ED:31:D8:BB:B4:10:CF:B2
Fingerprint (SHA1): D6:DA:A8:20:8D:09:D2:15:4D:24:B5:2F:CB:34:6E:B2:58:B2:8A:58
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hongkong Post Root CA 1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\326\332\250\040\215\011\322\025\115\044\265\057\313\064\156\262
\130\262\212\130
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\250\015\157\071\170\271\103\155\167\102\155\230\132\314\043\312
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040
\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\002\003\350
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "SecureSign RootCA11"
#
Issuer: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP
Serial Number: 1 (0x1)
Subject: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP
Not Valid Before: Wed Apr 08 04:56:47 2009
Not Valid After : Sun Apr 08 04:56:47 2029
Fingerprint (SHA-256):
BF:0F:EE:FB:9E:3A:58:1A:D5:F9:E9:DB:75:89:98:57:43:D2:61:08:5C:4D:31:4F:6F:5D:72:59:AA:42:16:12
Fingerprint (SHA1): 3B:C4:9F:48:F8:F3:73:A0:9C:1E:BD:F8:5B:B1:C3:65:C7:D8:11:B3
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE

```

```
CKA_LABEL UTF8 "SecureSign RootCA11"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\053\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145
\162\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032
\006\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147
\156\040\122\157\157\164\103\101\061\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\053\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145
\162\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032
\006\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147
\156\040\122\157\157\164\103\101\061\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\155\060\202\002\125\240\003\002\001\002\002\001\001
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061\053
\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040\103
\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145\162
\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032\006
\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147\156
\040\122\157\157\164\103\101\061\061\060\036\027\015\060\071\060
\064\060\070\060\064\065\066\064\067\132\027\015\062\071\060\064
\060\070\060\064\065\066\064\067\132\060\130\061\013\060\011\006
\003\125\004\006\023\002\112\120\061\053\060\051\006\003\125\004
\012\023\042\112\141\160\141\156\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\123\145\162\166\151\143\145\163\054
\040\111\156\143\056\061\034\060\032\006\003\125\004\003\023\023
\123\145\143\165\162\145\123\151\147\156\040\122\157\157\164\103
\101\061\061\060\202\001\042\060\015\006\011\052\206\110\206\367
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002
\202\001\001\000\375\167\252\245\034\220\005\073\313\114\233\063
\213\132\024\105\244\347\220\026\321\337\127\322\041\020\244\027
\375\337\254\326\037\247\344\333\174\367\354\337\270\003\332\224
\130\375\135\162\174\214\077\137\001\147\164\025\226\343\002\074
\207\333\256\313\001\216\302\363\146\306\205\105\364\002\306\072
\265\142\262\257\372\234\277\244\346\324\200\060\230\363\015\266
\223\217\251\324\330\066\362\260\374\212\312\054\241\025\063\225
\061\332\300\033\362\356\142\231\206\143\077\277\335\223\052\203
```

\250\166\271\023\037\267\316\116\102\205\217\042\347\056\032\362  
\225\011\262\005\265\104\116\167\241\040\275\251\362\116\012\175  
\120\255\365\005\015\105\117\106\161\375\050\076\123\373\004\330  
\055\327\145\035\112\033\372\317\073\260\061\232\065\156\310\213  
\006\323\000\221\362\224\010\145\114\261\064\006\000\172\211\342  
\360\307\003\131\317\325\326\350\247\062\263\346\230\100\206\305  
\315\047\022\213\314\173\316\267\021\074\142\140\007\043\076\053  
\100\156\224\200\011\155\266\263\157\167\157\065\010\120\373\002  
\207\305\076\211\002\003\001\000\001\243\102\060\100\060\035\006  
\003\125\035\016\004\026\004\024\133\370\115\117\262\245\206\324  
\072\322\361\143\232\240\276\011\366\127\267\336\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003  
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\015\006  
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001  
\000\240\241\070\026\146\056\247\126\037\041\234\006\372\035\355  
\271\042\305\070\046\330\116\117\354\243\177\171\336\106\041\241  
\207\167\217\007\010\232\262\244\305\257\017\062\230\013\174\146  
\051\266\233\175\045\122\111\103\253\114\056\053\156\172\160\257  
\026\016\343\002\154\373\102\346\030\235\105\330\125\310\350\073  
\335\347\341\364\056\013\034\064\134\154\130\112\373\214\210\120  
\137\225\034\277\355\253\042\265\145\263\205\272\236\017\270\255  
\345\172\033\212\120\072\035\275\015\274\173\124\120\013\271\102  
\257\125\240\030\201\255\145\231\357\276\344\234\277\304\205\253  
\101\262\124\157\334\045\315\355\170\342\216\014\215\011\111\335  
\143\173\132\151\226\002\041\250\275\122\131\351\175\065\313\310  
\122\312\177\201\376\331\153\323\367\021\355\045\337\370\347\371  
\244\372\162\227\204\123\015\245\320\062\030\121\166\131\024\154  
\017\353\354\137\200\214\165\103\203\303\205\230\377\114\236\055  
\015\344\167\203\223\116\265\226\007\213\050\023\233\214\031\215  
\101\047\111\100\356\336\346\043\104\071\334\241\042\326\272\003  
\362

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "SecureSign RootCA11"

# Issuer: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP

# Serial Number: 1 (0x1)

# Subject: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP

# Not Valid Before: Wed Apr 08 04:56:47 2009

# Not Valid After : Sun Apr 08 04:56:47 2029

# Fingerprint (SHA-256):

BF:0F:EE:FB:9E:3A:58:1A:D5:F9:E9:DB:75:89:98:57:43:D2:61:08:5C:4D:31:4F:6F:5D:72:59:AA:42:16:12

# Fingerprint (SHA1): 3B:C4:9F:48:F8:F3:73:A0:9C:1E:BD:F8:5B:B1:C3:65:C7:D8:11:B3

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

```

CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SecureSign RootCA11"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\073\304\237\110\370\363\163\240\234\036\275\370\133\261\303\145
\307\330\021\263
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\267\122\164\342\222\264\200\223\362\165\344\314\327\362\352\046
END
CKA_ISSUER MULTILINE_OCTAL
\060\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\053\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145
\162\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032
\006\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147
\156\040\122\157\157\164\103\101\061\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Microsec e-Szigno Root CA 2009"
#
Issuer: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU
Serial Number:00:c2:7e:43:04:4e:47:3f:19
Subject: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU
Not Valid Before: Tue Jun 16 11:30:18 2009
Not Valid After : Sun Dec 30 11:30:18 2029
Fingerprint (SHA-256):
3C:5F:81:FE:A5:FA:B8:2C:64:BF:A2:EA:EC:AF:CD:E8:E0:77:FC:86:20:A7:CA:E5:37:16:3D:F3:6E:DB:F3:78
Fingerprint (SHA1): 89:DF:74:FE:5C:F4:0F:4A:80:F9:E3:37:7D:54:DA:91:E1:01:31:8E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsec e-Szigno Root CA 2009"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\110\125
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160
\145\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151
\143\162\157\163\145\143\040\114\164\144\056\061\047\060\045\006
\003\125\004\003\014\036\115\151\143\162\157\163\145\143\040\145

```

\055\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040  
\062\060\060\071\061\037\060\035\006\011\052\206\110\206\367\015  
\001\011\001\026\020\151\156\146\157\100\145\055\163\172\151\147  
\156\157\056\150\165

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\110\125  
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160  
\145\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151  
\143\162\157\163\145\143\040\114\164\144\056\061\047\060\045\006  
\003\125\004\003\014\036\115\151\143\162\157\163\145\143\040\145  
\055\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040  
\062\060\060\071\061\037\060\035\006\011\052\206\110\206\367\015  
\001\011\001\026\020\151\156\146\157\100\145\055\163\172\151\147  
\156\157\056\150\165

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\302\176\103\004\116\107\077\031

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\012\060\202\002\362\240\003\002\001\002\002\011\000  
\302\176\103\004\116\107\077\031\060\015\006\011\052\206\110\206  
\367\015\001\001\013\005\000\060\201\202\061\013\060\011\006\003  
\125\004\006\023\002\110\125\061\021\060\017\006\003\125\004\007  
\014\010\102\165\144\141\160\145\163\164\061\026\060\024\006\003  
\125\004\012\014\015\115\151\143\162\157\163\145\143\040\114\164  
\144\056\061\047\060\045\006\003\125\004\003\014\036\115\151\143  
\162\157\163\145\143\040\145\055\123\172\151\147\156\157\040\122  
\157\157\164\040\103\101\040\062\060\060\071\061\037\060\035\006  
\011\052\206\110\206\367\015\001\011\001\026\020\151\156\146\157  
\100\145\055\163\172\151\147\156\157\056\150\165\060\036\027\015  
\060\071\060\066\061\066\061\061\063\060\061\070\132\027\015\062  
\071\061\062\063\060\061\061\063\060\061\070\132\060\201\202\061  
\013\060\011\006\003\125\004\006\023\002\110\125\061\021\060\017  
\006\003\125\004\007\014\010\102\165\144\141\160\145\163\164\061  
\026\060\024\006\003\125\004\012\014\015\115\151\143\162\157\163  
\145\143\040\114\164\144\056\061\047\060\045\006\003\125\004\003  
\014\036\115\151\143\162\157\163\145\143\040\145\055\123\172\151  
\147\156\157\040\122\157\157\164\040\103\101\040\062\060\060\071  
\061\037\060\035\006\011\052\206\110\206\367\015\001\011\001\026  
\020\151\156\146\157\100\145\055\163\172\151\147\156\157\056\150  
\165\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001  
\001\000\351\370\217\363\143\255\332\206\330\247\340\102\373\317  
\221\336\246\046\370\231\245\143\160\255\233\256\312\063\100\175  
\155\226\156\241\016\104\356\341\023\235\224\102\122\232\275\165  
\205\164\054\250\016\035\223\266\030\267\214\054\250\317\373\134



\161\271\332\354\376\350\176\217\344\057\035\262\250\165\207\330  
\267\241\345\073\317\231\112\106\320\203\031\175\300\241\022\034  
\225\155\112\364\330\307\245\115\063\056\205\071\100\165\176\024  
\174\200\022\230\120\307\101\147\270\240\200\141\124\246\154\116  
\037\340\235\016\007\351\311\272\063\347\376\300\125\050\054\002  
\200\247\031\365\236\334\125\123\003\227\173\007\110\377\231\373  
\067\212\044\304\131\314\120\020\143\216\252\251\032\260\204\032  
\206\371\137\273\261\120\156\244\321\012\314\325\161\176\037\247  
\033\174\365\123\156\042\137\313\053\346\324\174\135\256\326\302  
\306\114\345\005\001\331\355\127\374\301\043\171\374\372\310\044  
\203\225\363\265\152\121\001\320\167\326\351\022\241\371\032\203  
\373\202\033\271\260\227\364\166\006\063\103\111\240\377\013\265  
\372\265\002\003\001\000\001\243\201\200\060\176\060\017\006\003  
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006  
\003\125\035\016\004\026\004\024\313\017\306\337\102\103\314\075  
\313\265\110\043\241\032\172\246\052\273\064\150\060\037\006\003  
\125\035\043\004\030\060\026\200\024\313\017\306\337\102\103\314  
\075\313\265\110\043\241\032\172\246\052\273\064\150\060\033\006  
\003\125\035\021\004\024\060\022\201\020\151\156\146\157\100\145  
\055\163\172\151\147\156\157\056\150\165\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\003\202\001\001\000\311\321  
\016\136\056\325\314\263\174\076\313\374\075\377\015\050\225\223  
\004\310\277\332\315\171\270\103\220\360\244\276\357\362\357\041  
\230\274\324\324\135\006\366\356\102\354\060\154\240\252\251\312  
\361\257\212\372\077\013\163\152\076\352\056\100\176\037\256\124  
\141\171\353\056\010\067\327\043\363\214\237\276\035\261\341\244  
\165\333\240\342\124\024\261\272\034\051\244\030\366\022\272\242  
\024\024\343\061\065\310\100\377\267\340\005\166\127\301\034\131  
\362\370\277\344\355\045\142\134\204\360\176\176\037\263\276\371  
\267\041\021\314\003\001\126\160\247\020\222\036\033\064\201\036  
\255\234\032\303\004\074\355\002\141\326\036\006\363\137\072\207  
\362\053\361\105\207\345\075\254\321\307\127\204\275\153\256\334  
\330\371\266\033\142\160\013\075\066\311\102\362\062\327\172\141  
\346\322\333\075\317\310\251\311\233\334\333\130\104\327\157\070  
\257\177\170\323\243\255\032\165\272\034\301\066\174\217\036\155  
\034\303\165\106\256\065\005\246\366\134\075\041\356\126\360\311  
\202\042\055\172\124\253\160\303\175\042\145\202\160\226

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Microsec e-Szigno Root CA 2009"

# Issuer: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU

# Serial Number:00:c2:7e:43:04:4e:47:3f:19

# Subject: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU

# Not Valid Before: Tue Jun 16 11:30:18 2009

```

Not Valid After : Sun Dec 30 11:30:18 2029
Fingerprint (SHA-256):
3C:5F:81:FE:A5:FA:B8:2C:64:BF:A2:EA:EC:AF:CD:E8:E0:77:FC:86:20:A7:CA:E5:37:16:3D:F3:6E:DB:F3:78
Fingerprint (SHA1): 89:DF:74:FE:5C:F4:0F:4A:80:F9:E3:37:7D:54:DA:91:E1:01:31:8E
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsec e-Szigno Root CA 2009"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\211\337\164\376\134\364\017\112\200\371\343\067\175\124\332\221
\341\001\061\216
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\370\111\364\003\274\104\055\203\276\110\151\175\051\144\374\261
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\110\125
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160
\145\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151
\143\162\157\163\145\143\040\114\164\144\056\061\047\060\045\006
\003\125\004\003\014\036\115\151\143\162\157\163\145\143\040\145
\055\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040
\062\060\060\071\061\037\060\035\006\011\052\206\110\206\367\015
\001\011\001\026\020\151\156\146\157\100\145\055\163\172\151\147
\156\157\056\150\165
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\302\176\103\004\116\107\077\031
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "GlobalSign Root CA - R3"
#
Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3
Serial Number:04:00:00:00:00:01:21:58:53:08:a2
Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3
Not Valid Before: Wed Mar 18 10:00:00 2009
Not Valid After : Sun Mar 18 10:00:00 2029
Fingerprint (SHA-256):
CB:B5:22:D7:B7:F1:27:AD:6A:01:13:86:5B:DF:1C:D4:10:2E:7D:07:59:AF:63:5A:7C:F4:72:0D:C9:63:C5:3B
Fingerprint (SHA1): D6:9B:56:11:48:F0:1C:77:C5:45:78:C1:09:26:DF:5B:85:69:76:AD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE

```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root CA - R3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\063\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\063\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\004\000\000\000\000\001\041\130\123\010\242
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\137\060\202\002\107\240\003\002\001\002\002\013\004
\000\000\000\000\001\041\130\123\010\242\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\060\114\061\040\060\036\006
\003\125\004\013\023\027\107\154\157\142\141\154\123\151\147\156
\040\122\157\157\164\040\103\101\040\055\040\122\063\061\023\060
\021\006\003\125\004\012\023\012\107\154\157\142\141\154\123\151
\147\156\061\023\060\021\006\003\125\004\003\023\012\107\154\157
\142\141\154\123\151\147\156\060\036\027\015\060\071\060\063\061\070
\070\061\060\060\060\060\060\132\027\015\062\071\060\063\061\070
\061\060\060\060\060\060\132\060\114\061\040\060\036\006\003\125
\004\013\023\027\107\154\157\142\141\154\123\151\147\156\040\122
\157\157\164\040\103\101\040\055\040\122\063\061\023\060\021\006
\003\125\004\012\023\012\107\154\157\142\141\154\123\151\147\156
\061\023\060\021\006\003\125\004\003\023\012\107\154\157\142\141
\154\123\151\147\156\060\202\001\042\060\015\006\011\052\206\110
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001
\012\002\202\001\001\000\314\045\166\220\171\006\170\042\026\365
\300\203\266\204\312\050\236\375\005\166\021\305\255\210\162\374
\106\002\103\307\262\212\235\004\137\044\313\056\113\341\140\202
\106\341\122\253\014\201\107\160\154\335\144\321\353\365\054\243
\017\202\075\014\053\256\227\327\266\024\206\020\171\273\073\023
\200\167\214\010\341\111\322\152\142\057\037\136\372\226\150\337
\211\047\225\070\237\006\327\076\311\313\046\131\015\163\336\260
\310\351\046\016\203\025\306\357\133\213\322\004\140\312\111\246
\050\366\151\073\366\313\310\050\221\345\235\212\141\127\067\254
```

\164\024\334\164\340\072\356\162\057\056\234\373\320\273\277\365  
\075\000\341\006\063\350\202\053\256\123\246\072\026\163\214\335  
\101\016\040\072\300\264\247\241\351\262\117\220\056\062\140\351  
\127\313\271\004\222\150\150\345\070\046\140\165\262\237\167\377  
\221\024\357\256\040\111\374\255\100\025\110\321\002\061\141\031  
\136\270\227\357\255\167\267\144\232\172\277\137\301\023\357\233  
\142\373\015\154\340\124\151\026\251\003\332\156\351\203\223\161  
\166\306\151\205\202\027\002\003\001\000\001\243\102\060\100\060  
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\035\006\003\125\035\016\004\026\004\024\217\360\113\177\250  
\056\105\044\256\115\120\372\143\232\213\336\342\335\033\274\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202  
\001\001\000\113\100\333\300\120\252\376\310\014\357\367\226\124  
\105\111\273\226\000\011\101\254\263\023\206\206\050\007\063\312  
\153\346\164\271\272\000\055\256\244\012\323\365\361\361\017\212  
\277\163\147\112\203\307\104\173\170\340\257\156\154\157\003\051  
\216\063\071\105\303\216\344\271\127\154\252\374\022\226\354\123  
\306\055\344\044\154\271\224\143\373\334\123\150\147\126\076\203  
\270\317\065\041\303\311\150\376\316\332\302\123\252\314\220\212  
\351\360\135\106\214\225\335\172\130\050\032\057\035\336\315\000  
\067\101\217\355\104\155\327\123\050\227\176\363\147\004\036\025  
\327\212\226\264\323\336\114\047\244\114\033\163\163\166\364\027  
\231\302\037\172\016\343\055\010\255\012\034\054\377\074\253\125  
\016\017\221\176\066\353\303\127\111\276\341\056\055\174\140\213  
\303\101\121\023\043\235\316\367\062\153\224\001\250\231\347\054  
\063\037\072\073\045\322\206\100\316\073\054\206\170\311\141\057  
\024\272\356\333\125\157\337\204\356\005\011\115\275\050\330\162  
\316\323\142\120\145\036\353\222\227\203\061\331\263\265\312\107  
\130\077\137

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GlobalSign Root CA - R3"

# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3

# Serial Number:04:00:00:00:00:01:21:58:53:08:a2

# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3

# Not Valid Before: Wed Mar 18 10:00:00 2009

# Not Valid After : Sun Mar 18 10:00:00 2029

# Fingerprint (SHA-256):

CB:B5:22:D7:B7:F1:27:AD:6A:01:13:86:5B:DF:1C:D4:10:2E:7D:07:59:AF:63:5A:7C:F4:72:0D:C9:63:C5:3B

# Fingerprint (SHA1): D6:9B:56:11:48:F0:1C:77:C5:45:78:C1:09:26:DF:5B:85:69:76:AD

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

```

CKA_LABEL UTF8 "GlobalSign Root CA - R3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\326\233\126\021\110\360\034\167\305\105\170\301\011\046\337\133
\205\151\166\255
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\305\337\270\111\312\005\023\125\356\055\272\032\303\076\260\050
END
CKA_ISSUER MULTILINE_OCTAL
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\063\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\004\000\000\000\000\001\041\130\123\010\242
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Autoridad de Certificacion Firmaprofesional CIF A62634068"
#
Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
Serial Number:53:ec:3b:ee:fb:b2:48:5f
Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
Not Valid Before: Wed May 20 08:38:15 2009
Not Valid After : Tue Dec 31 08:38:15 2030
Fingerprint (SHA-256):
04:04:80:28:BF:1F:28:64:D4:8F:9A:D4:D8:32:94:36:6A:82:88:56:55:3F:3B:14:30:3F:90:14:7F:5D:40:EF
Fingerprint (SHA1): AE:C5:FB:3F:C8:E1:BF:C4:E5:4F:03:07:5A:9A:E8:00:B7:F7:B6:FA
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070
END

```

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061  
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151  
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141  
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163  
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064  
\060\066\070

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\123\354\073\356\373\262\110\137

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\006\024\060\202\003\374\240\003\002\001\002\002\010\123  
\354\073\356\373\262\110\137\060\015\006\011\052\206\110\206\367  
\015\001\001\005\005\000\060\121\061\013\060\011\006\003\125\004  
\006\023\002\105\123\061\102\060\100\006\003\125\004\003\014\071  
\101\165\164\157\162\151\144\141\144\040\144\145\040\103\145\162  
\164\151\146\151\143\141\143\151\157\156\040\106\151\162\155\141  
\160\162\157\146\145\163\151\157\156\141\154\040\103\111\106\040  
\101\066\062\066\063\064\060\066\070\060\036\027\015\060\071\060  
\065\062\060\060\070\063\070\061\065\132\027\015\063\060\061\062  
\063\061\060\070\063\070\061\065\132\060\121\061\013\060\011\006  
\003\125\004\006\023\002\105\123\061\102\060\100\006\003\125\004  
\003\014\071\101\165\164\157\162\151\144\141\144\040\144\145\040  
\103\145\162\164\151\146\151\143\141\143\151\157\156\040\106\151  
\162\155\141\160\162\157\146\145\163\151\157\156\141\154\040\103  
\111\106\040\101\066\062\066\063\064\060\066\070\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\312\226\153  
\216\352\370\373\361\242\065\340\177\114\332\340\303\122\327\175  
\266\020\310\002\136\263\103\052\304\117\152\262\312\034\135\050  
\232\170\021\032\151\131\127\257\265\040\102\344\213\017\346\337  
\133\246\003\222\057\365\021\344\142\327\062\161\070\331\004\014  
\161\253\075\121\176\017\007\337\143\005\134\351\277\224\157\301  
\051\202\300\264\332\121\260\301\074\273\255\067\112\134\312\361  
\113\066\016\044\253\277\303\204\167\375\250\120\364\261\347\306  
\057\322\055\131\215\172\012\116\226\151\122\002\252\066\230\354  
\374\372\024\203\014\067\037\311\222\067\177\327\201\055\345\304  
\271\340\076\064\376\147\364\076\146\321\323\364\100\317\136\142  
\064\017\160\006\076\040\030\132\316\367\162\033\045\154\223\164  
\024\223\243\163\261\016\252\207\020\043\131\137\040\005\031\107  
\355\150\216\222\022\312\135\374\326\053\262\222\074\040\317\341  
\137\257\040\276\240\166\177\166\345\354\032\206\141\063\076\347  
\173\264\077\240\017\216\242\271\152\157\271\207\046\157\101\154  
\210\246\120\375\152\143\013\365\223\026\033\031\217\262\355\233  
\233\311\220\365\001\014\337\031\075\017\076\070\043\311\057\217  
\014\321\002\376\033\125\326\116\320\215\074\257\117\244\363\376

\257\052\323\005\235\171\010\241\313\127\061\264\234\310\220\262  
\147\364\030\026\223\072\374\107\330\321\170\226\061\037\272\053  
\014\137\135\231\255\143\211\132\044\040\166\330\337\375\253\116  
\246\042\252\235\136\346\047\212\175\150\051\243\347\212\270\332  
\021\273\027\055\231\235\023\044\106\367\305\342\330\237\216\177  
\307\217\164\155\132\262\350\162\365\254\356\044\020\255\057\024  
\332\377\055\232\106\161\107\276\102\337\273\001\333\364\177\323  
\050\217\061\131\133\323\311\002\246\264\122\312\156\227\373\103  
\305\010\046\157\212\364\273\375\237\050\252\015\325\105\363\023  
\072\035\330\300\170\217\101\147\074\036\224\144\256\173\013\305  
\350\331\001\210\071\032\227\206\144\101\325\073\207\014\156\372  
\017\306\275\110\024\277\071\115\324\236\101\266\217\226\035\143  
\226\223\331\225\006\170\061\150\236\067\006\073\200\211\105\141  
\071\043\307\033\104\243\025\345\034\370\222\060\273\002\003\001  
\000\001\243\201\357\060\201\354\060\022\006\003\125\035\023\001  
\001\377\004\010\060\006\001\001\377\002\001\001\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003  
\125\035\016\004\026\004\024\145\315\353\253\065\036\000\076\176  
\325\164\300\034\264\163\107\016\032\144\057\060\201\246\006\003  
\125\035\040\004\201\236\060\201\233\060\201\230\006\004\125\035  
\040\000\060\201\217\060\057\006\010\053\006\001\005\005\007\002  
\001\026\043\150\164\164\160\072\057\057\167\167\167\056\146\151  
\162\155\141\160\162\157\146\145\163\151\157\156\141\154\056\143  
\157\155\057\143\160\163\060\134\006\010\053\006\001\005\005\007  
\002\002\060\120\036\116\000\120\000\141\000\163\000\145\000\157  
\000\040\000\144\000\145\000\040\000\154\000\141\000\040\000\102  
\000\157\000\156\000\141\000\156\000\157\000\166\000\141\000\040  
\000\064\000\067\000\040\000\102\000\141\000\162\000\143\000\145  
\000\154\000\157\000\156\000\141\000\040\000\060\000\070\000\060  
\000\061\000\067\060\015\006\011\052\206\110\206\367\015\001\001  
\005\005\000\003\202\002\001\000\027\175\240\371\264\335\305\305  
\353\255\113\044\265\241\002\253\335\245\210\112\262\017\125\113  
\053\127\214\073\345\061\335\376\304\062\361\347\133\144\226\066  
\062\030\354\245\062\167\327\343\104\266\300\021\052\200\271\075  
\152\156\174\233\323\255\374\303\326\243\346\144\051\174\321\341  
\070\036\202\053\377\047\145\257\373\026\025\304\056\161\204\345  
\265\377\372\244\107\275\144\062\273\366\045\204\242\047\102\365  
\040\260\302\023\020\021\315\020\025\272\102\220\052\322\104\341  
\226\046\353\061\110\022\375\052\332\311\006\317\164\036\251\113  
\325\207\050\371\171\064\222\076\056\104\350\366\217\117\217\065  
\077\045\263\071\334\143\052\220\153\040\137\304\122\022\116\227  
\054\052\254\235\227\336\110\362\243\146\333\302\322\203\225\246  
\146\247\236\045\017\351\013\063\221\145\012\132\303\331\124\022  
\335\257\303\116\016\037\046\136\015\334\263\215\354\325\201\160  
\336\322\117\044\005\363\154\116\365\114\111\146\215\321\377\322  
\013\045\101\110\376\121\204\306\102\257\200\004\317\320\176\144  
\111\344\362\337\242\354\261\114\300\052\035\347\264\261\145\242  
\304\274\361\230\364\252\160\007\143\264\270\332\073\114\372\100

```
\042\060\133\021\246\360\005\016\306\002\003\110\253\206\233\205
\335\333\335\352\242\166\200\163\175\365\234\004\304\105\215\347
\271\034\213\236\352\327\165\321\162\261\336\165\104\347\102\175
\342\127\153\175\334\231\274\075\203\050\352\200\223\215\305\114
\145\301\160\201\270\070\374\103\061\262\366\003\064\107\262\254
\373\042\006\313\036\335\027\107\034\137\146\271\323\032\242\332
\021\261\244\274\043\311\344\276\207\377\271\224\266\370\135\040
\112\324\137\347\275\150\173\145\362\025\036\322\072\251\055\351
\330\153\044\254\227\130\104\107\255\131\030\361\041\145\160\336
\316\064\140\250\100\361\363\074\244\303\050\043\214\376\047\063
\103\100\240\027\074\353\352\073\260\162\246\243\271\112\113\136
\026\110\364\262\274\310\214\222\305\235\237\254\162\066\274\064
\200\064\153\251\213\222\300\270\027\355\354\166\123\365\044\001
\214\263\042\350\113\174\125\306\235\372\243\024\273\145\205\156
\156\117\022\176\012\074\235\225
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "Autoridad de Certificacion Firmaprofesional CIF A62634068"
Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
Serial Number:53:ec:3b:ee:fb:b2:48:5f
Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
Not Valid Before: Wed May 20 08:38:15 2009
Not Valid After : Tue Dec 31 08:38:15 2030
Fingerprint (SHA-256):
04:04:80:28:BF:1F:28:64:D4:8F:9A:D4:D8:32:94:36:6A:82:88:56:55:3F:3B:14:30:3F:90:14:7F:5D:40:EF
Fingerprint (SHA1): AE:C5:FB:3F:C8:E1:BF:C4:E5:4F:03:07:5A:9A:E8:00:B7:F7:B6:FA
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\256\305\373\077\310\341\277\304\345\117\003\007\132\232\350\000
\267\367\266\372
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\163\072\164\172\354\273\243\226\246\302\344\342\310\233\300\303
END
```

```
CKA_ISSUER MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070
```



```

END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\123\354\073\356\373\262\110\137
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Izenpe.com"
#
Issuer: CN=Izenpe.com,O=IZENPE S.A.,C=ES
Serial Number:00:b0:b7:5a:16:48:5f:bf:e1:cb:f5:8b:d7:19:e6:7d
Subject: CN=Izenpe.com,O=IZENPE S.A.,C=ES
Not Valid Before: Thu Dec 13 13:08:28 2007
Not Valid After : Sun Dec 13 08:27:25 2037
Fingerprint (SHA-256):
25:30:CC:8E:98:32:15:02:BA:D9:6F:9B:1F:BA:1B:09:9E:2D:29:9E:0F:45:48:BB:91:4F:36:3B:C0:D4:53:1F
Fingerprint (SHA1): 2F:78:3D:25:52:18:A7:4A:65:39:71:B5:2C:A2:9C:45:15:6F:E9:19
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Izenpe.com"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\070\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\024\060\022\006\003\125\004\012\014\013\111\132\105\116\120\105
\040\123\056\101\056\061\023\060\021\006\003\125\004\003\014\012
\111\172\145\156\160\145\056\143\157\155
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\070\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\024\060\022\006\003\125\004\012\014\013\111\132\105\116\120\105
\040\123\056\101\056\061\023\060\021\006\003\125\004\003\014\012
\111\172\145\156\160\145\056\143\157\155
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\000\260\267\132\026\110\137\277\341\313\365\213\327\031
\346\175
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\361\060\202\003\331\240\003\002\001\002\002\020\000
\260\267\132\026\110\137\277\341\313\365\213\327\031\346\175\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\070
\061\013\060\011\006\003\125\004\006\023\002\105\123\061\024\060

```

\022\006\003\125\004\012\014\013\111\132\105\116\120\105\040\123  
\056\101\056\061\023\060\021\006\003\125\004\003\014\012\111\172  
\145\156\160\145\056\143\157\155\060\036\027\015\060\067\061\062  
\061\063\061\063\060\070\062\070\132\027\015\063\067\061\062\061  
\063\060\070\062\067\062\065\132\060\070\061\013\060\011\006\003  
\125\004\006\023\002\105\123\061\024\060\022\006\003\125\004\012  
\014\013\111\132\105\116\120\105\040\123\056\101\056\061\023\060  
\021\006\003\125\004\003\014\012\111\172\145\156\160\145\056\143  
\157\155\060\202\002\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202  
\002\001\000\311\323\172\312\017\036\254\247\206\350\026\145\152  
\261\302\033\105\062\161\225\331\376\020\133\314\257\347\245\171  
\001\217\211\303\312\362\125\161\367\167\276\167\224\363\162\244  
\054\104\330\236\222\233\024\072\241\347\044\220\012\012\126\216  
\305\330\046\224\341\331\110\341\055\076\332\012\162\335\243\231  
\025\332\201\242\207\364\173\156\046\167\211\130\255\326\353\014  
\262\101\172\163\156\155\333\172\170\101\351\010\210\022\176\207  
\056\146\021\143\154\124\373\074\235\162\300\274\056\377\302\267  
\335\015\166\343\072\327\367\264\150\276\242\365\343\201\156\301  
\106\157\135\215\340\115\306\124\125\211\032\063\061\012\261\127  
\271\243\212\230\303\354\073\064\305\225\101\151\176\165\302\074  
\040\305\141\272\121\107\240\040\220\223\241\220\113\363\116\174  
\205\105\124\232\321\005\046\101\260\265\115\035\063\276\304\003  
\310\045\174\301\160\333\073\364\011\055\124\047\110\254\057\341  
\304\254\076\310\313\222\114\123\071\067\043\354\323\001\371\340  
\011\104\115\115\144\300\341\015\132\207\042\274\255\033\243\376  
\046\265\025\363\247\374\204\031\351\354\241\210\264\104\151\204  
\203\363\211\321\164\006\251\314\013\326\302\336\047\205\120\046  
\312\027\270\311\172\207\126\054\032\001\036\154\276\023\255\020  
\254\265\044\365\070\221\241\326\113\332\361\273\322\336\107\265  
\361\274\201\366\131\153\317\031\123\351\215\025\313\112\313\251  
\157\104\345\033\101\317\341\206\247\312\320\152\237\274\114\215  
\006\063\132\242\205\345\220\065\240\142\134\026\116\360\343\242  
\372\003\032\264\054\161\263\130\054\336\173\013\333\032\017\353  
\336\041\037\006\167\006\003\260\311\357\231\374\300\271\117\013  
\206\050\376\322\271\352\343\332\245\303\107\151\022\340\333\360  
\366\031\213\355\173\160\327\002\326\355\207\030\050\054\004\044  
\114\167\344\110\212\032\306\073\232\324\017\312\372\165\322\001  
\100\132\215\171\277\213\317\113\317\252\026\301\225\344\255\114  
\212\076\027\221\324\261\142\345\202\345\200\004\244\003\176\215  
\277\332\177\242\017\227\117\014\323\015\373\327\321\345\162\176  
\034\310\167\377\133\232\017\267\256\005\106\345\361\250\026\354  
\107\244\027\002\003\001\000\001\243\201\366\060\201\363\060\201  
\260\006\003\125\035\021\004\201\250\060\201\245\201\017\151\156  
\146\157\100\151\172\145\156\160\145\056\143\157\155\244\201\221  
\060\201\216\061\107\060\105\006\003\125\004\012\014\076\111\132  
\105\116\120\105\040\123\056\101\056\040\055\040\103\111\106\040  
\101\060\061\063\063\067\062\066\060\055\122\115\145\162\143\056

\126\151\164\157\162\151\141\055\107\141\163\164\145\151\172\040  
\124\061\060\065\065\040\106\066\062\040\123\070\061\103\060\101  
\006\003\125\004\011\014\072\101\166\144\141\040\144\145\154\040  
\115\145\144\151\164\145\162\162\141\156\145\157\040\105\164\157  
\162\142\151\144\145\141\040\061\064\040\055\040\060\061\060\061  
\060\040\126\151\164\157\162\151\141\055\107\141\163\164\145\151  
\172\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\035\006\003\125\035\016\004\026\004\024\035\034\145  
\016\250\362\045\173\264\221\317\344\261\261\346\275\125\164\154  
\005\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000  
\003\202\002\001\000\170\246\014\026\112\237\114\210\072\300\313  
\016\245\026\175\237\271\110\137\030\217\015\142\066\366\315\031  
\153\254\253\325\366\221\175\256\161\363\077\263\016\170\205\233  
\225\244\047\041\107\102\112\174\110\072\365\105\174\263\014\216  
\121\170\254\225\023\336\306\375\175\270\032\220\114\253\222\003  
\307\355\102\001\316\017\330\261\372\242\222\341\140\155\256\172  
\153\011\252\306\051\356\150\111\147\060\200\044\172\061\026\071  
\133\176\361\034\056\335\154\011\255\362\061\301\202\116\271\273  
\371\276\277\052\205\077\300\100\243\072\131\374\131\113\074\050  
\044\333\264\025\165\256\015\210\272\056\163\300\275\130\207\345  
\102\362\353\136\356\036\060\042\231\313\067\321\304\041\154\201  
\354\276\155\046\346\034\344\102\040\236\107\260\254\203\131\160  
\054\065\326\257\066\064\264\315\073\370\062\250\357\343\170\211  
\373\215\105\054\332\234\270\176\100\034\141\347\076\242\222\054  
\113\362\315\372\230\266\051\377\363\362\173\251\037\056\240\223  
\127\053\336\205\003\371\151\067\313\236\170\152\005\264\305\061  
\170\211\354\172\247\205\341\271\173\074\336\276\036\171\204\316  
\237\160\016\131\302\065\056\220\052\061\331\344\105\172\101\244  
\056\023\233\064\016\146\173\111\253\144\227\320\106\303\171\235  
\162\120\143\246\230\133\006\275\110\155\330\071\203\160\350\065  
\360\005\321\252\274\343\333\310\002\352\174\375\202\332\302\133  
\122\065\256\230\072\255\272\065\223\043\247\037\110\335\065\106  
\230\262\020\150\344\245\061\302\012\130\056\031\201\020\311\120  
\165\374\352\132\026\316\021\327\356\357\120\210\055\141\377\077  
\102\163\005\224\103\325\216\074\116\001\072\031\245\037\106\116  
\167\320\135\345\201\042\041\207\376\224\175\204\330\223\255\326  
\150\103\110\262\333\353\163\044\347\221\177\124\244\266\200\076  
\235\243\074\114\162\302\127\304\240\324\314\070\047\316\325\006  
\236\242\110\331\351\237\316\202\160\066\223\232\073\337\226\041  
\343\131\267\014\332\221\067\360\375\131\132\263\231\310\151\154  
\103\046\001\065\143\140\125\211\003\072\165\330\272\112\331\124  
\377\356\336\200\330\055\321\070\325\136\055\013\230\175\076\154  
\333\374\046\210\307

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

Trust for "Izenpe.com"
Issuer: CN=Izenpe.com,O=IZENPE S.A.,C=ES
Serial Number:00:b0:b7:5a:16:48:5f:bf:e1:cb:f5:8b:d7:19:e6:7d
Subject: CN=Izenpe.com,O=IZENPE S.A.,C=ES
Not Valid Before: Thu Dec 13 13:08:28 2007
Not Valid After : Sun Dec 13 08:27:25 2037
Fingerprint (SHA-256):
25:30:CC:8E:98:32:15:02:BA:D9:6F:9B:1F:BA:1B:09:9E:2D:29:9E:0F:45:48:BB:91:4F:36:3B:C0:D4:53:1F
Fingerprint (SHA1): 2F:78:3D:25:52:18:A7:4A:65:39:71:B5:2C:A2:9C:45:15:6F:E9:19
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Izenpe.com"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\057\170\075\045\122\030\247\112\145\071\161\265\054\242\234\105
\025\157\351\031
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\246\260\315\205\200\332\134\120\064\243\071\220\057\125\147\163
END
CKA_ISSUER MULTILINE_OCTAL
\060\070\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\024\060\022\006\003\125\004\012\014\013\111\132\105\116\120\105
\040\123\056\101\056\061\023\060\021\006\003\125\004\003\014\012
\111\172\145\156\160\145\056\143\157\155
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\000\260\267\132\026\110\137\277\341\313\365\213\327\031
\346\175
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Chambers of Commerce Root - 2008"
#
Issuer: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid
(see current address at www.camerfirma.com/address),C=EU
Serial Number:00:a3:da:42:7e:a4:b1:ae:da
Subject: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid
(see current address at www.camerfirma.com/address),C=EU
Not Valid Before: Fri Aug 01 12:29:50 2008
Not Valid After : Sat Jul 31 12:29:50 2038
Fingerprint (SHA-256):

```

06:3E:4A:FA:C4:91:DF:D3:32:F3:08:9B:85:42:E9:46:17:D8:93:D7:FE:94:4E:10:A7:93:7E:E2:9D:96:93:C0

# Fingerprint (SHA1): 78:6A:74:AC:76:AB:14:7F:9C:6A:30:50:BA:9E:A8:7E:FE:9A:CE:3C

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Chambers of Commerce Root - 2008"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\256\061\013\060\011\006\003\125\004\006\023\002\105\125  
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151  
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141  
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141  
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144  
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011  
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125  
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155  
\141\040\123\056\101\056\061\051\060\047\006\003\125\004\003\023  
\040\103\150\141\155\142\145\162\163\040\157\146\040\103\157\155  
\155\145\162\143\145\040\122\157\157\164\040\055\040\062\060\060  
\070

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\256\061\013\060\011\006\003\125\004\006\023\002\105\125  
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151  
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141  
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141  
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144  
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011  
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125  
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155  
\141\040\123\056\101\056\061\051\060\047\006\003\125\004\003\023  
\040\103\150\141\155\142\145\162\163\040\157\146\040\103\157\155  
\155\145\162\143\145\040\122\157\157\164\040\055\040\062\060\060  
\070

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\243\332\102\176\244\261\256\332

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\007\117\060\202\005\067\240\003\002\001\002\002\011\000  
\243\332\102\176\244\261\256\332\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\060\201\256\061\013\060\011\006\003  
\125\004\006\023\002\105\125\061\103\060\101\006\003\125\004\007  
\023\072\115\141\144\162\151\144\040\050\163\145\145\040\143\165  
\162\162\145\156\164\040\141\144\144\162\145\163\163\040\141\164  
\040\167\167\167\056\143\141\155\145\162\146\151\162\155\141\056

\143\157\155\057\141\144\144\162\145\163\163\051\061\022\060\020  
\006\003\125\004\005\023\011\101\070\062\067\064\063\062\070\067  
\061\033\060\031\006\003\125\004\012\023\022\101\103\040\103\141  
\155\145\162\146\151\162\155\141\040\123\056\101\056\061\051\060  
\047\006\003\125\004\003\023\040\103\150\141\155\142\145\162\163  
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157  
\164\040\055\040\062\060\060\070\060\036\027\015\060\070\060\070  
\060\061\061\062\062\071\065\060\132\027\015\063\070\060\067\063  
\061\061\062\062\071\065\060\132\060\201\256\061\013\060\011\006  
\003\125\004\006\023\002\105\125\061\103\060\101\006\003\125\004  
\007\023\072\115\141\144\162\151\144\040\050\163\145\145\040\143  
\165\162\162\145\156\164\040\141\144\144\162\145\163\163\040\141  
\164\040\167\167\167\056\143\141\155\145\162\146\151\162\155\141  
\056\143\157\155\057\141\144\144\162\145\163\163\051\061\022\060  
\020\006\003\125\004\005\023\011\101\070\062\067\064\063\062\070  
\067\061\033\060\031\006\003\125\004\012\023\022\101\103\040\103  
\141\155\145\162\146\151\162\155\141\040\123\056\101\056\061\051  
\060\047\006\003\125\004\003\023\040\103\150\141\155\142\145\162  
\163\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157  
\157\164\040\055\040\062\060\060\070\060\202\002\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017  
\000\060\202\002\012\002\202\002\001\000\257\000\313\160\067\053  
\200\132\112\072\154\170\224\175\243\177\032\037\366\065\325\275  
\333\313\015\104\162\076\046\262\220\122\272\143\073\050\130\157  
\245\263\155\224\246\363\335\144\014\125\366\366\347\362\042\042  
\200\136\341\142\306\266\051\341\201\154\362\277\345\175\062\152  
\124\240\062\031\131\376\037\213\327\075\140\206\205\044\157\343  
\021\263\167\076\040\226\065\041\153\263\010\331\160\056\144\367  
\204\222\123\326\016\260\220\212\212\343\207\215\006\323\275\220  
\016\342\231\241\033\206\016\332\232\012\273\013\141\120\006\122  
\361\236\177\166\354\313\017\320\036\015\317\231\060\075\034\304  
\105\020\130\254\326\323\350\327\345\352\305\001\007\167\326\121  
\346\003\177\212\110\245\115\150\165\271\351\274\236\116\031\161  
\365\062\113\234\155\140\031\013\373\314\235\165\334\277\046\315  
\217\223\170\071\171\163\136\045\016\312\134\353\167\022\007\313  
\144\101\107\162\223\253\120\303\353\011\166\144\064\322\071\267  
\166\021\011\015\166\105\304\251\256\075\152\257\265\175\145\057  
\224\130\020\354\134\174\257\176\342\266\030\331\320\233\116\132  
\111\337\251\146\013\314\074\306\170\174\247\234\035\343\316\216  
\123\276\005\336\140\017\153\345\032\333\077\343\341\041\311\051  
\301\361\353\007\234\122\033\001\104\121\074\173\045\327\304\345  
\122\124\135\045\007\312\026\040\270\255\344\101\356\172\010\376  
\231\157\203\246\221\002\260\154\066\125\152\347\175\365\226\346  
\312\201\326\227\361\224\203\351\355\260\261\153\022\151\036\254  
\373\135\251\305\230\351\264\133\130\172\276\075\242\104\072\143  
\131\324\013\045\336\033\117\275\345\001\236\315\322\051\325\237  
\027\031\012\157\277\014\220\323\011\137\331\343\212\065\314\171  
\132\115\031\067\222\267\304\301\255\257\364\171\044\232\262\001

\013\261\257\134\226\363\200\062\373\134\075\230\361\240\077\112  
\336\276\257\224\056\331\125\232\027\156\140\235\143\154\270\143  
\311\256\201\134\030\065\340\220\273\276\074\117\067\042\271\176  
\353\317\236\167\041\246\075\070\201\373\110\332\061\075\053\343  
\211\365\320\265\275\176\340\120\304\022\211\263\043\232\020\061  
\205\333\256\157\357\070\063\030\166\021\002\003\001\000\001\243  
\202\001\154\060\202\001\150\060\022\006\003\125\035\023\001\001  
\377\004\010\060\006\001\001\377\002\001\014\060\035\006\003\125  
\035\016\004\026\004\024\371\044\254\017\262\265\370\171\300\372  
\140\210\033\304\331\115\002\236\027\031\060\201\343\006\003\125  
\035\043\004\201\333\060\201\330\200\024\371\044\254\017\262\265  
\370\171\300\372\140\210\033\304\331\115\002\236\027\031\241\201  
\264\244\201\261\060\201\256\061\013\060\011\006\003\125\004\006  
\023\002\105\125\061\103\060\101\006\003\125\004\007\023\072\115  
\141\144\162\151\144\040\050\163\145\145\040\143\165\162\162\145  
\156\164\040\141\144\144\162\145\163\163\040\141\164\040\167\167  
\167\056\143\141\155\145\162\146\151\162\155\141\056\143\157\155  
\057\141\144\144\162\145\163\163\051\061\022\060\020\006\003\125  
\004\005\023\011\101\070\062\067\064\063\062\070\067\061\033\060  
\031\006\003\125\004\012\023\022\101\103\040\103\141\155\145\162  
\146\151\162\155\141\040\123\056\101\056\061\051\060\047\006\003  
\125\004\003\023\040\103\150\141\155\142\145\162\163\040\157\146  
\040\103\157\155\155\145\162\143\145\040\122\157\157\164\040\055  
\040\062\060\060\070\202\011\000\243\332\102\176\244\261\256\332  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006  
\060\075\006\003\125\035\040\004\066\060\064\060\062\006\004\125  
\035\040\000\060\052\060\050\006\010\053\006\001\005\005\007\002  
\001\026\034\150\164\164\160\072\057\057\160\157\154\151\143\171  
\056\143\141\155\145\162\146\151\162\155\141\056\143\157\155\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003\202  
\002\001\000\220\022\257\042\065\302\243\071\360\056\336\351\265  
\351\170\174\110\276\077\175\105\222\136\351\332\261\031\374\026  
\074\237\264\133\146\236\152\347\303\271\135\210\350\017\255\317  
\043\017\336\045\072\136\314\117\245\301\265\055\254\044\322\130  
\007\336\242\317\151\204\140\063\350\020\015\023\251\043\320\205  
\345\216\173\246\236\075\162\023\162\063\365\252\175\306\143\037  
\010\364\376\001\177\044\317\053\054\124\011\336\342\053\155\222  
\306\071\117\026\352\074\176\172\106\324\105\152\106\250\353\165  
\202\126\247\253\240\174\150\023\063\366\235\060\360\157\047\071  
\044\043\052\220\375\220\051\065\362\223\337\064\245\306\367\370  
\357\214\017\142\112\174\256\323\365\124\370\215\266\232\126\207  
\026\202\072\063\253\132\042\010\367\202\272\352\056\340\107\232  
\264\265\105\243\005\073\331\334\056\105\100\073\352\334\177\350  
\073\353\321\354\046\330\065\244\060\305\072\254\127\236\263\166  
\245\040\173\371\036\112\005\142\001\246\050\165\140\227\222\015  
\156\076\115\067\103\015\222\025\234\030\042\315\121\231\240\051  
\032\074\137\212\062\063\133\060\307\211\057\107\230\017\243\003  
\306\366\361\254\337\062\360\331\201\032\344\234\275\366\200\024

```
\360\321\054\271\205\365\330\243\261\310\245\041\345\034\023\227
\356\016\275\337\051\251\357\064\123\133\323\344\152\023\204\006
\266\062\002\304\122\256\042\322\334\262\041\102\032\332\100\360
\051\311\354\012\014\134\342\320\272\314\110\323\067\012\314\022
\012\212\171\260\075\003\177\151\113\364\064\040\175\263\064\352
\216\113\144\365\076\375\263\043\147\025\015\004\270\360\055\301
\011\121\074\262\154\025\360\245\043\327\203\164\344\345\056\311
\376\230\047\102\306\253\306\236\260\320\133\070\245\233\120\336
\176\030\230\265\105\073\366\171\264\350\367\032\173\006\203\373
\320\213\332\273\307\275\030\253\010\157\074\200\153\100\077\031
\031\272\145\212\346\276\325\134\323\066\327\357\100\122\044\140
\070\147\004\061\354\217\363\202\306\336\271\125\363\073\061\221
\132\334\265\010\025\255\166\045\012\015\173\056\207\342\014\246
\006\274\046\020\155\067\235\354\335\170\214\174\200\305\360\331
\167\110\320
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "Chambers of Commerce Root - 2008"

# Issuer: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid  
(see current address at [www.camerfirma.com/address](http://www.camerfirma.com/address)),C=EU

# Serial Number:00:a3:da:42:7e:a4:b1:ae:da

# Subject: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid  
(see current address at [www.camerfirma.com/address](http://www.camerfirma.com/address)),C=EU

# Not Valid Before: Fri Aug 01 12:29:50 2008

# Not Valid After : Sat Jul 31 12:29:50 2038

# Fingerprint (SHA-256):

06:3E:4A:FA:C4:91:DF:D3:32:F3:08:9B:85:42:E9:46:17:D8:93:D7:FE:94:4E:10:A7:93:7E:E2:9D:96:93:C0

# Fingerprint (SHA1): 78:6A:74:AC:76:AB:14:7F:9C:6A:30:50:BA:9E:A8:7E:FE:9A:CE:3C

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Chambers of Commerce Root - 2008"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\170\152\164\254\166\253\024\177\234\152\060\120\272\236\250\176
\376\232\316\074
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\136\200\236\204\132\016\145\013\027\002\363\125\030\052\076\327
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\256\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
```



```
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\051\060\047\006\003\125\004\003\023
\040\103\150\141\155\142\145\162\163\040\157\146\040\103\157\155
\155\145\162\143\145\040\122\157\157\164\040\055\040\062\060\060
\070
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\011\000\243\332\102\176\244\261\256\332
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Global Chambersign Root - 2008"

#

# Issuer: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid (see current address at [www.camerfirma.com/address](http://www.camerfirma.com/address)),C=EU

# Serial Number:00:c9:cd:d3:e9:d5:7d:23:ce

# Subject: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid (see current address at [www.camerfirma.com/address](http://www.camerfirma.com/address)),C=EU

# Not Valid Before: Fri Aug 01 12:31:40 2008

# Not Valid After : Sat Jul 31 12:31:40 2038

# Fingerprint (SHA-256):

13:63:35:43:93:34:A7:69:80:16:A0:D3:24:DE:72:28:4E:07:9D:7B:52:20:BB:8F:BD:74:78:16:EE:BE:BA:CA

# Fingerprint (SHA1): 4A:BD:EE:EC:95:0D:35:9C:89:AE:C7:52:A1:2C:5B:29:F6:D6:AA:0C

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Global Chambersign Root - 2008"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163
\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125  
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151  
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141  
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141  
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144  
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011  
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125  
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155  
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023  
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163  
\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\311\315\323\351\325\175\043\316

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\007\111\060\202\005\061\240\003\002\001\002\002\011\000  
\311\315\323\351\325\175\043\316\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\060\201\254\061\013\060\011\006\003  
\125\004\006\023\002\105\125\061\103\060\101\006\003\125\004\007  
\023\072\115\141\144\162\151\144\040\050\163\145\145\040\143\165  
\162\162\145\156\164\040\141\144\144\162\145\163\163\040\141\164  
\040\167\167\167\056\143\141\155\145\162\146\151\162\155\141\056  
\143\157\155\057\141\144\144\162\145\163\163\051\061\022\060\020  
\006\003\125\004\005\023\011\101\070\062\067\064\063\062\070\067  
\061\033\060\031\006\003\125\004\012\023\022\101\103\040\103\141  
\155\145\162\146\151\162\155\141\040\123\056\101\056\061\047\060  
\045\006\003\125\004\003\023\036\107\154\157\142\141\154\040\103  
\150\141\155\142\145\162\163\151\147\156\040\122\157\157\164\040  
\055\040\062\060\060\070\060\036\027\015\060\070\060\070\060\061  
\061\062\063\061\064\060\132\027\015\063\070\060\067\063\061\061  
\062\063\061\064\060\132\060\201\254\061\013\060\011\006\003\125  
\004\006\023\002\105\125\061\103\060\101\006\003\125\004\007\023  
\072\115\141\144\162\151\144\040\050\163\145\145\040\143\165\162  
\162\145\156\164\040\141\144\144\162\145\163\163\040\141\164\040  
\167\167\167\056\143\141\155\145\162\146\151\162\155\141\056\143  
\157\155\057\141\144\144\162\145\163\163\051\061\022\060\020\006  
\003\125\004\005\023\011\101\070\062\067\064\063\062\070\067\061  
\033\060\031\006\003\125\004\012\023\022\101\103\040\103\141\155  
\145\162\146\151\162\155\141\040\123\056\101\056\061\047\060\045  
\006\003\125\004\003\023\036\107\154\157\142\141\154\040\103\150  
\141\155\142\145\162\163\151\147\156\040\122\157\157\164\040\055  
\040\062\060\060\070\060\202\002\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002  
\012\002\202\002\001\000\300\337\126\323\344\072\233\166\105\264

\023\333\377\301\266\031\213\067\101\030\225\122\107\353\027\235  
\051\210\216\065\154\006\062\056\107\142\363\111\004\277\175\104  
\066\261\161\314\275\132\011\163\325\331\205\104\377\221\127\045  
\337\136\066\216\160\321\134\161\103\035\331\332\357\134\322\373  
\033\275\072\265\313\255\243\314\104\247\015\256\041\025\077\271  
\172\133\222\165\330\244\022\070\211\031\212\267\200\322\342\062  
\157\126\234\221\326\210\020\013\263\164\144\222\164\140\363\366  
\317\030\117\140\262\043\320\307\073\316\141\113\231\217\302\014  
\320\100\262\230\334\015\250\116\243\271\012\256\140\240\255\105  
\122\143\272\146\275\150\340\371\276\032\250\201\273\036\101\170  
\165\323\301\376\000\125\260\207\124\350\047\220\065\035\114\063  
\255\227\374\227\056\230\204\277\054\311\243\277\321\230\021\024  
\355\143\370\312\230\210\130\027\231\355\105\003\227\176\074\206  
\036\210\214\276\362\221\204\217\145\064\330\000\114\175\267\061  
\027\132\051\172\012\030\044\060\243\067\265\172\251\001\175\046  
\326\371\016\216\131\361\375\033\063\265\051\073\027\073\101\266  
\041\335\324\300\075\245\237\237\037\103\120\311\273\274\154\172  
\227\230\356\315\214\037\373\234\121\256\213\160\275\047\237\161  
\300\153\254\175\220\146\350\327\135\072\015\260\325\302\215\325  
\310\235\235\301\155\320\320\277\121\344\343\370\303\070\066\256  
\326\247\165\346\257\204\103\135\223\222\014\152\007\336\073\035  
\230\042\326\254\301\065\333\243\240\045\377\162\265\166\035\336  
\155\351\054\146\054\122\204\320\105\222\316\034\345\345\063\035  
\334\007\123\124\243\252\202\073\232\067\057\334\335\240\144\351  
\346\335\275\256\374\144\205\035\074\247\311\006\336\204\377\153  
\350\153\032\074\305\242\263\102\373\213\011\076\137\010\122\307  
\142\304\324\005\161\277\304\144\344\370\241\203\350\076\022\233  
\250\036\324\066\115\057\161\366\215\050\366\203\251\023\322\141  
\301\221\273\110\300\064\217\101\214\113\114\333\151\022\377\120  
\224\234\040\203\131\163\355\174\241\362\361\375\335\367\111\323  
\103\130\240\126\143\312\075\075\345\065\126\131\351\016\312\040  
\314\053\113\223\051\017\002\003\001\000\001\243\202\001\152\060  
\202\001\146\060\022\006\003\125\035\023\001\001\377\004\010\060  
\006\001\001\377\002\001\014\060\035\006\003\125\035\016\004\026  
\004\024\271\011\312\234\036\333\323\154\072\153\256\355\124\361  
\133\223\006\065\056\136\060\201\341\006\003\125\035\043\004\201  
\331\060\201\326\200\024\271\011\312\234\036\333\323\154\072\153  
\256\355\124\361\133\223\006\065\056\136\241\201\262\244\201\257  
\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125  
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151  
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141  
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141  
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144  
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011  
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125  
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155  
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023  
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163

\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070\202  
\011\000\311\315\323\351\325\175\043\316\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\006\060\075\006\003\125\035  
\040\004\066\060\064\060\062\006\004\125\035\040\000\060\052\060  
\050\006\010\053\006\001\005\005\007\002\001\026\034\150\164\164  
\160\072\057\057\160\157\154\151\143\171\056\143\141\155\145\162  
\146\151\162\155\141\056\143\157\155\060\015\006\011\052\206\110  
\206\367\015\001\001\005\005\000\003\202\002\001\000\200\210\177  
\160\336\222\050\331\005\224\106\377\220\127\251\361\057\337\032  
\015\153\372\174\016\034\111\044\171\047\330\106\252\157\051\131  
\122\210\160\022\352\335\075\365\233\123\124\157\341\140\242\250  
\011\271\354\353\131\174\306\065\361\334\030\351\361\147\345\257  
\272\105\340\011\336\312\104\017\302\027\016\167\221\105\172\063  
\137\137\226\054\150\213\301\107\217\230\233\075\300\354\313\365  
\325\202\222\204\065\321\276\066\070\126\162\061\133\107\055\252  
\027\244\143\121\353\012\001\255\177\354\165\236\313\241\037\361  
\177\022\261\271\344\144\177\147\326\043\052\364\270\071\135\230  
\350\041\247\341\275\075\102\032\164\232\160\257\150\154\120\135  
\111\317\377\373\016\135\346\054\107\327\201\072\131\000\265\163  
\153\143\040\366\061\105\010\071\016\364\160\176\100\160\132\077  
\320\153\102\251\164\075\050\057\002\155\165\162\225\011\215\110  
\143\306\306\043\127\222\223\136\065\301\215\371\012\367\054\235  
\142\034\366\255\174\335\246\061\036\266\261\307\176\205\046\372  
\244\152\265\332\143\060\321\357\223\067\262\146\057\175\005\367  
\347\267\113\230\224\065\300\331\072\051\301\235\262\120\063\035  
\112\251\132\246\311\003\357\355\364\347\250\156\212\264\127\204  
\353\244\077\320\356\252\252\207\133\143\350\223\342\153\250\324  
\270\162\170\153\033\355\071\344\135\313\233\252\207\325\117\116  
\000\376\331\152\237\074\061\017\050\002\001\175\230\350\247\260  
\242\144\236\171\370\110\362\025\251\314\346\310\104\353\077\170  
\231\362\173\161\076\074\361\230\247\305\030\022\077\346\273\050  
\063\102\351\105\012\174\155\362\206\171\057\305\202\031\175\011  
\211\174\262\124\166\210\256\336\301\363\314\341\156\333\061\326  
\223\256\231\240\357\045\152\163\230\211\133\072\056\023\210\036  
\277\300\222\224\064\033\343\047\267\213\036\157\102\377\347\351  
\067\233\120\035\055\242\371\002\356\313\130\130\072\161\274\150  
\343\252\301\257\034\050\037\242\334\043\145\077\201\352\256\231  
\323\330\060\317\023\015\117\025\311\204\274\247\110\055\370\060  
\043\167\330\106\113\171\155\366\214\355\072\177\140\021\170\364  
\351\233\256\325\124\300\164\200\321\013\102\237\301

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Global Chambersign Root - 2008"

# Issuer: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid (see current address at [www.camerfirma.com/address](http://www.camerfirma.com/address)),C=EU

```

Serial Number:00:c9:cd:d3:e9:d5:7d:23:ce
Subject: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid
(see current address at www.camerfirma.com/address),C=EU
Not Valid Before: Fri Aug 01 12:31:40 2008
Not Valid After : Sat Jul 31 12:31:40 2038
Fingerprint (SHA-256):
13:63:35:43:93:34:A7:69:80:16:A0:D3:24:DE:72:28:4E:07:9D:7B:52:20:BB:8F:BD:74:78:16:EE:BE:BA:CA
Fingerprint (SHA1): 4A:BD:EE:EC:95:0D:35:9C:89:AE:C7:52:A1:2C:5B:29:F6:D6:AA:0C
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Global Chambersign Root - 2008"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\112\275\356\354\225\015\065\234\211\256\307\122\241\054\133\051
\366\326\252\014
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\236\200\377\170\001\014\056\301\066\275\376\226\220\156\010\363
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163
\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\311\315\323\351\325\175\043\316
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Go Daddy Root Certificate Authority - G2"
#
Issuer: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com, Inc.",L=Scottsdale,ST=Arizona,C=US
Serial Number: 0 (0x0)
Subject: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com,
Inc.",L=Scottsdale,ST=Arizona,C=US

```

```
Not Valid Before: Tue Sep 01 00:00:00 2009
Not Valid After : Thu Dec 31 23:59:59 2037
Fingerprint (SHA-256):
45:14:0B:32:47:EB:9C:C8:C5:B4:F0:D7:B5:30:91:F7:32:92:08:9E:6E:5A:63:E2:74:9D:D3:AC:A9:19:8E:DA
Fingerprint (SHA1): 47:BE:AB:C9:22:EA:E8:0E:78:78:34:62:A7:9F:45:C2:54:FD:E6:8B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Go Daddy Root Certificate Authority - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012
\023\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111
\156\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157
\040\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164
\171\040\055\040\107\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012
\023\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111
\156\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157
\040\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164
\171\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\305\060\202\002\255\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157\156
\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157\164
\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012\023
\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111\156
\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157\040
\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164\151
\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164\171
```

\040\055\040\107\062\060\036\027\015\060\071\060\071\060\061\060  
\060\060\060\060\060\060\132\027\015\063\067\061\062\063\061\062\063  
\065\071\065\071\132\060\201\203\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\020\060\016\006\003\125\004\010\023\007  
\101\162\151\172\157\156\141\061\023\060\021\006\003\125\004\007  
\023\012\123\143\157\164\164\163\144\141\154\145\061\032\060\030  
\006\003\125\004\012\023\021\107\157\104\141\144\144\171\056\143  
\157\155\054\040\111\156\143\056\061\061\060\057\006\003\125\004  
\003\023\050\107\157\040\104\141\144\144\171\040\122\157\157\164  
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164  
\150\157\162\151\164\171\040\055\040\107\062\060\202\001\042\060  
\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202  
\001\017\000\060\202\001\012\002\202\001\001\000\277\161\142\010  
\361\372\131\064\367\033\311\030\243\367\200\111\130\351\042\203  
\023\246\305\040\103\001\073\204\361\346\205\111\237\047\352\366  
\204\033\116\240\264\333\160\230\307\062\001\261\005\076\007\116  
\356\364\372\117\057\131\060\042\347\253\031\126\153\342\200\007  
\374\363\026\165\200\071\121\173\345\371\065\266\164\116\251\215  
\202\023\344\266\077\251\003\203\372\242\276\212\025\152\177\336  
\013\303\266\031\024\005\312\352\303\250\004\224\073\106\174\062  
\015\363\000\146\042\310\215\151\155\066\214\021\030\267\323\262  
\034\140\264\070\372\002\214\316\323\335\106\007\336\012\076\353  
\135\174\310\174\373\260\053\123\244\222\142\151\121\045\005\141  
\032\104\201\214\054\251\103\226\043\337\254\072\201\232\016\051  
\305\034\251\351\135\036\266\236\236\060\012\071\316\361\210\200  
\373\113\135\314\062\354\205\142\103\045\064\002\126\047\001\221  
\264\073\160\052\077\156\261\350\234\210\001\175\237\324\371\333  
\123\155\140\235\277\054\347\130\253\270\137\106\374\316\304\033  
\003\074\011\353\111\061\134\151\106\263\340\107\002\003\001\000  
\001\243\102\060\100\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004  
\024\072\232\205\007\020\147\050\266\357\366\275\005\101\156\040  
\301\224\332\017\336\060\015\006\011\052\206\110\206\367\015\001  
\001\013\005\000\003\202\001\001\000\231\333\135\171\325\371\227  
\131\147\003\141\361\176\073\006\061\165\055\241\040\216\117\145  
\207\264\367\246\234\274\330\351\057\320\333\132\356\317\164\214  
\163\264\070\102\332\005\173\370\002\165\270\375\245\261\327\256  
\366\327\336\023\313\123\020\176\212\106\321\227\372\267\056\053  
\021\253\220\260\047\200\371\350\237\132\351\067\237\253\344\337  
\154\263\205\027\235\075\331\044\117\171\221\065\326\137\004\353  
\200\203\253\232\002\055\265\020\364\330\220\307\004\163\100\355  
\162\045\240\251\237\354\236\253\150\022\231\127\306\217\022\072  
\011\244\275\104\375\006\025\067\301\233\344\062\243\355\070\350  
\330\144\363\054\176\024\374\002\352\237\315\377\007\150\027\333  
\042\220\070\055\172\215\321\124\361\151\343\137\063\312\172\075  
\173\012\343\312\177\137\071\345\342\165\272\305\166\030\063\316  
\054\360\057\114\255\367\261\347\316\117\250\304\233\112\124\006

```
\305\177\175\325\010\017\342\034\376\176\027\270\254\136\366\324
\026\262\103\011\014\115\366\247\153\264\231\204\145\312\172\210
\342\342\104\276\134\367\352\034\365
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "Go Daddy Root Certificate Authority - G2"

# Issuer: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com, Inc.",L=Scottsdale,ST=Arizona,C=US

# Serial Number: 0 (0x0)

# Subject: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com, Inc.",L=Scottsdale,ST=Arizona,C=US

# Not Valid Before: Tue Sep 01 00:00:00 2009

# Not Valid After : Thu Dec 31 23:59:59 2037

# Fingerprint (SHA-256):

45:14:0B:32:47:EB:9C:C8:C5:B4:F0:D7:B5:30:91:F7:32:92:08:9E:6E:5A:63:E2:74:9D:D3:AC:A9:19:8E:DA

# Fingerprint (SHA1): 47:BE:AB:C9:22:EA:E8:0E:78:78:34:62:A7:9F:45:C2:54:FD:E6:8B

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Go Daddy Root Certificate Authority - G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\107\276\253\311\042\352\350\016\170\170\064\142\247\237\105\302
\124\375\346\213
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\200\072\274\042\301\346\373\215\233\073\047\112\062\033\232\001
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012
\023\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111
\156\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157
\040\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164
\171\040\055\040\107\062
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\001\000
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```



```

#
Certificate "Starfield Root Certificate Authority - G2"
#
Issuer: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
Serial Number: 0 (0x0)
Subject: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
Not Valid Before: Tue Sep 01 00:00:00 2009
Not Valid After : Thu Dec 31 23:59:59 2037
Fingerprint (SHA-256):
2C:E1:CB:0B:F9:D2:F9:E1:02:99:3F:BE:21:51:52:C3:B2:DD:0C:AB:DE:1C:68:E5:31:9B:83:91:54:DB:B7:F5
Fingerprint (SHA1): B5:1C:06:7C:EE:2B:0C:3D:F8:55:AB:2D:92:F4:FE:39:D4:E7:0F:0E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Root Certificate Authority - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062
\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145
\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040
\107\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062
\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145
\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040
\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END

```

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\335\060\202\002\305\240\003\002\001\002\002\001\000  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157\156  
\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157\164  
\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012\023  
\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150\156  
\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062\060  
\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145\154  
\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141  
\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040\107  
\062\060\036\027\015\060\071\060\071\060\061\060\060\060\060\060  
\060\132\027\015\063\067\061\062\063\061\062\063\065\071\065\071  
\132\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125  
\123\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172  
\157\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143  
\157\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004  
\012\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143  
\150\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061  
\062\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151  
\145\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151  
\143\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055  
\040\107\062\060\202\001\042\060\015\006\011\052\206\110\206\367  
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002  
\202\001\001\000\275\355\301\003\374\366\217\374\002\261\157\133  
\237\110\331\235\171\342\242\267\003\141\126\030\303\107\266\327  
\312\075\065\056\211\103\367\241\151\233\336\212\032\375\023\040  
\234\264\111\167\062\051\126\375\271\354\214\335\042\372\162\334  
\047\141\227\356\366\132\204\354\156\031\271\211\054\334\204\133  
\325\164\373\153\137\305\211\245\020\122\211\106\125\364\270\165  
\034\346\177\344\124\256\113\370\125\162\127\002\031\370\027\161  
\131\353\036\050\007\164\305\235\110\276\154\264\364\244\260\363  
\144\067\171\222\300\354\106\136\177\341\155\123\114\142\257\315  
\037\013\143\273\072\235\373\374\171\000\230\141\164\317\046\202  
\100\143\363\262\162\152\031\015\231\312\324\016\165\314\067\373  
\213\211\301\131\361\142\177\137\263\137\145\060\370\247\267\115  
\166\132\036\166\136\064\300\350\226\126\231\212\263\360\177\244  
\315\275\334\062\061\174\221\317\340\137\021\370\153\252\111\134  
\321\231\224\321\242\343\143\133\011\166\265\126\142\341\113\164  
\035\226\324\046\324\010\004\131\320\230\016\016\346\336\374\303  
\354\037\220\361\002\003\001\000\001\243\102\060\100\060\017\006  
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035  
\006\003\125\035\016\004\026\004\024\174\014\062\037\247\331\060  
\177\304\175\150\243\142\250\241\316\253\007\133\047\060\015\006  
\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001\001  
\000\021\131\372\045\117\003\157\224\231\073\232\037\202\205\071

```
\324\166\005\224\136\341\050\223\155\142\135\011\302\240\250\324
\260\165\070\361\064\152\235\344\237\212\206\046\121\346\054\321
\306\055\156\225\040\112\222\001\354\270\212\147\173\061\342\147
\056\214\225\003\046\056\103\235\112\061\366\016\265\014\273\267
\342\067\177\042\272\000\243\016\173\122\373\153\273\073\304\323
\171\121\116\315\220\364\147\007\031\310\074\106\172\015\001\175
\305\130\347\155\346\205\060\027\232\044\304\020\340\004\367\340
\362\177\324\252\012\377\102\035\067\355\224\345\144\131\022\040
\167\070\323\062\076\070\201\165\226\163\372\150\217\261\313\316
\037\305\354\372\234\176\317\176\261\361\007\055\266\374\277\312
\244\277\320\227\005\112\274\352\030\050\002\220\275\124\170\011
\041\161\323\321\175\035\331\026\260\251\141\075\320\012\000\042
\374\307\173\313\011\144\105\013\073\100\201\367\175\174\062\365
\230\312\130\216\175\052\356\220\131\163\144\371\066\164\136\045
\241\365\146\005\056\177\071\025\251\052\373\120\213\216\205\151
\364
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Starfield Root Certificate Authority - G2"

# Issuer: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,  
Inc.",L=Scottsdale,ST=Arizona,C=US

# Serial Number: 0 (0x0)

# Subject: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,  
Inc.",L=Scottsdale,ST=Arizona,C=US

# Not Valid Before: Tue Sep 01 00:00:00 2009

# Not Valid After : Thu Dec 31 23:59:59 2037

# Fingerprint (SHA-256):

2C:E1:CB:0B:F9:D2:F9:E1:02:99:3F:BE:21:51:52:C3:B2:DD:0C:AB:DE:1C:68:E5:31:9B:83:91:54:DB:B7:F5

# Fingerprint (SHA1): B5:1C:06:7C:EE:2B:0C:3D:F8:55:AB:2D:92:F4:FE:39:D4:E7:0F:0E

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Starfield Root Certificate Authority - G2"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

```
\265\034\006\174\356\053\014\075\370\125\253\055\222\364\376\071
\324\347\017\016
```

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

```
\326\071\201\306\122\176\226\151\374\374\312\146\355\005\362\226
```

END

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
```

```

\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062
\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145
\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040
\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Starfield Services Root Certificate Authority - G2"
#
Issuer: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
Serial Number: 0 (0x0)
Subject: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
Not Valid Before: Tue Sep 01 00:00:00 2009
Not Valid After : Thu Dec 31 23:59:59 2037
Fingerprint (SHA-256):
56:8D:69:05:A2:C8:87:08:A4:B3:02:51:90:ED:CF:ED:B1:97:4A:60:6A:13:C6:E5:29:0F:CB:2A:E6:3E:DA:B5
Fingerprint (SHA1): 92:5A:8F:8D:2C:6D:04:E0:66:5F:59:6A:FF:22:D8:63:E8:25:6F:3F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Services Root Certificate Authority - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073
\060\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145
\154\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\040\055\040\107\062
END
CKA_ID UTF8 "0"

```

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157  
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157  
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012  
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150  
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073  
\060\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145  
\154\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164  
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164  
\150\157\162\151\164\171\040\055\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\357\060\202\002\327\240\003\002\001\002\002\001\000  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157\156  
\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157\164  
\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012\023  
\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150\156  
\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073\060  
\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145\154  
\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164\040  
\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150  
\157\162\151\164\171\040\055\040\107\062\060\036\027\015\060\071  
\060\071\060\061\060\060\060\060\060\060\132\027\015\063\067\061  
\062\063\061\062\063\065\071\065\071\132\060\201\230\061\013\060  
\011\006\003\125\004\006\023\002\125\123\061\020\060\016\006\003  
\125\004\010\023\007\101\162\151\172\157\156\141\061\023\060\021  
\006\003\125\004\007\023\012\123\143\157\164\164\163\144\141\154  
\145\061\045\060\043\006\003\125\004\012\023\034\123\164\141\162  
\146\151\145\154\144\040\124\145\143\150\156\157\154\157\147\151  
\145\163\054\040\111\156\143\056\061\073\060\071\006\003\125\004  
\003\023\062\123\164\141\162\146\151\145\154\144\040\123\145\162  
\166\151\143\145\163\040\122\157\157\164\040\103\145\162\164\151  
\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164\171  
\040\055\040\107\062\060\202\001\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001  
\012\002\202\001\001\000\325\014\072\304\052\371\116\342\365\276  
\031\227\137\216\210\123\261\037\077\313\317\237\040\023\155\051  
\072\310\017\175\074\367\153\166\070\143\331\066\140\250\233\136  
\134\000\200\262\057\131\177\366\207\371\045\103\206\347\151\033  
\122\232\220\341\161\343\330\055\015\116\157\366\310\111\331\266  
\363\032\126\256\053\266\164\024\353\317\373\046\343\032\272\035  
\226\056\152\073\130\224\211\107\126\377\045\240\223\160\123\203

\332\204\164\024\303\147\236\004\150\072\337\216\100\132\035\112  
\116\317\103\221\073\347\126\326\000\160\313\122\356\173\175\256  
\072\347\274\061\371\105\366\302\140\317\023\131\002\053\200\314  
\064\107\337\271\336\220\145\155\002\317\054\221\246\246\347\336  
\205\030\111\174\146\116\243\072\155\251\265\356\064\056\272\015  
\003\270\063\337\107\353\261\153\215\045\331\233\316\201\321\105  
\106\062\226\160\207\336\002\016\111\103\205\266\154\163\273\144  
\352\141\101\254\311\324\124\337\207\057\307\042\262\046\314\237  
\131\124\150\237\374\276\052\057\304\125\034\165\100\140\027\205  
\002\125\071\213\177\005\002\003\001\000\001\243\102\060\100\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006  
\060\035\006\003\125\035\016\004\026\004\024\234\137\000\337\252  
\001\327\060\053\070\210\242\270\155\112\234\362\021\221\203\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202  
\001\001\000\113\066\246\204\167\151\335\073\031\237\147\043\010  
\157\016\141\311\375\204\334\137\330\066\201\315\330\033\101\055  
\237\140\335\307\032\150\331\321\156\206\341\210\043\317\023\336  
\103\317\342\064\263\004\235\037\051\325\277\370\136\310\325\301  
\275\356\222\157\062\164\362\221\202\057\275\202\102\172\255\052  
\267\040\175\115\274\172\125\022\302\025\352\275\367\152\225\056  
\154\164\237\317\034\264\362\305\001\243\205\320\162\076\255\163  
\253\013\233\165\014\155\105\267\216\224\254\226\067\265\240\320  
\217\025\107\016\343\350\203\335\217\375\357\101\001\167\314\047  
\251\142\205\063\362\067\010\357\161\317\167\006\336\310\031\035  
\210\100\317\175\106\035\377\036\307\341\316\377\043\333\306\372  
\215\125\116\251\002\347\107\021\106\076\364\375\275\173\051\046  
\273\251\141\142\067\050\266\055\052\366\020\206\144\311\160\247  
\322\255\267\051\160\171\352\074\332\143\045\237\375\150\267\060  
\354\160\373\165\212\267\155\140\147\262\036\310\271\351\330\250  
\157\002\213\147\015\115\046\127\161\332\040\374\301\112\120\215  
\261\050\272

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Starfield Services Root Certificate Authority - G2"  
# Issuer: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,  
Inc.",L=Scottsdale,ST=Arizona,C=US  
# Serial Number: 0 (0x0)  
# Subject: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,  
Inc.",L=Scottsdale,ST=Arizona,C=US  
# Not Valid Before: Tue Sep 01 00:00:00 2009  
# Not Valid After : Thu Dec 31 23:59:59 2037  
# Fingerprint (SHA-256):  
56:8D:69:05:A2:C8:87:08:A4:B3:02:51:90:ED:CF:ED:B1:97:4A:60:6A:13:C6:E5:29:0F:CB:2A:E6:3E:DA:B5  
# Fingerprint (SHA1): 92:5A:8F:8D:2C:6D:04:E0:66:5F:59:6A:FF:22:D8:63:E8:25:6F:3F

```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Services Root Certificate Authority - G2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\222\132\217\215\054\155\004\340\146\137\131\152\377\042\330\143
\350\045\157\077
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\027\065\164\257\173\141\034\353\364\371\074\342\356\100\371\242
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073
\060\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145
\154\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "AffirmTrust Commercial"
#
Issuer: CN=AffirmTrust Commercial,O=AffirmTrust,C=US
Serial Number:77:77:06:27:26:a9:b1:7c
Subject: CN=AffirmTrust Commercial,O=AffirmTrust,C=US
Not Valid Before: Fri Jan 29 14:06:06 2010
Not Valid After : Tue Dec 31 14:06:06 2030
Fingerprint (SHA-256):
03:76:AB:1D:54:C5:F9:80:3C:E4:B2:E2:01:A0:EE:7E:EF:7B:57:B6:36:E8:A9:3C:9B:8D:48:60:C9:6F:5F:A7
Fingerprint (SHA1): F9:B5:B6:32:45:5F:9C:BE:EC:57:5F:80:DC:E9:6E:2C:C7:B2:78:B7
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Commercial"

```

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155  
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026  
\101\146\146\151\162\155\124\162\165\163\164\040\103\157\155\155  
\145\162\143\151\141\154

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155  
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026  
\101\146\146\151\162\155\124\162\165\163\164\040\103\157\155\155  
\145\162\143\151\141\154

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\167\167\006\047\046\251\261\174

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\114\060\202\002\064\240\003\002\001\002\002\010\167  
\167\006\047\046\251\261\174\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\104\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\024\060\022\006\003\125\004\012\014\013  
\101\146\146\151\162\155\124\162\165\163\164\061\037\060\035\006  
\003\125\004\003\014\026\101\146\146\151\162\155\124\162\165\163  
\164\040\103\157\155\155\145\162\143\151\141\154\060\036\027\015  
\061\060\060\061\062\071\061\064\060\066\060\066\132\027\015\063  
\060\061\062\063\061\061\064\060\066\060\066\132\060\104\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\024\060\022\006  
\003\125\004\012\014\013\101\146\146\151\162\155\124\162\165\163  
\164\061\037\060\035\006\003\125\004\003\014\026\101\146\146\151  
\162\155\124\162\165\163\164\040\103\157\155\155\145\162\143\151  
\141\154\060\202\001\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202  
\001\001\000\366\033\117\147\007\053\241\025\365\006\042\313\037  
\001\262\343\163\105\006\104\111\054\273\111\045\024\326\316\303  
\267\253\054\117\306\101\062\224\127\372\022\247\133\016\342\217  
\037\036\206\031\247\252\265\055\271\137\015\212\302\257\205\065  
\171\062\055\273\034\142\067\362\261\133\112\075\312\315\161\137  
\351\102\276\224\350\310\336\371\042\110\144\306\345\253\306\053  
\155\255\005\360\372\325\013\317\232\345\360\120\244\213\073\107  
\245\043\133\172\172\370\063\077\270\357\231\227\343\040\301\326  
\050\211\317\224\373\271\105\355\343\100\027\021\324\164\360\013  
\061\342\053\046\152\233\114\127\256\254\040\076\272\105\172\005  
\363\275\233\151\025\256\175\116\040\143\304\065\166\072\007\002  
\311\067\375\307\107\356\350\361\166\035\163\025\362\227\244\265  
\310\172\171\331\102\252\053\177\134\376\316\046\117\243\146\201



```
\065\257\104\272\124\036\034\060\062\145\235\346\074\223\136\120
\116\172\343\072\324\156\314\032\373\371\322\067\256\044\052\253
\127\003\042\050\015\111\165\177\267\050\332\165\277\216\343\334
\016\171\061\002\003\001\000\001\243\102\060\100\060\035\006\003
\125\035\016\004\026\004\024\235\223\306\123\213\136\312\257\077
\237\036\017\345\231\225\274\044\366\224\217\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011
\052\206\110\206\367\015\001\001\013\005\000\003\202\001\001\000
\130\254\364\004\016\315\300\015\377\012\375\324\272\026\137\051
\275\173\150\231\130\111\322\264\035\067\115\177\047\175\106\006
\135\103\306\206\056\076\163\262\046\175\117\223\251\266\304\052
\232\253\041\227\024\261\336\214\323\253\211\025\330\153\044\324
\361\026\256\330\244\134\324\177\121\216\355\030\001\261\223\143
\275\274\370\141\200\232\236\261\316\102\160\342\251\175\006\045
\175\047\241\376\157\354\263\036\044\332\343\113\125\032\000\073
\065\264\073\331\327\135\060\375\201\023\211\362\302\006\053\355
\147\304\216\311\103\262\134\153\025\211\002\274\142\374\116\362
\265\063\252\262\157\323\012\242\120\343\366\073\350\056\104\302
\333\146\070\251\063\126\110\361\155\033\063\215\015\214\077\140
\067\235\323\312\155\176\064\176\015\237\162\166\213\033\237\162
\375\122\065\101\105\002\226\057\034\262\232\163\111\041\261\111
\107\105\107\264\357\152\064\021\311\115\232\314\131\267\326\002
\236\132\116\145\265\224\256\033\337\051\260\026\361\277\000\236
\007\072\027\144\265\004\265\043\041\231\012\225\073\227\174\357
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "AffirmTrust Commercial"
```

```
Issuer: CN=AffirmTrust Commercial,O=AffirmTrust,C=US
```

```
Serial Number:77:77:06:27:26:a9:b1:7c
```

```
Subject: CN=AffirmTrust Commercial,O=AffirmTrust,C=US
```

```
Not Valid Before: Fri Jan 29 14:06:06 2010
```

```
Not Valid After : Tue Dec 31 14:06:06 2030
```

```
Fingerprint (SHA-256):
```

```
03:76:AB:1D:54:C5:F9:80:3C:E4:B2:E2:01:A0:EE:7E:EF:7B:57:B6:36:E8:A9:3C:9B:8D:48:60:C9:6F:5F:A7
```

```
Fingerprint (SHA1): F9:B5:B6:32:45:5F:9C:BE:EC:57:5F:80:DC:E9:6E:2C:C7:B2:78:B7
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "AffirmTrust Commercial"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\371\265\266\062\105\137\234\276\354\127\137\200\334\351\156\054
\307\262\170\267
```

```
END
```

```

CKA_CERT_MD5_HASH MULTILINE_OCTAL
\202\222\272\133\357\315\212\157\246\075\125\371\204\366\326\267
END
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\103\157\155\155
\145\162\143\151\141\154
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\167\167\006\047\046\251\261\174
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "AffirmTrust Networking"
#
Issuer: CN=AffirmTrust Networking,O=AffirmTrust,C=US
Serial Number:7c:4f:04:39:1c:d4:99:2d
Subject: CN=AffirmTrust Networking,O=AffirmTrust,C=US
Not Valid Before: Fri Jan 29 14:08:24 2010
Not Valid After : Tue Dec 31 14:08:24 2030
Fingerprint (SHA-256):
0A:81:EC:5A:92:97:77:F1:45:90:4A:F3:8D:5D:50:9F:66:B5:E2:C5:8F:CD:B5:31:05:8B:0E:17:F3:F0:B4:1B
Fingerprint (SHA1): 29:36:21:02:8B:20:ED:02:F5:66:C5:32:D1:D6:ED:90:9F:45:00:2F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Networking"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\116\145\164\167
\157\162\153\151\156\147
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\116\145\164\167

```

\157\162\153\151\156\147

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\174\117\004\071\034\324\231\055

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\114\060\202\002\064\240\003\002\001\002\002\010\174  
\117\004\071\034\324\231\055\060\015\006\011\052\206\110\206\367  
\015\001\001\005\005\000\060\104\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\024\060\022\006\003\125\004\012\014\013  
\101\146\146\151\162\155\124\162\165\163\164\061\037\060\035\006  
\003\125\004\003\014\026\101\146\146\151\162\155\124\162\165\163  
\164\040\116\145\164\167\157\162\153\151\156\147\060\036\027\015  
\061\060\060\061\062\071\061\064\060\070\062\064\132\027\015\063  
\060\061\062\063\061\061\064\060\070\062\064\132\060\104\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\024\060\022\006  
\003\125\004\012\014\013\101\146\146\151\162\155\124\162\165\163  
\164\061\037\060\035\006\003\125\004\003\014\026\101\146\146\151  
\162\155\124\162\165\163\164\040\116\145\164\167\157\162\153\151  
\156\147\060\202\001\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202  
\001\001\000\264\204\314\063\027\056\153\224\154\153\141\122\240  
\353\243\317\171\224\114\345\224\200\231\313\125\144\104\145\217  
\147\144\342\006\343\134\067\111\366\057\233\204\204\036\055\362  
\140\235\060\116\314\204\205\342\054\317\036\236\376\066\253\063  
\167\065\104\330\065\226\032\075\066\350\172\016\330\325\107\241  
\152\151\213\331\374\273\072\256\171\132\325\364\326\161\273\232  
\220\043\153\232\267\210\164\207\014\036\137\271\236\055\372\253  
\123\053\334\273\166\076\223\114\010\010\214\036\242\043\034\324  
\152\255\042\272\231\001\056\155\145\313\276\044\146\125\044\113  
\100\104\261\033\327\341\302\205\300\336\020\077\075\355\270\374  
\361\361\043\123\334\277\145\227\157\331\371\100\161\215\175\275  
\225\324\316\276\240\136\047\043\336\375\246\320\046\016\000\051  
\353\074\106\360\075\140\277\077\120\322\334\046\101\121\236\024  
\067\102\004\243\160\127\250\033\207\355\055\372\173\356\214\012  
\343\251\146\211\031\313\101\371\335\104\066\141\317\342\167\106  
\310\175\366\364\222\201\066\375\333\064\361\162\176\363\014\026  
\275\264\025\002\003\001\000\001\243\102\060\100\060\035\006\003  
\125\035\016\004\026\004\024\007\037\322\347\234\332\302\156\242  
\100\264\260\172\120\020\120\164\304\310\275\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011  
\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000  
\211\127\262\026\172\250\302\375\326\331\233\233\064\302\234\264  
\062\024\115\247\244\337\354\276\247\276\370\103\333\221\067\316  
\264\062\056\120\125\032\065\116\166\103\161\040\357\223\167\116  
\025\160\056\207\303\301\035\155\334\313\265\047\324\054\126\321  
\122\123\072\104\322\163\310\304\033\005\145\132\142\222\234\356

```
\101\215\061\333\347\064\352\131\041\325\001\172\327\144\270\144
\071\315\311\355\257\355\113\003\110\247\240\231\001\200\334\145
\243\066\256\145\131\110\117\202\113\310\145\361\127\035\345\131
\056\012\077\154\330\321\365\345\011\264\154\124\000\012\340\025
\115\207\165\155\267\130\226\132\335\155\322\000\240\364\233\110
\276\303\067\244\272\066\340\174\207\205\227\032\025\242\336\056
\242\133\275\257\030\371\220\120\315\160\131\370\047\147\107\313
\307\240\007\072\175\321\054\135\154\031\072\146\265\175\375\221
\157\202\261\276\010\223\333\024\107\361\242\067\307\105\236\074
\307\167\257\144\250\223\337\366\151\203\202\140\362\111\102\064
\355\132\000\124\205\034\026\066\222\014\134\372\246\255\277\333
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "AffirmTrust Networking"
```

```
Issuer: CN=AffirmTrust Networking,O=AffirmTrust,C=US
```

```
Serial Number:7c:4f:04:39:1c:d4:99:2d
```

```
Subject: CN=AffirmTrust Networking,O=AffirmTrust,C=US
```

```
Not Valid Before: Fri Jan 29 14:08:24 2010
```

```
Not Valid After : Tue Dec 31 14:08:24 2030
```

```
Fingerprint (SHA-256):
```

```
0A:81:EC:5A:92:97:77:F1:45:90:4A:F3:8D:5D:50:9F:66:B5:E2:C5:8F:CD:B5:31:05:8B:0E:17:F3:F0:B4:1B
```

```
Fingerprint (SHA1): 29:36:21:02:8B:20:ED:02:F5:66:C5:32:D1:D6:ED:90:9F:45:00:2F
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "AffirmTrust Networking"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\051\066\041\002\213\040\355\002\365\146\305\062\321\326\355\220
\237\105\000\057
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\102\145\312\276\001\232\232\114\251\214\101\111\315\300\325\177
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\116\145\164\167
\157\162\153\151\156\147
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\010\174\117\004\071\034\324\231\055
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
Certificate "AffirmTrust Premium"
```

```
#
```

```
Issuer: CN=AffirmTrust Premium,O=AffirmTrust,C=US
```

```
Serial Number:6d:8c:14:46:b1:a6:0a:ee
```

```
Subject: CN=AffirmTrust Premium,O=AffirmTrust,C=US
```

```
Not Valid Before: Fri Jan 29 14:10:36 2010
```

```
Not Valid After : Mon Dec 31 14:10:36 2040
```

```
Fingerprint (SHA-256):
```

```
70:A7:3F:7F:37:6B:60:07:42:48:90:45:34:B1:14:82:D5:BF:0E:69:8E:CC:49:8D:F5:25:77:EB:F2:E9:3B:9A
```

```
Fingerprint (SHA1): D8:A6:33:2C:E0:03:6F:B1:85:F6:63:4F:7D:6A:06:65:26:32:28:27
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "AffirmTrust Premium"
```

```
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
```

```
CKA_SUBJECT MULTILINE_OCTAL
```

```
\060\101\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\034\060\032\006\003\125\004\003\014\023
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155
```

```
END
```

```
CKA_ID UTF8 "0"
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\101\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\034\060\032\006\003\125\004\003\014\023
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\010\155\214\024\106\261\246\012\356
```

```
END
```

```
CKA_VALUE MULTILINE_OCTAL
```

```
\060\202\005\106\060\202\003\056\240\003\002\001\002\002\010\155
\214\024\106\261\246\012\356\060\015\006\011\052\206\110\206\367
\015\001\001\014\005\000\060\101\061\013\060\011\006\003\125\004
\006\023\002\125\123\061\024\060\022\006\003\125\004\012\014\013
\101\146\146\151\162\155\124\162\165\163\164\061\034\060\032\006
\003\125\004\003\014\023\101\146\146\151\162\155\124\162\165\163
\164\040\120\162\145\155\151\165\155\060\036\027\015\061\060\060
\061\062\071\061\064\061\060\063\066\132\027\015\064\060\061\062
```

\063\061\061\064\061\060\063\066\132\060\101\061\013\060\011\006  
\003\125\004\006\023\002\125\123\061\024\060\022\006\003\125\004  
\012\014\013\101\146\146\151\162\155\124\162\165\163\164\061\034  
\060\032\006\003\125\004\003\014\023\101\146\146\151\162\155\124  
\162\165\163\164\040\120\162\145\155\151\165\155\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\304\022\337  
\251\137\376\101\335\335\365\237\212\343\366\254\341\074\170\232  
\274\330\360\177\172\240\063\052\334\215\040\133\256\055\157\347  
\223\331\066\160\152\150\317\216\121\243\205\133\147\004\240\020  
\044\157\135\050\202\301\227\127\330\110\051\023\266\341\276\221  
\115\337\205\014\123\030\232\036\044\242\117\217\360\242\205\013  
\313\364\051\177\322\244\130\356\046\115\311\252\250\173\232\331  
\372\070\336\104\127\025\345\370\214\310\331\110\342\015\026\047  
\035\036\310\203\205\045\267\272\252\125\101\314\003\042\113\055  
\221\215\213\346\211\257\146\307\351\377\053\351\074\254\332\322  
\263\303\341\150\234\211\370\172\000\126\336\364\125\225\154\373  
\272\144\335\142\213\337\013\167\062\353\142\314\046\232\233\273  
\252\142\203\114\264\006\172\060\310\051\277\355\006\115\227\271  
\034\304\061\053\325\137\274\123\022\027\234\231\127\051\146\167  
\141\041\061\007\056\045\111\235\030\362\356\363\053\161\214\265  
\272\071\007\111\167\374\357\056\222\220\005\215\055\057\167\173  
\357\103\277\065\273\232\330\371\163\247\054\362\320\127\356\050  
\116\046\137\217\220\150\011\057\270\370\334\006\351\056\232\076  
\121\247\321\042\304\012\247\070\110\154\263\371\377\175\253\206  
\127\343\272\326\205\170\167\272\103\352\110\177\366\330\276\043  
\155\036\277\321\066\154\130\134\361\356\244\031\124\032\365\003  
\322\166\346\341\214\275\074\263\323\110\113\342\310\370\177\222  
\250\166\106\234\102\145\076\244\036\301\007\003\132\106\055\270  
\227\363\267\325\262\125\041\357\272\334\114\000\227\373\024\225  
\047\063\277\350\103\107\106\322\010\231\026\140\073\232\176\322  
\346\355\070\352\354\001\036\074\110\126\111\011\307\114\067\000  
\236\210\016\300\163\341\157\146\351\162\107\060\076\020\345\013  
\003\311\232\102\000\154\305\224\176\141\304\212\337\177\202\032  
\013\131\304\131\062\167\263\274\140\151\126\071\375\264\006\173  
\054\326\144\066\331\275\110\355\204\037\176\245\042\217\052\270  
\102\364\202\267\324\123\220\170\116\055\032\375\201\157\104\327  
\073\001\164\226\102\340\000\342\056\153\352\305\356\162\254\273  
\277\376\352\252\250\370\334\366\262\171\212\266\147\002\003\001  
\000\001\243\102\060\100\060\035\006\003\125\035\016\004\026\004  
\024\235\300\147\246\014\042\331\046\365\105\253\246\145\122\021  
\047\330\105\254\143\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\015\006\011\052\206\110\206\367\015  
\001\001\014\005\000\003\202\002\001\000\263\127\115\020\142\116  
\072\344\254\352\270\034\257\062\043\310\263\111\132\121\234\166  
\050\215\171\252\127\106\027\325\365\122\366\267\104\350\010\104  
\277\030\204\322\013\200\315\305\022\375\000\125\005\141\207\101

\334\265\044\236\074\304\330\310\373\160\236\057\170\226\203\040  
\066\336\174\017\151\023\210\245\165\066\230\010\246\306\337\254  
\316\343\130\326\267\076\336\272\363\353\064\100\330\242\201\365  
\170\077\057\325\245\374\331\242\324\136\004\016\027\255\376\101  
\360\345\262\162\372\104\202\063\102\350\055\130\367\126\214\142  
\077\272\102\260\234\014\134\176\056\145\046\134\123\117\000\262  
\170\176\241\015\231\055\215\270\035\216\242\304\260\375\140\320  
\060\244\216\310\004\142\251\304\355\065\336\172\227\355\016\070  
\136\222\057\223\160\245\251\234\157\247\175\023\035\176\306\010  
\110\261\136\147\353\121\010\045\351\346\045\153\122\051\221\234  
\322\071\163\010\127\336\231\006\264\133\235\020\006\341\302\000  
\250\270\034\112\002\012\024\320\301\101\312\373\214\065\041\175  
\202\070\362\251\124\221\031\065\223\224\155\152\072\305\262\320  
\273\211\206\223\350\233\311\017\072\247\172\270\241\360\170\106  
\372\374\067\057\345\212\204\363\337\376\004\331\241\150\240\057  
\044\342\011\225\006\325\225\312\341\044\226\353\174\366\223\005  
\273\355\163\351\055\321\165\071\327\347\044\333\330\116\137\103  
\217\236\320\024\071\277\125\160\110\231\127\061\264\234\356\112  
\230\003\226\060\037\140\006\356\033\043\376\201\140\043\032\107  
\142\205\245\314\031\064\200\157\263\254\032\343\237\360\173\110  
\255\325\001\331\147\266\251\162\223\352\055\146\265\262\270\344  
\075\074\262\357\114\214\352\353\007\277\253\065\232\125\206\274  
\030\246\265\250\136\264\203\154\153\151\100\323\237\334\361\303  
\151\153\271\341\155\011\364\361\252\120\166\012\172\175\172\027  
\241\125\226\102\231\061\011\335\140\021\215\005\060\176\346\216  
\106\321\235\024\332\307\027\344\005\226\214\304\044\265\033\317  
\024\007\262\100\370\243\236\101\206\274\004\320\153\226\310\052  
\200\064\375\277\357\006\243\335\130\305\205\075\076\217\376\236  
\051\340\266\270\011\150\031\034\030\103

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "AffirmTrust Premium"

# Issuer: CN=AffirmTrust Premium,O=AffirmTrust,C=US

# Serial Number:6d:8c:14:46:b1:a6:0a:ee

# Subject: CN=AffirmTrust Premium,O=AffirmTrust,C=US

# Not Valid Before: Fri Jan 29 14:10:36 2010

# Not Valid After : Mon Dec 31 14:10:36 2040

# Fingerprint (SHA-256):

70:A7:3F:7F:37:6B:60:07:42:48:90:45:34:B1:14:82:D5:BF:0E:69:8E:CC:49:8D:F5:25:77:EB:F2:E9:3B:9A

# Fingerprint (SHA1): D8:A6:33:2C:E0:03:6F:B1:85:F6:63:4F:7D:6A:06:65:26:32:28:27

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "AffirmTrust Premium"

```

CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\330\246\063\054\340\003\157\261\205\366\143\117\175\152\006\145
\046\062\050\047
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\304\135\016\110\266\254\050\060\116\012\274\371\070\026\207\127
END
CKA_ISSUER MULTILINE_OCTAL
\060\101\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\034\060\032\006\003\125\004\003\014\023
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\155\214\024\106\261\246\012\356
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "AffirmTrust Premium ECC"
#
Issuer: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
Serial Number:74:97:25:8a:c7:3f:7a:54
Subject: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
Not Valid Before: Fri Jan 29 14:20:24 2010
Not Valid After : Mon Dec 31 14:20:24 2040
Fingerprint (SHA-256):
BD:71:FD:F6:DA:97:E4:CF:62:D1:64:7A:DD:25:81:B0:7D:79:AD:F8:39:7E:B4:EC:BA:9C:5E:84:88:82:14:23
Fingerprint (SHA1): B8:23:6B:00:2F:1D:16:86:53:01:55:6C:11:A4:37:CA:EB:FF:C3:BB
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Premium ECC"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\040\060\036\006\003\125\004\003\014\027
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155\040\105\103\103
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL

```



\060\105\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155  
\124\162\165\163\164\061\040\060\036\006\003\125\004\003\014\027  
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155  
\151\165\155\040\105\103\103

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\164\227\045\212\307\077\172\124

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\001\376\060\202\001\205\240\003\002\001\002\002\010\164  
\227\045\212\307\077\172\124\060\012\006\010\052\206\110\316\075  
\004\003\003\060\105\061\013\060\011\006\003\125\004\006\023\002  
\125\123\061\024\060\022\006\003\125\004\012\014\013\101\146\146  
\151\162\155\124\162\165\163\164\061\040\060\036\006\003\125\004  
\003\014\027\101\146\146\151\162\155\124\162\165\163\164\040\120  
\162\145\155\151\165\155\040\105\103\103\060\036\027\015\061\060  
\060\061\062\071\061\064\062\060\062\064\132\027\015\064\060\061  
\062\063\061\061\064\062\060\062\064\132\060\105\061\013\060\011  
\006\003\125\004\006\023\002\125\123\061\024\060\022\006\003\125  
\004\012\014\013\101\146\146\151\162\155\124\162\165\163\164\061  
\040\060\036\006\003\125\004\003\014\027\101\146\146\151\162\155  
\124\162\165\163\164\040\120\162\145\155\151\165\155\040\105\103  
\103\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005  
\053\201\004\000\042\003\142\000\004\015\060\136\033\025\235\003  
\320\241\171\065\267\072\074\222\172\312\025\034\315\142\363\234  
\046\134\007\075\345\124\372\243\326\314\022\352\364\024\137\350  
\216\031\253\057\056\110\346\254\030\103\170\254\320\067\303\275  
\262\315\054\346\107\342\032\346\143\270\075\056\057\170\304\117  
\333\364\017\244\150\114\125\162\153\225\035\116\030\102\225\170  
\314\067\074\221\342\233\145\053\051\243\102\060\100\060\035\006  
\003\125\035\016\004\026\004\024\232\257\051\172\300\021\065\065  
\046\121\060\000\303\152\376\100\325\256\326\074\060\017\006\003  
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\012\006  
\010\052\206\110\316\075\004\003\003\003\147\000\060\144\002\060  
\027\011\363\207\210\120\132\257\310\300\102\277\107\137\365\154  
\152\206\340\304\047\164\344\070\123\327\005\177\033\064\343\306  
\057\263\312\011\074\067\235\327\347\270\106\361\375\241\342\161  
\002\060\102\131\207\103\324\121\337\272\323\011\062\132\316\210  
\176\127\075\234\137\102\153\365\007\055\265\360\202\223\371\131  
\157\256\144\372\130\345\213\036\343\143\276\265\201\315\157\002  
\214\171

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

Trust for "AffirmTrust Premium ECC"
Issuer: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
Serial Number:74:97:25:8a:c7:3f:7a:54
Subject: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
Not Valid Before: Fri Jan 29 14:20:24 2010
Not Valid After : Mon Dec 31 14:20:24 2040
Fingerprint (SHA-256):
BD:71:FD:F6:DA:97:E4:CF:62:D1:64:7A:DD:25:81:B0:7D:79:AD:F8:39:7E:B4:EC:BA:9C:5E:84:88:82:14:23
Fingerprint (SHA1): B8:23:6B:00:2F:1D:16:86:53:01:55:6C:11:A4:37:CA:EB:FF:C3:BB
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Premium ECC"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\270\043\153\000\057\035\026\206\123\001\125\154\021\244\067\312
\353\377\303\273
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\144\260\011\125\317\261\325\231\342\276\023\253\246\135\352\115
END
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\040\060\036\006\003\125\004\003\014\027
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155\040\105\103\103
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\164\227\045\212\307\077\172\124
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Certum Trusted Network CA"
#
Issuer: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
Serial Number: 279744 (0x444c0)
Subject: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
Not Valid Before: Wed Oct 22 12:07:37 2008
Not Valid After : Mon Dec 31 12:07:37 2029
Fingerprint (SHA-256):
5C:58:46:8D:55:F5:8E:49:7E:74:39:82:D2:B5:00:10:B6:D1:65:37:4A:CF:83:A7:D4:A3:2D:B7:68:C4:40:8E

```

# Fingerprint (SHA1): 07:E0:32:E0:20:B7:2C:3F:19:2F:06:28:A2:59:3A:19:A7:0F:06:9E

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Network CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164
\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145
\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060\040
\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124\162
\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164
\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145
\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060\040
\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124\162
\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\004\104\300
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\273\060\202\002\243\240\003\002\001\002\002\003\004
\104\300\060\015\006\011\052\206\110\206\367\015\001\001\005\005
\000\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060
\040\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\060\036\027\015\060\070\061\060\062\062\061\062\060\067\063
\067\132\027\015\062\071\061\062\063\061\061\062\060\067\063\067
\132\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
```

\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164  
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060  
\040\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124  
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103  
\101\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001  
\001\000\343\373\175\243\162\272\302\360\311\024\207\365\153\001  
\116\341\156\100\007\272\155\047\135\177\367\133\055\263\132\307  
\121\137\253\244\062\246\141\207\266\156\017\206\322\060\002\227  
\370\327\151\127\241\030\071\135\152\144\171\306\001\131\254\074  
\061\112\070\174\322\004\322\113\050\350\040\137\073\007\242\314  
\115\163\333\363\256\117\307\126\325\132\247\226\211\372\363\253  
\150\324\043\206\131\047\317\011\047\274\254\156\162\203\034\060  
\162\337\340\242\351\322\341\164\165\031\275\052\236\173\025\124  
\004\033\327\103\071\255\125\050\305\342\032\273\364\300\344\256  
\070\111\063\314\166\205\237\071\105\322\244\236\362\022\214\121  
\370\174\344\055\177\365\254\137\353\026\237\261\055\321\272\314  
\221\102\167\114\045\311\220\070\157\333\360\314\373\216\036\227  
\131\076\325\140\116\346\005\050\355\111\171\023\113\272\110\333  
\057\371\162\323\071\312\376\037\330\064\162\365\264\100\317\061  
\001\303\354\336\021\055\027\135\037\270\120\321\136\031\247\151  
\336\007\063\050\312\120\225\371\247\124\313\124\206\120\105\251  
\371\111\002\003\001\000\001\243\102\060\100\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003  
\125\035\016\004\026\004\024\010\166\315\313\007\377\044\366\305  
\315\355\273\220\274\342\204\067\106\165\367\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052  
\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000\246  
\250\255\042\316\001\075\246\243\377\142\320\110\235\213\136\162  
\260\170\104\343\334\034\257\011\375\043\110\372\275\052\304\271  
\125\004\265\020\243\215\047\336\013\202\143\320\356\336\014\067  
\171\101\133\042\262\260\232\101\134\246\160\340\324\320\167\313  
\043\323\000\340\154\126\057\341\151\015\015\331\252\277\041\201  
\120\331\006\245\250\377\225\067\320\252\376\342\263\365\231\055  
\105\204\212\345\102\011\327\164\002\057\367\211\330\231\351\274  
\047\324\107\215\272\015\106\034\167\317\024\244\034\271\244\061  
\304\234\050\164\003\064\377\063\031\046\245\351\015\164\267\076  
\227\306\166\350\047\226\243\146\335\341\256\362\101\133\312\230  
\126\203\163\160\344\206\032\322\061\101\272\057\276\055\023\132  
\166\157\116\350\116\201\016\077\133\003\042\240\022\276\146\130  
\021\112\313\003\304\264\052\052\055\226\027\340\071\124\274\110  
\323\166\047\235\232\055\006\246\311\354\071\322\253\333\237\232  
\013\047\002\065\051\261\100\225\347\371\350\234\125\210\031\106  
\326\267\064\365\176\316\071\232\331\070\361\121\367\117\054

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

Trust for "Certum Trusted Network CA"
Issuer: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
Serial Number: 279744 (0x444c0)
Subject: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
Not Valid Before: Wed Oct 22 12:07:37 2008
Not Valid After : Mon Dec 31 12:07:37 2029
Fingerprint (SHA-256):
5C:58:46:8D:55:F5:8E:49:7E:74:39:82:D2:B5:00:10:B6:D1:65:37:4A:CF:83:A7:D4:A3:2D:B7:68:C4:40:8E
Fingerprint (SHA1): 07:E0:32:E0:20:B7:2C:3F:19:2F:06:28:A2:59:3A:19:A7:0F:06:9E
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Network CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\007\340\062\340\040\267\054\077\031\057\006\050\242\131\072\031
\247\017\006\236
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\325\351\201\100\305\030\151\374\106\054\211\165\142\017\252\170
END
CKA_ISSUER MULTILINE_OCTAL
\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164
\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145
\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060\040
\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124\162
\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\004\104\300
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "TWCA Root Certification Authority"
#
Issuer: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW
Serial Number: 1 (0x1)
Subject: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW

```

```
Not Valid Before: Thu Aug 28 07:24:33 2008
Not Valid After : Tue Dec 31 15:59:59 2030
Fingerprint (SHA-256):
BF:D8:8F:E1:10:1C:41:AE:3E:80:1B:F8:BE:56:35:0E:E9:BA:D1:A6:B9:BD:51:5E:DC:5C:6D:5B:87:11:AC:44
Fingerprint (SHA1): CF:9E:87:6D:D3:EB:FC:42:26:97:A3:B5:A3:7A:A0:76:A9:06:23:48
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TWCA Root Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041
\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041
\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\173\060\202\002\143\240\003\002\001\002\002\001\001
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061\022
\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116\055
\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157\157
\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041\124
\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\060\036\027\015\060\070\060\070\062\070\060\067\062\064\063\063
\132\027\015\063\060\061\062\063\061\061\065\065\071\065\071\132
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041
```

\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164  
\171\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001  
\001\000\260\176\162\270\244\003\224\346\247\336\011\070\221\112  
\021\100\207\247\174\131\144\024\173\265\021\020\335\376\277\325  
\300\273\126\342\205\045\364\065\162\017\370\123\320\101\341\104  
\001\302\264\034\303\061\102\026\107\205\063\042\166\262\012\157  
\017\345\045\120\117\205\206\276\277\230\056\020\147\036\276\021  
\005\206\005\220\304\131\320\174\170\020\260\200\134\267\341\307  
\053\165\313\174\237\256\265\321\235\043\067\143\247\334\102\242  
\055\222\004\033\120\301\173\270\076\033\311\126\004\213\057\122  
\233\255\251\126\351\301\377\255\251\130\207\060\266\201\367\227  
\105\374\031\127\073\053\157\344\107\364\231\105\376\035\361\370  
\227\243\210\035\067\034\134\217\340\166\045\232\120\370\240\124  
\377\104\220\166\043\322\062\306\303\253\006\277\374\373\277\363  
\255\175\222\142\002\133\051\323\065\243\223\232\103\144\140\135  
\262\372\062\377\073\004\257\115\100\152\371\307\343\357\043\375  
\153\313\345\017\213\070\015\356\012\374\376\017\230\237\060\061  
\335\154\122\145\371\213\201\276\042\341\034\130\003\272\221\033  
\211\007\002\003\001\000\001\243\102\060\100\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003  
\125\035\016\004\026\004\024\152\070\133\046\215\336\213\132\362  
\117\172\124\203\031\030\343\010\065\246\272\060\015\006\011\052  
\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000\074  
\325\167\075\332\337\211\272\207\014\010\124\152\040\120\222\276  
\260\101\075\271\046\144\203\012\057\350\100\300\227\050\047\202  
\060\112\311\223\377\152\347\246\000\177\211\102\232\326\021\345  
\123\316\057\314\362\332\005\304\376\342\120\304\072\206\175\314  
\332\176\020\011\073\222\065\052\123\262\376\353\053\005\331\154  
\135\346\320\357\323\152\146\236\025\050\205\172\350\202\000\254  
\036\247\011\151\126\102\323\150\121\030\276\124\232\277\104\101  
\272\111\276\040\272\151\134\356\270\167\315\316\154\037\255\203  
\226\030\175\016\265\024\071\204\361\050\351\055\243\236\173\036  
\172\162\132\203\263\171\157\357\264\374\320\012\245\130\117\106  
\337\373\155\171\131\362\204\042\122\256\017\314\373\174\073\347  
\152\312\107\141\303\172\370\323\222\004\037\270\040\204\341\066  
\124\026\307\100\336\073\212\163\334\337\306\011\114\337\354\332  
\377\324\123\102\241\311\362\142\035\042\203\074\227\305\371\031  
\142\047\254\145\042\327\323\074\306\345\216\262\123\314\111\316  
\274\060\376\173\016\063\220\373\355\322\024\221\037\007\257

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "TWCA Root Certification Authority"

```

Issuer: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW
Serial Number: 1 (0x1)
Subject: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW
Not Valid Before: Thu Aug 28 07:24:33 2008
Not Valid After : Tue Dec 31 15:59:59 2030
Fingerprint (SHA-256):
BF:D8:8F:E1:10:1C:41:AE:3E:80:1B:F8:BE:56:35:0E:E9:BA:D1:A6:B9:BD:51:5E:DC:5C:6D:5B:87:11:AC:44
Fingerprint (SHA1): CF:9E:87:6D:D3:EB:FC:42:26:97:A3:B5:A3:7A:A0:76:A9:06:23:48
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TWCA Root Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\317\236\207\155\323\353\374\102\046\227\243\265\243\172\240\166
\251\006\043\110
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\252\010\217\366\371\173\267\362\261\247\036\233\352\352\275\171
END
CKA_ISSUER MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041
\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Explicitly Distrust DigiNotar Root CA"
#
Issuer: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL
Serial Number:0f:ff
Subject: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL
Not Valid Before: Fri Jul 27 17:19:37 2007
Not Valid After : Mon Mar 31 18:19:22 2025
Fingerprint (MD5): 0A:A4:D5:CC:BA:B4:FB:A3:59:E3:E6:01:DD:53:D9:4E
Fingerprint (SHA1): C1:77:CB:4B:E0:B4:26:8E:F5:C7:CF:45:99:22:B9:B0:CE:BA:21:2F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```



```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Explicitly Distrust DigiNotar Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\022\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157
\164\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151
\147\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061
\040\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021
\151\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156
\154
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\022\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157
\164\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151
\147\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061
\040\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021
\151\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156
\154
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\017\377\377\377\377\377\377\377\377\377\377\377\377\377
\377\377
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\212\060\202\003\162\240\003\002\001\002\002\020\017
\377\377\377\377\377\377\377\377\377\377\377\377\377\377\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\137
\061\013\060\011\006\003\125\004\006\023\002\116\114\061\022\060
\020\006\003\125\004\012\023\011\104\151\147\151\116\157\164\141
\162\061\032\060\030\006\003\125\004\003\023\021\104\151\147\151
\116\157\164\141\162\040\122\157\157\164\040\103\101\061\040\060
\036\006\011\052\206\110\206\367\015\001\011\001\026\021\151\156
\146\157\100\144\151\147\151\156\157\164\141\162\056\156\154\060
\036\027\015\060\067\060\067\062\067\061\067\061\071\063\067\132
\027\015\062\065\060\063\063\061\061\070\061\071\062\062\132\060
\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061\022
\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157\164
\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151\147
\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061\040
\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021\151
\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156\154
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001
```

\000\254\260\130\301\000\275\330\041\010\013\053\232\376\156\126  
\060\005\237\033\167\220\020\101\134\303\015\207\021\167\216\201  
\361\312\174\351\214\152\355\070\164\065\273\332\337\371\273\300  
\011\067\264\226\163\201\175\063\032\230\071\367\223\157\225\177  
\075\271\261\165\207\272\121\110\350\213\160\076\225\004\305\330  
\266\303\026\331\210\260\261\207\035\160\332\206\264\017\024\213  
\172\317\020\321\164\066\242\022\173\167\206\112\171\346\173\337  
\002\021\150\245\116\206\256\064\130\233\044\023\170\126\042\045  
\036\001\213\113\121\161\373\202\314\131\226\151\210\132\150\123  
\305\271\015\002\067\313\113\274\146\112\220\176\052\013\005\007  
\355\026\137\125\220\165\330\106\311\033\203\342\010\276\361\043  
\314\231\035\326\052\017\203\040\025\130\047\202\056\372\342\042  
\302\111\261\271\001\201\152\235\155\235\100\167\150\166\116\041  
\052\155\204\100\205\116\166\231\174\202\363\363\267\002\131\324  
\046\001\033\216\337\255\123\006\321\256\030\335\342\262\072\313  
\327\210\070\216\254\133\051\271\031\323\230\371\030\003\317\110  
\202\206\146\013\033\151\017\311\353\070\210\172\046\032\005\114  
\222\327\044\324\226\362\254\122\055\243\107\325\122\366\077\376  
\316\204\006\160\246\252\076\242\362\266\126\064\030\127\242\344  
\201\155\347\312\360\152\323\307\221\153\002\203\101\174\025\357  
\153\232\144\136\343\320\074\345\261\353\173\135\206\373\313\346  
\167\111\315\243\145\334\367\271\234\270\344\013\137\223\317\314  
\060\032\062\034\316\034\143\225\245\371\352\341\164\213\236\351  
\053\251\060\173\240\030\037\016\030\013\345\133\251\323\321\154  
\036\007\147\217\221\113\251\212\274\322\146\252\223\001\210\262  
\221\372\061\134\325\246\301\122\010\011\315\012\143\242\323\042  
\246\350\241\331\071\006\227\365\156\215\002\220\214\024\173\077  
\200\315\033\234\272\304\130\162\043\257\266\126\237\306\172\102  
\063\051\007\077\202\311\346\037\005\015\315\114\050\066\213\323  
\310\076\034\306\210\357\136\356\211\144\351\035\353\332\211\176  
\062\246\151\321\335\314\210\237\321\320\311\146\041\334\006\147  
\305\224\172\232\155\142\114\175\314\340\144\200\262\236\107\216  
\243\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003\125  
\035\016\004\026\004\024\210\150\277\340\216\065\304\073\070\153  
\142\367\050\073\204\201\310\014\327\115\060\015\006\011\052\206  
\110\206\367\015\001\001\005\005\000\003\202\002\001\000\073\002  
\215\313\074\060\350\156\240\255\362\163\263\137\236\045\023\004  
\005\323\366\343\213\273\013\171\316\123\336\344\226\305\321\257  
\163\274\325\303\320\100\125\174\100\177\315\033\137\011\325\362  
\174\237\150\035\273\135\316\172\071\302\214\326\230\173\305\203  
\125\250\325\175\100\312\340\036\367\211\136\143\135\241\023\302  
\135\212\266\212\174\000\363\043\303\355\205\137\161\166\360\150  
\143\252\105\041\071\110\141\170\066\334\361\103\223\324\045\307  
\362\200\145\341\123\002\165\121\374\172\072\357\067\253\204\050  
\127\014\330\324\324\231\126\154\343\242\376\131\204\264\061\350  
\063\370\144\224\224\121\227\253\071\305\113\355\332\335\200\013

\157\174\051\015\304\216\212\162\015\347\123\024\262\140\101\075  
\204\221\061\150\075\047\104\333\345\336\364\372\143\105\310\114  
\076\230\365\077\101\272\116\313\067\015\272\146\230\361\335\313  
\237\134\367\124\066\202\153\054\274\023\141\227\102\370\170\273  
\314\310\242\237\312\360\150\275\153\035\262\337\215\157\007\235  
\332\216\147\307\107\036\312\271\277\052\102\221\267\143\123\146  
\361\102\243\341\364\132\115\130\153\265\344\244\063\255\134\160  
\035\334\340\362\353\163\024\221\232\003\301\352\000\145\274\007  
\374\317\022\021\042\054\256\240\275\072\340\242\052\330\131\351  
\051\323\030\065\244\254\021\137\031\265\265\033\377\042\112\134  
\306\172\344\027\357\040\251\247\364\077\255\212\247\232\004\045  
\235\016\312\067\346\120\375\214\102\051\004\232\354\271\317\113  
\162\275\342\010\066\257\043\057\142\345\312\001\323\160\333\174  
\202\043\054\026\061\014\306\066\007\220\172\261\037\147\130\304  
\073\130\131\211\260\214\214\120\263\330\206\313\150\243\304\012  
\347\151\113\040\316\301\036\126\113\225\251\043\150\330\060\330  
\303\353\260\125\121\315\345\375\053\270\365\273\021\237\123\124  
\366\064\031\214\171\011\066\312\141\027\045\027\013\202\230\163  
\014\167\164\303\325\015\307\250\022\114\307\247\124\161\107\056  
\054\032\175\311\343\053\073\110\336\047\204\247\143\066\263\175  
\217\240\144\071\044\015\075\173\207\257\146\134\164\033\113\163  
\262\345\214\360\206\231\270\345\305\337\204\301\267\353

END

# Trust for Certificate "Explicitly Distrust DigiNotar Root CA"

# Issuer: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL

# Serial Number:0f:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff

# Subject: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL

# Not Valid Before: Fri Jul 27 17:19:37 2007

# Not Valid After : Mon Mar 31 18:19:22 2025

# Fingerprint (MD5): 0A:A4:D5:CC:BA:B4:FB:A3:59:E3:E6:01:DD:53:D9:4E

# Fingerprint (SHA1): C1:77:CB:4B:E0:B4:26:8E:F5:C7:CF:45:99:22:B9:B0:CE:BA:21:2F

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Explicitly Distrust DigiNotar Root CA"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\301\167\313\113\340\264\046\216\365\307\317\105\231\042\271\260

\316\272\041\057

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\012\244\325\314\272\264\373\243\131\343\346\001\335\123\331\116

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061

\022\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157

\164\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151

```
\147\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061
\040\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021
\151\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156
\154
END
```

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\017\377\377\377\377\377\377\377\377\377\377\377\377\377\377
\377\377
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_NOT\_TRUSTED

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_NOT\_TRUSTED

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_NOT\_TRUSTED

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Security Communication RootCA2"

#

# Issuer: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP

# Serial Number: 0 (0x0)

# Subject: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP

# Not Valid Before: Fri May 29 05:00:39 2009

# Not Valid After : Tue May 29 05:00:39 2029

# Fingerprint (SHA-256):

51:3B:2C:EC:B8:10:D4:CD:E5:DD:85:39:1A:DF:C6:C2:DD:60:D8:7B:B7:36:D2:B5:21:48:4A:A4:7A:0E:BE:F6

# Fingerprint (SHA1): 5F:3B:8C:F2:F8:10:B3:7D:78:B4:CE:EC:19:19:C3:73:34:B9:C7:74

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Security Communication RootCA2"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\062
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\062
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\167\060\202\002\137\240\003\002\001\002\002\001\000  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061\045  
\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040\124  
\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117\056  
\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023\036  
\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156\151  
\143\141\164\151\157\156\040\122\157\157\164\103\101\062\060\036  
\027\015\060\071\060\065\062\071\060\065\060\060\063\071\132\027  
\015\062\071\060\065\062\071\060\065\060\060\063\071\132\060\135  
\061\013\060\011\006\003\125\004\006\023\002\112\120\061\045\060  
\043\006\003\125\004\012\023\034\123\105\103\117\115\040\124\162  
\165\163\164\040\123\171\163\164\145\155\163\040\103\117\056\054  
\114\124\104\056\061\047\060\045\006\003\125\004\013\023\036\123  
\145\143\165\162\151\164\171\040\103\157\155\155\165\156\151\143  
\141\164\151\157\156\040\122\157\157\164\103\101\062\060\202\001  
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000  
\003\202\001\017\000\060\202\001\012\002\202\001\001\000\320\025  
\071\122\261\122\263\272\305\131\202\304\135\122\256\072\103\145  
\200\113\307\362\226\274\333\066\227\326\246\144\214\250\136\360  
\343\012\034\367\337\227\075\113\256\366\135\354\041\265\101\253  
\315\271\176\166\237\276\371\076\066\064\240\073\301\366\061\021  
\105\164\223\075\127\200\305\371\211\231\312\345\253\152\324\265  
\332\101\220\020\301\326\326\102\211\302\277\364\070\022\225\114  
\124\005\367\066\344\105\203\173\024\145\326\334\014\115\321\336  
\176\014\253\073\304\025\276\072\126\246\132\157\166\151\122\251  
\172\271\310\353\152\232\135\122\320\055\012\153\065\026\011\020  
\204\320\152\312\072\006\000\067\107\344\176\127\117\077\213\353  
\147\270\210\252\305\276\123\125\262\221\304\175\271\260\205\031  
\006\170\056\333\141\032\372\205\365\112\221\241\347\026\325\216  
\242\071\337\224\270\160\037\050\077\213\374\100\136\143\203\074  
\203\052\032\231\153\317\336\131\152\073\374\157\026\327\037\375  
\112\020\353\116\202\026\072\254\047\014\123\361\255\325\044\260  
\153\003\120\301\055\074\026\335\104\064\047\032\165\373\002\003  
\001\000\001\243\102\060\100\060\035\006\003\125\035\016\004\026  
\004\024\012\205\251\167\145\005\230\174\100\201\370\017\227\054  
\070\361\012\354\074\317\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\003\202\001\001\000\114\072\243\104\254  
\271\105\261\307\223\176\310\013\012\102\337\144\352\034\356\131  
\154\010\272\211\137\152\312\112\225\236\172\217\007\305\332\105  
\162\202\161\016\072\322\314\157\247\264\241\043\273\366\044\237  
\313\027\376\214\246\316\302\322\333\314\215\374\161\374\003\051

```
\301\154\135\063\137\144\266\145\073\211\157\030\166\170\365\334
\242\110\037\031\077\216\223\353\361\372\027\356\315\116\343\004
\022\125\326\345\344\335\373\076\005\174\342\035\136\306\247\274
\227\117\150\072\365\351\056\012\103\266\257\127\134\142\150\174
\267\375\243\212\204\240\254\142\276\053\011\207\064\360\152\001
\273\233\051\126\074\376\000\067\317\043\154\361\116\252\266\164
\106\022\154\221\356\064\325\354\232\221\347\104\276\220\061\162
\325\111\002\366\002\345\364\037\353\174\331\226\125\251\377\354
\212\371\231\107\377\065\132\002\252\004\313\212\133\207\161\051
\221\275\244\264\172\015\275\232\365\127\043\000\007\041\027\077
\112\071\321\005\111\013\247\266\067\201\245\135\214\252\063\136
\201\050\174\247\175\047\353\000\256\215\067
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "Security Communication RootCA2"
```

```
Issuer: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP
```

```
Serial Number: 0 (0x0)
```

```
Subject: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP
```

```
Not Valid Before: Fri May 29 05:00:39 2009
```

```
Not Valid After : Tue May 29 05:00:39 2029
```

```
Fingerprint (SHA-256):
```

```
51:3B:2C:EC:B8:10:D4:CD:E5:DD:85:39:1A:DF:C6:C2:DD:60:D8:7B:B7:36:D2:B5:21:48:4A:A4:7A:0E:BE:F6
```

```
Fingerprint (SHA1): 5F:3B:8C:F2:F8:10:B3:7D:78:B4:CE:EC:19:19:C3:73:34:B9:C7:74
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Security Communication RootCA2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\137\073\214\362\370\020\263\175\170\264\316\354\031\031\303\163
\064\271\307\164
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\154\071\175\244\016\125\131\262\077\326\101\261\022\120\336\103
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\062
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\001\000
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Actalis Authentication Root CA"
#
Issuer: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT
Serial Number:57:0a:11:97:42:c4:e3:cc
Subject: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT
Not Valid Before: Thu Sep 22 11:22:02 2011
Not Valid After : Sun Sep 22 11:22:02 2030
Fingerprint (SHA-256):
55:92:60:84:EC:96:3A:64:B9:6E:2A:BE:01:CE:0B:A8:6A:64:FB:FE:BC:C7:AA:B5:AF:C1:55:B3:7F:D7:60:66
Fingerprint (SHA1): F3:73:B3:87:06:5A:28:84:8A:F2:F3:4A:CE:19:2B:DD:C7:8E:9C:AC
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Actalis Authentication Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\124\061
\016\060\014\006\003\125\004\007\014\005\115\151\154\141\156\061
\043\060\041\006\003\125\004\012\014\032\101\143\164\141\154\151
\163\040\123\056\160\056\101\056\057\060\063\063\065\070\065\062
\060\071\066\067\061\047\060\045\006\003\125\004\003\014\036\101
\143\164\141\154\151\163\040\101\165\164\150\145\156\164\151\143
\141\164\151\157\156\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\124\061
\016\060\014\006\003\125\004\007\014\005\115\151\154\141\156\061
\043\060\041\006\003\125\004\012\014\032\101\143\164\141\154\151
\163\040\123\056\160\056\101\056\057\060\063\063\065\070\065\062
\060\071\066\067\061\047\060\045\006\003\125\004\003\014\036\101
\143\164\141\154\151\163\040\101\165\164\150\145\156\164\151\143
\141\164\151\157\156\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\127\012\021\227\102\304\343\314
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\273\060\202\003\243\240\003\002\001\002\002\010\127
\012\021\227\102\304\343\314\060\015\006\011\052\206\110\206\367

```

\015\001\001\013\005\000\060\153\061\013\060\011\006\003\125\004  
\006\023\002\111\124\061\016\060\014\006\003\125\004\007\014\005  
\115\151\154\141\156\061\043\060\041\006\003\125\004\012\014\032  
\101\143\164\141\154\151\163\040\123\056\160\056\101\056\057\060  
\063\063\065\070\065\062\060\071\066\067\061\047\060\045\006\003  
\125\004\003\014\036\101\143\164\141\154\151\163\040\101\165\164  
\150\145\156\164\151\143\141\164\151\157\156\040\122\157\157\164  
\040\103\101\060\036\027\015\061\061\060\071\062\062\061\061\062  
\062\060\062\132\027\015\063\060\060\071\062\062\061\061\062\062  
\060\062\132\060\153\061\013\060\011\006\003\125\004\006\023\002  
\111\124\061\016\060\014\006\003\125\004\007\014\005\115\151\154  
\141\156\061\043\060\041\006\003\125\004\012\014\032\101\143\164  
\141\154\151\163\040\123\056\160\056\101\056\057\060\063\063\065  
\070\065\062\060\071\066\067\061\047\060\045\006\003\125\004\003  
\014\036\101\143\164\141\154\151\163\040\101\165\164\150\145\156  
\164\151\143\141\164\151\157\156\040\122\157\157\164\040\103\101  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\247\306\304\245\051\244\054\357\345\030\305\260\120\243\157  
\121\073\237\012\132\311\302\110\070\012\302\034\240\030\177\221  
\265\207\271\100\077\335\035\150\037\010\203\325\055\036\210\240  
\370\217\126\217\155\231\002\222\220\026\325\137\010\154\211\327  
\341\254\274\040\302\261\340\203\121\212\151\115\000\226\132\157  
\057\300\104\176\243\016\344\221\315\130\356\334\373\307\036\105  
\107\335\047\271\010\001\237\246\041\035\365\101\055\057\114\375  
\050\255\340\212\255\042\264\126\145\216\206\124\217\223\103\051  
\336\071\106\170\243\060\043\272\315\360\175\023\127\300\135\322  
\203\153\110\114\304\253\237\200\132\133\072\275\311\247\042\077  
\200\047\063\133\016\267\212\014\135\007\067\010\313\154\322\172  
\107\042\104\065\305\314\314\056\216\335\052\355\267\175\146\015  
\137\141\121\042\125\033\343\106\343\343\075\320\065\142\232\333  
\257\024\310\133\241\314\211\033\341\060\046\374\240\233\037\201  
\247\107\037\004\353\243\071\222\006\237\231\323\277\323\352\117  
\120\234\031\376\226\207\036\074\145\366\243\030\044\203\206\020  
\347\124\076\250\072\166\044\117\201\041\305\343\017\002\370\223  
\224\107\040\273\376\324\016\323\150\271\335\304\172\204\202\343  
\123\124\171\335\333\234\322\362\007\233\056\266\274\076\355\205  
\155\357\045\021\362\227\032\102\141\367\112\227\350\213\261\020  
\007\372\145\201\262\242\071\317\367\074\377\030\373\306\361\132  
\213\131\342\002\254\173\222\320\116\024\117\131\105\366\014\136  
\050\137\260\350\077\105\317\317\257\233\157\373\204\323\167\132  
\225\157\254\224\204\236\356\274\300\112\217\112\223\370\104\041  
\342\061\105\141\120\116\020\330\343\065\174\114\031\264\336\005  
\277\243\006\237\310\265\315\344\037\327\027\006\015\172\225\164  
\125\015\150\032\374\020\033\142\144\235\155\340\225\240\303\224  
\007\127\015\024\346\275\005\373\270\237\346\337\213\342\306\347  
\176\226\366\123\305\200\064\120\050\130\360\022\120\161\027\060  
\272\346\170\143\274\364\262\255\233\053\262\376\341\071\214\136



\272\013\040\224\336\173\203\270\377\343\126\215\267\021\351\073  
\214\362\261\301\135\235\244\013\114\053\331\262\030\365\265\237  
\113\002\003\001\000\001\243\143\060\141\060\035\006\003\125\035  
\016\004\026\004\024\122\330\210\072\310\237\170\146\355\211\363  
\173\070\160\224\311\002\002\066\320\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125\035  
\043\004\030\060\026\200\024\122\330\210\072\310\237\170\146\355  
\211\363\173\070\160\224\311\002\002\066\320\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\013  
\173\162\207\300\140\246\111\114\210\130\346\035\210\367\024\144  
\110\246\330\130\012\016\117\023\065\337\065\035\324\355\006\061  
\310\201\076\152\325\335\073\032\062\356\220\075\021\322\056\364  
\216\303\143\056\043\146\260\147\276\157\266\300\023\071\140\252  
\242\064\045\223\165\122\336\247\235\255\016\207\211\122\161\152  
\026\074\031\035\203\370\232\051\145\276\364\077\232\331\360\363  
\132\207\041\161\200\115\313\340\070\233\077\273\372\340\060\115  
\317\206\323\145\020\031\030\321\227\002\261\053\162\102\150\254  
\240\275\116\132\332\030\277\153\230\201\320\375\232\276\136\025  
\110\315\021\025\271\300\051\134\264\350\210\367\076\066\256\267  
\142\375\036\142\336\160\170\020\034\110\133\332\274\244\070\272  
\147\355\125\076\136\127\337\324\003\100\114\201\244\322\117\143  
\247\011\102\011\024\374\000\251\302\200\163\117\056\300\100\331  
\021\173\110\352\172\002\300\323\353\050\001\046\130\164\301\300  
\163\042\155\223\225\375\071\175\273\052\343\366\202\343\054\227  
\137\116\037\221\224\372\376\054\243\330\166\032\270\115\262\070  
\117\233\372\035\110\140\171\046\342\363\375\251\320\232\350\160  
\217\111\172\326\345\275\012\016\333\055\363\215\277\353\343\244  
\175\313\307\225\161\350\332\243\174\305\302\370\164\222\004\033  
\206\254\244\042\123\100\266\254\376\114\166\317\373\224\062\300  
\065\237\166\077\156\345\220\156\240\246\046\242\270\054\276\321  
\053\205\375\247\150\310\272\001\053\261\154\164\035\270\163\225  
\347\356\267\307\045\360\000\114\000\262\176\266\013\213\034\363  
\300\120\236\045\271\340\010\336\066\146\377\067\245\321\273\124  
\144\054\311\047\265\113\222\176\145\377\323\055\341\271\116\274  
\177\244\101\041\220\101\167\246\071\037\352\236\343\237\320\146  
\157\005\354\252\166\176\277\153\026\240\353\265\307\374\222\124  
\057\053\021\047\045\067\170\114\121\152\260\363\314\130\135\024  
\361\152\110\025\377\302\007\266\261\215\017\216\134\120\106\263  
\075\277\001\230\117\262\131\124\107\076\064\173\170\155\126\223  
\056\163\352\146\050\170\315\035\024\277\240\217\057\056\270\056  
\216\362\024\212\314\351\265\174\373\154\235\014\245\341\226

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Actalis Authentication Root CA"

```

Issuer: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT
Serial Number:57:0a:11:97:42:c4:e3:cc
Subject: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT
Not Valid Before: Thu Sep 22 11:22:02 2011
Not Valid After : Sun Sep 22 11:22:02 2030
Fingerprint (SHA-256):
55:92:60:84:EC:96:3A:64:B9:6E:2A:BE:01:CE:0B:A8:6A:64:FB:FE:BC:C7:AA:B5:AF:C1:55:B3:7F:D7:60:66
Fingerprint (SHA1): F3:73:B3:87:06:5A:28:84:8A:F2:F3:4A:CE:19:2B:DD:C7:8E:9C:AC
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Actalis Authentication Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\363\163\263\207\006\132\050\204\212\362\363\112\316\031\053\335
\307\216\234\254
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\151\301\015\117\007\243\033\303\376\126\075\004\274\021\366\246
END
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\124\061
\016\060\014\006\003\125\004\007\014\005\115\151\154\141\156\061
\043\060\041\006\003\125\004\012\014\032\101\143\164\141\154\151
\163\040\123\056\160\056\101\056\057\060\063\063\065\070\065\062
\060\071\066\067\061\047\060\045\006\003\125\004\003\014\036\101
\143\164\141\154\151\163\040\101\165\164\150\145\156\164\151\143
\141\164\151\157\156\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\127\012\021\227\102\304\343\314
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Buypass Class 2 Root CA"
#
Issuer: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO
Serial Number: 2 (0x2)
Subject: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO
Not Valid Before: Tue Oct 26 08:38:03 2010
Not Valid After : Fri Oct 26 08:38:03 2040
Fingerprint (SHA-256):
9A:11:40:25:19:7C:5B:B9:5D:94:E6:3D:55:CD:43:79:08:47:B6:46:B2:3C:DF:11:AD:A4:A0:0E:FF:15:FB:48
Fingerprint (SHA1): 49:0A:75:74:DE:87:0A:47:FE:58:EE:F6:C7:6B:EB:C6:0B:12:40:99

```

```

CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Buypass Class 2 Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\002
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\131\060\202\003\101\240\003\002\001\002\002\001\002
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163
\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040
\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101\060
\036\027\015\061\060\061\060\062\066\060\070\063\070\060\063\132
\027\015\064\060\061\060\062\066\060\070\063\070\060\063\132\060
\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163
\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040
\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101\060
\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001
\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000
\327\307\136\367\301\007\324\167\373\103\041\364\364\365\151\344
\356\062\001\333\243\206\037\344\131\015\272\347\165\203\122\353
\352\034\141\025\110\273\035\007\312\214\256\260\334\226\235\352
\303\140\222\206\202\050\163\234\126\006\377\113\144\360\014\052
\067\111\265\345\317\014\174\356\361\112\273\163\060\145\363\325
\057\203\266\176\343\347\365\236\253\140\371\323\361\235\222\164
\212\344\034\226\254\133\200\351\265\364\061\207\243\121\374\307

```

\176\241\157\216\123\167\324\227\301\125\063\222\076\030\057\165  
\324\255\206\111\313\225\257\124\006\154\330\006\023\215\133\377  
\341\046\031\131\300\044\272\201\161\171\220\104\120\150\044\224  
\137\270\263\021\361\051\101\141\243\101\313\043\066\325\301\361  
\062\120\020\116\177\364\206\223\354\204\323\216\274\113\277\134  
\001\116\007\075\334\024\212\224\012\244\352\163\373\013\121\350  
\023\007\030\372\016\361\053\321\124\025\175\074\341\367\264\031  
\102\147\142\136\167\340\242\125\354\266\331\151\027\325\072\257  
\104\355\112\305\236\344\172\047\174\345\165\327\252\313\045\347  
\337\153\012\333\017\115\223\116\250\240\315\173\056\362\131\001  
\152\267\015\270\007\201\176\213\070\033\070\346\012\127\231\075  
\356\041\350\243\365\014\026\335\213\354\064\216\234\052\034\000  
\025\027\215\150\203\322\160\237\030\010\315\021\150\325\311\153  
\122\315\304\106\217\334\265\363\330\127\163\036\351\224\071\004  
\277\323\336\070\336\264\123\354\151\034\242\176\304\217\344\033  
\160\255\362\242\371\373\367\026\144\146\151\237\111\121\242\342  
\025\030\147\006\112\177\325\154\265\115\263\063\340\141\353\135  
\276\351\230\017\062\327\035\113\074\056\132\001\122\221\011\362  
\337\352\215\330\006\100\143\252\021\344\376\303\067\236\024\122  
\077\364\342\314\362\141\223\321\375\147\153\327\122\256\277\150  
\253\100\103\240\127\065\123\170\360\123\370\141\102\007\144\306  
\327\157\233\114\070\015\143\254\142\257\066\213\242\163\012\015  
\365\041\275\164\252\115\352\162\003\111\333\307\137\035\142\143  
\307\375\335\221\354\063\356\365\155\264\156\060\150\336\310\326  
\046\260\165\136\173\264\007\040\230\241\166\062\270\115\154\117  
\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035  
\016\004\026\004\024\311\200\167\340\142\222\202\365\106\234\363  
\272\367\114\303\336\270\243\255\071\060\016\006\003\125\035\017  
\001\001\377\004\004\003\002\001\006\060\015\006\011\052\206\110  
\206\367\015\001\001\013\005\000\003\202\002\001\000\123\137\041  
\365\272\260\072\122\071\054\222\260\154\000\311\357\316\040\357  
\006\362\226\236\351\244\164\177\172\026\374\267\365\266\373\025  
\033\077\253\246\300\162\135\020\261\161\356\274\117\343\255\254  
\003\155\056\161\056\257\304\343\255\243\275\014\021\247\264\377  
\112\262\173\020\020\037\247\127\101\262\300\256\364\054\131\326  
\107\020\210\363\041\121\051\060\312\140\206\257\106\253\035\355  
\072\133\260\224\336\104\343\101\010\242\301\354\035\326\375\117  
\266\326\107\320\024\013\312\346\312\265\173\167\176\101\037\136  
\203\307\266\214\071\226\260\077\226\201\101\157\140\220\342\350  
\371\373\042\161\331\175\263\075\106\277\264\204\257\220\034\017  
\217\022\152\257\357\356\036\172\256\002\112\212\027\053\166\376  
\254\124\211\044\054\117\077\266\262\247\116\214\250\221\227\373  
\051\306\173\134\055\271\313\146\266\267\250\133\022\121\205\265  
\011\176\142\170\160\376\251\152\140\266\035\016\171\014\375\312  
\352\044\200\162\303\227\077\362\167\253\103\042\012\307\353\266  
\014\204\202\054\200\153\101\212\010\300\353\245\153\337\231\022  
\313\212\325\136\200\014\221\340\046\010\066\110\305\372\070\021

```
\065\377\045\203\055\362\172\277\332\375\216\376\245\313\105\054
\037\304\210\123\256\167\016\331\232\166\305\216\054\035\243\272
\325\354\062\256\300\252\254\367\321\172\115\353\324\007\342\110
\367\042\216\260\244\237\152\316\216\262\262\140\364\243\042\320
\043\353\224\132\172\151\335\017\277\100\127\254\153\131\120\331
\243\231\341\156\376\215\001\171\047\043\025\336\222\235\173\011
\115\132\347\113\110\060\132\030\346\012\155\346\217\340\322\273
\346\337\174\156\041\202\301\150\071\115\264\230\130\146\142\314
\112\220\136\303\372\047\004\261\171\025\164\231\314\276\255\040
\336\046\140\034\353\126\121\246\243\352\344\243\077\247\377\141
\334\361\132\115\154\062\043\103\356\254\250\356\356\112\022\011
\074\135\161\302\276\171\372\302\207\150\035\013\375\134\151\314
\006\320\232\175\124\231\052\311\071\032\031\257\113\052\103\363
\143\135\132\130\342\057\343\035\344\251\326\320\012\320\236\277
\327\201\011\361\311\307\046\015\254\230\026\126\240
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "Buypass Class 2 Root CA"

# Issuer: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO

# Serial Number: 2 (0x2)

# Subject: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO

# Not Valid Before: Tue Oct 26 08:38:03 2010

# Not Valid After : Fri Oct 26 08:38:03 2040

# Fingerprint (SHA-256):

9A:11:40:25:19:7C:5B:B9:5D:94:E6:3D:55:CD:43:79:08:47:B6:46:B2:3C:DF:11:AD:A4:A0:0E:FF:15:FB:48

# Fingerprint (SHA1): 49:0A:75:74:DE:87:0A:47:FE:58:EE:F6:C7:6B:EB:C6:0B:12:40:99

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Buypass Class 2 Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\111\012\165\164\336\207\012\107\376\130\356\366\307\153\353\306
\013\022\100\231
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\106\247\322\376\105\373\144\132\250\131\220\233\170\104\233\051
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Buypass Class 3 Root CA"
#
Issuer: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO
Serial Number: 2 (0x2)
Subject: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO
Not Valid Before: Tue Oct 26 08:28:58 2010
Not Valid After : Fri Oct 26 08:28:58 2040
Fingerprint (SHA-256):
ED:F7:EB:BC:A2:7A:2A:38:4D:38:7B:7D:40:10:C6:66:E2:ED:B4:84:3E:4C:29:B4:AE:1D:5B:93:32:E6:B2:4D
Fingerprint (SHA1): DA:FA:F7:FA:66:84:EC:06:8F:14:50:BD:C7:C2:81:A5:BC:A9:64:57
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Buypass Class 3 Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\002
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\131\060\202\003\101\240\003\002\001\002\002\001\002
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163

```

\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060  
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040  
\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101\060  
\036\027\015\061\060\061\060\062\066\060\070\062\070\065\070\132  
\027\015\064\060\061\060\062\066\060\070\062\070\065\070\132\060  
\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035  
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163  
\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060  
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040  
\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101\060  
\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001  
\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000  
\245\332\012\225\026\120\343\225\362\136\235\166\061\006\062\172  
\233\361\020\166\270\000\232\265\122\066\315\044\107\260\237\030  
\144\274\232\366\372\325\171\330\220\142\114\042\057\336\070\075  
\326\340\250\351\034\054\333\170\021\351\216\150\121\025\162\307  
\363\063\207\344\240\135\013\134\340\127\007\052\060\365\315\304  
\067\167\050\115\030\221\346\277\325\122\375\161\055\160\076\347  
\306\304\212\343\360\050\013\364\166\230\241\213\207\125\262\072  
\023\374\267\076\047\067\216\042\343\250\117\052\357\140\273\075  
\267\071\303\016\001\107\231\135\022\117\333\103\372\127\241\355  
\371\235\276\021\107\046\133\023\230\253\135\026\212\260\067\034  
\127\235\105\377\210\226\066\277\273\312\007\173\157\207\143\327  
\320\062\152\326\135\154\014\361\263\156\071\342\153\061\056\071  
\000\047\024\336\070\300\354\031\146\206\022\350\235\162\026\023  
\144\122\307\251\067\034\375\202\060\355\204\030\035\364\256\134  
\377\160\023\000\353\261\365\063\172\113\326\125\370\005\215\113  
\151\260\365\263\050\066\134\024\304\121\163\115\153\013\361\064  
\007\333\027\071\327\334\050\173\153\365\237\363\056\301\117\027  
\052\020\363\314\312\350\353\375\153\253\056\232\237\055\202\156  
\004\324\122\001\223\055\075\206\374\176\374\337\357\102\035\246  
\153\357\271\040\306\367\275\240\247\225\375\247\346\211\044\330  
\314\214\064\154\342\043\057\331\022\032\041\271\125\221\157\013  
\221\171\031\014\255\100\210\013\160\342\172\322\016\330\150\110  
\273\202\023\071\020\130\351\330\052\007\306\022\333\130\333\322  
\073\125\020\107\005\025\147\142\176\030\143\246\106\077\011\016  
\124\062\136\277\015\142\172\047\357\200\350\333\331\113\006\132  
\067\132\045\320\010\022\167\324\157\011\120\227\075\310\035\303  
\337\214\105\060\126\306\323\144\253\146\363\300\136\226\234\303  
\304\357\303\174\153\213\072\171\177\263\111\317\075\342\211\237  
\240\060\113\205\271\234\224\044\171\217\175\153\251\105\150\017  
\053\320\361\332\034\313\151\270\312\111\142\155\310\320\143\142  
\335\140\017\130\252\217\241\274\005\245\146\242\317\033\166\262  
\204\144\261\114\071\122\300\060\272\360\214\113\002\260\266\267  
\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035  
\016\004\026\004\024\107\270\315\377\345\157\356\370\262\354\057  
\116\016\371\045\260\216\074\153\303\060\016\006\003\125\035\017

\001\001\377\004\004\003\002\001\006\060\015\006\011\052\206\110  
\206\367\015\001\001\013\005\000\003\202\002\001\000\000\040\043  
\101\065\004\220\302\100\142\140\357\342\065\114\327\077\254\342  
\064\220\270\241\157\166\372\026\026\244\110\067\054\351\220\302  
\362\074\370\012\237\330\201\345\273\133\332\045\054\244\247\125  
\161\044\062\366\310\013\362\274\152\370\223\254\262\007\302\137  
\237\333\314\310\212\252\276\152\157\341\111\020\314\061\327\200  
\273\273\310\330\242\016\144\127\352\242\365\302\251\061\025\322  
\040\152\354\374\042\001\050\317\206\270\200\036\251\314\021\245  
\074\362\026\263\107\235\374\322\200\041\304\313\320\107\160\101  
\241\312\203\031\010\054\155\362\135\167\234\212\024\023\324\066  
\034\222\360\345\006\067\334\246\346\220\233\070\217\134\153\033  
\106\206\103\102\137\076\001\007\123\124\135\145\175\367\212\163  
\241\232\124\132\037\051\103\024\047\302\205\017\265\210\173\032  
\073\224\267\035\140\247\265\234\347\051\151\127\132\233\223\172  
\103\060\033\003\327\142\310\100\246\252\374\144\344\112\327\221  
\123\001\250\040\210\156\234\137\104\271\313\140\201\064\354\157  
\323\175\332\110\137\353\264\220\274\055\251\034\013\254\034\325  
\242\150\040\200\004\326\374\261\217\057\273\112\061\015\112\206  
\034\353\342\066\051\046\365\332\330\304\362\165\141\317\176\256  
\166\143\112\172\100\145\223\207\370\036\200\214\206\345\206\326  
\217\016\374\123\054\140\350\026\141\032\242\076\103\173\315\071  
\140\124\152\365\362\211\046\001\150\203\110\242\063\350\311\004  
\221\262\021\064\021\076\352\320\103\031\037\003\223\220\014\377  
\121\075\127\364\101\156\341\313\240\276\353\311\143\315\155\314  
\344\370\066\252\150\235\355\275\135\227\160\104\015\266\016\065  
\334\341\014\135\273\240\121\224\313\176\026\353\021\057\243\222  
\105\310\114\161\331\274\311\231\122\127\106\057\120\317\275\065  
\151\364\075\025\316\006\245\054\017\076\366\201\272\224\273\303  
\273\277\145\170\322\206\171\377\111\073\032\203\014\360\336\170  
\354\310\362\115\114\032\336\202\051\370\301\132\332\355\356\346  
\047\136\350\105\320\235\034\121\250\150\253\104\343\320\213\152  
\343\370\073\273\334\115\327\144\362\121\276\346\252\253\132\351  
\061\356\006\274\163\277\023\142\012\237\307\271\227

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Buypass Class 3 Root CA"

# Issuer: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO

# Serial Number: 2 (0x2)

# Subject: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO

# Not Valid Before: Tue Oct 26 08:28:58 2010

# Not Valid After : Fri Oct 26 08:28:58 2040

# Fingerprint (SHA-256):

ED:F7:EB:BC:A2:7A:2A:38:4D:38:7B:7D:40:10:C6:66:E2:ED:B4:84:3E:4C:29:B4:AE:1D:5B:93:32:E6:B2:4D

# Fingerprint (SHA1): DA:FA:F7:FA:66:84:EC:06:8F:14:50:BD:C7:C2:81:A5:BC:A9:64:57



```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Bypass Class 3 Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\332\372\367\372\146\204\354\006\217\024\120\275\307\302\201\245
\274\251\144\127
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\075\073\030\236\054\144\132\350\325\210\316\016\371\067\302\354
END
CKA_ISSUER MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "T-TeleSec GlobalRoot Class 3"
#
Issuer: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services
GmbH,C=DE
Serial Number: 1 (0x1)
Subject: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services
GmbH,C=DE
Not Valid Before: Wed Oct 01 10:29:56 2008
Not Valid After : Sat Oct 01 23:59:59 2033
Fingerprint (SHA-256):
FD:73:DA:D3:1C:64:4F:F1:B4:3B:EF:0C:CD:DA:96:71:0B:9C:D9:87:5E:CA:7E:31:70:7A:F3:E9:6D:52:2B:BD
Fingerprint (SHA1): 55:A6:72:3E:CB:F2:EC:CD:C3:23:74:70:19:9D:2A:BE:11:E3:81:D1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "T-TeleSec GlobalRoot Class 3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105

```

\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163  
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040  
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060  
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155  
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045  
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123  
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154  
\141\163\163\040\063

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105  
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163  
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040  
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060  
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155  
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045  
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123  
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154  
\141\163\163\040\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\001

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\303\060\202\002\253\240\003\002\001\002\002\001\001  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163\164  
\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040\123  
\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060\035  
\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155\163  
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045\060  
\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123\145  
\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154\141  
\163\163\040\063\060\036\027\015\060\070\061\060\060\061\061\060  
\062\071\065\066\132\027\015\063\063\061\060\060\061\062\063\065  
\071\065\071\132\060\201\202\061\013\060\011\006\003\125\004\006  
\023\002\104\105\061\053\060\051\006\003\125\004\012\014\042\124  
\055\123\171\163\164\145\155\163\040\105\156\164\145\162\160\162  
\151\163\145\040\123\145\162\166\151\143\145\163\040\107\155\142  
\110\061\037\060\035\006\003\125\004\013\014\026\124\055\123\171  
\163\164\145\155\163\040\124\162\165\163\164\040\103\145\156\164  
\145\162\061\045\060\043\006\003\125\004\003\014\034\124\055\124  
\145\154\145\123\145\143\040\107\154\157\142\141\154\122\157\157  
\164\040\103\154\141\163\163\040\063\060\202\001\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017  
\000\060\202\001\012\002\202\001\001\000\275\165\223\360\142\042

\157\044\256\340\172\166\254\175\275\331\044\325\270\267\374\315  
\360\102\340\353\170\210\126\136\233\232\124\035\115\014\212\366  
\323\317\160\364\122\265\330\223\004\343\106\206\161\101\112\053  
\360\052\054\125\003\326\110\303\340\071\070\355\362\134\074\077  
\104\274\223\075\141\253\116\315\015\276\360\040\047\130\016\104  
\177\004\032\207\245\327\226\024\066\220\320\111\173\241\165\373  
\032\153\163\261\370\316\251\011\054\362\123\325\303\024\104\270  
\206\245\366\213\053\071\332\243\063\124\331\372\162\032\367\042  
\025\034\210\221\153\177\146\345\303\152\200\260\044\363\337\206  
\105\210\375\031\177\165\207\037\037\261\033\012\163\044\133\271  
\145\340\054\124\310\140\323\146\027\077\341\314\124\063\163\221  
\002\072\246\177\173\166\071\242\037\226\266\070\256\265\310\223  
\164\035\236\271\264\345\140\235\057\126\321\340\353\136\133\114  
\022\160\014\154\104\040\253\021\330\364\031\366\322\234\122\067  
\347\372\266\302\061\073\112\324\024\231\255\307\032\365\135\137  
\372\007\270\174\015\037\326\203\036\263\002\003\001\000\001\243  
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\035\006\003\125\035\016\004\026\004\024\265  
\003\367\166\073\141\202\152\022\252\030\123\353\003\041\224\277  
\376\316\312\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\001\001\000\126\075\357\224\325\275\332\163\262  
\130\276\256\220\255\230\047\227\376\001\261\260\122\000\270\115  
\344\033\041\164\033\176\300\356\136\151\052\045\257\134\326\035  
\332\322\171\311\363\227\051\340\206\207\336\004\131\017\361\131  
\324\144\205\113\231\257\045\004\036\311\106\251\227\336\202\262  
\033\160\237\234\366\257\161\061\335\173\005\245\054\323\271\312  
\107\366\312\362\366\347\255\271\110\077\274\026\267\301\155\364  
\352\011\257\354\363\265\347\005\236\246\036\212\123\121\326\223  
\201\314\164\223\366\271\332\246\045\005\164\171\132\176\100\076  
\202\113\046\021\060\156\341\077\101\307\107\000\065\325\365\323  
\367\124\076\201\075\332\111\152\232\263\357\020\075\346\353\157  
\321\310\042\107\313\314\317\001\061\222\331\030\343\042\276\011  
\036\032\076\132\262\344\153\014\124\172\175\103\116\270\211\245  
\173\327\242\075\226\206\314\362\046\064\055\152\222\235\232\032  
\320\060\342\135\116\004\260\137\213\040\176\167\301\075\225\202  
\321\106\232\073\074\170\270\157\241\320\015\144\242\170\036\051  
\116\223\303\244\124\024\133

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "T-TeleSec GlobalRoot Class 3"

# Issuer: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services GmbH,C=DE

# Serial Number: 1 (0x1)

# Subject: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services

```

GmbH,C=DE
Not Valid Before: Wed Oct 01 10:29:56 2008
Not Valid After : Sat Oct 01 23:59:59 2033
Fingerprint (SHA-256):
FD:73:DA:D3:1C:64:4F:F1:B4:3B:EF:0C:CD:DA:96:71:0B:9C:D9:87:5E:CA:7E:31:70:7A:F3:E9:6D:52:2B:BD
Fingerprint (SHA1): 55:A6:72:3E:CB:F2:EC:CD:C3:23:74:70:19:9D:2A:BE:11:E3:81:D1
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "T-TeleSec GlobalRoot Class 3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\125\246\162\076\313\362\354\315\303\043\164\160\031\235\052\276
\021\343\201\321
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\312\373\100\250\116\071\222\212\035\376\216\057\304\047\352\357
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154
\141\163\163\040\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "D-TRUST Root Class 3 CA 2 2009"
#
Issuer: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE
Serial Number: 623603 (0x983f3)
Subject: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE
Not Valid Before: Thu Nov 05 08:35:58 2009
Not Valid After : Mon Nov 05 08:35:58 2029
Fingerprint (SHA-256):
49:E7:A4:42:AC:F0:EA:62:87:05:00:54:B5:25:64:B6:50:E4:F4:9E:42:E3:48:D6:AA:38:E0:39:E9:57:B1:C1
Fingerprint (SHA1): 58:E8:AB:B0:36:15:33:FB:80:F7:9B:1B:6D:29:D3:FF:8D:5F:00:F0

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root Class 3 CA 2 2009"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\011\203\363
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\063\060\202\003\033\240\003\002\001\002\002\003\011
\203\363\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165
\163\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003
\014\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103
\154\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071
\060\036\027\015\060\071\061\061\060\065\060\070\063\065\065\070
\132\027\015\062\071\061\061\060\065\060\070\063\065\065\070\132
\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071\060
\202\001\042\060\015\006\011\052\206\110\206\367\015\001\001\001
\005\000\003\202\001\017\000\060\202\001\012\002\202\001\001\000
\323\262\112\317\172\107\357\165\233\043\372\072\057\326\120\105
\211\065\072\306\153\333\376\333\000\150\250\340\003\021\035\067
\120\010\237\115\112\150\224\065\263\123\321\224\143\247\040\126
\257\336\121\170\354\052\075\363\110\110\120\076\012\337\106\125
\213\047\155\303\020\115\015\221\122\103\330\207\340\135\116\066
\265\041\312\137\071\100\004\137\133\176\314\243\306\053\251\100
\036\331\066\204\326\110\363\222\036\064\106\040\044\301\244\121
```

\216\112\032\357\120\077\151\135\031\177\105\303\307\001\217\121  
\311\043\350\162\256\264\274\126\011\177\022\313\034\261\257\051  
\220\012\311\125\314\017\323\264\032\355\107\065\132\112\355\234  
\163\004\041\320\252\275\014\023\265\000\312\046\154\304\153\014  
\224\132\225\224\332\120\232\361\377\245\053\146\061\244\311\070  
\240\337\035\037\270\011\056\363\247\350\147\122\253\225\037\340  
\106\076\330\244\303\312\132\305\061\200\350\110\232\237\224\151  
\376\031\335\330\163\174\201\312\226\336\216\355\263\062\005\145  
\204\064\346\346\375\127\020\265\137\166\277\057\260\020\015\305  
\002\003\001\000\001\243\202\001\032\060\202\001\026\060\017\006  
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\035  
\006\003\125\035\016\004\026\004\024\375\332\024\304\237\060\336  
\041\275\036\102\071\374\253\143\043\111\340\361\204\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\201\323  
\006\003\125\035\037\004\201\313\060\201\310\060\201\200\240\176  
\240\174\206\172\154\144\141\160\072\057\057\144\151\162\145\143  
\164\157\162\171\056\144\055\164\162\165\163\164\056\156\145\164  
\057\103\116\075\104\055\124\122\125\123\124\045\062\060\122\157  
\157\164\045\062\060\103\154\141\163\163\045\062\060\063\045\062  
\060\103\101\045\062\060\062\045\062\060\062\060\060\071\054\117  
\075\104\055\124\162\165\163\164\045\062\060\107\155\142\110\054  
\103\075\104\105\077\143\145\162\164\151\146\151\143\141\164\145  
\162\145\166\157\143\141\164\151\157\156\154\151\163\164\060\103  
\240\101\240\077\206\075\150\164\164\160\072\057\057\167\167\167  
\056\144\055\164\162\165\163\164\056\156\145\164\057\143\162\154  
\057\144\055\164\162\165\163\164\137\162\157\157\164\137\143\154  
\141\163\163\137\063\137\143\141\137\062\137\062\060\060\071\056  
\143\162\154\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\001\001\000\177\227\333\060\310\337\244\234\175  
\041\172\200\160\316\024\022\151\210\024\225\140\104\001\254\262  
\351\060\117\233\120\302\146\330\176\215\060\265\160\061\351\342  
\151\307\363\160\333\040\025\206\320\015\360\276\254\001\165\204  
\316\176\237\115\277\267\140\073\234\363\312\035\342\136\150\330  
\243\235\227\345\100\140\322\066\041\376\320\264\270\027\332\164  
\243\177\324\337\260\230\002\254\157\153\153\054\045\044\162\241  
\145\356\045\132\345\346\062\347\362\337\253\111\372\363\220\151  
\043\333\004\331\347\134\130\374\145\324\227\276\314\374\056\012  
\314\045\052\065\004\370\140\221\025\165\075\101\377\043\037\031  
\310\154\353\202\123\004\246\344\114\042\115\215\214\272\316\133  
\163\354\144\124\120\155\321\234\125\373\151\303\066\303\214\274  
\074\205\246\153\012\046\015\340\223\230\140\256\176\306\044\227  
\212\141\137\221\216\146\222\011\207\066\315\213\233\055\076\366  
\121\324\120\324\131\050\275\203\362\314\050\173\123\206\155\330  
\046\210\160\327\352\221\315\076\271\312\300\220\156\132\306\136  
\164\145\327\134\376\243\342

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "D-TRUST Root Class 3 CA 2 2009"

# Issuer: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE

# Serial Number: 623603 (0x983f3)

# Subject: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE

# Not Valid Before: Thu Nov 05 08:35:58 2009

# Not Valid After : Mon Nov 05 08:35:58 2029

# Fingerprint (SHA-256):

49:E7:A4:42:AC:F0:EA:62:87:05:00:54:B5:25:64:B6:50:E4:F4:9E:42:E3:48:D6:AA:38:E0:39:E9:57:B1:C1

# Fingerprint (SHA1): 58:E8:AB:B0:36:15:33:FB:80:F7:9B:1B:6D:29:D3:FF:8D:5F:00:F0

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "D-TRUST Root Class 3 CA 2 2009"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\130\350\253\260\066\025\063\373\200\367\233\033\155\051\323\377  
\215\137\000\360

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\315\340\045\151\215\107\254\234\211\065\220\367\375\121\075\057

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163  
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014  
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154  
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\003\011\203\363

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "D-TRUST Root Class 3 CA 2 EV 2009"

#

# Issuer: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE

# Serial Number: 623604 (0x983f4)

# Subject: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE

# Not Valid Before: Thu Nov 05 08:50:46 2009

# Not Valid After : Mon Nov 05 08:50:46 2029

# Fingerprint (SHA-256):

EE:C5:49:6B:98:8C:E9:86:25:B9:34:09:2E:EC:29:08:BE:D0:B0:F3:16:C2:D4:73:0C:84:EA:F1:F3:D3:48:81

# Fingerprint (SHA1): 96:C9:1B:0B:95:B4:10:98:42:FA:D0:D8:22:79:FE:60:FA:B9:16:83

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root Class 3 CA 2 EV 2009"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003\014
\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062\060
\060\071
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003\014
\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062\060
\060\071
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\011\203\364
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\103\060\202\003\053\240\003\002\001\002\002\003\011
\203\364\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165
\163\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003
\014\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103
\154\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062
\060\060\071\060\036\027\015\060\071\061\061\060\065\060\070\065
\060\064\066\132\027\015\062\071\061\061\060\065\060\070\065\060
\064\066\132\060\120\061\013\060\011\006\003\125\004\006\023\002
\104\105\061\025\060\023\006\003\125\004\012\014\014\104\055\124
\162\165\163\164\040\107\155\142\110\061\052\060\050\006\003\125
\004\003\014\041\104\055\124\122\125\123\124\040\122\157\157\164
\040\103\154\141\163\163\040\063\040\103\101\040\062\040\105\126
\040\062\060\060\071\060\202\001\042\060\015\006\011\052\206\110
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001
\012\002\202\001\001\000\231\361\204\064\160\272\057\267\060\240
\216\275\174\004\317\276\142\274\231\375\202\227\322\172\012\147
\226\070\011\366\020\116\225\042\163\231\215\332\025\055\347\005
\374\031\163\042\267\216\230\000\274\074\075\254\241\154\373\326
```



\171\045\113\255\360\314\144\332\210\076\051\270\017\011\323\064  
\335\063\365\142\321\341\315\031\351\356\030\117\114\130\256\342  
\036\326\014\133\025\132\330\072\270\304\030\144\036\343\063\262  
\265\211\167\116\014\277\331\224\153\023\227\157\022\243\376\231  
\251\004\314\025\354\140\150\066\355\010\173\267\365\277\223\355  
\146\061\203\214\306\161\064\207\116\027\352\257\213\221\215\034  
\126\101\256\042\067\136\067\362\035\331\321\055\015\057\151\121  
\247\276\146\246\212\072\052\275\307\032\261\341\024\360\276\072  
\035\271\317\133\261\152\376\264\261\106\040\242\373\036\073\160  
\357\223\230\175\214\163\226\362\305\357\205\160\255\051\046\374  
\036\004\076\034\240\330\017\313\122\203\142\174\356\213\123\225  
\220\251\127\242\352\141\005\330\371\115\304\047\372\156\255\355  
\371\327\121\367\153\245\002\003\001\000\001\243\202\001\044\060  
\202\001\040\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\323  
\224\212\114\142\023\052\031\056\314\257\162\212\175\066\327\232  
\034\334\147\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\201\335\006\003\125\035\037\004\201\325\060\201  
\322\060\201\207\240\201\204\240\201\201\206\177\154\144\141\160  
\072\057\057\144\151\162\145\143\164\157\162\171\056\144\055\164  
\162\165\163\164\056\156\145\164\057\103\116\075\104\055\124\122  
\125\123\124\045\062\060\122\157\157\164\045\062\060\103\154\141  
\163\163\045\062\060\063\045\062\060\103\101\045\062\060\062\045  
\062\060\105\126\045\062\060\062\060\060\071\054\117\075\104\055  
\124\162\165\163\164\045\062\060\107\155\142\110\054\103\075\104  
\105\077\143\145\162\164\151\146\151\143\141\164\145\162\145\166  
\157\143\141\164\151\157\156\154\151\163\164\060\106\240\104\240  
\102\206\100\150\164\164\160\072\057\057\167\167\167\056\144\055  
\164\162\165\163\164\056\156\145\164\057\143\162\154\057\144\055  
\164\162\165\163\164\137\162\157\157\164\137\143\154\141\163\163  
\137\063\137\143\141\137\062\137\145\166\137\062\060\060\071\056  
\143\162\154\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\001\001\000\064\355\173\132\074\244\224\210\357  
\032\021\165\007\057\263\376\074\372\036\121\046\353\207\366\051  
\336\340\361\324\306\044\011\351\301\317\125\033\264\060\331\316  
\032\376\006\121\246\025\244\055\357\262\113\277\040\050\045\111  
\321\246\066\167\064\350\144\337\122\261\021\307\163\172\315\071  
\236\302\255\214\161\041\362\132\153\257\337\074\116\125\257\262  
\204\145\024\211\271\167\313\052\061\276\317\243\155\317\157\110  
\224\062\106\157\347\161\214\240\246\204\031\067\007\362\003\105  
\011\053\206\165\174\337\137\151\127\000\333\156\330\246\162\042  
\113\120\324\165\230\126\337\267\030\377\103\103\120\256\172\104  
\173\360\171\121\327\103\075\247\323\201\323\360\311\117\271\332  
\306\227\206\320\202\303\344\102\155\376\260\342\144\116\016\046  
\347\100\064\046\265\010\211\327\010\143\143\070\047\165\036\063  
\352\156\250\335\237\231\117\164\115\201\211\200\113\335\232\227  
\051\134\057\276\201\101\271\214\377\352\175\140\006\236\315\327  
\075\323\056\243\025\274\250\346\046\345\157\303\334\270\003\041

\352\237\026\361\054\124\265

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "D-TRUST Root Class 3 CA 2 EV 2009"

# Issuer: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE

# Serial Number: 623604 (0x983f4)

# Subject: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE

# Not Valid Before: Thu Nov 05 08:50:46 2009

# Not Valid After : Mon Nov 05 08:50:46 2029

# Fingerprint (SHA-256):

EE:C5:49:6B:98:8C:E9:86:25:B9:34:09:2E:EC:29:08:BE:D0:B0:F3:16:C2:D4:73:0C:84:EA:F1:F3:D3:48:81

# Fingerprint (SHA1): 96:C9:1B:0B:95:B4:10:98:42:FA:D0:D8:22:79:FE:60:FA:B9:16:83

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "D-TRUST Root Class 3 CA 2 EV 2009"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\226\311\033\013\225\264\020\230\102\372\320\330\042\171\376\140

\372\271\026\203

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\252\306\103\054\136\055\315\304\064\300\120\117\021\002\117\266

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105\061

\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163

\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003\014

\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154

\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062\060

\060\071

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\003\011\203\364

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "CA Disig Root R2"

#

# Issuer: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK

# Serial Number:00:92:b8:88:db:b0:8a:c1:63

```
Subject: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK
Not Valid Before: Thu Jul 19 09:15:30 2012
Not Valid After : Sat Jul 19 09:15:30 2042
Fingerprint (SHA-256):
E2:3D:4A:03:6D:7B:70:E9:F5:95:B1:42:20:79:D2:B9:1E:DF:BB:1F:B6:51:A0:63:3E:AA:8A:9D:C5:F8:07:03
Fingerprint (SHA1): B5:61:EB:EA:A4:DE:E4:25:4B:69:1A:98:A5:57:47:C2:34:C7:D9:71
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "CA Disig Root R2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\123\113\061
\023\060\021\006\003\125\004\007\023\012\102\162\141\164\151\163
\154\141\166\141\061\023\060\021\006\003\125\004\012\023\012\104
\151\163\151\147\040\141\056\163\056\061\031\060\027\006\003\125
\004\003\023\020\103\101\040\104\151\163\151\147\040\122\157\157
\164\040\122\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\123\113\061
\023\060\021\006\003\125\004\007\023\012\102\162\141\164\151\163
\154\141\166\141\061\023\060\021\006\003\125\004\012\023\012\104
\151\163\151\147\040\141\056\163\056\061\031\060\027\006\003\125
\004\003\023\020\103\101\040\104\151\163\151\147\040\122\157\157
\164\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\222\270\210\333\260\212\301\143
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\151\060\202\003\121\240\003\002\001\002\002\011\000
\222\270\210\333\260\212\301\143\060\015\006\011\052\206\110\206
\367\015\001\001\013\005\000\060\122\061\013\060\011\006\003\125
\004\006\023\002\123\113\061\023\060\021\006\003\125\004\007\023
\012\102\162\141\164\151\163\154\141\166\141\061\023\060\021\006
\003\125\004\012\023\012\104\151\163\151\147\040\141\056\163\056
\061\031\060\027\006\003\125\004\003\023\020\103\101\040\104\151
\163\151\147\040\122\157\157\164\040\122\062\060\036\027\015\061
\062\060\067\061\071\060\071\061\065\063\060\132\027\015\064\062
\060\067\061\071\060\071\061\065\063\060\132\060\122\061\013\060
\011\006\003\125\004\006\023\002\123\113\061\023\060\021\006\003
\125\004\007\023\012\102\162\141\164\151\163\154\141\166\141\061
\023\060\021\006\003\125\004\012\023\012\104\151\163\151\147\040
\141\056\163\056\061\031\060\027\006\003\125\004\003\023\020\103
\101\040\104\151\163\151\147\040\122\157\157\164\040\122\062\060
```

\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001  
\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000  
\242\243\304\000\011\326\205\135\055\155\024\366\302\303\163\236  
\065\302\161\125\176\201\373\253\106\120\340\301\174\111\170\346  
\253\171\130\074\332\377\174\034\237\330\227\002\170\076\153\101  
\004\351\101\275\276\003\054\105\366\057\144\324\253\135\243\107  
\075\144\233\351\150\232\306\314\033\077\272\276\262\213\064\002  
\056\230\125\031\374\214\157\252\137\332\114\316\115\003\041\243  
\330\322\064\223\126\226\313\114\014\000\026\074\137\032\315\310  
\307\154\246\255\323\061\247\274\350\345\341\146\326\322\373\003  
\264\101\145\311\020\256\016\005\143\306\200\152\151\060\375\322  
\356\220\357\015\047\337\237\225\163\364\341\045\332\154\026\336  
\101\070\064\352\213\374\321\350\004\024\141\055\101\176\254\307  
\167\116\313\121\124\373\136\222\030\033\004\132\150\306\311\304  
\372\267\023\240\230\267\021\053\267\326\127\314\174\236\027\321  
\313\045\376\206\116\044\056\126\014\170\115\236\001\022\246\053  
\247\001\145\156\174\142\035\204\204\337\352\300\153\265\245\052  
\225\203\303\123\021\014\163\035\013\262\106\220\321\102\072\316  
\100\156\225\255\377\306\224\255\156\227\204\216\175\157\236\212  
\200\015\111\155\163\342\173\222\036\303\363\301\363\353\056\005  
\157\331\033\317\067\166\004\310\264\132\344\027\247\313\335\166  
\037\320\031\166\350\054\005\263\326\234\064\330\226\334\141\207  
\221\005\344\104\010\063\301\332\271\010\145\324\256\262\066\015  
\353\272\070\272\014\345\233\236\353\215\146\335\231\317\326\211  
\101\366\004\222\212\051\051\155\153\072\034\347\165\175\002\161  
\016\363\300\347\275\313\031\335\235\140\262\302\146\140\266\261  
\004\356\311\346\206\271\232\146\100\250\347\021\355\201\105\003  
\213\366\147\131\350\301\006\021\275\335\317\200\002\117\145\100  
\170\134\107\120\310\233\346\037\201\173\344\104\250\133\205\232  
\342\336\132\325\307\371\072\104\146\113\344\062\124\174\344\154  
\234\263\016\075\027\242\262\064\022\326\176\262\250\111\273\321  
\172\050\100\276\242\026\037\337\344\067\037\021\163\373\220\012  
\145\103\242\015\174\370\006\001\125\063\175\260\015\270\364\365  
\256\245\102\127\174\066\021\214\173\136\304\003\235\214\171\235  
\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\006\060\035\006\003\125\035  
\016\004\026\004\024\265\231\370\257\260\224\365\343\040\326\012  
\255\316\116\126\244\056\156\102\355\060\015\006\011\052\206\110  
\206\367\015\001\001\013\005\000\003\202\002\001\000\046\006\136  
\160\347\145\063\310\202\156\331\234\027\072\033\172\146\262\001  
\366\170\073\151\136\057\352\377\116\371\050\303\230\052\141\114  
\264\044\022\212\175\155\021\024\367\234\265\312\346\274\236\047  
\216\114\031\310\251\275\172\300\327\066\016\155\205\162\156\250  
\306\242\155\366\372\163\143\177\274\156\171\010\034\235\212\237  
\032\212\123\246\330\273\331\065\125\261\021\305\251\003\263\126  
\073\271\204\223\042\136\176\301\366\022\122\213\352\054\147\274  
\376\066\114\365\270\317\321\263\111\222\073\323\051\016\231\033

```
\226\367\141\270\073\304\053\266\170\154\264\043\157\360\375\323
\262\136\165\037\231\225\250\254\366\332\341\305\061\173\373\321
\106\263\322\274\147\264\142\124\272\011\367\143\260\223\242\232
\371\351\122\056\213\140\022\253\374\365\140\126\357\020\134\213
\304\032\102\334\203\133\144\016\313\265\274\326\117\301\174\074
\156\215\023\155\373\173\353\060\320\334\115\257\305\325\266\245
\114\133\161\311\350\061\276\350\070\006\110\241\032\342\352\322
\336\022\071\130\032\377\200\016\202\165\346\267\311\007\154\016
\357\377\070\361\230\161\304\267\177\016\025\320\045\151\275\042
\235\053\355\005\366\106\107\254\355\300\360\324\073\342\354\356
\226\133\220\023\116\036\126\072\353\260\357\226\273\226\043\021
\272\362\103\206\164\144\225\310\050\165\337\035\065\272\322\067
\203\070\123\070\066\073\317\154\351\371\153\016\320\373\004\350
\117\167\327\145\001\170\206\014\172\076\041\142\361\177\143\161
\014\311\237\104\333\250\047\242\165\276\156\201\076\327\300\353
\033\230\017\160\134\064\262\212\314\300\205\030\353\156\172\263
\367\132\241\007\277\251\102\222\363\140\042\227\344\024\241\007
\233\116\166\300\216\175\375\244\045\307\107\355\377\037\163\254
\314\303\245\351\157\012\216\233\145\302\120\205\265\243\240\123
\022\314\125\207\141\363\201\256\020\106\141\275\104\041\270\302
\075\164\317\176\044\065\372\034\007\016\233\075\042\312\357\061
\057\214\254\022\275\357\100\050\374\051\147\237\262\023\117\146
\044\304\123\031\351\036\051\025\357\346\155\260\177\055\147\375
\363\154\033\165\106\243\345\112\027\351\244\327\013
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "CA Disig Root R2"
```

```
Issuer: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK
```

```
Serial Number:00:92:b8:88:db:b0:8a:c1:63
```

```
Subject: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK
```

```
Not Valid Before: Thu Jul 19 09:15:30 2012
```

```
Not Valid After : Sat Jul 19 09:15:30 2042
```

```
Fingerprint (SHA-256):
```

```
E2:3D:4A:03:6D:7B:70:E9:F5:95:B1:42:20:79:D2:B9:1E:DF:BB:1F:B6:51:A0:63:3E:AA:8A:9D:C5:F8:07:03
```

```
Fingerprint (SHA1): B5:61:EB:EA:A4:DE:E4:25:4B:69:1A:98:A5:57:47:C2:34:C7:D9:71
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "CA Disig Root R2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\265\141\353\352\244\336\344\045\113\151\032\230\245\127\107\302
\064\307\331\161
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

\046\001\373\330\047\247\027\232\105\124\070\032\103\001\073\003

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\122\061\013\060\011\006\003\125\004\006\023\002\123\113\061

\023\060\021\006\003\125\004\007\023\012\102\162\141\164\151\163

\154\141\166\141\061\023\060\021\006\003\125\004\012\023\012\104

\151\163\151\147\040\141\056\163\056\061\031\060\027\006\003\125

\004\003\023\020\103\101\040\104\151\163\151\147\040\122\157\157

\164\040\122\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\222\270\210\333\260\212\301\143

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "ACCVRAIZ1"

#

# Issuer: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1

# Serial Number:5e:c3:b7:a6:43:7f:a4:e0

# Subject: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1

# Not Valid Before: Thu May 05 09:37:37 2011

# Not Valid After : Tue Dec 31 09:37:37 2030

# Fingerprint (SHA-256):

9A:6E:C0:12:E1:A7:DA:9D:BE:34:19:4D:47:8A:D7:C0:DB:18:22:FB:07:1D:F1:29:81:49:6E:D1:04:38:41:13

# Fingerprint (SHA1): 93:05:7A:88:15:C6:4F:CE:88:2F:FA:91:16:52:28:78:BC:53:64:17

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "ACCVRAIZ1"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\102\061\022\060\020\006\003\125\004\003\014\011\101\103\103

\126\122\101\111\132\061\061\020\060\016\006\003\125\004\013\014

\007\120\113\111\101\103\103\126\061\015\060\013\006\003\125\004

\012\014\004\101\103\103\126\061\013\060\011\006\003\125\004\006

\023\002\105\123

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\102\061\022\060\020\006\003\125\004\003\014\011\101\103\103

\126\122\101\111\132\061\061\020\060\016\006\003\125\004\013\014

\007\120\113\111\101\103\103\126\061\015\060\013\006\003\125\004

\012\014\004\101\103\103\126\061\013\060\011\006\003\125\004\006

\023\002\105\123

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\136\303\267\246\103\177\244\340

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\007\323\060\202\005\273\240\003\002\001\002\002\010\136  
\303\267\246\103\177\244\340\060\015\006\011\052\206\110\206\367  
\015\001\001\005\005\000\060\102\061\022\060\020\006\003\125\004  
\003\014\011\101\103\103\126\122\101\111\132\061\061\020\060\016  
\006\003\125\004\013\014\007\120\113\111\101\103\103\126\061\015  
\060\013\006\003\125\004\012\014\004\101\103\103\126\061\013\060  
\011\006\003\125\004\006\023\002\105\123\060\036\027\015\061\061  
\060\065\060\065\060\071\063\067\063\067\132\027\015\063\060\061  
\062\063\061\060\071\063\067\063\067\132\060\102\061\022\060\020  
\006\003\125\004\003\014\011\101\103\103\126\122\101\111\132\061  
\061\020\060\016\006\003\125\004\013\014\007\120\113\111\101\103  
\103\126\061\015\060\013\006\003\125\004\012\014\004\101\103\103  
\126\061\013\060\011\006\003\125\004\006\023\002\105\123\060\202  
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\233  
\251\253\277\141\112\227\257\057\227\146\232\164\137\320\331\226  
\375\317\342\344\146\357\037\037\107\063\302\104\243\337\232\336  
\037\265\124\335\025\174\151\065\021\157\273\310\014\216\152\030  
\036\330\217\331\026\274\020\110\066\134\360\143\263\220\132\134  
\044\067\327\243\326\313\011\161\271\361\001\162\204\260\175\333  
\115\200\315\374\323\157\311\370\332\266\016\202\322\105\205\250  
\033\150\250\075\350\364\104\154\275\241\302\313\003\276\214\076  
\023\000\204\337\112\110\300\343\042\012\350\351\067\247\030\114  
\261\011\015\043\126\177\004\115\331\027\204\030\245\310\332\100  
\224\163\353\316\016\127\074\003\201\072\235\012\241\127\103\151  
\254\127\155\171\220\170\345\265\264\073\330\274\114\215\050\241  
\247\243\247\272\002\116\045\321\052\256\355\256\003\042\270\153  
\040\017\060\050\124\225\177\340\356\316\012\146\235\321\100\055  
\156\042\257\235\032\301\005\031\322\157\300\362\237\370\173\263  
\002\102\373\120\251\035\055\223\017\043\253\306\301\017\222\377  
\320\242\025\365\123\011\161\034\377\105\023\204\346\046\136\370  
\340\210\034\012\374\026\266\250\163\006\270\360\143\204\002\240  
\306\132\354\347\164\337\160\256\243\203\045\352\326\307\227\207  
\223\247\306\212\212\063\227\140\067\020\076\227\076\156\051\025  
\326\241\017\321\210\054\022\237\157\252\244\306\102\353\101\242  
\343\225\103\323\001\205\155\216\273\073\363\043\066\307\376\073  
\340\241\045\007\110\253\311\211\164\377\010\217\200\277\300\226  
\145\363\356\354\113\150\275\235\210\303\061\263\100\361\350\317  
\366\070\273\234\344\321\177\324\345\130\233\174\372\324\363\016  
\233\165\221\344\272\122\056\031\176\321\365\315\132\031\374\272  
\006\366\373\122\250\113\231\004\335\370\371\264\213\120\243\116  
\142\211\360\207\044\372\203\102\301\207\372\325\055\051\052\132

\161\172\144\152\327\047\140\143\015\333\316\111\365\215\037\220  
\211\062\027\370\163\103\270\322\132\223\206\141\326\341\165\012  
\352\171\146\166\210\117\161\353\004\045\326\012\132\172\223\345  
\271\113\027\100\017\261\266\271\365\336\117\334\340\263\254\073  
\021\160\140\204\112\103\156\231\040\300\051\161\012\300\145\002  
\003\001\000\001\243\202\002\313\060\202\002\307\060\175\006\010  
\053\006\001\005\005\007\001\001\004\161\060\157\060\114\006\010  
\053\006\001\005\005\007\060\002\206\100\150\164\164\160\072\057  
\057\167\167\167\056\141\143\143\166\056\145\163\057\146\151\154  
\145\141\144\155\151\156\057\101\162\143\150\151\166\157\163\057  
\143\145\162\164\151\146\151\143\141\144\157\163\057\162\141\151  
\172\141\143\143\166\061\056\143\162\164\060\037\006\010\053\006  
\001\005\005\007\060\001\206\023\150\164\164\160\072\057\057\157  
\143\163\160\056\141\143\143\166\056\145\163\060\035\006\003\125  
\035\016\004\026\004\024\322\207\264\343\337\067\047\223\125\366  
\126\352\201\345\066\314\214\036\077\275\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125  
\035\043\004\030\060\026\200\024\322\207\264\343\337\067\047\223  
\125\366\126\352\201\345\066\314\214\036\077\275\060\202\001\163  
\006\003\125\035\040\004\202\001\152\060\202\001\146\060\202\001  
\142\006\004\125\035\040\000\060\202\001\130\060\202\001\042\006  
\010\053\006\001\005\005\007\002\002\060\202\001\024\036\202\001  
\020\000\101\000\165\000\164\000\157\000\162\000\151\000\144\000  
\141\000\144\000\040\000\144\000\145\000\040\000\103\000\145\000  
\162\000\164\000\151\000\146\000\151\000\143\000\141\000\143\000  
\151\000\363\000\156\000\040\000\122\000\141\000\355\000\172\000  
\040\000\144\000\145\000\040\000\154\000\141\000\040\000\101\000  
\103\000\103\000\126\000\040\000\050\000\101\000\147\000\145\000  
\156\000\143\000\151\000\141\000\040\000\144\000\145\000\040\000  
\124\000\145\000\143\000\156\000\157\000\154\000\157\000\147\000  
\355\000\141\000\040\000\171\000\040\000\103\000\145\000\162\000  
\164\000\151\000\146\000\151\000\143\000\141\000\143\000\151\000  
\363\000\156\000\040\000\105\000\154\000\145\000\143\000\164\000  
\162\000\363\000\156\000\151\000\143\000\141\000\054\000\040\000  
\103\000\111\000\106\000\040\000\121\000\064\000\066\000\060\000  
\061\000\061\000\065\000\066\000\105\000\051\000\056\000\040\000  
\103\000\120\000\123\000\040\000\145\000\156\000\040\000\150\000  
\164\000\164\000\160\000\072\000\057\000\057\000\167\000\167\000  
\167\000\056\000\141\000\143\000\143\000\166\000\056\000\145\000  
\163\060\060\006\010\053\006\001\005\005\007\002\001\026\044\150  
\164\164\160\072\057\057\167\167\167\056\141\143\143\166\056\145  
\163\057\154\145\147\151\163\154\141\143\151\157\156\137\143\056  
\150\164\155\060\125\006\003\125\035\037\004\116\060\114\060\112  
\240\110\240\106\206\104\150\164\164\160\072\057\057\167\167\167  
\056\141\143\143\166\056\145\163\057\146\151\154\145\141\144\155  
\151\156\057\101\162\143\150\151\166\157\163\057\143\145\162\164  
\151\146\151\143\141\144\157\163\057\162\141\151\172\141\143\143  
\166\061\137\144\145\162\056\143\162\154\060\016\006\003\125\035



\017\001\001\377\004\004\003\002\001\006\060\027\006\003\125\035  
\021\004\020\060\016\201\014\141\143\143\166\100\141\143\143\166  
\056\145\163\060\015\006\011\052\206\110\206\367\015\001\001\005  
\005\000\003\202\002\001\000\227\061\002\237\347\375\103\147\110  
\104\024\344\051\207\355\114\050\146\320\217\065\332\115\141\267  
\112\227\115\265\333\220\340\005\056\016\306\171\320\362\227\151  
\017\275\004\107\331\276\333\265\051\332\233\331\256\251\231\325  
\323\074\060\223\365\215\241\250\374\006\215\104\364\312\026\225  
\174\063\334\142\213\250\067\370\047\330\011\055\033\357\310\024  
\047\040\251\144\104\377\056\326\165\252\154\115\140\100\031\111  
\103\124\143\332\342\314\272\146\345\117\104\172\133\331\152\201  
\053\100\325\177\371\001\047\130\054\310\355\110\221\174\077\246  
\000\317\304\051\163\021\066\336\206\031\076\235\356\031\212\033  
\325\260\355\216\075\234\052\300\015\330\075\146\343\074\015\275  
\325\224\134\342\342\247\065\033\004\000\366\077\132\215\352\103  
\275\137\211\035\251\301\260\314\231\342\115\000\012\332\311\047  
\133\347\023\220\134\344\365\063\242\125\155\334\340\011\115\057  
\261\046\133\047\165\000\011\304\142\167\051\010\137\236\131\254  
\266\176\255\237\124\060\042\003\301\036\161\144\376\371\070\012  
\226\030\335\002\024\254\043\313\006\034\036\244\175\215\015\336  
\047\101\350\255\332\025\267\260\043\335\053\250\323\332\045\207  
\355\350\125\104\115\210\364\066\176\204\232\170\254\367\016\126  
\111\016\326\063\045\326\204\120\102\154\040\022\035\052\325\276  
\274\362\160\201\244\160\140\276\005\265\233\236\004\104\276\141  
\043\254\351\245\044\214\021\200\224\132\242\242\271\111\322\301  
\334\321\247\355\061\021\054\236\031\246\356\341\125\341\300\352  
\317\015\204\344\027\267\242\174\245\336\125\045\006\356\314\300  
\207\134\100\332\314\225\077\125\340\065\307\270\204\276\264\135  
\315\172\203\001\162\356\207\346\137\035\256\265\205\306\046\337  
\346\301\232\351\036\002\107\237\052\250\155\251\133\317\354\105  
\167\177\230\047\232\062\135\052\343\204\356\305\230\146\057\226  
\040\035\335\330\303\047\327\260\371\376\331\175\315\320\237\217  
\013\024\130\121\237\057\213\303\070\055\336\350\217\326\215\207  
\244\365\126\103\026\231\054\364\244\126\264\064\270\141\067\311  
\302\130\200\033\240\227\241\374\131\215\351\021\366\321\017\113  
\125\064\106\052\213\206\073

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "ACCVRAIZ1"  
# Issuer: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1  
# Serial Number:5e:c3:b7:a6:43:7f:a4:e0  
# Subject: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1  
# Not Valid Before: Thu May 05 09:37:37 2011  
# Not Valid After : Tue Dec 31 09:37:37 2030  
# Fingerprint (SHA-256):

```

9A:6E:C0:12:E1:A7:DA:9D:BE:34:19:4D:47:8A:D7:C0:DB:18:22:FB:07:1D:F1:29:81:49:6E:D1:04:38:41:13
Fingerprint (SHA1): 93:05:7A:88:15:C6:4F:CE:88:2F:FA:91:16:52:28:78:BC:53:64:17
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ACCVRAIZ1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\223\005\172\210\025\306\117\316\210\057\372\221\026\122\050\170
\274\123\144\027
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\320\240\132\356\005\266\011\224\041\241\175\361\262\051\202\002
END
CKA_ISSUER MULTILINE_OCTAL
\060\102\061\022\060\020\006\003\125\004\003\014\011\101\103\103
\126\122\101\111\132\061\061\020\060\016\006\003\125\004\013\014
\007\120\113\111\101\103\103\126\061\015\060\013\006\003\125\004
\012\014\004\101\103\103\126\061\013\060\011\006\003\125\004\006
\023\002\105\123
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\136\303\267\246\103\177\244\340
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "TWCA Global Root CA"
#
Issuer: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW
Serial Number: 3262 (0xcbe)
Subject: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW
Not Valid Before: Wed Jun 27 06:28:33 2012
Not Valid After : Tue Dec 31 15:59:59 2030
Fingerprint (SHA-256):
59:76:90:07:F7:68:5D:0F:CD:50:87:2F:9F:95:D5:75:5A:5B:2B:45:7D:81:F3:69:2B:61:0A:98:67:2F:0E:1B
Fingerprint (SHA1): 9C:BB:48:53:F6:A4:F6:D3:52:A4:E8:32:52:55:60:13:F5:AD:AF:65
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TWCA Global Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061

```

\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116  
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157  
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023  
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164  
\040\103\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061  
\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116  
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157  
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023  
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164  
\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\002\014\276

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\101\060\202\003\051\240\003\002\001\002\002\002\014  
\276\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000  
\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061  
\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116  
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157  
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023  
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164  
\040\103\101\060\036\027\015\061\062\060\066\062\067\060\066\062  
\070\063\063\132\027\015\063\060\061\062\063\061\061\065\065\071  
\065\071\132\060\121\061\013\060\011\006\003\125\004\006\023\002  
\124\127\061\022\060\020\006\003\125\004\012\023\011\124\101\111  
\127\101\116\055\103\101\061\020\060\016\006\003\125\004\013\023  
\007\122\157\157\164\040\103\101\061\034\060\032\006\003\125\004  
\003\023\023\124\127\103\101\040\107\154\157\142\141\154\040\122  
\157\157\164\040\103\101\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\260\005\333\310\353\214\304\156\212  
\041\357\216\115\234\161\012\037\122\160\355\155\202\234\227\305  
\327\114\116\105\111\313\100\102\265\022\064\154\031\302\164\244  
\061\137\205\002\227\354\103\063\012\123\322\234\214\216\267\270  
\171\333\053\325\152\362\216\146\304\356\053\001\007\222\324\263  
\320\002\337\120\366\125\257\146\016\313\340\107\140\057\053\062  
\071\065\122\072\050\203\370\173\026\306\030\270\142\326\107\045  
\221\316\360\031\022\115\255\143\365\323\077\165\137\051\360\241  
\060\034\052\240\230\246\025\275\356\375\031\066\360\342\221\103  
\217\372\312\326\020\047\111\114\357\335\301\361\205\160\233\312  
\352\250\132\103\374\155\206\157\163\351\067\105\251\360\066\307  
\314\210\165\036\273\154\006\377\233\153\076\027\354\141\252\161  
\174\306\035\242\367\111\351\025\265\074\326\241\141\365\021\367

\005\157\035\375\021\276\320\060\007\302\051\260\011\116\046\334  
\343\242\250\221\152\037\302\221\105\210\134\345\230\270\161\245  
\025\031\311\174\165\021\314\160\164\117\055\233\035\221\104\375  
\126\050\240\376\273\206\152\310\372\134\013\130\334\306\113\166  
\310\253\042\331\163\017\245\364\132\002\211\077\117\236\042\202  
\356\242\164\123\052\075\123\047\151\035\154\216\062\054\144\000  
\046\143\141\066\116\243\106\267\077\175\263\055\254\155\220\242  
\225\242\316\317\332\202\347\007\064\031\226\351\270\041\252\051  
\176\246\070\276\216\051\112\041\146\171\037\263\303\265\011\147  
\336\326\324\007\106\363\052\332\346\042\067\140\313\201\266\017  
\240\017\351\310\225\177\277\125\221\005\172\317\075\025\300\157  
\336\011\224\001\203\327\064\033\314\100\245\360\270\233\147\325  
\230\221\073\247\204\170\225\046\244\132\010\370\053\164\264\000  
\004\074\337\270\024\216\350\337\251\215\154\147\222\063\035\300  
\267\322\354\222\310\276\011\277\054\051\005\157\002\153\236\357  
\274\277\052\274\133\300\120\217\101\160\161\207\262\115\267\004  
\251\204\243\062\257\256\356\153\027\213\262\261\376\154\341\220  
\214\210\250\227\110\316\310\115\313\363\006\317\137\152\012\102  
\261\036\036\167\057\216\240\346\222\016\006\374\005\042\322\046  
\341\061\121\175\062\334\017\002\003\001\000\001\243\043\060\041  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000  
\003\202\002\001\000\137\064\201\166\357\226\035\325\345\265\331  
\002\143\204\026\301\256\240\160\121\247\367\114\107\065\310\013  
\327\050\075\211\161\331\252\063\101\352\024\033\154\041\000\300  
\154\102\031\176\237\151\133\040\102\337\242\322\332\304\174\227  
\113\215\260\350\254\310\356\245\151\004\231\012\222\246\253\047  
\056\032\115\201\277\204\324\160\036\255\107\376\375\112\235\063  
\340\362\271\304\105\010\041\012\332\151\151\163\162\015\276\064  
\376\224\213\255\303\036\065\327\242\203\357\345\070\307\245\205  
\037\253\317\064\354\077\050\376\014\361\127\206\116\311\125\367  
\034\324\330\245\175\006\172\157\325\337\020\337\201\116\041\145  
\261\266\341\027\171\225\105\006\316\137\314\334\106\211\143\150  
\104\215\223\364\144\160\240\075\235\050\005\303\071\160\270\142  
\173\040\375\344\333\351\010\241\270\236\075\011\307\117\373\054  
\370\223\166\101\336\122\340\341\127\322\235\003\274\167\236\376  
\236\051\136\367\301\121\140\037\336\332\013\262\055\165\267\103  
\110\223\347\366\171\306\204\135\200\131\140\224\374\170\230\217  
\074\223\121\355\100\220\007\337\144\143\044\313\116\161\005\241  
\327\224\032\210\062\361\042\164\042\256\245\246\330\022\151\114  
\140\243\002\356\053\354\324\143\222\013\136\276\057\166\153\243  
\266\046\274\217\003\330\012\362\114\144\106\275\071\142\345\226  
\353\064\143\021\050\314\225\361\255\357\357\334\200\130\110\351  
\113\270\352\145\254\351\374\200\265\265\310\105\371\254\301\237  
\331\271\352\142\210\216\304\361\113\203\022\255\346\213\204\326  
\236\302\353\203\030\237\152\273\033\044\140\063\160\314\354\367  
\062\363\134\331\171\175\357\236\244\376\311\043\303\044\356\025

```
\222\261\075\221\117\046\206\275\146\163\044\023\352\244\256\143
\301\255\175\204\003\074\020\170\206\033\171\343\304\363\362\004
\225\040\256\043\202\304\263\072\000\142\277\346\066\044\341\127
\272\307\036\220\165\325\137\077\225\141\053\301\073\315\345\263
\150\141\320\106\046\251\041\122\151\055\353\056\307\353\167\316
\246\072\265\003\063\117\166\321\347\134\124\001\135\313\170\364
\311\014\277\317\022\216\027\055\043\150\224\347\253\376\251\262
\053\006\320\004\315
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "TWCA Global Root CA"

# Issuer: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW

# Serial Number: 3262 (0xcbe)

# Subject: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW

# Not Valid Before: Wed Jun 27 06:28:33 2012

# Not Valid After : Tue Dec 31 15:59:59 2030

# Fingerprint (SHA-256):

59:76:90:07:F7:68:5D:0F:CD:50:87:2F:9F:95:D5:75:5A:5B:2B:45:7D:81:F3:69:2B:61:0A:98:67:2F:0E:1B

# Fingerprint (SHA1): 9C:BB:48:53:F6:A4:F6:D3:52:A4:E8:32:52:55:60:13:F5:AD:AF:65

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "TWCA Global Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\234\273\110\123\366\244\366\323\122\244\350\062\122\125\140\023
\365\255\257\145
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\371\003\176\317\346\236\074\163\172\052\220\007\151\377\053\226
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\002\014\276
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "TeliaSonera Root CA v1"

#

# Issuer: CN=TeliaSonera Root CA v1,O=TeliaSonera

# Serial Number:00:95:be:16:a0:f7:2e:46:f1:7b:39:82:72:fa:8b:cd:96

# Subject: CN=TeliaSonera Root CA v1,O=TeliaSonera

# Not Valid Before: Thu Oct 18 12:00:50 2007

# Not Valid After : Mon Oct 18 12:00:50 2032

# Fingerprint (SHA-256):

DD:69:36:FE:21:F8:F0:77:C1:23:A1:A5:21:C1:22:24:F7:22:55:B7:3E:03:A7:26:06:93:E8:A2:4B:0F:A3:89

# Fingerprint (SHA1): 43:13:BB:96:F1:D5:86:9B:C1:4E:6A:92:F6:CF:F6:34:69:87:82:37

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "TeliaSonera Root CA v1"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154  
\151\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004  
\003\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122  
\157\157\164\040\103\101\040\166\061

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154  
\151\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004  
\003\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122  
\157\157\164\040\103\101\040\166\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\021\000\225\276\026\240\367\056\106\361\173\071\202\162\372  
\213\315\226

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\070\060\202\003\040\240\003\002\001\002\002\021\000  
\225\276\026\240\367\056\106\361\173\071\202\162\372\213\315\226  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060  
\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154\151  
\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004\003  
\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122\157  
\157\164\040\103\101\040\166\061\060\036\027\015\060\067\061\060  
\061\070\061\062\060\060\065\060\132\027\015\063\062\061\060\061  
\070\061\062\060\060\065\060\132\060\067\061\024\060\022\006\003  
\125\004\012\014\013\124\145\154\151\141\123\157\156\145\162\141  
\061\037\060\035\006\003\125\004\003\014\026\124\145\154\151\141

\123\157\156\145\162\141\040\122\157\157\164\040\103\101\040\166  
\061\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002  
\001\000\302\276\353\047\360\041\243\363\151\046\125\176\235\305  
\125\026\221\134\375\357\041\277\123\200\172\055\322\221\214\143  
\061\360\354\044\360\303\245\322\162\174\020\155\364\067\267\345  
\346\174\171\352\214\265\202\213\256\110\266\254\000\334\145\165  
\354\052\115\137\301\207\365\040\145\053\201\250\107\076\211\043  
\225\060\026\220\177\350\127\007\110\347\031\256\277\105\147\261  
\067\033\006\052\376\336\371\254\175\203\373\136\272\344\217\227  
\147\276\113\216\215\144\007\127\070\125\151\064\066\075\023\110  
\357\117\342\323\146\036\244\317\032\267\136\066\063\324\264\006  
\275\030\001\375\167\204\120\000\105\365\214\135\350\043\274\176  
\376\065\341\355\120\173\251\060\215\031\323\011\216\150\147\135  
\277\074\227\030\123\273\051\142\305\312\136\162\301\307\226\324  
\333\055\240\264\037\151\003\354\352\342\120\361\014\074\360\254  
\363\123\055\360\034\365\355\154\071\071\163\200\026\310\122\260  
\043\315\340\076\334\335\074\107\240\273\065\212\342\230\150\213  
\276\345\277\162\356\322\372\245\355\022\355\374\230\030\251\046  
\166\334\050\113\020\040\034\323\177\026\167\055\355\157\200\367  
\111\273\123\005\273\135\150\307\324\310\165\026\077\211\132\213  
\367\027\107\324\114\361\322\211\171\076\115\075\230\250\141\336  
\072\036\322\370\136\003\340\301\311\034\214\323\215\115\323\225  
\066\263\067\137\143\143\233\063\024\360\055\046\153\123\174\211  
\214\062\302\156\354\075\041\000\071\311\241\150\342\120\203\056  
\260\072\053\363\066\240\254\057\344\157\141\302\121\011\071\076  
\213\123\271\273\147\332\334\123\271\166\131\066\235\103\345\040  
\340\075\062\140\205\042\121\267\307\063\273\335\025\057\244\170  
\246\007\173\201\106\066\004\206\335\171\065\307\225\054\073\260  
\243\027\065\345\163\037\264\134\131\357\332\352\020\145\173\172  
\320\177\237\263\264\052\067\073\160\213\233\133\271\053\267\354  
\262\121\022\227\123\051\132\324\360\022\020\334\117\002\273\022  
\222\057\142\324\077\151\103\174\015\326\374\130\165\001\210\235  
\130\026\113\336\272\220\377\107\001\211\006\152\366\137\262\220  
\152\263\002\246\002\210\277\263\107\176\052\331\325\372\150\170  
\065\115\002\003\001\000\001\243\077\060\075\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\013\006\003  
\125\035\017\004\004\003\002\001\006\060\035\006\003\125\035\016  
\004\026\004\024\360\217\131\070\000\263\365\217\232\226\014\325  
\353\372\173\252\027\350\023\022\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\003\202\002\001\000\276\344\134\142  
\116\044\364\014\010\377\360\323\014\150\344\223\111\042\077\104  
\047\157\273\155\336\203\146\316\250\314\015\374\365\232\006\345  
\167\024\221\353\235\101\173\231\052\204\345\377\374\041\301\135  
\360\344\037\127\267\165\251\241\137\002\046\377\327\307\367\116  
\336\117\370\367\034\106\300\172\117\100\054\042\065\360\031\261  
\320\153\147\054\260\250\340\300\100\067\065\366\204\134\134\343  
\257\102\170\376\247\311\015\120\352\015\204\166\366\121\357\203

```
\123\306\172\377\016\126\111\056\217\172\326\014\346\047\124\343
\115\012\140\162\142\315\221\007\326\245\277\310\231\153\355\304
\031\346\253\114\021\070\305\157\061\342\156\111\310\077\166\200
\046\003\046\051\340\066\366\366\040\123\343\027\160\064\027\235
\143\150\036\153\354\303\115\206\270\023\060\057\135\106\015\107
\103\325\033\252\131\016\271\134\215\006\110\255\164\207\137\307
\374\061\124\101\023\342\307\041\016\236\340\036\015\341\300\173
\103\205\220\305\212\130\306\145\012\170\127\362\306\043\017\001
\331\040\113\336\017\373\222\205\165\052\134\163\215\155\173\045
\221\312\356\105\256\006\113\000\314\323\261\131\120\332\072\210
\073\051\103\106\136\227\053\124\316\123\157\215\112\347\226\372
\277\161\016\102\213\174\375\050\240\320\110\312\332\304\201\114
\273\242\163\223\046\310\353\014\326\046\210\266\300\044\317\273
\275\133\353\165\175\351\010\216\206\063\054\171\167\011\151\245
\211\374\263\160\220\207\166\217\323\042\273\102\316\275\163\013
\040\046\052\320\233\075\160\036\044\154\315\207\166\251\027\226
\267\317\015\222\373\216\030\251\230\111\321\236\376\140\104\162
\041\271\031\355\302\365\061\361\071\110\210\220\044\165\124\026
\255\316\364\370\151\024\144\071\373\243\270\272\160\100\307\047
\034\277\304\126\123\372\143\145\320\363\034\016\026\365\153\206
\130\115\030\324\344\015\216\245\235\133\221\334\166\044\120\077
\306\052\373\331\267\234\265\326\346\320\331\350\031\213\025\161
\110\255\267\352\330\131\210\324\220\277\026\263\331\351\254\131
\141\124\310\034\272\312\301\312\341\271\040\114\217\072\223\211
\245\240\314\277\323\366\165\244\165\226\155\126
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "TeliaSonera Root CA v1"
```

```
Issuer: CN=TeliaSonera Root CA v1,O=TeliaSonera
```

```
Serial Number:00:95:be:16:a0:f7:2e:46:f1:7b:39:82:72:fa:8b:cd:96
```

```
Subject: CN=TeliaSonera Root CA v1,O=TeliaSonera
```

```
Not Valid Before: Thu Oct 18 12:00:50 2007
```

```
Not Valid After : Mon Oct 18 12:00:50 2032
```

```
Fingerprint (SHA-256):
```

```
DD:69:36:FE:21:F8:F0:77:C1:23:A1:A5:21:C1:22:24:F7:22:55:B7:3E:03:A7:26:06:93:E8:A2:4B:0F:A3:89
```

```
Fingerprint (SHA1): 43:13:BB:96:F1:D5:86:9B:C1:4E:6A:92:F6:CF:F6:34:69:87:82:37
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "TeliaSonera Root CA v1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\103\023\273\226\361\325\206\233\301\116\152\222\366\317\366\064
\151\207\202\067
```

END



```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\067\101\111\033\030\126\232\046\365\255\302\146\373\100\245\114
END
CKA_ISSUER MULTILINE_OCTAL
\060\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154
\151\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004
\003\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122
\157\157\164\040\103\101\040\166\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\000\225\276\026\240\367\056\106\361\173\071\202\162\372
\213\315\226
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "E-Tugra Certification Authority"
#
Issuer: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im
Teknolojileri ve Hizmetleri A....,L=Ankara,C=TR
Serial Number:6a:68:3e:9c:51:9b:cb:53
Subject: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im
Teknolojileri ve Hizmetleri A....,L=Ankara,C=TR
Not Valid Before: Tue Mar 05 12:09:48 2013
Not Valid After : Fri Mar 03 12:09:48 2023
Fingerprint (SHA-256):
B0:BF:D5:2B:B0:D7:D9:BD:92:BF:5D:4D:C1:3D:A2:55:C0:2C:54:2F:37:83:65:EA:89:39:11:F5:5E:55:F2:3C
Fingerprint (SHA1): 51:C6:E7:08:49:06:6E:F3:92:D4:5C:A0:0D:6D:A3:62:8F:C3:52:39
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "E-Tugra Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\262\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\014\006\101\156\153\141\162
\141\061\100\060\076\006\003\125\004\012\014\067\105\055\124\165
\304\237\162\141\040\105\102\107\040\102\151\154\151\305\237\151
\155\040\124\145\153\156\157\154\157\152\151\154\145\162\151\040
\166\145\040\110\151\172\155\145\164\154\145\162\151\040\101\056
\305\236\056\061\046\060\044\006\003\125\004\013\014\035\105\055
\124\165\147\162\141\040\123\145\162\164\151\146\151\153\141\163
\171\157\156\040\115\145\162\153\145\172\151\061\050\060\046\006
\003\125\004\003\014\037\105\055\124\165\147\162\141\040\103\145
```

```
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\262\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\014\006\101\156\153\141\162
\141\061\100\060\076\006\003\125\004\012\014\067\105\055\124\165
\304\237\162\141\040\105\102\107\040\102\151\154\151\305\237\151
\155\040\124\145\153\156\157\154\157\152\151\154\145\162\151\040
\166\145\040\110\151\172\155\145\164\154\145\162\151\040\101\056
\305\236\056\061\046\060\044\006\003\125\004\013\014\035\105\055
\124\165\147\162\141\040\123\145\162\164\151\146\151\153\141\163
\171\157\156\040\115\145\162\153\145\172\151\061\050\060\046\006
\003\125\004\003\014\037\105\055\124\165\147\162\141\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\152\150\076\234\121\233\313\123
END
CKA_VALUE MULTILINE_OCTAL
\060\202\006\113\060\202\004\063\240\003\002\001\002\002\010\152
\150\076\234\121\233\313\123\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\201\262\061\013\060\011\006\003\125
\004\006\023\002\124\122\061\017\060\015\006\003\125\004\007\014
\006\101\156\153\141\162\141\061\100\060\076\006\003\125\004\012
\014\067\105\055\124\165\304\237\162\141\040\105\102\107\040\102
\151\154\151\305\237\151\155\040\124\145\153\156\157\154\157\152
\151\154\145\162\151\040\166\145\040\110\151\172\155\145\164\154
\145\162\151\040\101\056\305\236\056\061\046\060\044\006\003\125
\004\013\014\035\105\055\124\165\147\162\141\040\123\145\162\164
\151\146\151\153\141\163\171\157\156\040\115\145\162\153\145\172
\151\061\050\060\046\006\003\125\004\003\014\037\105\055\124\165
\147\162\141\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\060\036\027\015\061
\063\060\063\060\065\061\062\060\071\064\070\132\027\015\062\063
\060\063\060\063\061\062\060\071\064\070\132\060\201\262\061\013
\060\011\006\003\125\004\006\023\002\124\122\061\017\060\015\006
\003\125\004\007\014\006\101\156\153\141\162\141\061\100\060\076
\006\003\125\004\012\014\067\105\055\124\165\304\237\162\141\040
\105\102\107\040\102\151\154\151\305\237\151\155\040\124\145\153
\156\157\154\157\152\151\154\145\162\151\040\166\145\040\110\151
\172\155\145\164\154\145\162\151\040\101\056\305\236\056\061\046
\060\044\006\003\125\004\013\014\035\105\055\124\165\147\162\141
\040\123\145\162\164\151\146\151\153\141\163\171\157\156\040\115
\145\162\153\145\172\151\061\050\060\046\006\003\125\004\003\014
\037\105\055\124\165\147\162\141\040\103\145\162\164\151\146\151
```

\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\342\365\077\223\005\121\036\205\142\124\136\172\013\365\030  
\007\203\256\176\257\174\367\324\212\153\245\143\103\071\271\113  
\367\303\306\144\211\075\224\056\124\200\122\071\071\007\113\113  
\335\205\007\166\207\314\277\057\225\114\314\175\247\075\274\107  
\017\230\160\370\214\205\036\164\216\222\155\033\100\321\231\015  
\273\165\156\310\251\153\232\300\204\061\257\312\103\313\353\053  
\064\350\217\227\153\001\233\325\016\112\010\252\133\222\164\205  
\103\323\200\256\241\210\133\256\263\352\136\313\026\232\167\104  
\310\241\366\124\150\316\336\217\227\053\272\133\100\002\014\144  
\027\300\265\223\315\341\361\023\146\316\014\171\357\321\221\050  
\253\137\240\022\122\060\163\031\216\217\341\214\007\242\303\273  
\112\360\352\037\025\250\356\045\314\244\106\370\033\042\357\263  
\016\103\272\054\044\270\305\054\134\324\034\370\135\144\275\303  
\223\136\050\247\077\047\361\216\036\323\052\120\005\243\125\331  
\313\347\071\123\300\230\236\214\124\142\213\046\260\367\175\215  
\174\344\306\236\146\102\125\202\107\347\262\130\215\146\367\007  
\174\056\066\346\120\034\077\333\103\044\305\277\206\107\171\263  
\171\034\367\132\364\023\354\154\370\077\342\131\037\225\356\102  
\076\271\255\250\062\205\111\227\106\376\113\061\217\132\313\255  
\164\107\037\351\221\267\337\050\004\042\240\324\017\135\342\171  
\117\352\154\205\206\275\250\246\316\344\372\303\341\263\256\336  
\074\121\356\313\023\174\001\177\204\016\135\121\224\236\023\014  
\266\056\245\114\371\071\160\066\157\226\312\056\014\104\125\305  
\312\372\135\002\243\337\326\144\214\132\263\001\012\251\265\012  
\107\027\377\357\221\100\052\216\241\106\072\061\230\345\021\374  
\314\273\111\126\212\374\271\320\141\232\157\145\154\346\303\313  
\076\165\111\376\217\247\342\211\305\147\327\235\106\023\116\061  
\166\073\044\263\236\021\145\206\253\177\357\035\324\370\274\347  
\254\132\134\267\132\107\134\125\316\125\264\042\161\133\133\013  
\360\317\334\240\141\144\352\251\327\150\012\143\247\340\015\077  
\240\257\323\252\322\176\357\121\240\346\121\053\125\222\025\027  
\123\313\267\146\016\146\114\370\371\165\114\220\347\022\160\307  
\105\002\003\001\000\001\243\143\060\141\060\035\006\003\125\035  
\016\004\026\004\024\056\343\333\262\111\320\234\124\171\134\372  
\047\052\376\314\116\322\350\116\124\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125\035  
\043\004\030\060\026\200\024\056\343\333\262\111\320\234\124\171  
\134\372\047\052\376\314\116\322\350\116\124\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\005  
\067\072\364\115\267\105\342\105\165\044\217\266\167\122\350\034  
\330\020\223\145\363\362\131\006\244\076\036\051\354\135\321\320  
\253\174\340\012\220\110\170\355\116\230\003\231\376\050\140\221  
\035\060\035\270\143\174\250\346\065\265\372\323\141\166\346\326  
\007\113\312\151\232\262\204\172\167\223\105\027\025\237\044\320

\230\023\022\377\273\240\056\375\116\114\207\370\316\134\252\230  
\033\005\340\000\106\112\202\200\245\063\213\050\334\355\070\323  
\337\345\076\351\376\373\131\335\141\204\117\322\124\226\023\141  
\023\076\217\200\151\276\223\107\265\065\103\322\132\273\075\134  
\357\263\102\107\315\073\125\023\006\260\011\333\375\143\366\072  
\210\012\231\157\176\341\316\033\123\152\104\146\043\121\010\173  
\274\133\122\242\375\006\067\070\100\141\217\112\226\270\220\067  
\370\146\307\170\220\000\025\056\213\255\121\065\123\007\250\153  
\150\256\371\116\074\007\046\315\010\005\160\314\071\077\166\275  
\245\323\147\046\001\206\246\123\322\140\073\174\103\177\125\212  
\274\225\032\301\050\071\114\037\103\322\221\364\162\131\212\271  
\126\374\077\264\235\332\160\234\166\132\214\103\120\356\216\060  
\162\115\337\377\111\367\306\251\147\331\155\254\002\021\342\072  
\026\045\247\130\010\313\157\123\101\234\110\070\107\150\063\321  
\327\307\217\324\164\041\324\303\005\220\172\377\316\226\210\261  
\025\051\135\043\253\320\140\241\022\117\336\364\027\315\062\345  
\311\277\310\103\255\375\056\216\361\257\342\364\230\372\022\037  
\040\330\300\247\014\205\305\220\364\073\055\226\046\261\054\276  
\114\253\353\261\322\212\311\333\170\023\017\036\011\235\155\217  
\000\237\002\332\301\372\037\172\172\011\304\112\346\210\052\227  
\237\211\213\375\067\137\137\072\316\070\131\206\113\257\161\013  
\264\330\362\160\117\237\062\023\343\260\247\127\345\332\332\103  
\313\204\064\362\050\304\352\155\364\052\357\301\153\166\332\373  
\176\273\205\074\322\123\302\115\276\161\341\105\321\375\043\147  
\015\023\165\373\317\145\147\042\235\256\260\011\321\011\377\035  
\064\277\376\043\227\067\322\071\372\075\015\006\013\264\333\073  
\243\253\157\134\035\266\176\350\263\202\064\355\006\134\044

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "E-Tugra Certification Authority"

# Issuer: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im  
Teknolojileri ve Hizmetleri A....,L=Ankara,C=TR

# Serial Number:6a:68:3e:9c:51:9b:cb:53

# Subject: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im  
Teknolojileri ve Hizmetleri A....,L=Ankara,C=TR

# Not Valid Before: Tue Mar 05 12:09:48 2013

# Not Valid After : Fri Mar 03 12:09:48 2023

# Fingerprint (SHA-256):

B0:BF:D5:2B:B0:D7:D9:BD:92:BF:5D:4D:C1:3D:A2:55:C0:2C:54:2F:37:83:65:EA:89:39:11:F5:5E:55:F2:3C

# Fingerprint (SHA1): 51:C6:E7:08:49:06:6E:F3:92:D4:5C:A0:0D:6D:A3:62:8F:C3:52:39

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "E-Tugra Certification Authority"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL  
\121\306\347\010\111\006\156\363\222\324\134\240\015\155\243\142  
\217\303\122\071  
END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL  
\270\241\003\143\260\275\041\161\160\212\157\023\072\273\171\111  
END

CKA\_ISSUER MULTILINE\_OCTAL  
\060\201\262\061\013\060\011\006\003\125\004\006\023\002\124\122  
\061\017\060\015\006\003\125\004\007\014\006\101\156\153\141\162  
\141\061\100\060\076\006\003\125\004\012\014\067\105\055\124\165  
\304\237\162\141\040\105\102\107\040\102\151\154\151\305\237\151  
\155\040\124\145\153\156\157\154\157\152\151\154\145\162\151\040  
\166\145\040\110\151\172\155\145\164\154\145\162\151\040\101\056  
\305\236\056\061\046\060\044\006\003\125\004\013\014\035\105\055  
\124\165\147\162\141\040\123\145\162\164\151\146\151\153\141\163  
\171\157\156\040\115\145\162\153\145\172\151\061\050\060\046\006  
\003\125\004\003\014\037\105\055\124\165\147\162\141\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171  
END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\010\152\150\076\234\121\233\313\123  
END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#  
# Certificate "T-TeleSec GlobalRoot Class 2"  
#  
# Issuer: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services GmbH,C=DE  
# Serial Number: 1 (0x1)  
# Subject: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services GmbH,C=DE  
# Not Valid Before: Wed Oct 01 10:40:14 2008  
# Not Valid After : Sat Oct 01 23:59:59 2033  
# Fingerprint (SHA-256):  
91:E2:F5:78:8D:58:10:EB:A7:BA:58:73:7D:E1:54:8A:8E:CA:CD:01:45:98:BC:0B:14:3E:04:1B:17:05:25:52  
# Fingerprint (SHA1): 59:0D:2D:7D:88:4F:40:2E:61:7E:A5:62:32:17:65:CF:17:D8:94:E9  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE  
CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE  
CKA\_LABEL UTF8 "T-TeleSec GlobalRoot Class 2"  
CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105  
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163  
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040  
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060  
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155  
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045  
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123  
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154  
\141\163\163\040\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105  
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163  
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040  
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060  
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155  
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045  
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123  
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154  
\141\163\163\040\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\001

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\303\060\202\002\253\240\003\002\001\002\002\001\001  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163\164  
\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040\123  
\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060\035  
\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155\163  
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045\060  
\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123\145  
\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154\141  
\163\163\040\062\060\036\027\015\060\070\061\060\060\061\061\060  
\064\060\061\064\132\027\015\063\063\061\060\060\061\062\063\065  
\071\065\071\132\060\201\202\061\013\060\011\006\003\125\004\006  
\023\002\104\105\061\053\060\051\006\003\125\004\012\014\042\124  
\055\123\171\163\164\145\155\163\040\105\156\164\145\162\160\162  
\151\163\145\040\123\145\162\166\151\143\145\163\040\107\155\142  
\110\061\037\060\035\006\003\125\004\013\014\026\124\055\123\171  
\163\164\145\155\163\040\124\162\165\163\164\040\103\145\156\164  
\145\162\061\045\060\043\006\003\125\004\003\014\034\124\055\124  
\145\154\145\123\145\143\040\107\154\157\142\141\154\122\157\157  
\164\040\103\154\141\163\163\040\062\060\202\001\042\060\015\006

\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017  
\000\060\202\001\012\002\202\001\001\000\252\137\332\033\137\350  
\163\221\345\332\134\364\242\346\107\345\363\150\125\140\005\035  
\002\244\263\233\131\363\036\212\257\064\255\374\015\302\331\110  
\031\356\151\217\311\040\374\041\252\007\031\355\260\134\254\145  
\307\137\355\002\174\173\174\055\033\326\272\271\200\302\030\202  
\026\204\372\146\260\010\306\124\043\201\344\315\271\111\077\366  
\117\156\067\110\050\070\017\305\276\347\150\160\375\071\227\115  
\322\307\230\221\120\252\304\104\263\043\175\071\107\351\122\142  
\326\022\223\136\267\061\226\102\005\373\166\247\036\243\365\302  
\374\351\172\305\154\251\161\117\352\313\170\274\140\257\307\336  
\364\331\313\276\176\063\245\156\224\203\360\064\372\041\253\352  
\216\162\240\077\244\336\060\133\357\206\115\152\225\133\103\104  
\250\020\025\034\345\001\127\305\230\361\346\006\050\221\252\040  
\305\267\123\046\121\103\262\013\021\225\130\341\300\017\166\331  
\300\215\174\201\363\162\160\236\157\376\032\216\331\137\065\306  
\262\157\064\174\276\110\117\342\132\071\327\330\235\170\236\237  
\206\076\003\136\031\213\104\242\325\307\002\003\001\000\001\243  
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\035\006\003\125\035\016\004\026\004\024\277  
\131\040\066\000\171\240\240\042\153\214\325\362\141\322\270\054  
\313\202\112\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\001\001\000\061\003\242\141\013\037\164\350\162  
\066\306\155\371\115\236\372\042\250\341\201\126\317\315\273\237  
\352\253\221\031\070\257\252\174\025\115\363\266\243\215\245\364  
\216\366\104\251\247\350\041\225\255\076\000\142\026\210\360\002  
\272\374\141\043\346\063\233\060\172\153\066\142\173\255\004\043  
\204\130\145\342\333\053\212\347\045\123\067\142\123\137\274\332  
\001\142\051\242\246\047\161\346\072\042\176\301\157\035\225\160  
\040\112\007\064\337\352\377\025\200\345\272\327\172\330\133\165  
\174\005\172\051\107\176\100\250\061\023\167\315\100\073\264\121  
\107\172\056\021\343\107\021\336\235\146\320\213\325\124\146\372  
\203\125\352\174\302\051\211\033\351\157\263\316\342\005\204\311  
\057\076\170\205\142\156\311\137\301\170\143\164\130\300\110\030  
\014\231\071\353\244\314\032\265\171\132\215\025\234\330\024\015  
\366\172\007\127\307\042\203\005\055\074\233\045\046\075\030\263  
\251\103\174\310\310\253\144\217\016\243\277\234\033\235\060\333  
\332\320\031\056\252\074\361\373\063\200\166\344\315\255\031\117  
\005\047\216\023\241\156\302

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "T-TeleSec GlobalRoot Class 2"

# Issuer: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services  
GmbH,C=DE

```

Serial Number: 1 (0x1)
Subject: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services
GmbH,C=DE
Not Valid Before: Wed Oct 01 10:40:14 2008
Not Valid After : Sat Oct 01 23:59:59 2033
Fingerprint (SHA-256):
91:E2:F5:78:8D:58:10:EB:A7:BA:58:73:7D:E1:54:8A:8E:CA:CD:01:45:98:BC:0B:14:3E:04:1B:17:05:25:52
Fingerprint (SHA1): 59:0D:2D:7D:88:4F:40:2E:61:7E:A5:62:32:17:65:CF:17:D8:94:E9
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "T-TeleSec GlobalRoot Class 2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\131\015\055\175\210\117\100\056\141\176\245\142\062\027\145\317
\027\330\224\351
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\053\233\236\344\173\154\037\000\162\032\314\301\167\171\337\152
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154
\141\163\163\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Atos TrustedRoot 2011"
#
Issuer: C=DE,O=Atos,CN=Atos TrustedRoot 2011
Serial Number:5c:33:cb:62:2c:5f:b3:32
Subject: C=DE,O=Atos,CN=Atos TrustedRoot 2011
Not Valid Before: Thu Jul 07 14:58:30 2011
Not Valid After : Tue Dec 31 23:59:59 2030
Fingerprint (SHA-256):

```



F3:56:BE:A2:44:B7:A9:1E:B3:5D:53:CA:9A:D7:86:4A:CE:01:8E:2D:35:D5:F8:F9:6D:DF:68:A6:F4:1A:A4:74  
# Fingerprint (SHA1): 2B:B1:F5:3E:55:0C:1D:C5:F1:D4:E6:B7:6A:46:4B:55:06:02:AC:21  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE  
CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE  
CKA\_LABEL UTF8 "Atos TrustedRoot 2011"  
CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509  
CKA\_SUBJECT MULTILINE\_OCTAL  
\060\074\061\036\060\034\006\003\125\004\003\014\025\101\164\157  
\163\040\124\162\165\163\164\145\144\122\157\157\164\040\062\060  
\061\061\061\015\060\013\006\003\125\004\012\014\004\101\164\157  
\163\061\013\060\011\006\003\125\004\006\023\002\104\105  
END  
CKA\_ID UTF8 "0"  
CKA\_ISSUER MULTILINE\_OCTAL  
\060\074\061\036\060\034\006\003\125\004\003\014\025\101\164\157  
\163\040\124\162\165\163\164\145\144\122\157\157\164\040\062\060  
\061\061\061\015\060\013\006\003\125\004\012\014\004\101\164\157  
\163\061\013\060\011\006\003\125\004\006\023\002\104\105  
END  
CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\010\134\063\313\142\054\137\263\062  
END  
CKA\_VALUE MULTILINE\_OCTAL  
\060\202\003\167\060\202\002\137\240\003\002\001\002\002\010\134  
\063\313\142\054\137\263\062\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\074\061\036\060\034\006\003\125\004  
\003\014\025\101\164\157\163\040\124\162\165\163\164\145\144\122  
\157\157\164\040\062\060\061\061\061\015\060\013\006\003\125\004  
\012\014\004\101\164\157\163\061\013\060\011\006\003\125\004\006  
\023\002\104\105\060\036\027\015\061\061\060\067\060\067\061\064  
\065\070\063\060\132\027\015\063\060\061\062\063\061\062\063\065  
\071\065\071\132\060\074\061\036\060\034\006\003\125\004\003\014  
\025\101\164\157\163\040\124\162\165\163\164\145\144\122\157\157  
\164\040\062\060\061\061\061\015\060\013\006\003\125\004\012\014  
\004\101\164\157\163\061\013\060\011\006\003\125\004\006\023\002  
\104\105\060\202\001\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202  
\001\001\000\225\205\073\227\157\052\073\056\073\317\246\363\051  
\065\276\317\030\254\076\252\331\370\115\240\076\032\107\271\274  
\232\337\362\376\314\076\107\350\172\226\302\044\216\065\364\251  
\014\374\202\375\155\301\162\142\047\275\352\153\353\347\212\314  
\124\076\220\120\317\200\324\225\373\350\265\202\324\024\305\266  
\251\125\045\127\333\261\120\366\260\140\144\131\172\151\317\003  
\267\157\015\276\312\076\157\164\162\352\252\060\052\163\142\276  
\111\221\141\310\021\376\016\003\052\367\152\040\334\002\025\015  
\136\025\152\374\343\202\301\265\305\235\144\011\154\243\131\230

\007\047\307\033\226\053\141\164\161\154\103\361\367\065\211\020  
\340\236\354\125\241\067\042\242\207\004\005\054\107\175\264\034  
\271\142\051\146\050\312\267\341\223\365\244\224\003\231\271\160  
\205\265\346\110\352\215\120\374\331\336\314\157\007\016\335\013  
\162\235\200\060\026\007\225\077\050\016\375\305\165\117\123\326  
\164\232\264\044\056\216\002\221\317\166\305\233\036\125\164\234  
\170\041\261\360\055\361\013\237\302\325\226\030\037\360\124\042  
\172\214\007\002\003\001\000\001\243\175\060\173\060\035\006\003  
\125\035\016\004\026\004\024\247\245\006\261\054\246\011\140\356  
\321\227\351\160\256\274\073\031\154\333\041\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003  
\125\035\043\004\030\060\026\200\024\247\245\006\261\054\246\011  
\140\356\321\227\351\160\256\274\073\031\154\333\041\060\030\006  
\003\125\035\040\004\021\060\017\060\015\006\013\053\006\001\004  
\001\260\055\003\004\001\001\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\206\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\003\202\001\001\000\046\167\064\333\224  
\110\206\052\101\235\054\076\006\220\140\304\214\254\013\124\270  
\037\271\173\323\007\071\344\372\076\173\262\075\116\355\237\043  
\275\227\363\153\134\357\356\375\100\246\337\241\223\241\012\206  
\254\357\040\320\171\001\275\170\367\031\330\044\061\064\004\001  
\246\272\025\232\303\047\334\330\117\017\314\030\143\377\231\017  
\016\221\153\165\026\341\041\374\330\046\307\107\267\246\317\130  
\162\161\176\272\341\115\225\107\073\311\257\155\241\264\301\354  
\211\366\264\017\070\265\342\144\334\045\317\246\333\353\232\134  
\231\241\305\010\336\375\346\332\325\326\132\105\014\304\267\302  
\265\024\357\264\021\377\016\025\265\365\365\333\306\275\353\132  
\247\360\126\042\251\074\145\124\306\025\250\275\206\236\315\203  
\226\150\172\161\201\211\341\013\341\352\021\033\150\010\314\151  
\236\354\236\101\236\104\062\046\172\342\207\012\161\075\353\344  
\132\244\322\333\305\315\306\336\140\177\271\363\117\104\222\357  
\052\267\030\076\247\031\331\013\175\261\067\101\102\260\272\140  
\035\362\376\011\021\260\360\207\173\247\235

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Atos TrustedRoot 2011"

# Issuer: C=DE,O=Atos,CN=Atos TrustedRoot 2011

# Serial Number:5c:33:cb:62:2c:5f:b3:32

# Subject: C=DE,O=Atos,CN=Atos TrustedRoot 2011

# Not Valid Before: Thu Jul 07 14:58:30 2011

# Not Valid After : Tue Dec 31 23:59:59 2030

# Fingerprint (SHA-256):

F3:56:BE:A2:44:B7:A9:1E:B3:5D:53:CA:9A:D7:86:4A:CE:01:8E:2D:35:D5:F8:F9:6D:DF:68:A6:F4:1A:A4:74

# Fingerprint (SHA1): 2B:B1:F5:3E:55:0C:1D:C5:F1:D4:E6:B7:6A:46:4B:55:06:02:AC:21

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

```

CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Atos TrustedRoot 2011"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\053\261\365\076\125\014\035\305\361\324\346\267\152\106\113\125
\006\002\254\041
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\256\271\304\062\113\254\177\135\146\314\167\224\273\052\167\126
END
CKA_ISSUER MULTILINE_OCTAL
\060\074\061\036\060\034\006\003\125\004\003\014\025\101\164\157
\163\040\124\162\165\163\164\145\144\122\157\157\164\040\062\060
\061\061\061\015\060\013\006\003\125\004\012\014\004\101\164\157
\163\061\013\060\011\006\003\125\004\006\023\002\104\105
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\134\063\313\142\054\137\263\062
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "QuoVadis Root CA 1 G3"
#
Issuer: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM
Serial Number:78:58:5f:2e:ad:2c:19:4b:e3:37:07:35:34:13:28:b5:96:d4:65:93
Subject: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM
Not Valid Before: Thu Jan 12 17:27:44 2012
Not Valid After : Sun Jan 12 17:27:44 2042
Fingerprint (SHA-256):
8A:86:6F:D1:B2:76:B5:7E:57:8E:92:1C:65:82:8A:2B:ED:58:E9:F2:F2:88:05:41:34:B7:F1:F4:BF:C9:CC:74
Fingerprint (SHA1): 1B:8E:EA:57:96:29:1A:C9:39:EA:B8:0A:81:1A:73:73:C0:93:79:67
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 1 G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\061\040\107\063

```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061  
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144  
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003  
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157  
\157\164\040\103\101\040\061\040\107\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\024\170\130\137\056\255\054\031\113\343\067\007\065\064\023  
\050\265\226\324\145\223

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\140\060\202\003\110\240\003\002\001\002\002\024\170  
\130\137\056\255\054\031\113\343\067\007\065\064\023\050\265\226  
\324\145\223\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\110\061\013\060\011\006\003\125\004\006\023\002\102  
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126  
\141\144\151\163\040\114\151\155\151\164\145\144\061\036\060\034  
\006\003\125\004\003\023\025\121\165\157\126\141\144\151\163\040  
\122\157\157\164\040\103\101\040\061\040\107\063\060\036\027\015  
\061\062\060\061\061\062\061\067\062\067\064\064\132\027\015\064  
\062\060\061\061\062\061\067\062\067\064\064\132\060\110\061\013  
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006  
\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114  
\151\155\151\164\145\144\061\036\060\034\006\003\125\004\003\023  
\025\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103  
\101\040\061\040\107\063\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\240\276\120\020\216\351\362\154\100  
\264\004\234\205\271\061\312\334\055\344\021\251\004\074\033\125  
\301\347\130\060\035\044\264\303\357\205\336\214\054\341\301\075  
\337\202\346\117\255\107\207\154\354\133\111\301\112\325\273\217  
\354\207\254\177\202\232\206\354\075\003\231\122\001\322\065\236  
\254\332\360\123\311\146\074\324\254\002\001\332\044\323\073\250  
\002\106\257\244\034\343\370\163\130\166\267\366\016\220\015\265  
\360\317\314\372\371\306\114\345\303\206\060\012\215\027\176\065  
\353\305\337\273\016\234\300\215\207\343\210\070\205\147\372\076  
\307\253\340\023\234\005\030\230\317\223\365\261\222\264\374\043  
\323\317\325\304\047\111\340\236\074\233\010\243\213\135\052\041  
\340\374\071\252\123\332\175\176\317\032\011\123\274\135\005\004  
\317\241\112\217\213\166\202\015\241\370\322\307\024\167\133\220  
\066\007\201\233\076\006\372\122\136\143\305\246\000\376\245\351  
\122\033\122\265\222\071\162\003\011\142\275\260\140\026\156\246  
\335\045\302\003\146\335\363\004\321\100\342\116\213\206\364\157  
\345\203\240\047\204\136\004\301\365\220\275\060\075\304\357\250  
\151\274\070\233\244\244\226\321\142\332\151\300\001\226\256\313

\304\121\064\352\014\252\377\041\216\131\217\112\134\344\141\232  
\247\322\351\052\170\215\121\075\072\025\356\242\131\216\251\134  
\336\305\371\220\042\345\210\105\161\335\221\231\154\172\237\075  
\075\230\174\136\366\276\026\150\240\136\256\013\043\374\132\017  
\252\042\166\055\311\241\020\035\344\323\104\043\220\210\237\306  
\052\346\327\365\232\263\130\036\057\060\211\010\033\124\242\265  
\230\043\354\010\167\034\225\135\141\321\313\211\234\137\242\112  
\221\232\357\041\252\111\026\010\250\275\141\050\061\311\164\255  
\205\366\331\305\261\213\321\345\020\062\115\137\213\040\072\074  
\111\037\063\205\131\015\333\313\011\165\103\151\163\373\153\161  
\175\360\337\304\114\175\306\243\056\310\225\171\313\163\242\216  
\116\115\044\373\136\344\004\276\162\033\246\047\055\111\132\231  
\172\327\134\011\040\267\177\224\271\117\361\015\034\136\210\102  
\033\021\267\347\221\333\236\154\364\152\337\214\006\230\003\255  
\314\050\357\245\107\363\123\002\003\001\000\001\243\102\060\100  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\035\006\003\125\035\016\004\026\004\024\243\227\326\363  
\136\242\020\341\253\105\237\074\027\144\074\356\001\160\234\314  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\002\001\000\030\372\133\165\374\076\172\307\137\167\307\312  
\337\317\137\303\022\304\100\135\324\062\252\270\152\327\325\025  
\025\106\230\043\245\346\220\133\030\231\114\343\255\102\243\202  
\061\066\210\315\351\373\304\004\226\110\213\001\307\215\001\317  
\133\063\006\226\106\146\164\035\117\355\301\266\271\264\015\141  
\314\143\176\327\056\167\214\226\034\052\043\150\153\205\127\166  
\160\063\023\376\341\117\246\043\167\030\372\032\214\350\275\145  
\311\317\077\364\311\027\334\353\307\274\300\004\056\055\106\057  
\151\146\303\033\217\376\354\076\323\312\224\277\166\012\045\015  
\251\173\002\034\251\320\073\137\013\300\201\072\075\144\341\277  
\247\055\116\275\115\304\330\051\306\042\030\320\305\254\162\002  
\202\077\252\072\242\072\042\227\061\335\010\143\303\165\024\271  
\140\050\055\133\150\340\026\251\146\202\043\121\365\353\123\330  
\061\233\173\351\267\235\113\353\210\026\317\371\135\070\212\111  
\060\217\355\361\353\031\364\167\032\061\030\115\147\124\154\057  
\157\145\371\333\075\354\041\354\136\364\364\213\312\140\145\124  
\321\161\144\364\371\246\243\201\063\066\063\161\360\244\170\137  
\116\255\203\041\336\064\111\215\350\131\254\235\362\166\132\066  
\362\023\364\257\340\011\307\141\052\154\367\340\235\256\273\206  
\112\050\157\056\356\264\171\315\220\063\303\263\166\372\365\360  
\154\235\001\220\372\236\220\366\234\162\317\107\332\303\037\344  
\065\040\123\362\124\321\337\141\203\246\002\342\045\070\336\205  
\062\055\136\163\220\122\135\102\304\316\075\113\341\371\031\204  
\035\325\242\120\314\101\373\101\024\303\275\326\311\132\243\143  
\146\002\200\275\005\072\073\107\234\354\000\046\114\365\210\121  
\277\250\043\177\030\007\260\013\355\213\046\241\144\323\141\112  
\353\134\237\336\263\257\147\003\263\037\335\155\135\151\150\151  
\253\136\072\354\174\151\274\307\073\205\116\236\025\271\264\025

```
\117\303\225\172\130\327\311\154\351\154\271\363\051\143\136\264
\054\360\055\075\355\132\145\340\251\133\100\302\110\231\201\155
\236\037\006\052\074\022\264\213\017\233\242\044\360\246\215\326
\172\340\113\266\144\226\143\225\204\302\112\315\034\056\044\207
\063\140\345\303
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "QuoVadis Root CA 1 G3"
```

```
Issuer: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM
```

```
Serial Number:78:58:5f:2e:ad:2c:19:4b:e3:37:07:35:34:13:28:b5:96:d4:65:93
```

```
Subject: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM
```

```
Not Valid Before: Thu Jan 12 17:27:44 2012
```

```
Not Valid After : Sun Jan 12 17:27:44 2042
```

```
Fingerprint (SHA-256):
```

```
8A:86:6F:D1:B2:76:B5:7E:57:8E:92:1C:65:82:8A:2B:ED:58:E9:F2:F2:88:05:41:34:B7:F1:F4:BF:C9:CC:74
```

```
Fingerprint (SHA1): 1B:8E:EA:57:96:29:1A:C9:39:EA:B8:0A:81:1A:73:73:C0:93:79:67
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "QuoVadis Root CA 1 G3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\033\216\352\127\226\051\032\311\071\352\270\012\201\032\163\163
\300\223\171\147
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\244\274\133\077\376\067\232\372\144\360\342\372\005\075\013\253
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\061\040\107\063
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\024\170\130\137\056\255\054\031\113\343\067\007\065\064\023
\050\265\226\324\145\223
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```

Certificate "QuoVadis Root CA 2 G3"
#
Issuer: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM
Serial Number:44:57:34:24:5b:81:89:9b:35:f2:ce:b8:2b:3b:5b:a7:26:f0:75:28
Subject: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM
Not Valid Before: Thu Jan 12 18:59:32 2012
Not Valid After : Sun Jan 12 18:59:32 2042
Fingerprint (SHA-256):
8F:E4:FB:0A:F9:3A:4D:0D:67:DB:0B:EB:B2:3E:37:C7:1B:F3:25:DC:BC:DD:24:0E:A0:4D:AF:58:B4:7E:18:40
Fingerprint (SHA1): 09:3C:61:F3:8B:8B:DC:7D:55:DF:75:38:02:05:00:E1:25:F5:C8:36
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 2 G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\104\127\064\044\133\201\211\233\065\362\316\270\053\073
\133\247\046\360\165\050
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\140\060\202\003\110\240\003\002\001\002\002\024\104
\127\064\044\133\201\211\233\065\362\316\270\053\073\133\247\046
\360\165\050\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\110\061\013\060\011\006\003\125\004\006\023\002\102
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126
\141\144\151\163\040\114\151\155\151\164\145\144\061\036\060\034
\006\003\125\004\003\023\025\121\165\157\126\141\144\151\163\040
\122\157\157\164\040\103\101\040\062\040\107\063\060\036\027\015
\061\062\060\061\061\062\061\070\065\071\063\062\132\027\015\064
\062\060\061\061\062\061\070\065\071\063\062\132\060\110\061\013
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006
\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114

```

\151\155\151\164\145\144\061\036\060\034\006\003\125\004\003\023  
\025\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103  
\101\040\062\040\107\063\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\241\256\045\262\001\030\334\127\210  
\077\106\353\371\257\342\353\043\161\342\232\321\141\146\041\137  
\252\257\047\121\345\156\033\026\324\055\175\120\260\123\167\275  
\170\072\140\342\144\002\233\174\206\233\326\032\216\255\377\037  
\025\177\325\225\036\022\313\346\024\204\004\301\337\066\263\026  
\237\212\343\311\333\230\064\316\330\063\027\050\106\374\247\311  
\360\322\264\325\115\011\162\111\371\362\207\343\251\332\175\241  
\175\153\262\072\045\251\155\122\104\254\370\276\156\373\334\246  
\163\221\220\141\246\003\024\040\362\347\207\243\210\255\255\240  
\214\377\246\013\045\122\045\347\026\001\325\313\270\065\201\014  
\243\073\360\341\341\374\132\135\316\200\161\155\370\111\253\076  
\073\272\270\327\200\001\373\245\353\133\263\305\136\140\052\061  
\240\257\067\350\040\072\237\250\062\054\014\314\011\035\323\236  
\216\135\274\114\230\356\305\032\150\173\354\123\246\351\024\065  
\243\337\315\200\237\014\110\373\034\364\361\277\112\270\372\325  
\214\161\112\307\037\255\376\101\232\263\203\135\362\204\126\357  
\245\127\103\316\051\255\214\253\125\277\304\373\133\001\335\043  
\041\241\130\000\216\303\320\152\023\355\023\343\022\053\200\334  
\147\346\225\262\315\036\042\156\052\370\101\324\362\312\024\007  
\215\212\125\022\306\151\365\270\206\150\057\123\136\260\322\252  
\041\301\230\346\060\343\147\125\307\233\156\254\031\250\125\246  
\105\006\320\043\072\333\353\145\135\052\021\021\360\073\117\312  
\155\364\064\304\161\344\377\000\132\366\134\256\043\140\205\163  
\361\344\020\261\045\256\325\222\273\023\301\014\340\071\332\264  
\071\127\265\253\065\252\162\041\073\203\065\347\061\337\172\041  
\156\270\062\010\175\035\062\221\025\112\142\162\317\343\167\241  
\274\325\021\033\166\001\147\010\340\101\013\303\353\025\156\370  
\244\031\331\242\253\257\342\047\122\126\053\002\212\054\024\044  
\371\277\102\002\277\046\310\306\217\340\156\070\175\123\055\345  
\355\230\263\225\143\150\177\371\065\364\337\210\305\140\065\222  
\300\174\151\034\141\225\026\320\353\336\013\257\076\004\020\105  
\145\130\120\070\257\110\362\131\266\026\362\074\015\220\002\306  
\160\056\001\255\074\025\327\002\003\001\000\001\243\102\060\100  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\035\006\003\125\035\016\004\026\004\024\355\347\157\166  
\132\277\140\354\111\133\306\245\167\273\162\026\161\233\304\075  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\002\001\000\221\337\200\077\103\011\176\161\302\367\353\263  
\210\217\341\121\262\274\075\165\371\050\135\310\274\231\233\173  
\135\252\345\312\341\012\367\350\262\323\237\335\147\061\176\272  
\001\252\307\152\101\073\220\324\010\134\262\140\152\220\360\310  
\316\003\142\371\213\355\373\156\052\334\006\115\074\051\017\211  
\026\212\130\114\110\017\350\204\141\352\074\162\246\167\344\102



\256\210\243\103\130\171\176\256\312\245\123\015\251\075\160\275  
\040\031\141\244\154\070\374\103\062\341\301\107\377\370\354\361  
\021\042\062\226\234\302\366\133\151\226\173\040\014\103\101\232  
\133\366\131\031\210\336\125\210\067\121\013\170\134\012\036\243  
\102\375\307\235\210\017\300\362\170\002\044\124\223\257\211\207  
\210\311\112\200\035\352\320\156\076\141\056\066\273\065\016\047  
\226\375\146\064\073\141\162\163\361\026\134\107\006\124\111\000  
\172\130\022\260\012\357\205\375\261\270\063\165\152\223\034\022  
\346\140\136\157\035\177\311\037\043\313\204\141\237\036\202\104  
\371\137\255\142\125\044\232\122\230\355\121\347\241\176\227\072  
\346\057\037\021\332\123\200\054\205\236\253\065\020\333\042\137  
\152\305\136\227\123\362\062\002\011\060\243\130\360\015\001\325  
\162\306\261\174\151\173\303\365\066\105\314\141\156\136\114\224  
\305\136\256\350\016\136\213\277\367\315\340\355\241\016\033\063  
\356\124\030\376\017\276\357\176\204\153\103\343\160\230\333\135  
\165\262\015\131\007\205\025\043\071\326\361\337\251\046\017\326  
\110\307\263\246\042\365\063\067\132\225\107\237\173\272\030\025  
\157\377\326\024\144\203\111\322\012\147\041\333\017\065\143\140  
\050\042\343\261\225\203\315\205\246\335\057\017\347\147\122\156  
\273\057\205\174\365\112\163\347\305\076\300\275\041\022\005\077  
\374\267\003\111\002\133\310\045\346\342\124\070\365\171\207\214  
\035\123\262\116\205\173\006\070\307\054\370\370\260\162\215\045  
\345\167\122\364\003\034\110\246\120\137\210\040\060\156\362\202  
\103\253\075\227\204\347\123\373\041\301\117\017\042\232\206\270  
\131\052\366\107\075\031\210\055\350\205\341\236\354\205\010\152  
\261\154\064\311\035\354\110\053\073\170\355\146\304\216\171\151  
\203\336\177\214

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "QuoVadis Root CA 2 G3"

# Issuer: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM

# Serial Number:44:57:34:24:5b:81:89:9b:35:f2:ce:b8:2b:3b:5b:a7:26:f0:75:28

# Subject: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM

# Not Valid Before: Thu Jan 12 18:59:32 2012

# Not Valid After : Sun Jan 12 18:59:32 2042

# Fingerprint (SHA-256):

8F:E4:FB:0A:F9:3A:4D:0D:67:DB:0B:EB:B2:3E:37:C7:1B:F3:25:DC:BC:DD:24:0E:A0:4D:AF:58:B4:7E:18:40

# Fingerprint (SHA1): 09:3C:61:F3:8B:8B:DC:7D:55:DF:75:38:02:05:00:E1:25:F5:C8:36

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "QuoVadis Root CA 2 G3"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\011\074\141\363\213\213\334\175\125\337\165\070\002\005\000\341

```

\045\365\310\066
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\257\014\206\156\277\100\055\177\013\076\022\120\272\022\075\006
END
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\104\127\064\044\133\201\211\233\065\362\316\270\053\073
\133\247\046\360\165\050
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "QuoVadis Root CA 3 G3"
#
Issuer: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
Serial Number:2e:f5:9b:02:28:a7:db:7a:ff:d5:a3:a9:ee:bd:03:a0:cf:12:6a:1d
Subject: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
Not Valid Before: Thu Jan 12 20:26:32 2012
Not Valid After : Sun Jan 12 20:26:32 2042
Fingerprint (SHA-256):
88:EF:81:DE:20:2E:B0:18:45:2E:43:F8:64:72:5C:EA:5F:BD:1F:C2:D9:D2:05:73:07:09:C5:D8:B8:69:0F:46
Fingerprint (SHA1): 48:12:BD:92:3C:A8:C4:39:06:E7:30:6D:27:96:E6:A4:CF:22:2E:7D
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 3 G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061

```

\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144  
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003  
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157  
\157\164\040\103\101\040\063\040\107\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\024\056\365\233\002\050\247\333\172\377\325\243\251\356\275  
\003\240\317\022\152\035

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\140\060\202\003\110\240\003\002\001\002\002\024\056  
\365\233\002\050\247\333\172\377\325\243\251\356\275\003\240\317  
\022\152\035\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\110\061\013\060\011\006\003\125\004\006\023\002\102  
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126  
\141\144\151\163\040\114\151\155\151\164\145\144\061\036\060\034  
\006\003\125\004\003\023\025\121\165\157\126\141\144\151\163\040  
\122\157\157\164\040\103\101\040\063\040\107\063\060\036\027\015  
\061\062\060\061\061\062\062\060\062\066\063\062\132\027\015\064  
\062\060\061\061\062\062\060\062\066\063\062\132\060\110\061\013  
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006  
\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114  
\151\155\151\164\145\144\061\036\060\034\006\003\125\004\003\023  
\025\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103  
\101\040\063\040\107\063\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\263\313\016\020\147\216\352\024\227  
\247\062\052\012\126\066\177\150\114\307\263\157\072\043\024\221  
\377\031\177\245\312\254\356\263\166\235\172\351\213\033\253\153  
\061\333\372\013\123\114\257\305\245\032\171\074\212\114\377\254  
\337\045\336\116\331\202\062\013\104\336\312\333\214\254\243\156  
\026\203\073\246\144\113\062\211\373\026\026\070\176\353\103\342  
\323\164\112\302\142\012\163\012\335\111\263\127\322\260\012\205  
\235\161\074\336\243\313\300\062\363\001\071\040\103\033\065\321  
\123\263\261\356\305\223\151\202\076\026\265\050\106\241\336\352  
\211\011\355\103\270\005\106\212\206\365\131\107\276\033\157\001  
\041\020\271\375\251\322\050\312\020\071\011\312\023\066\317\234  
\255\255\100\164\171\053\002\077\064\377\372\040\151\175\323\356  
\141\365\272\263\347\060\320\067\043\206\162\141\105\051\110\131  
\150\157\167\246\056\201\276\007\115\157\257\316\304\105\023\221  
\024\160\006\217\037\237\370\207\151\261\016\357\303\211\031\353  
\352\034\141\374\172\154\212\334\326\003\013\236\046\272\022\335  
\324\124\071\253\046\243\063\352\165\201\332\055\315\017\117\344  
\003\321\357\025\227\033\153\220\305\002\220\223\146\002\041\261  
\107\336\213\232\112\200\271\125\217\265\242\057\300\326\063\147  
\332\176\304\247\264\004\104\353\107\373\346\130\271\367\014\360  
\173\053\261\300\160\051\303\100\142\055\073\110\151\334\043\074  
\110\353\173\011\171\251\155\332\250\060\230\317\200\162\003\210

\246\133\106\256\162\171\174\010\003\041\145\256\267\341\034\245  
\261\052\242\061\336\146\004\367\300\164\350\161\336\377\075\131  
\314\226\046\022\213\205\225\127\032\253\153\165\013\104\075\021  
\050\074\173\141\267\342\217\147\117\345\354\074\114\140\200\151  
\127\070\036\001\133\215\125\350\307\337\300\314\167\043\064\111  
\165\174\366\230\021\353\055\336\355\101\056\024\005\002\177\340  
\376\040\353\065\347\021\254\042\316\127\075\336\311\060\155\020  
\003\205\315\361\377\214\026\265\301\262\076\210\154\140\177\220  
\117\225\367\366\055\255\001\071\007\004\372\165\200\175\277\111  
\120\355\357\311\304\174\034\353\200\176\333\266\320\335\023\376  
\311\323\234\327\262\227\251\002\003\001\000\001\243\102\060\100  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\035\006\003\125\035\016\004\026\004\024\306\027\320\274  
\250\352\002\103\362\033\006\231\135\053\220\040\271\327\234\344  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\002\001\000\064\141\331\126\265\022\207\125\115\335\243\065  
\061\106\273\244\007\162\274\137\141\142\350\245\373\013\067\261  
\074\266\263\372\051\235\177\002\365\244\311\250\223\267\172\161  
\050\151\217\163\341\122\220\332\325\276\072\345\267\166\152\126  
\200\041\337\135\346\351\072\236\345\076\366\242\151\307\052\012  
\260\030\107\334\040\160\175\122\243\076\131\174\301\272\311\310  
\025\100\141\312\162\326\160\254\322\267\360\034\344\206\051\360  
\316\357\150\143\320\265\040\212\025\141\232\176\206\230\264\311  
\302\166\373\314\272\060\026\314\243\141\306\164\023\345\153\357  
\243\025\352\003\376\023\213\144\344\323\301\322\350\204\373\111  
\321\020\115\171\146\353\252\375\364\215\061\036\160\024\255\334  
\336\147\023\114\201\025\141\274\267\331\221\167\161\031\201\140  
\273\360\130\245\265\234\013\367\217\042\125\047\300\113\001\155  
\073\231\015\324\035\233\143\147\057\320\356\015\312\146\274\224  
\117\246\255\355\374\356\143\254\127\077\145\045\317\262\206\217  
\320\010\377\270\166\024\156\336\345\047\354\253\170\265\123\271  
\266\077\350\040\371\322\250\276\141\106\312\207\214\204\363\371  
\361\240\150\233\042\036\201\046\233\020\004\221\161\300\006\037  
\334\240\323\271\126\247\343\230\055\177\203\235\337\214\053\234  
\062\216\062\224\360\001\074\042\052\237\103\302\056\303\230\071  
\007\070\173\374\136\000\102\037\363\062\046\171\203\204\366\345  
\360\301\121\022\300\013\036\004\043\014\124\245\114\057\111\305  
\112\321\266\156\140\015\153\374\153\213\205\044\144\267\211\016  
\253\045\107\133\074\317\176\111\275\307\351\012\306\332\367\176  
\016\027\010\323\110\227\320\161\222\360\017\071\076\064\152\034  
\175\330\362\042\256\273\151\364\063\264\246\110\125\321\017\016  
\046\350\354\266\013\055\247\205\065\315\375\131\310\237\321\315  
\076\132\051\064\271\075\204\316\261\145\324\131\221\221\126\165  
\041\301\167\236\371\172\341\140\235\323\255\004\030\364\174\353  
\136\223\217\123\112\042\051\370\110\053\076\115\206\254\133\177  
\313\006\231\131\140\330\130\145\225\215\104\321\367\177\176\047  
\177\175\256\200\365\007\114\266\076\234\161\124\231\004\113\375

```

\130\371\230\364
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "QuoVadis Root CA 3 G3"
Issuer: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
Serial Number:2e:f5:9b:02:28:a7:db:7a:ff:d5:a3:a9:ee:bd:03:a0:cf:12:6a:1d
Subject: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
Not Valid Before: Thu Jan 12 20:26:32 2012
Not Valid After : Sun Jan 12 20:26:32 2042
Fingerprint (SHA-256):
88:EF:81:DE:20:2E:B0:18:45:2E:43:F8:64:72:5C:EA:5F:BD:1F:C2:D9:D2:05:73:07:09:C5:D8:B8:69:0F:46
Fingerprint (SHA1): 48:12:BD:92:3C:A8:C4:39:06:E7:30:6D:27:96:E6:A4:CF:22:2E:7D
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 3 G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\110\022\275\222\074\250\304\071\006\347\060\155\047\226\346\244
\317\042\056\175
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\337\175\271\255\124\157\150\241\337\211\127\003\227\103\260\327
END
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\056\365\233\002\050\247\333\172\377\325\243\251\356\275
\003\240\317\022\152\035
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "DigiCert Assured ID Root G2"
#
Issuer: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
Serial Number:0b:93:1c:3a:d6:39:67:ea:67:23:bf:c3:af:9a:f4:4b

```

```
Subject: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
Not Valid Before: Thu Aug 01 12:00:00 2013
Not Valid After : Fri Jan 15 12:00:00 2038
Fingerprint (SHA-256):
7D:05:EB:B6:82:33:9F:8C:94:51:EE:09:4E:EB:FE:FA:79:53:A1:14:ED:B2:F4:49:49:45:2F:AB:7D:2F:C1:85
Fingerprint (SHA1): A1:4B:48:D9:43:EE:0A:0E:40:90:4F:3C:E0:A4:C0:91:93:51:5D:3F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Assured ID Root G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\013\223\034\072\326\071\147\352\147\043\277\303\257\232
\364\113
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\226\060\202\002\176\240\003\002\001\002\002\020\013
\223\034\072\326\071\147\352\147\043\277\303\257\232\364\113\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\145
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\044\060\042\006\003\125\004\003\023\033\104\151\147\151\103\145
\162\164\040\101\163\163\165\162\145\144\040\111\104\040\122\157
\157\164\040\107\062\060\036\027\015\061\063\060\070\060\061\061\062
\062\060\060\060\060\132\027\015\063\070\060\061\061\065\061\062
\060\060\060\060\132\060\145\061\013\060\011\006\003\125\004\006
```

\023\002\125\123\061\025\060\023\006\003\125\004\012\023\014\104  
\151\147\151\103\145\162\164\040\111\156\143\061\031\060\027\006  
\003\125\004\013\023\020\167\167\167\056\144\151\147\151\143\145  
\162\164\056\143\157\155\061\044\060\042\006\003\125\004\003\023  
\033\104\151\147\151\103\145\162\164\040\101\163\163\165\162\145  
\144\040\111\104\040\122\157\157\164\040\107\062\060\202\001\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\001\017\000\060\202\001\012\002\202\001\001\000\331\347\050  
\057\122\077\066\162\111\210\223\064\363\370\152\036\061\124\200  
\237\255\124\101\265\107\337\226\250\324\257\200\055\271\012\317  
\165\375\211\245\175\044\372\343\042\014\053\274\225\027\013\063  
\277\031\115\101\006\220\000\275\014\115\020\376\007\265\347\034  
\156\042\125\061\145\227\275\323\027\322\036\142\363\333\352\154  
\120\214\077\204\014\226\317\267\313\003\340\312\155\241\024\114  
\033\211\335\355\000\260\122\174\257\221\154\261\070\023\321\351  
\022\010\300\000\260\034\053\021\332\167\160\066\233\256\316\171  
\207\334\202\160\346\011\164\160\125\151\257\243\150\237\277\335  
\266\171\263\362\235\160\051\125\364\253\377\225\141\363\311\100  
\157\035\321\276\223\273\323\210\052\273\235\277\162\132\126\161  
\073\077\324\363\321\012\376\050\357\243\356\331\231\257\003\323  
\217\140\267\362\222\241\261\275\211\211\037\060\315\303\246\056  
\142\063\256\026\002\167\104\132\347\201\012\074\247\104\056\171  
\270\077\004\274\134\240\207\341\033\257\121\216\315\354\054\372  
\370\376\155\360\072\174\252\213\344\147\225\061\215\002\003\001  
\000\001\243\102\060\100\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\206\060\035\006\003\125\035\016\004\026  
\004\024\316\303\112\271\231\125\362\270\333\140\277\251\176\275  
\126\265\227\066\247\326\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\001\001\000\312\245\125\214\343\310  
\101\156\151\047\247\165\021\357\074\206\066\157\322\235\306\170  
\070\035\151\226\242\222\151\056\070\154\233\175\004\324\211\245  
\261\061\067\212\311\041\314\253\154\315\213\034\232\326\277\110  
\322\062\146\301\212\300\363\057\072\357\300\343\324\221\206\321  
\120\343\003\333\163\167\157\112\071\123\355\336\046\307\265\175  
\257\053\102\321\165\142\343\112\053\002\307\120\113\340\151\342  
\226\154\016\104\146\020\104\217\255\005\353\370\171\254\246\033  
\350\067\064\235\123\311\141\252\242\122\257\112\160\026\206\302  
\072\310\261\023\160\066\330\317\356\364\012\064\325\133\114\375  
\007\234\242\272\331\001\162\134\363\115\301\335\016\261\034\015  
\304\143\276\255\364\024\373\211\354\242\101\016\114\314\310\127  
\100\320\156\003\252\315\014\216\211\231\231\154\360\074\060\257  
\070\337\157\274\243\276\051\040\047\253\164\377\023\042\170\336  
\227\122\125\036\203\265\124\040\003\356\256\300\117\126\336\067  
\314\303\177\252\004\047\273\323\167\270\142\333\027\174\234\050  
\042\023\163\154\317\046\365\212\051\347

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DigiCert Assured ID Root G2"

# Issuer: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:0b:93:1c:3a:d6:39:67:ea:67:23:bf:c3:af:9a:f4:4b

# Subject: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Thu Aug 01 12:00:00 2013

# Not Valid After : Fri Jan 15 12:00:00 2038

# Fingerprint (SHA-256):

7D:05:EB:B6:82:33:9F:8C:94:51:EE:09:4E:EB:FE:FA:79:53:A1:14:ED:B2:F4:49:49:45:2F:AB:7D:2F:C1:85

# Fingerprint (SHA1): A1:4B:48:D9:43:EE:0A:0E:40:90:4F:3C:E0:A4:C0:91:93:51:5D:3F

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert Assured ID Root G2"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\241\113\110\331\103\356\012\016\100\220\117\074\340\244\300\221

\223\121\135\077

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\222\070\271\370\143\044\202\145\054\127\063\346\376\201\217\235

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061

\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145

\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023

\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157

\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151

\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040

\122\157\157\164\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\013\223\034\072\326\071\147\352\147\043\277\303\257\232

\364\113

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "DigiCert Assured ID Root G3"

#

# Issuer: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:0b:a1:5a:fa:1d:df:a0:b5:49:44:af:cd:24:a0:6c:ec

# Subject: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US



```
Not Valid Before: Thu Aug 01 12:00:00 2013
Not Valid After : Fri Jan 15 12:00:00 2038
Fingerprint (SHA-256):
7E:37:CB:8B:4C:47:09:0C:AB:36:55:1B:A6:F4:5D:B8:40:68:0F:BA:16:6A:95:2D:B1:00:71:7F:43:05:3F:C2
Fingerprint (SHA1): F5:17:A2:4F:9A:48:C6:C9:F8:A2:00:26:9F:DC:0F:48:2C:AB:30:89
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Assured ID Root G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\013\241\132\372\035\337\240\265\111\104\257\315\044\240
\154\354
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\106\060\202\001\315\240\003\002\001\002\002\020\013
\241\132\372\035\337\240\265\111\104\257\315\044\240\154\354\060
\012\006\010\052\206\110\316\075\004\003\003\060\145\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\025\060\023\006\003
\125\004\012\023\014\104\151\147\151\103\145\162\164\040\111\156
\143\061\031\060\027\006\003\125\004\013\023\020\167\167\167\056
\144\151\147\151\143\145\162\164\056\143\157\155\061\044\060\042
\006\003\125\004\003\023\033\104\151\147\151\103\145\162\164\040
\101\163\163\165\162\145\144\040\111\104\040\122\157\157\164\040
\107\063\060\036\027\015\061\063\060\070\060\061\061\062\060\060
\060\060\132\027\015\063\070\060\061\061\065\061\062\060\060\060
\060\132\060\145\061\013\060\011\006\003\125\004\006\023\002\125
\123\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151
```

\103\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004  
\013\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056  
\143\157\155\061\044\060\042\006\003\125\004\003\023\033\104\151  
\147\151\103\145\162\164\040\101\163\163\165\162\145\144\040\111  
\104\040\122\157\157\164\040\107\063\060\166\060\020\006\007\052  
\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000  
\004\031\347\274\254\104\145\355\315\270\077\130\373\215\261\127  
\251\104\055\005\025\362\357\013\377\020\164\237\265\142\122\137  
\146\176\037\345\334\033\105\171\013\314\306\123\012\235\215\135  
\002\331\251\131\336\002\132\366\225\052\016\215\070\112\212\111  
\306\274\306\003\070\007\137\125\332\176\011\156\342\177\136\320  
\105\040\017\131\166\020\326\240\044\360\055\336\066\362\154\051  
\071\243\102\060\100\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\206\060\035\006\003\125\035\016\004\026\004  
\024\313\320\275\251\341\230\005\121\241\115\067\242\203\171\316  
\215\035\052\344\204\060\012\006\010\052\206\110\316\075\004\003  
\003\003\147\000\060\144\002\060\045\244\201\105\002\153\022\113  
\165\164\117\310\043\343\160\362\165\162\336\174\211\360\317\221  
\162\141\236\136\020\222\131\126\271\203\307\020\347\070\351\130  
\046\066\175\325\344\064\206\071\002\060\174\066\123\360\060\345  
\142\143\072\231\342\266\243\073\233\064\372\036\332\020\222\161  
\136\221\023\247\335\244\156\222\314\062\326\365\041\146\307\057  
\352\226\143\152\145\105\222\225\001\264

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DigiCert Assured ID Root G3"

# Issuer: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:0b:a1:5a:fa:1d:df:a0:b5:49:44:af:cd:24:a0:6c:ec

# Subject: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Thu Aug 01 12:00:00 2013

# Not Valid After : Fri Jan 15 12:00:00 2038

# Fingerprint (SHA-256):

7E:37:CB:8B:4C:47:09:0C:AB:36:55:1B:A6:F4:5D:B8:40:68:0F:BA:16:6A:95:2D:B1:00:71:7F:43:05:3F:C2

# Fingerprint (SHA1): F5:17:A2:4F:9A:48:C6:C9:F8:A2:00:26:9F:DC:0F:48:2C:AB:30:89

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert Assured ID Root G3"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\365\027\242\117\232\110\306\311\370\242\000\046\237\334\017\110  
\054\253\060\211

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\174\177\145\061\014\201\337\215\272\076\231\342\134\255\156\373

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151  
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040  
\122\157\157\164\040\107\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\013\241\132\372\035\337\240\265\111\104\257\315\044\240  
\154\354

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "DigiCert Global Root G2"

#

# Issuer: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:03:3a:f1:e6:a7:11:a9:a0:bb:28:64:b1:1d:09:fa:e5

# Subject: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Thu Aug 01 12:00:00 2013

# Not Valid After : Fri Jan 15 12:00:00 2038

# Fingerprint (SHA-256):

CB:3C:CB:B7:60:31:E5:E0:13:8F:8D:D3:9A:23:F9:DE:47:FF:C3:5E:43:C1:14:4C:EA:27:D4:6A:5A:B1:CB:5F

# Fingerprint (SHA1): DF:3C:24:F9:BF:D6:66:76:1B:26:80:73:FE:06:D1:CC:8D:4F:82:A4

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert Global Root G2"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151  
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164  
\040\107\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151  
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164  
\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\003\072\361\346\247\021\251\240\273\050\144\261\035\011  
\372\345

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\216\060\202\002\166\240\003\002\001\002\002\020\003  
\072\361\346\247\021\251\240\273\050\144\261\035\011\372\345\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\141  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060  
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164  
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167  
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061  
\040\060\036\006\003\125\004\003\023\027\104\151\147\151\103\145  
\162\164\040\107\154\157\142\141\154\040\122\157\157\164\040\107  
\062\060\036\027\015\061\063\060\070\060\061\061\062\060\060\060  
\060\132\027\015\063\070\060\061\061\065\061\062\060\060\060\060  
\132\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103  
\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013  
\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143  
\157\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147  
\151\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157  
\164\040\107\062\060\202\001\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012  
\002\202\001\001\000\273\067\315\064\334\173\153\311\262\150\220  
\255\112\165\377\106\272\041\012\010\215\365\031\124\311\373\210  
\333\363\256\362\072\211\221\074\172\346\253\006\032\153\317\254  
\055\350\136\011\044\104\272\142\232\176\326\243\250\176\340\124  
\165\040\005\254\120\267\234\143\032\154\060\334\332\037\031\261  
\327\036\336\375\327\340\313\224\203\067\256\354\037\103\116\335  
\173\054\322\275\056\245\057\344\251\270\255\072\324\231\244\266  
\045\351\233\153\000\140\222\140\377\117\041\111\030\367\147\220  
\253\141\006\234\217\362\272\351\264\351\222\062\153\265\363\127  
\350\135\033\315\214\035\253\225\004\225\111\363\065\055\226\343  
\111\155\335\167\343\373\111\113\264\254\125\007\251\217\225\263  
\264\043\273\114\155\105\360\366\251\262\225\060\264\375\114\125  
\214\047\112\127\024\174\202\235\315\163\222\323\026\112\006\014  
\214\120\321\217\036\011\276\027\241\346\041\312\375\203\345\020  
\274\203\245\012\304\147\050\366\163\024\024\075\106\166\303\207  
\024\211\041\064\115\257\017\105\014\246\111\241\272\273\234\305

```
\261\063\203\051\205\002\003\001\000\001\243\102\060\100\060\017
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060
\035\006\003\125\035\016\004\026\004\024\116\042\124\040\030\225
\346\343\156\346\017\372\372\271\022\355\006\027\217\071\060\015
\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001
\001\000\140\147\050\224\157\016\110\143\353\061\335\352\147\030
\325\211\175\074\305\213\112\177\351\276\333\053\027\337\260\137
\163\167\052\062\023\071\201\147\102\204\043\362\105\147\065\354
\210\277\370\217\260\141\014\064\244\256\040\114\204\306\333\370
\065\341\166\331\337\246\102\273\307\104\010\206\177\066\164\044
\132\332\154\015\024\131\065\275\362\111\335\266\037\311\263\015
\107\052\075\231\057\273\134\273\265\324\040\341\231\137\123\106
\025\333\150\233\360\363\060\325\076\061\342\215\204\236\343\212
\332\332\226\076\065\023\245\137\360\371\160\120\160\107\101\021
\127\031\116\300\217\256\006\304\225\023\027\057\033\045\237\165
\362\261\216\231\241\157\023\261\101\161\376\210\052\310\117\020
\040\125\327\363\024\105\345\340\104\364\352\207\225\062\223\016
\376\123\106\372\054\235\377\213\042\271\113\331\011\105\244\336
\244\270\232\130\335\033\175\122\237\216\131\103\210\201\244\236
\046\325\157\255\335\015\306\067\175\355\003\222\033\345\167\137
\166\356\074\215\304\135\126\133\242\331\146\156\263\065\067\345
\062\266
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "DigiCert Global Root G2"
```

```
Issuer: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
Serial Number:03:3a:f1:e6:a7:11:a9:a0:bb:28:64:b1:1d:09:fa:e5
```

```
Subject: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
Not Valid Before: Thu Aug 01 12:00:00 2013
```

```
Not Valid After : Fri Jan 15 12:00:00 2038
```

```
Fingerprint (SHA-256):
```

```
CB:3C:CB:B7:60:31:E5:E0:13:8F:8D:D3:9A:23:F9:DE:47:FF:C3:5E:43:C1:14:4C:EA:27:D4:6A:5A:B1:CB:5F
```

```
Fingerprint (SHA1): DF:3C:24:F9:BF:D6:66:76:1B:26:80:73:FE:06:D1:CC:8D:4F:82:A4
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert Global Root G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\337\074\044\371\277\326\146\166\033\046\200\163\376\006\321\314
```

```
\215\117\202\244
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\344\246\212\310\124\254\122\102\106\012\375\162\110\033\052\104
```

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151  
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164  
\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\003\072\361\346\247\021\251\240\273\050\144\261\035\011  
\372\345

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "DigiCert Global Root G3"

#

# Issuer: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:05:55:56:bc:f2:5e:a4:35:35:c3:a4:0f:d5:ab:45:72

# Subject: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Thu Aug 01 12:00:00 2013

# Not Valid After : Fri Jan 15 12:00:00 2038

# Fingerprint (SHA-256):

31:AD:66:48:F8:10:41:38:C7:38:F3:9E:A4:32:01:33:39:3E:3A:18:CC:02:29:6E:F9:7C:2A:C9:EF:67:31:DO

# Fingerprint (SHA1): 7E:04:DE:89:6A:3E:66:6D:00:E6:87:D3:3F:FA:D9:3B:E8:3D:34:9E

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert Global Root G3"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151  
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164  
\040\107\063

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061

\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151  
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164  
\040\107\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\005\125\126\274\362\136\244\065\065\303\244\017\325\253  
\105\162

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\077\060\202\001\305\240\003\002\001\002\002\020\005  
\125\126\274\362\136\244\065\065\303\244\017\325\253\105\162\060  
\012\006\010\052\206\110\316\075\004\003\003\060\141\061\013\060  
\011\006\003\125\004\006\023\002\125\123\061\025\060\023\006\003  
\125\004\012\023\014\104\151\147\151\103\145\162\164\040\111\156  
\143\061\031\060\027\006\003\125\004\013\023\020\167\167\167\056  
\144\151\147\151\143\145\162\164\056\143\157\155\061\040\060\036  
\006\003\125\004\003\023\027\104\151\147\151\103\145\162\164\040  
\107\154\157\142\141\154\040\122\157\157\164\040\107\063\060\036  
\027\015\061\063\060\070\060\061\061\062\060\060\060\060\132\027  
\015\063\070\060\061\061\065\061\062\060\060\060\060\132\060\141  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060  
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164  
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167  
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061  
\040\060\036\006\003\125\004\003\023\027\104\151\147\151\103\145  
\162\164\040\107\154\157\142\141\154\040\122\157\157\164\040\107  
\063\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005  
\053\201\004\000\042\003\142\000\004\335\247\331\273\212\270\013  
\373\013\177\041\322\360\276\276\163\363\063\135\032\274\064\352  
\336\306\233\274\320\225\366\360\314\320\013\272\141\133\121\106  
\176\236\055\237\356\216\143\014\027\354\007\160\365\317\204\056  
\100\203\234\350\077\101\155\073\255\323\244\024\131\066\170\235  
\003\103\356\020\023\154\162\336\256\210\247\241\153\265\103\316  
\147\334\043\377\003\034\243\342\076\243\102\060\100\060\017\006  
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060\035  
\006\003\125\035\016\004\026\004\024\263\333\110\244\371\241\305  
\330\256\066\101\314\021\143\151\142\051\274\113\306\060\012\006  
\010\052\206\110\316\075\004\003\003\003\150\000\060\145\002\061  
\000\255\274\362\154\077\022\112\321\055\071\303\012\011\227\163  
\364\210\066\214\210\047\273\346\210\215\120\205\247\143\371\236  
\062\336\146\223\017\361\314\261\011\217\335\154\253\372\153\177  
\240\002\060\071\146\133\302\144\215\270\236\120\334\250\325\111  
\242\355\307\334\321\111\177\027\001\270\310\206\217\116\214\210  
\053\250\232\251\212\305\321\000\275\370\124\342\232\345\133\174

```
\263\047\027
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "DigiCert Global Root G3"
Issuer: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US
Serial Number:05:55:56:bc:f2:5e:a4:35:35:c3:a4:0f:d5:ab:45:72
Subject: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US
Not Valid Before: Thu Aug 01 12:00:00 2013
Not Valid After : Fri Jan 15 12:00:00 2038
Fingerprint (SHA-256):
31:AD:66:48:F8:10:41:38:C7:38:F3:9E:A4:32:01:33:39:3E:3A:18:CC:02:29:6E:F9:7C:2A:C9:EF:67:31:D0
Fingerprint (SHA1): 7E:04:DE:89:6A:3E:66:6D:00:E6:87:D3:3F:FA:D9:3B:E8:3D:34:9E
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Global Root G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\176\004\336\211\152\076\146\155\000\346\207\323\077\372\331\073
\350\075\064\236
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\365\135\244\120\245\373\050\176\036\017\015\314\226\127\126\312
END
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\125\126\274\362\136\244\065\065\303\244\017\325\253
\105\162
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "DigiCert Trusted Root G4"
#
```



```
Issuer: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US
Serial Number:05:9b:1b:57:9e:8e:21:32:e2:39:07:bd:a7:77:75:5c
Subject: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US
Not Valid Before: Thu Aug 01 12:00:00 2013
Not Valid After : Fri Jan 15 12:00:00 2038
Fingerprint (SHA-256):
55:2F:7B:DC:F1:A7:AF:9E:6C:E6:72:01:7F:4F:12:AB:F7:72:40:C7:8E:76:1A:C2:03:D1:D9:D2:0A:C8:99:88
Fingerprint (SHA1): DD:FB:16:CD:49:31:C9:73:A2:03:7D:3F:C8:3A:4D:7D:77:5D:05:E4
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Trusted Root G4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\041\060\037\006\003\125\004\003\023\030\104\151\147\151
\103\145\162\164\040\124\162\165\163\164\145\144\040\122\157\157
\164\040\107\064
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\041\060\037\006\003\125\004\003\023\030\104\151\147\151
\103\145\162\164\040\124\162\165\163\164\145\144\040\122\157\157
\164\040\107\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\233\033\127\236\216\041\062\342\071\007\275\247\167
\165\134
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\220\060\202\003\170\240\003\002\001\002\002\020\005
\233\033\127\236\216\041\062\342\071\007\275\247\167\165\134\060
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\142
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\041\060\037\006\003\125\004\003\023\030\104\151\147\151\103\145
\162\164\040\124\162\165\163\164\145\144\040\122\157\157\164\040
\107\064\060\036\027\015\061\063\060\070\060\061\061\062\060\060
```

\060\060\132\027\015\063\070\060\061\061\065\061\062\060\060\060  
\060\132\060\142\061\013\060\011\006\003\125\004\006\023\002\125  
\123\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151  
\103\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004  
\013\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056  
\143\157\155\061\041\060\037\006\003\125\004\003\023\030\104\151  
\147\151\103\145\162\164\040\124\162\165\163\164\145\144\040\122  
\157\157\164\040\107\064\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\277\346\220\163\150\336\273\344\135  
\112\074\060\042\060\151\063\354\302\247\045\056\311\041\075\362  
\212\330\131\302\341\051\247\075\130\253\166\232\315\256\173\033  
\204\015\304\060\037\363\033\244\070\026\353\126\306\227\155\035  
\253\262\171\362\312\021\322\344\137\326\005\074\122\017\122\037  
\306\236\025\245\176\276\237\251\127\026\131\125\162\257\150\223  
\160\302\262\272\165\231\152\163\062\224\321\020\104\020\056\337  
\202\363\007\204\346\164\073\155\161\342\055\014\033\356\040\325  
\311\040\035\143\051\055\316\354\136\116\310\223\370\041\141\233  
\064\353\005\306\136\354\133\032\274\353\311\317\315\254\064\100  
\137\261\172\146\356\167\310\110\250\146\127\127\237\124\130\216  
\014\053\267\117\247\060\331\126\356\312\173\135\343\255\311\117  
\136\345\065\347\061\313\332\223\136\334\216\217\200\332\266\221  
\230\100\220\171\303\170\307\266\261\304\265\152\030\070\003\020  
\215\330\324\067\244\056\005\175\210\365\202\076\020\221\160\253  
\125\202\101\062\327\333\004\163\052\156\221\001\174\041\114\324  
\274\256\033\003\165\135\170\146\331\072\061\104\232\063\100\277  
\010\327\132\111\244\302\346\251\240\147\335\244\047\274\241\117  
\071\265\021\130\027\367\044\134\106\217\144\367\301\151\210\166  
\230\166\075\131\135\102\166\207\211\227\151\172\110\360\340\242  
\022\033\146\232\164\312\336\113\036\347\016\143\256\346\324\357  
\222\222\072\236\075\334\000\344\105\045\211\266\232\104\031\053  
\176\300\224\264\322\141\155\353\063\331\305\337\113\004\000\314  
\175\034\225\303\217\367\041\262\262\021\267\273\177\362\325\214  
\160\054\101\140\252\261\143\030\104\225\032\166\142\176\366\200  
\260\373\350\144\246\063\321\211\007\341\275\267\346\103\244\030  
\270\246\167\001\341\017\224\014\041\035\262\124\051\045\211\154  
\345\016\122\121\107\164\276\046\254\266\101\165\336\172\254\137  
\215\077\311\274\323\101\021\022\133\345\020\120\353\061\305\312  
\162\026\042\011\337\174\114\165\077\143\354\041\137\304\040\121  
\153\157\261\253\206\213\117\302\326\105\137\235\040\374\241\036  
\305\300\217\242\261\176\012\046\231\365\344\151\057\230\035\055  
\365\331\251\262\035\345\033\002\003\001\000\001\243\102\060\100  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\206\060\035\006\003\125\035\016\004\026\004\024\354\327\343\202  
\322\161\135\144\114\337\056\147\077\347\272\230\256\034\017\117  
\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000\003  
\202\002\001\000\273\141\331\175\251\154\276\027\304\221\033\303

\241\242\000\215\343\144\150\017\126\317\167\256\160\371\375\232  
\112\231\271\311\170\134\014\014\137\344\346\024\051\126\013\066  
\111\135\104\143\340\255\234\226\030\146\033\043\015\075\171\351  
\155\153\326\124\370\322\074\301\103\100\256\035\120\365\122\374  
\220\073\273\230\231\151\153\307\301\247\250\150\244\047\334\235  
\371\047\256\060\205\271\366\147\115\072\076\217\131\071\042\123  
\104\353\310\135\003\312\355\120\172\175\142\041\012\200\310\163  
\146\321\240\005\140\137\350\245\264\247\257\250\367\155\065\234  
\174\132\212\326\242\070\231\363\170\213\364\115\322\040\013\336  
\004\356\214\233\107\201\162\015\300\024\062\357\060\131\056\256  
\340\161\362\126\344\152\227\157\222\120\155\226\215\150\172\232  
\262\066\024\172\006\362\044\271\011\021\120\327\010\261\270\211  
\172\204\043\141\102\051\345\243\315\242\040\101\327\321\234\144  
\331\352\046\241\213\024\327\114\031\262\120\101\161\075\077\115  
\160\043\206\014\112\334\201\322\314\062\224\204\015\010\011\227  
\034\117\300\356\153\040\164\060\322\340\071\064\020\205\041\025  
\001\010\350\125\062\336\161\111\331\050\027\120\115\346\276\115  
\321\165\254\320\312\373\101\270\103\245\252\323\303\005\104\117  
\054\066\233\342\372\342\105\270\043\123\154\006\157\147\125\177  
\106\265\114\077\156\050\132\171\046\322\244\250\142\227\322\036  
\342\355\112\213\274\033\375\107\112\015\337\147\146\176\262\133  
\101\320\073\344\364\073\364\004\143\351\357\302\124\000\121\240  
\212\052\311\316\170\314\325\352\207\004\030\263\316\257\111\210  
\257\363\222\231\266\263\346\141\017\322\205\000\347\120\032\344  
\033\225\235\031\241\271\234\261\233\261\000\036\357\320\017\117  
\102\154\311\012\274\356\103\372\072\161\245\310\115\046\245\065  
\375\211\135\274\205\142\035\062\322\240\053\124\355\232\127\301  
\333\372\020\317\031\267\213\112\033\217\001\266\047\225\123\350  
\266\211\155\133\274\150\324\043\350\213\121\242\126\371\360\246  
\200\240\326\036\263\274\017\017\123\165\051\252\352\023\167\344  
\336\214\201\041\255\007\020\107\021\255\207\075\007\321\165\274  
\317\363\146\176

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DigiCert Trusted Root G4"

# Issuer: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:05:9b:1b:57:9e:8e:21:32:e2:39:07:bd:a7:77:75:5c

# Subject: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Thu Aug 01 12:00:00 2013

# Not Valid After : Fri Jan 15 12:00:00 2038

# Fingerprint (SHA-256):

55:2F:7B:DC:F1:A7:AF:9E:6C:E6:72:01:7F:4F:12:AB:F7:72:40:C7:8E:76:1A:C2:03:D1:D9:D2:0A:C8:99:88

# Fingerprint (SHA1): DD:FB:16:CD:49:31:C9:73:A2:03:7D:3F:C8:3A:4D:7D:77:5D:05:E4

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Trusted Root G4"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\335\373\026\315\111\061\311\163\242\003\175\077\310\072\115\175
\167\135\005\344
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\170\362\374\252\140\037\057\264\353\311\067\272\123\056\165\111
END
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\041\060\037\006\003\125\004\003\023\030\104\151\147\151
\103\145\162\164\040\124\162\165\163\164\145\144\040\122\157\157
\164\040\107\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\233\033\127\236\216\041\062\342\071\007\275\247\167
\165\134
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "COMODO RSA Certification Authority"
#
Issuer: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
Serial Number:4c:aa:f9:ca:db:63:6f:e0:1f:f7:4e:d8:5b:03:86:9d
Subject: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
Not Valid Before: Tue Jan 19 00:00:00 2010
Not Valid After : Mon Jan 18 23:59:59 2038
Fingerprint (SHA-256):
52:F0:E1:C4:E5:8E:C6:29:29:1B:60:31:7F:07:46:71:B8:5D:7E:A8:0D:5B:07:27:34:63:53:4B:32:B4:02:34
Fingerprint (SHA1): AF:E5:D2:44:A8:D1:19:42:30:FF:47:9F:E2:F8:97:BB:CD:7A:8C:B4
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "COMODO RSA Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102  
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164  
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060  
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061  
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117  
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006  
\003\125\004\003\023\042\103\117\115\117\104\117\040\122\123\101  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102  
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164  
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060  
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061  
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117  
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006  
\003\125\004\003\023\042\103\117\115\117\104\117\040\122\123\101  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\114\252\371\312\333\143\157\340\037\367\116\330\133\003  
\206\235

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\330\060\202\003\300\240\003\002\001\002\002\020\114  
\252\371\312\333\143\157\340\037\367\116\330\133\003\206\235\060  
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\201  
\205\061\013\060\011\006\003\125\004\006\023\002\107\102\061\033  
\060\031\006\003\125\004\010\023\022\107\162\145\141\164\145\162  
\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016\006  
\003\125\004\007\023\007\123\141\154\146\157\162\144\061\032\060  
\030\006\003\125\004\012\023\021\103\117\115\117\104\117\040\103  
\101\040\114\151\155\151\164\145\144\061\053\060\051\006\003\125  
\004\003\023\042\103\117\115\117\104\117\040\122\123\101\040\103  
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164  
\150\157\162\151\164\171\060\036\027\015\061\060\060\061\061\071  
\060\060\060\060\060\060\132\027\015\063\070\060\061\061\070\062  
\063\065\071\065\071\132\060\201\205\061\013\060\011\006\003\125  
\004\006\023\002\107\102\061\033\060\031\006\003\125\004\010\023  
\022\107\162\145\141\164\145\162\040\115\141\156\143\150\145\163  
\164\145\162\061\020\060\016\006\003\125\004\007\023\007\123\141  
\154\146\157\162\144\061\032\060\030\006\003\125\004\012\023\021  
\103\117\115\117\104\117\040\103\101\040\114\151\155\151\164\145  
\144\061\053\060\051\006\003\125\004\003\023\042\103\117\115\117  
\104\117\040\122\123\101\040\103\145\162\164\151\146\151\143\141

\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060\202  
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\221  
\350\124\222\322\012\126\261\254\015\044\335\305\317\104\147\164  
\231\053\067\243\175\043\160\000\161\274\123\337\304\372\052\022  
\217\113\177\020\126\275\237\160\162\267\141\177\311\113\017\027  
\247\075\343\260\004\141\356\377\021\227\307\364\206\076\012\372  
\076\134\371\223\346\064\172\331\024\153\347\234\263\205\240\202  
\172\166\257\161\220\327\354\375\015\372\234\154\372\337\260\202  
\364\024\176\371\276\304\246\057\117\177\231\177\265\374\147\103  
\162\275\014\000\326\211\353\153\054\323\355\217\230\034\024\253  
\176\345\343\156\374\330\250\344\222\044\332\103\153\142\270\125  
\375\352\301\274\154\266\213\363\016\215\232\344\233\154\151\231  
\370\170\110\060\105\325\255\341\015\074\105\140\374\062\226\121  
\047\274\147\303\312\056\266\153\352\106\307\307\040\240\261\037  
\145\336\110\010\272\244\116\251\362\203\106\067\204\353\350\314  
\201\110\103\147\116\162\052\233\134\275\114\033\050\212\134\042  
\173\264\253\230\331\356\340\121\203\303\011\106\116\155\076\231  
\372\225\027\332\174\063\127\101\074\215\121\355\013\266\134\257  
\054\143\032\337\127\310\077\274\351\135\304\233\257\105\231\342  
\243\132\044\264\272\251\126\075\317\157\252\377\111\130\276\360  
\250\377\364\270\255\351\067\373\272\270\364\013\072\371\350\103  
\102\036\211\330\204\313\023\361\331\273\341\211\140\270\214\050  
\126\254\024\035\234\012\347\161\353\317\016\335\075\251\226\241  
\110\275\074\367\257\265\015\042\114\300\021\201\354\126\073\366  
\323\242\342\133\267\262\004\042\122\225\200\223\151\350\216\114  
\145\361\221\003\055\160\164\002\352\213\147\025\051\151\122\002  
\273\327\337\120\152\125\106\277\240\243\050\141\177\160\320\303  
\242\252\054\041\252\107\316\050\234\006\105\166\277\202\030\047  
\264\325\256\264\313\120\346\153\364\114\206\161\060\351\246\337  
\026\206\340\330\377\100\335\373\320\102\210\177\243\063\072\056  
\134\036\101\021\201\143\316\030\161\153\053\354\246\212\267\061  
\134\072\152\107\340\303\171\131\326\040\032\257\362\152\230\252  
\162\274\127\112\322\113\235\273\020\374\260\114\101\345\355\035  
\075\136\050\235\234\314\277\263\121\332\247\107\345\204\123\002  
\003\001\000\001\243\102\060\100\060\035\006\003\125\035\016\004  
\026\004\024\273\257\176\002\075\372\246\361\074\204\216\255\356  
\070\230\354\331\062\062\324\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\015\006\011\052\206\110\206  
\367\015\001\001\014\005\000\003\202\002\001\000\012\361\325\106  
\204\267\256\121\273\154\262\115\101\024\000\223\114\234\313\345  
\300\124\317\240\045\216\002\371\375\260\242\015\365\040\230\074  
\023\055\254\126\242\260\326\176\021\222\351\056\272\236\056\232  
\162\261\275\031\104\154\141\065\242\232\264\026\022\151\132\214  
\341\327\076\244\032\350\057\003\364\256\141\035\020\033\052\244  
\213\172\305\376\005\246\341\300\326\310\376\236\256\217\053\272  
\075\231\370\330\163\011\130\106\156\246\234\364\327\047\323\225

\332\067\203\162\034\323\163\340\242\107\231\003\070\135\325\111  
\171\000\051\034\307\354\233\040\034\007\044\151\127\170\262\071  
\374\072\204\240\265\234\174\215\277\056\223\142\047\267\071\332  
\027\030\256\275\074\011\150\377\204\233\074\325\326\013\003\343  
\127\236\024\367\321\353\117\310\275\207\043\267\266\111\103\171  
\205\134\272\353\222\013\241\306\350\150\250\114\026\261\032\231  
\012\350\123\054\222\273\241\011\030\165\014\145\250\173\313\043  
\267\032\302\050\205\303\033\377\320\053\142\357\244\173\011\221  
\230\147\214\024\001\315\150\006\152\143\041\165\003\200\210\212  
\156\201\306\205\362\251\244\055\347\364\245\044\020\107\203\312  
\315\364\215\171\130\261\006\233\347\032\052\331\235\001\327\224  
\175\355\003\112\312\360\333\350\251\001\076\365\126\231\311\036  
\216\111\075\273\345\011\271\340\117\111\222\075\026\202\100\314  
\314\131\306\346\072\355\022\056\151\074\154\225\261\375\252\035  
\173\177\206\276\036\016\062\106\373\373\023\217\165\177\114\213  
\113\106\143\376\000\064\100\160\301\303\271\241\335\246\160\342  
\004\263\101\274\351\200\221\352\144\234\172\341\042\003\251\234  
\156\157\016\145\117\154\207\207\136\363\156\240\371\165\245\233  
\100\350\123\262\047\235\112\271\300\167\041\215\377\207\362\336  
\274\214\357\027\337\267\111\013\321\362\156\060\013\032\016\116  
\166\355\021\374\365\351\126\262\175\277\307\155\012\223\214\245  
\320\300\266\035\276\072\116\224\242\327\156\154\013\302\212\174  
\372\040\363\304\344\345\315\015\250\313\221\222\261\174\205\354  
\265\024\151\146\016\202\347\315\316\310\055\246\121\177\041\301  
\065\123\205\006\112\135\237\255\273\033\137\164

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "COMODO RSA Certification Authority"

# Issuer: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater  
Manchester,C=GB

# Serial Number:4c:aa:f9:ca:db:63:6f:e0:1f:f7:4e:d8:5b:03:86:9d

# Subject: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater  
Manchester,C=GB

# Not Valid Before: Tue Jan 19 00:00:00 2010

# Not Valid After : Mon Jan 18 23:59:59 2038

# Fingerprint (SHA-256):

52:F0:E1:C4:E5:8E:C6:29:29:1B:60:31:7F:07:46:71:B8:5D:7E:A8:0D:5B:07:27:34:63:53:4B:32:B4:02:34

# Fingerprint (SHA1): AF:E5:D2:44:A8:D1:19:42:30:FF:47:9F:E2:F8:97:BB:CD:7A:8C:B4

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "COMODO RSA Certification Authority"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\257\345\322\104\250\321\031\102\060\377\107\237\342\370\227\273

```

\315\172\214\264
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\033\061\260\161\100\066\314\024\066\221\255\304\076\375\354\030
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\122\123\101
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\114\252\371\312\333\143\157\340\037\367\116\330\133\003
\206\235
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "USERTrust RSA Certification Authority"
#
Issuer: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New
Jersey,C=US
Serial Number:01:fd:6d:30:fc:a3:ca:51:a8:1b:bc:64:0e:35:03:2d
Subject: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New
Jersey,C=US
Not Valid Before: Mon Feb 01 00:00:00 2010
Not Valid After : Mon Jan 18 23:59:59 2038
Fingerprint (SHA-256):
E7:93:C9:B0:2F:D8:AA:13:E2:1C:31:22:8A:CC:B0:81:19:64:3B:74:9C:89:89:64:B1:74:6D:46:C3:D4:CB:D2
Fingerprint (SHA1): 2B:8F:1B:57:33:0D:BB:A2:D0:7A:6C:51:F7:0E:E9:0D:DA:B9:AD:8E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "USERTrust RSA Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013

```



\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006  
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122  
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006  
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040  
\122\123\101\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112  
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013  
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006  
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122  
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006  
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040  
\122\123\101\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\001\375\155\060\374\243\312\121\250\033\274\144\016\065  
\003\055

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\336\060\202\003\306\240\003\002\001\002\002\020\001  
\375\155\060\374\243\312\121\250\033\274\144\016\065\003\055\060  
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\201  
\210\061\013\060\011\006\003\125\004\006\023\002\125\123\061\023  
\060\021\006\003\125\004\010\023\012\116\145\167\040\112\145\162  
\163\145\171\061\024\060\022\006\003\125\004\007\023\013\112\145  
\162\163\145\171\040\103\151\164\171\061\036\060\034\006\003\125  
\004\012\023\025\124\150\145\040\125\123\105\122\124\122\125\123  
\124\040\116\145\164\167\157\162\153\061\056\060\054\006\003\125  
\004\003\023\045\125\123\105\122\124\162\165\163\164\040\122\123  
\101\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040  
\101\165\164\150\157\162\151\164\171\060\036\027\015\061\060\060  
\062\060\061\060\060\060\060\060\060\132\027\015\063\070\060\061  
\061\070\062\063\065\071\065\071\132\060\201\210\061\013\060\011  
\006\003\125\004\006\023\002\125\123\061\023\060\021\006\003\125  
\004\010\023\012\116\145\167\040\112\145\162\163\145\171\061\024  
\060\022\006\003\125\004\007\023\013\112\145\162\163\145\171\040  
\103\151\164\171\061\036\060\034\006\003\125\004\012\023\025\124  
\150\145\040\125\123\105\122\124\122\125\123\124\040\116\145\164  
\167\157\162\153\061\056\060\054\006\003\125\004\003\023\045\125  
\123\105\122\124\162\165\163\164\040\122\123\101\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171\060\202\002\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012

\002\202\002\001\000\200\022\145\027\066\016\303\333\010\263\320  
\254\127\015\166\355\315\047\323\114\255\120\203\141\342\252\040  
\115\011\055\144\011\334\316\211\237\314\075\251\354\366\317\301  
\334\361\323\261\326\173\067\050\021\053\107\332\071\306\274\072  
\031\264\137\246\275\175\235\243\143\102\266\166\362\251\073\053  
\221\370\342\157\320\354\026\040\220\011\076\342\350\164\311\030  
\264\221\324\142\144\333\177\243\006\361\210\030\152\220\042\074  
\274\376\023\360\207\024\173\366\344\037\216\324\344\121\306\021  
\147\106\010\121\313\206\024\124\077\274\063\376\176\154\234\377  
\026\235\030\275\121\216\065\246\247\146\310\162\147\333\041\146  
\261\324\233\170\003\300\120\072\350\314\360\334\274\236\114\376  
\257\005\226\065\037\127\132\267\377\316\371\075\267\054\266\366  
\124\335\310\347\022\072\115\256\114\212\267\134\232\264\267\040  
\075\312\177\042\064\256\176\073\150\146\001\104\347\001\116\106  
\123\233\063\140\367\224\276\123\067\220\163\103\363\062\303\123  
\357\333\252\376\164\116\151\307\153\214\140\223\336\304\307\014  
\337\341\062\256\314\223\073\121\170\225\147\213\356\075\126\376  
\014\320\151\017\033\017\363\045\046\153\063\155\367\156\107\372  
\163\103\345\176\016\245\146\261\051\174\062\204\143\125\211\304  
\015\301\223\124\060\031\023\254\323\175\067\247\353\135\072\154  
\065\134\333\101\327\022\332\251\111\013\337\330\200\212\011\223  
\142\216\265\146\317\045\210\315\204\270\261\077\244\071\017\331  
\002\236\353\022\114\225\174\363\153\005\251\136\026\203\314\270  
\147\342\350\023\235\314\133\202\323\114\263\355\133\377\336\345  
\163\254\043\073\055\000\277\065\125\164\011\111\330\111\130\032  
\177\222\066\346\121\222\016\363\046\175\034\115\027\274\311\354  
\103\046\320\277\101\137\100\251\104\104\364\231\347\127\207\236  
\120\037\127\124\250\076\375\164\143\057\261\120\145\011\346\130  
\102\056\103\032\114\264\360\045\107\131\372\004\036\223\324\046  
\106\112\120\201\262\336\276\170\267\374\147\025\341\311\127\204  
\036\017\143\326\351\142\272\326\137\125\056\352\134\306\050\010  
\004\045\071\270\016\053\251\362\114\227\034\007\077\015\122\365  
\355\357\057\202\017\002\003\001\000\001\243\102\060\100\060\035  
\006\003\125\035\016\004\026\004\024\123\171\277\132\252\053\112  
\317\124\200\341\330\233\300\235\362\262\003\146\313\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006  
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\015  
\006\011\052\206\110\206\367\015\001\001\014\005\000\003\202\002  
\001\000\134\324\174\015\317\367\001\175\101\231\145\014\163\305  
\122\237\313\370\317\231\006\177\033\332\103\025\237\236\002\125  
\127\226\024\361\122\074\047\207\224\050\355\037\072\001\067\242  
\166\374\123\120\300\204\233\306\153\116\272\214\041\117\242\216  
\125\142\221\363\151\025\330\274\210\343\304\252\013\375\357\250  
\351\113\125\052\006\040\155\125\170\051\031\356\137\060\134\113  
\044\021\125\377\044\232\156\136\052\053\356\013\115\237\177\367  
\001\070\224\024\225\103\007\011\373\140\251\356\034\253\022\214  
\240\232\136\247\230\152\131\155\213\077\010\373\310\321\105\257  
\030\025\144\220\022\017\163\050\056\305\342\044\116\374\130\354

```
\360\364\105\376\042\263\353\057\216\322\331\105\141\005\301\227
\157\250\166\162\217\213\214\066\257\277\015\005\316\161\215\346
\246\157\037\154\246\161\142\305\330\320\203\162\014\361\147\021
\211\014\234\023\114\162\064\337\274\325\161\337\252\161\335\341
\271\154\214\074\022\135\145\332\275\127\022\266\103\153\377\345
\336\115\146\021\121\317\231\256\354\027\266\350\161\221\214\336
\111\376\335\065\161\242\025\047\224\034\317\141\343\046\273\157
\243\147\045\041\135\346\335\035\013\056\150\033\073\202\257\354
\203\147\205\324\230\121\164\261\271\231\200\211\377\177\170\031
\134\171\112\140\056\222\100\256\114\067\052\054\311\307\142\310
\016\135\367\066\133\312\340\045\045\001\264\335\032\007\234\167
\000\077\320\334\325\354\075\324\372\273\077\314\205\326\157\177
\251\055\337\271\002\367\365\227\232\265\065\332\303\147\260\207
\112\251\050\236\043\216\377\134\047\153\341\260\117\363\007\356
\000\056\324\131\207\313\122\101\225\352\364\107\327\356\144\101
\125\174\215\131\002\225\335\142\235\302\271\356\132\050\164\204
\245\233\267\220\307\014\007\337\365\211\066\164\062\326\050\301
\260\260\013\340\234\114\303\034\326\374\343\151\265\107\106\201
\057\242\202\253\323\143\104\160\304\215\377\055\063\272\255\217
\173\265\160\210\256\076\031\317\100\050\330\374\310\220\273\135
\231\042\365\122\346\130\305\037\210\061\103\356\210\035\327\306
\216\074\103\152\035\247\030\336\175\075\026\361\142\371\312\220
\250\375
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "USERTrust RSA Certification Authority"
Issuer: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New
Jersey,C=US
Serial Number:01:fd:6d:30:fc:a3:ca:51:a8:1b:bc:64:0e:35:03:2d
Subject: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New
Jersey,C=US
Not Valid Before: Mon Feb 01 00:00:00 2010
Not Valid After : Mon Jan 18 23:59:59 2038
Fingerprint (SHA-256):
E7:93:C9:B0:2F:D8:AA:13:E2:1C:31:22:8A:CC:B0:81:19:64:3B:74:9C:89:89:64:B1:74:6D:46:C3:D4:CB:D2
Fingerprint (SHA1): 2B:8F:1B:57:33:0D:BB:A2:D0:7A:6C:51:F7:0E:E9:0D:DA:B9:AD:8E
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "USERTrust RSA Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\053\217\033\127\063\015\273\242\320\172\154\121\367\016\351\015
\332\271\255\216
END
```

```

CKA_CERT_MD5_HASH MULTILINE_OCTAL
\033\376\151\321\221\267\031\063\243\162\250\017\341\125\345\265
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\122\123\101\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\001\375\155\060\374\243\312\121\250\033\274\144\016\065
\003\055
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "USERTrust ECC Certification Authority"
#
Issuer: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New
Jersey,C=US
Serial Number:5c:8b:99:c5:5a:94:c5:d2:71:56:de:cd:89:80:cc:26
Subject: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New
Jersey,C=US
Not Valid Before: Mon Feb 01 00:00:00 2010
Not Valid After : Mon Jan 18 23:59:59 2038
Fingerprint (SHA-256):
4F:F4:60:D5:4B:9C:86:DA:BF:BC:FC:57:12:E0:40:0D:2B:ED:3F:BC:4D:4F:BD:AA:86:E0:6A:DC:D2:A9:AD:7A
Fingerprint (SHA1): D1:CB:CA:5D:B2:D5:2A:7F:69:3B:67:4D:E5:F0:5A:1D:0C:95:7D:F0
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "USERTrust ECC Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122

```

\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006  
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040  
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112  
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013  
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006  
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122  
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006  
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040  
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\134\213\231\305\132\224\305\322\161\126\336\315\211\200  
\314\046

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\217\060\202\002\025\240\003\002\001\002\002\020\134  
\213\231\305\132\224\305\322\161\126\336\315\211\200\314\046\060  
\012\006\010\052\206\110\316\075\004\003\003\060\201\210\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\023\060\021\006  
\003\125\004\010\023\012\116\145\167\040\112\145\162\163\145\171  
\061\024\060\022\006\003\125\004\007\023\013\112\145\162\163\145  
\171\040\103\151\164\171\061\036\060\034\006\003\125\004\012\023  
\025\124\150\145\040\125\123\105\122\124\122\125\123\124\040\116  
\145\164\167\157\162\153\061\056\060\054\006\003\125\004\003\023  
\045\125\123\105\122\124\162\165\163\164\040\105\103\103\040\103  
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164  
\150\157\162\151\164\171\060\036\027\015\061\060\060\062\060\061  
\060\060\060\060\060\060\132\027\015\063\070\060\061\061\070\062  
\063\065\071\065\071\132\060\201\210\061\013\060\011\006\003\125  
\004\006\023\002\125\123\061\023\060\021\006\003\125\004\010\023  
\012\116\145\167\040\112\145\162\163\145\171\061\024\060\022\006  
\003\125\004\007\023\013\112\145\162\163\145\171\040\103\151\164  
\171\061\036\060\034\006\003\125\004\012\023\025\124\150\145\040  
\125\123\105\122\124\122\125\123\124\040\116\145\164\167\157\162  
\153\061\056\060\054\006\003\125\004\003\023\045\125\123\105\122  
\124\162\165\163\164\040\105\103\103\040\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164  
\171\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005  
\053\201\004\000\042\003\142\000\004\032\254\124\132\251\371\150  
\043\347\172\325\044\157\123\306\132\330\113\253\306\325\266\321  
\346\163\161\256\335\234\326\014\141\375\333\240\211\003\270\005

```
\024\354\127\316\356\135\077\342\041\263\316\367\324\212\171\340
\243\203\176\055\227\320\141\304\361\231\334\045\221\143\253\177
\060\243\264\160\342\307\241\063\234\363\277\056\134\123\261\137
\263\175\062\177\212\064\343\171\171\243\102\060\100\060\035\006
\003\125\035\016\004\026\004\024\072\341\011\206\324\317\031\302
\226\166\164\111\166\334\340\065\306\143\143\232\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\012\006
\010\052\206\110\316\075\004\003\003\003\150\000\060\145\002\060
\066\147\241\026\010\334\344\227\000\101\035\116\276\341\143\001
\317\073\252\102\021\144\240\235\224\071\002\021\171\134\173\035
\372\144\271\356\026\102\263\277\212\302\011\304\354\344\261\115
\002\061\000\351\052\141\107\214\122\112\113\116\030\160\366\326
\104\326\156\365\203\272\155\130\275\044\331\126\110\352\357\304
\242\106\201\210\152\072\106\321\251\233\115\311\141\332\321\135
\127\152\030
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "USERTrust ECC Certification Authority"

# Issuer: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

# Serial Number:5c:8b:99:c5:5a:94:c5:d2:71:56:de:cd:89:80:cc:26

# Subject: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

# Not Valid Before: Mon Feb 01 00:00:00 2010

# Not Valid After : Mon Jan 18 23:59:59 2038

# Fingerprint (SHA-256):

4F:F4:60:D5:4B:9C:86:DA:BF:BC:FC:57:12:E0:40:0D:2B:ED:3F:BC:4D:4F:BD:AA:86:E0:6A:DC:D2:A9:AD:7A

# Fingerprint (SHA1): D1:CB:CA:5D:B2:D5:2A:7F:69:3B:67:4D:E5:F0:5A:1D:0C:95:7D:F0

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "USERTrust ECC Certification Authority"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

```
\321\313\312\135\262\325\052\177\151\073\147\115\345\360\132\035
\014\225\175\360
```

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

```
\372\150\274\331\265\177\255\375\311\035\006\203\050\314\044\301
```

END

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
```

```
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\134\213\231\305\132\224\305\322\161\126\336\315\211\200
\314\046
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "GlobalSign ECC Root CA - R5"

#

# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5

# Serial Number:60:59:49:e0:26:2e:bb:55:f9:0a:77:8a:71:f9:4a:d8:6c

# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5

# Not Valid Before: Tue Nov 13 00:00:00 2012

# Not Valid After : Tue Jan 19 03:14:07 2038

# Fingerprint (SHA-256):

17:9F:BC:14:8A:3D:D0:0F:D2:4E:A1:34:58:CC:43:BF:A7:F5:9C:81:82:D7:83:A5:13:F6:EB:EC:10:0C:89:24

# Fingerprint (SHA1): 1F:24:C6:30:CD:A4:18:EF:20:69:FF:AD:4F:DD:5F:46:3A:1B:69:AA

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "GlobalSign ECC Root CA - R5"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\065\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\065\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
```

```
\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\140\131\111\340\046\056\273\125\371\012\167\212\161\371
\112\330\154
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\036\060\202\001\244\240\003\002\001\002\002\021\140
\131\111\340\046\056\273\125\371\012\167\212\161\371\112\330\154
\060\012\006\010\052\206\110\316\075\004\003\003\060\120\061\044
\060\042\006\003\125\004\013\023\033\107\154\157\142\141\154\123
\151\147\156\040\105\103\103\040\122\157\157\164\040\103\101\040
\055\040\122\065\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156\060\036
\027\015\061\062\061\061\061\063\060\060\060\060\060\132\027
\015\063\070\060\061\061\071\060\063\061\064\060\067\132\060\120
\061\044\060\042\006\003\125\004\013\023\033\107\154\157\142\141
\154\123\151\147\156\040\105\103\103\040\122\157\157\164\040\103
\101\040\055\040\122\065\061\023\060\021\006\003\125\004\012\023
\012\107\154\157\142\141\154\123\151\147\156\061\023\060\021\006
\003\125\004\003\023\012\107\154\157\142\141\154\123\151\147\156
\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053
\201\004\000\042\003\142\000\004\107\105\016\226\373\175\135\277
\351\071\321\041\370\237\013\266\325\173\036\222\072\110\131\034
\360\142\061\055\300\172\050\376\032\247\134\263\266\314\227\347
\105\324\130\372\321\167\155\103\242\300\207\145\064\012\037\172
\335\353\074\063\241\305\235\115\244\157\101\225\070\177\311\036
\204\353\321\236\111\222\207\224\207\014\072\205\112\146\237\235
\131\223\115\227\141\006\206\112\243\102\060\100\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006
\003\125\035\016\004\026\004\024\075\346\051\110\233\352\007\312
\041\104\112\046\336\156\336\322\203\320\237\131\060\012\006\010
\052\206\110\316\075\004\003\003\003\150\000\060\145\002\061\000
\345\151\022\311\156\333\306\061\272\011\101\341\227\370\373\375
\232\342\175\022\311\355\174\144\323\313\005\045\213\126\331\240
\347\136\135\116\013\203\234\133\166\051\240\011\046\041\152\142
\002\060\161\322\265\217\134\352\073\341\170\011\205\250\165\222
\073\310\134\375\110\357\015\164\042\250\010\342\156\305\111\316
\307\014\274\247\141\151\361\367\073\341\052\313\371\053\363\146
\220\067
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "GlobalSign ECC Root CA - R5"
```



```

Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5
Serial Number:60:59:49:e0:26:2e:bb:55:f9:0a:77:8a:71:f9:4a:d8:6c
Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5
Not Valid Before: Tue Nov 13 00:00:00 2012
Not Valid After : Tue Jan 19 03:14:07 2038
Fingerprint (SHA-256):
17:9F:BC:14:8A:3D:D0:0F:D2:4E:A1:34:58:CC:43:BF:A7:F5:9C:81:82:D7:83:A5:13:F6:EB:EC:10:0C:89:24
Fingerprint (SHA1): 1F:24:C6:30:CD:A4:18:EF:20:69:FF:AD:4F:DD:5F:46:3A:1B:69:AA
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign ECC Root CA - R5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\037\044\306\060\315\244\030\357\040\151\377\255\117\335\137\106
\072\033\151\252
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\237\255\073\034\002\036\212\272\027\164\070\201\014\242\274\010
END
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\065\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\140\131\111\340\046\056\273\125\371\012\167\212\161\371
\112\330\154
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Staat der Nederlanden Root CA - G3"
#
Issuer: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
Serial Number: 10003001 (0x98a239)
Subject: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
Not Valid Before: Thu Nov 14 11:28:42 2013
Not Valid After : Mon Nov 13 23:00:00 2028
Fingerprint (SHA-256):
3C:4F:B0:B9:5A:B8:B3:00:32:F4:32:B8:6F:53:5F:E1:72:C1:85:D0:FD:39:86:58:37:CF:36:18:7F:A6:F4:28
Fingerprint (SHA1): D8:EB:6B:41:51:92:59:E0:F3:E7:85:00:C0:3D:B6:88:97:C9:EE:FC

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Staat der Nederlanden Root CA - G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061
\053\060\051\006\003\125\004\003\014\042\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040
\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061
\053\060\051\006\003\125\004\003\014\042\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040
\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\000\230\242\071
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\164\060\202\003\134\240\003\002\001\002\002\004\000
\230\242\071\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\132\061\013\060\011\006\003\125\004\006\023\002\116
\114\061\036\060\034\006\003\125\004\012\014\025\123\164\141\141
\164\040\144\145\162\040\116\145\144\145\162\154\141\156\144\145
\156\061\053\060\051\006\003\125\004\003\014\042\123\164\141\141
\164\040\144\145\162\040\116\145\144\145\162\154\141\156\144\145
\156\040\122\157\157\164\040\103\101\040\055\040\107\063\060\036
\027\015\061\063\061\061\061\064\061\061\062\070\064\062\132\027
\015\062\070\061\061\061\063\062\063\060\060\060\060\132\060\132
\061\013\060\011\006\003\125\004\006\023\002\116\114\061\036\060
\034\006\003\125\004\012\014\025\123\164\141\141\164\040\144\145
\162\040\116\145\144\145\162\154\141\156\144\145\156\061\053\060
\051\006\003\125\004\003\014\042\123\164\141\141\164\040\144\145
\162\040\116\145\144\145\162\154\141\156\144\145\156\040\122\157
\157\164\040\103\101\040\055\040\107\063\060\202\002\042\060\015
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002
\017\000\060\202\002\012\002\202\002\001\000\276\062\242\124\017
\160\373\054\134\131\353\154\304\244\121\350\205\052\263\314\112
\064\362\260\137\363\016\307\034\075\123\036\210\010\150\330\157
\075\255\302\236\314\202\147\007\047\207\150\161\072\237\165\226
```

\042\106\005\260\355\255\307\133\236\052\336\234\374\072\306\225  
\247\365\027\147\030\347\057\111\010\014\134\317\346\314\064\355  
\170\373\120\261\334\153\062\360\242\376\266\074\344\354\132\227  
\307\077\036\160\010\060\240\334\305\263\155\157\320\202\162\021  
\253\322\201\150\131\202\027\267\170\222\140\372\314\336\077\204  
\353\215\070\063\220\012\162\043\372\065\314\046\161\061\321\162  
\050\222\331\133\043\155\146\265\155\007\102\353\246\063\316\222  
\333\300\366\154\143\170\315\312\116\075\265\345\122\233\361\276  
\073\346\124\140\260\146\036\011\253\007\376\124\211\021\102\321  
\367\044\272\140\170\032\230\367\311\021\375\026\301\065\032\124  
\165\357\103\323\345\256\116\316\347\173\303\306\116\141\121\113  
\253\232\105\113\241\037\101\275\110\123\025\161\144\013\206\263  
\345\056\276\316\244\033\301\051\204\242\265\313\010\043\166\103  
\042\044\037\027\004\324\156\234\306\374\177\053\146\032\354\212  
\345\326\317\115\365\143\011\267\025\071\326\173\254\353\343\174  
\351\116\374\165\102\310\355\130\225\014\006\102\242\234\367\344  
\160\263\337\162\157\132\067\100\211\330\205\244\327\361\013\336  
\103\031\324\112\130\054\214\212\071\236\277\204\207\361\026\073  
\066\014\351\323\264\312\154\031\101\122\011\241\035\260\152\277  
\202\357\160\121\041\062\334\005\166\214\313\367\144\344\003\120  
\257\214\221\147\253\305\362\356\130\330\336\276\367\347\061\317  
\154\311\073\161\301\325\210\265\145\274\300\350\027\027\007\022  
\265\134\322\253\040\223\264\346\202\203\160\066\305\315\243\215  
\255\213\354\243\301\103\207\346\103\342\064\276\225\213\065\355  
\007\071\332\250\035\172\237\066\236\022\260\014\145\022\220\025  
\140\331\046\100\104\343\126\140\245\020\324\152\074\375\101\334  
\016\132\107\266\357\227\141\165\117\331\376\307\262\035\324\355  
\135\111\263\251\152\313\146\204\023\325\134\240\334\337\156\167  
\006\321\161\165\310\127\157\257\017\167\133\002\003\001\000\001  
\243\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004\024  
\124\255\372\307\222\127\256\312\065\234\056\022\373\344\272\135  
\040\334\224\127\060\015\006\011\052\206\110\206\367\015\001\001  
\013\005\000\003\202\002\001\000\060\231\235\005\062\310\136\016  
\073\230\001\072\212\244\347\007\367\172\370\347\232\337\120\103  
\123\227\052\075\312\074\107\230\056\341\025\173\361\222\363\141  
\332\220\045\026\145\300\237\124\135\016\003\073\133\167\002\234  
\204\266\015\230\137\064\335\073\143\302\303\050\201\302\234\051  
\056\051\342\310\303\001\362\063\352\052\252\314\011\010\367\145  
\147\306\315\337\323\266\053\247\275\314\321\016\160\137\270\043  
\321\313\221\116\012\364\310\172\345\331\143\066\301\324\337\374  
\042\227\367\140\135\352\051\057\130\262\275\130\275\215\226\117  
\020\165\277\110\173\075\121\207\241\074\164\042\302\374\007\177  
\200\334\304\254\376\152\301\160\060\260\351\216\151\342\054\151  
\201\224\011\272\335\376\115\300\203\214\224\130\300\106\040\257  
\234\037\002\370\065\125\111\057\106\324\300\360\240\226\002\017  
\063\305\161\363\236\043\175\224\267\375\072\323\011\203\006\041

```
\375\140\075\256\062\300\322\356\215\246\360\347\264\202\174\012
\314\160\311\171\200\370\376\114\367\065\204\031\212\061\373\012
\331\327\177\233\360\242\232\153\303\005\112\355\101\140\024\060
\321\252\021\102\156\323\043\002\004\013\306\145\335\335\122\167
\332\201\153\262\250\372\001\070\271\226\352\052\154\147\227\211
\224\236\274\341\124\325\344\152\170\357\112\275\053\232\075\100
\176\306\300\165\322\156\373\150\060\354\354\213\235\371\111\065
\232\032\054\331\263\225\071\325\036\222\367\246\271\145\057\345
\075\155\072\110\114\010\334\344\050\022\050\276\175\065\134\352
\340\026\176\023\033\152\327\076\327\236\374\055\165\262\301\024
\325\043\003\333\133\157\013\076\170\057\015\336\063\215\026\267
\110\347\203\232\201\017\173\301\103\115\125\004\027\070\112\121
\325\131\242\211\164\323\237\276\036\113\327\306\155\267\210\044
\157\140\221\244\202\205\133\126\101\274\320\104\253\152\023\276
\321\054\130\267\022\063\130\262\067\143\334\023\365\224\035\077
\100\121\365\117\365\072\355\310\305\353\302\036\035\026\225\172
\307\176\102\161\223\156\113\025\267\060\337\252\355\127\205\110
\254\035\152\335\071\151\344\341\171\170\276\316\005\277\241\014
\367\200\173\041\147\047\060\131
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "Staat der Nederlanden Root CA - G3"
```

```
Issuer: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
```

```
Serial Number: 10003001 (0x98a239)
```

```
Subject: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
```

```
Not Valid Before: Thu Nov 14 11:28:42 2013
```

```
Not Valid After : Mon Nov 13 23:00:00 2028
```

```
Fingerprint (SHA-256):
```

```
3C:4F:B0:B9:5A:B8:B3:00:32:F4:32:B8:6F:53:5F:E1:72:C1:85:D0:FD:39:86:58:37:CF:36:18:7F:A6:F4:28
```

```
Fingerprint (SHA1): D8:EB:6B:41:51:92:59:E0:F3:E7:85:00:C0:3D:B6:88:97:C9:EE:FC
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Staat der Nederlanden Root CA - G3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\330\353\153\101\121\222\131\340\363\347\205\000\300\075\266\210
\227\311\356\374
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\013\106\147\007\333\020\057\031\214\065\120\140\321\013\364\067
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\132\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040
```

```
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061
\053\060\051\006\003\125\004\003\014\042\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040
\122\157\157\164\040\103\101\040\055\040\107\063
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\004\000\230\242\071
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "IdenTrust Commercial Root CA 1"

#

# Issuer: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US

# Serial Number:0a:01:42:80:00:00:01:45:23:c8:44:b5:00:00:00:02

# Subject: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US

# Not Valid Before: Thu Jan 16 18:12:23 2014

# Not Valid After : Mon Jan 16 18:12:23 2034

# Fingerprint (SHA-256):

```
5D:56:49:9B:E4:D2:E0:8B:CF:CA:D0:8A:3E:38:72:3D:50:50:3B:DE:70:69:48:E4:2F:55:60:30:19:E5:28:AE
```

# Fingerprint (SHA1): DF:71:7E:AA:4A:D9:4E:C9:55:84:99:60:2D:48:DE:5F:BC:F0:3A:25

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "IdenTrust Commercial Root CA 1"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\047\060\045\006\003\125\004\003\023\036\111\144
\145\156\124\162\165\163\164\040\103\157\155\155\145\162\143\151
\141\154\040\122\157\157\164\040\103\101\040\061
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\047\060\045\006\003\125\004\003\023\036\111\144
\145\156\124\162\165\163\164\040\103\157\155\155\145\162\143\151
\141\154\040\122\157\157\164\040\103\101\040\061
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\012\001\102\200\000\000\001\105\043\310\104\265\000\000
\000\002
```

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\140\060\202\003\110\240\003\002\001\002\002\020\012  
\001\102\200\000\000\001\105\043\310\104\265\000\000\000\002\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\112  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060  
\020\006\003\125\004\012\023\011\111\144\145\156\124\162\165\163  
\164\061\047\060\045\006\003\125\004\003\023\036\111\144\145\156  
\124\162\165\163\164\040\103\157\155\155\145\162\143\151\141\154  
\040\122\157\157\164\040\103\101\040\061\060\036\027\015\061\064  
\060\061\061\066\061\070\061\062\062\063\132\027\015\063\064\060  
\061\061\066\061\070\061\062\062\063\132\060\112\061\013\060\011  
\006\003\125\004\006\023\002\125\123\061\022\060\020\006\003\125  
\004\012\023\011\111\144\145\156\124\162\165\163\164\061\047\060  
\045\006\003\125\004\003\023\036\111\144\145\156\124\162\165\163  
\164\040\103\157\155\155\145\162\143\151\141\154\040\122\157\157  
\164\040\103\101\040\061\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\247\120\031\336\077\231\075\324\063  
\106\361\157\121\141\202\262\251\117\217\147\211\135\204\331\123  
\335\014\050\331\327\360\377\256\225\103\162\231\371\265\135\174  
\212\301\102\341\061\120\164\321\201\015\174\315\233\041\253\103  
\342\254\255\136\206\156\363\011\212\037\132\062\275\242\353\224  
\371\350\134\012\354\377\230\322\257\161\263\264\123\237\116\207  
\357\222\274\275\354\117\062\060\210\113\027\136\127\304\123\302  
\366\002\227\215\331\142\053\277\044\037\142\215\337\303\270\051  
\113\111\170\074\223\140\210\042\374\231\332\066\310\302\242\324  
\054\124\000\147\065\156\163\277\002\130\360\244\335\345\260\242  
\046\172\312\340\066\245\031\026\365\375\267\357\256\077\100\365  
\155\132\004\375\316\064\312\044\334\164\043\033\135\063\023\022  
\135\304\001\045\366\060\335\002\135\237\340\325\107\275\264\353  
\033\241\273\111\111\330\237\133\002\363\212\344\044\220\344\142  
\117\117\301\257\213\016\164\027\250\321\162\210\152\172\001\111  
\314\264\106\171\306\027\261\332\230\036\007\131\372\165\041\205  
\145\335\220\126\316\373\253\245\140\235\304\235\371\122\260\213  
\275\207\371\217\053\043\012\043\166\073\367\063\341\311\000\363  
\151\371\113\242\340\116\274\176\223\071\204\007\367\104\160\176  
\376\007\132\345\261\254\321\030\314\362\065\345\111\111\010\312  
\126\311\075\373\017\030\175\213\073\301\023\302\115\217\311\117  
\016\067\351\037\241\016\152\337\142\056\313\065\006\121\171\054  
\310\045\070\364\372\113\247\211\134\234\322\343\015\071\206\112  
\164\174\325\131\207\302\077\116\014\134\122\364\075\367\122\202  
\361\352\243\254\375\111\064\032\050\363\101\210\072\023\356\350  
\336\377\231\035\137\272\313\350\036\362\271\120\140\300\061\323  
\163\345\357\276\240\355\063\013\164\276\040\040\304\147\154\360  
\010\003\172\125\200\177\106\116\226\247\364\036\076\341\366\330  
\011\341\063\144\053\143\327\062\136\237\371\300\173\017\170\157  
\227\274\223\232\371\234\022\220\170\172\200\207\025\327\162\164

\234\125\164\170\261\272\341\156\160\004\272\117\240\272\150\303  
\173\377\061\360\163\075\075\224\052\261\013\101\016\240\376\115  
\210\145\153\171\063\264\327\002\003\001\000\001\243\102\060\100  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\035\006\003\125\035\016\004\026\004\024\355\104\031\300  
\323\360\006\213\356\244\173\276\102\347\046\124\310\216\066\166  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\002\001\000\015\256\220\062\366\246\113\174\104\166\031\141  
\036\047\050\315\136\124\357\045\274\343\010\220\371\051\327\256  
\150\010\341\224\000\130\357\056\056\176\123\122\214\266\134\007  
\352\210\272\231\213\120\224\327\202\200\337\141\011\000\223\255  
\015\024\346\316\301\362\067\224\170\260\137\234\263\242\163\270  
\217\005\223\070\315\215\076\260\270\373\300\317\261\362\354\055  
\055\033\314\354\252\232\263\252\140\202\033\055\073\303\204\075  
\127\212\226\036\234\165\270\323\060\315\140\010\203\220\323\216  
\124\361\115\146\300\135\164\003\100\243\356\205\176\302\037\167  
\234\006\350\301\247\030\135\122\225\355\311\335\045\236\155\372  
\251\355\243\072\064\320\131\173\332\355\120\363\065\277\355\353  
\024\115\061\307\140\364\332\361\207\234\342\110\342\306\305\067  
\373\006\020\372\165\131\146\061\107\051\332\166\232\034\351\202  
\256\357\232\271\121\367\210\043\232\151\225\142\074\345\125\200  
\066\327\124\002\377\361\271\135\316\324\043\157\330\105\204\112  
\133\145\357\211\014\335\024\247\040\313\030\245\045\264\015\371  
\001\360\242\322\364\000\310\164\216\241\052\110\216\145\333\023  
\304\342\045\027\175\353\276\207\133\027\040\124\121\223\112\123  
\003\013\354\135\312\063\355\142\375\105\307\057\133\334\130\240  
\200\071\346\372\327\376\023\024\246\355\075\224\112\102\164\324  
\303\167\131\163\315\217\106\276\125\070\357\372\350\221\062\352  
\227\130\004\042\336\070\303\314\274\155\311\063\072\152\012\151  
\077\240\310\352\162\217\214\143\206\043\275\155\074\226\236\225  
\340\111\114\252\242\271\052\033\234\066\201\170\355\303\350\106  
\342\046\131\104\165\036\331\165\211\121\315\020\204\235\141\140  
\313\135\371\227\042\115\216\230\346\343\177\366\133\273\256\315  
\312\112\201\153\136\013\363\121\341\164\053\351\176\047\247\331  
\231\111\116\370\245\200\333\045\017\034\143\142\212\311\063\147  
\153\074\020\203\306\255\336\250\315\026\216\215\360\007\067\161  
\237\362\253\374\101\365\301\213\354\000\067\135\011\345\116\200  
\357\372\261\134\070\006\245\033\112\341\334\070\055\074\334\253  
\037\220\032\325\112\234\356\321\160\154\314\356\364\127\370\030  
\272\204\156\207

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "IdenTrust Commercial Root CA 1"

# Issuer: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US

```

Serial Number:0a:01:42:80:00:00:01:45:23:c8:44:b5:00:00:00:02
Subject: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US
Not Valid Before: Thu Jan 16 18:12:23 2014
Not Valid After : Mon Jan 16 18:12:23 2034
Fingerprint (SHA-256):
5D:56:49:9B:E4:D2:E0:8B:CF:CA:D0:8A:3E:38:72:3D:50:50:3B:DE:70:69:48:E4:2F:55:60:30:19:E5:28:AE
Fingerprint (SHA1): DF:71:7E:AA:4A:D9:4E:C9:55:84:99:60:2D:48:DE:5F:BC:F0:3A:25
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "IdenTrust Commercial Root CA 1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\337\161\176\252\112\331\116\311\125\204\231\140\055\110\336\137
\274\360\072\045
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\263\076\167\163\165\356\240\323\343\176\111\143\111\131\273\307
END
CKA_ISSUER MULTILINE_OCTAL
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\047\060\045\006\003\125\004\003\023\036\111\144
\145\156\124\162\165\163\164\040\103\157\155\155\145\162\143\151
\141\154\040\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\012\001\102\200\000\000\001\105\043\310\104\265\000\000
\000\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "IdenTrust Public Sector Root CA 1"
#
Issuer: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US
Serial Number:0a:01:42:80:00:00:01:45:23:cf:46:7c:00:00:00:02
Subject: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US
Not Valid Before: Thu Jan 16 17:53:32 2014
Not Valid After : Mon Jan 16 17:53:32 2034
Fingerprint (SHA-256):
30:D0:89:5A:9A:44:8A:26:20:91:63:55:22:D1:F5:20:10:B5:86:7A:CA:E1:2C:78:EF:95:8F:D4:F4:38:9F:2F
Fingerprint (SHA1): BA:29:41:60:77:98:3F:F4:F3:EF:F2:31:05:3B:2E:EA:6D:4D:45:FD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE

```



```
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "IdenTrust Public Sector Root CA 1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\052\060\050\006\003\125\004\003\023\041\111\144
\145\156\124\162\165\163\164\040\120\165\142\154\151\143\040\123
\145\143\164\157\162\040\122\157\157\164\040\103\101\040\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\052\060\050\006\003\125\004\003\023\041\111\144
\145\156\124\162\165\163\164\040\120\165\142\154\151\143\040\123
\145\143\164\157\162\040\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\012\001\102\200\000\000\001\105\043\317\106\174\000\000
\000\002
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\146\060\202\003\116\240\003\002\001\002\002\020\012
\001\102\200\000\000\001\105\043\317\106\174\000\000\000\002\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\115
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060
\020\006\003\125\004\012\023\011\111\144\145\156\124\162\165\163
\164\061\052\060\050\006\003\125\004\003\023\041\111\144\145\156
\124\162\165\163\164\040\120\165\142\154\151\143\040\123\145\143
\164\157\162\040\122\157\157\164\040\103\101\040\061\060\036\027
\015\061\064\060\061\061\066\061\067\065\063\063\062\132\027\015
\063\064\060\061\061\066\061\067\065\063\063\062\132\060\115\061
\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060\020
\006\003\125\004\012\023\011\111\144\145\156\124\162\165\163\164
\061\052\060\050\006\003\125\004\003\023\041\111\144\145\156\124
\162\165\163\164\040\120\165\142\154\151\143\040\123\145\143\164
\157\162\040\122\157\157\164\040\103\101\040\061\060\202\002\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\002\017\000\060\202\002\012\002\202\002\001\000\266\042\224
\374\244\110\257\350\107\153\012\373\047\166\344\362\077\212\073
\172\112\054\061\052\214\215\260\251\303\061\153\250\167\166\204
\046\266\254\201\102\015\010\353\125\130\273\172\370\274\145\175
\362\240\155\213\250\107\351\142\166\036\021\356\010\024\321\262
\104\026\364\352\320\372\036\057\136\333\313\163\101\256\274\000
\260\112\053\100\262\254\341\073\113\302\055\235\344\241\233\354
\032\072\036\360\010\263\320\344\044\065\007\237\234\264\311\122
```

\155\333\007\312\217\265\133\360\203\363\117\307\055\245\310\255  
\313\225\040\244\061\050\127\130\132\344\215\033\232\253\236\015  
\014\362\012\063\071\042\071\012\227\056\363\123\167\271\104\105  
\375\204\313\066\040\201\131\055\232\157\155\110\110\141\312\114  
\337\123\321\257\122\274\104\237\253\057\153\203\162\357\165\200  
\332\006\063\033\135\310\332\143\306\115\315\254\146\061\315\321  
\336\076\207\020\066\341\271\244\172\357\140\120\262\313\312\246  
\126\340\067\257\253\064\023\071\045\350\071\146\344\230\172\252  
\022\230\234\131\146\206\076\255\361\260\312\076\006\017\173\360  
\021\113\067\240\104\155\173\313\250\214\161\364\325\265\221\066  
\314\360\025\306\053\336\121\027\261\227\114\120\075\261\225\131  
\174\005\175\055\041\325\000\277\001\147\242\136\173\246\134\362  
\367\042\361\220\015\223\333\252\104\121\146\314\175\166\003\353  
\152\250\052\070\031\227\166\015\153\212\141\371\274\366\356\166  
\375\160\053\335\051\074\370\012\036\133\102\034\213\126\057\125  
\033\034\241\056\265\307\026\346\370\252\074\222\216\151\266\001  
\301\265\206\235\211\017\013\070\224\124\350\352\334\236\075\045  
\274\123\046\355\325\253\071\252\305\100\114\124\253\262\264\331  
\331\370\327\162\333\034\274\155\275\145\137\357\210\065\052\146  
\057\356\366\263\145\360\063\215\174\230\101\151\106\017\103\034  
\151\372\233\265\320\141\152\315\312\113\331\114\220\106\253\025  
\131\241\107\124\051\056\203\050\137\034\302\242\253\162\027\000  
\006\216\105\354\213\342\063\075\177\332\031\104\344\142\162\303  
\337\042\306\362\126\324\335\137\225\162\355\155\137\367\110\003  
\133\375\305\052\240\366\163\043\204\020\033\001\347\002\003\001  
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\343\161\340\236\330\247\102\331\333\161\221\153\224\223  
\353\303\243\321\024\243\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\002\001\000\107\372\335\012\260\021  
\221\070\255\115\135\367\345\016\227\124\031\202\110\207\124\214  
\252\144\231\330\132\376\210\001\305\130\245\231\261\043\124\043  
\267\152\035\040\127\345\001\142\101\027\323\011\333\165\313\156  
\124\220\165\376\032\237\201\012\302\335\327\367\011\320\133\162  
\025\344\036\011\152\075\063\363\041\232\346\025\176\255\121\325  
\015\020\355\175\102\300\217\356\300\232\010\325\101\326\134\016  
\041\151\156\200\141\016\025\300\270\317\305\111\022\122\314\276  
\072\314\324\056\070\005\336\065\375\037\157\270\200\150\230\075  
\115\240\312\100\145\322\163\174\365\213\331\012\225\077\330\077  
\043\155\032\321\052\044\031\331\205\263\027\357\170\156\251\130  
\321\043\323\307\023\355\162\045\177\135\261\163\160\320\177\006  
\227\011\204\051\200\141\035\372\136\377\163\254\240\343\211\270  
\034\161\025\306\336\061\177\022\334\341\155\233\257\347\350\237  
\165\170\114\253\106\073\232\316\277\005\030\135\115\025\074\026  
\232\031\120\004\232\262\232\157\145\213\122\137\074\130\004\050  
\045\300\146\141\061\176\271\340\165\271\032\250\201\326\162\027  
\263\305\003\061\065\021\170\170\242\340\351\060\214\177\200\337

```
\130\337\074\272\047\226\342\200\064\155\343\230\323\144\047\254
\110\176\050\167\134\306\045\141\045\370\205\014\145\372\304\062
\057\245\230\005\344\370\013\147\026\026\306\202\270\062\031\371
\371\271\171\334\037\315\353\257\253\016\335\033\333\105\344\172
\347\002\342\225\135\374\151\360\123\151\141\225\165\171\013\136
\125\346\070\034\224\251\131\063\236\310\161\164\171\177\121\211
\266\310\152\270\060\310\152\070\303\156\236\341\067\026\352\005
\142\114\133\022\107\355\247\264\263\130\126\307\111\363\177\022
\150\011\061\161\360\155\370\116\107\373\326\205\356\305\130\100
\031\244\035\247\371\113\103\067\334\150\132\117\317\353\302\144
\164\336\264\025\331\364\124\124\032\057\034\327\227\161\124\220
\216\331\040\235\123\053\177\253\217\342\352\060\274\120\067\357
\361\107\265\175\174\054\004\354\150\235\264\111\104\020\364\162
\113\034\144\347\374\346\153\220\335\151\175\151\375\000\126\245
\267\254\266\255\267\312\076\001\357\234
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

# Trust for "IdenTrust Public Sector Root CA 1"

# Issuer: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US

# Serial Number:0a:01:42:80:00:00:01:45:23:cf:46:7c:00:00:00:02

# Subject: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US

# Not Valid Before: Thu Jan 16 17:53:32 2014

# Not Valid After : Mon Jan 16 17:53:32 2034

# Fingerprint (SHA-256):

30:D0:89:5A:9A:44:8A:26:20:91:63:55:22:D1:F5:20:10:B5:86:7A:CA:E1:2C:78:EF:95:8F:D4:F4:38:9F:2F

# Fingerprint (SHA1): BA:29:41:60:77:98:3F:F4:F3:EF:F2:31:05:3B:2E:EA:6D:4D:45:FD

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "IdenTrust Public Sector Root CA 1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\272\051\101\140\167\230\077\364\363\357\362\061\005\073\056\352
```

```
\155\115\105\375
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\067\006\245\260\374\211\235\272\364\153\214\032\144\315\325\272
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
```

```
\165\163\164\061\052\060\050\006\003\125\004\003\023\041\111\144
```

```
\145\156\124\162\165\163\164\040\120\165\142\154\151\143\040\123
```

```
\145\143\164\157\162\040\122\157\157\164\040\103\101\040\061
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\012\001\102\200\000\000\001\105\043\317\106\174\000\000
\000\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Entrust Root Certification Authority - G2"
#
Issuer: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
Serial Number: 1246989352 (0x4a538c28)
Subject: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
Not Valid Before: Tue Jul 07 17:25:54 2009
Not Valid After : Sat Dec 07 17:55:54 2030
Fingerprint (SHA-256):
43:DF:57:74:B0:3E:7F:EF:5F:E4:0D:93:1A:7B:ED:F1:BB:2E:6B:42:73:8C:4E:6D:38:41:10:3D:3A:A7:F3:39
Fingerprint (SHA1): 8C:F4:27:FD:79:0C:3A:D1:66:06:8D:E8:1E:57:EF:BB:93:22:72:D4
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\060\071\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004

```

\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165  
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162  
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051  
\040\062\060\060\071\040\105\156\164\162\165\163\164\054\040\111  
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162  
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060  
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040  
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107  
\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\004\112\123\214\050

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\076\060\202\003\046\240\003\002\001\002\002\004\112  
\123\214\050\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\201\276\061\013\060\011\006\003\125\004\006\023\002  
\125\123\061\026\060\024\006\003\125\004\012\023\015\105\156\164  
\162\165\163\164\054\040\111\156\143\056\061\050\060\046\006\003  
\125\004\013\023\037\123\145\145\040\167\167\167\056\145\156\164  
\162\165\163\164\056\156\145\164\057\154\145\147\141\154\055\164  
\145\162\155\163\061\071\060\067\006\003\125\004\013\023\060\050  
\143\051\040\062\060\060\071\040\105\156\164\162\165\163\164\054  
\040\111\156\143\056\040\055\040\146\157\162\040\141\165\164\150  
\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171\061  
\062\060\060\006\003\125\004\003\023\051\105\156\164\162\165\163  
\164\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\055  
\040\107\062\060\036\027\015\060\071\060\067\060\067\061\067\062  
\065\065\064\132\027\015\063\060\061\062\060\067\061\067\065\065  
\065\064\132\060\201\276\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\026\060\024\006\003\125\004\012\023\015\105\156  
\164\162\165\163\164\054\040\111\156\143\056\061\050\060\046\006  
\003\125\004\013\023\037\123\145\145\040\167\167\167\056\145\156  
\164\162\165\163\164\056\156\145\164\057\154\145\147\141\154\055  
\164\145\162\155\163\061\071\060\067\006\003\125\004\013\023\060  
\050\143\051\040\062\060\060\071\040\105\156\164\162\165\163\164  
\054\040\111\156\143\056\040\055\040\146\157\162\040\141\165\164  
\150\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171  
\061\062\060\060\006\003\125\004\003\023\051\105\156\164\162\165  
\163\164\040\122\157\157\164\040\103\145\162\164\151\146\151\143  
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040  
\055\040\107\062\060\202\001\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012  
\002\202\001\001\000\272\204\266\162\333\236\014\153\342\231\351  
\060\001\247\166\352\062\270\225\101\032\311\332\141\116\130\162  
\317\376\366\202\171\277\163\141\006\012\245\047\330\263\137\323

\105\116\034\162\326\116\062\362\162\212\017\367\203\031\320\152  
\200\200\000\105\036\260\307\347\232\277\022\127\047\034\243\150  
\057\012\207\275\152\153\016\136\145\363\034\167\325\324\205\215  
\160\041\264\263\062\347\213\242\325\206\071\002\261\270\322\107  
\316\344\311\111\304\073\247\336\373\124\175\127\276\360\350\156  
\302\171\262\072\013\125\342\120\230\026\062\023\134\057\170\126  
\301\302\224\263\362\132\344\047\232\237\044\327\306\354\320\233  
\045\202\343\314\302\304\105\305\214\227\172\006\153\052\021\237  
\251\012\156\110\073\157\333\324\021\031\102\367\217\007\277\365  
\123\137\234\076\364\027\054\346\151\254\116\062\114\142\167\352  
\267\350\345\273\064\274\031\213\256\234\121\347\267\176\265\123  
\261\063\042\345\155\317\160\074\032\372\342\233\147\266\203\364  
\215\245\257\142\114\115\340\130\254\144\064\022\003\370\266\215  
\224\143\044\244\161\002\003\001\000\001\243\102\060\100\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\035\006\003\125\035\016\004\026\004\024\152\162\046\172\320\036  
\357\175\347\073\151\121\324\154\215\237\220\022\146\253\060\015  
\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001  
\001\000\171\237\035\226\306\266\171\077\042\215\207\323\207\003  
\004\140\152\153\232\056\131\211\163\021\254\103\321\365\023\377  
\215\071\053\300\362\275\117\160\214\251\057\352\027\304\013\124  
\236\324\033\226\230\063\074\250\255\142\242\000\166\253\131\151  
\156\006\035\176\304\271\104\215\230\257\022\324\141\333\012\031  
\106\107\363\353\367\143\301\100\005\100\245\322\267\364\265\232  
\066\277\251\210\166\210\004\125\004\053\234\207\177\032\067\074  
\176\055\245\032\330\324\211\136\312\275\254\075\154\330\155\257  
\325\363\166\017\315\073\210\070\042\235\154\223\232\304\075\277  
\202\033\145\077\246\017\135\252\374\345\262\025\312\265\255\306  
\274\075\320\204\350\352\006\162\260\115\071\062\170\277\076\021  
\234\013\244\235\232\041\363\360\233\013\060\170\333\301\334\207  
\103\376\274\143\232\312\305\302\034\311\307\215\377\073\022\130  
\010\346\266\075\354\172\054\116\373\203\226\316\014\074\151\207  
\124\163\244\163\302\223\377\121\020\254\025\124\001\330\374\005  
\261\211\241\177\164\203\232\111\327\334\116\173\212\110\157\213  
\105\366

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Entrust Root Certification Authority - G2"

# Issuer: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

# Serial Number: 1246989352 (0x4a538c28)

# Subject: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

# Not Valid Before: Tue Jul 07 17:25:54 2009

```
Not Valid After : Sat Dec 07 17:55:54 2030
Fingerprint (SHA-256):
43:DF:57:74:B0:3E:7F:EF:5F:E4:0D:93:1A:7B:ED:F1:BB:2E:6B:42:73:8C:4E:6D:38:41:10:3D:3A:A7:F3:39
Fingerprint (SHA1): 8C:F4:27:FD:79:0C:3A:D1:66:06:8D:E8:1E:57:EF:BB:93:22:72:D4
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority - G2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\214\364\047\375\171\014\072\321\146\006\215\350\036\127\357\273
\223\042\162\324
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\113\342\311\221\226\145\014\364\016\132\223\222\240\012\376\262
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\060\071\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\112\123\214\050
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Entrust Root Certification Authority - EC1"
#
Issuer: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
Serial Number:00:a6:8b:79:29:00:00:00:00:50:d0:91:f9
Subject: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
Not Valid Before: Tue Dec 18 15:25:36 2012
```

```
Not Valid After : Fri Dec 18 15:55:36 2037
Fingerprint (SHA-256):
02:ED:0E:B2:8C:14:DA:45:16:5C:56:67:91:70:0D:64:51:D7:FB:56:F0:B2:AB:1D:3B:8E:B0:70:E5:6E:DF:F5
Fingerprint (SHA1): 20:D8:06:40:DF:9B:25:F5:12:25:3A:11:EA:F7:59:8A:EB:14:B5:47
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority - EC1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\277\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\062\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\063\060
\061\006\003\125\004\003\023\052\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\105
\103\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\277\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\062\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\063\060
\061\006\003\125\004\003\023\052\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\105
\103\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\000\246\213\171\051\000\000\000\000\120\320\221\371
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\371\060\202\002\200\240\003\002\001\002\002\015\000
\246\213\171\051\000\000\000\000\120\320\221\371\060\012\006\010
\052\206\110\316\075\004\003\003\060\201\277\061\013\060\011\006
```



\003\125\004\006\023\002\125\123\061\026\060\024\006\003\125\004  
\012\023\015\105\156\164\162\165\163\164\054\040\111\156\143\056  
\061\050\060\046\006\003\125\004\013\023\037\123\145\145\040\167  
\167\167\056\145\156\164\162\165\163\164\056\156\145\164\057\154  
\145\147\141\154\055\164\145\162\155\163\061\071\060\067\006\003  
\125\004\013\023\060\050\143\051\040\062\060\061\062\040\105\156  
\164\162\165\163\164\054\040\111\156\143\056\040\055\040\146\157  
\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163\145  
\040\157\156\154\171\061\063\060\061\006\003\125\004\003\023\052  
\105\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171\040\055\040\105\103\061\060\036\027\015\061\062  
\061\062\061\070\061\065\062\065\063\066\132\027\015\063\067\061  
\062\061\070\061\065\065\065\063\066\132\060\201\277\061\013\060  
\011\006\003\125\004\006\023\002\125\123\061\026\060\024\006\003  
\125\004\012\023\015\105\156\164\162\165\163\164\054\040\111\156  
\143\056\061\050\060\046\006\003\125\004\013\023\037\123\145\145  
\040\167\167\167\056\145\156\164\162\165\163\164\056\156\145\164  
\057\154\145\147\141\154\055\164\145\162\155\163\061\071\060\067  
\006\003\125\004\013\023\060\050\143\051\040\062\060\061\062\040  
\105\156\164\162\165\163\164\054\040\111\156\143\056\040\055\040  
\146\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165  
\163\145\040\157\156\154\171\061\063\060\061\006\003\125\004\003  
\023\052\105\156\164\162\165\163\164\040\122\157\157\164\040\103  
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164  
\150\157\162\151\164\171\040\055\040\105\103\061\060\166\060\020  
\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000\042  
\003\142\000\004\204\023\311\320\272\155\101\173\342\154\320\353  
\125\137\146\002\032\044\364\133\211\151\107\343\270\302\175\361  
\362\002\305\237\240\366\133\325\213\006\031\206\117\123\020\155  
\007\044\047\241\240\370\325\107\031\141\114\175\312\223\047\352  
\164\014\357\157\226\011\376\143\354\160\135\066\255\147\167\256  
\311\235\174\125\104\072\242\143\121\037\365\343\142\324\251\107  
\007\076\314\040\243\102\060\100\060\016\006\003\125\035\017\001  
\001\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001  
\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016  
\004\026\004\024\267\143\347\032\335\215\351\010\246\125\203\244  
\340\152\120\101\145\021\102\111\060\012\006\010\052\206\110\316  
\075\004\003\003\003\147\000\060\144\002\060\141\171\330\345\102  
\107\337\034\256\123\231\027\266\157\034\175\341\277\021\224\321  
\003\210\165\344\215\211\244\212\167\106\336\155\141\357\002\365  
\373\265\337\314\376\116\377\376\251\346\247\002\060\133\231\327  
\205\067\006\265\173\010\375\353\047\213\112\224\371\341\372\247  
\216\046\010\350\174\222\150\155\163\330\157\046\254\041\002\270  
\231\267\046\101\133\045\140\256\320\110\032\356\006

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Entrust Root Certification Authority - EC1"

# Issuer: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

# Serial Number:00:a6:8b:79:29:00:00:00:50:d0:91:f9

# Subject: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

# Not Valid Before: Tue Dec 18 15:25:36 2012

# Not Valid After : Fri Dec 18 15:55:36 2037

# Fingerprint (SHA-256):

02:ED:0E:B2:8C:14:DA:45:16:5C:56:67:91:70:0D:64:51:D7:FB:56:F0:B2:AB:1D:3B:8E:B0:70:E5:6E:DF:F5

# Fingerprint (SHA1): 20:D8:06:40:DF:9B:25:F5:12:25:3A:11:EA:F7:59:8A:EB:14:B5:47

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Entrust Root Certification Authority - EC1"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\040\330\006\100\337\233\045\365\022\045\072\021\352\367\131\212

\353\024\265\107

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\266\176\035\360\130\305\111\154\044\073\075\355\230\030\355\274

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\277\061\013\060\011\006\003\125\004\006\023\002\125\123

\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165

\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004

\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165

\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162

\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051

\040\062\060\061\062\040\105\156\164\162\165\163\164\054\040\111

\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162

\151\172\145\144\040\165\163\145\040\157\156\154\171\061\063\060

\061\006\003\125\004\003\023\052\105\156\164\162\165\163\164\040

\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151

\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\105

\103\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\015\000\246\213\171\051\000\000\000\000\120\320\221\371

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

```

#
Certificate "CFCA EV ROOT"
#
Issuer: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN
Serial Number: 407555286 (0x184accd6)
Subject: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN
Not Valid Before: Wed Aug 08 03:07:01 2012
Not Valid After : Mon Dec 31 03:07:01 2029
Fingerprint (SHA-256):
5C:C3:D7:8E:4E:1D:5E:45:54:7A:04:E6:87:3E:64:F9:0C:F9:53:6D:1C:CC:2E:F8:00:F3:55:C4:C5:FD:70:FD
Fingerprint (SHA1): E2:B8:29:4B:55:84:AB:6B:58:C2:90:46:6C:AC:3F:B8:39:8F:84:83
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "CFCA EV ROOT"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\060\060\056\006\003\125\004\012\014\047\103\150\151\156\141\040
\106\151\156\141\156\143\151\141\154\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\061\025\060\023\006\003\125\004\003\014\014\103\106\103\101
\040\105\126\040\122\117\117\124
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\060\060\056\006\003\125\004\012\014\047\103\150\151\156\141\040
\106\151\156\141\156\143\151\141\154\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\061\025\060\023\006\003\125\004\003\014\014\103\106\103\101
\040\105\126\040\122\117\117\124
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\030\112\314\326
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\215\060\202\003\165\240\003\002\001\002\002\004\030
\112\314\326\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\126\061\013\060\011\006\003\125\004\006\023\002\103
\116\061\060\060\056\006\003\125\004\012\014\047\103\150\151\156
\141\040\106\151\156\141\156\143\151\141\154\040\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162
\151\164\171\061\025\060\023\006\003\125\004\003\014\014\103\106
\103\101\040\105\126\040\122\117\117\124\060\036\027\015\061\062
\060\070\060\070\060\063\060\067\060\061\132\027\015\062\071\061
\062\063\061\060\063\060\067\060\061\132\060\126\061\013\060\011

```

\006\003\125\004\006\023\002\103\116\061\060\060\056\006\003\125  
\004\012\014\047\103\150\151\156\141\040\106\151\156\141\156\143  
\151\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\061\025\060\023\006  
\003\125\004\003\014\014\103\106\103\101\040\105\126\040\122\117  
\117\124\060\202\002\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202  
\002\001\000\327\135\153\315\020\077\037\005\131\325\005\115\067  
\261\016\354\230\053\216\025\035\372\223\113\027\202\041\161\020  
\122\327\121\144\160\026\302\125\151\115\216\025\155\237\277\014  
\033\302\340\243\147\326\014\254\317\042\256\257\167\124\052\113  
\114\212\123\122\172\303\356\056\336\263\161\045\301\351\135\075  
\356\241\057\243\367\052\074\311\043\035\152\253\035\241\247\361  
\363\354\240\325\104\317\025\317\162\057\035\143\227\350\231\371  
\375\223\244\124\200\114\122\324\122\253\056\111\337\220\315\270  
\137\276\077\336\241\312\115\040\324\045\350\204\051\123\267\261  
\210\037\377\372\332\220\237\012\251\055\101\077\261\361\030\051  
\356\026\131\054\064\111\032\250\006\327\250\210\322\003\162\172  
\062\342\352\150\115\156\054\226\145\173\312\131\372\362\342\335  
\356\060\054\373\314\106\254\304\143\353\157\177\066\053\064\163  
\022\224\177\337\314\046\236\361\162\135\120\145\131\217\151\263  
\207\136\062\157\303\030\212\265\225\217\260\172\067\336\132\105  
\073\307\066\341\357\147\321\071\323\227\133\163\142\031\110\055  
\207\034\006\373\164\230\040\111\163\360\005\322\033\261\240\243  
\267\033\160\323\210\151\271\132\326\070\364\142\334\045\213\170  
\277\370\350\176\270\134\311\225\117\137\247\055\271\040\153\317  
\153\335\365\015\364\202\267\364\262\146\056\020\050\366\227\132  
\173\226\026\217\001\031\055\154\156\177\071\130\006\144\203\001  
\203\203\303\115\222\335\062\306\207\244\067\351\026\316\252\055  
\150\257\012\201\145\072\160\301\233\255\115\155\124\312\052\055  
\113\205\033\263\200\346\160\105\015\153\136\065\360\177\073\270  
\234\344\004\160\211\022\045\223\332\012\231\042\140\152\143\140  
\116\166\006\230\116\275\203\255\035\130\212\045\205\322\307\145  
\036\055\216\306\337\266\306\341\177\212\004\041\025\051\164\360  
\076\234\220\235\014\056\361\212\076\132\252\014\011\036\307\325  
\074\243\355\227\303\036\064\372\070\371\010\016\343\300\135\053  
\203\321\126\152\311\266\250\124\123\056\170\062\147\075\202\177  
\164\320\373\341\266\005\140\271\160\333\216\013\371\023\130\157  
\161\140\020\122\020\271\301\101\011\357\162\037\147\061\170\377  
\226\005\215\002\003\001\000\001\243\143\060\141\060\037\006\003  
\125\035\043\004\030\060\026\200\024\343\376\055\375\050\320\013  
\265\272\266\242\304\277\006\252\005\214\223\373\057\060\017\006  
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035  
\006\003\125\035\016\004\026\004\024\343\376\055\375\050\320\013  
\265\272\266\242\304\277\006\252\005\214\223\373\057\060\015\006  
\011\052\206\110\206\367\015\001\001\013\005\000\003\202\002\001  
\000\045\306\272\153\353\207\313\336\202\071\226\075\360\104\247

\153\204\163\003\336\235\053\117\272\040\177\274\170\262\317\227  
\260\033\234\363\327\171\056\365\110\266\322\373\027\210\346\323  
\172\077\355\123\023\320\342\057\152\171\313\000\043\050\346\036  
\067\127\065\211\204\302\166\117\064\066\255\147\303\316\101\006  
\210\305\367\356\330\032\270\326\013\177\120\377\223\252\027\113  
\214\354\355\122\140\262\244\006\352\116\353\364\153\031\375\353  
\365\032\340\045\052\232\334\307\101\066\367\310\164\005\204\071  
\225\071\326\013\073\244\047\372\010\330\134\036\370\004\140\122  
\021\050\050\003\377\357\123\146\000\245\112\064\026\146\174\375  
\011\244\256\236\147\032\157\101\013\153\006\023\233\217\206\161  
\005\264\057\215\211\146\063\051\166\124\232\021\370\047\372\262  
\077\221\340\316\015\033\363\060\032\255\277\042\135\033\323\277  
\045\005\115\341\222\032\177\231\237\074\104\223\312\324\100\111  
\154\200\207\327\004\072\303\062\122\065\016\126\370\245\335\175  
\304\213\015\021\037\123\313\036\262\027\266\150\167\132\340\324  
\313\310\007\256\365\072\056\216\067\267\320\001\113\103\051\167  
\214\071\227\217\202\132\370\121\345\211\240\030\347\150\177\135  
\012\056\373\243\107\016\075\246\043\172\306\001\307\217\310\136  
\277\155\200\126\276\212\044\272\063\352\237\341\062\021\236\361  
\322\117\200\366\033\100\257\070\236\021\120\171\163\022\022\315  
\346\154\235\054\210\162\074\060\201\006\221\042\352\131\255\332  
\031\056\042\302\215\271\214\207\340\146\274\163\043\137\041\144  
\143\200\110\365\240\074\030\075\224\310\110\101\035\100\272\136  
\376\376\126\071\241\310\317\136\236\031\144\106\020\332\027\221  
\267\005\200\254\213\231\222\175\347\242\330\007\013\066\047\347  
\110\171\140\212\303\327\023\134\370\162\100\337\112\313\317\231  
\000\012\000\013\021\225\332\126\105\003\210\012\237\147\320\325  
\171\261\250\215\100\155\015\302\172\100\372\363\137\144\107\222  
\313\123\271\273\131\316\117\375\320\025\123\001\330\337\353\331  
\346\166\357\320\043\273\073\251\171\263\325\002\051\315\211\243  
\226\017\112\065\347\116\102\300\165\315\007\317\346\054\353\173  
\056

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "CFCA EV ROOT"

# Issuer: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN

# Serial Number: 407555286 (0x184accd6)

# Subject: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN

# Not Valid Before: Wed Aug 08 03:07:01 2012

# Not Valid After : Mon Dec 31 03:07:01 2029

# Fingerprint (SHA-256):

5C:C3:D7:8E:4E:1D:5E:45:54:7A:04:E6:87:3E:64:F9:0C:F9:53:6D:1C:CC:2E:F8:00:F3:55:C4:C5:FD:70:FD

# Fingerprint (SHA1): E2:B8:29:4B:55:84:AB:6B:58:C2:90:46:6C:AC:3F:B8:39:8F:84:83

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "CFCA EV ROOT"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\342\270\051\113\125\204\253\153\130\302\220\106\154\254\077\270
\071\217\204\203
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\164\341\266\355\046\172\172\104\060\063\224\253\173\047\201\060
END
CKA_ISSUER MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\060\060\056\006\003\125\004\012\014\047\103\150\151\156\141\040
\106\151\156\141\156\143\151\141\154\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\061\025\060\023\006\003\125\004\003\014\014\103\106\103\101
\040\105\126\040\122\117\117\124
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\030\112\314\326
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "OISTE WISeKey Global Root GB CA"
#
Issuer: CN=OISTE WISeKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH
Serial Number:76:b1:20:52:74:f0:85:87:46:b3:f8:23:1a:f6:c2:c0
Subject: CN=OISTE WISeKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH
Not Valid Before: Mon Dec 01 15:00:32 2014
Not Valid After : Thu Dec 01 15:10:31 2039
Fingerprint (SHA-256):
6B:9C:08:E8:6E:B0:F7:67:CF:AD:65:CD:98:B6:21:49:E5:49:4A:67:F5:84:5E:7B:D1:ED:01:9F:27:B8:6B:D6
Fingerprint (SHA1): 0F:F9:40:76:18:D3:D7:6A:4B:98:F0:A8:35:9E:0C:FD:27:AC:CC:ED
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "OISTE WISeKey Global Root GB CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144

```

\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037  
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154  
\157\142\141\154\040\122\157\157\164\040\107\102\040\103\101  
END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061  
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145  
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124  
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144  
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037  
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154  
\157\142\141\154\040\122\157\157\164\040\107\102\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\166\261\040\122\164\360\205\207\106\263\370\043\032\366  
\302\300

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\265\060\202\002\235\240\003\002\001\002\002\020\166  
\261\040\122\164\360\205\207\106\263\370\043\032\366\302\300\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\155  
\061\013\060\011\006\003\125\004\006\023\002\103\110\061\020\060  
\016\006\003\125\004\012\023\007\127\111\123\145\113\145\171\061  
\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040  
\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162  
\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111  
\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142  
\141\154\040\122\157\157\164\040\107\102\040\103\101\060\036\027  
\015\061\064\061\062\060\061\061\065\061\060\063\061\132\027\015  
\063\071\061\062\060\061\061\065\061\060\063\061\132\060\155\061  
\013\060\011\006\003\125\004\006\023\002\103\110\061\020\060\016  
\006\003\125\004\012\023\007\127\111\123\145\113\145\171\061\042  
\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040\106  
\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162\163  
\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111\123  
\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142\141  
\154\040\122\157\157\164\040\107\102\040\103\101\060\202\001\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\001\017\000\060\202\001\012\002\202\001\001\000\330\027\267  
\034\112\044\052\326\227\261\312\342\036\373\175\070\357\230\365  
\262\071\230\116\047\270\021\135\173\322\045\224\210\202\025\046  
\152\033\061\273\250\133\041\041\053\330\017\116\237\132\361\261  
\132\344\171\326\062\043\053\341\123\314\231\105\134\173\117\255  
\274\277\207\112\013\113\227\132\250\366\110\354\175\173\015\315  
\041\006\337\236\025\375\101\212\110\267\040\364\241\172\033\127  
\324\135\120\377\272\147\330\043\231\037\310\077\343\336\377\157  
\133\167\261\153\156\270\311\144\367\341\312\101\106\016\051\161

\320\271\043\374\311\201\137\116\367\157\337\277\204\255\163\144  
\273\267\102\216\151\366\324\166\035\176\235\247\270\127\212\121  
\147\162\327\324\250\270\225\124\100\163\003\366\352\364\353\376  
\050\102\167\077\235\043\033\262\266\075\200\024\007\114\056\117  
\367\325\012\026\015\275\146\103\067\176\043\103\171\303\100\206  
\365\114\051\332\216\232\255\015\245\004\207\210\036\205\343\351  
\123\325\233\310\213\003\143\170\353\340\031\112\156\273\057\153  
\063\144\130\223\255\151\277\217\033\357\202\110\307\002\003\001  
\000\001\243\121\060\117\060\013\006\003\125\035\017\004\004\003  
\002\001\206\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\065  
\017\310\066\143\136\342\243\354\371\073\146\025\316\121\122\343  
\221\232\075\060\020\006\011\053\006\001\004\001\202\067\025\001  
\004\003\002\001\000\060\015\006\011\052\206\110\206\367\015\001  
\001\013\005\000\003\202\001\001\000\100\114\373\207\262\231\201  
\220\176\235\305\260\260\046\315\210\173\053\062\215\156\270\041  
\161\130\227\175\256\067\024\257\076\347\367\232\342\175\366\161  
\230\231\004\252\103\164\170\243\343\111\141\076\163\214\115\224  
\340\371\161\304\266\026\016\123\170\037\326\242\207\057\002\071  
\201\051\074\257\025\230\041\060\376\050\220\000\214\321\341\313  
\372\136\310\375\370\020\106\073\242\170\102\221\027\164\125\012  
\336\120\147\115\146\321\247\377\375\331\300\265\250\243\212\316  
\146\365\017\103\315\247\053\127\173\143\106\152\252\056\122\330  
\364\355\341\155\255\051\220\170\110\272\341\043\252\243\211\354  
\265\253\226\300\264\113\242\035\227\236\172\362\156\100\161\337  
\150\361\145\115\316\174\005\337\123\145\251\245\360\261\227\004  
\160\025\106\003\230\324\322\277\124\264\240\130\175\122\157\332  
\126\046\142\324\330\333\211\061\157\034\360\042\302\323\142\034  
\065\315\114\151\025\124\032\220\230\336\353\036\137\312\167\307  
\313\216\075\103\151\234\232\130\320\044\073\337\033\100\226\176  
\065\255\201\307\116\161\272\210\023

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "OISTE WISeKey Global Root GB CA"

# Issuer: CN=OISTE WISeKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH

# Serial Number:76:b1:20:52:74:f0:85:87:46:b3:f8:23:1a:f6:c2:c0

# Subject: CN=OISTE WISeKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH

# Not Valid Before: Mon Dec 01 15:00:32 2014

# Not Valid After : Thu Dec 01 15:10:31 2039

# Fingerprint (SHA-256):

6B:9C:08:E8:6E:B0:F7:67:CF:AD:65:CD:98:B6:21:49:E5:49:4A:67:F5:84:5E:7B:D1:ED:01:9F:27:B8:6B:D6

# Fingerprint (SHA1): 0F:F9:40:76:18:D3:D7:6A:4B:98:F0:A8:35:9E:0C:FD:27:AC:CC:ED

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE



```

CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "OISTE WISeKey Global Root GB CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\017\371\100\166\030\323\327\152\113\230\360\250\065\236\014\375
\047\254\314\355
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\244\353\271\141\050\056\267\057\230\260\065\046\220\231\121\035
END
CKA_ISSUER MULTILINE_OCTAL
\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\102\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\261\040\122\164\360\205\207\106\263\370\043\032\366
\302\300
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "SZAFIR ROOT CA2"
#
Issuer: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL
Serial Number:3e:8a:5d:07:ec:55:d2:32:d5:b7:e3:b6:5f:01:eb:2d:dc:e4:d6:e4
Subject: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL
Not Valid Before: Mon Oct 19 07:43:30 2015
Not Valid After : Fri Oct 19 07:43:30 2035
Fingerprint (SHA-256):
A1:33:9D:33:28:1A:0B:56:E5:57:D3:D3:2B:1C:E7:F9:36:7E:B0:94:BD:5F:A7:2A:7E:50:04:C8:DE:D7:CA:FE
Fingerprint (SHA1): E2:52:FA:95:3F:ED:DB:24:60:BD:6E:28:F3:9C:CC:CF:5E:B3:3F:DE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SZAFIR ROOT CA2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\050\060\046\006\003\125\004\012\014\037\113\162\141\152\157\167
\141\040\111\172\142\141\040\122\157\172\154\151\143\172\145\156

```

\151\157\167\141\040\123\056\101\056\061\030\060\026\006\003\125  
\004\003\014\017\123\132\101\106\111\122\040\122\117\117\124\040  
\103\101\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\120\114\061  
\050\060\046\006\003\125\004\012\014\037\113\162\141\152\157\167  
\141\040\111\172\142\141\040\122\157\172\154\151\143\172\145\156  
\151\157\167\141\040\123\056\101\056\061\030\060\026\006\003\125  
\004\003\014\017\123\132\101\106\111\122\040\122\117\117\124\040  
\103\101\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\024\076\212\135\007\354\125\322\062\325\267\343\266\137\001  
\353\055\334\344\326\344

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\162\060\202\002\132\240\003\002\001\002\002\024\076  
\212\135\007\354\125\322\062\325\267\343\266\137\001\353\055\334  
\344\326\344\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\121\061\013\060\011\006\003\125\004\006\023\002\120  
\114\061\050\060\046\006\003\125\004\012\014\037\113\162\141\152  
\157\167\141\040\111\172\142\141\040\122\157\172\154\151\143\172  
\145\156\151\157\167\141\040\123\056\101\056\061\030\060\026\006  
\003\125\004\003\014\017\123\132\101\106\111\122\040\122\117\117  
\124\040\103\101\062\060\036\027\015\061\065\061\060\061\071\060  
\067\064\063\063\060\132\027\015\063\065\061\060\061\071\060\067  
\064\063\063\060\132\060\121\061\013\060\011\006\003\125\004\006  
\023\002\120\114\061\050\060\046\006\003\125\004\012\014\037\113  
\162\141\152\157\167\141\040\111\172\142\141\040\122\157\172\154  
\151\143\172\145\156\151\157\167\141\040\123\056\101\056\061\030  
\060\026\006\003\125\004\003\014\017\123\132\101\106\111\122\040  
\122\117\117\124\040\103\101\062\060\202\001\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000  
\060\202\001\012\002\202\001\001\000\267\274\076\120\250\113\315  
\100\265\316\141\347\226\312\264\241\332\014\042\260\372\265\173  
\166\000\167\214\013\317\175\250\206\314\046\121\344\040\075\205  
\014\326\130\343\347\364\052\030\235\332\321\256\046\356\353\123  
\334\364\220\326\023\112\014\220\074\303\364\332\322\216\015\222  
\072\334\261\261\377\070\336\303\272\055\137\200\271\002\275\112  
\235\033\017\264\303\302\301\147\003\335\334\033\234\075\263\260  
\336\000\036\250\064\107\273\232\353\376\013\024\275\066\204\332  
\015\040\277\372\133\313\251\026\040\255\071\140\356\057\165\266  
\347\227\234\371\076\375\176\115\157\115\057\357\210\015\152\372  
\335\361\075\156\040\245\240\022\264\115\160\271\316\327\162\073  
\211\223\247\200\204\034\047\111\162\111\265\377\073\225\236\301  
\314\310\001\354\350\016\212\012\226\347\263\246\207\345\326\371

\005\053\015\227\100\160\074\272\254\165\132\234\325\115\235\002  
\012\322\113\233\146\113\106\007\027\145\255\237\154\210\000\334  
\042\211\340\341\144\324\147\274\061\171\141\074\273\312\101\315  
\134\152\000\310\074\070\216\130\257\002\003\001\000\001\243\102  
\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003  
\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\035\006\003\125\035\016\004\026\004\024\056\026  
\251\112\030\265\313\314\365\157\120\363\043\137\370\135\347\254  
\360\310\060\015\006\011\052\206\110\206\367\015\001\001\013\005  
\000\003\202\001\001\000\265\163\370\003\334\131\133\035\166\351  
\243\052\173\220\050\262\115\300\063\117\252\232\261\324\270\344  
\047\377\251\226\231\316\106\340\155\174\114\242\070\244\006\160  
\360\364\101\021\354\077\107\215\077\162\207\371\073\375\244\157  
\053\123\000\340\377\071\271\152\007\016\353\035\034\366\242\162  
\220\313\202\075\021\202\213\322\273\237\052\257\041\346\143\206  
\235\171\031\357\367\273\014\065\220\303\212\355\117\017\365\314  
\022\331\244\076\273\240\374\040\225\137\117\046\057\021\043\203  
\116\165\007\017\277\233\321\264\035\351\020\004\376\312\140\217  
\242\114\270\255\317\341\220\017\315\256\012\307\135\173\267\120  
\322\324\141\372\325\025\333\327\237\207\121\124\353\245\343\353  
\311\205\240\045\040\067\373\216\316\014\064\204\341\074\201\262  
\167\116\103\245\210\137\206\147\241\075\346\264\134\141\266\076  
\333\376\267\050\305\242\007\256\265\312\312\215\052\022\357\227  
\355\302\060\244\311\052\172\373\363\115\043\033\231\063\064\240  
\056\365\251\013\077\324\135\341\317\204\237\342\031\302\137\212  
\326\040\036\343\163\267

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "SZAFIR ROOT CA2"

# Issuer: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL

# Serial Number:3e:8a:5d:07:ec:55:d2:32:d5:b7:e3:b6:5f:01:eb:2d:dc:e4:d6:e4

# Subject: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL

# Not Valid Before: Mon Oct 19 07:43:30 2015

# Not Valid After : Fri Oct 19 07:43:30 2035

# Fingerprint (SHA-256):

A1:33:9D:33:28:1A:0B:56:E5:57:D3:D3:2B:1C:E7:F9:36:7E:B0:94:BD:5F:A7:2A:7E:50:04:C8:DE:D7:CA:FE

# Fingerprint (SHA1): E2:52:FA:95:3F:ED:DB:24:60:BD:6E:28:F3:9C:CC:CF:5E:B3:3F:DE

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "SZAFIR ROOT CA2"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\342\122\372\225\077\355\333\044\140\275\156\050\363\234\314\317

\136\263\077\336

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\021\144\301\211\260\044\261\214\261\007\176\211\236\121\236\231
END
CKA_ISSUER MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\050\060\046\006\003\125\004\012\014\037\113\162\141\152\157\167
\141\040\111\172\142\141\040\122\157\172\154\151\143\172\145\156
\151\157\167\141\040\123\056\101\056\061\030\060\026\006\003\125
\004\003\014\017\123\132\101\106\111\122\040\122\117\117\124\040
\103\101\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\076\212\135\007\354\125\322\062\325\267\343\266\137\001
\353\055\334\344\326\344
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Certum Trusted Network CA 2"
#
Issuer: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
Serial Number:21:d6:d0:4a:4f:25:0f:c9:32:37:fc:aa:5e:12:8d:e9
Subject: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
Not Valid Before: Thu Oct 06 08:39:56 2011
Not Valid After : Sat Oct 06 08:39:56 2046
Fingerprint (SHA-256):
B6:76:F2:ED:DA:E8:77:5C:D3:6C:B0:F6:3C:D1:D4:60:39:61:F4:9E:62:65:BA:01:3A:2F:03:07:B6:D0:B8:04
Fingerprint (SHA1): D3:DD:48:3E:2B:BF:4C:05:E8:AF:10:F5:FA:76:26:CF:D3:DC:30:92
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Network CA 2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\044\060
\042\006\003\125\004\003\023\033\103\145\162\164\165\155\040\124

```

```
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\040\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\044\060
\042\006\003\125\004\003\023\033\103\145\162\164\165\155\040\124
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\041\326\320\112\117\045\017\311\062\067\374\252\136\022
\215\351
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\322\060\202\003\272\240\003\002\001\002\002\020\041
\326\320\112\117\045\017\311\062\067\374\252\136\022\215\351\060
\015\006\011\052\206\110\206\367\015\001\001\015\005\000\060\201
\200\061\013\060\011\006\003\125\004\006\023\002\120\114\061\042
\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164\157
\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\044\060\042\006
\003\125\004\003\023\033\103\145\162\164\165\155\040\124\162\165
\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101\040
\062\060\042\030\017\062\060\061\061\061\060\060\066\060\070\063
\071\065\066\132\030\017\062\060\064\066\061\060\060\066\060\070
\063\071\065\066\132\060\201\200\061\013\060\011\006\003\125\004
\006\023\002\120\114\061\042\060\040\006\003\125\004\012\023\031
\125\156\151\172\145\164\157\040\124\145\143\150\156\157\154\157
\147\151\145\163\040\123\056\101\056\061\047\060\045\006\003\125
\004\013\023\036\103\145\162\164\165\155\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\061\044\060\042\006\003\125\004\003\023\033\103\145\162
\164\165\155\040\124\162\165\163\164\145\144\040\116\145\164\167
\157\162\153\040\103\101\040\062\060\202\002\042\060\015\006\011
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000
\060\202\002\012\002\202\002\001\000\275\371\170\370\346\325\200
\014\144\235\206\033\226\144\147\077\042\072\036\165\001\175\357
\373\134\147\214\311\314\134\153\251\221\346\271\102\345\040\113
\233\332\233\173\271\231\135\331\233\200\113\327\204\100\053\047
\323\350\272\060\273\076\011\032\247\111\225\357\053\100\044\302
```

\227\307\247\356\233\045\357\250\012\000\227\205\132\252\235\334  
\051\311\342\065\007\353\160\115\112\326\301\263\126\270\241\101  
\070\233\321\373\061\177\217\340\137\341\261\077\017\216\026\111  
\140\327\006\215\030\371\252\046\020\253\052\323\320\321\147\215  
\033\106\276\107\060\325\056\162\321\305\143\332\347\143\171\104  
\176\113\143\044\211\206\056\064\077\051\114\122\213\052\247\300  
\342\221\050\211\271\300\133\371\035\331\347\047\255\377\232\002  
\227\301\306\120\222\233\002\054\275\251\271\064\131\012\277\204  
\112\377\337\376\263\237\353\331\236\340\230\043\354\246\153\167  
\026\052\333\314\255\073\034\244\207\334\106\163\136\031\142\150  
\105\127\344\220\202\102\273\102\326\360\141\340\301\243\075\146  
\243\135\364\030\356\210\311\215\027\105\051\231\062\165\002\061  
\356\051\046\310\153\002\346\265\142\105\177\067\025\132\043\150  
\211\324\076\336\116\047\260\360\100\014\274\115\027\313\115\242  
\263\036\320\006\132\335\366\223\317\127\165\231\365\372\206\032  
\147\170\263\277\226\376\064\334\275\347\122\126\345\263\345\165  
\173\327\101\221\005\334\135\151\343\225\015\103\271\374\203\226  
\071\225\173\154\200\132\117\023\162\306\327\175\051\172\104\272  
\122\244\052\325\101\106\011\040\376\042\240\266\133\060\215\274  
\211\014\325\327\160\370\207\122\375\332\357\254\121\056\007\263  
\116\376\320\011\332\160\357\230\372\126\346\155\333\265\127\113  
\334\345\054\045\025\310\236\056\170\116\370\332\234\236\206\054  
\312\127\363\032\345\310\222\213\032\202\226\172\303\274\120\022  
\151\330\016\132\106\213\072\353\046\372\043\311\266\260\201\276  
\102\000\244\370\326\376\060\056\307\322\106\366\345\216\165\375  
\362\314\271\320\207\133\314\006\020\140\273\203\065\267\136\147  
\336\107\354\231\110\361\244\241\025\376\255\214\142\216\071\125  
\117\071\026\271\261\143\235\377\267\002\003\001\000\001\243\102  
\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003  
\001\001\377\060\035\006\003\125\035\016\004\026\004\024\266\241  
\124\071\002\303\240\077\216\212\274\372\324\370\034\246\321\072  
\016\375\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\015\006\011\052\206\110\206\367\015\001\001\015\005  
\000\003\202\002\001\000\161\245\016\316\344\351\277\077\070\325  
\211\132\304\002\141\373\114\305\024\027\055\213\117\123\153\020  
\027\374\145\204\307\020\111\220\336\333\307\046\223\210\046\157  
\160\326\002\136\071\240\367\217\253\226\265\245\023\134\201\024  
\155\016\201\202\021\033\212\116\306\117\245\335\142\036\104\337  
\011\131\364\133\167\013\067\351\213\040\306\370\012\116\056\130  
\034\353\063\320\317\206\140\311\332\373\200\057\236\114\140\204  
\170\075\041\144\326\373\101\037\030\017\347\311\165\161\275\275  
\134\336\064\207\076\101\260\016\366\271\326\077\011\023\226\024  
\057\336\232\035\132\271\126\316\065\072\260\137\160\115\136\343  
\051\361\043\050\162\131\266\253\302\214\146\046\034\167\054\046  
\166\065\213\050\247\151\240\371\073\365\043\335\205\020\164\311  
\220\003\126\221\347\257\272\107\324\022\227\021\042\343\242\111  
\224\154\347\267\224\113\272\055\244\332\063\213\114\246\104\377  
\132\074\306\035\144\330\265\061\344\246\074\172\250\127\013\333

\355\141\032\313\361\316\163\167\143\244\207\157\114\121\070\326  
\344\137\307\237\266\201\052\344\205\110\171\130\136\073\370\333  
\002\202\147\301\071\333\303\164\113\075\066\036\371\051\223\210  
\150\133\250\104\031\041\360\247\350\201\015\054\350\223\066\264  
\067\262\312\260\033\046\172\232\045\037\232\232\200\236\113\052  
\077\373\243\232\376\163\062\161\302\236\306\162\341\212\150\047  
\361\344\017\264\304\114\245\141\223\370\227\020\007\052\060\045  
\251\271\310\161\270\357\150\314\055\176\365\340\176\017\202\250  
\157\266\272\154\203\103\167\315\212\222\027\241\236\133\170\026  
\075\105\342\063\162\335\341\146\312\231\323\311\305\046\375\015  
\150\004\106\256\266\331\233\214\276\031\276\261\306\362\031\343  
\134\002\312\054\330\157\112\007\331\311\065\332\100\165\362\304  
\247\031\157\236\102\020\230\165\346\225\213\140\274\355\305\022  
\327\212\316\325\230\134\126\226\003\305\356\167\006\065\377\317  
\344\356\077\023\141\356\333\332\055\205\360\315\256\235\262\030  
\011\105\303\222\241\162\027\374\107\266\240\013\054\361\304\336  
\103\150\010\152\137\073\360\166\143\373\314\006\054\246\306\342  
\016\265\271\276\044\217

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Certum Trusted Network CA 2"

# Issuer: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies  
S.A.,C=PL

# Serial Number:21:d6:d0:4a:4f:25:0f:c9:32:37:fc:aa:5e:12:8d:e9

# Subject: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies  
S.A.,C=PL

# Not Valid Before: Thu Oct 06 08:39:56 2011

# Not Valid After : Sat Oct 06 08:39:56 2046

# Fingerprint (SHA-256):

B6:76:F2:ED:DA:E8:77:5C:D3:6C:B0:F6:3C:D1:D4:60:39:61:F4:9E:62:65:BA:01:3A:2F:03:07:B6:D0:B8:04

# Fingerprint (SHA1): D3:DD:48:3E:2B:BF:4C:05:E8:AF:10:F5:FA:76:26:CF:D3:DC:30:92

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Certum Trusted Network CA 2"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\323\335\110\076\053\277\114\005\350\257\020\365\372\166\046\317  
\323\334\060\222

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\155\106\236\331\045\155\010\043\133\136\164\175\036\047\333\362

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\200\061\013\060\011\006\003\125\004\006\023\002\120\114

```
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\044\060
\042\006\003\125\004\003\023\033\103\145\162\164\165\155\040\124
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\040\062
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\041\326\320\112\117\045\017\311\062\067\374\252\136\022
\215\351
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Hellenic Academic and Research Institutions RootCA 2015"

#

# Issuer: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research  
Institutions Cert. Authority,L=Athens,C=GR

# Serial Number: 0 (0x0)

# Subject: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research  
Institutions Cert. Authority,L=Athens,C=GR

# Not Valid Before: Tue Jul 07 10:11:21 2015

# Not Valid After : Sat Jun 30 10:11:21 2040

# Fingerprint (SHA-256):

A0:40:92:9A:02:CE:53:B4:AC:F4:F2:FF:C6:98:1C:E4:49:6F:75:5E:6D:45:FE:0B:2A:69:2B:CD:52:52:3F:36

# Fingerprint (SHA1): 01:0C:06:95:A6:98:19:14:FF:BF:5F:C6:B0:B6:95:EA:29:E9:12:A6

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Hellenic Academic and Research Institutions RootCA 2015"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165
\164\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003
\023\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157
```



```
\157\164\103\101\040\062\060\061\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165
\164\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003
\023\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157
\157\164\103\101\040\062\060\061\065
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\001\000
```

END

CKA\_VALUE MULTILINE\_OCTAL

```
\060\202\006\013\060\202\003\363\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156\163
\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154\145
\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144
\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164
\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165\164
\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003\023
\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145\155
\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150\040
\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157\157
\164\103\101\040\062\060\061\065\060\036\027\015\061\065\060\067
\060\067\061\060\061\061\062\061\132\027\015\064\060\060\066\063
\060\061\060\061\061\062\061\132\060\201\246\061\013\060\011\006
\003\125\004\006\023\002\107\122\061\017\060\015\006\003\125\004
\007\023\006\101\164\150\145\156\163\061\104\060\102\006\003\125
\004\012\023\073\110\145\154\154\145\156\151\143\040\101\143\141
\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141\162
\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163\040
\103\145\162\164\056\040\101\165\164\150\157\162\151\164\171\061
\100\060\076\006\003\125\004\003\023\067\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\122\157\157\164\103\101\040\062\060\061
\065\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002
\001\000\302\370\251\077\033\211\374\074\074\004\135\075\220\066
```

\260\221\072\171\074\146\132\357\155\071\001\111\032\264\267\317  
\177\115\043\123\267\220\000\343\023\052\050\246\061\361\221\000  
\343\050\354\256\041\101\316\037\332\375\175\022\133\001\203\017  
\271\260\137\231\341\362\022\203\200\115\006\076\337\254\257\347  
\241\210\153\061\257\360\213\320\030\063\270\333\105\152\064\364  
\002\200\044\050\012\002\025\225\136\166\052\015\231\072\024\133  
\366\313\313\123\274\023\115\001\210\067\224\045\033\102\274\042  
\330\216\243\226\136\072\331\062\333\076\350\360\020\145\355\164  
\341\057\247\174\257\047\064\273\051\175\233\266\317\011\310\345  
\323\012\374\210\145\145\164\012\334\163\034\134\315\100\261\034  
\324\266\204\214\114\120\317\150\216\250\131\256\302\047\116\202  
\242\065\335\024\364\037\377\262\167\325\207\057\252\156\175\044  
\047\347\306\313\046\346\345\376\147\007\143\330\105\015\335\072  
\131\145\071\130\172\222\231\162\075\234\204\136\210\041\270\325  
\364\054\374\331\160\122\117\170\270\275\074\053\213\225\230\365  
\263\321\150\317\040\024\176\114\134\137\347\213\345\365\065\201  
\031\067\327\021\010\267\146\276\323\112\316\203\127\000\072\303  
\201\370\027\313\222\066\135\321\243\330\165\033\341\213\047\352  
\172\110\101\375\105\031\006\255\047\231\116\301\160\107\335\265  
\237\201\123\022\345\261\214\110\135\061\103\027\343\214\306\172  
\143\226\113\051\060\116\204\116\142\031\136\074\316\227\220\245  
\177\001\353\235\340\370\213\211\335\045\230\075\222\266\176\357  
\331\361\121\121\175\055\046\310\151\131\141\340\254\152\270\052  
\066\021\004\172\120\275\062\204\276\057\334\162\325\327\035\026  
\107\344\107\146\040\077\364\226\305\257\216\001\172\245\017\172  
\144\365\015\030\207\331\256\210\325\372\204\301\072\300\151\050  
\055\362\015\150\121\252\343\245\167\306\244\220\016\241\067\213  
\061\043\107\301\011\010\353\156\367\170\233\327\202\374\204\040  
\231\111\031\266\022\106\261\373\105\125\026\251\243\145\254\234  
\007\017\352\153\334\037\056\006\162\354\206\210\022\344\055\333  
\137\005\057\344\360\003\323\046\063\347\200\302\315\102\241\027  
\064\013\002\003\001\000\001\243\102\060\100\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003  
\125\035\016\004\026\004\024\161\025\147\310\310\311\275\165\135  
\162\320\070\030\152\235\363\161\044\124\013\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\165  
\273\155\124\113\252\020\130\106\064\362\142\327\026\066\135\010  
\136\325\154\310\207\275\264\056\106\362\061\370\174\352\102\265  
\223\026\125\334\241\014\022\240\332\141\176\017\130\130\163\144  
\162\307\350\105\216\334\251\362\046\077\306\171\214\261\123\010  
\063\201\260\126\023\276\346\121\134\330\233\012\117\113\234\126  
\123\002\351\117\366\015\140\352\115\102\125\350\174\033\041\041  
\323\033\072\314\167\362\270\220\361\150\307\371\132\376\372\055  
\364\277\311\365\105\033\316\070\020\052\067\212\171\243\264\343  
\011\154\205\206\223\377\211\226\047\170\201\217\147\343\106\164  
\124\216\331\015\151\342\112\364\115\164\003\377\262\167\355\225  
\147\227\344\261\305\253\277\152\043\350\324\224\342\104\050\142

```
\304\113\342\360\330\342\051\153\032\160\176\044\141\223\173\117
\003\062\045\015\105\044\053\226\264\106\152\277\112\013\367\232
\217\301\254\032\305\147\363\157\064\322\372\163\143\214\357\026
\260\250\244\106\052\370\353\022\354\162\264\357\370\053\176\214
\122\300\213\204\124\371\057\076\343\125\250\334\146\261\331\341
\137\330\263\214\131\064\131\244\253\117\154\273\037\030\333\165
\253\330\313\222\315\224\070\141\016\007\006\037\113\106\020\361
\025\276\215\205\134\073\112\053\201\171\017\264\151\237\111\120
\227\115\367\016\126\135\300\225\152\302\066\303\033\150\311\365
\052\334\107\232\276\262\316\305\045\350\372\003\271\332\371\026
\156\221\204\365\034\050\310\374\046\314\327\034\220\126\247\137
\157\072\004\274\315\170\211\013\216\017\057\243\252\117\242\033
\022\075\026\010\100\017\361\106\114\327\252\173\010\301\012\365
\155\047\336\002\217\312\303\265\053\312\351\353\310\041\123\070
\245\314\073\330\167\067\060\242\117\331\157\321\362\100\255\101
\172\027\305\326\112\065\211\267\101\325\174\206\177\125\115\203
\112\245\163\040\300\072\257\220\361\232\044\216\331\216\161\312
\173\270\206\332\262\217\231\076\035\023\015\022\021\356\324\253
\360\351\025\166\002\344\340\337\252\040\036\133\141\205\144\100
\251\220\227\015\255\123\322\132\035\207\152\000\227\145\142\264
\276\157\152\247\365\054\102\355\062\255\266\041\236\276\274
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Hellenic Academic and Research Institutions RootCA 2015"

# Issuer: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research  
Institutions Cert. Authority,L=Athens,C=GR

# Serial Number: 0 (0x0)

# Subject: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research  
Institutions Cert. Authority,L=Athens,C=GR

# Not Valid Before: Tue Jul 07 10:11:21 2015

# Not Valid After : Sat Jun 30 10:11:21 2040

# Fingerprint (SHA-256):

A0:40:92:9A:02:CE:53:B4:AC:F4:F2:FF:C6:98:1C:E4:49:6F:75:5E:6D:45:FE:0B:2A:69:2B:CD:52:52:3F:36

# Fingerprint (SHA1): 01:0C:06:95:A6:98:19:14:FF:BF:5F:C6:B0:B6:95:EA:29:E9:12:A6

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Hellenic Academic and Research Institutions RootCA 2015"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

```
\001\014\006\225\246\230\031\024\377\277\137\306\260\266\225\352
\051\351\022\246
```

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

```
\312\377\342\333\003\331\313\113\351\017\255\204\375\173\030\316
```

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122  
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156  
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154  
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156  
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151  
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165  
\164\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003  
\023\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145  
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150  
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157  
\157\164\103\101\040\062\060\061\065

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Hellenic Academic and Research Institutions ECC RootCA 2015"

#

# Issuer: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and Research  
Institutions Cert. Authority,L=Athens,C=GR

# Serial Number: 0 (0x0)

# Subject: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and  
Research Institutions Cert. Authority,L=Athens,C=GR

# Not Valid Before: Tue Jul 07 10:37:12 2015

# Not Valid After : Sat Jun 30 10:37:12 2040

# Fingerprint (SHA-256):

44:B5:45:AA:8A:25:E6:5A:73:CA:15:DC:27:FC:36:D2:4C:1C:B9:95:3A:06:65:39:B1:15:82:DC:48:7B:48:33

# Fingerprint (SHA1): 9F:F1:71:8D:92:D5:9A:F3:7D:74:97:B4:BC:6F:84:68:0B:BA:B6:66

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Hellenic Academic and Research Institutions ECC RootCA 2015"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\252\061\013\060\011\006\003\125\004\006\023\002\107\122  
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156  
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154  
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156  
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151  
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165

\164\150\157\162\151\164\171\061\104\060\102\006\003\125\004\003  
\023\073\110\145\154\154\145\156\151\143\040\101\143\141\144\145  
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150  
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\105\103  
\103\040\122\157\157\164\103\101\040\062\060\061\065

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\252\061\013\060\011\006\003\125\004\006\023\002\107\122  
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156  
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154  
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156  
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151  
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165  
\164\150\157\162\151\164\171\061\104\060\102\006\003\125\004\003  
\023\073\110\145\154\154\145\156\151\143\040\101\143\141\144\145  
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150  
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\105\103  
\103\040\122\157\157\164\103\101\040\062\060\061\065

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\303\060\202\002\112\240\003\002\001\002\002\001\000  
\060\012\006\010\052\206\110\316\075\004\003\002\060\201\252\061  
\013\060\011\006\003\125\004\006\023\002\107\122\061\017\060\015  
\006\003\125\004\007\023\006\101\164\150\145\156\163\061\104\060  
\102\006\003\125\004\012\023\073\110\145\154\154\145\156\151\143  
\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122\145  
\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164\151  
\157\156\163\040\103\145\162\164\056\040\101\165\164\150\157\162  
\151\164\171\061\104\060\102\006\003\125\004\003\023\073\110\145  
\154\154\145\156\151\143\040\101\143\141\144\145\155\151\143\040  
\141\156\144\040\122\145\163\145\141\162\143\150\040\111\156\163  
\164\151\164\165\164\151\157\156\163\040\105\103\103\040\122\157  
\157\164\103\101\040\062\060\061\065\060\036\027\015\061\065\060  
\067\060\067\061\060\063\067\061\062\132\027\015\064\060\060\066  
\063\060\061\060\063\067\061\062\132\060\201\252\061\013\060\011  
\006\003\125\004\006\023\002\107\122\061\017\060\015\006\003\125  
\004\007\023\006\101\164\150\145\156\163\061\104\060\102\006\003  
\125\004\012\023\073\110\145\154\154\145\156\151\143\040\101\143  
\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141  
\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163  
\040\103\145\162\164\056\040\101\165\164\150\157\162\151\164\171  
\061\104\060\102\006\003\125\004\003\023\073\110\145\154\154\145  
\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144  
\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164

```
\165\164\151\157\156\163\040\105\103\103\040\122\157\157\164\103
\101\040\062\060\061\065\060\166\060\020\006\007\052\206\110\316
\075\002\001\006\005\053\201\004\000\042\003\142\000\004\222\240
\101\350\113\202\204\134\342\370\061\021\231\206\144\116\011\045
\057\235\101\057\012\256\065\117\164\225\262\121\144\153\215\153
\346\077\160\225\360\005\104\107\246\162\070\120\166\225\002\132
\216\256\050\236\371\055\116\231\357\054\110\157\114\045\051\350
\321\161\133\337\035\301\165\067\264\327\372\173\172\102\234\152
\012\126\132\174\151\013\252\200\011\044\154\176\301\106\243\102
\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003
\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\006\060\035\006\003\125\035\016\004\026\004\024\264\042
\013\202\231\044\001\016\234\273\344\016\375\277\373\227\040\223
\231\052\060\012\006\010\052\206\110\316\075\004\003\002\003\147
\000\060\144\002\060\147\316\026\142\070\242\254\142\105\247\251
\225\044\300\032\047\234\062\073\300\300\325\272\251\347\370\004
\103\123\205\356\122\041\336\235\365\045\203\076\236\130\113\057
\327\147\023\016\041\002\060\005\341\165\001\336\150\355\052\037
\115\114\011\010\015\354\113\255\144\027\050\347\165\316\105\145
\162\041\027\313\042\101\016\214\023\230\070\232\124\155\233\312
\342\174\352\002\130\042\221
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Hellenic Academic and Research Institutions ECC RootCA 2015"

# Issuer: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and Research  
Institutions Cert. Authority,L=Athens,C=GR

# Serial Number: 0 (0x0)

# Subject: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and  
Research Institutions Cert. Authority,L=Athens,C=GR

# Not Valid Before: Tue Jul 07 10:37:12 2015

# Not Valid After : Sat Jun 30 10:37:12 2040

# Fingerprint (SHA-256):

44:B5:45:AA:8A:25:E6:5A:73:CA:15:DC:27:FC:36:D2:4C:1C:B9:95:3A:06:65:39:B1:15:82:DC:48:7B:48:33

# Fingerprint (SHA1): 9F:F1:71:8D:92:D5:9A:F3:7D:74:97:B4:BC:6F:84:68:0B:BA:B6:66

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Hellenic Academic and Research Institutions ECC RootCA 2015"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

```
\237\361\161\215\222\325\232\363\175\164\227\264\274\157\204\150
\013\272\266\146
```

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

```
\201\345\264\027\353\302\365\341\113\015\101\173\111\222\376\357
```

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\252\061\013\060\011\006\003\125\004\006\023\002\107\122  
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156  
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154  
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156  
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151  
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165  
\164\150\157\162\151\164\171\061\104\060\102\006\003\125\004\003  
\023\073\110\145\154\154\145\156\151\143\040\101\143\141\144\145  
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150  
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\105\103  
\103\040\122\157\157\164\103\101\040\062\060\061\065

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "ISRG Root X1"

#

# Issuer: CN=ISRG Root X1,O=Internet Security Research Group,C=US

# Serial Number:00:82:10:cf:b0:d2:40:e3:59:44:63:e0:bb:63:82:8b:00

# Subject: CN=ISRG Root X1,O=Internet Security Research Group,C=US

# Not Valid Before: Thu Jun 04 11:04:38 2015

# Not Valid After : Mon Jun 04 11:04:38 2035

# Fingerprint (SHA-256):

96:BC:EC:06:26:49:76:F3:74:60:77:9A:CF:28:C5:A7:CF:E8:A3:C0:AA:E1:1A:8F:FC:EE:05:C0:BD:DF:08:C6

# Fingerprint (SHA1): CA:BD:2A:79:A1:07:6A:31:F2:1D:25:36:35:CB:03:9D:43:29:A5:E8

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "ISRG Root X1"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156  
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145  
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003  
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130  
\061

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156  
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145  
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003  
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130  
\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\021\000\202\020\317\260\322\100\343\131\104\143\340\273\143  
\202\213\000

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\153\060\202\003\123\240\003\002\001\002\002\021\000  
\202\020\317\260\322\100\343\131\104\143\340\273\143\202\213\000  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061\051  
\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156\145  
\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145\141  
\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003\125  
\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130\061  
\060\036\027\015\061\065\060\066\060\064\061\061\060\064\063\070  
\132\027\015\063\065\060\066\060\064\061\061\060\064\063\070\132  
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156  
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145  
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003  
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130  
\061\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002  
\001\000\255\350\044\163\364\024\067\363\233\236\053\127\050\034  
\207\276\334\267\337\070\220\214\156\074\346\127\240\170\367\165  
\302\242\376\365\152\156\366\000\117\050\333\336\150\206\154\104  
\223\266\261\143\375\024\022\153\277\037\322\352\061\233\041\176  
\321\063\074\272\110\365\335\171\337\263\270\377\022\361\041\232  
\113\301\212\206\161\151\112\146\146\154\217\176\074\160\277\255  
\051\042\006\363\344\300\346\200\256\342\113\217\267\231\176\224  
\003\237\323\107\227\174\231\110\043\123\350\070\256\117\012\157  
\203\056\321\111\127\214\200\164\266\332\057\320\070\215\173\003  
\160\041\033\165\362\060\074\372\217\256\335\332\143\253\353\026  
\117\302\216\021\113\176\317\013\350\377\265\167\056\364\262\173  
\112\340\114\022\045\014\160\215\003\051\240\341\123\044\354\023  
\331\356\031\277\020\263\112\214\077\211\243\141\121\336\254\207  
\007\224\364\143\161\354\056\342\157\133\230\201\341\211\134\064  
\171\154\166\357\073\220\142\171\346\333\244\232\057\046\305\320  
\020\341\016\336\331\020\216\026\373\267\367\250\367\307\345\002  
\007\230\217\066\010\225\347\342\067\226\015\066\165\236\373\016  
\162\261\035\233\274\003\371\111\005\330\201\335\005\264\052\326



\101\351\254\001\166\225\012\017\330\337\325\275\022\037\065\057  
\050\027\154\322\230\301\250\011\144\167\156\107\067\272\316\254  
\131\136\150\235\177\162\326\211\305\006\101\051\076\131\076\335  
\046\365\044\311\021\247\132\243\114\100\037\106\241\231\265\247  
\072\121\156\206\073\236\175\162\247\022\005\170\131\355\076\121  
\170\025\013\003\217\215\320\057\005\262\076\173\112\034\113\163  
\005\022\374\306\352\340\120\023\174\103\223\164\263\312\164\347  
\216\037\001\010\320\060\324\133\161\066\264\007\272\301\060\060  
\134\110\267\202\073\230\246\175\140\212\242\243\051\202\314\272  
\275\203\004\033\242\203\003\101\241\326\005\361\033\302\266\360  
\250\174\206\073\106\250\110\052\210\334\166\232\166\277\037\152  
\245\075\031\217\353\070\363\144\336\310\053\015\012\050\377\367  
\333\342\025\102\324\042\320\047\135\341\171\376\030\347\160\210  
\255\116\346\331\213\072\306\335\047\121\156\377\274\144\365\063  
\103\117\002\003\001\000\001\243\102\060\100\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003  
\125\035\016\004\026\004\024\171\264\131\346\173\266\345\344\001  
\163\200\010\210\310\032\130\366\351\233\156\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\125  
\037\130\251\274\262\250\120\320\014\261\330\032\151\040\047\051  
\010\254\141\165\134\212\156\370\202\345\151\057\325\366\126\113  
\271\270\163\020\131\323\041\227\176\347\114\161\373\262\322\140  
\255\071\250\013\352\027\041\126\205\361\120\016\131\353\316\340  
\131\351\272\311\025\357\206\235\217\204\200\366\344\351\221\220  
\334\027\233\142\033\105\360\146\225\322\174\157\302\352\073\357  
\037\317\313\326\256\047\361\251\260\310\256\375\175\176\232\372  
\042\004\353\377\331\177\352\221\053\042\261\027\016\217\362\212  
\064\133\130\330\374\001\311\124\271\270\046\314\212\210\063\211  
\114\055\204\074\202\337\356\226\127\005\272\054\273\367\304\267  
\307\116\073\202\276\061\310\042\163\163\222\321\302\200\244\071  
\071\020\063\043\202\114\074\237\206\262\125\230\035\276\051\206  
\214\042\233\236\342\153\073\127\072\202\160\115\334\011\307\211  
\313\012\007\115\154\350\135\216\311\357\316\253\307\273\265\053  
\116\105\326\112\320\046\314\345\162\312\010\152\245\225\343\025  
\241\367\244\355\311\054\137\245\373\377\254\050\002\056\276\327  
\173\273\343\161\173\220\026\323\007\136\106\123\174\067\007\102  
\214\323\304\226\234\325\231\265\052\340\225\032\200\110\256\114  
\071\007\316\314\107\244\122\225\053\272\270\373\255\322\063\123  
\175\345\035\115\155\325\241\261\307\102\157\346\100\047\065\134  
\243\050\267\007\215\347\215\063\220\347\043\237\373\120\234\171  
\154\106\325\264\025\263\226\156\176\233\014\226\072\270\122\055  
\077\326\133\341\373\010\302\204\376\044\250\243\211\332\254\152  
\341\030\052\261\250\103\141\133\323\037\334\073\215\166\362\055  
\350\215\165\337\027\063\154\075\123\373\173\313\101\137\377\334  
\242\320\141\070\341\226\270\254\135\213\067\327\165\325\063\300  
\231\021\256\235\101\301\162\165\204\276\002\101\102\137\147\044  
\110\224\321\233\047\276\007\077\271\270\117\201\164\121\341\172

```
\267\355\235\043\342\276\340\325\050\004\023\074\061\003\236\335
\172\154\217\306\007\030\306\177\336\107\216\077\050\236\004\006
\317\245\124\064\167\275\354\211\233\351\027\103\337\133\333\137
\376\216\036\127\242\315\100\235\176\142\042\332\336\030\047
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "ISRG Root X1"

# Issuer: CN=ISRG Root X1,O=Internet Security Research Group,C=US

# Serial Number:00:82:10:cf:b0:d2:40:e3:59:44:63:e0:bb:63:82:8b:00

# Subject: CN=ISRG Root X1,O=Internet Security Research Group,C=US

# Not Valid Before: Thu Jun 04 11:04:38 2015

# Not Valid After : Mon Jun 04 11:04:38 2035

# Fingerprint (SHA-256):

96:BC:EC:06:26:49:76:F3:74:60:77:9A:CF:28:C5:A7:CF:E8:A3:C0:AA:E1:1A:8F:FC:EE:05:C0:BD:DF:08:C6

# Fingerprint (SHA1): CA:BD:2A:79:A1:07:6A:31:F2:1D:25:36:35:CB:03:9D:43:29:A5:E8

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "ISRG Root X1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\312\275\052\171\241\007\152\061\362\035\045\066\065\313\003\235
\103\051\245\350
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\014\322\371\340\332\027\163\351\355\206\115\245\343\160\347\116
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\021\000\202\020\317\260\322\100\343\131\104\143\340\273\143
\202\213\000
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

```

Certificate "AC RAIZ FNMT-RCM"
#
Issuer: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES
Serial Number:5d:93:8d:30:67:36:c8:06:1d:1a:c7:54:84:69:07
Subject: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES
Not Valid Before: Wed Oct 29 15:59:56 2008
Not Valid After : Tue Jan 01 00:00:00 2030
Fingerprint (SHA-256):
EB:C5:57:0C:29:01:8C:4D:67:B1:AA:12:7B:AF:12:F7:03:B4:61:1E:BC:17:B7:DA:B5:57:38:94:17:9B:93:FA
Fingerprint (SHA1): EC:50:35:07:B2:15:C4:95:62:19:E2:A8:9A:5B:42:99:2C:4C:2C:20
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AC RAIZ FNMT-RCM"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\031\060\027\006\003\125\004\013\014\020\101\103\040
\122\101\111\132\040\106\116\115\124\055\122\103\115
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\031\060\027\006\003\125\004\013\014\020\101\103\040
\122\101\111\132\040\106\116\115\124\055\122\103\115
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\017\135\223\215\060\147\066\310\006\035\032\307\124\204\151
\007
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\203\060\202\003\153\240\003\002\001\002\002\017\135
\223\215\060\147\066\310\006\035\032\307\124\204\151\007\060\015
\006\011\052\206\110\206\367\015\001\001\013\005\000\060\073\061
\013\060\011\006\003\125\004\006\023\002\105\123\061\021\060\017
\006\003\125\004\012\014\010\106\116\115\124\055\122\103\115\061
\031\060\027\006\003\125\004\013\014\020\101\103\040\122\101\111
\132\040\106\116\115\124\055\122\103\115\060\036\027\015\060\070
\061\060\062\071\061\065\065\071\065\066\132\027\015\063\060\060
\061\060\061\060\060\060\060\060\132\060\073\061\013\060\011
\006\003\125\004\006\023\002\105\123\061\021\060\017\006\003\125
\004\012\014\010\106\116\115\124\055\122\103\115\061\031\060\027
\006\003\125\004\013\014\020\101\103\040\122\101\111\132\040\106
\116\115\124\055\122\103\115\060\202\002\042\060\015\006\011\052
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060

```

\202\002\012\002\202\002\001\000\272\161\200\172\114\206\156\177  
\310\023\155\300\306\175\034\000\227\217\054\014\043\273\020\232  
\100\251\032\267\207\210\370\233\126\152\373\346\173\216\213\222  
\216\247\045\135\131\021\333\066\056\267\121\027\037\251\010\037  
\004\027\044\130\252\067\112\030\337\345\071\324\127\375\327\301  
\054\221\001\221\342\042\324\003\300\130\374\167\107\354\217\076  
\164\103\272\254\064\215\115\070\166\147\216\260\310\157\060\063  
\130\161\134\264\365\153\156\324\001\120\270\023\176\154\112\243  
\111\321\040\031\356\274\300\051\030\145\247\336\376\357\335\012  
\220\041\347\032\147\222\102\020\230\137\117\060\274\076\034\105  
\264\020\327\150\100\024\300\100\372\347\167\027\172\346\013\217  
\145\133\074\331\232\122\333\265\275\236\106\317\075\353\221\005  
\002\300\226\262\166\114\115\020\226\073\222\372\234\177\017\231  
\337\276\043\065\105\036\002\134\376\265\250\233\231\045\332\136  
\363\042\303\071\365\344\052\056\323\306\037\304\154\252\305\034  
\152\001\005\112\057\322\305\301\250\064\046\135\146\245\322\002  
\041\371\030\267\006\365\116\231\157\250\253\114\121\350\317\120  
\030\305\167\310\071\011\054\111\222\062\231\250\273\027\027\171  
\260\132\305\346\243\304\131\145\107\065\203\136\251\350\065\013  
\231\273\344\315\040\306\233\112\006\071\265\150\374\042\272\356  
\125\214\053\116\352\363\261\343\374\266\231\232\325\102\372\161  
\115\010\317\207\036\152\161\175\371\323\264\351\245\161\201\173  
\302\116\107\226\245\366\166\205\243\050\217\351\200\156\201\123  
\245\155\137\270\110\371\302\371\066\246\056\111\377\270\226\302  
\214\007\263\233\210\130\374\353\033\034\336\055\160\342\227\222  
\060\241\211\343\274\125\250\047\326\113\355\220\255\213\372\143  
\045\131\055\250\065\335\312\227\063\274\345\315\307\235\321\354  
\357\136\016\112\220\006\046\143\255\271\331\065\055\007\272\166  
\145\054\254\127\217\175\364\007\224\327\201\002\226\135\243\007  
\111\325\172\320\127\371\033\347\123\106\165\252\260\171\102\313  
\150\161\010\351\140\275\071\151\316\364\257\303\126\100\307\255  
\122\242\011\344\157\206\107\212\037\353\050\047\135\203\040\257  
\004\311\154\126\232\213\106\365\002\003\001\000\001\243\201\203  
\060\201\200\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\035\006\003\125\035\016\004\026\004\024\367  
\175\305\375\304\350\232\033\167\144\247\365\035\240\314\277\207  
\140\232\155\060\076\006\003\125\035\040\004\067\060\065\060\063  
\006\004\125\035\040\000\060\053\060\051\006\010\053\006\001\005  
\005\007\002\001\026\035\150\164\164\160\072\057\057\167\167\167  
\056\143\145\162\164\056\146\156\155\164\056\145\163\057\144\160  
\143\163\057\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\002\001\000\007\220\112\337\363\043\116\360\303  
\234\121\145\233\234\042\242\212\014\205\363\163\051\153\115\376  
\001\342\251\014\143\001\277\004\147\245\235\230\137\375\001\023  
\372\354\232\142\351\206\376\266\142\322\156\114\224\373\300\165  
\105\174\145\014\370\262\067\317\254\017\317\215\157\371\031\367  
\217\354\036\362\160\236\360\312\270\357\267\377\166\067\166\133

\366\156\210\363\257\142\062\042\223\015\072\152\216\024\146\014  
\055\123\164\127\145\036\325\262\335\043\201\073\245\146\043\047  
\147\011\217\341\167\252\103\315\145\121\010\355\121\130\376\346  
\071\371\313\107\204\244\025\361\166\273\244\356\244\073\304\137  
\357\262\063\226\021\030\267\311\145\276\030\341\243\244\334\372  
\030\371\323\274\023\233\071\172\064\272\323\101\373\372\062\212  
\052\267\053\206\013\151\203\070\276\315\212\056\013\160\255\215  
\046\222\356\036\365\001\053\012\331\326\227\233\156\340\250\031  
\034\072\041\213\014\036\100\255\003\347\335\146\176\365\271\040  
\015\003\350\226\371\202\105\324\071\340\240\000\135\327\230\346  
\175\236\147\163\303\232\052\367\253\213\241\072\024\357\064\274  
\122\016\211\230\232\004\100\204\035\176\105\151\223\127\316\353  
\316\370\120\174\117\034\156\004\103\233\371\326\073\043\030\351  
\352\216\321\115\106\215\361\073\344\152\312\272\373\043\267\233  
\372\231\001\051\132\130\132\055\343\371\324\155\016\046\255\301  
\156\064\274\062\370\014\005\372\145\243\333\073\067\203\042\351  
\326\334\162\063\375\135\362\040\275\166\074\043\332\050\367\371  
\033\353\131\144\325\334\137\162\176\040\374\315\211\265\220\147  
\115\142\172\077\116\255\035\303\071\376\172\364\050\026\337\101  
\366\110\200\005\327\017\121\171\254\020\253\324\354\003\146\346  
\152\260\272\061\222\102\100\152\276\072\323\162\341\152\067\125  
\274\254\035\225\267\151\141\362\103\221\164\346\240\323\012\044  
\106\241\010\257\326\332\105\031\226\324\123\035\133\204\171\360  
\300\367\107\357\213\217\305\006\256\235\114\142\235\377\106\004  
\370\323\311\266\020\045\100\165\376\026\252\311\112\140\206\057  
\272\357\060\167\344\124\342\270\204\231\130\200\252\023\213\121  
\072\117\110\366\213\266\263

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "AC RAIZ FNMT-RCM"

# Issuer: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES

# Serial Number:5d:93:8d:30:67:36:c8:06:1d:1a:c7:54:84:69:07

# Subject: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES

# Not Valid Before: Wed Oct 29 15:59:56 2008

# Not Valid After : Tue Jan 01 00:00:00 2030

# Fingerprint (SHA-256):

EB:C5:57:0C:29:01:8C:4D:67:B1:AA:12:7B:AF:12:F7:03:B4:61:1E:BC:17:B7:DA:B5:57:38:94:17:9B:93:FA

# Fingerprint (SHA1): EC:50:35:07:B2:15:C4:95:62:19:E2:A8:9A:5B:42:99:2C:4C:2C:20

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "AC RAIZ FNMT-RCM"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\354\120\065\007\262\025\304\225\142\031\342\250\232\133\102\231

```

\054\114\054\040
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\342\011\004\264\323\275\321\240\024\375\032\322\107\304\127\035
END
CKA_ISSUER MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\031\060\027\006\003\125\004\013\014\020\101\103\040
\122\101\111\132\040\106\116\115\124\055\122\103\115
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\017\135\223\215\060\147\066\310\006\035\032\307\124\204\151
\007
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Amazon Root CA 1"
#
Issuer: CN=Amazon Root CA 1,O=Amazon,C=US
Serial Number:06:6c:9f:cf:99:bf:8c:0a:39:e2:f0:78:8a:43:e6:96:36:5b:ca
Subject: CN=Amazon Root CA 1,O=Amazon,C=US
Not Valid Before: Tue May 26 00:00:00 2015
Not Valid After : Sun Jan 17 00:00:00 2038
Fingerprint (SHA-256):
8E:CD:E6:88:4F:3D:87:B1:12:5B:A3:1A:C3:FC:B1:3D:70:16:DE:7F:57:CC:90:4F:E1:CB:97:C6:AE:98:19:6E
Fingerprint (SHA1): 8D:A7:F9:65:EC:5E:FC:37:91:0F:1C:6E:59:FD:C1:CC:6A:6E:DE:16
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157

```

```
\156\040\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\317\231\277\214\012\071\342\360\170\212\103
\346\226\066\133\312
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\101\060\202\002\051\240\003\002\001\002\002\023\006
\154\237\317\231\277\214\012\071\342\360\170\212\103\346\226\066
\133\312\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157
\156\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172
\157\156\040\122\157\157\164\040\103\101\040\061\060\036\027\015
\061\065\060\065\062\066\060\060\060\060\060\060\132\027\015\063
\070\060\061\061\067\060\060\060\060\060\060\132\060\071\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\017\060\015\006
\003\125\004\012\023\006\101\155\141\172\157\156\061\031\060\027
\006\003\125\004\003\023\020\101\155\141\172\157\156\040\122\157
\157\164\040\103\101\040\061\060\202\001\042\060\015\006\011\052
\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000\060
\202\001\012\002\202\001\001\000\262\170\200\161\312\170\325\343
\161\257\107\200\120\164\175\156\330\327\210\166\364\231\150\367
\130\041\140\371\164\204\001\057\254\002\055\206\323\240\103\172
\116\262\244\320\066\272\001\276\215\333\110\310\007\027\066\114
\364\356\210\043\307\076\353\067\365\265\031\370\111\150\260\336
\327\271\166\070\035\141\236\244\376\202\066\245\345\112\126\344
\105\341\371\375\264\026\372\164\332\234\233\065\071\057\372\260
\040\120\006\154\172\320\200\262\246\371\257\354\107\031\217\120
\070\007\334\242\207\071\130\370\272\325\251\371\110\147\060\226
\356\224\170\136\157\211\243\121\300\060\206\146\241\105\146\272
\124\353\243\303\221\371\110\334\377\321\350\060\055\175\055\164
\160\065\327\210\044\367\236\304\131\156\273\163\207\027\362\062
\106\050\270\103\372\267\035\252\312\264\362\237\044\016\055\113
\367\161\134\136\151\377\352\225\002\313\070\212\256\120\070\157
\333\373\055\142\033\305\307\036\124\341\167\340\147\310\017\234
\207\043\326\077\100\040\177\040\200\304\200\114\076\073\044\046
\216\004\256\154\232\310\252\015\002\003\001\000\001\243\102\060
\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002
\001\206\060\035\006\003\125\035\016\004\026\004\024\204\030\314
\205\064\354\274\014\224\224\056\010\131\234\307\262\020\116\012
\010\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000
\003\202\001\001\000\230\362\067\132\101\220\241\032\305\166\121
\050\040\066\043\016\256\346\050\273\252\370\224\256\110\244\060
\177\033\374\044\215\113\264\310\241\227\366\266\361\172\160\310
\123\223\314\010\050\343\230\045\317\043\244\371\336\041\323\174
\205\011\255\116\232\165\072\302\013\152\211\170\166\104\107\030
```

```
\145\154\215\101\216\073\177\232\313\364\265\247\120\327\005\054
\067\350\003\113\255\351\141\240\002\156\365\362\360\305\262\355
\133\267\334\372\224\134\167\236\023\245\177\122\255\225\362\370
\223\073\336\213\134\133\312\132\122\133\140\257\024\367\113\357
\243\373\237\100\225\155\061\124\374\102\323\307\106\037\043\255
\331\017\110\160\232\331\165\170\161\321\162\103\064\165\156\127
\131\302\002\134\046\140\051\317\043\031\026\216\210\103\245\324
\344\313\010\373\043\021\103\350\103\051\162\142\241\251\135\136
\010\324\220\256\270\330\316\024\302\320\125\362\206\366\304\223
\103\167\146\141\300\271\350\101\327\227\170\140\003\156\112\162
\256\245\321\175\272\020\236\206\154\033\212\271\131\063\370\353
\304\220\276\361\271
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "Amazon Root CA 1"
```

```
Issuer: CN=Amazon Root CA 1,O=Amazon,C=US
```

```
Serial Number:06:6c:9f:cf:99:bf:8c:0a:39:e2:f0:78:8a:43:e6:96:36:5b:ca
```

```
Subject: CN=Amazon Root CA 1,O=Amazon,C=US
```

```
Not Valid Before: Tue May 26 00:00:00 2015
```

```
Not Valid After : Sun Jan 17 00:00:00 2038
```

```
Fingerprint (SHA-256):
```

```
8E:CD:E6:88:4F:3D:87:B1:12:5B:A3:1A:C3:FC:B1:3D:70:16:DE:7F:57:CC:90:4F:E1:CB:97:C6:AE:98:19:6E
```

```
Fingerprint (SHA1): 8D:A7:F9:65:EC:5E:FC:37:91:0F:1C:6E:59:FD:C1:CC:6A:6E:DE:16
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Amazon Root CA 1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\215\247\371\145\354\136\374\067\221\017\034\156\131\375\301\314
\152\156\336\026
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\103\306\277\256\354\376\255\057\030\306\210\150\060\374\310\346
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\023\006\154\237\317\231\277\214\012\071\342\360\170\212\103
\346\226\066\133\312
```

END



CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Amazon Root CA 2"

#

# Issuer: CN=Amazon Root CA 2,O=Amazon,C=US

# Serial Number:06:6c:9f:d2:96:35:86:9f:0a:0f:e5:86:78:f8:5b:26:bb:8a:37

# Subject: CN=Amazon Root CA 2,O=Amazon,C=US

# Not Valid Before: Tue May 26 00:00:00 2015

# Not Valid After : Sat May 26 00:00:00 2040

# Fingerprint (SHA-256):

1B:A5:B2:AA:8C:65:40:1A:82:96:01:18:F8:0B:EC:4F:62:30:4D:83:CE:C4:71:3A:19:C3:9C:01:1E:A4:6D:B4

# Fingerprint (SHA1): 5A:8C:EF:45:D7:A6:98:59:76:7A:8C:8B:44:96:B5:78:CF:47:4B:1A

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Amazon Root CA 2"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061

\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156

\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157

\156\040\122\157\157\164\040\103\101\040\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061

\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156

\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157

\156\040\122\157\157\164\040\103\101\040\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\023\006\154\237\322\226\065\206\237\012\017\345\206\170\370

\133\046\273\212\067

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\101\060\202\003\051\240\003\002\001\002\002\023\006

\154\237\322\226\065\206\237\012\017\345\206\170\370\133\046\273

\212\067\060\015\006\011\052\206\110\206\367\015\001\001\014\005

\000\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123

\061\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157

\156\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172

\157\156\040\122\157\157\164\040\103\101\040\062\060\036\027\015

\061\065\060\065\062\066\060\060\060\060\060\060\132\027\015\064

\060\060\065\062\066\060\060\060\060\060\060\132\060\071\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\017\060\015\006  
\003\125\004\012\023\006\101\155\141\172\157\156\061\031\060\027  
\006\003\125\004\003\023\020\101\155\141\172\157\156\040\122\157  
\157\164\040\103\101\040\062\060\202\002\042\060\015\006\011\052  
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060  
\202\002\012\002\202\002\001\000\255\226\237\055\234\112\114\112  
\201\171\121\231\354\212\313\153\140\121\023\274\115\155\006\374  
\260\010\215\335\031\020\152\307\046\014\065\330\300\157\040\204  
\351\224\261\233\205\003\303\133\333\112\350\310\370\220\166\331  
\133\117\343\114\350\006\066\115\314\232\254\075\014\220\053\222  
\324\006\031\140\254\067\104\171\205\201\202\255\132\067\340\015  
\314\235\246\114\122\166\352\103\235\267\004\321\120\366\125\340  
\325\322\246\111\205\351\067\351\312\176\256\134\225\115\110\232  
\077\256\040\132\155\210\225\331\064\270\122\032\103\220\260\277  
\154\005\271\266\170\267\352\320\344\072\074\022\123\142\377\112  
\362\173\276\065\005\251\022\064\343\363\144\164\142\054\075\000  
\111\132\050\376\062\104\273\207\335\145\047\002\161\073\332\112  
\367\037\332\315\367\041\125\220\117\017\354\256\202\341\237\153  
\331\105\323\273\360\137\207\355\074\054\071\206\332\077\336\354  
\162\125\353\171\243\255\333\335\174\260\272\034\316\374\336\117  
\065\166\317\017\370\170\037\152\066\121\106\047\141\133\351\236  
\317\360\242\125\175\174\045\212\157\057\264\305\317\204\056\053  
\375\015\121\020\154\373\137\033\274\033\176\305\256\073\230\001  
\061\222\377\013\127\364\232\262\271\127\351\253\357\015\166\321  
\360\356\364\316\206\247\340\156\351\264\151\241\337\151\366\063  
\306\151\056\227\023\236\245\207\260\127\020\201\067\311\123\263  
\273\177\366\222\321\234\320\030\364\222\156\332\203\117\246\143  
\231\114\245\373\136\357\041\144\172\040\137\154\144\205\025\313  
\067\351\142\014\013\052\026\334\001\056\062\332\076\113\365\236  
\072\366\027\100\224\357\236\221\010\206\372\276\143\250\132\063  
\354\313\164\103\225\371\154\151\122\066\307\051\157\374\125\003  
\134\037\373\237\275\107\353\347\111\107\225\013\116\211\042\011  
\111\340\365\141\036\361\277\056\212\162\156\200\131\377\127\072  
\371\165\062\243\116\137\354\355\050\142\331\115\163\362\314\201  
\027\140\355\315\353\334\333\247\312\305\176\002\275\362\124\010  
\124\375\264\055\011\054\027\124\112\230\321\124\341\121\147\010  
\322\355\156\176\157\077\322\055\201\131\051\146\313\220\071\225  
\021\036\164\047\376\335\353\257\002\003\001\000\001\243\102\060  
\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\206\060\035\006\003\125\035\016\004\026\004\024\260\014\360  
\114\060\364\005\130\002\110\375\063\345\122\257\113\204\343\146  
\122\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000  
\003\202\002\001\000\252\250\200\217\016\170\243\340\242\324\315  
\346\365\230\172\073\352\000\003\260\227\016\223\274\132\250\366  
\054\214\162\207\251\261\374\177\163\375\143\161\170\245\207\131  
\317\060\341\015\020\262\023\132\155\202\365\152\346\200\237\240

\005\013\150\344\107\153\307\152\337\266\375\167\062\162\345\030  
\372\011\364\240\223\054\135\322\214\165\205\166\145\220\014\003  
\171\267\061\043\143\255\170\203\011\206\150\204\312\377\371\317  
\046\232\222\171\347\315\113\305\347\141\247\027\313\363\251\022  
\223\223\153\247\350\057\123\222\304\140\130\260\314\002\121\030  
\133\205\215\142\131\143\266\255\264\336\232\373\046\367\000\047  
\300\135\125\067\164\231\311\120\177\343\131\056\104\343\054\045  
\356\354\114\062\167\264\237\032\351\113\135\040\305\332\375\034  
\207\026\306\103\350\324\273\046\232\105\160\136\251\013\067\123  
\342\106\173\047\375\340\106\362\211\267\314\102\266\313\050\046  
\156\331\245\311\072\310\101\023\140\367\120\214\025\256\262\155  
\032\025\032\127\170\346\222\052\331\145\220\202\077\154\002\257  
\256\022\072\047\226\066\004\327\035\242\200\143\251\233\361\345  
\272\264\174\024\260\116\311\261\037\164\137\070\366\121\352\233  
\372\054\242\021\324\251\055\047\032\105\261\257\262\116\161\015  
\300\130\106\326\151\006\313\123\313\263\376\153\101\315\101\176  
\175\114\017\174\162\171\172\131\315\136\112\016\254\233\251\230  
\163\171\174\264\364\314\271\270\007\014\262\164\134\270\307\157  
\210\241\220\247\364\252\371\277\147\072\364\032\025\142\036\267  
\237\276\075\261\051\257\147\241\022\362\130\020\031\123\003\060  
\033\270\032\211\366\234\275\227\003\216\243\011\363\035\213\041  
\361\264\337\344\034\321\237\145\002\006\352\134\326\023\263\204  
\357\242\245\134\214\167\051\247\150\300\153\256\100\322\250\264  
\352\315\360\215\113\070\234\031\232\033\050\124\270\211\220\357  
\312\165\201\076\036\362\144\044\307\030\257\116\377\107\236\007  
\366\065\145\244\323\012\126\377\365\027\144\154\357\250\042\045  
\111\223\266\337\000\027\332\130\176\135\356\305\033\260\321\321  
\137\041\020\307\371\363\272\002\012\047\007\305\361\326\307\323  
\340\373\011\140\154

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Amazon Root CA 2"

# Issuer: CN=Amazon Root CA 2,O=Amazon,C=US

# Serial Number:06:6c:9f:d2:96:35:86:9f:0a:0f:e5:86:78:f8:5b:26:bb:8a:37

# Subject: CN=Amazon Root CA 2,O=Amazon,C=US

# Not Valid Before: Tue May 26 00:00:00 2015

# Not Valid After : Sat May 26 00:00:00 2040

# Fingerprint (SHA-256):

1B:A5:B2:AA:8C:65:40:1A:82:96:01:18:F8:0B:EC:4F:62:30:4D:83:CE:C4:71:3A:19:C3:9C:01:1E:A4:6D:B4

# Fingerprint (SHA1): 5A:8C:EF:45:D7:A6:98:59:76:7A:8C:8B:44:96:B5:78:CF:47:4B:1A

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Amazon Root CA 2"

```

CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\132\214\357\105\327\246\230\131\166\172\214\213\104\226\265\170
\317\107\113\032
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\310\345\215\316\250\102\342\172\300\052\134\174\236\046\277\146
END
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\322\226\065\206\237\012\017\345\206\170\370
\133\046\273\212\067
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Amazon Root CA 3"
#
Issuer: CN=Amazon Root CA 3,O=Amazon,C=US
Serial Number:06:6c:9f:d5:74:97:36:66:3f:3b:0b:9a:d9:e8:9e:76:03:f2:4a
Subject: CN=Amazon Root CA 3,O=Amazon,C=US
Not Valid Before: Tue May 26 00:00:00 2015
Not Valid After : Sat May 26 00:00:00 2040
Fingerprint (SHA-256):
18:CE:6C:FE:7B:F1:4E:60:B2:E3:47:B8:DF:E8:68:CB:31:D0:2E:BB:3A:DA:27:15:69:F5:03:43:B4:6D:B3:A4
Fingerprint (SHA1): 0D:44:DD:8C:3C:8C:1A:1A:58:75:64:81:E9:0F:2E:2A:FF:B3:D2:6E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061

```

\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156  
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157  
\156\040\122\157\157\164\040\103\101\040\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\023\006\154\237\325\164\227\066\146\077\073\013\232\331\350  
\236\166\003\362\112

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\001\266\060\202\001\133\240\003\002\001\002\002\023\006  
\154\237\325\164\227\066\146\077\073\013\232\331\350\236\166\003  
\362\112\060\012\006\010\052\206\110\316\075\004\003\002\060\071  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\017\060  
\015\006\003\125\004\012\023\006\101\155\141\172\157\156\061\031  
\060\027\006\003\125\004\003\023\020\101\155\141\172\157\156\040  
\122\157\157\164\040\103\101\040\063\060\036\027\015\061\065\060  
\065\062\066\060\060\060\060\060\132\027\015\064\060\060\065  
\062\066\060\060\060\060\060\132\060\071\061\013\060\011\006  
\003\125\004\006\023\002\125\123\061\017\060\015\006\003\125\004  
\012\023\006\101\155\141\172\157\156\061\031\060\027\006\003\125  
\004\003\023\020\101\155\141\172\157\156\040\122\157\157\164\040  
\103\101\040\063\060\131\060\023\006\007\052\206\110\316\075\002  
\001\006\010\052\206\110\316\075\003\001\007\003\102\000\004\051  
\227\247\306\101\177\300\015\233\350\001\033\126\306\362\122\245  
\272\055\262\022\350\322\056\327\372\311\305\330\252\155\037\163  
\201\073\073\230\153\071\174\063\245\305\116\206\216\200\027\150  
\142\105\127\175\104\130\035\263\067\345\147\010\353\146\336\243  
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\206\060\035\006\003\125\035\016\004\026\004\024\253  
\266\333\327\006\236\067\254\060\206\007\221\160\307\234\304\031  
\261\170\300\060\012\006\010\052\206\110\316\075\004\003\002\003  
\111\000\060\106\002\041\000\340\205\222\243\027\267\215\371\053  
\006\245\223\254\032\230\150\141\162\372\341\241\320\373\034\170  
\140\246\103\231\305\270\304\002\041\000\234\002\357\361\224\234  
\263\226\371\353\306\052\370\266\054\376\072\220\024\026\327\214  
\143\044\110\034\337\060\175\325\150\073

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Amazon Root CA 3"

# Issuer: CN=Amazon Root CA 3,O=Amazon,C=US

# Serial Number:06:6c:9f:d5:74:97:36:66:3f:3b:0b:9a:d9:e8:9e:76:03:f2:4a

# Subject: CN=Amazon Root CA 3,O=Amazon,C=US

# Not Valid Before: Tue May 26 00:00:00 2015

# Not Valid After : Sat May 26 00:00:00 2040

```

Fingerprint (SHA-256):
18:CE:6C:FE:7B:F1:4E:60:B2:E3:47:B8:DF:E8:68:CB:31:D0:2E:BB:3A:DA:27:15:69:F5:03:43:B4:6D:B3:A4
Fingerprint (SHA1): 0D:44:DD:8C:3C:8C:1A:1A:58:75:64:81:E9:0F:2E:2A:FF:B3:D2:6E
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\015\104\335\214\074\214\032\032\130\165\144\201\351\017\056\052
\377\263\322\156
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\240\324\357\013\367\265\330\111\225\052\354\365\304\374\201\207
END
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\325\164\227\066\146\077\073\013\232\331\350
\236\166\003\362\112
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Amazon Root CA 4"
#
Issuer: CN=Amazon Root CA 4,O=Amazon,C=US
Serial Number:06:6c:9f:d7:c1:bb:10:4c:29:43:e5:71:7b:7b:2c:c8:1a:c1:0e
Subject: CN=Amazon Root CA 4,O=Amazon,C=US
Not Valid Before: Tue May 26 00:00:00 2015
Not Valid After : Sat May 26 00:00:00 2040
Fingerprint (SHA-256):
E3:5D:28:41:9E:D0:20:25:CF:A6:90:38:CD:62:39:62:45:8D:A5:C6:95:FB:DE:A3:C2:2B:0B:FB:25:89:70:92
Fingerprint (SHA1): F6:10:84:07:D6:F8:BB:67:98:0C:C2:E2:44:C2:EB:AE:1C:EF:63:BE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156  
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157  
\156\040\122\157\157\164\040\103\101\040\064

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156  
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157  
\156\040\122\157\157\164\040\103\101\040\064

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\023\006\154\237\327\301\273\020\114\051\103\345\161\173\173  
\054\310\032\301\016

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\001\362\060\202\001\170\240\003\002\001\002\002\023\006  
\154\237\327\301\273\020\114\051\103\345\161\173\173\054\310\032  
\301\016\060\012\006\010\052\206\110\316\075\004\003\003\060\071  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\017\060  
\015\006\003\125\004\012\023\006\101\155\141\172\157\156\061\031  
\060\027\006\003\125\004\003\023\020\101\155\141\172\157\156\040  
\122\157\157\164\040\103\101\040\064\060\036\027\015\061\065\060  
\065\062\066\060\060\060\060\060\132\027\015\064\060\060\065  
\062\066\060\060\060\060\060\132\060\071\061\013\060\011\006  
\003\125\004\006\023\002\125\123\061\017\060\015\006\003\125\004  
\012\023\006\101\155\141\172\157\156\061\031\060\027\006\003\125  
\004\003\023\020\101\155\141\172\157\156\040\122\157\157\164\040  
\103\101\040\064\060\166\060\020\006\007\052\206\110\316\075\002  
\001\006\005\053\201\004\000\042\003\142\000\004\322\253\212\067  
\117\243\123\015\376\301\212\173\113\250\173\106\113\143\260\142  
\366\055\033\333\010\161\041\322\000\350\143\275\232\047\373\360  
\071\156\135\352\075\245\311\201\252\243\133\040\230\105\135\026  
\333\375\350\020\155\343\234\340\343\275\137\204\142\363\160\144  
\063\240\313\044\057\160\272\210\241\052\240\165\370\201\256\142  
\006\304\201\333\071\156\051\260\036\372\056\134\243\102\060\100  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\206\060\035\006\003\125\035\016\004\026\004\024\323\354\307\072  
\145\156\314\341\332\166\232\126\373\234\363\206\155\127\345\201  
\060\012\006\010\052\206\110\316\075\004\003\003\003\150\000\060  
\145\002\060\072\213\041\361\275\176\021\255\320\357\130\226\057  
\326\353\235\176\220\215\053\317\146\125\303\054\343\050\251\160  
\012\107\016\360\067\131\022\377\055\231\224\050\116\052\117\065  
\115\063\132\002\061\000\352\165\000\116\073\304\072\224\022\221  
\311\130\106\235\041\023\162\247\210\234\212\344\114\112\333\226  
\324\254\213\153\153\111\022\123\063\255\327\344\276\044\374\265

```

\012\166\324\245\274\020
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Amazon Root CA 4"
Issuer: CN=Amazon Root CA 4,O=Amazon,C=US
Serial Number:06:6c:9f:d7:c1:bb:10:4c:29:43:e5:71:7b:7b:2c:c8:1a:c1:0e
Subject: CN=Amazon Root CA 4,O=Amazon,C=US
Not Valid Before: Tue May 26 00:00:00 2015
Not Valid After : Sat May 26 00:00:00 2040
Fingerprint (SHA-256):
E3:5D:28:41:9E:D0:20:25:CF:A6:90:38:CD:62:39:62:45:8D:A5:C6:95:FB:DE:A3:C2:2B:0B:FB:25:89:70:92
Fingerprint (SHA1): F6:10:84:07:D6:F8:BB:67:98:0C:C2:E2:44:C2:EB:AE:1C:EF:63:BE
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 4"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\366\020\204\007\326\370\273\147\230\014\302\342\104\302\353\256
\034\357\143\276
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\211\274\047\325\353\027\215\006\152\151\325\375\211\107\264\315
END
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\327\301\273\020\114\051\103\345\161\173\173
\054\310\032\301\016
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Symantec Class 1 Public Primary Certification Authority - G6"
#
Issuer: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
Serial Number:24:32:75:f2:1d:2f:d2:09:33:f7:b4:6a:ca:d0:f3:98

```



```
Subject: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
Not Valid Before: Tue Oct 18 00:00:00 2011
Not Valid After : Tue Dec 01 23:59:59 2037
Fingerprint (SHA-256):
9D:19:0B:2E:31:45:66:68:5B:E8:A8:89:E2:7A:A8:C7:D7:AE:1D:8A:AD:DB:A3:C1:EC:F9:D2:48:63:CD:34:B9
Fingerprint (SHA1): 51:7F:61:1E:29:91:6B:53:82:FB:72:E7:44:D9:8D:C3:CC:53:6D:64
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Symantec Class 1 Public Primary Certification Authority - G6"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\061\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\061\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\044\062\165\362\035\057\322\011\063\367\264\152\312\320
\363\230
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\366\060\202\002\336\240\003\002\001\002\002\020\044
\062\165\362\035\057\322\011\063\367\264\152\312\320\363\230\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\201
\224\061\013\060\011\006\003\125\004\006\023\002\125\123\061\035
\060\033\006\003\125\004\012\023\024\123\171\155\141\156\164\145
```

\143\040\103\157\162\160\157\162\141\164\151\157\156\061\037\060  
\035\006\003\125\004\013\023\026\123\171\155\141\156\164\145\143  
\040\124\162\165\163\164\040\116\145\164\167\157\162\153\061\105  
\060\103\006\003\125\004\003\023\074\123\171\155\141\156\164\145  
\143\040\103\154\141\163\163\040\061\040\120\165\142\154\151\143  
\040\120\162\151\155\141\162\171\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\040\055\040\107\066\060\036\027\015\061\061\061\060\061\070\060  
\060\060\060\060\060\132\027\015\063\067\061\062\060\061\062\063  
\065\071\065\071\132\060\201\224\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\035\060\033\006\003\125\004\012\023\024  
\123\171\155\141\156\164\145\143\040\103\157\162\160\157\162\141  
\164\151\157\156\061\037\060\035\006\003\125\004\013\023\026\123  
\171\155\141\156\164\145\143\040\124\162\165\163\164\040\116\145  
\164\167\157\162\153\061\105\060\103\006\003\125\004\003\023\074  
\123\171\155\141\156\164\145\143\040\103\154\141\163\163\040\061  
\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171\040  
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165  
\164\150\157\162\151\164\171\040\055\040\107\066\060\202\001\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\001\017\000\060\202\001\012\002\202\001\001\000\307\071\327  
\111\144\251\231\202\042\114\352\105\331\007\026\343\173\364\203  
\350\231\163\372\153\261\066\340\232\167\240\100\302\201\215\001  
\307\314\214\275\217\175\367\171\343\172\114\003\115\331\373\375  
\207\070\050\054\335\232\213\124\010\333\147\373\033\214\376\050  
\222\057\276\267\262\110\247\201\241\330\136\210\303\314\071\100  
\101\132\321\334\345\332\020\237\057\332\001\115\375\056\106\174  
\371\056\047\012\151\067\356\221\243\033\152\314\104\277\033\307  
\303\324\021\262\120\140\227\011\275\056\042\365\101\204\146\237  
\315\100\246\251\000\200\301\037\225\222\237\336\363\110\357\333  
\035\167\141\374\177\337\356\226\244\162\320\266\076\377\170\047  
\257\313\222\025\151\010\333\143\020\342\346\227\254\156\334\254  
\366\242\316\036\107\231\271\211\267\022\346\241\324\315\131\021  
\147\303\157\205\330\102\116\050\276\131\125\131\004\225\253\217  
\067\200\277\015\360\374\037\072\144\061\130\201\170\327\342\065  
\366\040\077\051\270\217\026\156\076\110\334\265\114\007\341\362  
\032\352\176\012\171\326\250\275\353\135\206\053\115\002\003\001  
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\063\101\350\310\071\022\025\223\110\362\226\062\056\132  
\365\332\224\137\123\140\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\001\001\000\025\343\163\127\261\027  
\266\137\111\151\104\246\366\136\172\147\254\322\336\165\111\253  
\376\045\125\307\072\311\104\025\020\156\277\061\153\313\331\007  
\223\177\034\205\143\000\343\062\022\340\314\313\373\071\154\217  
\342\123\342\074\100\063\331\244\214\107\346\255\130\373\211\257  
\343\336\206\051\126\064\054\105\270\022\372\104\211\156\055\024

```
\045\050\044\001\145\326\352\122\254\005\156\126\022\011\075\320
\164\364\327\275\006\312\250\072\215\126\102\372\215\162\076\164
\361\003\162\337\207\033\136\016\172\125\226\054\070\267\230\205
\315\115\063\104\311\224\217\132\061\060\067\113\243\072\022\263
\347\066\321\041\150\113\055\070\346\123\256\034\045\126\010\126
\003\147\204\235\306\303\316\044\142\307\114\066\317\260\006\104
\267\365\137\002\335\331\124\351\057\220\116\172\310\116\203\100
\014\232\227\074\067\277\277\354\366\360\264\205\167\050\301\013
\310\147\202\020\027\070\242\267\006\352\233\277\072\370\351\043
\007\277\164\340\230\070\025\125\170\356\162\000\134\031\243\364
\322\063\340\377\275\321\124\071\051\017
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

```
For Email Distrust After: Wed Aug 31 00:00:00 2022
```

```
CKA_NSS_EMAIL_DISTRUST_AFTER MULTILINE_OCTAL
```

```
\062\062\060\070\063\061\060\060\060\060\060\060\132
```

END

```
Trust for "Symantec Class 1 Public Primary Certification Authority - G6"
```

```
Issuer: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
```

```
Serial Number:24:32:75:f2:1d:2f:d2:09:33:f7:b4:6a:ca:d0:f3:98
```

```
Subject: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
```

```
Not Valid Before: Tue Oct 18 00:00:00 2011
```

```
Not Valid After : Tue Dec 01 23:59:59 2037
```

```
Fingerprint (SHA-256):
```

```
9D:19:0B:2E:31:45:66:68:5B:E8:A8:89:E2:7A:A8:C7:D7:AE:1D:8A:AD:DB:A3:C1:EC:F9:D2:48:63:CD:34:B9
```

```
Fingerprint (SHA1): 51:7F:61:1E:29:91:6B:53:82:FB:72:E7:44:D9:8D:C3:CC:53:6D:64
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Symantec Class 1 Public Primary Certification Authority - G6"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\121\177\141\036\051\221\153\123\202\373\162\347\104\331\215\303
\314\123\155\144
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\057\250\264\332\366\144\113\036\202\371\106\075\124\032\174\260
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
```

```

\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\061\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\044\062\165\362\035\057\322\011\063\367\264\152\312\320
\363\230
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Symantec Class 2 Public Primary Certification Authority - G6"
#
Issuer: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
Serial Number:64:82:9e:fc:37:1e:74:5d:fc:97:ff:97:c8:b1:ff:41
Subject: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
Not Valid Before: Tue Oct 18 00:00:00 2011
Not Valid After : Tue Dec 01 23:59:59 2037
Fingerprint (SHA-256):
CB:62:7D:18:B5:8A:D5:6D:DE:33:1A:30:45:6B:C6:5C:60:1A:4E:9B:18:DE:DC:EA:08:E7:DA:AA:07:81:5F:F0
Fingerprint (SHA1): 40:B3:31:A0:E9:BF:E8:55:BC:39:93:CA:70:4F:4E:C2:51:D4:1D:8F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Symantec Class 2 Public Primary Certification Authority - G6"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\062\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL

```

\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156  
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061  
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164  
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153  
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156  
\164\145\143\040\103\154\141\163\163\040\062\040\120\165\142\154  
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151  
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151  
\164\171\040\055\040\107\066

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\144\202\236\374\067\036\164\135\374\227\377\227\310\261  
\377\101

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\366\060\202\002\336\240\003\002\001\002\002\020\144  
\202\236\374\067\036\164\135\374\227\377\227\310\261\377\101\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\201  
\224\061\013\060\011\006\003\125\004\006\023\002\125\123\061\035  
\060\033\006\003\125\004\012\023\024\123\171\155\141\156\164\145  
\143\040\103\157\162\160\157\162\141\164\151\157\156\061\037\060  
\035\006\003\125\004\013\023\026\123\171\155\141\156\164\145\143  
\040\124\162\165\163\164\040\116\145\164\167\157\162\153\061\105  
\060\103\006\003\125\004\003\023\074\123\171\155\141\156\164\145  
\143\040\103\154\141\163\163\040\062\040\120\165\142\154\151\143  
\040\120\162\151\155\141\162\171\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\040\055\040\107\066\060\036\027\015\061\061\061\060\061\070\060  
\060\060\060\060\060\132\027\015\063\067\061\062\060\061\062\063  
\065\071\065\071\132\060\201\224\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\035\060\033\006\003\125\004\012\023\024  
\123\171\155\141\156\164\145\143\040\103\157\162\160\157\162\141  
\164\151\157\156\061\037\060\035\006\003\125\004\013\023\026\123  
\171\155\141\156\164\145\143\040\124\162\165\163\164\040\116\145  
\164\167\157\162\153\061\105\060\103\006\003\125\004\003\023\074  
\123\171\155\141\156\164\145\143\040\103\154\141\163\163\040\062  
\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171\040  
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165  
\164\150\157\162\151\164\171\040\055\040\107\066\060\202\001\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\001\017\000\060\202\001\012\002\202\001\001\000\315\314\351  
\005\310\143\205\313\077\100\143\027\275\030\372\065\346\004\147  
\127\145\230\051\244\117\311\134\217\017\064\322\370\332\250\023  
\142\252\270\036\120\147\170\260\026\114\240\071\251\025\172\256  
\355\322\242\300\360\220\067\051\030\046\134\350\015\074\266\154  
\111\077\301\340\334\331\113\266\024\031\013\246\323\226\341\326  
\011\343\031\046\034\371\037\145\113\371\032\103\034\000\203\326

\320\252\111\242\324\333\346\142\070\272\120\024\103\155\371\061  
\370\126\026\331\070\002\221\317\353\154\335\273\071\116\231\341  
\060\147\105\361\324\360\215\303\337\376\362\070\007\041\175\000  
\136\126\104\263\344\140\275\221\053\234\253\133\004\162\017\262  
\050\331\162\253\005\040\102\045\251\133\003\152\040\020\314\061  
\360\053\332\065\054\320\373\232\227\116\360\202\113\053\330\137  
\066\243\013\055\257\143\015\035\045\177\241\156\134\142\241\215  
\050\076\241\374\034\040\370\001\057\272\125\232\021\260\031\322  
\310\120\171\153\016\152\005\327\252\004\066\262\243\362\341\137  
\167\247\167\234\345\036\334\351\337\152\301\145\135\002\003\001  
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\207\214\040\225\310\230\112\321\326\200\006\112\220\064  
\104\337\034\115\277\260\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\001\001\000\201\216\262\245\146\226  
\267\041\245\266\357\157\043\132\137\333\201\305\102\245\170\301  
\151\375\364\074\327\371\134\153\160\162\032\374\132\227\115\000  
\200\210\210\202\212\303\161\015\216\305\211\233\054\355\215\013  
\322\162\124\365\175\324\134\103\127\351\363\256\245\002\021\366  
\166\053\201\127\335\175\332\164\060\375\124\107\366\340\026\156  
\246\264\012\110\346\347\165\007\017\051\031\071\316\171\364\266  
\154\305\137\231\325\037\113\372\337\155\054\074\015\124\200\160  
\360\210\013\200\317\306\150\242\270\035\160\331\166\214\374\356  
\245\311\317\255\035\317\231\045\127\132\142\105\313\026\153\275  
\111\315\245\243\214\151\171\045\256\270\114\154\213\100\146\113  
\026\077\317\002\032\335\341\154\153\007\141\152\166\025\051\231  
\177\033\335\210\200\301\277\265\217\163\305\246\226\043\204\246  
\050\206\044\063\152\001\056\127\163\045\266\136\277\217\346\035  
\141\250\100\051\147\035\207\233\035\177\233\237\231\315\061\326  
\124\276\142\273\071\254\150\022\110\221\040\245\313\261\335\376  
\157\374\132\344\202\125\131\257\061\251

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
# For Email Distrust After: Wed Aug 31 00:00:00 2022  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER MULTILINE\_OCTAL  
\062\062\060\070\063\061\060\060\060\060\060\060\132

END

# Trust for "Symantec Class 2 Public Primary Certification Authority - G6"  
# Issuer: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust  
Network,O=Symantec Corporation,C=US  
# Serial Number:64:82:9e:fc:37:1e:74:5d:fc:97:ff:97:c8:b1:ff:41  
# Subject: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust  
Network,O=Symantec Corporation,C=US  
# Not Valid Before: Tue Oct 18 00:00:00 2011  
# Not Valid After : Tue Dec 01 23:59:59 2037

```

Fingerprint (SHA-256):
CB:62:7D:18:B5:8A:D5:6D:DE:33:1A:30:45:6B:C6:5C:60:1A:4E:9B:18:DE:DC:EA:08:E7:DA:AA:07:81:5F:F0
Fingerprint (SHA1): 40:B3:31:A0:E9:BF:E8:55:BC:39:93:CA:70:4F:4E:C2:51:D4:1D:8F
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Symantec Class 2 Public Primary Certification Authority - G6"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\100\263\061\240\351\277\350\125\274\071\223\312\160\117\116\302
\121\324\035\217
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\175\013\203\345\373\174\255\007\117\040\251\265\337\143\355\171
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\062\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\144\202\236\374\067\036\164\135\374\227\377\227\310\261
\377\101
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "D-TRUST Root CA 3 2013"
#
Issuer: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
Serial Number: 1039788 (0xfddac)
Subject: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
Not Valid Before: Fri Sep 20 08:25:51 2013
Not Valid After : Wed Sep 20 08:25:51 2028
Fingerprint (SHA-256):
A1:A8:6D:04:12:1E:B8:7F:02:7C:66:F5:33:03:C2:8E:57:39:F9:43:FC:84:B3:8A:D6:AF:00:90:35:DD:94:57
Fingerprint (SHA1): 6C:7C:CC:E7:D4:AE:51:5F:99:08:CD:3F:F6:E8:C3:78:DF:6F:EF:97
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root CA 3 2013"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003\014
\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103\101
\040\063\040\062\060\061\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003\014
\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103\101
\040\063\040\062\060\061\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\017\335\254
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\016\060\202\002\366\240\003\002\001\002\002\003\017
\335\254\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165
\163\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003
\014\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103
\101\040\063\040\062\060\061\063\060\036\027\015\061\063\060\071
\062\060\060\070\062\065\065\061\132\027\015\062\070\060\071\062
\060\060\070\062\065\065\061\132\060\105\061\013\060\011\006\003
\125\004\006\023\002\104\105\061\025\060\023\006\003\125\004\012
\014\014\104\055\124\162\165\163\164\040\107\155\142\110\061\037
\060\035\006\003\125\004\003\014\026\104\055\124\122\125\123\124
\040\122\157\157\164\040\103\101\040\063\040\062\060\061\063\060
\202\001\042\060\015\006\011\052\206\110\206\367\015\001\001\001
\005\000\003\202\001\017\000\060\202\001\012\002\202\001\001\000
\304\173\102\222\202\037\354\355\124\230\216\022\300\312\011\337
\223\156\072\223\134\033\344\020\167\236\116\151\210\154\366\341
\151\362\366\233\242\141\261\275\007\040\164\230\145\361\214\046
\010\315\250\065\312\200\066\321\143\155\350\104\172\202\303\154
\136\336\273\350\066\322\304\150\066\214\237\062\275\204\042\340
\334\302\356\020\106\071\155\257\223\071\256\207\346\303\274\011
\311\054\153\147\133\331\233\166\165\114\013\340\273\305\327\274
\076\171\362\137\276\321\220\127\371\256\366\146\137\061\277\323
\155\217\247\272\112\363\043\145\273\267\357\243\045\327\012\352
```



\130\266\357\210\372\372\171\262\122\130\325\360\254\214\241\121  
\164\051\225\252\121\073\220\062\003\237\034\162\164\220\336\075  
\355\141\322\345\343\375\144\107\345\271\267\112\251\367\037\256  
\226\206\004\254\057\343\244\201\167\267\132\026\377\330\017\077  
\366\267\170\314\244\257\372\133\074\022\133\250\122\211\162\357  
\210\363\325\104\201\206\225\043\237\173\335\274\331\064\357\174  
\224\074\252\300\101\302\343\235\120\032\300\344\031\042\374\263  
\002\003\001\000\001\243\202\001\005\060\202\001\001\060\017\006  
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\035  
\006\003\125\035\016\004\026\004\024\077\220\310\175\307\025\157  
\363\044\217\251\303\057\113\242\017\041\262\057\347\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\201\276  
\006\003\125\035\037\004\201\266\060\201\263\060\164\240\162\240  
\160\206\156\154\144\141\160\072\057\057\144\151\162\145\143\164  
\157\162\171\056\144\055\164\162\165\163\164\056\156\145\164\057  
\103\116\075\104\055\124\122\125\123\124\045\062\060\122\157\157  
\164\045\062\060\103\101\045\062\060\063\045\062\060\062\060\061  
\063\054\117\075\104\055\124\162\165\163\164\045\062\060\107\155  
\142\110\054\103\075\104\105\077\143\145\162\164\151\146\151\143  
\141\164\145\162\145\166\157\143\141\164\151\157\156\154\151\163  
\164\060\073\240\071\240\067\206\065\150\164\164\160\072\057\057  
\143\162\154\056\144\055\164\162\165\163\164\056\156\145\164\057  
\143\162\154\057\144\055\164\162\165\163\164\137\162\157\157\164  
\137\143\141\137\063\137\062\060\061\063\056\143\162\154\060\015  
\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001  
\001\000\016\131\016\130\344\164\110\043\104\317\064\041\265\234  
\024\032\255\232\113\267\263\210\155\134\251\027\160\360\052\237  
\215\173\371\173\205\372\307\071\350\020\010\260\065\053\137\317  
\002\322\323\234\310\013\036\356\005\124\256\067\223\004\011\175  
\154\217\302\164\274\370\034\224\276\061\001\100\055\363\044\040  
\267\204\125\054\134\310\365\164\112\020\031\213\243\307\355\065  
\326\011\110\323\016\300\272\071\250\260\106\002\260\333\306\210  
\131\302\276\374\173\261\053\317\176\142\207\125\226\314\001\157  
\233\147\041\225\065\213\370\020\374\161\033\267\113\067\151\246  
\073\326\354\213\356\301\260\363\045\311\217\222\175\241\352\303  
\312\104\277\046\245\164\222\234\343\164\353\235\164\331\313\115  
\207\330\374\264\151\154\213\240\103\007\140\170\227\351\331\223  
\174\302\106\274\233\067\122\243\355\212\074\023\251\173\123\113  
\111\232\021\005\054\013\156\126\254\037\056\202\154\340\151\147  
\265\016\155\055\331\344\300\025\361\077\372\030\162\341\025\155  
\047\133\055\060\050\053\237\110\232\144\053\231\357\362\165\111  
\137\134

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "D-TRUST Root CA 3 2013"

```

Issuer: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
Serial Number: 1039788 (0xfddac)
Subject: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
Not Valid Before: Fri Sep 20 08:25:51 2013
Not Valid After : Wed Sep 20 08:25:51 2028
Fingerprint (SHA-256):
A1:A8:6D:04:12:1E:B8:7F:02:7C:66:F5:33:03:C2:8E:57:39:F9:43:FC:84:B3:8A:D6:AF:00:90:35:DD:94:57
Fingerprint (SHA1): 6C:7C:CC:E7:D4:AE:51:5F:99:08:CD:3F:F6:E8:C3:78:DF:6F:EF:97
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root CA 3 2013"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\154\174\314\347\324\256\121\137\231\010\315\077\366\350\303\170
\337\157\357\227
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\267\042\146\230\176\326\003\340\301\161\346\165\315\126\105\277
END
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003\014
\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103\101
\040\063\040\062\060\061\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\017\335\254
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"
#
Issuer: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu
SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR
Serial Number: 1 (0x1)
Subject: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu
SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR
Not Valid Before: Mon Nov 25 08:25:55 2013
Not Valid After : Sun Oct 25 08:25:55 2043
Fingerprint (SHA-256):
46:ED:C3:68:90:46:D5:3A:45:3F:B3:10:4A:B8:0D:CA:EC:65:8B:26:60:EA:16:29:DD:7E:86:79:90:64:87:16
Fingerprint (SHA1): 31:43:64:9B:EC:CE:27:EC:ED:3A:3F:0B:8F:0D:E4:E8:91:DD:EE:CA

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145
\040\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003
\125\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154
\151\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157
\152\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165
\162\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055
\060\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145
\162\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153
\145\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060
\064\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040
\113\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040
\123\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165
\162\165\155\040\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145
\040\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003
\125\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154
\151\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157
\152\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165
\162\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055
\060\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145
\162\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153
\145\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060
\064\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040
\113\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040
\123\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165
\162\165\155\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\143\060\202\003\113\240\003\002\001\002\002\001\001
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122\061
\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145\040
\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003\125
```

\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154\151  
\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157\152  
\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165\162  
\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055\060  
\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145\162  
\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153\145  
\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060\064  
\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040\113  
\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040\123  
\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165\162  
\165\155\040\061\060\036\027\015\061\063\061\061\062\065\060\070  
\062\065\065\065\132\027\015\064\063\061\060\062\065\060\070\062  
\065\065\065\132\060\201\322\061\013\060\011\006\003\125\004\006  
\023\002\124\122\061\030\060\026\006\003\125\004\007\023\017\107  
\145\142\172\145\040\055\040\113\157\143\141\145\154\151\061\102  
\060\100\006\003\125\004\012\023\071\124\165\162\153\151\171\145  
\040\102\151\154\151\155\163\145\154\040\166\145\040\124\145\153  
\156\157\154\157\152\151\153\040\101\162\141\163\164\151\162\155  
\141\040\113\165\162\165\155\165\040\055\040\124\125\102\111\124  
\101\113\061\055\060\053\006\003\125\004\013\023\044\113\141\155  
\165\040\123\145\162\164\151\146\151\153\141\163\171\157\156\040  
\115\145\162\153\145\172\151\040\055\040\113\141\155\165\040\123  
\115\061\066\060\064\006\003\125\004\003\023\055\124\125\102\111  
\124\101\113\040\113\141\155\165\040\123\115\040\123\123\114\040  
\113\157\153\040\123\145\162\164\151\146\151\153\141\163\151\040  
\055\040\123\165\162\165\155\040\061\060\202\001\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017  
\000\060\202\001\012\002\202\001\001\000\257\165\060\063\252\273  
\153\323\231\054\022\067\204\331\215\173\227\200\323\156\347\377  
\233\120\225\076\220\225\126\102\327\031\174\046\204\215\222\372  
\001\035\072\017\342\144\070\267\214\274\350\210\371\213\044\253  
\056\243\365\067\344\100\216\030\045\171\203\165\037\073\377\154  
\250\305\306\126\370\264\355\212\104\243\253\154\114\374\035\320  
\334\357\150\275\317\344\252\316\360\125\367\242\064\324\203\153  
\067\174\034\302\376\265\003\354\127\316\274\264\265\305\355\000  
\017\123\067\052\115\364\117\014\203\373\206\317\313\376\214\116  
\275\207\371\247\213\041\127\234\172\337\003\147\211\054\235\227  
\141\247\020\270\125\220\177\016\055\047\070\164\337\347\375\332  
\116\022\343\115\025\042\002\310\340\340\374\017\255\212\327\311  
\124\120\314\073\017\312\026\200\204\320\121\126\303\216\126\177  
\211\042\063\057\346\205\012\275\245\250\033\066\336\323\334\054  
\155\073\307\023\275\131\043\054\346\345\244\367\330\013\355\352  
\220\100\104\250\225\273\223\325\320\200\064\266\106\170\016\037  
\000\223\106\341\356\351\371\354\117\027\002\003\001\000\001\243  
\102\060\100\060\035\006\003\125\035\016\004\026\004\024\145\077  
\307\212\206\306\074\335\074\124\134\065\370\072\355\122\014\107  
\127\310\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003

```
\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\003\202\001\001\000\052\077\341\361\062\216\256\341\230
\134\113\136\317\153\036\152\011\322\042\251\022\307\136\127\175
\163\126\144\200\204\172\223\344\011\271\020\315\237\052\047\341
\000\167\276\110\310\065\250\201\237\344\270\054\311\177\016\260
\322\113\067\135\352\271\325\013\136\064\275\364\163\051\303\355
\046\025\234\176\010\123\212\130\215\320\113\050\337\301\263\337
\040\363\371\343\343\072\337\314\234\224\330\116\117\303\153\027
\267\367\162\350\255\146\063\265\045\123\253\340\370\114\251\235
\375\362\015\272\256\271\331\252\306\153\371\223\273\256\253\270
\227\074\003\032\272\103\306\226\271\105\162\070\263\247\241\226
\075\221\173\176\300\041\123\114\207\355\362\013\124\225\121\223
\325\042\245\015\212\361\223\016\076\124\016\260\330\311\116\334
\362\061\062\126\352\144\371\352\265\235\026\146\102\162\363\177
\323\261\061\103\374\244\216\027\361\155\043\253\224\146\370\255
\373\017\010\156\046\055\177\027\007\011\262\214\373\120\300\237
\226\215\317\266\375\000\235\132\024\232\277\002\104\365\301\302
\237\042\136\242\017\241\343
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"
```

```
Issuer: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu
SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR
```

```
Serial Number: 1 (0x1)
```

```
Subject: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu
SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR
```

```
Not Valid Before: Mon Nov 25 08:25:55 2013
```

```
Not Valid After : Sun Oct 25 08:25:55 2013
```

```
Fingerprint (SHA-256):
```

```
46:ED:C3:68:90:46:D5:3A:45:3F:B3:10:4A:B8:0D:CA:EC:65:8B:26:60:EA:16:29:DD:7E:86:79:90:64:87:16
```

```
Fingerprint (SHA1): 31:43:64:9B:EC:CE:27:EC:ED:3A:3F:0B:8F:0D:E4:E8:91:DD:EE:CA
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\061\103\144\233\354\316\047\354\355\072\077\013\217\015\344\350
\221\335\356\312
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\334\000\201\334\151\057\076\057\260\073\366\075\132\221\216\111
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122
```

```
\061\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145
\040\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003
\125\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154
\151\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157
\152\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165
\162\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055
\060\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145
\162\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153
\145\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060
\064\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040
\113\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040
\123\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165
\162\165\155\040\061
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\001\001
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "GDCA TrustAUTH R5 ROOT"

#

# Issuer: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY  
CO.,LTD.",C=CN

# Serial Number:7d:09:97:fe:f0:47:ea:7a

# Subject: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY  
CO.,LTD.",C=CN

# Not Valid Before: Wed Nov 26 05:13:15 2014

# Not Valid After : Mon Dec 31 15:59:59 2040

# Fingerprint (SHA-256):

BF:FF:8F:D0:44:33:48:7D:6A:8A:A6:0C:1A:29:76:7A:9F:C2:BB:B0:5E:42:0F:71:3A:13:B9:92:89:1D:38:93

# Fingerprint (SHA1): 0F:36:38:5B:81:1A:25:C3:9B:31:4E:83:CA:E9:34:66:70:CC:74:B4

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "GDCA TrustAUTH R5 ROOT"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\142\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\062\060\060\006\003\125\004\012\014\051\107\125\101\116\107\040
\104\117\116\107\040\103\105\122\124\111\106\111\103\101\124\105
\040\101\125\124\110\117\122\111\124\131\040\103\117\056\054\114
\124\104\056\061\037\060\035\006\003\125\004\003\014\026\107\104
\103\101\040\124\162\165\163\164\101\125\124\110\040\122\065\040
```

\122\117\117\124

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\142\061\013\060\011\006\003\125\004\006\023\002\103\116\061  
\062\060\060\006\003\125\004\012\014\051\107\125\101\116\107\040  
\104\117\116\107\040\103\105\122\124\111\106\111\103\101\124\105  
\040\101\125\124\110\117\122\111\124\131\040\103\117\056\054\114  
\124\104\056\061\037\060\035\006\003\125\004\003\014\026\107\104  
\103\101\040\124\162\165\163\164\101\125\124\110\040\122\065\040  
\122\117\117\124

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\175\011\227\376\360\107\352\172

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\210\060\202\003\160\240\003\002\001\002\002\010\175  
\011\227\376\360\107\352\172\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\142\061\013\060\011\006\003\125\004  
\006\023\002\103\116\061\062\060\060\006\003\125\004\012\014\051  
\107\125\101\116\107\040\104\117\116\107\040\103\105\122\124\111  
\106\111\103\101\124\105\040\101\125\124\110\117\122\111\124\131  
\040\103\117\056\054\114\124\104\056\061\037\060\035\006\003\125  
\004\003\014\026\107\104\103\101\040\124\162\165\163\164\101\125  
\124\110\040\122\065\040\122\117\117\124\060\036\027\015\061\064  
\061\061\062\066\060\065\061\063\061\065\132\027\015\064\060\061  
\062\063\061\061\065\065\071\065\071\132\060\142\061\013\060\011  
\006\003\125\004\006\023\002\103\116\061\062\060\060\006\003\125  
\004\012\014\051\107\125\101\116\107\040\104\117\116\107\040\103  
\105\122\124\111\106\111\103\101\124\105\040\101\125\124\110\117  
\122\111\124\131\040\103\117\056\054\114\124\104\056\061\037\060  
\035\006\003\125\004\003\014\026\107\104\103\101\040\124\162\165  
\163\164\101\125\124\110\040\122\065\040\122\117\117\124\060\202  
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\331  
\243\026\360\310\164\164\167\233\357\063\015\073\006\176\125\374  
\265\140\217\166\206\022\102\175\126\146\076\210\202\355\162\143  
\016\236\213\335\064\054\002\121\121\303\031\375\131\124\204\311  
\361\153\263\114\260\351\350\106\135\070\306\242\247\056\021\127  
\272\202\025\242\234\217\155\260\231\112\012\362\353\211\160\143  
\116\171\304\267\133\275\242\135\261\362\101\002\053\255\251\072  
\243\354\171\012\354\137\072\343\375\357\200\074\255\064\233\032  
\253\210\046\173\126\242\202\206\037\353\065\211\203\177\137\256  
\051\116\075\266\156\354\256\301\360\047\233\256\343\364\354\357  
\256\177\367\206\075\162\172\353\245\373\131\116\247\353\225\214  
\042\071\171\341\055\010\217\314\274\221\270\101\367\024\301\043  
\251\303\255\232\105\104\263\262\327\054\315\306\051\342\120\020  
\256\134\313\202\216\027\030\066\175\227\346\210\232\260\115\064

\011\364\054\271\132\146\052\260\027\233\236\036\166\235\112\146  
\061\101\337\077\373\305\006\357\033\266\176\032\106\066\367\144  
\143\073\343\071\030\043\347\147\165\024\325\165\127\222\067\275  
\276\152\033\046\120\362\066\046\006\220\305\160\001\144\155\166  
\146\341\221\333\156\007\300\141\200\056\262\056\057\214\160\247  
\321\073\074\263\221\344\156\266\304\073\160\362\154\222\227\011  
\315\107\175\030\300\363\273\236\017\326\213\256\007\266\132\017  
\316\013\014\107\247\345\076\270\275\175\307\233\065\240\141\227  
\072\101\165\027\314\053\226\167\052\222\041\036\331\225\166\040  
\147\150\317\015\275\337\326\037\011\152\232\342\314\163\161\244  
\057\175\022\200\267\123\060\106\136\113\124\231\017\147\311\245  
\310\362\040\301\202\354\235\021\337\302\002\373\032\073\321\355  
\040\232\357\145\144\222\020\015\052\342\336\160\361\030\147\202  
\214\141\336\270\274\321\057\234\373\017\320\053\355\033\166\271  
\344\071\125\370\370\241\035\270\252\200\000\114\202\347\262\177  
\011\270\274\060\240\057\015\365\122\236\216\367\222\263\012\000  
\035\000\124\227\006\340\261\007\331\307\017\134\145\175\074\155  
\131\127\344\355\245\215\351\100\123\237\025\113\240\161\366\032  
\041\343\332\160\006\041\130\024\207\205\167\171\252\202\171\002  
\003\001\000\001\243\102\060\100\060\035\006\003\125\035\016\004  
\026\004\024\342\311\100\237\115\316\350\232\241\174\317\016\077  
\145\305\051\210\152\031\121\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\016\006\003\125\035\017\001  
\001\377\004\004\003\002\001\206\060\015\006\011\052\206\110\206  
\367\015\001\001\013\005\000\003\202\002\001\000\321\111\127\340  
\247\314\150\130\272\001\017\053\031\315\215\260\141\105\254\021  
\355\143\120\151\370\037\177\276\026\217\375\235\353\013\252\062  
\107\166\322\147\044\355\275\174\063\062\227\052\307\005\206\146  
\015\027\175\024\025\033\324\353\375\037\232\366\136\227\151\267  
\032\045\244\012\263\221\077\137\066\254\213\354\127\250\076\347  
\201\212\030\127\071\205\164\032\102\307\351\133\023\137\217\371  
\010\351\222\164\215\365\107\322\253\073\326\373\170\146\116\066  
\175\371\351\222\351\004\336\375\111\143\374\155\373\024\161\223  
\147\057\107\112\267\271\377\036\052\163\160\106\060\277\132\362  
\057\171\245\341\215\014\331\371\262\143\067\214\067\145\205\160  
\152\134\133\011\162\271\255\143\074\261\335\370\374\062\277\067  
\206\344\273\216\230\047\176\272\037\026\341\160\021\362\003\337  
\045\142\062\047\046\030\062\204\237\377\000\072\023\272\232\115  
\364\117\270\024\160\042\261\312\053\220\316\051\301\160\364\057  
\235\177\362\220\036\326\132\337\267\106\374\346\206\372\313\340  
\040\166\172\272\246\313\365\174\336\142\245\261\213\356\336\202  
\146\212\116\072\060\037\077\200\313\255\047\272\014\136\327\320  
\261\126\312\167\161\262\265\165\241\120\251\100\103\027\302\050  
\331\317\122\213\133\310\143\324\102\076\240\063\172\106\056\367  
\012\040\106\124\176\152\117\061\361\201\176\102\164\070\145\163  
\047\356\306\174\270\216\327\245\072\327\230\241\234\214\020\125  
\323\333\113\354\100\220\362\315\156\127\322\142\016\174\127\223  
\261\247\155\315\235\203\273\052\347\345\266\073\161\130\255\375



```
\321\105\274\132\221\356\123\025\157\323\105\011\165\156\272\220
\135\036\004\317\067\337\036\250\146\261\214\346\040\152\357\374
\110\116\164\230\102\257\051\157\056\152\307\373\175\321\146\061
\042\314\206\000\176\146\203\014\102\364\275\064\222\303\032\352
\117\312\176\162\115\013\160\214\246\110\273\246\241\024\366\373
\130\104\231\024\256\252\013\223\151\240\051\045\112\245\313\053
\335\212\146\007\026\170\025\127\161\033\354\365\107\204\363\236
\061\067\172\325\177\044\255\344\274\375\375\314\156\203\350\014
\250\267\101\154\007\335\275\074\206\227\057\322
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "GDCA TrustAUTH R5 ROOT"
```

```
Issuer: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY
CO.,LTD.",C=CN
```

```
Serial Number:7d:09:97:fe:f0:47:ea:7a
```

```
Subject: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY
CO.,LTD.",C=CN
```

```
Not Valid Before: Wed Nov 26 05:13:15 2014
```

```
Not Valid After : Mon Dec 31 15:59:59 2040
```

```
Fingerprint (SHA-256):
```

```
BF:FF:8F:D0:44:33:48:7D:6A:8A:A6:0C:1A:29:76:7A:9F:C2:BB:B0:5E:42:0F:71:3A:13:B9:92:89:1D:38:93
```

```
Fingerprint (SHA1): 0F:36:38:5B:81:1A:25:C3:9B:31:4E:83:CA:E9:34:66:70:CC:74:B4
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GDCA TrustAUTH R5 ROOT"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\017\066\070\133\201\032\045\303\233\061\116\203\312\351\064\146
\160\314\164\264
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\143\314\331\075\064\065\134\157\123\243\342\010\160\110\037\264
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\142\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\062\060\060\006\003\125\004\012\014\051\107\125\101\116\107\040
\104\117\116\107\040\103\105\122\124\111\106\111\103\101\124\105
\040\101\125\124\110\117\122\111\124\131\040\103\117\056\054\114
\124\104\056\061\037\060\035\006\003\125\004\003\014\026\107\104
\103\101\040\124\162\165\163\164\101\125\124\110\040\122\065\040
\122\117\117\124
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\010\175\011\227\376\360\107\352\172
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "TrustCor RootCert CA-1"
#
Issuer: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
Serial Number:00:da:9b:ec:71:f3:03:b0:19
Subject: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
Not Valid Before: Thu Feb 04 12:32:16 2016
Not Valid After : Mon Dec 31 17:23:16 2029
Fingerprint (SHA-256):
D4:0E:9C:86:CD:8F:E4:68:C1:77:69:59:F4:9E:A7:74:FA:54:86:84:B6:C4:06:F3:90:92:61:F4:DC:E2:57:5C
Fingerprint (SHA1): FF:BD:CD:E7:82:C8:43:5E:3C:6F:26:86:5C:CA:A8:3A:45:5B:C3:0A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TrustCor RootCert CA-1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164

```

\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014  
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145  
\162\164\040\103\101\055\061  
END  
CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\011\000\332\233\354\161\363\003\260\031  
END  
CKA\_VALUE MULTILINE\_OCTAL  
\060\202\004\060\060\202\003\030\240\003\002\001\002\002\011\000  
\332\233\354\161\363\003\260\031\060\015\006\011\052\206\110\206  
\367\015\001\001\013\005\000\060\201\244\061\013\060\011\006\003  
\125\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010  
\014\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004  
\007\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044  
\060\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157  
\162\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040  
\122\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124  
\162\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143  
\141\164\145\040\101\165\164\150\157\162\151\164\171\061\037\060  
\035\006\003\125\004\003\014\026\124\162\165\163\164\103\157\162  
\040\122\157\157\164\103\145\162\164\040\103\101\055\061\060\036  
\027\015\061\066\060\062\060\064\061\062\063\062\061\066\132\027  
\015\062\071\061\062\063\061\061\067\062\063\061\066\132\060\201  
\244\061\013\060\011\006\003\125\004\006\023\002\120\101\061\017  
\060\015\006\003\125\004\010\014\006\120\141\156\141\155\141\061  
\024\060\022\006\003\125\004\007\014\013\120\141\156\141\155\141  
\040\103\151\164\171\061\044\060\042\006\003\125\004\012\014\033  
\124\162\165\163\164\103\157\162\040\123\171\163\164\145\155\163  
\040\123\056\040\144\145\040\122\056\114\056\061\047\060\045\006  
\003\125\004\013\014\036\124\162\165\163\164\103\157\162\040\103  
\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157  
\162\151\164\171\061\037\060\035\006\003\125\004\003\014\026\124  
\162\165\163\164\103\157\162\040\122\157\157\164\103\145\162\164  
\040\103\101\055\061\060\202\001\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001  
\012\002\202\001\001\000\277\216\267\225\342\302\046\022\153\063  
\031\307\100\130\012\253\131\252\215\000\243\374\200\307\120\173  
\216\324\040\046\272\062\022\330\043\124\111\045\020\042\230\235  
\106\322\301\311\236\116\033\056\054\016\070\363\032\045\150\034  
\246\132\005\346\036\213\110\277\230\226\164\076\151\312\351\265  
\170\245\006\274\325\000\136\011\012\362\047\172\122\374\055\325  
\261\352\264\211\141\044\363\032\023\333\251\317\122\355\014\044  
\272\271\236\354\176\000\164\372\223\255\154\051\222\256\121\264  
\273\323\127\277\263\363\250\215\234\364\044\113\052\326\231\236  
\364\236\376\300\176\102\072\347\013\225\123\332\267\150\016\220  
\114\373\160\077\217\112\054\224\363\046\335\143\151\251\224\330  
\020\116\305\107\010\220\231\033\027\115\271\154\156\357\140\225  
\021\216\041\200\265\275\240\163\330\320\262\167\304\105\352\132

\046\373\146\166\166\370\006\037\141\155\017\125\305\203\267\020  
\126\162\006\007\245\363\261\032\003\005\144\016\235\132\212\326  
\206\160\033\044\336\376\050\212\053\320\152\260\374\172\242\334  
\262\171\016\213\145\017\002\003\001\000\001\243\143\060\141\060  
\035\006\003\125\035\016\004\026\004\024\356\153\111\074\172\077  
\015\343\261\011\267\212\310\253\031\237\163\063\120\347\060\037  
\006\003\125\035\043\004\030\060\026\200\024\356\153\111\074\172  
\077\015\343\261\011\267\212\310\253\031\237\163\063\120\347\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\001\001\000\045\030\324\221\217\023\356\217\036\035\021\123  
\332\055\104\051\031\240\036\153\061\236\115\016\236\255\075\134  
\101\157\225\053\044\241\171\230\072\070\066\373\273\146\236\110  
\377\220\220\357\075\324\270\233\264\207\165\077\040\233\316\162  
\317\241\125\301\115\144\242\031\006\241\007\063\014\013\051\345  
\361\352\253\243\354\265\012\164\220\307\175\162\362\327\134\237  
\221\357\221\213\267\334\355\146\242\317\216\146\073\274\237\072  
\002\340\047\335\026\230\300\225\324\012\244\344\201\232\165\224  
\065\234\220\137\210\067\006\255\131\225\012\260\321\147\323\031  
\312\211\347\062\132\066\034\076\202\250\132\223\276\306\320\144  
\221\266\317\331\266\030\317\333\176\322\145\243\246\304\216\027  
\061\301\373\176\166\333\323\205\343\130\262\167\172\166\073\154  
\057\120\034\347\333\366\147\171\037\365\202\225\232\007\247\024  
\257\217\334\050\041\147\011\322\326\115\132\034\031\034\216\167  
\134\303\224\044\075\062\153\113\176\324\170\224\203\276\067\115  
\316\137\307\036\116\074\340\211\063\225\013\017\245\062\326\074  
\132\171\054\031

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

# For Server Distrust After: Wed Nov 30 00:00:00 2022

CKA\_NSS\_SERVER\_DISTRUSTRUST\_AFTER MULTILINE\_OCTAL

\062\062\061\061\063\060\060\060\060\060\060\132

END

# For Email Distrust After: Wed Nov 30 00:00:00 2022

CKA\_NSS\_EMAIL\_DISTRUSTRUST\_AFTER MULTILINE\_OCTAL

\062\062\061\061\063\060\060\060\060\060\060\132

END

# Trust for "TrustCor RootCert CA-1"

# Issuer: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de  
R.L.,L=Panama City,ST=Panama,C=PA

# Serial Number:00:da:9b:ec:71:f3:03:b0:19

# Subject: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de  
R.L.,L=Panama City,ST=Panama,C=PA

# Not Valid Before: Thu Feb 04 12:32:16 2016

# Not Valid After : Mon Dec 31 17:23:16 2029

# Fingerprint (SHA-256):

D4:0E:9C:86:CD:8F:E4:68:C1:77:69:59:F4:9E:A7:74:FA:54:86:84:B6:C4:06:F3:90:92:61:F4:DC:E2:57:5C

# Fingerprint (SHA1): FF:BD:CD:E7:82:C8:43:5E:3C:6F:26:86:5C:CA:A8:3A:45:5B:C3:0A

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "TrustCor RootCert CA-1"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\377\275\315\347\202\310\103\136\074\157\046\206\134\312\250\072  
\105\133\303\012

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\156\205\361\334\032\000\323\042\325\262\262\254\153\067\005\105  
END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101  
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155  
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141  
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012  
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145  
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060  
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162  
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164  
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014  
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145  
\162\164\040\103\101\055\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\332\233\354\161\363\003\260\031

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "TrustCor RootCert CA-2"

#

# Issuer: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de  
R.L.,L=Panama City,ST=Panama,C=PA

# Serial Number:25:a1:df:ca:33:cb:59:02

# Subject: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de  
R.L.,L=Panama City,ST=Panama,C=PA

# Not Valid Before: Thu Feb 04 12:32:23 2016

# Not Valid After : Sun Dec 31 17:26:39 2034

# Fingerprint (SHA-256):

07:53:E9:40:37:8C:1B:D5:E3:83:6E:39:5D:AE:A5:CB:83:9E:50:46:F1:BD:0E:AE:19:51:CF:10:FE:C7:C9:65

# Fingerprint (SHA1): B8:BE:6D:CB:56:F1:55:B9:63:D4:12:CA:4E:06:34:C7:94:B2:1C:C0

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TrustCor RootCert CA-2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\045\241\337\312\063\313\131\002
END
CKA_VALUE MULTILINE_OCTAL
\060\202\006\057\060\202\004\027\240\003\002\001\002\002\010\045
\241\337\312\063\313\131\002\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\201\244\061\013\060\011\006\003\125
\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010\014
\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004\007
\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044\060
\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157\162
\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040\122
\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124\162
\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143\141
\164\145\040\101\165\164\150\157\162\151\164\171\061\037\060\035
```

\006\003\125\004\003\014\026\124\162\165\163\164\103\157\162\040  
\122\157\157\164\103\145\162\164\040\103\101\055\062\060\036\027  
\015\061\066\060\062\060\064\061\062\063\062\062\063\132\027\015  
\063\064\061\062\063\061\061\067\062\066\063\071\132\060\201\244  
\061\013\060\011\006\003\125\004\006\023\002\120\101\061\017\060  
\015\006\003\125\004\010\014\006\120\141\156\141\155\141\061\024  
\060\022\006\003\125\004\007\014\013\120\141\156\141\155\141\040  
\103\151\164\171\061\044\060\042\006\003\125\004\012\014\033\124  
\162\165\163\164\103\157\162\040\123\171\163\164\145\155\163\040  
\123\056\040\144\145\040\122\056\114\056\061\047\060\045\006\003  
\125\004\013\014\036\124\162\165\163\164\103\157\162\040\103\145  
\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162  
\151\164\171\061\037\060\035\006\003\125\004\003\014\026\124\162  
\165\163\164\103\157\162\040\122\157\157\164\103\145\162\164\040  
\103\101\055\062\060\202\002\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012  
\002\202\002\001\000\247\040\156\302\052\242\142\044\225\220\166  
\310\070\176\200\322\253\301\233\145\005\224\364\301\012\020\325  
\002\254\355\237\223\307\207\310\260\047\053\102\014\075\012\076  
\101\132\236\165\335\215\312\340\233\354\150\062\244\151\222\150  
\214\013\201\016\126\240\076\032\335\054\045\024\202\057\227\323  
\144\106\364\124\251\334\072\124\055\061\053\231\202\362\331\052  
\327\357\161\000\270\061\244\276\172\044\007\303\102\040\362\212  
\324\222\004\033\145\126\114\154\324\373\266\141\132\107\043\264  
\330\151\264\267\072\320\164\074\014\165\241\214\116\166\241\351  
\333\052\245\073\372\316\260\377\176\152\050\375\047\034\310\261  
\351\051\361\127\156\144\264\320\301\025\155\016\276\056\016\106  
\310\136\364\121\376\357\016\143\072\073\161\272\317\157\131\312  
\014\343\233\135\111\270\114\342\127\261\230\212\102\127\234\166  
\357\357\275\321\150\250\322\364\011\273\167\065\276\045\202\010  
\304\026\054\104\040\126\251\104\021\167\357\135\264\035\252\136  
\153\076\213\062\366\007\057\127\004\222\312\365\376\235\302\351  
\350\263\216\114\113\002\061\331\344\074\110\202\047\367\030\202  
\166\110\072\161\261\023\241\071\325\056\305\064\302\035\142\205  
\337\003\376\115\364\257\075\337\134\133\215\372\160\341\245\176  
\047\307\206\056\152\217\022\306\204\136\103\121\120\234\031\233  
\170\346\374\366\355\107\176\173\075\146\357\023\023\210\137\074  
\241\143\373\371\254\207\065\237\363\202\236\244\077\012\234\061  
\151\213\231\244\210\112\216\156\146\115\357\026\304\017\171\050  
\041\140\015\205\026\175\327\124\070\361\222\126\375\265\063\114  
\203\334\327\020\237\113\375\306\370\102\275\272\174\163\002\340  
\377\175\315\133\341\324\254\141\173\127\325\112\173\133\324\205  
\130\047\135\277\370\053\140\254\240\046\256\024\041\047\306\167  
\232\063\200\074\136\106\077\367\303\261\243\206\063\306\350\136  
\015\271\065\054\252\106\301\205\002\165\200\240\353\044\373\025  
\252\344\147\177\156\167\077\364\004\212\057\174\173\343\027\141  
\360\335\011\251\040\310\276\011\244\320\176\104\303\262\060\112  
\070\252\251\354\030\232\007\202\053\333\270\234\030\255\332\340

\106\027\254\317\135\002\003\001\000\001\243\143\060\141\060\035  
\006\003\125\035\016\004\026\004\024\331\376\041\100\156\224\236  
\274\233\075\234\175\230\040\031\345\214\060\142\262\060\037\006  
\003\125\035\043\004\030\060\026\200\024\331\376\041\100\156\224  
\236\274\233\075\234\175\230\040\031\345\214\060\142\262\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202  
\002\001\000\236\105\236\014\073\266\357\341\072\310\174\321\000  
\075\317\342\352\006\265\262\072\273\006\113\150\172\320\043\227  
\164\247\054\360\010\330\171\132\327\132\204\212\330\022\232\033  
\331\175\134\115\160\305\245\371\253\345\243\211\211\335\001\372  
\354\335\371\351\222\227\333\260\106\102\363\323\142\252\225\376  
\061\147\024\151\130\220\012\252\013\356\067\043\307\120\121\264  
\365\176\236\343\173\367\344\314\102\062\055\111\014\313\377\111  
\014\233\036\064\375\156\156\226\212\171\003\266\157\333\011\313  
\375\137\145\024\067\341\070\365\363\141\026\130\344\265\155\015  
\013\004\033\077\120\055\177\263\307\172\032\026\200\140\370\212  
\037\351\033\052\306\371\272\001\032\151\277\322\130\307\124\127  
\010\217\341\071\140\167\113\254\131\204\032\210\361\335\313\117  
\170\327\347\341\063\055\374\356\101\372\040\260\276\313\367\070  
\224\300\341\320\205\017\273\355\054\163\253\355\376\222\166\032  
\144\177\133\015\063\011\007\063\173\006\077\021\244\134\160\074  
\205\300\317\343\220\250\203\167\372\333\346\305\214\150\147\020  
\147\245\122\055\360\304\231\217\177\277\321\153\342\265\107\326  
\331\320\205\231\115\224\233\017\113\215\356\000\132\107\035\021  
\003\254\101\030\257\207\267\157\014\072\217\312\317\334\003\301  
\242\011\310\345\375\200\136\310\140\102\001\033\032\123\132\273  
\067\246\267\274\272\204\351\036\154\032\324\144\332\324\103\376  
\223\213\113\362\054\171\026\020\324\223\013\210\217\241\330\206  
\024\106\221\107\233\050\044\357\127\122\116\134\102\234\252\367  
\111\354\047\350\100\036\263\246\211\042\162\234\365\015\063\264  
\130\243\060\073\335\324\152\124\223\276\032\115\363\223\224\367  
\374\204\013\077\204\040\134\064\003\104\305\332\255\274\012\301  
\002\317\036\345\224\331\363\216\133\330\114\360\235\354\141\027  
\273\024\062\124\014\002\051\223\036\222\206\366\177\357\347\222  
\005\016\131\335\231\010\056\056\372\234\000\122\323\305\146\051  
\344\247\227\104\244\016\050\201\023\065\305\366\157\144\346\101  
\304\325\057\314\064\105\045\317\101\000\226\075\112\056\302\226  
\230\117\116\112\234\227\267\333\037\222\062\310\377\017\121\156  
\326\354\011

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

# For Server Distrust After: Wed Nov 30 00:00:00 2022

CKA\_NSS\_SERVER\_DISTRUSTRUST\_AFTER MULTILINE\_OCTAL

\062\062\061\061\063\060\060\060\060\060\060\060\132

END

# For Email Distrust After: Wed Nov 30 00:00:00 2022



CKA\_NSS\_EMAIL\_DISTRICT\_AFTER\_MULTILINE\_OCTAL

\062\062\061\061\063\060\060\060\060\060\060\060\132

END

# Trust for "TrustCor RootCert CA-2"

# Issuer: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama City,ST=Panama,C=PA

# Serial Number:25:a1:df:ca:33:cb:59:02

# Subject: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama City,ST=Panama,C=PA

# Not Valid Before: Thu Feb 04 12:32:23 2016

# Not Valid After : Sun Dec 31 17:26:39 2034

# Fingerprint (SHA-256):

07:53:E9:40:37:8C:1B:D5:E3:83:6E:39:5D:AE:A5:CB:83:9E:50:46:F1:BD:0E:AE:19:51:CF:10:FE:C7:C9:65

# Fingerprint (SHA1): B8:BE:6D:CB:56:F1:55:B9:63:D4:12:CA:4E:06:34:C7:94:B2:1C:C0

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "TrustCor RootCert CA-2"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\270\276\155\313\126\361\125\271\143\324\022\312\116\006\064\307

\224\262\034\300

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\242\341\370\030\013\272\105\325\307\101\052\273\067\122\105\144

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101

\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155

\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141

\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012

\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145

\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060

\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162

\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164

\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014

\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145

\162\164\040\103\101\055\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\045\241\337\312\063\313\131\002

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

```

#
Certificate "TrustCor ECA-1"
#
Issuer: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama
City,ST=Panama,C=PA
Serial Number:00:84:82:2c:5f:1c:62:d0:40
Subject: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama
City,ST=Panama,C=PA
Not Valid Before: Thu Feb 04 12:32:33 2016
Not Valid After : Mon Dec 31 17:28:07 2029
Fingerprint (SHA-256):
5A:88:5D:B1:9C:01:D9:12:C5:75:93:88:93:8C:AF:BB:DF:03:1A:B2:D4:8E:91:EE:15:58:9B:42:97:1D:03:9C
Fingerprint (SHA1): 58:D1:DF:95:95:67:6B:63:C0:F0:5B:1C:17:4D:8B:84:0B:C8:78:BD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TrustCor ECA-1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\234\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\027\060\025\006\003\125\004\003\014
\016\124\162\165\163\164\103\157\162\040\105\103\101\055\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\234\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\027\060\025\006\003\125\004\003\014
\016\124\162\165\163\164\103\157\162\040\105\103\101\055\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\204\202\054\137\034\142\320\100
END

```

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\040\060\202\003\010\240\003\002\001\002\002\011\000  
\204\202\054\137\034\142\320\100\060\015\006\011\052\206\110\206  
\367\015\001\001\013\005\000\060\201\234\061\013\060\011\006\003  
\125\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010  
\014\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004  
\007\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044  
\060\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157  
\162\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040  
\122\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124  
\162\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143  
\141\164\145\040\101\165\164\150\157\162\151\164\171\061\027\060  
\025\006\003\125\004\003\014\016\124\162\165\163\164\103\157\162  
\040\105\103\101\055\061\060\036\027\015\061\066\060\062\060\064  
\061\062\063\062\063\063\132\027\015\062\071\061\062\063\061\061  
\067\062\070\060\067\132\060\201\234\061\013\060\011\006\003\125  
\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010\014  
\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004\007  
\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044\060  
\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157\162  
\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040\122  
\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124\162  
\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143\141  
\164\145\040\101\165\164\150\157\162\151\164\171\061\027\060\025  
\006\003\125\004\003\014\016\124\162\165\163\164\103\157\162\040  
\105\103\101\055\061\060\202\001\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001  
\012\002\202\001\001\000\317\217\340\021\265\237\250\166\166\333  
\337\017\124\357\163\143\051\202\255\107\306\243\153\355\376\137  
\063\370\103\121\351\032\063\221\061\027\240\164\304\324\247\001  
\346\262\222\076\152\235\355\016\371\164\230\100\323\077\003\200  
\006\202\100\350\261\342\247\121\247\035\203\046\153\253\336\372  
\027\221\053\330\306\254\036\261\236\031\001\325\227\246\352\015  
\267\304\125\037\047\174\322\010\325\166\037\051\025\207\100\071  
\335\070\105\021\165\320\232\247\064\340\277\315\310\122\035\271  
\107\176\015\270\273\306\014\366\163\127\026\132\176\103\221\037  
\125\072\306\155\104\004\252\234\251\234\247\114\211\027\203\256  
\243\004\136\122\200\213\036\022\045\021\031\327\014\175\175\061  
\104\101\352\333\257\260\034\357\201\320\054\305\232\041\233\075  
\355\102\073\120\046\362\354\316\161\141\006\142\041\124\116\177  
\301\235\076\177\040\214\200\313\052\330\227\142\310\203\063\221  
\175\260\242\132\017\127\350\073\314\362\045\262\324\174\057\354  
\115\306\241\072\025\172\347\266\135\065\365\366\110\112\066\105  
\146\324\272\230\130\301\002\003\001\000\001\243\143\060\141\060  
\035\006\003\125\035\016\004\026\004\024\104\236\110\365\314\155  
\110\324\240\113\177\376\131\044\057\203\227\231\232\206\060\037  
\006\003\125\035\043\004\030\060\026\200\024\104\236\110\365\314  
\155\110\324\240\113\177\376\131\044\057\203\227\231\232\206\060

```
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003
\202\001\001\000\005\076\065\134\025\160\233\311\307\163\141\157
\162\053\324\302\217\362\103\135\002\316\304\224\271\224\021\203
\147\135\342\147\154\165\166\277\273\014\252\066\306\255\107\223
\143\334\036\176\326\336\056\376\351\031\062\070\003\177\024\366
\000\163\054\131\261\041\006\341\373\254\030\225\014\243\377\231
\226\367\053\047\233\325\044\314\035\335\301\072\340\230\104\260
\304\344\076\167\261\163\251\144\054\366\034\001\174\077\135\105
\205\300\205\347\045\217\225\334\027\363\074\237\032\156\260\312
\343\035\052\351\114\143\372\044\141\142\326\332\176\266\034\154
\365\002\035\324\052\335\125\220\353\052\021\107\074\056\136\164
\262\202\042\245\175\123\037\105\354\047\221\175\347\042\026\350
\300\150\066\330\306\361\117\200\104\062\371\341\321\321\035\252
\336\250\253\234\004\257\255\040\016\144\230\115\245\153\300\110
\130\226\151\115\334\007\214\121\223\242\337\237\017\075\213\140
\264\202\215\252\010\116\142\105\340\371\013\322\340\340\074\133
\336\134\161\047\045\302\346\003\201\213\020\123\343\307\125\242
\264\237\327\346
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

# For Server Distrust After: Wed Nov 30 00:00:00 2022

CKA\_NSS\_SERVER\_DISTRUSTRUST\_AFTER MULTILINE\_OCTAL

```
\062\062\061\061\063\060\060\060\060\060\060\132
```

END

# For Email Distrust After: Wed Nov 30 00:00:00 2022

CKA\_NSS\_EMAIL\_DISTRUSTRUST\_AFTER MULTILINE\_OCTAL

```
\062\062\061\061\063\060\060\060\060\060\060\132
```

END

# Trust for "TrustCor ECA-1"

# Issuer: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama City,ST=Panama,C=PA

# Serial Number:00:84:82:2c:5f:1c:62:d0:40

# Subject: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama City,ST=Panama,C=PA

# Not Valid Before: Thu Feb 04 12:32:33 2016

# Not Valid After : Mon Dec 31 17:28:07 2029

# Fingerprint (SHA-256):

5A:88:5D:B1:9C:01:D9:12:C5:75:93:88:93:8C:AF:BB:DF:03:1A:B2:D4:8E:91:EE:15:58:9B:42:97:1D:03:9C

# Fingerprint (SHA1): 58:D1:DF:95:95:67:6B:63:C0:F0:5B:1C:17:4D:8B:84:0B:C8:78:BD

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "TrustCor ECA-1"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\130\321\337\225\225\147\153\143\300\360\133\034\027\115\213\204  
\013\310\170\275

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\047\222\043\035\012\365\100\174\351\346\153\235\330\365\347\154

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\234\061\013\060\011\006\003\125\004\006\023\002\120\101  
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155  
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141  
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012  
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145  
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060  
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162  
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164  
\150\157\162\151\164\171\061\027\060\025\006\003\125\004\003\014  
\016\124\162\165\163\164\103\157\162\040\105\103\101\055\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\204\202\054\137\034\142\320\100

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "SSL.com Root Certification Authority RSA"

#

# Issuer: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US

# Serial Number:7b:2c:9b:d3:16:80:32:99

# Subject: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US

# Not Valid Before: Fri Feb 12 17:39:39 2016

# Not Valid After : Tue Feb 12 17:39:39 2041

# Fingerprint (SHA-256):

85:66:6A:56:2E:E0:BE:5C:E9:25:C1:D8:89:0A:6F:76:A8:7E:C1:6D:4D:7D:5F:29:EA:74:19:CF:20:12:3B:69

# Fingerprint (SHA1): B7:AB:33:08:D1:EA:44:77:BA:14:80:12:5A:6F:BD:A9:36:49:0C:BB

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "SSL.com Root Certification Authority RSA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061  
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157  
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040

\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006  
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157  
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156  
\040\101\165\164\150\157\162\151\164\171\040\122\123\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061  
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157  
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040  
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006  
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157  
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156  
\040\101\165\164\150\157\162\151\164\171\040\122\123\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\173\054\233\323\026\200\062\231

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\335\060\202\003\305\240\003\002\001\002\002\010\173  
\054\233\323\026\200\062\231\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\174\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\016\060\014\006\003\125\004\010\014\005  
\124\145\170\141\163\061\020\060\016\006\003\125\004\007\014\007  
\110\157\165\163\164\157\156\061\030\060\026\006\003\125\004\012  
\014\017\123\123\114\040\103\157\162\160\157\162\141\164\151\157  
\156\061\061\060\057\006\003\125\004\003\014\050\123\123\114\056  
\143\157\155\040\122\157\157\164\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\040\122\123\101\060\036\027\015\061\066\060\062\061\062\061\067  
\063\071\063\071\132\027\015\064\061\060\062\061\062\061\067\063  
\071\063\071\132\060\174\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145  
\170\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157  
\165\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017  
\123\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061  
\061\060\057\006\003\125\004\003\014\050\123\123\114\056\143\157  
\155\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122  
\123\101\060\202\002\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202  
\002\001\000\371\017\335\243\053\175\313\320\052\376\354\147\205  
\246\347\056\033\272\167\341\343\365\257\244\354\372\112\135\221  
\304\127\107\153\030\167\153\166\362\375\223\344\075\017\302\026  
\236\013\146\303\126\224\236\027\203\205\316\126\357\362\026\375  
\000\142\365\042\011\124\350\145\027\116\101\271\340\117\106\227  
\252\033\310\270\156\142\136\151\261\137\333\052\002\176\374\154

|312|363|101|330|355|320|350|374|077|141|110|355|260|003|024|035  
|020|016|113|031|340|273|116|354|206|145|377|066|363|136|147|002  
|013|235|206|125|141|375|172|070|355|376|342|031|000|267|157|241  
|120|142|165|164|074|240|372|310|045|222|264|156|172|042|307|370  
|036|241|343|262|335|221|061|253|053|035|004|377|245|112|004|067  
|351|205|244|063|053|375|342|326|125|064|174|031|244|112|150|307  
|262|250|323|267|312|241|223|210|353|301|227|274|214|371|035|331  
|042|204|044|164|307|004|075|152|251|051|223|314|353|270|133|341  
|376|137|045|252|064|130|310|301|043|124|235|033|230|021|303|070  
|234|176|075|206|154|245|017|100|206|174|002|364|134|002|117|050  
|313|256|161|237|017|072|310|063|376|021|045|065|352|374|272|305  
|140|075|331|174|030|325|262|251|323|165|170|003|162|042|312|072  
|303|037|357|054|345|056|251|372|236|054|266|121|106|375|257|003  
|326|352|140|150|352|205|026|066|153|205|351|036|300|263|335|304  
|044|334|200|052|201|101|155|224|076|310|340|311|201|101|000|236  
|136|277|177|305|010|230|242|030|054|102|100|263|371|157|070|047  
|113|116|200|364|075|201|107|340|210|174|352|034|316|265|165|134  
|121|056|034|053|177|032|162|050|347|000|265|321|164|306|327|344  
|237|255|007|223|266|123|065|065|374|067|344|303|366|135|026|276  
|041|163|336|222|012|370|240|143|152|274|226|222|152|076|370|274  
|145|125|233|336|365|015|211|046|004|374|045|032|246|045|151|313  
|302|155|312|174|342|131|137|227|254|353|357|056|310|274|327|033  
|131|074|053|314|362|031|310|223|153|047|143|031|317|374|351|046  
|370|312|161|233|177|223|376|064|147|204|116|231|353|374|263|170  
|011|063|160|272|146|246|166|355|033|163|353|032|245|015|304|042  
|023|040|224|126|012|116|054|154|116|261|375|317|234|011|272|242  
|063|355|207|002|003|001|000|001|243|143|060|141|060|035|006|003  
|125|035|016|004|026|004|024|335|004|011|007|242|365|172|175|122  
|123|022|222|225|356|070|200|045|015|246|131|060|017|006|003|125  
|035|023|001|001|377|004|005|060|003|001|001|377|060|037|006|003  
|125|035|043|004|030|060|026|200|024|335|004|011|007|242|365|172  
|175|122|123|022|222|225|356|070|200|045|015|246|131|060|016|006  
|003|125|035|017|001|001|377|004|004|003|002|001|206|060|015|006  
|011|052|206|110|206|367|015|001|001|013|005|000|003|202|002|001  
|000|040|030|021|224|051|373|046|235|034|036|036|160|141|361|225  
|162|223|161|044|255|150|223|130|216|062|257|033|263|160|003|374  
|045|053|164|205|220|075|170|152|364|271|213|245|227|073|265|030  
|221|273|036|247|371|100|133|221|371|125|231|257|036|021|320|134  
|035|247|146|343|261|224|007|014|062|071|246|352|033|260|171|330  
|035|234|160|104|343|212|335|304|371|225|037|212|070|103|077|001  
|205|245|107|247|075|106|262|274|345|042|150|367|173|234|330|054  
|076|012|041|310|055|063|254|277|305|201|231|061|164|301|165|161  
|305|276|261|360|043|105|364|235|153|374|031|143|235|243|274|004  
|306|030|013|045|273|123|211|017|263|200|120|336|105|356|104|177  
|253|224|170|144|230|323|366|050|335|207|330|160|145|164|373|016  
|271|023|353|247|017|141|251|062|226|314|336|273|355|143|114|030  
|273|251|100|367|240|124|156|040|210|161|165|030|352|172|264|064  
|162|340|043|047|167|134|266|220|352|206|045|100|253|357|063|017

```
\313\237\202\276\242\040\373\366\265\055\032\346\302\205\261\164
\017\373\310\145\002\244\122\001\107\335\111\042\301\277\330\353
\153\254\176\336\354\143\063\025\267\043\010\217\306\017\215\101
\132\335\216\305\271\217\345\105\077\170\333\272\322\033\100\261
\376\161\115\077\340\201\242\272\136\264\354\025\340\223\335\010
\037\176\341\125\231\013\041\336\223\236\012\373\346\243\111\275
\066\060\376\347\167\262\240\165\227\265\055\201\210\027\145\040
\367\332\220\000\237\311\122\314\062\312\065\174\365\075\017\330
\053\327\365\046\154\311\006\064\226\026\352\160\131\032\062\171
\171\013\266\210\177\017\122\110\075\277\154\330\242\104\056\321
\116\267\162\130\323\211\023\225\376\104\253\370\327\213\033\156
\234\274\054\240\133\325\152\000\257\137\067\341\325\372\020\013
\230\234\206\347\046\217\316\360\354\156\212\127\013\200\343\116
\262\300\240\143\141\220\272\125\150\067\164\152\266\222\333\237
\241\206\042\266\145\047\016\354\266\237\102\140\344\147\302\265
\332\101\013\304\323\213\141\033\274\372\037\221\053\327\104\007
\136\272\051\254\331\305\351\357\123\110\132\353\200\361\050\130
\041\315\260\006\125\373\047\077\123\220\160\251\004\036\127\047
\271
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "SSL.com Root Certification Authority RSA"
```

```
Issuer: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US
```

```
Serial Number:7b:2c:9b:d3:16:80:32:99
```

```
Subject: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US
```

```
Not Valid Before: Fri Feb 12 17:39:39 2016
```

```
Not Valid After : Tue Feb 12 17:39:39 2041
```

```
Fingerprint (SHA-256):
```

```
85:66:6A:56:2E:E0:BE:5C:E9:25:C1:D8:89:0A:6F:76:A8:7E:C1:6D:4D:7D:5F:29:EA:74:19:CF:20:12:3B:69
```

```
Fingerprint (SHA1): B7:AB:33:08:D1:EA:44:77:BA:14:80:12:5A:6F:BD:A9:36:49:0C:BB
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "SSL.com Root Certification Authority RSA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\267\253\063\010\321\352\104\167\272\024\200\022\132\157\275\251
\066\111\014\273
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\206\151\022\300\160\361\354\254\254\302\325\274\245\133\241\051
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
```



```
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\122\123\101
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\010\173\054\233\323\026\200\062\231
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "SSL.com Root Certification Authority ECC"

#

# Issuer: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US

# Serial Number:75:e6:df:cb:c1:68:5b:a8

# Subject: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US

# Not Valid Before: Fri Feb 12 18:14:03 2016

# Not Valid After : Tue Feb 12 18:14:03 2041

# Fingerprint (SHA-256):

34:17:BB:06:CC:60:07:DA:1B:96:1C:92:0B:8A:B4:CE:3F:AD:82:0E:4A:A3:0B:9A:CB:C4:A7:4E:BD:CE:BC:65

# Fingerprint (SHA1): C3:19:7C:39:24:E6:54:AF:1B:C4:AB:20:95:7A:E2:C3:0E:13:02:6A

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "SSL.com Root Certification Authority ECC"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\105\103\103
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
```

\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006  
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157  
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156  
\040\101\165\164\150\157\162\151\164\171\040\105\103\103

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\165\346\337\313\301\150\133\250

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\215\060\202\002\024\240\003\002\001\002\002\010\165  
\346\337\313\301\150\133\250\060\012\006\010\052\206\110\316\075  
\004\003\002\060\174\061\013\060\011\006\003\125\004\006\023\002  
\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145\170  
\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157\165  
\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017\123  
\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061\061  
\060\057\006\003\125\004\003\014\050\123\123\114\056\143\157\155  
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164  
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103  
\103\060\036\027\015\061\066\060\062\061\062\061\070\061\064\060\060  
\063\132\027\015\064\061\060\062\061\062\061\070\061\064\060\063  
\132\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163  
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164  
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114  
\040\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057  
\006\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122  
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\040\105\103\103\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\105\156\251\120\304\246\043\066\236  
\137\050\215\027\313\226\042\144\077\334\172\216\035\314\010\263  
\242\161\044\272\216\111\271\004\033\107\226\130\253\055\225\310  
\355\236\010\065\310\047\353\211\214\123\130\353\142\212\376\360  
\133\017\153\061\122\143\101\073\211\315\354\354\266\215\031\323  
\064\007\334\273\306\006\177\302\105\225\354\313\177\250\043\340  
\011\351\201\372\363\107\323\243\143\060\141\060\035\006\003\125  
\035\016\004\026\004\024\202\321\205\163\060\347\065\004\323\216  
\002\222\373\345\244\321\304\041\350\315\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125  
\035\043\004\030\060\026\200\024\202\321\205\163\060\347\065\004  
\323\216\002\222\373\345\244\321\304\041\350\315\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\206\060\012\006\010  
\052\206\110\316\075\004\003\002\003\147\000\060\144\002\060\157  
\347\353\131\021\244\140\317\141\260\226\173\355\005\371\057\023  
\221\334\355\345\374\120\153\021\106\106\263\034\041\000\142\273  
\276\303\347\350\315\007\231\371\015\013\135\162\076\304\252\002  
\060\037\274\272\013\342\060\044\373\174\155\200\125\012\231\076

```
\200\015\063\345\146\243\263\243\273\245\325\213\217\011\054\246
\135\176\342\360\007\010\150\155\322\174\151\156\137\337\345\152
\145
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "SSL.com Root Certification Authority ECC"
Issuer: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
Serial Number:75:e6:df:cb:c1:68:5b:a8
Subject: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
Not Valid Before: Fri Feb 12 18:14:03 2016
Not Valid After : Tue Feb 12 18:14:03 2041
Fingerprint (SHA-256):
34:17:BB:06:CC:60:07:DA:1B:96:1C:92:0B:8A:B4:CE:3F:AD:82:0E:4A:A3:0B:9A:CB:C4:A7:4E:BD:CE:BC:65
Fingerprint (SHA1): C3:19:7C:39:24:E6:54:AF:1B:C4:AB:20:95:7A:E2:C3:0E:13:02:6A
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com Root Certification Authority ECC"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\303\031\174\071\044\346\124\257\033\304\253\040\225\172\342\303
\016\023\002\152
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\056\332\344\071\177\234\217\067\321\160\237\046\027\121\072\216
END
```

```
CKA_ISSUER MULTILINE_OCTAL
\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\105\103\103
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\165\346\337\313\301\150\133\250
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```

Certificate "SSL.com EV Root Certification Authority RSA R2"
#
Issuer: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL Corporation,L=Houston,ST=Texas,C=US
Serial Number:56:b6:29:cd:34:bc:78:f6
Subject: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL
Corporation,L=Houston,ST=Texas,C=US
Not Valid Before: Wed May 31 18:14:37 2017
Not Valid After : Fri May 30 18:14:37 2042
Fingerprint (SHA-256):
2E:7B:F1:6C:C2:24:85:A7:BB:E2:AA:86:96:75:07:61:B0:AE:39:BE:3B:2F:E9:D0:CC:6D:4E:F7:34:91:42:5C
Fingerprint (SHA1): 74:3A:F0:52:9B:D0:32:A0:F4:4A:83:CD:D4:BA:A9:7B:7C:2E:C4:9A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority RSA R2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114
\040\103\157\162\160\157\162\141\164\151\157\156\061\067\060\065
\006\003\125\004\003\014\056\123\123\114\056\143\157\155\040\105
\126\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122
\123\101\040\122\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114
\040\103\157\162\160\157\162\141\164\151\157\156\061\067\060\065
\006\003\125\004\003\014\056\123\123\114\056\143\157\155\040\105
\126\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122
\123\101\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\126\266\051\315\064\274\170\366
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\353\060\202\003\323\240\003\002\001\002\002\010\126
\266\051\315\064\274\170\366\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\201\202\061\013\060\011\006\003\125
\004\006\023\002\125\123\061\016\060\014\006\003\125\004\010\014

```

\005\124\145\170\141\163\061\020\060\016\006\003\125\004\007\014  
\007\110\157\165\163\164\157\156\061\030\060\026\006\003\125\004  
\012\014\017\123\123\114\040\103\157\162\160\157\162\141\164\151  
\157\156\061\067\060\065\006\003\125\004\003\014\056\123\123\114  
\056\143\157\155\040\105\126\040\122\157\157\164\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171\040\122\123\101\040\122\062\060\036\027\015\061  
\067\060\065\063\061\061\070\061\064\063\067\132\027\015\064\062  
\060\065\063\060\061\070\061\064\063\067\132\060\201\202\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\016\060\014\006  
\003\125\004\010\014\005\124\145\170\141\163\061\020\060\016\006  
\003\125\004\007\014\007\110\157\165\163\164\157\156\061\030\060  
\026\006\003\125\004\012\014\017\123\123\114\040\103\157\162\160  
\157\162\141\164\151\157\156\061\067\060\065\006\003\125\004\003  
\014\056\123\123\114\056\143\157\155\040\105\126\040\122\157\157  
\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040  
\101\165\164\150\157\162\151\164\171\040\122\123\101\040\122\062  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\217\066\145\100\341\326\115\300\327\264\351\106\332\153\352  
\063\107\315\114\371\175\175\276\275\055\075\360\333\170\341\206  
\245\331\272\011\127\150\355\127\076\240\320\010\101\203\347\050  
\101\044\037\343\162\025\320\001\032\373\136\160\043\262\313\237  
\071\343\317\305\116\306\222\155\046\306\173\273\263\332\047\235  
\012\206\351\201\067\005\376\360\161\161\354\303\034\351\143\242  
\027\024\235\357\033\147\323\205\125\002\002\326\111\311\314\132  
\341\261\367\157\062\237\311\324\073\210\101\250\234\275\313\253  
\333\155\173\011\037\242\114\162\220\332\053\010\374\317\074\124  
\316\147\017\250\317\135\226\031\013\304\343\162\353\255\321\175  
\035\047\357\222\353\020\277\133\353\073\257\317\200\335\301\322  
\226\004\133\172\176\244\251\074\070\166\244\142\216\240\071\136  
\352\167\317\135\000\131\217\146\054\076\007\242\243\005\046\021  
\151\227\352\205\267\017\226\013\113\310\100\341\120\272\056\212  
\313\367\017\232\042\347\177\232\067\023\315\362\115\023\153\041  
\321\300\314\042\362\241\106\366\104\151\234\312\141\065\007\000  
\157\326\141\010\021\352\272\270\366\351\263\140\345\115\271\354  
\237\024\146\311\127\130\333\315\207\151\370\212\206\022\003\107  
\277\146\023\166\254\167\175\064\044\205\203\315\327\252\234\220  
\032\237\041\054\177\170\267\144\270\330\350\246\364\170\263\125  
\313\204\322\062\304\170\256\243\217\141\335\316\010\123\255\354  
\210\374\025\344\232\015\346\237\032\167\316\114\217\270\024\025  
\075\142\234\206\070\006\000\146\022\344\131\166\132\123\300\002  
\230\242\020\053\150\104\173\216\171\316\063\112\166\252\133\201  
\026\033\265\212\330\320\000\173\136\142\264\011\326\206\143\016  
\246\005\225\111\272\050\213\210\223\262\064\034\330\244\125\156  
\267\034\320\336\231\125\073\043\364\042\340\371\051\146\046\354  
\040\120\167\333\112\013\217\276\345\002\140\160\101\136\324\256  
\120\071\042\024\046\313\262\073\163\164\125\107\007\171\201\071

\250\060\023\104\345\004\212\256\226\023\045\102\017\271\123\304  
\233\374\315\344\034\336\074\372\253\326\006\112\037\147\246\230  
\060\034\335\054\333\334\030\225\127\146\306\377\134\213\126\365  
\167\002\003\001\000\001\243\143\060\141\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125  
\035\043\004\030\060\026\200\024\371\140\273\324\343\325\064\366  
\270\365\006\200\045\247\163\333\106\151\250\236\060\035\006\003  
\125\035\016\004\026\004\024\371\140\273\324\343\325\064\366\270  
\365\006\200\045\247\163\333\106\151\250\236\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\126  
\263\216\313\012\235\111\216\277\244\304\221\273\146\027\005\121  
\230\165\373\345\120\054\172\236\361\024\372\253\323\212\076\377  
\221\051\217\143\213\330\264\251\124\001\015\276\223\206\057\371  
\112\155\307\136\365\127\371\312\125\034\022\276\107\017\066\305  
\337\152\267\333\165\302\107\045\177\271\361\143\370\150\055\125  
\004\321\362\215\260\244\317\274\074\136\037\170\347\245\240\040  
\160\260\004\305\267\367\162\247\336\042\015\275\063\045\106\214  
\144\222\046\343\076\056\143\226\332\233\214\075\370\030\011\327  
\003\314\175\206\202\340\312\004\007\121\120\327\377\222\325\014  
\357\332\206\237\231\327\353\267\257\150\342\071\046\224\272\150  
\267\277\203\323\352\172\147\075\142\147\256\045\345\162\350\342  
\344\354\256\022\366\113\053\074\237\351\260\100\363\070\124\263  
\375\267\150\310\332\306\217\121\074\262\373\221\334\034\347\233  
\235\341\267\015\162\217\342\244\304\251\170\371\353\024\254\306  
\103\005\302\145\071\050\030\002\303\202\262\235\005\276\145\355  
\226\137\145\164\074\373\011\065\056\173\234\023\375\033\017\135  
\307\155\201\072\126\017\314\073\341\257\002\057\042\254\106\312  
\106\074\240\034\114\326\104\264\136\056\134\025\146\011\341\046  
\051\376\306\122\141\272\261\163\377\303\014\234\345\154\152\224  
\077\024\312\100\026\225\204\363\131\251\254\137\114\141\223\155  
\321\073\314\242\225\014\042\246\147\147\104\056\271\331\322\212  
\101\263\146\013\132\373\175\043\245\362\032\260\377\336\233\203  
\224\056\321\077\337\222\267\221\257\005\073\145\307\240\154\261  
\315\142\022\303\220\033\343\045\316\064\274\157\167\166\261\020  
\303\367\005\032\300\326\257\164\142\110\027\167\222\151\220\141  
\034\336\225\200\164\124\217\030\034\303\363\003\320\277\244\103  
\165\206\123\030\172\012\056\011\034\066\237\221\375\202\212\042  
\113\321\016\120\045\335\313\003\014\027\311\203\000\010\116\065  
\115\212\213\355\360\002\224\146\054\104\177\313\225\047\226\027  
\255\011\060\254\266\161\027\156\213\027\366\034\011\324\055\073  
\230\245\161\323\124\023\331\140\363\365\113\146\117\372\361\356  
\040\022\215\264\254\127\261\105\143\241\254\166\251\302\373

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

Trust for "SSL.com EV Root Certification Authority RSA R2"
Issuer: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL Corporation,L=Houston,ST=Texas,C=US
Serial Number:56:b6:29:cd:34:bc:78:f6
Subject: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL
Corporation,L=Houston,ST=Texas,C=US
Not Valid Before: Wed May 31 18:14:37 2017
Not Valid After : Fri May 30 18:14:37 2042
Fingerprint (SHA-256):
2E:7B:F1:6C:C2:24:85:A7:BB:E2:AA:86:96:75:07:61:B0:AE:39:BE:3B:2F:E9:D0:CC:6D:4E:F7:34:91:42:5C
Fingerprint (SHA1): 74:3A:F0:52:9B:D0:32:A0:F4:4A:83:CD:D4:BA:A9:7B:7C:2E:C4:9A
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority RSA R2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\164\072\360\122\233\320\062\240\364\112\203\315\324\272\251\173
\174\056\304\232
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\341\036\061\130\032\256\124\123\002\366\027\152\021\173\115\225
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114
\040\103\157\162\160\157\162\141\164\151\157\156\061\067\060\065
\006\003\125\004\003\014\056\123\123\114\056\143\157\155\040\105
\126\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122
\123\101\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\126\266\051\315\064\274\170\366
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "SSL.com EV Root Certification Authority ECC"
#
Issuer: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
Serial Number:2c:29:9c:5b:16:ed:05:95
Subject: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
Not Valid Before: Fri Feb 12 18:15:23 2016

```

```
Not Valid After : Tue Feb 12 18:15:23 2041
Fingerprint (SHA-256):
22:A2:C1:F7:BD:ED:70:4C:C1:E7:01:B5:F4:08:C3:10:88:0F:E9:56:B5:DE:2A:4A:44:F9:9C:87:3A:25:A7:C8
Fingerprint (SHA1): 4C:DD:51:A3:D1:F5:20:32:14:B0:C6:C5:32:23:03:91:C7:46:42:6D
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority ECC"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\064\060\062\006
\003\125\004\003\014\053\123\123\114\056\143\157\155\040\105\126
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103
\103
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\064\060\062\006
\003\125\004\003\014\053\123\123\114\056\143\157\155\040\105\126
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103
\103
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\054\051\234\133\026\355\005\225
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\224\060\202\002\032\240\003\002\001\002\002\010\054
\051\234\133\026\355\005\225\060\012\006\010\052\206\110\316\075
\004\003\002\060\177\061\013\060\011\006\003\125\004\006\023\002
\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145\170
\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157\165
\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017\123
\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061\064
\060\062\006\003\125\004\003\014\053\123\123\114\056\143\157\155
\040\105\126\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\105\103\103\060\036\027\015\061\066\060\062\061\062\061\070
```



\061\065\062\063\132\027\015\064\061\060\062\061\062\061\070\061  
\065\062\063\132\060\177\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145  
\170\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157  
\165\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017  
\123\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061  
\064\060\062\006\003\125\004\003\014\053\123\123\114\056\143\157  
\155\040\105\126\040\122\157\157\164\040\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164  
\171\040\105\103\103\060\166\060\020\006\007\052\206\110\316\075  
\002\001\006\005\053\201\004\000\042\003\142\000\004\252\022\107  
\220\230\033\373\357\303\100\007\203\040\116\361\060\202\242\006  
\321\362\222\206\141\362\366\041\150\312\000\304\307\352\103\000  
\124\206\334\375\037\337\000\270\101\142\134\334\160\026\062\336  
\037\231\324\314\305\007\310\010\037\141\026\007\121\075\175\134  
\007\123\343\065\070\214\337\315\237\331\056\015\112\266\031\056  
\132\160\132\006\355\276\360\241\260\312\320\011\051\243\143\060  
\141\060\035\006\003\125\035\016\004\026\004\024\133\312\136\345  
\336\322\201\252\315\250\055\144\121\266\331\162\233\227\346\117  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\037\006\003\125\035\043\004\030\060\026\200\024\133\312  
\136\345\336\322\201\252\315\250\055\144\121\266\331\162\233\227  
\346\117\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\206\060\012\006\010\052\206\110\316\075\004\003\002\003\150  
\000\060\145\002\061\000\212\346\100\211\067\353\351\325\023\331  
\312\324\153\044\363\260\075\207\106\130\032\354\261\337\157\373  
\126\272\160\153\307\070\314\350\261\214\117\017\367\361\147\166  
\016\203\320\036\121\217\002\060\075\366\043\050\046\114\306\140  
\207\223\046\233\262\065\036\272\326\367\074\321\034\316\372\045  
\074\246\032\201\025\133\363\022\017\154\356\145\212\311\207\250  
\371\007\340\142\232\214\134\112

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "SSL.com EV Root Certification Authority ECC"  
# Issuer: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US  
# Serial Number:2c:29:9c:5b:16:ed:05:95  
# Subject: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US  
# Not Valid Before: Fri Feb 12 18:15:23 2016  
# Not Valid After : Tue Feb 12 18:15:23 2041  
# Fingerprint (SHA-256):  
22:A2:C1:F7:BD:ED:70:4C:C1:E7:01:B5:F4:08:C3:10:88:0F:E9:56:B5:DE:2A:4A:44:F9:9C:87:3A:25:A7:C8  
# Fingerprint (SHA1): 4C:DD:51:A3:D1:F5:20:32:14:B0:C6:C5:32:23:03:91:C7:46:42:6D  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE

```

CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority ECC"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\114\335\121\243\321\365\040\062\024\260\306\305\062\043\003\221
\307\106\102\155
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\131\123\042\145\203\102\001\124\300\316\102\271\132\174\362\220
END
CKA_ISSUER MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\064\060\062\006
\003\125\004\003\014\053\123\123\114\056\143\157\155\040\105\126
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103
\103
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\054\051\234\133\026\355\005\225
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "GlobalSign Root CA - R6"
#
Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
Serial Number:45:e6:bb:03:83:33:c3:85:65:48:e6:ff:45:51
Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
Not Valid Before: Wed Dec 10 00:00:00 2014
Not Valid After : Sun Dec 10 00:00:00 2034
Fingerprint (SHA-256):
2C:AB:EA:FE:37:D0:6C:A2:2A:BA:73:91:C0:03:3D:25:98:29:52:C4:53:64:73:49:76:3A:3A:B5:AD:6C:CF:69
Fingerprint (SHA1): 80:94:64:0E:B5:A7:A1:CA:11:9C:1F:DD:D5:9F:81:02:63:A7:FB:D1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root CA - R6"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040

```

\055\040\122\066\061\023\060\021\006\003\125\004\012\023\012\107  
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125  
\004\003\023\012\107\154\157\142\141\154\123\151\147\156

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157  
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040  
\055\040\122\066\061\023\060\021\006\003\125\004\012\023\012\107  
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125  
\004\003\023\012\107\154\157\142\141\154\123\151\147\156

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\016\105\346\273\003\203\063\303\205\145\110\346\377\105\121

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\203\060\202\003\153\240\003\002\001\002\002\016\105  
\346\273\003\203\063\303\205\145\110\346\377\105\121\060\015\006  
\011\052\206\110\206\367\015\001\001\014\005\000\060\114\061\040  
\060\036\006\003\125\004\013\023\027\107\154\157\142\141\154\123  
\151\147\156\040\122\157\157\164\040\103\101\040\055\040\122\066  
\061\023\060\021\006\003\125\004\012\023\012\107\154\157\142\141  
\154\123\151\147\156\061\023\060\021\006\003\125\004\003\023\012  
\107\154\157\142\141\154\123\151\147\156\060\036\027\015\061\064  
\061\062\061\060\060\060\060\060\060\060\132\027\015\063\064\061  
\062\061\060\060\060\060\060\060\060\132\060\114\061\040\060\036  
\006\003\125\004\013\023\027\107\154\157\142\141\154\123\151\147  
\156\040\122\157\157\164\040\103\101\040\055\040\122\066\061\023  
\060\021\006\003\125\004\012\023\012\107\154\157\142\141\154\123  
\151\147\156\061\023\060\021\006\003\125\004\003\023\012\107\154  
\157\142\141\154\123\151\147\156\060\202\002\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000  
\060\202\002\012\002\202\002\001\000\225\007\350\163\312\146\371  
\354\024\312\173\074\367\015\010\361\264\105\013\054\202\264\110  
\306\353\133\074\256\203\270\101\222\063\024\244\157\177\351\052  
\314\306\260\210\153\305\266\211\321\306\262\377\024\316\121\024  
\041\354\112\335\033\132\306\326\207\356\115\072\025\006\355\144  
\146\013\222\200\312\104\336\163\224\116\363\247\211\177\117\170  
\143\010\310\022\120\155\102\146\057\115\271\171\050\115\122\032  
\212\032\200\267\031\201\016\176\304\212\274\144\114\041\034\103  
\150\327\075\074\212\305\262\146\325\220\232\267\061\006\305\276  
\342\155\062\006\246\036\371\271\353\252\243\270\277\276\202\143  
\120\320\360\030\211\337\344\017\171\365\352\242\037\052\322\160  
\056\173\347\274\223\273\155\123\342\110\174\214\020\007\070\377  
\146\262\167\141\176\340\352\214\074\252\264\244\366\363\225\112  
\022\007\155\375\214\262\211\317\320\240\141\167\310\130\164\260  
\324\043\072\367\135\072\312\242\333\235\011\336\135\104\055\220  
\361\201\315\127\222\372\176\274\120\004\143\064\337\153\223\030

\276\153\066\262\071\344\254\044\066\267\360\357\266\034\023\127  
\223\266\336\262\370\342\205\267\163\242\270\065\252\105\362\340  
\235\066\241\157\124\212\361\162\126\156\056\210\305\121\102\104  
\025\224\356\243\305\070\226\233\116\116\132\013\107\363\006\066  
\111\167\060\274\161\067\345\246\354\041\010\165\374\346\141\026  
\077\167\325\331\221\227\204\012\154\324\002\115\164\300\024\355  
\375\071\373\203\362\136\024\241\004\260\013\351\376\356\217\341  
\156\013\262\010\263\141\146\011\152\261\006\072\145\226\131\300  
\360\065\375\311\332\050\215\032\021\207\160\201\012\250\232\165  
\035\236\072\206\005\000\236\333\200\326\045\371\334\005\236\047  
\131\114\166\071\133\352\371\245\241\330\203\017\321\377\337\060  
\021\371\205\317\063\110\365\312\155\144\024\054\172\130\117\323  
\113\010\111\305\225\144\032\143\016\171\075\365\263\214\312\130  
\255\234\102\105\171\156\016\207\031\134\124\261\145\266\277\214  
\233\334\023\351\015\157\270\056\334\147\156\311\213\021\265\204  
\024\212\000\031\160\203\171\221\227\221\324\032\047\277\067\036  
\062\007\330\024\143\074\050\114\257\002\003\001\000\001\243\143  
\060\141\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003  
\001\001\377\060\035\006\003\125\035\016\004\026\004\024\256\154  
\005\243\223\023\342\242\347\342\327\034\326\307\360\177\310\147  
\123\240\060\037\006\003\125\035\043\004\030\060\026\200\024\256  
\154\005\243\223\023\342\242\347\342\327\034\326\307\360\177\310  
\147\123\240\060\015\006\011\052\206\110\206\367\015\001\001\014  
\005\000\003\202\002\001\000\203\045\355\350\321\375\225\122\315  
\236\300\004\240\221\151\346\134\320\204\336\334\255\242\117\350  
\107\170\326\145\230\251\133\250\074\207\174\002\212\321\156\267  
\026\163\346\137\300\124\230\325\164\276\301\315\342\021\221\255  
\043\030\075\335\341\162\104\226\264\225\136\300\173\216\231\170  
\026\103\023\126\127\263\242\263\073\265\167\334\100\162\254\243  
\353\233\065\076\261\010\041\241\347\304\103\067\171\062\276\265  
\347\234\054\114\274\103\051\231\216\060\323\254\041\340\343\035  
\372\330\007\063\166\124\000\042\052\271\115\040\056\160\150\332  
\345\123\374\203\134\323\235\362\377\104\014\104\146\362\322\343  
\275\106\000\032\155\002\272\045\135\215\241\061\121\335\124\106  
\034\115\333\231\226\357\032\034\004\134\246\025\357\170\340\171  
\376\135\333\076\252\114\125\375\232\025\251\157\341\246\373\337  
\160\060\351\303\356\102\106\355\302\223\005\211\372\175\143\173  
\077\320\161\201\174\000\350\230\256\016\170\064\303\045\373\257  
\012\237\040\153\335\073\023\217\022\214\342\101\032\110\172\163  
\240\167\151\307\266\134\177\202\310\036\376\130\033\050\053\250  
\154\255\136\155\300\005\322\173\267\353\200\376\045\067\376\002  
\233\150\254\102\135\303\356\365\314\334\360\120\165\322\066\151  
\234\346\173\004\337\156\006\151\266\336\012\011\110\131\207\353  
\173\024\140\172\144\252\151\103\357\221\307\114\354\030\335\154  
\357\123\055\214\231\341\136\362\162\076\317\124\310\275\147\354  
\244\017\114\105\377\323\271\060\043\007\114\217\020\277\206\226  
\331\231\132\264\231\127\034\244\314\273\025\211\123\272\054\005

```
\017\344\304\236\031\261\030\064\325\114\235\272\355\367\037\257
\044\225\004\170\250\003\273\356\201\345\332\137\174\213\112\241
\220\164\045\247\263\076\113\310\054\126\275\307\310\357\070\342
\134\222\360\171\367\234\204\272\164\055\141\001\040\176\176\321
\362\117\007\131\137\213\055\103\122\353\106\014\224\341\365\146
\107\171\167\325\124\133\037\255\044\067\313\105\132\116\240\104
\110\310\330\260\231\305\025\204\011\366\326\111\111\300\145\270
\346\032\161\156\240\250\361\202\350\105\076\154\326\002\327\012
\147\203\005\132\311\244\020
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "GlobalSign Root CA - R6"
```

```
Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
```

```
Serial Number:45:e6:bb:03:83:33:c3:85:65:48:e6:ff:45:51
```

```
Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
```

```
Not Valid Before: Wed Dec 10 00:00:00 2014
```

```
Not Valid After : Sun Dec 10 00:00:00 2034
```

```
Fingerprint (SHA-256):
```

```
2C:AB:EA:FE:37:D0:6C:A2:2A:BA:73:91:C0:03:3D:25:98:29:52:C4:53:64:73:49:76:3A:3A:B5:AD:6C:CF:69
```

```
Fingerprint (SHA1): 80:94:64:0E:B5:A7:A1:CA:11:9C:1F:DD:D5:9F:81:02:63:A7:FB:D1
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GlobalSign Root CA - R6"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\200\224\144\016\265\247\241\312\021\234\037\335\325\237\201\002
\143\247\373\321
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\117\335\007\344\324\042\144\071\036\014\067\102\352\321\306\256
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\066\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\016\105\346\273\003\203\063\303\205\145\110\346\377\105\121
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "OISTE WISeKey Global Root GC CA"

#

# Issuer: CN=OISTE WISeKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH

# Serial Number:21:2a:56:0c:ae:da:0c:ab:40:45:bf:2b:a2:2d:3a:ea

# Subject: CN=OISTE WISeKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH

# Not Valid Before: Tue May 09 09:48:34 2017

# Not Valid After : Fri May 09 09:58:33 2042

# Fingerprint (SHA-256):

85:60:F9:1C:36:24:DA:BA:95:70:B5:FE:A0:DB:E3:6F:F1:1A:83:23:BE:94:86:85:4F:B3:F3:4A:55:71:19:8D

# Fingerprint (SHA1): E0:11:84:5E:34:DE:BE:88:81:B9:9C:F6:16:26:D1:96:1F:C3:B9:31

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "OISTE WISeKey Global Root GC CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061  
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145  
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124  
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144  
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037  
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154  
\157\142\141\154\040\122\157\157\164\040\107\103\040\103\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061  
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145  
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124  
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144  
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037  
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154  
\157\142\141\154\040\122\157\157\164\040\107\103\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\041\052\126\014\256\332\014\253\100\105\277\053\242\055  
\072\352

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\151\060\202\001\357\240\003\002\001\002\002\020\041  
\052\126\014\256\332\014\253\100\105\277\053\242\055\072\352\060  
\012\006\010\052\206\110\316\075\004\003\003\060\155\061\013\060  
\011\006\003\125\004\006\023\002\103\110\061\020\060\016\006\003  
\125\004\012\023\007\127\111\123\145\113\145\171\061\042\060\040

\006\003\125\004\013\023\031\117\111\123\124\105\040\106\157\165  
\156\144\141\164\151\157\156\040\105\156\144\157\162\163\145\144  
\061\050\060\046\006\003\125\004\003\023\037\117\111\123\124\105  
\040\127\111\123\145\113\145\171\040\107\154\157\142\141\154\040  
\122\157\157\164\040\107\103\040\103\101\060\036\027\015\061\067  
\060\065\060\071\060\071\064\070\063\064\132\027\015\064\062\060  
\065\060\071\060\071\065\070\063\063\132\060\155\061\013\060\011  
\006\003\125\004\006\023\002\103\110\061\020\060\016\006\003\125  
\004\012\023\007\127\111\123\145\113\145\171\061\042\060\040\006  
\003\125\004\013\023\031\117\111\123\124\105\040\106\157\165\156  
\144\141\164\151\157\156\040\105\156\144\157\162\163\145\144\061  
\050\060\046\006\003\125\004\003\023\037\117\111\123\124\105\040  
\127\111\123\145\113\145\171\040\107\154\157\142\141\154\040\122  
\157\157\164\040\107\103\040\103\101\060\166\060\020\006\007\052  
\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000  
\004\114\351\120\300\306\017\162\030\274\330\361\272\263\211\342  
\171\112\243\026\247\153\124\044\333\121\377\352\364\011\044\303  
\013\042\237\313\152\047\202\201\015\322\300\257\061\344\164\202  
\156\312\045\331\214\165\235\361\333\320\232\242\113\041\176\026  
\247\143\220\322\071\324\261\207\170\137\030\226\017\120\033\065  
\067\017\152\306\334\331\023\115\244\216\220\067\346\275\133\061  
\221\243\124\060\122\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004  
\024\110\207\024\254\343\303\236\220\140\072\327\312\211\356\323  
\255\214\264\120\146\060\020\006\011\053\006\001\004\001\202\067  
\025\001\004\003\002\001\000\060\012\006\010\052\206\110\316\075  
\004\003\003\003\150\000\060\145\002\060\046\307\151\133\334\325  
\347\262\347\310\014\214\214\303\335\171\214\033\143\325\311\122  
\224\116\115\202\112\163\036\262\200\204\251\045\300\114\132\155  
\111\051\140\170\023\342\176\110\353\144\002\061\000\333\064\040  
\062\010\377\232\111\002\266\210\336\024\257\135\154\231\161\215  
\032\077\213\327\340\242\066\206\034\007\202\072\166\123\375\302  
\242\355\357\173\260\200\117\130\017\113\123\071\275

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "OISTE WISEKey Global Root GC CA"

# Issuer: CN=OISTE WISEKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISEKey,C=CH

# Serial Number:21:2a:56:0c:ae:da:0c:ab:40:45:bf:2b:a2:2d:3a:ea

# Subject: CN=OISTE WISEKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISEKey,C=CH

# Not Valid Before: Tue May 09 09:48:34 2017

# Not Valid After : Fri May 09 09:58:33 2042

# Fingerprint (SHA-256):

85:60:F9:1C:36:24:DA:BA:95:70:B5:FE:A0:DB:E3:6F:F1:1A:83:23:BE:94:86:85:4F:B3:F3:4A:55:71:19:8D

# Fingerprint (SHA1): E0:11:84:5E:34:DE:BE:88:81:B9:9C:F6:16:26:D1:96:1F:C3:B9:31

```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "OISTE WISeKey Global Root GC CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\340\021\204\136\064\336\276\210\201\271\234\366\026\046\321\226
\037\303\271\061
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\251\326\271\055\057\223\144\370\245\151\312\221\351\150\007\043
END
CKA_ISSUER MULTILINE_OCTAL
\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\103\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\041\052\126\014\256\332\014\253\100\105\277\053\242\055
\072\352
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "UCA Global G2 Root"
#
Issuer: CN=UCA Global G2 Root,O=UniTrust,C=CN
Serial Number:5d:df:b1:da:5a:a3:ed:5d:be:5a:65:20:65:03:90:ef
Subject: CN=UCA Global G2 Root,O=UniTrust,C=CN
Not Valid Before: Fri Mar 11 00:00:00 2016
Not Valid After : Mon Dec 31 00:00:00 2040
Fingerprint (SHA-256):
9B:EA:11:C9:76:FE:01:47:64:C1:BE:56:A6:F9:14:B5:A5:60:31:7A:BD:99:88:39:33:82:E5:16:1A:A0:49:3C
Fingerprint (SHA1): 28:F9:78:16:19:7A:FF:18:25:18:AA:44:FE:C1:A0:CE:5C:B6:4C:8A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "UCA Global G2 Root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```



```
\060\075\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\033\060\031\006\003\125\004\003\014\022\125\103\101
\040\107\154\157\142\141\154\040\107\062\040\122\157\157\164
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\075\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\033\060\031\006\003\125\004\003\014\022\125\103\101
\040\107\154\157\142\141\154\040\107\062\040\122\157\157\164
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\135\337\261\332\132\243\355\135\276\132\145\040\145\003
\220\357
```

END

CKA\_VALUE MULTILINE\_OCTAL

```
\060\202\005\106\060\202\003\056\240\003\002\001\002\002\020\135
\337\261\332\132\243\355\135\276\132\145\040\145\003\220\357\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\075
\061\013\060\011\006\003\125\004\006\023\002\103\116\061\021\060
\017\006\003\125\004\012\014\010\125\156\151\124\162\165\163\164
\061\033\060\031\006\003\125\004\003\014\022\125\103\101\040\107
\154\157\142\141\154\040\107\062\040\122\157\157\164\060\036\027
\015\061\066\060\063\061\061\060\060\060\060\060\060\132\027\015
\064\060\061\062\063\061\060\060\060\060\060\060\132\060\075\061
\013\060\011\006\003\125\004\006\023\002\103\116\061\021\060\017
\006\003\125\004\012\014\010\125\156\151\124\162\165\163\164\061
\033\060\031\006\003\125\004\003\014\022\125\103\101\040\107\154
\157\142\141\154\040\107\062\040\122\157\157\164\060\202\002\042
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003
\202\002\017\000\060\202\002\012\002\202\002\001\000\305\346\053
\157\174\357\046\005\047\243\201\044\332\157\313\001\371\231\232
\251\062\302\042\207\141\101\221\073\313\303\150\033\006\305\114
\251\053\301\147\027\042\035\053\355\371\051\211\223\242\170\275
\222\153\240\243\015\242\176\312\223\263\246\321\214\065\325\165
\371\027\366\317\105\305\345\172\354\167\223\240\217\043\256\016
\032\003\177\276\324\320\355\056\173\253\106\043\133\377\054\346
\124\172\224\300\052\025\360\311\215\260\172\073\044\341\327\150
\342\061\074\006\063\106\266\124\021\246\245\057\042\124\052\130
\015\001\002\361\372\025\121\147\154\300\372\327\266\033\177\321
\126\210\057\032\072\215\073\273\202\021\340\107\000\320\122\207
\253\373\206\176\017\044\153\100\235\064\147\274\215\307\055\206
\157\171\076\216\251\074\027\113\177\260\231\343\260\161\140\334
\013\365\144\303\316\103\274\155\161\271\322\336\047\133\212\350
\330\306\256\341\131\175\317\050\055\065\270\225\126\032\361\262
\130\113\267\022\067\310\174\263\355\113\200\341\215\372\062\043
\266\157\267\110\225\010\261\104\116\205\214\072\002\124\040\057
```

\337\277\127\117\073\072\220\041\327\301\046\065\124\040\354\307  
\077\107\354\357\132\277\113\172\301\255\073\027\120\134\142\330  
\017\113\112\334\053\372\156\274\163\222\315\354\307\120\350\101  
\226\327\251\176\155\330\351\035\217\212\265\271\130\222\272\112  
\222\053\014\126\375\200\353\010\360\136\051\156\033\034\014\257  
\217\223\211\255\333\275\243\236\041\312\211\031\354\337\265\303  
\032\353\026\376\170\066\114\326\156\320\076\027\034\220\027\153  
\046\272\373\172\057\277\021\034\030\016\055\163\003\217\240\345  
\065\240\132\342\114\165\035\161\341\071\070\123\170\100\314\203  
\223\327\012\236\235\133\217\212\344\345\340\110\344\110\262\107  
\315\116\052\165\052\173\362\042\366\311\276\011\221\226\127\172  
\210\210\254\356\160\254\371\334\051\343\014\034\073\022\116\104  
\326\247\116\260\046\310\363\331\032\227\221\150\352\357\215\106  
\006\322\126\105\130\232\074\014\017\203\270\005\045\303\071\317  
\073\244\064\211\267\171\022\057\107\305\347\251\227\151\374\246  
\167\147\265\337\173\361\172\145\025\344\141\126\145\002\003\001  
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\201\304\214\314\365\344\060\377\245\014\010\137\214\025  
\147\041\164\001\337\337\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\002\001\000\023\145\042\365\216\053  
\255\104\344\313\377\271\150\346\303\200\110\075\004\173\372\043  
\057\172\355\066\332\262\316\155\366\346\236\345\137\130\217\313  
\067\062\241\310\145\266\256\070\075\065\033\076\274\073\266\004  
\320\274\371\111\365\233\367\205\305\066\266\313\274\370\310\071  
\325\344\137\007\275\025\124\227\164\312\312\355\117\272\272\144  
\166\237\201\270\204\105\111\114\215\157\242\353\261\314\321\303  
\224\332\104\302\346\342\352\030\350\242\037\047\005\272\327\345  
\326\251\315\335\357\166\230\215\000\016\315\033\372\003\267\216  
\200\130\016\047\077\122\373\224\242\312\136\145\311\326\204\332  
\271\065\161\363\046\300\117\167\346\201\047\322\167\073\232\024  
\157\171\364\366\320\341\323\224\272\320\127\121\275\047\005\015  
\301\375\310\022\060\356\157\215\021\053\010\235\324\324\277\200  
\105\024\232\210\104\332\060\352\264\247\343\356\357\133\202\325  
\076\326\255\170\222\333\134\074\363\330\255\372\270\153\177\304  
\066\050\266\002\025\212\124\054\234\260\027\163\216\320\067\243  
\024\074\230\225\000\014\051\005\133\236\111\111\261\137\307\343  
\313\317\047\145\216\065\027\267\127\310\060\331\101\133\271\024  
\266\350\302\017\224\061\247\224\230\314\152\353\265\341\047\365  
\020\250\001\350\216\022\142\350\210\314\265\177\106\227\300\233  
\020\146\070\032\066\106\137\042\150\075\337\311\306\023\047\253  
\123\006\254\242\074\206\006\145\157\261\176\261\051\104\232\243  
\272\111\151\050\151\217\327\345\137\255\004\206\144\157\032\240  
\014\305\010\142\316\200\243\320\363\354\150\336\276\063\307\027  
\133\177\200\304\114\114\261\246\204\212\303\073\270\011\315\024  
\201\272\030\343\124\127\066\376\333\057\174\107\241\072\063\310  
\371\130\073\104\117\261\312\002\211\004\226\050\150\305\113\270

```
\046\211\273\326\063\057\120\325\376\232\211\272\030\062\222\124
\306\133\340\235\371\136\345\015\042\233\366\332\342\310\041\262
\142\041\252\206\100\262\056\144\323\137\310\343\176\021\147\105
\037\005\376\343\242\357\263\250\263\363\175\217\370\014\037\042
\037\055\160\264\270\001\064\166\060\000\345\043\170\247\126\327
\120\037\212\373\006\365\302\031\360\320
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "UCA Global G2 Root"

# Issuer: CN=UCA Global G2 Root,O=UniTrust,C=CN

# Serial Number:5d:df:b1:da:5a:a3:ed:5d:be:5a:65:20:65:03:90:ef

# Subject: CN=UCA Global G2 Root,O=UniTrust,C=CN

# Not Valid Before: Fri Mar 11 00:00:00 2016

# Not Valid After : Mon Dec 31 00:00:00 2040

# Fingerprint (SHA-256):

9B:EA:11:C9:76:FE:01:47:64:C1:BE:56:A6:F9:14:B5:A5:60:31:7A:BD:99:88:39:33:82:E5:16:1A:A0:49:3C

# Fingerprint (SHA1): 28:F9:78:16:19:7A:FF:18:25:18:AA:44:FE:C1:A0:CE:5C:B6:4C:8A

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "UCA Global G2 Root"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\050\371\170\026\031\172\377\030\045\030\252\104\376\301\240\316
\134\266\114\212
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\200\376\360\304\112\360\134\142\062\237\034\272\170\251\120\370
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\075\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\033\060\031\006\003\125\004\003\014\022\125\103\101
\040\107\154\157\142\141\154\040\107\062\040\122\157\157\164
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\135\337\261\332\132\243\355\135\276\132\145\040\145\003
\220\357
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

```

Certificate "UCA Extended Validation Root"
#
Issuer: CN=UCA Extended Validation Root,O=UniTrust,C=CN
Serial Number:4f:d2:2b:8f:f5:64:c8:33:9e:4f:34:58:66:23:70:60
Subject: CN=UCA Extended Validation Root,O=UniTrust,C=CN
Not Valid Before: Fri Mar 13 00:00:00 2015
Not Valid After : Fri Dec 31 00:00:00 2038
Fingerprint (SHA-256):
D4:3A:F9:B3:54:73:75:5C:96:84:FC:06:D7:D8:CB:70:EE:5C:28:E7:73:FB:29:4E:B4:1E:E7:17:22:92:4D:24
Fingerprint (SHA1): A3:A1:B0:6F:24:61:23:4A:E3:36:A5:C2:37:FC:A6:FF:DD:F0:D7:3A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "UCA Extended Validation Root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\045\060\043\006\003\125\004\003\014\034\125\103\101
\040\105\170\164\145\156\144\145\144\040\126\141\154\151\144\141
\164\151\157\156\040\122\157\157\164
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\045\060\043\006\003\125\004\003\014\034\125\103\101
\040\105\170\164\145\156\144\145\144\040\126\141\154\151\144\141
\164\151\157\156\040\122\157\157\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\117\322\053\217\365\144\310\063\236\117\064\130\146\043
\160\140
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\132\060\202\003\102\240\003\002\001\002\002\020\117
\322\053\217\365\144\310\063\236\117\064\130\146\043\160\140\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\107
\061\013\060\011\006\003\125\004\006\023\002\103\116\061\021\060
\017\006\003\125\004\012\014\010\125\156\151\124\162\165\163\164
\061\045\060\043\006\003\125\004\003\014\034\125\103\101\040\105
\170\164\145\156\144\145\144\040\126\141\154\151\144\141\164\151
\157\156\040\122\157\157\164\060\036\027\015\061\065\060\063\061
\063\060\060\060\060\060\132\027\015\063\070\061\062\063\061
\060\060\060\060\060\060\132\060\107\061\013\060\011\006\003\125
\004\006\023\002\103\116\061\021\060\017\006\003\125\004\012\014
\010\125\156\151\124\162\165\163\164\061\045\060\043\006\003\125

```

\004\003\014\034\125\103\101\040\105\170\164\145\156\144\145\144  
\040\126\141\154\151\144\141\164\151\157\156\040\122\157\157\164  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\251\011\007\050\023\002\260\231\340\144\252\036\103\026\172  
\163\261\221\240\165\076\250\372\343\070\000\172\354\211\152\040  
\017\213\305\260\233\063\003\132\206\306\130\206\325\301\205\273  
\117\306\234\100\115\312\276\356\151\226\270\255\201\060\232\174  
\222\005\353\005\053\232\110\320\270\166\076\226\310\040\273\322  
\260\361\217\330\254\105\106\377\252\147\140\264\167\176\152\037  
\074\032\122\172\004\075\007\074\205\015\204\320\037\166\012\367  
\152\024\337\162\343\064\174\127\116\126\001\076\171\361\252\051  
\073\154\372\370\217\155\115\310\065\337\256\353\334\044\356\171  
\105\247\205\266\005\210\336\210\135\045\174\227\144\147\011\331  
\277\132\025\005\206\363\011\036\354\130\062\063\021\363\167\144  
\260\166\037\344\020\065\027\033\362\016\261\154\244\052\243\163  
\374\011\037\036\062\031\123\021\347\331\263\054\056\166\056\241  
\243\336\176\152\210\011\350\362\007\212\370\262\315\020\347\342  
\163\100\223\273\010\321\077\341\374\013\224\263\045\357\174\246  
\327\321\257\237\377\226\232\365\221\173\230\013\167\324\176\350  
\007\322\142\265\225\071\343\363\361\155\017\016\145\204\212\143  
\124\305\200\266\340\236\113\175\107\046\247\001\010\135\321\210  
\236\327\303\062\104\372\202\112\012\150\124\177\070\123\003\314  
\244\000\063\144\121\131\013\243\202\221\172\136\354\026\302\363  
\052\346\142\332\052\333\131\142\020\045\112\052\201\013\107\007  
\103\006\160\207\322\372\223\021\051\172\110\115\353\224\307\160  
\115\257\147\325\121\261\200\040\001\001\264\172\010\246\220\177  
\116\340\357\007\101\207\257\152\245\136\213\373\317\120\262\232  
\124\257\303\211\272\130\055\365\060\230\261\066\162\071\176\111  
\004\375\051\247\114\171\344\005\127\333\224\271\026\123\215\106  
\263\035\225\141\127\126\177\257\360\026\133\141\130\157\066\120  
\021\013\330\254\053\225\026\032\016\037\010\315\066\064\145\020  
\142\146\325\200\137\024\040\137\055\014\240\170\012\150\326\054  
\327\351\157\053\322\112\005\223\374\236\157\153\147\377\210\361  
\116\245\151\112\122\067\005\352\306\026\215\322\304\231\321\202  
\053\073\272\065\165\367\121\121\130\363\310\007\335\344\264\003  
\177\002\003\001\000\001\243\102\060\100\060\035\006\003\125\035  
\016\004\026\004\024\331\164\072\344\060\075\015\367\022\334\176  
\132\005\237\036\064\232\367\341\024\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\066\215  
\227\314\102\025\144\051\067\233\046\054\326\373\256\025\151\054  
\153\032\032\367\137\266\371\007\114\131\352\363\311\310\271\256  
\314\272\056\172\334\300\365\260\055\300\073\257\237\160\005\021  
\152\237\045\117\001\051\160\343\345\014\341\352\132\174\334\111  
\273\301\036\052\201\365\026\113\162\221\310\242\061\271\252\332  
\374\235\037\363\135\100\002\023\374\116\034\006\312\263\024\220

\124\027\031\022\032\361\037\327\014\151\132\366\161\170\364\224  
\175\221\013\216\354\220\124\216\274\157\241\114\253\374\164\144  
\375\161\232\370\101\007\241\315\221\344\074\232\340\233\062\071  
\163\253\052\325\151\310\170\221\046\061\175\342\307\060\361\374  
\024\170\167\022\016\023\364\335\026\224\277\113\147\173\160\123  
\205\312\260\273\363\070\115\054\220\071\300\015\302\135\153\351  
\342\345\325\210\215\326\054\277\253\033\276\265\050\207\022\027  
\164\156\374\175\374\217\320\207\046\260\033\373\271\154\253\342  
\236\075\025\301\073\056\147\002\130\221\237\357\370\102\037\054  
\267\150\365\165\255\317\265\366\377\021\175\302\360\044\245\255  
\323\372\240\074\251\372\135\334\245\240\357\104\244\276\326\350  
\345\344\023\226\027\173\006\076\062\355\307\267\102\274\166\243  
\330\145\070\053\070\065\121\041\016\016\157\056\064\023\100\341  
\053\147\014\155\112\101\060\030\043\132\062\125\231\311\027\340  
\074\336\366\354\171\255\053\130\031\242\255\054\042\032\225\216  
\276\226\220\135\102\127\304\371\024\003\065\053\034\055\121\127  
\010\247\072\336\077\344\310\264\003\163\302\301\046\200\273\013  
\102\037\255\015\257\046\162\332\314\276\263\243\203\130\015\202  
\305\037\106\121\343\234\030\314\215\233\215\354\111\353\165\120  
\325\214\050\131\312\164\064\332\214\013\041\253\036\352\033\345  
\307\375\025\076\300\027\252\373\043\156\046\106\313\372\371\261  
\162\153\151\317\042\204\013\142\017\254\331\031\000\224\242\166  
\074\324\055\232\355\004\236\055\006\142\020\067\122\034\205\162  
\033\047\345\314\306\061\354\067\354\143\131\233\013\035\166\314  
\176\062\232\210\225\010\066\122\273\336\166\137\166\111\111\255  
\177\275\145\040\262\311\301\053\166\030\166\237\126\261

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "UCA Extended Validation Root"

# Issuer: CN=UCA Extended Validation Root,O=UniTrust,C=CN

# Serial Number:4f:d2:2b:8f:f5:64:c8:33:9e:4f:34:58:66:23:70:60

# Subject: CN=UCA Extended Validation Root,O=UniTrust,C=CN

# Not Valid Before: Fri Mar 13 00:00:00 2015

# Not Valid After : Fri Dec 31 00:00:00 2038

# Fingerprint (SHA-256):

D4:3A:F9:B3:54:73:75:5C:96:84:FC:06:D7:D8:CB:70:EE:5C:28:E7:73:FB:29:4E:B4:1E:E7:17:22:92:4D:24

# Fingerprint (SHA1): A3:A1:B0:6F:24:61:23:4A:E3:36:A5:C2:37:FC:A6:FF:DD:F0:D7:3A

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "UCA Extended Validation Root"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\243\241\260\157\044\141\043\112\343\066\245\302\067\374\246\377

\335\360\327\072

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\241\363\137\103\306\064\233\332\277\214\176\005\123\255\226\342
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\045\060\043\006\003\125\004\003\014\034\125\103\101
\040\105\170\164\145\156\144\145\144\040\126\141\154\151\144\141
\164\151\157\156\040\122\157\157\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\117\322\053\217\365\144\310\063\236\117\064\130\146\043
\160\140
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Certigna Root CA"
#
Issuer: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
Serial Number:00:ca:e9:1b:89:f1:55:03:0d:a3:e6:41:6d:c4:e3:a6:e1
Subject: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
Not Valid Before: Tue Oct 01 08:32:27 2013
Not Valid After : Sat Oct 01 08:32:27 2033
Fingerprint (SHA-256):
D4:8D:3D:23:EE:DB:50:A4:59:E5:51:97:60:1C:27:77:4B:9D:7B:18:C9:4D:5A:05:95:11:A1:02:50:B9:31:68
Fingerprint (SHA1): 2D:0D:52:14:FF:9E:AD:99:24:01:74:20:47:6E:6C:85:27:27:F5:43
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certigna Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060
\060\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063
\066\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164
\151\147\156\141\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061

```

\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157  
\164\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060  
\060\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063  
\066\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164  
\151\147\156\141\040\122\157\157\164\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\021\000\312\351\033\211\361\125\003\015\243\346\101\155\304  
\343\246\341

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\006\133\060\202\004\103\240\003\002\001\002\002\021\000  
\312\351\033\211\361\125\003\015\243\346\101\155\304\343\246\341  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061\022  
\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157\164  
\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060\060  
\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063\066  
\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164\151  
\147\156\141\040\122\157\157\164\040\103\101\060\036\027\015\061  
\063\061\060\060\061\060\070\063\062\062\067\132\027\015\063\063  
\061\060\060\061\060\070\063\062\062\067\132\060\132\061\013\060  
\011\006\003\125\004\006\023\002\106\122\061\022\060\020\006\003  
\125\004\012\014\011\104\150\151\155\171\157\164\151\163\061\034  
\060\032\006\003\125\004\013\014\023\060\060\060\062\040\064\070  
\061\064\066\063\060\070\061\060\060\060\063\066\061\031\060\027  
\006\003\125\004\003\014\020\103\145\162\164\151\147\156\141\040  
\122\157\157\164\040\103\101\060\202\002\042\060\015\006\011\052  
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060  
\202\002\012\002\202\002\001\000\315\030\071\145\032\131\261\352  
\144\026\016\214\224\044\225\174\203\323\305\071\046\334\014\357  
\026\127\215\327\330\254\243\102\177\202\312\355\315\133\333\016  
\267\055\355\105\010\027\262\331\263\313\326\027\122\162\050\333  
\216\116\236\212\266\013\371\236\204\232\115\166\336\042\051\134  
\322\263\322\006\076\060\071\251\164\243\222\126\034\241\157\114  
\012\040\155\237\043\172\264\306\332\054\344\035\054\334\263\050  
\320\023\362\114\116\002\111\241\124\100\236\346\345\005\240\055  
\204\310\377\230\154\320\353\212\032\204\010\036\267\150\043\356  
\043\325\160\316\155\121\151\020\356\241\172\302\321\042\061\302  
\202\205\322\362\125\166\120\174\045\172\311\204\134\013\254\335  
\102\116\053\347\202\242\044\211\313\220\262\320\356\043\272\146  
\114\273\142\244\371\123\132\144\173\174\230\372\243\110\236\017  
\225\256\247\030\364\152\354\056\003\105\257\360\164\370\052\315  
\172\135\321\276\104\046\062\051\361\361\365\154\314\176\002\041  
\013\237\157\244\077\276\235\123\342\317\175\251\054\174\130\032  
\227\341\075\067\067\030\146\050\322\100\305\121\212\214\303\055  
\316\123\210\044\130\144\060\026\305\252\340\326\012\246\100\337  
\170\366\365\004\174\151\023\204\274\321\321\247\006\317\001\367



\150\300\250\127\273\072\141\255\004\214\223\343\255\374\360\333  
\104\155\131\334\111\131\256\254\232\231\066\060\101\173\166\063  
\042\207\243\302\222\206\156\371\160\356\256\207\207\225\033\304  
\172\275\061\363\324\322\345\231\377\276\110\354\165\365\170\026  
\035\246\160\301\177\074\033\241\222\373\317\310\074\326\305\223  
\012\217\365\125\072\166\225\316\131\230\212\011\225\167\062\232  
\203\272\054\004\072\227\275\324\057\276\327\154\233\242\312\175  
\155\046\311\125\325\317\303\171\122\010\011\231\007\044\055\144  
\045\153\246\041\151\233\152\335\164\115\153\227\172\101\275\253  
\027\371\220\027\110\217\066\371\055\325\305\333\356\252\205\105  
\101\372\315\072\105\261\150\346\066\114\233\220\127\354\043\271  
\207\010\302\304\011\361\227\206\052\050\115\342\164\300\332\304  
\214\333\337\342\241\027\131\316\044\131\164\061\332\177\375\060  
\155\331\334\341\152\341\374\137\002\003\001\000\001\243\202\001  
\032\060\202\001\026\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004  
\024\030\207\126\340\156\167\356\044\065\074\116\163\232\037\326  
\341\342\171\176\053\060\037\006\003\125\035\043\004\030\060\026  
\200\024\030\207\126\340\156\167\356\044\065\074\116\163\232\037  
\326\341\342\171\176\053\060\104\006\003\125\035\040\004\075\060  
\073\060\071\006\004\125\035\040\000\060\061\060\057\006\010\053  
\006\001\005\005\007\002\001\026\043\150\164\164\160\163\072\057  
\057\167\167\167\167\056\143\145\162\164\151\147\156\141\056\146  
\162\057\141\165\164\157\162\151\164\145\163\057\060\155\006\003  
\125\035\037\004\146\060\144\060\057\240\055\240\053\206\051\150  
\164\164\160\072\057\057\143\162\154\056\143\145\162\164\151\147  
\156\141\056\146\162\057\143\145\162\164\151\147\156\141\162\157  
\157\164\143\141\056\143\162\154\060\061\240\057\240\055\206\053  
\150\164\164\160\072\057\057\143\162\154\056\144\150\151\155\171  
\157\164\151\163\056\143\157\155\057\143\145\162\164\151\147\156  
\141\162\157\157\164\143\141\056\143\162\154\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\224  
\270\236\117\360\343\225\010\042\347\315\150\101\367\034\125\325  
\174\000\342\055\072\211\135\150\070\057\121\042\013\112\215\313  
\351\273\135\076\273\134\075\261\050\376\344\123\125\023\317\241  
\220\033\002\035\137\146\106\011\063\050\341\015\044\227\160\323  
\020\037\352\144\127\226\273\135\332\347\304\214\117\114\144\106  
\035\134\207\343\131\336\102\321\233\250\176\246\211\335\217\034  
\311\060\202\355\073\234\315\300\351\031\340\152\330\002\165\067  
\253\367\064\050\050\221\362\004\012\117\065\343\140\046\001\372  
\320\021\214\371\021\152\356\257\075\303\120\323\217\137\063\171  
\074\206\250\163\105\220\214\040\266\162\163\027\043\276\007\145  
\345\170\222\015\272\001\300\353\214\034\146\277\254\206\167\001  
\224\015\234\346\351\071\215\037\246\121\214\231\014\071\167\341  
\264\233\372\034\147\127\157\152\152\216\251\053\114\127\171\172  
\127\042\317\315\137\143\106\215\134\131\072\206\370\062\107\142  
\243\147\015\030\221\334\373\246\153\365\110\141\163\043\131\216

```
\002\247\274\104\352\364\111\235\361\124\130\371\140\257\332\030
\244\057\050\105\334\172\240\210\206\135\363\073\347\377\051\065
\200\374\144\103\224\346\343\034\157\276\255\016\052\143\231\053
\311\176\205\366\161\350\006\003\225\376\336\217\110\034\132\324
\222\350\053\356\347\061\333\272\004\152\207\230\347\305\137\357
\175\247\042\367\001\330\115\371\211\320\016\232\005\131\244\236
\230\331\157\053\312\160\276\144\302\125\243\364\351\257\303\222
\051\334\210\026\044\231\074\215\046\230\266\133\267\314\316\267
\067\007\375\046\331\230\205\044\377\131\043\003\232\355\235\235
\250\344\136\070\316\327\122\015\157\322\077\155\261\005\153\111
\316\212\221\106\163\364\366\057\360\250\163\167\016\145\254\241
\215\146\122\151\176\113\150\014\307\036\067\047\203\245\214\307
\002\344\024\315\111\001\260\163\263\375\306\220\072\157\322\154
\355\073\356\354\221\276\242\103\135\213\000\112\146\045\104\160
\336\100\017\370\174\025\367\242\316\074\327\136\023\214\201\027
\030\027\321\275\361\167\020\072\324\145\071\301\047\254\127\054
\045\124\377\242\332\117\212\141\071\136\256\075\112\214\275
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "Certigna Root CA"
```

```
Issuer: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
```

```
Serial Number:00:ca:e9:1b:89:f1:55:03:0d:a3:e6:41:6d:c4:e3:a6:e1
```

```
Subject: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
```

```
Not Valid Before: Tue Oct 01 08:32:27 2013
```

```
Not Valid After : Sat Oct 01 08:32:27 2033
```

```
Fingerprint (SHA-256):
```

```
D4:8D:3D:23:EE:DB:50:A4:59:E5:51:97:60:1C:27:77:4B:9D:7B:18:C9:4D:5A:05:95:11:A1:02:50:B9:31:68
```

```
Fingerprint (SHA1): 2D:0D:52:14:FF:9E:AD:99:24:01:74:20:47:6E:6C:85:27:27:F5:43
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certigna Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\055\015\122\024\377\236\255\231\044\001\164\040\107\156\154\205
\047\047\365\103
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\016\134\060\142\047\353\133\274\327\256\142\272\351\325\337\167
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060
\060\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063
```

\066\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164

\151\147\156\141\040\122\157\157\164\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\021\000\312\351\033\211\361\125\003\015\243\346\101\155\304

\343\246\341

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "emSign Root CA - G1"

#

# Issuer: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN

# Serial Number:31:f5:e4:62:0c:6c:58:ed:d6:d8

# Subject: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN

# Not Valid Before: Sun Feb 18 18:30:00 2018

# Not Valid After : Wed Feb 18 18:30:00 2043

# Fingerprint (SHA-256):

40:F6:AF:03:46:A9:9A:A1:CD:1D:55:5A:4E:9C:CE:62:C7:F9:63:46:03:EE:40:66:15:83:3D:C8:C8:D0:03:67

# Fingerprint (SHA1): 8A:C7:AD:8F:73:AC:4E:C1:B5:75:4D:A5:40:F4:FC:CF:7C:B5:8E:8C

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "emSign Root CA - G1"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116\061

\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156

\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145

\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147

\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032\006

\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157

\164\040\103\101\040\055\040\107\061

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116\061

\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156

\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145

\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147

\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032\006

\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157

\164\040\103\101\040\055\040\107\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\012\061\365\344\142\014\154\130\355\326\330

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\224\060\202\002\174\240\003\002\001\002\002\012\061  
\365\344\142\014\154\130\355\326\330\060\015\006\011\052\206\110  
\206\367\015\001\001\013\005\000\060\147\061\013\060\011\006\003  
\125\004\006\023\002\111\116\061\023\060\021\006\003\125\004\013  
\023\012\145\155\123\151\147\156\040\120\113\111\061\045\060\043  
\006\003\125\004\012\023\034\145\115\165\144\150\162\141\040\124  
\145\143\150\156\157\154\157\147\151\145\163\040\114\151\155\151  
\164\145\144\061\034\060\032\006\003\125\004\003\023\023\145\155  
\123\151\147\156\040\122\157\157\164\040\103\101\040\055\040\107  
\061\060\036\027\015\061\070\060\062\061\070\061\070\063\060\060\060  
\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060\060  
\132\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116  
\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147  
\156\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034  
\145\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157  
\147\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032  
\006\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157  
\157\164\040\103\101\040\055\040\107\061\060\202\001\042\060\015  
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001  
\017\000\060\202\001\012\002\202\001\001\000\223\113\273\351\146  
\212\356\235\133\325\064\223\320\033\036\303\347\236\270\144\063  
\177\143\170\150\264\315\056\161\165\327\233\040\306\115\051\274  
\266\150\140\212\367\041\232\126\065\132\363\166\275\330\315\232  
\377\223\126\113\245\131\006\241\223\064\051\335\026\064\165\116  
\362\201\264\307\226\116\255\031\025\122\112\376\074\160\165\160  
\315\257\053\253\025\232\063\074\252\263\213\252\315\103\375\365  
\352\160\377\355\317\021\073\224\316\116\062\026\323\043\100\052  
\167\263\257\074\001\054\154\355\231\054\213\331\116\151\230\262  
\367\217\101\260\062\170\141\326\015\137\303\372\242\100\222\035  
\134\027\346\160\076\065\347\242\267\302\142\342\253\244\070\114  
\265\071\065\157\352\003\151\372\072\124\150\205\155\326\362\057  
\103\125\036\221\015\016\330\325\152\244\226\321\023\074\054\170  
\120\350\072\222\322\027\126\345\065\032\100\034\076\215\054\355  
\071\337\102\340\203\101\164\337\243\315\302\206\140\110\150\343  
\151\013\124\000\213\344\166\151\041\015\171\116\064\010\136\024  
\302\314\261\267\255\327\174\160\212\307\205\002\003\001\000\001  
\243\102\060\100\060\035\006\003\125\035\016\004\026\004\024\373  
\357\015\206\236\260\343\335\251\271\361\041\027\177\076\374\360  
\167\053\032\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001  
\013\005\000\003\202\001\001\000\131\377\362\214\365\207\175\161  
\075\243\237\033\133\321\332\370\323\234\153\066\275\233\251\141  
\353\336\026\054\164\075\236\346\165\332\327\272\247\274\102\027

```
\347\075\221\353\345\175\335\076\234\361\317\222\254\154\110\314
\302\042\077\151\073\305\266\025\057\243\065\306\150\052\034\127
\257\071\357\215\320\065\303\030\014\173\000\126\034\315\213\031
\164\336\276\017\022\340\320\252\241\077\002\064\261\160\316\235
\030\326\010\003\011\106\356\140\340\176\266\304\111\004\121\175
\160\140\274\252\262\377\171\162\172\246\035\075\137\052\370\312
\342\375\071\267\107\271\353\176\337\004\043\257\372\234\006\007
\351\373\143\223\200\100\265\306\154\012\061\050\316\014\237\317
\263\043\065\200\101\215\154\304\067\173\201\057\200\241\100\102
\205\351\331\070\215\350\241\123\315\001\277\151\350\132\006\362
\105\013\220\372\256\341\277\235\362\256\127\074\245\256\262\126
\364\213\145\100\351\375\061\201\054\364\071\011\330\356\153\247
\264\246\035\025\245\230\367\001\201\330\205\175\363\121\134\161
\210\336\272\314\037\200\176\112
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "emSign Root CA - G1"
```

```
Issuer: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
```

```
Serial Number:31:f5:e4:62:0c:6c:58:ed:d6:d8
```

```
Subject: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
```

```
Not Valid Before: Sun Feb 18 18:30:00 2018
```

```
Not Valid After : Wed Feb 18 18:30:00 2043
```

```
Fingerprint (SHA-256):
```

```
40:F6:AF:03:46:A9:9A:A1:CD:1D:55:5A:4E:9C:CE:62:C7:F9:63:46:03:EE:40:66:15:83:3D:C8:C8:D0:03:67
```

```
Fingerprint (SHA1): 8A:C7:AD:8F:73:AC:4E:C1:B5:75:4D:A5:40:F4:FC:CF:7C:B5:8E:8C
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "emSign Root CA - G1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\212\307\255\217\163\254\116\301\265\165\115\245\100\364\374\317
\174\265\216\214
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\234\102\204\127\335\313\013\247\056\225\255\266\363\332\274\254
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032\006
\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157
\164\040\103\101\040\055\040\107\061
```

```
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\061\365\344\142\014\154\130\355\326\330
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "emSign ECC Root CA - G3"
#
Issuer: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
Serial Number:3c:f6:07:a9:68:70:0e:da:8b:84
Subject: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
Not Valid Before: Sun Feb 18 18:30:00 2018
Not Valid After : Wed Feb 18 18:30:00 2043
Fingerprint (SHA-256):
86:A1:EC:BA:08:9C:4A:8D:3B:BE:27:34:C6:12:BA:34:1D:81:3E:04:3C:F9:E8:A8:62:CD:5C:57:A3:6B:BE:6B
Fingerprint (SHA1): 30:43:FA:4F:F2:57:DC:A0:C3:80:EE:2E:58:EA:78:B2:3F:E6:BB:C1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign ECC Root CA - G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\074\366\007\251\150\160\016\332\213\204
END
```

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\116\060\202\001\323\240\003\002\001\002\002\012\074  
\366\007\251\150\160\016\332\213\204\060\012\006\010\052\206\110  
\316\075\004\003\003\060\153\061\013\060\011\006\003\125\004\006  
\023\002\111\116\061\023\060\021\006\003\125\004\013\023\012\145  
\155\123\151\147\156\040\120\113\111\061\045\060\043\006\003\125  
\004\012\023\034\145\115\165\144\150\162\141\040\124\145\143\150  
\156\157\154\157\147\151\145\163\040\114\151\155\151\164\145\144  
\061\040\060\036\006\003\125\004\003\023\027\145\155\123\151\147  
\156\040\105\103\103\040\122\157\157\164\040\103\101\040\055\040  
\107\063\060\036\027\015\061\070\060\062\061\070\061\070\063\060  
\060\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060  
\060\132\060\153\061\013\060\011\006\003\125\004\006\023\002\111  
\116\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151  
\147\156\040\120\113\111\061\045\060\043\006\003\125\004\012\023  
\034\145\115\165\144\150\162\141\040\124\145\143\150\156\157\154  
\157\147\151\145\163\040\114\151\155\151\164\145\144\061\040\060  
\036\006\003\125\004\003\023\027\145\155\123\151\147\156\040\105  
\103\103\040\122\157\157\164\040\103\101\040\055\040\107\063\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\043\245\014\270\055\022\365\050\363  
\261\262\335\342\002\022\200\236\071\137\111\115\237\311\045\064  
\131\164\354\273\006\034\347\300\162\257\350\256\057\341\101\124  
\207\024\250\112\262\350\174\202\346\133\152\265\334\263\165\316  
\213\006\320\206\043\277\106\325\216\017\077\004\364\327\034\222  
\176\366\245\143\302\365\137\216\056\117\241\030\031\002\053\062  
\012\202\144\175\026\223\321\243\102\060\100\060\035\006\003\125  
\035\016\004\026\004\024\174\135\002\204\023\324\314\212\233\201  
\316\027\034\056\051\036\234\110\143\102\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\012\006\010\052  
\206\110\316\075\004\003\003\003\151\000\060\146\002\061\000\276  
\363\141\317\002\020\035\144\225\007\270\030\156\210\205\005\057  
\203\010\027\220\312\037\212\114\350\015\033\172\261\255\325\201  
\011\107\357\073\254\010\004\174\134\231\261\355\107\007\322\002  
\061\000\235\272\125\374\251\112\350\355\355\346\166\001\102\173  
\310\370\140\331\215\121\213\125\073\373\214\173\353\145\011\303  
\370\226\315\107\250\202\362\026\125\167\044\176\022\020\225\004  
\054\243

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "emSign ECC Root CA - G3"  
# Issuer: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN  
# Serial Number:3c:f6:07:a9:68:70:0e:da:8b:84  
# Subject: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN

```

Not Valid Before: Sun Feb 18 18:30:00 2018
Not Valid After : Wed Feb 18 18:30:00 2043
Fingerprint (SHA-256):
86:A1:EC:BA:08:9C:4A:8D:3B:BE:27:34:C6:12:BA:34:1D:81:3E:04:3C:F9:E8:A8:62:CD:5C:57:A3:6B:BE:6B
Fingerprint (SHA1): 30:43:FA:4F:F2:57:DC:A0:C3:80:EE:2E:58:EA:78:B2:3F:E6:BB:C1
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign ECC Root CA - G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\060\103\372\117\362\127\334\240\303\200\356\056\130\352\170\262
\077\346\273\301
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\316\013\162\321\237\210\216\320\120\003\350\343\270\213\147\100
END
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\074\366\007\251\150\160\016\332\213\204
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "emSign Root CA - C1"
#
Issuer: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US
Serial Number:00:ae:cf:00:ba:c4:cf:32:f8:43:b2
Subject: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US
Not Valid Before: Sun Feb 18 18:30:00 2018
Not Valid After : Wed Feb 18 18:30:00 2043
Fingerprint (SHA-256):
12:56:09:AA:30:1D:A0:A2:49:B9:7A:82:39:CB:6A:34:21:6F:44:DC:AC:9F:39:54:B1:42:92:F2:E8:C8:60:8F
Fingerprint (SHA1): E7:2E:F1:DF:FC:B2:09:28:CF:5D:D4:D5:67:37:B1:51:CB:86:4F:01
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE

```



```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign Root CA - C1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006\003
\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157\164
\040\103\101\040\055\040\103\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006\003
\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157\164
\040\103\101\040\055\040\103\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\000\256\317\000\272\304\317\062\370\103\262
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\163\060\202\002\133\240\003\002\001\002\002\013\000
\256\317\000\272\304\317\062\370\103\262\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\060\126\061\013\060\011\006
\003\125\004\006\023\002\125\123\061\023\060\021\006\003\125\004
\013\023\012\145\155\123\151\147\156\040\120\113\111\061\024\060
\022\006\003\125\004\012\023\013\145\115\165\144\150\162\141\040
\111\156\143\061\034\060\032\006\003\125\004\003\023\023\145\155
\123\151\147\156\040\122\157\157\164\040\103\101\040\055\040\103
\061\060\036\027\015\061\070\060\062\061\070\061\070\063\060\060
\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060\060
\132\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147
\156\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013
\145\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006
\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157
\164\040\103\101\040\055\040\103\061\060\202\001\042\060\015\006
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017
\000\060\202\001\012\002\202\001\001\000\317\353\251\271\361\231
\005\314\330\050\041\112\363\163\064\121\204\126\020\365\240\117
\054\022\343\372\023\232\047\320\317\371\171\032\164\137\035\171
\071\374\133\370\160\216\340\222\122\367\344\045\371\124\203\331
\035\323\310\132\205\077\136\307\266\007\356\076\300\316\232\257
\254\126\102\052\071\045\160\326\277\265\173\066\255\254\366\163
\334\315\327\035\212\203\245\373\053\220\025\067\153\034\046\107
```

\334\073\051\126\223\152\263\301\152\072\235\075\365\301\227\070  
\130\005\213\034\021\343\344\264\270\135\205\035\203\376\170\137  
\013\105\150\030\110\245\106\163\064\073\376\017\310\166\273\307  
\030\363\005\321\206\363\205\355\347\271\331\062\255\125\210\316  
\246\266\221\260\117\254\176\025\043\226\366\077\360\040\064\026  
\336\012\306\304\004\105\171\177\247\375\276\322\251\245\257\234  
\305\043\052\367\074\041\154\275\257\217\116\305\072\262\363\064  
\022\374\337\200\032\111\244\324\251\225\367\236\211\136\242\211  
\254\224\313\250\150\233\257\212\145\047\315\211\356\335\214\265  
\153\051\160\103\240\151\013\344\271\017\002\003\001\000\001\243  
\102\060\100\060\035\006\003\125\035\016\004\026\004\024\376\241  
\340\160\036\052\003\071\122\132\102\276\134\221\205\172\030\252  
\115\265\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003  
\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\001\001\000\302\112\126\372\025\041\173\050\242  
\351\345\035\373\370\055\304\071\226\101\114\073\047\054\304\154  
\030\025\200\306\254\257\107\131\057\046\013\343\066\260\357\073  
\376\103\227\111\062\231\022\025\133\337\021\051\377\253\123\370  
\273\301\170\017\254\234\123\257\127\275\150\214\075\151\063\360  
\243\240\043\143\073\144\147\042\104\255\325\161\313\126\052\170  
\222\243\117\022\061\066\066\342\336\376\000\304\243\140\017\047  
\255\240\260\212\265\066\172\122\241\275\047\364\040\047\142\350  
\115\224\044\023\344\012\004\351\074\253\056\310\103\011\112\306  
\141\004\345\111\064\176\323\304\310\365\017\300\252\351\272\124  
\136\363\143\053\117\117\120\324\376\271\173\231\214\075\300\056  
\274\002\053\323\304\100\344\212\007\061\036\233\316\046\231\023  
\373\021\352\232\042\014\021\031\307\136\033\201\120\060\310\226  
\022\156\347\313\101\177\221\073\242\107\267\124\200\033\334\000  
\314\232\220\352\303\303\120\006\142\014\060\300\025\110\247\250  
\131\174\341\256\042\242\342\012\172\017\372\142\253\122\114\341  
\361\337\312\276\203\015\102

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "emSign Root CA - C1"

# Issuer: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US

# Serial Number:00:ae:cf:00:ba:c4:cf:32:f8:43:b2

# Subject: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US

# Not Valid Before: Sun Feb 18 18:30:00 2018

# Not Valid After : Wed Feb 18 18:30:00 2043

# Fingerprint (SHA-256):

12:56:09:AA:30:1D:A0:A2:49:B9:7A:82:39:CB:6A:34:21:6F:44:DC:AC:9F:39:54:B1:42:92:F2:E8:C8:60:8F

# Fingerprint (SHA1): E7:2E:F1:DF:FC:B2:09:28:CF:5D:D4:D5:67:37:B1:51:CB:86:4F:01

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign Root CA - C1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\347\056\361\337\374\262\011\050\317\135\324\325\147\067\261\121
\313\206\117\001
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\330\343\135\001\041\372\170\132\260\337\272\322\356\052\137\150
END
CKA_ISSUER MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006\003
\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157\164
\040\103\101\040\055\040\103\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\000\256\317\000\272\304\317\062\370\103\262
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "emSign ECC Root CA - C3"
#
Issuer: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
Serial Number:7b:71:b6:82:56:b8:12:7c:9c:a8
Subject: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
Not Valid Before: Sun Feb 18 18:30:00 2018
Not Valid After : Wed Feb 18 18:30:00 2043
Fingerprint (SHA-256):
BC:4D:80:9B:15:18:9D:78:DB:3E:1D:8C:F4:F9:72:6A:79:5D:A1:64:3C:A5:F1:35:8E:1D:DB:0E:DC:0D:7E:B3
Fingerprint (SHA1): B6:AF:43:C2:9B:81:53:7D:F6:EF:6B:C3:1F:1F:60:15:0C:EE:48:66
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign ECC Root CA - C3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006\003

```

```
\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103\040
\122\157\157\164\040\103\101\040\055\040\103\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006\003
\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103\040
\122\157\157\164\040\103\101\040\055\040\103\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\173\161\266\202\126\270\022\174\234\250
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\053\060\202\001\261\240\003\002\001\002\002\012\173
\161\266\202\126\270\022\174\234\250\060\012\006\010\052\206\110
\316\075\004\003\003\060\132\061\013\060\011\006\003\125\004\006
\023\002\125\123\061\023\060\021\006\003\125\004\013\023\012\145
\155\123\151\147\156\040\120\113\111\061\024\060\022\006\003\125
\004\012\023\013\145\115\165\144\150\162\141\040\111\156\143\061
\040\060\036\006\003\125\004\003\023\027\145\155\123\151\147\156
\040\105\103\103\040\122\157\157\164\040\103\101\040\055\040\103
\063\060\036\027\015\061\070\060\062\061\070\061\070\063\060\060
\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060\060
\132\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147
\156\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013
\145\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\103\063\060\166\060
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000
\042\003\142\000\004\375\245\141\256\173\046\020\035\351\267\042
\060\256\006\364\201\263\261\102\161\225\071\274\323\122\343\257
\257\371\362\227\065\222\066\106\016\207\225\215\271\071\132\351
\273\337\320\376\310\007\101\074\273\125\157\203\243\152\373\142
\260\201\211\002\160\175\110\305\112\343\351\042\124\042\115\223
\273\102\014\257\167\234\043\246\175\327\141\021\316\145\307\370
\177\376\365\362\251\243\102\060\100\060\035\006\003\125\035\016
\004\026\004\024\373\132\110\320\200\040\100\362\250\351\000\007
\151\031\167\247\346\303\364\317\060\016\006\003\125\035\017\001
\001\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001
\001\377\004\005\060\003\001\001\377\060\012\006\010\052\206\110
\316\075\004\003\003\003\150\000\060\145\002\061\000\264\330\057
\002\211\375\266\114\142\272\103\116\023\204\162\265\256\335\034
\336\326\265\334\126\217\130\100\132\055\336\040\114\042\203\312
\223\250\176\356\022\100\307\326\207\117\370\337\205\002\060\034
```

```
\024\144\344\174\226\203\021\234\260\321\132\141\113\246\017\111
\323\000\374\241\374\344\245\377\177\255\327\060\320\307\167\177
\276\201\007\125\060\120\040\024\365\127\070\012\250\061\121
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "emSign ECC Root CA - C3"
```

```
Issuer: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
```

```
Serial Number:7b:71:b6:82:56:b8:12:7c:9c:a8
```

```
Subject: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
```

```
Not Valid Before: Sun Feb 18 18:30:00 2018
```

```
Not Valid After : Wed Feb 18 18:30:00 2043
```

```
Fingerprint (SHA-256):
```

```
BC:4D:80:9B:15:18:9D:78:DB:3E:1D:8C:F4:F9:72:6A:79:5D:A1:64:3C:A5:F1:35:8E:1D:DB:0E:DC:0D:7E:B3
```

```
Fingerprint (SHA1): B6:AF:43:C2:9B:81:53:7D:F6:EF:6B:C3:1F:1F:60:15:0C:EE:48:66
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "emSign ECC Root CA - C3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\266\257\103\302\233\201\123\175\366\357\153\303\037\037\140\025
\014\356\110\146
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\076\123\263\243\201\356\327\020\370\323\260\035\027\222\365\325
```

```
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006\003
\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103\040
\122\157\157\164\040\103\101\040\055\040\103\063
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\012\173\161\266\202\126\270\022\174\234\250
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
Certificate "Hongkong Post Root CA 3"
```

```
#
```

```
Issuer: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK
Serial Number:08:16:5f:8a:4c:a5:ec:00:c9:93:40:df:c4:c6:ae:23:b8:1c:5a:a4
Subject: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK
Not Valid Before: Sat Jun 03 02:29:46 2017
Not Valid After : Tue Jun 03 02:29:46 2042
Fingerprint (SHA-256):
5A:2F:C0:3F:0C:83:B0:90:BB:FA:40:60:4B:09:88:44:6C:76:36:18:3D:F9:84:6E:17:10:1A:44:7F:B8:EF:D6
Fingerprint (SHA1): 58:A2:D0:EC:20:52:81:5B:C1:F3:F8:64:02:24:4E:C2:8E:02:4B:02
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hongkong Post Root CA 3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\022\060\020\006\003\125\004\010\023\011\110\157\156\147\040\113
\157\156\147\061\022\060\020\006\003\125\004\007\023\011\110\157
\156\147\040\113\157\156\147\061\026\060\024\006\003\125\004\012
\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164\061
\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153\157
\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101\040
\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\022\060\020\006\003\125\004\010\023\011\110\157\156\147\040\113
\157\156\147\061\022\060\020\006\003\125\004\007\023\011\110\157
\156\147\040\113\157\156\147\061\026\060\024\006\003\125\004\012
\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164\061
\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153\157
\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101\040
\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\010\026\137\212\114\245\354\000\311\223\100\337\304\306
\256\043\270\034\132\244
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\317\060\202\003\267\240\003\002\001\002\002\024\010
\026\137\212\114\245\354\000\311\223\100\337\304\306\256\043\270
\034\132\244\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\157\061\013\060\011\006\003\125\004\006\023\002\110
\113\061\022\060\020\006\003\125\004\010\023\011\110\157\156\147
\040\113\157\156\147\061\022\060\020\006\003\125\004\007\023\011
\110\157\156\147\040\113\157\156\147\061\026\060\024\006\003\125
\004\012\023\015\110\157\156\147\153\157\156\147\040\120\157\163
```

\164\061\040\060\036\006\003\125\004\003\023\027\110\157\156\147  
\153\157\156\147\040\120\157\163\164\040\122\157\157\164\040\103  
\101\040\063\060\036\027\015\061\067\060\066\060\063\060\062\062  
\071\064\066\132\027\015\064\062\060\066\060\063\060\062\062\071  
\064\066\132\060\157\061\013\060\011\006\003\125\004\006\023\002  
\110\113\061\022\060\020\006\003\125\004\010\023\011\110\157\156  
\147\040\113\157\156\147\061\022\060\020\006\003\125\004\007\023  
\011\110\157\156\147\040\113\157\156\147\061\026\060\024\006\003  
\125\004\012\023\015\110\157\156\147\153\157\156\147\040\120\157  
\163\164\061\040\060\036\006\003\125\004\003\023\027\110\157\156  
\147\153\157\156\147\040\120\157\163\164\040\122\157\157\164\040  
\103\101\040\063\060\202\002\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012  
\002\202\002\001\000\263\210\327\352\316\017\040\116\276\346\326  
\003\155\356\131\374\302\127\337\051\150\241\203\016\076\150\307  
\150\130\234\034\140\113\211\103\014\271\324\025\262\356\301\116  
\165\351\265\247\357\345\351\065\231\344\314\034\347\113\137\215  
\063\060\040\063\123\331\246\273\325\076\023\216\351\037\207\111  
\255\120\055\120\312\030\276\001\130\242\023\160\226\273\211\210  
\126\200\134\370\275\054\074\341\114\127\210\273\323\271\225\357  
\313\307\366\332\061\164\050\246\346\124\211\365\101\061\312\345  
\046\032\315\202\340\160\332\073\051\273\325\003\365\231\272\125  
\365\144\321\140\016\263\211\111\270\212\057\005\322\204\105\050  
\174\217\150\120\022\170\374\013\265\123\313\302\230\034\204\243  
\236\260\276\043\244\332\334\310\053\036\332\156\105\036\211\230  
\332\371\000\056\006\351\014\073\160\325\120\045\210\231\313\315  
\163\140\367\325\377\065\147\305\241\274\136\253\315\112\270\105  
\353\310\150\036\015\015\024\106\022\343\322\144\142\212\102\230  
\274\264\306\010\010\370\375\250\114\144\234\166\001\275\057\251  
\154\063\017\330\077\050\270\074\151\001\102\206\176\151\301\311  
\006\312\345\172\106\145\351\302\326\120\101\056\077\267\344\355  
\154\327\277\046\001\021\242\026\051\112\153\064\006\220\354\023  
\322\266\373\152\166\322\074\355\360\326\055\335\341\025\354\243  
\233\057\054\311\076\053\344\151\073\377\162\045\261\066\206\133  
\307\177\153\213\125\033\112\305\040\141\075\256\313\120\341\010  
\072\276\260\217\143\101\123\060\010\131\074\230\035\167\272\143  
\221\172\312\020\120\140\277\360\327\274\225\207\217\227\305\376  
\227\152\001\224\243\174\133\205\035\052\071\072\320\124\241\321  
\071\161\235\375\041\371\265\173\360\342\340\002\217\156\226\044  
\045\054\240\036\054\250\304\211\247\357\355\231\006\057\266\012  
\114\117\333\242\314\067\032\257\107\205\055\212\137\304\064\064  
\114\000\375\030\223\147\023\321\067\346\110\264\213\006\305\127  
\173\031\206\012\171\313\000\311\122\257\102\377\067\217\341\243  
\036\172\075\120\253\143\006\347\025\265\077\266\105\067\224\067  
\261\176\362\110\303\177\305\165\376\227\215\105\217\032\247\032  
\162\050\032\100\017\002\003\001\000\001\243\143\060\141\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060

\037\006\003\125\035\043\004\030\060\026\200\024\027\235\315\036  
\213\326\071\053\160\323\134\324\240\270\037\260\000\374\305\141  
\060\035\006\003\125\035\016\004\026\004\024\027\235\315\036\213  
\326\071\053\160\323\134\324\240\270\037\260\000\374\305\141\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202  
\002\001\000\126\325\173\156\346\042\001\322\102\233\030\325\016  
\327\146\043\134\343\376\240\307\222\322\351\224\255\113\242\306  
\354\022\174\164\325\110\322\131\024\231\300\353\271\321\353\364  
\110\060\133\255\247\127\163\231\251\323\345\267\321\056\131\044  
\130\334\150\056\056\142\330\152\344\160\013\055\040\120\040\244  
\062\225\321\000\230\273\323\375\367\062\362\111\256\306\172\340  
\107\276\156\316\313\243\162\072\055\151\135\313\310\350\105\071  
\324\372\102\301\021\114\167\135\222\373\152\377\130\104\345\353  
\201\236\257\240\231\255\276\251\001\146\313\070\035\074\337\103  
\037\364\115\156\264\272\027\106\374\175\375\207\201\171\152\015  
\063\017\372\057\370\024\271\200\263\135\115\252\227\341\371\344  
\030\305\370\325\070\214\046\074\375\362\050\342\356\132\111\210  
\054\337\171\075\216\236\220\074\275\101\112\072\335\133\366\232  
\264\316\077\045\060\177\062\175\242\003\224\320\334\172\241\122  
\336\156\223\215\030\046\375\125\254\275\217\233\322\317\257\347  
\206\054\313\037\011\157\243\157\251\204\324\163\277\115\241\164  
\033\116\043\140\362\314\016\252\177\244\234\114\045\250\262\146  
\073\070\377\331\224\060\366\162\204\276\150\125\020\017\306\163  
\054\026\151\223\007\376\261\105\355\273\242\125\152\260\332\265  
\112\002\045\047\205\327\267\267\206\104\026\211\154\200\053\076  
\227\251\234\325\176\125\114\306\336\105\020\034\352\351\073\237  
\003\123\356\356\172\001\002\026\170\324\350\302\276\106\166\210  
\023\077\042\273\110\022\035\122\000\264\002\176\041\032\036\234  
\045\364\363\075\136\036\322\034\371\263\055\266\367\067\134\306  
\313\041\116\260\367\231\107\030\205\301\053\272\125\256\006\352  
\320\007\262\334\253\320\202\226\165\316\322\120\376\231\347\317  
\057\237\347\166\321\141\052\373\041\273\061\320\252\237\107\244  
\262\042\312\026\072\120\127\304\133\103\147\305\145\142\003\111  
\001\353\103\331\330\370\236\255\317\261\143\016\105\364\240\132  
\054\233\055\305\246\300\255\250\107\364\047\114\070\015\056\033  
\111\073\122\364\350\210\203\053\124\050\324\362\065\122\264\062  
\203\142\151\144\014\221\234\237\227\352\164\026\375\037\021\006  
\232\233\364

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Hongkong Post Root CA 3"

# Issuer: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK

# Serial Number:08:16:5f:8a:4c:a5:ec:00:c9:93:40:df:c4:c6:ae:23:b8:1c:5a:a4

# Subject: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK

# Not Valid Before: Sat Jun 03 02:29:46 2017



```

Not Valid After : Tue Jun 03 02:29:46 2042
Fingerprint (SHA-256):
5A:2F:C0:3F:0C:83:B0:90:BB:FA:40:60:4B:09:88:44:6C:76:36:18:3D:F9:84:6E:17:10:1A:44:7F:B8:EF:D6
Fingerprint (SHA1): 58:A2:D0:EC:20:52:81:5B:C1:F3:F8:64:02:24:4E:C2:8E:02:4B:02
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hongkong Post Root CA 3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\130\242\320\354\040\122\201\133\301\363\370\144\002\044\116\302
\216\002\113\002
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\021\374\237\275\163\060\002\212\375\077\363\130\271\313\040\360
END
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\022\060\020\006\003\125\004\010\023\011\110\157\156\147\040\113
\157\156\147\061\022\060\020\006\003\125\004\007\023\011\110\157
\156\147\040\113\157\156\147\061\026\060\024\006\003\125\004\012
\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164\061
\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153\157
\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101\040
\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\010\026\137\212\114\245\354\000\311\223\100\337\304\306
\256\043\270\034\132\244
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Entrust Root Certification Authority - G4"
#
Issuer: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
Serial Number:00:d9:b5:43:7f:af:a9:39:0f:00:00:00:00:55:65:ad:58
Subject: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
Not Valid Before: Wed May 27 11:11:16 2015
Not Valid After : Sun Dec 27 11:41:16 2037
Fingerprint (SHA-256):
DB:35:17:D1:F6:73:2A:2D:5A:B9:7C:53:3E:C7:07:79:EE:32:70:A6:2F:B4:AC:42:38:37:24:60:E6:F0:1E:88
Fingerprint (SHA1): 14:88:4E:86:26:37:B0:26:AF:59:62:5C:40:77:EC:35:29:BA:96:01

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority - G4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\064
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\000\331\265\103\177\257\251\071\017\000\000\000\000\125
\145\255\130
END
CKA_VALUE MULTILINE_OCTAL
\060\202\006\113\060\202\004\063\240\003\002\001\002\002\021\000
\331\265\103\177\257\251\071\017\000\000\000\000\125\145\255\130
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165\163
\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004\013
```

\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165\163  
\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162\155  
\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051\040  
\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111\156  
\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162\151  
\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060\060  
\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040\122  
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107\064  
\060\036\027\015\061\065\060\065\062\067\061\061\061\061\061\066  
\132\027\015\063\067\061\062\062\067\061\061\064\061\061\066\132  
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165  
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004  
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165  
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162  
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051  
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111  
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162  
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060  
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040  
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107  
\064\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002  
\001\000\261\354\054\102\356\342\321\060\377\245\222\107\342\055  
\303\272\144\227\155\312\367\015\265\131\301\263\313\250\150\031  
\330\257\204\155\060\160\135\176\363\056\322\123\231\341\376\037  
\136\331\110\257\135\023\215\333\377\143\063\115\323\000\002\274  
\304\370\321\006\010\224\171\130\212\025\336\051\263\375\375\304  
\117\350\252\342\240\073\171\315\277\153\103\062\335\331\164\020  
\271\367\364\150\324\273\320\207\325\252\113\212\052\157\052\004  
\265\262\246\307\240\172\346\110\253\322\321\131\314\326\176\043  
\346\227\154\360\102\345\334\121\113\025\101\355\111\112\311\336  
\020\227\326\166\301\357\245\265\066\024\227\065\330\170\042\065  
\122\357\103\275\333\047\333\141\126\202\064\334\313\210\140\014  
\013\132\345\054\001\306\124\257\327\252\301\020\173\322\005\132  
\270\100\236\206\247\303\220\206\002\126\122\011\172\234\322\047  
\202\123\112\145\122\152\365\074\347\250\362\234\257\213\275\323  
\016\324\324\136\156\207\236\152\075\105\035\321\135\033\364\351  
\012\254\140\231\373\211\264\377\230\054\317\174\035\351\002\252  
\004\232\036\270\334\210\156\045\263\154\146\367\074\220\363\127  
\301\263\057\365\155\362\373\312\241\370\051\235\106\213\263\152  
\366\346\147\007\276\054\147\012\052\037\132\262\076\127\304\323  
\041\041\143\145\122\221\033\261\231\216\171\176\346\353\215\000  
\331\132\252\352\163\350\244\202\002\107\226\376\133\216\124\141  
\243\353\057\113\060\260\213\043\165\162\174\041\074\310\366\361  
\164\324\034\173\243\005\125\356\273\115\073\062\276\232\167\146

\236\254\151\220\042\007\037\141\072\226\276\345\232\117\314\005  
\074\050\131\323\301\014\124\250\131\141\275\310\162\114\350\334  
\237\207\177\275\234\110\066\136\225\243\016\271\070\044\125\374  
\165\146\353\002\343\010\064\051\112\306\343\053\057\063\240\332  
\243\206\245\022\227\375\200\053\332\024\102\343\222\275\076\362  
\135\136\147\164\056\034\210\107\051\064\137\342\062\250\234\045  
\067\214\272\230\000\227\213\111\226\036\375\045\212\254\334\332  
\330\135\164\156\146\260\377\104\337\241\030\306\276\110\057\067  
\224\170\370\225\112\077\177\023\136\135\131\375\164\206\103\143  
\163\111\002\003\001\000\001\243\102\060\100\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003  
\125\035\016\004\026\004\024\237\070\304\126\043\303\071\350\240  
\161\154\350\124\114\344\350\072\261\277\147\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\022  
\345\102\246\173\213\017\014\344\106\245\266\140\100\207\214\045  
\176\255\270\150\056\133\306\100\166\074\003\370\311\131\364\363  
\253\142\316\020\215\264\132\144\214\150\300\260\162\103\064\322  
\033\013\366\054\123\322\312\220\113\206\146\374\252\203\042\364  
\213\032\157\046\110\254\166\167\010\277\305\230\134\364\046\211  
\236\173\303\271\144\062\001\177\323\303\335\130\155\354\261\253  
\204\125\164\167\204\004\047\122\153\206\114\316\335\271\145\377  
\326\306\136\237\232\020\231\113\165\152\376\152\351\227\040\344  
\344\166\172\306\320\044\252\220\315\040\220\272\107\144\373\177  
\007\263\123\170\265\012\142\362\163\103\316\101\053\201\152\056  
\205\026\224\123\324\153\137\162\042\253\121\055\102\325\000\234  
\231\277\336\273\224\073\127\375\232\365\206\313\126\073\133\210  
\001\345\174\050\113\003\371\111\203\174\262\177\174\343\355\216  
\241\177\140\123\216\125\235\120\064\022\017\267\227\173\154\207  
\112\104\347\365\155\354\200\067\360\130\031\156\112\150\166\360  
\037\222\344\352\265\222\323\141\121\020\013\255\247\331\137\307  
\137\334\037\243\134\214\241\176\233\267\236\323\126\157\146\136  
\007\226\040\355\013\164\373\146\116\213\021\025\351\201\111\176  
\157\260\324\120\177\042\327\137\145\002\015\246\364\205\036\330  
\256\006\113\112\247\322\061\146\302\370\316\345\010\246\244\002  
\226\104\150\127\304\325\063\317\031\057\024\304\224\034\173\244  
\331\360\237\016\261\200\342\321\236\021\144\251\210\021\072\166  
\202\345\142\302\200\330\244\203\355\223\357\174\057\220\260\062  
\114\226\025\150\110\122\324\231\010\300\044\350\034\343\263\245  
\041\016\222\300\220\037\317\040\137\312\073\070\307\267\155\072  
\363\346\104\270\016\061\153\210\216\160\353\234\027\122\250\101  
\224\056\207\266\347\246\022\305\165\337\133\300\012\156\173\244  
\344\136\206\371\066\224\337\167\303\351\015\300\071\361\171\273  
\106\216\253\103\131\047\267\040\273\043\351\126\100\041\354\061  
\075\145\252\103\362\075\337\160\104\341\272\115\046\020\073\230  
\237\363\310\216\033\070\126\041\152\121\223\323\221\312\106\332  
\211\267\075\123\203\054\010\037\213\217\123\335\377\254\037

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

# Trust for "Entrust Root Certification Authority - G4"

# Issuer: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

# Serial Number:00:d9:b5:43:7f:af:a9:39:0f:00:00:00:00:55:65:ad:58

# Subject: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

# Not Valid Before: Wed May 27 11:11:16 2015

# Not Valid After : Sun Dec 27 11:41:16 2037

# Fingerprint (SHA-256):

DB:35:17:D1:F6:73:2A:2D:5A:B9:7C:53:3E:C7:07:79:EE:32:70:A6:2F:B4:AC:42:38:37:24:60:E6:F0:1E:88

# Fingerprint (SHA1): 14:88:4E:86:26:37:B0:26:AF:59:62:5C:40:77:EC:35:29:BA:96:01

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Entrust Root Certification Authority - G4"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\024\210\116\206\046\067\260\046\257\131\142\134\100\167\354\065  
\051\272\226\001

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\211\123\361\203\043\267\174\216\005\361\214\161\070\116\037\210

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165  
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004  
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165  
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162  
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051  
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111  
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162  
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060  
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040  
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107  
\064

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\021\000\331\265\103\177\257\251\071\017\000\000\000\000\125  
\145\255\130

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

```
#
Certificate "Microsoft ECC Root Certificate Authority 2017"
#
Issuer: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US
Serial Number:66:f2:3d:af:87:de:8b:b1:4a:ea:0c:57:31:01:c2:ec
Subject: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US
Not Valid Before: Wed Dec 18 23:06:45 2019
Not Valid After : Fri Jul 18 23:16:04 2042
Fingerprint (SHA-256):
35:8D:F3:9D:76:4A:F9:E1:B7:66:E9:C9:72:DF:35:2E:E1:5C:FA:C2:27:AF:6A:D1:D7:0E:8E:4A:6E:DC:BA:02
Fingerprint (SHA1): 99:9A:64:C3:7F:F4:7D:9F:AB:95:F1:47:69:89:14:60:EE:C4:C3:C5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsoft ECC Root Certificate Authority 2017"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\105\103\103\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\105\103\103\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\146\362\075\257\207\336\213\261\112\352\014\127\061\001
\302\354
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\131\060\202\001\337\240\003\002\001\002\002\020\146
\362\075\257\207\336\213\261\112\352\014\127\061\001\302\354\060
\012\006\010\052\206\110\316\075\004\003\003\060\145\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\036\060\034\006\003
\125\004\012\023\025\115\151\143\162\157\163\157\146\164\040\103
\157\162\160\157\162\141\164\151\157\156\061\066\060\064\006\003
```

\125\004\003\023\055\115\151\143\162\157\163\157\146\164\040\105  
\103\103\040\122\157\157\164\040\103\145\162\164\151\146\151\143  
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\062\060  
\061\067\060\036\027\015\061\071\061\062\061\070\062\063\060\066  
\064\065\132\027\015\064\062\060\067\061\070\062\063\061\066\060  
\064\132\060\145\061\013\060\011\006\003\125\004\006\023\002\125  
\123\061\036\060\034\006\003\125\004\012\023\025\115\151\143\162  
\157\163\157\146\164\040\103\157\162\160\157\162\141\164\151\157  
\156\061\066\060\064\006\003\125\004\003\023\055\115\151\143\162  
\157\163\157\146\164\040\105\103\103\040\122\157\157\164\040\103  
\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157  
\162\151\164\171\040\062\060\061\067\060\166\060\020\006\007\052  
\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000  
\004\324\274\075\002\102\165\101\023\043\315\200\004\206\002\121  
\057\152\250\201\142\013\145\314\366\312\235\036\157\112\146\121  
\242\003\331\235\221\372\266\026\261\214\156\336\174\315\333\171  
\246\057\316\273\316\161\057\345\245\253\050\354\143\004\146\231  
\370\372\362\223\020\005\341\201\050\102\343\306\150\364\346\033  
\204\140\112\211\257\355\171\017\073\316\361\366\104\365\001\170  
\300\243\124\060\122\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004  
\024\310\313\231\162\160\122\014\370\346\276\262\004\127\051\052  
\317\102\020\355\065\060\020\006\011\053\006\001\004\001\202\067  
\025\001\004\003\002\001\000\060\012\006\010\052\206\110\316\075  
\004\003\003\003\150\000\060\145\002\060\130\362\115\352\014\371  
\137\136\356\140\051\313\072\362\333\326\062\204\031\077\174\325  
\057\302\261\314\223\256\120\273\011\062\306\306\355\176\311\066  
\224\022\344\150\205\006\242\033\320\057\002\061\000\231\351\026  
\264\016\372\126\110\324\244\060\026\221\170\333\124\214\145\001  
\212\347\120\146\302\061\267\071\272\270\032\042\007\116\374\153  
\124\026\040\377\053\265\347\114\014\115\246\117\163

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Microsoft ECC Root Certificate Authority 2017"  
# Issuer: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US  
# Serial Number:66:f2:3d:af:87:de:8b:b1:4a:ea:0c:57:31:01:c2:ec  
# Subject: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US  
# Not Valid Before: Wed Dec 18 23:06:45 2019  
# Not Valid After : Fri Jul 18 23:16:04 2042  
# Fingerprint (SHA-256):  
35:8D:F3:9D:76:4A:F9:E1:B7:66:E9:C9:72:DF:35:2E:E1:5C:FA:C2:27:AF:6A:D1:D7:0E:8E:4A:6E:DC:BA:02  
# Fingerprint (SHA1): 99:9A:64:C3:7F:F4:7D:9F:AB:95:F1:47:69:89:14:60:EE:C4:C3:C5  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST  
CKA\_TOKEN CK\_BBOOL CK\_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsoft ECC Root Certificate Authority 2017"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\231\232\144\303\177\364\175\237\253\225\361\107\151\211\024\140
\356\304\303\305
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\335\241\003\346\112\223\020\321\277\360\031\102\313\376\355\147
END
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\105\103\103\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\146\362\075\257\207\336\213\261\112\352\014\127\061\001
\302\354
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Microsoft RSA Root Certificate Authority 2017"
#
Issuer: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
Serial Number:1e:d3:97:09:5f:d8:b4:b3:47:70:1e:aa:be:7f:45:b3
Subject: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
Not Valid Before: Wed Dec 18 22:51:22 2019
Not Valid After : Fri Jul 18 23:00:23 2042
Fingerprint (SHA-256):
C7:41:F7:0F:4B:2A:8D:88:BF:2E:71:C1:41:22:EF:53:EF:10:EB:A0:CF:A5:E6:4C:FA:20:F4:18:85:30:73:E0
Fingerprint (SHA1): 73:A5:E6:4A:3B:FF:83:16:FF:0E:DC:CC:61:8A:90:6E:4E:AE:4D:74
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsoft RSA Root Certificate Authority 2017"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163

```



\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061  
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163  
\157\146\164\040\122\123\101\040\122\157\157\164\040\103\145\162  
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151  
\164\171\040\062\060\061\067

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163  
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061  
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163  
\157\146\164\040\122\123\101\040\122\157\157\164\040\103\145\162  
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151  
\164\171\040\062\060\061\067

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\036\323\227\011\137\330\264\263\107\160\036\252\276\177  
\105\263

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\250\060\202\003\220\240\003\002\001\002\002\020\036  
\323\227\011\137\330\264\263\107\160\036\252\276\177\105\263\060  
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\145  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\036\060  
\034\006\003\125\004\012\023\025\115\151\143\162\157\163\157\146  
\164\040\103\157\162\160\157\162\141\164\151\157\156\061\066\060  
\064\006\003\125\004\003\023\055\115\151\143\162\157\163\157\146  
\164\040\122\123\101\040\122\157\157\164\040\103\145\162\164\151  
\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164\171  
\040\062\060\061\067\060\036\027\015\061\071\061\062\061\070\062  
\062\065\061\062\062\132\027\015\064\062\060\067\061\070\062\063  
\060\060\062\063\132\060\145\061\013\060\011\006\003\125\004\006  
\023\002\125\123\061\036\060\034\006\003\125\004\012\023\025\115  
\151\143\162\157\163\157\146\164\040\103\157\162\160\157\162\141  
\164\151\157\156\061\066\060\064\006\003\125\004\003\023\055\115  
\151\143\162\157\163\157\146\164\040\122\123\101\040\122\157\157  
\164\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165  
\164\150\157\162\151\164\171\040\062\060\061\067\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\312\133\276  
\224\063\214\051\225\221\026\012\225\275\107\142\301\211\363\231  
\066\337\106\220\311\245\355\170\152\157\107\221\150\370\047\147  
\120\063\035\241\246\373\340\345\103\243\204\002\127\001\135\234  
\110\100\202\123\020\274\277\307\073\150\220\266\202\055\345\364  
\145\320\314\155\031\314\225\371\173\254\112\224\255\016\336\113  
\103\035\207\007\222\023\220\200\203\144\065\071\004\374\345\351  
\154\263\266\037\120\224\070\145\120\134\027\106\271\266\205\265

\034\265\027\350\326\105\235\330\262\046\260\312\304\160\112\256  
\140\244\335\263\331\354\374\073\325\127\162\274\077\310\311\262  
\336\113\153\370\043\154\003\300\005\275\225\307\315\163\073\146  
\200\144\343\032\254\056\371\107\005\362\006\266\233\163\365\170  
\063\133\307\241\373\047\052\241\264\232\221\214\221\323\072\202  
\076\166\100\264\315\122\141\121\160\050\077\305\305\132\362\311  
\214\111\273\024\133\115\310\377\147\115\114\022\226\255\365\376  
\170\250\227\207\327\375\136\040\200\334\241\113\042\373\324\211  
\255\272\316\107\227\107\125\173\217\105\310\147\050\204\225\034  
\150\060\357\357\111\340\065\173\144\347\230\260\224\332\115\205  
\073\076\125\304\050\257\127\363\236\023\333\106\047\237\036\242  
\136\104\203\244\245\312\325\023\263\113\077\304\343\302\346\206  
\141\244\122\060\271\172\040\117\157\017\070\123\313\063\014\023  
\053\217\326\232\275\052\310\055\261\034\175\113\121\312\107\321  
\110\047\162\135\207\353\325\105\346\110\145\235\257\122\220\272  
\133\242\030\145\127\022\237\150\271\324\025\153\224\304\151\042  
\230\364\063\340\355\371\121\216\101\120\311\064\117\166\220\254  
\374\070\301\330\341\173\271\343\343\224\341\106\151\313\016\012  
\120\153\023\272\254\017\067\132\267\022\265\220\201\036\126\256  
\127\042\206\331\311\322\321\327\121\343\253\073\306\125\375\036  
\016\323\164\012\321\332\252\352\151\270\227\050\217\110\304\007  
\370\122\103\072\364\312\125\065\054\260\246\152\300\234\371\362  
\201\341\022\152\300\105\331\147\263\316\377\043\242\211\012\124  
\324\024\271\052\250\327\354\371\253\315\045\130\062\171\217\220  
\133\230\071\304\010\006\301\254\177\016\075\000\245\002\003\001  
\000\001\243\124\060\122\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\011\313\131\177\206\262\160\217\032\303\071\343\300\331  
\351\277\273\115\262\043\060\020\006\011\053\006\001\004\001\202  
\067\025\001\004\003\002\001\000\060\015\006\011\052\206\110\206  
\367\015\001\001\014\005\000\003\202\002\001\000\254\257\076\135  
\302\021\226\211\216\243\347\222\326\227\025\270\023\242\246\102  
\056\002\315\026\005\131\047\312\040\350\272\270\350\032\354\115  
\250\227\126\256\145\103\261\217\000\233\122\315\125\315\123\071  
\155\142\114\213\015\133\174\056\104\277\203\020\217\363\123\202  
\200\303\117\072\307\156\021\077\346\343\026\221\204\373\155\204  
\177\064\164\255\211\247\316\271\327\327\237\204\144\222\276\225  
\241\255\011\123\063\335\356\012\352\112\121\216\157\125\253\272  
\265\224\106\256\214\177\330\242\120\045\145\140\200\106\333\063  
\004\256\154\265\230\164\124\045\334\223\344\370\343\125\025\075  
\270\155\303\012\244\022\301\151\205\156\337\144\361\123\231\341  
\112\165\040\235\225\017\344\326\334\003\361\131\030\350\107\211  
\262\127\132\224\266\251\330\027\053\027\111\345\166\313\301\126  
\231\072\067\261\377\151\054\221\221\223\341\337\114\243\067\166  
\115\241\237\370\155\036\035\323\372\354\373\364\105\035\023\155  
\317\367\131\345\042\047\162\053\206\363\127\273\060\355\044\115  
\334\175\126\273\243\263\370\064\171\211\301\340\362\002\141\367

```
\246\374\017\273\034\027\013\256\101\331\174\275\047\243\375\056
\072\321\223\224\261\163\035\044\213\257\133\040\211\255\267\147
\146\171\365\072\306\246\226\063\376\123\222\310\106\261\021\221
\306\231\177\217\311\326\146\061\040\101\020\207\055\014\326\301
\257\064\230\312\144\203\373\023\127\321\301\360\074\172\214\245
\301\375\225\041\240\161\301\223\147\161\022\352\217\210\012\151
\031\144\231\043\126\373\254\052\056\160\276\146\304\014\204\357
\345\213\363\223\001\370\152\220\223\147\113\262\150\243\265\142
\217\351\077\214\172\073\136\017\347\214\270\306\174\357\067\375
\164\342\310\117\063\162\341\224\071\155\275\022\257\276\014\116
\160\174\033\157\215\263\062\223\163\104\026\155\350\364\367\340
\225\200\217\226\135\070\244\364\253\336\012\060\207\223\330\115
\000\161\142\105\047\113\072\102\204\133\177\145\267\147\064\122
\055\234\026\153\252\250\330\173\243\102\114\161\307\014\312\076
\203\344\246\357\267\001\060\136\121\243\171\365\160\151\246\101
\104\017\206\260\054\221\306\075\352\256\017\204
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "Microsoft RSA Root Certificate Authority 2017"
```

```
Issuer: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
```

```
Serial Number: 1e:d3:97:09:5f:d8:b4:b3:47:70:1e:aa:be:7f:45:b3
```

```
Subject: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
```

```
Not Valid Before: Wed Dec 18 22:51:22 2019
```

```
Not Valid After : Fri Jul 18 23:00:23 2042
```

```
Fingerprint (SHA-256):
```

```
C7:41:F7:0F:4B:2A:8D:88:BF:2E:71:C1:41:22:EF:53:EF:10:EB:A0:CF:A5:E6:4C:FA:20:F4:18:85:30:73:E0
```

```
Fingerprint (SHA1): 73:A5:E6:4A:3B:FF:83:16:FF:0E:DC:CC:61:8A:90:6E:4E:AE:4D:74
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Microsoft RSA Root Certificate Authority 2017"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\163\245\346\112\073\377\203\026\377\016\334\314\141\212\220\156
\116\256\115\164
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\020\377\000\377\317\311\370\307\172\300\356\065\216\311\017\107
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\122\123\101\040\122\157\157\164\040\103\145\162
```

```
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\036\323\227\011\137\330\264\263\107\160\036\252\276\177
\105\263
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "e-Szigno Root CA 2017"

#

# Issuer: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU

# Serial Number:01:54:48:ef:21:fd:97:59:0d:f5:04:0a

# Subject: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU

# Not Valid Before: Tue Aug 22 12:07:06 2017

# Not Valid After : Fri Aug 22 12:07:06 2042

# Fingerprint (SHA-256):

BE:B0:0B:30:83:9B:9B:C3:2C:32:E4:44:79:05:95:06:41:F2:64:21:B1:5E:D0:89:19:8B:51:8A:E2:EA:1B:99

# Fingerprint (SHA1): 89:D4:83:03:4F:9E:9A:48:80:5F:72:37:D4:A9:A6:EF:CB:7C:1F:D1

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "e-Szigno Root CA 2017"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\161\061\013\060\011\006\003\125\004\006\023\002\110\125\061
\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145
\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151\143
\162\157\163\145\143\040\114\164\144\056\061\027\060\025\006\003
\125\004\141\014\016\126\101\124\110\125\055\062\063\065\070\064
\064\071\067\061\036\060\034\006\003\125\004\003\014\025\145\055
\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040\062
\060\061\067
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\161\061\013\060\011\006\003\125\004\006\023\002\110\125\061
\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145
\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151\143
\162\157\163\145\143\040\114\164\144\056\061\027\060\025\006\003
\125\004\141\014\016\126\101\124\110\125\055\062\063\065\070\064
\064\071\067\061\036\060\034\006\003\125\004\003\014\025\145\055
\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040\062
```

\060\061\067

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\014\001\124\110\357\041\375\227\131\015\365\004\012

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\100\060\202\001\345\240\003\002\001\002\002\014\001  
\124\110\357\041\375\227\131\015\365\004\012\060\012\006\010\052  
\206\110\316\075\004\003\002\060\161\061\013\060\011\006\003\125  
\004\006\023\002\110\125\061\021\060\017\006\003\125\004\007\014  
\010\102\165\144\141\160\145\163\164\061\026\060\024\006\003\125  
\004\012\014\015\115\151\143\162\157\163\145\143\040\114\164\144  
\056\061\027\060\025\006\003\125\004\141\014\016\126\101\124\110  
\125\055\062\063\065\070\064\064\071\067\061\036\060\034\006\003  
\125\004\003\014\025\145\055\123\172\151\147\156\157\040\122\157  
\157\164\040\103\101\040\062\060\061\067\060\036\027\015\061\067  
\060\070\062\062\061\062\060\067\060\066\132\027\015\064\062\060  
\070\062\062\061\062\060\067\060\066\132\060\161\061\013\060\011  
\006\003\125\004\006\023\002\110\125\061\021\060\017\006\003\125  
\004\007\014\010\102\165\144\141\160\145\163\164\061\026\060\024  
\006\003\125\004\012\014\015\115\151\143\162\157\163\145\143\040  
\114\164\144\056\061\027\060\025\006\003\125\004\141\014\016\126  
\101\124\110\125\055\062\063\065\070\064\064\071\067\061\036\060  
\034\006\003\125\004\003\014\025\145\055\123\172\151\147\156\157  
\040\122\157\157\164\040\103\101\040\062\060\061\067\060\131\060  
\023\006\007\052\206\110\316\075\002\001\006\010\052\206\110\316  
\075\003\001\007\003\102\000\004\226\334\075\212\330\260\173\157  
\306\047\276\104\220\261\263\126\025\173\216\103\044\175\032\204  
\131\356\143\150\262\306\136\207\320\025\110\036\250\220\255\275  
\123\242\332\336\072\220\246\140\137\150\062\265\206\101\337\207  
\133\054\173\305\376\174\172\332\243\143\060\141\060\017\006\003  
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006  
\003\125\035\016\004\026\004\024\207\021\025\010\321\252\301\170  
\014\261\257\316\306\311\220\357\277\060\004\300\060\037\006\003  
\125\035\043\004\030\060\026\200\024\207\021\025\010\321\252\301  
\170\014\261\257\316\306\311\220\357\277\060\004\300\060\012\006  
\010\052\206\110\316\075\004\003\002\003\111\000\060\106\002\041  
\000\265\127\335\327\212\125\013\066\341\206\104\372\324\331\150  
\215\270\334\043\212\212\015\324\057\175\352\163\354\277\115\154  
\250\002\041\000\313\245\264\022\372\347\265\350\317\176\223\374  
\363\065\217\157\116\132\174\264\274\116\262\374\162\252\133\131  
\371\347\334\061

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

Trust for "e-Szigno Root CA 2017"
Issuer: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU
Serial Number:01:54:48:ef:21:fd:97:59:0d:f5:04:0a
Subject: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU
Not Valid Before: Tue Aug 22 12:07:06 2017
Not Valid After : Fri Aug 22 12:07:06 2042
Fingerprint (SHA-256):
BE:B0:0B:30:83:9B:9B:C3:2C:32:E4:44:79:05:95:06:41:F2:64:21:B1:5E:D0:89:19:8B:51:8A:E2:EA:1B:99
Fingerprint (SHA1): 89:D4:83:03:4F:9E:9A:48:80:5F:72:37:D4:A9:A6:EF:CB:7C:1F:D1
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "e-Szigno Root CA 2017"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\211\324\203\003\117\236\232\110\200\137\162\067\324\251\246\357
\313\174\037\321
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\336\037\366\236\204\256\247\264\041\316\036\130\175\321\204\230
END
CKA_ISSUER MULTILINE_OCTAL
\060\161\061\013\060\011\006\003\125\004\006\023\002\110\125\061
\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145
\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151\143
\162\157\163\145\143\040\114\164\144\056\061\027\060\025\006\003
\125\004\141\014\016\126\101\124\110\125\055\062\063\065\070\064
\064\071\067\061\036\060\034\006\003\125\004\003\014\025\145\055
\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040\062
\060\061\067
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\001\124\110\357\041\375\227\131\015\365\004\012
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "certSIGN Root CA G2"
#
Issuer: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
Serial Number:11:00:34:b6:4e:c6:36:2d:36
Subject: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
Not Valid Before: Mon Feb 06 09:27:35 2017
Not Valid After : Thu Feb 06 09:27:35 2042
Fingerprint (SHA-256):

```

65:7C:FE:2F:A7:3F:AA:38:46:25:71:F3:32:A2:36:3A:46:FC:E7:02:09:51:71:07:02:CD:FB:B6:EE:DA:33:05

# Fingerprint (SHA1): 26:F9:93:B4:ED:3D:28:27:B0:B9:4B:A7:E9:15:1D:A3:8D:92:E5:32

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "certSIGN Root CA G2"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\101\061\013\060\011\006\003\125\004\006\023\002\122\117\061  
\024\060\022\006\003\125\004\012\023\013\103\105\122\124\123\111  
\107\116\040\123\101\061\034\060\032\006\003\125\004\013\023\023  
\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103\101  
\040\107\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\101\061\013\060\011\006\003\125\004\006\023\002\122\117\061  
\024\060\022\006\003\125\004\012\023\013\103\105\122\124\123\111  
\107\116\040\123\101\061\034\060\032\006\003\125\004\013\023\023  
\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103\101  
\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\021\000\064\266\116\306\066\055\066

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\107\060\202\003\057\240\003\002\001\002\002\011\021  
\000\064\266\116\306\066\055\066\060\015\006\011\052\206\110\206  
\367\015\001\001\013\005\000\060\101\061\013\060\011\006\003\125  
\004\006\023\002\122\117\061\024\060\022\006\003\125\004\012\023  
\013\103\105\122\124\123\111\107\116\040\123\101\061\034\060\032  
\006\003\125\004\013\023\023\143\145\162\164\123\111\107\116\040  
\122\117\117\124\040\103\101\040\107\062\060\036\027\015\061\067  
\060\062\060\066\060\071\062\067\063\065\132\027\015\064\062\060  
\062\060\066\060\071\062\067\063\065\132\060\101\061\013\060\011  
\006\003\125\004\006\023\002\122\117\061\024\060\022\006\003\125  
\004\012\023\013\103\105\122\124\123\111\107\116\040\123\101\061  
\034\060\032\006\003\125\004\013\023\023\143\145\162\164\123\111  
\107\116\040\122\117\117\124\040\103\101\040\107\062\060\202\002  
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000  
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\300\305  
\165\031\221\175\104\164\164\207\376\016\073\226\334\330\001\026  
\314\356\143\221\347\013\157\316\073\012\151\032\174\302\343\257  
\202\216\206\327\136\217\127\353\323\041\131\375\071\067\102\060  
\276\120\352\266\017\251\210\330\056\055\151\041\347\321\067\030  
\116\175\221\325\026\137\153\133\000\302\071\103\015\066\205\122  
\271\123\145\017\035\102\345\217\317\005\323\356\334\014\032\331

\270\213\170\042\147\344\151\260\150\305\074\344\154\132\106\347  
\315\307\372\357\304\354\113\275\152\244\254\375\314\050\121\357  
\222\264\051\253\253\065\232\114\344\304\010\306\046\314\370\151  
\237\344\234\360\051\323\134\371\306\026\045\236\043\303\040\301  
\075\017\077\070\100\260\376\202\104\070\252\132\032\212\153\143  
\130\070\264\025\323\266\021\151\173\036\124\356\214\032\042\254  
\162\227\077\043\131\233\311\042\204\301\007\117\314\177\342\127  
\312\022\160\273\246\145\363\151\165\143\275\225\373\033\227\315  
\344\250\257\366\321\116\250\331\212\161\044\315\066\075\274\226  
\304\361\154\251\256\345\317\015\156\050\015\260\016\265\312\121  
\173\170\024\303\040\057\177\373\024\125\341\021\231\375\325\012  
\241\236\002\343\142\137\353\065\113\054\270\162\350\076\075\117  
\254\054\273\056\206\342\243\166\217\345\223\052\317\245\253\310  
\134\215\113\006\377\022\106\254\170\313\024\007\065\340\251\337  
\213\351\257\025\117\026\211\133\275\366\215\306\131\256\210\205  
\016\301\211\353\037\147\305\105\216\377\155\067\066\053\170\146  
\203\221\121\053\075\377\121\167\166\142\241\354\147\076\076\201  
\203\340\126\251\120\037\037\172\231\253\143\277\204\027\167\361  
\015\073\337\367\234\141\263\065\230\212\072\262\354\074\032\067  
\077\176\217\222\317\331\022\024\144\332\020\002\025\101\377\117  
\304\353\034\243\311\372\231\367\106\351\341\030\331\261\270\062  
\055\313\024\014\120\330\203\145\203\356\271\134\317\313\005\132  
\114\372\031\227\153\326\135\023\323\302\134\124\274\062\163\240  
\170\365\361\155\036\313\237\245\246\237\042\334\321\121\236\202  
\171\144\140\051\023\076\243\375\117\162\152\253\342\324\345\270  
\044\125\054\104\113\212\210\104\234\312\204\323\052\073\002\003  
\001\000\001\243\102\060\100\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\016\006\003\125\035\017\001  
\001\377\004\004\003\002\001\006\060\035\006\003\125\035\016\004  
\026\004\024\202\041\055\146\306\327\240\340\025\353\316\114\011  
\167\304\140\236\124\156\003\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\003\202\002\001\000\140\336\032\270\347  
\362\140\202\325\003\063\201\313\006\212\361\042\111\351\350\352  
\221\177\306\063\136\150\031\003\206\073\103\001\317\007\160\344  
\010\036\145\205\221\346\021\042\267\365\002\043\216\256\271\036  
\175\037\176\154\346\275\045\325\225\032\362\005\246\257\205\002  
\157\256\370\326\061\377\045\311\112\310\307\212\251\331\237\113  
\111\233\021\127\231\222\103\021\336\266\063\244\314\327\215\144  
\175\324\315\074\050\054\264\232\226\352\115\365\304\104\304\045  
\252\040\200\330\051\125\367\340\101\374\006\046\377\271\066\365  
\103\024\003\146\170\341\021\261\332\040\137\106\000\170\000\041  
\245\036\000\050\141\170\157\250\001\001\217\235\064\232\377\364  
\070\220\373\270\321\263\162\006\311\161\346\201\305\171\355\013  
\246\171\362\023\013\234\367\135\016\173\044\223\264\110\333\206  
\137\336\120\206\170\347\100\346\061\250\220\166\160\141\257\234  
\067\054\021\265\202\267\252\256\044\064\133\162\014\151\015\315  
\131\237\366\161\257\234\013\321\012\070\371\006\042\203\123\045  
\014\374\121\304\346\276\342\071\225\013\044\255\257\321\225\344



```
\226\327\164\144\153\161\116\002\074\252\205\363\040\243\103\071
\166\133\154\120\376\232\234\024\036\145\024\212\025\275\243\202
\105\132\111\126\152\322\234\261\143\062\345\141\340\123\042\016
\247\012\111\352\313\176\037\250\342\142\200\366\020\105\122\230
\006\030\336\245\315\057\177\252\324\351\076\010\162\354\043\003
\002\074\246\252\330\274\147\164\075\024\027\373\124\113\027\343
\323\171\075\155\153\111\311\050\016\056\164\120\277\014\331\106
\072\020\206\311\247\077\351\240\354\177\353\245\167\130\151\161
\346\203\012\067\362\206\111\152\276\171\010\220\366\002\026\144
\076\345\332\114\176\014\064\311\371\137\266\263\050\121\247\247
\053\252\111\372\215\145\051\116\343\153\023\247\224\243\055\121
\155\170\014\104\313\337\336\010\157\316\243\144\253\323\225\204
\324\271\122\124\162\173\226\045\314\274\151\343\110\156\015\320
\307\235\047\232\252\370\023\222\335\036\337\143\237\065\251\026
\066\354\214\270\203\364\075\211\217\315\264\027\136\327\263\027
\101\020\135\047\163\140\205\127\111\042\007
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "certSIGN Root CA G2"
```

```
Issuer: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
```

```
Serial Number:11:00:34:b6:4e:c6:36:2d:36
```

```
Subject: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
```

```
Not Valid Before: Mon Feb 06 09:27:35 2017
```

```
Not Valid After : Thu Feb 06 09:27:35 2042
```

```
Fingerprint (SHA-256):
```

```
65:7C:FE:2F:A7:3F:AA:38:46:25:71:F3:32:A2:36:3A:46:FC:E7:02:09:51:71:07:02:CD:FB:B6:EE:DA:33:05
```

```
Fingerprint (SHA1): 26:F9:93:B4:ED:3D:28:27:B0:B9:4B:A7:E9:15:1D:A3:8D:92:E5:32
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "certSIGN Root CA G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\046\371\223\264\355\075\050\047\260\271\113\247\351\025\035\243
\215\222\345\062
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\214\361\165\212\306\031\317\224\267\367\145\040\207\303\227\307
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\101\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\024\060\022\006\003\125\004\012\023\013\103\105\122\124\123\111
\107\116\040\123\101\061\034\060\032\006\003\125\004\013\023\023
\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103\101
\040\107\062
```

```

END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\021\000\064\266\116\306\066\055\066
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Trustwave Global Certification Authority"
#
Issuer: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
Serial Number:05:f7:0e:86:da:49:f3:46:35:2e:ba:b2
Subject: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
Not Valid Before: Wed Aug 23 19:34:12 2017
Not Valid After : Sat Aug 23 19:34:12 2042
Fingerprint (SHA-256):
97:55:20:15:F5:DD:FC:3C:87:88:C0:06:94:45:55:40:88:94:45:00:84:F1:00:86:70:86:BC:1A:2B:B5:8D:C8
Fingerprint (SHA1): 2F:8F:36:4F:E1:58:97:44:21:59:87:A5:2A:9A:D0:69:95:26:7F:B5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\014\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\014\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\014\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\061\060\057\006\003\125\004
\003\014\050\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\014\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\014\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\014\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\061\060\057\006\003\125\004
\003\014\050\124\162\165\163\164\167\141\166\145\040\107\154\157

```

\142\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171  
END  
CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\014\005\367\016\206\332\111\363\106\065\056\272\262  
END  
CKA\_VALUE MULTILINE\_OCTAL  
\060\202\005\332\060\202\003\302\240\003\002\001\002\002\014\005  
\367\016\206\332\111\363\106\065\056\272\262\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\060\201\210\061\013\060  
\011\006\003\125\004\006\023\002\125\123\061\021\060\017\006\003  
\125\004\010\014\010\111\154\154\151\156\157\151\163\061\020\060  
\016\006\003\125\004\007\014\007\103\150\151\143\141\147\157\061  
\041\060\037\006\003\125\004\012\014\030\124\162\165\163\164\167  
\141\166\145\040\110\157\154\144\151\156\147\163\054\040\111\156  
\143\056\061\061\060\057\006\003\125\004\003\014\050\124\162\165  
\163\164\167\141\166\145\040\107\154\157\142\141\154\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171\060\036\027\015\061\067\060\070\062\063\061  
\071\063\064\061\062\132\027\015\064\062\060\070\062\063\061\071  
\063\064\061\062\132\060\201\210\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\021\060\017\006\003\125\004\010\014\010  
\111\154\154\151\156\157\151\163\061\020\060\016\006\003\125\004  
\007\014\007\103\150\151\143\141\147\157\061\041\060\037\006\003  
\125\004\012\014\030\124\162\165\163\164\167\141\166\145\040\110  
\157\154\144\151\156\147\163\054\040\111\156\143\056\061\061\060  
\057\006\003\125\004\003\014\050\124\162\165\163\164\167\141\166  
\145\040\107\154\157\142\141\154\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\271\135\121\050\113\074\067\222\321\202\316\275\035\275\315  
\335\270\253\317\012\076\341\135\345\334\252\011\271\127\002\076  
\346\143\141\337\362\017\202\143\256\243\367\254\163\321\174\347  
\263\013\257\010\000\011\131\177\315\051\052\210\223\207\027\030  
\200\355\210\262\264\266\020\037\055\326\137\125\242\023\135\321  
\306\353\006\126\211\210\376\254\062\235\375\134\303\005\307\156  
\356\206\211\272\210\003\235\162\041\206\220\256\217\003\245\334  
\237\210\050\313\243\222\111\017\354\320\017\342\155\104\117\200  
\152\262\324\347\240\012\123\001\272\216\227\221\166\156\274\374  
\325\153\066\346\100\210\326\173\057\137\005\350\054\155\021\363  
\347\262\276\222\104\114\322\227\244\376\322\162\201\103\007\234  
\351\021\076\365\213\032\131\175\037\150\130\335\004\000\054\226  
\363\103\263\176\230\031\164\331\234\163\331\030\276\101\307\064  
\171\331\364\142\302\103\271\263\047\260\042\313\371\075\122\307  
\060\107\263\311\076\270\152\342\347\350\201\160\136\102\213\117  
\046\245\376\072\302\040\156\273\370\026\216\315\014\251\264\033  
\154\166\020\341\130\171\106\076\124\316\200\250\127\011\067\051

\033\231\023\217\014\310\326\054\034\373\005\350\010\225\075\145  
\106\334\356\315\151\342\115\217\207\050\116\064\013\076\317\024  
\331\273\335\266\120\232\255\167\324\031\326\332\032\210\310\116  
\033\047\165\330\262\010\361\256\203\060\271\021\016\315\207\360  
\204\215\025\162\174\241\357\314\362\210\141\272\364\151\273\014  
\214\013\165\127\004\270\116\052\024\056\075\017\034\036\062\246  
\142\066\356\146\342\042\270\005\100\143\020\042\363\063\035\164  
\162\212\054\365\071\051\240\323\347\033\200\204\055\305\075\343  
\115\261\375\032\157\272\145\007\073\130\354\102\105\046\373\330  
\332\045\162\304\366\000\261\042\171\275\343\174\131\142\112\234  
\005\157\075\316\346\326\107\143\231\306\044\157\162\022\310\254  
\177\220\264\013\221\160\350\267\346\026\020\161\027\316\336\006  
\117\110\101\175\065\112\243\211\362\311\113\173\101\021\155\147  
\267\010\230\114\345\021\031\256\102\200\334\373\220\005\324\370  
\120\312\276\344\255\307\302\224\327\026\235\346\027\217\257\066  
\373\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125  
\035\016\004\026\004\024\231\340\031\147\015\142\333\166\263\332  
\075\270\133\350\375\102\322\061\016\207\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\230\163  
\160\342\260\323\355\071\354\114\140\331\251\022\206\027\036\226  
\320\350\124\050\073\144\055\041\246\370\235\126\023\152\110\075  
\117\307\076\051\333\155\130\203\124\075\207\175\043\005\324\344  
\034\334\350\070\145\206\305\165\247\132\333\065\005\275\167\336  
\273\051\067\100\005\007\303\224\122\237\312\144\335\361\033\053  
\334\106\012\020\002\061\375\112\150\015\007\144\220\346\036\365  
\052\241\250\273\074\135\371\243\010\013\021\014\361\077\055\020  
\224\157\376\342\064\207\203\326\317\345\033\065\155\322\003\341  
\260\015\250\240\252\106\047\202\066\247\025\266\010\246\102\124  
\127\266\231\132\342\013\171\220\327\127\022\121\065\031\210\101  
\150\045\324\067\027\204\025\373\001\162\334\225\336\122\046\040  
\230\046\342\166\365\047\157\372\000\073\112\141\331\015\313\121  
\223\052\375\026\006\226\247\043\232\043\110\376\121\275\266\304  
\260\261\124\316\336\154\101\255\026\147\176\333\375\070\315\271  
\070\116\262\301\140\313\235\027\337\130\236\172\142\262\046\217  
\164\225\233\344\133\035\322\017\335\230\034\233\131\271\043\323  
\061\240\246\377\070\335\317\040\117\351\130\126\072\147\303\321  
\366\231\231\235\272\066\266\200\057\210\107\117\206\277\104\072  
\200\344\067\034\246\272\352\227\230\021\320\204\142\107\144\036  
\252\356\100\277\064\261\234\217\116\341\362\222\117\037\216\363  
\236\227\336\363\246\171\152\211\161\117\113\047\027\110\376\354  
\364\120\017\117\111\175\314\105\343\275\172\100\305\101\334\141  
\126\047\006\151\345\162\101\201\323\266\001\211\240\057\072\162  
\171\376\072\060\277\101\354\307\142\076\221\113\307\331\061\166  
\102\371\367\074\143\354\046\214\163\014\175\032\035\352\250\174  
\207\250\302\047\174\341\063\101\017\317\317\374\000\240\042\200  
\236\112\247\157\000\260\101\105\267\042\312\150\110\305\102\242

```

\256\335\035\362\340\156\116\005\130\261\300\220\026\052\244\075
\020\100\276\217\142\143\203\251\234\202\175\055\002\351\203\060
\174\313\047\311\375\036\146\000\260\056\323\041\057\216\063\026
\154\230\355\020\250\007\326\314\223\317\333\321\151\034\344\312
\311\340\266\234\351\316\161\161\336\154\077\026\244\171
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "Trustwave Global Certification Authority"
Issuer: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
Serial Number:05:f7:0e:86:da:49:f3:46:35:2e:ba:b2
Subject: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
Not Valid Before: Wed Aug 23 19:34:12 2017
Not Valid After : Sat Aug 23 19:34:12 2042
Fingerprint (SHA-256):
97:55:20:15:F5:DD:FC:3C:87:88:C0:06:94:45:55:40:88:94:45:00:84:F1:00:86:70:86:BC:1A:2B:B5:8D:C8
Fingerprint (SHA1): 2F:8F:36:4F:E1:58:97:44:21:59:87:A5:2A:9A:D0:69:95:26:7F:B5
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\057\217\066\117\341\130\227\104\041\131\207\245\052\232\320\151
\225\046\177\265
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\370\034\030\055\057\272\137\155\241\154\274\307\253\221\307\016
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\014\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\014\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\014\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\061\060\057\006\003\125\004
\003\014\050\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\005\367\016\206\332\111\363\106\065\056\272\262
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR

```

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Trustwave Global ECC P256 Certification Authority"

#

# Issuer: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,  
Inc.",L=Chicago,ST=Illinois,C=US

# Serial Number:0d:6a:5f:08:3f:28:5c:3e:51:95:df:5d

# Subject: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,  
Inc.",L=Chicago,ST=Illinois,C=US

# Not Valid Before: Wed Aug 23 19:35:10 2017

# Not Valid After : Sat Aug 23 19:35:10 2042

# Fingerprint (SHA-256):

94:5B:BC:82:5E:A5:54:F4:89:D1:FD:51:A7:3D:DF:2E:A6:24:AC:70:19:A0:52:05:22:5C:22:A7:8C:CF:A8:B4

# Fingerprint (SHA1): B4:90:82:DD:45:0C:BE:8B:5B:B1:66:D3:E2:A4:08:26:CD:ED:42:CF

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Trustwave Global ECC P256 Certification Authority"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156  
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150  
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030  
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156  
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004  
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157  
\142\141\154\040\105\103\103\040\120\062\065\066\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156  
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150  
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030  
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156  
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004  
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157  
\142\141\154\040\105\103\103\040\120\062\065\066\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\014\015\152\137\010\077\050\134\076\121\225\337\135  
END

CKA\_VALUE MULTILINE\_OCTAL  
\060\202\002\140\060\202\002\007\240\003\002\001\002\002\014\015  
\152\137\010\077\050\134\076\121\225\337\135\060\012\006\010\052  
\206\110\316\075\004\003\002\060\201\221\061\013\060\011\006\003  
\125\004\006\023\002\125\123\061\021\060\017\006\003\125\004\010  
\023\010\111\154\154\151\156\157\151\163\061\020\060\016\006\003  
\125\004\007\023\007\103\150\151\143\141\147\157\061\041\060\037  
\006\003\125\004\012\023\030\124\162\165\163\164\167\141\166\145  
\040\110\157\154\144\151\156\147\163\054\040\111\156\143\056\061  
\072\060\070\006\003\125\004\003\023\061\124\162\165\163\164\167  
\141\166\145\040\107\154\157\142\141\154\040\105\103\103\040\120  
\062\065\066\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\060\036\027\015\061  
\067\060\070\062\063\061\071\063\065\061\060\132\027\015\064\062  
\060\070\062\063\061\071\063\065\061\060\132\060\201\221\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\021\060\017\006  
\003\125\004\010\023\010\111\154\154\151\156\157\151\163\061\020  
\060\016\006\003\125\004\007\023\007\103\150\151\143\141\147\157  
\061\041\060\037\006\003\125\004\012\023\030\124\162\165\163\164  
\167\141\166\145\040\110\157\154\144\151\156\147\163\054\040\111  
\156\143\056\061\072\060\070\006\003\125\004\003\023\061\124\162  
\165\163\164\167\141\166\145\040\107\154\157\142\141\154\040\105  
\103\103\040\120\062\065\066\040\103\145\162\164\151\146\151\143  
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060  
\131\060\023\006\007\052\206\110\316\075\002\001\006\010\052\206  
\110\316\075\003\001\007\003\102\000\004\176\373\154\346\043\343  
\163\062\010\312\140\346\123\234\272\164\215\030\260\170\220\122  
\200\335\070\300\112\035\321\250\314\223\244\227\006\070\312\015  
\025\142\306\216\001\052\145\235\252\337\064\221\056\201\301\344  
\063\222\061\304\375\011\072\246\077\255\243\103\060\101\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\017\006\003\125\035\017\001\001\377\004\005\003\003\007\006\000  
\060\035\006\003\125\035\016\004\026\004\024\243\101\006\254\220  
\155\321\112\353\165\245\112\020\231\263\261\241\213\112\367\060  
\012\006\010\052\206\110\316\075\004\003\002\003\107\000\060\104  
\002\040\007\346\124\332\016\240\132\262\256\021\237\207\305\266  
\377\151\336\045\276\370\240\267\010\363\104\316\052\337\010\041  
\014\067\002\040\055\046\003\240\005\275\153\321\366\134\370\145  
\314\206\155\263\234\064\110\143\204\011\305\215\167\032\342\314  
\234\341\164\173

END  
CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

Trust for "Trustwave Global ECC P256 Certification Authority"
Issuer: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
Serial Number:0d:6a:5f:08:3f:28:5c:3e:51:95:df:5d
Subject: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
Not Valid Before: Wed Aug 23 19:35:10 2017
Not Valid After : Sat Aug 23 19:35:10 2042
Fingerprint (SHA-256):
94:5B:BC:82:5E:A5:54:F4:89:D1:FD:51:A7:3D:DF:2E:A6:24:AC:70:19:A0:52:05:22:5C:22:A7:8C:CF:A8:B4
Fingerprint (SHA1): B4:90:82:DD:45:0C:BE:8B:5B:B1:66:D3:E2:A4:08:26:CD:ED:42:CF
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global ECC P256 Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\264\220\202\335\105\014\276\213\133\261\146\323\342\244\010\046
\315\355\102\317
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\133\104\343\215\135\066\206\046\350\015\005\322\131\247\203\124
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\062\065\066\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\015\152\137\010\077\050\134\076\121\225\337\135
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Trustwave Global ECC P384 Certification Authority"
#
Issuer: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US

```



```
Serial Number:08:bd:85:97:6c:99:27:a4:80:68:47:3b
Subject: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
Not Valid Before: Wed Aug 23 19:36:43 2017
Not Valid After : Sat Aug 23 19:36:43 2042
Fingerprint (SHA-256):
55:90:38:59:C8:C0:C3:EB:B8:75:9E:CE:4E:25:57:22:5F:F5:75:8B:BD:38:EB:D4:82:76:60:1E:1B:D5:80:97
Fingerprint (SHA1): E7:F3:A3:C8:CF:6F:C3:04:2E:6D:0E:67:32:C5:9E:68:95:0D:5E:D2
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global ECC P384 Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\063\070\064\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\063\070\064\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\010\275\205\227\154\231\047\244\200\150\107\073
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\235\060\202\002\044\240\003\002\001\002\002\014\010
\275\205\227\154\231\047\244\200\150\107\073\060\012\006\010\052
\206\110\316\075\004\003\003\060\201\221\061\013\060\011\006\003
\125\004\006\023\002\125\123\061\021\060\017\006\003\125\004\010
\023\010\111\154\154\151\156\157\151\163\061\020\060\016\006\003
```

\125\004\007\023\007\103\150\151\143\141\147\157\061\041\060\037  
\006\003\125\004\012\023\030\124\162\165\163\164\167\141\166\145  
\040\110\157\154\144\151\156\147\163\054\040\111\156\143\056\061  
\072\060\070\006\003\125\004\003\023\061\124\162\165\163\164\167  
\141\166\145\040\107\154\157\142\141\154\040\105\103\103\040\120  
\063\070\064\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\060\036\027\015\061  
\067\060\070\062\063\061\071\063\066\064\063\132\027\015\064\062  
\060\070\062\063\061\071\063\066\064\063\132\060\201\221\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\021\060\017\006  
\003\125\004\010\023\010\111\154\154\151\156\157\151\163\061\020  
\060\016\006\003\125\004\007\023\007\103\150\151\143\141\147\157  
\061\041\060\037\006\003\125\004\012\023\030\124\162\165\163\164  
\167\141\166\145\040\110\157\154\144\151\156\147\163\054\040\111  
\156\143\056\061\072\060\070\006\003\125\004\003\023\061\124\162  
\165\163\164\167\141\166\145\040\107\154\157\142\141\154\040\105  
\103\103\040\120\063\070\064\040\103\145\162\164\151\146\151\143  
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\153\332\015\165\065\010\061\107\005  
\256\105\231\125\361\021\023\056\112\370\020\061\043\243\176\203  
\323\177\050\010\072\046\032\072\317\227\202\037\200\267\047\011  
\217\321\216\060\304\012\233\016\254\130\004\253\367\066\175\224  
\043\244\233\012\212\213\253\353\375\071\045\146\361\136\376\214  
\256\215\101\171\235\011\140\316\050\251\323\212\155\363\326\105  
\324\362\230\204\070\145\240\243\103\060\101\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\017\006\003  
\125\035\017\001\001\377\004\005\003\003\007\006\000\060\035\006  
\003\125\035\016\004\026\004\024\125\251\204\211\322\301\062\275  
\030\313\154\246\007\116\310\347\235\276\202\220\060\012\006\010  
\052\206\110\316\075\004\003\003\003\147\000\060\144\002\060\067  
\001\222\227\105\022\176\240\363\076\255\031\072\162\335\364\120  
\223\003\022\276\104\322\117\101\244\214\234\235\037\243\366\302  
\222\347\110\024\376\116\233\245\221\127\256\306\067\162\273\002  
\060\147\045\012\261\014\136\356\251\143\222\157\345\220\013\376  
\146\042\312\107\375\212\061\367\203\376\172\277\020\276\030\053  
\036\217\366\051\036\224\131\357\216\041\067\313\121\230\245\156  
\113

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Trustwave Global ECC P384 Certification Authority"  
# Issuer: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,  
Inc.",L=Chicago,ST=Illinois,C=US  
# Serial Number:08:bd:85:97:6c:99:27:a4:80:68:47:3b  
# Subject: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,

```

Inc.",L=Chicago,ST=Illinois,C=US
Not Valid Before: Wed Aug 23 19:36:43 2017
Not Valid After : Sat Aug 23 19:36:43 2042
Fingerprint (SHA-256):
55:90:38:59:C8:C0:C3:EB:B8:75:9E:CE:4E:25:57:22:5F:F5:75:8B:BD:38:EB:D4:82:76:60:1E:1B:D5:80:97
Fingerprint (SHA1): E7:F3:A3:C8:CF:6F:C3:04:2E:6D:0E:67:32:C5:9E:68:95:0D:5E:D2
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global ECC P384 Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\347\363\243\310\317\157\303\004\056\155\016\147\062\305\236\150
\225\015\136\322
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\352\317\140\304\073\271\025\051\100\241\227\355\170\047\223\326
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\063\070\064\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\010\275\205\227\154\231\047\244\200\150\107\073
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "NAVER Global Root Certification Authority"
#
Issuer: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR
Serial Number:01:94:30:1e:a2:0b:dd:f5:c5:33:2a:b1:43:44:71:f8:d6:50:4d:0d
Subject: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR
Not Valid Before: Fri Aug 18 08:58:42 2017
Not Valid After : Tue Aug 18 23:59:59 2037
Fingerprint (SHA-256):
88:F4:38:DC:F8:FF:D1:FA:8F:42:91:15:FF:E5:F8:2A:E1:E0:6E:0C:70:C3:75:FA:AD:71:7B:34:A4:9E:72:65

```

# Fingerprint (SHA1): 8F:6B:F2:A9:27:4A:DA:14:A0:C4:F4:8E:61:27:F9:C0:1E:78:5D:D1

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE  
CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE  
CKA\_LABEL UTF8 "NAVER Global Root Certification Authority"  
CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509  
CKA\_SUBJECT MULTILINE\_OCTAL  
\060\151\061\013\060\011\006\003\125\004\006\023\002\113\122\061  
\046\060\044\006\003\125\004\012\014\035\116\101\126\105\122\040  
\102\125\123\111\116\105\123\123\040\120\114\101\124\106\117\122  
\115\040\103\157\162\160\056\061\062\060\060\006\003\125\004\003  
\014\051\116\101\126\105\122\040\107\154\157\142\141\154\040\122  
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL  
\060\151\061\013\060\011\006\003\125\004\006\023\002\113\122\061  
\046\060\044\006\003\125\004\012\014\035\116\101\126\105\122\040  
\102\125\123\111\116\105\123\123\040\120\114\101\124\106\117\122  
\115\040\103\157\162\160\056\061\062\060\060\006\003\125\004\003  
\014\051\116\101\126\105\122\040\107\154\157\142\141\154\040\122  
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\024\001\224\060\036\242\013\335\365\305\063\052\261\103\104  
\161\370\326\120\115\015

END

CKA\_VALUE MULTILINE\_OCTAL  
\060\202\005\242\060\202\003\212\240\003\002\001\002\002\024\001  
\224\060\036\242\013\335\365\305\063\052\261\103\104\161\370\326  
\120\115\015\060\015\006\011\052\206\110\206\367\015\001\001\014  
\005\000\060\151\061\013\060\011\006\003\125\004\006\023\002\113  
\122\061\046\060\044\006\003\125\004\012\014\035\116\101\126\105  
\122\040\102\125\123\111\116\105\123\123\040\120\114\101\124\106  
\117\122\115\040\103\157\162\160\056\061\062\060\060\006\003\125  
\004\003\014\051\116\101\126\105\122\040\107\154\157\142\141\154  
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164  
\151\157\156\040\101\165\164\150\157\162\151\164\171\060\036\027  
\015\061\067\060\070\061\070\060\070\065\070\064\062\132\027\015  
\063\067\060\070\061\070\062\063\065\071\065\071\132\060\151\061  
\013\060\011\006\003\125\004\006\023\002\113\122\061\046\060\044  
\006\003\125\004\012\014\035\116\101\126\105\122\040\102\125\123  
\111\116\105\123\123\040\120\114\101\124\106\117\122\115\040\103  
\157\162\160\056\061\062\060\060\006\003\125\004\003\014\051\116  
\101\126\105\122\040\107\154\157\142\141\154\040\122\157\157\164

\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171\060\202\002\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000  
\060\202\002\012\002\202\002\001\000\266\324\361\223\134\265\100  
\211\012\253\015\220\133\120\143\256\220\224\164\027\105\162\326  
\173\145\132\051\113\247\126\240\113\270\057\102\165\351\331\173  
\044\132\061\145\253\027\027\321\063\072\331\021\334\100\066\207  
\337\307\152\351\046\136\131\212\167\343\350\110\234\061\026\372  
\076\221\261\312\311\243\342\237\316\041\123\243\002\066\060\313  
\122\002\345\332\062\135\303\305\346\371\356\021\307\213\311\104  
\036\204\223\030\112\264\237\345\022\144\151\320\046\205\142\001  
\266\311\002\035\276\203\121\273\134\332\370\255\025\152\231\367  
\222\124\367\064\133\351\277\352\051\201\022\324\123\221\226\263  
\221\132\335\376\220\163\050\373\060\106\265\312\010\007\307\161  
\162\311\146\323\064\227\366\214\364\030\112\341\320\075\132\105  
\266\151\247\051\373\043\316\210\330\022\234\000\110\250\246\017  
\263\073\222\215\161\016\164\305\213\310\114\371\364\233\216\270  
\074\151\355\157\073\120\057\130\355\304\260\320\034\033\152\014  
\342\274\104\252\330\315\024\135\224\170\141\277\016\156\332\052  
\274\057\014\013\161\246\263\026\077\234\346\371\314\237\123\065  
\342\003\240\240\030\277\273\361\276\364\326\214\207\015\102\367  
\006\271\361\155\355\004\224\250\376\266\323\006\306\100\141\337  
\235\235\363\124\166\316\123\072\001\246\222\101\354\004\243\217  
\015\242\325\011\312\326\313\232\361\357\103\135\300\253\245\101  
\317\134\123\160\160\311\210\246\055\324\153\141\163\120\046\206  
\141\016\137\033\302\053\342\214\325\273\235\301\003\102\272\224  
\332\137\251\260\312\314\115\012\357\107\151\003\057\042\373\361  
\050\316\277\135\120\145\250\220\155\263\164\260\010\307\254\250  
\321\353\076\234\374\135\032\203\056\053\313\265\363\104\235\072  
\247\027\141\226\242\161\323\160\226\025\115\267\114\163\356\031  
\134\305\133\076\101\376\254\165\140\073\033\143\316\000\335\332  
\010\220\142\264\345\055\356\110\247\153\027\231\124\276\207\112  
\343\251\136\004\114\353\020\155\124\326\357\361\350\362\142\026  
\313\200\153\355\075\355\365\037\060\245\256\113\311\023\355\212  
\001\001\311\270\121\130\300\146\072\261\146\113\304\325\061\002  
\142\351\164\204\014\333\115\106\055\002\003\001\000\001\243\102  
\060\100\060\035\006\003\125\035\016\004\026\004\024\322\237\210  
\337\241\315\054\275\354\365\073\001\001\223\063\047\262\353\140  
\113\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\015\006\011\052\206\110\206\367\015\001\001\014\005  
\000\003\202\002\001\000\062\312\200\263\235\075\124\006\335\322  
\322\056\360\244\001\041\013\147\110\312\155\216\340\310\252\015  
\252\215\041\127\217\306\076\172\312\333\121\324\122\263\324\226  
\204\245\130\140\177\345\013\216\037\365\334\012\025\201\345\073  
\266\267\042\057\011\234\023\026\261\154\014\065\010\155\253\143  
\162\355\334\276\354\307\127\346\060\040\161\326\327\020\301\023  
\125\001\214\052\103\344\101\361\317\072\172\123\222\316\242\003

\005\015\070\337\002\273\020\056\331\073\322\233\172\300\241\246  
\370\265\061\346\364\165\311\271\123\231\165\107\042\132\024\025  
\307\170\033\266\235\351\014\370\033\166\361\205\204\336\241\332  
\022\357\244\342\020\227\172\170\336\014\121\227\250\041\100\213  
\206\275\015\360\136\116\113\066\273\073\040\037\212\102\126\341  
\013\032\277\173\320\042\103\054\104\214\373\345\052\264\154\034  
\034\272\224\340\023\176\041\346\232\302\313\305\102\144\264\036  
\224\173\010\045\310\161\314\207\105\127\205\323\237\051\142\042  
\203\121\227\000\030\227\167\152\230\222\311\174\140\154\337\154  
\175\112\344\160\114\302\236\270\035\367\320\064\307\017\314\373  
\247\377\003\276\255\160\220\332\013\335\310\155\227\137\232\177  
\011\062\101\375\315\242\314\132\155\114\362\252\111\376\146\370  
\351\330\065\353\016\050\036\356\110\057\072\320\171\011\070\174  
\246\042\202\223\225\320\003\276\276\002\240\005\335\040\042\343  
\157\035\210\064\140\306\346\012\271\011\165\013\360\007\350\151  
\226\065\307\373\043\201\216\070\071\270\105\053\103\170\242\321  
\054\024\377\015\050\162\162\225\233\136\011\333\211\104\230\252  
\241\111\273\161\122\362\277\366\377\047\241\066\257\270\266\167  
\210\335\072\244\155\233\064\220\334\024\135\060\277\267\353\027  
\344\207\267\161\320\241\327\167\025\324\102\327\362\363\061\231  
\135\233\335\026\155\077\352\006\043\370\106\242\042\355\223\366  
\335\232\346\052\207\261\230\124\361\042\367\153\105\343\342\216  
\166\035\232\215\304\006\215\066\267\024\363\235\124\151\267\216  
\074\325\244\155\223\201\267\255\366\275\144\173\302\311\150\071  
\240\222\234\315\064\206\221\220\372\144\121\235\376\376\353\245  
\365\165\336\211\367\162

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "NAVER Global Root Certification Authority"

# Issuer: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR

# Serial Number:01:94:30:1e:a2:0b:dd:f5:c5:33:2a:b1:43:44:71:f8:d6:50:4d:0d

# Subject: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR

# Not Valid Before: Fri Aug 18 08:58:42 2017

# Not Valid After : Tue Aug 18 23:59:59 2037

# Fingerprint (SHA-256):

88:F4:38:DC:F8:FF:D1:FA:8F:42:91:15:FF:E5:F8:2A:E1:E0:6E:0C:70:C3:75:FA:AD:71:7B:34:A4:9E:72:65

# Fingerprint (SHA1): 8F:6B:F2:A9:27:4A:DA:14:A0:C4:F4:8E:61:27:F9:C0:1E:78:5D:D1

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "NAVER Global Root Certification Authority"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\217\153\362\251\047\112\332\024\240\304\364\216\141\047\371\300

\036\170\135\321

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\310\176\101\366\045\073\365\011\263\027\350\106\075\277\320\233
END
CKA_ISSUER MULTILINE_OCTAL
\060\151\061\013\060\011\006\003\125\004\006\023\002\113\122\061
\046\060\044\006\003\125\004\012\014\035\116\101\126\105\122\040
\102\125\123\111\116\105\123\123\040\120\114\101\124\106\117\122
\115\040\103\157\162\160\056\061\062\060\060\006\003\125\004\003
\014\051\116\101\126\105\122\040\107\154\157\142\141\154\040\122
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\001\224\060\036\242\013\335\365\305\063\052\261\103\104
\161\370\326\120\115\015
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
#
Issuer: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
Serial Number:62:f6:32:6c:e5:c4:e3:68:5c:1b:62:dd:9c:2e:9d:95
Subject: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
Not Valid Before: Thu Dec 20 09:37:33 2018
Not Valid After : Sun Dec 20 09:37:33 2043
Fingerprint (SHA-256):
55:41:53:B1:3D:2C:F9:DD:B7:53:BF:BE:1A:4E:0A:E0:8D:0A:A4:18:70:58:FE:60:A2:B8:62:B2:E4:B8:7B:CB
Fingerprint (SHA1): 62:FF:D9:9E:C0:65:0D:03:CE:75:93:D2:ED:3F:2D:32:C9:E3:E5:4A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\170\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\016\060\014\006\003\125\004\013\014\005\103\145\162
\145\163\061\030\060\026\006\003\125\004\141\014\017\126\101\124
\105\123\055\121\062\070\062\066\060\060\064\112\061\054\060\052
\006\003\125\004\003\014\043\101\103\040\122\101\111\132\040\106

```

```
\116\115\124\055\122\103\115\040\123\105\122\126\111\104\117\122
\105\123\040\123\105\107\125\122\117\123
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\170\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\016\060\014\006\003\125\004\013\014\005\103\145\162
\145\163\061\030\060\026\006\003\125\004\141\014\017\126\101\124
\105\123\055\121\062\070\062\066\060\060\064\112\061\054\060\052
\006\003\125\004\003\014\043\101\103\040\122\101\111\132\040\106
\116\115\124\055\122\103\115\040\123\105\122\126\111\104\117\122
\105\123\040\123\105\107\125\122\117\123
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\142\366\062\154\345\304\343\150\134\033\142\335\234\056
\235\225
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\156\060\202\001\363\240\003\002\001\002\002\020\142
\366\062\154\345\304\343\150\134\033\142\335\234\056\235\225\060
\012\006\010\052\206\110\316\075\004\003\003\060\170\061\013\060
\011\006\003\125\004\006\023\002\105\123\061\021\060\017\006\003
\125\004\012\014\010\106\116\115\124\055\122\103\115\061\016\060
\014\006\003\125\004\013\014\005\103\145\162\145\163\061\030\060
\026\006\003\125\004\141\014\017\126\101\124\105\123\055\121\062
\070\062\066\060\060\064\112\061\054\060\052\006\003\125\004\003
\014\043\101\103\040\122\101\111\132\040\106\116\115\124\055\122
\103\115\040\123\105\122\126\111\104\117\122\105\123\040\123\105
\107\125\122\117\123\060\036\027\015\061\070\061\062\062\060\060
\071\063\067\063\063\132\027\015\064\063\061\062\062\060\060\071
\063\067\063\063\132\060\170\061\013\060\011\006\003\125\004\006
\023\002\105\123\061\021\060\017\006\003\125\004\012\014\010\106
\116\115\124\055\122\103\115\061\016\060\014\006\003\125\004\013
\014\005\103\145\162\145\163\061\030\060\026\006\003\125\004\141
\014\017\126\101\124\105\123\055\121\062\070\062\066\060\060\064
\112\061\054\060\052\006\003\125\004\003\014\043\101\103\040\122
\101\111\132\040\106\116\115\124\055\122\103\115\040\123\105\122
\126\111\104\117\122\105\123\040\123\105\107\125\122\117\123\060
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201
\004\000\042\003\142\000\004\366\272\127\123\310\312\253\337\066
\112\122\041\344\227\322\203\147\236\360\145\121\320\136\207\307
\107\261\131\362\127\107\233\000\002\223\104\027\151\333\102\307
\261\262\072\030\016\264\135\214\263\146\135\241\064\371\066\054
\111\333\363\106\374\263\104\151\104\023\146\375\327\305\375\257
\066\115\316\003\115\007\161\317\257\152\005\322\242\103\132\012
\122\157\001\003\116\216\213\243\102\060\100\060\017\006\003\125
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003
```



```
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003
\125\035\016\004\026\004\024\001\271\057\357\277\021\206\140\362
\117\320\101\156\253\163\037\347\322\156\111\060\012\006\010\052
\206\110\316\075\004\003\003\003\151\000\060\146\002\061\000\256
\112\343\053\100\303\164\021\362\225\255\026\043\336\116\014\032
\346\135\245\044\136\153\104\173\374\070\342\117\313\234\105\027
\021\114\024\047\046\125\071\165\112\003\314\023\220\237\222\002
\061\000\372\112\154\140\210\163\363\356\270\230\142\251\316\053
\302\331\212\246\160\061\035\257\260\224\114\353\117\306\343\321
\363\142\247\074\377\223\056\007\134\111\001\147\151\022\002\162
\277\347
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
```

```
Issuer: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
```

```
Serial Number:62:f6:32:6c:e5:c4:e3:68:5c:1b:62:dd:9c:2e:9d:95
```

```
Subject: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
```

```
Not Valid Before: Thu Dec 20 09:37:33 2018
```

```
Not Valid After : Sun Dec 20 09:37:33 2043
```

```
Fingerprint (SHA-256):
```

```
55:41:53:B1:3D:2C:F9:DD:B7:53:BF:BE:1A:4E:0A:E0:8D:0A:A4:18:70:58:FE:60:A2:B8:62:B2:E4:B8:7B:CB
```

```
Fingerprint (SHA1): 62:FF:D9:9E:C0:65:0D:03:CE:75:93:D2:ED:3F:2D:32:C9:E3:E5:4A
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\142\377\331\236\300\145\015\003\316\165\223\322\355\077\055\062
\311\343\345\112
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\031\066\234\122\003\057\322\321\273\043\314\335\036\022\125\273
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\170\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\016\060\014\006\003\125\004\013\014\005\103\145\162
\145\163\061\030\060\026\006\003\125\004\141\014\017\126\101\124
\105\123\055\121\062\070\062\066\060\060\064\112\061\054\060\052
\006\003\125\004\003\014\043\101\103\040\122\101\111\132\040\106
\116\115\124\055\122\103\115\040\123\105\122\126\111\104\117\122
\105\123\040\123\105\107\125\122\117\123
```

```

END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\142\366\062\154\345\304\343\150\134\033\142\335\234\056
\235\225
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "GlobalSign Secure Mail Root R45"
#
Issuer: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE
Serial Number:76:53:fe:a8:4c:50:ab:9f:8d:32:b5:1d:03:8f:57:dc
Subject: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE
Not Valid Before: Wed Mar 18 00:00:00 2020
Not Valid After : Sat Mar 18 00:00:00 2045
Fingerprint (SHA-256):
31:9A:F0:A7:72:9E:6F:89:26:9C:13:1E:A6:A3:A1:6F:CD:86:38:9F:DC:AB:3C:47:A4:A6:75:C1:61:A3:F9:74
Fingerprint (SHA1): 76:18:D1:F3:80:24:3D:52:40:C6:11:6A:AD:57:77:09:7D:81:30:A0
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Secure Mail Root R45"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\122\064\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\122\064\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\250\114\120\253\237\215\062\265\035\003\217
\127\334
END

```

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\160\060\202\003\130\240\003\002\001\002\002\020\166  
\123\376\250\114\120\253\237\215\062\265\035\003\217\127\334\060  
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\122  
\061\013\060\011\006\003\125\004\006\023\002\102\105\061\031\060  
\027\006\003\125\004\012\023\020\107\154\157\142\141\154\123\151  
\147\156\040\156\166\055\163\141\061\050\060\046\006\003\125\004  
\003\023\037\107\154\157\142\141\154\123\151\147\156\040\123\145  
\143\165\162\145\040\115\141\151\154\040\122\157\157\164\040\122  
\064\065\060\036\027\015\062\060\060\063\061\070\060\060\060\060  
\060\060\132\027\015\064\065\060\063\061\070\060\060\060\060\060  
\060\132\060\122\061\013\060\011\006\003\125\004\006\023\002\102  
\105\061\031\060\027\006\003\125\004\012\023\020\107\154\157\142  
\141\154\123\151\147\156\040\156\166\055\163\141\061\050\060\046  
\006\003\125\004\003\023\037\107\154\157\142\141\154\123\151\147  
\156\040\123\145\143\165\162\145\040\115\141\151\154\040\122\157  
\157\164\040\122\064\065\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\334\171\314\155\006\371\155\273\340  
\126\004\154\177\340\165\314\055\005\111\350\113\334\124\354\133  
\167\225\162\277\177\142\235\205\251\212\044\120\137\123\345\333  
\164\157\244\051\133\023\052\011\255\232\305\057\302\367\166\073  
\241\105\106\252\103\346\044\376\053\260\157\062\160\031\106\132  
\171\046\057\374\075\175\137\144\313\127\314\141\141\250\331\225  
\156\343\225\240\156\177\107\022\030\326\357\003\311\373\212\372  
\232\275\202\025\251\125\167\113\021\117\131\340\153\303\161\363  
\014\330\124\325\201\150\076\023\271\025\056\207\212\074\104\047  
\066\142\044\156\370\054\005\162\060\141\275\102\221\043\304\235  
\045\247\331\124\232\024\243\061\255\200\171\014\247\143\154\230  
\243\254\127\107\063\037\145\226\341\320\322\065\332\371\161\367  
\241\246\045\265\101\135\337\076\140\330\321\366\237\245\362\270  
\314\023\252\217\371\262\156\341\203\055\223\335\076\205\032\335  
\350\261\134\046\001\313\111\205\374\374\322\324\177\205\142\206  
\164\371\313\354\065\042\242\014\060\217\073\253\171\353\126\362  
\372\102\363\355\371\037\105\211\100\051\255\352\222\164\352\122  
\375\126\264\053\332\242\355\165\302\156\253\316\122\220\113\366  
\336\360\111\217\232\110\324\210\031\155\105\346\314\214\271\335  
\144\140\140\002\100\370\271\317\274\130\353\075\205\271\306\012  
\323\234\007\146\217\307\030\071\043\106\341\074\036\243\057\120  
\141\222\013\075\053\154\361\243\107\070\127\221\253\015\217\306  
\235\115\004\322\046\122\134\345\245\375\052\055\026\052\001\151  
\347\251\175\341\066\267\261\052\305\331\261\215\275\271\213\316  
\314\213\241\076\013\110\315\120\225\064\304\330\010\131\330\153  
\046\364\276\365\324\042\027\000\127\311\256\233\004\060\063\237  
\013\373\337\126\242\311\156\124\166\332\261\227\142\047\131\017  
\021\212\042\033\144\226\077\250\361\267\044\112\215\074\123\174  
\155\203\166\075\262\046\110\163\365\104\026\001\055\011\052\216  
\026\226\120\320\163\006\135\273\042\110\202\114\012\106\132\077

\200\377\134\362\362\232\254\054\010\340\326\352\360\022\070\201  
\117\246\020\355\106\253\314\026\234\013\317\144\246\231\002\205  
\104\147\106\255\375\115\347\002\003\001\000\001\243\102\060\100  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\035\006\003\125\035\016\004\026\004\024\240\223\025\050  
\156\356\217\010\262\065\306\236\142\171\164\247\261\016\053\173  
\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000\003  
\202\002\001\000\105\012\370\321\134\254\142\201\320\004\327\266  
\377\127\121\211\013\014\313\336\044\145\067\373\253\236\355\146  
\364\352\014\031\151\211\270\031\261\060\126\264\331\366\367\276  
\306\256\227\313\105\366\021\214\072\060\144\114\301\237\131\300  
\106\102\010\006\107\144\027\170\340\225\007\006\326\214\242\254  
\251\331\077\323\173\126\117\374\304\207\050\337\266\053\026\043  
\300\237\037\133\343\326\104\136\042\117\043\004\214\065\026\265  
\171\007\206\134\057\227\342\366\010\144\246\334\333\250\212\343  
\244\173\167\015\321\051\223\050\040\264\123\243\113\116\137\336  
\301\366\165\043\374\037\074\170\117\160\061\170\057\242\065\124  
\161\004\254\310\304\155\303\366\221\261\376\315\356\104\156\201  
\366\100\305\076\052\001\277\253\114\261\003\077\015\021\344\017  
\322\044\343\042\210\233\237\137\107\075\121\111\340\011\067\176  
\027\041\061\166\267\147\161\110\050\113\045\327\020\350\237\141  
\131\026\305\076\062\116\037\014\316\243\314\017\344\307\021\007  
\042\057\070\010\335\133\227\353\102\154\131\232\232\356\172\320  
\235\337\305\333\011\103\056\012\252\031\075\153\350\152\060\172  
\127\346\277\263\152\071\251\217\343\361\117\145\150\266\275\237  
\050\217\241\026\132\011\120\072\062\056\035\057\104\021\102\246  
\000\346\061\230\377\055\241\017\346\244\140\126\317\171\327\262  
\116\327\260\372\156\014\127\043\307\316\037\245\261\114\155\031  
\111\236\016\177\160\217\161\077\130\050\237\165\335\141\340\072  
\267\071\266\356\227\324\065\121\373\213\111\140\310\074\146\256  
\227\356\215\046\131\127\273\170\360\172\120\060\011\260\140\252  
\237\116\334\311\076\036\072\334\142\223\063\260\072\124\164\157  
\054\061\105\321\153\021\062\152\150\166\366\075\366\152\023\136  
\044\230\347\352\035\232\317\170\202\007\140\367\115\020\323\201  
\232\105\215\236\257\233\334\200\307\103\262\225\150\244\303\016  
\350\012\107\025\277\124\063\334\001\347\325\246\036\163\330\172  
\262\277\057\255\343\125\060\236\337\016\101\274\340\021\365\241  
\014\250\042\341\343\000\243\116\160\174\222\343\004\321\172\102  
\212\165\220\131\343\233\321\114\242\144\275\163\171\233\157\362  
\263\301\366\074

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GlobalSign Secure Mail Root R45"

# Issuer: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE

```

Serial Number:76:53:fe:a8:4c:50:ab:9f:8d:32:b5:1d:03:8f:57:dc
Subject: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE
Not Valid Before: Wed Mar 18 00:00:00 2020
Not Valid After : Sat Mar 18 00:00:00 2045
Fingerprint (SHA-256):
31:9A:F0:A7:72:9E:6F:89:26:9C:13:1E:A6:A3:A1:6F:CD:86:38:9F:DC:AB:3C:47:A4:A6:75:C1:61:A3:F9:74
Fingerprint (SHA1): 76:18:D1:F3:80:24:3D:52:40:C6:11:6A:AD:57:77:09:7D:81:30:A0
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Secure Mail Root R45"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\166\030\321\363\200\044\075\122\100\306\021\152\255\127\167\011
\175\201\060\240
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\223\304\173\263\016\124\107\034\103\054\213\276\160\205\142\051
END
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\122\064\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\250\114\120\253\237\215\062\265\035\003\217
\127\334
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "GlobalSign Secure Mail Root E45"
#
Issuer: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE
Serial Number:76:53:fe:aa:27:1d:95:46:5d:d6:f1:9e:e5:b8:90:0a
Subject: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE
Not Valid Before: Wed Mar 18 00:00:00 2020
Not Valid After : Sat Mar 18 00:00:00 2045
Fingerprint (SHA-256):
5C:BF:6F:B8:1F:D4:17:EA:41:28:CD:6F:81:72:A3:C9:40:20:94:F7:4A:B2:ED:3A:06:B4:40:5D:04:F3:0B:19
Fingerprint (SHA1): 18:2E:1F:32:4F:89:DF:BE:FE:88:89:F0:93:C2:C4:A0:2B:67:75:21
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Secure Mail Root E45"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\105\064\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\105\064\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\252\047\035\225\106\135\326\361\236\345\270
\220\012
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\041\060\202\001\247\240\003\002\001\002\002\020\166
\123\376\252\047\035\225\106\135\326\361\236\345\270\220\012\060
\012\006\010\052\206\110\316\075\004\003\003\060\122\061\013\060
\011\006\003\125\004\006\023\002\102\105\061\031\060\027\006\003
\125\004\012\023\020\107\154\157\142\141\154\123\151\147\156\040
\156\166\055\163\141\061\050\060\046\006\003\125\004\003\023\037
\107\154\157\142\141\154\123\151\147\156\040\123\145\143\165\162
\145\040\115\141\151\154\040\122\157\157\164\040\105\064\065\060
\036\027\015\062\060\060\063\061\070\060\060\060\060\060\060\132
\027\015\064\065\060\063\061\070\060\060\060\060\060\060\132\060
\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061\031
\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154\123
\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003\125
\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040\123
\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164\040
\105\064\065\060\166\060\020\006\007\052\206\110\316\075\002\001
\006\005\053\201\004\000\042\003\142\000\004\371\171\213\201\107
\067\211\226\077\105\111\120\177\032\046\013\223\062\176\056\300
\300\247\010\232\303\156\217\233\076\013\042\354\067\123\267\157
\212\260\274\047\067\113\155\251\106\073\331\037\377\245\241\104
\273\055\163\277\236\101\007\134\123\233\121\010\072\132\273\157
```

```
\070\307\026\221\170\302\112\023\151\035\202\337\132\057\000\210
\226\242\056\034\164\371\235\176\146\067\212\243\102\060\100\060
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\035\006\003\125\035\016\004\026\004\024\337\023\136\213\137
\302\100\002\375\126\267\224\114\266\036\325\246\261\024\226\060
\012\006\010\052\206\110\316\075\004\003\003\003\150\000\060\145
\002\060\023\260\276\327\161\040\076\344\253\234\316\066\022\175
\137\114\037\052\265\151\105\063\137\323\055\132\262\344\210\307
\336\012\066\102\062\171\235\246\153\272\341\371\104\052\173\212
\303\022\002\061\000\240\146\034\116\207\235\207\311\355\231\114
\033\012\356\055\140\303\067\307\035\315\265\162\260\331\306\357
\274\362\377\077\360\122\335\010\347\252\144\171\303\344\151\127
\221\057\244\313\174
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "GlobalSign Secure Mail Root E45"
```

```
Issuer: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE
```

```
Serial Number:76:53:fe:aa:27:1d:95:46:5d:d6:f1:9e:e5:b8:90:0a
```

```
Subject: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE
```

```
Not Valid Before: Wed Mar 18 00:00:00 2020
```

```
Not Valid After : Sat Mar 18 00:00:00 2045
```

```
Fingerprint (SHA-256):
```

```
5C:BF:6F:B8:1F:D4:17:EA:41:28:CD:6F:81:72:A3:C9:40:20:94:F7:4A:B2:ED:3A:06:B4:40:5D:04:F3:0B:19
```

```
Fingerprint (SHA1): 18:2E:1F:32:4F:89:DF:BE:FE:88:89:F0:93:C2:C4:A0:2B:67:75:21
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GlobalSign Secure Mail Root E45"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\030\056\037\062\117\211\337\276\376\210\211\360\223\302\304\240
\053\147\165\041
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\305\374\306\056\237\364\122\055\052\250\244\272\373\147\062\377
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\105\064\065
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\252\047\035\225\106\135\326\361\236\345\270
\220\012
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "GlobalSign Root R46"
#
Issuer: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE
Serial Number:11:d2:bb:b9:d7:23:18:9e:40:5f:0a:9d:2d:d0:df:25:67:d1
Subject: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE
Not Valid Before: Wed Mar 20 00:00:00 2019
Not Valid After : Tue Mar 20 00:00:00 2046
Fingerprint (SHA-256):
4F:A3:12:6D:8D:3A:11:D1:C4:85:5A:4F:80:7C:BA:D6:CF:91:9D:3A:5A:88:B0:3B:EA:2C:63:72:D9:3C:40:C9
Fingerprint (SHA1): 53:A2:B0:4B:CA:6B:D6:45:E6:39:8A:8E:C4:0D:D2:BF:77:C3:A2:90
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root R46"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\122\064\066
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\122\064\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\022\021\322\273\271\327\043\030\236\100\137\012\235\055\320
\337\045\147\321
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\132\060\202\003\102\240\003\002\001\002\002\022\021
\322\273\271\327\043\030\236\100\137\012\235\055\320\337\045\147

```



\321\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000  
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061  
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154  
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003  
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040  
\122\157\157\164\040\122\064\066\060\036\027\015\061\071\060\063  
\062\060\060\060\060\060\060\060\132\027\015\064\066\060\063\062  
\060\060\060\060\060\060\060\132\060\106\061\013\060\011\006\003  
\125\004\006\023\002\102\105\061\031\060\027\006\003\125\004\012  
\023\020\107\154\157\142\141\154\123\151\147\156\040\156\166\055  
\163\141\061\034\060\032\006\003\125\004\003\023\023\107\154\157  
\142\141\154\123\151\147\156\040\122\157\157\164\040\122\064\066  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\254\254\164\062\350\263\145\345\272\355\103\046\035\246\211  
\015\105\272\051\210\262\244\035\143\335\323\301\054\011\127\211  
\071\241\125\351\147\064\167\014\156\344\125\035\122\045\322\023  
\153\136\341\035\251\267\175\211\062\137\015\236\237\054\172\143  
\140\100\037\246\260\266\170\217\231\124\226\010\130\256\344\006  
\274\142\005\002\026\277\257\250\043\003\266\224\017\274\156\154  
\302\313\325\246\273\014\351\366\301\002\373\041\336\146\335\027  
\253\164\102\357\360\164\057\045\364\352\153\125\133\220\333\235  
\337\136\207\012\100\373\255\031\153\373\367\312\140\210\336\332  
\301\217\326\256\325\177\324\074\203\356\327\026\114\203\105\063  
\153\047\320\206\320\034\055\153\363\253\175\361\205\251\365\050  
\322\255\357\363\204\113\034\207\374\023\243\072\162\242\132\021  
\053\326\047\161\047\355\201\055\155\146\201\222\207\264\033\130  
\172\314\077\012\372\106\117\115\170\134\370\053\110\343\004\204  
\313\135\366\264\152\263\145\374\102\236\121\046\043\040\313\075  
\024\371\201\355\145\026\000\117\032\144\227\146\010\317\214\173  
\343\053\300\235\371\024\362\033\361\126\152\026\277\054\205\205  
\315\170\070\232\353\102\152\002\064\030\203\027\116\224\126\370  
\266\202\265\363\226\335\075\363\276\177\040\167\076\173\031\043  
\153\054\324\162\163\103\127\175\340\370\327\151\117\027\066\004  
\371\300\220\140\067\105\336\346\014\330\164\215\256\234\242\155  
\164\135\102\276\006\365\331\144\156\002\020\254\211\260\114\073  
\007\115\100\176\044\305\212\230\202\171\216\244\247\202\040\215  
\043\372\047\161\311\337\306\101\164\240\115\366\221\026\334\106  
\214\137\051\143\061\131\161\014\330\157\302\266\062\175\373\346  
\135\123\246\176\025\374\273\165\174\135\354\370\366\027\034\354  
\307\153\031\313\363\173\360\053\007\245\331\154\171\124\166\154  
\235\034\246\156\016\351\171\014\250\043\152\243\337\033\060\061  
\237\261\124\173\376\152\313\146\252\334\145\320\242\236\112\232  
\007\041\153\201\217\333\304\131\372\336\042\300\004\234\343\252  
\133\066\223\350\075\275\172\241\235\013\166\261\013\307\235\375  
\317\230\250\006\302\370\052\243\241\203\240\267\045\162\245\002  
\343\002\003\001\000\001\243\102\060\100\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035

\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125  
\035\016\004\026\004\024\003\134\253\163\201\207\250\314\260\246  
\325\224\342\066\226\111\377\005\231\054\060\015\006\011\052\206  
\110\206\367\015\001\001\014\005\000\003\202\002\001\000\174\170  
\354\366\002\054\273\133\176\222\053\135\071\334\276\330\035\242  
\102\063\115\371\357\244\052\073\104\151\036\254\331\105\243\116  
\074\247\330\044\121\262\124\034\223\116\304\357\173\223\205\140  
\046\352\011\110\340\365\273\307\351\150\322\273\152\061\161\314  
\171\256\021\250\360\231\375\345\037\274\057\250\314\127\353\166  
\304\041\246\107\123\125\115\150\277\005\244\356\327\046\253\142  
\332\103\067\113\342\306\265\345\262\203\031\072\307\323\333\115  
\236\010\172\363\356\317\076\142\373\254\350\140\314\321\307\241  
\134\203\105\304\105\314\363\027\153\024\311\004\002\076\322\044  
\246\171\351\036\316\242\347\301\131\025\237\035\342\113\232\076  
\237\166\010\055\153\330\272\127\024\332\203\352\376\214\125\351  
\320\116\251\314\167\061\261\104\021\172\134\261\076\323\024\105  
\025\030\142\044\023\322\313\115\316\134\203\301\066\362\020\265  
\016\210\155\270\341\126\237\211\336\226\146\071\107\144\054\156  
\115\256\142\173\277\140\164\031\270\126\254\222\254\026\062\355  
\255\150\125\376\230\272\323\064\336\364\311\141\303\016\206\366  
\113\204\140\356\015\173\265\062\130\171\221\125\054\201\103\263  
\164\037\172\252\045\236\035\327\241\213\271\315\102\056\004\244  
\146\203\115\211\065\266\154\250\066\112\171\041\170\042\320\102  
\274\321\100\061\220\241\276\004\317\312\147\355\365\360\200\323  
\140\311\203\052\042\005\320\007\073\122\277\014\236\252\053\371  
\273\346\037\217\045\272\205\215\027\036\002\376\135\120\004\127  
\317\376\055\274\357\134\300\032\253\266\237\044\306\337\163\150  
\110\220\054\024\364\077\122\032\344\322\313\024\303\141\151\317  
\342\371\030\305\272\063\237\024\243\004\135\271\161\367\265\224  
\330\366\063\301\132\301\064\213\174\233\335\223\072\347\023\242  
\160\141\237\257\217\353\330\305\165\370\063\146\324\164\147\072  
\067\167\234\347\335\244\017\166\103\146\212\103\362\237\373\014  
\102\170\143\321\342\017\157\173\324\241\075\164\227\205\267\110  
\071\101\326\040\374\320\072\263\372\350\157\304\212\272\161\067  
\276\213\227\261\170\061\117\263\347\266\003\023\316\124\235\256  
\045\131\314\177\065\137\010\367\100\105\061\170\052\172

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GlobalSign Root R46"  
# Issuer: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE  
# Serial Number: 11:d2:bb:b9:d7:23:18:9e:40:5f:0a:9d:2d:d0:df:25:67:d1  
# Subject: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE  
# Not Valid Before: Wed Mar 20 00:00:00 2019  
# Not Valid After : Tue Mar 20 00:00:00 2046  
# Fingerprint (SHA-256):

```

4F:A3:12:6D:8D:3A:11:D1:C4:85:5A:4F:80:7C:BA:D6:CF:91:9D:3A:5A:88:B0:3B:EA:2C:63:72:D9:3C:40:C9
Fingerprint (SHA1): 53:A2:B0:4B:CA:6B:D6:45:E6:39:8A:8E:C4:0D:D2:BF:77:C3:A2:90
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root R46"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\123\242\260\113\312\153\326\105\346\071\212\216\304\015\322\277
\167\303\242\220
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\304\024\060\344\372\146\103\224\052\152\033\044\137\031\320\357
END
CKA_ISSUER MULTILINE_OCTAL
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\122\064\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\022\021\322\273\271\327\043\030\236\100\137\012\235\055\320
\337\045\147\321
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "GlobalSign Root E46"
#
Issuer: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE
Serial Number:11:d2:bb:ba:33:6e:d4:bc:e6:24:68:c5:0d:84:1d:98:e8:43
Subject: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE
Not Valid Before: Wed Mar 20 00:00:00 2019
Not Valid After : Tue Mar 20 00:00:00 2046
Fingerprint (SHA-256):
CB:B9:C4:4D:84:B8:04:3E:10:50:EA:31:A6:9F:51:49:55:D7:BF:D2:E2:C6:B4:93:01:01:9A:D6:1D:9F:50:58
Fingerprint (SHA1): 39:B4:6C:D5:FE:80:06:EB:E2:2F:4A:BB:08:33:A0:AF:DB:B9:DD:84
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root E46"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061  
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154  
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003  
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040  
\122\157\157\164\040\105\064\066

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061  
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154  
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003  
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040  
\122\157\157\164\040\105\064\066

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\022\021\322\273\272\063\156\324\274\346\044\150\305\015\204  
\035\230\350\103

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\013\060\202\001\221\240\003\002\001\002\002\022\021  
\322\273\272\063\156\324\274\346\044\150\305\015\204\035\230\350  
\103\060\012\006\010\052\206\110\316\075\004\003\003\060\106\061  
\013\060\011\006\003\125\004\006\023\002\102\105\061\031\060\027  
\006\003\125\004\012\023\020\107\154\157\142\141\154\123\151\147  
\156\040\156\166\055\163\141\061\034\060\032\006\003\125\004\003  
\023\023\107\154\157\142\141\154\123\151\147\156\040\122\157\157  
\164\040\105\064\066\060\036\027\015\061\071\060\063\062\060\060  
\060\060\060\060\060\132\027\015\064\066\060\063\062\060\060\060  
\060\060\060\060\132\060\106\061\013\060\011\006\003\125\004\006  
\023\002\102\105\061\031\060\027\006\003\125\004\012\023\020\107  
\154\157\142\141\154\123\151\147\156\040\156\166\055\163\141\061  
\034\060\032\006\003\125\004\003\023\023\107\154\157\142\141\154  
\123\151\147\156\040\122\157\157\164\040\105\064\066\060\166\060  
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000  
\042\003\142\000\004\234\016\261\317\267\350\236\122\167\165\064  
\372\245\106\247\255\062\031\062\264\007\251\047\312\224\273\014  
\322\012\020\307\332\211\260\227\014\160\023\011\001\216\330\352  
\107\352\276\262\200\053\315\374\050\015\333\254\274\244\206\067  
\355\160\010\000\165\352\223\013\173\056\122\234\043\150\043\006  
\103\354\222\057\123\204\333\373\107\024\007\350\137\224\147\135  
\311\172\201\074\040\243\102\060\100\060\016\006\003\125\035\017  
\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035  
\016\004\026\004\024\061\012\220\217\266\306\235\322\104\113\200  
\265\242\346\037\261\022\117\033\225\060\012\006\010\052\206\110  
\316\075\004\003\003\003\150\000\060\145\002\061\000\337\124\220  
\355\233\357\213\224\002\223\027\202\231\276\263\236\054\366\013  
\221\214\237\112\024\261\366\144\274\273\150\121\023\014\003\367

```
\025\213\204\140\271\213\377\122\216\347\214\274\034\002\060\074
\371\021\324\214\116\300\301\141\302\025\114\252\253\035\013\061
\137\073\034\342\000\227\104\061\346\376\163\226\057\332\226\323
\376\010\007\263\064\211\274\005\237\367\036\206\356\213\160
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "GlobalSign Root E46"

# Issuer: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE

# Serial Number:11:d2:bb:ba:33:6e:d4:bc:e6:24:68:c5:0d:84:1d:98:e8:43

# Subject: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE

# Not Valid Before: Wed Mar 20 00:00:00 2019

# Not Valid After : Tue Mar 20 00:00:00 2046

# Fingerprint (SHA-256):

CB:B9:C4:4D:84:B8:04:3E:10:50:EA:31:A6:9F:51:49:55:D7:BF:D2:E2:C6:B4:93:01:01:9A:D6:1D:9F:50:58

# Fingerprint (SHA1): 39:B4:6C:D5:FE:80:06:EB:E2:2F:4A:BB:08:33:A0:AF:DB:B9:DD:84

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GlobalSign Root E46"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\071\264\154\325\376\200\006\353\342\057\112\273\010\063\240\257
\333\271\335\204
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\265\270\146\355\336\010\203\343\311\342\001\064\006\254\121\157
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\105\064\066
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\022\021\322\273\272\063\156\324\274\346\044\150\305\015\204
\035\230\350\103
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

# Certificate "GLOBALTRUST 2020"

```

#
Issuer: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT
Serial Number:5a:4b:bd:5a:fb:4f:8a:5b:fa:65:e5
Subject: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT
Not Valid Before: Mon Feb 10 00:00:00 2020
Not Valid After : Sun Jun 10 00:00:00 2040
Fingerprint (SHA-256):
9A:29:6A:51:82:D1:D4:51:A2:E3:7F:43:9B:74:DA:AF:A2:67:52:33:29:F9:0F:9A:0D:20:07:C3:34:E2:3C:9A
Fingerprint (SHA1): D0:67:C1:13:51:01:0C:AA:D0:C7:6A:65:37:31:16:26:4F:53:71:A2
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GLOBALTRUST 2020"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\101\124\061
\043\060\041\006\003\125\004\012\023\032\145\055\143\157\155\155
\145\162\143\145\040\155\157\156\151\164\157\162\151\156\147\040
\107\155\142\110\061\031\060\027\006\003\125\004\003\023\020\107
\114\117\102\101\114\124\122\125\123\124\040\062\060\062\060
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\101\124\061
\043\060\041\006\003\125\004\012\023\032\145\055\143\157\155\155
\145\162\143\145\040\155\157\156\151\164\157\162\151\156\147\040
\107\155\142\110\061\031\060\027\006\003\125\004\003\023\020\107
\114\117\102\101\114\124\122\125\123\124\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\132\113\275\132\373\117\212\133\372\145\345
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\202\060\202\003\152\240\003\002\001\002\002\013\132
\113\275\132\373\117\212\133\372\145\345\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\060\115\061\013\060\011\006
\003\125\004\006\023\002\101\124\061\043\060\041\006\003\125\004
\012\023\032\145\055\143\157\155\155\145\162\143\145\040\155\157
\156\151\164\157\162\151\156\147\040\107\155\142\110\061\031\060
\027\006\003\125\004\003\023\020\107\114\117\102\101\114\124\122
\125\123\124\040\062\060\062\060\060\060\060\060\060\060\036\027\015\062\060\060\062
\061\060\060\060\060\060\060\060\132\027\015\064\060\060\066\061
\060\060\060\060\060\060\060\132\060\115\061\013\060\011\006\003
\125\004\006\023\002\101\124\061\043\060\041\006\003\125\004\012
\023\032\145\055\143\157\155\155\145\162\143\145\040\155\157\156
\151\164\157\162\151\156\147\040\107\155\142\110\061\031\060\027
\006\003\125\004\003\023\020\107\114\117\102\101\114\124\122\125

```

\123\124\040\062\060\062\060\060\020\002\042\060\015\006\011\052  
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060  
\202\002\012\002\202\002\001\000\256\056\126\255\033\034\357\366  
\225\217\240\167\033\053\323\143\217\204\115\105\242\017\237\133  
\105\253\131\173\121\064\371\354\213\212\170\305\335\153\257\275  
\304\337\223\105\036\277\221\070\013\256\016\026\347\101\163\370  
\333\273\321\270\121\340\313\203\073\163\070\156\167\212\017\131  
\143\046\315\247\052\316\124\373\270\342\300\174\107\316\140\174  
\077\262\163\362\300\031\266\212\222\207\065\015\220\050\242\344  
\025\004\143\076\272\257\356\174\136\314\246\213\120\262\070\367  
\101\143\312\316\377\151\217\150\016\225\066\345\314\271\214\011  
\312\113\335\061\220\226\310\314\037\375\126\226\064\333\216\034  
\352\054\276\205\056\143\335\252\251\225\323\375\051\225\023\360  
\310\230\223\331\055\026\107\220\021\203\242\072\042\242\050\127  
\242\353\376\300\214\050\240\246\175\347\052\102\073\202\200\143  
\245\143\037\031\314\174\262\146\250\302\323\155\067\157\342\176  
\006\121\331\105\204\037\022\316\044\122\144\205\013\110\200\116  
\207\261\042\042\060\252\353\256\276\340\002\340\100\350\260\102  
\200\003\121\252\264\176\252\104\327\103\141\363\242\153\026\211  
\111\244\243\244\053\212\002\304\170\364\150\212\301\344\172\066  
\261\157\033\226\033\167\111\215\324\311\006\162\217\317\123\343  
\334\027\205\040\112\334\230\047\323\221\046\053\107\036\151\007  
\257\336\242\344\344\324\153\013\263\136\174\324\044\200\107\051  
\151\073\156\350\254\375\100\353\330\355\161\161\053\362\350\130  
\035\353\101\227\042\305\037\324\071\320\047\217\207\343\030\364  
\340\251\106\015\365\164\072\202\056\320\156\054\221\243\061\134  
\073\106\352\173\004\020\126\136\200\035\365\245\145\350\202\374  
\342\007\214\142\105\365\040\336\106\160\206\241\274\223\323\036  
\164\246\154\260\054\367\003\014\210\014\313\324\162\123\206\274  
\140\106\363\230\152\302\361\277\103\371\160\040\167\312\067\101  
\171\125\122\143\215\133\022\237\305\150\304\210\235\254\362\060  
\253\267\243\061\227\147\255\217\027\017\154\307\163\355\044\224  
\153\310\203\232\320\232\067\111\004\253\261\026\310\154\111\111  
\055\253\241\320\214\222\362\101\112\171\041\045\333\143\327\266  
\234\247\176\102\151\373\072\143\002\003\001\000\001\243\143\060  
\141\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\035\006\003\125\035\016\004\026\004\024\334\056\037  
\321\141\067\171\344\253\325\325\263\022\161\150\075\152\150\234  
\042\060\037\006\003\125\035\043\004\030\060\026\200\024\334\056  
\037\321\141\067\171\344\253\325\325\263\022\161\150\075\152\150  
\234\042\060\015\006\011\052\206\110\206\367\015\001\001\013\005  
\000\003\202\002\001\000\221\360\102\002\150\100\356\303\150\300  
\124\057\337\354\142\303\303\236\212\240\061\050\252\203\216\244  
\126\226\022\020\206\126\272\227\162\322\124\060\174\255\031\325  
\035\150\157\373\024\102\330\215\016\363\265\321\245\343\002\102  
\136\334\350\106\130\007\065\002\060\340\274\164\112\301\103\052  
\377\333\032\320\260\257\154\303\375\313\263\365\177\155\003\056

\131\126\235\055\055\065\214\262\326\103\027\054\222\012\313\135  
\350\214\017\113\160\103\320\202\377\250\314\277\244\224\300\276  
\207\275\212\343\223\173\306\217\233\026\235\047\145\274\172\305  
\102\202\154\134\007\320\251\301\210\140\104\351\230\205\026\137  
\370\217\312\001\020\316\045\303\371\140\033\240\305\227\303\323  
\054\210\061\242\275\060\354\320\320\300\022\361\301\071\343\345  
\365\370\326\112\335\064\315\373\157\301\117\343\000\213\126\342  
\222\367\050\262\102\167\162\043\147\307\077\021\025\262\304\003  
\005\276\273\021\173\012\277\250\156\347\377\130\103\317\233\147  
\240\200\007\266\035\312\255\155\352\101\021\176\055\164\223\373  
\302\274\276\121\104\305\357\150\045\047\200\343\310\240\324\022  
\354\331\245\067\035\067\174\264\221\312\332\324\261\226\201\357  
\150\134\166\020\111\257\176\245\067\200\261\034\122\275\063\201  
\114\217\371\335\145\331\024\315\212\045\130\364\342\305\203\245  
\011\220\324\154\024\143\265\100\337\353\300\374\304\130\176\015  
\024\026\207\124\047\156\126\344\160\204\270\154\062\022\176\202  
\061\103\276\327\335\174\241\255\256\326\253\040\022\357\012\303  
\020\214\111\226\065\334\013\165\136\261\117\325\117\064\016\021  
\040\007\165\103\105\351\243\021\332\254\243\231\302\266\171\047  
\342\271\357\310\342\366\065\051\172\164\372\305\177\202\005\142  
\246\012\352\150\262\171\107\006\156\362\127\250\025\063\306\367  
\170\112\075\102\173\153\176\376\367\106\352\321\353\216\357\210  
\150\133\350\301\331\161\176\375\144\357\377\147\107\210\130\045  
\057\076\206\007\275\373\250\345\202\250\254\245\323\151\103\315  
\061\210\111\204\123\222\300\261\071\033\071\203\001\060\304\362  
\251\372\320\003\275\162\067\140\126\037\066\174\275\071\221\365  
\155\015\277\173\327\222

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GLOBALTRUST 2020"

# Issuer: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT

# Serial Number:5a:4b:bd:5a:fb:4f:8a:5b:fa:65:e5

# Subject: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT

# Not Valid Before: Mon Feb 10 00:00:00 2020

# Not Valid After : Sun Jun 10 00:00:00 2040

# Fingerprint (SHA-256):

9A:29:6A:51:82:D1:D4:51:A2:E3:7F:43:9B:74:DA:AF:A2:67:52:33:29:F9:0F:9A:0D:20:07:C3:34:E2:3C:9A

# Fingerprint (SHA1): D0:67:C1:13:51:01:0C:AA:D0:C7:6A:65:37:31:16:26:4F:53:71:A2

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "GLOBALTRUST 2020"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\320\147\301\023\121\001\014\252\320\307\152\145\067\061\026\046



```

\117\123\161\242
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\212\307\157\313\155\343\314\242\361\174\203\372\016\170\327\350
END
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\101\124\061
\043\060\041\006\003\125\004\012\023\032\145\055\143\157\155\155
\145\162\143\145\040\155\157\156\151\164\157\162\151\156\147\040
\107\155\142\110\061\031\060\027\006\003\125\004\003\023\020\107
\114\117\102\101\114\124\122\125\123\124\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\132\113\275\132\373\117\212\133\372\145\345
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "ANF Secure Server Root CA"
#
Issuer: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
Serial Number:0d:d3:e3:bc:6c:f9:6b:b1
Subject: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
Not Valid Before: Wed Sep 04 10:00:38 2019
Not Valid After : Tue Aug 30 10:00:38 2039
Fingerprint (SHA-256):
FB:8F:EC:75:91:69:B9:10:6B:1E:51:16:44:C6:18:C5:13:04:37:3F:6C:06:43:08:8D:8B:EF:FD:1B:99:75:99
Fingerprint (SHA1): 5B:6E:68:D0:CC:15:B6:A0:5F:1E:C1:5F:AE:02:FC:6B:2F:5D:6F:74
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ANF Secure Server Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\204\061\022\060\020\006\003\125\004\005\023\011\107\066
\063\062\070\067\065\061\060\061\013\060\011\006\003\125\004\006
\023\002\105\123\061\047\060\045\006\003\125\004\012\023\036\101
\116\106\040\101\165\164\157\162\151\144\141\144\040\144\145\040
\103\145\162\164\151\146\151\143\141\143\151\157\156\061\024\060
\022\006\003\125\004\013\023\013\101\116\106\040\103\101\040\122
\141\151\172\061\042\060\040\006\003\125\004\003\023\031\101\116
\106\040\123\145\143\165\162\145\040\123\145\162\166\145\162\040

```

\122\157\157\164\040\103\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\204\061\022\060\020\006\003\125\004\005\023\011\107\066  
\063\062\070\067\065\061\060\061\013\060\011\006\003\125\004\006  
\023\002\105\123\061\047\060\045\006\003\125\004\012\023\036\101  
\116\106\040\101\165\164\157\162\151\144\141\144\040\144\145\040  
\103\145\162\164\151\146\151\143\141\143\151\157\156\061\024\060  
\022\006\003\125\004\013\023\013\101\116\106\040\103\101\040\122  
\141\151\172\061\042\060\040\006\003\125\004\003\023\031\101\116  
\106\040\123\145\143\165\162\145\040\123\145\162\166\145\162\040  
\122\157\157\164\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\015\323\343\274\154\371\153\261

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\357\060\202\003\327\240\003\002\001\002\002\010\015  
\323\343\274\154\371\153\261\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\201\204\061\022\060\020\006\003\125  
\004\005\023\011\107\066\063\062\070\067\065\061\060\061\013\060  
\011\006\003\125\004\006\023\002\105\123\061\047\060\045\006\003  
\125\004\012\023\036\101\116\106\040\101\165\164\157\162\151\144  
\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141\143  
\151\157\156\061\024\060\022\006\003\125\004\013\023\013\101\116  
\106\040\103\101\040\122\141\151\172\061\042\060\040\006\003\125  
\004\003\023\031\101\116\106\040\123\145\143\165\162\145\040\123  
\145\162\166\145\162\040\122\157\157\164\040\103\101\060\036\027  
\015\061\071\060\071\060\064\061\060\060\060\063\070\132\027\015  
\063\071\060\070\063\060\061\060\060\060\063\070\132\060\201\204  
\061\022\060\020\006\003\125\004\005\023\011\107\066\063\062\070  
\067\065\061\060\061\013\060\011\006\003\125\004\006\023\002\105  
\123\061\047\060\045\006\003\125\004\012\023\036\101\116\106\040  
\101\165\164\157\162\151\144\141\144\040\144\145\040\103\145\162  
\164\151\146\151\143\141\143\151\157\156\061\024\060\022\006\003  
\125\004\013\023\013\101\116\106\040\103\101\040\122\141\151\172  
\061\042\060\040\006\003\125\004\003\023\031\101\116\106\040\123  
\145\143\165\162\145\040\123\145\162\166\145\162\040\122\157\157  
\164\040\103\101\060\202\002\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012  
\002\202\002\001\000\333\353\153\053\346\144\124\225\202\220\243  
\162\244\031\001\235\234\013\201\137\163\111\272\247\254\363\004  
\116\173\226\013\354\021\340\133\246\034\316\033\322\015\203\034  
\053\270\236\035\176\105\062\140\017\007\351\167\130\176\237\152  
\310\141\116\266\046\301\114\215\377\114\357\064\262\037\145\330  
\271\170\365\255\251\161\271\357\117\130\035\245\336\164\040\227  
\241\355\150\114\336\222\027\113\274\253\377\145\232\236\373\107

\331\127\162\363\011\241\256\166\104\023\156\234\055\104\071\274  
\371\307\073\244\130\075\101\275\264\302\111\243\310\015\322\227  
\057\007\145\122\000\247\156\310\257\150\354\364\024\226\266\127  
\037\126\303\071\237\053\155\344\363\076\366\065\144\332\014\034  
\241\204\113\057\113\113\342\054\044\235\155\223\100\353\265\043  
\216\062\312\157\105\323\250\211\173\036\317\036\372\133\103\213  
\315\315\250\017\152\312\014\136\271\236\107\217\360\331\266\012  
\013\130\145\027\063\271\043\344\167\031\175\313\112\056\222\173  
\117\057\020\167\261\215\057\150\234\142\314\340\120\370\354\221  
\247\124\114\127\011\325\166\143\305\350\145\036\356\155\152\317  
\011\235\372\174\117\255\140\010\375\126\231\017\025\054\173\251  
\200\253\214\141\217\112\007\166\102\336\075\364\335\262\044\063  
\133\270\265\243\104\311\254\177\167\074\035\043\354\202\251\246  
\342\310\006\114\002\376\254\134\231\231\013\057\020\212\246\364  
\177\325\207\164\015\131\111\105\366\360\161\134\071\051\326\277  
\112\043\213\365\137\001\143\322\207\163\050\265\113\012\365\370  
\253\202\054\176\163\045\062\035\013\143\012\027\201\000\377\266  
\166\136\347\264\261\100\312\041\273\325\200\121\345\110\122\147  
\054\322\141\211\007\015\017\316\102\167\300\104\163\234\104\120  
\240\333\020\012\055\225\034\201\257\344\034\345\024\036\361\066  
\101\001\002\057\175\163\247\336\102\314\114\351\211\015\126\367  
\237\221\324\003\306\154\311\217\333\330\034\340\100\230\135\146  
\231\230\200\156\055\377\001\305\316\313\106\037\254\002\306\103  
\346\256\242\204\074\305\116\036\075\155\311\024\114\343\056\101  
\273\312\071\277\066\074\052\031\252\101\207\116\245\316\113\062  
\171\335\220\111\177\002\003\001\000\001\243\143\060\141\060\037  
\006\003\125\035\043\004\030\060\026\200\024\234\137\320\154\143  
\243\137\223\312\223\230\010\255\214\207\245\054\134\301\067\060  
\035\006\003\125\035\016\004\026\004\024\234\137\320\154\143\243  
\137\223\312\223\230\010\255\214\207\245\054\134\301\067\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202  
\002\001\000\116\036\271\212\306\240\230\077\156\303\151\300\152  
\134\111\122\254\313\053\135\170\070\301\325\124\204\237\223\360  
\207\031\075\054\146\211\353\015\102\374\314\360\165\205\077\213  
\364\200\135\171\345\027\147\275\065\202\342\362\074\216\175\133  
\066\313\132\200\000\051\362\316\053\054\361\217\252\155\005\223  
\154\162\307\126\353\337\120\043\050\345\105\020\075\350\147\243  
\257\016\125\017\220\011\142\357\113\131\242\366\123\361\300\065  
\344\057\301\044\275\171\057\116\040\042\073\375\032\040\260\244  
\016\054\160\355\164\077\270\023\225\006\121\310\350\207\046\312  
\244\133\152\026\041\222\335\163\140\236\020\030\336\074\201\352  
\350\030\303\174\211\362\213\120\076\275\021\342\025\003\250\066  
\175\063\001\154\110\025\327\210\220\231\004\305\314\346\007\364  
\274\364\220\355\023\342\352\213\303\217\243\063\017\301\051\114  
\023\116\332\025\126\161\163\162\202\120\366\232\063\174\242\261  
\250\032\064\164\145\134\316\321\353\253\123\340\032\200\330\352

```
\072\111\344\046\060\233\345\034\212\250\251\025\062\206\231\222
\012\020\043\126\022\340\366\316\114\342\273\276\333\215\222\163
\001\146\057\142\076\262\162\047\105\066\355\115\126\343\227\231
\377\072\065\076\245\124\112\122\131\113\140\333\356\376\170\021
\177\112\334\024\171\140\266\153\144\003\333\025\203\341\242\276
\366\043\227\120\360\011\063\066\247\161\226\045\363\271\102\175
\333\070\077\054\130\254\350\102\341\016\330\323\073\114\056\202
\351\203\056\153\061\331\335\107\206\117\155\227\221\056\117\342
\050\161\065\026\321\362\163\376\045\053\007\107\044\143\047\310
\370\366\331\153\374\022\061\126\010\300\123\102\257\234\320\063
\176\374\006\360\061\104\003\024\361\130\352\362\152\015\251\021
\262\203\276\305\032\277\007\352\131\334\243\210\065\357\234\166
\062\074\115\006\042\316\025\345\335\236\330\217\332\336\322\304
\071\345\027\201\317\070\107\353\177\210\155\131\033\337\237\102
\024\256\176\317\250\260\146\145\332\067\257\237\252\075\352\050
\266\336\325\061\130\026\202\133\352\273\031\165\002\163\032\312
\110\032\041\223\220\012\216\223\204\247\175\073\043\030\222\211
\240\215\254
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "ANF Secure Server Root CA"
```

```
Issuer: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
```

```
Serial Number:0d:d3:e3:bc:6c:f9:6b:b1
```

```
Subject: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
```

```
Not Valid Before: Wed Sep 04 10:00:38 2019
```

```
Not Valid After : Tue Aug 30 10:00:38 2039
```

```
Fingerprint (SHA-256):
```

```
FB:8F:EC:75:91:69:B9:10:6B:1E:51:16:44:C6:18:C5:13:04:37:3F:6C:06:43:08:8D:8B:EF:FD:1B:99:75:99
```

```
Fingerprint (SHA1): 5B:6E:68:D0:CC:15:B6:A0:5F:1E:C1:5F:AE:02:FC:6B:2F:5D:6F:74
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "ANF Secure Server Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\133\156\150\320\314\025\266\240\137\036\301\137\256\002\374\153
\057\135\157\164
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\046\246\104\132\331\257\116\057\262\035\266\145\260\116\350\226
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\204\061\022\060\020\006\003\125\004\005\023\011\107\066
```

```
\063\062\070\067\065\061\060\061\013\060\011\006\003\125\004\006
\023\002\105\123\061\047\060\045\006\003\125\004\012\023\036\101
\116\106\040\101\165\164\157\162\151\144\141\144\040\144\145\040
\103\145\162\164\151\146\151\143\141\143\151\157\156\061\024\060
\022\006\003\125\004\013\023\013\101\116\106\040\103\101\040\122
\141\151\172\061\042\060\040\006\003\125\004\003\023\031\101\116
\106\040\123\145\143\165\162\145\040\123\145\162\166\145\162\040
\122\157\157\164\040\103\101
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\010\015\323\343\274\154\371\153\261
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Certum EC-384 CA"

#

# Issuer: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

# Serial Number:78:8f:27:5c:81:12:52:20:a5:04:d0:2d:dd:ba:73:f4

# Subject: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

# Not Valid Before: Mon Mar 26 07:24:54 2018

# Not Valid After : Thu Mar 26 07:24:54 2043

# Fingerprint (SHA-256):

```
6B:32:80:85:62:53:18:AA:50:D1:73:C9:8D:8B:DA:09:D5:7E:27:41:3D:11:4C:F7:87:A0:F5:D0:6C:03:0C:F6
```

# Fingerprint (SHA1): F3:3E:78:3C:AC:DF:F4:A2:CC:AC:67:55:69:56:D7:E5:16:3C:E1:ED

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Certum EC-384 CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027\006
\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103\055
\063\070\064\040\103\101
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
```

\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056  
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162  
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027\006  
\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103\055  
\063\070\064\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\170\217\047\134\201\022\122\040\245\004\320\055\335\272  
\163\364

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\145\060\202\001\353\240\003\002\001\002\002\020\170  
\217\047\134\201\022\122\040\245\004\320\055\335\272\163\364\060  
\012\006\010\052\206\110\316\075\004\003\003\060\164\061\013\060  
\011\006\003\125\004\006\023\002\120\114\061\041\060\037\006\003  
\125\004\012\023\030\101\163\163\145\143\157\040\104\141\164\141  
\040\123\171\163\164\145\155\163\040\123\056\101\056\061\047\060  
\045\006\003\125\004\013\023\036\103\145\162\164\165\155\040\103  
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164  
\150\157\162\151\164\171\061\031\060\027\006\003\125\004\003\023  
\020\103\145\162\164\165\155\040\105\103\055\063\070\064\040\103  
\101\060\036\027\015\061\070\060\063\062\066\060\067\062\064\065  
\064\132\027\015\064\063\060\063\062\066\060\067\062\064\065\064  
\132\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114  
\061\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143  
\157\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123  
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145  
\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027  
\006\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103  
\055\063\070\064\040\103\101\060\166\060\020\006\007\052\206\110  
\316\075\002\001\006\005\053\201\004\000\042\003\142\000\004\304  
\050\216\253\030\133\152\276\156\144\067\143\344\315\354\253\072  
\367\314\241\270\016\202\111\327\206\051\237\241\224\362\343\140  
\170\230\201\170\006\115\362\354\232\016\127\140\203\237\264\346  
\027\057\032\263\135\002\133\211\043\074\302\021\005\052\247\210  
\023\030\363\120\204\327\275\064\054\047\211\125\377\316\114\347  
\337\246\037\050\304\360\124\303\271\174\267\123\255\353\302\243  
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\215  
\006\146\164\044\166\072\363\211\367\274\326\275\107\175\057\274  
\020\137\113\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\012\006\010\052\206\110\316\075\004\003\003\003  
\150\000\060\145\002\060\003\125\055\246\346\030\304\174\357\311  
\120\156\301\047\017\234\207\257\156\325\033\010\030\275\222\051  
\301\357\224\221\170\322\072\034\125\211\142\345\033\011\036\272  
\144\153\361\166\264\324\002\061\000\264\102\204\231\377\253\347

```
\236\373\221\227\047\135\334\260\133\060\161\316\136\070\032\152
\331\045\347\352\367\141\222\126\370\352\332\066\302\207\145\226
\056\162\045\057\177\337\303\023\311
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "Certum EC-384 CA"

# Issuer: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

# Serial Number:78:8f:27:5c:81:12:52:20:a5:04:d0:2d:dd:ba:73:f4

# Subject: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

# Not Valid Before: Mon Mar 26 07:24:54 2018

# Not Valid After : Thu Mar 26 07:24:54 2043

# Fingerprint (SHA-256):

6B:32:80:85:62:53:18:AA:50:D1:73:C9:8D:8B:DA:09:D5:7E:27:41:3D:11:4C:F7:87:A0:F5:D0:6C:03:0C:F6

# Fingerprint (SHA1): F3:3E:78:3C:AC:DF:F4:A2:CC:AC:67:55:69:56:D7:E5:16:3C:E1:ED

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certum EC-384 CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\363\076\170\074\254\337\364\242\314\254\147\125\151\126\327\345
\026\074\341\355
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\266\145\263\226\140\227\022\241\354\116\341\075\243\306\311\361
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027\006
\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103\055
\063\070\064\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\170\217\047\134\201\022\122\040\245\004\320\055\335\272
\163\364
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```

#
Certificate "Certum Trusted Root CA"
#
Issuer: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL
Serial Number: 1e:bf:59:50:b8:c9:80:37:4c:06:f7:eb:55:4f:b5:ed
Subject: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL
Not Valid Before: Fri Mar 16 12:10:13 2018
Not Valid After : Mon Mar 16 12:10:13 2043
Fingerprint (SHA-256):
FE:76:96:57:38:55:77:3E:37:A9:5E:7A:D4:D9:CC:96:C3:01:57:C1:5D:31:76:5B:A9:B1:57:04:E1:AE:78:FD
Fingerprint (SHA1): C8:83:44:C0:18:AE:9F:CC:F1:87:B7:8F:22:D1:C5:D7:45:84:BA:E5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\172\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\037\060\035\006
\003\125\004\003\023\026\103\145\162\164\165\155\040\124\162\165
\163\164\145\144\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\172\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\037\060\035\006
\003\125\004\003\023\026\103\145\162\164\165\155\040\124\162\165
\163\164\145\144\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\036\277\131\120\270\311\200\067\114\006\367\353\125\117
\265\355
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\300\060\202\003\250\240\003\002\001\002\002\020\036
\277\131\120\270\311\200\067\114\006\367\353\125\117\265\355\060
\015\006\011\052\206\110\206\367\015\001\001\015\005\000\060\172
\061\013\060\011\006\003\125\004\006\023\002\120\114\061\041\060
\037\006\003\125\004\012\023\030\101\163\163\145\143\157\040\104

```



\141\164\141\040\123\171\163\164\145\155\163\040\123\056\101\056  
\061\047\060\045\006\003\125\004\013\023\036\103\145\162\164\165  
\155\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040  
\101\165\164\150\157\162\151\164\171\061\037\060\035\006\003\125  
\004\003\023\026\103\145\162\164\165\155\040\124\162\165\163\164  
\145\144\040\122\157\157\164\040\103\101\060\036\027\015\061\070  
\060\063\061\066\061\062\061\060\061\063\132\027\015\064\063\060  
\063\061\066\061\062\061\060\061\063\132\060\172\061\013\060\011  
\006\003\125\004\006\023\002\120\114\061\041\060\037\006\003\125  
\004\012\023\030\101\163\163\145\143\157\040\104\141\164\141\040  
\123\171\163\164\145\155\163\040\123\056\101\056\061\047\060\045  
\006\003\125\004\013\023\036\103\145\162\164\165\155\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171\061\037\060\035\006\003\125\004\003\023\026  
\103\145\162\164\165\155\040\124\162\165\163\164\145\144\040\122  
\157\157\164\040\103\101\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\321\055\216\273\267\066\352\155\067  
\221\237\116\223\247\005\344\051\003\045\316\034\202\367\174\231  
\237\101\006\315\355\243\272\300\333\011\054\301\174\337\051\176  
\113\145\057\223\247\324\001\153\003\050\030\243\330\235\005\301  
\052\330\105\361\221\336\337\073\320\200\002\214\317\070\017\352  
\247\134\170\021\244\301\310\205\134\045\323\323\262\347\045\317  
\021\124\227\253\065\300\036\166\034\357\000\123\237\071\334\024  
\245\054\042\045\263\162\162\374\215\263\345\076\010\036\024\052  
\067\013\210\074\312\260\364\310\302\241\256\274\301\276\051\147  
\125\342\374\255\131\134\376\275\127\054\260\220\215\302\355\067  
\266\174\231\210\265\325\003\232\075\025\015\075\072\250\250\105  
\360\225\116\045\131\035\315\230\151\273\323\314\062\311\215\357  
\201\376\255\175\211\273\272\140\023\312\145\225\147\240\363\031  
\366\003\126\324\152\323\047\342\241\255\203\360\112\022\042\167  
\034\005\163\342\031\161\102\300\354\165\106\232\220\130\340\152  
\216\053\245\106\060\004\216\031\262\027\343\276\251\272\177\126  
\361\044\003\327\262\041\050\166\016\066\060\114\171\325\101\232  
\232\250\270\065\272\014\072\362\104\033\040\210\367\305\045\327  
\075\306\343\076\103\335\207\376\304\352\365\123\076\114\145\377  
\073\112\313\170\132\153\027\137\015\307\303\117\116\232\052\242  
\355\127\115\042\342\106\232\077\017\221\064\044\175\125\343\214  
\225\067\323\032\360\011\053\054\322\311\215\264\015\000\253\147  
\051\050\330\001\365\031\004\266\035\276\166\376\162\134\304\205  
\312\322\200\101\337\005\250\243\325\204\220\117\013\363\340\077  
\233\031\322\067\211\077\362\173\122\034\214\366\341\367\074\007  
\227\214\016\242\131\201\014\262\220\075\323\343\131\106\355\017  
\251\247\336\200\153\132\252\007\266\031\313\274\127\363\227\041  
\172\014\261\053\164\076\353\332\247\147\055\114\304\230\236\066  
\011\166\146\146\374\032\077\352\110\124\034\276\060\275\200\120  
\277\174\265\316\000\366\014\141\331\347\044\003\340\343\001\201  
\016\275\330\205\064\210\275\262\066\250\173\134\010\345\104\200

\214\157\370\057\325\041\312\035\034\320\373\304\265\207\321\072  
\116\307\166\265\065\110\265\002\003\001\000\001\243\102\060\100  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\035\006\003\125\035\016\004\026\004\024\214\373\034\165  
\274\002\323\237\116\056\110\331\371\140\124\252\304\263\117\372  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006  
\060\015\006\011\052\206\110\206\367\015\001\001\015\005\000\003  
\202\002\001\000\110\242\325\000\013\056\320\077\274\034\325\265  
\124\111\036\132\153\364\344\362\340\100\067\340\314\024\173\271  
\311\372\065\265\165\027\223\152\005\151\205\234\315\117\031\170  
\133\031\201\363\143\076\303\316\133\217\365\057\136\001\166\023  
\077\054\000\271\315\226\122\071\111\155\004\116\305\351\017\206  
\015\341\372\263\137\202\022\361\072\316\146\006\044\064\053\350  
\314\312\347\151\334\207\235\302\064\327\171\321\323\167\270\252  
\131\130\376\235\046\372\070\206\076\235\212\207\144\127\345\027  
\072\342\371\215\271\343\063\170\301\220\330\270\335\267\203\121  
\344\304\314\043\325\006\174\346\121\323\315\064\061\300\366\106  
\273\013\255\374\075\020\005\052\073\112\221\045\356\214\324\204  
\207\200\052\274\011\214\252\072\023\137\350\064\171\120\301\020  
\031\371\323\050\036\324\321\121\060\051\263\256\220\147\326\037  
\012\143\261\305\251\306\102\061\143\027\224\357\151\313\057\372  
\214\024\175\304\103\030\211\331\360\062\100\346\200\342\106\137  
\345\343\301\000\131\250\371\350\040\274\211\054\016\107\064\013  
\352\127\302\123\066\374\247\324\257\061\315\376\002\345\165\372  
\271\047\011\371\363\365\073\312\175\237\251\042\313\210\311\252  
\321\107\075\066\167\250\131\144\153\047\317\357\047\301\343\044  
\265\206\367\256\176\062\115\260\171\150\321\071\350\220\130\303  
\203\274\017\054\326\227\353\316\014\341\040\307\332\267\076\303  
\077\277\057\334\064\244\373\053\041\315\147\217\113\364\343\352  
\324\077\347\117\272\271\245\223\105\034\146\037\041\372\144\136  
\157\340\166\224\062\313\165\365\156\345\366\217\307\270\244\314  
\250\226\175\144\373\044\132\112\003\154\153\070\306\350\003\103  
\232\367\127\271\263\051\151\223\070\364\003\362\273\373\202\153  
\007\040\321\122\037\232\144\002\173\230\146\333\134\115\132\017  
\320\204\225\240\074\024\103\006\312\312\333\270\101\066\332\152  
\104\147\207\257\257\343\105\021\025\151\010\262\276\026\071\227  
\044\157\022\105\321\147\135\011\250\311\025\332\372\322\246\137  
\023\141\037\277\205\254\264\255\255\005\224\010\203\036\165\027  
\323\161\073\223\120\043\131\240\355\074\221\124\235\166\000\305  
\303\270\070\333

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Certum Trusted Root CA"

# Issuer: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

# Serial Number: 1e:bf:59:50:b8:c9:80:37:4c:06:f7:eb:55:4f:b5:ed

```

Subject: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL
Not Valid Before: Fri Mar 16 12:10:13 2018
Not Valid After : Mon Mar 16 12:10:13 2043
Fingerprint (SHA-256):
FE:76:96:57:38:55:77:3E:37:A9:5E:7A:D4:D9:CC:96:C3:01:57:C1:5D:31:76:5B:A9:B1:57:04:E1:AE:78:FD
Fingerprint (SHA1): C8:83:44:C0:18:AE:9F:CC:F1:87:B7:8F:22:D1:C5:D7:45:84:BA:E5
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\310\203\104\300\030\256\237\314\361\207\267\217\042\321\305\327
\105\204\272\345
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\121\341\302\347\376\114\204\257\131\016\057\364\124\157\352\051
END
CKA_ISSUER MULTILINE_OCTAL
\060\172\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\037\060\035\006
\003\125\004\003\023\026\103\145\162\164\165\155\040\124\162\165
\163\164\145\144\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\036\277\131\120\270\311\200\067\114\006\367\353\125\117
\265\355
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "TunTrust Root CA"
#
Issuer: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN
Serial Number: 13:02:d5:e2:40:4c:92:46:86:16:67:5d:b4:bb:bb:b2:6b:3e:fc:13
Subject: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN
Not Valid Before: Fri Apr 26 08:57:56 2019
Not Valid After : Tue Apr 26 08:57:56 2044
Fingerprint (SHA-256):
2E:44:10:2A:B5:8C:B8:54:19:45:1C:8E:19:D9:AC:F3:66:2C:AF:BC:61:4B:6A:53:96:0A:30:F7:D0:E2:EB:41
Fingerprint (SHA1): CF:E9:70:84:0F:E0:73:0F:9D:F6:0C:7F:2C:4B:EE:20:46:34:9C:BB

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TunTrust Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\124\116\061
\067\060\065\006\003\125\004\012\014\056\101\147\145\156\143\145
\040\116\141\164\151\157\156\141\154\145\040\144\145\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\105\154\145\143
\164\162\157\156\151\161\165\145\061\031\060\027\006\003\125\004
\003\014\020\124\165\156\124\162\165\163\164\040\122\157\157\164
\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\124\116\061
\067\060\065\006\003\125\004\012\014\056\101\147\145\156\143\145
\040\116\141\164\151\157\156\141\154\145\040\144\145\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\105\154\145\143
\164\162\157\156\151\161\165\145\061\031\060\027\006\003\125\004
\003\014\020\124\165\156\124\162\165\163\164\040\122\157\157\164
\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\023\002\325\342\100\114\222\106\206\026\147\135\264\273
\273\262\153\076\374\023
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\263\060\202\003\233\240\003\002\001\002\002\024\023
\002\325\342\100\114\222\106\206\026\147\135\264\273\273\262\153
\076\374\023\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\141\061\013\060\011\006\003\125\004\006\023\002\124
\116\061\067\060\065\006\003\125\004\012\014\056\101\147\145\156
\143\145\040\116\141\164\151\157\156\141\154\145\040\144\145\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\105\154
\145\143\164\162\157\156\151\161\165\145\061\031\060\027\006\003
\125\004\003\014\020\124\165\156\124\162\165\163\164\040\122\157
\157\164\040\103\101\060\036\027\015\061\071\060\064\062\066\060
\070\065\067\065\066\132\027\015\064\064\060\064\062\066\060\070
\065\067\065\066\132\060\141\061\013\060\011\006\003\125\004\006
\023\002\124\116\061\067\060\065\006\003\125\004\012\014\056\101
\147\145\156\143\145\040\116\141\164\151\157\156\141\154\145\040
\144\145\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\105\154\145\143\164\162\157\156\151\161\165\145\061\031\060
\027\006\003\125\004\003\014\020\124\165\156\124\162\165\163\164
\040\122\157\157\164\040\103\101\060\202\002\042\060\015\006\011
```

\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000  
\060\202\002\012\002\202\002\001\000\303\315\323\374\275\004\123  
\335\014\040\072\325\210\056\005\113\101\365\203\202\176\367\131  
\237\236\236\143\350\163\332\366\006\251\117\037\264\371\013\037  
\071\214\232\040\320\176\006\324\354\064\331\206\274\165\133\207  
\210\360\322\331\324\243\012\262\154\033\353\111\054\076\254\135  
\330\224\003\240\354\064\345\060\304\065\175\373\046\115\033\156  
\060\124\330\365\200\105\234\071\255\234\311\045\004\115\232\220  
\076\116\100\156\212\153\315\051\147\306\314\055\340\164\350\005  
\127\012\110\120\372\172\103\332\176\354\133\232\016\142\166\376  
\352\235\035\205\162\354\021\273\065\350\037\047\277\301\241\307  
\273\110\026\335\126\327\314\116\240\341\271\254\333\325\203\031  
\032\205\321\224\227\327\312\243\145\013\363\070\371\002\256\335  
\366\147\317\311\077\365\212\054\107\032\231\157\005\015\375\320  
\035\202\061\374\051\314\000\130\227\221\114\200\000\034\063\205  
\226\057\313\101\302\213\020\204\303\011\044\211\037\265\017\331  
\331\167\107\030\222\224\140\134\307\231\003\074\376\367\225\247  
\175\120\241\200\302\251\203\255\130\226\125\041\333\206\131\324  
\257\306\274\335\201\156\007\333\140\142\376\354\020\156\332\150  
\001\364\203\033\251\076\242\133\043\327\144\306\337\334\242\175  
\330\113\272\202\322\121\370\146\277\006\106\344\171\052\046\066  
\171\217\037\116\231\035\262\217\014\016\034\377\311\135\300\375  
\220\020\246\261\067\363\315\072\044\156\264\205\220\277\200\271  
\014\214\325\233\326\310\361\126\077\032\200\211\172\251\342\033  
\062\121\054\076\362\337\173\366\135\172\051\031\216\345\310\275  
\066\161\213\135\114\302\035\077\255\130\242\317\075\160\115\246  
\120\230\045\334\043\371\270\130\101\010\161\277\117\270\204\240  
\217\000\124\025\374\221\155\130\247\226\073\353\113\226\047\315  
\153\242\241\206\254\015\174\124\346\146\114\146\137\220\276\041  
\232\002\106\055\344\203\302\200\271\317\113\076\350\177\074\001  
\354\217\136\315\177\322\050\102\001\225\212\342\227\075\020\041  
\175\366\235\034\305\064\241\354\054\016\012\122\054\022\125\160  
\044\075\313\302\024\065\103\135\047\116\276\300\275\252\174\226  
\347\374\236\141\255\104\323\000\227\002\003\001\000\001\243\143  
\060\141\060\035\006\003\125\035\016\004\026\004\024\006\232\233  
\037\123\175\361\365\244\310\323\206\076\241\163\131\264\367\104  
\041\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\037\006\003\125\035\043\004\030\060\026\200\024\006  
\232\233\037\123\175\361\365\244\310\323\206\076\241\163\131\264  
\367\104\041\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\002\001\000\252\005\156\266\335\025\311\277\263  
\306\040\366\006\107\260\206\223\045\323\215\271\310\000\077\227  
\365\122\047\210\161\311\164\375\353\312\144\333\133\357\036\135  
\272\277\321\353\356\134\151\272\026\310\363\271\217\323\066\056  
\100\111\007\015\131\336\213\020\260\111\005\342\377\221\077\113  
\267\335\002\216\370\201\050\134\314\334\155\257\137\024\234\175  
\130\170\015\366\200\011\271\351\016\227\051\031\270\267\353\370

\026\313\125\022\344\306\175\273\304\354\370\265\034\116\076\147  
\277\305\137\033\155\155\107\050\252\004\130\141\326\166\277\042  
\177\320\007\152\247\144\123\360\227\215\235\200\077\273\301\007  
\333\145\257\346\233\062\232\303\124\223\304\034\010\303\104\373  
\173\143\021\103\321\152\032\141\152\171\155\220\117\051\216\107  
\005\301\022\151\151\326\306\066\061\341\374\372\200\272\134\117  
\304\353\267\062\254\370\165\141\027\327\020\031\271\361\322\011  
\357\172\102\235\133\132\013\324\306\225\116\052\316\377\007\327  
\117\176\030\006\210\361\031\265\331\230\273\256\161\304\034\347  
\164\131\130\357\014\211\317\213\037\165\223\032\004\024\222\110  
\120\251\353\127\051\000\026\343\066\034\310\370\277\360\063\325  
\101\017\304\314\074\335\351\063\103\001\221\020\053\036\321\271  
\135\315\062\031\213\217\214\040\167\327\042\304\102\334\204\026  
\233\045\155\350\264\125\161\177\260\174\263\323\161\111\271\317  
\122\244\004\077\334\075\240\273\257\063\236\012\060\140\216\333  
\235\135\224\250\275\140\347\142\200\166\201\203\014\214\314\060  
\106\111\342\014\322\250\257\353\141\161\357\347\042\142\251\367  
\134\144\154\237\026\214\147\066\047\105\365\011\173\277\366\020  
\012\361\260\215\124\103\214\004\272\243\077\357\342\065\307\371  
\164\340\157\064\101\320\277\163\145\127\040\371\233\147\172\146  
\150\044\116\200\145\275\020\231\006\131\362\145\257\270\306\107  
\273\375\220\170\213\101\163\056\257\125\037\334\073\222\162\156  
\204\323\320\141\114\015\314\166\127\342\055\205\042\025\066\015  
\353\001\235\353\330\353\304\204\231\373\300\014\314\062\350\343  
\167\332\203\104\213\236\125\050\300\213\130\323\220\076\116\033  
\000\361\025\255\203\053\232

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "TunTrust Root CA"

# Issuer: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN

# Serial Number: 13:02:d5:e2:40:4c:92:46:86:16:67:5d:b4:bb:bb:b2:6b:3e:fc:13

# Subject: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN

# Not Valid Before: Fri Apr 26 08:57:56 2019

# Not Valid After : Tue Apr 26 08:57:56 2044

# Fingerprint (SHA-256):

2E:44:10:2A:B5:8C:B8:54:19:45:1C:8E:19:D9:AC:F3:66:2C:AF:BC:61:4B:6A:53:96:0A:30:F7:D0:E2:EB:41

# Fingerprint (SHA1): CF:E9:70:84:0F:E0:73:0F:9D:F6:0C:7F:2C:4B:EE:20:46:34:9C:BB

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "TunTrust Root CA"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\317\351\160\204\017\340\163\017\235\366\014\177\054\113\356\040

\106\064\234\273

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\205\023\271\220\133\066\134\266\136\270\132\370\340\061\127\264
END
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\124\116\061
\067\060\065\006\003\125\004\012\014\056\101\147\145\156\143\145
\040\116\141\164\151\157\156\141\154\145\040\144\145\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\105\154\145\143
\164\162\157\156\151\161\165\145\061\031\060\027\006\003\125\004
\003\014\020\124\165\156\124\162\165\163\164\040\122\157\157\164
\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\023\002\325\342\100\114\222\106\206\026\147\135\264\273
\273\262\153\076\374\023
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "HARICA TLS RSA Root CA 2021"
#
Issuer: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
Serial Number:39:ca:93:1c:ef:43:f3:c6:8e:93:c7:f4:64:89:38:7e
Subject: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
Not Valid Before: Fri Feb 19 10:55:38 2021
Not Valid After : Mon Feb 13 10:55:37 2045
Fingerprint (SHA-256):
D9:5D:0E:8E:DA:79:52:5B:F9:BE:B1:1B:14:D2:10:0D:32:94:98:5F:0C:62:D9:FA:BD:9C:D9:99:EC:CB:7B:1D
Fingerprint (SHA1): 02:2D:05:82:FA:88:CE:14:0C:06:79:DE:7F:14:10:E9:45:D7:A5:6D
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA TLS RSA Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\122\123
\101\040\122\157\157\164\040\103\101\040\062\060\062\061
END

```

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061  
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156  
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040  
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165  
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004  
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\122\123  
\101\040\122\157\157\164\040\103\101\040\062\060\062\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\071\312\223\034\357\103\363\306\216\223\307\364\144\211  
\070\176

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\244\060\202\003\214\240\003\002\001\002\002\020\071  
\312\223\034\357\103\363\306\216\223\307\364\144\211\070\176\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\154  
\061\013\060\011\006\003\125\004\006\023\002\107\122\061\067\060  
\065\006\003\125\004\012\014\056\110\145\154\154\145\156\151\143  
\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122\145  
\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164\151  
\157\156\163\040\103\101\061\044\060\042\006\003\125\004\003\014  
\033\110\101\122\111\103\101\040\124\114\123\040\122\123\101\040  
\122\157\157\164\040\103\101\040\062\060\062\061\060\036\027\015  
\062\061\060\062\061\071\061\060\065\065\063\070\132\027\015\064  
\065\060\062\061\063\061\060\065\065\063\067\132\060\154\061\013  
\060\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006  
\003\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101  
\143\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145  
\141\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156  
\163\040\103\101\061\044\060\042\006\003\125\004\003\014\033\110  
\101\122\111\103\101\040\124\114\123\040\122\123\101\040\122\157  
\157\164\040\103\101\040\062\060\062\061\060\202\002\042\060\015  
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002  
\017\000\060\202\002\012\002\202\002\001\000\213\302\347\257\145  
\233\005\147\226\311\015\044\271\320\016\144\374\316\342\044\030  
\054\204\177\167\121\313\004\021\066\270\136\355\151\161\247\236  
\344\045\011\227\147\301\107\302\317\221\026\066\142\075\070\004  
\341\121\202\377\254\322\264\151\335\056\354\021\243\105\356\153  
\153\073\114\277\214\215\244\036\235\021\271\351\070\371\172\016  
\014\230\342\043\035\321\116\143\324\347\270\101\104\373\153\257  
\153\332\037\323\305\221\210\133\244\211\222\321\201\346\214\071  
\130\240\326\151\103\251\255\230\122\130\156\333\012\373\153\317  
\150\372\343\244\136\072\105\163\230\007\352\137\002\162\336\014  
\245\263\237\256\251\035\267\035\263\374\212\131\347\156\162\145  
\255\365\060\224\043\007\363\202\026\113\065\230\234\123\273\057  
\312\344\132\331\307\215\035\374\230\231\373\054\244\202\153\360



\052\037\216\013\137\161\134\134\256\102\173\051\211\201\313\003  
\243\231\312\210\236\013\100\011\101\063\333\346\130\172\375\256  
\231\160\300\132\017\326\023\206\161\057\166\151\374\220\335\333  
\055\156\321\362\233\365\032\153\236\157\025\214\172\360\113\050  
\240\042\070\200\044\154\066\244\073\362\060\221\363\170\023\317  
\301\077\065\253\361\035\021\043\265\103\042\236\001\222\267\030  
\002\345\021\321\202\333\025\000\314\141\067\301\052\174\232\341  
\320\272\263\120\106\356\202\254\235\061\370\373\043\342\003\000  
\110\160\243\011\046\171\025\123\140\363\070\134\255\070\352\201  
\000\143\024\271\063\136\335\013\333\240\105\007\032\063\011\370  
\115\264\247\002\246\151\364\302\131\005\210\145\205\126\256\113  
\313\340\336\074\175\055\032\310\351\373\037\243\141\112\326\052  
\023\255\167\114\032\030\233\221\017\130\330\006\124\305\227\370  
\252\077\040\212\246\205\246\167\366\246\374\034\342\356\156\224  
\063\052\203\120\204\012\345\117\206\370\120\105\170\000\201\353  
\133\150\343\046\215\314\173\134\121\364\024\054\100\276\032\140  
\035\172\162\141\035\037\143\055\210\252\316\242\105\220\010\374  
\153\276\263\120\052\132\375\250\110\030\106\326\220\100\222\220  
\012\204\136\150\061\370\353\355\015\323\035\306\175\231\030\125  
\126\047\145\056\215\105\305\044\354\316\343\002\003\001\000\001  
\243\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024  
\012\110\043\246\140\244\222\012\063\352\223\133\305\127\352\045  
\115\275\022\356\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\206\060\015\006\011\052\206\110\206\367\015\001\001  
\013\005\000\003\202\002\001\000\076\220\110\252\156\142\025\045  
\146\173\014\325\214\213\211\235\327\355\116\007\357\234\320\024  
\137\136\120\275\150\226\220\244\024\021\252\150\155\011\065\071  
\100\011\332\364\011\054\064\245\173\131\204\111\051\227\164\310  
\007\036\107\155\362\316\034\120\046\343\236\075\100\123\077\367  
\177\226\166\020\305\106\245\320\040\113\120\364\065\073\030\364  
\125\152\101\033\107\006\150\074\273\011\010\142\331\137\125\102  
\252\254\123\205\254\225\126\066\126\253\344\005\214\305\250\332  
\037\243\151\275\123\017\304\377\334\312\343\176\362\114\210\206  
\107\106\032\363\000\365\200\221\242\334\103\102\224\233\040\360  
\321\315\262\353\054\123\302\123\170\112\117\004\224\101\232\217  
\047\062\301\345\111\031\277\361\362\302\213\250\012\071\061\050  
\264\175\142\066\054\115\354\037\063\266\176\167\155\176\120\360  
\237\016\327\021\217\317\030\305\343\047\376\046\357\005\235\317  
\317\067\305\320\173\332\073\260\026\204\014\072\223\326\276\027  
\333\017\076\016\031\170\011\307\251\002\162\042\113\367\067\166  
\272\165\304\205\003\132\143\325\261\165\005\302\271\275\224\255  
\214\025\231\247\223\175\366\305\363\252\164\317\004\205\224\230  
\000\364\342\371\312\044\145\277\340\142\257\310\305\372\262\311  
\236\126\110\332\171\375\226\166\025\276\243\216\126\304\263\064  
\374\276\107\364\301\264\250\374\325\060\210\150\356\313\256\311  
\143\304\166\276\254\070\030\341\136\134\317\256\072\042\121\353  
\321\213\263\363\053\063\007\124\207\372\264\262\023\173\272\123

```
\004\142\001\235\361\300\117\356\341\072\324\213\040\020\372\002
\127\346\357\301\013\267\220\106\234\031\051\214\334\157\240\112
\151\151\224\267\044\145\240\377\254\077\316\001\373\041\056\375
\150\370\233\362\245\317\061\070\134\025\252\346\227\000\301\337
\132\245\247\071\252\351\204\177\074\121\250\072\331\224\133\214
\277\117\010\161\345\333\250\134\324\322\246\376\000\243\306\026
\307\017\350\200\316\034\050\144\164\031\010\323\102\343\316\000
\135\177\261\334\023\260\341\005\313\321\040\252\206\164\236\071
\347\221\375\377\133\326\367\255\246\057\003\013\155\343\127\124
\353\166\123\030\215\021\230\272
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "HARICA TLS RSA Root CA 2021"
```

```
Issuer: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
```

```
Serial Number:39:ca:93:1c:ef:43:f3:c6:8e:93:c7:f4:64:89:38:7e
```

```
Subject: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
```

```
Not Valid Before: Fri Feb 19 10:55:38 2021
```

```
Not Valid After : Mon Feb 13 10:55:37 2045
```

```
Fingerprint (SHA-256):
```

```
D9:5D:0E:8E:DA:79:52:5B:F9:BE:B1:1B:14:D2:10:0D:32:94:98:5F:0C:62:D9:FA:BD:9C:D9:99:EC:CB:7B:1D
```

```
Fingerprint (SHA1): 02:2D:05:82:FA:88:CE:14:0C:06:79:DE:7F:14:10:E9:45:D7:A5:6D
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "HARICA TLS RSA Root CA 2021"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\002\055\005\202\372\210\316\024\014\006\171\336\177\024\020\351
\105\327\245\155
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\145\107\233\130\206\335\054\360\374\242\204\037\036\226\304\221
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\122\123
\101\040\122\157\157\164\040\103\101\040\062\060\062\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\071\312\223\034\357\103\363\306\216\223\307\364\144\211
\070\176
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "HARICA TLS ECC Root CA 2021"
#
Issuer: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
Serial Number:67:74:9d:8d:77:d8:3b:6a:db:22:f4:ff:59:e2:bf:ce
Subject: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
Not Valid Before: Fri Feb 19 11:01:10 2021
Not Valid After : Mon Feb 13 11:01:09 2045
Fingerprint (SHA-256):
3F:99:CC:47:4A:CF:CE:4D:FE:D5:87:94:66:5E:47:8D:15:47:73:9F:2E:78:0F:1B:B4:CA:9B:13:30:97:D4:01
Fingerprint (SHA1): BC:B0:C1:9D:E9:98:92:70:19:38:57:E9:8D:A7:B4:5D:6E:EE:01:48
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA TLS ECC Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\105\103
\103\040\122\157\157\164\040\103\101\040\062\060\062\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\105\103
\103\040\122\157\157\164\040\103\101\040\062\060\062\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\147\164\235\215\167\330\073\152\333\042\364\377\131\342
\277\316
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\124\060\202\001\333\240\003\002\001\002\002\020\147

```

\164\235\215\167\330\073\152\333\042\364\377\131\342\277\316\060  
\012\006\010\052\206\110\316\075\004\003\003\060\154\061\013\060  
\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006\003  
\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101\143  
\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141  
\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163  
\040\103\101\061\044\060\042\006\003\125\004\003\014\033\110\101  
\122\111\103\101\040\124\114\123\040\105\103\103\040\122\157\157  
\164\040\103\101\040\062\060\062\061\060\036\027\015\062\061\060  
\062\061\071\061\061\060\061\061\060\132\027\015\064\065\060\062  
\061\063\061\061\060\061\060\071\132\060\154\061\013\060\011\006  
\003\125\004\006\023\002\107\122\061\067\060\065\006\003\125\004  
\012\014\056\110\145\154\154\145\156\151\143\040\101\143\141\144  
\145\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143  
\150\040\111\156\163\164\151\164\165\164\151\157\156\163\040\103  
\101\061\044\060\042\006\003\125\004\003\014\033\110\101\122\111  
\103\101\040\124\114\123\040\105\103\103\040\122\157\157\164\040  
\103\101\040\062\060\062\061\060\166\060\020\006\007\052\206\110  
\316\075\002\001\006\005\053\201\004\000\042\003\142\000\004\070  
\010\376\261\240\226\322\172\254\257\111\072\320\300\340\303\073  
\050\252\361\162\155\145\000\107\210\204\374\232\046\153\252\113  
\272\154\004\012\210\136\027\362\125\207\374\060\260\064\342\064  
\130\127\032\204\123\351\060\331\251\362\226\164\303\121\037\130  
\111\061\314\230\116\140\021\207\165\323\162\224\220\117\233\020  
\045\052\250\170\055\276\220\101\130\220\025\162\247\241\267\243  
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\311  
\033\123\201\022\376\004\325\026\321\252\274\232\157\267\240\225  
\031\156\312\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\206\060\012\006\010\052\206\110\316\075\004\003\003\003  
\147\000\060\144\002\060\021\336\256\370\334\116\210\260\251\360  
\042\255\302\121\100\357\140\161\055\356\217\002\304\135\003\160  
\111\244\222\352\305\024\210\160\246\323\015\260\252\312\054\100  
\234\373\351\202\156\232\002\060\053\107\232\007\306\321\302\201  
\174\312\013\226\030\101\033\243\364\060\011\236\265\043\050\015  
\237\024\266\074\123\242\114\006\151\175\372\154\221\306\052\111  
\105\346\354\267\023\341\072\154

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "HARICA TLS ECC Root CA 2021"  
# Issuer: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR  
# Serial Number:67:74:9d:8d:77:d8:3b:6a:db:22:f4:ff:59:e2:bf:ce  
# Subject: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR  
# Not Valid Before: Fri Feb 19 11:01:10 2021  
# Not Valid After : Mon Feb 13 11:01:09 2045

```

Fingerprint (SHA-256):
3F:99:CC:47:4A:CF:CE:4D:FE:D5:87:94:66:5E:47:8D:15:47:73:9F:2E:78:0F:1B:B4:CA:9B:13:30:97:D4:01
Fingerprint (SHA1): BC:B0:C1:9D:E9:98:92:70:19:38:57:E9:8D:A7:B4:5D:6E:EE:01:48
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA TLS ECC Root CA 2021"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\274\260\301\235\351\230\222\160\031\070\127\351\215\247\264\135
\156\356\001\110
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\256\367\114\345\146\065\321\267\233\214\042\223\164\323\113\260
END
CKA_ISSUER MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\105\103
\103\040\122\157\157\164\040\103\101\040\062\060\062\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\147\164\235\215\167\330\073\152\333\042\364\377\131\342
\277\316
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "HARICA Client RSA Root CA 2021"
#
Issuer: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
Serial Number:55:52:f8:1e:db:1b:24:2c:9e:bb:96:18:cd:02:28:3e
Subject: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
Not Valid Before: Fri Feb 19 10:58:46 2021
Not Valid After : Mon Feb 13 10:58:45 2045
Fingerprint (SHA-256):
1B:E7:AB:E3:06:86:B1:63:48:AF:D1:C6:1B:68:66:A0:EA:7F:48:21:E6:7D:5E:8A:F9:37:CF:80:11:BC:75:0D
Fingerprint (SHA1): 46:C6:90:0A:77:3A:B6:BC:F4:65:AD:AC:FC:E3:F7:07:00:6E:DE:6E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE

```

```
CKA_LABEL UTF8 "HARICA Client RSA Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\125\122\370\036\333\033\044\054\236\273\226\030\315\002
\050\076
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\252\060\202\003\222\240\003\002\001\002\002\020\125
\122\370\036\333\033\044\054\236\273\226\030\315\002\050\076\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\157
\061\013\060\011\006\003\125\004\006\023\002\107\122\061\067\060
\065\006\003\125\004\012\014\056\110\145\154\154\145\156\151\143
\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122\145
\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164\151
\157\156\163\040\103\101\061\047\060\045\006\003\125\004\003\014
\036\110\101\122\111\103\101\040\103\154\151\145\156\164\040\122
\123\101\040\122\157\157\164\040\103\101\040\062\060\062\061\060
\036\027\015\062\061\060\062\061\071\061\060\065\070\064\066\132
\027\015\064\065\060\062\061\063\061\060\065\070\064\065\132\060
\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061\067
\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156\151
\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122
\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164
\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004\003
\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164\040
\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062\061
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
```

\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\201\333\127\102\220\054\164\065\364\370\270\164\031\115\253  
\011\132\167\105\201\163\142\260\065\237\370\320\267\063\000\207  
\023\266\226\253\016\124\022\060\007\274\233\267\110\327\321\031  
\203\256\216\330\251\361\251\000\204\260\214\136\236\350\014\217  
\124\151\277\366\324\010\117\046\160\376\030\101\143\032\263\062  
\213\100\370\007\253\127\061\360\306\026\166\147\232\264\335\057  
\362\321\153\305\320\222\204\221\161\156\017\056\143\351\037\123  
\244\335\122\023\314\011\203\051\201\014\305\123\165\104\261\016  
\147\123\030\320\303\037\210\113\237\224\044\264\051\274\273\350  
\116\375\157\322\025\035\111\334\215\160\362\021\032\040\121\125  
\021\272\210\157\304\367\120\171\326\252\061\342\204\075\136\062  
\310\167\052\120\161\345\013\057\351\266\352\357\253\012\063\071  
\016\375\217\245\147\103\202\216\230\151\011\011\033\100\315\070  
\147\107\352\311\354\227\161\022\336\044\365\162\074\321\367\103  
\114\046\367\220\262\211\351\105\113\125\075\061\005\172\101\342  
\225\272\103\300\027\305\266\205\075\031\215\144\160\363\133\254  
\315\237\323\051\165\207\113\225\147\152\246\370\321\335\274\220  
\206\211\103\051\251\067\133\365\135\260\046\132\123\102\166\220  
\053\317\236\126\154\053\124\317\134\232\145\337\133\213\110\140  
\070\174\373\305\013\317\166\004\143\002\063\052\175\365\203\147  
\347\372\306\103\375\053\017\324\046\057\167\244\062\301\044\352  
\144\235\277\263\070\161\061\104\362\107\270\242\146\101\241\373  
\233\173\274\307\106\152\165\277\132\242\214\350\152\104\301\270  
\226\265\300\062\010\055\173\164\065\163\262\312\306\376\257\021  
\162\030\366\347\310\302\317\245\052\352\173\326\131\350\174\240  
\262\152\100\011\151\016\245\226\333\321\000\271\361\210\156\066  
\360\210\262\235\361\122\362\303\174\277\060\211\074\012\151\371  
\042\244\145\341\233\340\164\306\261\205\227\226\054\256\224\217  
\120\246\071\022\037\276\107\362\201\170\323\165\066\236\175\132  
\040\227\342\122\256\231\237\306\174\233\146\363\376\330\317\356  
\275\227\006\035\055\205\334\076\066\123\226\173\040\272\350\310  
\341\255\226\142\076\021\174\263\000\204\236\247\114\161\253\112  
\067\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125  
\035\016\004\026\004\024\240\326\007\075\136\044\367\173\240\104  
\056\044\122\015\031\252\053\004\221\247\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\015\107  
\371\011\146\061\122\354\171\356\302\250\362\150\076\355\226\105  
\313\072\246\230\143\077\352\053\115\116\003\320\034\202\341\313  
\323\345\326\253\133\147\050\274\235\376\014\231\012\200\125\247  
\316\033\043\141\015\260\127\360\376\340\312\276\346\220\333\203  
\054\276\203\216\364\171\266\376\320\015\102\247\130\037\151\352  
\201\365\005\245\376\106\150\353\154\170\311\340\352\347\346\336  
\061\305\322\325\054\202\143\050\235\135\250\032\176\210\346\347  
\053\361\054\325\320\005\236\334\055\275\067\146\324\004\242\247  
\255\277\072\302\250\073\255\377\215\235\063\340\271\232\204\241

\207\037\166\364\202\164\327\016\371\060\110\076\133\210\076\252  
\134\153\326\057\014\350\216\163\302\030\221\203\071\266\146\132  
\320\037\140\047\135\115\343\366\072\015\146\120\234\170\173\253  
\363\023\020\256\017\057\253\350\144\263\030\040\235\106\065\144  
\045\163\352\233\020\134\130\065\211\261\106\110\247\364\254\324  
\035\236\133\314\251\245\032\023\117\044\120\252\331\033\155\261  
\100\373\235\335\130\164\304\302\157\024\162\354\333\065\237\270  
\124\165\105\303\246\310\032\050\065\072\256\145\362\251\230\316  
\257\133\311\070\214\061\073\177\314\334\226\375\342\133\326\320  
\131\364\166\272\013\313\117\203\020\307\100\320\035\140\351\052  
\345\110\130\167\014\105\151\276\031\161\004\044\342\343\044\037  
\112\310\301\076\231\365\226\230\070\110\045\241\025\260\033\327  
\342\204\030\133\366\161\065\232\150\173\100\314\030\134\014\044  
\235\324\225\365\231\252\106\352\256\254\277\364\024\031\044\350  
\214\354\343\365\274\006\150\212\052\014\005\137\012\227\165\247  
\334\176\300\375\327\172\030\337\060\321\070\113\037\260\230\160  
\277\314\174\163\360\156\304\061\245\244\227\035\254\277\316\154  
\041\112\276\047\043\147\363\006\126\201\012\221\216\266\341\003  
\005\063\054\332\064\010\115\116\120\043\255\037\245\305\324\172  
\376\352\011\354\247\050\140\213\106\174\265\352\233\335\117\371  
\347\153\025\306\210\317\103\333\345\047\334\004\126\156\157\106  
\025\361\126\055\350\134\014\163\303\043\201\070\040\313\311\014  
\151\317\054\253\073\204\140\063\031\122\375\151\024\063

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "HARICA Client RSA Root CA 2021"

# Issuer: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR

# Serial Number:55:52:f8:1e:db:1b:24:2c:9e:bb:96:18:cd:02:28:3e

# Subject: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR

# Not Valid Before: Fri Feb 19 10:58:46 2021

# Not Valid After : Mon Feb 13 10:58:45 2045

# Fingerprint (SHA-256):

1B:E7:AB:E3:06:86:B1:63:48:AF:D1:C6:1B:68:66:A0:EA:7F:48:21:E6:7D:5E:8A:F9:37:CF:80:11:BC:75:0D

# Fingerprint (SHA1): 46:C6:90:0A:77:3A:B6:BC:F4:65:AD:AC:FC:E3:F7:07:00:6E:DE:6E

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "HARICA Client RSA Root CA 2021"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\106\306\220\012\167\072\266\274\364\145\255\254\374\343\367\007  
\000\156\336\156

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\157\355\134\327\210\314\070\251\334\351\335\331\135\333\330\355



```

END
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\125\122\370\036\333\033\044\054\236\273\226\030\315\002
\050\076
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "HARICA Client ECC Root CA 2021"
#
Issuer: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
Serial Number:31:68:d9:d8:e1:62:57:1e:d2:19:44:88:e6:10:7d:f0
Subject: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
Not Valid Before: Fri Feb 19 11:03:34 2021
Not Valid After : Mon Feb 13 11:03:33 2045
Fingerprint (SHA-256):
8D:D4:B5:37:3C:B0:DE:36:76:9C:12:33:92:80:D8:27:46:B3:AA:6C:D4:26:E7:97:A3:1B:AB:E4:27:9C:F0:0B
Fingerprint (SHA1): BE:64:D3:DA:14:4B:D2:6B:CD:AF:8F:DB:A6:A6:72:F8:DE:26:F9:00
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA Client ECC Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\105\103\103\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_ID UTF8 "0"

```

CKA\_ISSUER MULTILINE\_OCTAL

\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061  
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156  
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040  
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165  
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004  
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164  
\040\105\103\103\040\122\157\157\164\040\103\101\040\062\060\062  
\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\061\150\331\330\341\142\127\036\322\031\104\210\346\020  
\175\360

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\132\060\202\001\341\240\003\002\001\002\002\020\061  
\150\331\330\341\142\127\036\322\031\104\210\346\020\175\360\060  
\012\006\010\052\206\110\316\075\004\003\003\060\157\061\013\060  
\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006\003  
\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101\143  
\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141  
\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163  
\040\103\101\061\047\060\045\006\003\125\004\003\014\036\110\101  
\122\111\103\101\040\103\154\151\145\156\164\040\105\103\103\040  
\122\157\157\164\040\103\101\040\062\060\062\061\060\036\027\015  
\062\061\060\062\061\071\061\061\060\063\063\064\132\027\015\064  
\065\060\062\061\063\061\061\060\063\063\063\132\060\157\061\013  
\060\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006  
\003\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101  
\143\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145  
\141\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156  
\163\040\103\101\061\047\060\045\006\003\125\004\003\014\036\110  
\101\122\111\103\101\040\103\154\151\145\156\164\040\105\103\103  
\040\122\157\157\164\040\103\101\040\062\060\062\061\060\166\060  
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000  
\042\003\142\000\004\007\030\255\225\226\224\320\134\017\202\367  
\052\100\372\002\311\311\075\066\246\243\004\152\301\155\225\001  
\210\140\022\124\154\134\242\053\156\023\072\210\225\014\034\046  
\206\066\112\211\031\267\030\336\073\350\250\120\037\312\337\133  
\277\111\200\025\333\343\060\341\035\132\307\052\212\001\007\376  
\155\054\064\357\050\050\227\274\301\371\127\206\225\213\065\317  
\236\132\321\150\225\243\102\060\100\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035  
\016\004\026\004\024\122\010\322\276\062\201\045\375\365\032\227  
\354\116\137\032\273\123\315\220\255\060\016\006\003\125\035\017  
\001\001\377\004\004\003\002\001\206\060\012\006\010\052\206\110  
\316\075\004\003\003\003\147\000\060\144\002\060\114\061\105\106  
\117\250\346\276\303\167\262\032\030\113\055\210\173\130\346\253

```
\224\153\104\003\260\027\377\337\202\163\104\121\054\375\223\035
\006\173\024\322\211\354\100\014\357\041\001\056\002\060\057\311
\056\132\154\054\035\331\225\340\236\260\271\134\122\174\366\370
\070\312\056\361\324\035\362\242\111\242\225\370\301\130\136\117
\376\163\012\357\061\260\253\043\130\023\214\213\336\073
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "HARICA Client ECC Root CA 2021"

# Issuer: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR

# Serial Number:31:68:d9:d8:e1:62:57:1e:d2:19:44:88:e6:10:7d:f0

# Subject: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR

# Not Valid Before: Fri Feb 19 11:03:34 2021

# Not Valid After : Mon Feb 13 11:03:33 2045

# Fingerprint (SHA-256):

8D:D4:B5:37:3C:B0:DE:36:76:9C:12:33:92:80:D8:27:46:B3:AA:6C:D4:26:E7:97:A3:1B:AB:E4:27:9C:F0:0B

# Fingerprint (SHA1): BE:64:D3:DA:14:4B:D2:6B:CD:AF:8F:DB:A6:A6:72:F8:DE:26:F9:00

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "HARICA Client ECC Root CA 2021"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

```
\276\144\323\332\024\113\322\153\315\257\217\333\246\246\162\370
\336\046\371\000
```

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

```
\255\270\120\246\251\202\172\154\075\032\252\244\322\143\244\104
```

END

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\105\103\103\040\122\157\157\164\040\103\101\040\062\060\062
\061
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\061\150\331\330\341\142\127\036\322\031\104\210\346\020
\175\360
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Autoridad de Certificacion Firmaprofesional CIF A62634068"

#

# Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES

# Serial Number:1b:70:e9:d2:ff:ae:6c:71

# Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES

# Not Valid Before: Tue Sep 23 15:22:07 2014

# Not Valid After : Mon May 05 15:22:07 2036

# Fingerprint (SHA-256):

57:DE:05:83:EF:D2:B2:6E:03:61:DA:99:DA:9D:F4:64:8D:EF:7E:E8:44:1C:3B:72:8A:FA:9B:CD:E0:F9:B2:6A

# Fingerprint (SHA1): 0B:BE:C2:27:22:49:CB:39:AA:DB:35:5C:53:E3:8C:AE:78:FF:B6:FE

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061  
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151  
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141  
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163  
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064  
\060\066\070

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061  
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151  
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141  
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163  
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064  
\060\066\070

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\033\160\351\322\377\256\154\161

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\006\024\060\202\003\374\240\003\002\001\002\002\010\033  
\160\351\322\377\256\154\161\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\121\061\013\060\011\006\003\125\004  
\006\023\002\105\123\061\102\060\100\006\003\125\004\003\014\071  
\101\165\164\157\162\151\144\141\144\040\144\145\040\103\145\162  
\164\151\146\151\143\141\143\151\157\156\040\106\151\162\155\141  
\160\162\157\146\145\163\151\157\156\141\154\040\103\111\106\040  
\101\066\062\066\063\064\060\066\070\060\036\027\015\061\064\060

\071\062\063\061\065\062\062\060\067\132\027\015\063\066\060\065  
\060\065\061\065\062\062\060\067\132\060\121\061\013\060\011\006  
\003\125\004\006\023\002\105\123\061\102\060\100\006\003\125\004  
\003\014\071\101\165\164\157\162\151\144\141\144\040\144\145\040  
\103\145\162\164\151\146\151\143\141\143\151\157\156\040\106\151  
\162\155\141\160\162\157\146\145\163\151\157\156\141\154\040\103  
\111\106\040\101\066\062\066\063\064\060\066\070\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\312\226\153  
\216\352\370\373\361\242\065\340\177\114\332\340\303\122\327\175  
\266\020\310\002\136\263\103\052\304\117\152\262\312\034\135\050  
\232\170\021\032\151\131\127\257\265\040\102\344\213\017\346\337  
\133\246\003\222\057\365\021\344\142\327\062\161\070\331\004\014  
\161\253\075\121\176\017\007\337\143\005\134\351\277\224\157\301  
\051\202\300\264\332\121\260\301\074\273\255\067\112\134\312\361  
\113\066\016\044\253\277\303\204\167\375\250\120\364\261\347\306  
\057\322\055\131\215\172\012\116\226\151\122\002\252\066\230\354  
\374\372\024\203\014\067\037\311\222\067\177\327\201\055\345\304  
\271\340\076\064\376\147\364\076\146\321\323\364\100\317\136\142  
\064\017\160\006\076\040\030\132\316\367\162\033\045\154\223\164  
\024\223\243\163\261\016\252\207\020\043\131\137\040\005\031\107  
\355\150\216\222\022\312\135\374\326\053\262\222\074\040\317\341  
\137\257\040\276\240\166\177\166\345\354\032\206\141\063\076\347  
\173\264\077\240\017\216\242\271\152\157\271\207\046\157\101\154  
\210\246\120\375\152\143\013\365\223\026\033\031\217\262\355\233  
\233\311\220\365\001\014\337\031\075\017\076\070\043\311\057\217  
\014\321\002\376\033\125\326\116\320\215\074\257\117\244\363\376  
\257\052\323\005\235\171\010\241\313\127\061\264\234\310\220\262  
\147\364\030\026\223\072\374\107\330\321\170\226\061\037\272\053  
\014\137\135\231\255\143\211\132\044\040\166\330\337\375\253\116  
\246\042\252\235\136\346\047\212\175\150\051\243\347\212\270\332  
\021\273\027\055\231\235\023\044\106\367\305\342\330\237\216\177  
\307\217\164\155\132\262\350\162\365\254\356\044\020\255\057\024  
\332\377\055\232\106\161\107\276\102\337\273\001\333\364\177\323  
\050\217\061\131\133\323\311\002\246\264\122\312\156\227\373\103  
\305\010\046\157\212\364\273\375\237\050\252\015\325\105\363\023  
\072\035\330\300\170\217\101\147\074\036\224\144\256\173\013\305  
\350\331\001\210\071\032\227\206\144\101\325\073\207\014\156\372  
\017\306\275\110\024\277\071\115\324\236\101\266\217\226\035\143  
\226\223\331\225\006\170\061\150\236\067\006\073\200\211\105\141  
\071\043\307\033\104\243\025\345\034\370\222\060\273\002\003\001  
\000\001\243\201\357\060\201\354\060\035\006\003\125\035\016\004  
\026\004\024\145\315\353\253\065\036\000\076\176\325\164\300\034  
\264\163\107\016\032\144\057\060\022\006\003\125\035\023\001\001  
\377\004\010\060\006\001\001\377\002\001\001\060\201\246\006\003  
\125\035\040\004\201\236\060\201\233\060\201\230\006\004\125\035  
\040\000\060\201\217\060\057\006\010\053\006\001\005\005\007\002  
\001\026\043\150\164\164\160\072\057\057\167\167\167\056\146\151

\162\155\141\160\162\157\146\145\163\151\157\156\141\154\056\143  
\157\155\057\143\160\163\060\134\006\010\053\006\001\005\005\007  
\002\002\060\120\036\116\000\120\000\141\000\163\000\145\000\157  
\000\040\000\144\000\145\000\040\000\154\000\141\000\040\000\102  
\000\157\000\156\000\141\000\156\000\157\000\166\000\141\000\040  
\000\064\000\067\000\040\000\102\000\141\000\162\000\143\000\145  
\000\154\000\157\000\156\000\141\000\040\000\060\000\070\000\060  
\000\061\000\067\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\015\006\011\052\206\110\206\367\015\001\001  
\013\005\000\003\202\002\001\000\164\207\050\002\053\167\037\146  
\211\144\355\217\164\056\106\034\273\250\370\370\013\035\203\266  
\072\247\350\105\212\007\267\340\076\040\313\341\010\333\023\010  
\370\050\241\065\262\200\263\013\121\300\323\126\232\215\063\105  
\111\257\111\360\340\075\007\172\105\023\132\377\310\227\330\323  
\030\054\175\226\370\335\242\145\103\160\223\220\025\272\220\337  
\350\031\260\333\054\212\140\017\267\157\224\007\036\035\246\311  
\205\366\275\064\370\100\170\142\020\160\072\276\175\113\071\201  
\251\020\324\226\101\273\370\137\034\013\035\010\362\261\260\211  
\172\362\367\240\340\304\217\213\170\265\073\130\245\043\216\117  
\125\376\066\073\340\014\267\312\052\060\101\040\264\200\315\256  
\374\166\146\163\250\256\156\341\174\332\003\350\224\040\346\042  
\243\320\037\220\135\040\123\024\046\127\332\124\227\337\026\104  
\020\001\036\210\146\217\162\070\223\335\040\267\064\276\327\361  
\356\143\216\107\171\050\006\374\363\131\105\045\140\042\063\033  
\243\137\250\272\052\332\032\075\315\100\352\214\356\005\025\225  
\325\245\054\040\057\247\230\050\356\105\374\361\270\210\000\054  
\217\102\332\121\325\234\345\023\150\161\105\103\213\236\013\041  
\074\113\134\005\334\032\237\230\216\332\275\042\236\162\315\255  
\012\313\314\243\147\233\050\164\304\233\327\032\074\004\130\246  
\202\235\255\307\173\157\377\200\226\351\370\215\152\275\030\220  
\035\377\111\032\220\122\067\223\057\074\002\135\202\166\013\121  
\347\026\307\127\370\070\371\247\315\233\042\124\357\143\260\025  
\155\123\145\003\112\136\112\240\262\247\216\111\000\131\070\325  
\307\364\200\144\365\156\225\120\270\021\176\025\160\070\112\260  
\177\320\304\062\160\300\031\377\311\070\055\024\054\146\364\102  
\104\346\125\166\033\200\025\127\377\300\247\247\252\071\252\330  
\323\160\320\056\272\353\224\152\372\137\064\206\347\142\265\375  
\212\360\060\205\224\311\257\044\002\057\157\326\335\147\376\343  
\260\125\117\004\230\117\244\101\126\342\223\320\152\350\326\363  
\373\145\340\316\165\304\061\131\014\356\202\310\014\140\063\112  
\031\272\204\147\047\017\274\102\135\275\044\124\015\354\035\160  
\006\137\244\274\372\040\174\125

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Autoridad de Certificacion Firmaprofesional CIF A62634068"

```

Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
Serial Number:1b:70:e9:d2:ff:ae:6c:71
Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
Not Valid Before: Tue Sep 23 15:22:07 2014
Not Valid After : Mon May 05 15:22:07 2036
Fingerprint (SHA-256):
57:DE:05:83:EF:D2:B2:6E:03:61:DA:99:DA:9D:F4:64:8D:EF:7E:E8:44:1C:3B:72:8A:FA:9B:CD:E0:F9:B2:6A
Fingerprint (SHA1): 0B:BE:C2:27:22:49:CB:39:AA:DB:35:5C:53:E3:8C:AE:78:FF:B6:FE
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\013\276\302\047\042\111\313\071\252\333\065\134\123\343\214\256
\170\377\266\376
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\116\156\233\124\114\312\267\372\110\344\220\261\025\113\034\243
END
CKA_ISSUER MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\033\160\351\322\377\256\154\161
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "vTrus ECC Root CA"
#
Issuer: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
Serial Number:6e:6a:bc:59:aa:53:be:98:39:67:a2:d2:6b:a4:3b:e6:6d:1c:d6:da
Subject: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
Not Valid Before: Tue Jul 31 07:26:44 2018
Not Valid After : Fri Jul 31 07:26:44 2043
Fingerprint (SHA-256):
30:FB:BA:2C:32:23:8E:2A:98:54:7A:F9:79:31:E5:50:42:8B:9B:3F:1C:8E:EB:66:33:DC:FA:86:C5:B2:7D:D3
Fingerprint (SHA1): F6:9C:DB:B0:FC:F6:02:13:B6:52:32:A6:A3:91:3F:16:70:DA:C3:E1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "vTrus ECC Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060
\030\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103
\103\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060
\030\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103
\103\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\156\152\274\131\252\123\276\230\071\147\242\322\153\244
\073\346\155\034\326\332
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\017\060\202\001\225\240\003\002\001\002\002\024\156
\152\274\131\252\123\276\230\071\147\242\322\153\244\073\346\155
\034\326\332\060\012\006\010\052\206\110\316\075\004\003\003\060
\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061\034
\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103\150
\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060\030
\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103\103
\040\122\157\157\164\040\103\101\060\036\027\015\061\070\060\067
\063\061\060\067\062\066\064\064\132\027\015\064\063\060\067\063
\061\060\067\062\066\064\064\132\060\107\061\013\060\011\006\003
\125\004\006\023\002\103\116\061\034\060\032\006\003\125\004\012
\023\023\151\124\162\165\163\103\150\151\156\141\040\103\157\056
\054\114\164\144\056\061\032\060\030\006\003\125\004\003\023\021
\166\124\162\165\163\040\105\103\103\040\122\157\157\164\040\103
\101\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005
\053\201\004\000\042\003\142\000\004\145\120\112\256\214\171\226
\112\252\034\010\303\243\242\315\376\131\126\101\167\375\046\224
\102\273\035\315\010\333\163\262\133\165\363\317\234\116\202\364
\277\370\141\046\205\154\326\205\133\162\160\322\375\333\142\264
\337\123\213\275\261\104\130\142\102\011\307\372\177\133\020\347
\376\100\375\300\330\303\053\062\347\160\246\267\246\040\125\035
\173\200\135\113\217\147\114\361\020\243\102\060\100\060\035\006
\003\125\035\016\004\026\004\024\230\071\315\276\330\262\214\367
```



```
\262\253\341\255\044\257\173\174\241\333\037\317\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\012\006
\010\052\206\110\316\075\004\003\003\003\150\000\060\145\002\060
\127\235\335\126\361\307\343\351\270\111\120\153\233\151\303\157
\354\303\175\045\344\127\225\023\100\233\122\323\073\363\100\031
\274\046\307\055\006\236\265\173\066\237\365\045\324\143\153\000
\002\061\000\351\323\306\236\126\232\052\314\241\332\077\310\146
\053\323\130\234\040\205\372\253\221\212\160\160\021\070\140\144
\013\142\011\221\130\000\371\115\373\064\150\332\011\255\041\006
\030\224\316
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "vTrus ECC Root CA"
```

```
Issuer: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
```

```
Serial Number:6e:6a:bc:59:aa:53:be:98:39:67:a2:d2:6b:a4:3b:e6:6d:1c:d6:da
```

```
Subject: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
```

```
Not Valid Before: Tue Jul 31 07:26:44 2018
```

```
Not Valid After : Fri Jul 31 07:26:44 2043
```

```
Fingerprint (SHA-256):
```

```
30:FB:BA:2C:32:23:8E:2A:98:54:7A:F9:79:31:E5:50:42:8B:9B:3F:1C:8E:EB:66:33:DC:FA:86:C5:B2:7D:D3
```

```
Fingerprint (SHA1): F6:9C:DB:B0:FC:F6:02:13:B6:52:32:A6:A3:91:3F:16:70:DA:C3:E1
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "vTrus ECC Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\366\234\333\260\374\366\002\023\266\122\062\246\243\221\077\026
\160\332\303\341
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\336\113\301\365\122\214\233\103\341\076\217\125\124\027\215\205
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060
\030\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103
\103\040\122\157\157\164\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\024\156\152\274\131\252\123\276\230\071\147\242\322\153\244
\073\346\155\034\326\332
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "vTrus Root CA"

#

# Issuer: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN

# Serial Number:43:e3:71:13:d8:b3:59:14:5d:b7:ce:8c:fd:35:fd:6f:bc:05:8d:45

# Subject: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN

# Not Valid Before: Tue Jul 31 07:24:05 2018

# Not Valid After : Fri Jul 31 07:24:05 2043

# Fingerprint (SHA-256):

8A:71:DE:65:59:33:6F:42:6C:26:E5:38:80:D0:0D:88:A1:8D:A4:C6:A9:1F:0D:CB:61:94:E2:06:C5:C9:63:87

# Fingerprint (SHA1): 84:1A:69:FB:F5:CD:1A:25:34:13:3D:E3:F8:FC:B8:99:D0:C9:14:B7

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "vTrus Root CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\103\061\013\060\011\006\003\125\004\006\023\002\103\116\061  
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103  
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\026\060  
\024\006\003\125\004\003\023\015\166\124\162\165\163\040\122\157  
\157\164\040\103\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\103\061\013\060\011\006\003\125\004\006\023\002\103\116\061  
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103  
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\026\060  
\024\006\003\125\004\003\023\015\166\124\162\165\163\040\122\157  
\157\164\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\024\103\343\161\023\330\263\131\024\135\267\316\214\375\065  
\375\157\274\005\215\105

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\126\060\202\003\076\240\003\002\001\002\002\024\103  
\343\161\023\330\263\131\024\135\267\316\214\375\065\375\157\274  
\005\215\105\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\103\061\013\060\011\006\003\125\004\006\023\002\103  
\116\061\034\060\032\006\003\125\004\012\023\023\151\124\162\165  
\163\103\150\151\156\141\040\103\157\056\054\114\164\144\056\061

\026\060\024\006\003\125\004\003\023\015\166\124\162\165\163\040  
\122\157\157\164\040\103\101\060\036\027\015\061\070\060\067\063  
\061\060\067\062\064\060\065\132\027\015\064\063\060\067\063\061  
\060\067\062\064\060\065\132\060\103\061\013\060\011\006\003\125  
\004\006\023\002\103\116\061\034\060\032\006\003\125\004\012\023  
\023\151\124\162\165\163\103\150\151\156\141\040\103\157\056\054  
\114\164\144\056\061\026\060\024\006\003\125\004\003\023\015\166  
\124\162\165\163\040\122\157\157\164\040\103\101\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\275\125\174  
\141\323\270\035\004\142\005\240\256\154\267\160\264\101\352\113  
\003\136\020\077\220\132\034\213\073\260\146\213\154\110\246\034  
\042\272\325\100\222\356\063\262\043\131\311\216\274\130\332\213  
\236\320\031\362\057\131\306\214\143\132\272\237\243\013\260\263  
\232\134\272\021\270\022\351\014\273\317\156\154\200\207\051\024  
\003\054\215\044\232\310\144\203\265\152\254\023\054\063\361\237  
\334\054\141\074\032\077\160\125\233\255\000\122\177\317\004\271  
\376\066\372\234\300\026\256\142\376\226\114\103\176\125\024\276  
\032\263\322\155\302\257\166\146\225\153\052\260\224\167\205\136  
\004\017\142\035\143\165\367\153\347\313\133\232\160\354\076\147  
\005\360\376\007\010\200\317\050\333\005\306\024\047\057\206\175  
\360\047\336\377\346\176\063\110\347\013\036\130\321\047\053\123  
\016\127\112\145\327\373\242\200\140\374\114\274\065\123\001\152  
\227\162\202\257\361\035\160\350\234\365\357\136\302\154\307\107  
\176\132\224\205\046\115\073\272\353\114\350\260\011\302\145\302  
\235\235\011\233\116\265\227\005\254\365\006\240\367\066\005\176  
\364\220\262\153\304\264\371\144\352\351\032\012\310\015\250\355  
\047\311\324\347\263\271\253\202\042\220\047\075\052\350\174\220  
\357\274\117\375\342\012\044\247\336\145\044\244\135\352\300\166  
\060\323\167\120\370\015\004\233\224\066\001\163\312\006\130\246  
\323\073\334\372\004\106\023\125\212\311\104\107\270\121\071\032  
\056\350\064\342\171\313\131\112\012\177\274\246\357\037\003\147  
\152\131\053\045\142\223\331\123\031\146\074\047\142\051\206\115  
\244\153\356\377\324\116\272\325\264\342\216\110\132\000\031\011  
\361\005\331\316\221\261\367\353\351\071\117\366\157\004\103\232  
\125\365\076\005\024\275\277\263\131\264\330\216\063\204\243\220  
\122\252\263\002\225\140\371\014\114\150\371\356\325\027\015\370  
\161\127\265\045\344\051\356\145\135\257\321\356\074\027\013\132  
\103\305\245\206\352\044\236\342\005\007\334\064\102\022\221\326  
\071\164\256\114\101\202\333\362\246\110\321\263\233\363\063\252  
\363\246\300\305\116\365\364\235\166\143\346\002\306\042\113\301  
\225\077\120\144\054\124\345\266\360\074\051\317\127\002\003\001  
\000\001\243\102\060\100\060\035\006\003\125\035\016\004\026\004  
\024\124\142\160\143\361\165\204\103\130\216\321\026\040\261\306  
\254\032\274\366\211\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\002\001\000\051\272\222\111\247\255

\360\361\160\303\344\227\360\237\251\045\325\153\236\064\376\346  
\032\144\366\072\153\122\262\020\170\032\237\114\332\212\332\354  
\034\067\122\340\102\113\373\154\166\312\044\013\071\022\025\235  
\237\021\055\374\171\144\334\340\340\365\335\340\127\311\245\262  
\166\160\120\244\376\267\012\160\325\240\064\361\165\327\115\111  
\272\021\321\263\330\354\202\377\353\016\304\277\144\055\175\143  
\156\027\170\354\135\174\210\310\353\216\127\166\331\131\004\372  
\274\122\037\105\254\360\172\200\354\354\157\166\256\221\333\020  
\216\004\334\222\337\240\366\346\256\111\323\301\154\022\033\314  
\051\252\371\010\245\342\067\024\312\261\270\146\357\032\202\344  
\360\370\361\247\026\151\267\333\251\141\074\237\365\061\313\344  
\000\106\302\057\164\261\261\327\201\356\250\046\225\274\210\257  
\114\065\007\052\002\312\170\024\155\107\053\100\126\351\313\052  
\140\241\147\003\240\316\214\274\260\162\147\304\061\316\333\064  
\345\045\003\140\045\173\161\230\344\300\033\053\137\164\102\322  
\113\305\131\010\007\207\276\305\303\177\347\226\331\341\334\050  
\227\326\217\005\343\365\233\116\312\035\120\107\005\123\260\312  
\071\347\205\240\211\301\005\073\001\067\323\077\111\342\167\353  
\043\310\210\146\073\075\071\166\041\106\361\354\137\043\270\353  
\242\146\165\164\301\100\367\330\150\232\223\342\055\251\056\275  
\034\243\036\310\164\306\244\055\172\040\253\073\270\260\106\375  
\157\335\137\122\125\165\142\360\227\240\174\327\070\375\045\337  
\315\240\233\020\317\213\270\070\136\136\305\264\246\002\066\241  
\036\137\034\317\342\226\235\051\252\375\230\256\122\341\363\101  
\122\373\251\056\162\226\237\047\343\252\163\175\370\032\043\146  
\173\073\253\145\260\062\001\113\025\076\075\242\117\014\053\065  
\242\306\331\147\022\065\060\315\166\056\026\263\231\236\115\117  
\116\055\073\064\103\341\232\016\015\244\146\227\272\322\034\112  
\114\054\052\213\213\201\117\161\032\251\335\134\173\173\010\305  
\000\015\067\100\343\174\173\124\137\057\205\137\166\366\367\247  
\260\034\127\126\301\162\350\255\242\257\215\063\111\272\037\212  
\334\346\164\174\140\206\157\207\227\173

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "vTrus Root CA"

# Issuer: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN

# Serial Number:43:e3:71:13:d8:b3:59:14:5d:b7:ce:8c:fd:35:fd:6f:bc:05:8d:45

# Subject: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN

# Not Valid Before: Tue Jul 31 07:24:05 2018

# Not Valid After : Fri Jul 31 07:24:05 2043

# Fingerprint (SHA-256):

8A:71:DE:65:59:33:6F:42:6C:26:E5:38:80:D0:0D:88:A1:8D:A4:C6:A9:1F:0D:CB:61:94:E2:06:C5:C9:63:87

# Fingerprint (SHA1): 84:1A:69:FB:F5:CD:1A:25:34:13:3D:E3:F8:FC:B8:99:D0:C9:14:B7

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "vTrus Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\204\032\151\373\365\315\032\045\064\023\075\343\370\374\270\231
\320\311\024\267
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\270\311\067\337\372\153\061\204\144\305\352\021\152\033\165\374
END
CKA_ISSUER MULTILINE_OCTAL
\060\103\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\026\060
\024\006\003\125\004\003\023\015\166\124\162\165\163\040\122\157
\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\103\343\161\023\330\263\131\024\135\267\316\214\375\065
\375\157\274\005\215\105
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "ISRG Root X2"
#
Issuer: CN=ISRG Root X2,O=Internet Security Research Group,C=US
Serial Number:41:d2:9d:d1:72:ea:ee:a7:80:c1:2c:6c:e9:2f:87:52
Subject: CN=ISRG Root X2,O=Internet Security Research Group,C=US
Not Valid Before: Fri Sep 04 00:00:00 2020
Not Valid After : Mon Sep 17 16:00:00 2040
Fingerprint (SHA-256):
69:72:9B:8E:15:A8:6E:FC:17:7A:57:AF:B7:17:1D:FC:64:AD:D2:8C:2F:CA:8C:F1:50:7E:34:45:3C:CB:14:70
Fingerprint (SHA1): BD:B1:B9:3C:D5:97:8D:45:C6:26:14:55:F8:DB:95:C7:5A:D1:53:AF
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ISRG Root X2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003

```

```
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\101\322\235\321\162\352\356\247\200\301\054\154\351\057
\207\122
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\033\060\202\001\241\240\003\002\001\002\002\020\101
\322\235\321\162\352\356\247\200\301\054\154\351\057\207\122\060
\012\006\010\052\206\110\316\075\004\003\003\060\117\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\051\060\047\006\003
\125\004\012\023\040\111\156\164\145\162\156\145\164\040\123\145
\143\165\162\151\164\171\040\122\145\163\145\141\162\143\150\040
\107\162\157\165\160\061\025\060\023\006\003\125\004\003\023\014
\111\123\122\107\040\122\157\157\164\040\130\062\060\036\027\015
\062\060\060\071\060\064\060\060\060\060\060\132\027\015\064
\060\060\071\061\067\061\066\060\060\060\060\132\060\117\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\051\060\047\006
\003\125\004\012\023\040\111\156\164\145\162\156\145\164\040\123
\145\143\165\162\151\164\171\040\122\145\163\145\141\162\143\150
\040\107\162\157\165\160\061\025\060\023\006\003\125\004\003\023
\014\111\123\122\107\040\122\157\157\164\040\130\062\060\166\060
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000
\042\003\142\000\004\315\233\325\237\200\203\012\354\011\112\363
\026\112\076\134\317\167\254\336\147\005\015\035\007\266\334\026
\373\132\213\024\333\342\161\140\304\272\105\225\021\211\216\352
\006\337\367\052\026\034\244\271\305\305\062\340\003\340\036\202
\030\070\213\327\105\330\012\152\156\346\000\167\373\002\121\175
\042\330\012\156\232\133\167\337\360\372\101\354\071\334\165\312
\150\007\014\037\352\243\102\060\100\060\016\006\003\125\035\017
\001\001\377\004\004\003\002\001\006\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035
\016\004\026\004\024\174\102\226\256\336\113\110\073\372\222\370
\236\214\317\155\213\251\162\067\225\060\012\006\010\052\206\110
\316\075\004\003\003\003\150\000\060\145\002\060\173\171\116\106
\120\204\302\104\207\106\033\105\160\377\130\231\336\364\375\244
\322\125\246\040\055\164\326\064\274\101\243\120\137\001\047\126
\264\276\047\165\006\257\022\056\165\230\215\374\002\061\000\213
```

```
\365\167\154\324\310\145\252\340\013\054\356\024\235\047\067\244
\371\123\245\121\344\051\203\327\370\220\061\133\102\237\012\365
\376\256\000\150\347\214\111\017\266\157\133\133\025\362\347
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "ISRG Root X2"
```

```
Issuer: CN=ISRG Root X2,O=Internet Security Research Group,C=US
```

```
Serial Number:41:d2:9d:d1:72:ea:ee:a7:80:c1:2c:6c:e9:2f:87:52
```

```
Subject: CN=ISRG Root X2,O=Internet Security Research Group,C=US
```

```
Not Valid Before: Fri Sep 04 00:00:00 2020
```

```
Not Valid After : Mon Sep 17 16:00:00 2040
```

```
Fingerprint (SHA-256):
```

```
69:72:9B:8E:15:A8:6E:FC:17:7A:57:AF:B7:17:1D:FC:64:AD:D2:8C:2F:CA:8C:F1:50:7E:34:45:3C:CB:14:70
```

```
Fingerprint (SHA1): BD:B1:B9:3C:D5:97:8D:45:C6:26:14:55:F8:DB:95:C7:5A:D1:53:AF
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "ISRG Root X2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\275\261\271\074\325\227\215\105\306\046\024\125\370\333\225\307
\132\321\123\257
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\323\236\304\036\043\074\246\337\317\243\176\155\340\024\346\345
```

```
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\062
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\101\322\235\321\162\352\356\247\200\301\054\154\351\057
\207\122
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
Certificate "HiPKI Root CA - G1"
```

```

#
Issuer: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW
Serial Number:2d:dd:ac:ce:62:97:94:a1:43:e8:b0:cd:76:6a:5e:60
Subject: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW
Not Valid Before: Fri Feb 22 09:46:04 2019
Not Valid After : Thu Dec 31 15:59:59 2037
Fingerprint (SHA-256):
F0:15:CE:3C:C2:39:BF:EF:06:4B:E9:F1:D2:C4:17:E1:A0:26:4A:0A:94:BE:1F:0C:8D:12:18:64:EB:69:49:CC
Fingerprint (SHA1): 6A:92:E4:A8:EE:1B:EC:96:45:37:E3:29:57:49:CD:96:E3:E5:D2:60
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HiPKI Root CA - G1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110
\151\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107
\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110
\151\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107
\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\055\335\254\316\142\227\224\241\103\350\260\315\166\152
\136\140
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\152\060\202\003\122\240\003\002\001\002\002\020\055
\335\254\316\142\227\224\241\103\350\260\315\166\152\136\140\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\117
\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043\060
\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167\141
\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114\164
\144\056\061\033\060\031\006\003\125\004\003\014\022\110\151\120
\113\111\040\122\157\157\164\040\103\101\040\055\040\107\061\060
\036\027\015\061\071\060\062\062\062\060\071\064\066\060\064\132
\027\015\063\067\061\062\063\061\061\065\065\071\065\071\132\060
\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043

```



\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167  
\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114  
\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110\151  
\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107\061  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\364\036\177\122\163\062\014\163\344\275\023\164\243\324\060  
\250\320\256\113\330\266\337\165\107\146\364\174\347\071\004\036  
\152\160\040\322\132\107\162\147\125\364\245\350\235\325\036\041  
\241\360\147\272\314\041\150\276\104\123\277\215\371\342\334\057  
\125\310\067\077\037\244\300\234\263\344\167\134\240\106\376\167  
\372\032\240\070\352\355\232\162\336\053\275\224\127\072\272\354  
\171\347\137\175\102\144\071\172\046\066\367\044\360\325\057\272  
\225\230\021\146\255\227\065\326\165\001\200\340\257\364\204\141  
\214\015\036\137\174\207\226\136\101\257\353\207\352\370\135\361  
\056\210\005\076\114\042\273\332\037\052\335\122\106\144\071\363  
\102\316\331\236\014\263\260\167\227\144\234\300\364\243\056\037  
\225\007\260\027\337\060\333\000\030\226\114\241\201\113\335\004  
\155\123\243\075\374\007\254\324\305\067\202\353\344\225\010\031  
\050\202\322\102\072\243\330\123\354\171\211\140\110\140\310\162  
\222\120\334\003\217\203\077\262\102\127\132\333\152\351\021\227  
\335\205\050\274\060\114\253\343\302\261\105\104\107\037\340\212  
\026\007\226\322\041\017\123\300\355\251\176\324\116\354\233\011  
\354\257\102\254\060\326\277\321\020\105\340\246\026\262\245\305  
\323\117\163\224\063\161\002\241\152\243\326\063\227\117\041\143  
\036\133\217\331\301\136\105\161\167\017\201\135\137\041\232\255  
\203\314\372\136\326\215\043\137\033\075\101\257\040\165\146\132  
\112\366\237\373\253\030\367\161\300\266\035\061\354\073\040\353  
\313\342\270\365\256\222\262\367\341\204\113\362\242\362\223\232  
\042\236\323\024\157\066\124\275\037\136\131\025\271\163\250\301  
\174\157\173\142\351\026\154\107\132\145\363\016\021\233\106\331  
\375\155\334\326\234\300\264\175\245\260\335\077\126\157\241\371  
\366\344\022\110\375\006\177\022\127\266\251\043\117\133\003\303  
\340\161\052\043\267\367\260\261\073\274\230\275\326\230\250\014  
\153\366\216\022\147\246\362\262\130\344\002\011\023\074\251\273  
\020\264\322\060\105\361\354\367\000\021\337\145\370\334\053\103  
\125\277\026\227\304\017\325\054\141\204\252\162\206\376\346\072  
\176\302\077\175\356\374\057\024\076\346\205\335\120\157\267\111  
\355\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125  
\035\016\004\026\004\024\362\167\027\372\136\250\376\366\075\161  
\325\150\272\311\106\014\070\330\257\260\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\120\121  
\360\165\334\160\004\343\377\252\165\324\161\242\313\236\217\250  
\251\323\257\165\307\124\317\072\034\004\231\042\254\304\021\342  
\357\063\112\246\043\035\016\015\107\330\067\307\157\257\064\177  
\117\201\153\065\117\351\162\245\061\342\170\347\367\116\224\030

\133\100\175\317\153\041\124\206\346\225\172\373\306\312\352\234  
\110\116\127\011\135\057\254\364\245\264\227\063\130\325\254\171  
\251\314\137\371\205\372\122\305\215\370\221\024\353\072\015\027  
\320\122\302\173\343\302\163\216\106\170\006\070\054\350\134\332  
\146\304\364\244\360\126\031\063\051\132\145\222\005\107\106\112  
\253\204\303\036\047\241\037\021\222\231\047\165\223\017\274\066  
\073\227\127\217\046\133\014\273\234\017\324\156\060\007\324\334  
\137\066\150\146\071\203\226\047\046\212\310\304\071\376\232\041  
\157\325\162\206\351\177\142\345\227\116\320\044\320\100\260\320  
\165\010\216\275\150\356\010\327\156\174\020\160\106\033\174\340  
\210\262\236\162\206\231\001\343\277\237\111\031\264\045\276\126  
\145\256\027\143\345\036\337\350\377\107\245\277\341\046\005\204  
\344\260\300\257\347\010\231\250\014\136\046\200\105\324\370\150  
\057\226\217\256\342\112\034\234\026\014\023\157\070\207\366\273  
\310\064\137\222\003\121\171\160\246\337\313\365\231\115\171\315  
\116\274\127\237\103\116\153\056\053\030\370\152\163\214\272\305  
\065\357\071\152\101\036\317\161\250\242\262\206\007\133\072\311  
\341\357\077\145\004\200\107\062\104\160\225\116\061\147\152\164  
\133\020\105\165\352\260\237\320\346\065\376\116\237\213\314\053  
\222\105\133\156\045\140\205\106\315\321\252\260\166\146\223\167  
\226\276\203\276\070\266\044\116\046\013\314\355\172\126\032\340  
\351\132\306\144\255\114\172\000\110\104\057\271\100\273\023\076  
\276\025\170\235\205\201\112\052\127\336\325\031\103\332\333\312  
\133\107\206\203\013\077\266\015\166\170\163\171\042\136\261\200  
\037\317\276\321\077\126\020\230\053\225\207\241\037\235\144\024  
\140\071\054\263\000\125\056\344\365\263\016\127\304\221\101\000  
\234\077\350\245\337\352\366\377\310\360\255\155\122\250\027\253  
\233\141\374\022\121\065\344\045\375\257\252\152\206\071

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "HiPKI Root CA - G1"

# Issuer: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW

# Serial Number:2d:dd:ac:ce:62:97:94:a1:43:e8:b0:cd:76:6a:5e:60

# Subject: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW

# Not Valid Before: Fri Feb 22 09:46:04 2019

# Not Valid After : Thu Dec 31 15:59:59 2037

# Fingerprint (SHA-256):

F0:15:CE:3C:C2:39:BF:EF:06:4B:E9:F1:D2:C4:17:E1:A0:26:4A:0A:94:BE:1F:0C:8D:12:18:64:EB:69:49:CC

# Fingerprint (SHA1): 6A:92:E4:A8:EE:1B:EC:96:45:37:E3:29:57:49:CD:96:E3:E5:D2:60

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "HiPKI Root CA - G1"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\152\222\344\250\356\033\354\226\105\067\343\051\127\111\315\226  
\343\345\322\140

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\151\105\337\026\145\113\350\150\232\217\166\137\377\200\236\323

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061  
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150  
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040  
\114\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110  
\151\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107  
\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\055\335\254\316\142\227\224\241\103\350\260\315\166\152  
\136\140

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "GlobalSign ECC Root CA - R4"

#

# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4

# Serial Number:02:03:e5:7e:f5:3f:93:fd:a5:09:21:b2:a6

# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4

# Not Valid Before: Tue Nov 13 00:00:00 2012

# Not Valid After : Tue Jan 19 03:14:07 2038

# Fingerprint (SHA-256):

B0:85:D7:0B:96:4F:19:1A:73:E4:AF:0D:54:AE:7A:0E:07:AA:FD:AF:9B:71:DD:08:62:13:8A:B7:32:5A:24:A2

# Fingerprint (SHA1): 6B:A0:B0:98:E1:71:EF:5A:AD:FE:48:15:80:77:10:F4:BD:6F:0B:28

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "GlobalSign ECC Root CA - R4"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157  
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164  
\040\103\101\040\055\040\122\064\061\023\060\021\006\003\125\004  
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060  
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151  
\147\156

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157  
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164  
\040\103\101\040\055\040\122\064\061\023\060\021\006\003\125\004  
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060  
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151  
\147\156

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\015\002\003\345\176\365\077\223\375\245\011\041\262\246

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\001\334\060\202\001\203\240\003\002\001\002\002\015\002  
\003\345\176\365\077\223\375\245\011\041\262\246\060\012\006\010  
\052\206\110\316\075\004\003\002\060\120\061\044\060\042\006\003  
\125\004\013\023\033\107\154\157\142\141\154\123\151\147\156\040  
\105\103\103\040\122\157\157\164\040\103\101\040\055\040\122\064  
\061\023\060\021\006\003\125\004\012\023\012\107\154\157\142\141  
\154\123\151\147\156\061\023\060\021\006\003\125\004\003\023\012  
\107\154\157\142\141\154\123\151\147\156\060\036\027\015\061\062  
\061\061\061\063\060\060\060\060\060\060\132\027\015\063\070\060  
\061\061\071\060\063\061\064\060\067\132\060\120\061\044\060\042  
\006\003\125\004\013\023\033\107\154\157\142\141\154\123\151\147  
\156\040\105\103\103\040\122\157\157\164\040\103\101\040\055\040  
\122\064\061\023\060\021\006\003\125\004\012\023\012\107\154\157  
\142\141\154\123\151\147\156\061\023\060\021\006\003\125\004\003  
\023\012\107\154\157\142\141\154\123\151\147\156\060\131\060\023  
\006\007\052\206\110\316\075\002\001\006\010\052\206\110\316\075  
\003\001\007\003\102\000\004\270\306\171\323\217\154\045\016\237  
\056\071\031\034\003\244\256\232\345\071\007\011\026\312\143\261  
\271\206\370\212\127\301\127\316\102\372\163\241\367\145\102\377  
\036\301\000\262\156\163\016\377\307\041\345\030\244\252\331\161  
\077\250\324\271\316\214\035\243\102\060\100\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\206\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003  
\125\035\016\004\026\004\024\124\260\173\255\105\270\342\100\177  
\373\012\156\373\276\063\311\074\243\204\325\060\012\006\010\052  
\206\110\316\075\004\003\002\003\107\000\060\104\002\040\042\117  
\164\162\271\140\257\361\346\234\240\026\005\120\137\303\136\073  
\156\141\164\357\276\001\304\276\030\110\131\141\202\062\002\040  
\046\235\124\143\100\336\067\140\120\317\310\330\355\235\202\256  
\067\230\274\243\217\114\114\251\064\053\154\357\373\225\233\046

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

Trust for "GlobalSign ECC Root CA - R4"
Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4
Serial Number:02:03:e5:7e:f5:3f:93:fd:a5:09:21:b2:a6
Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4
Not Valid Before: Tue Nov 13 00:00:00 2012
Not Valid After : Tue Jan 19 03:14:07 2038
Fingerprint (SHA-256):
B0:85:D7:0B:96:4F:19:1A:73:E4:AF:0D:54:AE:7A:0E:07:AA:FD:AF:9B:71:DD:08:62:13:8A:B7:32:5A:24:A2
Fingerprint (SHA1): 6B:A0:B0:98:E1:71:EF:5A:AD:FE:48:15:80:77:10:F4:BD:6F:0B:28
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign ECC Root CA - R4"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\153\240\260\230\341\161\357\132\255\376\110\025\200\167\020\364
\275\157\013\050
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\046\051\370\155\341\210\277\242\145\177\252\304\315\017\177\374
END
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\064\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\176\365\077\223\375\245\011\041\262\246
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "GTS Root R1"
#
Issuer: CN=GTS Root R1,O=Google Trust Services LLC,C=US
Serial Number:02:03:e5:93:6f:31:b0:13:49:88:6b:a2:17
Subject: CN=GTS Root R1,O=Google Trust Services LLC,C=US
Not Valid Before: Wed Jun 22 00:00:00 2016
Not Valid After : Sun Jun 22 00:00:00 2036
Fingerprint (SHA-256):
D9:47:43:2A:BD:E7:B7:FA:90:FC:2E:6B:59:10:1B:12:80:E0:E1:C7:E4:E4:0F:A3:C6:88:7F:FF:57:A7:F4:CF
Fingerprint (SHA1): E5:8C:1C:C4:91:3B:38:63:4B:E9:10:6E:E3:AD:8E:6B:9D:D9:81:4A

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\223\157\061\260\023\111\210\153\242\027
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\127\060\202\003\077\240\003\002\001\002\002\015\002
\003\345\223\157\061\260\023\111\210\153\242\027\060\015\006\011
\052\206\110\206\367\015\001\001\014\005\000\060\107\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\042\060\040\006\003
\125\004\012\023\031\107\157\157\147\154\145\040\124\162\165\163
\164\040\123\145\162\166\151\143\145\163\040\114\114\103\061\024
\060\022\006\003\125\004\003\023\013\107\124\123\040\122\157\157
\164\040\122\061\060\036\027\015\061\066\060\066\062\062\060\060
\060\060\060\060\132\027\015\063\066\060\066\062\062\060\060\060
\060\060\060\132\060\107\061\013\060\011\006\003\125\004\006\023
\002\125\123\061\042\060\040\006\003\125\004\012\023\031\107\157
\157\147\154\145\040\124\162\165\163\164\040\123\145\162\166\151
\143\145\163\040\114\114\103\061\024\060\022\006\003\125\004\003
\023\013\107\124\123\040\122\157\157\164\040\122\061\060\202\002
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\266\021
\002\213\036\343\241\167\233\073\334\277\224\076\267\225\247\100
\074\241\375\202\371\175\062\006\202\161\366\366\214\177\373\350
\333\274\152\056\227\227\243\214\113\371\053\366\261\371\316\204
\035\261\371\305\227\336\357\271\362\243\351\274\022\211\136\247
\252\122\253\370\043\047\313\244\261\234\143\333\327\231\176\360
\012\136\353\150\246\364\306\132\107\015\115\020\063\343\116\261
\023\243\310\030\154\113\354\374\011\220\337\235\144\051\045\043
```

\007\241\264\322\075\056\140\340\317\322\011\207\273\315\110\360  
\115\302\302\172\210\212\273\272\317\131\031\326\257\217\260\007  
\260\236\061\361\202\301\300\337\056\246\155\154\031\016\265\330  
\176\046\032\105\003\075\260\171\244\224\050\255\017\177\046\345  
\250\010\376\226\350\074\150\224\123\356\203\072\210\053\025\226  
\011\262\340\172\214\056\165\326\234\353\247\126\144\217\226\117  
\150\256\075\227\302\204\217\300\274\100\300\013\134\275\366\207  
\263\065\154\254\030\120\177\204\340\114\315\222\323\040\351\063  
\274\122\231\257\062\265\051\263\045\052\264\110\371\162\341\312  
\144\367\346\202\020\215\350\235\302\212\210\372\070\146\212\374  
\143\371\001\371\170\375\173\134\167\372\166\207\372\354\337\261  
\016\171\225\127\264\275\046\357\326\001\321\353\026\012\273\216  
\013\265\305\305\212\125\253\323\254\352\221\113\051\314\031\244  
\062\045\116\052\361\145\104\320\002\316\252\316\111\264\352\237  
\174\203\260\100\173\347\103\253\247\154\243\217\175\211\201\372  
\114\245\377\325\216\303\316\113\340\265\330\263\216\105\317\166  
\300\355\100\053\375\123\017\260\247\325\073\015\261\212\242\003  
\336\061\255\314\167\352\157\173\076\326\337\221\042\022\346\276  
\372\330\062\374\020\143\024\121\162\336\135\326\026\223\275\051  
\150\063\357\072\146\354\007\212\046\337\023\327\127\145\170\047  
\336\136\111\024\000\242\000\177\232\250\041\266\251\261\225\260  
\245\271\015\026\021\332\307\154\110\074\100\340\176\015\132\315  
\126\074\321\227\005\271\313\113\355\071\113\234\304\077\322\125  
\023\156\044\260\326\161\372\364\301\272\314\355\033\365\376\201  
\101\330\000\230\075\072\310\256\172\230\067\030\005\225\002\003  
\001\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004  
\026\004\024\344\257\053\046\161\032\053\110\047\205\057\122\146  
\054\357\360\211\023\161\076\060\015\006\011\052\206\110\206\367  
\015\001\001\014\005\000\003\202\002\001\000\237\252\102\046\333  
\013\233\276\377\036\226\222\056\076\242\145\112\152\230\272\042  
\313\175\301\072\330\202\012\006\306\366\245\336\300\116\207\146  
\171\241\371\246\130\234\252\371\265\346\140\347\340\350\261\036  
\102\101\063\013\067\075\316\211\160\025\312\265\044\250\317\153  
\265\322\100\041\230\317\042\064\317\073\305\042\204\340\305\016  
\212\174\135\210\344\065\044\316\233\076\032\124\036\156\333\262  
\207\247\374\363\372\201\125\024\142\012\131\251\042\005\061\076  
\202\326\356\333\127\064\274\063\225\323\027\033\350\047\242\213  
\173\116\046\032\172\132\144\266\321\254\067\361\375\240\363\070  
\354\162\360\021\165\235\313\064\122\215\346\166\153\027\306\337  
\206\253\047\216\111\053\165\146\201\020\041\246\352\076\364\256  
\045\377\174\025\336\316\214\045\077\312\142\160\012\367\057\011  
\146\007\310\077\034\374\360\333\105\060\337\142\210\301\265\017  
\235\303\237\112\336\131\131\107\305\207\042\066\346\202\247\355  
\012\271\342\007\240\215\173\172\112\074\161\322\342\003\241\037  
\062\007\335\033\344\102\316\014\000\105\141\200\265\013\040\131  
\051\170\275\371\125\313\143\305\074\114\364\266\377\333\152\137

```
\061\153\231\236\054\301\153\120\244\327\346\030\024\275\205\077
\147\253\106\237\240\377\102\247\072\177\134\313\135\260\160\035
\053\064\365\324\166\011\014\353\170\114\131\005\363\063\102\303
\141\025\020\033\167\115\316\042\214\324\205\362\105\175\267\123
\352\357\100\132\224\012\134\040\137\116\100\135\142\042\166\337
\377\316\141\275\214\043\170\322\067\002\340\216\336\321\021\067
\211\366\277\355\111\007\142\256\222\354\100\032\257\024\011\331
\320\116\262\242\367\276\356\356\330\377\334\032\055\336\270\066
\161\342\374\171\267\224\045\321\110\163\133\241\065\347\263\231
\147\165\301\031\072\053\107\116\323\102\216\375\061\310\026\146
\332\322\014\074\333\263\216\311\241\015\200\017\173\026\167\024
\277\377\333\011\224\262\223\274\040\130\025\351\333\161\103\363
\336\020\303\000\334\250\052\225\266\302\326\077\220\153\166\333
\154\376\214\274\362\160\065\014\334\231\031\065\334\327\310\106
\143\325\066\161\256\127\373\267\202\155\334
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "GTS Root R1"

# Issuer: CN=GTS Root R1,O=Google Trust Services LLC,C=US

# Serial Number:02:03:e5:93:6f:31:b0:13:49:88:6b:a2:17

# Subject: CN=GTS Root R1,O=Google Trust Services LLC,C=US

# Not Valid Before: Wed Jun 22 00:00:00 2016

# Not Valid After : Sun Jun 22 00:00:00 2036

# Fingerprint (SHA-256):

D9:47:43:2A:BD:E7:B7:FA:90:FC:2E:6B:59:10:1B:12:80:E0:E1:C7:E4:E4:0F:A3:C6:88:7F:FF:57:A7:F4:CF

# Fingerprint (SHA1): E5:8C:1C:C4:91:3B:38:63:4B:E9:10:6E:E3:AD:8E:6B:9D:D9:81:4A

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GTS Root R1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\345\214\034\304\221\073\070\143\113\351\020\156\343\255\216\153
\235\331\201\112
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\005\376\320\277\161\250\243\166\143\332\001\340\330\122\334\100
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\061
```

END



```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\223\157\061\260\023\111\210\153\242\027
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "GTS Root R2"
#
Issuer: CN=GTS Root R2,O=Google Trust Services LLC,C=US
Serial Number:02:03:e5:ae:c5:8d:04:25:1a:ab:11:25:aa
Subject: CN=GTS Root R2,O=Google Trust Services LLC,C=US
Not Valid Before: Wed Jun 22 00:00:00 2016
Not Valid After : Sun Jun 22 00:00:00 2036
Fingerprint (SHA-256):
8D:25:CD:97:22:9D:BF:70:35:6B:DA:4E:B3:CC:73:40:31:E2:4C:F0:0F:AF:CF:D3:2D:C7:6E:B5:84:1C:7E:A8
Fingerprint (SHA1): 9A:44:49:76:32:DB:DE:FA:D0:BC:FB:5A:7B:17:BD:9E:56:09:24:94
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\256\305\215\004\045\032\253\021\045\252
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\127\060\202\003\077\240\003\002\001\002\002\015\002
\003\345\256\305\215\004\045\032\253\021\045\252\060\015\006\011
\052\206\110\206\367\015\001\001\014\005\000\060\107\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\042\060\040\006\003

```

\125\004\012\023\031\107\157\157\147\154\145\040\124\162\165\163  
\164\040\123\145\162\166\151\143\145\163\040\114\114\103\061\024  
\060\022\006\003\125\004\003\023\013\107\124\123\040\122\157\157  
\164\040\122\062\060\036\027\015\061\066\060\066\062\062\060\060  
\060\060\060\060\132\027\015\063\066\060\066\062\062\060\060\060  
\060\060\060\132\060\107\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\042\060\040\006\003\125\004\012\023\031\107\157  
\157\147\154\145\040\124\162\165\163\164\040\123\145\162\166\151  
\143\145\163\040\114\114\103\061\024\060\022\006\003\125\004\003  
\023\013\107\124\123\040\122\157\157\164\040\122\062\060\202\002  
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000  
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\316\336  
\375\246\373\354\354\024\064\074\007\006\132\154\131\367\031\065  
\335\367\301\235\125\252\323\315\073\244\223\162\357\012\372\155  
\235\366\360\205\200\133\241\110\122\237\071\305\267\356\050\254  
\357\313\166\150\024\271\337\255\001\154\231\037\304\042\035\237  
\376\162\167\340\054\133\257\344\004\277\117\162\240\032\064\230  
\350\071\150\354\225\045\173\166\241\346\151\271\205\031\275\211  
\214\376\255\355\066\352\163\274\377\203\342\313\175\301\322\316  
\112\263\215\005\236\213\111\223\337\301\133\320\156\136\360\056  
\060\056\202\374\372\274\264\027\012\110\345\210\233\305\233\153  
\336\260\312\264\003\360\332\364\220\270\145\144\367\134\114\255  
\350\176\146\136\231\327\270\302\076\310\320\023\235\255\356\344  
\105\173\211\125\367\212\037\142\122\204\022\263\302\100\227\343  
\212\037\107\221\246\164\132\322\370\261\143\050\020\270\263\011  
\270\126\167\100\242\046\230\171\306\376\337\045\356\076\345\240  
\177\324\141\017\121\113\074\077\214\332\341\160\164\330\302\150  
\241\371\301\014\351\241\342\177\273\125\074\166\006\356\152\116  
\314\222\210\060\115\232\275\117\013\110\232\204\265\230\243\325  
\373\163\301\127\141\335\050\126\165\023\256\207\216\347\014\121  
\011\020\165\210\114\274\215\371\173\074\324\042\110\037\052\334  
\353\153\273\104\261\313\063\161\062\106\257\255\112\361\214\350  
\164\072\254\347\032\042\163\200\322\060\367\045\102\307\042\073  
\073\022\255\226\056\306\303\166\007\252\040\267\065\111\127\351  
\222\111\350\166\026\162\061\147\053\226\176\212\243\307\224\126  
\042\277\152\113\176\001\041\262\043\062\337\344\232\104\155\131  
\133\135\365\000\240\034\233\306\170\227\215\220\377\233\310\252  
\264\257\021\121\071\136\331\373\147\255\325\133\021\235\062\232  
\033\275\325\272\133\245\311\313\045\151\123\125\047\134\340\312  
\066\313\210\141\373\036\267\320\313\356\026\373\323\246\114\336  
\222\245\324\342\337\365\006\124\336\056\235\113\264\223\060\252  
\201\316\335\032\334\121\163\015\117\160\351\345\266\026\041\031  
\171\262\346\211\013\165\144\312\325\253\274\011\301\030\241\377  
\324\124\241\205\074\375\024\044\003\262\207\323\244\267\002\003  
\001\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004  
\026\004\024\273\377\312\216\043\237\117\231\312\333\342\150\246

\245\025\047\027\036\331\016\060\015\006\011\052\206\110\206\367  
\015\001\001\014\005\000\003\202\002\001\000\037\312\316\335\307  
\276\241\237\331\047\114\013\334\027\230\021\152\210\336\075\346  
\161\126\162\262\236\032\116\234\325\053\230\044\135\233\153\173  
\260\063\202\011\275\337\045\106\352\230\236\266\033\376\203\074  
\322\142\141\301\004\355\316\340\305\311\310\023\023\125\347\250  
\143\255\214\173\001\376\167\060\341\316\150\233\005\370\022\356  
\171\061\240\101\105\065\050\012\161\244\044\117\214\334\074\202  
\007\137\146\334\175\020\376\014\141\263\005\225\356\341\256\201  
\017\250\370\307\217\115\250\043\002\046\153\035\203\122\125\316  
\265\057\000\312\200\100\340\341\164\254\140\365\207\200\235\256  
\066\144\221\135\260\150\030\352\212\141\311\167\250\227\304\311  
\307\245\374\125\113\363\360\177\271\145\075\047\150\320\314\153  
\372\123\235\341\221\032\311\135\032\226\155\062\207\355\003\040  
\310\002\316\132\276\331\352\375\262\115\304\057\033\337\137\172  
\365\370\213\306\356\061\072\045\121\125\147\215\144\062\173\351  
\236\303\202\272\052\055\351\036\264\340\110\006\242\374\147\257  
\037\042\002\163\373\040\012\257\235\124\113\241\315\377\140\107  
\260\077\135\357\033\126\275\227\041\226\055\012\321\136\235\070  
\002\107\154\271\364\366\043\045\270\240\152\232\053\167\010\372  
\304\261\050\220\046\130\010\074\342\176\252\327\075\157\272\061  
\210\012\005\353\047\265\241\111\356\240\105\124\173\346\047\145  
\231\040\041\250\243\274\373\030\226\273\122\157\014\355\203\121  
\114\351\131\342\040\140\305\302\145\222\202\214\363\020\037\016  
\212\227\276\167\202\155\077\217\035\135\274\111\047\275\314\117  
\017\341\316\166\206\004\043\305\300\214\022\133\375\333\204\240  
\044\361\110\377\144\174\320\276\134\026\321\357\231\255\300\037  
\373\313\256\274\070\042\006\046\144\332\332\227\016\077\050\025  
\104\250\117\000\312\360\232\314\317\164\152\264\076\074\353\225  
\354\265\323\132\330\201\231\351\103\030\067\353\263\273\321\130  
\142\101\363\146\322\217\252\170\225\124\040\303\132\056\164\053  
\325\321\276\030\151\300\254\325\244\317\071\272\121\204\003\145  
\351\142\300\142\376\330\115\125\226\342\320\021\372\110\064\021  
\354\236\355\005\035\344\310\326\035\206\313

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GTS Root R2"

# Issuer: CN=GTS Root R2,O=Google Trust Services LLC,C=US

# Serial Number:02:03:e5:ae:c5:8d:04:25:1a:ab:11:25:aa

# Subject: CN=GTS Root R2,O=Google Trust Services LLC,C=US

# Not Valid Before: Wed Jun 22 00:00:00 2016

# Not Valid After : Sun Jun 22 00:00:00 2036

# Fingerprint (SHA-256):

8D:25:CD:97:22:9D:BF:70:35:6B:DA:4E:B3:CC:73:40:31:E2:4C:F0:0F:AF:CF:D3:2D:C7:6E:B5:84:1C:7E:A8

# Fingerprint (SHA1): 9A:44:49:76:32:DB:DE:FA:D0:BC:FB:5A:7B:17:BD:9E:56:09:24:94

```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\232\104\111\166\062\333\336\372\320\274\373\132\173\027\275\236
\126\011\044\224
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\036\071\300\123\346\036\051\202\013\312\122\125\066\135\127\334
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\256\305\215\004\045\032\253\021\045\252
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "GTS Root R3"
#
Issuer: CN=GTS Root R3,O=Google Trust Services LLC,C=US
Serial Number:02:03:e5:b8:82:eb:20:f8:25:27:6d:3d:66
Subject: CN=GTS Root R3,O=Google Trust Services LLC,C=US
Not Valid Before: Wed Jun 22 00:00:00 2016
Not Valid After : Sun Jun 22 00:00:00 2036
Fingerprint (SHA-256):
34:D8:A7:3E:E2:08:D9:BC:DB:0D:95:65:20:93:4B:4E:40:E6:94:82:59:6E:8B:6F:73:C8:42:6B:01:0A:6F:48
Fingerprint (SHA1): ED:E5:71:80:2B:C8:92:B9:5B:83:3C:D2:32:68:3F:09:CD:A0:1E:46
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040

```

```
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\270\202\353\040\370\045\047\155\075\146
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\011\060\202\001\216\240\003\002\001\002\002\015\002
\003\345\270\202\353\040\370\045\047\155\075\146\060\012\006\010
\052\206\110\316\075\004\003\003\060\107\061\013\060\011\006\003
\125\004\006\023\002\125\123\061\042\060\040\006\003\125\004\012
\023\031\107\157\157\147\154\145\040\124\162\165\163\164\040\123
\145\162\166\151\143\145\163\040\114\114\103\061\024\060\022\006
\003\125\004\003\023\013\107\124\123\040\122\157\157\164\040\122
\063\060\036\027\015\061\066\060\066\062\062\060\060\060\060\060
\060\132\027\015\063\066\060\066\062\062\060\060\060\060\060\060
\132\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154
\145\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163
\040\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107
\124\123\040\122\157\157\164\040\122\063\060\166\060\020\006\007
\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142
\000\004\037\117\063\207\063\051\212\241\204\336\313\307\041\130
\101\211\352\126\235\053\113\205\306\035\114\047\274\177\046\121
\162\157\342\237\326\243\312\314\105\024\106\213\255\357\176\206
\214\354\261\176\057\377\251\161\235\030\204\105\004\101\125\156
\053\352\046\177\273\220\001\343\113\031\272\344\124\226\105\011
\261\325\154\221\104\255\204\023\216\232\214\015\200\014\062\366
\340\047\243\102\060\100\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\301\361\046\272\240\055\256\205\201\317\323\361\052\022
\275\270\012\147\375\274\060\012\006\010\052\206\110\316\075\004
\003\003\003\151\000\060\146\002\061\000\366\341\040\225\024\173
\124\243\220\026\021\277\204\310\352\157\153\027\236\036\106\230
\040\233\237\323\015\331\254\323\057\315\174\370\133\056\125\273
\277\335\222\367\244\014\334\061\341\242\002\061\000\374\227\146
\146\345\103\026\023\203\335\307\337\057\276\024\070\355\001\316
\261\027\032\021\165\351\275\003\217\046\176\204\345\311\140\246
\225\327\124\131\267\347\021\054\211\324\271\356\027
```

```

END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "GTS Root R3"
Issuer: CN=GTS Root R3,O=Google Trust Services LLC,C=US
Serial Number:02:03:e5:b8:82:eb:20:f8:25:27:6d:3d:66
Subject: CN=GTS Root R3,O=Google Trust Services LLC,C=US
Not Valid Before: Wed Jun 22 00:00:00 2016
Not Valid After : Sun Jun 22 00:00:00 2036
Fingerprint (SHA-256):
34:D8:A7:3E:E2:08:D9:BC:DB:0D:95:65:20:93:4B:4E:40:E6:94:82:59:6E:8B:6F:73:C8:42:6B:01:0A:6F:48
Fingerprint (SHA1): ED:E5:71:80:2B:C8:92:B9:5B:83:3C:D2:32:68:3F:09:CD:A0:1E:46
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\35\34\161\200\053\310\222\271\133\203\074\322\062\150\077\011
\315\240\036\106
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\076\347\235\130\002\224\106\121\224\345\340\042\112\213\347\163
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\270\202\353\040\370\045\047\155\075\146
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "GTS Root R4"
#
Issuer: CN=GTS Root R4,O=Google Trust Services LLC,C=US
Serial Number:02:03:e5:c0:68:ef:63:1a:9c:72:90:50:52
Subject: CN=GTS Root R4,O=Google Trust Services LLC,C=US
Not Valid Before: Wed Jun 22 00:00:00 2016

```

```
Not Valid After : Sun Jun 22 00:00:00 2036
Fingerprint (SHA-256):
34:9D:FA:40:58:C5:E2:63:12:3B:39:8A:E7:95:57:3C:4E:13:13:C8:3F:E6:8F:93:55:6C:D5:E8:03:1B:3C:7D
Fingerprint (SHA1): 77:D3:03:67:B5:E0:0C:15:F6:0C:38:61:DF:7C:E1:3B:92:46:4D:47
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\064
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\300\150\357\143\032\234\162\220\120\122
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\011\060\202\001\216\240\003\002\001\002\002\015\002
\003\345\300\150\357\143\032\234\162\220\120\122\060\012\006\010
\052\206\110\316\075\004\003\003\060\107\061\013\060\011\006\003
\125\004\006\023\002\125\123\061\042\060\040\006\003\125\004\012
\023\031\107\157\157\147\154\145\040\124\162\165\163\164\040\123
\145\162\166\151\143\145\163\040\114\114\103\061\024\060\022\006
\003\125\004\003\023\013\107\124\123\040\122\157\157\164\040\122
\064\060\036\027\015\061\066\060\066\062\062\060\060\060\060\060
\060\132\027\015\063\066\060\066\062\062\060\060\060\060\060\060
\132\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154
\145\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163
\040\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107
\124\123\040\122\157\157\164\040\122\064\060\166\060\020\006\007
\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142
\000\004\363\164\163\247\150\213\140\256\103\270\065\305\201\060
\173\113\111\235\373\301\141\316\346\336\106\275\153\325\141\030
\065\256\100\335\163\367\211\221\060\132\353\074\356\205\174\242
\100\166\073\251\306\270\107\330\052\347\222\221\152\163\351\261
```

```
\162\071\237\051\237\242\230\323\137\136\130\206\145\017\241\204
\145\006\321\334\213\311\307\163\310\214\152\057\345\304\253\321
\035\212\243\102\060\100\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\200\114\326\353\164\377\111\066\243\325\330\374\265\076
\305\152\360\224\035\214\060\012\006\010\052\206\110\316\075\004
\003\003\003\151\000\060\146\002\061\000\350\100\377\203\336\003
\364\237\256\035\172\247\056\271\257\117\366\203\035\016\055\205
\001\035\321\331\152\354\017\302\257\307\136\126\136\134\325\034
\130\042\050\013\367\060\266\057\261\174\002\061\000\360\141\074
\247\364\240\202\343\041\325\204\035\163\206\234\055\257\312\064
\233\361\237\271\043\066\342\274\140\003\235\200\263\232\126\310
\341\342\273\024\171\312\315\041\324\224\265\111\103
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "GTS Root R4"

# Issuer: CN=GTS Root R4,O=Google Trust Services LLC,C=US

# Serial Number:02:03:e5:c0:68:ef:63:1a:9c:72:90:50:52

# Subject: CN=GTS Root R4,O=Google Trust Services LLC,C=US

# Not Valid Before: Wed Jun 22 00:00:00 2016

# Not Valid After : Sun Jun 22 00:00:00 2036

# Fingerprint (SHA-256):

34:9D:FA:40:58:C5:E2:63:12:3B:39:8A:E7:95:57:3C:4E:13:13:C8:3F:E6:8F:93:55:6C:D5:E8:03:1B:3C:7D

# Fingerprint (SHA1): 77:D3:03:67:B5:E0:0C:15:F6:0C:38:61:DF:7C:E1:3B:92:46:4D:47

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GTS Root R4"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\167\323\003\147\265\340\014\025\366\014\070\141\337\174\341\073
\222\106\115\107
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\103\226\203\167\031\115\166\263\235\145\122\344\035\042\245\350
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\064
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```



```

\002\015\002\003\345\300\150\357\143\032\234\162\220\120\122
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Telia Root CA v2"
#
Issuer: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI
Serial Number:01:67:5f:27:d6:fe:7a:e3:e4:ac:be:09:5b:05:9e
Subject: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI
Not Valid Before: Thu Nov 29 11:55:54 2018
Not Valid After : Sun Nov 29 11:55:54 2043
Fingerprint (SHA-256):
24:2B:69:74:2F:CB:1E:5B:2A:BF:98:89:8B:94:57:21:87:54:4E:5B:4D:99:11:78:65:73:62:1F:6A:74:B8:2C
Fingerprint (SHA1): B9:99:CD:D1:73:50:8A:C4:47:05:08:9C:8C:88:FB:BE:A0:2B:40:CD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Telia Root CA v2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\106\111\061
\032\060\030\006\003\125\004\012\014\021\124\145\154\151\141\040
\106\151\156\154\141\156\144\040\117\171\152\061\031\060\027\006
\003\125\004\003\014\020\124\145\154\151\141\040\122\157\157\164
\040\103\101\040\166\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\106\111\061
\032\060\030\006\003\125\004\012\014\021\124\145\154\151\141\040
\106\151\156\154\141\156\144\040\117\171\152\061\031\060\027\006
\003\125\004\003\014\020\124\145\154\151\141\040\122\157\157\164
\040\103\101\040\166\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\017\001\147\137\047\326\376\172\343\344\254\276\011\133\005
\236
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\164\060\202\003\134\240\003\002\001\002\002\017\001
\147\137\047\326\376\172\343\344\254\276\011\133\005\236\060\015
\006\011\052\206\110\206\367\015\001\001\013\005\000\060\104\061
\013\060\011\006\003\125\004\006\023\002\106\111\061\032\060\030

```

\006\003\125\004\012\014\021\124\145\154\151\141\040\106\151\156  
\154\141\156\144\040\117\171\152\061\031\060\027\006\003\125\004  
\003\014\020\124\145\154\151\141\040\122\157\157\164\040\103\101  
\040\166\062\060\036\027\015\061\070\061\061\062\071\061\061\065  
\065\065\064\132\027\015\064\063\061\061\062\071\061\061\065\065  
\065\064\132\060\104\061\013\060\011\006\003\125\004\006\023\002  
\106\111\061\032\060\030\006\003\125\004\012\014\021\124\145\154  
\151\141\040\106\151\156\154\141\156\144\040\117\171\152\061\031  
\060\027\006\003\125\004\003\014\020\124\145\154\151\141\040\122  
\157\157\164\040\103\101\040\166\062\060\202\002\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017  
\000\060\202\002\012\002\202\002\001\000\262\320\077\007\274\342  
\173\320\153\231\370\342\167\151\347\316\235\244\003\274\202\155  
\241\376\201\145\037\114\047\254\216\000\272\026\173\353\060\152  
\000\300\263\164\150\176\262\257\307\325\142\263\172\077\120\312  
\214\066\104\044\143\322\066\351\014\205\366\103\166\325\114\241  
\140\162\147\342\050\063\245\313\061\270\072\042\043\064\270\175  
\275\126\042\100\235\352\364\173\003\255\150\374\262\201\117\230  
\320\164\352\215\345\175\315\143\303\243\366\336\222\302\130\031  
\340\226\273\305\304\251\075\245\164\226\376\257\371\211\252\275  
\225\027\124\330\170\104\361\014\167\025\222\340\230\102\247\244  
\326\252\040\222\315\301\240\263\226\262\072\204\102\215\175\325  
\225\344\326\333\351\142\304\130\263\171\305\214\323\065\063\203  
\237\165\241\122\047\141\070\361\131\075\216\120\340\275\171\074  
\347\154\226\376\136\331\002\145\264\216\134\320\021\064\337\135  
\277\122\247\201\000\303\177\231\105\231\025\325\027\310\012\123  
\354\143\363\231\175\314\151\022\206\302\027\360\001\236\277\204  
\274\321\122\313\033\222\146\316\244\123\345\241\277\304\333\011  
\326\346\211\126\053\310\343\174\336\343\377\211\345\065\156\050  
\350\154\013\043\121\251\045\005\353\110\370\335\261\312\372\154  
\010\121\357\267\030\154\104\312\046\341\163\306\211\006\201\345  
\212\254\260\342\051\306\271\044\263\153\104\021\364\245\103\302  
\114\103\345\160\066\214\266\063\127\172\225\056\202\240\364\134  
\020\263\141\203\366\002\005\206\056\174\055\154\334\003\106\156  
\065\223\325\172\225\057\336\040\330\133\176\224\220\004\152\272  
\131\075\004\005\165\235\067\242\016\056\075\353\301\244\122\203  
\376\320\153\324\146\216\334\306\351\022\116\035\052\127\252\020  
\274\174\136\202\175\246\246\311\362\055\271\365\027\047\255\321  
\016\211\124\053\225\372\300\255\035\230\024\170\063\102\206\012  
\251\163\265\373\164\015\267\033\060\031\304\132\016\034\047\267  
\332\030\320\377\212\310\005\272\361\252\034\242\067\267\346\110  
\244\106\054\224\352\250\166\142\107\213\020\123\007\110\127\154  
\342\222\115\266\256\005\313\334\301\112\136\217\254\075\031\116  
\302\355\140\165\053\333\301\312\102\325\002\003\001\000\001\243  
\143\060\141\060\037\006\003\125\035\043\004\030\060\026\200\024  
\162\254\344\063\171\252\105\207\366\375\254\035\236\326\307\057  
\206\330\044\071\060\035\006\003\125\035\016\004\026\004\024\162  
\254\344\063\171\252\105\207\366\375\254\035\236\326\307\057\206

\330\044\071\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001  
\013\005\000\003\202\002\001\000\240\073\131\247\011\224\076\066  
\204\322\176\057\071\245\226\227\372\021\255\374\147\363\161\011  
\362\262\211\204\147\104\257\271\357\355\226\354\234\144\333\062  
\060\157\147\232\254\176\137\262\253\001\066\176\201\372\344\204  
\136\322\254\066\340\153\142\305\175\113\016\202\155\322\166\142  
\321\376\227\370\237\060\174\030\371\264\122\167\202\035\166\333  
\323\035\251\360\301\232\000\275\155\165\330\175\347\372\307\070  
\243\234\160\350\106\171\003\257\056\164\333\165\370\156\123\014  
\003\310\231\032\211\065\031\074\323\311\124\174\250\360\054\346  
\156\007\171\157\152\341\346\352\221\202\151\012\035\303\176\131  
\242\236\153\106\025\230\133\323\257\106\035\142\310\316\200\122  
\111\021\077\311\004\022\303\023\174\077\073\212\226\333\074\240  
\036\012\264\213\124\262\044\147\015\357\202\313\276\074\175\321  
\342\177\256\026\326\126\130\271\332\040\261\203\025\241\357\212  
\115\062\157\101\057\023\122\202\224\327\032\301\170\242\121\335  
\053\160\155\267\032\371\367\260\340\147\227\126\333\174\141\123  
\011\003\050\002\100\307\263\330\375\234\160\152\306\050\303\205  
\351\342\355\032\223\240\336\113\230\242\204\076\005\167\001\226  
\075\373\264\040\017\234\162\002\172\022\057\325\243\272\121\170  
\257\052\053\104\145\116\265\375\012\350\301\315\171\207\141\053  
\336\200\127\105\277\147\361\233\221\136\245\244\354\131\110\020  
\015\070\307\260\372\303\104\155\004\365\170\120\034\222\226\133  
\332\365\270\056\272\133\317\345\360\152\235\113\057\130\163\055  
\117\055\304\034\076\364\263\077\253\025\016\073\031\101\212\244  
\301\127\022\146\161\114\372\123\343\127\353\142\225\011\236\124  
\335\321\302\074\127\074\275\070\255\230\144\267\270\003\232\123  
\126\140\135\263\330\102\033\134\113\022\212\034\353\353\175\306  
\172\151\307\047\177\244\370\213\362\344\224\146\207\113\351\224  
\007\011\022\171\212\262\353\164\004\334\316\364\104\131\340\026  
\312\305\054\130\327\074\173\317\142\206\152\120\175\065\066\146  
\247\373\067\347\050\307\330\320\255\245\151\224\217\350\301\337  
\044\370\033\007\061\207\201\330\135\366\350\050\330\112\122\200  
\254\023\356\120\024\036\230\307

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Telia Root CA v2"  
# Issuer: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI  
# Serial Number:01:67:5f:27:d6:fe:7a:e3:e4:ac:be:09:5b:05:9e  
# Subject: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI  
# Not Valid Before: Thu Nov 29 11:55:54 2018  
# Not Valid After : Sun Nov 29 11:55:54 2043  
# Fingerprint (SHA-256):

```

24:2B:69:74:2F:CB:1E:5B:2A:BF:98:89:8B:94:57:21:87:54:4E:5B:4D:99:11:78:65:73:62:1F:6A:74:B8:2C
Fingerprint (SHA1): B9:99:CD:D1:73:50:8A:C4:47:05:08:9C:8C:88:FB:BE:A0:2B:40:CD
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Telia Root CA v2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\271\231\315\321\163\120\212\304\107\005\010\234\214\210\373\276
\240\053\100\315
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\016\217\254\252\202\337\205\261\364\334\020\034\374\231\331\110
END
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\106\111\061
\032\060\030\006\003\125\004\012\014\021\124\145\154\151\141\040
\106\151\156\154\141\156\144\040\117\171\152\061\031\060\027\006
\003\125\004\003\014\020\124\145\154\151\141\040\122\157\157\164
\040\103\101\040\166\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\017\001\147\137\047\326\376\172\343\344\254\276\011\133\005
\236
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "D-TRUST BR Root CA 1 2020"
#
Issuer: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE
Serial Number:7c:c9:8f:2b:84:d7:df:ea:0f:c9:65:9a:d3:4b:4d:96
Subject: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE
Not Valid Before: Tue Feb 11 09:45:00 2020
Not Valid After : Sun Feb 11 09:44:59 2035
Fingerprint (SHA-256):
E5:9A:AA:81:60:09:C2:2B:FF:5B:25:BA:D3:7D:F3:06:F0:49:79:7C:1F:81:D8:5A:B0:89:E6:57:BD:8F:00:44
Fingerprint (SHA1): 1F:5B:98:F0:E3:B5:F7:74:3C:ED:E6:B0:36:7D:32:CD:F4:09:41:67
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST BR Root CA 1 2020"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163  
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023  
\031\104\055\124\122\125\123\124\040\102\122\040\122\157\157\164  
\040\103\101\040\061\040\062\060\062\060

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163  
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023  
\031\104\055\124\122\125\123\124\040\102\122\040\122\157\157\164  
\040\103\101\040\061\040\062\060\062\060

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\174\311\217\053\204\327\337\352\017\311\145\232\323\113  
\115\226

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\333\060\202\002\140\240\003\002\001\002\002\020\174  
\311\217\053\204\327\337\352\017\311\145\232\323\113\115\226\060  
\012\006\010\052\206\110\316\075\004\003\003\060\110\061\013\060  
\011\006\003\125\004\006\023\002\104\105\061\025\060\023\006\003  
\125\004\012\023\014\104\055\124\162\165\163\164\040\107\155\142  
\110\061\042\060\040\006\003\125\004\003\023\031\104\055\124\122  
\125\123\124\040\102\122\040\122\157\157\164\040\103\101\040\061  
\040\062\060\062\060\060\036\027\015\062\060\060\062\061\061\060  
\071\064\065\060\060\132\027\015\063\065\060\062\061\061\060\071  
\064\064\065\071\132\060\110\061\013\060\011\006\003\125\004\006  
\023\002\104\105\061\025\060\023\006\003\125\004\012\023\014\104  
\055\124\162\165\163\164\040\107\155\142\110\061\042\060\040\006  
\003\125\004\003\023\031\104\055\124\122\125\123\124\040\102\122  
\040\122\157\157\164\040\103\101\040\061\040\062\060\062\060\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\306\313\307\050\321\373\204\365\232  
\357\102\024\040\341\103\153\156\165\255\374\053\003\204\324\166  
\223\045\327\131\073\101\145\153\036\346\064\052\273\164\366\022  
\316\350\155\347\253\344\074\116\077\104\010\213\315\026\161\313  
\277\222\231\364\244\327\074\120\124\122\220\205\203\170\224\147  
\147\243\034\011\031\075\165\064\205\336\355\140\175\307\014\264  
\101\122\271\156\345\356\102\243\202\001\015\060\202\001\011\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\035\006\003\125\035\016\004\026\004\024\163\221\020\253\377  
\125\263\132\174\011\045\325\262\272\010\240\153\253\037\155\060  
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060  
\201\306\006\003\125\035\037\004\201\276\060\201\273\060\076\240  
\074\240\072\206\070\150\164\164\160\072\057\057\143\162\154\056  
\144\055\164\162\165\163\164\056\156\145\164\057\143\162\154\057

\144\055\164\162\165\163\164\137\142\162\137\162\157\157\164\137  
\143\141\137\061\137\062\060\062\060\056\143\162\154\060\171\240  
\167\240\165\206\163\154\144\141\160\072\057\057\144\151\162\145  
\143\164\157\162\171\056\144\055\164\162\165\163\164\056\156\145  
\164\057\103\116\075\104\055\124\122\125\123\124\045\062\060\102  
\122\045\062\060\122\157\157\164\045\062\060\103\101\045\062\060  
\061\045\062\060\062\060\062\060\054\117\075\104\055\124\162\165  
\163\164\045\062\060\107\155\142\110\054\103\075\104\105\077\143  
\145\162\164\151\146\151\143\141\164\145\162\145\166\157\143\141  
\164\151\157\156\154\151\163\164\060\012\006\010\052\206\110\316  
\075\004\003\003\003\151\000\060\146\002\061\000\224\220\055\023  
\372\341\143\370\141\143\350\255\205\170\124\221\234\270\223\070  
\076\032\101\332\100\026\123\102\010\312\057\216\361\076\201\126  
\300\252\330\355\030\304\260\256\364\076\372\046\002\061\000\363  
\050\342\306\333\053\231\373\267\121\270\044\243\244\224\172\032  
\077\346\066\342\003\127\063\212\060\313\202\307\326\024\021\325  
\165\143\133\024\225\234\037\001\317\330\325\162\247\017\073

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "D-TRUST BR Root CA 1 2020"

# Issuer: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE

# Serial Number:7c:c9:8f:2b:84:d7:df:ea:0f:c9:65:9a:d3:4b:4d:96

# Subject: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE

# Not Valid Before: Tue Feb 11 09:45:00 2020

# Not Valid After : Sun Feb 11 09:44:59 2035

# Fingerprint (SHA-256):

E5:9A:AA:81:60:09:C2:2B:FF:5B:25:BA:D3:7D:F3:06:F0:49:79:7C:1F:81:D8:5A:B0:89:E6:57:BD:8F:00:44

# Fingerprint (SHA1): 1F:5B:98:F0:E3:B5:F7:74:3C:ED:E6:B0:36:7D:32:CD:F4:09:41:67

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "D-TRUST BR Root CA 1 2020"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\037\133\230\360\343\265\367\164\074\355\346\260\066\175\062\315  
\364\011\101\147

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\265\252\113\325\355\367\343\125\056\217\162\012\363\165\270\355

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163  
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023  
\031\104\055\124\122\125\123\124\040\102\122\040\122\157\157\164

```

\040\103\101\040\061\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\174\311\217\053\204\327\337\352\017\311\145\232\323\113
\115\226
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "D-TRUST EV Root CA 1 2020"
#
Issuer: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE
Serial Number:5f:02:41:d7:7a:87:7c:4c:03:a3:ac:96:8d:fb:ff:d0
Subject: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE
Not Valid Before: Tue Feb 11 10:00:00 2020
Not Valid After : Sun Feb 11 09:59:59 2035
Fingerprint (SHA-256):
08:17:0D:1A:A3:64:53:90:1A:2F:95:92:45:E3:47:DB:0C:8D:37:AB:AA:BC:56:B8:1A:A1:00:DC:95:89:70:DB
Fingerprint (SHA1): 61:DB:8C:21:59:69:03:90:D8:7C:9C:12:86:54:CF:9D:3D:F4:DD:07
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST EV Root CA 1 2020"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023
\031\104\055\124\122\125\123\124\040\105\126\040\122\157\157\164
\040\103\101\040\061\040\062\060\062\060
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023
\031\104\055\124\122\125\123\124\040\105\126\040\122\157\157\164
\040\103\101\040\061\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\137\002\101\327\172\207\174\114\003\243\254\226\215\373
\377\320
END
CKA_VALUE MULTILINE_OCTAL

```

\060\202\002\333\060\202\002\140\240\003\002\001\002\002\020\137  
\002\101\327\172\207\174\114\003\243\254\226\215\373\377\320\060  
\012\006\010\052\206\110\316\075\004\003\003\060\110\061\013\060  
\011\006\003\125\004\006\023\002\104\105\061\025\060\023\006\003  
\125\004\012\023\014\104\055\124\162\165\163\164\040\107\155\142  
\110\061\042\060\040\006\003\125\004\003\023\031\104\055\124\122  
\125\123\124\040\105\126\040\122\157\157\164\040\103\101\040\061  
\040\062\060\062\060\060\036\027\015\062\060\060\062\061\061\061  
\060\060\060\060\060\132\027\015\063\065\060\062\061\061\060\071  
\065\071\065\071\132\060\110\061\013\060\011\006\003\125\004\006  
\023\002\104\105\061\025\060\023\006\003\125\004\012\023\014\104  
\055\124\162\165\163\164\040\107\155\142\110\061\042\060\040\006  
\003\125\004\003\023\031\104\055\124\122\125\123\124\040\105\126  
\040\122\157\157\164\040\103\101\040\061\040\062\060\062\060\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\361\013\335\206\103\040\031\337\227  
\205\350\042\112\233\317\235\230\277\264\005\046\311\313\343\246  
\322\217\305\236\170\173\061\211\251\211\255\047\074\145\020\202  
\374\337\303\235\116\360\063\043\304\322\062\365\034\260\337\063  
\027\135\305\360\261\212\371\357\271\267\024\312\051\112\302\017  
\251\177\165\145\111\052\060\147\364\144\367\326\032\167\332\303  
\302\227\141\102\173\111\255\243\202\001\015\060\202\001\011\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\035\006\003\125\035\016\004\026\004\024\177\020\001\026\067  
\072\244\050\344\120\370\244\367\354\153\062\266\376\351\213\060  
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060  
\201\306\006\003\125\035\037\004\201\276\060\201\273\060\076\240  
\074\240\072\206\070\150\164\164\160\072\057\057\143\162\154\056  
\144\055\164\162\165\163\164\056\156\145\164\057\143\162\154\057  
\144\055\164\162\165\163\164\137\145\166\137\162\157\157\164\137  
\143\141\137\061\137\062\060\062\060\056\143\162\154\060\171\240  
\167\240\165\206\163\154\144\141\160\072\057\057\144\151\162\145  
\143\164\157\162\171\056\144\055\164\162\165\163\164\056\156\145  
\164\057\103\116\075\104\055\124\122\125\123\124\045\062\060\105  
\126\045\062\060\122\157\157\164\045\062\060\103\101\045\062\060  
\061\045\062\060\062\060\062\060\054\117\075\104\055\124\162\165  
\163\164\045\062\060\107\155\142\110\054\103\075\104\105\077\143  
\145\162\164\151\146\151\143\141\164\145\162\145\166\157\143\141  
\164\151\157\156\154\151\163\164\060\012\006\010\052\206\110\316  
\075\004\003\003\003\151\000\060\146\002\061\000\312\074\306\052  
\165\302\136\165\142\071\066\000\140\132\213\301\223\231\314\331  
\333\101\073\073\207\231\027\073\325\314\117\312\042\367\240\200  
\313\371\264\261\033\126\365\162\322\374\031\321\002\061\000\221  
\367\060\223\077\020\106\053\161\244\320\073\104\233\300\051\002  
\005\262\101\167\121\363\171\132\236\216\024\240\116\102\322\133  
\201\363\064\152\003\347\042\070\120\133\355\031\117\103\026

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE



CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "D-TRUST EV Root CA 1 2020"

# Issuer: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE

# Serial Number:5f:02:41:d7:7a:87:7c:4c:03:a3:ac:96:8d:fb:ff:d0

# Subject: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE

# Not Valid Before: Tue Feb 11 10:00:00 2020

# Not Valid After : Sun Feb 11 09:59:59 2035

# Fingerprint (SHA-256):

08:17:0D:1A:A3:64:53:90:1A:2F:95:92:45:E3:47:DB:0C:8D:37:AB:AA:BC:56:B8:1A:A1:00:DC:95:89:70:DB

# Fingerprint (SHA1): 61:DB:8C:21:59:69:03:90:D8:7C:9C:12:86:54:CF:9D:3D:F4:DD:07

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "D-TRUST EV Root CA 1 2020"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\141\333\214\041\131\151\003\220\330\174\234\022\206\124\317\235

\075\364\335\007

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\214\055\235\160\237\110\231\021\006\021\373\351\313\060\300\156

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061

\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163

\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023

\031\104\055\124\122\125\123\124\040\105\126\040\122\157\157\164

\040\103\101\040\061\040\062\060\062\060

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\137\002\101\327\172\207\174\114\003\243\254\226\215\373

\377\320

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "DigiCert TLS ECC P384 Root G5"

#

# Issuer: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

# Serial Number:09:e0:93:65:ac:f7:d9:c8:b9:3e:1c:0b:04:2a:2e:f3

# Subject: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

# Not Valid Before: Fri Jan 15 00:00:00 2021

# Not Valid After : Sun Jan 14 23:59:59 2046

```
Fingerprint (SHA-256):
01:8E:13:F0:77:25:32:CF:80:9B:D1:B1:72:81:86:72:83:FC:48:C6:E1:3B:E9:C6:98:12:85:4A:49:0C:1B:05
Fingerprint (SHA1): 17:F3:DE:5E:9F:0F:19:E9:8E:F6:1F:32:26:6E:20:C4:07:AE:30:EE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert TLS ECC P384 Root G5"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\046\060\044\006\003\125\004
\003\023\035\104\151\147\151\103\145\162\164\040\124\114\123\040
\105\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\046\060\044\006\003\125\004
\003\023\035\104\151\147\151\103\145\162\164\040\124\114\123\040
\105\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\011\340\223\145\254\367\331\310\271\076\034\013\004\052
\056\363
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\031\060\202\001\237\240\003\002\001\002\002\020\011
\340\223\145\254\367\331\310\271\076\034\013\004\052\056\363\060
\012\006\010\052\206\110\316\075\004\003\003\060\116\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003
\125\004\012\023\016\104\151\147\151\103\145\162\164\054\040\111
\156\143\056\061\046\060\044\006\003\125\004\003\023\035\104\151
\147\151\103\145\162\164\040\124\114\123\040\105\103\103\040\120
\063\070\064\040\122\157\157\164\040\107\065\060\036\027\015\062
\061\060\061\061\065\060\060\060\060\060\060\132\027\015\064\066
\060\061\061\064\062\063\065\071\065\071\132\060\116\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003
\125\004\012\023\016\104\151\147\151\103\145\162\164\054\040\111
\156\143\056\061\046\060\044\006\003\125\004\003\023\035\104\151
\147\151\103\145\162\164\040\124\114\123\040\105\103\103\040\120
\063\070\064\040\122\157\157\164\040\107\065\060\166\060\020\006
\007\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003
\142\000\004\301\104\241\317\021\227\120\232\336\043\202\065\007
\315\320\313\030\235\322\361\177\167\065\117\073\335\224\162\122
\355\302\073\370\354\372\173\153\130\040\354\231\256\311\374\150
```

```
\263\165\271\333\011\354\310\023\365\116\306\012\035\146\060\114
\273\037\107\012\074\141\020\102\051\174\245\010\016\340\042\351
\323\065\150\316\233\143\237\204\265\231\115\130\240\216\365\124
\347\225\311\243\102\060\100\060\035\006\003\125\035\016\004\026
\004\024\301\121\105\120\131\253\076\347\054\132\372\040\042\022
\007\200\210\174\021\152\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\012\006\010\052\206\110\316\075
\004\003\003\003\150\000\060\145\002\061\000\211\152\215\107\347
\354\374\156\125\003\331\147\154\046\116\203\306\375\311\373\053
\023\274\267\172\214\264\145\322\151\151\143\023\143\073\046\120
\056\001\241\171\006\221\235\110\277\302\276\002\060\107\303\025
\173\261\240\221\231\111\223\250\074\174\350\106\006\213\054\362
\061\000\224\235\142\310\211\275\031\204\024\351\245\373\001\270
\015\166\103\214\056\123\313\174\337\014\027\226\120
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

# Trust for "DigiCert TLS ECC P384 Root G5"

# Issuer: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

# Serial Number:09:e0:93:65:ac:f7:d9:c8:b9:3e:1c:0b:04:2a:2e:f3

# Subject: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

# Not Valid Before: Fri Jan 15 00:00:00 2021

# Not Valid After : Sun Jan 14 23:59:59 2046

# Fingerprint (SHA-256):

01:8E:13:F0:77:25:32:CF:80:9B:D1:B1:72:81:86:72:83:FC:48:C6:E1:3B:E9:C6:98:12:85:4A:49:0C:1B:05

# Fingerprint (SHA1): 17:F3:DE:5E:9F:0F:19:E9:8E:F6:1F:32:26:6E:20:C4:07:AE:30:EE

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert TLS ECC P384 Root G5"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\027\363\336\136\237\017\031\351\216\366\037\062\046\156\040\304
\007\256\060\356
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\323\161\004\152\103\034\333\246\131\341\250\243\252\305\161\355
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\116\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\046\060\044\006\003\125\004
\003\023\035\104\151\147\151\103\145\162\164\040\124\114\123\040
\105\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\011\340\223\145\254\367\331\310\271\076\034\013\004\052
\056\363
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "DigiCert TLS RSA4096 Root G5"
#
Issuer: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US
Serial Number:08:f9:b4:78:a8:fa:7e:da:6a:33:37:89:de:7c:cf:8a
Subject: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US
Not Valid Before: Fri Jan 15 00:00:00 2021
Not Valid After : Sun Jan 14 23:59:59 2046
Fingerprint (SHA-256):
37:1A:00:DC:05:33:B3:72:1A:7E:EB:40:E8:41:9E:70:79:9D:2B:0A:0F:2C:1D:80:69:31:65:F7:CE:C4:AD:75
Fingerprint (SHA1): A7:88:49:DC:5D:7C:75:8C:8C:DE:39:98:56:B3:AA:D0:B2:A5:71:35
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert TLS RSA4096 Root G5"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\045\060\043\006\003\125\004
\003\023\034\104\151\147\151\103\145\162\164\040\124\114\123\040
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\045\060\043\006\003\125\004
\003\023\034\104\151\147\151\103\145\162\164\040\124\114\123\040
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\010\371\264\170\250\372\176\332\152\063\067\211\336\174
\317\212
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\146\060\202\003\116\240\003\002\001\002\002\020\010
\371\264\170\250\372\176\332\152\063\067\211\336\174\317\212\060

```

\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\115  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060  
\025\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164  
\054\040\111\156\143\056\061\045\060\043\006\003\125\004\003\023  
\034\104\151\147\151\103\145\162\164\040\124\114\123\040\122\123  
\101\064\060\071\066\040\122\157\157\164\040\107\065\060\036\027  
\015\062\061\060\061\061\065\060\060\060\060\060\132\027\015  
\064\066\060\061\061\064\062\063\065\071\065\071\132\060\115\061  
\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060\025  
\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164\054  
\040\111\156\143\056\061\045\060\043\006\003\125\004\003\023\034  
\104\151\147\151\103\145\162\164\040\124\114\123\040\122\123\101  
\064\060\071\066\040\122\157\157\164\040\107\065\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\263\320\364  
\311\171\021\235\375\374\146\201\347\314\325\344\274\354\201\076  
\152\065\216\056\267\347\336\257\371\007\115\317\060\235\352\011  
\013\231\275\154\127\332\030\112\270\170\254\072\071\250\246\110  
\254\056\162\345\275\353\361\032\315\347\244\003\251\077\021\264  
\330\057\211\026\373\224\001\075\273\057\370\023\005\241\170\034  
\216\050\340\105\340\203\364\131\033\225\263\256\176\003\105\345  
\276\302\102\376\356\362\074\266\205\023\230\062\235\026\250\051  
\302\013\034\070\334\237\061\167\134\277\047\243\374\047\254\267  
\053\275\164\233\027\055\362\201\332\135\260\341\043\027\076\210  
\112\022\043\320\352\317\235\336\003\027\261\102\112\240\026\114  
\244\155\223\351\077\072\356\072\174\235\130\235\364\116\217\374  
\073\043\310\155\270\342\005\332\314\353\354\303\061\364\327\247  
\051\124\200\317\104\133\114\157\060\236\363\314\335\037\224\103  
\235\115\177\160\160\015\324\072\321\067\360\154\235\233\300\024  
\223\130\357\315\101\070\165\274\023\003\225\174\177\343\134\351  
\325\015\325\342\174\020\142\252\153\360\075\166\363\077\243\350  
\260\301\375\357\252\127\115\254\206\247\030\264\051\301\054\016  
\277\144\276\051\214\330\002\055\315\134\057\362\177\357\025\364  
\014\025\254\012\260\361\323\015\117\152\115\167\227\001\240\361  
\146\267\267\316\357\316\354\354\245\165\312\254\343\341\143\367  
\270\241\004\310\274\173\077\135\055\026\042\126\355\110\111\376  
\247\057\171\060\045\233\272\153\055\077\235\073\304\027\347\035  
\056\373\362\317\246\374\343\024\054\226\230\041\214\264\221\351  
\031\140\203\362\060\053\006\163\120\325\230\073\006\351\307\212  
\014\140\214\050\370\122\233\156\341\366\115\273\006\044\233\327  
\053\046\077\375\052\057\161\365\326\044\276\177\061\236\017\155  
\350\217\117\115\243\077\377\065\352\337\111\136\101\217\206\371  
\361\167\171\113\033\264\243\136\057\373\106\002\320\146\023\136  
\136\205\117\316\330\160\210\173\316\001\265\226\227\327\315\175  
\375\202\370\302\044\301\312\001\071\117\215\242\301\024\100\037  
\234\146\325\014\011\106\326\362\320\321\110\166\126\072\103\313  
\266\012\021\071\272\214\023\154\006\265\236\317\353\002\003\001  
\000\001\243\102\060\100\060\035\006\003\125\035\016\004\026\004

\024\121\063\034\355\066\100\257\027\323\045\315\151\150\362\257  
\116\043\076\263\101\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\015\006\011\052\206\110\206\367\015  
\001\001\014\005\000\003\202\002\001\000\140\246\257\133\137\127  
\332\211\333\113\120\251\304\043\065\041\377\320\141\060\204\221  
\267\077\020\317\045\216\311\277\106\064\331\301\041\046\034\160  
\031\162\036\243\311\207\376\251\103\144\226\072\310\123\004\012  
\266\101\273\304\107\000\331\237\030\030\073\262\016\363\064\352  
\044\367\335\257\040\140\256\222\050\137\066\347\135\344\336\307  
\074\333\120\071\255\273\075\050\115\226\174\166\306\133\364\301  
\333\024\245\253\031\142\007\030\100\137\227\221\334\234\307\253  
\265\121\015\346\151\123\125\314\071\175\332\305\021\125\162\305  
\073\213\211\370\064\055\244\027\345\027\346\231\175\060\210\041  
\067\315\060\027\075\270\362\274\250\165\240\103\334\076\211\113  
\220\256\155\003\340\034\243\240\226\011\273\175\243\267\052\020  
\104\113\106\007\064\143\355\061\271\004\356\243\233\232\256\346  
\061\170\364\352\044\141\073\253\130\144\377\273\207\047\142\045  
\201\337\334\241\057\366\355\247\377\172\217\121\056\060\370\244  
\001\322\205\071\137\001\231\226\157\132\133\160\031\106\376\206  
\140\076\255\200\020\011\335\071\045\057\130\177\273\322\164\360  
\367\106\037\106\071\112\330\123\320\363\056\073\161\245\324\157  
\374\363\147\344\007\217\335\046\031\341\215\133\372\243\223\021  
\233\351\310\072\303\125\150\232\222\341\122\166\070\350\341\272  
\275\373\117\325\357\263\347\110\203\061\360\202\041\343\266\276  
\247\253\157\357\237\337\114\317\001\270\142\152\043\075\347\011  
\115\200\033\173\060\244\303\335\007\177\064\276\244\046\262\366  
\101\350\011\035\343\040\230\252\067\117\377\367\361\342\051\160  
\061\107\077\164\320\024\026\372\041\212\002\325\212\011\224\167  
\056\362\131\050\213\174\120\222\012\146\170\070\203\165\304\265  
\132\250\021\306\345\301\235\146\125\317\123\304\257\327\165\205  
\251\102\023\126\354\041\167\201\223\132\014\352\226\331\111\312  
\241\010\362\227\073\155\233\004\030\044\104\216\174\001\362\334  
\045\330\136\206\232\261\071\333\365\221\062\152\321\246\160\212  
\242\367\336\244\105\205\046\250\036\214\135\051\133\310\113\330  
\232\152\003\136\160\362\205\117\154\113\150\057\312\124\366\214  
\332\062\376\303\153\203\077\070\306\176

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DigiCert TLS RSA4096 Root G5"  
# Issuer: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US  
# Serial Number:08:f9:b4:78:a8:fa:7e:da:6a:33:37:89:de:7c:cf:8a  
# Subject: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US  
# Not Valid Before: Fri Jan 15 00:00:00 2021  
# Not Valid After : Sun Jan 14 23:59:59 2046

```

Fingerprint (SHA-256):
37:1A:00:DC:05:33:B3:72:1A:7E:EB:40:E8:41:9E:70:79:9D:2B:0A:0F:2C:1D:80:69:31:65:F7:CE:C4:AD:75
Fingerprint (SHA1): A7:88:49:DC:5D:7C:75:8C:8C:DE:39:98:56:B3:AA:D0:B2:A5:71:35
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert TLS RSA4096 Root G5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\247\210\111\334\135\174\165\214\214\336\071\230\126\263\252\320
\262\245\161\065
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\254\376\367\064\226\251\362\263\264\022\113\344\047\101\157\341
END
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\045\060\043\006\003\125\004
\003\023\034\104\151\147\151\103\145\162\164\040\124\114\123\040
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\010\371\264\170\250\372\176\332\152\063\067\211\336\174
\317\212
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "DigiCert SMIME ECC P384 Root G5"
#
Issuer: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
Serial Number:05:3f:6e:a0:06:01:72:7d:ed:3f:c3:a3:b6:a3:d6:ef
Subject: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
Not Valid Before: Fri Jan 15 00:00:00 2021
Not Valid After : Sun Jan 14 23:59:59 2046
Fingerprint (SHA-256):
E8:E8:17:65:36:A6:0C:C2:C4:E1:01:87:C3:BE:FC:A2:0E:F2:63:49:70:18:F5:66:D5:BE:A0:F9:4D:0C:11:1B
Fingerprint (SHA1): 1C:B8:A7:08:C9:0D:20:79:01:A0:B2:36:7F:F0:95:65:E4:53:24:FE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert SMIME ECC P384 Root G5"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

```

CKA\_SUBJECT MULTILINE\_OCTAL

\060\120\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145  
\162\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004  
\003\023\037\104\151\147\151\103\145\162\164\040\123\115\111\115  
\105\040\105\103\103\040\120\063\070\064\040\122\157\157\164\040  
\107\065

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\120\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145  
\162\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004  
\003\023\037\104\151\147\151\103\145\162\164\040\123\115\111\115  
\105\040\105\103\103\040\120\063\070\064\040\122\157\157\164\040  
\107\065

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\005\077\156\240\006\001\162\175\355\077\303\243\266\243  
\326\357

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\034\060\202\001\243\240\003\002\001\002\002\020\005  
\077\156\240\006\001\162\175\355\077\303\243\266\243\326\357\060  
\012\006\010\052\206\110\316\075\004\003\003\060\120\061\013\060  
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003  
\125\004\012\023\016\104\151\147\151\103\145\162\164\054\040\111  
\156\143\056\061\050\060\046\006\003\125\004\003\023\037\104\151  
\147\151\103\145\162\164\040\123\115\111\115\105\040\105\103\103  
\040\120\063\070\064\040\122\157\157\164\040\107\065\060\036\027  
\015\062\061\060\061\061\065\060\060\060\060\060\060\132\027\015  
\064\066\060\061\061\064\062\063\065\071\065\071\132\060\120\061  
\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060\025  
\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164\054  
\040\111\156\143\056\061\050\060\046\006\003\125\004\003\023\037  
\104\151\147\151\103\145\162\164\040\123\115\111\115\105\040\105  
\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\026\235\125\345\266\324\373\373\147  
\153\032\324\241\252\322\167\225\076\210\345\007\237\266\160\146  
\040\050\244\210\354\160\065\257\263\062\377\067\023\112\236\274  
\001\003\336\204\301\270\306\346\145\107\211\362\023\125\277\315  
\245\036\010\140\177\255\177\350\141\222\051\317\011\107\136\013  
\034\300\037\244\277\362\133\274\230\357\231\114\314\160\153\266  
\272\320\050\035\277\276\004\243\102\060\100\060\035\006\003\125  
\035\016\004\026\004\024\163\172\153\226\333\102\007\213\122\146  
\302\144\062\027\376\340\147\220\056\255\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035



```
\023\001\001\377\004\005\060\003\001\001\377\060\012\006\010\052
\206\110\316\075\004\003\003\003\147\000\060\144\002\060\067\104
\365\062\200\343\161\353\364\155\317\174\314\221\232\303\156\161
\330\322\043\135\222\115\202\102\155\134\141\225\366\221\365\247
\010\366\152\227\351\234\224\055\230\160\375\063\266\011\002\060
\007\074\057\271\130\202\136\017\243\142\250\223\147\360\040\303
\151\277\003\054\073\120\247\073\257\101\070\311\122\110\221\326
\016\373\274\140\060\174\144\077\022\036\105\177\121\076\364\246
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "DigiCert SMIME ECC P384 Root G5"
Issuer: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
Serial Number:05:3f:6e:a0:06:01:72:7d:ed:3f:c3:a3:b6:a3:d6:ef
Subject: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
Not Valid Before: Fri Jan 15 00:00:00 2021
Not Valid After : Sun Jan 14 23:59:59 2046
Fingerprint (SHA-256):
E8:E8:17:65:36:A6:0C:C2:C4:E1:01:87:C3:BE:FC:A2:0E:F2:63:49:70:18:F5:66:D5:BE:A0:F9:4D:0C:11:1B
Fingerprint (SHA1): 1C:B8:A7:08:C9:0D:20:79:01:A0:B2:36:7F:F0:95:65:E4:53:24:FE
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert SMIME ECC P384 Root G5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\034\270\247\010\311\015\040\171\001\240\262\066\177\360\225\145
\344\123\044\376
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\246\376\364\122\066\104\330\356\015\267\003\013\357\164\263\003
END
```

```
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\003\023\037\104\151\147\151\103\145\162\164\040\123\115\111\115
\105\040\105\103\103\040\120\063\070\064\040\122\157\157\164\040
\107\065
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\077\156\240\006\001\162\175\355\077\303\243\266\243
\326\357
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "DigiCert SMIME RSA4096 Root G5"

#

# Issuer: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US

# Serial Number:05:f6:ba:04:23:83:46:cb:7d:5c:e6:b9:5b:ba:1c:55

# Subject: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US

# Not Valid Before: Fri Jan 15 00:00:00 2021

# Not Valid After : Sun Jan 14 23:59:59 2046

# Fingerprint (SHA-256):

90:37:0D:3E:FA:88:BF:58:C3:01:05:BA:25:10:4A:35:84:60:A7:FA:52:DF:C2:01:1D:F2:33:A0:F4:17:91:2A

# Fingerprint (SHA1): 5B:C5:AD:E2:9A:A7:54:DA:84:89:53:A5:FE:D7:5B:46:86:D0:57:08

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert SMIME RSA4096 Root G5"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145  
\162\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004  
\003\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115  
\105\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107  
\065

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145  
\162\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004  
\003\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115  
\105\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107  
\065

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\005\366\272\004\043\203\106\313\175\134\346\271\133\272  
\034\125

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\152\060\202\003\122\240\003\002\001\002\002\020\005  
\366\272\004\043\203\106\313\175\134\346\271\133\272\034\125\060  
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\117  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060  
\025\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164  
\054\040\111\156\143\056\061\047\060\045\006\003\125\004\003\023

\036\104\151\147\151\103\145\162\164\040\123\115\111\115\105\040  
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065\060  
\036\027\015\062\061\060\061\061\065\060\060\060\060\060\132  
\027\015\064\066\060\061\061\064\062\063\065\071\065\071\132\060  
\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061\027  
\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145\162  
\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004\003  
\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115\105  
\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\340\152\133\331\370\371\175\354\265\173\357\137\335\134\064  
\330\332\135\321\313\145\165\253\041\174\133\000\324\202\157\105  
\205\101\212\251\022\002\162\062\360\024\365\003\165\273\143\227  
\111\017\100\231\013\032\036\126\247\322\320\341\253\335\345\004  
\033\343\037\024\022\002\210\365\240\200\011\366\047\232\120\360  
\272\343\242\340\254\152\024\221\265\153\070\020\172\242\061\341  
\221\033\267\271\360\053\133\310\167\011\166\267\121\304\066\012  
\231\123\124\104\045\267\011\065\206\027\005\126\223\075\101\267  
\002\327\142\037\212\222\021\207\352\021\155\352\010\021\334\261  
\170\110\111\222\366\264\121\200\170\043\330\376\341\126\032\072  
\220\023\126\064\211\325\342\225\213\137\336\262\314\373\077\070  
\267\205\367\352\236\277\056\241\056\057\115\175\152\021\056\066  
\240\377\021\010\004\225\125\340\033\073\147\223\251\224\125\352  
\062\355\006\072\177\302\177\343\255\023\047\321\064\101\263\060  
\303\277\264\210\370\003\202\244\337\076\253\170\167\240\131\223  
\161\347\335\353\000\004\173\314\110\071\050\340\036\243\025\151  
\310\066\262\241\013\227\337\125\326\357\221\234\244\366\026\367  
\121\012\356\003\043\221\334\004\377\340\335\070\366\042\003\000  
\302\007\161\032\022\311\327\106\052\224\033\315\326\273\033\356  
\277\276\115\120\130\260\013\315\060\166\051\365\317\345\266\152  
\057\166\260\260\151\152\320\155\145\030\065\176\223\274\162\027  
\301\125\102\315\057\302\045\273\364\375\035\241\144\042\124\135  
\342\236\162\101\204\156\161\226\352\105\007\266\136\172\112\206  
\235\163\144\167\070\003\322\017\123\245\125\040\304\115\377\150  
\157\125\251\352\335\161\344\117\331\205\243\174\116\051\002\236  
\013\011\362\032\123\314\000\246\335\321\064\366\015\301\060\261  
\234\002\144\254\065\355\245\260\051\261\322\225\063\017\322\040  
\063\275\354\043\113\362\031\371\332\230\144\344\054\061\037\056  
\341\215\034\004\225\050\115\214\130\315\113\345\163\202\206\214  
\354\250\326\171\134\373\144\273\334\014\114\050\366\027\257\342  
\150\326\026\206\230\333\374\001\334\061\272\370\234\016\371\050  
\106\112\341\375\226\006\105\171\021\150\027\145\134\213\046\207  
\133\002\003\001\000\001\243\102\060\100\060\035\006\003\125\035  
\016\004\026\004\024\321\243\324\127\035\117\125\333\165\114\134  
\102\236\143\026\316\264\306\073\037\060\016\006\003\125\035\017  
\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\015\006\011\052\206

\110\206\367\015\001\001\014\005\000\003\202\002\001\000\007\247  
\012\336\123\273\232\353\160\277\262\066\220\315\344\247\270\361  
\014\344\135\132\035\170\145\374\311\270\036\043\021\127\174\151  
\065\155\001\377\123\120\277\007\016\272\307\001\077\130\052\224  
\165\003\253\034\013\043\334\033\212\036\067\075\035\130\217\163  
\331\263\052\157\337\020\240\133\014\247\312\260\177\271\044\242  
\001\065\062\345\136\106\101\353\330\177\163\347\102\351\244\121  
\046\167\201\012\250\353\017\012\120\235\176\212\040\147\374\013  
\216\072\021\323\305\214\140\030\331\113\261\374\324\361\264\111  
\116\256\207\341\321\373\166\241\137\363\006\317\227\226\014\351  
\236\165\201\134\123\015\042\374\066\346\111\156\164\333\000\205  
\215\174\042\240\216\373\020\114\324\142\023\133\357\113\162\046  
\213\374\116\212\217\376\227\020\123\305\170\213\102\144\033\137  
\340\211\375\273\011\177\120\340\124\205\046\021\152\035\145\371  
\111\051\334\174\066\337\373\075\367\322\254\356\062\215\156\246  
\175\071\234\105\304\312\015\365\073\264\171\123\245\057\126\307  
\121\305\212\114\144\135\220\103\043\216\153\114\027\170\314\350  
\277\365\073\344\250\110\317\255\233\014\337\062\112\323\331\022  
\216\043\170\015\055\257\237\257\236\074\011\302\227\000\355\072  
\151\034\161\077\071\337\323\217\304\146\365\357\066\224\017\363  
\335\222\266\226\137\220\246\335\163\252\246\040\224\224\045\152  
\011\014\162\344\023\043\140\114\243\312\027\056\173\147\000\333  
\320\315\352\172\037\071\046\127\211\060\167\313\116\345\225\105  
\117\137\373\066\134\075\371\040\265\072\020\045\117\223\062\132  
\356\301\226\350\351\126\004\260\111\141\115\354\170\250\235\030  
\301\377\330\352\057\126\357\225\053\173\004\136\147\343\125\100  
\355\071\004\371\013\171\365\152\214\134\017\211\232\220\307\315  
\213\336\333\046\065\241\156\315\263\102\362\242\017\073\014\216  
\223\377\024\317\374\367\223\367\344\101\010\156\031\122\021\017  
\123\031\163\170\014\317\330\205\201\370\255\125\310\260\236\106  
\143\257\234\122\356\134\277\360\300\133\067\036\011\040\322\076  
\043\306\241\025\112\016\066\176\060\305\171\152\274\042\210\331  
\014\122\100\037\335\116\017\147\046\026\322\255\027\034

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DigiCert SMIME RSA4096 Root G5"  
# Issuer: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US  
# Serial Number:05:f6:ba:04:23:83:46:cb:7d:5c:e6:b9:5b:ba:1c:55  
# Subject: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US  
# Not Valid Before: Fri Jan 15 00:00:00 2021  
# Not Valid After : Sun Jan 14 23:59:59 2046  
# Fingerprint (SHA-256):  
90:37:0D:3E:FA:88:BF:58:C3:01:05:BA:25:10:4A:35:84:60:A7:FA:52:DF:C2:01:1D:F2:33:A0:F4:17:91:2A  
# Fingerprint (SHA1): 5B:C5:AD:E2:9A:A7:54:DA:84:89:53:A5:FE:D7:5B:46:86:D0:57:08  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

```

CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert SMIME RSA4096 Root G5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\133\305\255\342\232\247\124\332\204\211\123\245\376\327\133\106
\206\320\127\010
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\321\173\340\265\077\065\162\237\175\276\013\245\244\035\251\156
END
CKA_ISSUER MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004
\003\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115
\105\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107
\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\366\272\004\043\203\106\313\175\134\346\271\133\272
\034\125
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Certainly Root R1"
#
Issuer: CN=Certainly Root R1,O=Certainly,C=US
Serial Number:00:8e:0f:f9:4b:90:71:68:65:33:54:f4:d4:44:39:b7:e0
Subject: CN=Certainly Root R1,O=Certainly,C=US
Not Valid Before: Thu Apr 01 00:00:00 2021
Not Valid After : Sun Apr 01 00:00:00 2046
Fingerprint (SHA-256):
77:B8:2C:D8:64:4C:43:05:F7:AC:C5:CB:15:6B:45:67:50:04:03:3D:51:C6:0C:62:02:A8:E0:C3:34:67:D3:A0
Fingerprint (SHA1): A0:50:EE:0F:28:71:F4:27:B2:12:6D:6F:50:96:25:BA:CC:86:42:AF
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certainly Root R1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151

```

```
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\122\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\122\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\000\216\017\371\113\220\161\150\145\063\124\364\324\104
\071\267\340
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\107\060\202\003\057\240\003\002\001\002\002\021\000
\216\017\371\113\220\161\150\145\063\124\364\324\104\071\267\340
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022
\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151\156
\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145\162
\164\141\151\156\154\171\040\122\157\157\164\040\122\061\060\036
\027\015\062\061\060\064\060\061\060\060\060\060\060\132\027
\015\064\066\060\064\060\061\060\060\060\060\060\132\060\075
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060
\020\006\003\125\004\012\023\011\103\145\162\164\141\151\156\154
\171\061\032\060\030\006\003\125\004\003\023\021\103\145\162\164
\141\151\156\154\171\040\122\157\157\164\040\122\061\060\202\002
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\320\066
\324\037\352\335\253\344\321\266\346\373\042\300\335\023\015\152
\173\042\023\034\227\074\150\143\146\062\234\003\265\215\244\201
\203\332\170\060\021\317\334\262\053\276\222\277\216\344\304\023
\276\244\150\114\332\002\150\026\164\276\262\335\004\344\153\052
\335\067\037\140\054\333\365\367\241\174\225\267\014\160\206\056
\361\072\357\122\367\314\323\233\371\213\276\016\337\061\267\235
\150\134\222\246\365\345\363\012\064\265\377\173\242\344\207\241
\306\257\027\000\357\003\221\355\251\034\116\161\075\322\213\154
\211\364\170\206\346\152\111\240\316\265\322\260\253\233\366\364
\324\056\343\162\371\066\306\353\025\267\045\214\072\374\045\015
\263\042\163\041\164\310\112\226\141\222\365\057\013\030\245\364
\255\342\356\101\275\001\171\372\226\214\215\027\002\060\264\371
\257\170\032\214\264\066\020\020\007\005\160\320\364\061\220\212
\121\305\206\046\171\262\021\210\136\305\360\012\124\315\111\246
\277\002\234\322\104\247\355\343\170\357\106\136\155\161\321\171
\160\034\106\137\121\351\311\067\334\137\176\151\173\101\337\064
\105\340\073\204\364\241\212\012\066\236\067\314\142\122\341\211
\015\050\371\172\043\261\015\075\075\232\375\235\201\357\054\220
```

\300\173\104\116\273\111\340\016\112\126\222\274\313\265\335\171  
\027\211\221\336\141\211\164\222\250\343\062\205\276\116\205\244  
\113\131\313\053\305\170\216\161\124\320\002\067\231\214\345\111  
\352\340\124\162\244\021\006\057\013\214\301\133\276\265\241\260  
\123\156\234\270\140\221\037\131\153\371\055\364\224\012\227\265  
\354\305\166\003\124\033\145\122\272\114\222\126\121\065\240\100  
\330\051\333\256\122\166\073\055\060\100\233\212\320\102\126\264  
\267\210\001\244\207\073\123\226\315\243\026\217\363\146\252\027  
\261\307\140\340\301\103\005\014\356\233\133\140\157\006\134\207  
\133\047\371\100\021\236\234\063\301\267\345\065\127\005\177\047  
\316\027\040\214\034\374\361\373\332\061\051\111\355\365\013\204  
\247\117\301\366\116\302\050\234\372\356\340\257\007\373\063\021  
\172\041\117\013\041\020\266\100\072\253\042\072\004\234\213\233  
\204\206\162\232\322\247\245\304\264\165\221\251\053\043\002\003  
\001\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004  
\026\004\024\340\252\077\045\215\237\104\134\301\072\350\056\256  
\167\114\204\076\147\014\364\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\003\202\002\001\000\271\127\257\270\022  
\332\127\203\217\150\013\063\035\003\123\125\364\225\160\344\053  
\075\260\071\353\372\211\142\375\367\326\030\004\057\041\064\335  
\361\150\360\325\226\132\336\302\200\243\301\215\306\152\367\131  
\167\256\025\144\317\133\171\005\167\146\352\214\323\153\015\335  
\361\131\054\301\063\245\060\200\025\105\007\105\032\061\042\266  
\222\000\253\231\115\072\217\167\257\251\042\312\057\143\312\025  
\326\307\306\360\075\154\374\034\015\230\020\141\236\021\242\042  
\327\012\362\221\172\153\071\016\057\060\303\066\111\237\340\351  
\017\002\104\120\067\224\125\175\352\237\366\073\272\224\245\114  
\351\274\076\121\264\350\312\222\066\124\155\134\045\050\332\335  
\255\024\375\323\356\342\042\005\353\320\362\267\150\022\327\132  
\212\101\032\306\222\245\132\073\143\105\117\277\341\072\167\042  
\057\134\277\106\371\132\003\205\023\102\137\312\336\123\327\142  
\265\246\065\004\302\107\377\231\375\204\337\134\316\351\136\200  
\050\101\362\175\347\036\220\330\117\166\076\202\074\015\374\245  
\003\372\173\032\331\105\036\140\332\304\216\371\374\053\311\173  
\225\305\052\377\252\211\337\202\061\017\162\377\014\047\327\012  
\036\126\000\120\036\014\220\301\226\265\330\024\205\273\247\015  
\026\301\370\007\044\033\272\205\241\032\005\011\200\272\225\143  
\311\072\354\045\237\177\235\272\244\107\025\233\104\160\361\152  
\113\326\070\136\103\363\030\176\120\156\351\132\050\346\145\346  
\167\033\072\375\035\276\003\046\243\333\324\341\273\176\226\047  
\053\035\356\244\373\332\045\124\023\003\336\071\306\303\037\115  
\220\354\217\033\112\322\034\355\205\225\070\120\171\106\326\301  
\220\120\061\251\134\232\156\035\365\063\126\213\247\231\322\362  
\310\054\063\223\222\060\307\116\214\145\063\020\144\027\375\044  
\027\226\321\215\302\072\152\053\353\023\213\104\362\041\363\112  
\032\267\167\137\327\355\210\244\162\345\071\037\225\235\276\147

```
\301\160\021\075\273\364\370\111\267\343\046\227\072\237\322\137
\174\373\300\231\174\071\051\340\173\035\277\015\247\217\322\051
\064\156\044\025\313\336\220\136\277\032\304\146\352\302\346\272
\071\137\212\231\251\101\131\007\260\054\257
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "Certainly Root R1"

# Issuer: CN=Certainly Root R1,O=Certainly,C=US

# Serial Number:00:8e:0f:f9:4b:90:71:68:65:33:54:f4:d4:44:39:b7:e0

# Subject: CN=Certainly Root R1,O=Certainly,C=US

# Not Valid Before: Thu Apr 01 00:00:00 2021

# Not Valid After : Sun Apr 01 00:00:00 2046

# Fingerprint (SHA-256):

77:B8:2C:D8:64:4C:43:05:F7:AC:C5:CB:15:6B:45:67:50:04:03:3D:51:C6:0C:62:02:A8:E0:C3:34:67:D3:A0

# Fingerprint (SHA1): A0:50:EE:0F:28:71:F4:27:B2:12:6D:6F:50:96:25:BA:CC:86:42:AF

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certainly Root R1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\240\120\356\017\050\161\364\047\262\022\155\157\120\226\045\272
\314\206\102\257
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\007\160\324\076\202\207\240\372\063\066\023\364\372\063\347\022
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\122\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\021\000\216\017\371\113\220\161\150\145\063\124\364\324\104
\071\267\340
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

# Certificate "Certainly Root E1"

#



```
Issuer: CN=Certainly Root E1,O=Certainly,C=US
Serial Number:06:25:33:b1:47:03:33:27:5c:f9:8d:9a:b9:bf:cc:f8
Subject: CN=Certainly Root E1,O=Certainly,C=US
Not Valid Before: Thu Apr 01 00:00:00 2021
Not Valid After : Sun Apr 01 00:00:00 2046
Fingerprint (SHA-256):
B4:58:5F:22:E4:AC:75:6A:4E:86:12:A1:36:1C:5D:9D:03:1A:93:FD:84:FE:BB:77:8F:A3:06:8B:0F:C4:2D:C2
Fingerprint (SHA1): F9:E1:6D:DC:01:89:CF:D5:82:45:63:3E:C5:37:7D:C2:EB:93:6F:2B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certainly Root E1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\105\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\105\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\006\045\063\261\107\003\063\047\134\371\215\232\271\277
\314\370
END
CKA_VALUE MULTILINE_OCTAL
\060\202\001\367\060\202\001\175\240\003\002\001\002\002\020\006
\045\063\261\107\003\063\047\134\371\215\232\271\277\314\370\060
\012\006\010\052\206\110\316\075\004\003\003\060\075\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\022\060\020\006\003
\125\004\012\023\011\103\145\162\164\141\151\156\154\171\061\032
\060\030\006\003\125\004\003\023\021\103\145\162\164\141\151\156
\154\171\040\122\157\157\164\040\105\061\060\036\027\015\062\061
\060\064\060\061\060\060\060\060\060\060\132\027\015\064\066\060
\064\060\061\060\060\060\060\060\060\132\060\075\061\013\060\011
\006\003\125\004\006\023\002\125\123\061\022\060\020\006\003\125
\004\012\023\011\103\145\162\164\141\151\156\154\171\061\032\060
\030\006\003\125\004\003\023\021\103\145\162\164\141\151\156\154
\171\040\122\157\157\164\040\105\061\060\166\060\020\006\007\052
\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000
\004\336\157\370\177\034\337\355\371\107\207\206\261\244\300\212
\370\202\227\200\352\217\310\112\136\052\175\210\150\247\001\142
```

```
\024\221\044\172\134\236\243\027\175\212\206\041\064\030\120\033
\020\336\320\067\113\046\307\031\140\200\351\064\275\140\031\066
\100\326\051\207\011\074\221\172\366\274\023\043\335\131\116\004
\136\317\310\002\034\030\123\301\061\330\332\040\351\104\215\344
\166\243\102\060\100\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004
\024\363\050\030\313\144\165\356\051\052\353\355\256\043\130\070
\205\353\310\042\007\060\012\006\010\052\206\110\316\075\004\003
\003\003\150\000\060\145\002\061\000\261\216\132\040\303\262\031
\142\115\336\260\117\337\156\322\160\212\361\237\176\152\214\346
\272\336\203\151\312\151\263\251\005\265\226\222\027\207\302\322
\352\320\173\316\330\101\133\174\256\002\060\106\336\352\313\135
\232\354\062\302\145\026\260\114\060\134\060\363\332\116\163\206
\006\330\316\211\004\110\067\067\370\335\063\121\235\160\257\173
\125\330\001\056\175\005\144\016\206\270\221
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "Certainly Root E1"
```

```
Issuer: CN=Certainly Root E1,O=Certainly,C=US
```

```
Serial Number:06:25:33:b1:47:03:33:27:5c:f9:8d:9a:b9:bf:cc:f8
```

```
Subject: CN=Certainly Root E1,O=Certainly,C=US
```

```
Not Valid Before: Thu Apr 01 00:00:00 2021
```

```
Not Valid After : Sun Apr 01 00:00:00 2046
```

```
Fingerprint (SHA-256):
```

```
B4:58:5F:22:E4:AC:75:6A:4E:86:12:A1:36:1C:5D:9D:03:1A:93:FD:84:FE:BB:77:8F:A3:06:8B:0F:C4:2D:C2
```

```
Fingerprint (SHA1): F9:E1:6D:DC:01:89:CF:D5:82:45:63:3E:C5:37:7D:C2:EB:93:6F:2B
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certainly Root E1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\371\341\155\334\001\211\317\325\202\105\143\076\305\067\175\302
\353\223\157\053
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\012\236\312\315\076\122\120\306\066\363\113\243\355\247\123\351
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\105\061
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\006\045\063\261\107\003\063\047\134\371\215\232\271\277
\314\370
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "E-Tugra Global Root CA RSA v3"
#
Issuer: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR
Serial Number:0d:4d:c5:cd:16:22:95:96:08:7e:b8:0b:7f:15:06:34:fb:79:10:34
Subject: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG
A.S.,L=Ankara,C=TR
Not Valid Before: Wed Mar 18 09:07:17 2020
Not Valid After : Sun Mar 12 09:07:17 2045
Fingerprint (SHA-256):
EF:66:B0:B1:0A:3C:DB:9F:2E:36:48:C7:6B:D2:AF:18:EA:D2:BF:E6:F1:17:65:5E:28:C4:06:0D:A1:A3:F4:C2
Fingerprint (SHA1): E9:A8:5D:22:14:52:1C:5B:AA:0A:B4:BE:24:6A:23:8A:C9:BA:E2:A9
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "E-Tugra Global Root CA RSA v3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\122\123\101
\040\166\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\122\123\101

```

\040\166\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\024\015\115\305\315\026\042\225\226\010\176\270\013\177\025  
\006\064\373\171\020\064

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\363\060\202\003\333\240\003\002\001\002\002\024\015  
\115\305\315\026\042\225\226\010\176\270\013\177\025\006\064\373  
\171\020\064\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\201\200\061\013\060\011\006\003\125\004\006\023\002  
\124\122\061\017\060\015\006\003\125\004\007\023\006\101\156\153  
\141\162\141\061\031\060\027\006\003\125\004\012\023\020\105\055  
\124\165\147\162\141\040\105\102\107\040\101\056\123\056\061\035  
\060\033\006\003\125\004\013\023\024\105\055\124\165\147\162\141  
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\046\060  
\044\006\003\125\004\003\023\035\105\055\124\165\147\162\141\040  
\107\154\157\142\141\154\040\122\157\157\164\040\103\101\040\122  
\123\101\040\166\063\060\036\027\015\062\060\060\063\061\070\060  
\071\060\067\061\067\132\027\015\064\065\060\063\061\062\060\071  
\060\067\061\067\132\060\201\200\061\013\060\011\006\003\125\004  
\006\023\002\124\122\061\017\060\015\006\003\125\004\007\023\006  
\101\156\153\141\162\141\061\031\060\027\006\003\125\004\012\023  
\020\105\055\124\165\147\162\141\040\105\102\107\040\101\056\123  
\056\061\035\060\033\006\003\125\004\013\023\024\105\055\124\165  
\147\162\141\040\124\162\165\163\164\040\103\145\156\164\145\162  
\061\046\060\044\006\003\125\004\003\023\035\105\055\124\165\147  
\162\141\040\107\154\157\142\141\154\040\122\157\157\164\040\103  
\101\040\122\123\101\040\166\063\060\202\002\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000  
\060\202\002\012\002\202\002\001\000\242\146\360\211\267\162\173  
\356\011\311\143\322\323\103\335\136\303\246\204\070\112\361\215  
\201\273\024\275\107\350\100\027\363\075\303\170\105\162\246\056  
\220\336\232\072\324\040\161\312\274\237\035\113\227\012\307\061  
\272\076\327\376\045\251\052\216\066\364\321\057\307\267\251\135  
\063\334\060\160\370\100\154\113\262\246\061\141\321\064\074\075  
\061\172\307\257\304\247\247\204\341\227\244\350\113\366\027\174  
\356\074\007\355\342\212\127\334\266\373\370\103\045\120\352\047  
\201\250\206\274\217\122\112\226\072\140\032\226\273\375\163\364  
\205\375\203\375\177\204\155\064\154\177\152\267\113\001\003\277  
\255\151\267\327\062\331\365\127\152\351\206\202\076\245\146\061  
\263\026\075\302\363\046\140\062\323\122\036\260\154\244\067\076  
\364\365\257\353\341\337\200\006\317\052\101\347\146\011\341\113  
\227\347\167\275\041\155\051\266\147\303\055\176\355\326\171\145  
\321\317\072\266\321\261\136\126\141\120\172\132\316\116\120\061  
\200\003\230\107\347\344\030\174\104\132\306\244\263\073\306\306  
\303\072\360\154\303\213\310\244\221\005\363\365\331\266\252\006  
\241\267\253\344\261\352\041\024\134\203\244\374\377\266\120\323

\214\022\046\231\166\160\351\300\017\246\164\374\273\320\033\170  
\316\162\222\342\050\234\274\346\351\011\330\072\323\211\346\276  
\056\167\337\001\012\157\226\366\345\215\074\115\122\166\032\126  
\341\163\176\027\254\075\255\154\243\122\022\030\160\346\200\116  
\063\362\176\046\062\254\005\215\070\244\346\166\074\237\020\151  
\016\155\235\322\301\171\040\153\133\317\063\215\321\224\166\065  
\347\135\125\307\267\254\050\253\106\314\347\073\041\265\012\012  
\344\112\131\334\201\065\113\104\225\022\012\147\245\241\377\133  
\000\007\322\300\314\371\077\374\237\063\362\000\370\214\154\207  
\235\006\055\361\357\343\346\006\372\305\146\023\133\374\120\007  
\236\161\206\262\332\157\164\060\317\223\123\350\334\042\326\336  
\040\037\141\215\243\056\243\170\062\220\154\334\254\062\265\005  
\344\365\074\063\015\326\340\207\167\027\114\235\260\330\011\250  
\015\127\367\104\205\360\310\004\276\134\135\132\343\027\216\124  
\143\151\177\111\164\144\005\214\243\002\003\001\000\001\243\143  
\060\141\060\017\006\003\125\035\023\001\001\377\004\005\060\003  
\001\001\377\060\037\006\003\125\035\043\004\030\060\026\200\024  
\262\264\256\346\055\367\046\325\252\165\055\166\113\300\033\123  
\041\320\110\357\060\035\006\003\125\035\016\004\026\004\024\262  
\264\256\346\055\367\046\325\252\165\055\166\113\300\033\123\041  
\320\110\357\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\002\001\000\211\250\162\177\214\353\316\056\030  
\304\020\200\055\020\014\377\373\024\315\004\340\024\074\116\232  
\373\237\051\277\042\236\127\271\202\163\022\143\046\265\314\220  
\351\322\052\051\356\234\055\314\054\231\276\105\047\344\261\161  
\355\344\070\225\061\101\362\175\172\143\170\337\312\066\026\057  
\202\210\237\274\021\107\117\166\115\310\055\216\353\337\055\174  
\116\073\332\256\366\343\332\135\024\246\256\350\205\104\235\006  
\156\216\373\357\172\112\152\055\053\050\030\376\277\220\054\165  
\026\237\017\352\226\175\005\356\233\023\245\104\154\370\003\320  
\335\043\341\375\003\022\022\010\364\030\064\263\340\067\013\167  
\021\001\110\277\141\264\265\370\031\331\313\115\352\243\214\357  
\375\360\006\265\155\222\364\112\141\120\204\355\354\111\323\344  
\276\150\346\056\343\061\013\124\013\032\222\326\202\330\266\242  
\145\074\146\004\371\125\332\154\373\333\265\024\146\115\224\203  
\073\315\036\246\053\262\376\167\100\206\253\347\337\012\311\375  
\366\335\207\126\030\330\260\054\125\140\226\372\010\176\122\220  
\365\113\246\056\207\174\313\040\333\006\076\240\135\003\167\175  
\242\074\023\033\051\242\023\125\240\075\024\042\257\157\270\320  
\232\033\162\335\005\001\215\206\140\277\244\147\356\265\245\015  
\321\177\346\032\053\142\146\303\007\272\347\240\110\034\070\303  
\351\105\373\247\177\374\355\002\150\032\312\167\022\167\246\000  
\125\050\024\354\326\307\022\242\033\145\102\351\221\350\313\076  
\207\211\124\135\331\257\235\227\234\151\347\012\377\017\132\170  
\213\143\052\114\175\107\224\077\336\113\351\123\320\060\361\305  
\366\236\111\337\073\240\221\243\243\376\315\130\314\352\337\257  
\157\050\073\240\151\233\217\354\254\256\053\124\235\233\004\261

```
\107\040\257\226\022\076\143\224\035\004\347\056\273\206\307\014
\232\210\277\166\107\357\367\260\013\227\146\322\104\317\140\122
\007\341\325\054\112\072\047\141\167\312\327\217\347\207\016\060
\377\014\273\004\342\141\303\242\310\227\141\216\264\060\152\074
\155\302\007\137\112\163\057\077\371\026\212\001\146\357\272\221
\312\122\127\173\256\324\346\017\335\013\172\177\213\236\046\040
\317\073\357\201\161\203\131
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "E-Tugra Global Root CA RSA v3"

# Issuer: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR

# Serial Number:0d:4d:c5:cd:16:22:95:96:08:7e:b8:0b:7f:15:06:34:fb:79:10:34

# Subject: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG  
A.S.,L=Ankara,C=TR

# Not Valid Before: Wed Mar 18 09:07:17 2020

# Not Valid After : Sun Mar 12 09:07:17 2045

# Fingerprint (SHA-256):

EF:66:B0:B1:0A:3C:DB:9F:2E:36:48:C7:6B:D2:AF:18:EA:D2:BF:E6:F1:17:65:5E:28:C4:06:0D:A1:A3:F4:C2

# Fingerprint (SHA1): E9:A8:5D:22:14:52:1C:5B:AA:0A:B4:BE:24:6A:23:8A:C9:BA:E2:A9

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "E-Tugra Global Root CA RSA v3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\351\250\135\042\024\122\034\133\252\012\264\276\044\152\043\212
\311\272\342\251
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\042\276\020\366\302\370\003\210\163\137\063\051\107\050\107\244
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\122\123\101
\040\166\063
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\024\015\115\305\315\026\042\225\226\010\176\270\013\177\025
\006\064\373\171\020\064
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "E-Tugra Global Root CA ECC v3"
#
Issuer: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR
Serial Number:26:46:19:77:31:e1:4f:6f:28:36:de:39:51:86:e6:d4:97:88:22:c1
Subject: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG
A.S.,L=Ankara,C=TR
Not Valid Before: Wed Mar 18 09:46:58 2020
Not Valid After : Sun Mar 12 09:46:58 2045
Fingerprint (SHA-256):
87:3F:46:85:FA:7F:56:36:25:25:2E:6D:36:BC:D7:F1:6F:C2:49:51:F2:64:E4:7E:1B:95:4F:49:08:CD:CA:13
Fingerprint (SHA1): 8A:2F:AF:57:53:B1:B0:E6:A1:04:EC:5B:6A:69:71:6D:F6:1C:E2:84
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "E-Tugra Global Root CA ECC v3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103
\040\166\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103
\040\166\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL

```

\002\024\046\106\031\167\061\341\117\157\050\066\336\071\121\206  
\346\324\227\210\042\301

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\245\060\202\002\052\240\003\002\001\002\002\024\046  
\106\031\167\061\341\117\157\050\066\336\071\121\206\346\324\227  
\210\042\301\060\012\006\010\052\206\110\316\075\004\003\003\060  
\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122\061  
\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162\141  
\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165\147  
\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033\006  
\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124\162  
\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006\003  
\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154\157  
\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103\040  
\166\063\060\036\027\015\062\060\060\063\061\070\060\071\064\066  
\065\070\132\027\015\064\065\060\063\061\062\060\071\064\066\065  
\070\132\060\201\200\061\013\060\011\006\003\125\004\006\023\002  
\124\122\061\017\060\015\006\003\125\004\007\023\006\101\156\153  
\141\162\141\061\031\060\027\006\003\125\004\012\023\020\105\055  
\124\165\147\162\141\040\105\102\107\040\101\056\123\056\061\035  
\060\033\006\003\125\004\013\023\024\105\055\124\165\147\162\141  
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\046\060  
\044\006\003\125\004\003\023\035\105\055\124\165\147\162\141\040  
\107\154\157\142\141\154\040\122\157\157\164\040\103\101\040\105  
\103\103\040\166\063\060\166\060\020\006\007\052\206\110\316\075  
\002\001\006\005\053\201\004\000\042\003\142\000\004\216\230\051  
\277\307\020\036\047\333\253\003\314\050\054\330\136\110\031\020  
\051\314\313\131\201\314\214\270\222\027\211\203\052\222\366\303  
\244\035\114\142\325\237\326\240\106\334\034\274\166\301\343\107  
\320\133\023\332\347\245\263\146\110\347\041\232\112\117\206\012  
\175\154\352\115\062\200\012\262\172\011\233\151\113\230\201\342  
\056\354\002\160\226\037\375\365\106\316\312\334\202\243\143\060  
\141\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\037\006\003\125\035\043\004\030\060\026\200\024\377  
\202\061\162\076\371\304\146\154\255\070\236\321\260\121\210\245  
\220\314\365\060\035\006\003\125\035\016\004\026\004\024\377\202  
\061\162\076\371\304\146\154\255\070\236\321\260\121\210\245\220  
\314\365\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\012\006\010\052\206\110\316\075\004\003\003\003\151  
\000\060\146\002\061\000\346\005\130\151\141\345\055\312\015\313  
\361\031\010\275\326\375\121\222\032\176\143\124\004\220\221\232  
\065\221\071\231\372\007\251\146\223\272\310\150\324\212\077\372  
\355\156\026\002\047\267\002\061\000\335\132\027\053\166\035\145  
\102\226\246\254\135\212\171\126\330\212\033\337\232\336\137\307  
\120\217\261\133\161\014\046\337\152\100\000\354\063\221\041\161  
\276\150\344\043\244\331\255\241\067

END



```

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

Trust for "E-Tugra Global Root CA ECC v3"
Issuer: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR
Serial Number:26:46:19:77:31:e1:4f:6f:28:36:de:39:51:86:e6:d4:97:88:22:c1
Subject: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG
A.S.,L=Ankara,C=TR
Not Valid Before: Wed Mar 18 09:46:58 2020
Not Valid After : Sun Mar 12 09:46:58 2045
Fingerprint (SHA-256):
87:3F:46:85:FA:7F:56:36:25:25:2E:6D:36:BC:D7:F1:6F:C2:49:51:F2:64:E4:7E:1B:95:4F:49:08:CD:CA:13
Fingerprint (SHA1): 8A:2F:AF:57:53:B1:B0:E6:A1:04:EC:5B:6A:69:71:6D:F6:1C:E2:84
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "E-Tugra Global Root CA ECC v3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\212\057\257\127\123\261\260\346\241\004\354\133\152\151\161\155
\366\034\342\204
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\106\274\201\273\361\265\036\367\113\226\274\024\342\347\047\144
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103
\040\166\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\046\106\031\167\061\341\117\157\050\066\336\071\121\206
\346\324\227\210\042\301
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "DIGITALSIGN GLOBAL ROOT RSA CA"

```

```
#
Issuer: CN=DIGITALSIGN GLOBAL ROOT RSA CA,O=DigitalSign Certificadora Digital,C=PT
Serial Number:5d:59:c8:ca:ab:09:57:f5:e6:b5:da:29:94:04:6a:ff:c5:d4:95:87
Subject: CN=DIGITALSIGN GLOBAL ROOT RSA CA,O=DigitalSign Certificadora Digital,C=PT
Not Valid Before: Thu Jan 21 10:50:34 2021
Not Valid After : Mon Jan 15 10:50:34 2046
Fingerprint (SHA-256):
82:BD:5D:85:1A:CF:7F:6E:1B:A7:BF:CB:C5:30:30:D0:E7:BC:3C:21:DF:77:2D:85:8C:AB:41:D1:99:BD:F5:95
Fingerprint (SHA1): B9:82:07:97:AE:52:A5:68:6F:46:07:DF:FD:03:72:3D:92:86:88:2D
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DIGITALSIGN GLOBAL ROOT RSA CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\120\124\061
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144
\157\162\141\040\104\151\147\151\164\141\154\061\047\060\045\006
\003\125\004\003\014\036\104\111\107\111\124\101\114\123\111\107
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\122\123
\101\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\120\124\061
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144
\157\162\141\040\104\151\147\151\164\141\154\061\047\060\045\006
\003\125\004\003\014\036\104\111\107\111\124\101\114\123\111\107
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\122\123
\101\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\135\131\310\312\253\011\127\365\346\265\332\051\224\004
\152\377\305\324\225\207
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\265\060\202\003\235\240\003\002\001\002\002\024\135
\131\310\312\253\011\127\365\346\265\332\051\224\004\152\377\305
\324\225\207\060\015\006\011\052\206\110\206\367\015\001\001\015
\005\000\060\142\061\013\060\011\006\003\125\004\006\023\002\120
\124\061\052\060\050\006\003\125\004\012\014\041\104\151\147\151
\164\141\154\123\151\147\156\040\103\145\162\164\151\146\151\143
\141\144\157\162\141\040\104\151\147\151\164\141\154\061\047\060
\045\006\003\125\004\003\014\036\104\111\107\111\124\101\114\123
\111\107\116\040\107\114\117\102\101\114\040\122\117\117\124\040
```

\122\123\101\040\103\101\060\036\027\015\062\061\060\061\062\061  
\061\060\065\060\063\064\132\027\015\064\066\060\061\061\065\061  
\060\065\060\063\064\132\060\142\061\013\060\011\006\003\125\004  
\006\023\002\120\124\061\052\060\050\006\003\125\004\012\014\041  
\104\151\147\151\164\141\154\123\151\147\156\040\103\145\162\164  
\151\146\151\143\141\144\157\162\141\040\104\151\147\151\164\141  
\154\061\047\060\045\006\003\125\004\003\014\036\104\111\107\111  
\124\101\114\123\111\107\116\040\107\114\117\102\101\114\040\122  
\117\117\124\040\122\123\101\040\103\101\060\202\002\042\060\015  
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002  
\017\000\060\202\002\012\002\202\002\001\000\310\207\266\070\323  
\034\360\336\022\370\203\307\304\212\342\211\270\264\042\172\170  
\370\014\146\121\150\166\067\012\325\117\302\132\010\270\026\134  
\367\162\001\011\067\204\201\052\124\153\327\222\320\154\372\250  
\247\103\022\064\353\016\333\067\017\051\376\212\061\121\102\350  
\113\234\220\250\310\054\021\323\375\240\051\176\316\336\224\366  
\202\340\130\264\116\105\045\361\042\362\075\323\017\173\124\032  
\334\062\266\326\121\116\176\101\264\127\270\054\306\271\016\056  
\312\127\361\325\310\323\130\347\245\351\102\021\256\323\040\045  
\224\151\327\217\312\242\015\303\323\237\007\150\077\025\322\147  
\056\123\375\166\202\233\013\163\251\051\015\236\021\223\024\010  
\230\354\236\124\022\112\126\242\006\025\354\153\154\056\222\140  
\056\206\015\256\202\037\121\115\343\262\007\327\020\031\127\042  
\366\251\151\104\204\363\331\075\240\006\277\314\210\176\177\365  
\316\133\245\302\052\152\164\102\352\157\246\377\371\150\261\320  
\137\275\221\322\125\157\063\127\114\036\235\344\342\213\301\205  
\145\240\340\152\234\000\000\210\222\335\130\010\026\362\160\061  
\250\034\341\336\275\116\161\351\326\276\176\265\241\132\303\115  
\367\277\233\275\224\244\375\365\252\123\223\106\311\046\001\004  
\160\304\240\161\272\316\045\146\373\221\176\125\160\356\111\012  
\115\142\177\302\120\232\162\362\030\147\235\351\105\250\064\204  
\350\370\201\366\321\132\042\036\007\117\073\263\177\335\021\245  
\163\334\276\251\031\072\151\251\155\033\062\342\211\252\245\047  
\013\132\176\164\342\017\144\071\135\176\134\271\301\027\374\307  
\215\136\311\354\044\355\322\362\077\172\204\105\067\002\276\076  
\153\131\304\346\133\026\155\300\252\236\252\265\131\056\054\160  
\125\234\314\231\226\230\044\124\321\216\332\312\264\021\264\267  
\160\103\037\157\220\013\040\240\250\166\023\145\333\333\043\132  
\165\113\241\013\061\167\012\356\175\150\141\032\023\214\352\121  
\176\134\126\243\127\114\135\241\353\023\145\277\124\024\314\363  
\356\334\327\354\074\227\362\170\126\270\337\162\134\160\374\316  
\006\335\237\322\007\061\357\347\122\221\236\315\272\327\300\030  
\104\007\061\145\111\062\151\023\112\353\217\002\003\001\000\001  
\243\143\060\141\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\037\006\003\125\035\043\004\030\060\026  
\200\024\265\066\274\074\214\032\253\054\366\131\031\055\203\024  
\332\223\045\025\326\206\060\035\006\003\125\035\016\004\026\004  
\024\265\066\274\074\214\032\253\054\366\131\031\055\203\024\332

\223\045\025\326\206\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\006\060\015\006\011\052\206\110\206\367\015\001  
\001\015\005\000\003\202\002\001\000\024\373\061\045\070\061\370  
\312\010\262\043\166\070\255\370\323\131\365\314\264\127\045\341  
\104\276\176\374\026\354\256\372\046\237\117\147\026\112\126\360  
\375\355\307\031\001\064\216\220\132\055\326\200\134\354\161\322  
\201\045\202\036\000\161\337\232\321\325\035\042\273\321\245\363  
\142\017\264\353\334\044\163\376\246\126\315\232\024\305\004\065  
\026\061\242\007\353\245\000\342\266\370\137\162\375\077\141\111  
\216\336\176\115\070\327\172\036\164\067\154\121\334\276\000\004  
\270\070\024\363\040\301\355\233\247\043\375\015\102\204\035\177  
\362\163\303\320\170\143\361\237\354\327\133\351\361\276\154\240  
\113\003\236\215\151\341\024\332\210\020\201\043\123\377\332\124  
\053\013\306\271\226\225\004\030\106\363\173\250\227\330\133\150  
\244\344\070\034\016\105\345\230\323\011\256\232\136\354\263\171  
\015\071\162\362\364\224\235\016\236\140\042\346\250\366\114\205  
\315\007\202\072\150\071\315\075\137\343\070\364\266\257\073\153  
\112\237\140\121\105\242\100\002\345\252\014\343\076\321\170\324  
\242\164\234\046\272\005\232\050\160\112\076\246\013\320\035\111  
\360\272\370\256\101\020\176\244\007\022\275\250\317\051\075\127  
\273\307\361\103\107\000\076\256\160\030\132\040\173\011\313\072  
\072\160\200\345\114\140\230\301\025\301\035\112\367\310\360\233  
\341\162\255\347\135\150\130\013\004\261\214\274\237\267\373\156  
\213\133\004\125\373\353\043\125\327\170\120\332\045\313\276\047  
\066\273\044\032\171\034\121\321\376\023\273\377\170\054\334\244  
\276\057\366\305\113\123\317\247\114\231\136\160\254\131\210\004  
\256\144\004\277\173\246\172\115\323\350\167\275\241\176\120\025  
\363\357\111\060\205\115\041\127\252\333\054\165\227\255\201\001  
\207\242\261\160\235\036\006\132\003\140\261\077\246\155\202\054  
\324\024\261\201\245\350\075\210\035\264\162\054\130\067\212\216  
\070\224\270\163\335\251\340\270\366\167\242\263\174\130\336\256  
\151\072\265\213\245\032\273\362\330\164\006\234\375\142\163\040  
\041\166\261\176\160\236\031\324\353\027\142\031\070\231\315\066  
\053\107\376\061\313\337\271\344\254\010\323\330\246\353\324\236  
\176\113\144\244\125\135\053\027\311

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DIGITALSIGN GLOBAL ROOT RSA CA"

# Issuer: CN=DIGITALSIGN GLOBAL ROOT RSA CA,O=DigitalSign Certificadora Digital,C=PT

# Serial Number:5d:59:c8:ca:ab:09:57:f5:e6:b5:da:29:94:04:6a:ff:c5:d4:95:87

# Subject: CN=DIGITALSIGN GLOBAL ROOT RSA CA,O=DigitalSign Certificadora Digital,C=PT

# Not Valid Before: Thu Jan 21 10:50:34 2021

# Not Valid After : Mon Jan 15 10:50:34 2046

# Fingerprint (SHA-256):

82:BD:5D:85:1A:CF:7F:6E:1B:A7:BF:CB:C5:30:30:D0:E7:BC:3C:21:DF:77:2D:85:8C:AB:41:D1:99:BD:F5:95

```

Fingerprint (SHA1): B9:82:07:97:AE:52:A5:68:6F:46:07:DF:FD:03:72:3D:92:86:88:2D
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DIGITALSIGN GLOBAL ROOT RSA CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\271\202\007\227\256\122\245\150\157\106\007\337\375\003\162\075
\222\206\210\055
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\033\032\275\032\171\306\333\264\355\263\207\314\251\323\116\170
END
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\120\124\061
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144
\157\162\141\040\104\151\147\151\164\141\154\061\047\060\045\006
\003\125\004\003\014\036\104\111\107\111\124\101\114\123\111\107
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\122\123
\101\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\135\131\310\312\253\011\127\365\346\265\332\051\224\004
\152\377\305\324\225\207
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "DIGITALSIGN GLOBAL ROOT ECDSA CA"
#
Issuer: CN=DIGITALSIGN GLOBAL ROOT ECDSA CA,O=DigitalSign Certificadora Digital,C=PT
Serial Number:36:2d:8f:72:88:a2:28:27:e4:00:ff:24:c6:2d:e4:eb:fa:9d:b6:e1
Subject: CN=DIGITALSIGN GLOBAL ROOT ECDSA CA,O=DigitalSign Certificadora Digital,C=PT
Not Valid Before: Thu Jan 21 11:07:50 2021
Not Valid After : Mon Jan 15 11:07:50 2046
Fingerprint (SHA-256):
26:1D:71:14:AE:5F:8F:F2:D8:C7:20:9A:9D:E4:28:9E:6A:FC:9D:71:70:23:D8:54:50:90:91:99:F1:85:7C:FE
Fingerprint (SHA1): 67:A8:08:EB:8F:88:F5:80:6C:05:45:1B:17:F3:D7:00:2F:D2:4A:8A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DIGITALSIGN GLOBAL ROOT ECDSA CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

```

CKA\_SUBJECT MULTILINE\_OCTAL

\060\144\061\013\060\011\006\003\125\004\006\023\002\120\124\061  
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141  
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144  
\157\162\141\040\104\151\147\151\164\141\154\061\051\060\047\006  
\003\125\004\003\014\040\104\111\107\111\124\101\114\123\111\107  
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\105\103  
\104\123\101\040\103\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\144\061\013\060\011\006\003\125\004\006\023\002\120\124\061  
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141  
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144  
\157\162\141\040\104\151\147\151\164\141\154\061\051\060\047\006  
\003\125\004\003\014\040\104\111\107\111\124\101\114\123\111\107  
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\105\103  
\104\123\101\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\024\066\055\217\162\210\242\050\047\344\000\377\044\306\055  
\344\353\372\235\266\341

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\152\060\202\001\360\240\003\002\001\002\002\024\066  
\055\217\162\210\242\050\047\344\000\377\044\306\055\344\353\372  
\235\266\341\060\012\006\010\052\206\110\316\075\004\003\003\060  
\144\061\013\060\011\006\003\125\004\006\023\002\120\124\061\052  
\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141\154  
\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144\157  
\162\141\040\104\151\147\151\164\141\154\061\051\060\047\006\003  
\125\004\003\014\040\104\111\107\111\124\101\114\123\111\107\116  
\040\107\114\117\102\101\114\040\122\117\117\124\040\105\103\104  
\123\101\040\103\101\060\036\027\015\062\061\060\061\062\061\061  
\061\060\067\065\060\132\027\015\064\066\060\061\061\065\061\061  
\060\067\065\060\132\060\144\061\013\060\011\006\003\125\004\006  
\023\002\120\124\061\052\060\050\006\003\125\004\012\014\041\104  
\151\147\151\164\141\154\123\151\147\156\040\103\145\162\164\151  
\146\151\143\141\144\157\162\141\040\104\151\147\151\164\141\154  
\061\051\060\047\006\003\125\004\003\014\040\104\111\107\111\124  
\101\114\123\111\107\116\040\107\114\117\102\101\114\040\122\117  
\117\124\040\105\103\104\123\101\040\103\101\060\166\060\020\006  
\007\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003  
\142\000\004\156\013\243\253\063\115\034\352\112\350\374\004\215  
\024\240\175\360\010\054\137\203\253\223\321\322\173\272\327\111  
\175\217\354\022\120\137\324\271\313\345\360\371\063\143\037\311  
\127\354\100\330\021\013\227\350\122\026\314\051\216\364\006\206  
\036\070\334\075\127\304\356\252\275\310\124\004\046\132\047\023

\121\107\075\037\037\032\216\250\225\244\063\320\314\107\314\155  
\270\374\110\243\143\060\141\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\037\006\003\125\035\043\004  
\030\060\026\200\024\316\257\112\213\032\165\342\361\070\347\002  
\360\026\255\136\352\144\325\173\264\060\035\006\003\125\035\016  
\004\026\004\024\316\257\112\213\032\165\342\361\070\347\002\360  
\026\255\136\352\144\325\173\264\060\016\006\003\125\035\017\001  
\001\377\004\004\003\002\001\006\060\012\006\010\052\206\110\316  
\075\004\003\003\003\150\000\060\145\002\060\012\210\304\161\234  
\104\003\115\215\264\307\274\250\256\331\060\047\065\152\153\026  
\143\327\374\347\131\341\247\211\033\114\061\232\043\125\104\346  
\363\103\041\325\107\047\157\155\127\001\252\002\061\000\373\262  
\352\342\227\177\121\265\237\110\353\274\157\065\211\250\144\160  
\253\127\166\315\300\306\024\140\312\177\342\202\000\163\367\314  
\065\352\216\044\233\345\010\131\307\004\214\163\170\376

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DIGITALSIGN GLOBAL ROOT ECDSA CA"

# Issuer: CN=DIGITALSIGN GLOBAL ROOT ECDSA CA,O=DigitalSign Certificadora Digital,C=PT

# Serial Number:36:2d:8f:72:88:a2:28:27:e4:00:ff:24:c6:2d:e4:eb:fa:9d:b6:e1

# Subject: CN=DIGITALSIGN GLOBAL ROOT ECDSA CA,O=DigitalSign Certificadora Digital,C=PT

# Not Valid Before: Thu Jan 21 11:07:50 2021

# Not Valid After : Mon Jan 15 11:07:50 2046

# Fingerprint (SHA-256):

26:1D:71:14:AE:5F:8F:F2:D8:C7:20:9A:9D:E4:28:9E:6A:FC:9D:71:70:23:D8:54:50:90:91:99:F1:85:7C:FE

# Fingerprint (SHA1): 67:A8:08:EB:8F:88:F5:80:6C:05:45:1B:17:F3:D7:00:2F:D2:4A:8A

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DIGITALSIGN GLOBAL ROOT ECDSA CA"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\147\250\010\353\217\210\365\200\154\005\105\033\027\363\327\000  
\057\322\112\212

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\252\055\241\316\377\041\302\210\313\132\036\214\341\311\222\217

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\144\061\013\060\011\006\003\125\004\006\023\002\120\124\061  
\052\060\050\006\003\125\004\012\014\041\104\151\147\151\164\141  
\154\123\151\147\156\040\103\145\162\164\151\146\151\143\141\144  
\157\162\141\040\104\151\147\151\164\141\154\061\051\060\047\006  
\003\125\004\003\014\040\104\111\107\111\124\101\114\123\111\107  
\116\040\107\114\117\102\101\114\040\122\117\117\124\040\105\103

```

\104\123\101\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\066\055\217\162\210\242\050\047\344\000\377\044\306\055
\344\353\372\235\266\341
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Security Communication RootCA3"
#
Issuer: CN=Security Communication RootCA3,O="SECOM Trust Systems CO.,LTD.",C=JP
Serial Number:00:e1:7c:37:40:fd:1b:fe:67
Subject: CN=Security Communication RootCA3,O="SECOM Trust Systems CO.,LTD.",C=JP
Not Valid Before: Thu Jun 16 06:17:16 2016
Not Valid After : Mon Jan 18 06:17:16 2038
Fingerprint (SHA-256):
24:A5:5C:2A:B0:51:44:2D:06:17:76:65:41:23:9A:4A:D0:32:D7:C5:51:75:AA:34:FF:DE:2F:BC:4F:5C:52:94
Fingerprint (SHA1): C3:03:C8:22:74:92:E5:61:A2:9C:5F:79:91:2B:1E:44:13:91:30:3A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication RootCA3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\003\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\003\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\341\174\067\100\375\033\376\147
END

```



CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\177\060\202\003\147\240\003\002\001\002\002\011\000  
\341\174\067\100\375\033\376\147\060\015\006\011\052\206\110\206  
\367\015\001\001\014\005\000\060\135\061\013\060\011\006\003\125  
\004\006\023\002\112\120\061\045\060\043\006\003\125\004\012\023  
\034\123\105\103\117\115\040\124\162\165\163\164\040\123\171\163  
\164\145\155\163\040\103\117\056\054\114\124\104\056\061\047\060  
\045\006\003\125\004\003\023\036\123\145\143\165\162\151\164\171  
\040\103\157\155\155\165\156\151\143\141\164\151\157\156\040\122  
\157\157\164\103\101\063\060\036\027\015\061\066\060\066\061\066  
\060\066\061\067\061\066\132\027\015\063\070\060\061\061\070\060  
\066\061\067\061\066\132\060\135\061\013\060\011\006\003\125\004  
\006\023\002\112\120\061\045\060\043\006\003\125\004\012\023\034  
\123\105\103\117\115\040\124\162\165\163\164\040\123\171\163\164  
\145\155\163\040\103\117\056\054\114\124\104\056\061\047\060\045  
\006\003\125\004\003\023\036\123\145\143\165\162\151\164\171\040  
\103\157\155\155\165\156\151\143\141\164\151\157\156\040\122\157  
\157\164\103\101\063\060\202\002\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002  
\012\002\202\002\001\000\343\311\162\111\367\060\336\011\174\251  
\100\201\130\323\264\072\335\272\141\017\223\120\156\151\074\065  
\302\356\133\163\220\033\147\114\041\354\137\065\273\071\076\053  
\012\140\357\273\155\053\206\373\161\242\310\254\344\126\224\371  
\311\257\261\162\324\040\254\164\322\270\025\255\121\376\205\164  
\241\271\020\376\005\200\371\122\223\263\100\075\165\020\254\300  
\226\267\247\176\166\274\343\033\122\031\316\021\037\013\004\064  
\365\330\365\151\074\167\363\144\364\015\252\205\336\340\011\120  
\004\027\226\204\267\310\212\274\115\162\374\034\273\317\363\006  
\115\371\237\144\367\176\246\146\206\065\161\310\021\200\114\301  
\161\100\130\036\276\240\163\366\374\076\120\341\340\057\046\075  
\176\134\043\265\171\160\336\372\340\321\245\326\014\101\161\173  
\367\352\214\034\210\307\354\213\365\321\057\125\226\106\174\132  
\073\130\073\373\272\330\055\265\045\332\172\116\317\104\256\041  
\246\236\230\312\040\156\174\273\210\205\133\373\300\020\142\273  
\362\371\047\107\357\321\211\071\103\304\337\336\341\101\277\124  
\163\040\227\055\154\332\363\324\007\243\346\271\330\157\256\374  
\214\031\056\323\147\147\053\225\333\130\134\265\152\002\363\270  
\203\136\264\153\276\101\176\127\011\165\104\120\125\315\132\021  
\141\041\012\141\302\251\210\375\023\274\055\211\057\315\141\340  
\225\276\312\265\173\341\173\064\147\013\037\266\014\307\174\036  
\031\123\312\247\261\112\025\040\126\024\160\075\053\202\054\017  
\235\025\035\107\200\107\377\170\231\016\061\257\157\076\217\355  
\206\151\036\173\030\210\024\262\302\374\202\063\056\234\113\055  
\373\160\073\161\252\053\173\046\047\363\032\302\334\373\027\270  
\241\352\313\240\264\256\323\224\176\172\320\253\303\354\070\055  
\021\056\210\277\324\077\255\022\073\102\254\217\002\156\175\314  
\321\137\141\276\241\274\072\152\110\352\046\125\042\026\135\137  
\015\377\047\063\237\030\003\164\212\133\122\040\107\153\105\115

\042\167\214\125\047\360\257\036\214\311\203\042\124\267\232\320  
\117\331\316\374\331\056\034\226\050\261\002\323\003\275\045\122  
\034\064\146\117\043\253\364\167\202\226\035\321\127\060\010\021  
\005\375\127\321\331\307\002\003\001\000\001\243\102\060\100\060  
\035\006\003\125\035\016\004\026\004\024\144\024\174\374\130\162  
\026\246\012\051\064\025\157\052\313\274\374\257\250\253\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\003\202  
\002\001\000\334\002\043\010\342\357\041\072\307\015\267\046\322  
\142\223\247\245\043\162\007\040\202\140\337\030\327\124\255\151  
\045\222\236\331\024\317\231\271\122\201\317\256\154\212\073\132  
\071\310\154\001\103\302\042\155\002\360\142\315\116\143\103\300  
\024\332\364\143\360\352\364\161\356\116\207\343\161\251\364\311  
\127\345\056\137\034\171\273\043\252\207\104\127\351\275\065\115  
\101\273\113\050\243\230\262\033\331\013\027\007\345\367\352\235  
\365\166\327\277\304\266\201\130\377\310\377\144\151\142\171\255  
\156\016\037\177\356\035\151\345\267\162\161\263\376\245\001\065  
\224\124\053\300\122\155\217\125\304\311\322\270\313\312\064\010  
\121\205\240\365\274\264\027\130\352\012\134\172\275\143\306\072  
\057\377\226\111\031\204\352\147\330\004\261\141\364\000\133\112  
\267\234\161\067\031\205\171\277\201\260\307\023\016\166\161\076  
\072\200\006\256\006\026\247\215\265\302\304\313\377\100\245\134  
\215\245\311\072\355\162\201\312\134\230\074\322\064\003\167\010  
\375\360\051\131\135\041\010\307\140\277\244\161\173\270\331\036  
\202\276\011\257\145\157\050\253\277\113\265\356\076\010\107\047  
\240\017\157\017\213\077\254\225\030\363\271\016\334\147\125\156  
\142\236\106\016\321\004\170\312\162\256\166\331\245\370\262\337  
\210\011\141\213\357\044\116\321\131\077\132\324\075\311\223\074  
\053\144\365\201\015\026\226\367\222\303\376\061\157\350\052\062  
\164\016\364\114\230\112\030\016\060\124\325\305\353\274\305\025  
\236\350\231\041\353\047\053\011\012\333\361\346\160\030\126\273  
\014\344\276\371\350\020\244\023\222\270\034\340\333\147\035\123  
\003\244\042\247\334\135\222\020\074\352\377\374\033\020\032\303  
\330\320\234\235\145\313\320\053\047\061\003\036\066\341\075\166  
\165\014\377\105\046\271\335\121\274\043\307\137\330\330\207\020  
\100\022\015\075\070\067\347\104\074\030\300\123\011\144\217\377  
\325\232\246\174\160\056\163\125\041\350\337\377\203\271\035\076  
\062\036\326\246\175\054\361\146\351\134\035\247\243\316\136\045  
\062\053\343\225\254\052\007\316\264\050\170\206\074\055\246\235  
\115\322\164\060\335\144\121\025\333\203\203\121\327\257\375\063  
\235\115\146

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Security Communication RootCA3"

```

Issuer: CN=Security Communication RootCA3,O="SECOM Trust Systems CO.,LTD.",C=JP
Serial Number:00:e1:7c:37:40:fd:1b:fe:67
Subject: CN=Security Communication RootCA3,O="SECOM Trust Systems CO.,LTD.",C=JP
Not Valid Before: Thu Jun 16 06:17:16 2016
Not Valid After : Mon Jan 18 06:17:16 2038
Fingerprint (SHA-256):
24:A5:5C:2A:B0:51:44:2D:06:17:76:65:41:23:9A:4A:D0:32:D7:C5:51:75:AA:34:FF:DE:2F:BC:4F:5C:52:94
Fingerprint (SHA1): C3:03:C8:22:74:92:E5:61:A2:9C:5F:79:91:2B:1E:44:13:91:30:3A
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication RootCA3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\303\003\310\042\164\222\345\141\242\234\137\171\221\053\036\104
\023\221\060\072
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\034\232\026\377\236\134\340\115\212\024\001\364\065\135\051\046
END
CKA_ISSUER MULTILINE_OCTAL
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\003\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\341\174\067\100\375\033\376\147
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "Security Communication ECC RootCA1"
#
Issuer: CN=Security Communication ECC RootCA1,O="SECOM Trust Systems CO.,LTD.",C=JP
Serial Number:00:d6:5d:9b:b3:78:81:2e:eb
Subject: CN=Security Communication ECC RootCA1,O="SECOM Trust Systems CO.,LTD.",C=JP
Not Valid Before: Thu Jun 16 05:15:28 2016
Not Valid After : Mon Jan 18 05:15:28 2038
Fingerprint (SHA-256):
E7:4F:BD:A5:5B:D5:64:C4:73:A3:6B:44:1A:A7:99:C8:A6:8E:07:74:40:E8:28:8B:9F:A1:E5:0E:4B:BA:CA:11
Fingerprint (SHA1): B8:0E:26:A9:BF:D2:B2:3B:C0:EF:46:C9:BA:C7:BB:F6:1D:0D:41:41
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication ECC RootCA1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\053\060\051\006\003\125\004\003\023
\042\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\105\103\103\040\122\157\157\164
\103\101\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\053\060\051\006\003\125\004\003\023
\042\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\105\103\103\040\122\157\157\164
\103\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\326\135\233\263\170\201\056\353
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\070\060\202\001\276\240\003\002\001\002\002\011\000
\326\135\233\263\170\201\056\353\060\012\006\010\052\206\110\316
\075\004\003\003\060\141\061\013\060\011\006\003\125\004\006\023
\002\112\120\061\045\060\043\006\003\125\004\012\023\034\123\105
\103\117\115\040\124\162\165\163\164\040\123\171\163\164\145\155
\163\040\103\117\056\054\114\124\104\056\061\053\060\051\006\003
\125\004\003\023\042\123\145\143\165\162\151\164\171\040\103\157
\155\155\165\156\151\143\141\164\151\157\156\040\105\103\103\040
\122\157\157\164\103\101\061\060\036\027\015\061\066\060\066\061
\066\060\065\061\065\062\070\132\027\015\063\070\060\061\061\070
\060\065\061\065\062\070\132\060\141\061\013\060\011\006\003\125
\004\006\023\002\112\120\061\045\060\043\006\003\125\004\012\023
\034\123\105\103\117\115\040\124\162\165\163\164\040\123\171\163
\164\145\155\163\040\103\117\056\054\114\124\104\056\061\053\060
\051\006\003\125\004\003\023\042\123\145\143\165\162\151\164\171
\040\103\157\155\155\165\156\151\143\141\164\151\157\156\040\105
\103\103\040\122\157\157\164\103\101\061\060\166\060\020\006\007
\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142
\000\004\244\245\157\140\003\003\303\275\061\364\323\027\234\053
\204\165\254\345\375\075\127\156\327\143\277\346\004\211\222\216
```

```
\201\234\343\351\107\156\312\220\022\310\023\340\247\235\367\145
\164\037\154\020\262\350\344\351\357\155\205\062\231\104\261\136
\375\314\166\020\330\133\275\242\306\371\326\102\344\127\166\334
\220\302\065\251\113\210\074\022\107\155\134\377\111\117\032\112
\120\261\243\102\060\100\060\035\006\003\125\035\016\004\026\004
\024\206\034\347\376\055\245\112\213\010\376\050\021\372\276\243
\146\370\140\131\057\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\012\006\010\052\206\110\316\075\004
\003\003\003\150\000\060\145\002\060\025\135\102\075\374\266\356
\367\073\261\066\350\236\366\304\106\050\111\063\320\130\103\052
\143\051\314\115\261\264\172\242\271\015\070\245\135\110\052\375
\313\262\163\135\243\210\010\307\014\002\061\000\300\253\055\016
\155\355\030\242\333\123\351\045\333\125\010\340\120\314\337\104
\141\026\202\253\111\260\262\201\354\163\207\170\264\114\262\142
\033\022\372\026\115\045\113\143\275\036\067\331
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
Trust for "Security Communication ECC RootCA1"
```

```
Issuer: CN=Security Communication ECC RootCA1,O="SECOM Trust Systems CO.,LTD.",C=JP
```

```
Serial Number:00:d6:5d:9b:b3:78:81:2e:eb
```

```
Subject: CN=Security Communication ECC RootCA1,O="SECOM Trust Systems CO.,LTD.",C=JP
```

```
Not Valid Before: Thu Jun 16 05:15:28 2016
```

```
Not Valid After : Mon Jan 18 05:15:28 2038
```

```
Fingerprint (SHA-256):
```

```
E7:4F:BD:A5:5B:D5:64:C4:73:A3:6B:44:1A:A7:99:C8:A6:8E:07:74:40:E8:28:8B:9F:A1:E5:0E:4B:BA:CA:11
```

```
Fingerprint (SHA1): B8:0E:26:A9:BF:D2:B2:3B:C0:EF:46:C9:BA:C7:BB:F6:1D:0D:41:41
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Security Communication ECC RootCA1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\270\016\046\251\277\322\262\073\300\357\106\311\272\307\273\366
\035\015\101\101
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\176\103\260\222\150\354\005\103\114\230\253\135\065\056\176\206
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\141\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\053\060\051\006\003\125\004\003\023
\042\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
```

```

\151\143\141\164\151\157\156\040\105\103\103\040\122\157\157\164
\103\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\326\135\233\263\170\201\056\353
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "BJCA Global Root CA1"
#
Issuer: CN=BJCA Global Root CA1,O=BEIJING CERTIFICATE AUTHORITY,C=CN
Serial Number:55:6f:65:e3:b4:d9:90:6a:1b:09:d1:6c:3e:c0:6c:20
Subject: CN=BJCA Global Root CA1,O=BEIJING CERTIFICATE AUTHORITY,C=CN
Not Valid Before: Thu Dec 19 03:16:17 2019
Not Valid After : Mon Dec 12 03:16:17 2044
Fingerprint (SHA-256):
F3:89:6F:88:FE:7C:0A:88:27:66:A7:FA:6A:D2:74:9F:B5:7A:7F:3E:98:FB:76:9C:1F:A7:B0:9C:2C:44:D5:AE
Fingerprint (SHA1): D5:EC:8D:7B:4C:BA:79:F4:E7:E8:CB:9D:6B:AE:77:83:10:03:21:6A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "BJCA Global Root CA1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\125\157\145\343\264\331\220\152\033\011\321\154\076\300
\154\040

```

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\164\060\202\003\134\240\003\002\001\002\002\020\125  
\157\145\343\264\331\220\152\033\011\321\154\076\300\154\040\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\124  
\061\013\060\011\006\003\125\004\006\023\002\103\116\061\046\060  
\044\006\003\125\004\012\014\035\102\105\111\112\111\116\107\040  
\103\105\122\124\111\106\111\103\101\124\105\040\101\125\124\110  
\117\122\111\124\131\061\035\060\033\006\003\125\004\003\014\024  
\102\112\103\101\040\107\154\157\142\141\154\040\122\157\157\164  
\040\103\101\061\060\036\027\015\061\071\061\062\061\071\060\063  
\061\066\061\067\132\027\015\064\064\061\062\061\062\060\063\061  
\066\061\067\132\060\124\061\013\060\011\006\003\125\004\006\023  
\002\103\116\061\046\060\044\006\003\125\004\012\014\035\102\105  
\111\112\111\116\107\040\103\105\122\124\111\106\111\103\101\124  
\105\040\101\125\124\110\117\122\111\124\131\061\035\060\033\006  
\003\125\004\003\014\024\102\112\103\101\040\107\154\157\142\141  
\154\040\122\157\157\164\040\103\101\061\060\202\002\042\060\015  
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002  
\017\000\060\202\002\012\002\202\002\001\000\361\146\010\275\331  
\305\025\141\313\204\004\101\245\151\067\167\035\301\260\173\372  
\303\167\110\220\023\162\144\321\270\174\220\065\235\030\171\210  
\343\227\001\074\107\201\362\016\242\230\015\236\077\067\340\031  
\262\220\362\106\034\222\261\072\141\316\372\267\106\236\003\206  
\327\063\156\355\367\105\214\166\067\336\156\226\221\367\327\176  
\053\207\027\325\213\065\356\204\221\162\127\334\140\303\303\271  
\347\307\147\044\043\117\143\012\143\366\146\175\113\125\247\077  
\170\144\111\151\022\227\340\114\015\323\011\240\062\060\072\372  
\237\300\362\234\305\022\052\056\034\265\004\063\332\244\070\021  
\152\336\306\030\366\107\072\042\101\207\042\374\304\211\050\124  
\330\214\245\060\012\370\027\026\312\254\067\375\171\247\221\027  
\170\070\231\255\130\355\262\336\314\211\175\003\234\263\211\145  
\347\343\073\261\042\206\217\006\155\170\007\375\221\022\177\260  
\153\034\211\015\371\270\313\164\133\007\302\310\364\065\321\144  
\143\172\351\156\232\050\326\060\275\346\033\335\025\257\204\352  
\234\307\312\365\016\352\362\135\051\207\217\151\163\071\276\056  
\044\157\105\041\254\305\324\151\045\006\203\255\172\110\205\023  
\054\015\006\270\154\171\126\374\243\147\062\201\365\127\245\312  
\127\102\151\351\134\044\141\357\342\060\030\116\104\230\125\157  
\172\302\223\330\031\266\336\174\107\212\021\116\111\107\333\050  
\224\002\013\224\112\054\371\022\320\117\350\061\176\154\172\277  
\246\077\233\071\075\002\026\243\030\263\147\254\133\077\054\203  
\053\147\071\201\134\271\176\224\325\144\335\236\217\156\256\350  
\174\133\264\327\152\107\110\327\176\263\324\055\216\126\166\116  
\317\151\361\156\104\154\324\044\352\215\044\241\030\277\275\127  
\376\251\231\065\265\333\020\167\270\075\110\272\326\301\347\361  
\043\076\327\337\205\235\047\074\324\100\275\012\014\275\365\347  
\215\045\326\201\164\207\106\324\051\165\242\102\154\367\163\211

\347\175\277\172\112\037\323\042\311\025\125\317\337\157\174\125  
\320\244\213\007\021\067\137\203\246\046\127\246\001\133\176\376  
\130\150\007\251\351\172\331\271\350\377\120\037\253\302\264\300  
\316\350\352\375\017\275\215\115\270\274\161\002\003\001\000\001  
\243\102\060\100\060\035\006\003\125\035\016\004\026\004\024\305  
\357\355\314\330\215\041\306\110\344\343\327\024\056\247\026\223  
\345\230\001\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\015\006\011\052\206\110\206\367\015\001\001  
\013\005\000\003\202\002\001\000\122\202\254\041\064\037\043\362  
\242\330\371\270\257\067\066\040\211\321\067\003\326\151\237\270  
\141\020\272\242\061\230\131\107\350\321\015\045\036\025\101\014  
\340\052\125\325\127\122\313\370\344\307\151\243\035\115\161\002  
\136\137\041\105\140\110\134\011\216\111\020\301\004\334\251\142  
\153\002\360\103\310\116\235\070\111\164\311\062\160\124\155\301  
\107\374\216\264\066\236\324\234\275\335\040\326\123\311\030\251  
\265\126\271\166\213\225\147\146\356\275\230\376\256\357\276\156  
\373\140\366\375\131\306\052\033\077\043\112\224\044\060\047\310  
\211\274\353\104\044\232\313\075\276\117\325\172\316\216\027\313  
\142\301\331\336\036\016\172\377\103\206\064\122\274\141\077\074  
\137\273\331\166\264\123\274\227\263\376\212\114\022\056\053\363  
\327\316\341\242\377\335\173\160\373\073\241\115\244\143\002\375  
\070\227\225\077\005\160\240\153\337\142\201\103\213\264\131\015  
\112\214\124\234\305\273\201\237\315\175\245\357\013\045\036\072  
\040\333\034\374\037\230\147\002\012\324\163\104\023\333\121\204  
\032\125\003\126\340\000\176\164\006\377\070\304\162\035\323\250  
\077\150\061\135\323\011\307\056\214\133\143\340\350\334\036\322  
\354\141\036\362\336\345\357\366\231\166\140\055\036\224\162\161  
\306\013\052\062\307\222\116\325\106\327\035\371\251\031\012\310  
\372\225\316\155\043\230\252\013\070\255\232\126\015\157\215\361  
\061\000\210\301\027\234\315\031\066\065\376\125\123\240\340\074  
\063\137\226\136\342\062\351\337\063\273\006\112\251\330\204\163  
\316\167\322\306\254\161\341\134\243\035\014\273\012\337\137\342  
\243\161\330\332\067\132\240\170\053\364\324\175\353\166\355\362  
\141\160\245\145\232\323\211\064\030\253\373\162\076\327\264\075  
\171\134\330\037\241\063\173\331\202\120\014\223\027\252\154\334  
\302\202\273\002\127\066\257\230\047\052\071\120\341\260\211\365  
\045\227\176\107\150\020\264\354\163\312\263\227\321\044\334\366  
\142\240\050\323\265\243\270\144\267\210\142\102\317\235\123\315  
\231\276\144\150\217\117\036\022\110\367\322\051\303\230\050\312  
\362\062\013\223\214\051\117\074\140\062\315\005\226\141\354\362  
\257\376\263\160\054\056\246\362

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "BJCA Global Root CA1"



```

Issuer: CN=BJCA Global Root CA1,O=BEIJING CERTIFICATE AUTHORITY,C=CN
Serial Number:55:6f:65:e3:b4:d9:90:6a:1b:09:d1:6c:3e:c0:6c:20
Subject: CN=BJCA Global Root CA1,O=BEIJING CERTIFICATE AUTHORITY,C=CN
Not Valid Before: Thu Dec 19 03:16:17 2019
Not Valid After : Mon Dec 12 03:16:17 2044
Fingerprint (SHA-256):
F3:89:6F:88:FE:7C:0A:88:27:66:A7:FA:6A:D2:74:9F:B5:7A:7F:3E:98:FB:76:9C:1F:A7:B0:9C:2C:44:D5:AE
Fingerprint (SHA1): D5:EC:8D:7B:4C:BA:79:F4:E7:E8:CB:9D:6B:AE:77:83:10:03:21:6A
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "BJCA Global Root CA1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\325\354\215\173\114\272\171\364\347\350\313\235\153\256\167\203
\020\003\041\152
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\102\062\231\166\103\063\066\044\065\007\202\233\050\371\320\220
END
CKA_ISSUER MULTILINE_OCTAL
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\125\157\145\343\264\331\220\152\033\011\321\154\076\300
\154\040
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
Certificate "BJCA Global Root CA2"
#
Issuer: CN=BJCA Global Root CA2,O=BEIJING CERTIFICATE AUTHORITY,C=CN
Serial Number:2c:17:08:7d:64:2a:c0:fe:85:18:59:06:cf:b4:4a:eb
Subject: CN=BJCA Global Root CA2,O=BEIJING CERTIFICATE AUTHORITY,C=CN
Not Valid Before: Thu Dec 19 03:18:21 2019
Not Valid After : Mon Dec 12 03:18:21 2044
Fingerprint (SHA-256):
57:4D:F6:93:1E:27:80:39:66:7B:72:0A:FD:C1:60:0F:C2:7E:B6:6D:D3:09:29:79:FB:73:85:64:87:21:28:82
Fingerprint (SHA1): F4:27:86:EB:6E:B8:6D:88:31:67:02:FB:BA:66:A4:53:00:AA:7A:A6

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "BJCA Global Root CA2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\054\027\010\175\144\052\300\376\205\030\131\006\317\264
\112\353
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\045\060\202\001\253\240\003\002\001\002\002\020\054
\027\010\175\144\052\300\376\205\030\131\006\317\264\112\353\060
\012\006\010\052\206\110\316\075\004\003\003\060\124\061\013\060
\011\006\003\125\004\006\023\002\103\116\061\046\060\044\006\003
\125\004\012\014\035\102\105\111\112\111\116\107\040\103\105\122
\124\111\106\111\103\101\124\105\040\101\125\124\110\117\122\111
\124\131\061\035\060\033\006\003\125\004\003\014\024\102\112\103
\101\040\107\154\157\142\141\154\040\122\157\157\164\040\103\101
\062\060\036\027\015\061\071\061\062\061\071\060\063\061\070\062
\061\132\027\015\064\064\061\062\061\062\060\063\061\070\062\061
\132\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116
\061\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111
\116\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101
\125\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004
\003\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122
\157\157\164\040\103\101\062\060\166\060\020\006\007\052\206\110
\316\075\002\001\006\005\053\201\004\000\042\003\142\000\004\235
\313\200\221\215\123\147\265\271\120\261\003\370\345\111\037\101
\042\011\260\121\122\130\326\053\064\217\305\022\106\024\305\213
\057\054\204\377\054\156\250\325\361\011\343\003\041\024\304\103
```

```
\075\174\301\054\304\113\152\112\315\351\207\340\175\366\042\276
\372\112\121\270\060\212\375\341\336\030\022\012\366\107\267\347
\027\277\047\212\324\101\114\226\074\140\226\301\375\025\034\243
\102\060\100\060\035\006\003\125\035\016\004\026\004\024\322\112
\261\121\177\006\360\321\202\037\116\156\137\253\203\374\110\324
\260\221\060\017\006\003\125\035\023\001\001\377\004\005\060\003
\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003
\002\001\006\060\012\006\010\052\206\110\316\075\004\003\003\003
\150\000\060\145\002\060\032\274\133\327\376\251\322\124\016\112
\135\322\155\261\100\334\364\103\325\322\112\231\031\022\126\200
\367\203\064\341\065\116\110\155\004\017\127\061\060\060\055\261
\252\235\003\070\333\006\002\061\000\313\314\207\123\313\172\337
\040\121\163\220\300\250\133\141\320\305\120\071\375\205\376\301
\343\170\370\246\326\113\275\233\207\217\017\345\326\123\226\253
\074\310\100\332\141\367\123\243\367
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "BJCA Global Root CA2"

# Issuer: CN=BJCA Global Root CA2,O=BEIJING CERTIFICATE AUTHORITY,C=CN

# Serial Number:2c:17:08:7d:64:2a:c0:fe:85:18:59:06:cf:b4:4a:eb

# Subject: CN=BJCA Global Root CA2,O=BEIJING CERTIFICATE AUTHORITY,C=CN

# Not Valid Before: Thu Dec 19 03:18:21 2019

# Not Valid After : Mon Dec 12 03:18:21 2044

# Fingerprint (SHA-256):

57:4D:F6:93:1E:27:80:39:66:7B:72:0A:FD:C1:60:0F:C2:7E:B6:6D:D3:09:29:79:FB:73:85:64:87:21:28:82

# Fingerprint (SHA1): F4:27:86:EB:6E:B8:6D:88:31:67:02:FB:BA:66:A4:53:00:AA:7A:A6

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "BJCA Global Root CA2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\364\047\206\353\156\270\155\210\061\147\002\373\272\146\244\123
\000\252\172\246
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\136\012\366\107\137\246\024\350\021\001\225\077\115\001\353\074
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\124\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\046\060\044\006\003\125\004\012\014\035\102\105\111\112\111\116
\107\040\103\105\122\124\111\106\111\103\101\124\105\040\101\125
\124\110\117\122\111\124\131\061\035\060\033\006\003\125\004\003
\014\024\102\112\103\101\040\107\154\157\142\141\154\040\122\157
\157\164\040\103\101\062
```

```
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\054\027\010\175\144\052\300\376\205\030\131\006\317\264
\112\353
```

```
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

Found in path(s):

```
* /opt/cola/permits/1679450782_1685340861.071418/0/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/certdata.txt
```

## 1.127 xml-apis 1.4.01

### 1.127.1 Available under license :

xml-commons/java/external/LICENSE.sax.txt \$Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at

<http://www.saxproject.org/> for more up-to-date  
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com

2000-05-05

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas \$

This license came from: <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip> (COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission.

Title to copyright in this software and any associated documentation will at

all times remain with copyright holders.

xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215  
2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

#### W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT

INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) \$

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable



copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==
=====
```

Apache XML Commons XML APIs  
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

# 1.128 micronaut-websocket 3.9.2

## 1.128.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2021 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1701214134_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-
jar/io/micronaut/websocket/WebSocketClientFactoryResolver.java
* /opt/cola/permits/1701214134_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-
jar/io/micronaut/websocket/WebSocketClientFactory.java
* /opt/cola/permits/1701214134_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-
jar/io/micronaut/websocket/WebSocketPongMessage.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
```

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/WebSocketVersion.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/exceptions/WebSocketClientException.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/context/DefaultWebSocketBeanRegistry.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/WebSocketClient.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/annotation/OnClose.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/context/WebSocketBean.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/interceptor/WebSocketSessionAware.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/annotation/ClientWebSocket.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/annotation/OnError.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/annotation/WebSocketMapping.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/bind/package-info.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/context/WebSocketBeanRegistry.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/WebSocketSession.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/event/WebSocketMessageProcessedEvent.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/exceptions/WebSocketException.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/interceptor/package-info.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/WebSocketClientRegistry.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/context/package-info.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/bind/WebSocketState.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/CloseReason.java
- \* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/annotation/package-info.java

\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/event/WebSocketEvent.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/package-info.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/event/WebSocketSessionOpenEvent.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/annotation/ServerWebSocket.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/bind/WebSocketStateBinderRegistry.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/event/WebSocketSessionClosedEvent.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/interceptor/ClientWebSocketInterceptor.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/annotation/OnMessage.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/exceptions/WebSocketSessionException.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/exceptions/package-info.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/event/package-info.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/annotation/OnOpen.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/bind/WebSocketStateBinder.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/annotation/WebSocketComponent.java  
\* /opt/cola/permits/1701214134\_1685496851.5276954/0/micronaut-websocket-3-9-2-sources-jar/io/micronaut/websocket/WebSocketBroadcaster.java

# 1.129 free-type 2.12.0

## 1.129.1 Available under license :

The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by

David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (^ as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (^ royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (^ credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
""""
Portions of this software are copyright <year> The FreeType
Project (www.freetype.org). All rights reserved.
""""
```

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

=====

## 0. Definitions

-----

Throughout this license, the terms `package`, `FreeType Project`, and `FreeType archive` refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project`, be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

## 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

## 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file



(`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

--- end of FTL.TXT ---

## FREETYPE LICENSES

-----

The FreeType 2 font engine is copyrighted work and cannot be used legally without a software license. In order to make this project usable to a vast majority of developers, we distribute it under two mutually exclusive open-source licenses.

This means that \*you\* must choose \*one\* of the two licenses described below, then obey all its terms and conditions when using FreeType 2 in any of your projects or products.

- The FreeType License, found in the file `docs/FTL.TXT`, which is similar to the original BSD license \*with\* an advertising clause that forces you to explicitly cite the FreeType project in your product's documentation. All details are in the license file. This license is suited to products which don't use the GNU General Public License.

Note that this license is compatible to the GNU General Public License version 3, but not version 2.

- The GNU General Public License version 2, found in `docs/GPLv2.TXT` (any later version can be used also), for programs which already use the GPL. Note that the FTL is incompatible with GPLv2 due to its advertisement clause.

The contributed BDF and PCF drivers come with a license similar to that of the X Window System. It is compatible to the above two licenses (see files `src/bdf/README` and `src/pcf/README`). The same holds for the source code files `src/base/ftstash.c` and `include/freetype/internal/ftstash.h`; they were part of the BDF driver in earlier FreeType versions.

The gzip module uses the zlib license (see `src/gzip/zlib.h`) which too is compatible to the above two licenses.

The MD5 checksum support (only used for debugging in development builds) is in the public domain.

```
--- end of LICENSE.TXT ---
Files that don't get a copyright, or which are taken from elsewhere.
#
All lines in this file are patterns, including the comment lines; this
means that e.g. `FTL.TXT' matches all files that have this string in
the file name (including the path relative to the current directory,
always starting with `./').
#
Don't put empty lines into this file!
#
builds/unix/pkg.m4
#
docs/FTL.TXT
docs/GPLv2.TXT
#
include/freetype/internal/fthash.h
#
src/base/fthash.c
src/base/md5.c
src/base/md5.h
#
src/bdf/bdf.c
src/bdf/bdf.h
src/bdf/bdfdrivr.c
src/bdf/bdfdrivr.h
src/bdf/bdferror.h
src/bdf/bdflib.c
src/bdf/module.mk
src/bdf/README
src/bdf/rules.mk
#
src/pcf/module.mk
src/pcf/pcf.c
src/pcf/pcf.h
src/pcf/pcfdrivr.c
src/pcf/pcfdrivr.h
src/pcf/pcferror.h
src/pcf/pcfread.c
src/pcf/pcfread.h
src/pcf/pcfutil.c
src/pcf/pcfutil.h
src/pcf/README
src/pcf/rules.mk
```

```
#
src/gzip/adler32.c
src/gzip/infblock.c
src/gzip/infblock.h
src/gzip/infcodes.c
src/gzip/infcodes.h
src/gzip/inffixed.h
src/gzip/inflate.c
src/gzip/inftrees.c
src/gzip/inftrees.h
src/gzip/infutil.c
src/gzip/infutil.h
src/gzip/zconf.h
src/gzip/zlib.h
src/gzip/zutil.c
src/gzip/zutil.h
#
src/tools/apinames.c
src/tools/ftrandom/ftrandom.c
#
subprojects/dlg
#
EOF
```

#### GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it

in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of

running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the

entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not

compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the



integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS

TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

```
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

# 1.130 opentelemetry-api-metrics 1.10.0-rc.1

## 1.130.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.131 alpine-baselayout 3.4.3-r1

## 1.131.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Create mount directories in fstab
*
* Copyright(c) 2008 Natanael Copa <natanael.copa@gmail.com>
* May be distributed under the terms of GPL-2
*
* usage: mkmntdirs [fstab]
*
*/
```

Found in path(s):

```
*/opt/cola/permits/1675356458_1684887865.7744117/0/alpine-baselayout-master-
zip/alpine-baselayout-master/src/mkmntdirs.c
```

## 1.132 libpng 1.6.37

### 1.132.1 Available under license :

-----  
Copyright (c) 1998-2008 Greg Roelofs. All rights reserved.

This software is provided "as is," without warranty of any kind, express or implied. In no event shall the author or contributors be held liable for any damages arising in any way from the use of this software.

The contents of this file are DUAL-LICENSED. You may modify and/or redistribute this software according to the terms of one of the following two licenses (at your option):

LICENSE 1 ("BSD-like with advertising clause"):

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. Redistributions of source code must retain the above copyright notice, disclaimer, and this list of conditions.
2. Redistributions in binary form must reproduce the above copyright notice, disclaimer, and this list of conditions in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment:



This product includes software developed by Greg Roelofs and contributors for the book, "PNG: The Definitive Guide," published by O'Reilly and Associates.

LICENSE 2 (GNU GPL v2 or later):

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

-----

pnm2png / png2pnm --- conversion from PBM/PGM/PPM-file to PNG-file

copyright (C) 1999-2019 by Willem van Schaik <willem at schaik dot com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The software is provided "as is", without warranty of any kind, express or implied, including but not limited to the warranties of merchantability, fitness for a particular purpose and noninfringement. In no event shall the authors or copyright holders be liable for any claim, damages or other liability, whether in an action of contract, tort or otherwise, arising from, out of or in connection with the software or the use or other dealings in the software.

/\* intel\_init.c - SSE2 optimized filter functions

\*

\* Copyright (c) 2018 Cosmin Truta  
\* Copyright (c) 2016-2017 Glenn Randers-Pehrson  
\* Written by Mike Klein and Matt Sarett, Google, Inc.  
\* Derived from arm/arm\_init.c  
\*  
\* This code is released under the libpng license.  
\* For conditions of distribution and use, see the disclaimer  
\* and license in png.h  
\*/

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

\* Copyright (c) 1995-2019 The PNG Reference Library Authors.  
\* Copyright (c) 2018-2019 Cosmin Truta.  
\* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.  
\* Copyright (c) 1996-1997 Andreas Dilger.  
\* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler

Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further



restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest

to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into

proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## 1.133 tre 1.2.4-r0

### 1.133.1 Available under license :

must as a whole is licensed under the following standard MIT license:

-----  
Copyright 2005-2020 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
Authors/contributors include:

A. Wilcox  
Ada Worcester  
Alex Dowad  
Alex Suykov  
Alexander Monakov  
Andre McCurdy  
Andrew Kelley  
Anthony G. Basile  
Aric Belsito  
Arvid Picciani  
Bartosz Brachaczek  
Benjamin Peterson

Bobby Bingham  
Boris Brezillon  
Brent Cook  
Chris Spiegel  
Clment Vasseur  
Daniel Micay  
Daniel Sabogal  
Daurnimator  
David Carlier  
David Edelsohn  
Denys Vlasenko  
Dmitry Ivanov  
Dmitry V. Levin  
Drew DeVault  
Emil Renner Berthing  
Fangrui Song  
Felix Fietkau  
Felix Janda  
Gianluca Anzolin  
Hauke Mehtens  
He X  
Hiltjo Posthuma  
Isaac Dunham  
Jaydeep Patil  
Jens Gustedt  
Jeremy Huntwork  
Jo-Philipp Wich  
Joakim Sindholt  
John Spencer  
Julien Ramseier  
Justin Cormack  
Kaarle Ritvanen  
Khem Raj  
Kylie McClain  
Leah Neukirchen  
Luca Barbato  
Luka Perkov  
M Farkas-Dyck (Strake)  
Mahesh Bodapati  
Markus Wichmann  
Masanori Oginno  
Michael Clark  
Michael Forney  
Mikhail Kremnyov  
Natanael Copa  
Nicholas J. Kain  
orc  
Pascal Cuoq

Patrick Oppenlander  
Petr Hosek  
Petr Skocik  
Pierre Carrier  
Reini Urban  
Rich Felker  
Richard Pennington  
Ryan Fairfax  
Samuel Holland  
Segev Finer  
Shiz  
sin  
Solar Designer  
Stefan Kristiansson  
Stefan O'Rear  
Szabolcs Nagy  
Timo Ters  
Trutz Behn  
Valentin Ochs  
Will Dietz  
William Haddon  
William Pitcock

Portions of this software are derived from third-party works licensed under terms compatible with the above MIT license:

The TRE regular expression implementation (`src/regex/reg*` and `src/regex/tre*`) is Copyright 2001-2008 Ville Laurikari and licensed under a 2-clause BSD license (license text in the source files). The included version has been heavily modified by Rich Felker in 2012, in the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (`src/math/*` and `src/complex/*`) is Copyright 1993,2004 Sun Microsystems or Copyright 2003-2011 David Schultz or Copyright 2003-2009 Steven G. Kargl or Copyright 2003-2009 Bruce D. Evans or Copyright 2008 Stephen L. Moshier or Copyright 2017-2018 Arm Limited and labelled as such in comments in the individual source files. All have been licensed under extremely permissive terms.

The ARM memcpy code (`src/string/arm/memcpy.S`) is Copyright 2008 The Android Open Source Project and is licensed under a two-clause BSD license. It was taken from Bionic libc, used on Android.

The AArch64 memcpy and memset code (`src/string/aarch64/*`) are Copyright 1999-2019, Arm Limited.

The implementation of DES for crypt (src/crypt/crypt\_des.c) is Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (src/crypt/crypt\_blowfish.c) was originally written by Solar Designer and placed into the public domain. The code also comes with a fallback permissive license for use in jurisdictions that may not recognize the public domain.

The smoothsort implementation (src/stdlib/qsart.c) is Copyright 2011 Valentin Ochs and is licensed under an MIT-style license.

The x86\_64 port was written by Nicholas J. Kain and is licensed under the standard MIT terms.

The mips and microblaze ports were originally written by Richard Pennington for use in the ellcc project. The original code was adapted by Rich Felker for build system and code conventions during upstream integration. It is licensed under the standard MIT terms.

The mips64 port was contributed by Imagination Technologies and is licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington, and later supplemented and integrated by John Spencer. It is licensed under the standard MIT terms.

All other files which have no copyright comments are original works produced specifically for use as part of this library, written either by Rich Felker, the main author of the library, or by one or more contributors listed above. Details on authorship of individual files can be found in the git version control history of the project. The omission of copyright and license comments in each file is in the interest of source tree size.

In addition, permission is hereby granted for all public header files (include/\* and arch/\*/bits/\*) and crt files intended to be linked into applications (crt/\*, ldso/dlstart.c, and arch/\*/crt\_arch.h) to omit the copyright notice and permission notice otherwise required by the license, and to use these files without any requirement of attribution. These files include substantial contributions from:

Bobby Bingham  
John Spencer  
Nicholas J. Kain  
Rich Felker  
Richard Pennington  
Stefan Kristiansson

Szabolcs Nagy

all of whom have explicitly granted such permission.

This file previously contained text expressing a belief that most of the files covered by the above exception were sufficiently trivial not to be subject to copyright, resulting in confusion over whether it negated the permissions granted in the license. In the spirit of permissive licensing, and of not having licensing issues being an obstacle to adoption, that text has been removed.

## 1.134 jackson-annotations 2.13.3

### 1.134.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,



and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.135 netty-codec 4.1.91.Final

## 1.135.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version 2.0 (the
 * "License"); you may not use this file except in compliance with the License. You may obtain a
 * copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/EmptyHeaders.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/Headers.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/DefaultHeaders.java
```

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/META-
INF/maven/io.netty.netty-codec/pom.xml
```

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
```

jar/io/netty/handler/codec/compression/CompressionUtil.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/CodecOutputList.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/compression/ByteBufChecksum.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/string/LineSeparator.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/DatagramPacketEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/string/LineEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/DateFormatter.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/DatagramPacketDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

/\*

\* Written by Robert Harder and released to the public domain, as explained at

\* <https://creativecommons.org/licenses/publicdomain>

\*/

/\*\*

\* Utility class for { @link ByteBuf } that encodes and decodes to and from

\* [Base64](https://en.wikipedia.org/wiki/Base64) notation.

\* <p>

\* The encoding and decoding algorithm in this class has been derived from

\* [Robert Harder's Public Domain](http://iharder.sourceforge.net/current/java/base64/)

\* Base64 Encoder/Decoder</a>.

\*/

Found in path(s):

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/base64/Base64.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Brotli.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/ZstdEncoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/GzipOptions.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/StandardCompressionOptions.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Zstd.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/ZstdOptions.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/CompressionOptions.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/BrotliEncoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/BrotliOptions.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/DeflateOptions.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/ZstdConstants.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/BrotliDecoder.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
```

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/package-info.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/LimitingByteInput.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/string/package-info.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/DecoderResult.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/ObjectEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/ZlibUtil.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/LineBasedFrameDecoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/TooLongFrameException.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/package-info.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/ByteToMessageCodec.java



\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/xml/package-info.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/package-info.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/package-info.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/base64/Base64Decoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/string/StringEncoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/MarshallerProvider.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/MessageToMessageDecoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/MessageAggregator.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/JdkZlibEncoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/LengthFieldPrepender.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/Delimiters.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/ClassResolver.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/DecompressionException.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/ByteToMessageDecoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/ClassResolvers.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/bytes/package-info.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/Snappy.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/CachingClassResolver.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/MessageToMessageEncoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/ReferenceMap.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/UnsupportedMessageTypeException.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/FixedLengthFrameDecoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/CodecException.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/ReplayingDecoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/protobuf/package-info.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/WeakReferenceMap.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/MessageToByteEncoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/ZlibEncoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/JZlibEncoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/SoftReferenceMap.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/JZlibDecoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/ObjectDecoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/PrematureChannelClosureException.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/string/StringDecoder.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/MessageToMessageCodec.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/CompressionException.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/ZlibDecoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/ZlibWrapper.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/base64/Base64Encoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/ZlibCodecFactory.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/base64/package-info.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/CorruptedFrameException.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/DecoderException.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/EncoderException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/Lz4XXHash32.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Encoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Rand.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Lz4Constants.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Decoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Constants.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/json/JsonObjectDecoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/AsciiHeadersEncoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
```

jar/io/netty/handler/codec/DecoderResultProvider.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/LzfDecoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/Bzip2BitWriter.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/FastLz.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/Crc32.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/LzfEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/MessageAggregationException.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/json/package-info.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/compression/Bzip2BitReader.java  
No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/META-INF/native-image/io.netty.netty-codec/native-image.properties  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/ProtocolDetectionResult.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/UnsupportedValueConverter.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/HeadersUtils.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/ProtocolDetectionState.java  
\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/ValueConverter.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/DefaultHeadersImpl.java

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-  
jar/io/netty/handler/codec/CharSequenceValueConverter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

/\*\*

\* A decoder that splits the received { @link ByteBuf}s dynamically by the  
\* value of the length field in the message. It is particularly useful when you  
\* decode a binary message which has an integer header field that represents the  
\* length of the message body or the whole message.

\* <p>

\* { @link LengthFieldBasedFrameDecoder } has many configuration parameters so  
\* that it can decode any message with a length field, which is often seen in  
\* proprietary client-server protocols. Here are some example that will give  
\* you the basic idea on which option does what.

\*

\* <h3>2 bytes length field at offset 0, do not strip header</h3>

\*

\* The value of the length field in this example is <tt>12 (0x0C)</tt> which  
\* represents the length of "HELLO, WORLD". By default, the decoder assumes  
\* that the length field represents the number of the bytes that follows the  
\* length field. Therefore, it can be decoded with the simplistic parameter  
\* combination.

\* <pre>

\* <b>lengthFieldOffset</b> = <b>0</b>

```

* lengthFieldLength = 2
* lengthAdjustment = 0
* initialBytesToStrip = 0 (= do not strip header)
*
* BEFORE DECODE (14 bytes) AFTER DECODE (14 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content |---->| Length | Actual Content |
* | 0x000C | "HELLO, WORLD" | | 0x000C | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 0, strip header</h3>
*
* Because we can get the length of the content by calling
* { @link ByteBuf#readableBytes() }, you might want to strip the length
* field by specifying <tt>initialBytesToStrip</tt>. In this example, we
* specified <tt>2</tt>, that is same with the length of the length field, to
* strip the first two bytes.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* initialBytesToStrip = 2 (= the length of the Length field)
*
* BEFORE DECODE (14 bytes) AFTER DECODE (12 bytes)
* +-----+-----+ +-----+
* | Length | Actual Content |---->| Actual Content |
* | 0x000C | "HELLO, WORLD" | | "HELLO, WORLD" |
* +-----+-----+ +-----+
* </pre>
*
* <h3>2 bytes length field at offset 0, do not strip header, the length field
* represents the length of the whole message</h3>
*
* In most cases, the length field represents the length of the message body
* only, as shown in the previous examples. However, in some protocols, the
* length field represents the length of the whole message, including the
* message header. In such a case, we specify a non-zero
* <tt>lengthAdjustment</tt>. Because the length value in this example message
* is always greater than the body length by <tt>2</tt>, we specify <tt>-2</tt>
* as <tt>lengthAdjustment</tt> for compensation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = -2 (= the length of the Length field)
* initialBytesToStrip = 0
*
* BEFORE DECODE (14 bytes) AFTER DECODE (14 bytes)

```



```

* +-----+-----+ +-----+-----+
* | Length | Actual Content |---->| Length | Actual Content |
* | 0x000E | "HELLO, WORLD" | | 0x000E | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
*
* <h3>3 bytes length field at the end of 5 bytes header, do not strip header</h3>
*
* The following message is a simple variation of the first example. An extra
* header value is prepended to the message. <tt>lengthAdjustment</tt> is zero
* again because the decoder always takes the length of the prepended data into
* account during frame length calculation.
* <pre>
* lengthFieldOffset = 2 (= the length of Header 1)
* lengthFieldLength = 3
* lengthAdjustment = 0
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes) AFTER DECODE (17 bytes)
* +-----+-----+-----+ +-----+-----+-----+
* | Header 1 | Length | Actual Content |---->| Header 1 | Length | Actual Content |
* | 0xCAFE | 0x00000C | "HELLO, WORLD" | | 0xCAFE | 0x00000C | "HELLO, WORLD" |
* +-----+-----+-----+ +-----+-----+-----+
* </pre>
*
* <h3>3 bytes length field at the beginning of 5 bytes header, do not strip header</h3>
*
* This is an advanced example that shows the case where there is an extra
* header between the length field and the message body. You have to specify a
* positive <tt>lengthAdjustment</tt> so that the decoder counts the extra
* header into the frame length calculation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 3
* lengthAdjustment = 2 (= the length of Header 1)
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes) AFTER DECODE (17 bytes)
* +-----+-----+-----+ +-----+-----+-----+
* | Length | Header 1 | Actual Content |---->| Length | Header 1 | Actual Content |
* | 0x00000C | 0xCAFE | "HELLO, WORLD" | | 0x00000C | 0xCAFE | "HELLO, WORLD" |
* +-----+-----+-----+ +-----+-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field</h3>
*
* This is a combination of all the examples above. There are the prepended

```

\* header before the length field and the extra header after the length field.

\* The prepended header affects the `<tt>lengthFieldOffset</tt>` and the extra

\* header affects the `<tt>lengthAdjustment</tt>`. We also specified a non-zero

\* `<tt>initialBytesToStrip</tt>` to strip the length field and the prepended

\* header from the frame. If you don't want to strip the prepended header, you

\* could specify `<tt>0</tt>` for `<tt>initialBytesToSkip</tt>`.

```
* <pre>
* lengthFieldOffset = 1 (= the length of HDR1)
* lengthFieldLength = 2
* lengthAdjustment = 1 (= the length of HDR2)
* initialBytesToStrip = 3 (= the length of HDR1 + LEN)
*
* BEFORE DECODE (16 bytes) AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+-----+ +-----+-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |-----| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+-----+ +-----+-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field, the length field
* represents the length of the whole message</h3>
*
* Let's give another twist to the previous example. The only difference from
* the previous example is that the length field represents the length of the
* whole message instead of the message body, just like the third example.
* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.
* Please note that we don't need to take the length of HDR2 into account
* because the length field already includes the whole header length.
* <pre>
* lengthFieldOffset = 1
* lengthFieldLength = 2
* lengthAdjustment = -3 (= the length of HDR1 + LEN, negative)
* initialBytesToStrip = 3
*
* BEFORE DECODE (16 bytes) AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+-----+ +-----+-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |-----| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+-----+ +-----+-----+-----+
* </pre>
* @see LengthFieldPrepender
*/
```

Found in path(s):

\* /opt/cola/permits/1629578833\_1681820741.6611998/0/netty-codec-4-1-91-final-sources-jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/JdkZlibDecoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/xml/XmlFrameDecoder.java
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/Crc32c.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
/*
 * Written by Robert Harder and released to the public domain, as explained at
 * https://creativecommons.org/licenses/publicdomain
 */
/**
 * Enumeration of supported Base64 dialects.
```

```
* <p>
* The internal lookup tables in this class has been derived from
* Robert Harder's Public Domain
* Base64 Encoder/Decoder.
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/base64/Base64Dialect.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2023 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

```
* version 2.0 (the "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

```
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
* License for the specific language governing permissions and limitations
```

```
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1629578833_1681820741.6611998/0/netty-codec-4-1-91-final-sources-
jar/io/netty/handler/codec/compression/EncoderUtil.java
```

## 1.136 javax-annotation-api 1.3.2

### 1.136.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made,

use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING



FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under

copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-

free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY

COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright

disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2018 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*  
 \* GPL Classpath Exception:  
 \* Oracle designates this particular file as subject to the "Classpath"  
 \* exception as provided by Oracle in the GPL Version 2 section of the License  
 \* file that accompanied this code.  
 \*  
 \* Modifications:  
 \* If applicable, add the following below the License Header, with the fields  
 \* enclosed by brackets [] replaced by your own identifying information:  
 \* "Portions Copyright [year] [name of copyright owner]"  
 \*  
 \* Contributor(s):  
 \* If you wish your version of this file to be governed by only the CDDL or  
 \* only the GPL Version 2, indicate your decision by adding "[Contributor]  
 \* elects to include this software in this distribution under the [CDDL or GPL  
 \* Version 2] license." If you don't indicate a single choice of license, a  
 \* recipient has the option to distribute your version of this file under  
 \* either the CDDL, the GPL Version 2 or to extend the choice of license to  
 \* its licensees as provided above. However, if you add GPL Version 2 code  
 \* and therefore, elected the GPL Version 2 license, then the option applies  
 \* only if the new code is made subject to such option by the copyright  
 \* holder.  
 \*/

# 1.137 libjpeg 6b

## 1.137.1 Notifications :

This software is based in part on the work of the Independent JPEG Group.

## 1.137.2 Available under license :

The Independent JPEG Group's JPEG software

=====

README for release 6b of 27-Mar-1998

=====

This distribution contains the sixth public release of the Independent JPEG Group's free JPEG software. You are welcome to redistribute this software and to use it for any purpose, subject to the conditions under LEGAL ISSUES, below.

Serious users of this software (particularly those incorporating it into larger programs) should contact IJG at jpeg-info@uunet.uu.net to be added to our electronic mailing list. Mailing list members are notified of updates and have a chance to participate in technical discussions, etc.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG



Group.

IJG is not affiliated with the official ISO JPEG standards committee.

## DOCUMENTATION ROADMAP

=====

This file contains the following sections:

OVERVIEW        General description of JPEG and the IJG software.  
LEGAL ISSUES    Copyright, lack of warranty, terms of distribution.  
REFERENCES     Where to learn more about JPEG.  
ARCHIVE LOCATIONS Where to find newer versions of this software.  
RELATED SOFTWARE Other stuff you should get.  
FILE FORMAT WARS Software \*not\* to get.  
TO DO           Plans for future IJG releases.

Other documentation files in the distribution are:

User documentation:

install.doc    How to configure and install the IJG software.  
usage.doc      Usage instructions for cjpeg, djpeg, jpegtran,  
                 rdjpgcom, and wrjpgcom.  
\*.1            Unix-style man pages for programs (same info as usage.doc).  
wizard.doc     Advanced usage instructions for JPEG wizards only.  
change.log     Version-to-version change highlights.

Programmer and internal documentation:

libjpeg.doc    How to use the JPEG library in your own programs.  
example.c      Sample code for calling the JPEG library.  
structure.doc   Overview of the JPEG library's internal structure.  
filelist.doc   Road map of IJG files.  
coderrules.doc Coding style rules --- please read if you contribute code.

Please read at least the files install.doc and usage.doc. Useful information can also be found in the JPEG FAQ (Frequently Asked Questions) article. See ARCHIVE LOCATIONS below to find out where to obtain the FAQ article.

If you want to understand how the JPEG code works, we suggest reading one or more of the REFERENCES, then looking at the documentation files (in roughly the order listed) before diving into the code.

## OVERVIEW

=====

This package contains C software to implement JPEG image compression and decompression. JPEG (pronounced "jay-peg") is a standardized compression

method for full-color and gray-scale images. JPEG is intended for compressing "real-world" scenes; line drawings, cartoons and other non-realistic images are not its strong suit. JPEG is lossy, meaning that the output image is not exactly identical to the input image. Hence you must not use JPEG if you have to have identical output bits. However, on typical photographic images, very good compression levels can be obtained with no visible change, and remarkably high compression levels are possible if you can tolerate a low-quality image. For more details, see the references, or just experiment with various compression settings.

This software implements JPEG baseline, extended-sequential, and progressive compression processes. Provision is made for supporting all variants of these processes, although some uncommon parameter settings aren't implemented yet. For legal reasons, we are not distributing code for the arithmetic-coding variants of JPEG; see LEGAL ISSUES. We have made no provision for supporting the hierarchical or lossless processes defined in the standard.

We provide a set of library routines for reading and writing JPEG image files, plus two sample applications "cjpeg" and "djpeg", which use the library to perform conversion between JPEG and some other popular image file formats. The library is intended to be reused in other applications.

In order to support file conversion and viewing software, we have included considerable functionality beyond the bare JPEG coding/decoding capability; for example, the color quantization modules are not strictly part of JPEG decoding, but they are essential for output to colormapped file formats or colormapped displays. These extra functions can be compiled out of the library if not required for a particular application. We have also included "jpegtran", a utility for lossless transcoding between different JPEG processes, and "rdjpgcom" and "wrjpgcom", two simple applications for inserting and extracting textual comments in JFIF files.

The emphasis in designing this software has been on achieving portability and flexibility, while also making it fast enough to be useful. In particular, the software is not intended to be read as a tutorial on JPEG. (See the REFERENCES section for introductory material.) Rather, it is intended to be reliable, portable, industrial-strength code. We do not claim to have achieved that goal in every aspect of the software, but we strive for it.

We welcome the use of this software as a component of commercial products. No royalty is required, but we do ask for an acknowledgement in product documentation, as described under LEGAL ISSUES.

## LEGAL ISSUES

=====

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.

ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

## REFERENCES

=====

We highly recommend reading one or more of these references before trying to understand the innards of the JPEG software.

The best short technical introduction to the JPEG compression algorithm is Wallace, Gregory K. "The JPEG Still Picture Compression Standard", Communications of the ACM, April 1991 (vol. 34 no. 4), pp. 30-44. (Adjacent articles in that issue discuss MPEG motion picture compression, applications of JPEG, and related topics.) If you don't have the CACM issue handy, a PostScript file containing a revised version of Wallace's article is available at <ftp://ftp.uu.net/graphics/jpeg/wallace.ps.gz>. The file (actually

a preprint for an article that appeared in IEEE Trans. Consumer Electronics) omits the sample images that appeared in CACM, but it includes corrections and some added material. Note: the Wallace article is copyright ACM and IEEE, and it may not be used for commercial purposes.

A somewhat less technical, more leisurely introduction to JPEG can be found in "The Data Compression Book" by Mark Nelson and Jean-loup Gailly, published by M&T Books (New York), 2nd ed. 1996, ISBN 1-55851-434-1. This book provides good explanations and example C code for a multitude of compression methods including JPEG. It is an excellent source if you are comfortable reading C code but don't know much about data compression in general. The book's JPEG sample code is far from industrial-strength, but when you are ready to look at a full implementation, you've got one here...

The best full description of JPEG is the textbook "JPEG Still Image Data Compression Standard" by William B. Pennebaker and Joan L. Mitchell, published by Van Nostrand Reinhold, 1993, ISBN 0-442-01272-1. Price US\$59.95, 638 pp. The book includes the complete text of the ISO JPEG standards (DIS 10918-1 and draft DIS 10918-2). This is by far the most complete exposition of JPEG in existence, and we highly recommend it.

The JPEG standard itself is not available electronically; you must order a paper copy through ISO or ITU. (Unless you feel a need to own a certified official copy, we recommend buying the Pennebaker and Mitchell book instead; it's much cheaper and includes a great deal of useful explanatory material.) In the USA, copies of the standard may be ordered from ANSI Sales at (212) 642-4900, or from Global Engineering Documents at (800) 854-7179. (ANSI doesn't take credit card orders, but Global does.) It's not cheap: as of 1992, ANSI was charging \$95 for Part 1 and \$47 for Part 2, plus 7% shipping/handling. The standard is divided into two parts, Part 1 being the actual specification, while Part 2 covers compliance testing methods. Part 1 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 1: Requirements and guidelines" and has document numbers ISO/IEC IS 10918-1, ITU-T T.81. Part 2 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 2: Compliance testing" and has document numbers ISO/IEC IS 10918-2, ITU-T T.83.

Some extensions to the original JPEG standard are defined in JPEG Part 3, a newer ISO standard numbered ISO/IEC IS 10918-3 and ITU-T T.84. IJG currently does not support any Part 3 extensions.

The JPEG standard does not specify all details of an interchangeable file format. For the omitted details we follow the "JFIF" conventions, revision 1.02. A copy of the JFIF spec is available from:

Literature Department  
C-Cube Microsystems, Inc.  
1778 McCarthy Blvd.  
Milpitas, CA 95035

phone (408) 944-6300, fax (408) 944-6314

A PostScript version of this document is available by FTP at <ftp://ftp.uu.net/graphics/jpeg/jfif.ps.gz>. There is also a plain text version at <ftp://ftp.uu.net/graphics/jpeg/jfif.txt.gz>, but it is missing the figures.

The TIFF 6.0 file format specification can be obtained by FTP from <ftp://ftp.sgi.com/graphics/tiff/TIFF6.ps.gz>. The JPEG incorporation scheme found in the TIFF 6.0 spec of 3-June-92 has a number of serious problems. IJG does not recommend use of the TIFF 6.0 design (TIFF Compression tag 6). Instead, we recommend the JPEG design proposed by TIFF Technical Note #2 (Compression tag 7). Copies of this Note can be obtained from <ftp.sgi.com> or from <ftp://ftp.uu.net/graphics/jpeg/>. It is expected that the next revision of the TIFF spec will replace the 6.0 JPEG design with the Note's design. Although IJG's own code does not support TIFF/JPEG, the free libtiff library uses our library to implement TIFF/JPEG per the Note. libtiff is available from <ftp://ftp.sgi.com/graphics/tiff/>.

## ARCHIVE LOCATIONS

=====

The "official" archive site for this software is <ftp.uu.net> (Internet address 192.48.96.9). The most recent released version can always be found there in directory <graphics/jpeg>. This particular version will be archived as <ftp://ftp.uu.net/graphics/jpeg/jpegsrc.v6b.tar.gz>. If you don't have direct Internet access, UUNET's archives are also available via UUCP; contact [help@uunet.uu.net](mailto:help@uunet.uu.net) for information on retrieving files that way.

Numerous Internet sites maintain copies of the UUNET files. However, only <ftp.uu.net> is guaranteed to have the latest official version.

You can also obtain this software in DOS-compatible "zip" archive format from the SimTel archives (<ftp://ftp.simtel.net/pub/simtelnet/msdos/graphics/>), or on CompuServe in the Graphics Support forum (GO CIS:GRAPHSUP), library 12 "JPEG Tools". Again, these versions may sometimes lag behind the <ftp.uu.net> release.

The JPEG FAQ (Frequently Asked Questions) article is a useful source of general information about JPEG. It is updated constantly and therefore is not included in this distribution. The FAQ is posted every two weeks to Usenet newsgroups <comp.graphics.misc>, <news.answers>, and other groups. It is available on the World Wide Web at <http://www.faqs.org/faqs/jpeg-faq/> and other <news.answers> archive sites, including the official <news.answers> archive at <rtfm.mit.edu>: <ftp://rtfm.mit.edu/pub/usenet/news.answers/jpeg-faq/>. If you don't have Web or FTP access, send e-mail to [mail-server@rtfm.mit.edu](mailto:mail-server@rtfm.mit.edu) with body  
send usenet/news.answers/jpeg-faq/part1

send usenet/news.answers/jpeg-faq/part2

## RELATED SOFTWARE

=====

Numerous viewing and image manipulation programs now support JPEG. (Quite a few of them use this library to do so.) The JPEG FAQ described above lists some of the more popular free and shareware viewers, and tells where to obtain them on Internet.

If you are on a Unix machine, we highly recommend Jef Poskanzer's free PBPLUS software, which provides many useful operations on PPM-format image files. In particular, it can convert PPM images to and from a wide range of other formats, thus making cjpeg/djpeg considerably more useful. The latest version is distributed by the NetPBM group, and is available from numerous sites, notably <ftp://wuarchive.wustl.edu/graphics/graphics/packages/NetPBM/>. Unfortunately PBPLUS/NETPBM is not nearly as portable as the IJG software is; you are likely to have difficulty making it work on any non-Unix machine.

A different free JPEG implementation, written by the PVRG group at Stanford, is available from <ftp://havefun.stanford.edu/pub/jpeg/>. This program is designed for research and experimentation rather than production use; it is slower, harder to use, and less portable than the IJG code, but it is easier to read and modify. Also, the PVRG code supports lossless JPEG, which we do not. (On the other hand, it doesn't do progressive JPEG.)

## FILE FORMAT WARS

=====

Some JPEG programs produce files that are not compatible with our library. The root of the problem is that the ISO JPEG committee failed to specify a concrete file format. Some vendors "filled in the blanks" on their own, creating proprietary formats that no one else could read. (For example, none of the early commercial JPEG implementations for the Macintosh were able to exchange compressed files.)

The file format we have adopted is called JFIF (see REFERENCES). This format has been agreed to by a number of major commercial JPEG vendors, and it has become the de facto standard. JFIF is a minimal or "low end" representation. We recommend the use of TIFF/JPEG (TIFF revision 6.0 as modified by TIFF Technical Note #2) for "high end" applications that need to record a lot of additional data about an image. TIFF/JPEG is fairly new and not yet widely supported, unfortunately.

The upcoming JPEG Part 3 standard defines a file format called SPIFF. SPIFF is interoperable with JFIF, in the sense that most JFIF decoders should

be able to read the most common variant of SPIFF. SPIFF has some technical advantages over JFIF, but its major claim to fame is simply that it is an official standard rather than an informal one. At this point it is unclear whether SPIFF will supersede JFIF or whether JFIF will remain the de-facto standard. IJG intends to support SPIFF once the standard is frozen, but we have not decided whether it should become our default output format or not. (In any case, our decoder will remain capable of reading JFIF indefinitely.)

Various proprietary file formats incorporating JPEG compression also exist. We have little or no sympathy for the existence of these formats. Indeed, one of the original reasons for developing this free software was to help force convergence on common, open format standards for JPEG files. Don't use a proprietary file format!

TO DO

=====

The major thrust for v7 will probably be improvement of visual quality. The current method for scaling the quantization tables is known not to be very good at low Q values. We also intend to investigate block boundary smoothing, "poor man's variable quantization", and other means of improving quality-vs-file-size performance without sacrificing compatibility.

In future versions, we are considering supporting some of the upcoming JPEG Part 3 extensions --- principally, variable quantization and the SPIFF file format.

As always, speeding things up is of great interest.

Please send bug reports, offers of help, etc. to [jpeg-info@uunet.uu.net](mailto:jpeg-info@uunet.uu.net).

## 1.138 error\_prone\_annotations 2.9.0

### 1.138.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software



distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

\* /opt/cola/permits/1262997566\_1643611399.53/0/error-prone-annotations-2-9-0-jar/META-  
INF/maven/com.google.errorprone/error\_prone\_annotations/pom.xml

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2023 Cisco Systems, Inc. All rights reserved.